


AD-A223 407



UNITED STATES AIR FORCE

OCCUPATIONAL SURVEY REPORT

DTIC
ELECTE
JUN 28 1990
S B D
Co

PHOTO-SENSORS MAINTENANCE

AFSC 455X0A/B

AFPT 90-455-854

MAY 1990

OCCUPATIONAL ANALYSIS PROGRAM
USAF OCCUPATIONAL MEASUREMENT CENTER
AIR TRAINING COMMAND
RANDOLPH AFB, TEXAS 78150-5000

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

90 06 27 073

DISTRIBUTION FOR
AFSC 455X0A/B OSR AND SUPPORTING DOCUMENTS

	<u>OSR</u>	<u>ANL</u> <u>EXT</u>	<u>TNG</u> <u>EXT</u>	<u>JOB</u> <u>INV</u>
AFHRL/ID	1	1m	1m/1h	1
AFHRL/MODS	2	1m	1m	1
AFMPC/DPMRPQ1	2			
AFMPC/DPMRAD5	1			
ARMY OCCUPATIONAL SURVEY BRANCH	1			
CCAF/AYX	1			
DEFENSE TECHNICAL INFORMATION CENTER	2			
DET 5, USAFOMC (LOWRY AFB CO)	1*	1*	1*	1*
DET 20, HQ AFSC/DPAT	1		1	
HQ AAC/DPAT	3		3	
HQ AAC/LGM	3*		3*	
HQ AFISC/DAP	2			
HQ AFSC/LGM	3*		3*	
HQ AFSC/TTGT	1		1	
HQ ATC/DPAE	3		3	
HQ ATC/TTOA	2		1	
HQ MAC/DPAT	3		3	
HQ MAC/LGM	3*		3*	
HQ MAC/TTGT	1		1	
HQ PACAF/DPAT	3		3	
HQ PACAF/LGM	3*		3*	
HQ PACAF/TTGT	1		1	
HQ SAC/DPAT	3		3	
HQ SAC/LGM	3*		3*	
HQ SAC/TTGT	1		1	
HQ TAC/DPATJ	3		3	
HQ TAC/LGM	3*		3*	
HQ TAC/TTGT	1		1	
HQ USAF/LEGM	1		1	
HQ USAF/LGM	3*		3*	
HQ USAF/DPPE	1			
HQ USAFE/DPAT	3		3	
HQ USAFE/TTGT	1		1	
NODAC	1			
3400 TCHTW/TTGX (LOWRY AFB CO)	3*	2*	3*	3*
3400 TCHTW/TTS (LOWRY AFB CO)	1*		1*	
USAFOMC/OMDQ	1			
USAFOMC/OMYXL	10	2m	5	10
USMC (CODE TE-310)	1			
388 TFW/MAT	2*		2*	
3507 ACS/DPKI	1			

m = microfiche only
h = hard copy only
* = for each shred

TABLE OF CONTENTS

	<u>PAGE NUMBER</u>
PREFACE.	iii
SUMMARY OF RESULTS	iv
INTRODUCTION	1
Background	1
SURVEY METHODOLOGY	1
Survey Administration.	2
Survey Sample.	3
Task Factor Administration	3
SPECIALTY JOBS (Career Ladder Structure)	6
Overview	6
Comparison of Previous Survey.	19
Summary.	21
CAREER LADDER PROGRESSION.	21
AFR 39-1 SPECIALTY JOB DESCRIPTION ANALYSIS.	21
SKILL LEVEL DESCRIPTIONS	24
AFSC 455X0A Tactical/Reconnaissance Electronic Sensors Maintenance	24
AFSC 455X0B Reconnaissance/Electro-optical Sensors Maintenance .	24
Summary.	30
TRAINING ANALYSIS.	30
First-Enlistment Tactical/Reconnaissance Electronic Sensors Maintenance Personnel (AFSC 455X0A)	30
First-Enlistment Reconnaissance/Electro-optical Sensors Maintenance Personnel (AFSC 455X0B)	35
Specialty Training Standard (STS).	35
Electronic Principles Specialty Training Standards	40
Plans of Instruction (POI)	43
Summary.	46
MAJCOM DIFFERENCES	46
JOB SATISFACTION	46
Summary.	48
IMPLICATIONS	48
APPENDIX A	53
APPENDIX B	54

PREFACE

This report presents the results of an Air Force Occupational Survey of the Photo and Sensors Maintenance (AFSC 455X0A/B) career ladder. Authority for conducting occupational surveys is contained in AFR 35-2. Computer products used in this report are available for use by operations and training officials.

Lieutenant Kara Worthington developed the survey instrument, Ms Olga Velez provided computer programming support, and Mr Richard G. Ramos provided administrative support. Mr Daniel E. Dreher analyzed the data and wrote the final report. Lieutenant Colonel Charles D. Gorman, Chief, Airman Analysis Branch, Occupational Analysis Division, USAF Occupational Measurement Center, reviewed and approved this report for release.

A Training Requirements Analysis (TRA) is being accomplished in conjunction with this OSR. The TRA will provide a comprehensive data base to support anticipated changes in training for the career ladder. The TRA will contain three sections: a) System Overview - an overall perspective of the career ladder training; b) Task Analysis - detailed training decision data on technical tasks performed; and c) Training Requirements and Recommendations - suggestions of what should be taught, when, and where. Copies of the TRA may be obtained from USAF Occupational Measurement Center, Detachment 5, Lowry AFB Colorado 80230-5000.

Copies of this report are distributed to Air Staff sections and other interested training and management personnel. Additional copies may be requested from the Occupational Measurement Center, Attention: Chief, Occupational Analysis Division (OMY), Randolph AFB Texas 78150-5000.

BOBBY P. TINDELL, Colonel, USAF
Commander
USAF Occupational Measurement
Center

JOSEPH S. TARTELL
Chief, Occupational Analysis Division
USAF Occupational Measurement
Center

Accession For	
NTIS GRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	



SUMMARY OF RESULTS

1. Survey Coverage: This report is based on data collected from 1,065 respondents constituting 73 percent of all assigned AFSC 455X0 personnel. There were 474 AFSC 455X0A, 587 AFSC 455X0B, and 4 AFSC 45599 personnel in the sample.
2. Career Ladder Structure: Survey data show quite a diversity of jobs in this career ladder. There are three types of jobs identified from survey data: Administrative and Supervisory, Instructor, and Maintenance. In addition, two jobs identified by survey data involve equipment no longer maintained by members of this career ladder.
3. Career Ladder Progression: This career ladder is typical in that 3- and 5-skill level members spend most of their job time performing technical tasks related to maintaining the various sensor equipment items. Seven-skill level members are first-line supervisors, performing a mixture of technical and supervisory tasks.
4. Specialty Descriptions: For the most part, AFR 39-1 Specialty Descriptions accurately describe jobs and tasks performed by AFSC 455X0 personnel. Recent changes in equipment maintained, however, will require some modifications of the Specialty Descriptions.
5. Training Analysis: Most of the Specialty Training Standards (STS) and Plans of Instruction (POI) are supported by survey data when reviewed using criteria set forth in AFR 8-13/ATC Supplement 1 and ATCR 52-22. There are a number of unsupported elements in the Electronics Principles STS for each shred that need to be reviewed by school personnel.
6. Job Satisfaction: Job satisfaction for respondents in the present study is somewhat lower than reported for members of comparative AFSCs surveyed in 1988. Overall satisfaction has remained fairly stable over the years. Members of most jobs report they find their job interesting, and feel their talents and training are used. Members in the Flightline Pave Tack and Strategic Camera Maintenance jobs, however, have the lowest satisfaction indicators.
7. Implications: Survey data show the career ladder has remained essentially the same, even with recent equipment changes. Members progress typically through the specialty. Current AFR 39-1 Specialty Descriptions will need minor changes to reflect recent equipment changes.

OCCUPATIONAL SURVEY REPORT
PHOTO AND SENSORS MAINTENANCE CAREER LADDER
(AFSC 455X0)

INTRODUCTION

This is a report of an occupational survey of the Photo and Sensors Maintenance (AFSC 455X0) career ladder completed by the USAF Occupational Measurement Center (OMC) in March 1990. This career ladder was restructured in 1987 under Rivet Workforce when AFSCs 322X2A and 322X2B (Avionic Sensor Systems) were combined with AFSC 302X1 (Airborne Meteorological/Atmospheric Research Equipment) to become AFSC 455X0A (Tactical/Reconnaissance Electronic Sensors) and AFSCs 322X2A and 322X2C (Avionic Sensor Systems) were combined with AFSC 404X1 (Aerospace Photographic Systems) to become AFSC 455X0B (Reconnaissance/Electro-optical Sensors). AFSCs 322X2A/B/C were surveyed in March 1980 and AFSCs 322X2A/C and 404X1 in July 1984. The present study was requested by HQ USAF/LEYM to provide survey data following the Rivet Workforce merger.

Background

The AFR 39-1 Specialty Descriptions state that AFSC 455X0 personnel inspect, troubleshoot, repair, overhaul, modify, and install avionic sensor system equipment. A-shred personnel are involved with tactical real-time display and reconnaissance electronic sensors, such as lasers, low light television, passive closed circuit television, forward-looking infrared and side-looking radar, cosmic-ray detectors, and radiation detectors. B-shred personnel are involved with electronic and electro-optical sensors, such as infrared detectors, data display systems, optical cameras, videotape recorders, and closed-circuit television systems.

Members enter the career ladder by attending either the 23-week A-shred course or the 27-week B-shred course conducted at Lowry AFB CO. These courses provide background knowledge of electronics and sensor systems which prepare graduates for field training detachment (FTD) and certification courses on specific equipment items taught at bases of first assignment.

SURVEY METHODOLOGY

Data for this survey were collected using USAF Job Inventory AFPT 90-455-854 (April 1989). The Inventory Developer reviewed pertinent career ladder documents, the previous OSR and job inventory, and then prepared a tentative task list. The task list was validated through personal interviews with 77 subject-matter experts at the following bases:

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

<u>BASE</u>	<u>REASON FOR VISIT</u>
Lowry AFB CO	Technical school
Nellis AFB NV	Maintain PAVE PENNY and ground videotape recorders
George AFB CA	Maintain target identification system electro-optical (TISEO) and airborne videotape recorders
Bergstrom AFB TX	Maintain reconnaissance cameras
Beale AFB CA	Maintain side-looking radar
McClellan AFB CA	Maintain atmospheric research equipment
Hurlburt Fld FL	Maintain AAD-7 and PAVE LOW radar
Eglin AFB FL	Major testing site and maintain airborne videotape recorders

The final inventory contains 726 tasks grouped under 24 duty headings, standard background questions asking for DAFSC, organization of assignment, MAJCOM, duty title, TAFMS, time in career ladder, and additional questions asking respondents to indicate aircraft they work on, video or camera systems they maintain, sensor systems they maintain, and test or support equipment they use. School personnel will use responses to these questions to evaluate training and determine how AFSC 455X0 personnel are being used.

Survey Administration

From June through December 1989, Consolidated Base Personnel Offices at operational bases worldwide administered the surveys to AFSC 455X0 personnel selected from a computer-generated mailing list provided by the Air Force Human Resources Laboratory. Respondents were asked to complete the identification and biographical information section first, go through the booklet and mark all tasks they perform in their current job, and then go back and rate each task they marked on a 9-point scale reflecting the relative amount of time spent on each task. Time spent ratings range from 1 (indicating a very small amount of time spent) to 9 (indicating a very large amount of time spent).

The computer calculated the relative percent time spent on all tasks for each respondent by first totaling ratings on all tasks, dividing the rating for each task by this total, and multiplying by 100. The percent time spent ratings from all inventories were then combined and used with percent member performing values to describe various groups in the career ladder.

Survey Sample

The final sample includes responses from 474 AFSC 455X0A, 587 AFSC 455X0B, and 4 AFSC 45599 members. As shown in Tables 1 and 2, the MAJCOM and DAFSC representation in the sample is very close to that of the total AFSC 455X0 population.

Data Processing and Analysis

Once the job inventories are received from the field, the booklets are screened for completeness and accuracy and are optically scanned to create a complete case record for each respondent. Comprehensive Occupational Data Analysis Programs (CODAP) then create a job description for each respondent, as well as composite job descriptions for members of various demographic groups. These job descriptions are used for much of the occupational analysis.

Task Factor Administration

Personnel who make decisions about career ladder documents and training programs use task factor data (training emphasis (TE) and task difficulty (TD) ratings), as well as job descriptions. The survey process provides these data by asking selected E-6 and E-7 supervisors to complete either a TE or TD booklet. These booklets are processed separately from the job inventories, and TE and TD data, when applicable, are considered when analyzing other issues in the study.

Training Emphasis (TE). Training emphasis is defined as the amount of structured training that first-enlistment personnel need to perform tasks successfully. Structured training is defined as training provided by resident technical schools, FTDs, mobile training teams (MTT), formal OJT, or any other organized training method. Thirty-five experienced AFSC 455X0A supervisors and 30 experienced AFSC 455X0B supervisors rated the tasks in the inventory on a 10-point training emphasis scale ranging from 0 (no training required) to 9 (much structured training required). Because of the diversity of equipment maintained by members of the two shreds, only a few respondents were able to provide TE ratings on tasks related to maintaining specific equipment items. This resulted in very low individual and group reliability values. Therefore, TE ratings cannot be used in this study.

Task Difficulty (TD). Task difficulty is defined as an estimate of the length of time the average airman takes to learn how to perform each task listed in the inventory. Twenty-nine experienced AFSC 455X0A and 24 AFSC 455X0B supervisors rated the difficulty of the tasks in the inventory on a 9-point scale ranging from 1 (easy to learn) to 9 (very difficult to learn). Ratings are normally adjusted so tasks of average difficulty have a value of 5.0. Again, the diversity of the career ladder resulted in very few supervisors rating equipment-specific tasks and very low individual and group reliabilities. Like TE, TD data cannot be used in this study.

TABLE 1

MAJCOM REPRESENTATION IN SAMPLE

COMMAND	TOTAL		AFSC 455X0A		AFSC 55X0B	
	PERCENT OF ASSIGNED	PERCENT OF SAMPLE	PERCENT OF ASSIGNED	PERCENT OF SAMPLE	PERCENT OF ASSIGNED	PERCENT OF SAMPLE
TAC	40%	38%	28%	23%	50%	51%
USAFE	15%	19%	14%	16%	17%	20%
MAC	13%	13%	23%	26%	4%	2%
PACAF	10%	10%	8%	9%	11%	11%
SAC	10%	10%	10%	11%	10%	10%
ATC	7%	5%	10%	8%	5%	3%
AFSC	3%	3%	4%	5%	1%	*%
AAC	1%	1%	*%	1%	1%	1%
OTHER	1%	1%	2%	*%	1%	*%

TOTAL ASSIGNED = 914
 TOTAL ELIGIBLE = 769
 TOTAL IN SAMPLE = 587

TOTAL ASSIGNED = 772
 TOTAL ELIGIBLE = 636
 TOTAL IN SAMPLE = 474

TOTAL ASSIGNED = 1,686
 TOTAL ELIGIBLE = 1,405
 TOTAL IN SAMPLE = 1,065
 PERCENT OF ASSIGNED IN SAMPLE = 63%
 PERCENT OF ELIGIBLE IN SAMPLE = 76%

* Less than 1 percent

TABLE 2
PAYGRADE DISTRIBUTION OF SAMPLE

<u>PAYGRADE</u>	<u>PERCENT OF ASSIGNED</u>	<u>PERCENT OF SAMPLE</u>
E-1 to E-3	24%	28%
E-4	34%	30%
E-5	22%	22%
E-6	11%	12%
E-7	8%	7%
E-8	*	*
E-9	*	0

* Less than 1 percent

SPECIALTY JOBS (Career Ladder Structure)

The first step in the analysis process is to identify the structure of the career ladder in terms of jobs performed. CODAP assists by creating an individual job description for each respondent based on the tasks performed and relative amount of time spent on the tasks. The CODAP-automated job clustering program then compares all the individual job descriptions, locates the two descriptions with the most similar tasks and time spent ratings, and combines them to form a composite job description. In successive stages, new members are added to this initial group, or new groups are formed based on the similarity of tasks and time spent ratings. This process continues until all respondents have been included in a group.

Overview

Survey data show there are three general types of jobs in the career ladder: Administrative and Supervisory, Training, and Maintenance. Eight supervisory and administrative jobs are identified separately, as members perform a variety of nontechnical administrative and management types of tasks. The training job is performed by resident course instructors at Lowry AFB. There are also 10 separate maintenance jobs identified by the types of equipment and location maintained. In addition, survey data show there are essentially two jobs that are no longer part of the career ladder. One deals with maintaining the side-looking radar system on the SR-71, and the other involves maintaining atmospheric research equipment (now the responsibility of AFSC 99104 personnel). These last two jobs will not be discussed in the report. Percentages of members in the various jobs are represented in Figure 1. Slices of the pie shaded with lines represent jobs performed by A-shred personnel, slices with the dots represent B-shred jobs, while unshaded slices are jobs performed by both A-and B-shred personnel.

The time members of these jobs spend on duties is shown in Table 3, while selected background information on members of these jobs is presented in Table 4. The Stage (STG) or Group (GRP) number listed beside the title is a reference number assigned by CODAP, while the letter "N" refers to the number of respondents in the job.

I. ADMINISTRATIVE AND SUPERVISORY JOBS (STG021, N=155)

- A. Supply Job (STG108, N=7)
- B. Resource Advisor Job (STG069, N=10)
- C. Production Supervisor Job (STG116, N=6)
- D. Shift Supervisor Job (STG109, N=16)
- E. NCOIC Job (STG106, N=70)
- F. Training Development Job (STG181, N=6)
- G. Mobility NCO Job (STG098, N=6)
- H. Quality Control Job (STG099, N=9)

AFSC 455XO CAREER LADDER JOBS




FIGURE 1

TABLE 3

DISTRIBUTION OF TIME SPENT ACROSS DUTIES BY MEMBERS OF CAREER LADDER JOBS
(RELATIVE PERCENT OF JOB TIME SPENT)

DUTIES	ADMIN SUPV (N=155)	INSTR (N=18)	SHOP SUPV (N=36)	TISEO MAINT (N=9)	PAVE PENNY (N=80)	FLIR MAINT (N=98)
A ORGANIZING AND PLANNING	17	3	7	1	2	2
B DIRECTING AND IMPLEMENTING	17	2	9	1	5	3
C INSPECTING AND EVALUATING	17	3	7	*	2	2
D TRAINING	8	55	4	*	1	2
E PERFORMING ADMINISTRATIVE FUNCTIONS	27	15	21	16	13	11
F PERFORMING GENERAL MAINTENANCE ON PHOTO-SENSOR SYSTEMS	10	6	35	59	45	58
G PERFORMING POWER PROCEDURES	1	2	4	6	4	7
H MAINTAINING PODS	*	*	1	0	2	*
I MAINTAINING PAVE TACK AN/AVQ-26 SYSTEMS	*	*	1	0	0	0
J MAINTAINING RADAR MAPPING SENSOR SYSTEMS	*	0	*	0	0	0
K MAINTAINING PAVE SPIKE AN/ASQ-153 SYSTEMS	0	*	*	0	0	0
L MAINTAINING LOW LIGHT LEVEL TELEVISION SYSTEMS	0	0	*	0	0	3
M MAINTAINING FORWARD LOOKING INFRARED RADAR SYSTEMS	*	*	*	0	0	11
N MAINTAINING SIDE LOOKING RADAR SYSTEMS	0	*	*	0	0	0
O MAINTAINING TARGET IDENTIFICATION SYSTEM ELECTRO-OPTICAL AN/ASX-1 SYSTEMS	*	*	*	14	0	0
P MAINTAINING PAVE PENNY AN/AAS-35 SYSTEMS	*	0	*	0	16	0
Q MAINTAINING ATMOSPHERIC RESEARCH EQUIPMENT	0	*	2	0	0	0
R MAINTAINING AAD-5 SYSTEMS	*	4	*	0	0	0
S MAINTAINING DATA DISPLAY SYSTEMS	*	2	*	0	0	*
T MAINTAINING CAMERA SYSTEMS	1	5	4	0	2	*
U MAINTAINING VIEWFINDER AND VIEWSIGHT SYSTEMS	*	1	*	0	0	*
V MAINTAINING VIDEO RECORDING AND COCKPIT TELEVISION SYSTEMS	*	*	1	0	7	1
W MAINTAINING MOUNT SYSTEMS	*	*	*	*	*	*
X PERFORMING CROSS-UTILIZATION TRAINING (CUT) TASKS	*	0	*	*	*	*

* Denotes less than 1 percent

TABLE 3 (CONTINUED)

DISTRIBUTION OF TIME SPENT ACROSS DUTIES BY MEMBERS OF CAREER LADDER JOBS
(RELATIVE PERCENT OF JOB TIME SPENT)

DUTIES	SHOP PAVE TACK (N=81)	LINE PAVE TACK (N=22)	VIDEO SYS MAINT (N=219)	SHOP TAC CAMERA (N=59)	LINE TAC CAMERA (N=98)	STRAT CAMERA (N=48)
A ORGANIZING AND PLANNING	1	3	2	*	1	1
B DIRECTING AND IMPLEMENTING	2	5	5	3	4	3
C INSPECTING AND EVALUATING	2	4	3	2	2	2
D TRAINING	1	2	2	1	1	1
E PERFORMING ADMINISTRATIVE FUNCTIONS	8	9	17	11	8	17
F PERFORMING GENERAL MAINTENANCE ON PHOTO-SENSOR SYSTEMS	49	39	38	37	33	55
G PERFORMING POWER PROCEDURES	6	9	6	4	6	4
H MAINTAINING PODS	7	5	*	0	*	0
I MAINTAINING PAVE TACK AN/AVQ-26 SYSTEMS	16	8	*	0	*	0
J MAINTAINING RADAR MAPPING SENSOR SYSTEMS	0	0	*	*	*	0
K MAINTAINING PAVE SPIKE AN/ASQ-153 SYSTEMS	0	*	0	0	0	0
L MAINTAINING LOW LIGHT LEVEL TELEVISION SYSTEMS	*	0	*	0	0	0
M MAINTAINING FORWARD LOOKING INFRARED RADAR SYSTEMS	*	0	*	*	0	0
N MAINTAINING SIDE LOOKING RADAR SYSTEMS	0	0	0	*	*	0
O MAINTAINING TARGET IDENTIFICATION SYSTEM ELECTRO-OPTICAL AN/ASX-1 SYSTEMS	3	0	*	0	0	0
P MAINTAINING PAVE PENNY AN/AAS-35 SYSTEMS	0	0	*	0	*	0
Q MAINTAINING ATMOSPHERIC RESEARCH EQUIPMENT	0	0	0	0	0	*
R MAINTAINING AAD-5 SYSTEMS	*	*	0	7	7	0
S MAINTAINING DATA DISPLAY SYSTEMS	*	0	*	4	3	*
T MAINTAINING CAMERA SYSTEMS	2	0	0	24	23	15
U MAINTAINING VIEWFINDER AND VIEWSIGHT SYSTEMS	*	0	*	1	4	2
V MAINTAINING VIDEO RECORDING AND COCKPIT TELEVISION SYSTEMS	1	*	21	4	*	*
W MAINTAINING MOUNT SYSTEMS	*	0	*	*	2	*
X PERFORMING CROSS-UTILIZATION TRAINING (CUT) TASKS	*	14	1	1	*	*

* Denotes less than 1 percent

TABLE 4

SELECTED BACKGROUND DATA ON MEMBERS IN CAREER LADDER JOBS

	ADMIN SUPV	INSTR	SHOP SUPV	TISEO MAINT	PAVE PENNY	FLIR MAINT
NUMBER IN GROUP	155	18	36	9	80	98
PERCENT OF SAMPLE	15%	2%	3%	1%	8%	9%
PERCENT IN CONUS	61%	100%	61%	100%	75%	74%
DAFSC DISTRIBUTION						
45530A	0	0	0	22%	13%	10%
45550A	8%	44%	22%	78%	54%	71%
45570A	35%	11%	25%	0	15%	13%
45530B	1%	0	0	0	1%	1%
45550B	5%	28%	19%	0	16%	4%
45570B	48%	17%	33%	0	1%	0
PAYGRADE DISTRIBUTION						
E-1 to E-4	4%	28%	22%	100%	72%	70%
E-5	27%	56%	25%	0	21%	21%
E-6	33%	17%	39%	0	6%	8%
E-7	35%	0	14%	0	0	0
E-8	1%	0	0	0	0	0
AVERAGE MONTHS TAFMS	171	104	143	37	61	65
AVERAGE NUMBER OF TASKS PERFORMED	64	30	197	58	105	121
PERCENT IN FIRST ENLISTMENT	2%	0	9%	88%	63%	59%
PERCENT SUPERVISING	70%	0	75%	0	37%	42%

* Denotes less than 1 percent

TABLE 4 (CONTINUED)
SELECTED BACKGROUND DATA FOR CAREER LADDER JOBS

NUMBER IN GROUP PERCENT OF SAMPLE PERCENT IN CONUS	SHOP PAVE TACK	LINE PAVE TACK	VIDEO SYS MAINT	SHOP TACT CAMERA	LINE TACT CAMERA	STRAT CAMERA
	81	22	219	59	98	48
	8%	2%	21%	6%	9%	5%
	31%	9%	57%	58%	70%	85%
DAFSC DISTRIBUTION						
45530A	25%	27%	1%	0	0	0
45550A	57%	32%	4%	0	0	0
45570A	15%	41%	0	0	0	0
45530B	0	0	26%	27%	33%	23%
45550B	4	0	55%	59%	45%	67%
45570B	0	0	15%	14%	22%	10%
PAYGRADE DISTRIBUTION						
E-1 to E-4	62%	51%	72%	76%	67%	83%
E-5	32%	27%	21%	19%	23%	15%
E-6	6%	18%	6%	5%	7%	2%
E-7	0	5%	1%	0	3%	0
AVERAGE TAFMS (MOS)	63	81	63	58	66	52
AVERAGE NUMBER OF TASKS PERFORMED	142	81	88	115	90	80
PERCENT IN FIRST ENLISTMENT	57%	46%	61%	59%	56%	69%
PERCENT SUPERVISING	38%	55%	35%	32%	37%	25%

- II. RESIDENT COURSE INSTRUCTOR (GRP069, N=18)
- III. SHOP SUPERVISOR (STG130, N=36)
- IV. TISEO MAINTENANCE (STG172, N=9)
- V. PAVE PENNY MAINTENANCE (STG228, N=80)
- VI. FORWARD LOOKING INFRARED RADAR (FLIR) MAINTENANCE (STG132, N=98)
- VII. IN-SHOP PAVE TACK MAINTENANCE (STG152, N=81)
- VIII. FLIGHTLINE PAVE TACK MAINTENANCE (STG122, N=22)
- IX. VIDEO SYSTEMS MAINTENANCE (GRP068, N=219)
- X. IN-SHOP TACTICAL CAMERA MAINTENANCE (STG084, N=59)
- XI. FLIGHTLINE TACTICAL CAMERA MAINTENANCE (STG140, N=98)
- XII. STRATEGIC CAMERA MAINTENANCE (STG128, N=48)
- XIII. JOBS NO LONGER PERFORMED IN CAREER LADDER
 - A. Side-Looking Radar Maintenance (STG103, N=30)
 - B. Atmospheric Research Equipment Maintenance (STG078, N=20)

A description of each job, except for the two no longer done, is presented below. Representative tasks performed by members with each job are listed in Appendix A.

I. ADMINISTRATIVE AND SUPERVISORY JOBS (STG021, N=155). One hundred and fifty-five respondents, or 15 percent of the sample, have these jobs. While members perform some maintenance tasks, they have a rather distinct administrative or supervisory role. Most are paygrades E-5 through E-7 and hold the 7-skill level. Overall, members with these jobs spend 27 percent of their time performing administrative functions, 17 percent directing and implementing, 17 percent inspecting and evaluating, and 10 percent performing general maintenance on photo-sensor systems. Each of the individual jobs will be discussed in some detail below.

I(A). Supply Job (STG108, N=7). Seven respondents indicated they perform an average of 31 tasks related to the supply function. Four hold the 5-skill level, three hold the 7-skill level, and they average 114 months TAFMS. AFSC 455X0 personnel with this supply job are distinguished by the time they spend performing the following tasks:

- review data-automated supply listings
- complete AF Forms 2005 (Issue/Turn in Request)
- verify awaiting parts (AWP) listings
- locate information in technical orders (TO)
- conduct followup action on supply or work requests
- annotate AF Forms 2413 (Supply Control Log)

I(B). Resource Advisor Job (STG069, N=10). Ten senior E-5 and E-6 respondents indicated they have this supply-related job. They average 166 months TAFMS, hold the 5- or 7-skill level, and are distinguished by the time they spend performing the following supply management types of tasks:

- complete AF Forms 9 (Request for Purchase)
- input data using computers
- complete DD Forms 1348-6 (DOD Single Line Item Requisition System Document)
- review daily document registers
- complete AF Forms 601 (Equipment Action Request)
- conduct followup action on supply or work requests

I(C). Production Supervisor Job (STG116, N=6). Six respondents indicated they have this job. All hold the 7-skill level and are the most senior members of the cluster, with an average of 214 months TAFMS. This is a somewhat limited job as members perform an average of only 33 tasks, but are distinguished by the time they spend on the following tasks:

- coordinate system malfunctions with appropriate units
- dispatch maintenance crews
- coordinate accessibility of aircraft with crew chiefs or appropriate units
- debrief aircrews
- direct or participate in mobility exercises
- complete AFTO Forms 781A (Maintenance Discrepancy and Work Document)

I(D). Shift Supervisor Job (STG109, N=16). Shift supervisors hold the 5- or 7-skill levels, are either an E-5 or E-6, and average 161 months TAFMS. While they do perform a few general maintenance tasks, they spend more time on the following administrative and supervisory tasks:

- complete AFTO Forms 781A (Maintenance Discrepancy and Work Document)
- supervise Reconnaissance/Electro-Optical Sensor Specialists (AFSC 45550B)

visually inspect egress systems for safety
write enlisted performance reports (EPR)
counsel personnel on military-related matters

I(E). NCOIC Job (STG106, N=70). Seventy respondents in the cluster indicated they are NCOICs. They hold either the 5- or 7- skill level, they are either E-6 or E-7, and average 195 months TAFMS. NCOICs have the broadest job in the cluster, as they perform an average of 89 tasks and spend most time on the following tasks:

interpret policies, directives, or procedures for personnel
evaluate personnel for compliance with performance standards
write EPRs
establish work priorities
review or endorse EPRs
plan self-inspections

I(F). Training Development Job (STG181, N=6). There are six respondents with the Training Development job. Most are at the school at Lowry AFB, average 132 months TAFMS, perform an average of 62 tasks, and are distinguished by the time spent on the following tasks:

develop resident course curriculum materials, such as plans
of instruction (POI) or specialty training standards
(STS)
evaluate training methods or techniques
determine training requirements
develop tests
maintain training records, charts, or graphs
administer tests

I(G). Mobility NCO Job (STG098, N=6). There is a small group of fairly senior AFSC 455X0 personnel who have the job of Mobility NCO. Half hold the 5-skill level and half hold the 7-skill level. Their job is somewhat restrictive, as they perform an average of 31 tasks and are distinguished by the time they spend on the following tasks:

schedule leaves or temporary duty assignments
direct or participate in mobility exercises
determine equipment requirements
determine personnel requirements
establish procedural guidelines, such as operating
instructions (OI) or standard operating procedures (SOP)

I(H). Quality Control Job (STG099, N=9). Nine respondents indicated they have this rather limited Quality Control Job. Members average 120 months TAFMS, are E-5 and E-6, hold either the 5- or 7-skill level, and perform an average of only 27 tasks, including the following:

- review quality assurance evaluations
- annotate quality assurance evaluations
- provide technical assistance for job-related matters
- evaluate inspection reports or procedures
- investigate accidents or incidents
- evaluate suggestions

II. RESIDENT COURSE INSTRUCTOR (GRP069, N=18). A- and B-shred resident instructors assigned to the technical school at Lowry AFB make up the two jobs in this cluster. Most hold the 5-skill level, are paygrade E-4 and E-5, and average 105 months TAFMS. A-shred instructors indicate they perform an average of only 10 tasks, while B-shred instructors indicate they perform a mixture of instructor and maintenance tasks, for an average of 61 tasks. The basic job, however, includes the performance of the following common tasks:

- conduct resident course classroom training
- administer tests
- score tests
- develop tests
- construct training aids, such as slides or charts
- evaluate training progress of trainees

III. SHOP SUPERVISOR (STG130, N=36). The Shop Supervisor job is identified separately because of the mixture of technical and supervisory tasks members perform. Eight Shop Supervisors are DAFSC 45550A, 9 are DAFSC 45570A, 7 are DAFSC 45550B, and 12 are DAFSC 45570B. They have the broadest job of any group, as members perform an average of 197 tasks. What distinguished members of this supervisory job is the time they spend on the following tasks:

- implement corrosion control programs
- review TMDE certifications
- complete requests for local fabrication of parts
- maintain TOs or commercial publications
- review TMDE listings
- maintain files of maintenance records

IV. TISEO MAINTENANCE (STG172, N=9). Nine A-shred personnel assigned to Seymour Johnson AFB perform this job. Seven hold the 5-skill level, and the other two are 3-skill levels. They are the most junior group identified in the survey as they average 37 months TAFMS, 35 months in the career field, all are in paygrades E-2 through E-4, and eight of the nine are in their first

enlistment. These TISEO Equipment Maintenance personnel spend 59 percent of their duty time performing general maintenance functions and 16 percent performing administrative functions. They are distinguished from members of other jobs because they spend 14 percent of their duty time maintaining TISEO AN/ASX-1 systems, more time than members of any other job. The following are representative tasks performed by members with this job:

- align or adjust TISEO SRUs
- align or adjust converter stabilization generator groups (CSGG)
- bench check TISEO systems
- remove or replace TISEO SRUs
- align or adjust video processors
- perform waveform adjustments

V. PAVE PENNY MAINTENANCE (STG228, N=80). Survey data show there are 80 predominantly A-shred personnel that maintain the PAVE PENNY system. Fifty-four percent are DAFSC 45550A, they average 61 months TAFMS, and they have a rather broad job, as they perform an average of 105 tasks. They spend 45 percent of their duty time performing general maintenance functions, 13 percent on administrative functions, and are distinguished because they spend 16 percent of their time maintaining the PAVE PENNY AN/AAS-35 system, as shown by the representative tasks listed below:

- upload or download PAVE PENNY pods
- perform BIT on PAVE PENNY systems
- operationally check PAVE PENNY systems on aircraft
- bench check PAVE PENNY systems
- assemble or disassemble PAVE PENNY pods
- align or adjust adapter control detectors (ACD)
- remove or replace ACDs

VI. FORWARD LOOKING INFRARED RADAR (FLIR) MAINTENANCE (STG132, N=98). FLIR Maintenance is predominantly an A-shred job, as 93 of the respondents with the job hold DAFSC 45550A. Seventy-five are 5-skill level, 13 hold the 7-skill level, and 71 are in their first enlistment. Respondents with this job indicate they spend 58 percent of their time on general maintenance functions, 11 percent on administrative functions, and 11 percent maintaining forward-looking radar systems. FLIR Maintenance personnel are easily distinguished by the time they spend performing the following tasks:

- operationally check FLIR systems on aircraft
- purge photo-sensor systems using helium
- bench check FLIR systems
- align or adjust FLIR groups
- remove or replace AAQ-10 SRUs
- remove or replace FLIR groups

VII. IN-SHOP PAVE TACK MAINTENANCE (STG152, N=81). Survey data identified an In-Shop PAVE TACK Maintenance job as a separate A-shred job. Twenty-five percent of these respondents hold the 3-skill level, 61 percent hold the 5-skill level, and 15 percent hold the 7-skill level. In-Shop PAVE TACK Maintenance personnel have the broadest maintenance job in the career ladder, as they perform an average of 142 tasks. They spend 49 percent of their time on general maintenance functions, 8 percent on administrative functions, and 16 percent performing in-shop maintenance tasks on PAVE TACK AN/AVQ-26 systems such as those listed below:

- boresight PAVE TACK pods
- align or adjust PAVE TACK shop replaceable units (SRU)
- bench check PAVE TACK systems
- align or adjust pitch instrument assemblies (PIA)
- remove or replace PAVE TACK SRUs
- remove or replace laser transmitters

VIII. FLIGHTLINE PAVE TACK MAINTENANCE (STG122, N=22). While there is almost the same distribution of skill-level members with the In-Shop and Flightline PAVE TACK Maintenance jobs, the two jobs differ considerably. Members with the flightline job perform an average of 81 tasks, and their duty time is distributed somewhat differently from those with the in-shop PAVE TACK job. Flightline personnel spend 39 percent of their time on general maintenance tasks, 9 percent on administrative functions, 9 percent performing power functions, only 8 percent maintaining PAVE TACK AN/AVQ-26 systems, but 14 percent on CUT tasks, more time than members of any other job. Members with this job are distinguished by the time they spend on the following tasks:

- operate aerospace ground equipment
- upload or download PAVE TACK pods
- walk wings or tails during aircraft towing operations
- perform built-in tests (BIT) on PAVE TACK systems
- perform single-point refueling or defueling
- operationally check PAVE TACK systems on aircraft

IX. VIDEO SYSTEMS MAINTENANCE (GRP068, N=219). Twenty-one percent of the total sample, and 36 percent of all B-shred respondents, indicate they maintain video recording and cockpit television systems. Seventy percent are pay-grade E-3 and E-4, 26 percent hold the 3-skill level, 54 percent hold the 5-skill level, and average 54 months TAFMS. They spend 38 percent of their time performing general maintenance functions, 17 percent on administrative functions, and 21 percent maintaining video recorders and cockpit television systems. AFSC 455X0B personnel with this job are distinguished by the time they spend on the following tasks:

- bench check airborne videotape recorders (AVTR)
- remove or replace videotape recorders
- bench check cockpit television systems (CTVS)
- operationally check CTVS on aircraft
- operationally check AVTRs on aircraft
- perform mechanical alignments on videotape recorders

Survey data show there are two subgroups within this job. There are 33 junior personnel averaging 45 months TAFMS, who have been on the job only 16 months, almost half are 3-skill level, and who perform an average of only 42 tasks. There are also 186 more senior AFSC 455X0 personnel, over half of whom are 5-skill levels, average 64 months TAFMS, average 27 months on the job, and have a much broader job as they perform an average of 96 tasks.

X. IN-SHOP TACTICAL CAMERA MAINTENANCE (STG084, N=59). Panoramic and mapping cameras are the systems most maintained by B-shred personnel with this job. Twenty-seven percent of these in-shop personnel hold the 3-skill level, 59 percent hold the 5-skill level, 14 percent have the 7-skill level, and 65 percent are in their first enlistment. They spend 37 percent of their duty time performing general maintenance functions, 11 percent on administrative duties, and 24 percent maintaining camera systems. This is a somewhat broad job, as the AFSC 455X0B personnel with it perform an average of 115 tasks, including the following:

- bench check framing camera systems
- bench check aircraft camera parameter controls (ACPC)
- bench check photoflash systems
- align or adjust yoke and platen assemblies
- align or adjust camera focal plane shutters
- bench check mapping camera systems

XI. FLIGHTLINE TACTICAL CAMERA MAINTENANCE (STG140, N=98). The Flightline Tactical Camera Maintenance job is distinguished from the in-shop job. Thirty-three percent of the members in this job hold the 3-skill level, 45 percent hold the 5-skill level, 22 percent hold the 7-skill level, and 56 percent are in their first enlistment. Nearly all indicate they maintain panoramic and framing cameras, with about half indicating they also maintain mapping and radar recording cameras. Members indicate they spend 33 percent of their duty time performing general maintenance tasks, 23 percent maintaining camera systems, 8 percent performing administrative functions, and 7 percent maintaining the AAD-5 system. Personnel with the Flightline Tactical Camera Maintenance job are distinguished from the in-shop members by the time they spend on the following tasks:

- operationally check ACPC on aircraft
- upload or download film cassettes on aircraft
- remove or replace infrared performance analyzers

remove or replace ACPCs
upload or download film cassettes using darkroom procedures
operationally check AAD-5 systems on aircraft

XII. STRATEGIC CAMERA MAINTENANCE (STG128, N=48). The Strategic Camera Maintenance job is distinguished from the Tactical Camera Maintenance job by the aircraft and camera systems involved more than by specific tasks performed. Nearly 70 percent of the members with this job report they maintain driftsight, viewsight, mapping, framing, optical bar, IRIS III, and T-35 cameras associated with the SR-71, U-2, and TR-1. All 48 members with this job are B-shred, 23 percent hold the 3-skill level, 76 percent hold the 5-skill level, and 10 percent hold the 7-skill level. Members spend 55 percent of their duty time performing general maintenance tasks, 17 percent on administrative functions, and 14 percent maintaining camera systems. They spend most of their time on the following tasks:

inventory flightline CTKs
complete AFTO Forms 349 (Maintenance Data Collection Record)
troubleshoot photo-sensor systems in shop
clean camera windows on aircraft
purge photo-sensor systems using nitrogen
set film counters in aircraft

XIII. JOBS NO LONGER PERFORMED IN CAREER LADDER. When the SR-71 was removed from the Air Force inventory, some of the camera systems on those aircraft were modified and installed in the U-2 and TR-1. The side-looking radar system, however, has not been reused, and thus, the Side-Looking Radar Maintenance job (STG103, N=30) is no longer done. In addition, most atmospheric research equipment previously maintained by AFSC 455X0A personnel became the responsibility of AFSC 99104 personnel in October 1989. Therefore, the Atmospheric Research Equipment Maintenance job (STG078, N=20) is also no longer done.

Comparison to Previous Survey

Jobs identified in the present survey were compared to those reported in the two previous OSRs (see Table 5). The changes in the career ladder structure over the last 8 years include the recent phasing out of strategic reconnaissance aircraft with their SLR and special cameras, and the transfer of maintaining atmospheric research equipment to AFSC 99104. The other differences in job names shown in Table 5 reflect equipment changes that have occurred over the last 8 years.

TABLE 5
COMPARISON OF CAREER LADDER STRUCTURE FOR
CURRENT AND PREVIOUS SURVEY

<u>JOBS IDENTIFIED IN CURRENT STUDY</u>	<u>JOBS IDENTIFIED IN PREVIOUS OSRs</u>
IN-SHOP TACTICAL CAMERA MAINTENANCE	ELECTRO-OPTICAL CAMERA AND RECONNAISSANCE ELECTRIC SENSOR SYSTEMS REPAIR
FLIGHTLINE TACTICAL CAMERA MAINTENANCE	STRIKE CAMERA SYSTEMS REPAIR
FLIR MAINTENANCE	INFRARED SENSOR AND SIDE-LOOKING RADAR RECONNAISSANCE
SLR MAINTENANCE	SAC RECONNAISSANCE EQUIPMENT REPAIR PHOTOGRAPHIC CAMERA SYSTEMS REPAIR
STRATEGIC CAMERA MAINTENANCE	VIDEO AND COCKPIT TELEVISION SYSTEMS REPAIR
VIDEO SYSTEMS MAINTENANCE	PAVE PENNY SYSTEMS REPAIR
PAVE PENNY MAINTENANCE	PAVE TACK SYSTEMS REPAIR
IN-SHOP PAVE TACK MAINTENANCE FLIGHTLINE PAVE TACK MAINTENANCE	PAVE SPIKE/TISEO FLIGHTLINE MAINTENANCE
TISEO MAINTENANCE	SUPERVISION
SHOP SUPERVISOR	ADMINISTRATION
ADMINISTRATIVE AND SUPERVISORY	TECHNICAL TRAINING
RESIDENT INSTRUCTOR	PAVE SPECTRE SYSTEM REPAIR
NOT IDENTIFIED	PAVE SPIKE SYSTEMS REPAIR
NOT IDENTIFIED	

Summary

Survey data show this is a rather diverse career ladder with a number of equipment-specific jobs. The two shreds are identified quite clearly by the equipment maintained. Survey data show little overlap between the shreds and that photo-sensor personnel tend to be experienced on only a limited number of equipment items.

CAREER LADDER PROGRESSION

Analysis of DAFSC groups, together with the analysis of the career ladder structure, is an important part of each occupational survey. The DAFSC analysis identifies differences in tasks performed by members of the various skill-level groups, which in turn may be used to determine how well career ladder documents, such as AFR 39-1 Specialty Descriptions and the STS, reflect what members of the various skill level groups are doing.

The distribution of skill-level members across the specialty jobs is displayed in Table 6, while relative amounts of time members of the various skill-level groups spend on duties is shown in Table 7. These data show a distinction between equipment maintained by members of the two shreds, and that most members work on only equipment related to their shred. All AFSC 455X0 personnel, regardless of shred, perform many general maintenance, administrative, and power procedure tasks as part of their jobs (Table 7). They are distinguished, however, by the time spent on duties related to specific equipment items. Generally, the 3- and 5-skill level members of each shred perform mainly maintenance functions, while the 7-skill level members are administrators and supervisors.

AFR 39-1 SPECIALTY JOB DESCRIPTION ANALYSIS

The current AFR 39-1 Specialty Descriptions for the career ladder were compared to jobs performed by members of both shreds. The Specialty Descriptions for the Tactical/Reconnaissance Electronic Sensor-shred will have to be changed to reflect that side-looking radar and most atmospheric research equipment is no longer maintained by AFSC 455X0A personnel. The description for the Reconnaissance/Electro-optical Sensor-shred may need to be changed to reflect the camera systems no longer maintained by AFSC 455X0B personnel.

TABLE 6
DISTRIBUTION OF SKILL LEVEL MEMBERS
ACROSS CAREER LADDER JOBS
(PERCENT)

<u>JOBS</u>	<u>45530/50A (N=342)</u>	<u>45570A (N=132)</u>	<u>45530/50B (N=428)</u>	<u>45570B (N=159)</u>
ADMINISTRATIVE AND SUPERVISORY	3%	35%	7%	40%
RESIDENT INSTRUCTOR	2%	1%	1%	2%
SHOP SUPERVISOR	2%	7%	2%	7%
TISEO MAINTENANCE	3%	0	0	0
PAVE PENNY MAINTENANCE	15%	9%	3%	*
FLIR MAINTENANCE	23%	10%	*	3%
IN-SHOP PAVE TACK MAINTENANCE	19%	9%	*	0
FLIGHTLINE PAVE TACK MAINTENANCE	4%	7%	0	0
VIDEO SYSTEMS MAINTENANCE	2%	*	41%	20%
IN-SHOP TACTICAL CAMERA MAINTENANCE	0	0	12%	5%
FLIGHTLINE TACTICAL CAMERA MAINTENANCE	0	0	18%	14%
SLR MAINTENANCE	8%	1%	*	0
STRATEGIC CAMERA MAINTENANCE	0	0	10%	3%
ATMOSPHERIC RESEARCH EQUIPMENT MAINTENANCE	5%	2%	0	0
UNGROUPE	13%	17%	10%	6%

* Denotes less than 1 percent

TABLE 7

TIME SPENT ON DUTIES BY MEMBERS OF SKILL LEVEL GROUPS
(RELATIVE PERCENT OF JOB TIME)

DUTIES	45530/50A (N=342)	45570A (N=132)	45530/50B (N=428)	45570B (N=159)
A ORGANIZING AND PLANNING	2	12	2	10
B DIRECTING AND IMPLEMENTING	3	12	4	12
C INSPECTING AND EVALUATING	2	12	2	10
D TRAINING	4	8	2	7
E PERFORMING ADMINISTRATIVE FUNCTIONS	14	19	15	22
F PERFORMING GENERAL MAINTENANCE ON PHOTO-SENSOR SYSTEMS	46	22	39	21
G PERFORMING POWER PROCEDURES	5	3	5	3
H MAINTAINING PODS	3	1	*	*
I MAINTAINING PAVE TACK AN/AVQ-26 SYSTEMS	4	2	*	*
J MAINTAINING RADAR MAPPING SENSOR SYSTEMS	*	*	*	*
K MAINTAINING PAVE SPIKE AN/ASQ-153 SYSTEMS	*	*	*	0
L MAINTAINING LOW LIGHT LEVEL TELEVISION SYSTEMS	*	*	*	*
M MAINTAINING FORWARD LOOKING INFRARED RADAR SYSTEMS	3	*	*	*
N MAINTAINING SIDE LOOKING RADAR SYSTEMS	2	*	*	*
O MAINTAINING TARGET IDENTIFICATION SYSTEM ELECTRO-OPTICAL AN/ASX-1 SYSTEMS	1	*	*	*
P MAINTAINING PAVE PENNY AN/AAS-35 SYSTEMS	3	2	*	*
Q MAINTAINING ATMOSPHERIC RESEARCH EQUIPMENT	2	1	*	*
R MAINTAINING AAD-5 SYSTEMS	*	*	2	2
S MAINTAINING DATA DISPLAY SYSTEMS	*	*	1	*
T MAINTAINING CAMERA SYSTEMS	*	*	11	6
U MAINTAINING VIEWFINDER AND VIEWSIGHT SYSTEMS	*	*	1	*
V MAINTAINING VIDEO RECORDING AND COCKPIT TELEVISION SYSTEMS	2	*	11	5
W MAINTAINING MOUNT SYSTEMS	*	*	*	*
X PERFORMING CROSS-UTILIZATION TRAINING (CUT) TASKS	2	*	2	*

* Denotes less than 1 percent

SKILL LEVEL DESCRIPTIONS

AFSC 455X0A Tactical/Reconnaissance Electronic Sensors Maintenance

DAFSC 45530/50A. DAFSC 45530/50A respondents constitute 32 percent of the total sample and have a 78 percent-time-spent overlap on common tasks, indicating they perform essentially the same job. Because of the high overlap, a combined job description was created and used in further analyses. As shown in Table 6, most 3- and 5-skill level members have the FLIR Maintenance, In-Shop PAVE TACK Maintenance, and PAVE PENNY Maintenance jobs. Thirteen percent of 3- and 5-skill level A-shred members could not be grouped because of the diversity of tasks they perform. Representative tasks DAFSC 45530/50A members perform are listed in Table 8. Note these tasks are general maintenance and power procedure tasks not related to maintaining specific sensor equipment.

DAFSC 45570A. Seven-skill level personnel constitute 12 percent of the total sample. As shown in Table 6, the highest percentage have administrative and supervisory jobs, with smaller percentages in the other A-shred jobs. Representative tasks DAFSC 45570A members perform are listed in Table 9 and are related to administrative and supervisory duties. Tasks that best distinguish between DAFSC 45530/50A and 45570A personnel are shown in Table 10. Figures in the top portion of the table show a greater percentage of 3- and 5-skill level personnel perform maintenance tasks, while figures in the lower half clearly show more 7-skill level personnel perform administrative and supervisory tasks.

AFSC 455X0B Reconnaissance/Electro-optical Sensors Maintenance

DAFSC 45530/50B. DAFSC 45530/50B respondents constitute 40 percent of the total sample and have an 82 percent-time-spent overlap on common tasks, indicating they perform essentially the same job. Because of the high overlap, a combined job description was created and used in further analyses. As shown in Table 6, the largest proportion of 3- and 5-skill level B-shred members have the Video Recorder and Cockpit Camera System Maintenance job, and smaller percentages with the In-Shop and Flightline Tactical Camera Maintenance jobs. Ten percent of 3- and 5-skill level B-shred respondents are not included in any jobs because of the diversity of tasks they perform. Representative tasks DAFSC 45530/50B members perform are listed in Table 11. Note most of these tasks are the same general maintenance tasks performed by DAFSC 45530/50A personnel. This list does include, however, several tasks dealing specifically with camera system maintenance, unique to the B-shred.

DAFSC 45570B. Seven-skill level B-shred personnel constitute 15 percent of the total sample. As shown in Table 6, the highest percentage have the Administrative and Supervisory job, with the next largest percentage with the Video Recorder and Cockpit Television System Maintenance job. Representative tasks DAFSC 45570B members perform are listed in Table 12 and, like tasks DAFSC 45570A respondents perform, are mostly related to administrative and

TABLE 8

REPRESENTATIVE TASKS PERFORMED BY 45530/50A PERSONNEL

TASKS	PERCENT MEMBERS PERFORMING (N=342)
F240 READ OR INTERPRET SCHEMATICS	78
F252 REMOVE OR REPLACE CANNON PLUGS, CONNECTORS, OR PINS	78
F241 READ OR INTERPRET WIRING DIAGRAMS	76
F292 SAFETY-WIRE EQUIPMENT	76
E129 LOCATE INFORMATION IN TECHNICAL ORDERS (TO)	73
F298 TROUBLESHOOT PHOTO-SENSOR SYSTEMS IN SHOP	73
F209 OPERATE AEROSPACE GROUND EQUIPMENT (AGE)	73
F204 INVENTORY EQUIPMENT, SUPPLIES, OR TOOLS, OTHER THAN FLIGHTLINE CONSOLIDATED TOOL KITS (CTK)	71
F205 INVENTORY FLIGHTLINE CTKs	70
F253 REMOVE OR REPLACE CIRCUIT CARD ASSEMBLIES	70
F196 CRIMP PINS	70
G308 OPERATE GROUND OR EXTERNAL POWER UNITS	69
F238 READ OR INTERPRET BLOCK DIAGRAMS	69
G307 CONNECT OR DISCONNECT POWER TO AIRCRAFT	68
E115 COMPLETE AFTO FORMS 349 (MAINTENANCE DATA COLLECTION RECORD)	67
E106 COMPLETE AF FORMS 2005 (ISSUE/TURN-IN REQUEST)	64
F299 TROUBLESHOOT PHOTO-SENSOR SYSTEMS ON AIRCRAFT	64
E128 LOCATE INFORMATION IN COMMERCIAL PUBLICATIONS	64
F216 PERFORM CORROSION CONTROL ON PHOTO-SENSOR SYSTEMS IN SHOP	64
F161 ALIGN OR ADJUST ELECTRONIC COMPONENTS ON CIRCUIT CARDS	63
E116 COMPLETE AFTO FORMS 781A (MAINTENANCE DISCREPANCY AND WORK DOCUMENT)	62
F193 CLEAN MIRRORS OR LENS	61
F237 PURGE PHOTO-SENSOR SYSTEMS USING NITROGEN	58
E114 COMPLETE AFTO FORMS 244 (INDUSTRIAL/SUPPORT EQUIPMENT RECORD)	56
G311 POSITION AGE TO AIRCRAFT	56
F199 DON AND DOFF PROTECTIVE CLOTHING, SUCH AS APRONS, GOGGLES, OR GLOVES	49
E121 COMPLETE EQUIPMENT STATUS TAGS	49
F302 VISUALLY INSPECT EGRESS SYSTEMS FOR SAFETY	43
E127 INPUT DATA USING COMPUTERS	40

TABLE 9
REPRESENTATIVE TASKS PERFORMED BY 45570A PERSONNEL

TASKS	PERCENT MEMBERS PERFORMING (N=132)
C69 WRITE APRs	76
C51 COUNSEL PERSONNEL ON PERSONAL OR MILITARY-RELATED MATTERS	74
C64 PERFORM SELF-INSPECTIONS	66
A12 ESTABLISH WORK PRIORITIES	64
C56 EVALUATE PERSONNEL FOR COMPLIANCE WITH PERFORMANCE STANDARDS	61
E129 LOCATE INFORMATION IN TECHNICAL ORDERS (TO)	61
B39 INTERPRET POLICIES, DIRECTIVES, OR PROCEDURES FOR PERSONNEL	59
A2 DETERMINE EQUIPMENT OR SUPPLY REQUIREMENTS	58
C65 PROVIDE TECHNICAL ASSISTANCE FOR JOB-RELATED MATTERS	58
D76 CONDUCT OJT	56
A16 PLAN WORK ASSIGNMENTS	55
E145 REVIEW FLYING SCHEDULES	53
D80 DETERMINE TRAINING REQUIREMENTS	52
E106 COMPLETE AF FORMS 2005 (ISSUE/TURN-IN REQUEST)	52
E127 INPUT DATA USING COMPUTERS	49
F205 INVENTORY FLIGHTLINE CTKs	49
A8 ESTABLISH PERFORMANCE STANDARDS FOR PERSONNEL	49
A11 ESTABLISH WORK METHODS OR PROCEDURES	48
B30 DIRECT OR PARTICIPATE IN MOBILITY EXERCISES	48
A17 PREPARE BRIEFINGS	47
A3 DETERMINE PERSONNEL REQUIREMENTS	46
A1 CONDUCT MEETINGS, SUCH AS STAFF MEETINGS, COUNCIL MEETINGS, OR BOARD MEETINGS	45
B31 DISPATCH MAINTENANCE CREWS	45
A1 CONDUCT MEETINGS, SUCH AS STAFF MEETINGS, COUNCIL MEETINGS, OR BOARD MEETINGS	45
C66 REVIEW OR INDORSE ENLISTED PERFORMANCE REPORTS (EPR)	43
C55 EVALUATE INSPECTION REPORTS OR PROCEDURES	40
B49 SUPERVISE TACTICAL/RECONNAISSANCE ELECTRONIC SENSOR TECHNICIANS (AFSC 45570A)	40
B29 COORDINATE SYSTEM MALFUNCTIONS WITH APPROPRIATE UNITS	39
A14 PLAN SAFETY PROGRAMS	23

TABLE 10

EXAMPLES OF TASKS WHICH BEST DIFFERENTIATE BETWEEN DAFSC
45530/50A AND DAFSC 45570A PERSONNEL
(PERCENT MEMBERS PERFORMING)

TASKS	45530/50A (N=342)	45570A (N=132)	DIFFERENCE
F298 TROUBLESHOOT PHOTO-SENSOR SYSTEMS IN SHOP	73	37	36
F292 SAFETY-WIRE EQUIPMENT	76	41	35
F218 PERFORM CORROSION CONTROL ON SUPPORT EQUIPMENT	65	32	33
G306 BENCH CHECK POWER SUPPLIES	59	27	32
F253 REMOVE OR REPLACE CIRCUIT CARD ASSEMBLIES	70	39	31
C69 WRITE EPRs	23	76	-53
C51 COUNSEL PERSONNEL ON PERSONAL OR MILITARY-RELATED MATTERS	27	74	-47
B39 INTERPRET POLICIES, DIRECTIVES, OR PROCEDURES FOR PERSONNEL	14	59	-45
A2 DETERMINE EQUIPMENT OR SUPPLY REQUIREMENTS	15	58	-43
A12 ESTABLISH WORK PRIORITIES	21	64	-43

TABLE 11

REPRESENTATIVE TASKS PERFORMED BY 45530/50B PERSONNEL

TASKS	PERCENT MEMBERS PERFORMING (N=428)
G307 CONNECT OR DISCONNECT POWER TO AIRCRAFT	85
G308 OPERATE GROUND OR EXTERNAL POWER UNITS	79
F205 INVENTORY FLIGHTLINE CTKs	76
F302 VISUALLY INSPECT EGRESS SYSTEMS FOR SAFETY	75
F240 READ OR INTERPRET SCHEMATICS	75
F209 OPERATE AEROSPACE GROUND EQUIPMENT (AGE)	74
E116 COMPLETE AFTO FORMS 781A (MAINTENANCE DISCREPANCY AND WORK DOCUMENT)	72
E106 COMPLETE AF FORMS 2005 (ISSUE/TURN-IN REQUEST)	71
F252 REMOVE OR REPLACE CANNON PLUGS, CONNECTORS, OR PINS	71
F212 PACK OR UNPACK PHOTO-SENSOR SYSTEM EQUIPMENT	71
E129 LOCATE INFORMATION IN TECHNICAL ORDERS (TO)	70
E115 COMPLETE AFTO FORMS 349 (MAINTENANCE DATA COLLECTION RECORD)	70
F254 REMOVE OR REPLACE COCKPIT CONTROL PANELS	70
F241 READ OR INTERPRET WIRING DIAGRAMS	70
F299 TROUBLESHOOT PHOTO-SENSOR SYSTEMS ON AIRCRAFT	68
G311 POSITION AGE TO AIRCRAFT	67
F292 SAFETY-WIRE EQUIPMENT	67
F193 CLEAN MIRRORS OR LENS	66
F298 TROUBLESHOOT PHOTO-SENSOR SYSTEMS IN SHOP	65
F216 PERFORM CORROSION CONTROL ON PHOTO-SENSOR SYSTEMS IN SHOP	64
F253 REMOVE OR REPLACE CIRCUIT CARD ASSEMBLIES	64
F223 PERFORM PREVENTIVE MAINTENANCE INSPECTIONS (PMI) ON PHOTO-SENSOR SYSTEMS	63
E104 COMPLETE AF FORMS 1297 (TEMPORARY ISSUE RECEIPT)	61
V675 BENCH CHECK AIRBORNE VIDEOTAPE RECORDERS (AVTR)	59
F204 INVENTORY EQUIPMENT, SUPPLIES, OR TOOLS, OTHER THAN FLIGHTLINE CONSOLIDATED TOOL KITS (CTK)	59
E121 COMPLETE EQUIPMENT STATUS TAGS	59
V680 OPERATIONALLY CHECK AVTRs ON AIRCRAFT	56
V687 REMOVE OR REPLACE VIDEOTAPE RECORDERS	55
E127 INPUT DATA USING COMPUTERS	45
V681 OPERATIONALLY CHECK CTVs ON AIRCRAFT	41

TABLE 12

REPRESENTATIVE TASKS PERFORMED BY 45570B PERSONNEL

TASKS	PERCENT MEMBERS PERFORMING (N=159)
C69 WRITE EPRs	76
C51 COUNSEL PERSONNEL ON PERSONAL OR MILITARY-RELATED MATTERS	75
C64 PERFORM SELF-INSPECTIONS	73
E129 LOCATE INFORMATION IN TECHNICAL ORDERS (TO)	70
C56 EVALUATE PERSONNEL FOR COMPLIANCE WITH PERFORMANCE STANDARDS	67
B46 SUPERVISE RECONNAISSANCE/ELECTRO-OPTICAL SENSOR SPECIALISTS (AFSC 45550B)	67
A12 ESTABLISH WORK PRIORITIES	67
E106 COMPLETE AF FORMS 2005 (ISSUE/TURN-IN REQUEST)	65
C65 PROVIDE TECHNICAL ASSISTANCE FOR JOB-RELATED MATTERS	64
B39 INTERPRET POLICIES, DIRECTIVES, OR PROCEDURES FOR PERSONNEL	62
A16 PLAN WORK ASSIGNMENTS	62
E116 COMPLETE AFTO FORMS 781A (MAINTENANCE DISCREPANCY AND WORK DOCUMENT)	62
F240 READ OR INTERPRET SCHEMATICS	60
F241 READ OR INTERPRET WIRING DIAGRAMS	60
B42 SUPERVISE APPRENTICE RECONNAISSANCE/ELECTRO-OPTICAL SENSOR SPECIALISTS (AFSC 45530B)	58
E145 REVIEW FLYING SCHEDULES	58
A2 DETERMINE EQUIPMENT OR SUPPLY REQUIREMENTS	58
E127 INPUT DATA USING COMPUTERS	57
F205 INVENTORY FLIGHTLINE CTKs	57
E121 COMPLETE EQUIPMENT STATUS TAGS	57
D80 DETERMINE TRAINING REQUIREMENTS	55
B24 CONDUCT FOLLOWUP ACTION ON SUPPLY OR WORK REQUESTS	53
B31 DISPATCH MAINTENANCE CREWS	53
F302 VISUALLY INSPECT EGRESS SYSTEMS FOR SAFETY	53
B30 DIRECT OR PARTICIPATE IN MOBILITY EXERCISES	52
D87 MAINTAIN TRAINING RECORDS, CHARTS, OR GRAPHS	48
B47 SUPERVISE RECONNAISSANCE/ELECTRO-OPTICAL SENSOR TECHNICIANS (AFSC 45570B)	47
A3 DETERMINE PERSONNEL REQUIREMENTS	46

supervisory duties. Tasks that best distinguish between AFSC 45530/50B and 45570B personnel are shown in Table 13. Again, figures in the top portion of the table show a greater percentage of 3- and 5-skill level personnel perform maintenance tasks, while figures in the lower half clearly show more 7-skill level personnel perform administrative and supervisory tasks.

Summary

Survey data show both A- and B-shred Photo-sensor Maintenance personnel progress typically through the skill levels to the 7-skill level. Three- and 5-skill level personnel perform mainly technical equipment maintenance tasks, while 7-skill level members are first-line supervisors, performing a mixture of technical and supervisory tasks.

TRAINING ANALYSIS

Occupational survey data are a source of information used to review training documents for the specialty. The three most commonly used types of data are: (1) percent of first-enlistment personnel performing tasks, (2) ratings of how much training emphasis tasks should receive in the basic resident course, and (3) ratings of relative difficulty of tasks. Only percent members performing data can be used with this study because of the lack of agreement on TE and TD ratings for technical tasks in the inventory.

A Training Extract has been produced for each shred containing a complete listing of all tasks in the inventory, the nonelectronic principles STS, and POI, along with tasks matched to elements and learning objectives, and percent first-job, first-enlistment, 5- and 7-skill level members performing each matched task. Electronics principles data for each shred are listed in a separate extract which contains EPI data matched to elements of the electronics principles STS. Copies of all extracts have been forwarded to technical school personnel for their use in reviewing training documents for the shreds. The TRA, scheduled to be printed in April 1990, will also be sent to the technical school for use in reviewing training documents. A summary of OSR information is presented below.

First-Enlistment Tactical/Reconnaissance Electronic Sensors Maintenance Personnel (AFSC 455X0A)

Two hundred and twenty-one A-shred respondents indicated they are in their first enlistment. As shown by Figure 2, the largest percentages have the FLIR Maintenance, Shop PAVE TACK and PAVE PENNY Maintenance jobs. The relative amount of time first-enlistment A-shred personnel spend on duties is presented in Table 14, while representative tasks performed are listed in Table 15. These data show first-enlistment A-shred personnel are mainly involved with maintaining these three sensor systems.

TABLE 13

EXAMPLES OF TASKS WHICH BEST DIFFERENTIATE BETWEEN DAFSC
45530/50B AND DAFSC 45570B PERSONNEL
(PERCENT MEMBERS PERFORMING)

TASKS	45530/50B (N=428)	45570B (N=159)	DIFFERENCE
F253 REMOVE OR REPLACE CIRCUIT CARD ASSEMBLIES	64	33	31
F193 CLEAN MIRRORS OR LENS	66	36	30
G307 CONNECT OR DISCONNECT POWER TO AIRCRAFT	85	56	29
F216 PERFORM CORROSION CONTROL ON PHOTO-SENSOR SYSTEMS IN SHOP	64	36	28
F252 REMOVE OR REPLACE CANNON PLUGS, CONNECTORS, OR PINS	71	44	27
C69 WRITE EPRs	21	76	-55
C51 COUNSEL PERSONNEL ON PERSONAL OR MILITARY-RELATED MATTERS	22	75	-53
C56 EVALUATE PERSONNEL FOR COMPLIANCE WITH PERFORMANCE STANDARDS	16	67	-51
B39 INTERPRET POLICIES, DIRECTIVES, OR PROCEDURES FOR PERSONNEL	14	62	-48
A12 ESTABLISH WORK PRIORITIES	19	67	-48

**FIRST ASSIGNMENT AFSC 455X0A
CAREER LADDER JOBS**




FIGURE 2

TABLE 14

RELATIVE PERCENT OF TIME SPENT ACROSS DUTIES
BY FIRST-ENLISTMENT AFSC 455X0A PERSONNEL

DUTIES	1-48 MOS TAFMS (N=221)
A ORGANIZING AND PLANNING	*
B DIRECTING AND IMPLEMENTING	2
C INSPECTING AND EVALUATING	1
D TRAINING	*
E PERFORMING ADMINISTRATIVE FUNCTIONS	12
F PERFORMING GENERAL MAINTENANCE ON PHOTO-SENSOR SYSTEMS	51
G PERFORMING POWER PROCEDURES	6
H MAINTAINING PODS	3
I MAINTAINING PAVE TACK AN/AVQ-26 SYSTEMS	4
J MAINTAINING RADAR MAPPING SENSOR SYSTEMS	*
K MAINTAINING PAVE SPIKE AN/ASQ-153 SYSTEMS	*
L MAINTAINING LOW LIGHT LEVEL TELEVISION SYSTEMS	*
M MAINTAINING FORWARD LOOKING INFRARED RADAR SYSTEMS	3
N MAINTAINING SIDE LOOKING RADAR SYSTEMS	2
O MAINTAINING TARGET IDENTIFICATION SYSTEM ELECTRO-OPTICAL AN/ASX-1 SYSTEMS	2
P MAINTAINING PAVE PENNY AN/AAS-35 SYSTEMS	4
Q MAINTAINING ATMOSPHERIC RESEARCH EQUIPMENT	2
R MAINTAINING AAD-5 SYSTEMS	*
S MAINTAINING DATA DISPLAY SYSTEMS	*
T MAINTAINING CAMERA SYSTEMS	1
U MAINTAINING VIEWFINDER AND VIEWSIGHT SYSTEMS	*
V MAINTAINING VIDEO RECORDING AND COCKPIT TELEVISION SYSTEMS	2
W MAINTAINING MOUNT SYSTEMS	*
X PERFORMING CROSS-UTILIZATION TRAINING (CUT) TASKS	2

TABLE 15

REPRESENTATIVE TASKS PERFORMED BY FIRST-ENLISTMENT
AFSC 455X0A PERSONNEL

TASKS	PERCENT MEMBERS PERFORMING (N=221)
F252 REMOVE OR REPLACE CANNON PLUGS, CONNECTORS, OR PINS	83
F240 READ OR INTERPRET SCHEMATICS	81
F292 SAFETY-WIRE EQUIPMENT	79
F241 READ OR INTERPRET WIRING DIAGRAMS	79
F298 TROUBLESHOOT PHOTO-SENSOR SYSTEMS IN SHOP	77
F209 OPERATE AEROSPACE GROUND EQUIPMENT (AGE)	77
F253 REMOVE OR REPLACE CIRCUIT CARD ASSEMBLIES	75
F204 INVENTORY EQUIPMENT, SUPPLIES, OR TOOLS, OTHER THAN FLIGHTLINE CONSOLIDATED TOOL KITS (CTK)	74
F205 INVENTORY FLIGHTLINE CTKs	73
F196 CRIMP PINS	73
E129 LOCATE INFORMATION IN TECHNICAL ORDERS (TO)	72
G307 CONNECT OR DISCONNECT POWER TO AIRCRAFT	72
G308 OPERATE GROUND OR EXTERNAL POWER UNITS	72
E115 COMPLETE AFTO FORMS 349 (MAINTENANCE DATA COLLECTION RECORD)	71
F238 READ OR INTERPRET BLOCK DIAGRAMS	71
F216 PERFORM CORROSION CONTROL ON PHOTO-SENSOR SYSTEMS IN SHOP	70
F218 PERFORM CORROSION CONTROL ON SUPPORT EQUIPMENT	69
F299 TROUBLESHOOT PHOTO-SENSOR SYSTEMS ON AIRCRAFT	67
E106 COMPLETE AF FORMS 2005 (ISSUE/TURN-IN REQUEST)	65
F193 CLEAN MIRRORS OR LENS	64
F161 ALIGN OR ADJUST ELECTRONIC COMPONENTS ON CIRCUIT CARDS	63
E116 COMPLETE AFTO FORMS 781A (MAINTENANCE DISCREPANCY AND WORK DOCUMENT)	61
F237 PURGE PHOTO-SENSOR SYSTEMS USING NITROGEN	61
F220 PERFORM HIGH RELIABILITY SOLDERING	60
G311 POSITION AGE TO AIRCRAFT	59
F232 PRESSURIZE PHOTO-SENSOR SYSTEMS	57
E114 COMPLETE AFTO FORMS 244 (INDUSTRIAL/SUPPORT EQUIPMENT RECORD)	56
F302 VISUALLY INSPECT EGRESS SYSTEMS FOR SAFETY	46
E127 INPUT DATA USING COMPUTERS	39

First-Enlistment Reconnaissance/Electro-optical Sensors
Maintenance Personnel (AFSC 455X0B)

Two hundred and ninety-two first-enlistment B-shred respondents are included in the sample. Figure 3 shows nearly half have the Video Systems Maintenance job, with smaller percentages doing shop and flightline tactical camera maintenance. Relative amounts of time first-enlistment B-shred personnel spend on duties is presented in Table 16, while representative tasks performed are listed in Table 17. It is obvious that first-enlistment B-shred personnel are mostly involved with camera system maintenance.

Specialty Training Standards (STS)

For the purposes of reviewing the STS and POI for the shreds of the AFSC, OMC personnel met with 3450th Technical Training Group personnel at Lowry AFB to match tasks listed in the job inventory to nonelectronic principles STS line items and learning objectives in the POIs. The end product of the match was used to produce listings of the nonelectronic fundamentals portion of the STSs and POIs with job inventory tasks matched and percent members performing the tasks (TE and TD ratings, and ATI values for each matched task are not included with this study). The listings are included in the Training Extracts sent to the school for review. Criteria set forth in AFR 8-13, AFR 8-13/ATC Supplement 1 (Attachment 1, paragraph A1-3c(4)), and ATCR 52-22 Attachment 1, were used to review the relevance of each STS element that had inventory tasks matched to it.

The portions of each STS and POI dealing with electronics fundamentals are included in the Electronics Principles Inventory (EPI) administered to AFSC 455X0 personnel between September 1987 and April 1988. Listings of these portions of the training documents for each shred were produced showing EPI statements matched to individual line items and objectives and percentages of AFSC 455X0A and B personnel responding. These listings are included in separate Electronics Principles extracts.

AFSC 455X0A STS. The first 10 paragraphs of the A-shred STS deal with the general topics of career ladder progression, security, AFOSH, publications, supply, graduate evaluation, supervision, training, maintenance management, management, and inspections, and were not reviewed. Technical aspects of the career ladder are covered in paragraphs 11 through 18. Much of this portion of the STS (paragraphs 17 and 18) deals with specific equipment items taught at base FTDs and in qualification training rather than at the technical school and, therefore, have a dash (-) for the 3-skill level training code. Also, many line items deal with cameras and atmospheric research equipment no longer maintained by AFSC 455X0A personnel. A number of tasks matched to the line items are very general maintenance functions, since the inventory could not include specific maintenance steps for each individual piece of equipment. In addition, the AAD-7 Infrared System covered by STS paragraph 17e has been replaced with the AAQ-17 Infrared System since the survey was administered. This system is new to the field and is covered by a 1-year maintenance contract with the manufacturer, so AFSC 455X0A personnel will not be actually

FIRST ASSIGNMENT AFSC 455XOB CAREER LADDER JOBS




FIGURE 3

TABLE 16

RELATIVE PERCENT OF TIME SPENT ACROSS DUTIES
BY FIRST-ENLISTMENT AFSC 455X0B PERSONNEL

DUTIES	1-48 MOS TAFMS (N=292)
A ORGANIZING AND PLANNING	*
B DIRECTING AND IMPLEMENTING	2
C INSPECTING AND EVALUATING	*
D TRAINING	*
E PERFORMING ADMINISTRATIVE FUNCTIONS	14
F PERFORMING GENERAL MAINTENANCE ON PHOTO-SENSOR SYSTEMS	42
G PERFORMING POWER PROCEDURES	6
H MAINTAINING PODS	*
I MAINTAINING PAVE TACK AN/AVQ-26 SYSTEMS	*
J MAINTAINING RADAR MAPPING SENSOR SYSTEMS	*
K MAINTAINING PAVE SPIKE AN/ASQ-153 SYSTEMS	*
L MAINTAINING LOW LIGHT LEVEL TELEVISION SYSTEMS	*
M MAINTAINING FORWARD LOOKING INFRARED RADAR SYSTEMS	*
N MAINTAINING SIDE LOOKING RADAR SYSTEMS	*
O MAINTAINING TARGET IDENTIFICATION SYSTEM ELECTRO-OPTICAL AN/ASX-1 SYSTEMS	*
P MAINTAINING PAVE PENNY AN/AAS-35 SYSTEMS	*
Q MAINTAINING ATMOSPHERIC RESEARCH EQUIPMENT	0
R MAINTAINING AAD-5 SYSTEMS	2
S MAINTAINING DATA DISPLAY SYSTEMS	1
T MAINTAINING CAMERA SYSTEMS	12
U MAINTAINING VIEWFINDER AND VIEWSIGHT SYSTEMS	1
V MAINTAINING VIDEO RECORDING AND COCKPIT TELEVISION SYSTEMS	13
W MAINTAINING MOUNT SYSTEMS	*
X PERFORMING CROSS-UTILIZATION TRAINING (CUT) TASKS	2

TABLE 17

REPRESENTATIVE TASKS PERFORMED BY FIRST-ENLISTMENT
AFSC 455X0B PERSONNEL

TASKS	PERCENT MEMBERS PERFORMING (N=292)
G307 CONNECT OR DISCONNECT POWER TO AIRCRAFT	89
G308 OPERATE GROUND OR EXTERNAL POWER UNITS	81
F209 OPERATE AEROSPACE GROUND EQUIPMENT (AGE)	78
F302 VISUALLY INSPECT EGRESS SYSTEMS FOR SAFETY	77
F240 READ OR INTERPRET SCHEMATICS	76
F212 PACK OR UNPACK PHOTO-SENSOR SYSTEM EQUIPMENT	76
F205 INVENTORY FLIGHTLINE CTKs	75
F252 REMOVE OR REPLACE CANNON PLUGS, CONNECTORS, OR PINS	75
E106 COMPLETE AF FORMS 2005 (ISSUE/TURN-IN REQUEST)	73
F254 REMOVE OR REPLACE COCKPIT CONTROL PANELS	73
E115 COMPLETE AFTO FORMS 349 (MAINTENANCE DATA COLLECTION RECORD)	72
E116 COMPLETE AFTO FORMS 781A (MAINTENANCE DISCREPANCY AND WORK DOCUMENT)	72
F292 SAFETY-WIRE EQUIPMENT	71
F193 CLEAN MIRRORS OR LENS	71
F241 READ OR INTERPRET WIRING DIAGRAMS	71
F299 TROUBLESHOOT PHOTO-SENSOR SYSTEMS ON AIRCRAFT	70
G311 POSITION AGE TO AIRCRAFT	70
E129 LOCATE INFORMATION IN TECHNICAL ORDERS (TO)	68
F253 REMOVE OR REPLACE CIRCUIT CARD ASSEMBLIES	67
F298 TROUBLESHOOT PHOTO-SENSOR SYSTEMS IN SHOP	66
F216 PERFORM CORROSION CONTROL ON PHOTO-SENSOR SYSTEMS IN SHOF	66
F223 PERFORM PREVENTIVE MAINTENANCE INSPECTIONS (PMI) ON PHOTO-SENSOR SYSTEMS	64
V675 BENCH CHECK AIRBORNE VIDEOTAPE RECORDERS (AVTR)	62
F204 INVENTORY EQUIPMENT, SUPPLIES, OR TOOLS, OTHER THAN FLIGHTLINE CONSOLIDATED TOOL KITS (CTK)	60
V680 OPERATIONALLY CHECK AVTRs ON AIRCRAFT	59
V687 REMOVE OR REPLACE VIDEOTAPE RECORDERS	58
E121 COMPLETE EQUIPMENT STATUS TAGS	58
V684 PERFORM MECHANICAL ALIGNMENTS ON VIDEOTAPE RECORDERS	54
V681 OPERATIONALLY CHECK CTVs ON AIRCRAFT	43
V676 BENCH CHECK COCKPIT TELEVISION SYSTEMS (CTVS)	43

working on the new system until after 1991. Tasks matched to line items in paragraph 17e reflect what AFSC 455X0A personnel were doing at the time of the survey.

Using AFR 8-13 criteria, most elements in the STS with tasks matched are supported by survey data, meaning tasks matched are performed by more than 20 percent first-job, first-enlistment, 5-, or 7-skill level members. There are, however, some exceptions. Specifically, most elements dealing with performing functional or operational checks on the various equipment items or components are not supported. Because the inventory could not include tasks dealing with specific functional or operational checks of every piece of equipment, subject-matter experts at the school had to match quite general tasks to these line items. There are also some line items dealing with alignments and troubleshooting that are also not supported. Because there are so many unsupported items, they will not be listed in this report, but are displayed with matched tasks and survey data in Appendix B, Table B1.

There are a number of tasks performed by more than 20 percent of criterion group members that are not matched to STS elements (Appendix B, Table B2). These tasks were reviewed to determine if they deal with a particular function or are related to a specific job. A number appear to relate to basic electronic principles, while others appear to be general in-shop maintenance tasks. Training personnel and subject-matter experts need to review these unmatched tasks to determine if they suggest material that should be added to the STS.

AFSC 455X0B STS. The first 10 paragraphs of the B-shred STS also deal with general topics of career ladder progression, security, AFOSH, publications, supply, graduate evaluation, supervision and training, maintenance, and inspections, and were not reviewed. Technical aspects of the career ladder are covered in paragraphs 11 through 15. Most tasks matched to STS elements deal with general maintenance functions rather than specific maintenance steps on individual cameras. On-equipment maintenance (Paragraph 14) is taught in FTD courses at bases where the specific aircraft are assigned rather than in the entry-level course. In addition, support and test equipment, covered by paragraph 15, only became a responsibility of AFSC 455X0B personnel in 1988. Before 1988, support and test equipment was maintained by AFSC 326X0 (Avionics Aerospace Ground Equipment) personnel. Thus, maintenance of support and test equipment is relatively new to members of this career ladder.

Airborne video recording systems are common to many types of aircraft in the USAF inventory, and nearly all B-shred personnel are familiar with them. Reconnaissance cameras, on the other hand, are not as common because there is a decreasing number of reconnaissance bases and aircraft. The result is most B-shred personnel have limited experience with individual reconnaissance camera systems.

Using AFR 8-13 criteria, all but three elements matched to tasks are supported by survey data, meaning matched tasks are performed by more than 20 percent of first-job, first-enlistment, 5-, or 7-skill level members. The three unmatched STS elements are: 13D(6) - Remove SRUs, 13D(7) - Replace SRUs, and 13F(3) - Perform Functional Checkout. These individual STS

elements, with matched tasks and survey data, are included in Table 18 and should be reviewed by career field managers and training personnel to determine if they should be retained in the STS.

There are a number of tasks performed by more than 20 percent of criterion group members that are not matched to STS elements (Table 19). These tasks were reviewed to determine if they concentrate around any particular function or are related to a specific job. Several deal with ground equipment, while most others appear to be general maintenance tasks. Training personnel and subject-matter experts need to review these unmatched tasks to determine if they suggest material that should be added to the STS.

Electronic Principles Specialty Training Standards

A-shred Electronic Principles STS. Responses of the 149 AFSC 45550A personnel who completed the EPI in 1988 were matched to the AFSC 455X0A Electronic Principles/Applications STS. Results show less than 20 percent of the AFSC 455X0A personnel taking the EPI responded with a "yes" to questions asking if they use the principle, skill, or equipment of the subjects listed in Appendix B, Table B3. Most of these subjects have either a knowledge or performance training code, a slash, and a dash (-) (i.e., 2b/-) indicating that, while the subject is not presently being taught in the course, there is still a proficiency requirement. EPI data for A-shred personnel show no support for even the proficiency requirements for these topics and suggest these topics should have only a dash (-) for a training code and, therefore, not be included in the course.

In addition, EPI data show more than 20 percent of the AFSC 45550A respondents use a number of principles, skills, or equipment not taught in the course. These EPI subjects are related to maintenance of specific items of sensor equipment and are taught in either the 3ABR45530A, Apprentice Photo-Sensor Maintenance Course, or in FTD courses on the individual equipment items. They, therefore, do not need to be included in the entry-level electronics course.

B-shred Electronic Principles STS. Responses of the 146 AFSC 45550B personnel who completed the EPI in 1988 were matched to the AFSC 455X0B Electronic Principles/Applications STS. Results show that for the subjects listed in Appendix B, Table B6, less than 20 percent of the AFSC 45550B personnel taking the EPI responded with a "yes" to questions asking if they use the related principle, skill, or equipment. Most of these subjects also have either a knowledge or performance training code, a slash, and a dash (i.e., 2b/-) indicating the subjects are not being taught in the course, but have a proficiency requirement. EPI survey data show no support for the proficiency requirement for these topics and suggest that the training code should be changed to just a dash (-).

In addition, EPI data show more than 20 percent of AFSC 45550B EPI respondents use a number of principles, skills, or equipment not taught in the course. These EPI subjects are related to maintenance of specific items of sensor equipment, and are taught in either the 3ABR45530B, Apprentice

TABLE 18
UNSUPPORTED AFSC 455X0B STS ELEMENTS

	<u>PERCENT MEMBERS PERFORMING</u>			
	<u>1ST JOB</u>	<u>1ST ENL</u>	<u>5- LVL</u>	<u>7- LVL</u>
13D(6). REMOVE SRUs				
T650 REMOVE OR REPLACE SHUTTER ASSEMBLIES	18	17	17	11
13D(7). REPLACE SRUs				
T650 REMOVE OR REPLACE SHUTTER ASSEMBLIES	18	17	17	11
13F(3). PERFORM FUNCTIONAL CHECKOUT				
T606 BENCH CHECK RADAR RECORDING CAMERA SYSTEMS	8	8	7	6

TABLE 19

TASKS PERFORMED BY MORE THAN 20 PERCENT CRITERION GROUP
MEMBERS NOT MATCHED TO AFSC 455X0B STS

TASKS	PERCENT MEMBERS PERFORMING			
	1ST JOB	1ST ENL	5- LVL	7- LVL
G307 CONNECT OR DISCONNECT POWER TO AIRCRAFT	91	89	82	56
F302 VISUALLY INSPECT EGRESS SYSTEMS FOR SAFETY	86	77	70	53
G308 OPERATE GROUND OR EXTERNAL POWER UNITS	84	81	78	56
F240 READ OR INTERPRET SCHEMATICS	78	76	76	60
F252 REMOVE OR REPLACE CANNON PLUGS, CONNECTORS, OR PINS	78	75	70	44
F209 OPERATE AEROSPACE GROUND EQUIPMENT (AGE)	77	78	72	56
F212 PACK OR UNPACK PHOTO-SENSOR SYSTEM EQUIPMENT	77	76	69	50
E106 COMPLETE AF FORMS 2005 (ISSUE/TURN-IN REQUEST)	76	73	72	65
F292 SAFETY-WIRE EQUIPMENT	75	71	66	45
F205 INVENTORY FLIGHTLINE CTKs	73	75	77	57
E115 COMPLETE AFTO FORMS 349 (MAINTENANCE DATA COLLECTION RECORD)	72	72	71	48
F241 READ OR INTERPRET WIRING DIAGRAMS	72	71	70	60
F254 REMOVE OR REPLACE COCKPIT CONTROL PANELS	72	73	70	44
E129 LOCATE INFORMATION IN TECHNICAL ORDERS (TO)	71	68	70	70
G311 POSITION AGE TO AIRCRAFT	67	70	66	49
F299 TROUBLESHOOT PHOTO-SENSOR SYSTEMS ON AIRCRAFT	66	70	68	56
G310 PERFORM VOLTAGE CHECKS	66	60	62	43
F223 PERFORM PREVENTIVE MAINTENANCE INSPECTIONS (PMI) ON PHOTO-SENSOR SYSTEMS	63	64	63	41
E116 COMPLETE AFTO FORMS 781A (MAINTENANCE DISCREPANCY AND WORK DOCUMENT)	61	72	74	62
E104 COMPLETE AF FORMS 1297 (TEMPORARY ISSUE RECEIPT)	59	58	62	67
F238 READ OR INTERPRET BLOCK DIAGRAMS	59	58	63	50
F298 TROUBLESHOOT PHOTO-SENSOR SYSTEMS IN SHOP	56	66	67	44
T656 UPLOAD OR DOWNLOAD FILM IN MAGAZINES USING DARKROOM PROCEDURES	55	42	36	30
E121 COMPLETE EQUIPMENT STATUS TAGS	53	58	61	57
E118 COMPLETE AFTO FORMS 95 (SIGNIFICANT HISTORICAL DATA)	51	52	54	39
F204 INVENTORY EQUIPMENT, SUPPLIES, OR TOOLS, OTHER THAN FLIGHTLINE CONSOLIDATED TOOL KITS (CTK)	51	60	61	50
V680 OPERATIONALLY CHECK AVTRs ON AIRCRAFT	50	59	55	38
F156 ALIGN OR ADJUST COCKPIT CONTROL PANELS	49	46	37	19
F220 PERFORM HIGH RELIABILITY SOLDERING	48	59	60	35

Photo-Sensor Maintenance Course, or FTD courses on the individual equipment items. They, therefore, do not need to be included in the entry-level electronics course.

Plans of Instruction (POI)

The same 3450th Technical Training Group personnel also matched inventory tasks to learning objectives of the A- and B-shred Photo-Sensors Maintenance Plans of Instruction (POI), dated September 1988 and March 1988, respectively. A computer product was created for each POI listing learning objectives, tasks matched, and percent first-job and first-enlistment members performing. Learning objectives with tasks matched were reviewed using criteria found in ATCR 55-22, Attachment 1 (February 1989). Any objective matched to tasks performed by less than 30 percent first-job or first-enlistment members is considered unsupported and should be taught by OJT, unless there is sufficient justification (i.e., criticality) to keep it in the entry-level course.

A-shred POI. Blocks I1 through II8 cover introductory materials and were not reviewed, while blocks II9 through XII2 deal with technical topics and were reviewed. Many of the technical learning objectives in this POI require knowledge rather than performance and could not be matched to inventory tasks. All learning objectives that had tasks matched were supported, with the exception of objectives X2 and XI1, which deal with the PAVE SPIKE system. This equipment is no longer maintained and survey data suggest it should no longer be taught in the entry-level course. All unsupported objectives, with matched tasks and percent first-job and first-enlistment personnel performing, are listed in Appendix B, Table B4.

There are also a number of tasks performed by more than 30 percent first-job or first-enlistment personnel that are not matched to the POI (see Appendix B, Table B5). These deal with both flightline and in-shop maintenance functions. School personnel need to review these tasks to determine if they suggest materials that should be included in the POI.

B-shred POI. Blocks I1 through II7 cover introductory materials and were not reviewed, while blocks II8 through XIII, dealing with technical topics, were. Using the criteria set forth in ATCR 52-22, all but four objectives matched to tasks were supported. The unsupported objectives are: VIIe - Remove and replace a focal plane shutter, VII2c - Perform a functional checkout of a KS-74 camera system, IX1b - Perform a functional checkout on an AS/ASQ-154 Digital Data Inserter, and IX1b - Perform a functional checkout of an AS/ASQ-154 Signal Data Converter. These objectives and survey data are listed in Table 20. School personnel and subject-matter experts should review these unmatched objectives to ensure they are appropriate for the POI.

There are also a number of tasks performed by more than 30 percent of first-job or first-enlistment B-shred personnel that were not matched to the POI (see Table 21). Most of these are the same tasks that were not matched to the STS and are general maintenance types of tasks. School personnel and subject-matter experts should review these to see if they suggest topics that should be included.

TABLE 20
UNSUPPORTED AFSC 455X0B POI OBJECTIVES

		PERCENT MEMBERS PERFORMING	
		1ST JOB	1ST ENL
VIIe. GIVEN A KS-87 CAMERA BODY, TO 10A1-5-29-2 AND NECESSARY TOOLS, AS A TEAM MEMBER REMOVE AND REPLACE THE FOCAL PLANE SHUTTER			
T650	REMOVE AND REPLACE SHUTTER ASSEMBLIES	18	17
VII2c. GIVEN A KS-74 RADAR RECORDING CAMERA SYSTEM, TO 10A1-4-15-22 AND NECESSARY TEST EQUIPMENT, AS A TEAM MEMBER PERFORM A FUNCTIONAL CHECKOUT			
T606	BENCH CHECK RADAR RECORDING CAMERA SYSTEMS	8	8
IX1b. GIVEN TO 10A10-7-2, ASSOCIATED TEST EQUIPMENT AND AN AS/ASQ-154 DIGITAL DATA INSERTER, PERFORM THE FUNCTIONAL CHECKOUT			
G304	ALIGN OR ADJUST HIGH VOLTAGE POWER SUPPLY COMPONENTS	22	24
S568	ALIGN OR ADJUST DIGITAL DATA INSERTER (DDI)	19	11
S566	ALIGN OR ADJUST DATA DISPLAY SYSTEM SRUs	12	7
S570	BENCH CHECK DATA DISPLAY SYSTEMS	11	9
IX1b. GIVEN TO 10A10-7-2 AND ASSOCIATED TEST EQUIPMENT, AS A TEAM MEMBER USE CRT SAFETY PRECAUTIONS TO PERFORM THE FUNCTIONAL CHECKOUT OF THE AS/ASQ-154 SIGNAL DATA CONVERTER			
G304	ALIGN OR ADJUST HIGH VOLTAGE POWER SUPPLY COMPONENTS	22	24
F178	ALIGN OR ADJUST SIGNAL GENERATORS	17	23
S566	ALIGN OR ADJUST DATA DISPLAY SYSTEM SRUs	12	7

TABLE 21

TASKS PERFORMED BY MORE THAN 30 PERCENT CRITERION
GROUPS NOT MATCHED TO 3ABR45530B POI

		PERCENT MEMBERS PERFORMING	
TASKS NOT REFERENCED		1ST JOB	1ST ENL
G307	CONNECT OR DISCONNECT POWER TO AIRCRAFT	91	89
F302	VISUALLY INSPECT EGRESS SYSTEMS FOR SAFETY	86	77
G308	OPERATE GROUND OR EXTERNAL POWER UNITS	84	81
F240	READ OR INTERPRET SCHEMATICS	78	76
F252	REMOVE OR REPLACE CANNON PLUGS, CONNECTORS, OR PINS	78	75
F209	OPERATE AEROSPACE GROUND EQUIPMENT (AGE)	77	78
F212	PACK OR UNPACK PHOTO-SENSOR SYSTEM EQUIPMENT	77	76
E106	COMPLETE AF FORMS 2005 (ISSUE/TURN-IN REQUEST)	76	73
F193	CLEAN MIRRORS OR LENS	76	71
F292	SAFETY-WIRE EQUIPMENT	75	71
F205	INVENTORY FLIGHTLINE CTKs	73	75
E115	COMPLETE AFTO FORMS 349 (MAINTENANCE DATA COLLECTION RECORD)	72	72
F241	READ OR INTERPRET WIRING DIAGRAMS	72	71
F254	REMOVE OR REPLACE COCKPIT CONTROL PANELS	72	73
E129	LOCATE INFORMATION IN TECHNICAL ORDERS (TO)	71	68
F299	TROUBLESHOOT PHOTO-SENSOR SYSTEMS ON AIRCRAFT	66	70
G310	PERFORM VOLTAGE CHECKS	66	60
F233	PURGE PHOTO-SENSOR SYSTEMS USING CARBON DIOXIDE	63	64
E116	COMPLETE AFTO FORMS 781A (MAINTENANCE DISCREPANCY AND WORK DOCUMENT)	61	72
E104	COMPLETE AF FORMS 1297 (TEMPORARY ISSUE RECEIPT)	59	58
F238	READ OR INTERPRET BLOCK DIAGRAMS	59	58
F237	PURGE PHOTO-SENSOR SYSTEMS USING NITROGEN	56	46
F298	TROUBLESHOOT PHOTO-SENSOR SYSTEMS IN SHOP	56	66
F216	PERFORM CORROSION CONTROL ON PHOTO-SENSOR SYSTEMS IN SHOP	54	66
E121	COMPLETE EQUIPMENT STATUS TAGS	53	58
F293	SALVAGE WASTE FILM	52	42
E118	COMPLETE AFTO FORMS 95 (SIGNIFICANT HISTORICAL DATA)	51	52
F204	INVENTORY EQUIPMENT, SUPPLIES, OR TOOLS, OTHER THAN FLIGHTLINE CONSOLIDATED TOOL KITS (CTK)	51	60
V675	BENCH CHECK AIRBORNE VIDEOTAPE RECORDERS (AVTR)	51	62
F199	DON AND DOFF PROTECTIVE CLOTHING, SUCH AS APRONS, GOGGLES, OR GLOVES	50	51
V680	OPERATIONALLY CHECK AVTRs ON AIRCRAFT	50	59
F156	ALIGN OR ADJUST COCKPIT CONTROL PANELS	49	46

Summary

Most matched portions of the STS and POI are supported by survey data using criteria set forth in AFR 8-13/ATC Sup 1 and ATCR 52-22, Atch 1. Training personnel need to review unsupported STS line items and POI objectives, as well as tasks that were not matched to either document.

MAJCOM DIFFERENCES

Survey data show there are differences in the types of aircraft and, therefore, the types of sensor equipment maintained by A-shred members of the different MAJCOMs. Twenty-eight percent of A-shred personnel are assigned to TAC, 23 percent to MAC, 14 percent to USAFE, and 10 percent to SAC. TAC personnel work on fighter aircraft, MAC personnel work on the C-130 and HH-53 helicopter, USAFE personnel work mostly on F-111s and A-10s, while SAC personnel are the ones maintaining sensors on the U-2 and TR-1. Consequently, most TAC personnel maintain PAVE PENNY and TISEO systems; MAC personnel maintain FLIR, low light level TV, PAVE LOW, and laser target designator systems; AFSC 455X0 personnel in USAFE maintain the PAVE TACK system; and SAC personnel maintain systems unique to the U-2 and TR-1.

There are fewer differences between the aircraft and camera systems maintained by B-shred personnel. This is because 51 percent of all B-shred personnel are assigned to TAC, which uses essentially the same aircraft as USAFE, PACAF, and the other commands. SAC, however, is unique with its U-2 and TR-1 aircraft and the special camera systems on these airplanes. Other than the expected differences with SAC, survey data show similar percentages of members in the other MAJCOMs maintaining common camera systems.

School personnel are directed to the Equipment VARSUM products in the Training Extracts, which list the individual equipment items and percentages of all personnel, as well as first-enlistment MAJCOM personnel, who indicated they maintain the equipment items.

JOB SATISFACTION

Respondents were asked to indicate how interested they were in their jobs, if they felt their talents and training were being used, and if they intended to reenlist. Satisfaction indicators for TAFMS groups in the present study were compared to those of members of related AFSCs surveyed in 1989 (Table 22). Overall, indicators are lower for AFSC 455X0 personnel than those expressed by members of related mission equipment maintenance specialties. Fewer first- and second-enlistment AFSC 455X0 personnel find their jobs interesting, feel their talents and training are used, and plan to reenlist than their counterparts in the related AFSCs surveyed in 1989. Career AFSC

TABLE 22

COMPARISON OF JOB SATISFACTION INDICATORS FOR 455X0
TAFMS GROUPS IN CURRENT STUDY TO A COMPARATIVE SAMPLE
(PERCENT MEMBERS RESPONDING)

	1-48 MONTHS TAFMS			49-96 MONTHS TAFMS			97+ MONTHS TAFMS		
	455X0A (N=221)	455X0B (N=292)	COMP SAMPLE (N=2,658)	455X0A (N=76)	455X0B (N=104)	COMP SAMPLE (N=1,930)	455X0A (N=173)	455X0B (N=188)	COMP SAMPLE (N=2,575)
<u>EXPRESSED JOB INTEREST:</u>									
INTERESTING	61	58	76	63	50	75	75	58	77
SO-SO	17	27	15	22	26	16	14	21	14
DULL	22	15	8	13	24	8	12	21	8
<u>PERCEIVED USE OF TALENTS:</u>									
FAIRLY WELL TO GOOD	66	70	85	73	66	85	77	65	84
LITTLE OR NOT AT ALL	33	30	15	26	34	14	23	35	15
<u>PERCEIVED USE OF TRAINING:</u>									
FAIRLY WELL TO GOOD	66	72	88	66	66	83	70	61	82
LITTLE OR NOT AT ALL	33	28	12	33	34	16	30	39	18
<u>REENLISTMENT INTENTIONS:</u>									
WILL REENLIST	53	49	61	74	74	72	76	79	75
WILL NOT REENLIST	47	51	37	26	26	26	14	10	10
WILL RETIRE	0	0	2	0	0	1	10	12	14

* Denotes less than 1 percent

Comparative data were from AFSCs 362X4, 411X2A, 454X0A/B, and 451X4 surveyed in 1989

455X0A personnel, on the other hand, are more like career members of the other AFSCs, while career B-shred personnel remain consistently lower in overall job satisfaction.

Satisfaction indicators for TAFMS groups in the present study were also compared to figures reported in the previous OSRs (Table 23). A-shred personnel find their jobs as interesting as members of the prior OSR, while B-shred personnel are somewhat less satisfied. Members of TAFMS groups in the present study feel their talents and training are used better than before, and more plan to reenlist. Overall, satisfaction indicators have remained fairly stable over the years.

Satisfaction indicators for members of the various jobs are shown in Table 24. Most respondents find their work interesting, except Resident Instructors and those with the Strategic Camera Maintenance job. Members with these two jobs report the lowest job interest, while a higher percentage of those in the Flightline Pave Tack Maintenance job feel their job is dull. Fewer Instructors, Flightline Pave Tack Maintenance, and Strategic Camera Maintenance personnel feel their talents are being used. TISEO Maintenance personnel have lower reenlistment intentions than members of any other job. Overall, personnel with the Flightline Pave Tack and Strategic Camera Maintenance jobs have the lowest job satisfaction indicators.

Summary

Satisfaction of AFSC 455X0 personnel and members of similar AFSCs surveyed in 1988 were compared, and data show AFSC 455X0 personnel have somewhat lower satisfaction indicators than their counterparts in other AFSCs. Overall satisfaction has remained fairly stable over the years. Members of most jobs find their work interesting, feel their talents and training are used, and plan to reenlist, with the exception of those with the Flightline Tactical Camera and Strategic Camera Maintenance jobs. Resident instructors also find their job less than interesting and feel their talents are not used as well as they could be.

IMPLICATIONS

Overall, there have been few changes in the structure of the career ladder, even with recent equipment changes. The jobs performed are mostly related to shred-specific equipment. Personnel progress typically through the career ladder, with 3- and 5-skill level members performing mainly technical tasks and 7-skill level members performing a mixture of technical and supervisory tasks. Survey data show the AFR 39-1 Specialty Descriptions will need to be changed somewhat to reflect changes in equipment maintained.

Job satisfaction indicators for this specialty are somewhat lower than those of related AFSCs surveyed in 1988. Overall satisfaction has remained fairly stable over the years. Members of most jobs report they find their job

TABLE 23

COMPARISON OF JOB SATISFACTION INDICATORS FOR AFSC 455X0
TAFMS GROUPS IN CURRENT AND PREVIOUS STUDIES
(PERCENT MEMBERS RESPONDING)

	1-48 MONTHS TAFMS			49-96 MONTHS TAFMS			97+ MONTHS TAFMS		
	1990 455X0A (N=221)	1990 455X0B (N=292)	PRIOR (N=679)	1990 455X0A (N=76)	1990 455X0B (N=104)	PRIOR (N=197)	1990 455X0A (N=173)	1990 455X0B (N=188)	PRIOR (N=260)
<u>EXPRESSED JOB INTEREST:</u>									
INTERESTING	61	58	62	63	50	64	75	58	74
SO-SO	17	27	28	22	26	19	14	21	14
DULL	22	15	19	13	24	17	12	21	12
<u>PERCEIVED USE OF TALENTS:</u>									
FAIRLY WELL TO GOOD	66	70	56	73	66	64	77	65	73
LITTLE OR NOT AT ALL	33	30	44	26	34	36	23	35	27
<u>PERCEIVED USE OF TRAINING:</u>									
FAIRLY WELL TO GOOD	66	72	61	66	66	59	70	61	68
LITTLE OR NOT AT ALL	33	28	39	33	37	71	30	39	32
<u>REENLISTMENT INTENTIONS:</u>									
WILL REENLIST	53	49	47	74	74	58	76	79	77
WILL NOT REENLIST	47	51	53	26	26	42	14	10	23
WILL RETIRE	0	0	#	0	0	#	10	12	#

* Denotes less than 1 percent

Data not reported in prior OSRs

TABLE 24

COMPARISON OF JOB SATISFACTION INDICATORS FOR MEMBERS OF 455X0 SPECIALTY JOBS
(PERCENT MEMBERS RESPONDING)

	ADMIN SUPV (N=155)	INSTR (N=18)	SHOP SUPV (N=36)	TISEO MAINT (N=9)	PAVE PENNY (N=80)	FLIR MAINT (N=98)
<u>EXPRESSED JOB INTEREST:</u>						
INTERESTING	67	39	81	67	55	70
SO-SO	14	33	6	33	29	18
DULL	19	28	14	0	16	11
<u>PERCEIVED USE OF TALENTS:</u>						
FAIRLY WELL TO GOOD	70	50	80	89	67	79
LITTLE OR NOT AT ALL	30	50	19	11	32	21
<u>PERCEIVED USE OF TRAINING:</u>						
FAIRLY WELL TO GOOD	57	72	80	100	57	72
LITTLE TO NOT AT ALL	43	28	19	0	42	28
<u>REENLISTMENT INTENTIONS:</u>						
WILL REENLIST	75	78	67	33	60	61
WILL NOT REENLIST	10	17	17	67	40	38
WILL RETIRE	15	6	17	0	0	1

TABLE 24 (CONTINUED)

COMPARISON OF JOB SATISFACTION INDICATORS FOR MEMBERS OF 455X0 SPECIALTY JOBS
(PERCENT MEMBERS RESPONDING)

	SHOP PAVE TACK (N=81)	LINE PAVE TACK (N=22)	VCR COCKPIT CAMERA (N=219)	SHOP TACT CAMERA (N=18)	LINE TACT CAMERA (N=36)	STRAT CAMERA (N=9)
<u>EXPRESSED JOB INTEREST:</u>						
INTERESTING	86	50	62	66	54	38
SO-SO	7	5	24	27	31	40
DULL	5	45	17	7	15	23
<u>PERCEIVED USE OF TALENTS:</u>						
FAIRLY WELL TO GOOD	85	50	70	92	65	62
LITTLE OR NOT AT ALL	14	50	28	8	35	38
<u>PERCEIVED USE OF TRAINING:</u>						
FAIRLY WELL TO GOOD	92	45	75	92	65	48
LITTLE TO NOT AT ALL	7	55	25	8	35	52
<u>REENLISTMENT INTENTIONS:</u>						
WILL REENLIST	68	73	63	68	64	54
WILL NOT REENLIST	30	27	36	32	36	44
WILL RETIRE	1	0	0	0	0	2

interesting and feel their talents and training are used. Members with the Flightline Pave Tack and Strategic Camera Maintenance jobs, however, have the lowest satisfaction indicators.

Most of the STS and POI for each shred are supported by survey data. There are a number of topics covered in the Electronic Fundamentals/ Applications STSs that are not supported by EPI data. School personnel need to review these unsupported topics to determine if they should continue to be retained in the resident courses.

APPENDIX A

SELECTED REPRESENTATIVE TASKS PERFORMED BY
MEMBERS OF CAREER LADDER JOBS

TABLE A1

ADMINISTRATIVE AND SUPERVISORY CLUSTER (STG021)

NUMBER IN GROUP: 155
 PERCENT OF SAMPLE: 15%

AVERAGE TIME IN JOB: 25 MONTHS
 AVERAGE TAFMS: 171 MONTHS

THE FOLLOWING TASKS ARE IN DESCENDING ORDER OF PERCENT MEMBERS PERFORMING:

TASKS	PERCENT MEMBERS PERFORMING
C51 COUNSEL PERSONNEL ON PERSONAL OR MILITARY-RELATED MATTERS	79
C64 PERFORM SELF-INSPECTIONS	75
C69 WRITE EPRs	75
B39 INTERPRET POLICIES, DIRECTIVES, OR PROCEDURES FOR PERSONNEL	71
C56 EVALUATE PERSONNEL FOR COMPLIANCE WITH PERFORMANCE STANDARDS	68
A12 ESTABLISH WORK PRIORITIES	67
A2 DETERMINE EQUIPMENT OR SUPPLY REQUIREMENTS	65
A16 PLAN WORK ASSIGNMENTS	62
E129 LOCATE INFORMATION IN TECHNICAL ORDERS (TO)	61
A1 CONDUCT MEETINGS, SUCH AS STAFF MEETINGS, COUNCIL MEETINGS, OR BOARD MEETINGS	60
A3 DETERMINE PERSONNEL REQUIREMENTS	59
A4 DEVELOP ORGANIZATIONAL CHARTS OR STATUS BOARDS	59
D80 DETERMINE TRAINING REQUIREMENTS	58
C65 PROVIDE TECHNICAL ASSISTANCE FOR JOB-RELATED MATTERS	57
A6 DRAFT OR REVISE DUTY ROSTERS	56
E145 REVIEW FLYING SCHEDULES	55
C66 REVIEW OR INDORSE ENLISTED PERFORMANCE REPORTS (EPR)	55
A19 SCHEDULE LEAVES OR TEMPORARY DUTY (TDY) ASSIGNMENTS	55
E127 INPUT DATA USING COMPUTERS	54
A11 ESTABLISH WORK METHODS OR PROCEDURES	54
C55 EVALUATE INSPECTION REPORTS OR PROCEDURES	53
B24 CONDUCT FOLLOWUP ACTION ON SUPPLY OR WORK REQUESTS	52
E106 COMPLETE AF FORMS 2005 (ISSUE/TURN-IN REQUEST)	52
A17 PREPARE BRIEFINGS	51
B30 DIRECT OR PARTICIPATE IN MOBILITY EXERCISES	50
C50 ANALYZE WORKLOAD REQUIREMENTS	48
E147 REVIEW PROPERTY CUSTODY AUTHORIZATION/CUSTODY RECEIPT LISTINGS (CA/CRL)	47
E148 REVIEW QUALITY ASSURANCE EVALUATIONS	45
E143 REVIEW DATA AUTOMATED SUPPLY LISTINGS	43

TABLE A1(A)
SUPPLY JOB (STG108)

NUMBER IN GROUP: 7 AVERAGE TIME IN JOB: 29 MONTHS
PERCENT OF SAMPLE: LESS THAN 1% AVERAGE TAFMS: 114 MONTHS

THE FOLLOWING TASKS ARE IN DESCENDING ORDER OF PERCENT MEMBERS PERFORMING:

TASKS	PERCENT MEMBERS PERFORMING
E129 LOCATE INFORMATION IN TECHNICAL ORDERS (TO)	100
E143 REVIEW DATA AUTOMATED SUPPLY LISTINGS	86
E106 COMPLETE AF FORMS 2005 (ISSUE/TURN-IN REQUEST)	86
E152 VERIFY AWAITING PARTS (AWP) LISTINGS	86
E127 INPUT DATA USING COMPUTERS	86
B24 CONDUCT FOLLOW-UP ACTION ON SUPPLY OR WORK REQUESTS	71
E95 ANNOTATE AF FORMS 2413 (SUPPLY CONTROL LOG)	71
A2 DETERMINE EQUIPMENT OR SUPPLY REQUIREMENTS	71
E128 LOCATE INFORMATION IN COMMERCIAL PUBLICATIONS	71
E121 COMPLETE EQUIPMENT STATUS TAGS	71
C69 WRITE EPRs	71
E142 REVIEW DAILY DOCUMENT REGISTERS	57
F212 PACK OR UNPACK PHOTO-SENSOR SYSTEM EQUIPMENT	57
E99 ANNOTATE DUE-IN-FROM-MAINTENANCE (DIFM) LOGS	57
D76 CONDUCT OJT	57
E120 COMPLETE DD FORMS 1348-6 (DOD SINGLE LINE ITEM REQUISITION SYSTEM DOCUMENT)	57
E97 ANNOTATE AF FORMS 451 (REQUEST FOR PACKAGING SERVICE)	57
E104 COMPLETE AF FORMS 1297 (TEMPORARY ISSUE RECEIPT)	57
A4 DEVELOP ORGANIZATIONAL CHARTS OR STATUS BOARDS	57
E141 REVIEW AFTO FORMS 349	57
C51 COUNSEL PERSONNEL ON PERSONAL OR MILITARY-RELATED MATTERS	57
E119 COMPLETE DD FORMS 1348-1 (DOD SINGLE LINE ITEM RELEASE/ RECEIPT	43
E147 REVIEW PROPERTY CUSTODY AUTHORIZATION/CUSTODY RECEIPT LISTINGS	43
E101 ANNOTATE REPARABLE PART CYCLE (RPC) LOGS	43
D85 EVALUATE TRAINING PROGRESS OF TRAINEES	43
B42 SUPERVISE APPRENTICE RECONNAISSANCE/ELECTRO-OPTICAL SENSOR SPECIALISTS	43
E118 COMPLETE AFTO FORMS 95 (SIGNIFICANT HISTORICAL DATA)	43
B30 DIRECT OR PARTICIPATE IN MOBILITY EXERCISES	43
E131 MAINTAIN FILES OF MAINTENANCE RECORDS	29

TABLE A1(B)

RESOURCE ADVISOR JOB (STG069)

NUMBER IN GROUP: 10

AVERAGE TIME IN JOB: 35 MONTHS

PERCENT OF SAMPLE: LESS THAN 1%

AVERAGE TAFMS: 166 MONTHS

THE FOLLOWING TASKS ARE IN DESCENDING ORDER OF PERCENT MEMBERS PERFORMING:

TASKS	PERCENT MEMBERS PERFORMING
E110 COMPLETE AF FORMS 9 (REQUEST FOR PURCHASE)	100
E106 COMPLETE AF FORMS 2005 (ISSUE/TURN-IN REQUEST)	90
E120 COMPLETE DD FORMS 1348-6 (DOD SINGLE LINE ITEM REQUISITION SYSTEM DOCUMENT)	80
E104 COMPLETE AF FORMS 1297 (TEMPORARY ISSUE RECEIPT)	80
B24 CONDUCT FOLLOW-UP ACTION ON SUPPLY OR WORK REQUESTS	70
E142 REVIEW DAILY DOCUMENT REGISTERS	70
E109 COMPLETE AF FORMS 601 (EQUIPMENT ACTION REQUEST)	70
C64 PERFORM SELF-INSPECTIONS	70
E143 REVIEW DATA AUTOMATED SUPPLY LISTINGS	60
C63 PERFORM SECURITY INSPECTIONS	60
A2 DETERMINE EQUIPMENT OR SUPPLY REQUIREMENTS	60
B30 DIRECT OR PARTICIPATE IN MOBILITY EXERCISES	60
E139 REVIEW AF FORMS 9	60
E127 INPUT DATA USING COMPUTERS	50
E147 REVIEW PROPERTY CUSTODY AUTHORIZATION/CUSTODY RECEIPT LISTINGS (CA/CRL)	50
C53 EVALUATE BUDGET REQUIREMENTS	50
B39 INTERPRET POLICIES, DIRECTIVES, OR PROCEDURES FOR PERSONNEL	50
A16 PLAN WORK ASSIGNMENTS	50
A8 ESTABLISH PERFORMANCE STANDARDS FOR PERSONNEL	50
C51 COUNSEL PERSONNEL ON PERSONAL OR MILITARY-RELATED MATTERS	50
E138 REVIEW AF FORMS 332 (BCE WORK REQUEST)	40
E103 COMPLETE AF FORMS 1135 (BCE REAL PROPERTY MAINTENANCE REQUEST)	40
A5 DRAFT BUDGET REQUIREMENTS	40
E108 COMPLETE AF FORMS 2519 (ALL PURPOSE CHECKLIST)	40
A6 DRAFT OR REVISE DUTY ROSTERS	40

TABLE A1(C)

PRODUCTION SUPERVISOR JOB (STG116)

NUMBER IN GROUP: 8

AVERAGE TIME IN JOB: 18 MONTHS

PERCENT OF SAMPLE: LESS THAN 1%

AVERAGE TAFMS: 215 MONTHS

THE FOLLOWING TASKS ARE IN DESCENDING ORDER OF PERCENT MEMBERS PERFORMING:

TASKS	PERCENT MEMBERS PERFORMING
B25 COORDINATE ACCESSIBILITY OF AIRCRAFT WITH CREW CHIEFS OR APPROPRIATE UNITS	100
B39 INTERPRET POLICIES, DIRECTIVES, OR PROCEDURES FOR PERSONNEL	88
B27 COORDINATE MISSION REQUIREMENTS WITH APPROPRIATE UNITS	88
C69 WRITE EPRs	88
B29 COORDINATE SYSTEM MALFUNCTIONS WITH APPROPRIATE UNITS	75
E145 REVIEW FLYING SCHEDULES	75
E127 INPUT DATA USING COMPUTERS	75
A12 ESTABLISH WORK PRIORITIES	75
E116 COMPLETE AFTO FORMS 781A (MAINTENANCE DISCREPANCY AND WORK DOCUMENT)	75
C51 COUNSEL PERSONNEL ON PERSONAL OR MILITARY-RELATED MATTERS	75
B45 SUPERVISE MILITARY PERSONNEL WITH AFSC OTHER THAN 455X0	63
B31 DISPATCH MAINTENANCE CREWS	63
A17 PREPARE BRIEFINGS	63
B30 DIRECT OR PARTICIPATE IN MOBILITY EXERCISES	63
A1 CONDUCT MEETINGS, SUCH AS STAFF MEETINGS, COUNCIL MEETINGS, OR BOARD MEETINGS	63
C64 PERFORM SELF-INSPECTIONS	63
C66 REVIEW OR INDORSE ENLISTED PERFORMANCE REPORTS (EPR)	63
E117 COMPLETE AFTO FORMS 781K (AEROSPACE VEHICLE INSP, ENGINE DATA, CALENDAR ITEM INSP, AND DELAYED DISCREPANCY DOC)	63
F210 OPERATE DISPATCH VEHICLES	50
B49 SUPERVISE TACTICAL/RECONNAISSANCE ELECTRONIC SENSOR TECHNICIANS (AFSC 45570A)	50
E141 REVIEW AFTO FORMS 349	50
B48 SUPERVISE TACTICAL/RECONNAISSANCE ELECTRONIC SENSOR SPECIALISTS (AFSC 45550A)	50
A6 DRAFT OR REVISE DUTY ROSTERS	50
C50 ANALYZE WORKLOAD REQUIREMENTS	38
C56 EVALUATE PERSONNEL FOR COMPLIANCE WITH PERFORMANCE STANDARDS	38

TABLE A1(D)
SHIFT SUPERVISOR JOB (STG109)

NUMBER IN GROUP: 16
PERCENT OF SAMPLE: 2%

AVERAGE TIME IN JOB: 27 MONTHS
AVERAGE TAFMS: 161 MONTHS

THE FOLLOWING TASKS ARE IN DESCENDING ORDER OF PERCENT MEMBERS PERFORMING:

TASKS	PERCENT MEMBERS PERFORMING
C69 WRITE EPRs	100
G307 CONNECT OR DISCONNECT POWER TO AIRCRAFT	100
E116 COMPLETE AFTO FORMS 781A (MAINTENANCE DISCREPANCY AND WORK DOCUMENT)	94
F302 VISUALLY INSPECT EGRESS SYSTEMS FOR SAFETY	94
C51 COUNSEL PERSONNEL ON PERSONAL OR MILITARY-RELATED MATTERS	94
G308 OPERATE GROUND OR EXTERNAL POWER UNITS	94
A16 PLAN WORK ASSIGNMENTS	88
B46 SUPERVISE RECONNAISSANCE/ELECTRO-OPTICAL SENSOR SPECIALISTS (AFSC 45550B)	81
B31 DISPATCH MAINTENANCE CREWS	81
F205 INVENTORY FLIGHTLINE CTKs	81
A12 ESTABLISH WORK PRIORITIES	81
C64 PERFORM SELF-INSPECTIONS	81
F209 OPERATE AEROSPACE GROUND EQUIPMENT (AGE)	81
B42 SUPERVISE APPRENTICE RECONNAISSANCE/ELECTRO-OPTICAL SENSOR SPECIALISTS (AFSC 45530B)	75
E145 REVIEW FLYING SCHEDULES	75
B30 DIRECT OR PARTICIPATE IN MOBILITY EXERCISES	75
E115 COMPLETE AFTO FORMS 349 (MAINTENANCE DATA COLLECTION RECORD)	75
F292 SAFETY-WIRE EQUIPMENT	75
F299 TROUBLESHOOT PHOTO-SENSOR SYSTEMS ON AIRCRAFT	75
E129 LOCATE INFORMATION IN TECHNICAL ORDERS (TO)	69
E141 REVIEW AFTO FORMS 349	69
C56 EVALUATE PERSONNEL FOR COMPLIANCE WITH PERFORMANCE STANDARDS	69
E106 COMPLETE AF FORMS 2005 (ISSUE/TURN-IN REQUEST)	69
E96 ANNOTATE AF FORMS 2430 (SPECIALIST DISPATCH CONTROL LOG)	56
D87 MAINTAIN TRAINING RECORDS, CHARTS, OR GRAPHS	56
F210 OPERATE DISPATCH VEHICLES	50
B47 SUPERVISE RECONNAISSANCE/ELECTRO-OPTICAL SENSOR TECHNICIANS (AFSC 45570B)	50

TABLE A1(E)
NCOIC JOB (STG106)

NUMBER IN GROUP: 70
PERCENT OF SAMPLE: 6%

AVERAGE TIME IN JOB: 27 MONTHS
AVERAGE TAFMS: 195 MONTHS

THE FOLLOWING TASKS ARE IN DESCENDING ORDER OF PERCENT MEMBERS PERFORMING:

TASKS	PERCENT MEMBERS PERFORMING
C69 WRITE EPRs	99
C51 COUNSEL PERSONNEL ON PERSONAL OR MILITARY-RELATED MATTERS	97
B39 INTERPRET POLICIES, DIRECTIVES, OR PROCEDURES FOR PERSONNEL	96
C64 PERFORM SELF-INSPECTIONS	96
A12 ESTABLISH WORK PRIORITIES	91
C56 EVALUATE PERSONNEL FOR COMPLIANCE WITH PERFORMANCE STANDARDS	90
C66 REVIEW OR INDORSE ENLISTED PERFORMANCE REPORTS (EPR)	89
A8 ESTABLISH PERFORMANCE STANDARDS FOR PERSONNEL	87
A19 SCHEDULE LEAVES OR TEMPORARY DUTY (TDY) ASSIGNMENTS	87
D80 DETERMINE TRAINING REQUIREMENTS	86
A6 DRAFT OR REVISE DUTY ROSTERS	84
A16 PLAN WORK ASSIGNMENTS	83
A3 DETERMINE PERSONNEL REQUIREMENTS	83
A2 DETERMINE EQUIPMENT OR SUPPLY REQUIREMENTS	81
E145 REVIEW FLYING SCHEDULES	79
C50 ANALYZE WORKLOAD REQUIREMENTS	79
C55 EVALUATE INSPECTION REPORTS OR PROCEDURES	79
C54 EVALUATE INDIVIDUALS FOR PROMOTION, DEMOTION, OR RECLASSIFICATION	79
B22 ASSIGN PERSONNEL TO DUTY POSITIONS	79
C65 PROVIDE TECHNICAL ASSISTANCE FOR JOB-RELATED MATTERS	77
A1 CONDUCT MEETINGS, SUCH AS STAFF MEETINGS, COUNCIL MEETINGS, OR BOARD MEETINGS	77
A11 ESTABLISH WORK METHODS OR PROCEDURES	76
E120 COMPLETE DD FORMS 1348-6 (DOD SINGLE LINE ITEM REQUISITION SYSTEM DOCUMENT)	74
E148 REVIEW QUALITY ASSURANCE EVALUATIONS	71
E147 REVIEW PROPERTY CUSTODY AUTHORIZATION/CUSTODY RECEIPT LISTINGS (CA/CRL)	70
E127 INPUT DATA USING COMPUTERS	61
B47 SUPERVISE RECONNAISSANCE/ELECTRO-OPTICAL SENSOR TECHNICIANS (AFSC 45570B)	57

TABLE A1(F)

TRAINING DEVELOPMENT JOB (STG181)

NUMBER IN GROUP: 6

AVERAGE TIME IN JOB: 40 MONTHS

PERCENT OF SAMPLE: LESS THAN 1%

AVERAGE TAFMS: 132 MONTHS

THE FOLLOWING TASKS ARE IN DESCENDING ORDER OF PERCENT MEMBERS PERFORMING:

TASKS	PERCENT MEMBERS PERFORMING
D81 DEVELOP RESIDENT COURSE CURRICULUM MATERIALS, SUCH AS PLANS OF INSTRUCTION OR SPECIALTY TRAINING STANDARDS	100
D84 EVALUATE TRAINING METHODS OR TECHNIQUES	100
D80 DETERMINE TRAINING REQUIREMENTS	100
D82 DEVELOP TESTS	100
D87 MAINTAIN TRAINING RECORDS, CHARTS, OR GRAPHS	100
D85 EVALUATE TRAINING PROGRESS OF TRAINEES	100
D79 CONSTRUCT TRAINING AIDS, SUCH AS SLIDES OR CHARTS	100
A2 DETERMINE EQUIPMENT OR SUPPLY REQUIREMENTS	100
D73 ADMINISTER TESTS	83
D92 SCORE TESTS	83
D77 CONDUCT RESIDENT COURSE CLASSROOM TRAINING	83
D90 PROCURE TRAINING AIDS, SPACE, OR EQUIPMENT	83
D86 MAINTAIN STUDY REFERENCE FILES	83
B24 CONDUCT FOLLOW-UP ACTION ON SUPPLY OR WORK REQUESTS	83
D78 CONDUCT TRAINING CONFERENCES OR BRIEFINGS	83
D91 REVIEW TRAINING REPORTS	83
D76 CONDUCT OJT	83
C56 EVALUATE PERSONNEL FOR COMPLIANCE WITH PERFORMANCE STANDARDS	83
A11 ESTABLISH WORK METHODS OR PROCEDURES	83
A8 ESTABLISH PERFORMANCE STANDARDS FOR PERSONNEL	83
A13 PLAN LAYOUT OF FACILITIES OR WORK AREAS	67
D83 EVALUATE INSTRUCTOR PERFORMANCE	67
C63 PERFORM SECURITY INSPECTIONS	67
B48 SUPERVISE TACTICAL/RECONNAISSANCE ELECTRONIC SENSOR SPECIALISTS (AFSC 45550A)	67
A12 ESTABLISH WORK PRIORITIES	67
C51 COUNSEL PERSONNEL ON PERSONAL OR MILITARY-RELATED MATTERS	67
B43 SUPERVISE APPRENTICE TACTICAL/RECONNAISSANCE ELECTRONIC SENSOR SPECIALISTS (AFSC 45530A)	67
A16 PLAN WORK ASSIGNMENTS	67
C65 PROVIDE TECHNICAL ASSISTANCE FOR JOB-RELATED MATTERS	67

TABLE A1(G)

MOBILITY NCO JOB (STG098)

NUMBER IN GROUP: 6

AVERAGE TIME IN JOB: 20 MONTHS

PERCENT OF SAMPLE: LESS THAN 1%

AVERAGE TAFMS: 193 MONTHS

THE FOLLOWING TASKS ARE IN DESCENDING ORDER OF PERCENT MEMBERS PERFORMING:

TASKS	PERCENT MEMBERS PERFORMING
A19 SCHEDULE LEAVES OR TEMPORARY DUTY (TDY) ASSIGNMENTS	100
A17 PREPARE BRIEFINGS	100
A2 DETERMINE EQUIPMENT OR SUPPLY REQUIREMENTS	100
A3 DETERMINE PERSONNEL REQUIREMENTS	100
B30 DIRECT OR PARTICIPATE IN MOBILITY EXERCISES	83
A1 CONDUCT MEETINGS, SUCH AS STAFF MEETINGS, COUNCIL MEETINGS, OR BOARD MEETINGS	83
B39 INTERPRET POLICIES, DIRECTIVES, OR PROCEDURES FOR PERSONNEL	83
D80 DETERMINE TRAINING REQUIREMENTS	83
C72 WRITE STAFF STUDIES OR SPECIAL REPORTS	67
E147 REVIEW PROPERTY CUSTODY AUTHORIZATION/CUSTODY RECEIPT LISTINGS (CA/CRL)	67
E127 INPUT DATA USING COMPUTERS	67
A9 ESTABLISH PROCEDURAL GUIDELINES, SUCH AS OPERATING INSTRUCTIONS (OI) OR STANDARD OPERATING PROCEDURES (SOP)	67
A4 DEVELOP ORGANIZATIONAL CHARTS OR STATUS BOARDS	67
E129 LOCATE INFORMATION IN TECHNICAL ORDERS (TO)	67
B27 COORDINATE MISSION REQUIREMENTS WITH APPROPRIATE UNITS	50
B28 COORDINATE MODIFICATION OF AIRCRAFT WITH MAINTENANCE UNITS	50
C55 EVALUATE INSPECTION REPORTS OR PROCEDURES	50
C65 PROVIDE TECHNICAL ASSISTANCE FOR JOB-RELATED MATTERS	50
C64 PERFORM SELF-INSPECTIONS	50
A21 WRITE OR REVISE UNIT EMERGENCY OR DISASTER PLANS	50
E130 MAINTAIN FILES OF CLASSIFIED MATERIAL	50
A12 ESTABLISH WORK PRIORITIES	50
A16 PLAN WORK ASSIGNMENTS	50
A13 PLAN LAYOUT OF FACILITIES OR WORK AREAS	50
D93 SELECT INDIVIDUALS FOR SPECIALIZED TRAINING	50
E135 REVIEW AF FORMS 2514 (DEPLOYMENT LOAD LIST)	33
E136 REVIEW AF FORMS 2518 (DEPLOYMENT PACKING LIST)	33
B33 IMPLEMENT COST-REDUCTION PROGRAMS	33
C58 EVALUATE SUGGESTIONS	33

TABLE A1(H)
QUALITY CONTROL JOB (STG098)

NUMBER IN GROUP: 9 AVERAGE TIME IN JOB: 13 MONTHS
PERCENT OF SAMPLE: LESS THAN 1% AVERAGE TAFMS: 120 MONTHS

THE FOLLOWING TASKS ARE IN DESCENDING ORDER OF PERCENT MEMBERS PERFORMING:

TASKS	PERCENT MEMBERS PERFORMING
E148 REVIEW QUALITY ASSURANCE EVALUATIONS	100
E100 ANNOTATE QUALITY ASSURANCE EVALUATIONS	100
C56 EVALUATE PERSONNEL FOR COMPLIANCE WITH PERFORMANCE STANDARDS	89
C65 PROVIDE TECHNICAL ASSISTANCE FOR JOB-RELATED MATTERS	89
C55 EVALUATE INSPECTION REPORTS OR PROCEDURES	89
C59 INVESTIGATE ACCIDENTS OR INCIDENTS	89
C58 EVALUATE SUGGESTIONS	78
E113 COMPLETE AFTO FORMS 22 (TECHNICAL ORDER SYSTEM PUBLICATION IMPROVEMENT REPORT AND REPLY)	78
C71 WRITE INSPECTION REPORTS	67
E129 LOCATE INFORMATION IN TECHNICAL ORDERS (TO)	67
C64 PERFORM SELF-INSPECTIONS	67
E145 REVIEW FLYING SCHEDULES	67
E94 ANNOTATE AF FORMS 1800 (OPERATOR'S INSPECTION GUIDE AND TROUBLE REPORT (GENERAL PURPOSE VEHICLE))	67
B39 INTERPRET POLICIES, DIRECTIVES, OR PROCEDURES FOR PERSONNEL	44
F241 READ OR INTERPRET WIRING DIAGRAMS	44
E134 REVIEW AF FORMS 2420 (QUALITY CONTROL INSPECTION SUMMARY)	44
C52 EVALUATE ALERT OR EMERGENCY PROCEDURES	44
F302 VISUALLY INSPECT EGRESS SYSTEMS FOR SAFETY	44
E116 COMPLETE AFTO FORMS 781A (MAINTENANCE DISCREPANCY AND WORK DOCUMENT)	44
E104 COMPLETE AF FORMS 1297 (TEMPORARY ISSUE RECEIPT)	44
E127 INPUT DATA USING COMPUTERS	33
D84 EVALUATE TRAINING METHODS OR TECHNIQUES	33
F240 READ OR INTERPRET SCHEMATICS	33

TABLE A2

RESIDENT INSTRUCTOR JOB (STG069)

NUMBER IN GROUP: 18
 PERCENT OF SAMPLE: 2%

AVERAGE TIME IN JOB: 27 MONTHS
 AVERAGE TAFMS: 104 MONTHS

THE FOLLOWING TASKS ARE IN DESCENDING ORDER OF PERCENT MEMBERS PERFORMING:

TASKS	PERCENT MEMBERS PERFORMING
D82 DEVELOP TESTS	94
D73 ADMINISTER TESTS	94
D92 SCORE TESTS	94
D79 CONSTRUCT TRAINING AIDS, SUCH AS SLIDES OR CHARTS	78
D77 CONDUCT RESIDENT COURSE CLASSROOM TRAINING	67
D81 DEVELOP RESIDENT COURSE CURRICULUM MATERIALS, SUCH AS PLANS OF INSTRUCTION OR SPECIALTY TRAINING STANDARDS	67
D87 MAINTAIN TRAINING RECORDS, CHARTS, OR GRAPHS	50
D85 EVALUATE TRAINING PROGRESS OF TRAINEES	44
D80 DETERMINE TRAINING REQUIREMENTS	44
E129 LOCATE INFORMATION IN TECHNICAL ORDERS (TO)	44
F240 READ OR INTERPRET SCHEMATICS	39
E104 COMPLETE AF FORMS 1297 (TEMPORARY ISSUE RECEIPT)	39
E102 ANNOTATE SECURITY LOGS	33
A2 DETERMINE EQUIPMENT OR SUPPLY REQUIREMENTS	33
G306 BENCH CHECK POWER SUPPLIES	33
R555 BENCH CHECK AAD-5 SYSTEMS	33
D78 CONDUCT TRAINING CONFERENCES OR BRIEFINGS	28
D90 PROCURE TRAINING AIDS, SPACE, OR EQUIPMENT	28
F241 READ OR INTERPRET WIRING DIAGRAMS	28

TABLE A3

SHOP SUPERVISOR JOB (STG130)

NUMBER IN GROUP: 36
 PERCENT OF SAMPLE: 4%

AVERAGE TIME IN JOB: 42 MONTHS
 AVERAGE TAFMS: 143 MONTHS

THE FOLLOWING TASKS ARE IN DESCENDING ORDER OF PERCENT MEMBERS PERFORMING:

TASKS	PERCENT MEMBERS PERFORMING
E129 LOCATE INFORMATION IN TECHNICAL ORDERS (TO)	97
A12 ESTABLISH WORK PRIORITIES	94
E106 COMPLETE AF FORMS 2005 (ISSUE/TURN-IN REQUEST)	94
F216 PERFORM CORROSION CONTROL ON PHOTO-SENSOR SYSTEMS IN SHOP	94
C65 PROVIDE TECHNICAL ASSISTANCE FOR JOB-RELATED MATTERS	92
F298 TROUBLESHOOT PHOTO-SENSOR SYSTEMS IN SHOP	92
C51 COUNSEL PERSONNEL ON PERSONAL OR MILITARY-RELATED MATTERS	92
F238 READ OR INTERPRET BLOCK DIAGRAMS	92
F253 REMOVE OR REPLACE CIRCUIT CARD ASSEMBLIES	92
E104 COMPLETE AF FORMS 1297 (TEMPORARY ISSUE RECEIPT)	92
E114 COMPLETE AFTO FORMS 244 (INDUSTRIAL/SUPPORT EQUIPMENT RECORD)	89
F240 READ OR INTERPRET SCHEMATICS	89
F241 READ OR INTERPRET WIRING DIAGRAMS	89
F204 INVENTORY EQUIPMENT, SUPPLIES, OR TOOLS, OTHER THAN FLIGHTLINE CONSOLIDATED TOOL KITS (CTK)	89
G310 PERFORM VOLTAGE CHECKS	89
E127 INPUT DATA USING COMPUTERS	86
F301 TROUBLESHOOT TEST EQUIPMENT	86
F300 TROUBLESHOOT SUPPORT EQUIPMENT	86
F209 OPERATE AEROSPACE GROUND EQUIPMENT (AGE)	86
E113 COMPLETE AFTO FORMS 22 (TECHNICAL ORDER SYSTEM PUBLICATION IMPROVEMENT REPORT AND REPLY)	86
F224 PERFORM PMI ON SUPPORT EQUIPMENT	86
A2 DETERMINE EQUIPMENT OR SUPPLY REQUIREMENTS	86
D76 CONDUCT OJT	83
C56 EVALUATE PERSONNEL FOR COMPLIANCE WITH PERFORMANCE STANDARDS	83
E128 LOCATE INFORMATION IN COMMERCIAL PUBLICATIONS	83
B39 INTERPRET POLICIES, DIRECTIVES, OR PROCEDURES FOR PERSONNEL	83
F161 ALIGN OR ADJUST ELECTRONIC COMPONENTS ON CIRCUIT CARDS	83
E145 REVIEW FLYING SCHEDULES	81
E121 COMPLETE EQUIPMENT STATUS TAGS	81
E118 COMPLETE AFTO FORMS 95 (SIGNIFICANT HISTORICAL DATA)	81
C64 PERFORM SELF-INSPECTIONS	81
E152 VERIFY AWAITING PARTS (AWP) LISTINGS	81
C69 WRITE EPRs	78
E132 MAINTAIN TOs OR COMMERCIAL PUBLICATIONS	78
G306 BENCH CHECK POWER SUPPLIES	86

TABLE A4

TISEO MAINTENANCE JOB (STG172)

NUMBER IN GROUP: 9

AVERAGE TIME IN JOB: 25 MONTHS

PERCENT OF SAMPLE: LESS THAN 1%

AVERAGE TAFMS: 37 MONTHS

THE FOLLOWING TASKS ARE IN DESCENDING ORDER OF PERCENT MEMBERS PERFORMING:

TASKS	PERCENT MEMBERS PERFORMING
0454 ALIGN OR ADJUST CONVERTER STABILIZATION GENERATOR GROUPS (CSGG)	100
0456 BENCH CHECK TISEO SYSTEMS	100
F298 TROUBLESHOOT PHOTO-SENSOR SYSTEMS IN SHOP	100
0455 ALIGN OR ADJUST TARGET IDENTIFICATION SYSTEM ELECTRO-OPTICAL (TISEO) SRUs	100
E118 COMPLETE AFTO FORMS 95 (SIGNIFICANT HISTORICAL DATA)	100
F237 PURGE PHOTO-SENSOR SYSTEMS USING NITROGEN	100
F292 SAFETY-WIRE EQUIPMENT	100
F238 READ OR INTERPRET BLOCK DIAGRAMS	100
F204 INVENTORY EQUIPMENT, SUPPLIES, OR TOOLS, OTHER THAN FLIGHTLINE CONSOLIDATED TOOL KITS (CTK)	89
0460 REMOVE OR REPLACE TISEO SRUs	89
E115 COMPLETE AFTO FORMS 349 (MAINTENANCE DATA COLLECTION RECORD)	89
F240 READ OR INTERPRET SCHEMATICS	89
F231 PERFORM WAVEFORM ADJUSTMENTS	89
G306 BENCH CHECK POWER SUPPLIES	89
F216 PERFORM CORROSION CONTROL ON PHOTO-SENSOR SYSTEMS IN SHOP	89
F215 PERFORM CONTINUITY CHECKS ON TEST SETS	89
0461 REMOVE OR REPLACE TISEO VIDEO PROCESSORS	89
F181 ALIGN OR ADJUST VIDEO PROCESSORS	78
F253 REMOVE OR REPLACE CIRCUIT CARD ASSEMBLIES	78
G305 ALIGN OR ADJUST LOW VOLTAGE POWER SUPPLY COMPONENTS	78
F199 DON AND DOFF PROTECTIVE CLOTHING, SUCH AS APRONS, GOGGLES, OR GLOVES	78
F219 PERFORM CORROSION CONTROL ON TEST EQUIPMENT	78
E106 COMPLETE AF FORMS 2005 (ISSUE/TURN-IN REQUEST)	67
E121 COMPLETE EQUIPMENT STATUS TAGS	67
F232 PRESSURIZE PHOTO-SENSOR SYSTEMS	67
F303 VISUALLY INSPECT SYSTEMS FOR PRESSURIZATION LEAKS	67
E129 LOCATE INFORMATION IN TECHNICAL ORDERS (TO)	56
F205 INVENTORY FLIGHTLINE CTKs	56
F161 ALIGN OR ADJUST ELECTRONIC COMPONENTS ON CIRCUIT CARDS	56

TABLE A5

PAVE PENNY MAINTENANCE JOB (STG228)

NUMBER IN GROUP: 28
 PERCENT OF SAMPLE: 3%

AVERAGE TIME IN JOB: 26 MONTHS
 AVERAGE TAFMS: 61 MONTHS

THE FOLLOWING TASKS ARE IN DESCENDING ORDER OF PERCENT MEMBERS PERFORMING:

TASKS	PERCENT MEMBERS PERFORMING
P471 PERFORM BIT ON PAVE PENNY SYSTEMS	99
P472 REMOVE OR REPLACE ACDs	98
F298 TROUBLESHOOT PHOTO-SENSOR SYSTEMS IN SHOP	96
F216 PERFORM CORROSION CONTROL ON PHOTO-SENSOR SYSTEMS IN SHOP	95
P477 UPLOAD OR DOWNLOAD PAVE PENNY PODS	94
P469 OPERATIONALLY CHECK PAVE PENNY SYSTEMS ON AIRCRAFT	94
P476 REMOVE OR REPLACE TISL CONTROLS	94
P467 BENCH CHECK PAVE PENNY SYSTEMS	93
P466 ASSEMBLE OR DISASSEMBLE PAVE PENNY PODS	93
P464 ALIGN OR ADJUST PAVE PENNY SRUs	91
P463 ALIGN OR ADJUST ADAPTER CONTROL DETECTORS (ACD)	91
P475 REMOVE OR REPLACE PAVE PENNY SRUs	91
F252 REMOVE OR REPLACE CANNON PLUGS, CONNECTORS, OR PINS	91
P473 REMOVE OR REPLACE AIRCRAFT PYLONS OR AIRCRAFT/POD ADAPTERS	91
P465 ALIGN OR ADJUST TARGET IDENTIFYING SET LASER (TISL) CONTROLS	91
F253 REMOVE OR REPLACE CIRCUIT CARD ASSEMBLIES	90
F237 PURGE PHOTO-SENSOR SYSTEMS USING NITROGEN	90
F240 READ OR INTERPRET SCHEMATICS	89
F264 REMOVE OR REPLACE GIMBAL ASSEMBLIES	89
G307 CONNECT OR DISCONNECT POWER TO AIRCRAFT	89
F205 INVENTORY FLIGHTLINE CTKs	88
F302 VISUALLY INSPECT EGRESS SYSTEMS FOR SAFETY	88
F241 READ OR INTERPRET WIRING DIAGRAMS	86
F165 ALIGN OR ADJUST GIMBALS	86
F299 TROUBLESHOOT PHOTO-SENSOR SYSTEMS ON AIRCRAFT	85
F292 SAFETY-WIRE EQUIPMENT	84
E115 COMPLETE AFTO FORMS 349 (MAINTENANCE DATA COLLECTION RECORD)	84
E118 COMPLETE AFTO FORMS 95 (SIGNIFICANT HISTORICAL DATA)	83
H328 VISUALLY INSPECT PODS FOR DAMAGE	81
F232 PRESSURIZE PHOTO-SENSOR SYSTEMS	81
V680 OPERATIONALLY CHECK AVTRs ON AIRCRAFT	80
E106 COMPLETE AF FORMS 2005 (ISSUE/TURN-IN REQUEST)	80
H327 REMOVE OR REPLACE PODS	75
E129 LOCATE INFORMATION IN TECHNICAL ORDERS (TO)	75
E116 COMPLETE AFTO FORMS 781A (MAINTENANCE DISCREPANCY AND WORK DOCUMENT)	75

TABLE A6

FLIR MAINTENANCE JOB (STG132)

NUMBER IN GROUP: 98
 PERCENT OF SAMPLE: 9%

AVERAGE TIME IN JOB: 25 MONTHS
 AVERAGE TAFMS: 65 MONTHS

THE FOLLOWING TASKS ARE IN DESCENDING ORDER OF PERCENT MEMBERS PERFORMING:

TASKS	PERCENT MEMBERS PERFORMING
G307 CONNECT OR DISCONNECT POWER TO AIRCRAFT	97
F261 REMOVE OR REPLACE ELECTRONIC CONTROL AMPLIFIERS (ECA)	97
F162 ALIGN OR ADJUST ELECTRONIC CONTROL AMPLIFIERS (ECA)	95
G308 OPERATE GROUND OR EXTERNAL POWER UNITS	95
F240 READ OR INTERPRET SCHEMATICS	94
F252 REMOVE OR REPLACE CANNON PLUGS, CONNECTORS, OR PINS	94
F167 ALIGN OR ADJUST INFRARED RECEIVERS	93
F298 TROUBLESHOOT PHOTO-SENSOR SYSTEMS IN SHOP	91
F161 ALIGN OR ADJUST ELECTRONIC COMPONENTS ON CIRCUIT CARDS	91
F253 REMOVE OR REPLACE CIRCUIT CARD ASSEMBLIES	91
F241 READ OR INTERPRET WIRING DIAGRAMS	91
F193 CLEAN MIRRORS OR LENS	91
F236 PURGE PHOTO-SENSOR SYSTEMS USING HELIUM	90
F299 TROUBLESHOOT PHOTO-SENSOR SYSTEMS ON AIRCRAFT	90
M408 OPERATIONALLY CHECK FLIR SYSTEMS ON AIRCRAFT	89
F260 REMOVE OR REPLACE ELECTRONIC COMPONENTS ON CIRCUIT CARDS	89
F205 INVENTORY FLIGHTLINE CTKs	88
M415 REMOVE OR REPLACE FLIR GROUPS	88
F165 ALIGN OR ADJUST GIMBALS	88
F264 REMOVE OR REPLACE GIMBAL ASSEMBLIES	88
M405 BENCH CHECK FLIR SYSTEMS	87
F209 OPERATE AEROSPACE GROUND EQUIPMENT (AGE)	87
F164 ALIGN OR ADJUST GIMBAL POSITION CONTROLS	87
F163 ALIGN OR ADJUST FIELD OF VIEW SWITCHING UNITS	87
M401 ALIGN OR ADJUST FORWARD LOOKING INFRARED RADAR (FLIR) GROUPS	86
M412 REMOVE OR REPLACE AAQ-10 SRUs	82
E115 COMPLETE AFTO FORMS 349 (MAINTENANCE DATA COLLECTION RECORD)	82
F166 ALIGN OR ADJUST INFRARED DETECTOR SETS	82
E129 LOCATE INFORMATION IN TECHNICAL ORDERS (TO)	79
F204 INVENTORY EQUIPMENT, SUPPLIES, OR TOOLS, OTHER THAN FLIGHTLINE CONSOLIDATED TOOL KITS (CTK)	79
F233 PURGE PHOTO-SENSOR SYSTEMS USING CARBON DIOXIDE	78

TABLE A7

IN-SHOP PAVE TACK MAINTENANCE JOB (STG152)

NUMBER IN GROUP: 81
 PERCENT OF SAMPLE: 8%

AVERAGE TIME IN JOB: 30 MONTHS
 AVERAGE TAFMS: 63 MONTHS

THE FOLLOWING TASKS ARE IN DESCENDING ORDER OF PERCENT MEMBERS PERFORMING:

<u>TASKS</u>	<u>PERCENT MEMBERS PERFORMING</u>
I345 PERFORM BUILT-IN TESTS (BIT) ON PAVE TACK SYSTEMS	99
F240 READ OR INTERPRET SCHEMATICS	97
I342 BORESIGHT PAVE TACK PODS	96
I341 BENCH CHECK PAVE TACK SYSTEMS	96
I334 ALIGN OR ADJUST PAVE TACK SHOP REPLACEABLE UNITS (SRU)	96
F226 PERFORM PROGRAM LOADS USING MEMORY LOAD VERIFIERS (MLV)	96
F241 READ OR INTERPRET WIRING DIAGRAMS	96
F259 REMOVE OR REPLACE DIGITAL COMPUTERS	96
H328 VISUALLY INSPECT PODS FOR DAMAGE	95
I353 REMOVE OR REPLACE PAVE TACK SRUs	95
I335 ALIGN OR ADJUST PITCH INSTRUMENT ASSEMBLIES (PIA)	95
F252 REMOVE OR REPLACE CANNON PLUGS, CONNECTORS, OR PINS	95
H324 REMOVE OR REPLACE LASER TRANSMITTERS	94
F298 TROUBLESHOOT PHOTO-SENSOR SYSTEMS IN SHOP	93
I346 PERFORM CONFIDENCE CHECKS ON PAVE TACK PODS	93
F194 CLEAN POD WINDOWS	93
F261 REMOVE OR REPLACE ELECTRONIC CONTROL AMPLIFIERS (ECA)	93
I337 ALIGN OR ADJUST ROLL INSTRUMENT ASSEMBLIES (RIA)	91
I339 ASSEMBLE OR DISASSEMBLE PAVE TACK PODS	90
F209 OPERATE AEROSPACE GROUND EQUIPMENT (AGE)	90
H319 ALIGN OR ADJUST LASER TRANSMITTERS	90
F238 READ OR INTERPRET BLOCK DIAGRAMS	89
H318 ALIGN OR ADJUST ENVIRONMENTAL CONTROL UNITS (ECU)	89
F292 SAFETY-WIRE EQUIPMENT	89
F166 ALIGN OR ADJUST INFRARED DETECTOR SETS	86
I354 UPLOAD OR DOWNLOAD PAVE TACK PODS	84
I351 REMOVE OR REPLACE HEAD SECTION COMPONENTS	84
F167 ALIGN OR ADJUST INFRARED RECEIVERS	83
F204 INVENTORY EQUIPMENT, SUPPLIES, OR TOOLS, OTHER THAN FLIGHTLINE CONSOLIDATED TOOL KITS (CTK)	83
H327 REMOVE OR REPLACE PODS	77
F161 ALIGN OR ADJUST ELECTRONIC COMPONENTS ON CIRCUIT CARDS	77
E129 LOCATE INFORMATION IN TECHNICAL ORDERS (TO)	72

TABLE A8

FLIGHTLINE PAVE TACK MAINTENANCE JOB (STG122)

NUMBER IN GROUP: 22
 PERCENT OF SAMPLE: 2%

AVERAGE TIME IN JOB: 23 MONTHS
 AVERAGE TAFMS: 81 MONTHS

THE FOLLOWING TASKS ARE IN DESCENDING ORDER OF PERCENT MEMBERS PERFORMING:

TASKS	PERCENT MEMBERS PERFORMING
G308 OPERATE GROUND OR EXTERNAL POWER UNITS	100
G307 CONNECT OR DISCONNECT POWER TO AIRCRAFT	100
F209 OPERATE AEROSPACE GROUND EQUIPMENT (AGE)	95
G311 POSITION AGE TO AIRCRAFT	95
I354 UPLOAD OR DOWNLOAD PAVE TACK PODS	91
H328 VISUALLY INSPECT PODS FOR DAMAGE	91
H329 VISUALLY INSPECT WEAPON BAYS FOR DAMAGE	91
X725 WALK WINGS OR TAILS DURING AIRCRAFT TOWING OPERATIONS	86
F205 INVENTORY FLIGHTLINE CTKs	86
X703 JACK OR LEVEL AIRCRAFT	86
F254 REMOVE OR REPLACE COCKPIT CONTROL PANELS	86
I345 PERFORM BUILT-IN TESTS (BIT) ON PAVE TACK SYSTEMS	82
F226 PERFORM PROGRAM LOADS USING MEMORY LOAD VERIFIERS (MLV)	82
F299 TROUBLESHOOT PHOTO-SENSOR SYSTEMS ON AIRCRAFT	82
F241 READ OR INTERPRET WIRING DIAGRAMS	82
F207 LUBRICATE MECHANICAL COMPONENTS	82
F273 REMOVE OR REPLACE LIGHT BULBS, FUSES, OR CIRCUIT BREAKS	82
X704 LAUNCH OR RECOVER AIRCRAFT	77
I344 OPERATIONALLY CHECK PAVE TACK SYSTEMS ON AIRCRAFT	77
E116 COMPLETE AFTO FORMS 781A (MAINTENANCE DISCREPANCY AND WORK DOCUMENT)	77
H327 REMOVE OR REPLACE PODS	77
F197 DEBRIEF AIRCREWS	77
X716 SERVICE AIRCRAFT HYDRAULIC SYSTEMS	77
F252 REMOVE OR REPLACE CANNON PLUGS, CONNECTORS, OR PINS	77
X709 POSITION OR REMOVE AIRCRAFT CHOCKS OR GROUND SAFETY PIN	73
X702 GROUND AIRCRAFT	73
F210 OPERATE DISPATCH VEHICLES	64
X721 TOW NONPOWERED AGE	64
F223 PERFORM PREVENTIVE MAINTENANCE INSPECTIONS (PMI) ON PHOTO- SENSOR SYSTEMS	64
F211 OPERATE OTHER AIRCRAFT SYSTEMS, SUCH AS RADAR, INS, OR WRCS	64
X708 PERFORM SINGLE-POINT AIRCRAFT REFUELING OR DEFUELING	59

TABLE A9

VIDEO SYSTEMS MAINTENANCE JOB (GRP068)

NUMBER IN GROUP: 219
 PERCENT OF SAMPLE: 21%

AVERAGE TIME IN JOB: 25 MONTHS
 AVERAGE TAFMS: 63 MONTHS

THE FOLLOWING TASKS ARE IN DESCENDING ORDER OF PERCENT MEMBERS PERFORMING:

TASKS	PERCENT MEMBERS PERFORMING
V675 BENCH CHECK AIRBORNE VIDEOTAPE RECORDERS (AVTR)	97
V680 OPERATIONALLY CHECK AVTRS ON AIRCRAFT	96
G307 CONNECT OR DISCONNECT POWER TO AIRCRAFT	96
V687 REMOVE OR REPLACE VIDEOTAPE RECORDERS	94
V684 PERFORM MECHANICAL ALIGNMENTS ON VIDEOTAPE RECORDERS	93
V683 PERFORM ELECTRICAL ALIGNMENTS ON VIDEOTAPE RECORDERS	92
G308 OPERATE GROUND OR EXTERNAL POWER UNITS	90
V688 REMOVE OR REPLACE VIDEO UPPER HEAD DRUMS	90
F205 INVENTORY FLIGHTLINE CTKs	87
V669 ALIGN OR ADJUST CAPSTAN SPEED	87
V670 ALIGN OR ADJUST DRUM SPEED	87
V685 PERFORM VIDEO ALIGNMENTS ON VIDEOTAPE RECORDERS	86
F209 OPERATE AEROSPACE GROUND EQUIPMENT (AGE)	85
V674 ALIGN OR ADJUST UPPER HEAD DRUMS	85
F298 TROUBLESHOOT PHOTO-SENSOR SYSTEMS IN SHOP	84
G311 POSITION AGE TO AIRCRAFT	84
E116 COMPLETE AFTO FORMS 781A (MAINTENANCE DISCREPANCY AND WORK DOCUMENT)	84
F240 READ OR INTERPRET SCHEMATICS	82
E106 COMPLETE AF FORMS 2005 (ISSUE/TURN-IN REQUEST)	82
V677 BENCH CHECK GROUND VIDEOTAPE RECORDERS (GVTR)	81
F302 VISUALLY INSPECT EGRESS SYSTEMS FOR SAFETY	80
F241 READ OR INTERPRET WIRING DIAGRAMS	80
V682 PERFORM AUDIO ALIGNMENTS ON VIDEOTAPE RECORDERS	80
F216 PERFORM CORROSION CONTROL ON PHOTO-SENSOR SYSTEMS IN SHOP	79
V681 OPERATIONALLY CHECK CTVS ON AIRCRAFT	78
V676 BENCH CHECK COCKPIT TELEVISION SYSTEMS (CTVS)	77
F299 TROUBLESHOOT PHOTO-SENSOR SYSTEMS ON AIRCRAFT	77
E115 COMPLETE AFTO FORMS 349 (MAINTENANCE DATA COLLECTION RECORD)	74
E129 LOCATE INFORMATION IN TECHNICAL ORDERS (TO)	74
E121 COMPLETE EQUIPMENT STATUS TAGS	74
F204 INVENTORY EQUIPMENT, SUPPLIES, OR TOOLS, OTHER THAN FLIGHTLINE CONSOLIDATED TOOL KITS (CTK)	71
F223 PERFORM PREVENTIVE MAINTENANCE INSPECTIONS (PMI) ON PHOTO-SENSOR SYSTEMS	68

TABLE A10

IN-SHOP TACTICAL CAMERA MAINTENANCE JOB (STG084)

NUMBER IN GROUP: 59
 PERCENT OF SAMPLE: 6%

AVERAGE TIME IN JOB: 30 MONTHS
 AVERAGE TAFMS: 58 MONTHS

THE FOLLOWING TASKS ARE IN DESCENDING ORDER OF PERCENT MEMBERS PERFORMING:

TASKS	PERCENT MEMBERS PERFORMING
F216 PERFORM CORROSION CONTROL ON PHOTO-SENSOR SYSTEMS IN SHOP	92
T600 BENCH CHECK FRAMING CAMERA SYSTEMS	90
F298 TROUBLESHOOT PHOTO-SENSOR SYSTEMS IN SHOP	90
F167 ALIGN OR ADJUST INFRARED RECEIVERS	90
T599 BENCH CHECK ACPCS	88
F212 PACK OR UNPACK PHOTO-SENSOR SYSTEM EQUIPMENT	88
F193 CLEAN MIRRORS OR LENS	88
F253 REMOVE OR REPLACE CIRCUIT CARD ASSEMBLIES	85
T605 BENCH CHECK PHOTOFLASH SYSTEMS	85
F252 REMOVE OR REPLACE CANNON PLUGS, CONNECTORS, OR PINS	85
G306 BENCH CHECK POWER SUPPLIES	85
T602 BENCH CHECK MAPPING CAMERA SYSTEMS	85
T598 ALIGN OR ADJUST YOKE AND PLATEN ASSEMBLIES	83
R555 BENCH CHECK AAD-5 SYSTEMS	83
T578 ALIGN OR ADJUST AIRCRAFT CAMERA PARAMETER CONTROLS (ACPC)	83
F220 PERFORM HIGH RELIABILITY SOLDERING	83
T581 ALIGN OR ADJUST CAMERA FOCAL PLANE SHUTTERS	81
T588 ALIGN OR ADJUST FILM SUPPLY OR TAKEUP MECHANISMS	81
R553 ALIGN OR ADJUST AAD-5 SRUs	80
F161 ALIGN OR ADJUST ELECTRONIC COMPONENTS ON CIRCUIT CARDS	80
E118 COMPLETE AFTO FORMS 95 (SIGNIFICANT HISTORICAL DATA)	78
F240 READ OR INTERPRET SCHEMATICS	78
F204 INVENTORY EQUIPMENT, SUPPLIES, OR TOOLS, OTHER THAN FLIGHTLINE CONSOLIDATED TOOL KITS (CTK)	76
R559 REMOVE OR REPLACE AAD-5 SRUs	76
F260 REMOVE OR REPLACE ELECTRONIC COMPONENTS ON CIRCUIT CARDS	76
E106 COMPLETE AF FORMS 2005 (ISSUE/TURN-IN REQUEST)	75
C50 REMOVE OR REPLACE SHUTTER ASSEMBLIES	75
T582 ALIGN OR ADJUST CAMERA GEARS	73
R558 PERFORM MAGAZINE VERIFICATION CHECKS ON AAD-5 SYSTEMS	73
R554 ALIGN OR ADJUST RECORDER ASSEMBLIES	73
E129 LOCATE INFORMATION IN TECHNICAL ORDERS (TO)	69

TABLE A11

FLIGHTLINE TACTICAL CAMERA MAINTENANCE JOB (STG140)

NUMBER IN GROUP: 98
 PERCENT OF SAMPLE: 9%

AVERAGE TIME IN JOB: 27 MONTHS
 AVERAGE TAFMS: 66 MONTHS

THE FOLLOWING TASKS ARE IN DESCENDING ORDER OF PERCENT MEMBERS PERFORMING:

TASKS	PERCENT MEMBERS PERFORMING
T616 OPERATIONALLY CHECK ACPC ON AIRCRAFT	97
F237 PURGE PHOTO-SENSOR SYSTEMS USING NITROGEN	97
T654 UPLOAD OR DOWNLOAD FILM CASSETTES ON AIRCRAFT	96
T656 UPLOAD OR DOWNLOAD FILM IN MAGAZINES USING DARKROOM PROCEDURES	96
T657 VISUALLY INSPECT CAMERA BAYS FOR DAMAGE	96
G307 CONNECT OR DISCONNECT POWER TO AIRCRAFT	96
G308 OPERATE GROUND OR EXTERNAL POWER UNITS	96
F295 SET FILM COUNTERS IN AIRCRAFT	96
R564 REMOVE OR REPLACE INFRARED PERFORMANCE ANALYZERS (IRPA)	95
F299 TROUBLESHOOT PHOTO-SENSOR SYSTEMS ON AIRCRAFT	94
F251 REMOVE OR REPLACE CAMERA MAGAZINES	93
T621 OPERATIONALLY CHECK PANORAMIC CAMERA SYSTEMS ON AIRCRAFT	93
T628 REMOVE OR REPLACE ACPCs	93
R556 OPERATIONALLY CHECK AAD-5 SYSTEMS ON AIRCRAFT	92
T617 OPERATIONALLY CHECK FRAMING CAMERA SYSTEMS ON AIRCRAFT	91
F248 REMOVE OR REPLACE BALLAST	91
F302 VISUALLY INSPECT EGRESS SYSTEMS FOR SAFETY	88
T633 REMOVE OR REPLACE CASSETTES	88
R557 PERFORM BIT ON AAD-5 SYSTEMS	88
F243 RECONFIGURE PHOTO-SENSOR SYSTEMS	87
G312 REMOVE OR REPLACE INFRARED POWER SUPPLIES	87
F191 CLEAN CAMERA VIEWING WINDOWS ON AIRCRAFT	86
G311 POSITION AGE TO AIRCRAFT	86
F292 SAFETY-WIRE EQUIPMENT	85
T619 OPERATIONALLY CHECK MAPPING CAMERA SYSTEMS ON AIRCRAFT	84
X709 POSITION OR REMOVE AIRCRAFT CHOCKS OR GROUND SAFETY PINS	84
F209 OPERATE AEROSPACE GROUND EQUIPMENT (AGE)	83
F212 PACK OR UNPACK PHOTO-SENSOR SYSTEM EQUIPMENT	83
X704 LAUNCH OR RECOVER AIRCRAFT	82
F254 REMOVE OR REPLACE COCKPIT CONTROL PANELS	82
F293 SALVAGE WASTE FILM	76
T615 DELIVER UNPROCESSED FILM OR TAPES TO PROCESSING AGENCIES	68

TABLE A12

STRATEGIC CAMERA MAINTENANCE JOB (STG128)

NUMBER IN GROUP: 48
 PERCENT OF SAMPLE: 5%

AVERAGE TIME IN JOB: 28 MONTHS
 AVERAGE TAFMS: 52 MONTHS

THE FOLLOWING TASKS ARE IN DESCENDING ORDER OF PERCENT MEMBERS PERFORMING:

TASKS	PERCENT MEMBERS PERFORMING
F191 CLEAN CAMERA VIEWING WINDOWS ON AIRCRAFT	94
F205 INVENTORY FLIGHTLINE CTKs	92
F298 TROUBLESHOOT PHOTO-SENSOR SYSTEMS IN SHOP	88
F292 SAFETY-WIRE EQUIPMENT	88
F240 READ OR INTERPRET SCHEMATICS	88
E116 COMPLETE AFTO FORMS 781A (MAINTENANCE DISCREPANCY AND WORK DOCUMENT)	85
E115 COMPLETE AFTO FORMS 349 (MAINTENANCE DATA COLLECTION RECORD)	83
F193 CLEAN MIRRORS OR LENS	83
E106 COMPLETE AF FORMS 2005 (ISSUE/TURN-IN REQUEST)	83
F295 SET FILM COUNTERS IN AIRCRAFT	81
G307 CONNECT OR DISCONNECT POWER TO AIRCRAFT	81
F209 OPERATE AEROSPACE GROUND EQUIPMENT (AGE)	81
F216 PERFORM CORROSION CONTROL ON PHOTO-SENSOR SYSTEMS IN SHOP	81
F204 INVENTORY EQUIPMENT, SUPPLIES, OR TOOLS, OTHER THAN FLIGHTLINE CONSOLIDATED TOOL KITS (CTK)	79
E129 LOCATE INFORMATION IN TECHNICAL ORDERS (TO)	79
F252 REMOVE OR REPLACE CANNON PLUGS, CONNECTORS, OR PINS	79
E118 COMPLETE AFTO FORMS 95 (SIGNIFICANT HISTORICAL DATA)	79
F302 VISUALLY INSPECT EGRESS SYSTEMS FOR SAFETY	77
T657 VISUALLY INSPECT CAMERA BAYS FOR DAMAGE	77
F299 TROUBLESHOOT PHOTO-SENSOR SYSTEMS ON AIRCRAFT	77
F223 PERFORM PREVENTIVE MAINTENANCE INSPECTIONS (PMI) ON PHOTO-SENSOR SYSTEMS	75
F293 SALVAGE WASTE FILM	73
F199 DON AND DOFF PROTECTIVE CLOTHING, SUCH AS APRONS, GOGGLES, OR GLOVES	71
F237 PURGE PHOTO-SENSOR SYSTEMS USING NITROGEN	69
U660 BORESIGHT DRIFTSIGHTS (VIEWSIGHTS)	67
F297 TOW PHOTO-SENSOR SYSTEMS TO AIRCRAFT OR SHOP	65
T604 BENCH CHECK PANORAMIC CAMERA SYSTEMS	63
T656 UPLOAD OR DOWNLOAD FILM IN MAGAZINES USING DARKROOM PROCEDURES	58
F251 REMOVE OR REPLACE CAMERA MAGAZINES	50

APPENDIX B
STS ANALYSIS TABLES

TABLE B1
UNSUPPORTED AFSC 455X0A STS ELEMENTS

		PERCENT MEMBERS PERFORMING			
		<u>1ST</u> <u>JOB</u>	<u>1ST</u> <u>ENL</u>	<u>5-</u> <u>LVL</u>	<u>7-</u> <u>LVL</u>
11i. EVALUATE PROCESSED FILM/TAPE					
F200	EVALUATE FILM FOR SYSTEM MALFUNCTIONS USING DENSITOMETERS	0	4	3	1
F201	EVALUATE FILM FOR SYSTEM MALFUNCTIONS USING FLIGHT DATA FILM ANALYZERS	2	3	2	2
F202	EVALUATE FILM FOR SYSTEM MALFUNCTIONS USING LIGHT TABLES	5	6	5	2
F203	EVALUATE FILM FOR SYSTEM MALFUNCTIONS USING POINT LIGHT SOURCES	5	8	5	1
17B(10)(A). PERFORM FUNCTIONAL CHECK					
J359	BENCH CHECK RADAR MAPPING SENSOR SYSTEMS	5	7	5	1
17B(11)(A). PERFORM FUNCTIONAL CHECK					
J359	BENCH CHECK RADAR MAPPING SENSOR SYSTEMS	5	7	5	1
17B(12)(A). PERFORM FUNCTIONAL CHECK					
J359	BENCH CHECK RADAR MAPPING SENSOR SYSTEMS	5	7	5	1
17B(13)(A). PERFORM FUNCTIONAL CHECK					
J359	BENCH CHECK RADAR MAPPING SENSOR SYSTEMS	5	7	5	1
17B(14)(A). PERFORM FUNCTIONAL CHECK					
J359	BENCH CHECK RADAR MAPPING SENSOR SYSTEMS	5	7	5	1
J367	VERIFY RADAR SET FAULT LOCATORS	2	1	1	1
17B(15)(A). PERFORM FUNCTIONAL CHECK					
J359	BENCH CHECK RADAR MAPPING SENSOR SYSTEMS	5	7	5	1

TABLE B1 (CONTINUED)
UNSUPPORTED AFSC 455X0A STS ELEMENTS

		PERCENT MEMBERS PERFORMING			
		<u>1ST JOB</u>	<u>1ST ENL</u>	<u>5- LVL</u>	<u>7- LVL</u>
17B(16)(B). PERFORM FUNCTIONAL CHECK					
J359	BENCH CHECK RADAR MAPPING SENSOR SYSTEMS	5	7	5	1
17B(17)(A). PERFORM FUNCTIONAL CHECK					
F154	ALIGN OR ADJUST ANTENNA CONTROL ASSEMBLIES	15	14	12	7
J359	BENCH CHECK RADAR MAPPING SENSOR SYSTEMS	5	7	5	1
17B(17)(B). PERFORM ALIGNMENTS					
F154	ALIGN OR ADJUST ANTENNA CONTROL ASSEMBLIES	15	14	12	7
J358	ALIGN OR ADJUST RADAR MAPPING SENSOR SYSTEM SRUs	5	6	4	1
17B(19)(A). PERFORM FUNCTIONAL CHECK					
J359	BENCH CHECK RADAR MAPPING SENSOR SYSTEMS	5	7	5	1
17C(4). PERFORM OPERATIONAL CHECK					
K372	BENCH CHECK PAVE SPIKE LINE REPLACEABLE UNITS	0	0	1	0
K373	BENCH CHECK PAVE SPIKE SYSTEMS	0	1	1	1
K374	BORESIGHT PAVE SPIKE PODS	0	0	1	1
K376	PERFORM BIT ON SPAVE SPIKE SYSTEMS	0	1	1	1
17C(11)(A). PERFORM FUNCTIONAL CHECK					
K372	BENCH CHECK PAVE SPIKE LRUs	0	0	1	0
17C(12)(A). PERFORM FUNCTIONAL CHECK					
K372	BENCH CHECK PAVE SPIKE LRUs	0	0	1	0

TABLE B1 (CONTINUED)
UNSUPPORTED AFSC 455X0A STS ELEMENTS

	PERCENT MEMBERS PERFORMING			
	1ST JOB	1ST ENL	5- LVL	7- LVL
17C(13)(A). PERFORM FUNCTIONAL CHECK				
K372 BENCH CHECK PAVE SPIKE LRUs	0	0	1	0
17C(14)(A). PERFORM FUNCTIONAL CHECK				
K372 BENCH CHECK PAVE SPIKE LRUs	0	0	1	0
17D(4). PERFORM OPERATIONAL CHECK				
L392 BENCH CHECK LLLTV SYSTEMS	7	7	8	2
17D(12)(D). TROUBLESHOOT				
L399 REMOVE OR REPLACE REMOTE CONTROL UNITS	10	8	8	3
17D(15)(B). TROUBLESHOOT				
L397 REMOVE OR REPLACE LLLTV LENS UNITS	10	9	8	3
17D(18)(A). PERFORM FUNCTIONAL CHECK				
F153 ACTIVATE DEWAR-GETTER PUMPS	10	9	10	5
17D(18)(C). PERFORM ALIGNMENTS				
F159 ALIGN OR ADJUST DEWAR-GETTERS	10	11	10	5
17G(4)(A). PERFORM FUNCTIONAL CHECK				
P467 BENCH CHECK PAVE PENNY SYSTEMS	12	18	16	12
P471 PERFORM BIT CHECK ON PAVE PENNY SYSTEMS	12	19	16	15

TABLE B1 (CONTINUED)
UNSUPPORTED AFSC 455X0A STS ELEMENTS

	PERCENT MEMBERS PERFORMING			
	<u>1ST JOB</u>	<u>1ST ENL</u>	<u>5- LVL</u>	<u>7- LVL</u>
17G(5)(A). PERFORM FUNCTIONAL CHECK				
P467 BENCH CHECK PAVE PENNY SYSTEMS	12	18	16	12
17G(6)(A). PERFORM FUNCTIONAL CHECK				
P467 BENCH CHECK PAVE PENNY SYSTEMS	12	18	16	12
17K(4). PERFORM FUNCTIONAL CHECK				
Q503 BENCH CHECK METEOROLOGICAL EQUIPMENT	7	2	1	1
17K(5). PERFORM ALIGNMENTS				
Q492 ALIGN OR ADJUST METEOROLOGICAL DIGITAL PRESSURE PRESSURE ENCODERS	10	2	1	1
17L(4). PERFORM FUNCTIONAL CHECK				
Q503 BENCH CHECK METEOROLOGICAL EQUIPMENT	7	2	1	1
17K(5). PERFORM ALIGNMENTS				
Q500 ALIGN OR ADJUST TEMPERATURE MEASURING SETS	10	2	1	1
17M(4). PERFORM FUNCTIONAL CHECK				
Q503 BENCH CHECK METEOROLOGICAL EQUIPMENT	7	2	1	1
17M(5). PERFORM ALIGNMENTS				
Q484 ALIGN OR ADJUST DEWPOINT HYGROMETERS	12	3	1	1

TABLE B1 (CONTINUED)
UNSUPPORTED AFSC 455X0A STS ELEMENTS

	PERCENT MEMBERS PERFORMING			
	1ST JOB	1ST ENL	5- LVL	7- LVL
17N(4). PERFORM FUNCTIONAL CHECK				
Q503 BENCH CHECK METEOROLOGICAL EQUIPMENT	7	2	1	1
17N(5). PERFORM ALIGNMENTS				
Q494 ALIGN OR ADJUST PRT-5 SEA SURFACE TEMPERATURE INDICATORS	0	0	0	0
18B(1). PERFORM OPERATIONAL CHECK				
Q503 BENCH CHECK METEOROLOGICAL EQUIPMENT	7	2	1	1
18C(1). PERFORM OPERATIONAL CHECK				
Q503 BENCH CHECK METEOROLOGICAL EQUIPMENT	7	2	1	1
18G(1). PERFORM OPERATIONAL CHECK				
Q503 BENCH CHECK METEOROLOGICAL EQUIPMENT	7	2	1	1
18H(3). REMOVE/REPLACE LRUs				
Q542 REMOVE OR REPLACE SEA SURFACE TEMPERATURE INDICATORS	0	0	0	0
Q543 REMOVE OR REPLACE SEA WATER SAMPLER COMPONENTS	0	0	0	0
Q544 REMOVE OR REPLACE SEA WATER SAMPLERS	0	0	0	0
18R(1). PERFORM OPERATIONAL CHECK				
Q503 BENCH CHECK METEOROLOGICAL EQUIPMENT	7	2	1	1

TABLE B1 (CONTINUED)
UNSUPPORTED AFSC 455X0A STS ELEMENTS

		PERCENT MEMBERS PERFORMING			
		1ST JOB	1ST ENL	5- LVL	7- LVL
18V(1). PERFORM OPERATIONAL CHECK					
K375	OPERATIONALLY CHECK PAVE SPIKE SYSTEMS ON AIRCRAFT	0	0	0	0
K376	PERFORM BIT CHECK ON PAVE SPIKE SYSTEMS	0	1	1	1
18W(1). PERFORM OPERATIONAL CHECK					
P465	ALIGN OR ADJUST TARGET IDENTIFYING SET LASER (TISL) CONTROLS	12	18	15	12
P469	OPERATIONALLY CHECK PAVE PENNY SYSTEMS ON AIRCRAFT	12	19	15	14
P471	PERFORM BIT ON PAVE PENNY SYSTEMS	12	19	16	15

TABLE B2

TASKS PERFORMED BY MORE THAN 20 PERCENT CRITERION GROUPS NOT
MATCHED TO AFSC 455X0A STS

		PERCENT MEMBERS PERFORMING			
		1ST JOB	1ST ENL	5- LVL	7- LVL
F241	READ OR INTERPRET WIRING DIAGRAMS	83	79	76	53
F252	REMOVE OR REPLACE CANNON PLUGS, CONNECTORS, OR PINS	83	83	77	48
F240	READ OR INTERPRET SCHEMATICS	80	81	78	52
F237	PURGE PHOTO-SENSOR SYSTEMS USING NITROGEN	71	61	57	32
F253	REMOVE OR REPLACE CIRCUIT CARD ASSEMBLIES	71	75	71	39
E106	COMPLETE AF FORMS 2005 (ISSUE/TURN IN REQUEST)	63	65	63	52
E115	COMPLETE AFTO FORMS 349 (MAINTENANCE DATA COLLECTION RECORD)	63	71	67	41
E129	LOCATE INFORMATION IN TECHNICAL ORDERS (TO)	63	72	74	61
F238	READ OR INTERPRET BLOCK DIAGRAMS	63	71	68	48
F199	DON AND DOFF PROTECTIVE CLOTHING, SUCH AS APRONS, GOGGLES, OR GLOVES	56	59	60	39
G312	REMOVE OR REPLACE INFRARED POWER SUPPLIES	56	43	42	26
G314	REMOVE OR REPLACE POD POWER SUPPLIES	56	37	33	19
F250	REMOVE OR REPLACE CABLE ASSEMBLIES	54	51	48	28
G310	PERFORM VOLTAGE CHECKS	54	59	55	39
G313	REMOVE OR REPLACE LASER POWER SUPPLIES	54	31	28	20
F257	REMOVE OR REPLACE DESICCANT	51	33	29	20
E116	COMPLETE AFTO FORMS 781A (MAINTENANCE DISCREPANCY AND WORK DOCUMENT)	49	61	63	52
F242	READ OR INTERPRET WIRING TABLES	46	46	49	38
F246	REMOVE OR REPLACE AIRCRAFT PROTECTIVE DEVICES, SUCH AS COVERS	46	49	44	23
F260	REMOVE OR REPLACE ELECTRONIC COMPONENTS ON CIRCUIT CARDS	46	45	47	28
F273	REMOVE OR REPLACE LIGHT BULBS, FUSES, OR CIRCUIT BREAKERS	46	53	57	33
F276	REMOVE OR REPLACE MECHANICAL COMPONENTS	46	42	44	30
F223	PERFORM PREVENTIVE MAINTENANCE INSPECTIONS (PMI) ON PHOTO-SENSOR SYSTEMS	44	52	52	32
F285	REMOVE OR REPLACE SIGNAL GENERATORS	44	29	25	11
F302	VISUALLY INSPECT EGRESS SYSTEMS FOR SAFETY	44	46	43	33
G317	REMOVE OR REPLACE POWER SUPPLY ASSEMBLIES	44	39	37	22
G316	REMOVE OR REPLACE POWER DISTRIBUTION UNITS	41	22	16	10
H318	ALIGN OR ADJUST ENVIRONMENTAL CONTROL UNITS (ECU)	41	24	22	16
F263	REMOVE OR REPLACE FIELD OF VIEW SWITCHING UNITS	39	34	34	18
F267	REMOVE OR REPLACE INFRARED OPTICS	39	28	29	15

TABLE B3

AFSC 455X0A ELECTRONIC FUNDAMENTALS/APPLICATIONS STS ELEMENTS
WITH KNOWLEDGE OR PERFORMANCE CODES AND LESS THAN
20 PERCENT MEMBERS RESPONDING "YES"

	45550A (N=149)
7D. COLOR CODE	
A34 DO YOU USE CAPACITOR COLOR CODES IN YOUR PRESENT JOB	7
8C. CALCULATIONS	
A37 DO YOU CALCULATE TRANSFORMER VOLTAGE OR CURRENT STEP-UP OR STEP-DOWN RATIOS	7
A38 DO YOU CALCULATE IMPEDANCE OF TRANSFORMERS	3
11C. TROUBLESHOOT MOTORS	
A51 DO YOU TROUBLESHOOT AC MOTOR COMPONENT PARTS	2
12A. THEORY OF OPERATION	
A53 DO YOU TRACE SCHEMATIC OR BLOCK DIAGRAMS OF CIRCUITS CONTAINING DC GENERATORS	4
A56 DO YOU PERFORM TASKS ON COMPONENT PARTS OF DC GENERATORS	1
12B. ISOLATE FAULTY DC GENERATORS	
A54 DO YOU TROUBLESHOOT TO ISOLATE A FAULTY DC GENERATOR	2
12C. TROUBLESHOOT DC GENERATORS	
A55 DO YOU TROUBLESHOOT DC GENERATOR COMPONENT PARTS	2
13A. THEORY OF OPERATION	
A57 DO YOU TRACE SCHEMATIC OR BLOCK DIAGRAMS OF CIRCUITS CONTAINING AC GENERATORS	4
A60 DO YOU PERFORM TASKS ON COMPONENT PARTS OF AC GENERATORS	2
13B. ISOLATE FAULTY AC GENERATORS	
A58 DO YOU TROUBLESHOOT CIRCUITS TO ISOLATE A FAULTY AC GENERATOR	4

TABLE B3 (CONTINUED)

AFSC 455X0A ELECTRONIC FUNDAMENTALS/APPLICATIONS STS ELEMENTS
WITH KNOWLEDGE OR PERFORMANCE CODES AND LESS THAN
20 PERCENT MEMBERS RESPONDING "YES"

	45550A (N=149)
13C. TROUBLESHOOT AC GENERATORS	
A59 DO YOU TROUBLESHOOT AC GENERATOR COMPONENT PARTS	2
14A. THEORY OF OPERATION	
A61 DO YOU TRACE SCHEMATIC OR BLOCK DIAGRAMS OF CIRCUITS CONTAINING ALTERNATORS	1
A64 DO YOU PERFORM TASKS ON COMPONENT PARTS OF ALTERNATORS	1
14B. ISOLATE FAULTY ALTERNATORS	
A62 DO YOU TROUBLESHOOT CIRCUITS TO ISOLATE A FAULTY ALTERNATOR	1
14C. TROUBLESHOOT ALTERNATORS	
A63 DO YOU TROUBLESHOOT ALTERNATOR COMPONENT PARTS	1
16A. THEORY OF OPERATION	
A69 DO YOU TRACE SCHEMATIC OR BLOCK DIAGRAMS OF CIRCUITS CONTAINING CHOPPERS	0
16B. ISOLATE FAULTY CHOPPERS	
A70 DO YOU TROUBLESHOOT CIRCUITS TO ISOLATE A FAULTY CHOPPER	0
A71 DO YOU MEASURE CHOPPER COIL EXCITATION FREQUENCY	0
A72 DO YOU MEASURE CHOPPER COIL VOLTAGE-CURRENT PHASE RELATIONSHIP	0
17A. THEORY OF OPERATION	
A73 DO YOU TRACE SCHEMATIC OR BLOCK DIAGRAMS OF CIRCUITS CONTAINING TRANSDUCERS	1
A75 DO YOU CALIBRATE OR ADJUST TRANSDUCERS	1
A76 DO YOU REPAIR, CLEAN OR LUBRICATE TRANSDUCERS	0

TABLE B3 (CONTINUED)

AFSC 455X0A ELECTRONIC FUNDAMENTALS/APPLICATIONS STS ELEMENTS
WITH KNOWLEDGE OR PERFORMANCE CODES AND LESS THAN
20 PERCENT MEMBERS RESPONDING "YES"

		45550A (N=149)
17B. ISOLATE FAULTY TRANSDUCERS		
A74	DO YOU TROUBLESHOOT CIRCUITS TO ISOLATE A FAULTY TRANSDUCER	1
19C. SPECIFICATIONS		
A86	DO YOU USE DIODE CHARACTERISTIC CURVES	4
A87	DO YOU USE DIODE SUBSTITUTION INFORMATION	4
19D. COLOR CODE		
A88	DO YOU USE DIODE COLOR CODES	6
21C. SPECIFICATIONS		
A97	DO YOU USE IC SUBSTITUTION INFORMATION	3
23C. SPECIFICATIONS		
A123	DO YOU USE ELECTRON TUBE CHARACTERISTIC CURVES	0
A124	DO YOU USE ELECTRON TUBE SUBSTITUTION MANUALS OR CHARTS	0
27E. SPECTRUM ANALYZER		
B186	DO YOU USE SPECTRUM ANALYZERS	2
27F. FIELD STRENGTH TESTER		
B187	DO YOU USE FIELD STRENGTH TESTERS	2
27H. DIGITAL LOGIC PROBE		
B189	DO YOU USE DIGITAL LOGIC PROBES	2
27I. CAPACITOR TESTER		
B190	DO YOU USE CAPACITANCE TESTERS	7

TABLE B3 (CONTINUED)

AFSC 455X0A ELECTRONIC FUNDAMENTALS/APPLICATIONS STS ELEMENTS
WITH KNOWLEDGE OR PERFORMANCE CODES AND LESS THAN
20 PERCENT MEMBERS RESPONDING "YES"

	45550A (N=149)
27J. CAPACITOR SUBSTITUTION BOX	
B191 DO YOU USE CAPACITOR SUBSTITUTION BOXES	2
27K. DC RESTORER	
B192 DO YOU USE DC RESTORERS (CRT REJUVENATOR)	2
27L. LOGIC CURRENT TRACER	
B193 DO YOU USE LOGIC CURRENT TRACERS	2
27M. TUBE TESTER	
B194 DO YOU USE TUBE TESTERS	2
27N. LOGIC PULSER	
B195 DO YOU USE LOGIC PULSERS	2
27O. LOGIC ANALYZER	
B196 DO YOU USE LOGIC ANALYZERS	2
27P. SIGNATURE ANALYZER	
B197 DO YOU USE SIGNATURE ANALYZERS	2
29A. THEORY OF OPERATION	
C234 DO YOU TRACE BLOCK DIAGRAMS OF CIRCUITS CONTAINING ELECTRON TUBE AMPLIFIERS	1
C235 DO YOU TRACE SCHEMATIC DIAGRAMS OF ELECTRON TUBE AMPLIFIERS	1
C239 DO YOU ADJUST OR ALIGN ELECTRON TUBE AMPLIFIERS	1
C241 DO YOU CALCULATE VALUES OF ELECTRON TUBE AMPLIFIER VOLTAGE, CURRENT, OR POWER GAIN	1
C242 DO YOU PERFORM TASKS ON PARAPHASE ELECTRON TUBE AMPLIFIERS	0
C243 DO YOU PERFORM TASKS ON PUSH-PULL ELECTRON TUBE AMPLIFIERS	1
C244 DO YOU PERFORM TASKS ON AUDIO ELECTRON TUBE AMPLIFIERS	1

TABLE B3 (CONTINUED)

AFSC 455X0A ELECTRONIC FUNDAMENTALS/APPLICATIONS STS ELEMENTS
WITH KNOWLEDGE OR PERFORMANCE CODES AND LESS THAN
20 PERCENT MEMBERS RESPONDING "YES"

45550A
(N=149)

29A. THEORY OF OPERATION (CONTINUED)

C245	DO YOU PERFORM TASKS ON VOLTAGE REGULATOR ELECTRON TUBE AMPLIFIERS	1
C246	DO YOU PERFORM TASKS ON COMMON GRID ELECTRON TUBE AMPLIFIERS	1
C247	DO YOU PERFORM TASKS ON COMMON CATHODE ELECTRON TUBE AMPLIFIERS	1
C248	DO YOU PERFORM TASKS ON CATHODE FOLLOWER ELECTRON TUBE AMPLIFIERS	1

29B. ISOLATE FAULTY TUBE AMPLIFIERS

C236	DO YOU TROUBLESHOOT TO ISOLATE A FAULTY ELECTRON TUBE AMPLIFIER	1
C240	DO YOU MEASURE ELECTRON TUBE AMPLIFIER VOLTAGE, CURRENT, OR POWER GAIN	1

29C. TROUBLESHOOT CIRCUITS

C237	DO YOU TROUBLESHOOT ELECTRON TUBE AMPLIFIERS TO CIRCUIT LEVEL COMPONENTS	1
C238	DO YOU TROUBLESHOOT ELECTRON TUBE AMPLIFIER DISTORTION	1

30A. THEORY OF OPERATION

C249	DO YOU TRACE BLOCK OR SCHEMATIC DIAGRAMS OF CIRCUITS CONTAINING OPERATIONAL AMPLIFIERS (OP AMPS)	2
C251	DO YOU CALCULATE OP AMP GAIN	2
C252	DO YOU ADJUST OP AMP BIAS, OFFSETS, OR DRIFT	1
C253	DO YOU USE OR APPLY OPERATIONAL AMPLIFIERS FOR GENERAL PURPOSE (INVERTING OR NON-INVERTING)	1
C254	DO YOU USE OR APPLY OPERATIONAL AMPLIFIERS AS DIFFERENTIAL/COMPARATORS	1
C255	DO YOU USE OR APPLY OPERATIONAL AMPLIFIERS FOR SUMMING	1
C256	DO YOU USE OR APPLY OPERATIONAL AMPLIFIERS FOR UNITY GAIN AMPLIFIER (BUFFER)	1
C257	DO YOU USE OR APPLY OPERATIONAL AMPLIFIERS AS ACTIVE FILTERS	2
C258	DO YOU USE OR APPLY OPERATIONAL AMPLIFIERS AS OSCILLATORS	2
C259	DO YOU USE OR APPLY OPERATIONAL AMPLIFIERS AS INTEGRATORS	1

TABLE B3 (CONTINUED)

AFSC 455X0A ELECTRONIC FUNDAMENTALS/APPLICATIONS STS ELEMENTS
WITH KNOWLEDGE OR PERFORMANCE CODES AND LESS THAN
20 PERCENT MEMBERS RESPONDING "YES"

45550A
(N=149)

30A. THEORY OF OPERATION (CONTINUED)

C260	DO YOU USE OR APPLY OPERATIONAL AMPLIFIERS FOR DIFFERENTIATORS	1
C261	DO YOU USE OR APPLY OPERATIONAL AMPLIFIERS FOR POWER SUPPLIES (VOLTAGE REGULATORS)	6
C262	DO YOU USE OR APPLY OPERATIONAL AMPLIFIERS AS ANALOG/DIGITAL (A/D) DIGITAL/ANALOG (D/A) CONVERTERS	2
C263	DO YOU USE OR APPLY OPERATIONAL AMPLIFIERS AS MULTIVIBRATORS	1
C264	DO YOU USE OR APPLY OPERATIONAL AMPLIFIERS AS MODULATORS/ DEMODULATORS	1

32A. THEORY OF OPERATION

C270	DO YOU TRACE BLOCK DIAGRAMS OF CIRCUITS CONTAINING SATURABLE REACTORS	0
C271	DO YOU TRACE SCHEMATIC DIAGRAMS OF SATURABLE REACTOR CIRCUITS	0
C274	DO YOU ADJUST SATURABLE REACTOR CIRCUITS OR COMPONENTS	0

32B. ISOLATE FAULTY SATURABLE REACTORS

C272	DO YOU TROUBLESHOOT TO ISOLATE A FAULTY SATURABLE REACTOR	0
------	---	---

32C. TROUBLESHOOT CIRCUITS

C273	DO YOU TROUBLESHOOT SATURABLE REACTORS TO CIRCUIT LEVEL COMPONENTS	0
------	--	---

35D. CALCULATIONS

E314	DO YOU CALCULATE VALUES OF IMPEDANCE, VOLTAGE, OR CURRENT IN RCL CIRCUITS	2
E315	DO YOU CALCULATE PHASE ANGLE OF RCL CIRCUITS	1
E316	DO YOU CALCULATE VALUES OF POWER IN RCL CIRCUITS	1

TABLE B3 (CONTINUED)

AFSC 455X0A ELECTRONIC FUNDAMENTALS/APPLICATIONS STS ELEMENTS
WITH KNOWLEDGE OR PERFORMANCE CODES AND LESS THAN
20 PERCENT MEMBERS RESPONDING "YES"

45550A
(N=149)

36A. THEORY OF OPERATION

E317	DO YOU TRACE SCHEMATIC OR BLOCK DIAGRAMS OF CIRCUITS CONTAINING FREQUENCY SENSITIVE FILTERS	3
E320	DO YOU ALIGN OR ADJUST FREQUENCY SENSITIVE FILTERS	1
E322	DO YOU PERFORM TASKS ON LOW PASS FREQUENCY SENSITIVE FILTERS	2
E323	DO YOU PERFORM TASKS ON HIGH PASS FREQUENCY SENSITIVE FILTERS	1
E324	DO YOU PERFORM TASKS ON BAND PASS FREQUENCY SENSITIVE FILTERS	2
E325	DO YOU PERFORM TASKS ON BAND-REJECT FREQUENCY SENSITIVE FILTERS	2
E326	DO YOU PERFORM TASKS ON FERRITE BEAD FREQUENCY SENSITIVE FILTERS	0

36B. ISOLATE FAULTY FREQUENCY SENSITIVE FILTERS

E318	DO YOU TROUBLESHOOT CIRCUITS TO ISOLATE A FAULTY FREQUENCY SENSITIVE FILTER	4
------	--	---

36C. TROUBLESHOOT CIRCUITS

E319	DO YOU TROUBLESHOOT FREQUENCY SENSITIVE FILTERS TO CIRCUIT LEVEL COMPONENTS	1
------	--	---

39A. THEORY OF OPERATION

F375	DO YOU TRACE BLOCK DIAGRAMS OF CIRCUITS CONTAINING CLAMPERS	1
------	---	---

42A. DIAGRAM TO EQUATION

G435	DO YOU DEVELOP BOOLEAN EQUATIONS FROM LOGIC CIRCUITS OR DIAGRAMS	1
------	---	---

42B. EQUATION TO DIAGRAM

G436	DO YOU DEVELOP LOGIC DIAGRAMS FROM BOOLEAN EQUATIONS	1
------	--	---

TABLE B3 (CONTINUED)

AFSC 455X0A ELECTRONIC FUNDAMENTALS/APPLICATIONS STS ELEMENTS
WITH KNOWLEDGE OR PERFORMANCE CODES AND LESS THAN
20 PERCENT MEMBERS RESPONDING "YES"

		45550A (N=149)
42C. SIMPLIFY EXPRESSIONS		
G437	DO YOU SIMPLIFY BOOLEAN EXPRESSIONS USING BOOLEAN ALGEBRA	1
43C. WRITE/DEBUG PROGRAMS		
G449	DO YOU WRITE OR DEBUG PROGRAMS	5
G453	DO YOU USE COMPUTER FLOW CHARTS OR DIAGRAMS	3
43E. CIRCUIT TROUBLESHOOTING		
G452	DO YOU TROUBLESHOOT COMPUTER SUBASSEMBLY OR CIRCUIT CARD TO CIRCUIT LEVEL COMPONENTS OR IC	2
43H. PROGRAMMING LANGUAGES		
G456	DO YOU USE BASIC COMPUTER LANGUAGE	5
G457	DO YOU USE COBOL COMPUTER LANGUAGE	2
G458	DO YOU USE FORTRAN COMPUTER LANGUAGE	1
G459	DO YOU USE ADA COMPUTER LANGUAGE	1
G460	DO YOU USE ATLAS COMPUTER LANGUAGE	1
G461	DO YOU USE ELAN COMPUTER LANGUAGE	1
G462	DO YOU USE PASCAL COMPUTER LANGUAGE	1
G463	DO YOU USE RPG COMPUTER LANGUAGE	1
G464	DO YOU USE MACHINE COMPUTER LANGUAGE	2
G465	DO YOU USE C COMPUTER LANGUAGE	1
44A. THEORY OF OPERATION		
G485	DO YOU TRACE BLOCK OR SCHEMATIC DIAGRAMS OF MICROPROCESSOR- CONTROLLED SYSTEMS	2
44B. ISOLATE FAULTY MICROPROCESSORS		
G486	DO YOU TROUBLESHOOT MICROPROCESSOR-CONTROLLED SYSTEMS TO A SUBASSEMBLY OR CIRCUIT CARD	2
G487	DO YOU TROUBLESHOOT MICROPROCESSOR-CONTROLLED SYSTEMS TO ISOLATE A FAULTY MICROPROCESSOR	2

TABLE B3 (CONTINUED)

AFSC 455X0A ELECTRONIC FUNDAMENTALS/APPLICATIONS STS ELEMENTS
WITH KNOWLEDGE OR PERFORMANCE CODES AND LESS THAN
20 PERCENT MEMBERS RESPONDING "YES"

		45550A (N=149)
45C.	TROUBLESHOOT CIRCUITS	
G490	DO YOU TROUBLESHOOT COUNTERS TO CIRCUIT LEVEL COMPONENTS	1
G500	DO YOU TROUBLESHOOT REGISTERS TO CIRCUIT LEVEL COMPONENTS	1
G505	DO YOU TROUBLESHOOT COMBINATIONAL LOGIC CIRCUITS TO CIRCUIT LEVEL COMPONENTS	2
47B.	PERFORM MEASUREMENTS	
H524	DO YOU MEASURE ELECTRICAL LENGTH ON TRANSMISSION LINES	6
H525	DO YOU MEASURE PHYSICAL LENGTH ON TRANSMISSION LINES	14
H526	DO YOU MEASURE STANDING WAVE RATIO (SWR) ON TRANSMISSION LINES	2
47C.	CALCULATIONS	
H529	DO YOU CALCULATE THE CHARACTERISTIC IMPEDANCE (Z ₀) OF TRANSMISSION LINES	4
47D.	ISOLATE FAULTY TRANSMISSION LINES	
H530	DO YOU TROUBLESHOOT TRANSMISSION LINES	37
48A.	THEORY OF OPERATION	
H537	DO YOU TRACE SCHEMATIC OR BLOCK DIAGRAMS OF CIRCUITS CONTAINING WAVEGUIDES	2
H539	DO YOU PRESSURIZE OR PURGE WAVEGUIDE ASSEMBLIES	1
H540	DO YOU MEASURE STANDING WAVE RATIO FOR WAVEGUIDE ASSEMBLIES	1
H541	DO YOU REMOVE OR INSTALL WAVEGUIDE OR ASSOCIATED COUPLING HARDWARE COMPONENTS	1
48B.	ISOLATE FAULTY WAVEGUIDES	
H538	DO YOU TROUBLESHOOT CIRCUITS TO ISOLATE A FAULTY WAVEGUIDE ASSEMBLY	1

TABLE B3 (CONTINUED)

AFSC 455X0A ELECTRONIC FUNDAMENTALS/APPLICATIONS STS ELEMENTS
WITH KNOWLEDGE OR PERFORMANCE CODES AND LESS THAN
20 PERCENT MEMBERS RESPONDING "YES"

		45550A (N=149)
49A. THEORY OF OPERATION		
H542	DO YOU TRACE SCHEMATIC OR BLOCK DIAGRAMS OF CIRCUITS CONTAINING MICROWAVE OSCILLATORS OR AMPLIFIERS	1
H545	DO YOU PERFORM TASKS ON TWO-CAVITY KLYSTRON MICROWAVE OSCILLATORS AND AMPLIFIERS	1
H546	DO YOU PERFORM TASKS ON THREE-CAVITY KLYSTRON MICROWAVE OSCILLATORS AND AMPLIFIERS	1
H547	DO YOU PERFORM TASKS ON REFLEX KLYSTRON MICROWAVE OSCILLATORS AND AMPLIFIERS	1
H548	DO YOU PERFORM TASKS ON TRAVELING WAVE TUBE MICROWAVE OSCILLATORS AND AMPLIFIERS	1
H549	DO YOU PERFORM TASKS ON MAGNETRON MICROWAVE OSCILLATORS AND AMPLIFIERS	1
H550	DO YOU PERFORM TASKS ON BACKWARD WAVE OSCILLATOR	1
H551	DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIERS	1
H552	DO YOU PERFORM TASKS ON YTTRIUM IRON GARNET (YIG) TUNED MICROWAVE OSCILLATORS AND AMPLIFIERS	1
49B. TUNE OR ADJUST		
H544	DO YOU TUNE OR ADJUST MICROWAVE OSCILLATORS OR AMPLIFIERS	2
49C. ISOLATE FAULTY MICROWAVE OSCILLATORS OR AMPLIFIERS		
H543	DO YOU TROUBLESHOOT CIRCUITS TO ISOLATE A FAULTY MICROWAVE OSCILLATOR OR AMPLIFIER	1
50A. THEORY OF OPERATION		
H553	DO YOU TRACE SCHEMATIC OR BLOCK DIAGRAMS OF CIRCUITS CONTAINING RESONANT CAVITIES	1
H558	DO YOU PERFORM TASKS ON PROBE RESONANT CAVITIES	1
H559	DO YOU PERFORM TASKS ON LOOP RESONANT CAVITIES	1
H560	DO YOU PERFORM TASKS ON APERTURE (IRIS/WINDOW) RESONANT CAVITIES	1

TABLE B3 (CONTINUED)

AFSC 455X0A ELECTRONIC FUNDAMENTALS/APPLICATIONS STS ELEMENTS
WITH KNOWLEDGE OR PERFORMANCE CODES AND LESS THAN
20 PERCENT MEMBERS RESPONDING "YES"

45550A
(N=149)

50B. ISOLATE FAULTY RESONANT CAVITIES

H554	DO YOU TROUBLESHOOT CIRCUITS TO ISOLATE A FAULTY RESONANT CAVITY	1
H557	DO YOU MEASURE FREQUENCY OF RESONANT CAVITIES	1

50C. TUNE/ADJUST

H555	DO YOU TUNE OR ADJUST RESONANT CAVITIES ELECTRICALLY	1
H556	DO YOU TUNE OR ADJUST RESONANT CAVITIES PHYSICALLY	1

51A(1). AMPLITUDE MODULATION

H561	DO YOU USE "AM" MODULATION PRINCIPLES	1
H562	DO YOU TRACE BLOCK DIAGRAMS OF AM TRANSMITTERS	1
H563	DO YOU TRACE BLOCK DIAGRAMS OF AM TRANSMITTER SUBASSEMBLIES OR CIRCUIT CARDS	1
H564	DO YOU TRACE SCHEMATIC DIAGRAMS OF AM TRANSMITTER SUBASSEMBLIES OR CIRCUITS CARDS	1
H568	DO YOU ALIGN OR ADJUST AM TRANSMITTERS OR CIRCUITS	1
H569	DO YOU CALCULATE PERCENTAGE OF MODULATION FOR AM TRANSMITTERS	1

51A(2). FREQUENCY MODULATION

H593	DO YOU USE "FM" MODULATION PRINCIPLES	1
H594	DO YOU TRACE BLOCK DIAGRAMS OF FM TRANSMITTERS	1
H595	DO YOU TRACE BLOCK DIAGRAMS OF FM TRANSMITTER SUBASSEMBLIES OR CIRCUIT CARDS	1
H596	DO YOU TRACE SCHEMATIC DIAGRAMS OF FM TRANSMITTER SUBASSEMBLIES OR CIRCUIT CARDS	1
H600	DO YOU ALIGN OR ADJUST FM TRANSMITTERS OR CIRCUITS	1
H601	DO YOU CALCULATE MODULATION INDEX FOR FM TRANSMITTERS	1
H602	DO YOU MEASURE FREQUENCY DEVIATION FOR FM TRANSMITTERS	1

51A(3). SINGLE SIDE BAND

H578	DO YOU TRACE BLOCK DIAGRAMS OF SINGLE SIDE BAND (SSB) TRANSMITTERS	0
H579	DO YOU TRACE BLOCK DIAGRAMS OF SSB TRANSMITTER SUBASSEMBLIES OR CIRCUIT CARDS	0

TABLE B3 (CONTINUED)

AFSC 455X0A ELECTRONIC FUNDAMENTALS/APPLICATIONS STS ELEMENTS
WITH KNOWLEDGE OR PERFORMANCE CODES AND LESS THAN
20 PERCENT MEMBERS RESPONDING "YES"

45550A
(N=149)

51A(3). SINGLE SIDE BAND (CONTINUED)

H580	DO YOU TRACE SCHEMATIC DIAGRAMS OF SSB TRANSMITTER SUBASSEMBLIES OR CIRCUIT CARDS	0
H584	DO YOU ALIGN OR ADJUST SSB TRANSMITTERS OR CIRCUITS	0
H585	DO YOU CALCULATE PERCENTAGE OF MODULATION FOR SSB TRANSMITTERS	0

51A(4). PULSE MODULATION

H612	DO YOU USE "PM" MODULATION PRINCIPLES	1
H613	DO YOU TRACE BLOCK DIAGRAMS OF PM TRANSMITTERS	1
H614	DO YOU TRACE BLOCK DIAGRAMS OF PM TRANSMITTER SUBASSEMBLIES OR CIRCUIT CARDS	1
H615	DO YOU TRACE SCHEMATIC DIAGRAMS OF PM TRANSMITTER SUBASSEMBLIES OR CIRCUIT CARDS	1
H619	DO YOU ALIGN OR ADJUST PM TRANSMITTERS OR CIRCUITS	1
H620	DO YOU CALCULATE PULSE RECURRENCE TIME (PRT) OR PULSE RECURRENCE FREQUENCY (PRF) FOR PM TRANSMITTERS	1
H621	DO YOU MEASURE PRT, PRF OR PULSE WIDTH FOR PM TRANSMITTERS	1

51B. ISOLATE FAULTY TRANSMITTERS

H565	DO YOU TROUBLESHOOT AM TRANSMITTERS TO MAJOR UNITS	1
H566	DO YOU TROUBLESHOOT AM TRANSMITTERS TO SUBASSEMBLIES OR CIRCUIT CARDS	1
H581	DO YOU TROUBLESHOOT SSB TRANSMITTERS TO MAJOR UNITS	0
H582	DO YOU TROUBLESHOOT SSB TRANSMITTERS TO SUBASSEMBLIES OR CIRCUIT CARDS	0
H597	DO YOU TROUBLESHOOT FM TRANSMITTERS TO MAJOR UNITS	1
H598	DO YOU TROUBLESHOOT FM TRANSMITTERS TO SUBASSEMBLIES OR CIRCUIT CARDS	1
H616	DO YOU TROUBLESHOOT PM TRANSMITTERS TO MAJOR UNITS	1
H617	DO YOU TROUBLESHOOT PM TRANSMITTERS TO SUBASSEMBLIES OR CIRCUIT CARDS	1

TABLE B3 (CONTINUED)

AFSC 455X0A ELECTRONIC FUNDAMENTALS/APPLICATIONS STS ELEMENTS
WITH KNOWLEDGE OR PERFORMANCE CODES AND LESS THAN
20 PERCENT MEMBERS RESPONDING "YES"

45550A
(N=149)

51C. TROUBLESHOOT CIRCUITS -

H567	DO YOU TROUBLESHOOT AM TRANSMITTER SUBASSEMBLIES OR CIRCUIT CARDS TO CIRCUIT LEVEL COMPONENTS	1
H583	DO YOU TROUBLESHOOT SSB TRANSMITTER SUBASSEMBLIES OR CIRCUIT CARDS TO CIRCUIT LEVEL COMPONENTS	0
H599	DO YOU TROUBLESHOOT FM TRANSMITTER SUBASSEMBLIES OR CIRCUIT CARDS OR CIRCUIT LEVEL COMPONENTS	1
H618	DO YOU TROUBLESHOOT PM TRANSMITTER SUBASSEMBLIES OR CIRCUIT CARDS TO CIRCUIT LEVEL COMPONENTS	1

52A(1). AMPLITUDE MODULATION

H570	DO YOU USE "AM" DEMODULATION PRINCIPLES	1
H571	DO YOU TRACE BLOCK DIAGRAMS OF AM RECEIVERS	1
H572	DO YOU TRACE BLOCK DIAGRAMS OF AM RECEIVER SUBASSEMBLIES OR CIRCUIT CARDS	1
H573	DO YOU TRACE SCHEMATIC DIAGRAMS OF AM RECEIVER SUBASSEMBLIES OR CIRCUIT CARDS	1
H577	DO YOU ALIGN OR ADJUST AM RECEIVERS OR CIRCUITS	1

52A(2). FREQUENCY MODULATION

H603	DO YOU USE "FM" DEMODULATION PRINCIPLES	1
H604	DO YOU TRACE BLOCK DIAGRAMS OF FM RECEIVERS	1
H605	DO YOU TRACE BLOCK DIAGRAMS OF FM RECEIVER SUBASSEMBLIES OR CIRCUIT CARDS	1
H606	DO YOU TRACE SCHEMATIC DIAGRAMS OF FM RECEIVER SUBASSEMBLIES OR CIRCUIT CARDS	1
H610	DO YOU ALIGN OR ADJUST FM RECEIVERS OR CIRCUITS	1
H611	DO YOU PLOT RECEIVER SIGNAL LEVEL CURVES (RSL) FOR FM RECEIVERS	1

52A(3). SINGLE SIDE BAND

H586	DO YOU TRACE BLOCK DIAGRAMS OF SSB RECEIVERS	0
H587	DO YOU TRACE BLOCK DIAGRAMS OF SSB RECEIVER SUBASSEMBLIES OR CIRCUIT CARDS	0
H588	DO YOU TRACE SCHEMATIC DIAGRAMS OF SSB RECEIVER SUBASSEMBLIES OR CIRCUIT CARDS	0
H592	DO YOU ALIGN OR ADJUST SSB RECEIVERS OR CIRCUITS	0

TABLE B3 (CONTINUED)

AFSC 455X0A ELECTRONIC FUNDAMENTALS/APPLICATIONS STS ELEMENTS
WITH KNOWLEDGE OR PERFORMANCE CODES AND LESS THAN
20 PERCENT MEMBERS RESPONDING "YES"

45550A
(N=149)

52A(4). PULSE MODULATION

H622	DO YOU USE "PM" DEMODULATION PRINCIPLES	1
H623	DO YOU TRACE BLOCK DIAGRAMS OF PM RECEIVERS	1
H624	DO YOU TRACE BLOCK DIAGRAMS OF PM RECEIVER SUBASSEMBLIES OR CIRCUIT CARDS	1
H625	DO YOU TRACE SCHEMATIC DIAGRAMS OF PM RECEIVER SUBASSEMBLIES OR CIRCUIT CARDS	1
H629	DO YOU ALIGN OR ADJUST PM RECEIVERS OR CIRCUITS	1

52B. ISOLATE FAULTY RECEIVERS

H574	DO YOU TROUBLESHOOT AM RECEIVERS TO MAJOR UNITS	1
H575	DO YOU TROUBLESHOOT AM RECEIVERS TO SUBASSEMBLIES OR CIRCUIT CARDS	1
H589	DO YOU TROUBLESHOOT SSB RECEIVERS TO MAJOR UNITS	0
H590	DO YOU TROUBLESHOOT SSB RECEIVERS TO SUBASSEMBLIES OR CIRCUIT CARDS	0
H607	DO YOU TROUBLESHOOT FM RECEIVERS TO MAJOR UNITS	1
H608	DO YOU TROUBLESHOOT FM RECEIVERS TO SUBASSEMBLIES OR CIRCUIT CARDS	1
H626	DO YOU TROUBLESHOOT PM RECEIVERS TO MAJOR UNITS	1
H627	DO YOU TROUBLESHOOT PM RECEIVERS TO SUBASSEMBLIES OR CIRCUIT CARDS	1

52C. TROUBLESHOOT CIRCUITS

H576	DO YOU TROUBLESHOOT AM RECEIVER SUBASSEMBLIES OR CIRCUIT CARDS TO CIRCUIT LEVEL COMPONENTS	1
H591	DO YOU TROUBLESHOOT SSB RECEIVER SUBASSEMBLIES OR CIRCUIT CARDS TO CIRCUIT LEVEL COMPONENTS	0
H609	DO YOU TROUBLESHOOT FM RECEIVER SUBASSEMBLIES OR CIRCUIT CARDS TO CIRCUIT LEVEL COMPONENTS	1
H628	DO YOU TROUBLESHOOT PM RECEIVER SUBASSEMBLIES OR CIRCUIT CARDS TO CIRCUIT LEVEL COMPONENTS	1

53A. PERFORM MEASUREMENTS

I660	DO YOU MEASURE RF POWER	1
I661	DO YOU MEASURE RF PEAK POWER	1
I662	DO YOU MEASURE RF AVERAGE POWER	1
I663	DO YOU MEASURE RF EFFECTIVE POWER	1
I664	DO YOU MEASURE RF OUTPUT POWER USING WATTMETERS	1

TABLE B3 (CONTINUED)

AFSC 455X0A ELECTRONIC FUNDAMENTALS/APPLICATIONS STS ELEMENTS
WITH KNOWLEDGE OR PERFORMANCE CODES AND LESS THAN
20 PERCENT MEMBERS RESPONDING "YES"

45550A
(N=149)

53B. CALCULATIONS

I665	DO YOU CALCULATE RF APPARENT POWER	1
I666	DO YOU CALCULATE RF TRUE POWER	1
I667	DO YOU CALCULATE RF POWER LOSS OR GAIN IN DB	2

54A. THEORY OF OPERATION

H634	DO YOU PLOT GRAPH RADIATION PATTERNS	1
H637	DO YOU WORK WITH YAGI ANTENNAS	0
H638	DO YOU WORK WITH DIPOLE ANTENNAS	1
H639	DO YOU WORK WITH SLOTTED ANTENNAS	0
H640	DO YOU WORK WITH ROTARY ANTENNAS	0
H641	DO YOU WORK WITH HERTZ ANTENNAS	0
H642	DO YOU WORK WITH MARCONI ANTENNAS	0
H643	DO YOU WORK WITH RHOMBIC ANTENNAS	0
H644	DO YOU WORK WITH SCIMITAR ANTENNAS	0
H645	DO YOU WORK WITH PARABOLIC ANTENNAS	1
H646	DO YOU WORK WITH GROUND PLANE ANTENNAS	0
H647	DO YOU PERFORM TASKS ON ROTARY ANTENNA ARRAYS	0
H648	DO YOU PERFORM TASKS ON STACKED (END FIRE) ANTENNA ARRAYS	0
H649	DO YOU PERFORM TASKS ON BROADSIDE ANTENNA ARRAYS	0
H650	DO YOU PERFORM TASKS ON CARDIOID ANTENNA ARRAYS	0
H651	DO YOU PERFORM TASKS ON COLLINEAR ANTENNA ARRAYS	0
H652	DO YOU PERFORM TASKS ON PHASE ANTENNA ARRAYS	1
H653	DO YOU PERFORM TASKS ON PLANAR ANTENNA ARRAYS	1
H654	DO YOU PERFORM TASKS ON ANTENNAS WITH VERTICAL POLARIZATION	1
H655	DO YOU PERFORM TASKS ON ANTENNAS WITH HORIZONTAL POLARIZATION	1
H656	DO YOU PERFORM TASKS ON ANTENNAS WITH CIRCULAR POLARIZATION	1
H657	DO YOU PERFORM TASKS ON ANTENNAS WITH UNIDIRECTIONAL RADIATION PATTERNS	1
H658	DO YOU PERFORM TASKS ON ANTENNAS WITH BIDIRECTIONAL RADIATION PATTERNS	0
H659	DO YOU PERFORM TASKS ON ANTENNAS WITH OMNIDIRECTIONAL RADIATION PATTERNS	0

54B. PERFORM ALIGNMENTS

H630	DO YOU PHYSICALLY ALIGN ANTENNAS	1
H631	DO YOU ELECTRICALLY ALIGN ANTENNAS	1
H636	DO YOU MEASURE STANDING WAVE RATIO (SWR) FOR ANTENNAS	1

TABLE B3 (CONTINUED)

AFSC 455X0A ELECTRONIC FUNDAMENTALS/APPLICATIONS STS ELEMENTS
WITH KNOWLEDGE OR PERFORMANCE CODES AND LESS THAN
20 PERCENT MEMBERS RESPONDING "YES"

		45550A (N=149)
54C.	ISOLATE FAULTY ANTENNAS	
H632	DO YOU TROUBLESHOOT LOADING OF ANTENNAS	1
H633	DO YOU TROUBLESHOOT COUPLING OF ANTENNAS	1
H635	DO YOU TROUBLESHOOT ANTENNA COMPONENTS	1
55A.	THEORY OF OPERATION	
J668	DO YOU TRACE BLOCK DIAGRAMS OF CIRCUITS CONTAINING MICROPHONES	16
J669	DO YOU TRACE SCHEMATIC DIAGRAMS OF MICROPHONE CIRCUITS	13
J672	DO YOU WORK ON CARBON MICROPHONES	15
J673	DO YOU WORK ON CAPACITOR MICROPHONES	2
J674	DO YOU WORK ON CRYSTAL MICROPHONES	1
J675	DO YOU WORK ON DYNAMIC MICROPHONES	3
J676	DO YOU WORK ON VELOCITY RIBBON MICROPHONES	1
55B.	ISOLATE FAULTY MICROPHONES	
J670	DO YOU TROUBLESHOOT TO ISOLATE A FAULTY MICROPHONE	16
55C.	TROUBLESHOOT CIRCUITS	
J671	DO YOU TROUBLESHOOT MICROPHONES	7
56A.	THEORY OF OPERATION	
J677	DO YOU TRACE BLOCK DIAGRAMS OF CIRCUITS CONTAINING SPEAKERS	26
J678	DO YOU TRACE SCHEMATIC DIAGRAMS OF SPEAKER CIRCUITS	21
56B.	ISOLATE FAULTY SPEAKERS	
J679	DO YOU TROUBLESHOOT TO ISOLATE A FAULTY SPEAKER	24
56C.	TROUBLESHOOT CIRCUITS	
J680	DO YOU TROUBLESHOOT SPEAKERS	15

TABLE B3 (CONTINUED)

AFSC 455X0A ELECTRONIC FUNDAMENTALS/APPLICATIONS STS ELEMENTS
 WITH KNOWLEDGE OR PERFORMANCE CODES AND LESS THAN
 20 PERCENT MEMBERS RESPONDING "YES"

45550A
 (N=149)

58A. THEORY OF OPERATION

J690	DO YOU TRACE BLOCK DIAGRAMS OF CIRCUITS CONTAINING DISPLAY TUBES	0
J691	DO YOU TRACE SCHEMATIC DIAGRAMS OF DISPLAY TUBES OR CIRCUITS	0
J693	DO YOU ADJUST OR CALIBRATE DISPLAY TUBES OR CIRCUITS	0
J694	DO YOU WORK ON DIRECT VIEW STORAGE TUBES (DVST)	0
J695	DO YOU WORK ON MULTIPLE MODE STORAGE TUBES (MMST)	0
J696	DO YOU WORK ON SCAN CONVERTER TUBES (SCT)	0

58B. ISOLATE FAULTY DISPLAY TUBES

J692	DO YOU TROUBLESHOOT TO ISOLATE A FAULTY DISPLAY TUBE	0
------	--	---

TABLE B4
UNSUPPORTED ABR45530A POI OBJECTIVES

		PERCENT MEMBERS PERFORMING	
		1ST JOB	1ST ENL
X2A.	GIVEN TO, AS A TEAM MEMBER OPERATIONALLY CHECK THE PAVE SPIKE SYSTEM		
K373	BENCH CHECK PAVE SPIKE SYSTEMS	0	1
K376	PERFORM BIT ON PAVE SPIKE SYSTEMS	0	1
XI1a.	GIVEN TO, AS A TEAM MEMBER DISASSEMBLE THE PAVE SPIKE POD (AN/ASQ-153)		
K371	ASSEMBLE OR DISASSEMBLE PAVE SPIKE PODS	0	1
K382	REMOVE OR REPLACE PAVE SPIKE SRUs	0	1
K383	REMOVE OR REPLACE ROLL CANS	0	1
XI1b.	GIVEN TO, AS A TEAM MEMBER REMOVE AND REPLACE LRUs		
K381	REMOVE OR REPLACE PAVE SPIKE LRUs	0	0
K382	REMOVE OR REPLACE PAVE SPIKE SRUs	0	1
XI1c.	GIVEN TO, AND SPECIALIZED TEST EQUIPMENT, AS A TEAM MEMBER, PERFORM MAINTENANCE AND ALIGNMENT		
F170	ALIGN OR ADJUST LASER CONTROL ELECTRONICS	24	15
K368	ALIGN OR ADJUST PAVE SPIKE SRUs	0	1
K369	ALIGN OR ADJUST POD INTERFACE ELECTRONIC UNITS (IEU)	0	0
K374	BORESIGHT PAVE SPIKE PODS	0	0
XI1d.	GIVEN TO, AS A TEAM MEMBER, REASSEMBLE THE AN/ASQ-153 PAVE SPIKE POD		
F234	PURGE PHOTO-SENSOR SYSTEMS USING COOLANOL	0	1
K371	ASSEMBLE OR DISASSEMBLE PAVE SPIKE PODS	0	1
K378	REMOVE OR REPLACE COOLANT HOSES	0	1
K384	REMOVE OR REPLACE SIDE PANELS	0	1
K388	VISUALLY INSPECT PHASE CHANGE MATERIAL	0	0
XI1f.	GIVEN TO AND TO EXERPT, FUNCTIONALLY CHECK THE LASER CORDER CONTROL		
K373	BENCH CHECK PAVE SPIKE SYSTEMS	0	1

TABLE B5

TASKS PERFORMED BY MORE THAN 30 PERCENT CRITERION GROUPS NOT
MATCHED TO ABR45530A POI

		PERCENT MEMBERS PERFORMING	
		1ST JOB	1ST ENL
F252	REMOVE OR REPLACE CANNON PLUGS, CONNECTORS, OR PINS	83	83
F240	READ OR INTERPRET SCHEMATICS	80	81
F298	TROUBLESHOOT PHOTO-SENSOR SYSTEMS IN SHOP	80	77
F209	OPERATE AEROSPACE GROUND EQUIPMENT (AGE)	76	77
G307	CONNECT OR DISCONNECT POWER TO AIRCRAFT	76	72
F299	TROUBLESHOOT PHOTO-SENSOR SYSTEMS ON AIRCRAFT	73	67
G308	OPERATE GROUND OR EXTERNAL POWER UNITS	73	72
F196	CRIMP PINS	71	73
F205	INVENTORY FLIGHTLINE CTKs	71	73
E106	COMPLETE AF FORMS 2005 (ISSUE/TURN-IN REQUEST)	63	65
E115	COMPLETE AFTO FORMS 349 (MAINTENANCE DATA COLLECTION RECORD)	63	71
E129	LOCATE INFORMATION IN TECHNICAL ORDERS (TO)	63	72
F207	LUBRICATE MECHANICAL COMPONENTS	63	47
F212	PACK OR UNPACK PHOTO-SENSOR SYSTEM EQUIPMENT	63	66
H328	VISUALLY INSPECT PODS FOR DAMAGE	63	43
G311	POSITION AGE TO AIRCRAFT	61	59
F193	CLEAN MIRRORS OR LENS	59	64
F219	PERFORM CORROSION CONTROL ON TEST EQUIPMENT	59	64
F300	TROUBLESHOOT SUPPORT EQUIPMENT	59	55
F220	PERFORM HIGH RELIABILITY SOLDERING	56	60
G312	REMOVE OR REPLACE INFRARED POWER SUPPLIES	56	43
F162	ALIGN OR ADJUST ELECTRONIC CONTROL AMPLIFIERS (ECA)	54	42
F250	REMOVE OR REPLACE CABLE ASSEMBLIES	54	51
F254	REMOVE OR REPLACE COCKPIT CONTROL PANELS	54	54
G313	REMOVE OR REPLACE LASER POWER SUPPLIES	54	31
F225	PERFORM PMI ON TEST EQUIPMENT	51	49
F229	PERFORM SOLDERING USING OTHER THAN HIGH RELIABILITY SOLDERING	51	47
F284	REMOVE OR REPLACE SEALS	51	40
F186	BORESIGHT RECEIVER GROUP OPTICS	49	30

TABLE B6

AFSC 455X0B ELECTRONIC FUNDAMENTALS/APPLICATIONS STS ELEMENTS
WITH KNOWLEDGE OR PERFORMANCE CODES AND LESS THAN
20 PERCENT MEMBERS RESPONDING "YES"

45550B
(N=146)

6c. INDUCTOR CALCULATIONS

A22	DO YOU CALCULATE VALUES OF CIRCUIT TOTAL INDUCTANCE	17
A23	DO YOU CALCULATE VALUES OF CIRCUITS OR COMPONENT INDUCTIVE REACTANCE	16
A24	DO YOU CALCULATE VALUES OF CIRCUIT VOLTAGE OR CURRENT IN CIRCUITS CONTAINING INDUCTORS	17

12a. THEORY OF DC GENERATOR OPERATIONS

A53	DO YOU TRACE SCHEMATICS OR BLOCK DIAGRAMS OF CIRCUITS CONTAINING DC GENERATORS	17
A56	DO YOU PERFORM TASKS ON COMPONENT PARTS OF DC GENERATORS	9

12b. ISOLATE FAULTY DC GENERATORS

A54	DO YOU TROUBLESHOOT TO ISOLATE A FAULTY DC GENERATOR	15
-----	--	----

12c. TROUBLESHOOT DC GENERATORS

A55	DO YOU TROUBLESHOOT DC GENERATOR COMPONENT PARTS	10
-----	--	----

13a. THEORY OF AC GENERATOR OPERATION

A57	DO YOU TRACE SCHEMATICS OR BLOCK DIAGRAMS OF CIRCUITS CONTAINING AC GENERATORS	14
A60	DO YOU PERFORM TASKS ON COMPONENT PARTS OF AC GENERATORS	7

13b. ISOLATE FAULTY AC GENERATORS

A58	DO YOU TROUBLESHOOT CIRCUITS TO ISOLATE A FAULTY AC GENERATOR	13
-----	---	----

16a. THEORY OF CHOPPER OPERATION

A70	DO YOU TROUBLESHOOT CIRCUITS TO ISOLATE A FAULTY CHOPPER	13
A71	DO YOU MEASURE CHOPPER COIL EXCITATION FREQUENCY	8
A72	DO YOU MEASURE CHOPPER COIL VOLTAGE-CURRENT PHASE RELATIONSHIPS	9

TABLE B6 (CONTINUED)

AFSC 455X0B ELECTRONIC FUNDAMENTALS/APPLICATIONS STS ELEMENTS
WITH KNOWLEDGE OR PERFORMANCE CODES AND LESS THAN
20 PERCENT MEMBERS RESPONDING "YES"

45550B
(N=146)

16b. ISOLATE FAULTY CHOPPERS	
A70 DO YOU TROUBLESHOOT CIRCUITS TO ISOLATE A FAULTY CHOPPER	13
A71 DO YOU MEASURE CHOPPER COIL EXCITATION FREQUENCY	8
A72 DO YOU MEASURE CHOPPER COIL VOLTAGE-CURRENT PHASE RELATIONSHIPS	9
17a. THEORY OF TRANSDUCER OPERATION	
A73 DO YOU TRACE SCHEMATICS OR BLOCK DIAGRAMS OF CIRCUITS CONTAINING TRANSDUCERS	10
A75 DO YOU CALIBRATE OR ADJUST TRANSDUCERS	8
A76 DO YOU REPAIR, CLEAN, OR LUBRICATE TRANSDUCERS	7
20c. BIPOLAR JUNCTION TRANSISTORS SPECIFICATIONS	
A93 DO YOU USE TRANSISTOR CHARACTERISTIC CURVES	12
A94 DO YOU USE TRANSISTOR SUBSTITUTION INFORMATION	18
21c. INTEGRATED CIRCUIT SPECIFICATIONS	
A97 DO YOU USE IC SUBSTITUTION INFORMATION	19
36a. THEORY OF FREQUENCY SENSITIVE FILTERS OPERATION	
E317 DO YOU TRACE SCHEMATIC OR BLOCK DIAGRAMS OF CIRCUITS CONTAINING FREQUENCY SENSITIVE FILTERS	13
E320 DO YOU ALIGN OR ADJUST FREQUENCY SENSITIVE FILTERS	8
E322 DO YOU PERFORM TASKS ON LOW PASS FREQUENCY SENSITIVE FILTERS	13
E323 DO YOU PERFORM TASKS ON HIGH PASS FREQUENCY SENSITIVE FILTERS	13
E324 DO YOU PERFORM TASKS ON BAND PASS FREQUENCY SENSITIVE FILTERS	8
E325 DO YOU PERFORM TASKS ON BAND-REJECT FREQUENCY SENSITIVE FILTERS	1
E326 DO YOU PERFORM TASKS ON FERRITE BEAD FREQUENCY SENSITIVE FILTERS	3
38c. TROUBLE SHOOT LIMITER CIRCUITS	
F378 DO YOU TROUBLESHOOT LIMITERS TO CIRCUIT LEVEL COMPONENTS	18

TABLE B6 (CONTINUED)

AFSC 455X0B ELECTRONIC FUNDAMENTALS/APPLICATIONS STS ELEMENTS
WITH KNOWLEDGE OR PERFORMANCE CODES AND LESS THAN
20 PERCENT MEMBERS RESPONDING "YES"

45550B
(N=146)

39c.	TROUBLESHOOT CLAMPER CIRCUITS	
F380	DO YOU TROUBLESHOOT CLAMPERS TO CIRCUIT LEVEL COMPONENTS	19
41c.	TROUBLESHOOT DIGITAL LOGIC FUNCTIONS CIRCUITS	
G416	DO YOU TROUBLESHOOT DIGITAL SYSTEMS, SUBSYSTEMS, OR CIRCUIT CARDS TO CIRCUIT LEVEL COMPONENTS OR IC	18
43d.	COMPUTER FAULT ISOLATION	
G450	DO YOU TROUBLESHOOT COMPUTERS TO A MAJOR UNIT	3
G451	DO YOU TROUBLESHOOT COMPUTERS TO A SUBASSEMBLY OR CIRCUIT CARD	3
44a.	THEORY OF MICROPROCESSOR OPERATION	
G485	DO YOU TRACE BLOCK OR SCHEMATIC DIAGRAMS OF MICROPROCESSOR CONTROLLED SYSTEMS	2
44b.	ISOLATE FAULTY MICROPROCESSORS	
G486	DO YOU TROUBLESHOOT MICROPROCESSOR CONTROLLED SYSTEMS TO A SUBASSEMBLY OR CIRCUIT CARD	2
G487	DO YOU TROUBLESHOOT MICROPROCESSOR CONTROLLED SYSTEMS TO ISOLATE A FAULTY MICROPROCESSOR	1
45a(1).	COUNTERS (SYNCHRONOUS/ASYNCHRONOUS-UP/DOWN COUNTERS)	
G488	DO YOU TRACE DATA FLOW THROUGH CIRCUITS CONTAINING COUNTERS	18
G491	DO YOU PERFORM TASKS ON UP COUNTERS IN LOGIC CIRCUITS	14
G492	DO YOU PERFORM TASKS ON DOWN COUNTERS IN LOGIC CIRCUITS	14
G493	DO YOU PERFORM TASKS ON DECADE COUNTERS IN LOGIC CIRCUITS	9
G494	DO YOU PERFORM TASKS ON RING COUNTERS IN LOGIC CIRCUITS	4
G495	DO YOU PERFORM TASKS ON MODULOUS COUNTERS IN LOGIC CIRCUITS	3
G496	DO YOU PERFORM TASKS ON SYNCHRONOUS (PARALLEL) COUNTERS IN LOGIC CIRCUITS	7
G497	DO YOU PERFORM TASKS ON ASYNCHRONOUS (SERIAL) COUNTERS IN LOGIC CIRCUITS	6

TABLE B6 (CONTINUED)

AFSC 455X0B ELECTRONIC FUNDAMENTALS/APPLICATIONS STS ELEMENTS
WITH KNOWLEDGE OR PERFORMANCE CODES AND LESS THAN
20 PERCENT MEMBERS RESPONDING "YES"

45550B
(N=146)

45a(2). REGISTER (SHIFT AND STORAGE)

G498	DO YOU TRACE LOGIC DIAGRAMS OF CIRCUITS CONTAINING REGISTERS	12
G501	DO YOU PERFORM TASKS ON SHIFT REGISTERS IN LOGIC CIRCUITS	9
G502	DO YOU PERFORM TASKS ON STORAGE REGISTERS IN LOGIC CIRCUITS	8

45a(3). COMBINATION LOGIC CIRCUITS

G503	DO YOU TRACE DATA FLOW THROUGH COMBINATIONAL LOGIC CIRCUITS	10
G506	DO YOU PERFORM TASKS ON ENCODERS	10
G507	DO YOU PERFORM TASKS ON DECODERS	8
G508	DO YOU PERFORM TASKS ON MULTIPLEXERS	8
G509	DO YOU PERFORM TASKS ON DEMULTIPLEXERS	5
G510	DO YOU PERFORM TASKS ON COMPARATORS	8
G511	DO YOU PERFORM TASKS ON PARITY GENERATORS OR CHECKERS	3
G512	DO YOU PERFORM TASKS ON CODE CONVERTERS	3
G513	DO YOU PERFORM TASKS ON ADDERS	6
G514	DO YOU PERFORM TASKS ON SUBTRACTORS	5
G515	DO YOU PERFORM TASKS ON COUNT DETECT CIRCUITS	3

45b. ISOLATE FAULTY CIRCUITS

G489	DO YOU TROUBLESHOOT COUNTER CIRCUITS TO ISOLATE A FAULTY COUNTER	17
G499	DO YOU TROUBLESHOOT CIRCUITS CONTAINING REGISTERS TO ISOLATE A FAULTY REGISTER	8
G504	DO YOU TROUBLESHOOT TO ISOLATE A FAULTY COMBINATIONAL LOGIC CIRCUIT	9

45c. TROUBLESHOOT CIRCUITS

G490	DO YOU TROUBLESHOOT COUNTERS TO CIRCUIT LEVEL COMPONENTS	12
G500	DO YOU TROUBLESHOOT REGISTERS TO CIRCUIT LEVEL COMPONENTS	7
G505	DO YOU TROUBLESHOOT COMBINATIONAL LOGIC CIRCUITS TO CIRCUIT LEVEL COMPONENTS	6

TABLE B6 (CONTINUED)

AFSC 455X0B ELECTRONIC FUNDAMENTALS/APPLICATIONS STS ELEMENTS
WITH KNOWLEDGE OR PERFORMANCE CODES AND LESS THAN
20 PERCENT MEMBERS RESPONDING "YES"

45550B
(N=146)

46a. D/A, A/D CONVERTERS THEORY OF OPERATION

G516	DO YOU TRACE DATA FLOW THROUGH A/D CONVERTERS	11
G517	DO YOU TRACE DATA FLOW THROUGH D/A CONVERTERS	10
G520	DO THE CONVERTERS YOU PERFORM TASKS ON USE FLASH CONVERSION	2
G521	DO THE CONVERTERS YOU PERFORM TASKS ON USE SUCCESSIVE APPROXIMATION CONVERSION	4
G522	DO THE CONVERTERS YOU PERFORM TASKS ON USE RAMP CONVERSION	3
G523	DO THE CONVERTERS YOU PERFORM TASKS ON USE R2R CONVERSION	1

46b. ISOLATE FAULTY CONVERTERS

G518	DO YOU TROUBLESHOOT A/D CONVERTER CIRCUITS	9
G519	DO YOU TROUBLESHOOT D/A CONVERTER CIRCUITS	9

47a. THEORY OF TRANSMISSION LINE OPERATION

H527	DO YOU CONSTRUCT TRANSMISSION LINES	1
H528	DO YOU MATCH TRANSMISSION LINE IMPEDANCE WITH LOADS	1
H531	DO YOU PERFORM TASKS ON OPEN-WIRE TRANSMISSION LINES	1
H532	DO YOU PERFORM TASKS ON TWISTED PAIR TRANSMISSION LINES	1
H533	DO YOU PERFORM TASKS ON TWIN LEAD TRANSMISSION LINES	1
H534	DO YOU PERFORM TASKS ON FLEXIBLE COAXIAL TRANSMISSION LINES	4
H535	DO YOU PERFORM TASKS ON RIGID COAXIAL TRANSMISSION LINES	1
H536	DO YOU PERFORM TASKS ON FIBER-OPTIC TRANSMISSION LINES	0

47b. PERFORM MEASUREMENTS ON TRANSMISSION LINES

H524	DO YOU MEASURE ELECTRICAL LENGTH ON TRANSMISSION LINES	0
H525	DO YOU MEASURE PHYSICAL LENGTH ON TRANSMISSION LINES	3
H526	DO YOU MEASURE STANDING WAVE RATIO (SWR) ON TRANSMISSION LINES	0