

DTIC FILE COPY

USAARL Report No. 90-11

①

AD-A223 488



**Visual Processing:
Implications for Helmet Mounted Displays
(Reprint)**

By

Jo Lynn Caldwell
Rhonda L. Cornum
Robert L. Stephens


Biomedical Applications Division

and

Clarence E. Rash

Sensory Research Division

May 1990



Approved for public release; distribution unlimited.

90 06 27 118

United States Army Aeromedical Research Laboratory
Fort Rucker, Alabama 36362-5292

Notice

Qualified requesters

Qualified requesters may obtain copies from the Defense Technical Information Center (DTIC), Cameron Station, Alexandria, Virginia 22314. Orders will be expedited if placed through the librarian or other person designated to request documents from DTIC.

Change of address

Organizations receiving reports from the U.S. Army Aeromedical Research Laboratory on automatic mailing lists should confirm correct address when corresponding about laboratory reports.

Disposition

Destroy this report when it is no longer needed. Do not return it to the originator.


Disclaimer

The views, opinions, and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy, or decision, unless so designated by other official documentation. Citation of trade names in this report does not constitute an official Department of the Army endorsement or approval of the use of such commercial items.

Human use

Human subjects participated in these studies after giving their free and informed voluntary consent. Investigators adhered to AR 70-25 and USAMRDC Reg 70-25 on Use of Volunteers in Research.

Reviewed:



GERALD P. KRUEGER

LTC, MS

Director, Biomedical Applications Research Division



J. D. LaMOTHE

Colonel, MS

Chairman, Scientific

Review Committee

Released for publication:



DAVID H. KARNEY

Colonel, MC

Commanding

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

1a. REPORT SECURITY CLASSIFICATION Unclassified		1b. RESTRICTIVE MARKINGS	
2a. SECURITY CLASSIFICATION AUTHORITY		3. DISTRIBUTION / AVAILABILITY OF REPORT	
2b. DECLASSIFICATION / DOWNGRADING SCHEDULE			
4. PERFORMING ORGANIZATION REPORT NUMBER(S) USAARL Report No 90-11		5. MONITORING ORGANIZATION REPORT NUMBER(S)	
6a. NAME OF PERFORMING ORGANIZATION USAARL	6b. OFFICE SYMBOL (If applicable) UAB-CB	7a. NAME OF MONITORING ORGANIZATION	
6c. ADDRESS (City, State, and ZIP Code) P.O. Box 577 Fort Rucker, AL 36362-5292		7b. ADDRESS (City, State, and ZIP Code)	
8a. NAME OF FUNDING / SPONSORING ORGANIZATION	8b. OFFICE SYMBOL (If applicable)	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER	
8c. ADDRESS (City, State, and ZIP Code)		10. SOURCE OF FUNDING NUMBERS	
		PROGRAM ELEMENT NO.	PROJECT NO. C4JF
		TASK NO.	WORK UNIT ACCESSION NO. 133
11. TITLE (Include Security Classification) Visual processing: Implications for helmet mounted displays (U) (Reprint)			
12. PERSONAL AUTHOR(S) J.L. Caldwell, R.L.S. Cornum, R.L. Stephens, and C.E. Rash			
13a. TYPE OF REPORT	13b. TIME COVERED FROM 10-89 TO 4-90	14. DATE OF REPORT (Year, Month, Day) 1990 May	15. PAGE COUNT 8
16. SUPPLEMENTARY NOTATION This report is a reprint of a presentation made at the SPIE's 1990 Technical Symposium on Aerospace Sensing, 16-20 April 1990. Also published in the Proceedings.			
17. COSATI CODES		18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)	
FIELD	GROUP	SUB-GROUP	
25	03		
06	04		
		Dual processing; Helmet mounted displays; monocular tasks	
19. ABSTRACT (Continue on reverse if necessary and identify by block number) A study was conducted to compare the performance of AH-64 (Apache) pilots to other Army pilots on visual tasks. Each pilot was given a task presented monocularly to the right eye, a task presented monocularly to the left eye, and a task presented to both eyes simultaneously in a dichoptic task. Results indicated no performance difference between the groups of pilots on the dichoptic task, but indicated better performance on the left monocular task for the AH-64 pilots. These results indicate that AH-64 pilots who are required to switch their attention from their left eyes to their right eyes in order to obtain needed information are capable of processing information efficiently and effectively using only one eye. The implications of these results for the Integrated Helmet and Display Sighting System (IHADSS) are discussed.			
20. DISTRIBUTION / AVAILABILITY OF ABSTRACT ☒ UNCLASSIFIED/UNLIMITED ☐ SAME AS RPT. ☐ DTIC USERS		21. ABSTRACT SECURITY CLASSIFICATION	
22a. NAME OF RESPONSIBLE INDIVIDUAL		22b. TELEPHONE (Include Area Code)	22c. OFFICE SYMBOL

Visual processing: Implications for helmet mounted displays

J. L. Caldwell, R. L. S. Cornum, R. L. Stephens, and C. E. Rash

U. S. Army Aeromedical Research Laboratory
Fort Rucker, AL 36362-5292

ABSTRACT

A study was conducted to compare the performance of AH-64 (Apache) pilots to other Army pilots on visual tasks. Each pilot was given a task presented monocularly to the right eye, a task presented monocularly to the left eye, and a task presented to both eyes simultaneously in a dichoptic task. Results indicated no performance difference between the groups of pilots on the dichoptic task, but indicated better performance on the left monocular task for the AH-64 pilots. These results indicate that AH-64 pilots who are required to switch their attention from their left eyes to their right eyes in order to obtain needed information are capable of processing information efficiently and effectively using only one eye. The implications of these results for the Integrated Helmet and Display Sighting System (IHADSS) are discussed.

1. BACKGROUND

In June 1985, the U.S. Army began fielding a new rotary-wing aircraft, the AH-64 (Apache) helicopter. Integral to this advanced aircraft is a helmet-mounted display system known as the Integrated Helmet and Display Sighting System (IHADSS). The IHADSS includes a helmet, referred to as the Integrated Helmet Unit (IHU) (Figure 1), and various electronic sensing and control units. Mounted on the IHU is a monocular helmet-mounted display called the Helmet Display Unit (HDU)¹. Imagery from a nose mounted infrared sensor and symbology representative of various aircraft parameters are provided to the pilot through the HDU. This information is presented to the pilot's right eye only; his left eye simultaneously receives disparate information from the cockpit and the external environment. Consequently, the pilot is required to process two separate sets of visual information presented to each eye simultaneously and is expected to process all of this information correctly and efficiently.

The ability of pilots to accomplish this information processing is of interest to the military aviation community, particularly the AH-64 training community. Many expensive training hours are consumed in teaching AH-64 students to use the IHADSS, which is unlike any system with which they have experience. In addition, there is a large variation in the minimum number of hours required for mastery of this system.

Verbal reports from some AH-64 pilots indicate the two sets of information presented when using the IHADSS are processed by switching their attention between the two eyes, attending to the separate sets of information as needed to safely fly the aircraft. However, other pilots report they perceive, and therefore process, the information simultaneously. The ability of pilots to rapidly switch their attention on demand to either eye or to process the two sets of information simultaneously is an important key to the IHADSS and flight performance with the AH-64.

It was hypothesized that experience with the IHADSS might improve pilots' abilities to process two different sets of information presented simultaneously to the separate eyes. This study was conducted as a preliminary investigation of how well AH-64 pilots experienced in the use of the IHADSS can process dual information sets presented simultaneously to each eye compared to pilots who have no experience with the IHADSS.

2. METHOD

2.1 Subjects

Twenty-four male subjects, ages 30 to 45, were recruited from the aviation community at Fort Rucker, AL. Twelve of the subjects were current AH-64 pilots with at least 900 hours of flight time and at least 100 hours of time with the helmet display unit; 12 of the subjects were non-AH-64 pilots with at least 900 hours of total flight time, none of which were AH-64 hours. Each pilot was tested for visual acuity using the Armed Forces Vision Tester, for accommodation using a Prince Rule, and for eye dominance using finger alignment on a fixed object; each subject had at least 20-20 vision (or

corrected to 20-20 vision). Although some of the subjects were left eye dominant, a pilot study indicated eye dominance did not affect the performance of the particular task used in this study.

2.2 Apparatus

A Gerbrands three-field tachistoscope, Gerbrands model T-3B-2, was used to present the stimuli (Figure 2). The stimuli were presented on 4 in. X 6 in. cards supported by a black, nonreflecting background into which the cards were inserted via automatic card changers. Stimuli were viewed through half-silver mirrors. The viewing field was 3.5 in. X 5 in. at a distance of approximately 31 in. from the subject's eyes. The luminance was adjusted for all three fields by a Spectra Pritchard Photometer (Model 1980A-PL). A Gerbrands 300-C Digital Millisecond Timer (Model 03C6) was used to control the exposure duration of the stimuli for all three fields. In order to have separate viewing fields for each eye, linear polarizing filters were placed over the viewing fields with the rotated filters placed over the eyepiece so that each eye saw only one viewing channel. The fixation point was not filtered so that both eyes could view it binocularly. During the left eye monocular task, a flat black card was placed in the right eye viewing field, and the letters were shown through the left eye viewing port. During the right eye monocular task, a flat black card was placed in the left eye viewing field and the letters were shown through the right eye viewing port. During the dichoptic task, two letters were shown through the right eye viewing port and two letters were shown through the left eye viewing port. The spacing of the letters was such that the monocular task letters looked the same as the dichoptic task letters.

2.3 Stimuli

Letters were mounted on cards to be viewed by either the left eye or the right eye. The left and right monocular task letters were in a 2 X 2 matrix (Figure 3). The dichoptic task consisted of two 2 X 1 matrices of letters, presented in each of the left and right visual fields, creating a 2 X 2 matrix. Each 2 X 2 matrix covered a viewing area of approximately 1.5 X 1.5 in., each letter 0.30 in. from the center of the card. The letters were block letter stencils (42 pt. Helvetica medium) rubbed onto white cards. The stimuli were divided into four categories: 25 percent of the letters had a left match, 25 percent of the letters had a right match, 25 percent of the letters had both a left and a right match, and 25 percent of the letters had no match on either the left or the right. The stimuli were approximately 0.7 degrees of visual angle from fixation point to the center of the letter horizontally (1.1 degrees total field), and approximately 0.9 degrees of visual angle from fixation point to center of the letter vertically (1.2 degrees total field).

2.4 Procedure

All subjects were tested between 1200 and 1600 hours. Upon arriving at the laboratory, the subject was taken to the testing room. Measures of left and right eye acuity, left and right eye accommodation, and eye dominance were made. The subject then was seated at the tachistoscope and instructed to look into the viewing port and lean his forehead against the edge of the port in order to maintain a constant distance from the stimuli. The subjects were not told the manner in which the letters would be presented (monocular versus dichoptic) to guard against any possible performance expectations of the subject. After the instructions were given for the test, the lights were dimmed in the room and the subject was allowed approximately 1 min. to adapt to the darkened room. Before each stimulus card was presented, the experimenter gave a ready signal after which the subject viewed a fixation cross presented binocularly for 1 sec.; the stimulus card was immediately presented for 20 msec. The subject responded verbally after each stimulus with one of four choices -- left match, right match, double match, or no match. If the subject was not sure of the correct answer, he was encouraged to guess. The experimenter recorded the subject's answer on a scoring sheet and any relevant comments from the subject.

A practice session comprised of 12 stimuli with an exposure time of 40 msec. was given before the actual test in order to train the subject on the task. The practice session was given monocularly to the dominant eye. After the practice, the test was given in 3 blocks of 20 trials; each block consisted of 20 stimuli presented to either the left eye only (left monocular task), the right eye only (right monocular task), or to both eyes simultaneously (dichoptic task). The order of eye presentation was randomized to counterbalance possible order effects.

3. RESULTS

Post hoc examination of the luminance levels of the left and right visual fields indicated the luminance levels were not equal. Investigation into the problem revealed the tachistoscope lamps were not reliable at the exposure interval (20

msec.) used in the present study. The differences in the luminance levels varied from approximately 0.04 foot Lambert to 0.23 foot Lambert difference, but with the extremely short exposure time used, a small difference in luminance causes a large difference in the performance of the tasks². Therefore, the analyses were conducted to examine group differences for each task, but the comparison of performance between tasks could not be conducted.

Tests of skewness and kurtosis indicated the data were approximately normally distributed. The Levene's test for homogeneity of variance indicated there were unequal variances between the groups in the left monocular task ($F(1,22) = 7.59, p = .01$), therefore, the F test used for this task analysis was the Brown-Forsythe which does not assume equal variances³.

Table I. Flight characteristics of each group.

	AH-64	Other
Flight hours		
Mean	3741.67	2819.25
SD	2379.25	1457.87
Maximum	9900.00	5500.00
Minimum	1400.00	900.00
HDU hours		
Mean	345.00	---
SD	173.30	---
Maximum	700.00	---
Minimum	125.00	---

Analyses also were conducted to determine if the two groups differed in flight hours, age, acuity, or accommodation. All tests indicated no significant differences in any of these variables (Tables 1 and 2). Additional analyses further indicated there was no significant relationship between any of these variables and the performance on the visual tasks. These demographic variables were therefore not included in the remaining analyses.

The performance data for each task were submitted to a 2-way analysis of variance (ANOVA) using BMDP7D⁴. Results of the ANOVA for the left monocular task indicated a main effect for group (Brown-Forsythe $F(1,13) = 8.80, p = .01$). The results of the ANOVA for the right monocular task and for the dichoptic task did not reveal any differences between the groups (right: $F(1,22) = 0.89, p = .36$; dichoptic: $F(1,22) = 0.07, p = .80$). However, visual inspection of the data indicated a trend for the AH-64 pilots to perform better on the right monocular task than did the other pilots (Figure 4).

4. DISCUSSION

The results indicated there were no significant differences in the performance on the dual visual task between AH-64 pilots experienced in processing dual visual information and other pilots not experienced in processing such information. However, a difference was found between these two groups of pilots on the left monocular task; the AH-64 pilots performed significantly better on this task than did the other pilots. A trend for the AH-64 pilots to perform better than the other pilots on the right monocular task also was found.

The inability of experienced pilots to perform better than nonexperienced pilots on the dichoptic task is contrary to what was hypothesized. The reason for this occurrence may be that the task used was not a sensitive dichoptic task, or that it did not represent the type of task an AH-64 pilot performs when using the IHADSS. However, the difference in



Availability Codes		
Dist	Avail and/or	Special
A-1		

Table II. Vision characteristics of each group.

	AH-64	Other
Age (in years)		
Mean	35.92	36.00
SD	4.12	4.07
Maximum	43.00	42.00
Minimum	31.00	31.00
Acuity (Snellen)		
Right eye		
Mean	10.33	10.33
SD	0.86	1.19
Maximum	11.50	11.50
Minimum	9.50	8.50
Left eye		
Mean	10.46	10.29
SD	0.81	1.29
Maximum	11.50	12.00
Minimum	9.50	8.50
Accommodation (in centimeters)		
Right eye		
Mean	14.61	15.13
SD	5.69	6.80
Maximum	30.10	30.30
Minimum	9.20	6.40
Left eye		
Mean	13.73	14.11
SD	4.35	6.17
Maximum	24.50	27.50
Minimum	9.10	6.50

the ability of AH-64 pilots to perform better than other pilots on the monocular task is worth noting. These results indicate pilots trained to view the environment one eye at a time are capable of performing a single-eye task better than pilots who are using binocular vision while flying. Some AH-64 pilots verbally reported they "shut down" one eye so they may concentrate on the information being seen in the other eye. Present results indicate this ability may translate into better performance when information is presented monocularly. It would appear from this information that pilots do learn to manipulate their attention in whatever way is required in order to safely fly their aircraft.

It is difficult to generalize these results to the performance of pilots using the IHADSS. The question which this study addressed was whether AH-64 pilots could perform dichoptic tasks better than other pilots. In order to determine more about how the IHADSS is useful to the pilot as well as how he uses this system, more research is needed in the area of single modality dual task performance. Many years of research have been devoted in determining how visual information is processed. This research now should be applied to the aviation community to determine the best way a pilot can have information presented in a way which will be processed quickly and efficiently.

5. ACKNOWLEDGMENTS

The authors thank PVT George Hulme for his assistance in administering the tasks to each of the subjects, and Dr. Issac Behar for his technical and theoretical assistance.

Disclaimer: The views, opinions, and/or findings contained in this report are those of the authors and should not be construed as an official Department of the Army policy, or decision, unless so designated by other official documentation.

6. REFERENCES

1. C. E. Rash and J. S. Martin, *The Impact of the U.S. Army's AH-64 Helmet Mounted Display on Future Aviation Helmet Design*, U.S. Army Aeromedical Research Laboratory Report No. 88-13, Fort Rucker, AL, August, 1988.
2. P. Walker, "Binocular Rivalry: Central or Peripheral Selective Processes?" *Psychological Bulletin*, vol. 85(2), pp. 376-389, 1978.
3. B. G. Tabachnick and L. S. Fidell, *Using Multivariate Statistics*, Harper & Row, New York, 1983.
4. W. J. Dixon, *BMDP Statistical Software*, University of California Press, Berkeley, CA, 1983.




Figure 1. The AH-64 helmet.




Figure 2. A 3-field tachistoscope.

H C	V P	Q R	K L
P W	V S	M R	K L
No match	Left match	Right match	Double match

Figure 3. An example of each of the stimulus cards.




Figure 4. Performance of pilots by group on each of the tasks.

Initial distribution

Commander
U.S. Army Natick Research
and Development Center
ATTN: Documents Librarian
Natick, MA 01760

Naval Submarine Medical
Research Laboratory
Medical Library, Naval Sub Base
Box 900
Groton, CT 06340

Commander/Director
U.S. Army Combat Surveillance
& Target Acquisition Lab
ATTN: DELCS-D
Fort Monmouth, NJ 07703-5304

Commander
10th Medical Laboratory
ATTN: Audiologist
APO New York 09180

Commander
Naval Air Development Center
Biophysics Lab
ATTN: G. Kydd
Code 60B1
Warminster, PA 18974

Naval Air Development Center
Technical Information Division
Technical Support Detachment
Warminster, PA 18974

Commanding Officer
Naval Medical Research
and Development Command
National Naval Medical Center
Bethesda, MD 20014

Under Secretary of Defense
for Research and Engineering
ATTN: Military Assistant
for Medical and Life Sciences
Washington, DC 20301

Commander
U.S. Army Research Institute
of Environmental Medicine
Natick, MA 01760

U.S. Army Avionics Research
and Development Activity
ATTN: SAVAA-P-TP
Fort Monmouth, NJ 07703-5401

U.S. Army Research and Development
Support Activity
Fort Monmouth, NJ 07703

Chief, Benet Weapons Laboratory
LCWSL, USA ARRADCOM
ATTN: DRDAR-LCB-TL
Watervliet Arsenal, NY 12189

Commander
Man-Machine Integration System
Code 602
Naval Air Development Center
Warminster, PA 18974

Commander
Naval Air Development Center
ATTN: Code 6021 (Mr. Brindle)
Warminster, PA 18974

Commanding Officer
Harry G. Armstrong Aerospace
Medical Research Laboratory
Wright-Patterson
Air Force Base, OH 45433

Director
Army Audiology and Speech Center
Walter Reed Army Medical Center
Washington, DC 20307-5001

Director
Walter Reed Army Institute
of Research
Washington, DC 20307-5100

HQ DA (DASG-PSP-0)
5109 Leesburg Pike
Falls Church, VA 22041-3258

Naval Research
Laboratory Library
Code 1433
Washington, DC 20375

Harry Diamond Laboratories
ATTN: Technical Infor-
mation Branch
2800 Powder Mill Road
Adelphi, MD 20783-1197

U.S. Army Materiel Systems
Analysis Agency
ATTN: Reports Processing
Aberdeen proving Ground
MD 21005-5017

U.S. Army Ordnance Center
and School Library
Building 3071
Aberdeen Proving Ground,
MD 21005-5201

U.S. Army Environmental Hygiene
Agency
Building E2100
Aberdeen Proving Ground,
MD 21010

Technical Library
Chemical Research
and Development Center
Aberdeen Proving Ground,
MD 21010-5423

Commander
U.S. Army Institute
of Dental Research
Walter Reed Army Medical Center
Washington, DC 20307-5300

Naval Air Systems Command
Technical Air Library 950D
Rm 278, Jefferson Plaza II
Department of the Navy
Washington, DC 20361

Naval Research Laboratory Library
Shock and Vibration Infor-
mation Center, Code 5804
Washington, DC 20375

Director
U.S. Army Human Engineer-
ing Laboratory
ATTN: Technical Library
Aberdeen Proving Ground,
MD 21005-5001

Commander
U.S. Army Test
and Evaluation Command
ATTN: AMSTE-AD-H
Aberdeen Proving Ground,
MD 21005-5055

Director
U.S. Army Ballistic
Research Laboratory
ATTN: DRXBR-OD-ST Tech Reports
Aberdeen Proving Ground,
MD 21005-5066

Commander
U.S. Army Medical Research
Institute of Chemical Defense
ATTN: SGRD-UV-AO
Aberdeen Proving Ground,
MD 21010-5425

Commander
U.S. Army Medical Research
and Development Command
ATTN: SGRD-RMS (Ms. Madigan)
Fort Detrick, Frederick,
MD 21701

Commander
U.S. Army Medical Research
Institute of Infectious Diseases
Fort Detrick, Frederick,
MD 21701

Director, Biological
Sciences Division
Office of Naval Research
600 North Quincy Street
Arlington, VA 22217

Commander
U.S. Army Materiel Command
ATTN: AMCDE-XS
5001 Eisenhower Avenue
Alexandria, VA 22333

Commandant
U.S. Army Aviation
Logistics School
ATTN: ATSQ-TDN
Fort Eustis, VA 23604

U.S. Army Training
and Doctrine Command
ATTN: ATCD-ZX
Fort Monroe, VA 23651

Structures Laboratory Library
USARTL-AVSCOM
NASA Langley Research Center
Mail Stop 266
Hampton, VA 23665

Naval Aerospace Medical
Institute Library
Bldg 1953, Code 102
Pensacola, FL 32508

Command Surgeon
U.S. Central Command
MacDill Air Force Base
FL 33608

Air University Library
(AUL/LSE)
Maxwell AFB, AL 36112

Commander
U.S. Army Biomedical Research
and Development Laboratory
ATTN: SGRD-UBZ-I
Fort Detrick, Frederick,
MD 21701

Defense Technical
Information Center
Cameron Station
Alexandria, VA 22313

U.S. Army Foreign Science
and Technology Center
ATTN: MTZ
220 7th Street, NE
Charlottesville, VA 22901-5396

Director,
Applied Technology Laboratory
USARTL-AVSCOM
ATTN: Library, Building 401
Fort Eustis, VA 23604

U.S. Army Training
and Doctrine Command
ATTN: Surgeon
Fort Monroe, VA 23651-5000

Aviation Medicine Clinic
TMC #22, SAAF
Fort Bragg, NC 28305

U.S. Air Force Armament
Development and Test Center
Eglin Air Force Base, FL 32542

U.S. Army Missile Command
Redstone Scientific
Information Center
ATTN: Documents Section
Redstone Arsenal, AL 35898-5241

U.S. Army Research and Technology
Laboratories (AVSCOM)
Propulsion Laboratory MS 302-2
NASA Lewis Research Center
Cleveland, OH 44135

AFAMRL/HEX
Wright-Patterson AFB, OH 45433

University of Michigan
NASA Center of Excellence
in Man-Systems Research
ATTN: R. G. Snyder, Director
Ann Arbor, MI 48109

John A. Dellinger,
Southwest Research Institute
P. O. Box 28510
San Antonio, TX 78284

Product Manager
Aviation Life Support Equipment
ATTN: AMCPM-ALSE
4300 Goodfellow Blvd.
St. Louis, MO 63120-1798

Commander
U.S. Army Aviation
Systems Command
ATTN: AMSAV-ED
4300 Goodfellow Blvd
St. Louis, MO 63120

Commanding Officer
Naval Biodynamics Laboratory
P.O. Box 24907
New Orleans, LA 70189

U.S. Army Field Artillery School
ATTN: Library
Snow Hall, Room 14
Fort Sill, OK 73503

Commander
U.S. Army Health Services Command
ATTN: HSOP-SO
Fort Sam Houston, TX 78234-6000

U.S. Air Force Institute
of Technology (AFIT/LDEE)
Building 640, Area B
Wright-Patterson AFB, OH 45433

Henry L. Taylor
Director, Institute of Aviation
University of Illinois-
Willard Airport
Savoy, IL 61874

COL Craig L. Urbauer, Chief
Office of Army Surgeon General
National Guard Bureau
Washington, DC 50310-2500

Commander
U.S. Army Aviation
Systems Command
ATTN: SGRD-UAX-AL (MAJ Lacy)
4300 Goodfellow Blvd., Bldg 105
St. Louis, MO 63120

U.S. Army Aviation Systems Command
Library and Information
Center Branch
ATTN: AMSAV-DIL
4300 Goodfellow Blvd
St. Louis, MO 63120

Federal Aviation Administration
Civil Aeromedical Institute
CAMI Library AAC 64D1
P.O. Box 25082
Oklahoma City, OK 73125

Commander
U.S. Army Academy
of Health Sciences
ATTN: Library
Fort Sam Houston, TX 78234

Commander
U.S. Army Institute
of Surgical Research
ATTN: SGRD-USM (Jan Duke)
Fort Sam Houston, TX 78234-6200

Director of Professional Services
AFMSC/GSP
Brooks Air Force Base, TX 78235

U.S. Army Dugway Proving Ground
Technical Library
Bldg 5330
Dugway, UT 84022

U.S. Army Yuma Proving Ground
Technical Library
Yuma, AZ 85364

AFFTC Technical Library
6520 TESTG/ENXL
Edwards Air Force Base,
CAL 93523-5000

Commander
Code 3431
Naval Weapons Center
China Lake, CA 93555

Aeromechanics Laboratory
U.S. Army Research
and Technical Labs
Ames Research Center,
M/S 215-1
Moffett Field, CA 94035

Sixth U.S. Army
ATTN: SMA
Presidio of San Francisco,
CA 94129

Commander
U.S. Army Aeromedical Center
Fort Rucker, AL 36362

U.S. Air Force School
of Aerospace Medicine
Strughold Aeromedical Library
Documents Section, USAFSAM/TSK-4
Brooks Air Force Base, TX 78235

Dr. Diane Damos
Department of Human Factors
ISSM, USC
Los Angeles, CA 90089-0021

U.S. Army White Sands
Missile Range
Technical Library Division
White Sands Missile Range,
NM 88002

U.S. Army Aviation Engineering
Flight Activity
ATTN: SAVTE-M (Tech Lib)
Stop 217
Edwards Air Force Base,
CA 93523-5000

Ms. Sandra G. Hart
Ames Research Center
MS 239-5
Moffett Field, CA 94035

Commander
Letterman Army Institute
of Research
ATTN: Medical Research Library
Presidio of San Francisco,
CA 94129

Mr. Frank J. Stagnaro, ME
Rush Franklin Publishing
300 Orchard City Drive
Campbell, CA 95008

Commander
U.S. Army Medical Materiel
Development Activity
Fort Detrick, Frederick,
MD 21701-5009

Commander, U.S. Army
Aviation Center
Directorate
of Combat Developments
Bldg 507
Fort Rucker, AL 36362

Chief
Army Research Institute
Field Unit
Fort Rucker, AL 36362

Commander
U.S. Army Safety Center
Fort Rucker, AL 36362

U.S. Army Aircraft Development
Test Activity
ATTN: STEBG-MP-QA
Cairns AAF
Fort Rucker, AL 36362

Commander
U.S. Army Medical Research
and Development Command
ATTN: SGRD-PLC (COL Sedge)
Fort Detrick, Frederick
MD 21701

MAJ John Wilson
TRADOC Aviation LO
Embassy of the United States
APO New York 09777

Netherlands Army Liaison Office
Building 602
Fort Rucker, AL 36362

British Army Liaison Office
Building 602
Fort Rucker, AL 36362

Italian Army Liaison Office
Building 602
Fort Rucker, AL 36362

Directorate
of Training Development
Bldg 502
Fort Rucker, AL 36362

Chief
Human Engineering Laboratory
Field Unit
Fort Rucker, AL 36362

Commander
U.S. Army Aviation Center
and Fort Rucker
ATTN: ATZQ-T-ATL
Fort Rucker, AL 36362

President
U.S. Army Aviation Board
Cairns AAF
Fort Rucker, AL 36362

Dr. William E. McLean
Human Engineering Laboratory
ATTN: SLCHE-BR
Aberdeen Proving Ground,
MD 21005-5001

Canadian Army Liaison Office
Building 602
Fort Rucker, AL 36362

German Army Liaison Office
Building 602
Fort Rucker, AL 36362

French Army Liaison Office
Building 602
Fort Rucker, AL 36362

Brazilian Army Liaison Office
Building 602
Fort Rucker, AL 36362

Australian Army Liaison Office
Building 602
Fort Rucker, AL 36362

Dr. Garrison Rapmund
6 Burning Tree Court
Bethesda, MD 20817

Commandant
Royal Air Force Institute
of Aviation Medicine
Farnborough Hants UK GU14 6SZ

Dr. A. Kornfield, President
Biosearch Company
3016 Revere Road
Drexel Hill, PA 29026