

Unclassif
SECURITY CLASSIF

AD-A225 092

ON PAGE

Form Approved
OMB No 0704-0123

1a REPORT SECURITY

Unclassified

2a SECURITY CLASSIFICATION AUTHORITY

2b DECLASSIFICATION/DOWNGRADING SCHEDULE

4 PERFORMING ORGANIZATION REPORT NUMBER(S)

USAFSAM-JA-90-44

6a NAME OF PERFORMING ORGANIZATION

USAF School of Aerospace
Medicine

6b OFFICE SYMBOL
(If applicable)
EKEN

6c ADDRESS (City, State, and ZIP Code)

Human Systems Division (AFSC)
Brooks AFB TX 78235-5301

1b RESTRICTIVE MARKINGS

3 DISTRIBUTION/AVAILABILITY OF REPORT

Approved for public release; distribution is
unlimited.

5 MONITORING ORGANIZATION REPORT NUMBER(S)

6a NAME OF PERFORMING ORGANIZATION

USAF School of Aerospace
Medicine

6b OFFICE SYMBOL
(If applicable)
EKEN

6c ADDRESS (City, State, and ZIP Code)

Human Systems Division (AFSC)
Brooks AFB TX 78235-5301

7a NAME OF MONITORING ORGANIZATION

7b ADDRESS (City, State, and ZIP Code)

8a NAME OF FUNDING/SPONSORING
ORGANIZATION USAF School of
Aerospace Medicine

8b OFFICE SYMBOL
(If applicable)
EKEN

9 PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER

8c ADDRESS (City, State, and ZIP Code)

Human Systems Division (AFSC)
Brooks AFB TX 78235-5301

10 SOURCE OF FUNDING NUMBERS

PROGRAM
ELEMENT NO
81216F

PROJECT
NO SUPT

TASK
NO XX

WORK UNIT
ACCESSION NO
EK

11 TITLE (Include Security Classification)

Human Envenomation by Plectreurus tristis Simon (Araneae: Plectreuridae): A Case Report

12 PERSONAL AUTHOR(S)

Carpenter, Terry L.; Bernacky, Bruce J.; Stabell, Eric E.

13a TYPE OF REPORT

Scientific Note

13b TIME COVERED

FROM 2 Jun 90 TO 5 Jul 90

14 DATE OF REPORT (Year, Month, Day)

1990 July 5

15 PAGE COUNT

10

16 SUPPLEMENTARY NOTATION

17 COSATI CODES

FIELD GROUP SUB-GROUP
06 03

18 SUBJECT TERMS (Continue on reverse if necessary and identify by block number)

Araneae, Plectreuridae, Plectreurus tristis Simon, spider,
human, envenomization.

19 ABSTRACT (Continue on reverse if necessary and identify by block number)

A case of human envenomization by a plectreurid spider, Plectreurus tristis Simon, is reported. The patient was bitten on the calf of the leg and initially experienced pain, edema, and slight pallor at the bite site. Numbness persisted for approximately 1 hour in the affected leg. Symptoms resolved without specific treatment, and no additional complications were observed. This is the first report of human envenomization by P. tristis.

DTIC
ELECTE
AUG 09 1990

20 DISTRIBUTION/AVAILABILITY OF ABSTRACT

☒ UNCLASSIFIED/UNLIMITED ☐ SAME AS RPT ☐ DTIC USERS

21 ABSTRACT SECURITY CLASSIFICATION

Unclassified

22a NAME OF RESPONSIBLE INDIVIDUAL

Terry L. Carpenter, Capt, USAF, BSC

22b TELEPHONE (Include Area Code)

(512) 536-3471

22c OFFICE SYMBOL

USAFSAM/EKEN

For publication as a scientific note in:

Journal of Medical Entomology

Correspondence to:

Capt T. L. Carpenter
USAFSAM/EKEN
Brooks AFB TX 78235-5301
Tel. (512) 536-3471
AUTOVON 240-3471

**Human Envenomization by *Plectreurys tristis* Simon
(Araneae: Plectreuridae): A Case Report**

T. L. Carpenter¹, B. J. Bernacky², and E. E. Stabell³

Accession For	
STIS	☒
DTIC TAB	☐
Unannounced	☐
Justification	
Pre	
Distribution/	
Availability Codes	
Avail and/or	
DTIC Special	
A-1	

Abstract

A case of human envenomization by a plectreurid spider, Plectreurys tristis Simon, is reported. The patient was bitten on the calf of the leg and initially experienced pain, edema, and slight pallor at the bite site. Numbness persisted for approximately 1 hour in the affected leg. Symptoms resolved without specific treatment, and no additional complications were observed. This is the first report of human envenomization by P. tristis.

Key Words: Araneae, Plectreuridae, Plectreurys tristis, spider, human, envenomization

Envenomization of humans by spiders is relatively uncommon, but the bite of a few species can cause serious complications. We present the first report of human envenomization by a plectreurid spider, Plectreurys tristis Simon (Araneae: Plectreuridae).

Case Report

At 11:25 p.m. on 2 June 1990, a 15-year-old male reported to the emergency room of the Air Force Systems Command hospital at Edwards Air Force Base, Kern County, California, after having been bitten by a spider. Approximately one-half hour previously, as the patient was putting on pajamas, a spider inside the pants bit him on the posterior aspect of the calf of his right leg, approximately 10-15 cm distal to the knee. The patient captured the spider and presented it to the physician upon reporting to the hospital. The specimen was forwarded to the Medical Entomology Section, USAF School of Aerospace Medicine, Brooks Air Force Base, Texas, for identification.

Initially, the bite produced pain, edema, and slight pallor at the site. The patient expressed some fluid from the wound immediately after the bite. The initial symptoms persisted for 15-30 minutes, and after reporting to the hospital the patient reported vague, diffuse numbness distal to the right knee.

Physical examination of the patient revealed a small puncture on the right posterior calf of his leg. There was no local erythema, enduration, ischemia, or neurologic abnormality at the time of the examination, approximately 45 minutes after the bite occurred. Motor and reflex functions were intact. Supportive care was provided and the patient was observed for 2 hours, after which all symptoms resolved. No specific treatment was required. The patient was released with instructions to return if there was any recurrence of symptoms. There has been no indication of further complications.

Discussion

The spider was a mature male of medium size (approximately 11 mm in body length, 26 mm overall length with legs extended), dark brown, with moderately long, robust legs. The fangs of the specimen were about 1 mm in length, heavily sclerotized, and sharp enough to pierce human skin, especially if the spider were pressed tightly against the skin. Under a dissecting microscope at 10-20 power, it was readily identifiable as a member of the family Plectreuridae from diagnostic characters. Kaston's (1978) keys were used to identify the specimen to species: Plectreurys tristis Simon.

Spiders in the family Plectreuridae occur principally in North America, though some species are known in Central America

(Kaston 1978, Gertsch 1979). Plectreurid species have been reported from arid regions in the southwestern United States and adjacent Mexico, from scattered localities of eastern and southern Mexico, and from Costa Rica and Cuba. There are two genera with over 30 species in the family. Plectreurys tristis has been reported from California, Arizona, Nevada, Utah, and Idaho. An extensive search of the literature did not produce a report of human envenomization by any species in the family Plectreuridae.

Plectreurid spiders are classified in the superfamily Plectreuroidea, which contains 12 families of primitive hunters and weavers (Gertsch 1979). Three plectreuroid families (Loxoscelidae, Dysderidae, and Segestriidae) each contain a genus of spiders whose bite has been shown to have medically significant effects on humans. The family Loxoscelidae includes the recluse spiders, Loxosceles species, the venom of which is known to be cytotoxic (Maretic 1987). In the family Dysderidae, the bite of a New Zealand species, Dysdera crocata C. L. Koch, caused sharp pain that persisted about 15 minutes (Watt 1971). The family Segestriidae includes a European species, Segestria florentina Linnaeus, whose bite has been observed to cause local edema, erythema, and pain, with vertigo and nausea in one case (Maretic and Lebez 1979). The venoms of Segestria and Dysdera are not considered to be particularly dangerous to humans (Bucherl 1971, Bettini and Brignoli 1978).

The spider that bit this patient presumably originated from a natural population near his home in a residential section of North Edwards, Kern County, California. Plectreurid spiders build a silken tube as a retreat, with the entrance ringed or fringed with silk (Gertsch 1979). These retreats are found under stones, in debris and crevices, and in small holes along the edges of streams and roads, etc. The spiders stay in the bottom of the retreat during the day, but venture out during the night to hunt arthropod prey. It is probable that this spider was hunting when it wandered into the patient's house.

The symptoms exhibited by the patient in this case indicate that the effects of P. tristis envenomization in humans may be relatively benign. Envenomization may occur with some frequency, but may be overlooked or go unreported because of the quick resolution of symptoms and lack of sequelae. The clear fluid expressed from the wound immediately after the bite may have been venom. Consequently, the patient may have minimized the envenomation, resulting in less serious symptoms and/or briefer duration of symptoms.

The lack of previous reports of human envenomization by a plectreurid spider may be explained by the limited range of the spider, the relatively low density of humans within that range, and limited opportunity for contact between man and spider. The

envenomization reported here was strictly accidental. Plectreuryx
tristis Simon, like all spiders, will avoid humans whenever possible; it is beneficial in its natural habitat and should not be destroyed.

References Cited

- Bettini, S., and P. M. Brignoli. 1978. Review of the spider families, with notes on the lesser-known poisonous forms, ch. 6, pp. 101-120 In S. Bettini (ed.), Handbook of experimental pharmacology, Vol. 48. Springer-Verlag, Berlin.
- Bucherl, W. 1971. Spiders, ch. 51, pp. 197-277, In W. Bucherl and E. E. Buckley (eds.), Venomous animals and their venoms, Vol. III, Venomous invertebrates. Academic Press, New York, NY.
- Gertsch, W. J. 1979. American spiders. Van Nostrand Reinhold Co., New York, NY.
- Kaston, B. J. 1978. How to know the spiders. William C. Brown Company, Dubuque, Iowa.
- Maretic, Z., and D. Lebez. 1979. Araneism with special reference to Europe. Nolit Publishing House, Belgrade, Yugoslavia.
- Watt, J. C. 1971. The toxic effects of the bite of a clubionid spider. New Zealand Entomology 5: 87-90.

Footnotes

¹ Captain, USAF, Biomedical Sciences Corps; Medical Entomologist, Epidemiology Division, USAF School of Aerospace Medicine, Brooks Air Force Base, Texas 78235-5301.

² Captain, USAF, Biomedical Sciences Corps; Chief, Environmental Health Services, AFSC Hospital Edwards, Edwards Air Force Base, California 93523-5300.

³ M. D., Major, USAF, Medical Corps; Flight Surgeon, AFSC Hospital Edwards, Edwards Air Force Base, California 93523-5300.

Running Head

Carpenter et al: Human Envenomization by Plectrurys tristis Simon

Journal Section

Scientific Notes