

AD-A226 072

DTIC FILE COPY

AEOSK TR. 90 0885

②

HYPERSONIC VISCOUS FLOW
AFOSR Contract No. 88-0146

Principal Investigator: Cheng, Hsien K.

Department of Aerospace Engineering
University of Southern California
Los Angeles, California 90089-1191

July 26, 1990

Final Technical Report
Period: March 1, 1988 to May 31, 1990

Air Force Office of Scientific Research
Bolling Air Force Base
Washington, D. C. 20332-6448

Attn: Len Sakell

DISTRIBUTION STATEMENT A
Approved for public release;
Distribution Unlimited

90 08 28 092

AUG 30 1990

E

D

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE

REPORT DOCUMENTATION PAGE

1a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED			1b. RESTRICTIVE MARKINGS NONE		
2a. SECURITY CLASSIFICATION AUTHORITY			3. DISTRIBUTION / AVAILABILITY OF REPORT APPROVED FOR PUBLICATION AND RELEASE, DISTRIBUTION UNLIMITED		
2b. DECLASSIFICATION / DOWNGRADING SCHEDULE					
4. PERFORMING ORGANIZATION REPORT NUMBER(S)			5. MONITORING ORGANIZATION REPORT NUMBER(S)		
6a. NAME OF PERFORMING ORGANIZATION UNIVERSITY OF SOUTHERN CALIFORNIA		6b. OFFICE SYMBOL (If applicable) NA	7a. NAME OF MONITORING ORGANIZATION AFOSR		
6c. ADDRESS (City, State, and ZIP Code) UNIVERSITY PARK, RRB 101 LOS ANGELES, CA 90089-1191			7b. ADDRESS (City, State, and ZIP Code) DIRECTORATE OF SPACE SCIENCES BLDG. 410, BOLLING AIR FORCE BASE WASHINGTON, D.C. 20332-6448		
8a. NAME OF FUNDING / SPONSORING ORGANIZATION AFOSR		8b. OFFICE SYMBOL (If applicable) NA	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER AFOSR-88-0146		
8c. ADDRESS (City, State, and ZIP Code) Bolling AFB DC 20332-6448			10. SOURCE OF FUNDING NUMBERS		
			PROGRAM ELEMENT NO. 61102F	PROJECT NO. 2307	TASK NO. A1
			WORK UNIT ACCESSION NO.		
11. TITLE (Include Security Classification) Hypersonic Viscous Flow					
12. PERSONAL AUTHOR(S) PRINCIPAL INVESTIGATOR - H.K. CHENG					
13a. TYPE OF REPORT FINAL REPORT		13b. TIME COVERED FROM 3-1-88 TO 5-31-90		14. DATE OF REPORT (Year, Month, Day) 07-26-90	
15. PAGE COUNT 04					
16. SUPPLEMENTARY NOTATION					
17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)		
FIELD	GROUP	SUB-GROUP			
	20.04		Hypersonic Flow, viscous (1)		
19. ABSTRACT (Continue on reverse if necessary and identify by block number)					
RESEARCH AND DOCUMENTED WORKS ON VISCOUS HYPERSONIC FLOW THEORY AT THE UNIVERSITY OF SOUTHERN CALIFORNIA SUPPORTED BY AFOSR CONTRACT (88-0146) ARE SUMMARIZED AND REPORTED. TWO TOPIC AREAS WHERE THE RESEARCH HAS BEEN FOCUSED ARE: (1) A FULLY VISCOUS VERSION OF THE SHOCK LAYER (FVSL) AND ITS EXTENSION BEYOND THE NAVIER-STOKES (NS) LEVEL BASED ON GRAD'S THIRTEEN (13) -MOMENT EQUATIONS. (2) INVISCID-VISCOUS INTERACTION IN HYPERSONIC FLOWS. THE DEVELOPMENT IN AREA 1 HAS LED TO A PRINCIPLE WHICH ALLOWS CORRELATION OF A SHOCK LAYER FLOW FAR FROM TRANSLATIONAL EQUILIBRIUM WITH A CORRESPONDING FLOW BASED ON THE NS EQUATIONS, AS SUBSTANTIATED BY EXTENSIVE COMPARISON OF DIRECT SIMULATION MONTE CARLO AND NS-BASED CALCULATIONS. THE DEVELOPMENT IN AREA 2 RESULTED IN A TRIPLE-DECK THEORY OF HYPERSONIC BOUNDARY LAYER UNDER STRONG WALL COOLING WHICH EXHIBITS DRASTICALLY DIFFERENT STRUCTURE AND PROPERTIES OF THE TRIPLE-DECK. (EDC)					
20. DISTRIBUTION / AVAILABILITY OF ABSTRACT ☐ UNCLASSIFIED/UNLIMITED ☒ SAME AS RPT. ☐ DTIC USERS			21. ABSTRACT SECURITY CLASSIFICATION UNCLASSIFIED		
22a. NAME OF RESPONSIBLE INDIVIDUAL DR. Len Sakell			22b. TELEPHONE (Include Area Code) (214) 357-4935		22c. OFFICE SYMBOL NONE

DD FORM 1473, 84 MAR

83 APR edition may be used until exhausted.
All other editions are obsolete.

SECURITY CLASSIFICATION OF THIS PAGE

UNCLASSIFIED

I. INTRODUCTION

The prediction of rarefied hypersonic flow fields encountered at high altitude requires flow physics modeling capabilities not found in most continuum methods/codes. The studies performed under the AFOSR (88-0146) contract at USC during the past two years enables a fruitful research development on viscous hypersonic flows, jointly supported by the NASA/DOD Grant (NAGW-1061), to a stage where useful applications become evident in the key problem areas of high-altitude hypersonic aerothermodynamics. The research program has focused on two topic areas:

1. A fully viscous version of the shock layer (FVSL) theory and its extension beyond the Navier-Stokes (NS) level based on Grad's thirteen-moment equations.
2. Inviscid-viscous interaction in hypersonic flows.

The following will summarize the key developments and publication/documentation in each of the two areas.

II. KEY RESEARCH DEVELOPMENTS AND PUBLICATIONS/DOCUMENTS

The 13-Moment Based Viscous Shock Layer

The research in topic area 1 has made concrete a conclusion previously made by the P.I. that, under a strong wall cooling, wall-slip are far less important than the "shock slip" in a FVSL. This was documented in an AIAA paper 88-2731 by Cheng and Wong, superseded by USCAE Report 147^[1].

At high enough altitudes or Knudsen Numbers, not only will the shock layer become fully viscous, but the NS equations of the continuum model loses its physical basis from the gas-kinetic theory. The FVSL theory was thus reformulated from Grad's 13-moment theory of the gas kinetics. The new formalism leads to a system of nonlinear stress and strain-rate relations which nevertheless permit reduction of the thin-layer 13-moment system to one based on a NS model. The development thus leads to a principle which allows correlation of the shock layer flow in translational nonequilibrium with a corresponding NS flow. The theory has been demonstrated by the consistently good correlations of the FVSL analysis with DSMC calculations in skin-friction, surface heat-transfer, normal wall stress of a flat plate at finite attack angle, as well as the corresponding lift-to-drag ratio, (at 90-100 km altitude with speed 7.5 km/sec). This was documented in AIAA paper 89-1663 by Cheng, Lee, Wong and Yang^[2], and also in a paper in the Proceedings of the International Conference on Hypersonic Aerodynamics^[3].

The foregoing comparison and conclusion is further confirmed in a more recent study based on Maxwell gas. A part of this study was reported in a paper by Cheng, Wong, Hoover and Dogra, to be presented at the First International Hypersonic Waverider Symposium this Fall,^[4] in which a strip theory is also shown to be completely consistent with the 3-D FVSL equations, including inner and outer boundary conditions, and thus a valid (leading) approximation. An example of a model waverider, with a (nearly) planar lower surface and a planform and dimensions similar to those of the Space Shuttles, is studied. The study suggests a bridging formula for the Shuttle's L/D ratio in the transition range for altitudes up to 110 km.

Apart from furnishing a theoretical (rational) basis for the strip theory, the 3-D development has also completed a formulation in terms of the Dorodnitsyn variables, using a pair of conjugate stream functions as dependent variables. A generalization to a FVSL flow with binary, finite-rate relaxation and chemical kinetics shows that reduction to a corresponding NS system is possible, but each rate in the reduced system in this case must be augmented by an amount proportional to p/P_{22} (where p is the thermodynamic pressure and P_{22} the normal stress in the transverse direction).

Inviscid-Viscous Interactions of a Hypersonic Boundary Layer: Critical Wall-Cooling Effects

Upstream influence and separation can occur in a laminar boundary layer on a triple-deck scale which is much smaller than the (global) streamwise length scale assumed in the classical theory of hypersonic boundary-layer interaction. Research under partial AFOSR support reveals that there exists a critical range of wall-to-stagnation temperature ratio, T_w/T_o , in and below which the scale describing the triple-deck interaction theory and the displacement-pressure law become significantly different from the classical triple theory. The paper by Brown, Cheng and Lee presenting this theory has been accepted for publication in the *J. Fluid Mechanics*^[5].

III. CONCLUSION

Research on Viscous Hypersonic Flow supported by AFOSR during the period 02/01/88 - 01/31/89 has resulted in a development in the theories on rarefied hypersonic flows and on inviscid-viscous interaction. Works with encouraging results have been and are being documented in AIAA papers,^[1,2] conference proceedings^[3,4] and journal publication^[5]. Subsequent journal publication of more extensive and definitive works is planned in the near future. Research on a modification of Grad's method to overcome its difficulty in the shock-structure analysis and to furnish a uniformly valid flow field description for rarefied hypersonic flows is being continued.

Accession For	
NT'S CRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By	
Distribution/	
Availability Codes	
Dist	Wall and/or Special
A-1	



IV. REFERENCES: DOCUMENTED WORKS GENERATED UNDER THE PRESENT PROGRAM

1. Cheng, H. K. and Wong, Eric. Y., "Fluid Dynamic Modeling and Numerical Simulation of Low-Density Hypersonic Flow," Univ. So. Calif. Dept. Aerospace Engr. Report USCAE 147, superseding AIAA Paper 88-2731 (1988).
2. Cheng, H. K., Lee, C. J., Wong, E. Y. and Yang, H. T., "Hypersonic Slip Flows and Issues on Extending Continuum Model Beyond the Navier-Stokes Level," AIAA Paper 89-1663 (1989).
3. Cheng, H. K., "On Hypersonic Shock Layer and Its Extension Beyond the Navier-Stokes Level," Proc. International Conf. Hypersonic Aerodynamics, Univ. Manchester, England, Sept. 4-6, 1989 (1989).
4. Cheng, H. K., Wong, E. Y., Hoover, L. N. and Dogra, V. K., "Flat Plate at Incidence as a Waverider in Rarefied Hypersonic Flow," Proc. First International Hypersonic Waverider Symposium, Univ. Manchester, England, Oct. 18-19, 1990 (1990).
5. Brown, S. N., Cheng, H. K. and Lee, C. J., "Inviscid-Viscous Interaction on Triple-Deck Scales in a Hypersonic Flow with Strong Wall Cooling," J. Fluid Mech. (to appear).