

7793
cy003

NUSC Technical Document 7783
7 October 1986

DTIC FILE COPY

AD-A227 341

A Presentation on Perturbation Modeling for Ocean Sound Propagation

A Paper Presented at the
12th International Congress
on Acoustics, 16-18 July 1986,
in Halifax, Nova Scotia, Canada

Mark D. Duston
Ghasi R. Verma
David H. Wood
Surface Ship Sonar Department

~~RETURN TO DOCUMENTS LIBRARY~~

DTIC
ELECTE
OCT 12 1990
S E D



Naval Underwater Systems Center
Newport, Rhode Island / New London, Connecticut

Approved for public release; distribution limited.

80 33

Preface

The work reported in this document was completed under NUSC Project No. A92045, Dr. Rolf Kasper, Principal Investigator. A portion of this research was completed while two of us (Duston and Verma) participated in the U.S. Navy-ASEE Summer Faculty Research Program at the Naval Underwater Systems Center, New London Laboratory, in conjunction with NUSC Independent Research Project A92045.

Reviewed and Approved: 7 October 1986


W. A. Von Winkle
Associate Technical Director
for Technology

REPORT DOCUMENTATION PAGE

1a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED		1b. RESTRICTIVE MARKINGS	
2a. SECURITY CLASSIFICATION AUTHORITY		3. DISTRIBUTION/AVAILABILITY OF REPORT Approved for public release; distribution unlimited	
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE			
4. PERFORMING ORGANIZATION REPORT NUMBER(S) TD 7793		5. MONITORING ORGANIZATION REPORT NUMBER(S)	
6a. NAME OF PERFORMING ORGANIZATION Naval Underwater Systems Center	6b. OFFICE SYMBOL (if applicable)	7a. NAME OF MONITORING ORGANIZATION	
6c. ADDRESS (City, State, and ZIP Code). New London Laboratory New London, CT 06320		7b. ADDRESS (City, State, and ZIP Code)	
8a. NAME OF FUNDING/SPONSORING ORGANIZATION	8b. OFFICE SYMBOL (if applicable)	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER	
8c. ADDRESS (City, State, and ZIP Code)		10. SOURCE OF FUNDING NUMBERS	
		PROGRAM ELEMENT NO.	PROJECT NO.
		TASK NO.	WORK UNIT ACCESSION NO.
11. TITLE (Include Security Classification) A PRESENTATION ON PERTURBATION MODELING FOR OCEAN SOUND PROPAGATION			
12. PERSONAL AUTHOR(S) Mark D. Duston, Ghasi R. Vermi, and David H. Wood			
13a. TYPE OF REPORT	13b. TIME COVERED FROM TO	14. DATE OF REPORT (Year, Month, Day) 1986 October 7	15. PAGE COUNT
16. SUPPLEMENTARY NOTATION			
17. COSATI CODES		18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)	
FIELD	GROUP	SUB-GROUP	
		Wave Propagation, Perturbation	
		Acoustics	
		Modeling	
19. ABSTRACT (Continue on reverse if necessary and identify by block number)			
<p>This document is based on a presentation given at the 12th International Congress on Acoustics in Halifax, Nova Scotia, Canada, 16-18 July 1986.</p> <p>We assume that the speed of sound in the water and the bottom of the ocean is a function of only the depth, and not the range. We also assume that the ocean and its bottom eventually interface with a rigid halfspace. This problem can be solved by the method of normal modes, involving the eigenvalues and eigenfunctions of a depth dependent ordinary differential equation. Since the sound speed in this problem varies only a little from its average value, we exploit the fact that the eigenfunctions and eigenvalues are known when the sound speed is constant. We investigate the changes in these eigenvalues and eigenfunctions that result from changes in the depth dependent sound speed within the ocean and its bottom, using an algebraic formulation of the effect</p>			
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT <input checked="" type="checkbox"/> UNCLASSIFIED/UNLIMITED <input type="checkbox"/> SAME AS RPT. <input type="checkbox"/> DTIC USERS		21. ABSTRACT SECURITY CLASSIFICATION UNCLASSIFIED	
22a. NAME OF RESPONSIBLE INDIVIDUAL David H. Wood		22b. TELEPHONE (include Area Code) (203) 440-4831	22c. OFFICE SYMBOL Code 3332

19. ABSTRACT (Cont'd.)

of the perturbation. Another more recent approach to finding the changes in the eigenvalues and eigenfunctions is a transmutation approach. We show a method of approximating the kernel of an integral transform and use it to find the first order corrections to the eigenvalues and eigenfunctions. Finally we compare the results of these two approaches with the results of classical perturbation theory for the same problem.



PERTURBATION MODELING FOR OCEAN SOUND PROPAGATION

**M.D. DUSTON
G.R. VERMA
D.H. WOOD**

GRAPH 1

We would like to present an overview of some applications of perturbation theory for ordinary differential equations to ocean sound propagation. We are concerned generally with the problem of calculating the normal modes, and specifically we are involved with finding methods that allow us to find these normal modes in a much more efficient manner than present methods.


We examine three different approaches involving perturbation for the calculation of normal modes.

Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By _____	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	





WE WANT TO SOLVE THE FOLLOWING PROBLEM:



$$p_{rr}(r,z) + \frac{1}{r} p_r(r,z) + p_{zz}(r,z) + k^2 n^2(z) p(r,z) = 0,$$

WITH $p(r,0) = 0$ AND $p_z(r,h) = 0$.

GRAPH 2

We are dealing at this point with a fairly simplified model of the ocean and make the following assumptions:

- 1) uniform depth,
- 2) ocean is an isotropic medium,
- 3) sound speed a function of depth only,
- 4) pressure $p=0$ at the surface,
- 5) ocean and its bottom are eventually (at some depth h) underlaid by a rigid surface.

Under these assumptions the excess pressure p satisfies the Helmholtz Equation,

$$p_{rr}(r,z) + \frac{1}{r} p_r(r,z) + p_{zz}(r,z) + k^2 n^2(z) p(r,z) = 0,$$

with the boundary conditions

$$p(r,0) = 0 \quad \text{and} \quad p_z(r,h) = 0.$$

Here the term $n^2(z)$ reflects the depth dependent nature of the sound speed.



SOLVING BY SEPARATION OF VARIABLES,

$$p(r,z) = \psi(z) \theta(r),$$

THE NORMAL MODES MUST SATISFY

$$\psi''(z) + k^2 n^2(z) \psi(z) = \lambda \psi(z),$$

$$\psi(0) = 0 \quad \text{AND} \quad \psi'(h) = 0$$

GRAPH 3

We solve in a standard manner by using the method of separation of variables $p(r,z) = \psi(z)\theta(r)$. The depth dependent equation gives the normal modes which satisfy

$$\psi''(z) + k^2 n^2(z) \psi(z) = \lambda \psi(z)$$

with the boundary conditions expressed as

$$\psi(0) = 0 \quad \text{and} \quad \psi'(h) = 0.$$

**THE INDEX OF REFRACTION**

$$n^2(z) = 1 + \epsilon s(z)$$

CONTAINS A PERTURBATION $\epsilon s(z)$.**THE CASE $\epsilon = 0$ REPRESENTS AN IDEALIZED OCEAN
WITH CONSTANT SOUND SPEED.**

GRAPH 4

The quantity $n^2(z)$ is the index of refraction and we represent it as

$$n^2(z) = 1 + \epsilon s(z),$$

where the quantity $\epsilon s(z)$ is considered a perturbation. We introduce the parameter ϵ which reflects the strength of the perturbation. We assume that the function $s(z)$ is known for the case of interest. When $\epsilon=0$ we have recovered the idealized ocean with constant sound speed.



THE IDEALIZED NORMAL MODE PROBLEM

$$\phi''(z) + k^2 \phi(z) = \ell \phi(z),$$

$$\phi(0) = 0 \quad \text{AND} \quad \phi'(h) = 0$$

WITH L_2 NORMALIZATION HAS SOLUTIONS

$$\phi_m(z) = \sqrt{\frac{h}{2}} \sin \frac{(2m-1)\pi z}{2h}$$

AND

$$m = 1, 2, 3, \dots$$

$$\ell_m = k^2 - \left[\frac{(2m-1)\pi}{2h} \right]^2.$$

GRAPH 5

It is well known that for the idealized ocean with constant sound speed that the normal modes satisfy

$$\phi''(z) + k^2 \phi(z) = \ell \phi(z)$$

and the boundary conditions we imposed are

$$\phi(0) = 0 \quad \text{and} \quad \phi'(h) = 0.$$

It is well known that this problem has a complete set of solutions with eigenfunctions given by

$$\phi_m(z) = \sqrt{\frac{h}{2}} \sin \frac{(2m-1)\pi z}{2h} \quad m = 1, 2, \dots$$

and corresponding discrete eigenvalues given by

$$\ell_m = k^2 - \left[\frac{(2m-1)\pi}{2h} \right]^2 \quad m = 1, 2, \dots$$

These eigenfunctions have been L_2 normalized.



THE GENERAL PERTURBATION APPROACH

FIND THE EIGENFUNCTIONS ψ_n AND THE EIGENVALUES λ_n OF THE PERTURBED PROBLEM IN TERMS OF THE EIGENFUNCTIONS ϕ_n AND EIGENVALUES l_n OF THE IDEALIZED PROBLEM AND THE PERTURBATION $\epsilon s(z)$.

GRAPH 6

In a perturbation approach we find the eigenfunctions ψ_m and eigenvalues λ_m of the perturbed (depth dependent) in terms of the eigenfunctions ϕ_m and eigenvalues l_m of an idealized problem (which we know) and the perturbation $\epsilon s(z)$ (which we also know). Specifically we look for the changes or corrections which must be made to the idealized eigenfunctions and eigenvalues.



THE CLASSICAL APPROACH

EXPAND IN POWER SERIES IN ϵ

$$\lambda_m = \ell_m + \epsilon \lambda_m^{(1)} + \epsilon^2 \lambda_m^{(2)} + \dots$$

AND

$$\psi_m(z) = \phi_m(z) + \epsilon \psi_m^{(1)}(z) + \epsilon^2 \psi_m^{(2)}(z) + \dots,$$

BUT OBTAIN EACH TERM OF $\psi_m(z)$ ONLY AS A FOURIER SERIES

$$\psi_m^{(i)}(z) = \sum_{p=1}^{\infty} \alpha_{mp}^{(i)} \phi_p(z).$$

GRAPH 7

The first approach we examine is the classical perturbation approach found in Titchmarsh. The eigenvalues and eigenfunctions of the perturbed problem are expanded in power series of the parameter ϵ .

The perturbed eigenvalue equals the idealized eigenvalue plus corrections,

$$\lambda_m = \ell_m + \epsilon \lambda^{(1)} + \epsilon^2 \lambda^{(2)} + \dots$$

The perturbed eigenfunctions equals the idealized eigenfunctions plus corrections,

$$\psi_m(z) = \phi_m(z) + \epsilon \psi_m^{(1)}(z) + \epsilon^2 \psi_m^{(2)}(z) + \dots$$

However, we find the corrections to the perturbed eigenfunctions only as a Fourier series of the idealized eigenfunctions and we must find the Fourier coefficients α in terms of the idealized eigenfunction, the idealized eigenvalues and the perturbation.



THE CLASSICAL RESULTS

THE CORRECTIONS TO FIRST ORDER IN ϵ ARE

$$\lambda_m^{(1)} = \frac{2k^2}{h} \int_0^h s(z) \left[\sin \frac{(2m-1)\pi z}{2h} \right]^2 dz.$$

THE FOURIER COEFFICIENTS ARE

$$\alpha_{mn}^{(1)} = \frac{2k^2}{h} \int_0^h s(z) \sin \frac{(2m-1)\pi z}{2h} \sin \frac{(2n-1)\pi z}{2h} dz,$$

AND

$$\alpha_{mm}^{(1)} = 0.$$

GRAPH 8

In a fairly straight forward manner the explicit equations for the corrections may be derived. We exhibit the corrections to the first order in ϵ . The first order correction to the m^{th} eigenvalue is given by the formula

$$\lambda^{(1)} = \frac{2k^2}{h} \int_0^h s(z) \left[\sin \frac{(2m-1)\pi z}{2h} \right]^2 dz.$$

The first order correction to the eigenfunctions is given in terms of an infinite fourier series whose coefficients are given by

$$\alpha_{mn}^{(1)} = \frac{2k^2}{h} \int_0^h s(z) \sin \frac{(2m-1)\pi z}{2h} \sin \frac{(2n-1)\pi z}{2h} dz \quad \text{and} \quad \alpha_{mm}^{(1)} = 0$$



THE GALERKIN APPROACH (Cont'd)

THE PERTURBED PROBLEM IS

$$\Psi'' + k^2(1 + \epsilon s(z))\Psi = \Lambda\Psi,$$

$$\Psi(0) = 0 \text{ AND } \Psi'(h) = 0.$$

THE IDEALIZED PROBLEM IS

$$\Phi'' + k^2\Phi = L\Phi,$$

$$\Phi(0) = 0 \text{ AND } \Phi'(h) = 0.$$

THE GALERKIN APPROACH FINDS A MATRIX D SUCH THAT

$$\Psi(z) = D\Phi(z).$$

GRAPH 10

We may now express the perturbed problem in terms of the vector equation

$$\Psi'' + k^2(1 + \epsilon s(z))\Psi = \Lambda\Psi$$

where $k^2(1 + \epsilon s(z))$ is a scalar quantity and the boundary conditions are

$$\Psi(0) = 0 \quad \text{and} \quad \Psi'(h) = 0,$$

where the 0 is a zero vector. The idealized problem is represented by a corresponding vector equation.

In the Galerkin approach we look for a constant linear transformation (constant matrix) that satisfies

$$\Psi = D\Phi$$

In fact, we can guarantee the existence of such a matrix. The entries of the m th row of the matrix D are the coefficients of the m^{th} eigenfunction ψ expressed as a Fourier series in the eigenfunctions of the idealized problem.



THE GALERKIN APPROACH (Cont'd)

WE OBTAIN AN INFINITE ALGEBRAIC
EIGENPROBLEM FOR THE MATRIX D^t ,

$$(L + \epsilon A) D^t = D^t \Lambda,$$

WHERE

$$A = \int_0^h k^2 s(z) \Phi(z) \Phi^t(z) dz.$$

GRAPH 11

Substituting the transformation with a normalization constraint we simplify and obtain an infinite algebraic eigenproblem

$$(L + \epsilon A) D^t = D^t \Lambda,$$

where A is a matrix defined by

$$A = \int_0^h k^2 s(z) \Phi \Phi^t dz$$

and t denotes the transpose. This is really a standard algebraic eigenproblem of the type $MX = \lambda X$ where the columns of D^t are taken to be the vectors X . It is important that Λ multiply D^t on the right so that the m^{th} column of D^t is multiplied by the m^{th} eigenvalue in Λ . In this approach it is not necessary that the parameter ϵ be small. The matrix A has special structure (it is symmetric, and the sum of Hankel and Toeplitz matrices) and it is this special structure which can be exploited to solve the problem more efficiently than an arbitrary eigenproblem.



THE TRANSMUTATION APPROACH

WE EXPRESS THE PERTURBED NORMAL MODES AS

$$\psi_n(z) = \phi_n(z) + \int_h^z K(z,s) \phi_n(s) ds.$$

EXPAND THE PERTURBED PROBLEM IN POWER SERIES IN ϵ .

GRAPH 12

The last approach we examine is a transmutation approach. First we express the solution of the perturbed normal mode problem in terms of the integral transform of the solutions of an idealized normal mode problem. We use a transform of the type given by

$$\psi_m(z) = \phi_n(z) + \int_h^z K(z,s) \phi(s) ds$$

where we must specify the kernel function $K(z,s)$. In fact, we do not solve for this kernel analytically but instead expand in a power series in the parameter ϵ . We have developed an explicit method to find the coefficient of the power series expansion of the kernel and thus can approximate the kernel function.



THE TRANSMUTATION RESULTS

THE CORRECTIONS TO FIRST ORDER IN ϵ ARE

$$\lambda_n = \ell_n + \epsilon \left[\frac{(2n-1)\pi}{2h} \sqrt{\frac{2}{h}} \phi_n^{(1)}(0) \right]$$

AND

$$\begin{aligned} \psi_n(z) = \phi_n(z) + \epsilon \left\{ \phi_n^{(1)}(0) \left(\left| 1 - \frac{z}{h} \right| \cos \frac{(2n-1)\pi z}{2h} - \int_0^h \left| 1 - \frac{z}{h} \right| \cos \frac{(2n-1)\pi z}{2h} \theta_n^{(0)}(z) dz \right) \right. \\ \left. + \left(\int_h^z K^{(1)}(z,s) \theta_n^{(0)}(s) ds - \int_0^h \left[\int_h^z K^{(1)}(z,s) \theta_n^{(0)}(s) ds \right] \theta_n^{(0)}(z) dz \right) \right\}. \end{aligned}$$

GRAPH 13

We can express the perturbed eigenvalues to the first order in ϵ as

$$\lambda_n = \ell_n + \epsilon \left[\frac{(2n-1)\pi}{2h} \sqrt{\frac{2}{h}} \phi_n^{(1)}(0) \right]$$

and the perturbed eigenfunctions as

$$\begin{aligned} \psi_n(z) = \phi_n(z) \\ + \epsilon \left\{ \phi_n^{(1)}(0) \left[\left| 1 - \frac{z}{h} \right| \cos \frac{(2n-1)\pi z}{2h} - \int_0^h \left| 1 - \frac{z}{h} \right| \cos \frac{(2n-1)\pi z}{2h} \theta_n^{(0)}(z) dz \right] \right. \\ \left. + \left[\int_h^z K^{(1)}(z,s) \theta_n^{(0)}(s) ds - \int_0^h \left[\int_h^z K^{(1)}(z,s) \theta_n^{(0)}(s) ds \right] \theta_n^{(0)}(z) dz \right] \right\}. \end{aligned}$$

While the correction to the eigenfunction may look complicated it is the whole correction. We have an explicit formula without having to resort to Fourier series expansion.



THE TRANSMUTATION RESULTS (Cont'd)

THE CORRECTIONS TO FIRST ORDER IN ϵ ARE DEFINED
IN TERMS OF

$$\phi_n^{(1)}(0) = \int_0^h K^{(1)}(0,s) \theta_n^{(0)}(s) ds$$

AND

$$\epsilon K^{(1)}(z,s) = -\frac{k^2}{2} \left(\int_h^{\frac{z+s}{2}} [n^2(\zeta) - 1] d\zeta + \int_h^{\frac{z-s+2h}{2}} [n^2(\zeta) - 1] d\zeta \right).$$

GRAPH 14

The corrections for the eigenvalues and eigenfunctions are expressed in terms of $\phi_n^{(1)}(0)$ and $K^{(1)}(z,s)$. The first constant is defined by the expression

$$\phi_n^{(1)}(0) = \int_0^h K^{(1)}(0,s) \theta_n^{(0)}(s) ds,$$

and the first order in epsilon term of the power series expansion of the kernel is given by

$$\epsilon K^{(1)}(z,s) = -\frac{k^2}{h} \left[\int_h^{\frac{(z+s)/2}{2}} [n^2(\zeta) - 1] d\zeta + \int_h^{\frac{(z-s)/2}{2} + h} [n^2(\zeta) - 1] d\zeta \right].$$

We again have the perturbation type result where the corrections are explicit functions of θ , the unperturbed eigenfunction, ℓ , the unperturbed eigenvalue and the expression $[n^2(z) - 1]$, which is the perturbation.



COMPARISON OF APPROACHES

	POWER SERIES IN ϵ	FOURIER SERIES	NOT EXPLICIT FORMULAS
CLASSICAL	✓	✓	
GALERKIN		✓	✓
TRANSMUTATION	✓		

GRAPH 15

In summary let us examine each approach. The classic approach gives explicit formulas that are readily obtained for the corrections but depends on both power series expansion in ϵ and infinite Fourier series expansion of the corrections for the eigenfunctions. The Galerkin approach is neither dependent on small ϵ nor does it require a power series expansion in that parameter, however, the eigenfunctions are given in terms of a Fourier series and does not give explicit formulas for the corrections. Finally the transmutation method gives explicit formulas without the need for the Fourier series expansion, but it still requires a power series expansion in ϵ and the calculations required are somewhat more involved.

Abraham, Phil
Code 5132, Physical Acoustic Branch
Naval Research Lab.
Washington, DC 20375

Ahluwalia, D. S.
Chairman
Mathematics Department
New Jersey Institute of Technology
Newark NJ 07102

Ames, W. F.
Georgia Inst of Tech
Atlanta, GA 30332

Andrushkiw, R.
Mathematics Department
New Jersey Institute of Technology
Newark NJ 07102

Avula, Xavier
Institute for Applied Science
Box 1488
Rolla, MI 65401

Baer, Ralph
Naval Research Lab.
Washington, DC 20375

Baggeroer, Authur B.
Mass Inst of Tech
Cambridge, MA 02139

Bates, Susan
Syscon
Middletown, RI 02840

Bayliss, Alvin
Exxon, Res
P.O. Box 45
Linden, NJ 07036

Bleistein, Norman
Mathematics Department
Colorado School of Mines
Golden, CO 80401

Bojarski, Norbert
16 Pine Valley Lane
Newport Beach, CA 92660

Bragg, Louis
Department of Mathematics
Oakland University
Rochester, MI 48063

Burridge, Robert
Courant Institute of Mathematical Sciences
251 Mercer St
New York, NY 10012

Carroll, Robert
Department of Mathematics
University of Ill
Urbana, IL 61801

Cohn, Harvey
Mathematics Department
Convent Ave and 138th St
New York, NY 10031

Caviness, B. F.
Professor and Chairman
Department of Computer and
Information Sciences
University of Delaware
Newark, DE 19716

Colton, David
Department of Mathematical Sciences
University of Delaware
Newark, DE 19716

Davis, J.
Planning Systems, Inc.
Suite B, Foss Building
95 Trumbull Street
New London, CT 06320

Yves Desaubies
Woods Hole Oceanographic Inst.
Woods Hole, MA 02543

DeSanto, John
Mathematics Department
Colorado School of Mines
Golden, CO 80401

Dettman, John
Department of Mathematics
Oakland University
Rochester, MI 48063

Driver, R.
Mathematics Department
University of Rhode Island
Kingston, RI 02881

Dozier, Lewis
Sciences Applications, Inc.
1710 Goodridge Dr.
McLean, VA 22102

Dout, J.
Woods Hole Oceanographic Inst.
Woods Hole, MA 02543

Ebert, G.
Department of Mathematical Sciences
University of Delaware
Newark, DE 19716

Elman, Howard
Computer Sciences Department
University of Maryland, Baltimore County
Cantonville, MD 21228

Evans, Richard
ODSI Defense Systems, Inc.
N. Stonington Prof. Center
N. Stonington CT 06359-1738

Felsen, L. B.
Dept of Elec Eng and
Computer Science
Polytechnic University
Farmingdale, NY 11735

Finizio, N.
Mathematics Department
University of Rhode Island
Kingston, RI 02881

Fiduccia, Charles
GE, Research and Development
P.O. Box 8
Schenectady, NY 12301

Fishman, Louis
Department of Civil Engineering
The Catholic University of America
Washington, DC 20064

Fleury, Patrick
4801 Shaboygan Ave. Apt-101
Madison, Wisconsin 53705

Frankenthal, Shimshon
Department of Ocean Engineering
MIT
Cambridge, MA 02139

Gilbert, Robert P.
Department of Mathematical Sciences
University of Delaware
Newark, DE 19716

Goodman, Ralph
SACLANT ASW Research Center
APO New York 09019

Grove, E.
Department of Mathematics
University of Rhode Island
Kingston, RI 02881

Hewer, Gary
Naval Weapons Center
China Lake, CA 93555

Jacobson, Melvin
Department of Mathematical Sciences
Rensselaer Polytechnic Institute
Troy, NY 12181

Jeffrey, Allen
Department of Engineering Mathematics
University of Newcastle Upon Tyne
NE 171U
England

Johnson, D.
Department of Mathematics
University of Rhode Island
Kingston, RI 02881

Kleinman, Ralph
Department of Mathematical Sciences
University of Delaware
Newark, DE 19716

Kriegsmann, Gregory A.
Dept of Eng Sci and Appl Math
Northwestern University
Evanston, IL 60201

Kot, Alex
Electrical Engineering
University of Rhode Island
Kingston, RI 02881

Kuo, John T.
Aldridge Lab of Appl Geophysics
Columbia Univ
New York, NY 10027

Ladas, G.
Mathematics Department
University of Rhode Island
Kingston, RI 02881

Lakshmanasamy, S.
Electrical Engineering
University of Rhode Island
Kingston, RI 02881

Lamagna, Edmund
Computer Sciences Department
University of Rhode Island
Kingston, RI 02881

Lengyel, Gabriel
Department of Electircal Engineering
University of Rhode Island
Kingston, RI 02881

Lewis, J.
Department of Mathematics
University of Rhode Island
Kingston, RI 02881

Li, Dong-Jye
Ocean Engineering Department
University of Rhode Island
Kingston, RI 02881

Li, Jian-Shu
Box 2155, Yale Station
New Haven, CT 06520

Liu, P.
Mathematics Department
University of Rhode Island
Kingston, RI 02881

Lu, I. T.
Dept of Elec Eng and
Computer Science
Polytechnic University
Farmingdale, NY 11735

Madych, Wolodymyr
Department of Mathematics
University of Connecticut
Storrs, CT 06268

McCoy, J. J.
Department of Mathematics
Catholic University of America
Washington, DC 20064

Maltz, Frederick
Westinghouse Electric Corp.
P.O. Box 1488 - M/S 9260
Anapolis, MD 21404

Marshall, Charles
State University of New York
Computer Science Dept.
Potdam, NY 13676

Mayfield, Betty
22 E 4th Street
Frederick, MD 21701

Merklinger, Harold
Defense Research Establishment Atlantic
9 Grove Street
Darthmouth, Nova Scotia
Canada

Miller, Willard Jr.
School of Mathematics
University of Minnesota
Minneapolis, MN 55455

Montgomery, J.
Department of Mathematics
University of Rhode Island
Kingston, RI 02881

Mullikin, Thomas
Code 411MA
Office Naval Research
800 Quincy Street
Arlington, VA 22217

Norris, A. N.
Department Computer Sci.
Rutgers Univ
New Brunswick, NJ 08903

Pakula, Lewis
Department of Mathematics
University of Rhode Island
Kingston, RI 02881

Papadakis, John
Department of Mathematics
University of Crete
Iraklion
Greece

Pierce, Allan D.
Georgia Inst of Tech
Atlanta, GA 30332

Porter, Michael
Code 5120
Naval Research Lab.
Washington, DC 20375

Richards, P. C.
IBM Corporation
Atlanta, GA 30332

Reiss, Edward L.
Dept of Eng Sci and Appl Math
Northwestern University
Evanston, IL 60201

Robertson, John
Department of Mathematics
U.S. Military Academy
West Point, NY 10996-1786

Rokhlin, Vladimir
Computer Science Dept.
Yale University
10 Hillhouse
New Haven, CT 06520

Roxin, E.
Department of Mathematics
University of Rhode Island
Kingston, RI 02881

Shisha, O.
Mathematics Department
University of Rhode Island
Kingston, RI 02881

Sine, Robert
Department of Mathematics
University of Rhode Island
Kingston, RI 02881

Santosa, Fadil
Department of Mathematical Sciences
University of Delaware
Newark, DE 19716

Sarkissian, Angie
Sach/Freeman Associates
Bowie, MD 20715

Saunders, D.
Department of Computer and
Information Sciences
University of Delaware
Newark, DE 19716

Schmidt, Henrik
SACLANT ASW Research Centre
APO New York 09019

Schultz, Martin
Computer Science Department
10 Hillhouse
New Haven, CT 06520

Schwartz, Stuart C.
Department of Elec. Engineering
Princeton University
Princeton, NJ 08544

Shen, Longjun
P.O. Box 8009
Beijing
People's Republic of China

Siegmann, Bill
Department of Mathematical Sciences
Rensselaer Polytechnic Institute
Troy, NY 12181

Spofford, Charles
Sciences Applications, Inc.
1710 Goodridge Dr.
McLean, VA 22102

St. Mary, Donald
Cntr for Appl Math & Sci Comp
Department of Mathematics
University of Mass
Amherst, MA 101003

Stakgold, Ivar
Chairman
Department of Mathematical Sciences
University of Delaware
Newark, DE 19716

Stepanishen, Peter
Department of Ocean Engineering
University of Rhode Island
Kingston, RI 02881

Sternberg, Robert
Office Naval Research
495 Summer Street
Boston, MA 02210

Stickler, David
Mathematics Department
Colorado School of Mines
Golden, CO 80401

Suryanaryan, E.
Department of Mathematics
University of Rhode Island
Kingston, RI 02881

Teng, Yu-chiung
Aldridge Lab of Appl Geophysics
Columbia Univ
New York, NY 10027

Thomson, David J.
Defence Research Establishment Pacific
Forces Mail Office
Victoria, British Columbia
Canada VOS 1B0

Trefethen, Lloyd N.
Department of Mathematics
Mass Inst of Tech
Cambridge, MA 02139

Tufts, Donald
Department of Electrical Engineering
University of Rhode Island
Kingston, RI 02881

Turkel, Eli
Tel Aviv University
Math Science School
Ramat Aviv
Tel Aviv, Israel

Van Loan, Charles
Department of Computer Science
Cornell University
Ithaca, NY 14853

Verma, Ghasi R.
Department of Mathematics
University of Rhode Island
Kingston, RI 02881

Vichnevetsky, R
Department Computer Sci.
Rutgers Univ
New Brunswick, NJ 08903

Vignes, J.
Universite P. et M. Curie
4, Place Jussieu
75230 PARIS Cedex
France

Weinberg, H.
Senior Technical Director
ODSI Defense Systems, Inc.
N. Stonington Prof. Center
N. Stonington CT 06359-1738

**END
FILMED**

DATE: 12-90

DTIC