

2

MEMORANDUM REPORT BRL-MR-3867

BRL

A SYMPTOM OF PAYLOAD-INDUCED FLIGHT INSTABILITY

CHARLES H. MURPHY

SEPTEMBER 1990

DTIC
ELECTE
OCT 17 1990

Co

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED.

U.S. ARMY LABORATORY COMMAND

BALLISTIC RESEARCH LABORATORY
ABERDEEN PROVING GROUND, MARYLAND

AD-A227 515

NOTICES

Destroy this report when it is no longer needed. DO NOT return it to the originator.

Additional copies of this report may be obtained from the National Technical Information Service, U.S. Department of Commerce, 5285 Port Royal Road, Springfield, VA 22161.

The findings of this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

The use of trade names or manufacturers' names in this report does not constitute indorsement of any commercial product.

UNCLASSIFIED

REPORT DOCUMENTATION PAGE			FORM 298-100 OME No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Project (0704-0188), Washington, DC 20503.				
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE September 1990	3. REPORT TYPE AND DATES COVERED Final, Dec 86 - Sep 90		
4. TITLE AND SUBTITLE A Symptom of Payload-Induced Flight Instability		5. FUNDING NUMBERS 1L162618AH80		
6. AUTHOR(S) Charles H. Murphy				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)		8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING MONITORING AGENCY NAME(S) AND ADDRESS(ES) Ballistic Research Laboratory ATTN: SLCBR-DD-T Aberdeen Proving Ground, MD 21005-5066		10. SPONSORING MONITORING AGENCY REPORT NUMBER BRL-MR-3867		
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION AVAILABILITY STATEMENT Approved for public release; distribution is unlimited		12b. DISTRIBUTION CODE		
13. ABSTRACT (Maximum 200 words) Observations of instability caused by a moving payload--liquid or solid--have shown that large angular motions are always accompanied by a large spin-down moment. A simple general relation is derived between the side moment and the spin moment caused by the steady-state motion of any movable payload. 				
14. SUBJECT TERMS Moving Payload Flight Instability		Payload Payload-Induced Roll Moment Payload-Induced Side Moment		15. NUMBER OF PAGES 14
				16. PRICE CODE
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT SAR	

NSN 7540-01-280-5500

UNCLASSIFIED


A

Standard Form 298 (Rev. 2-89)
Prescribed by ANSI Std. Z39-18
298-102

INTENTIONALLY LEFT BLANK.

Table of Contents

	<u>Page</u>
List of Figures	v
I. Introduction	1
II. Moving Rigid Payload	1
III. Liquid Payloads	2
IV. General Moving Payload Moment Relation	3
References	7
Distribution List	9



Accession For	
NTIS GRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By _____	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	

INTENTIONALLY LEFT BLANK.

List of Figures

<u>Figure</u>		<u>Page</u>
1	Measured spin histories of T317	5
2	Sun angle history of unstable liquid-filled shell	6
3	Spin history of unstable liquid-filled shell	6

INTENTIONALLY LEFT BLANK.

I. Introduction

The angular motion of a projectile in flight can usually be represented as the sum of two coning motions. The stability of a general motion can then be determined by considering the stability of each coning motion separately. For this analysis, an aeroballistic coning axis system with unit vectors $\hat{e}_{xc}$, $\hat{e}_{yc}$ and $\hat{e}_{zc}$ is customary. The $\hat{e}_{xc}$ vector is aligned along the axis of symmetry; the $\hat{e}_{yc}$ vector is in the plane containing the axis of symmetry and the velocity vector and points toward the velocity vector. For constant-amplitude coning motion of amplitude α_c and frequency $\dot{\phi}_c$, the angular velocity of the coordinate system is

$$\vec{\Omega} = \dot{\phi}_c (\hat{e}_{xc} \cos \alpha_c + \hat{e}_{yc} \sin \alpha_c) \quad (1)$$

The aerodynamic moment $\vec{M}_a$ can be expressed in the coning coordinate system as (M_{ax}, M_{ay}, M_{az}) . M_{ax} represents the spin moment and is usually described quantitatively by the dimensionless coefficient C_l . M_{az} represents an in-plane moment (a moment causing a motion in the plane of the cone angle); it is related primarily to the static moment coefficient, C_{M_α} , and controls the frequency of the coning motion.¹ Finally, M_{ay} represents a side moment; it is a combination of the damping-in-pitch and Magnus moment coefficients, and controls the growth or decay of the coning motion.

If a projectile has a moving payload — solid or liquid — the moment exerted by this payload can be expressed in coning coordinates as (M_{px}, M_{py}, M_{pz}) . The side moment component, M_{py} , can cause spectacular instabilities. When these instabilities occur, a rapid despin is observed; hence a relation between the moving payload's spin moment and its side moment has long been suspected. This correlation between spin and side moment is used as a diagnostic for payload-induced instability.

In this report we will review the experimental observations and theories that deal with this relation for a variety of moving components. We will then derive a very simple relation that applies to all moving payloads in steady-state motion, thus validating the diagnostic tool.

II. Moving Rigid Payload

In 1955 an 8-inch shell, the T317, showed significant range losses and very large spin decays.² This shell had several rings held on a central column but free to move within small but nonzero clearances. The actual spin histories of several T317's are given in Reference 2 and are repeated as Figure 1. This figure also gives the spin history for three T347's. The T347 shell has the same external shape, mass, and moments of inertia as the T317 but no movable internal components. In all observed cases, the T317 had a greater spin loss and flew to a lesser range. The relative decrements between the range of each T317 shell and the average range of the T347's are given in the figure. We see that a spin loss of almost 70 Hz was observed for a projectile that flew 11 % short of its proper range.

Several authors ^{3,4,5} developed steady-state payload motion theories to explain this misbehavior. Reference 5 considered two types of motion: (1) a circular motion of radius ϵ of the payload component center of mass about the projectile's axis of symmetry; (2) a coning motion of angle γ of the spin axis of the payload component about the projectile's axis of symmetry. Both motions were assumed to be at the projectile's coning frequency, $\dot{\phi}_c$, and lagging the projectile coning motion by a phase angle ϕ_a . Under these assumptions, the side moment exerted by the internal component was shown to be

$$M_{py} = A \dot{\phi}_c \sin \phi_a \quad (2)$$

where:

$$A = \begin{cases} (1) m_p l_p^2 \dot{\phi}_c \epsilon \\ \text{or} \\ (2) (I_{xp} p_p - I_{tp} \dot{\phi}_c) \gamma \end{cases}$$

m_p = mass of payload component
 l_p = axial location of payload component relative to projectile center of mass
 I_{xp} = axial moment of inertia of payload component
 I_{tp} = transverse moment of inertia of payload component
 p_p = spin of payload component

More importantly, the roll moment induced by the payload component was shown to be

$$M_{px} = -M_{py} \sin \alpha_c \quad (3)$$

III. Liquid Payloads

Liquid payloads have been known to cause very spectacular instabilities. Flight measurements in 1974 of unstable projectiles with spinning liquid payloads showed a most remarkable result.⁶ Very large decreases in projectile spin were observed for unstable projectiles performing large-amplitude coning motion.

Figures 2-3 are yawsonde records for a liquid-filled shell fired at a transonic muzzle velocity. The oscillating sun angle, σ_n , indicates a coning motion in excess of thirty degrees after eight seconds of flight. At this time, the slope of Euler spin, $\dot{\phi}$, changes by a factor of ten. Thus projectiles fully filled with liquid show the same spin-down behavior as projectiles with moving rigid payloads. Indeed, this large despin moment occurring for payload-induced instability was suggested by Miller ⁷ as a design tool, a technique justified by flight tests.⁸

The first theoretical relation between side moment and roll moment for liquid payloads was given in Reference 9. This reference assumed that the steady-state motion of a liquid could be approximated by a linearized Navier-Stokes equation and then showed (after considerable algebra) that Equation (3) was valid for a liquid payload. Later, Rosenblat et al.¹⁰ showed that linearization of the Navier-Stokes equation was unnecessary. After three pages of much simpler algebra, Reference 10 showed that *any* liquid in a fully filled payload cavity (provided the liquid satisfies the continuity equation and is in steady-state motion) has the following relationship between its side moment and its roll moment:

$$M_{px} \approx -M_{py} \tan \alpha_c \quad (4)$$

Note that the linear versions of Equations (3) and (4) are the same but Eq. (4) is the more accurate nonlinear version.

IV. General Moving Payload Moment Relation

The occurrence of Eq. (4) in so many moving payload theories suggests the possibility that some simple general proof of this relation should exist for all possible moving payloads in steady-state motion. Indeed, such a proof was developed in Reference 11 by differentiating the angular momentum of the moving payload.

If $\vec{V}(x, y, z)$ is the velocity vector of the moving payload element located at (x, y, z) , the angular momentum of the payload is given by

$$\vec{L} = \iiint \rho \vec{R} \times \vec{V} \, dx \, dy \, dz \quad (5)$$

where: $\rho(x, y, z)$ is the payload density and
 $\vec{R} = (x, y, z)$ is the position vector of a payload element.

The moment exerted by the moving payload is the negative of the derivative of the payload's angular momentum:

$$\begin{aligned} \vec{M}_p &= -\dot{\vec{L}} \\ &= -(\dot{L}_1 \hat{e}_{xc} + \dot{L}_2 \hat{e}_{yc} + \dot{L}_3 \hat{e}_{zc} + \vec{\Omega} \times \vec{L}) \end{aligned} \quad (6)$$

where: (L_1, L_2, L_3) are the components of the payload angular momentum vector in the coning system.

For steady-state coning motion, $\dot{L}_j = 0$ and hence

$$\vec{M}_p = \dot{\phi}_c \left[-L_3 \sin \alpha_c \hat{e}_{xc} + L_3 \cos \alpha_c \hat{e}_{yc} + (L_1 \sin \alpha_c - L_2 \cos \alpha_c) \hat{e}_{zc} \right] \quad (7)$$

so that

$$\begin{aligned} M_{px} &= -\dot{\phi}_c L_3 \sin \alpha_c \\ &= -M_{py} \tan \alpha_c \end{aligned} \quad (8)$$

Thus the presence of a payload-induced side moment can always be determined by the roll moment for large coning motion.




Figure 1. Measured spin histories of T317.




Figure 2. Sun angle history of unstable liquid-filled shell.




Figure 3. Spin history of unstable liquid-filled shell.

References

1. Murphy, C.H., "Free Flight Motion of Symmetric Missiles," U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, Maryland, BRL Report No. 1216, July 1963, AD 442757.
2. Karpov, B.G., and Bradley, J.W., "A Study of Causes of Short Ranges of the 8 Inch, T317 Shell," U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, Maryland, BRL Report No. 1049, May 1958, AD 377548.
3. Chadwick, Wm. R., "Stability of Spinning Shell (Influence of Elastically Supported Gyroscopic Mass)," unpublished Naval Surface Weapons Center manuscript, September 1975.
4. Soper, W.G., "Projectile Instability Produced by Internal Friction," *AIAA Journal*, Vol 16, January 1978, pp 8-11.
5. Murphy, C.H., "Influence of Moving Internal Parts on Angular Motion of Spinning Projectiles," *Journal of Guidance and Control*, Vol. 1, March-April 1978, pp 117-122. (See also BRL-MR-2731, February 1977, AD A037338.)
6. D'Amico, Wm. P., Oskay, V., and Clay, W.H., "Flight Tests of the 155mm XM687 Binary Projectile and Associated Design Modifications Prior to the Nicolet Winter Test 1974-1975," U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, Maryland, BRL Memorandum Report 2748, May 1977, AD B019969.
7. Miller, M.C., "Flight Instabilities of Spinning Projectiles Having Nonrigid Payloads," *Journal of Guidance, Control and Dynamics*, Vol. 5, March-April 1982, pp 151-157.
8. D'Amico, Wm. P., and Miller, M.C., "Flight Instability Produced by a Rapidly Spinning, Highly Viscous Liquid," *Journal of Spacecraft and Rockets*, Vol. 16, January-February 1976, pp 62-64.
9. Murphy, C.H., "Liquid Payload Roll Moment Induced by a Spinning and Coning Projectile," U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, Maryland, BRL Technical Report ARBRL-TR-02521, September 1983, AD A133681. (See also AIAA paper 83-2142, August 1983).
10. Rosenblat, S., Gooding, A., and Engleman, M.S., "Finite Element Calculations of Viscoelastic Fluid Flow in a Spinning and Nutating Cylinder," U.S. Army Armament Munitions Chemical Command Report CRDEC-CR-87021, December 1986.
11. Murphy, C.H., Bradley, J.W., and Mermagen, W.H., Sr., "Side Moment Induced by a Spinning, Coning, Highly Viscous Liquid Payload," U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, Maryland, BRL Technical Report BRL-TR-3074, December 1989, AD 218746.

INTENTIONALLY LEFT BLANK.

No of Copies	Organization
1	Office of the Secretary of Defense OUSD(A) Director, Live Fire Testing ATTN: James F. O'Bryon Washington, DC 20301-3110
2	Administrator Defense Technical Info Center ATTN: DTIC-DDA Cameron Station Alexandria, VA 22304-6145
1	HQDA (SARD-TR) WASH DC 20310-0001
1	Commander US Army Materiel Command ATTN: AMCDRA-ST 5001 Eisenhower Avenue Alexandria, VA 22333-0001
1	Commander US Army Laboratory Command ATTN: AMSLC-DL Adelphi, MD 20783-1145
2	Commander US Army, ARDEC ATTN: SMCAR-IMI-I Picatinny Arsenal, NJ 07806-5000
2	Commander US Army, ARDEC ATTN: SMCAR-TDC Picatinny Arsenal, NJ 07806-5000
1	Director Benet Weapons Laboratory US Army, ARDEC ATTN: SMCAR-CCB-TL Watervliet, NY 12189-4050
1	Commander US Army Armament, Munitions and Chemical Command ATTN: SMCAR-ESP-L Rock Island, IL 61299-5000
1	Commander US Army Aviation Systems Command ATTN: AMSAV-DACL 4300 Goodfellow Blvd. St. Louis, MO 63120-1798

No of Copies	Organization
1	Director US Army Aviation Research and Technology Activity ATTN: SAVRT-R (Library) M/S 219-3 Ames Research Center Moffett Field, CA 94035-1000
1	Commander US Army Missile Command ATTN: AMSMI-RD-CS-R (DOC) Redstone Arsenal, AL 35898-5010
1	Commander US Army Tank-Automotive Command ATTN: AMSTA-TSL (Technical Library) Warren, MI 48397-5000
1	Director US Army TRADOC Analysis Command ATTN: ATAA-SL White Sands Missile Range, NM 88002-5502
(Class. only) 1	Commandant US Army Infantry School ATTN: ATSH-CD (Security Mgr.) Fort Benning, GA 31905-5660
(Unclass. only) 1	Commandant US Army Infantry School ATTN: ATSH-CD-CSO-OR Fort Benning, GA 31905-5660
1	Air Force Armament Laboratory ATTN: AFATL/DLODL Eglin AFB, FL 32542-5000
	<u>Aberdeen Proving Ground</u>
2	Dir, USAMSAA ATTN: AMXSY-D AMXSY-MP, H. Cohen
1	Cdr, USATECOM ATTN: AMSTE-TD
3	Cdr, CRDEC, AMCCOM ATTN: SMCCR-RSP-A SMCCR-MU SMCCR-MSI
1	Dir, VLAMO ATTN: AMSLC-VL-D

<u>No. of Copies</u>	<u>Organization</u>
1	Commander US Army, ARDEC ATTN: SMCAR-AET-A, Mr. R. Kline Picatinny Arsenal, NJ 07806-5000
1	Commander, USACECOM R&D Technical Library ATTN: ASQNC-ELC-I-T, Myer Center Fort Monmouth, NJ 07703-5301
1	Director US Army Missile and Space Intelligence Center ATTN: AIAMS-YDL Redstone Arsenal, AL 35898-5500
10	Central Intelligence Agency Office of Central Reference Dissemination Branch Room GE-47 HQS Washington, DC 20505
1	Air Force Armament Laboratory Aerodynamics Branch ATTN: Mr. Gerald Winchenbach Eglin AFB, FL 32542-5434
1	Commander Naval Surface Warfare Center M/C K21 ATTN: Dr. Thomas R. Pepitone Dahlgren, VA 22448
2	Director Sandia National Laboratory ATTN: Dr. W. Oberkamp Mr. A.E. Hodapp, Jr. Albuquerque, NM 87185
1	University of Virginia Department of Aerospace Engineering and Engineering Physics ATTN: Professor Ira D. Jacobson Charlottesville, VA 22904

<u>No. of Copies</u>	<u>Organization</u>
1	Arrow Tech Associates, Inc. ATTN: Mr. Robert H. Whyte P.O. Box 4218 South Burlington, VT 05401-0042
	<u>Aberdeen Proving Ground</u>
2	Cdr, CRDEC, AMCCOM ATTN: SMCCR-RSP-A, Mr. Miles Miller Mr. Daniel Weber

USER EVALUATION SHEET/CHANGE OF ADDRESS

This Laboratory undertakes a continuing effort to improve the quality of the reports it publishes. Your comments/answers to the items/questions below will aid us in our efforts.

1. BRL Report Number BRL-MR-3867 Date of Report SEPTEMBER 1990
2. Date Report Received _____
3. Does this report satisfy a need? (Comment on purpose, related project, or other area of interest for which the report will be used.) _____

4. Specifically, how is the report being used? (Information source, design data, procedure, source of ideas, etc.) _____

5. Has the information in this report led to any quantitative savings as far as man-hours or dollars saved, operating costs avoided, or efficiencies achieved, etc? If so, please elaborate. _____

6. General Comments. What do you think should be changed to improve future reports? (Indicate changes to organization, technical content, format, etc.) _____

CURRENT ADDRESS

Name

Organization

Address

City, State, Zip Code

7. If indicating a Change of Address or Address Correction, please provide the New or Correct Address in Block 6 above and the Old or Incorrect address below.

OLD ADDRESS

Name

Organization

Address

City, State, Zip Code

(Remove this sheet, fold as indicated, staple or tape closed, and mail.)

-----FOLD HERE-----

DEPARTMENT OF THE ARMY

Director
U.S. Army Ballistic Research Laboratory
ATTN: SLCBR-DD-T
Aberdeen Proving Ground, MD 21005-5066
OFFICIAL BUSINESS



**NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES**

BUSINESS REPLY MAIL

FIRST CLASS PERMIT No 0001, APG, MD

POSTAGE WILL BE PAID BY ADDRESSEE

Director
U.S. Army Ballistic Research Laboratory
ATTN: SLCBR-DD-T
Aberdeen Proving Ground, MD 21005-9989



-----FOLD HERE-----