

DOCUMENT REPORT DOCUMENTATION

Approved
0704-0188

Using existing data sources, available or any other aspect of the report. 1215 Jefferson Highway, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (7040-0188).

AD-A230 273

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing the collection of information, gathering and maintaining the data needed, and completing and reviewing the collection of information, including suggestions for reducing this burden, to Washington, D.C. 20503, and to the Office of Management and Budget, Paperwork Reduction Project (7040-0188).

1. Agency Use Only (Leave blank).	2. Report Date. 1990	ADSTRACT
-----------------------------------	-------------------------	----------

4. Title and Subtitle. Gulf Stream Forecast Experiments	5. Funding Numbers. Program Element No. 63207N Project No. X2008 Task No. Accession No. DN259001
--	--

6. Author(s). D. M. Fox, M. R. Carnes, and J. L. Mitchell	8. Performing Organization Report Number. AB 90:323:128
--	--

7. Performing Organization Name(s) and Address(es). Ocean Science Directorate Naval Oceanographic and Atmospheric Research Laboratory Stennis Space Center, MS 39529-5004	10. Sponsoring/Monitoring Agency Report Number. AB 90:323:128
--	--

9. Sponsoring/Monitoring Agency Name(s) and Address(es). Space and Naval Warfare Systems Command PDW-141 Washington, D.C. 20363-5100	11. Supplementary Notes. EOS
---	---------------------------------

DTIC
SELECTED
JAN 04 1991

12a. Distribution/Availability Statement. Approved for public release; distribution is unlimited.	12b. Distribution Code. Dist Special A-1 21
--	--

DOCUMENTLESS INPUT

13. Abstract (Maximum 200 words). A series of numerical experiments to predict the evolution of the Gulf Stream have been performed, leading to the first system to show significant skill in this area. The forecast system uses the NOARL NW Atlantic regional primitive equation model and assimilation schemes which employ both a feature model and statistical correlations derived from the regional climatology of in situ data and long time-base numerical simulations. The evaluation criterion is the mean absolute distance between forecast locations of the Gulf Stream front and actual locations as verified from extensive satellite and in situ data. Eight one-week and five two-week evaluation intervals during 1986-1988 were selected to represent a variety of both active and inactive Gulf Stream regimes. To ensure objectivity, hindcasting was disallowed. The NOARL system provided forecasts which were significantly better than persistence at both one- and two-week intervals. This study indicates the feasibility of Gulf Stream forecasting using assimilation schemes which provide adequate deep information and numerical models which are designed to be consistent with available data.
--

Keywords: Oceanographic data assimilation

14. Subject Terms. (U) Ocean Models (U) Data Assimilation <i>IS (EDO)...</i>	15. Number of Pages. 1
17. Security Classification of Report. Unclassified	18. Security Classification of This Page. Unclassified
19. Security Classification of Abstract. Unclassified	20. Limitation of Abstract. SAR

16. Price Code.

17. Security Classification of Report. Unclassified	18. Security Classification of This Page. Unclassified	19. Security Classification of Abstract. Unclassified	20. Limitation of Abstract. SAR
--	---	--	------------------------------------

91 1 2 088

1

J
□
□

ES

QUALITY INSPECTED
4