

AD-A233 034

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Polymer Syntheses and Mechanisms of Polymerization		5. TYPE OF REPORT & PERIOD COVERED Final Report
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Thomas J. Katz	8. CONTRACT OR GRANT NUMBER(s) N00014-79-C0683	
9. PERFORMING ORGANIZATION NAME AND ADDRESS Thomas J. Katz Department of Chemistry, Columbia University New York, NY 10027		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS NR 356-726
11. CONTROLLING OFFICE NAME AND ADDRESS Office of Naval Research--Chemistry Arlington, VA 22217		12. REPORT DATE March 18, 1991
		13. NUMBER OF PAGES 6
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report)
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) This document has been approved for public release and sale; its distribution is unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Acetylene/ Alkene/ Olefin-Metathesis/ Metal-Catalyst/ Mechanism/ Stereochemistry/ Reactivity/ NMR/ Metal-Carbene/ Metal-Carbyne/ Polyacetylene/ Polyalkenamer/ Phenol/ Metal-Pentadienyl		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The major outcome of the research was the discovery that acetylenes induce metal-derivatives to initiate metatheses of olefins. This discovery provides a simple way to synthesize a variety of polymers from cyclic olefins. Research to demonstrate the mechanism by which acetylenes induce metatheses showed that polyacetylenes appear as a block at the start of polyalkenamer chains. The initiation of the olefin metathesis quenches the acetylene polymerization. The size of the block revealed for the first time how the reactivities toward metal-carbenes differ for acetylenes and alkenes. Continued on the reverse side		

DD FORM 1473
1 JAN 73EDITION OF 1 NOV 68 IS OBSOLETE
S/N 0102-LF-014-6601

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

Block 20 continued.

When molecules are constructed that contain acetylene and alkene functions separated by four atoms—that is, so the alkene function is positioned to interact with a reactive center generated at the position of the acetylene—the acetylene polymerization is quenched after a single cycle of polymerization.

The result is one of two new transformations. If a full equivalent of a metal-carbene is combined with three enynes, the product contains a fragment of the metal-carbene. If only a small amount of a metal-derivative is combined with the enynes, the product is that of a new molecular rearrangement.

The stereochemistries of these transformations revealed for the first time the stereochemistry followed when metal-containing cyclobutenes yield metal-vinyl carbenes.

Other discoveries include these.

Isolable metal-carbenes initiate polymerizations of cyclic alkenes, giving polymers that by conventional procedures could not be prepared at all or could not be prepared as pure.

Metal-carbynes induce acetylenes and alkynes to polymerize.

Functionalized polyacetylenes, materials previously unknown, could be prepared from functionalized acetylenes by using metal-carbenes to initiate the polymerizations.

Metal-carbynes with diynes give phenols. The procedure was demonstrated to give phenols fused to six-, five-, and four-membered rings.

Metal-pentadienyls can be synthesized in a new way, by combining a metal-carbyne with an enyne.

A new NMR technique was used to show that when molybdenum catalysts induce acetylenes to polymerize, the carbons in the polymer that are connected by single-bonds are the ones that in the acetylene were connected by triple bonds. However, when titanium catalysts induce the polymerizations, it is the carbons in the polymers that are connected by double-bonds that derive from these carbons in the acetylene. The experiment distinguishes mechanisms that have confused chemists for years.

OFFICE OF NAVAL RESEARCH

Contract N00014-79-C-0683

Task No. NR 356-726

FINAL REPORT

Thomas J. Katz
Columbia University
Department of Chemistry
New York, New York

March 18, 1991

Accession For	
NTIS COPY	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By	
Date	
Avail to Public	
Dist	
A-1	

Reproduction in whole or in part is permitted for
any purpose of the United States Government

This document has been approved for public release
and sale; its distribution is unlimited.

91 3 25 098

Polymer Syntheses and Mechanisms of Polymerization

(Contract N00014-79-C-0683)

(Project NR356-726)

Final Report

Prepared by

Thomas J. Katz

Department of Chemistry Columbia University

New York, NY 10027

Accomplishments, with Derivable Conclusions

The major outcome of the research was the discovery that acetylenes induce metal-derivatives to initiate metatheses of olefins. This discovery provides a simple way to synthesize a variety of polymers from cyclic olefins.

Research to demonstrate the mechanism by which acetylenes induce metatheses showed that polyacetylenes appear as a block at the start of polyalkenamer chains. The initiation of the olefin metathesis quenches the acetylene polymerization. The size of the block revealed for the first time how the reactivities toward metal-carbenes differ for acetylenes and alkenes.

When molecules are constructed that contain acetylene and alkene functions separated by four atoms—that is, so the alkene function is positioned to interact with a reactive center generated at the position of the acetylene—the acetylene polymerization is quenched after a single cycle of polymerization.

The result is one of two new transformations. If a full equivalent of a metal-carbene is combined with three enynes, the product contains a fragment of the metal-carbene. If only a small amount of a metal-derivative is combined with the enynes, the product is that of a new molecular rearrangement.

The stereochemistries of these transformations revealed for the first time the stereochemistry followed when metal-containing cyclobutenes yield metal-vinyl carbenes.

Other discoveries include these.

Isolable metal-carbenes initiate polymerizations of cyclic alkenes, giving polymers that by conventional procedures could not be prepared at all or could not be prepared as pure.

Metal-carbynes induce acetylenes and alkynes to polymerize.

Functionalized polyacetylenes, materials previously unknown, could be prepared from functionalized acetylenes by using metal-carbenes to initiate the polymerizations.

Metal-carbynes with diynes give phenols. The procedure was demonstrated to give phenols fused to six-, five-, and four-membered rings.

Metal-pentadienyls can be synthesized in a new way, by combining a metal-carbyne with an enyne.

A new NMR technique was used to show that when molybdenum catalysts induce acetylenes to polymerize, the carbons in the polymer that are connected by single-bonds are the ones that in the acetylene were connected by triple bonds. However, when titanium catalysts induce the polymerizations, it is the carbons in the polymers that are connected by double-bonds that derive from these carbons in the acetylene. The experiment distinguishes mechanisms that have confused chemists for years.

Technical Reports

- Technical Report No. 1. Preparations of Polymers Using Metal-Carbenes,
- Technical Report No. 2. Induction of Olefin Metathesis by Acetylenes
- Technical Report No. 3. Reactivities of Metal Carbenes toward Alkenes and Alkynes
- Technical Report No. 4. Induction of Olefin Metathesis by Phenylacetylene plus Tungsten Hexachloride
- Technical Report No. 5. Polymerizations of Acetylenes and Cyclic Olefins Induced by Metal Carbynes
- Technical Report No. 6. Polymerization of Functionalized Acetylenes
- Technical Report No. 7. The Mechanism of Ziegler-Natta Polymerization of Acetylene: A Nutation NMR Study
- Technical Report No. 8. Metal-Catalyzed Rearrangement of Alkene-Alkynes and the Stereochemistry of Metallacyclobutene Ring Opening
- Technical Report No. 9. Mechanisms of Phenylacetylene Polymerization by Molybdenum and Titanium Initiators
- Technical Report No. 10. Synthesis of Phenols from Metal-Carbynes and Diynes
- Technical Report No. 11. A Procedure Identifying a Polyacetylene Initiator of Olefin Metathesis. The Reactivities of Metal Carbenes toward Alkenes and Alkynes
- Technical Report No. 12. Reactions of Acetylenes and Alkenes Induced by Catalysts of Olefin Metathesis
- Technical Report No. 13. A Metal Pentadienyl Prepared by Reacting a Metal Carbyne with an Enyne

Journal Articles Published

- Thomas J. Katz, Steven J. Lee and Michael A. Shippey, "Preparations of Polymers Using Metal-Carbenes," *J. Mol. Catal.* **1980**, *8*, 219-226.
- Thomas J. Katz, Steven J. Lee, Mridula Nair, and Edward B. Savage, "Induction of Olefin Metathesis by Acetylenes," *J. Am. Chem. Soc.* **1980**, *102*, 7940-7942.
- Thomas J. Katz, Edward B. Savage, Steven J. Lee, and Mridula Nair, "Reactivities of Metal Carbenes toward Alkenes and Alkynes," *J. Am. Chem. Soc.* **1980**, *102*, 7942-7944.
- Thomas J. Katz and Chien-Chung Han, "Induction of Olefin Metathesis by Phenylacetylene plus Tungsten Hexachloride," *Organometallics* **1982**, *1*, 1093-1095.
- T. C. Clarke, C. S. Yannoni and T. J. Katz, "Mechanism of Ziegler-Natta Polymerization of Acetylene: A Nutation NMR Study," *J. Am. Chem. Soc.* **1983**, *105*, 7787-7789.

Thomas J. Katz, Thoi Huu Ho, Neng-Yang Shih, Yuan-Chi Ying, and Van I. W. Stuart, "Polymerizations of Acetylenes and Cyclic Olefins Induced by Metal Carbynes," *J. Am. Chem. Soc.* **1984**, *106*, 2659-2668.

Thoi Huu Ho and Thomas J. Katz, "Polymerization of Functionalized Acetylenes," *J. Mol. Catal.* **1985**, *28*, 359-367.

Thomas J. Katz and Timothy M. Sivavec, "Metal-Catalyzed Rearrangement of Alkene-Alkynes and the Stereochemistry of Metallacyclobutene Ring Opening," *J. Am. Chem. Soc.* **1985**, *107*, 737-738.

Thomas J. Katz, Scott M. Hacker, R. D. Kendrick and C. S. Yannoni, "Mechanisms of Phenylacetylene Polymerization by Molybdenum and Titanium Initiators," *J. Am. Chem. Soc.* **1985**, *107*, 2182-2183.

Timothy M. Sivavec and Thomas J. Katz, "Synthesis of Phenols from Metal-Carbynes and Diynes," *Tetrahedron Lett.* **1985**, *26*, 2159-2162.

Chien-Chung Han and Thomas J. Katz, "A Procedure Identifying a Polyacetylene Initiator of Olefin Metathesis. The Reactivities of Metal Carbenes toward Alkenes and Alkynes," *Organometallics* **1985**, *4*, 2186-2195.

Thomas J. Katz, "Reactions of Acetylenes and Alkenes Induced by Catalysts of Olefin Metathesis," in *Transition-Metal Carbene Complexes*, U. Schubert (editor); D. Reidel Publishing Co.; Dordrecht, Holland, 1989; pp 293-304.

Timothy M. Sivavec, Thomas J. Katz, Michael Y. Chiang, and Ginger Xu-Qiang Yang, "A Metal Pentadienyl Prepared by Reacting a Metal Carbyne with an Enyne," *Organometallics* **1989**, *8*, 1620.

Patents

Thomas J. Katz, Mridula Nair, Steven J. Lee, "Olefin Metathesis," *U. S. Pat.* 4,334,048 (1982)

Thomas J. Katz, Michael A. Shippey, "Process for Synthesizing Silylated Polyalkenamers," *U. S. Pat.* 4,396,750 (1983).

Thomas J. Katz, "Olefin Metathesis," *U. S. Pat.* 4,490,512 (1984).

Personnel who Participated in the Research

Professional Personnel

Thomas Katz
Douglas Anton
Thoi Huu Ho
Christo Jossifov
Scott M. Hacker
Chien-Chung Han
Timothy M. Sivavec
Van Isaac Stuart
Yuan-Chi Ying
Ginger Xu-Qiang Yang

Technical Assistants

Paul Hauptman
Jay Markowitz
Rachel Miller
Edward Savage
Sari-Beth Samuels
Slavica Sporer

Secretaries

Baylis, Gallant, Kelety, Maguire, Nasir,
Taylor, Torres, West, Zebovits

Distribution List

Mr. Vincent A. Morano
ONR Resident Representative
33 Third Ave.
Lower Level
New York, NY 11113-9998

3 copies

Defense Technical Information Center
Building 5, Cameron Station
Alexandria, VA 22314

12 copies