

DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

AD-A234 024

Information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Avenue, Washington, DC 20540, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

2. REPORT DATE October 1990		3. REPORT TYPE AND DATES COVERED Journal article	
4. TITLE AND SUBTITLE Table of Special Function Integrals*		5. FUNDING NUMBERS Work Unit #59-0589-0-0 Assession #DN220-161	
6. AUTHOR(S) Jean C. Piquette			
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Methods Section, Measurements Branch, Underwater Sound Reference Detachment, Naval Research Laboratory P.O. Box 568337 Orlando, FL 32856-8337		8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Office of Naval Research		10. SPONSORING/MONITORING AGENCY REPORT NUMBER	
11. SUPPLEMENTARY NOTES *Article appeared in SIGSAM Bulletin, A Quarterly Publication of the Special Interest Group on Symbolic & Algebraic Manipulation, Vol. 24, No. 4, Issue 94, October 1990, pp 8-21			
12a. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release; distribution unlimited		12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) A table of integrals generated by using an automatic symbolic integrator is presented. Included are indefinite integrals containing one or more Bessel functions, Laguerre functions, Legendre functions, or Hermite functions. Many of the results were not known prior to the development of the symbolic integration method used here.			
14. SUBJECT TERMS Symbolic integration Special functions Indefinite integration		15. NUMBER OF PAGES 28	
Bessel functions Legendre functions antidifferentiation		16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT SAR	20. LIMITATION OF ABSTRACT SAR

DTIC
SELECTED
APR 5 1991
S B D

GENERAL INSTRUCTIONS FOR COMPLETING SF 298

The Report Documentation Page (RDP) is used in announcing and cataloging reports. It is important that this information be consistent with the rest of the report, particularly the cover and title page. Instructions for filling in each block of the form follow. It is important to *stay within the lines* to meet *optical scanning requirements*.

Block 1. Agency Use Only (Leave blank).

Block 2. Report Date. Full publication date including day, month, and year, if available (e.g. 1 Jan 88). Must cite at least the year.

Block 3. Type of Report and Dates Covered. State whether report is interim, final, etc. If applicable, enter inclusive report dates (e.g. 10 Jun 87 - 30 Jun 88).

Block 4. Title and Subtitle. A title is taken from the part of the report that provides the most meaningful and complete information. When a report is prepared in more than one volume, repeat the primary title, add volume number, and include subtitle for the specific volume. On classified documents enter the title classification in parentheses.

Block 5. Funding Numbers. To include contract and grant numbers; may include program element number(s), project number(s), task number(s), and work unit number(s). Use the following labels:

C - Contract	PR - Project
G - Grant	TA - Task
PE - Program Element	WU - Work Unit Accession No.

Block 6. Author(s). Name(s) of person(s) responsible for writing the report, performing the research, or credited with the content of the report. If editor or compiler, this should follow the name(s).

Block 7. Performing Organization Name(s) and Address(es). Self-explanatory.

Block 8. Performing Organization Report Number. Enter the unique alphanumeric report number(s) assigned by the organization performing the report.

Block 9. Sponsoring/Monitoring Agency Name(s) and Address(es). Self-explanatory.

Block 10. Sponsoring/Monitoring Agency Report Number. (If known)

Block 11. Supplementary Notes. Enter information not included elsewhere such as: Prepared in cooperation with...; Trans. of...; To be published in... When a report is revised, include a statement whether the new report supersedes or supplements the older report.

Block 12a. Distribution/Availability Statement. Denotes public availability or limitations. Cite any availability to the public. Enter additional limitations or special markings in all capitals (e.g. NOFORN, REL, ITAR).

DOD - See DoDD 5230.24, "Distribution Statements on Technical Documents."

DOE - See authorities.

NASA - See Handbook NHB 2200.2.

NTIS - Leave blank.

Block 12b. Distribution Code.

DOD - Leave blank.

DOE - Enter DOE distribution categories from the Standard Distribution for Unclassified Scientific and Technical Reports.

NASA - Leave blank.

NTIS - Leave blank.

Block 13. Abstract. Include a brief (*Maximum 200 words*) factual summary of the most significant information contained in the report.

Block 14. Subject Terms. Keywords or phrases identifying major subjects in the report.

Block 15. Number of Pages. Enter the total number of pages.

Block 16. Price Code. Enter appropriate price code (*NTIS only*).

Blocks 17. - 19. Security Classifications. Self-explanatory. Enter U.S. Security Classification in accordance with U.S. Security Regulations (i.e., UNCLASSIFIED). If form contains classified information, stamp classification on the top and bottom of the page.

Block 20. Limitation of Abstract. This block must be completed to assign a limitation to the abstract. Enter either UL (unlimited) or SAR (same as report). An entry in this block is necessary if the abstract is to be limited. If blank, the abstract is assumed to be unlimited.



SIGSAM Bulletin

A Quarterly Publication of the
Special Interest Group on Symbolic & Algebraic Manipulation

Volume 24, Number 4

October 1990

(Issue #94)

- 1 Message from the Chair

Announcements

- 2 ISSAC'91: Call for Papers
3 ICCI'91: Call for Papers and Participation
4 SIGIR FORUM
5 Access to Japanese databases
6 Special Session on Symbolic Mathematics: Call for Papers
7 WADS'91: Call for Papers

Contributions

- 8-21 Jean C. Piquette
Table of Special Function Integrals
- 22-25 R.P. dos Santos and W.L. Roque
On the Design of an Expert Help System for Computer Algebra Systems
- 26-32 Vilmar Trevisan
Recognition of Hurwitz Polynomials
- 33-41 V. Baladi and J.-P. Guillement
A Program for Computing Puiseux expansions
- 42-59 J.-P. Dedieu and G. Norton
Stewart Varieties: A Direct Algebraic Model for Stewart Platforms

91 4 04 03 1

ASSOCIATION FOR COMPUTING MACHINERY
11 WEST 42ND STREET, NEW YORK, NY 10036

Non-Profit
Organization
U.S. Postage
PAID
Easton, Maryland
Permit No. 114

SIGSAM Bulletin

A Quarterly Publication of the ACM Special
Interest Group on Symbolic and Algebraic
Manipulation

Editor

Franz Winkler
Institut für Mathematik und
Res. Inst. for Symbolic Computation
Johannes Kepler Universität
A-4040 Linz, Austria
(7236) 3231 43
Netmail: K310270@AEARN.BITNET

Associate Editors

Moayyad A. Hussain
General Electric CR&D Center
P.O. Box 8
Schenectady, NY 12301
(518) 387-6260

Tateaki T. Sasaki
Institute of Physical & Chemical
Research
Wako-shi, Saitama 351
Japan

Stephen M. Watt
IBM T.J. Watson Research Center
Yorktown Heights, NY 10598
(914) 945-3405

Papers appearing in SIGSAM Bulletin are edited but unrefereed working papers. Submissions of any material of interest to SIGSAM members is encouraged. Contributions to SIGSAM Bulletin should be sent to the Editor via electronic mail or in camera-ready form. The four yearly issues of the SIGSAM Bulletin appear in January, April, July, and October. Any material intended for publication in month X must be received by the editor on the 15th of month X — 1.

This issue was received at ACM Headquarters for production on 10/1/90

SIGSAM EXECUTIVE COMMITTEE

Chairman

Paul S. Wang
Department of Mathematical Sciences
Kent State University
Kent, Ohio 44242, USA
Netmail: pwang@math-cs.kent.edu

Vice-Chairman

Keith O. Geddes
Department of Computer Science
University of Waterloo
Waterloo, Ontario N2L 3G1
Canada
Netmail: kgeddes@watmum.waterloo.edu

Secretary

Alfonso M. Miola
Dipt. di Informatica e Sistemistica
Università di Roma "La Sapienza"
Via Buonarroti 12
00185 Roma, Italia
(+39)-6-731-2367 or (+39)-6-731-2328
Netmail: Miola@IRMUNISA EARN.Bitnet
Telefax: 39-6-4740234
Telex: 613255 INFNRO I

Treasurer

Stephen M. Watt
IBM T.J. Watson Research Center
Yorktown Heights, NY 10598
(914) 945-3405
Netmail: smwatt@ibm.com

Previous Chairman

David Y.Y. Yun
Department of Computer Science
and Engineering
Southern Methodist University
Dallas, Texas 75275
(214) 692-3095
Netmail: yun%smu@csnet-relay

Past Chairpersons

1965-67	Jean E. Sammet
1967-69	Carl Engelman
1969-71	Stanley R. Petrick
1971-73	Joel Moses
1973-75	James H. Griesmer
1975-77	George E. Collins
1977-79	Bobby F. Caviness
1979-81	Richard D. Jenks
1981-83	Anthony C. Hearn
1983-85	Richard J. Fateman

Message from the Chair

The record heat wave in Japan did not dim the spirits or the technical quality of the ISSAC'90 conference which was held in Nihon University, Tokyo (August 20 - 24). The 188 participants come from many different countries including a good number from the USSR. The conference also enjoyed strong local support in terms of attendance and industrial contribution. In parallel with the technical presentations were 10 demos on various workstations through the entire meeting. It is worth noting that ISSAC'90 marks several FIRST's: first time the Symposium ever comes to the Far East, first use of the ISSAC logo, and the first issue of ISSAC Proceedings to be distributed by Addison-Wesley.

Furthermore, a limited number of copies are available at ACM member discount: \$18.00 for members (ACM order number 505900, ACM ISBN 0-89 791-401-5). Send order with payment to ACM Order Dept., P.O. Box 64145 Baltimore, MD 21264; credit card orders (1-800-342-6626). Non members, please order from Addison-Wesley Publishing Company, Order Dept, Jacob Way, Reading, MA, 01867; 1-800-447-2226 (A-W ISBN 0-201-54892-5).

Now that the ISSAC'90 is behind us we can look forward to the next meetings. ISSAC'91 (Bonn, Germany!) has announced a paper of deadline of Dec. 31, 1990. Let me encourage everyone to prepare and submit your contributions early. The proceedings will again be distributed by Addison-Wesley.

The decision was made in Tokyo that University of California at Berkeley will host ISSAC'92. Richard Fateman volunteered as Local Arrangements Chair. The organization of the conference and program committees is underway. A primary focus of ISSAC'92 will be the interface/integration of symbolic and numeric computation. There really should not be artificial boundaries between symbolic and numeric computations. Instead we should think of mathematical computation for science and engineering as a whole. This view is gaining support among the SIGSAM and SIGNUM membership. In fact, the two SIG's plan to join forces at ISSAC'92. If you are interested in helping with this conference, please feel free to contact me or others responsible for ISSAC'92.

Preparations for the election of new SIGSAM officers are in high gear. The nominating committee consists of R.J. Fateman (chair), A.C. Hearn, R. Jenks, and myself. We are making good progress in contacting people and getting commitments to run for office. Hopefully, statements from the candidates can also appear in the January issue of the Bulletin.

on For	
RA&I	☒
3	☐
ced	☐
ation	
ation/	
Availability Codes	
Avail and/or	
Special	
Dist	
A-1	20

Table of Special Function Integrals

Jean C. Piquette

Naval Research Laboratory, Underwater Sound Reference Detachment,
P.O. Box 568337, Orlando, Florida 32856-8337

This paper is the result of a suggestion by B. F. Caviness [1] to publish a table of integrals obtained using the special function integration technique that has been described in detail elsewhere [2]-[8], since only a much abbreviated version of the table could be accommodated in [7]. This integration technique permits symbolic evaluation of integrals of the form

$$(1) \quad I = \int f(x) \prod_{i=1}^m R_{\mu_i}^{(i)}(x) dx ,$$

where $f(x)$ is an essentially arbitrary function and $\prod R$ is a product of any of a very broad class of special functions including, but not limited to, Bessel functions, Legendre functions, Hermite functions, Laguerre functions, Chebychev polynomials, Jacobi polynomials, and Gegenbauer polynomials. In [7] is described a method which can be used to enhance the on-board integrator of a symbolic software system to include analytical symbolic evaluation of integrals of this type. The method is currently being evaluated for possible inclusion in the program MathematicaTM [9].

The table is divided into two sections. In Sec. I are presented results derivable directly from the technique described in [7]. In Sec. II are presented results that were derived using the methods of [2]-[8], but these examples required human intervention for their evaluation. Current research in the area of this integration technique falls into two broad categories that roughly correspond to the subdivision of the tables. The first area corresponds to looking for heuristics beyond those presented in [7] for obtaining particular solutions to the ordinary, linear, inhomogeneous differential equation produced by the method. (Any particular solution of this differential equation is sufficient to produce an analytical expression for the associated special function integral.) The second area is associated with looking for algorithms that can eliminate the need for human intervention to produce results of the type presented in Sec. II of the tables. Current efforts center around attempts to automatically incorporate the use of generalized hypergeometric functions, ${}_pF_q$, or Meijer's G-function, into the particular solution search for these cases.

In the tables, Z and $\bar{Z}$ denote Bessel functions J or Y , P denotes Legendre functions of either the first or second kind, H denotes Hermite function, and L denotes Laguerre function. The parameters μ and ν are arbitrary numbers.

I. Results obtainable by fully automatic methods.

$$\int \frac{\sin(x) Z_\nu(x) dx}{x^{3/2}} = \frac{2[(2\nu+1) \sin(x) - 2x \cos(x)] Z_\nu(x)}{x^{1/2} (2\nu-1)(2\nu+1)} - \frac{4x^{1/2} \sin(x) Z_{\nu+1}(x)}{(2\nu-1)(2\nu+1)} \quad (1)$$

$$\int \frac{\cos(x) Z_\nu(x) dx}{x^{3/2}} = \frac{2[(2\nu+1) \cos(x) + 2x \sin(x)] Z_\nu(x)}{x^{1/2} (2\nu-1)(2\nu+1)} - \frac{4x^{1/2} \cos(x) Z_{\nu+1}(x)}{(2\nu+1)(2\nu-1)} \quad (2)$$

$$\int P_\nu(x) dx = -\frac{x}{\nu} P_\nu + \frac{1}{\nu} P_{\nu+1} \quad (3)$$

$$\int \ln(1+x) P_\nu(x) dx = \left[-\frac{x}{\nu} \ln(1+x) + \frac{1}{\nu(\nu+1)} - \frac{x}{\nu^2} \right] P_\nu + \left[\frac{1}{\nu} \ln(1+x) + \frac{1}{\nu^2(\nu+1)} \right] P_{\nu+1} \quad (4)$$

$$\int e^{-x^2} H_\nu(x) dx = -e^{-x^2} H_{\nu-1}(x) \quad (5)$$

$$\int H_\nu(x) x^{-(\nu+3)} dx = \left[\frac{2x^{-\nu}}{(\nu+1)(\nu+2)} - \frac{x^{-(\nu+2)}}{(\nu+2)} \right] H_\nu(x) - \frac{2\nu}{(\nu+1)(\nu+2)} x^{-(\nu+1)} H_{\nu-1}(x) \quad (6)$$

$$\int x H_\nu(x) dx = \left[\frac{1+2x^2}{2(\nu+2)} \right] H_\nu(x) - \frac{\nu x}{(\nu+2)} H_{\nu-1}(x) \quad (7)$$

$$\int x e^{-(\nu+1)x} L_\nu(x) dx = \frac{e^{-(\nu+1)x}}{(\nu+1)} [-(1+x) L_\nu(x) + L_{\nu-1}(x)] \quad (8)$$

$$\int x(1+x)^{-(\nu+3)} L_\nu(x) dx$$

$$= \frac{(1+x)^{-(\nu+1)}}{(\nu+2)} \left[\left(\frac{x-\nu}{\nu+1} - \frac{x}{1+x} \right) L_\nu(x) + \left(\frac{\nu}{\nu+1} \right) L_{\nu-1}(x) \right] \quad (9)$$

$$\int \frac{Z_\mu(x) \bar{Z}_\nu(x)}{x} dx = \frac{1}{\mu+\nu} \left[Z_\mu \bar{Z}_\nu + \frac{x Z_\mu \bar{Z}_{\nu+1}}{(\mu-\nu)} - \frac{x Z_{\mu+1} \bar{Z}_\nu}{(\mu-\nu)} \right] \quad (10)$$

$$\int \frac{Z_\mu(x) \bar{Z}_\nu(x) dx}{x^2} = \frac{-(1+\mu+\nu+2\mu\nu+\mu\nu^2+\mu^2\nu-\mu^2-\mu^3-\nu^2-\nu^3+2x^2) Z_\mu \bar{Z}_\nu}{x(-1+\mu-\nu)(-1+\mu+\nu)(1+\mu-\nu)(1+\mu+\nu)}$$

$$+ \frac{Z_\mu \bar{Z}_{\nu+1}}{(1-\mu-\nu)(1-\mu+\nu)} + \frac{Z_{\mu+1} \bar{Z}_\nu}{(1-\mu-\nu)(1+\mu-\nu)}$$

$$- \frac{2x Z_{\mu+1} \bar{Z}_{\nu+1}}{(1-\mu-\nu)(1-\mu+\nu)(1+\mu-\nu)(1+\mu+\nu)} \quad (11)$$

$$\int \frac{Z_\mu(x) \bar{Z}_\nu(x) dx}{x^3} = \frac{-(2+\mu+\nu)(4\mu+4\nu+\mu\nu^2+\mu^2\nu-\mu^3-\nu^3+4x^2)}{x^2(\mu+\nu)[\nu^2-(2-\mu)^2][\nu^2-(2+\mu)^2]} Z_\mu \bar{Z}_\nu$$

$$- \frac{(4\mu\nu^2+2\mu^2\nu^2-4\mu^2-4\nu^3-\mu^4+4\nu^2-\nu^4+8x^2)}{x(\mu^2-\nu^2)[\nu^2-(2-\mu)^2][\nu^2-(2+\mu)^2]} Z_\mu \bar{Z}_{\nu+1}$$

$$+ \frac{4\mu^2\nu+2\mu^2\nu^2+4\mu^2-\mu^4-4\nu^2-4\nu^3-\nu^4+8x^2}{x(\mu^2-\nu^2)[\nu^2-(2-\mu)^2][\nu^2-(2+\mu)^2]} Z_{\mu+1} \bar{Z}_\nu$$

$$- \frac{4}{[-\nu^2+(2-\mu)^2][-\nu^2+(2+\mu)^2]} Z_{\mu+1} \bar{Z}_{\nu+1} \quad (12)$$

$$\int \frac{Z_\nu^2(x)}{x^2} dx = \frac{1+2\nu+2x^2}{(4\nu^2-1)x} Z_\nu^2(x) - \frac{2}{-1+2\nu} Z_\nu(x) Z_{\nu+1}(x)$$

$$- \frac{2x}{1-4\nu^2} Z_{\nu+1}^2(x) \quad (13)$$

$$\begin{aligned}
\int \frac{Z_{\nu}^2(x)}{x^4} dx &= \frac{[-9-6\nu+x^2(6+16\nu+8\nu^2)+36\nu^2+24\nu^3+16x^4]}{3x^3(1-4\nu^2)(9-4\nu^2)} Z_{\nu}^2(x) \\
&\quad - \left[\frac{2(-3+4\nu+4\nu^2+8x^2)}{3x^2(1-2\nu)(9-4\nu^2)} \right] Z_{\nu}(x) Z_{\nu+1}(x) \\
&\quad - \frac{2(1-4\nu^2-8x^2)}{3x(1-4\nu^2)(9-4\nu^2)} Z_{\nu+1}^2(x)
\end{aligned} \tag{14}$$

$$\begin{aligned}
\int x^2 Z_{1/3}^3(x) dx &= \left[-\frac{4}{9}x - \frac{16}{81x} \right] Z_{1/3}^3(x) \\
&\quad - (4x/3) Z_{1/3}(x) Z_{4/3}^2(x) \\
&\quad + \left[\frac{8}{9} + x^2 \right] Z_{1/3}^2(x) Z_{4/3}(x) + \frac{2}{3} x^2 Z_{4/3}^3(x)
\end{aligned} \tag{15}$$

$$\begin{aligned}
\int \frac{Z_1^4(x)}{x} dx &= \frac{x^2}{4} Z_2^4(x) + \left[\frac{3}{4} + \frac{x^2}{4} \right] Z_1^4(x) \\
&\quad - \frac{3x}{2} Z_1(x) Z_2^3(x) \\
&\quad + 6 \left[\frac{1}{2} + \frac{x^2}{12} \right] Z_1^2(x) Z_2^2(x) \\
&\quad + 4 \left[-\frac{3x}{8} - \frac{1}{2x} \right] Z_1^3(x) Z_2(x)
\end{aligned} \tag{16}$$

$$\begin{aligned}
\int \frac{Z_3^4(x)}{x^3} dx &= \left[\frac{1}{24} + \frac{1}{2x^2} + \frac{2}{x^4} + \frac{x^2}{378} \right] Z_3^4(x) \\
&\quad + \left[\frac{5}{216} + \frac{2}{27x^2} + \frac{x^2}{378} \right] Z_4^4(x) \\
&\quad + 4 \left[-\frac{x}{108} - \frac{5}{54x} - \frac{1}{3x^3} \right] Z_3(x) Z_4^3(x) \\
&\quad + 6 \left[\frac{7}{216} + \frac{1}{3x^2} + \frac{4}{3x^4} + \frac{x^2}{1134} \right] Z_3^2(x) Z_4^2(x) \\
&\quad + 4 \left[-\frac{x}{108} - \frac{1}{8x} - \frac{1}{x^3} - \frac{4}{x^5} \right] Z_3^3(x) Z_4(x)
\end{aligned} \tag{17}$$

$$\begin{aligned}
\int P_{\mu}(x) \bar{P}_{\nu}(x) dx &= \frac{-x P_{\mu}(x) \bar{P}_{\nu}(x)}{1+\mu+\nu} \\
&- \frac{(1+\nu)}{(\mu-\nu)(1+\mu+\nu)} P_{\mu}(x) \bar{P}_{\nu+1}(x) \\
&+ \frac{(1+\mu)}{(\mu-\nu)(1+\mu+\nu)} P_{\mu+1}(x) \bar{P}_{\nu}(x)
\end{aligned} \tag{18}$$

$$\begin{aligned}
\int x [P_{\nu}(x)]^2 dx &= \frac{-(1+\nu)}{2\nu} \left[\left[\frac{x^2+\nu}{1+\nu} \right] [P_{\nu}(x)]^2 \right. \\
&\left. - 2x P_{\nu}(x) P_{\nu+1}(x) + [P_{\nu+1}(x)]^2 \right]
\end{aligned} \tag{19}$$

$$\begin{aligned}
\int [P_{1/2}(x)]^2 dx &= \frac{9}{2} x [P_{3/2}(x)]^2 + \frac{x(-7+16x^2)}{2} [P_{1/2}(x)]^2 \\
&- 3(-1+2x)(1+2x) P_{1/2}(x) P_{3/2}(x)
\end{aligned} \tag{20}$$

$$\begin{aligned}
\int [P_{3/2}(x)]^2 dx &= \frac{x(93-480x^2+512x^4)}{18} [P_{3/2}(x)]^2 \\
&+ \frac{25x(-3+8x^2)}{18} [P_{5/2}(x)]^2 \\
&- \frac{5(3-42x^2+64x^4)}{9} P_{3/2}(x) P_{5/2}(x)
\end{aligned} \tag{21}$$

$$\begin{aligned}
\int x^5 P_{1/3}(x) P_{2/3}(x) dx &= \left[-\frac{335}{2352} - \frac{515x^2}{392} + \frac{235x^4}{336} + \frac{x^6}{3} \right] P_{1/3}(x) P_{2/3}(x) \\
&+ \left[\frac{685x}{784} - \frac{575x^3}{1176} - \frac{5x^5}{48} \right] P_{1/3}(x) P_{5/3}(x) \\
&+ \left[\frac{235x}{196} - \frac{295x^3}{588} - \frac{2x^5}{21} \right] P_{2/3}(x) P_{4/3}(x) \\
&+ \left[-\frac{5}{6} + \frac{65x^2}{196} + \frac{25x^4}{588} \right] P_{4/3}(x) P_{5/3}(x)
\end{aligned} \tag{22}$$

$$\begin{aligned}
\int x [P_{1/3}(x)]^3 dx &= \left[\frac{125x^4}{12} - \frac{14}{3} x^2 - \frac{5}{12} \right] [P_{1/3}(x)]^3 \\
&+ (-4+20x^2) P_{1/3}(x) [P_{4/3}(x)]^2 \\
&+ (9x-25x^3) [P_{1/3}(x)]^2 P_{4/3}(x) \\
&- \frac{16}{3} x [P_{4/3}(x)]^3
\end{aligned} \tag{23}$$

$$\begin{aligned}
\int x [P_{1/2}(x)]^4 dx &= \left[-\frac{5}{16} - \frac{19}{4} x^2 \right] [P_{1/2}(x)]^4 \\
&+ \frac{81}{4} x P_{1/2}(x) [P_{3/2}(x)]^3 \\
&+ 6 \left[-\frac{9}{16} - \frac{9}{2} x^2 \right] [P_{1/2}(x)]^2 [P_{3/2}(x)]^2 \\
&+ 4 \left[\frac{33x}{16} + 3x^3 \right] [P_{1/2}(x)]^3 P_{3/2}(x) \\
&- \frac{81}{16} [P_{3/2}(x)]^4
\end{aligned} \tag{24}$$

$$\int e^{-x^2} H_{\mu}(x) \bar{H}_{\nu}(x) dx = \frac{e^{-x^2}}{2(\mu-\nu)} \left[-H_{\mu}(x) \bar{H}_{\nu+1}(x) + H_{\mu+1}(x) \bar{H}_{\nu}(x) \right] \tag{25}$$

$$\begin{aligned}
\int x e^{-x^2} H_{\mu}(x) \bar{H}_{\nu}(x) dx &= \frac{e^{-x^2}}{2} \left[-\frac{H_{\mu}(x) \bar{H}_{\nu}(x) (1+\mu+\nu)}{(1-\mu+\nu)(1+\mu-\nu)} \right. \\
&+ H_{\mu+1}(x) \bar{H}_{\nu}(x) \frac{x}{(1+\mu-\nu)} + H_{\mu}(x) \bar{H}_{\nu+1}(x) \frac{x}{(1-\mu+\nu)} \\
&\left. - \frac{H_{\mu+1}(x) \bar{H}_{\nu+1}(x)}{(1-\mu+\nu)(1+\mu-\nu)} \right]
\end{aligned} \tag{26}$$

$$\begin{aligned}
\int x^2 e^{-x^2} H_{\mu}(x) \bar{H}_{\nu}(x) dx &= e^{-x^2} \left[\frac{-H_{\mu}(x) \bar{H}_{\nu}(x) x(\mu+\nu)}{(2-\mu+\nu)(2+\mu-\nu)} \right] \\
&+ H_{\mu+1}(x) \bar{H}_{\nu}(x) \frac{(2+\mu+3\nu+2\mu x^2-2\nu x^2-\mu^2 x^2-\nu^2 x^2+2\mu\nu x^2)}{2(\mu-\nu)(2-\mu+\nu)(2+\mu-\nu)} \\
&- H_{\mu}(x) \bar{H}_{\nu+1}(x) \frac{(2+3\mu+\nu-2\mu x^2+2\nu x^2-\mu^2 x^2-\nu^2 x^2+2\mu\nu x^2)}{2(\mu-\nu)(2-\mu+\nu)(2+\mu-\nu)} \\
&- H_{\mu+1}(x) \bar{H}_{\nu+1}(x) \frac{x}{(2-\mu+\nu)(2+\mu-\nu)}
\end{aligned} \tag{27}$$

$$\begin{aligned}
\int e^{-3x^2} x^2 H_{2/3}^3(x) dx &= e^{-3x^2} \left\{ -\frac{1}{12} x (5+6x^2) H_{2/3}^3(x) \right. \\
&\quad + \frac{1}{8} (1+6x^2) H_{2/3}^2(x) H_{5/3}(x) \\
&\quad - \frac{3}{8} x H_{2/3}(x) H_{5/3}^2(x) \\
&\quad \left. + \frac{1}{16} H_{5/3}^3(x) \right\} \quad (28)
\end{aligned}$$

$$\begin{aligned}
\int e^{-x} L_{\mu}(x) L_{\nu}(x) dx &= e^{-x} \left[L_{\mu}(x) L_{\nu}(x) + \frac{(1+\nu)}{(\mu-\nu)} L_{\mu}(x) L_{\nu+1}(x) \right. \\
&\quad \left. - \frac{(1+\mu)}{(\mu-\nu)} L_{\mu+1}(x) L_{\nu}(x) \right] \quad (29)
\end{aligned}$$

$$\begin{aligned}
\int x e^{-x} L_{\mu}(x) L_{\nu}(x) dx &= e^{-x} \left[-\frac{(1+\mu+\nu-x+2\mu\nu+\mu^2x+\nu^2x-2\mu\nu x)}{(1-\mu+\nu)(1+\mu-\nu)} L_{\mu}(x) L_{\nu}(x) \right. \\
&\quad + \frac{(1+\nu)(1+2\mu-\mu x+\nu x)}{(\mu-\nu)(1-\mu+\nu)} L_{\mu}(x) L_{\nu+1}(x) \\
&\quad - \frac{(1+\mu)(1+2\nu+\mu x-\nu x)}{(\mu-\nu)(1+\mu-\nu)} L_{\mu+1}(x) L_{\nu}(x) \\
&\quad \left. - \frac{2(1+\mu)(1+\nu)}{(1-\mu+\nu)(1+\mu-\nu)} L_{\mu+1}(x) L_{\nu+1}(x) \right] \quad (30)
\end{aligned}$$

$$\begin{aligned}
\int e^{-3x} x L_{2/3}^3(x) dx &= e^{-3x} \left\{ L_{2/3}^3(x) \left[\frac{125}{24} - \frac{625x}{24} \right. \right. \\
&\quad \left. + \frac{853x^2}{16} - \frac{675x^3}{16} + \frac{225x^4}{16} - \frac{27x^5}{16} \right] \\
&\quad + L_{5/3}^3(x) \left[-\frac{125}{24} + \frac{125x}{12} - \frac{125x^2}{16} \right] \\
&\quad + 3 \left[\frac{125}{24} - \frac{125x}{8} + \frac{275x^2}{16} - \frac{75x^3}{16} \right] L_{2/3}(x) L_{5/3}^2(x) \\
&\quad \left. + 3 \left[-\frac{125}{24} + \frac{125x}{6} - \frac{515x^2}{16} + \frac{135x^3}{8} - \frac{45x^4}{16} \right] L_{2/3}^2(x) L_{5/3}(x) \right\} \quad (31)
\end{aligned}$$

II. Results requiring human intervention. Here, ℓ denotes integer.

$$\int x^\ell Z_\mu(x) \bar{Z}_\nu(x) dx = A_{00}(x) Z_\mu(x) \bar{Z}_\nu(x) + A_{01}(x) Z_\mu(x) \bar{Z}_{\nu+1}(x) \\ + A_{10}(x) Z_{\mu+1}(x) \bar{Z}_\nu(x) + A_{11}(x) Z_{\mu+1}(x) \bar{Z}_{\nu+1}(x), \quad (32)$$

where

$$A_{00} = \frac{x}{2(\mu+\nu)} D^3 A_{11} + \frac{(3+\mu+\nu)}{2(\mu+\nu)} D^2 A_{11} \\ + \frac{(-7-3\mu-3\nu-2\mu\nu+\mu^2+\nu^2-4x^2)}{2x(\mu+\nu)} DA_{11} \\ + \frac{(-2-\mu-\nu)(-4-2\mu\nu+\mu^2+\nu^2-2x^2)}{2x^2(\mu+\nu)} A_{11} + \frac{x^{\ell+1}}{\mu+\nu},$$

$$A_{01} = \frac{-x^2}{2(\mu^2-\nu^2)} D^3 A_{11} + \frac{3x}{2(\mu^2-\nu^2)} D^2 A_{11} \\ - \frac{(7-3\mu^2-\nu^2+4x^2)}{2(\mu^2-\nu^2)} DA_{11} + \frac{(4+\mu\nu^2-3\mu^2-\mu^3-\nu^2+2x^2)}{x(\mu^2-\nu^2)} A_{11} + \frac{x^{\ell+2}}{(\mu^2-\nu^2)},$$

$$A_{10} = \frac{x^2}{2(\mu^2-\nu^2)} D^3 A_{11} - \frac{3x}{2(\mu^2-\nu^2)} D^2 A_{11} + \frac{(7-\mu^2-3\nu^2+4x^2)}{2(\mu^2-\nu^2)} DA_{11} \\ - \frac{(4+\mu^2\nu-\mu^2-3\nu^2-\nu^3+2x^2)}{x(\mu^2-\nu^2)} A_{11} - \frac{x^{\ell+2}}{(\mu^2-\nu^2)},$$

and

$$A_{11}(x) = x^{\ell+3} \sum_{n=0}^{\ell} d_n x^{2n},$$

where

$$d_0 = \frac{2(\ell+1)}{(\ell+3)^4 - 8(\ell+3)^3 + 2(12-\mu^2-\nu^2)(\ell+3)^2 - 8(\ell+3)(4-\mu^2-\nu^2) + [(2-\mu)^2-\nu^2][(2+\mu)^2-\nu^2]},$$

$$\begin{aligned}
& \{ (3+2n+\ell)^4 - 8(3+2n+\ell)^3 + 2(12-\mu^2-\nu^2)(3+2n+\ell)^2 \\
& - 8(3+2n+\ell)(4-\mu^2-\nu^2) + [(2-\mu)^2-\nu^2][(2+\mu)^2-\nu^2] \} d_n \\
& = -4(1+2n+\ell)(2n+\ell)d_{n-1} \quad n' \geq n > 0,
\end{aligned}$$

and $d_n = 0$ if $n > n'$. The parameter n' is given by

$$n' = \begin{cases} 0 & \text{if } \ell = -1 \\ \frac{|\ell|}{2} - 1 & \text{if } \ell < -1 \text{ and even,} \\ \frac{|\ell|-3}{2} & \text{if } \ell < -1 \text{ and odd,} \\ \infty & \text{if } \ell \geq 0 \end{cases}$$

If $\ell \geq 0$, d_n in the sum for A_{11} can be written in the form

$$d_n = \frac{2(-4)^n (\ell+1)_{2n+1}}{\prod_{k=0}^n g(k, \ell, \mu, \nu)},$$

where $(\ell+1)_{2n+1}$ is a shifted factorial, $(\ell+1)_{2n+1} \equiv (\ell+1)(\ell+2)\dots(2n+\ell+1)$, and g is defined by

$$\begin{aligned}
g(k, \ell, \mu, \nu) & \equiv (2k+\ell+3)^4 - 8(2k+\ell+3)^3 + 2(12-\mu^2-\nu^2)(2k+\ell+3)^2 \\
& - 8(2k+\ell+3)(4-\mu^2-\nu^2) + [(2-\mu)^2-\nu^2][(2+\mu)^2-\nu^2].
\end{aligned}$$

$$\int x^\ell Z_\nu^2(x) dx = A_{00}(x) Z_\nu^2(x) + 2A_{01}(x) Z_\nu(x) Z_{\nu+1}(x) + A_{11}(x) Z_{\nu+1}^2(x), \quad (33)$$

where

$$\begin{aligned}
A_{00}(x) &= \frac{1}{2} D^2 A_{11}(x) - \frac{(3+2\nu)}{2x} D A_{11}(x) \\
&+ \frac{(2+2\nu+x^2)}{x^2} A_{11}(x)
\end{aligned}$$

$$A_{01}(x) = \frac{1}{2} D A_{11}(x) - \frac{(1+\nu)}{x} A_{11}(x),$$

and

$$A_{11}(x) = x y(x)$$

$$y = \sum_{n=0}^{\frac{\ell-1}{2}} b_n x^{2n+1},$$

$$\frac{b_{\frac{\ell-1}{2}}}{2} = 1/2\ell$$

$$b_n = \frac{2(n+1) [\nu^2 - (n+1)^2] b_{n+1}}{2n+1},$$

if $0 \leq n \leq \frac{\ell-3}{2}$ and $\ell \geq 3$, but positive odd integer only.

Also,

$$y = \frac{-x^\ell}{2\ell} {}_4F_1 \left(\frac{1-\ell}{2}, \frac{-\ell-2\nu+1}{2}, \frac{-\ell+2\nu+1}{2}, 1; \frac{-\ell+3}{2}; -\frac{1}{x^2} \right),$$

if ℓ =negative odd integer, ν =integer but $\neq 0$,

and

$$y = \frac{2x^{\ell+2}}{(\ell+1)[(\ell+1)^2 - 4\nu^2]} {}_2F_3 \left(\frac{\ell+2}{2}, 1; \frac{\ell+3}{2}, \frac{\ell-2\nu+3}{2}, \frac{\ell+2\nu+3}{2}; -x^2 \right),$$

if $\ell=0$ or even integer (positive or negative) but $\ell+2\nu \neq$ negative odd integer.

$$\begin{aligned} \int x^\ell P_\mu(x) P_\nu(x) dx &= A_{00}(x) P_\mu(x) P_\nu(x) \\ &+ A_{01} P_\mu(x) P_{\nu+1}(x) + A_{10} P_{\mu+1}(x) P_\nu(x) \\ &+ A_{11} P_{\mu+1}(x) P_{\nu+1}(x), \end{aligned} \quad (34)$$

where

$$\begin{aligned} A_{00}(x) &= \frac{-x}{1+\mu+\nu} f(x) - \frac{(x^2-1)}{(\mu-\nu)(1+\mu+\nu)} Df(x) \\ &+ g_{000}(x) A_{11}(x) + g_{001}(x) DA_{11}(x) + g_{002}(x) D^2 A_{11}(x) \\ &+ g_{003}(x) D^3 A_{11}(x) + g_{004}(x) D^4 A_{11}(x) \end{aligned}$$

$$\begin{aligned} \Lambda_{01}(x) = & \frac{-(1+\nu)}{(\mu-\nu)(1+\mu+\nu)} f(x) + g_{010}(x) \Lambda_{11}(x) + g_{011}(x) D\Lambda_{11}(x) \\ & + g_{012}(x) D^2\Lambda_{11}(x) + g_{013}(x) D^3\Lambda_{11}(x) \end{aligned}$$

$$\begin{aligned} \Lambda_{10}(x) = & \frac{(1+\mu)}{(\mu-\nu)(1+\mu+\nu)} f(x) + g_{100}(x) \Lambda_{11}(x) + g_{101}(x) D\Lambda_{11}(x) \\ & + g_{102}(x) D^2\Lambda_{11}(x) + g_{103}(x) D^3\Lambda_{11}(x) . \end{aligned}$$

The parametric functions g are given by

$$\begin{aligned} g_{000}(x) = & [\mu+\nu+\mu\nu+\mu\nu^2-2\nu x^2+\mu^2\nu+\mu^2\nu^2 \\ & - \nu^2x^2+2\nu^3x^2+\nu^4x^2-\mu\nu x^2-4\mu\nu^2x^2 \\ & - \mu\nu^3x^2+2\mu^2\nu x^2-\mu^2\nu^2x^2+\mu^3\nu x^2 \\ & + \frac{\mu^2-2\nu^3-\nu^4}{(1+\mu)(1+\nu)(\mu-\nu)(1+\mu+\nu)}] \end{aligned}$$

$$\begin{aligned} g_{001}(x) = & -x[12-12\nu-3\mu\nu^2-4\mu x^2+16\nu x^2+3\mu^2\nu \\ & + 3\mu^2x^2+\mu^3x^2+9\nu^2x^2-\nu^3x^2 \\ & + 3\mu\nu^2x^2-3\mu^2\nu x^2-3\mu^2-\mu^3-9\nu^2 \\ & + \frac{\nu^3-12x^2}{2(1+\mu)(1+\nu)(\mu-\nu)(1+\mu+\nu)}] \end{aligned}$$

$$\begin{aligned} g_{002}(x) = & -[(x^2-1)(8-\mu-3\nu-5\mu x^2+9\nu x^2+\mu^2x^2 \\ & + \frac{3\nu^2x^2-\mu^2-3\nu^2-24x^2}{2(1+\mu)(1+\nu)(\mu-\nu)(1+\mu+\nu)}] \end{aligned}$$

$$g_{003}(x) = \frac{x(-1+x^2)^2(10+\mu-\nu)}{2(1+\mu)(1+\nu)(\mu-\nu)(1+\mu+\nu)}$$

$$g_{004}(x) = \frac{(-1+x^2)^3}{2(1+\mu)(1+\nu)(\mu-\nu)(1+\mu+\nu)}$$

$$g_{010}(x) = \frac{-\mu x(1+\mu-\nu)(2+\mu+\nu)}{(1+\mu)(\mu-\nu)(1+\mu+\nu)}$$

$$g_{011}(x) = -[2-3\mu-\nu+3\mu x^2+\nu x^2+3\mu^2 x^2 + \frac{\nu^2 x^2-3\mu^2-\nu^2-6x^2}{2(1+\mu)(\mu-\nu)(1+\mu+\nu)}]$$

$$g_{012}(x) = \frac{3x(-1+x^2)}{(1+\mu)(\mu-\nu)(1+\mu+\nu)}$$

$$g_{013}(x) = \frac{(-1+x^2)^2}{2(1+\mu)(\mu-\nu)(1+\mu+\nu)}$$

$$g_{100}(x) = \frac{\nu x(1-\mu+\nu)(2+\mu+\nu)}{(1+\nu)(\mu-\nu)(1+\mu+\nu)}$$

$$g_{101}(x) = [2-\mu-3\nu+\mu x^2+3\nu x^2+\mu^2 x^2 + \frac{3\nu^2 x^2-\mu^2-3\nu^2-6x^2}{2(1+\nu)(\mu-\nu)(1+\mu+\nu)}]$$

$$g_{102}(x) = \frac{-3x(-1+x^2)}{(1+\nu)(\mu-\nu)(1+\mu+\nu)}$$

$$g_{103}(x) = \frac{-(-1+x^2)^2}{2(1+\nu)(\mu-\nu)(1+\mu+\nu)} ,$$

and,

$$A_{11}(x) = \sum_p^{\ell-1} b_p x^p .$$

The quantities b_p in the sum for A_{11} are constants given by

$$b_{\ell-1} = \frac{(2\ell)(1+\mu)(1+\nu)}{(\mu+\nu+\ell+1)(\mu+\nu-\ell+1)[(\mu-\nu)^2-\ell^2]}$$

$$b_p = \frac{-(p+1)(p+2)\{(p+3)(p+4)b_{p+4}(1-\delta_{p,\ell-3}) + 2b_{p+2}[\mu+\nu+\mu^2+\nu^2-(p+2)^2]\}}{(\mu+\nu+p+2)(\mu+\nu-p)[(\mu-\nu)^2-(p+1)^2]} .$$

$$(0 \leq p < \ell-1)$$

The prime on the summation for A_{11} signifies that $p=0, 2, \dots, \ell-1$ when ℓ is odd, and $p=1, 3, \dots, \ell-1$ when ℓ is even.

$$\int x^\ell [P_\nu(x)]^2 dx = A_{00}(x) [P_\nu(x)]^2 + 2A_{01}(x) P_\nu(x) P_{\nu+1}(x) + A_{11}(x) [P_{\nu+1}(x)]^2, \quad (35)$$

where

$$A_{00}(x) = \frac{(-1+x^2)^2}{2(1+\nu)^2} D^2 A_{11}(x) + \frac{(-1+x^2)(2+\nu)}{(1+\nu)^2} x DA_{11}(x) + \frac{(\nu+x^2)}{(1+\nu)} A_{11}(x)$$

$$A_{01}(x) = \frac{-(-1+x^2)}{2(1+\nu)} DA_{11}(x) - xA_{11}(x)$$

$$A_{11}(x) = \sum_{n=0}^{\frac{\ell-1}{2}} a_{2n} x^{2n} \quad (\ell = \text{positive odd integer}),$$

and

$$a_{\ell-1} = \frac{2(\nu+1)^2}{(\ell-1)(\ell-2)(\ell+3) - 2(\ell-1)(2\nu+2\nu^2-3) - 4\nu(\nu+1)},$$

$$a_{2n} = \frac{(2n+2)\{2[(2n+1)(2n+3) + (1-2\nu-2\nu^2)]a_{2n+2} + (2n+4)(2n+3)(\delta_{2n,\ell-3}^{-1})a_{2n+4}\}}{2n(2n-1)(2n+4) - 4n(2\nu+2\nu^2-3) - 4\nu(\nu+1)}$$

$$0 \leq n < \frac{\ell-1}{2}, \quad \ell = \text{positive odd integer}$$

and $a_{2n}=0$ for $n > (\ell-1)/2$. The index n may assume the value zero only if $\ell \neq 1$. If $\ell=1$, the series for A_{11} reduces to a single term that is given by the expression for $a_{\ell-1}$ above.

If, $\ell=0$, $\nu=\text{one half odd integer}$, but $\neq -1/2$, then

$$A_{11}(x) = \sum_{n=1}^{\ell} b_n x^{2n-1}$$

where $n' \equiv \pm(2\nu+1)/2$, and

$$b_{n+2}(2n+1)(2n+2)(2n+3) - 2(2n+1)[(1+2n)^2 - 2\nu(\nu+1)]b_{n+1} \\ - 2n[(2\nu+1)^2 - 4n^2]b_n = 2(\nu+1)^2\delta_{n,0} ; \quad n=0, 1, \dots, \frac{\pm(2\nu+1)}{2} , \\ \text{and } b_n=0 \text{ for } n > \frac{\pm(2\nu+1)}{2} .$$

The preceding expression represents $\frac{\pm(2\nu+1)}{2}$ simultaneous algebraic equations in the $\frac{\pm(2\nu+1)}{2}$ unknowns $b_1, b_2, \dots, b_{\pm(2\nu+1)/2}$.

REFERENCES

- [1] B. F. Caviness, private communication, Feb. 1990.
- [2] J. C. Piquette and A. L. Van Buren, "Technique for evaluating indefinite integrals involving products of certain special functions", SIAM J. Math. Anal. 15, 845-855 (1984).
- [3] J. C. Piquette, "An analytical technique for coefficients arising when implementing a technique for indefinite integration of products of special functions", SIAM J. Math. Anal. 17, 1033-1035 (1986).
- [4] _____, "Applications of a technique for evaluating indefinite integrals containing products of the special functions of physics", SIAM J. Math. Anal. 20, 1260-1269 (1989).
- [5] _____, "Uncoupling the differential equations arising from a technique for evaluating indefinite integrals containing special functions or their products", Quart. J. Appl. Math. 48, 95-112 (1990).
- [6] _____, "Special function integration", SIGSAM Bulletin 23, 11-21 (1989).
- [7] _____, "A method for symbolic evaluation of indefinite integrals containing special functions or their products", J. Symb. Comp. (in press).
- [8] _____, "Explicit expressions for certain indefinite integrals containing the product of two Bessel functions or the product of two Legendre functions", Quart. Appl. Math. (in review).
- [9] D. Withoff, Wolfram Research, Algorithm Development, private communication, Feb. 1989.