

AD-A234 307



AMSAA

TECHNICAL REPORT NO. 489

INNER PRODUCT PERFORMANCE CRITERIA FOR EVALUATING  
COMBAT MODELS

HERBERT E. COHEN

FEBRUARY 1991



APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED.

U. S. ARMY MATERIEL SYSTEMS ANALYSIS ACTIVITY  
ABERDEEN PROVING GROUND, MARYLAND

## **DISPOSITION**

When this report is no longer needed, Department of the Army organizations will destroy it in accordance with the procedures given in AR 380-5. Navy and Air Force elements will destroy it in accordance with applicable directives. Department of Defense contractors will destroy the report according to the requirements of Section 14 of the Industrial Security Manual for Safe-guarding Classified Information. All others will return the report to the U.S. Army Materiel Systems Analysis Activity, Aberdeen Proving Ground, Maryland 21005-5071.

## **DISCLAIMER**

The findings in this report are not to be construed as an official Department of the Army position unless so specified by other official documentation.

## **WARNING**

Information and data contained in this document are based on the input available at the time of preparation. The results may be subject to change and should not be construed as representing the AMC position unless so specified.

## **TRADE NAMES**

The use of trade names in this report does not constitute an official endorsement or approval of the use of such commercial hardware or software. The report may not be cited for purposes of advertisement.

## REPORT DOCUMENTATION PAGE

Form Approved  
OMB No. 0704-0188

|                                                                                                                                                                                                                                                                                                                                                                                            |       |                                                  |                                                                                                                                           |                                                    |                                |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|--------------------------------|
| 1a. REPORT SECURITY CLASSIFICATION<br>Unclassified                                                                                                                                                                                                                                                                                                                                         |       |                                                  | 1b. RESTRICTIVE MARKINGS                                                                                                                  |                                                    |                                |
| 2a. SECURITY CLASSIFICATION AUTHORITY                                                                                                                                                                                                                                                                                                                                                      |       |                                                  | 3. DISTRIBUTION / AVAILABILITY OF REPORT<br><br>APPROVED FOR PUBLIC RELEASE;<br>DISTRIBUTION UNLIMITED.                                   |                                                    |                                |
| 2b. DECLASSIFICATION / DOWNGRADING SCHEDULE                                                                                                                                                                                                                                                                                                                                                |       |                                                  |                                                                                                                                           |                                                    |                                |
| 4. PERFORMING ORGANIZATION REPORT NUMBER(S)<br><br>TR-489                                                                                                                                                                                                                                                                                                                                  |       |                                                  | 5. MONITORING ORGANIZATION REPORT NUMBER(S)                                                                                               |                                                    |                                |
| 6a. NAME OF PERFORMING ORGANIZATION<br>U.S. Army Materiel Systems<br>Analysis Activity                                                                                                                                                                                                                                                                                                     |       | 6b. OFFICE SYMBOL<br>(If applicable)<br>AMXSU-MP | 7a. NAME OF MONITORING ORGANIZATION                                                                                                       |                                                    |                                |
| 6c. ADDRESS (City, State, and ZIP Code)<br>Aberdeen Proving Ground, MD 21005-5071                                                                                                                                                                                                                                                                                                          |       |                                                  | 7b. ADDRESS (City, State, and ZIP Code)                                                                                                   |                                                    |                                |
| 8a. NAME OF FUNDING / SPONSORING<br>ORGANIZATION                                                                                                                                                                                                                                                                                                                                           |       | 8b. OFFICE SYMBOL<br>(If applicable)             | 9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER                                                                                           |                                                    |                                |
| 8c. ADDRESS (City, State, and ZIP Code)                                                                                                                                                                                                                                                                                                                                                    |       |                                                  | 10. SOURCE OF FUNDING NUMBERS                                                                                                             |                                                    |                                |
|                                                                                                                                                                                                                                                                                                                                                                                            |       |                                                  | PROGRAM<br>ELEMENT NO.                                                                                                                    | PROJECT<br>NO.                                     | TASK<br>NO.                    |
| 11. TITLE (Include Security Classification)<br>Inner Product Performance Criteria for Evaluating Combat Models                                                                                                                                                                                                                                                                             |       |                                                  |                                                                                                                                           |                                                    |                                |
| 12. PERSONAL AUTHOR(S)<br>Herbert E. Cohen                                                                                                                                                                                                                                                                                                                                                 |       |                                                  |                                                                                                                                           |                                                    |                                |
| 13a. TYPE OF REPORT<br>Final                                                                                                                                                                                                                                                                                                                                                               |       | 13b. TIME COVERED<br>FROM _____ TO _____         |                                                                                                                                           | 14. DATE OF REPORT (Year, Month, Day)<br>91/Feb/14 |                                |
| 15. PAGE COUNT<br>16                                                                                                                                                                                                                                                                                                                                                                       |       |                                                  |                                                                                                                                           |                                                    |                                |
| 16. SUPPLEMENTARY NOTATION                                                                                                                                                                                                                                                                                                                                                                 |       |                                                  |                                                                                                                                           |                                                    |                                |
| 17. COSATI CODES                                                                                                                                                                                                                                                                                                                                                                           |       |                                                  | 18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)<br>Combat Models, Lanchester Equations Adjoint Equation |                                                    |                                |
| FIELD                                                                                                                                                                                                                                                                                                                                                                                      | GROUP | SUB-GROUP                                        |                                                                                                                                           |                                                    |                                |
|                                                                                                                                                                                                                                                                                                                                                                                            |       |                                                  |                                                                                                                                           |                                                    |                                |
|                                                                                                                                                                                                                                                                                                                                                                                            |       |                                                  |                                                                                                                                           |                                                    |                                |
| 19. ABSTRACT (Continue on reverse if necessary and identify by block number)<br><br>An inner product performance criteria is proposed which has a simple geometric meaning and is easy to calculate for evaluating how well the approximate solutions currently used in an Army model agrees with the exact solution associated with the linear homogeneous Lanchester equation of combat. |       |                                                  |                                                                                                                                           |                                                    |                                |
| 20. DISTRIBUTION / AVAILABILITY OF ABSTRACT<br><input type="checkbox"/> UNCLASSIFIED/UNLIMITED <input checked="" type="checkbox"/> SAME AS RPT <input type="checkbox"/> DTIC USERS                                                                                                                                                                                                         |       |                                                  | 21. ABSTRACT SECURITY CLASSIFICATION<br>Unclassified                                                                                      |                                                    |                                |
| 22a. NAME OF RESPONSIBLE INDIVIDUAL<br>Herbert E. Cohen                                                                                                                                                                                                                                                                                                                                    |       |                                                  | 22b. TELEPHONE (Include Area Code)<br>(301) 278-2785                                                                                      |                                                    | 22c. OFFICE SYMBOL<br>AMXSU-MP |

### ACKNOWLEDGEMENT

The U.S. Army Materiel Systems Analysis Activity (AMSAA) recognizes the following individual for contributing to this report:

Peer Reviewer: Rich Sandmeyer, Combat Support Division (CSD).

|                    |                                            |
|--------------------|--------------------------------------------|
| Accession For      |                                            |
| NTIS GRA&I         | <input checked="checked" type="checkbox"/> |
| DTIC TAB           | <input type="checkbox"/>                   |
| Unannounced        | <input type="checkbox"/>                   |
| Justification      |                                            |
| By                 |                                            |
| Distribution/      |                                            |
| Availability Codes |                                            |
| Dist               | Avail and/or<br>Special                    |
| A-1                |                                            |

INNER PRODUCT PERFORMANCE CRITERIA FOR EVALUATING  
COMBAT MODELS

HERBERT E. COHEN

U.S. ARMY MATERIEL SYSTEMS ANALYSIS ACTIVITY  
ABERDEEN PROVING GROUND, MARYLAND 21005-5071

The U.S. Army is actively engaged in developing combat models using approximate solutions to the linear homogeneous Lanchester equations. How well these approximate solutions deviate from the true or exact solution is an important issue within the Army if we are going to have any confidence in these approximate solutions. An inner product performance criteria is proposed which has a simple geometric meaning and is easy to calculate for evaluating how well the approximate solution agrees with the exact solution associated with the linear homogeneous Lanchester equation of combat.

It is shown that an inner product performance criteria is a useful measure to evaluate the performance of current combat models against the exact solutions for piecewise linear homogeneous Lanchester equations for all homogeneous or heterogeneous battles.

The Lanchester homogeneous equations in vector form may be given by Eq (1)

$$\dot{x}(t) = A(t) x(t) \quad (t_o \leq t \leq t_f) \quad (1)$$

where  $x$  is an  $n \times 1$  vector such that

$$x(t) = (R_1 \ R_2 \dots R_p, B_1, B_2, \dots B_q)$$

$R_i$  is the  $i^{\text{th}}$  Red weapon system strength at time  $t$ .

$B_j$  is the  $j^{\text{th}}$  Blue weapon system strength at time  $t$ .

and

$$p + q = n$$

$R_i$  and  $B_j$  both being nonnegative,

with an initial condition  $x(t_o) = x_o$ ,  $A(t)$  is the time varying  $n$  by  $n$  attrition coefficient matrix. Assuming  $A(t)$  is piecewise constant for  $t_i \leq t \leq t_{i+1}$  for  $i = 0, 1, \dots, n$  where  $t_{n+1} = t_f$ , then Eq (1) has an exact solution given by

$$x(t_{i+1}) = e^{(t_{i+1} - t_i) A} x(t_i) \quad (2)$$

for  $i = 0, 1, \dots, n$

We now define the adjoint differential equation of Equation (1) given by

$$\dot{y} = -A^T(t)y \quad (3)$$

with a value of  $y(t)$  at  $t = t_f$  given by  $y(t_f)$ .

We now claim that the inner product  $y^T(t) x(t)$  is a constant. This can be shown as follows:

$$\begin{aligned} \frac{d}{dt} y^T(t) x(t) &= \dot{y}^T x(t) + y^T(t) \dot{x}(t) \\ &= (-A^T y)^T x(t) + y^T(t) \dot{x}(t) \\ &= y^T(-Ax) + y^T(t) \dot{x}(t) \\ &= -y^T(t) \dot{x}(t) + y^T(t) \dot{x}(t) \\ &= 0 \quad QED. \end{aligned}$$

where we have used Eq (1) and Eq (3).

Thus

$$y^T(t) x(t) = \text{constant} \quad (4)$$

or more specifically at the final time,  $t_f$ , of the battle

$$y^T(t_f) x(t_f) = y^T(0) x(0) \quad (5)$$

In fact if we select  $y(t_f)$  to be orthogonal to  $x(t_f)$  we have

$$y^T(t_f) \cdot x(t_f) = 0 \quad (6)$$

and the inner product  $y^T(t) \cdot x(t)$  will remain zero for all  $t$ . Hence all solutions of the adjoint equation,  $y(t)$  in Eq (3), are orthogonal to the surface containing the solution of the Lanchester equation in Eq (1), even for time varying attrition matrix and all battles. The geometric meaning is simply that the projection of  $x(t)$  on the adjoint solution  $y(t)$  multiplied by the magnitude of  $y(t)$  is zero. Figure 1 provides the geometric relationship and the position of a generic Army Model solution,  $x_{AM}$ , in relationship to  $x$  and  $y$ .

Within the Army, the model given by  $x_{AM}$ , for Army Model, uses the Lanchester equation to describe many combat situations. The finite difference equation for Eq (1) is

$$x_{AM}(t + \Delta t) = (I + A \Delta t) x_{AM}(t)$$

which with  $\Delta t = 1$

$$x_{AM}(t + 1) = (I + A) x_{AM} \quad (7)$$


If  $x_{AM}$  is to be a close approximation to  $x$ , then the inner product of  $x_{AM}$  with  $y$  of the adjoint equation, Eq (3), is the projection of  $x_{AM}$  along  $y$  and thus the distance from the true solution.

Data is presented in Table 1,  $x_{AM}$  is in the second column and the exact solution,  $x(t)$ , generated by Eq (2) over each time interval is presented in Figures 2 to 6. Runge Kutta solutions are also presented in these figures.

Table 2 provides the results of the inner product  $y^T(t)x(t)$  and  $y^T(t) x_{AM}$  over each time interval. Clearly  $y^T(t) x_{AM}$  is not constant and progressively moves away from the exact solution  $x(t)$  with time. This is shown in Figure 7. We have a clear measure of how  $x_{AM}$  deviates from the true solution. Thus, the inner product criteria offers a simple method for testing any linear homogeneous Lanchester model of combat for all battles.

In conclusion, we have demonstrated that the inner product criteria using the adjoint differential equation can provide combat modelers with a useful simple criteria for evaluating the performance of approximate solutions to the linear homogeneous Lanchester equation of combat.

FIGURE 1



$X$  = EXACT LANCHESTER SOLUTION

$Y$  = ADJOINT SOLUTION

$X_{AM}$  = ARMY MODEL SOLUTION

$Y^T X_{AM}$  = MEASURE OF DISTANCE FROM TRUE SOLUTION  $X$ .

TABLE 1. DATA.

Two-on-Three Scenario  
(With Suppression Off and 100% in Quadrant)

1 Blue Initial Strength, 50  
2 Blue Initial Strength, 50  
3 Red Initial Strength, 50  
4 Red Initial Strength, 25  
5 Red Initial Strength, 25

| Firer            | No. of<br>Firers | Target    |           |           |           |           |
|------------------|------------------|-----------|-----------|-----------|-----------|-----------|
|                  |                  | 1         | 2         | 3         | 4         | 5         |
| Time = 0 minutes |                  |           |           |           |           |           |
| 1B               | 50.0000          | 0.        | 0.        | 0.0063643 | 0.0000000 | 0.0001014 |
| 2B               | 50.0000          | 0.        | 0.        | 0.0024091 | 0.        | 0.        |
| 3R               | 50.0000          | 0.0083374 | 0.        | 0.        | 0.        | 0.        |
| 4R               | 25.0000          | 0.0008168 | 0.        | 0.        | 0.        | 0.        |
| 5R               | 25.0000          | 0.        | 0.        | 0.        | 0.        | 0.        |
| Time = 1 minute  |                  |           |           |           |           |           |
| 1B               | 23.7626          | 0.        | 0.        | 0.0043994 | 0.0000000 | 0.0023342 |
| 2B               | 50.0000          | 0.        | 0.        | 0.0023752 | 0.0000000 | 0.0000519 |
| 3R               | 23.6800          | 0.0083374 | 0.        | 0.        | 0.        | 0.        |
| 4R               | 24.0000          | 0.0008168 | 0.        | 0.        | 0.        | 0.        |
| 5R               | 24.6958          | 0.        | 0.        | 0.        | 0.        | 0.        |
| Time = 2 minutes |                  |           |           |           |           |           |
| 1B               | 10.6916          | 0.        | 0.        | 0.0024300 | 0.0000816 | 0.0048297 |
| 2B               | 50.0000          | 0.        | 0.        | 0.0020609 | 0.0000124 | 0.0005698 |
| 3R               | 10.2977          | 0.0083343 | 0.0000027 | 0.        | 0.        | 0.        |
| 4R               | 24.9896          | 0.0008168 | 0.        | 0.        | 0.        | 0.        |
| 5R               | 21.2119          | 0.        | 0.        | 0.        | 0.        | 0.        |
| Time = 3 minutes |                  |           |           |           |           |           |
| 1B               | 4.3175           | 0.        | 0.        | 0.0004420 | 0.0005786 | 0.0068515 |
| 2B               | 49.9983          | 0.        | 0.        | 0.0007079 | 0.0001323 | 0.0024820 |
| 3R               | 2.6462           | 0.0079945 | 0.0003013 | 0.        | 0.        | 0.        |
| 4R               | 24.9000          | 0.0008046 | 0.0000623 | 0.        | 0.        | 0.        |
| 5R               | 16.4044          | 0.        | 0.        | 0.        | 0.        | 0.        |
| Time = 4 minutes |                  |           |           |           |           |           |
| 1B               | 1.8461           | 0.        | 0.        | 0.0000143 | 0.0035953 | 0.0034569 |
| 2B               | 49.8574          | 0.        | 0.        | 0.0001091 | 0.0009374 | 0.0025676 |
| 3R               | 0.4079           | 0.0062070 | 0.0018716 | 0.        | 0.        | 0.        |
| 4R               | 24.3531          | 0.0006816 | 0.0006921 | 0.        | 0.        | 0.        |
| 5R               | 7.1839           | 0.        | 0.        | 0.        | 0.        | 0.        |

Red unit removed after 4 minutes.

# Firer 1 (1B)




FIGURE 2

# Firer 2 (2B)




FIGURE 3

# Firer 3 (IR)




FIGURE 4

# Firer 4 (2R)




FIGURE 5

# Firer 5<sub>(3R)</sub>




FIGURE 6

TABLE 2.

| $y^T(t)x(t)$ |                          |                         |
|--------------|--------------------------|-------------------------|
| $t$          | Initial $t=0$            | Initial $t=5$           |
| 0            | 0                        | $-4.16 \times 10^{-15}$ |
| 1            | $-2.58 \times 10^{-14}$  | $1.48 \times 10^{-15}$  |
| 2            | $-1.914 \times 10^{-14}$ | $-4.07 \times 10^{-15}$ |
| 3            | $-3.689 \times 10^{-14}$ | $-6.31 \times 10^{-17}$ |
| 4            | $-4.893 \times 10^{-14}$ | $2.49 \times 10^{-16}$  |

| $y^T(t) x_{AM}$ |                 |
|-----------------|-----------------|
| $t$             | $y^T(t) x_{AM}$ |
| 0               | 0               |
| 1               | -8.6            |
| 2               | -14.26          |
| 3               | -17.756         |
| 4               | -18.7           |




Figure 7.

# DISTRIBUTION LIST

| No. of<br>Copies | Organization                                                                                                                    | No. of<br>Copies | Organization                                                                                                                                |
|------------------|---------------------------------------------------------------------------------------------------------------------------------|------------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| 7                | Commander<br>Defense Technical Information<br>Center<br>ATTN: DTIC-FDAC<br>Cameron Station, Bldg 5<br>Alexandria, VA 22304-6145 | 2                | Commander<br>U.S. Army Development and<br>Employment Agency<br>ATTN: MODE-TED-SAB (2 cys)<br>Fort Lewis, WA 98433-5000                      |
| 2                | Commander<br>U.S. Army Materiel Command<br>ATTN: AMXPA<br>AMCDMA-M<br>5001 Eisenhower Avenue<br>Alexandria, VA 22333-0001       | 4                | Director<br>U.S. Army TRADOC Systems<br>ATTN: ATOR-TSL<br>ATOR-T<br>ATOR-TE<br>ATOR-TF<br>White Sands Missile Range, NM<br>88002-5502       |
| 1                | Director<br>Combat Data Information Center<br>AFWAL/FIES/CDIC<br>Wright-Patterson AFB, OH<br>45433-5000                         | 1                | Commandant<br>U.S. Army Infantry School<br>ATTN: ATSH-CD-CS-OR<br>Fort Benning, GA 31905-5400                                               |
| 1                | Pentagon Library<br>ATTN: AN-AL-RS (Army Studies)<br>Pentagon, Room 1A518<br>WASH, DC 20310                                     | 3                | Commander<br>U.S. Army Tank-Automotive<br>Command<br>ATTN: AMSTA-Z (Tech Lib)<br>AMSTA-ZE<br>AMSTA-ZSA<br>Warren, MI 48090                  |
| 1                | Commander<br>U.S. Army Concepts Analysis<br>Agency<br>ATTN: CSCA-MSL-L<br>8120 Woodmont Avenue<br>Bethesda, MD 20814-2797       | 1                | HQDA (DACS-CV)<br>WASH, DC 20310                                                                                                            |
| 1                | Dr. Clint V. Ancker, Jr.<br>23908 Malibu Knolls Road<br>Malibu, CA 90265                                                        | 2                | Project Manager<br>M1E1 Tank System<br>ATTN: AMCPM-M1E1<br>Warren, MI 48090                                                                 |
| 1                | Director<br>U.S. Army TRADOC Analysis<br>Command<br>ATTN: ATRC-FMD (Mr. E. Arendt)<br>Fort Leavenworth, KS 66027-5200           | 1                | Director of Research<br>U.S. Army TRADOC Analysis<br>Command<br>ATTN: ATRC-RD (Ms. R. Baird)<br>White Sands Missile Range, NM<br>88002-5502 |

# DISTRIBUTION LIST (Continued)

| No. of<br>Copies | Organization                                                                                                                                                | No. of<br>Copies | Organization                                                                                                                                                         |
|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1                | Systems Assessment Group<br>Royal Military College of<br>Science, Mr. M. Bathe<br>Shrivenham<br>Swindon Wilts SN6 8LA<br>United Kingdom                     | 1                | Colonel C. E. Evans<br>Director<br>Army Model Improvement Program<br>Management Office<br>ATTN: ATZL-CAN-DO<br>Fort Leavenworth, KS<br>66027-5000                    |
| 1                | Commander<br>Joint Warfare Center<br>ATTN: Mr. E. Blair,<br>Technical Advisor<br>Hurlburst Field<br>Eglin Air Force Base, FL<br>32544-5000                  | 1                | Robert Farrell<br>Vector Research Incorporated<br>PO Box 1506<br>Ann Arbor, MI 48106                                                                                 |
| 1                | Director<br>U.S. Army TRADOC Analysis<br>Command<br>ATTN: ATRC-TD<br>(Mr. F. Campbell)<br>Fort Leavenworth, KS<br>66027-5200                                | 1                | HQDA (SARD-TNT)<br>ATTN: LTCOL R. Fejfar<br>Pentagon<br>WASH, DC 20310-0105                                                                                          |
| 1                | Director<br>U.S. Army TRADOC Analysis<br>Command<br>Requirements and Programs<br>Directorate<br>ATTN: ATRC-RP (Mr. K. Carson)<br>Fort Monroe, VA 23651-5143 | 1                | Mr. David Finley<br>General Dynamics, Fort Worth<br>Division<br>PO Box 748<br>Mail Zone 4091<br>Fort Worth, TX 76101                                                 |
| 1                | Director<br>U.S. Army TRADOC Analysis<br>Command<br>ATTN: ATRC-W (Dr. D. Collier)<br>White Sands Missile Range, NM<br>88002-5502                            | 1                | Director<br>Army Model Improvement<br>Program, Management Office<br>ATTN: ATZL-CAN-DO (MAJ Halek)<br>Fort Leavenworth, KS 66027-5000                                 |
| 1                | Professor Ralph Disney<br>Department of Industrial<br>Engineering<br>Texas A&M University<br>College Station, TX 77843                                      | 1                | Defence Operational Analysis<br>Establishment<br>ATTN: Mr. Geoff Hawkins<br>Broadoaks, Parvis Road<br>West Byfleet<br>Weybridge<br>Surrey KT14 6LY<br>United Kingdom |
| 1                | Colonel T.N. Dupuy, USA Ret.<br>Data Memory Systems, Inc.<br>10392 Democracy Lane<br>Fairfax, VA 22030                                                      | 1                | U.S. Army Concepts Analysis<br>Agency<br>ATTN: CSCA-MVM (Dr. R. Hembold)<br>8210 Woodmont Avenue<br>Bethesda, MD 20814-2797                                          |

# DISTRIBUTION LIST (Continued)

| No. of<br>Copies | Organization                                                                                                                      | No. of<br>Copies | Organization                                                                                                                                                                    |
|------------------|-----------------------------------------------------------------------------------------------------------------------------------|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1                | U.S. Army Concepts Analysis<br>Agency<br>ATTN: CSCA-RSR<br>(Prof. L. Ingber)<br>8120 Woodmont Avenue<br>Bethesda, MD 20814-2797   | 1                | Director<br>U.S. Army TRADOC Analysis<br>Command<br>ATTN: ATRC-DPS<br>(Dr. H. Sassenfeld)<br>White Sands Missile Range, NM<br>88002-5502                                        |
| 1                | U.S. Army Tank Automotive<br>Command<br>ATTN: AMSTA-RSA<br>(Dr. W. Jackson)<br>Warren, MI 48397-5000                              | 1                | Director<br>U.S. Army TRADOC Analysis<br>Command<br>ATTN: ATRC-WC (P. Shugart)<br>White Sands Missile Range, NM<br>88002-5502                                                   |
| 1                | Commander<br>HQDA<br>ATTN: DAMO-ZDS<br>(Dr. J. Metzger)<br>WASH, DC 20310                                                         | 1                | U.S. Army Concepts Analysis<br>Agency<br>ATTN: CSCA-RQN (MAJ Staniec)<br>8120 Woodmont Avenue<br>Bethesda, MD 20814                                                             |
| 1                | Dr. Louis Moore<br>RAND Corporation<br>1700 Main Street<br>Santa Monica, CA 90406-2138                                            | 1                | Professor James Taylor<br>Department of Operations<br>Research<br>Naval Postgraduate School<br>Department 55 (Tw)<br>Monterey, CA 93943-5000                                    |
| 1                | Director<br>U.S. Army TRADOC Analysis<br>Command<br>ATTN: ATRC-WEA (Dr. M. Parish)<br>White Sands Missile Range, NM<br>88002-5502 | 1                | Mr. David Thompson<br>Vector Research Incorporated<br>PO Box 1506<br>Ann Arbor, MI 48106                                                                                        |
| 1                | Professor Sam Parry<br>Commander<br>U.S. Naval Postgraduate School<br>Code 55PY<br>Monterey, CA 93943                             | 1                | Dr. Ralph M. Toms<br>Development Projects Manager<br>Conflict Simulation Laboratory,<br>L-315<br>Lawrence Livermore National<br>Laboratory<br>PO Box 808<br>Livermore, CA 94550 |
| 1                | Director<br>U.S. Army TRADOC Analysis<br>Command<br>ATTN: ATRC-WEA (R. Porter)<br>White Sands Missile Range, NM<br>88002-5502     |                  |                                                                                                                                                                                 |

# DISTRIBUTION LIST (Continued)

| No. of<br>Copies | Organization                                                                                                                            | No. of<br>Copies | Organization                                                                                                               |
|------------------|-----------------------------------------------------------------------------------------------------------------------------------------|------------------|----------------------------------------------------------------------------------------------------------------------------|
| 1                | U.S. Army Concepts Analysis<br>Agency<br>ATTN: CSCA-RSA (J. Warren)<br>8120 Woodmont Avenue<br>Bethesda, MD 20814                       | 1                | Mr. Patrick Wood<br>Ministry of Defense (PE)<br>CAI RARDE<br>Fort Halsheard<br>Sevenoaks, Kent TN 14 FBP<br>United Kingdom |
| 1                | U.S. Army TRADOC Analysis<br>Command<br>ATTN: ATRC-RD (MAJ Welo)<br>Director of Research<br>White Sands Missile Range, NM<br>88002-5502 | 1                | U.S. Army Concepts Analysis<br>Agency<br>ATTN: CSCA-RQN (MAJ M. Youngren)<br>8120 Woodmont Avenue<br>Bethesda, MD 20814    |
| 1                | HQDA<br>ATTN: SAUS-OR (Dr. D. Willard)<br>WASH, DC 20310-0102                                                                           | 1                | General Dynamics<br>Land Systems Division<br>ATTN: Mr. J. O'Rourke<br>PO Box 1800<br>Warren, MI 48090                      |

## Aberdeen Proving Ground

|   |                                                                                                                                                 |    |                                                                                                                                                                                                                                            |
|---|-------------------------------------------------------------------------------------------------------------------------------------------------|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | Director<br>U.S. Army Human Engineering<br>Laboratory<br>ATTN: SLCHE-SP (Dr. B. Cummings)<br>Aberdeen Proving Ground, MD<br>21005-5001          | 1  | Director<br>U.S. Army Ballistics Research<br>Laboratory<br>ATTN: AMXBR-OD-ST, Bldg 305<br>Aberdeen Proving Ground, MD<br>21005-5066                                                                                                        |
| 2 | Director<br>U.S. Army Ballistics Research<br>Laboratory<br>ATTN: AMXBR-OD, Bldg 328<br>AMXBR-SECAD<br>Aberdeen Proving Ground, MD<br>21005-5066 | 10 | Director<br>U.S. Army Materiel Systems<br>Analysis Activity<br>ATTN: AMXSY-CC (R. Sandmeyer)<br>AMXSY-G<br>AMXSY-GA<br>AMXSY-GB<br>AMXSY-C<br>AMXSY-DA (H. Cohen)<br>AMXSY-PA (RPC,<br>3 cys)<br>Aberdeen Proving Ground, MD<br>21005-5071 |

# GISI

|                                                                                   |                                                                    |                                                                                     |
|-----------------------------------------------------------------------------------|--------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  | TYPE OF REPORT: Technical Report<br>REPORT NUMBER: TR-489<br>DATE: |  |
|-----------------------------------------------------------------------------------|--------------------------------------------------------------------|-------------------------------------------------------------------------------------|

SUBJECT: Inner Product Performance Criteria for Evaluating Combat Models.

REASON FOR PERFORMING THIS EFFORT: Investigation of the properties of the linear homogeneous Lanchester equations which are used extensively by Army combat modelers.

MAIN OBJECTIVES OF THE EFFORT: Investigate invariant properties of linear homogeneous Lanchester equations of combat and to compare theoretical results with those derived from Army combat models.

SCOPE OF EFFORT: Develop solutions for piecewise constant linear homogeneous Lanchester equations in state variables and introduce the role of the adjoint differential equation.

IMPACT OF THE EFFORT: Provides explicit solution, independent of step size, of the linear homogeneous Lanchester equations thus increasing speed of computation and develops a simple performance criteria for evaluating how well the approximate solutions agree with the exact solutions of the equation of combat.

CONTRACTED ADVISORY AND ASSISTANCE SERVICES: None.

SPONSOR: None.

PERFORMING ORGANIZATION/POINT OF CONTACT: U.S. Army Materiel Systems Analysis Activity (AMSAA), Special Studies and Activities Office, Herbert E. Cohen, DSN 298-2785.

DTIC/DLSIE ACCESSION NUMBER: Report sent to DTIC, accession number not available.

AMSAA Form 43R (4 Jun 90)  
Previous edition of this form is obsolete

ENCL 3