




REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

1a. REPORT SECURITY CLASSIFICATION (U)			1b. RESTRICTIVE MARKINGS NA		
2a. SECURITY CLASSIFICATION AUTHORITY NA			3. DISTRIBUTION AVAILABILITY OF REPORT Distribution Unlimited		
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE NA					
4. PERFORMING ORGANIZATION REPORT NUMBER(S) NA			5. MONITORING ORGANIZATION REPORT NUMBER(S) NA		
6a. NAME OF PERFORMING ORGANIZATION Purdue Univ.		6b. OFFICE SYMBOL (If applicable) NA	7a. NAME OF MONITORING ORGANIZATION Office of Naval Research		
6c. ADDRESS (City, State, and ZIP Code) W. Lafayette, IN 47907			7b. ADDRESS (City, State, and ZIP Code) 800 North Quincy Street Arlington, VA 22217-5000		
8a. NAME OF FUNDING/SPONSORING ORGANIZATION Office of Naval Research		8b. OFFICE SYMBOL (If applicable) ONR	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER N00014- -		
8c. ADDRESS (City, State, and ZIP Code) 800 North Quincy Street Arlington, VA 22217-5000			10. SOURCE OF FUNDING NUMBERS		
			PROGRAM ELEMENT NO 61153N	PROJECT NO	TASK NO 441
			WORK UNIT ACCESSION NO		
11. TITLE (Include Security Classification) (U) Storing Bits on a DNA Polymer Chain					
12. PERSONAL AUTHOR(S) L.L. Van Zandt					
13a. TYPE OF REPORT Final		13b. TIME COVERED FROM 6/85 TO 3/91		14. DATE OF REPORT (Year, Month, Day) 7/7/91	
15. PAGE COUNT 9					
16. SUPPLEMENTARY NOTATION					
17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)		
FIELD	GROUP	SUB GROUP			
0601			DNA, normal mode, vibration, soliton plasmon, micro-memory, data storage		
19. ABSTRACT (Continue on reverse if necessary and identify by block number)					
ABSTRACT: We have advanced the theory of localized defects on DNA homopolymer chains. This includes constructing operative computer code for the necessary numerical analysis. We have also developed the theory of atomic interactions and normal mode vibrational analysis on homopolymer DNA, working to give a strong physical basis to the numerical analysis. Some new phenomena have been predicted.					
20. DISTRIBUTION AVAILABILITY OF ABSTRACT ☒ UNCLASSIFIED/UNLIMITED ☐ SAME AS RPT ☐ DTIC USERS			21. ABSTRACT SECURITY CLASSIFICATION (U)		
22a. NAME OF RESPONSIBLE INDIVIDUAL Dr. M. Marron			22b. TELEPHONE (Include Area Code) 703/696-4038		22c. OFFICE SYMBOL ONR



SECURITY CLASSIFICATION OF THIS PAGE



Final Report: Storing Bits on a DNA Polymer Chain

L.L. Van Zandt
Purdue University
Department of Physics
W. Lafayette, Indiana 47907

July 7, 1991

ABSTRACT: We have advanced the theory of localized defects on DNA homopolymer chains. This includes constructing operative computer code for the necessary numerical analysis. We have also developed the theory of atomic interactions and normal mode vibrational analysis on homopolymer DNA, working to give a strong physical basis to the numerical analysis. Some new phenomena have been predicted.

Accession For	
ERIC GRASS	
ERIC Feb	
Unannounced	
Justification	
By	
Distribution	
Availability Codes	
Dist	Avail and/or Special
A-1	



At the time of the beginning of this contract, attention in DNA physics was centered on the reported anomalous resonant absorption of microwaves by uniform length strands of DNA in solution. This measurement by workers at Maryland was anomalous because our group had, a few years earlier, published a series of theory papers on low frequency sound in DNA, and the observations contradicted our results. Thus we thought it worthwhile that initially considerable effort should be spent in an attempt to reconcile the theory and experiments. The published results of that effort appeared as items [1], [3], [4], [5], [10] & [12] in the list of published papers under this contract. The resolution we achieved, however, was never entirely satisfactory. The experimental results remained anomalous, at least in some degree. These observations were never repeated, although several groups tried to do so. Current opinion is that the measurements were in error, and the theory is sound.

With the confidence that our basic understanding of the damping process was sound, the work of the contract continued on two fronts: 1) the development of a strong first-principles physical basis for all interactions in DNA, and 2) the specific development of efficient algorithms and techniques to exploit this basis for local mode problems.

Item [6] - and also the closely related item [18] - were part of the general interactions problem. The calculations of these two papers first probed the "intermediate range" of normal mode frequencies. They also first revealed that different values for the basic parameters were apparently necessary in different frequency regimes. To explain the experimental values for sound speeds revealed by inelastic neutron scattering, it was necessary to use a different dielectric constant than that which gave satisfactory Brillouin scattering results. We also discovered that the separation into distinct frequency domains was surprisingly sharp at the upper limit of the "intermediate" frequency range; this

was published as item [13].

This discrepancy between necessary values of the same parameter in two different experiments brought out attention to the general importance of electrodynamics in the normal mode problem. We discovered then that our earlier methods of treating long range forces, essentially charge-charge interactions, was quite unsatisfactory. When proper treatment of the electrodynamic behavior of the composite medium of DNA polymer and solvent was given, the discrepancy between the parameter values in different frequency regimes was resolved. This work appeared as items [8], [9] & [20]. In addition the novel phenomenon of the one dimensional plasmon was discovered and predicted. This was discussed in item [7].

A related issue having to do with novel sorts of excitations arose in connection with the possibility of soliton propagation along the DNA polymer chain. That the important excitations might be solitonic, rather than ordinary harmonic waves, had been raised in connection with the anomalous "resonances" "observed" by the Maryland group. This suggestion was answered decisively in the negative in item [2]. However, the general question of the existence of solitonic states remained. Items [14] and [15] showed that such excitations might be possible, but that they were subject to strong damping from thermal collisions by solvent molecules. These results led to some controversy, even within Purdue, and these questions were answered in item [19].

The effort to give a genuine physical basis to the parametrization of the interactions between the polymer atoms continues. Items [21] and [23] are an exploration of the applicability of one of the most widely used descriptions of the hydrogen bonding that serves - at least in part - to hold the polymer chain together in the double helical structure.

We regard it of paramount importance that theory should be able to describe and predict experiments, not merely tabulate them. Hence we continue to search for experimental connections between

our work and spectroscopy. Item [17] concerns a potential method for making many such connections; it is, however, disappointing in that the precision of current experiments is not yet sufficient to make use of the methodology it develops. By contrast, item [22] explores a strong temperature dependence of the spectrum which should serve to make several important correspondences between theory and experiment.

The local mode problem is the key to the application to possible bit storage and manipulation on the polymer. The recently published item [16] is the culmination of a long effort to develop a working algorithm for treating local mode analysis. While only a single publication, it describes a reliable way of obtaining the necessary vibrational behavior for studying the bit storage question, and represents a long and arduous theoretical task. We undertook this task because we believe that other approaches to this problem are of uncertain value.

We are applying this new methodology presently under the new contract to selected test local defects in a search for experimental features that would serve to verify its predictions. We believe that such cautious exploration, closely guided by experiments, is more useful than premature calculation of more elaborate effects that could in the end turn out to be only computational artifacts.

Refereed Publications

- [1] Theory of the anomalous resonant absorption of DNA at microwave frequencies, (w/M.E. Davis). J. of Biomolecular Structure and Dyn. 3, 1045-1053 (1986).
- [2] A theorem on Boussinesq solitons or why soliton formation sharpens resonant absorption and why this has nothing to do with real polymers. J. of Bio. Struc. & Dyn. 4, 309-317 (1986).
- [3] Resonant microwave absorption by dissolved DNA, L.L. Van Zandt Phys. Rev. Letts. 57, 2085-2087 (1986).
- [4] Why structured water causes sharp absorption by DNA at microwave frequencies, L.L. Van Zandt J. of Bio. Structure & Dyn. 4, 239 (1987).
- [5] Microwave response of DNA in solution: Theory, (w/M.E. Davis), Phys. Rev. A 37, 888 (1988).
- [6] Helical lattice vibrational modes in DNA, (w/V.V. Prabhu/W.K. Schroll/E. Prohofsky). Phys. Rev. Letters. 60, 1587-1588 (1988).
- [7] DNA Plasmon, (w/V.K. Saxena). Phys. Rev. Letts. 61, 1788-1790 (1988).
- [8] Effective field approach for long-range dissolved DNA polymer dynamics, (w/V.K. Saxena/W.K. Schroll). Phys. Rev. A39, 1474-1481 (1989).
- [9] Millimeter-microwave spectrum of DNA: six predictions for spectroscopy, (w/V.K. Saxena). Phys. Rev. A39, 2672 (1989).

- [10] Response of DNA in Aqueous solution to microwave irradiation, (w/M.E. Davis). Book of Abstracts Fifth Conversation in Biomolecular Stereodynamics June 2-6, 1987, pg. 316, ed. R.H. Sarma.
- [11] Longitudinal phonon interpretation of inelastic neutron scattering in DNA, (w/W. Schroll). Biopolymers 28, 1189 (1989).
- [12] Temperature and concentration behavior of anomalous microwave resonances in DNA, (w/M. Davis). Biopolymers 28, 1429 (1989).
- [13] Atomic motions and high frequency cut-off in biological macromolecules, Chem. Phys. Lett. 164, 82 (1989).
- [14] DNA solitons with realistic parameters values, Phys. Rev. A.40, Rapid Communications, 6134 (1989).
- [15] Propagation of energy packets along model DNA polymer, L.L. Van Zandt, Book of Abstracts Sixth Conversation in Biomolecular Stereodynamics, Ed. R.H. Sarma, SUNY Albany, June (1989).
- [16] Closed form solution for localized modes on a polymer chain with a defect, J. Comp. Phys. 93, 273 (1991).
- [17] Determination of eigenvectors in molecular spectroscopy by isotopic substitution, Biopolymers 30, 87 (1990).
- [18] Phonon Interpretation of Inelastic Neutron Scattering in DNA Crystals, W.K. Schroll, V.V. Prabhu, E.W. Prohofsky, and L.L. Van Zandt, Biopolymers 28, 1189-1193, (1989).
- [19] Reply to 'Comment on 'DNA Solitons With Realistic Parameters'', L.L. Van Zandt, Phys Rev A 42, 5036-5039 (1990).
- [20] Dynamics of Dissolved DNA Polymers Using a Frequency-Dependent

Dielectric Constant, V.K. Saxena and L.L. Van Zandt,
Phys Rev A 42, 4993-4997, (1990).

[21] Modeling Hydrogen Bonds in Three Dimensions, L.L. Van Zandt and
W.K. Schroll, J. of Bio. Struct. & Dyn. 8, 431-438 (1990).

[22] Identifying and Interpreting Spectral Features of Dissolved Poly(dA)-
Poly(dT) DNA Polymer in High-Microwave Range, Phys Rev A 43,
4510-4516 (1991).

[23] Low-Frequency Parametrization of Hydrogen Bonding, W.K. Schroll,
L.L. Van Zandt, and V.K. Saxena, J. of Bio. Struct. & Dyn. 8,
1057-1067, (1991).

Ph. D. Theses

Malcolm E. Davis, "Theory of the Response by DNA in Solution to Microwave Illumination", Purdue University, April 1987.

Wayne K. Schroll, "Selected Topics on the Dynamics of DNA", Purdue University, December 1990.

Distribution List for Final Reports

Attach a copy of the REPORT DOCUMENTATION PAGE (DD FORM 1473) to your final report as the first page and mail two copies (including the postcard labelled DTIC FORM 50) to:

Defense Technical Information Center
Building 5, Cameron Station
Alexandria, VA 22314

This allows other investigators to obtain copies of your report directly from DTIC. DTIC will fill out the postcard DTIC ACCESSION NOTICE (DTIC FORM 50) and return it to you with their number for your report. When you refer people to DTIC to get a copy of your report, give this number to expedite the request.

Mail one copy to each of the following and attach **this very page** to the back of your report - otherwise the folks below will think they have mistakenly received a copy meant for the Molecular Biology Program):

- | | |
|---|--|
| (a) Dr. Michael Marron
ONR Code 1141
Molecular Biology Program
800 N. Quincy Street
Arlington, VA 22217-5000 | (e) Director
Chemical and Biological Sci Div
Army Research Office
P. O. Box 12211
Research Triangle Park, NC 27709 |
| (b) Administrative Grants Officer
ONR Resident Representative
(address varies - see copy of your
grant/contract) | (f) Life Sciences Directorate
Air Force Office of Scientific Res
Bolling Air Force Base
Washington, DC 20332 |
| (c) Director,
Applied Research Directorate
ONR Code 12
800 N. Quincy Street
Arlington, VA 22217-5000 | (g) Director
Naval Research Laboratory
Technical Information Div
Code 2627
Washington, DC 20375 |
| (d) Director
Office of Naval Technology
Code 22
800 N. Quincy Street
Arlington, VA 22217-5000 | |