


AD-A239 055



**Defense Nuclear Agency
Alexandria, VA 22310-3398**



DNA-TR-90-217

EMI Shock Tube Experiments

**H. Reichenbach
G. Scheklinski-Glück
Ernst-Mach Institute
78 Freiburg/BR
Eckerstrasse 4
Republic of Germany**

July 1991

Technical Report



CONTRACT No. DNA 001-88-C-0125

**Approved for public release;
distribution is unlimited.**

91-06477



91 7 29 180

**Destroy this report when it is no longer needed. Do not
return to sender.**

**PLEASE NOTIFY THE DEFENSE NUCLEAR AGENCY,
ATTN: CSTI, 6801 TELEGRAPH ROAD, ALEXANDRIA, VA
22310-3398, IF YOUR ADDRESS IS INCORRECT, IF YOU
WISH IT DELETED FROM THE DISTRIBUTION LIST, OR
IF THE ADDRESSEE IS NO LONGER EMPLOYED BY YOUR
ORGANIZATION.**



DISTRIBUTION LIST UPDATE

This mailer is provided to enable DNA to maintain current distribution lists for reports. We would appreciate your providing the requested information.

- ☐ Add the individual listed to your distribution list.
- ☐ Delete the cited organization/individual.
- ☐ Change of address.

NOTE:
Please return the mailing label from the document so that any additions, changes, corrections or deletions can be made more easily.

NAME: _____

ORGANIZATION: _____

OLD ADDRESS

CURRENT ADDRESS

TELEPHONE NUMBER: () _____

SUBJECT AREA(s) OF INTEREST:

DNA OR OTHER GOVERNMENT CONTRACT NUMBER: _____

CERTIFICATION OF NEED-TO-KNOW BY GOVERNMENT SPONSOR (if other than DNA):

SPONSORING ORGANIZATION: _____

CONTRACTING OFFICER OR REPRESENTATIVE: _____

SIGNATURE: _____

CUT HERE AND RETURN



Director
Defense Nuclear Agency
ATTN: TITL
Washington, DC 20305-1000

Director
Defense Nuclear Agency
ATTN: TITL
Washington, DC 20305-1000

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503				
1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE 910701		3. REPORT TYPE AND DATES COVERED Technical
4. TITLE AND SUBTITLE EMI Shock Tube Experiments			5. FUNDING NUMBERS C - DNA 001-88-C-0125 PE - 62715H PR - RA TA - RG WU - DH051300	
6. AUTHOR(S) H. Reichenbach, G. Scheklinski-Glück				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Ernst-Mach Institute 78 Freiburg/BR Eckerstrasse 4 Republic of Germany			8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Defense Nuclear Agency 6801 Telegraph Road Alexandria, VA 22310-3398 SPSP/Castleberry			10. SPONSORING/MONITORING AGENCY REPORT NUMBER DNA-TR-90-217	
11. SUPPLEMENTARY NOTES This work was sponsored by the Defense Nuclear Agency under RDT&E RMC Code B4662D RA RG 00143 SPSP 4200A 25904D.				
12a. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution is unlimited.			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) This work was undertaken to increase the understanding of the fluid dynamics of shock wave reflection phenomena. Parametric height-of-burst (HOB) experiments were performed to establish a consistent set of HOB peak overpressure curves in the low pressure regime (< 100 psi) for hydrodynamically smooth and rough surfaces. The laboratory technique used employed 0.5-g NP charges. Shock tube experiments were performed to study turbulent boundary layer effects behind shocks and mixing effects in boundary layers with different sound speeds. Precursor and "decursor" phenomena were studied.				
14. SUBJECT TERMS HOB Model Tests Reflection at Smooth and Rough Surfaces Decursor Phenomena Turbulent Boundary Layer Effects Behind Shocks			15. NUMBER OF PAGES 14	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT SAR	

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE

CLASSIFIED BY:

N/A since Unclassified

DECLASSIFY ON:

N/A since Unclassified

TABLE OF CONTENTS

Section	Page
1.1 General Remarks	1
2.1 Results and Conclusions	1
2.1.1 Small-scale HOB Tests	1
2.1.2 Shock Tube Program	3



Accession For	
NTIS GRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification _____	
By _____	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	

1.1 GENERAL REMARKS.

Research conducted during the contract period concentrated on the following topics:

- 1. Small-Scale HOB Tests**
- 2. Shock Tube Experiments.**

As the research progressed, it was determined that the most important work was the Small-Scale HOB Testing and DNA directed that efforts be concentrated in that area. The authors would like to recognize the significant contributions to this research made by Dr. Allen L. Kuhl, RDA. Dr. Kuhl also served as the conduit for information reported to DNA.

2.1 RESULTS AND CONCLUSIONS.

2.1.1 Small-Scale HOB Tests.

Under this contract, an extended series of parametric height-of-burst (HOB) experiments was performed to establish a consistent set of HOB peak overpressure curves in the low pressure regime (< 100 psi) for hydrodynamically smooth and rough surfaces. The results of these tests are documented in the following reports and papers:

- a. EMI Report E 3/89**
"HOB-Isolinien für Micro-Mach-Experimente auf rauher Oberfläche"--Datenreport
G. Scheklinski-Glück
H. Reichenbach
- b. EMI Report T 1/90**
"HOB Test Data With Smooth Surface (Macrolon)"
G. Scheklinski-Glück, EMI
H. Reichenbach, EMI

- c. EMI Report E 7/90
"Reflection of Spherical Waves From Smooth Surfaces:
RR-MR Transition of Low Pressures"
H. Reichenbach, EMI
G. Scheklinski-Glück, EMI
A.L. Kuhl, RDA
- d. EMI Report E 10/90
"Comparison of the HOB Curves for 0.5-g NP Charges With
Field Test Data"
H. Reichenbach, EMI
G. Scheklinski-Glück, EMI
A.L. Kuhl, RDA
- e. "HOB Experiments with 0.5-g Charges"
Progress Report (June - December 1989)
A.L. Kuhl, RDA
H. Reichenbach, EMI
G. Scheklinski-Glück, EMI
- f. "HOB Experiments with 0.5-g NP Charges"
H. Reichenbach, EMI
A.L. Kuhl, RDA
Presented at the Symposium on Military Applications of Blast Simulation
(MABS), Albuquerque, NM (1989).

The laboratory technique used in the above publications employed 0.5-g NP charges. It is a very effective technique for studying blast wave reflections from various surfaces. The NP data agree with other data from large HE charges, but the NP data have less scatter and are more self-consistent. The NP HOB curves are the most accurate curves available today for overpressures in the range $2 \leq \Delta p \text{ (psi)} \leq 100$. The knees in the HOB curves are reduced (relative to the von Neumann two-shock theory) in the low-pressure transition region--even for the case of a hydrodynamic smooth reflection plane. Roughness or porosity in the reflecting plane further erodes the knees in the HOB curves. Boundary layer effects on the HOB curves were estimated for the hydrodynamically smooth surface, and it

was found that the deficit in ground range to the same overpressure increased logarithmically with range. Even after employing this boundary layer correction, the HOB curves remain below the two-shock theory curves in the low-pressure transition region.

We believe that boundary layer effects may cause the shock structure to transition to Mach reflection before the detachment angle is reached (theoretical limit of the existence of two-shock solutions). Also, boundary layer effects suppress the triple point trajectory just after transition and hence clip the very peaked waveforms observed in the low pressure transition region. These effects, along with gauge diameter limitations, are responsible for pulling the knees of the HOB curves in and down in the low pressure transition region.

We have now an extensive data base for reflections of spherical blast waves from surfaces. But in the low-pressure region (i.e., below 2 psi) the data are mostly extrapolated because the size of the explosion charge is too small. We propose therefore to build a bigger chamber with overall dimensions of 2.5 x 1.8 x 1.2 m. Then we will be able to enlarge the capability of our experiments in a region where free-field measurements are extremely difficult due to weather and other surrounding conditions.

2.1.2 Shock Tube Program.

Shock tube experiments were performed to study physical phenomena especially in the boundary layer region. Examples of these experiments were studies of turbulent boundary layer effects behind shocks and mixing effects in boundary layers with different sound speeds. In the case of a layer with higher sound speed, a precursor shock was established, whereas in a low sound speed layer, a "decursor" was created. To study the decursor phenomena, new techniques had to be developed and extensive shock tube tests had to be performed.

a. Development of New Techniques

A new computer-controlled heating system was developed by EMI and successfully tested to perform a parametric series of precursor tests in a shock tube using the heated-foil technique. The rise time of the electric current used to heat the foil and the duration of the current were independently adjusted to study heating effects. Foil temperatures of more than 2000 K were reached.

Physical Research, Inc. (PRI) was placed under separate contract to DNA to develop diagnostics for the EMI shock tube. PRI developed a laser Doppler velocimeter (LDV) to measure gas velocities, laser attenuation (LAT) probes to measure gas concentration, and special computer software to analyze interference ring photography for density measurements. Extended experiments were performed in the EMI shock tube using the PRI diagnostics to test components for LDV measurements and also to check methods to measure the concentration of different gases in the boundary layer. Details of the LDV, interference fringe reduction software and concentration measurements are to be reported by PRI in their final report under DNA contract DNA001-89-C-0018.

b. Shock Tube Experiments

Extended tests were performed in the EMI shock tube to study the decursor phenomena. The decursor was formed by propagating a shock wave through a layered media where the layer near the surface had a lower sound speed. To produce such a layer, Freon-12 was injected through a Filtrokelit plate. The same apparatus was successfully used in the past to produce high sound speed He layers for precursor studies. Results of these tests are documented in:

Technical Note No. 3/89

"Turbulent, Dense-Gas Layer behind a Shock Wave"

H. Reichenbach, EMI

A.L. Kuhl, RDA.

The dense-gas layer is in some respects a simulation of a dusty boundary layer where the dust particles are represented by the heavy molecules of Freon-12. To enlarge the density ratio across the layer, Helium was used as ambient gas instead of air so that a density ratio of about $\rho_{\text{Freon}}/\rho_{\text{Helium}} \approx 30$ was realized. (Such density ratios are similar to those found in a fluidized dust bed of dusty boundary experiments in the TRW shock tube.) Therefore, one can expect that the dense-gas layer can simulate the inertial dynamics of dusty boundary layers for the case where the dust particles have a very small size, i.e., where the dust essentially is in velocity equilibrium with the gas. The advantage of this gasdynamic simulation of the dusty boundary layer is that it is amenable to gasdynamic measurements (stagnation pressure, optical visualization, LDV, etc.) which are considerably more difficult in two-phase flows.

The shadow photographs in our tests show the turbulent mixing process in the gas behind a shock wave. Coherent structures in the form of more or less periodic bubble-like areas were observed. The period seems to depend on Mach number and density ratio across the layer. But the test data have not yet been fully evaluated and the variation of the shock Mach number is not sufficient to be able to compare the density ratio effect at the same Mach number for different ambient gases.

We planned to measure the velocity profile and the RMS velocity fluctuations in the turbulent boundary layer (by PRI's LDV system) and the density profiles and fluctuations (by PRI concentration measurement technique). The PRI measurement systems were not delivered during our contract period. We will use the PRI systems on subsequent research.

DISTRIBUTION LIST

DNA-TR-90-217

DEPARTMENT OF DEFENSE

ASSISTANT TO THE SECRETARY OF DEFENSE
ATTN: EXECUTIVE ASSISTANT

DEFENSE INTELLIGENCE AGENCY
ATTN: DB-TPO
ATTN: DB-6

DEFENSE NUCLEAR AGENCY
ATTN: SPSD
ATTN: SPSP P CASTLEBERRY
ATTN: SPWE K PETERSEN
ATTN: TDTR
2 CYS ATTN: TITL

DEFENSE NUCLEAR AGENCY
ATTN: TDNV

DEFENSE NUCLEAR AGENCY
ATTN: ENIE N GANTICK
ATTN: TDNM
2 CYS ATTN: TDTT W SUMMA
ATTN: TTST E MARTINEZ
ATTN: TTST E RINEHART

DEFENSE TECHNICAL INFORMATION CENTER
2 CYS ATTN: DTIC/FDAB

DEPARTMENT OF DEFENSE EXPLO SAFETY BOARD
ATTN: CHAIRMAN

STRATEGIC AND THEATER NUCLEAR FORCES
ATTN: DR E SEVIN

THE JOINT STAFF
ATTN: JKC (ATTN: DNA REP)
ATTN: JKCS
ATTN: JLWD
ATTN: JPEM

DEPARTMENT OF THE ARMY

DEPT CH OF STAFF FOR OPS & PLANS
ATTN: DAMO-SWN

HARRY DIAMOND LABORATORIES
ATTN: SLCIS-IM-TL

INFORMATION SYSTEMS COMMAND
ATTN: STEWS-NE-O K CUMMINGS

U S ARMY ARMAMENT MUNITIONS & CHEMICAL CMD
ATTN: MA LIBRARY

U S ARMY BALLISTIC RESEARCH LAB
2 CYS ATTN: SLCBR-SS-T

U S ARMY CORPS OF ENGINEERS
ATTN: CERD-L

U S ARMY ENGINEER DIV HUNTSVILLE
ATTN: HNDED-SY

U S ARMY ENGINEER DIV OHIO RIVER
ATTN: ORDAS-L

U S ARMY ENGR WATERWAYS EXPER STATION
ATTN: C WELCH CEWES-SE-R
ATTN: CEWES J K INGRAM
ATTN: CEWES-SD DR J G JACKSON JR
ATTN: J ZELASKO CEWES-SD-R
ATTN: RESEARCH LIBRARY

U S ARMY FOREIGN SCIENCE & TECH CTR
ATTN: AIFRTA

U S ARMY MATERIAL TECHNOLOGY LABORATORY
ATTN: DRXMR J MESSALL
ATTN: TECHNICAL LIBRARY

U S ARMY MISSILE COMMAND/AMSMI-RD-CS-R
ATTN: AMSMI-RD-CS-R

U S ARMY NUCLEAR & CHEMICAL AGENCY
ATTN: MONA-NU

U S ARMY RESEARCH DEV & ENGRG CTR
ATTN: STRNC-YSD G CALDARELLA

U S ARMY STRATEGIC DEFENSE CMD
ATTN: CSSD-H-SA
ATTN: CSSD-H-SAV
ATTN: CSSD-SD-A

U S ARMY STRATEGIC DEFENSE COMMAND
ATTN: CSSD-SA-EV
ATTN: CSSD-SL

U S ARMY WAR COLLEGE
ATTN: LIBRARY

USA SURVIVABILITY MANAGMENT OFFICE
ATTN: SLCSM-SE J BRAND

DEPARTMENT OF THE NAVY

NAVAL POSTGRADUATE SCHOOL
ATTN: CODE 1424 LIBRARY

NAVAL RESEARCH LABORATORY
ATTN: CODE 2627
ATTN: CODE 4040 D BOOK
ATTN: CODE 4400 J BORIS

NAVAL SEA SYSTEMS COMMAND
ATTN: SEA-09G53

NAVAL SURFACE WARFARE CENTER
ATTN: TECHNICAL LIBRARY E-231

NAVAL WEAPONS EVALUATION FACILITY
ATTN: CLASSIFIED LIBRARY

DNA-TR-90-217 (DL CONTINUED)

OFFICE OF CHIEF OF NAVAL OPERATIONS
ATTN: OP 03EG

OFFICE OF NAVAL RESEARCH
ATTN: CODE 1132SM

DEPARTMENT OF THE AIR FORCE

AIR UNIVERSITY LIBRARY
ATTN: AUL-LSE

BALLISTIC SYSTEMS DIVISION
ATTN: MCES
ATTN: MGER

HEADQUARTERS USAF/IN
ATTN: IN

PHILLIPS LABORATORY
ATTN: NTCA
ATTN: NTE
ATTN: NTE G BALADI
ATTN: NTED G GOODFELLOW
ATTN: NTED J RENICK
ATTN: NTED R HENNY
ATTN: NTED R HOFFMANN
ATTN: NTEO J QUINTANA

STRATEGIC AIR COMMAND/XPSW
ATTN: T E DENESIA XPS

STRATEGIC AIR COMMAND/XRFS
ATTN: XRFS

USAF/LEEEU
ATTN: LEEU

DEPARTMENT OF ENERGY

LAWRENCE LIVERMORE NATIONAL LAB
ATTN: L-203 R SCHOCK

LOS ALAMOS NATIONAL LABORATORY
ATTN: REPORT LIBRARY

MARTIN MARIETTA ENERGY SYSTEMS INC
ATTN: CIVIL DEF RES PROJ

SANDIA NATIONAL LABORATORIES
ATTN: A CHABAI DIV 9311
ATTN: DIV 5214 J S PHILLIPS
ATTN: DIV 9311 L R HILL
ATTN: TECH LIB 3141

U.S. DEPARTMENT OF ENERGY
OFFICE OF MILITARY APPLICATIONS
ATTN: OMA/DP-225

OTHER GOVERNMENT

CENTRAL INTELLIGENCE AGENCY
ATTN: OSWR/NED

DEPARTMENT OF DEFENSE CONTRACTORS

AEROSPACE CORP
ATTN: H MIRELS
ATTN: LIBRARY ACQUISITION

APPLIED & THEORETICAL MECHANICS, INC
ATTN: J M CHAMPNEY

APPLIED RESEARCH ASSOCIATES
ATTN: R FLORY

APPLIED RESEARCH ASSOCIATES, INC
ATTN: J KEEFER
ATTN: N ETHRIDGE

APPLIED RESEARCH ASSOCIATES, INC
ATTN: J L BRATTON

APPLIED RESEARCH ASSOCIATES, INC
ATTN: R FRANK

APPLIED RESEARCH ASSOCIATES, INC
ATTN: J L DRAKE

BDM INTERNATIONAL INC
ATTN: E DORCHAK
ATTN: J STOCKTON

BDM INTERNATIONAL, INC
ATTN: J MERRITT

CALIFORNIA RESEARCH & TECHNOLOGY, INC
ATTN: K KREYENHAGEN
ATTN: LIBRARY
ATTN: M ROSENBLATT

CALIFORNIA RESEARCH & TECHNOLOGY, INC
ATTN: J THOMSEN

CARPENTER RESEARCH CORP
ATTN: H J CARPENTER

E-SYSTEMS, INC
ATTN: TECH INFO CTR

FLUID PHYSICS IND
ATTN: R TRACI

GEO CENTERS, INC
ATTN: B NELSON

IIT RESEARCH INSTITUTE
ATTN: DOCUMENTS LIBRARY
ATTN: M JOHNSON

INFORMATION SCIENCE, INC
ATTN: W DUDZIAK

INSTITUTE FOR DEFENSE ANALYSES
ATTN: CLASSIFIED LIBRARY

KAMAN SCIENCES CORP
ATTN: L MENTE
ATTN: LIBRARY
ATTN: R RUETENIK

KAMAN SCIENCES CORP
ATTN: F SHELTON
ATTN: LIBRARY B KINSLOW

KAMAN SCIENCES CORP
ATTN: D MOFFETT
ATTN: DASIAC
ATTN: E CONRAD

KAMAN SCIENCES CORPORATION
ATTN: DASIAC

LOCKHEED MISSILES & SPACE CO, INC
ATTN: TECH INFO CTR

LTV AEROSPACE & DEFENSE COMPANY
2 CYS ATTN: LIBRARY EM-08

MCDONNELL DOUGLAS CORPORATION
ATTN: R HALPRIN

MOLZEN CORBIN & ASSOCIATES, P.A.
ATTN: TECHNICAL LIBRARY

NEW MEXICO ENGINEERING RESEARCH INSTITUTE
ATTN: J JARPE
ATTN: N BAUM

NICHOLS RESEARCH CORP, INC
ATTN: R BYRN

PACIFIC-SIERRA RESEARCH CORP
ATTN: H BRODE

PHYSICAL RESEARCH INC
ATTN: D MODARRESS

R & D ASSOCIATES
ATTN: C K B LEE
ATTN: D SIMONS
ATTN: LIBRARY
ATTN: T A MAZZOLA

R & D ASSOCIATES
ATTN: G GANONG
ATTN: T EDWARDS

R & D ASSOCIATES
ATTN: E FURBEE
ATTN: J WEBSTER

RAND CORP
ATTN: B BENNETT

S-CUBED
ATTN: C PETERSEN
ATTN: J BARTHEL
ATTN: K D PYATT JR
ATTN: P COLEMAN

S-CUBED
ATTN: C NEEDHAM

SCIENCE APPLICATIONS INTL CORP
ATTN: C HSIAO
ATTN: G T PHILLIPS
ATTN: H WILSON
ATTN: TECHNICAL REPORT SYSTEM

SCIENCE APPLICATIONS INTL CORP
ATTN: DIV 411 R WESTERFELDT

SCIENCE APPLICATIONS INTL CORP
ATTN: J WILLIAMS

SCIENCE APPLICATIONS INTL CORP
ATTN: J COCKAYNE
ATTN: R SIEVERS
ATTN: W LAYSON

SCIENCE APPLICATIONS INTL CORP
ATTN: K SITES

SCIENCE APPLICATIONS INTL CORP
ATTN: G BINNINGER

SCIENCE APPLICATIONS INTL CORP
ATTN: R ALLEN

SRI INTERNATIONAL
ATTN: D KEOUGH
ATTN: J COLTON
ATTN: J SIMONS
ATTN: M SANAI

TECHNICO SOUTHWEST INC
ATTN: S LEVIN

TRW INC
ATTN: D AUSHERMAN
ATTN: R BATT

TRW SPACE & DEFENSE SECTOR SPACE &
ATTN: HL DEPT LIBRARY
ATTN: W WAMPLER

WASHINGTON STATE UNIVERSITY
ATTN: PROF Y GUPTA

WEIDLINGER ASSOC, INC
ATTN: J ISENBERG

WEIDLINGER ASSOCIATES, INC
ATTN: T DEEVEY

WEIDLINGER ASSOCIATES, INC
ATTN: I SANDLER
ATTN: M BARON

FOREIGN

ERNST-MACH-INSTITUTE
2 CYS ATTN: G SCHEKLINSKI-GLUCK
2 CYS ATTN: H REICHENBACH