

AD-A241 458




NAVSWC TR 91-321

INTERVAL GRAPHS AND HYPERGRAPH ACYCLICITY DEGREE

BY A.D. PARKS
STRATEGIC SYSTEMS DEPARTMENT

JUNE 1991



Approved for public release; distribution is unlimited.

91-12653




NAVAL SURFACE WARFARE CENTER

Dahlgren, Virginia 22448-5000 • Silver Spring, Maryland 20903-5000

77 00 048

DISCLAIMER NOTICE



THIS DOCUMENT IS BEST
QUALITY AVAILABLE. THE COPY
FURNISHED TO DTIC CONTAINED
A SIGNIFICANT NUMBER OF
PAGES WHICH DO NOT
REPRODUCE LEGIBLY.

NAVSWC TR 91-321

**INTERVAL GRAPHS AND HYPERGRAPH
ACYCLICITY DEGREE**

**BY A.D. PARKS
STRATEGIC SYSTEMS DEPARTMENT**

JUNE 1991

Approved for public release; distribution is unlimited.

**NAVAL SURFACE WARFARE CENTER
Dahlgren, Virginia 22448-5000 • Silver Spring, Maryland 20903-5000**

FOREWORD

This report describes a certain "tangential" theoretical result obtained from work performed in the Strategic Systems (K) Department at the Naval Surface Warfare Center (NAVSWC) as part of an independent research grant entitled "A Category Theoretic Approach to Relational Database Schemes."

This report has been reviewed and approved by Ted Sims, Space Sciences Branch Head, and James L. Sloop, Space and Surface Systems Division Head.

Approved by:

R. L. Schmidt

R. L. SCHMIDT, Head
Strategic Systems Department

Accession For	
NTIS GRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By _____	
Distribution/	
Availability Codes	
Dist	Special
A-1	

CONTENTS

	<u>Page</u>
INTRODUCTION.....	1
DEFINITIONS.....	1
PRELIMINARY LEMMAS	2
MAIN RESULT	2
REMARKS	3
REFERENCES	4
DISTRIBUTION.....	(1)

INTRODUCTION

In recent years much research has been devoted to the study of θ -acyclic ($\theta = \alpha, \beta, \gamma$, Berge) hypergraphs and their utility as relational database scheme models. It has been shown that such schemes enjoy certain desirable properties (e. g., monotone join expressions); that there is a linear ordering of the strengths of θ -acyclicity (i.e., Berge-acyclicity $\Rightarrow \gamma$ -acyclicity $\Rightarrow \beta$ -acyclicity $\Rightarrow \alpha$ -acyclicity; none of the reverse implications hold); and that strengthening the "degree" of acyclicity also strengthens the related desirable properties [1,2,4,7]. Furthermore, it is known that a reduced hypergraph is α -acyclic if, and only if, it is conformal and its associated graph is chordal [1,4]. The purpose of this report is to exhibit that a reduced conformal hypergraph is β -acyclic if its associated graph is an interval graph.

DEFINITIONS

An *interval graph* is a graph with vertex set V and edge set E for which there exists a mapping ϕ from V into a family of intervals on a line such that for all $u \neq v \in V$, $(u, v) \in E$ if, and only if, $\phi(u) \cap \phi(v) \neq \emptyset$. A graph is *chordal* if every cycle of length ≥ 4 has a chord. It should be noted that every interval graph is chordal [6].

A *clique* in a graph is a subgraph of the graph which is complete. A clique is *maximal* if it is not contained in a larger clique. Let $C_1, C_2, \dots, C_m$ be a ranking of the maximal cliques C_i , $1 \leq i \leq m$, of a graph. Such a ranking is said to be *consecutive* if whenever a vertex v is in C_j and C_k for $j < k$, then v is in C_ℓ for all ℓ where $j < \ell < k$. The relative ranking of C_j and C_k is denoted by $C_j \prec C_k$ if $j < k$.

A *hypergraph* $\mathcal{H}$ is a pair $(\mathcal{N}, \mathcal{E})$, where $\mathcal{N}$ is a finite set of vertices and $\mathcal{E}$ is a set of (hyper)edges which are nonempty subsets of $\mathcal{N}$. The hypergraph $\mathcal{H}$ is *reduced* if no edge is a subset of another edge. The *associated graph* $G(\mathcal{H})$ of $\mathcal{H}$ is the graph with vertex set $V = \mathcal{N}$ with two vertices in $G(\mathcal{H})$ adjacent if $\mathcal{H}$ has an edge containing both vertices. (It is interesting to note that G is a covariant functor from the category of hypergraphs to the category of graphs [3]). The hypergraph $\mathcal{H}$ is *conformal* if for every clique in $G(\mathcal{H})$ there is an edge of $\mathcal{H}$ which contains its vertices.

Let $(S_1, S_2, \dots, S_m, S_{m+1})$ be a sequence of edges in $\mathcal{H}$, with $S_1, S_2, \dots, S_m$ distinct, $m \geq 3$, and $S_{m+1} = S_1$. This sequence is a *Graham cycle* if each $S_i \cap S_{i+1} \neq \emptyset$ ($1 \leq i \leq m$) and $(S_i \cap S_{i+1}) \not\subseteq (S_j \cap S_{j+1})$ and $(S_j \cap S_{j+1}) \not\subseteq (S_i \cap S_{i+1})$ ($i \neq j$). Finally, $\mathcal{H}$ is β -acyclic if it has no Graham cycle [4].

PRELIMINARY LEMMAS

Several lemmas are required to construct the proof of the main theorem. The following two are due to Beeri, et al. [1] and Fulkerson, et al. [5], respectively.

LEMMA 1. *The hypergraph $\mathcal{H}$ is reduced and conformal if, and only if, its hyperedges are precisely the maximal cliques of $G(\mathcal{H})$.*

LEMMA 2. *A graph is an interval graph if, and only if, there is a ranking of its maximal cliques which is consecutive.*

The next two lemmas follow directly from the definition of a consecutive ranking of maximal cliques:

LEMMA 3. *The list $C_1, C_2, \dots, C_m$ is a consecutive ranking of maximal cliques if, and only if, for each i , $2 \leq i \leq m$, $(C_i \cap C_1) \subseteq (C_i \cap C_2) \subseteq \dots \subseteq (C_i \cap C_{i-1})$.*

PROOF: ($\Rightarrow$) Let C_j, C_k , and C_i be maximal cliques in a consecutive ranking $C_1, C_2, \dots, C_m$ of maximal cliques such that $1 \leq j \leq k < i \leq m$. If vertex $v \in C_j \cap C_i$, then $v \in C_k$. Thus, $v \in (C_i \cap C_j)$, $(C_i \cap C_k)$ and $(C_i \cap C_j) \subseteq (C_i \cap C_k)$ for $2 \leq i \leq m$. ($\Leftarrow$) Let $\{C_1, C_2, \dots, C_m\}$ be a set of maximal cliques such that for $2 \leq i \leq m$, $(C_i \cap C_1) \subseteq (C_i \cap C_2) \subseteq \dots \subseteq (C_i \cap C_{i-1})$. Then for any i, j, k such that $1 \leq j \leq k < i \leq m$, $(C_i \cap C_j) \subseteq (C_i \cap C_k)$. If vertex $v \in (C_i \cap C_j)$, then $v \in (C_i \cap C_k)$. Thus $v \in C_j, C_k, C_i$ and C_j, C_k, C_i is a consecutive ranking. ■

LEMMA 4. *If $S \subseteq R$, where $|S| \geq 2$ and R is a set of maximal cliques with consecutive ranking, then S has a consecutive ranking.*

PROOF: Let $C_1, C_2, \dots, C_m$ be the consecutive ranking of R and let $S = \{C_{j_1}, C_{j_2}, \dots, C_{j_n}\}$ where $1 \leq j_1 < j_2 < \dots < j_n \leq m$ and $n \geq 2$. Since R has a consecutive ranking, then for each j_i , $2 \leq i \leq n$,

$$(C_{j_i} \cap C_1) \subseteq (C_{j_i} \cap C_2) \subseteq \dots \subseteq (C_{j_i} \cap C_{j_i-1}).$$

Thus, for each j_i ,

$$(C_{j_i} \cap C_{j_1}) \subseteq (C_{j_i} \cap C_{j_2}) \subseteq \dots \subseteq (C_{j_i} \cap C_{j_{i-1}}).$$

It follows from Lemma 3 that $C_{j_1}, C_{j_2}, \dots, C_{j_n}$ is a consecutive ranking of S . ■

MAIN RESULT

THEOREM 5. *Let $\mathcal{H}$ be a reduced conformal hypergraph. If $G(\mathcal{H})$ is an interval graph, then $\mathcal{H}$ is β -acyclic.*

PROOF: Let $G(\mathcal{H})$ be an interval graph ($\mathcal{H}$ is then obviously α -acyclic since $G(\mathcal{H})$ is chordal) and assume that $\mathcal{H}$ is not β -acyclic. There is then a sequence $(S_1, S_2, \dots, S_m, S_{m+1})$ of distinct hyperedges in $\mathcal{H}$, with $m \geq 3$ and $S_{m+1} = S_1$, which is a Graham cycle. Thus, from Lemma 1 there is an associated set of maximal cliques $\{C_1, C_2, \dots, C_m\}$ in $G(\mathcal{H})$ with $C_{m+1} = C_1$ such that for all $i \neq j$, $(C_i \cap C_{i+1}) \not\subseteq (C_j \cap C_{j+1})$ and $(C_j \cap C_{j+1}) \not\subseteq (C_i \cap C_{i+1})$. Since $G(\mathcal{H})$ is an interval graph, from Lemma's 2, 3, and 4 there is a consecutive ranking $C_{j_1}, C_{j_2}, \dots, C_{j_m}$ of these maximal cliques such that

$$(C_{j_m} \cap C_{j_1}) \subseteq (C_{j_m} \cap C_{j_2}) \subseteq \dots \subseteq (C_{j_m} \cap C_{j_{m-1}}).$$

But this contradicts the Graham cycle non-containment requirements for these cliques, since, if C_0 is defined to be C_m , it follows that $(C_{j_m} \cap C_{j_{m-1}}) \subseteq (C_{j_m} \cap C_{j_{m+1}})$ if $C_{j_{m-1}} \prec C_{j_{m+1}}$ or $(C_{j_m} \cap C_{j_{m+1}}) \subseteq (C_{j_m} \cap C_{j_{m-1}})$ if $C_{j_{m+1}} \prec C_{j_{m-1}}$. Therefore, $\mathcal{H}$ has no Graham cycles and must be β -acyclic. ■

REMARKS

As suggested by the previous theorem, if a collection of data has attributes with a natural interval graph representation, then it is possible to organize these data into a β -acyclic relational scheme (e.g., tracking data collected over time intervals $T_i = [t_i, t'_i]$, $i = 1, 2, \dots, n$, with attributes T_i and T_j , $i \neq j$, in the same relation if $T_i \cap T_j \neq \emptyset$). This may be an expedient design if resource allocation and deconfliction are important (conflicting attributes are in the same relation); frequent join operations are required (β -acyclic schemas and their subschema enjoy monotone join expressions); and/or the databases are distributed (β -acyclic databases have full reducers).

REFERENCES

1. C. Beeri, R. Fagin, D. Maier and M. Yannakakis, *On the Desirability of Acyclic Database Schemes* J. ACM **30** (1983), 470-513.
2. A. D'Arti and M. Moscarini, *Recognition Algorithms and Design Methodology for Acyclic Database Schemes*, In: P. Kanellaski and F. Preparata, eds. *Advances in Computing Research*, Vol. 3 (JAI Press, Greenwich, 1986), 43-67.
3. W. Dörfler and D. Waller, *A Category-Theoretical Approach to Hypergraphs*, Arch. Math. **34** (1980), 185-192.
4. R. Fagin. *Degrees of Acyclicity for Hypergraphs and Relational Database Schemes*, J. ACM **30** (1983), 514-550.
5. D. Fulkerson and O. Gross, *Incidence Matrices and Interval Graphs*, Pac. J. Math. **15** (1965), 835-855.
6. M. Golumbic, *Interval Graphs and Related Topics*, Discr. Math. **55** (1985), 113-121.
7. G. Grahne and K. Rähä, *Characterizations for Acyclic Database Schemes*, In: P. Kanellaski and F. Preparata, eds., *Advances in Computing Research* Vol. 3 (JAI Press, Greenwich, 1986), 19-41.

DISTRIBUTION

	<u>Copies</u>		<u>Copies</u>
ATTN CODE 3T COMMANDER NAVAL WEAPONS CENTER CHINA LAKE CA 93555-6001	1	ATTN CODE PD 60 INFORMATION MANAGEMENT SYSTEMS PROGRAM DIRECTORATE SPACE AND NAVAL WARFARE SYSTEMS COMMAND WASHINGTON D C 20363-5100	1
ATTN CODE 014 COMMANDER NAVAL OCEAN SYSTEMS CENTER SAN DIEGO CA 91252-5000	1	ATTN INFORMATION SCIENCE AND TECHNOLOGY OFFICE	1
ATTN CODE 101 OFFICER IN CHARGE NEW LONDON LABORATORY DETACHMENT NAVAL UNDERWATER SYSTEMS CENTER NEW LONDON CT 06320	1	DEFENSE ADVANCED RESEARCH PROJECTS AGENCY 1400 WILSON BLVD ROSYLN VA 22201	
ATTN CODE 01B COMMANDER NAVAL AIR DEVELOPMENT CENTER WARMINSTER PA 18974-5000	1	ATTN CODE 5510 WARFARE SYSTEMS AND SENSORS RESEARCH DIRECTORATE NAVY CENTER FOR APPLIED RESEARCH IN ARTIFICIAL INTELLIGENCE NAVAL RESEARCH LABORATORY WASHINGTON D C 20375	1
ATTN CODE 011 OFFICER IN CHARGE ANNAPOLIS LABORATORY DAVID TAYLOR RESEARCH CENTER ANNAPOLIS MD 21402-1198	1	ATTN R E NANCE SYSTEMS RESEARCH CENTER VIRGINIA POLYTECHNIC INSTITUTE & STATE UNIVERSITY BLACKSBURG VA 24061	1
ATTN CODE 30 OFFICER IN CHARGE OFFICE FOR APPLIED TECHNOLOGY OFFICE OF CHIEF OF NAVAL RESEARCH 800 N QUINCY ST ARLINGTON VA 22204	1	DEFENSE TECHNICAL INFORMATION CENTER CAMERON STATION ALEXANDRIA VA 22314	12

DISTRIBUTION (CONTINUED)

	<u>Copies</u>		<u>Copies</u>
ATTN GIFT AND EXCHANGE		U	1
DIVISION	4	U04	1
LIBRARY OF CONGRESS			
WASHINGTON DC 20540			
 <u>INTERNAL DISTRIBUTION</u>			
C	1		
D	1		
D2	1		
D4	1		
E231	3		
E32 GIDEP	1		
G	1		
H	1		
J	1		
K	1		
K02 FALLIN	1		
K07 HUGHEY	1		
K10	1		
K104 FELL, DIDONATO	2		
K106 BLANTON	1		
K107 HILL	1		
K12	1		
K13	1		
K13 PARKS	15		
K14	1		
K40	1		
K50	1		
N	1		
N35 TATE, RIEDL	2		
N305 GREEN	1		
R	1		
R04	1		
R44 SZU	1		
R44 ZIEN	1		

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE June 1991		3. REPORT TYPE AND DATES COVERED Final	
4. TITLE AND SUBTITLE Interval Graphs and Hypergraph Acyclicity Degree				5. FUNDING NUMBERS	
6. AUTHOR(S) A.D. Parks					
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Naval Surface Warfare Center (K13) Dahlgren, VA 22448-5000				8. PERFORMING ORGANIZATION REPORT NUMBER NAVSWC TR 91-321	
9. SPONSORING, MONITORING AGENCY NAME(S) AND				10. SPONSORING, MONITORING AGENCY REPORT NUMBER	
11. SUPPLEMENTARY NOTES					
12a. DISTRIBUTION/AVAILABILITY Approved for public release; distribution is unlimited.				12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) It is shown that if the associated graph of a hypergraph is an interval graph, then the hypergraph is beta-acyclic. Advantages related to database scheme design are highlighted.					
14. SUBJECT TERMS Database Theory, Interval Graphs, Hypergraph Acyclicity				15. NUMBER OF PAGES 13	
				16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT SAR		

GENERAL INSTRUCTIONS FOR COMPLETING SF 298

The Report Documentation Page (RDP) is used in announcing and cataloging reports. It is important that this information be consistent with the rest of the report, particularly the cover and its title page. Instructions for filling in each block of the form follow. It is important to *stay within the lines* to meet optical scanning requirements.

Block 1. Agency Use Only (Leave blank).

Block 2. Report Date. Full publication date including day, month, and year, if available (e.g. 1 Jan 88). Must cite at least the year.

Block 3. Type of Report and Dates Covered. State whether report is interim, final, etc. If applicable, enter inclusive report dates (e.g. 10 Jun 87 - 30 Jun 88).

Block 4. Title and Subtitle. A title is taken from the part of the report that provides the most meaningful and complete information. When a report is prepared in more than one volume, repeat the primary title, add volume number, and include subtitle for the specific volume. On classified documents enter the title classification in parentheses.

Block 5. Funding Numbers. To include contract and grant numbers, may include program element number(s), project number(s), task number(s), and work unit number(s). Use the following labels:

C - Contract	PR - Project
G - Grant	TA - Task
PE - Program Element	WU - Work Unit Accession No.

Block 6. Author(s). Name(s) of person(s) responsible for writing the report, performing the research, or credited with the content of the report. If editor or compiler, this should follow the name(s).

Block 7. Performing Organization Name(s) and address(es). Self-explanatory.

Block 8. Performing Organization Report Number. Enter the unique alphanumeric report number(s) assigned by the organization performing the report.

Block 9. Sponsoring/Monitoring Agency Name(s) and Address(es). Self-explanatory.

Block 10. Sponsoring/Monitoring Agency Report Number. (If Known)

Block 11. Supplementary Notes. Enter information not included elsewhere such as: Prepared in cooperation with...; Trans. of...; To be published in... When a report is revised, include a statement whether the new report supersedes or supplements the older report.

Block 12a. Distribution/Availability Statement.

Denotes public availability or limitations. Cite any availability to the public. Enter additional limitations or special markings in all capitals (e.g. NOFORN, REL, ITAR).

DOD - See DoDD 5230.24, "Distribution Statements on Technical Documents."
DOE - See authorities.
NASA - See Handbook NHB 2200.2
NTIS - Leave blank

Block 12b. Distribution Code.

DoD - Leave blank.
DOE - Enter DOE distribution categories from the Standard Distribution for Unclassified Scientific and Technical Reports.
NASA - Leave blank.
NTIS - Leave blank.

Block 13. Abstract. Include a brief (**Maximum 200 words**) factual summary of the most significant information contained in the report.

Block 14. Subject Terms. Keywords or phrases identifying major subjects in the report.

Block 15. Number of Pages. Enter the total number of pages.

Block 16. Price Code. Enter appropriate price code (**NTIS only**)

Block 17.-19. Security Classifications. Self-explanatory. Enter U.S. Security Classification in accordance with U.S. Security Regulations (i.e., UNCLASSIFIED). If form contains classified information, stamp classification on the top and bottom of this page.

Block 20. Limitation of Abstract. This block must be completed to assign a limitation to the abstract. Enter either UL (unlimited or SAR (same as report)). An entry in this block is necessary if the abstract is to be limited. If blank, the abstract is assumed to be unlimited.