

GL-TR-90-0280

AD-A241 711




Testing the Consistency of Soviet Data
Using a Sequence of Hypothesis Tests

H. L. Gray
Wayne A. Woodward
Suojin Wang

Southern Methodist University
Department of Statistical Science
Dallas, TX 75275

September 1990

Scientific Report No. 1



Approved for public release; distribution unlimited

GEOPHYSICS LABORATORY
AIR FORCE SYSTEMS COMMAND
UNITED STATES AIR FORCE
HANSCOM AIR FORCE BASE, MASSACHUSETTS 01731-5000

01 1018 049

91-13566





SPONSORED BY
Defense Advanced Research Projects Agency
Nuclear Monitoring Research Office
ARPA ORDER NO. 5299

MONITORED BY
Geophysics Laboratory
F19628-88-K-0042

The views and conclusions contained in this document are those of the authors and should not be interpreted as representing the official policies, either expressed or implied, of the Defense Advanced Research Projects Agency or the U.S. Government.

This technical report has been reviewed and is approved for publication.


JAMES F. LEWKOWICZ
Contract Manager
Solid Earth Geophysics Branch
Earth Sciences Division


JAMES F. LEWKOWICZ
Branch Chief
Solid Earth Geophysics Branch
Earth Sciences Division

FOR THE COMMANDER


DONALD H. ECKHARDT, Director
Earth Sciences Division

This report has been reviewed by the ESD Public Affairs Office (PA) and is releasable to the National Technical Information Service (NTIS).

Qualified requestors may obtain additional copies from the Defense Technical Information Center. All others should apply to the National Technical Information Service.

If your address has changed, or if you wish to be removed from the mailing list, or if the addressee is no longer employed by your organization, please notify GL/IMA, Hanscom AFB, MA 01731-5000. This will assist us in maintaining a current mailing list.

Do not return copies of this report unless contractual obligations or notices on a specific document requires that it be returned.

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.				
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE September 1990	3. REPORT TYPE AND DATES COVERED Scientific Report #1		
4. TITLE AND SUBTITLE Testing the Consistency of Soviet Data Using a Sequence of Hypothesis Tests		5. FUNDING NUMBERS PE 62714E PR 8A10 TA DA WU AH Contract F19628-88-K-0042		
6. AUTHOR(S) H. L. Gray Wayne A. Woodward Suojin Wang				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Southern Methodist University Department of Statistical Science Dallas, TX 75275		8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Geophysics Laboratory Hanscom AFB, Massachusetts 01731-5000 Contract Manager: James Lewkowicz/LWH		10. SPONSORING/MONITORING AGENCY REPORT NUMBER GL-TR-90-0280		
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited		12b. DISTRIBUTION CODE		
13. ABSTRACT (Maximum 200 words) The testing of Soviet historical data for consistency is examined in this report via a sequential set of hypotheses by first testing to determine whether or not the apparent seismic variance based on this new data has been reduced. If it cannot be determined that the apparent variance has been reduced, we test to determine whether or not the intercept term in the basic magnitude log yield linear relationship has been inflated on the basis of the historical data. We provide techniques for testing this second hypothesis under the assumption that the variances are known and under the assumption that these variances are unknown but equal. If either of the two sequential hypotheses is rejected, then we reject the consistency of the Soviet data. An extensive set of tables is given for determining the number of CORTEX events which would be necessary in order to have a sufficiently high probability of rejecting consistency where the historical data is sufficiently "inconsistent" to produce unsatisfactorily high F-numbers.				
14. SUBJECT TERMS threshold test ban treaty, seismic monitoring, Joint Verification Experiment, testing for consistency		15. NUMBER OF PAGES 150		
		16. PRICE CODE		
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT SAR	

TESTING THE CONSISTENCY OF SOVIET DATA USING A SEQUENCE OF HYPOTHESIS TESTS

H. L. Gray, Wayne A. Woodward, and Suojin Wang

1. Introduction

As a result of the JVE and recent publication of observed yields by the Soviets, the nature of the yield estimation problem may be changing. That is, if observed yields are available then the problem becomes a standard "errors in variables" problem and there is much literature available on the best estimates of the slope and geophysical bias parameters along with measures of their uncertainty. Therefore there is much to be gained from the use of such data besides the obvious potential financial savings. In this report we consider the question of determining the minimum number of CORRTEx events required to determine the validity, or lack thereof, of a set of unverified yields.

2. Notation and Description of Problem

In this report we will use the following notation:

k = the number of historical yields supplied by the Soviets which we wish to test for consistency

n = the number of future events on which CORRTEx readings will be taken

$m_j(\text{US})$ = US observed magnitudes when CORRTEx is not present but for which the Soviets have furnished observed yields to us

$m_i(\text{COR})$ = US observed magnitudes when CORRTEx is present

$\bar{Y}_j(\text{SOV})$ = Soviet reported observed yields

$\bar{Y}_i(\text{COR})$ = Observed yields based on CORRTEx measurements

$Y_j(\text{SOV})$ = True yield for events for which the Soviets have provided observed yields


$Y_i(\text{COR})$ = True yield for events for which the US has made CORRTEx measurements at the site

$\bar{W}_j(\text{SOV}) = \log \bar{Y}_j(\text{SOV})$

$\bar{W}_i(\text{COR}) = \log \bar{Y}_i(\text{COR})$

$W_j(\text{SOV}) = \log Y_j(\text{SOV})$

$W_i(\text{COR}) = \log Y_i(\text{COR})$



For	
I	☒
d	☐
on	☐

Distribution/Availability Codes	
Dist	Avail and/or Special
A-1	

We assume that for the k events for which we have historical yields, then

$$m_j(\text{US}) = A + BW_j(\text{SOV}) + \epsilon_{1j}(\text{SEI}) \quad j = 1, 2, \dots, k \quad (1)$$

where B is some known constant, where the $\epsilon_{1j}(\text{SEI})$ are seismic errors which are assumed to be $N(0, \sigma^2(\text{SEI}))$. We also assume the same for CORTEX events, i.e.

$$m_i(\text{COR}) = A + BW_i(\text{COR}) + \epsilon_{2i}(\text{SEI}), \quad i = 1, 2, \dots, n$$

where B is as in (1), the $\epsilon_{2i}(\text{SEI})$ are i.i.d. $N(0, \sigma^2(\text{SEI}))$ and where $\epsilon_{2i}(\text{SEI})$ and $\epsilon_{1j}(\text{SEI})$ are independent for all i and j . Also, for the CORTEX events,

$$\tilde{W}_i(\text{COR}) = W_i + \epsilon'_i(\text{COR}), \quad i = 1, 2, \dots, n \quad (2)$$

where the $\epsilon'_i(\text{COR})$ are i.i.d. $N(0, \sigma^2(\text{COR}))$, and for the Soviet historical readings

$$\tilde{W}_j(\text{SOV}) = W_j + \epsilon_j(\text{SOV}), \quad j = 1, 2, \dots, k, \quad (3)$$

where we assume the $\epsilon_j(\text{SOV})$ are iid normal variates, but we do not assume that they are uncorrelated with the $\epsilon_{1j}(\text{SEI})$, nor do we assume that $E[\epsilon_j(\text{SOV})] = 0$. We use the notation $\text{Var}(\epsilon_j(\text{SOV})) = \sigma^2(\text{SOV})$.

There are of course any number of ways in which non-verified data can be contaminated. Our concern will be with regard to the mean and variance of the unverified data set. Since

$$\hat{W} = \frac{m - \hat{A}}{B},$$

overestimating A leads to underestimating W . Thus one requirement for validating a set of data should be that it does not lead to a significantly positively biased estimate of A .

A natural estimate of A using the Soviet data and (1) is found by first defining

$$Z_j = m_j(\text{US}) - B\tilde{W}_j(\text{SOV}), \quad j = 1, \dots, k$$

and letting

$$\hat{A}(\text{SOV}) = \frac{1}{k} \sum_{j=1}^k Z_j.$$

Now, Z_j can be rewritten as

$$\begin{aligned} Z_j &= A + BW_j(\text{SOV}) + \epsilon_{1j}(\text{SEI}) \\ &\quad - B[W_j(\text{SOV}) + \epsilon_j(\text{SOV})] \\ &= A + \epsilon_{1j}(\text{SEI}) - B \epsilon_j(\text{SOV}) . \end{aligned} \tag{4}$$

It easily follows that

$$\begin{aligned} E[\hat{A}(\text{SOV})] &= A - B E[\epsilon_j(\text{SOV})] \\ &\equiv A(\text{SOV}) . \end{aligned}$$

If $E[\epsilon_j(\text{SOV})] = 0$, then $A(\text{SOV}) = A$ and the Soviet data would produce an unbiased estimator for A . However, if $E[\epsilon_j(\text{SOV})] < 0$, then $A(\text{SOV}) > A$, i.e. use of unverified data would lead to an estimator whose expected value is greater than A .

Also, from (4) we get

$$\sigma_z^2 = \sigma^2(\text{SEI}) + B^2 \sigma^2(\text{SOV}) - 2B \text{Cov}(\epsilon_{1j}(\text{SEI}), \epsilon_j(\text{SOV})) .$$

If $\epsilon_{1j}(\text{SEI})$ and $\epsilon_j(\text{SOV})$ are positively correlated, then $\text{Var}(Z_j)$ is reduced from $\sigma^2(\text{SEI}) + B^2 \sigma^2(\text{SOV})$, which is its value when they are uncorrelated. Moreover, if we let $V_{\text{SOV}}(\text{SEI})$ be defined by

$$V_{\text{SOV}}(\text{SEI}) = \sigma^2(\text{SEI}) - 2B \text{Cov}(\epsilon_{1j}(\text{SEI}), \epsilon_j(\text{SOV})) , \tag{5}$$

then

$$\text{Var}(Z_j) = V_{\text{SOV}}(\text{SEI}) + B^2 \sigma^2(\text{SOV}) .$$

Note that $\epsilon_j(\text{SOV})$ and $\epsilon_{1j}(\text{SEI})$ are independent if and only if $V_{\text{SOV}}(\text{SEI}) = \sigma^2(\text{SEI})$. Therefore we refer to $V_{\text{SOV}}(\text{SEI})$ as the "apparent or naive variance." Consequently, a positive correlation between $\epsilon_{1j}(\text{SEI})$ and $\epsilon_j(\text{SOV})$ would reduce this apparent seismic variance, leading us to underestimate the uncertainty in our seismic-based estimates for yield. The question of validating an unverified set of data here will be restricted to verifying the validity of the mean and variance estimates obtained from that data.

3. The Hypothesis Tests

In order to test for the consistency of the Soviet data, we therefore consider the hypotheses

$$H_0: A(\text{SOV}) = A \quad \text{and} \quad V_{\text{SOV}}(\text{SEI}) = \sigma^2(\text{SEI}) \quad (6)$$

H_A : at least one of the conditions $A(\text{SOV}) > A$

or $V_{\text{SOV}}(\text{SEI}) < \sigma^2(\text{SEI})$ holds.


In this report, we will investigate the testing of these hypotheses in a sequential manner. Specifically, we consider the two sets of hypotheses:

$$\text{I} \begin{cases} H_0: V_{\text{SOV}}(\text{SEI}) = \sigma^2(\text{SEI}) \\ H_A: V_{\text{SOV}}(\text{SEI}) < \sigma^2(\text{SEI}) \end{cases}$$

and

$$\text{II} \begin{cases} H_0: A(\text{SOV}) = A \\ H_A: A(\text{SOV}) > A \end{cases}$$

The procedure we recommend is diagrammed as follows:



Step 1: Testing $H_0: V_{SOV}(SEI) = \sigma^2(SEI)$

In a forthcoming report Alewine, Gray and McCartor consider the test of the hypotheses in I in detail. Specifically, they define Z_j as in (4) and define U_i as

$$U_i = m_i(COR) - B \bar{W}_i(COR), \quad i = 1, \dots, n \quad (7)$$

from which it follows that

$$\sigma_u^2 = \sigma^2(SEI) + B^2 \sigma^2(COR).$$

Then under the assumption that $\sigma^2(SOV) = \sigma^2(COR)$, it follows that

$$\sigma_z^2 = V_{SOV}(SEI) + B^2 \sigma^2(COR)$$

and the hypotheses in I can be replaced by the equivalent hypotheses

$$(I') \begin{cases} H_0: \sigma_z^2 = \sigma_u^2 \\ H_A: \sigma_z^2 < \sigma_u^2 \end{cases}.$$

Defining

$$S_u^2 = \frac{1}{n-1} \sum_{i=1}^n (U_i - \bar{U})^2 \quad (8)$$

and

$$S_z^2 = \frac{1}{k-1} \sum_{j=1}^k (Z_j - \bar{Z})^2, \quad (9)$$

the hypotheses in I (or I') can be tested using the rule:

Reject H_0 if

$$\frac{S_u^2}{S_z^2} > f_\alpha$$

where f_α is the $100(1-\alpha)^{th}$ percentile of an F-distribution with $n-1$ and $k-1$ degrees of freedom respectively. Alewine et. al. examined the power of this test when in fact $\sigma_u^2 = \ell^2 \sigma_z^2$, $\ell > 1$ and provided tables for the case $k = 8$ and for various values of n , ℓ and α . In Table 1, we expand these tables to consider several values of k .

Recall that ultimately we wish to test the hypothesis of compliance, i.e. given a new event with log yield W and for which we have only a US observed magnitude reading, we want to test the

hypotheses

$$\begin{aligned} H_0: W &= \log 150 \\ H_A: W &> \log 150 \end{aligned} \quad (10)$$

At significance level λ , Alewine et. al. have shown that for $\ell > 1$, the F-number, F_λ , for the test (based on known variance) of the hypotheses in (10) is an increasing function of ℓ . If F_0 is a maximum acceptable F-number for the compliance test, then for $\ell = \ell_{\max}$, the F-number for the test of (10) will equal F_0 , while for $\ell \geq \ell_{\max}$, the F-number for the test will exceed F_0 . If ℓ is such that the F-number is greater than F_0 , it is desirable that there is a high probability that the test of the hypotheses in I' will reject $\sigma_u^2 = \sigma_z^2$. That is, if the unverified data had a population variance that would mislead the US into believing that $F_\lambda \leq F_0$ while in fact the true value of σ_u would give $F_\lambda > F_0$, then it is highly desirable that we reject $\sigma_z^2 = \sigma_u^2$. In Table 2 we present the power of the test for testing the hypotheses in I' for $\sigma(\text{COR}) = .04$, $\lambda = .025$ and various values of the parameters α , k , n , and F_0 . For a given set of parameters the table gives the probability of rejecting the null hypothesis $H_0: \sigma_u^2 = \sigma_z^2$ when the F-number for the compliance test is F_0 , i.e. when $\sigma_u^2 = \ell_{\max}^2 \sigma_z^2$. In this case the F-number of the compliance test is at the boundary of the unacceptable range, and it will be desirable to reject $H_0: \sigma_u^2 = \sigma_z^2$, i.e. it will be desirable that the test of $H_0: \sigma_u^2 = \sigma_z^2$ has "high power" against this alternative. For given parameters $\sigma(\text{COR})$, $V_{\text{SOV}}(\text{SEI})$, k , α , and F_0 , and for a given power which is felt to be acceptable, Table 2 can be used to determine the value of n , i.e. the number of CORRTX shots, necessary to attain this power. If the resulting value of n is unacceptably large, an increase in the significance level can be considered until the desired power is achieved at an acceptable n . It should be noted that due to the constraints on the number of CORRTX shots which are feasible, it may be necessary to increase α to higher than usual levels in order to attain the necessary power. The use of a significance level of, for example, $\alpha = .3$ results in the undesirable situation that 30% of the time we will reject $H_0: \sigma_u^2 = \sigma_z^2$ when it is in fact true, which is admittedly an unusually large significance level. This should, however, be contrasted with the fact that if we fail to use the Soviet data without any testing, then there is a 100% chance that the hypothesis $H_0: \sigma_u^2 = \sigma_z^2$ will be rejected when it is true. Thus, unusually high significance levels are clearly more acceptable as an alternative to rejection of the data "out of hand." Alewine et. al. provide a more extensive set of tables than those given here. We have nevertheless included such a table here for comparison of the results in the following sections.

As an example of the use of Table 2 we consider the case in which $\sigma_z = .025$ (i.e. $V_{\text{SOV}}(\text{SEI}) = .000975$), $k = 8$, $F_0 = 1.5$ and desired power of .9. In this case it appears that $n = 6$ CORRTX events would be required to obtain this power. However, if $\sigma_z = .04$ (i.e. $V_{\text{SOV}}(\text{SEI}) = .000001$) then more than 20 CORRTX events are required. Suppose that it is determined that it is impractical to

test this many CORRTEX events and that in fact the maximum feasible number of such events is $n = 5$. In this case, it can be seen from Table 2 that testing the hypotheses in I with $\alpha = .3$ would achieve the desired power. Thus, in this case, it is seen that $n = 5$ CORRTEX events are sufficient if it is felt that $\alpha = .3$ can be tolerated as a significance level.

Step 2: Testing $H_0: A(\text{SOV}) = A$

The second step in the proposed testing scheme is to test the hypotheses in II, i.e. $H_0: A(\text{SOV}) = A$ if the null hypothesis in I' is not rejected.

Case a. σ_z^2 and σ_u^2 known and equal

In this case we are assuming σ_u^2 is known. Failing to reject the hypothesis in Step 1 then leads us to assume that $\sigma_z^2 = \sigma_u^2$. Thus $V_{\text{SOV}}(\text{SEI}) = \sigma^2(\text{SEI})$ and therefore $\sigma_z^2 = \sigma^2(\text{SEI}) + B^2\sigma^2(\text{COR})$. In this setting, Alewine, Blandford, Gray, and McCartor (1989) have considered the problem of testing the hypothesis in II when σ_z^2 and σ_u^2 are both known but not necessarily equal. However the test of hypothesis in II requires $\epsilon_{1j}(\text{SEI})$ and $\epsilon_j(\text{SOV})$ to be independent, which by (5) is true if and only if $\sigma_z^2 = \sigma_u^2$ under the assumption that $\sigma^2(\text{COR}) = \sigma^2(\text{SOV})$. Thus the hypotheses in I should be tested first, and since we will only proceed to the hypotheses in II if the former null hypothesis is not rejected, we need only consider the hypotheses in II under the assumption of equal variance. Under this assumption, the test of hypotheses given in Alewine, et. al. (1989) is as follows:

Reject $H_0: A(\text{SOV}) = A$ if

$$\hat{A}(z) > \hat{A}(u) + z_\alpha \sigma_u \sqrt{\frac{n+k}{nk}} \quad (11)$$

where z_α is the $100(1-\alpha)^{\text{th}}$ percentile of the standard normal distribution. In Table 3 we give the power of this test when in fact $A(\text{SOV}) = A + h$ for various values of h , n , α , for the cases in which $\sigma(\text{COR}) = .04$ and $\sigma(\text{SEI}) = .03, .06$ and $.08$. There it can be seen how the power increases as h , α , or n increase.

As mentioned in Step 1, our actual goal is to test the hypothesis of compliance of a new event for which only as a US observed magnitude reading is available. Alewine, Blandford, Gray and McCartor (1989) have shown that in the setting for $h > 0$, the F-number, F_λ , for the compliance test in (10) is an increasing function of h . In Table 4 we present the power of the test in (11) for testing the hypotheses in II for $\sigma(\text{COR}) = \sigma(\text{SOV}) = .04$, $\sigma(\text{SEI}) = .06$ and $.08$, $\lambda = .025$ and various values of the parameters α , k , n , and F_0 . For a given set of parameters the table gives the probability of

rejecting the null hypothesis $H_0: A(SOV) = A$ when the F-number for the compliance test is F_0 , i.e. when $A(SOV) = A + h_{\max}$. When $A(SOV) = A + h_{\max}$, the F-number of the compliance test is at the boundary of the unacceptable range, and it will be desirable to reject $H_0: A(SOV) = A$, i.e. it will be desirable that the test of $H_0: A(SOV) = A$ has "high power." For given parameters $\sigma(\text{COR})$, $\sigma(\text{SEI})$, k , and F_0 , and for a given power which is felt to be acceptable, Table 4 can be used to determine the value of n necessary to attain this power.

Case b. σ_z^2 and σ_u^2 unknown and assumed to be equal

In this section we consider the test of the hypotheses in II without the assumption of known variances. Notice that if I' is not rejected, then we can proceed as if $V_{\text{SOV}}(\text{SEI}) = \sigma^2(\text{SEI})$, i.e. $\sigma_z^2 = \sigma_u^2 = \sigma^2$. That is, as a follow-up to the failure to reject H_0 in I, we test $H_0: A(\text{SOV}) = A$ under the assumption that U_j , $i = 1, \dots, n$ and Z_j , $j = 1, \dots, k$ are independent random samples from two populations with common, unknown variance σ^2 .

To test the hypotheses in II we use the pooled variance estimator

$$S_{uz}^2 = [(n-1)S_u^2 + (k-1)S_z^2]/(n+k-2),$$

where S_u^2 and S_z^2 are defined in (8) and (9) respectively. Under H_0 in II,

$$\frac{\hat{A}_z - \hat{A}_u}{\sqrt{\frac{1}{k} + \frac{1}{n}} S_{uz}} \sim t(n+k-2),$$

where $t(n+k-2)$ is a Student's t random variable with $n+k-2$ degrees of freedom. Our testing procedure for II is as follows:

Reject H_0 if

$$\frac{\hat{A}_z - \hat{A}_u}{\sqrt{\frac{1}{k} + \frac{1}{n}} S_{uz}} > t_{\alpha}(n+k-2) \quad (12)$$

The power of the test in (12) is

$$\pi(h) = Pr\left(\frac{\hat{A}_z - \hat{A}_u}{\sqrt{\frac{1}{k} + \frac{1}{n}} S_{uz}} > t_{\alpha}(n+k-2) \mid A(\text{SOV}) = A + h\right)$$

$$= 1 - G_{n+k-2, \delta} \left(t_{\alpha}(n+k-2) \right),$$

where $G_{i, \delta}$ is the noncentral t distribution with i degrees of freedom and noncentrality parameter

$$\delta = \frac{h}{\sigma \sqrt{\frac{1}{k} + \frac{1}{n}}}.$$

In Table 5 we present the power of the test in (12) for various values of the parameters considered in Table 3. There it can be seen that powers are only marginally lower here than in the case in the case in the variances are known.

The Compliance Test

If the null hypotheses in I and II are not rejected, then we will base the test of the compliance of a future event on the assumptions that the two null hypotheses are true. For example, if $H_0: A(\text{SOV}) = A$ is not rejected, then we proceed as if $E(\hat{A}_z) = E(\hat{A}_u) = A$. Specifically, let m denote a future observed magnitude for which CORTEX is not available and let

$$\hat{W} = \frac{m - \hat{A}}{B}$$

where $\hat{A} = c_1 \hat{A}_u + c_2 \hat{A}_z$, $c_1 = \frac{n}{k+n}$, $c_2 = \frac{k}{k+n}$, and B is known. If $A(\text{SOV}) = A$, then $E(\hat{W}) = W$ and

$$\begin{aligned} \text{Var}(\hat{W}) &= \left[\sigma^2(\text{SEI}) + \sigma_A^2 \right] / B^2 \\ &= \left[\sigma^2(\text{SEI}) + \frac{c_1^2}{n} \sigma_u^2 + \frac{c_2^2}{k} \sigma_z^2 \right] / B^2 \\ &= \left[\sigma^2(\text{SEI}) + \frac{\sigma^2}{k+n} \right] / B^2, \end{aligned} \tag{13}$$

since $\sigma_z = \sigma_u = \sigma$.

If we assume that the ratio $\sigma(\text{SEI})/\sigma(\text{COR})$ is known, then

$$\begin{aligned} \sigma^2 &= \sigma^2(\text{SEI}) + B^2 \sigma^2(\text{COR}) \\ &= \sigma^2(\text{SEI}) \left(\frac{1}{1 - R^2} \right), \end{aligned}$$

where R^2 is given by

$$R^2 = \frac{B^2 \sigma_{\text{COR}}^2}{\sigma_{\text{SEI}}^2 + B^2 \sigma_{\text{COR}}^2}$$

from which it follows that

$$\sigma^2(\text{SEI}) = (1 - R^2) \sigma^2.$$

Thus

$$\text{Var}(\hat{W}) = \tau^2 \sigma^2 = \sigma_{\hat{W}}^2, \quad (14)$$

where

$$\tau^2 = \left(1 - R^2 + \frac{1}{k+n}\right) / B^2.$$

When $A(\text{SOV}) = A$, the test for the hypothesis of compliance in (10) is as follows:

Reject H_0 if

$$\frac{\hat{W} - \log 150}{\tau \hat{S}_{uz}} > t_{\lambda}(n+k-2) \quad (16)$$

where $t_{\lambda}(i)$ is the $100(1-\lambda)$ percentile of a t with i degrees of freedom.

It should be noted that the test in (16) is an extension of earlier work by Alewine et. al (1988) where the authors considered the test for compliance of a new event based on data on n events for which both CORTEX and seismic readings are available. They showed that the test based on a known ratio, $\sigma(\text{SEI})/\sigma(\text{COR})$, is less sensitive to errors in the specification of $\sigma(\text{SEI})$ than are tests based on known $\sigma(\text{SEI})$.

The F-number for the test in (16) is given by

$$F_{\lambda}(\sigma_{\hat{W}}, n+k-2) = \frac{10}{150} \frac{W_F}{}, \quad (17)$$

where W_F satisfies

$$P\left[\frac{\hat{W} - \log 150}{\tau \hat{S}_{uz}} > t_{\lambda}(n+k-2) \mid W = W_F\right] = .5. \quad (18)$$

Using Johnson and Kotz (1970, p. 207) it follows that for $n + k > 4$, a very good (several decimal places) approximate solution to (18) is given by

$$t_{\lambda}(n+k-2) = \frac{W_F - \log 150}{\sigma_{\hat{W}}} \frac{\sqrt{n+k-2} \sigma}{E[\sqrt{n+k-2} S_{uz}]} \\ = \frac{W_F - \log 150}{\left(\frac{2}{n+k-2}\right)^{1/2} \frac{\Gamma\left(\frac{n+k-1}{2}\right)}{\Gamma\left(\frac{n+k-2}{2}\right)} \sigma_{\hat{W}}}$$

Hence,

$$W_F = \log 150 + t_{\lambda}(n+k-2) \left(\frac{2}{n+k-2}\right)^{1/2} \left(\frac{\Gamma\left(\frac{n+k-1}{2}\right)}{\Gamma\left(\frac{n+k-2}{2}\right)}\right) \sigma_{\hat{W}}$$

and

$$F_{\lambda}(\sigma_{\hat{W}}, n+k-2) = 10^{t_{\lambda}(n+k-2) \sigma_{\hat{W}} \left(\frac{2}{n+k-2}\right)^{1/2} \frac{\Gamma\left(\frac{n+k-1}{2}\right)}{\Gamma\left(\frac{n+k-2}{2}\right)}} \\ = 10^{t_{\lambda}(n+k-2) \tau E(S_{uz})} \quad (19)$$

It should be noted that in calculating W_F and F_{λ} it is useful to use the approximation

$$\left(\frac{2}{n+k-2}\right)^{1/2} \frac{\Gamma\left(\frac{n+k-1}{2}\right)}{\Gamma\left(\frac{n+k-2}{2}\right)} \simeq \left(\frac{4(n+k-2)}{4(n+k)-6.75}\right) \quad (20)$$

for $n + k > 3$ (Alewine et. al., 1988).

Assume now $A(\text{SOV}) = A + h$. Then

$$E[\hat{W}] = [A + BW - c_1 A - c_2 A(\text{SOV})]/B \\ = W - \frac{c_2 h}{B}.$$

The corresponding F-number for a test of the hypothesis of compliance in (10) is given by Alewine et. al. (1989) to be

$$F_\lambda = F_\lambda(\sigma_{\hat{W}}, n+k-2) 10^{c_2 h/B}, \quad h > 0. \quad (21)$$

If we want $F_\lambda \leq F_0$ for a given F_0 , then

$$F_\lambda(\sigma_{\hat{W}}, n+k-2) 10^{c_2 h/B} \leq F_0,$$

which implies that we must have

$$\begin{aligned} h &\leq \frac{B}{c_2} \log \frac{F_0}{F_\lambda(\sigma_{\hat{W}}, n+k-2)} \\ &= \frac{(n+k)B}{k} \log \frac{F_0}{F_\lambda(\sigma_{\hat{W}}, n+k-2)} \end{aligned} \quad (22)$$

since $c_1 = k/(n+k)$.

Power of the Test in (11) when $F_\lambda = F_0$

Note that F_λ in (21) is an increasing function of h . Thus, as h becomes sufficiently large, F_λ will exceed F_0 and hence will be larger than acceptable. Thus, we want to have a high probability of rejecting $H_0: A(SOV) = A$ whenever h is large enough so that $F_\lambda > F_0$ for the compliance test. We denote the largest value of h for which $F_\lambda \leq F_0$ by $h_{\max}$, which from (22) is given by

$$\begin{aligned} h_{\max} &= \frac{(n+k)B}{k} \log \frac{F_0}{F_\lambda(\sigma_{\hat{W}}, n+k-2)} \\ &= \frac{(n+k)B}{k} \left\{ \log F_0 - t_\lambda(n+k-2) \sigma_{\hat{W}} \left(\frac{2}{n+k-2} \right)^{1/2} \Gamma\left(\frac{n+k-1}{2}\right) / \Gamma\left(\frac{n+k-2}{2}\right) \right\} \end{aligned} \quad (23)$$

$$\simeq \frac{(n+k)B}{k} \left\{ \log F_0 - t_\lambda(n+k-2) \sigma_{\hat{W}} \left(\frac{4(n+k-2)}{4(n+k)-6.75} \right) \right\} \quad (24)$$

using the approximation in (20) and where $\sigma_{\hat{W}}^2$ is given in (13). In Table 6 we present the power of the test in (12) for testing the hypotheses in II when σ_u^2 and σ_z^2 are unknown and assumed to be equal for the same parameter configurations used in Table 4. For a given set of parameters, Table 6 gives the probability of rejecting the null hypothesis $H_0: A(SOV) = A$ when the F-number for the

compliance tests for F_0 , i.e. when $A(\text{SOV}) = A + k_{\max}$. As with Table 4, for given parameters $\sigma(\text{COR})$, $\sigma(\text{SEI})$, k , and F_0 , and for a given power which is felt to be acceptable, Table 6 can be used to determine the value of n necessary to attain this power in the case in which the variances are unknown but equal. It should be noted that F_λ in (21) will be larger than $F_\lambda(\hat{\sigma}_W, n+k-2)$ whenever $k > 0$. Thus, if $F_\lambda(\hat{\sigma}_W, n+k-2) > F_0$, then there is no $k > 0$ such that $F_\lambda = F_0$. This is indicated in the table with astericks. Also, since $F_\lambda(\hat{\sigma}_W, n+k-2)$ decreases as n increases, if $F_\lambda(\hat{\sigma}_W, 200+k-2) > F_0$ for a given α , $\sigma(\text{SEI})$, F_0 and k , then for these parameters $F_\lambda > F_0$ for all tabled n . Thus, we have omitted the entire tabulation of powers for this set of parameters. The same procedure was also used in Table 4.

As an example of the use of Table 6 we see that if $\alpha = .05$, $\sigma(\text{SEI}) = .06$, $k = 8$, $F_0 = 1.5$ and desired power is .9, then approximately $n = 10$ CORRTEX events are required. If it is determined that only $n = 5$ CORRTEX events can be tested, then this would require testing the hypotheses in II using $\alpha = .35$, where this value was obtained using linear extrapolation. If we assume that the variances are known, and we can thus use Table 4, then under the same parameter configuration, it is seen that $n = 8$ CORRTEX events are required when $\alpha = .05$. Again, if it is determined that the maximum allowable number of CORRTEX events is $n = 5$, then using linear interpolation we see that the hypotheses in II would have to be tested using $\alpha = .22$.

REFERENCES

- Alewine, R. W.; Blandford, R; Gray, H. L.; and McCartor, G. D. (1988), "The JVE Historical Yield Data," MRC-88-367.
- Alewine, R. W.; Gray, H. L.; and McCartor, G. D., MRC Report - forthcoming.

TABLE 1
POWER FUNCTION FOR THE TEST OF HYPOTHESIS I

ALPHA = 0.05			B = 1		Sigma CORTEX = .04					
K = 5			TRUE RATIO OF STANDARD DEVIATIONS*							
	1.00	1.50	2.00	2.50	3.00	3.50	4.00	4.50	5.00	
N	2	0.050	0.138	0.237	0.329	0.407	0.472	0.526	0.571	0.608
	3	0.050	0.155	0.287	0.413	0.521	0.607	0.675	0.729	0.771
	4	0.050	0.163	0.313	0.461	0.585	0.681	0.754	0.808	0.849
	5	0.050	0.168	0.331	0.492	0.626	0.728	0.802	0.855	0.893
	8	0.050	0.176	0.359	0.544	0.694	0.803	0.875	0.921	0.950
	10	0.050	0.179	0.369	0.563	0.719	0.828	0.898	0.940	0.965
	20	0.050	0.185	0.391	0.604	0.772	0.880	0.942	0.973	0.988
	200	0.050	0.190	0.413	0.645	0.823	0.926	0.974	0.992	0.998
K = 8			TRUE RATIO OF STANDARD DEVIATIONS							
	1.00	1.50	2.00	2.50	3.00	3.50	4.00	4.50	5.00	
N	2	0.050	0.159	0.276	0.376	0.456	0.521	0.573	0.615	0.651
	3	0.050	0.192	0.361	0.504	0.612	0.693	0.753	0.797	0.831
	4	0.050	0.213	0.415	0.584	0.705	0.787	0.844	0.883	0.911
	5	0.050	0.228	0.455	0.639	0.765	0.845	0.896	0.929	0.950
	8	0.050	0.254	0.528	0.738	0.862	0.928	0.962	0.979	0.988
	10	0.050	0.265	0.558	0.775	0.894	0.952	0.978	0.989	0.995
	20	0.050	0.291	0.629	0.856	0.954	0.987	0.996	0.999	1.000
	200	0.050	0.321	0.712	0.932	0.991	0.999	1.000	1.000	1.000
K = 10			TRUE RATIO OF STANDARD DEVIATIONS							
	1.00	1.50	2.00	2.50	3.00	3.50	4.00	4.50	5.00	
N	2	0.050	0.166	0.287	0.389	0.470	0.534	0.586	0.627	0.662
	3	0.050	0.206	0.385	0.530	0.638	0.716	0.772	0.814	0.846
	4	0.050	0.233	0.450	0.621	0.737	0.814	0.865	0.900	0.924
	5	0.050	0.252	0.499	0.684	0.802	0.873	0.916	0.943	0.961
	8	0.050	0.291	0.592	0.795	0.901	0.951	0.975	0.987	0.993
	10	0.050	0.307	0.631	0.836	0.931	0.971	0.988	0.995	0.997
	20	0.050	0.350	0.726	0.920	0.981	0.996	0.999	1.000	1.000
	200	0.050	0.405	0.837	0.982	0.999	1.000	1.000	1.000	1.000
K = 12			TRUE RATIO OF STANDARD DEVIATIONS							
	1.00	1.50	2.00	2.50	3.00	3.50	4.00	4.50	5.00	
N	2	0.050	0.170	0.295	0.397	0.479	0.542	0.593	0.634	0.668
	3	0.050	0.216	0.400	0.547	0.653	0.729	0.784	0.824	0.855
	4	0.050	0.247	0.473	0.644	0.757	0.830	0.878	0.910	0.932
	5	0.050	0.271	0.528	0.712	0.823	0.889	0.928	0.951	0.966
	8	0.050	0.319	0.636	0.829	0.922	0.963	0.982	0.991	0.995
	10	0.050	0.341	0.681	0.871	0.950	0.980	0.992	0.997	0.998
	20	0.050	0.399	0.791	0.951	0.990	0.998	1.000	1.000	1.000
	200	0.050	0.483	0.911	0.995	1.000	1.000	1.000	1.000	1.000

*True Ratio of Standard Deviations = σ_u/σ_z

TABLE 1 - CONTINUED

ALPHA = 0.10

K = 5

		TRUE RATIO OF STANDARD DEVIATIONS								
		1.00	1.50	2.00	2.50	3.00	3.50	4.00	4.50	5.00
N	2	0.100	0.228	0.347	0.442	0.517	0.575	0.622	0.660	0.692
	3	0.100	0.260	0.421	0.552	0.650	0.722	0.776	0.816	0.847
	4	0.100	0.277	0.463	0.613	0.722	0.798	0.850	0.887	0.913
	5	0.100	0.287	0.490	0.653	0.767	0.843	0.892	0.924	0.946
	8	0.100	0.304	0.535	0.718	0.837	0.907	0.947	0.969	0.982
	10	0.100	0.310	0.551	0.741	0.861	0.927	0.963	0.980	0.990
	20	0.100	0.322	0.587	0.791	0.908	0.963	0.986	0.995	0.998
	200	0.100	0.335	0.623	0.839	0.948	0.987	0.997	1.000	1.000

K = 8

		TRUE RATIO OF STANDARD DEVIATIONS								
		1.00	1.50	2.00	2.50	3.00	3.50	4.00	4.50	5.00
N	2	0.100	0.247	0.375	0.473	0.548	0.605	0.650	0.686	0.716
	3	0.100	0.298	0.481	0.615	0.709	0.774	0.820	0.854	0.880
	4	0.100	0.329	0.547	0.699	0.796	0.858	0.898	0.925	0.944
	5	0.100	0.352	0.594	0.755	0.850	0.906	0.939	0.959	0.972
	8	0.100	0.393	0.678	0.846	0.928	0.965	0.983	0.991	0.995
	10	0.100	0.409	0.711	0.878	0.950	0.980	0.991	0.996	0.998
	20	0.100	0.449	0.786	0.939	0.985	0.997	0.999	1.000	1.000
	200	0.100	0.497	0.866	0.983	0.999	1.000	1.000	1.000	1.000

K = 10

		TRUE RATIO OF STANDARD DEVIATIONS								
		1.00	1.50	2.00	2.50	3.00	3.50	4.00	4.50	5.00
N	2	0.100	0.253	0.383	0.482	0.556	0.613	0.658	0.693	0.722
	3	0.100	0.310	0.499	0.633	0.725	0.787	0.832	0.864	0.888
	4	0.100	0.348	0.574	0.723	0.816	0.873	0.910	0.934	0.951
	5	0.100	0.376	0.627	0.783	0.871	0.921	0.949	0.966	0.977
	8	0.100	0.430	0.725	0.879	0.947	0.976	0.988	0.994	0.997
	10	0.100	0.453	0.763	0.911	0.967	0.988	0.995	0.998	0.999
	20	0.100	0.511	0.851	0.968	0.994	0.999	1.000	1.000	1.000
	200	0.100	0.586	0.937	0.997	1.000	1.000	1.000	1.000	1.000

K = 12

		TRUE RATIO OF STANDARD DEVIATIONS								
		1.00	1.50	2.00	2.50	3.00	3.50	4.00	4.50	5.00
N	2	0.100	0.256	0.388	0.488	0.562	0.618	0.662	0.697	0.726
	3	0.100	0.319	0.511	0.644	0.734	0.796	0.839	0.870	0.893
	4	0.100	0.361	0.591	0.739	0.828	0.882	0.917	0.939	0.955
	5	0.100	0.393	0.649	0.801	0.884	0.929	0.955	0.970	0.980
	8	0.100	0.457	0.755	0.899	0.957	0.981	0.991	0.996	0.998
	10	0.100	0.485	0.797	0.930	0.976	0.991	0.997	0.999	0.999
	20	0.100	0.559	0.890	0.981	0.997	1.000	1.000	1.000	1.000
	200	0.100	0.661	0.971	0.999	1.000	1.000	1.000	1.000	1.000

TABLE 1 - CONTINUED

ALPHA = 0.20

K = 5

		TRUE RATIO OF STANDARD DEVIATIONS								
		1.00	1.50	2.00	2.50	3.00	3.50	4.00	4.50	5.00
N	2	0.200	0.365	0.486	0.573	0.636	0.684	0.721	0.750	0.774
	3	0.200	0.417	0.584	0.697	0.773	0.825	0.862	0.888	0.908
	4	0.200	0.445	0.637	0.763	0.841	0.890	0.921	0.942	0.956
	5	0.200	0.463	0.672	0.803	0.880	0.924	0.951	0.967	0.977
	8	0.200	0.493	0.729	0.866	0.935	0.968	0.983	0.991	0.995
	10	0.200	0.504	0.750	0.887	0.951	0.978	0.990	0.996	0.998
	20	0.200	0.527	0.793	0.928	0.978	0.994	0.998	1.000	1.000
	200	0.200	0.550	0.836	0.961	0.994	0.999	1.000	1.000	1.000

K = 8

		TRUE RATIO OF STANDARD DEVIATIONS								
		1.00	1.50	2.00	2.50	3.00	3.50	4.00	4.50	5.00
N	2	0.200	0.377	0.502	0.589	0.652	0.698	0.734	0.762	0.785
	3	0.200	0.446	0.621	0.732	0.803	0.850	0.882	0.905	0.922
	4	0.200	0.489	0.691	0.809	0.877	0.917	0.942	0.958	0.968
	5	0.200	0.519	0.739	0.857	0.918	0.951	0.969	0.980	0.986
	8	0.200	0.574	0.819	0.927	0.970	0.987	0.994	0.997	0.998
	10	0.200	0.596	0.848	0.948	0.982	0.993	0.997	0.999	1.000
	20	0.200	0.648	0.909	0.982	0.997	0.999	1.000	1.000	1.000
	200	0.200	0.709	0.962	0.998	1.000	1.000	1.000	1.000	1.000

K = 10

		TRUE RATIO OF STANDARD DEVIATIONS								
		1.00	1.50	2.00	2.50	3.00	3.50	4.00	4.50	5.00
N	2	0.200	0.381	0.507	0.594	0.656	0.702	0.737	0.766	0.788
	3	0.200	0.455	0.632	0.741	0.811	0.856	0.888	0.910	0.926
	4	0.200	0.503	0.707	0.822	0.886	0.924	0.947	0.962	0.971
	5	0.200	0.538	0.759	0.871	0.928	0.957	0.973	0.982	0.988
	8	0.200	0.604	0.846	0.942	0.977	0.990	0.996	0.998	0.999
	10	0.200	0.631	0.877	0.962	0.988	0.996	0.998	0.999	1.000
	20	0.200	0.699	0.940	0.991	0.999	1.000	1.000	1.000	1.000
	200	0.200	0.781	0.986	1.000	1.000	1.000	1.000	1.000	1.000

K = 12

		TRUE RATIO OF STANDARD DEVIATIONS								
		1.00	1.50	2.00	2.50	3.00	3.50	4.00	4.50	5.00
N	2	0.200	0.383	0.510	0.596	0.658	0.704	0.740	0.768	0.790
	3	0.200	0.461	0.639	0.747	0.816	0.860	0.891	0.913	0.928
	4	0.200	0.513	0.717	0.830	0.892	0.928	0.950	0.964	0.973
	5	0.200	0.551	0.771	0.880	0.933	0.961	0.976	0.984	0.989
	8	0.200	0.625	0.862	0.950	0.981	0.992	0.996	0.998	0.999
	10	0.200	0.656	0.895	0.969	0.991	0.997	0.999	1.000	1.000
	20	0.200	0.736	0.957	0.995	0.999	1.000	1.000	1.000	1.000
	200	0.200	0.835	0.995	1.000	1.000	1.000	1.000	1.000	1.000

TABLE 1 - CONTINUED

ALPHA = 0.30

K = 5

		TRUE RATIO OF STANDARD DEVIATIONS							
		1.00	1.50	2.00	2.50	3.00	3.50	4.00	5.00
N	2	0.300	0.472	0.584	0.659	0.712	0.751	0.781	0.824
	3	0.300	0.535	0.687	0.780	0.839	0.878	0.904	0.937
	4	0.300	0.570	0.743	0.841	0.897	0.931	0.951	0.974
	5	0.300	0.593	0.778	0.877	0.929	0.957	0.973	0.988
	8	0.300	0.630	0.834	0.929	0.969	0.986	0.993	0.998
	10	0.300	0.644	0.853	0.944	0.979	0.992	0.997	0.999
	20	0.300	0.673	0.893	0.972	0.993	0.999	1.000	1.000
	200	0.300	0.703	0.929	0.990	0.999	1.000	1.000	1.000

K = 8

		TRUE RATIO OF STANDARD DEVIATIONS							
		1.00	1.50	2.00	2.50	3.00	3.50	4.00	5.00
N	2	0.300	0.480	0.593	0.668	0.720	0.758	0.788	0.829
	3	0.300	0.556	0.710	0.800	0.855	0.891	0.915	0.945
	4	0.300	0.603	0.777	0.868	0.917	0.945	0.962	0.980
	5	0.300	0.635	0.820	0.907	0.949	0.970	0.981	0.992
	8	0.300	0.694	0.889	0.960	0.984	0.993	0.997	0.999
	10	0.300	0.717	0.912	0.974	0.992	0.997	0.999	1.000
	20	0.300	0.771	0.957	0.994	0.999	1.000	1.000	1.000
	200	0.300	0.831	0.988	1.000	1.000	1.000	1.000	1.000

K = 10

		TRUE RATIO OF STANDARD DEVIATIONS							
		1.00	1.50	2.00	2.50	3.00	3.50	4.00	5.00
N	2	0.300	0.482	0.596	0.670	0.722	0.761	0.790	0.831
	3	0.300	0.563	0.717	0.806	0.860	0.895	0.918	0.947
	4	0.300	0.613	0.787	0.875	0.922	0.949	0.964	0.981
	5	0.300	0.650	0.833	0.915	0.954	0.973	0.983	0.993
	8	0.300	0.717	0.905	0.967	0.988	0.995	0.998	0.999
	10	0.300	0.744	0.929	0.980	0.994	0.998	0.999	1.000
	20	0.300	0.808	0.972	0.997	1.000	1.000	1.000	1.000
	200	0.300	0.881	0.996	1.000	1.000	1.000	1.000	1.000

K = 12

		TRUE RATIO OF STANDARD DEVIATIONS							
		1.00	1.50	2.00	2.50	3.00	3.50	4.00	5.00
N	2	0.300	0.484	0.597	0.672	0.724	0.762	0.791	0.832
	3	0.300	0.567	0.721	0.810	0.863	0.897	0.920	0.948
	4	0.300	0.620	0.793	0.880	0.925	0.951	0.966	0.982
	5	0.300	0.659	0.840	0.920	0.957	0.975	0.985	0.993
	8	0.300	0.732	0.914	0.972	0.990	0.996	0.998	1.000
	10	0.300	0.762	0.939	0.984	0.995	0.999	0.999	1.000
	20	0.300	0.834	0.980	0.998	1.000	1.000	1.000	1.000
	200	0.300	0.916	0.999	1.000	1.000	1.000	1.000	1.000

TABLE 2

POWER OF TEST OF HYPOTHESIS I AS RELATED TO F0
FOR THE COMPLIANCE TEST

SIGMA CORRTEX = 0.04 B = 1

ALPHA = 0.05 APPARENT VARIANCE* = -0.000975 K = 5

N	F0 = 1.3			F0 = 1.4		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.749	0.056	0.370	3.302	0.072	0.448
3	2.745	0.056	0.469	3.296	0.072	0.574
4	2.745	0.056	0.525	3.295	0.072	0.645
5	2.746	0.056	0.562	3.296	0.072	0.690
8	2.753	0.056	0.625	3.303	0.072	0.765
10	2.758	0.056	0.649	3.308	0.072	0.792
20	2.777	0.057	0.704	3.330	0.073	0.850
200	2.816	0.058	0.766	3.376	0.074	0.907

N	F0 = 1.5			F0 = 1.6		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	3.843	0.087	0.510	4.363	0.101	0.559
3	3.835	0.087	0.654	4.353	0.101	0.714
4	3.832	0.087	0.732	4.349	0.101	0.794
5	3.833	0.087	0.780	4.349	0.101	0.841
8	3.840	0.087	0.855	4.357	0.101	0.910
10	3.846	0.087	0.880	4.364	0.102	0.931
20	3.871	0.088	0.929	4.392	0.102	0.968
200	3.924	0.090	0.970	4.452	0.104	0.991

ALPHA = 0.05 APPARENT VARIANCE = -0.000975 K = 8

N	F0 = 1.3			F0 = 1.4		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.781	0.057	0.423	3.339	0.073	0.502
3	2.777	0.057	0.568	3.333	0.073	0.669
4	2.775	0.057	0.655	3.330	0.073	0.763
5	2.774	0.057	0.715	3.328	0.073	0.822
8	2.774	0.057	0.815	3.328	0.073	0.910
10	2.776	0.057	0.851	3.330	0.073	0.937
20	2.786	0.057	0.924	3.340	0.073	0.980
200	2.816	0.058	0.980	3.376	0.074	0.999

*The following correspondence between apparent variance and σ_z holds:

Apparent Variance	σ_z
-.000975	.025
.000001	.040
.000225	.043

TABLE 2 - CONTINUED

N	F0 = 1.5			F0 = 1.6		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	3.885	0.089	0.562	4.410	0.103	0.608
3	3.878	0.088	0.740	4.401	0.102	0.789
4	3.873	0.088	0.832	4.396	0.102	0.876
5	3.871	0.088	0.885	4.393	0.102	0.923
8	3.870	0.088	0.955	4.391	0.102	0.976
10	3.871	0.088	0.973	4.392	0.102	0.988
20	3.883	0.088	0.995	4.405	0.103	0.999
200	3.925	0.090	1.000	4.452	0.104	1.000

ALPHA = 0.05 APPARENT VARIANCE = -0.000975 K = 10

N	F0 = 1.3			F0 = 1.4		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.791	0.057	0.439	3.351	0.074	0.517
3	2.788	0.057	0.596	3.346	0.073	0.694
4	2.785	0.057	0.693	3.343	0.073	0.793
5	2.784	0.057	0.758	3.341	0.073	0.854
8	2.783	0.057	0.864	3.339	0.073	0.939
10	2.784	0.057	0.900	3.339	0.073	0.962
20	2.790	0.057	0.964	3.346	0.073	0.993
200	2.816	0.058	0.997	3.377	0.074	1.000

N	F0 = 1.5			F0 = 1.6		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	3.898	0.089	0.576	4.424	0.103	0.621
3	3.892	0.089	0.761	4.417	0.103	0.808
4	3.888	0.089	0.856	4.412	0.103	0.895
5	3.885	0.089	0.908	4.409	0.103	0.939
8	3.882	0.088	0.971	4.405	0.103	0.986
10	3.882	0.088	0.985	4.405	0.103	0.994
20	3.889	0.089	0.999	4.412	0.103	1.000
200	3.925	0.090	1.000	4.452	0.104	1.000

ALPHA = 0.05 APPARENT VARIANCE = -0.000975 K = 12

N	F0 = 1.3			F0 = 1.4		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.798	0.057	0.448	3.358	0.074	0.526
3	2.795	0.057	0.614	3.354	0.074	0.710
4	2.793	0.057	0.716	3.351	0.074	0.811
5	2.791	0.057	0.784	3.349	0.074	0.872
8	2.790	0.057	0.891	3.347	0.073	0.954
10	2.790	0.057	0.926	3.346	0.073	0.974
20	2.793	0.057	0.981	3.350	0.074	0.997
200	2.816	0.058	1.000	3.377	0.074	1.000

TABLE 2 - CONTINUED

N	FO = 1.5			FO = 1.6		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	3.906	0.089	0.584	4.433	0.103	0.629
3	3.901	0.089	0.774	4.427	0.103	0.819
4	3.897	0.089	0.869	4.423	0.103	0.905
5	3.895	0.089	0.921	4.420	0.103	0.948
8	3.891	0.089	0.979	4.415	0.103	0.990
10	3.891	0.089	0.990	4.414	0.103	0.996
20	3.894	0.089	1.000	4.418	0.103	1.000
200	3.925	0.090	1.000	4.452	0.104	1.000

ALPHA = 0.05 APPARENT VARIANCE = 0.000001* K = 5

N	FO = 1.3			FO = 1.4		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	1.700	0.055	0.178	2.049	0.072	0.247
3	1.702	0.055	0.207	2.049	0.072	0.299
4	1.704	0.055	0.223	2.050	0.072	0.329
5	1.707	0.055	0.233	2.052	0.072	0.348
8	1.715	0.056	0.251	2.059	0.072	0.382
10	1.720	0.056	0.258	2.064	0.072	0.395
20	1.734	0.057	0.276	2.080	0.073	0.426
200	1.759	0.058	0.299	2.109	0.074	0.466

N	FO = 1.5			FO = 1.6		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.389	0.087	0.310	2.715	0.101	0.364
3	2.387	0.087	0.386	2.711	0.101	0.461
4	2.387	0.087	0.429	2.711	0.101	0.516
5	2.389	0.087	0.458	2.712	0.101	0.553
8	2.396	0.087	0.507	2.719	0.101	0.615
10	2.401	0.087	0.526	2.724	0.101	0.639
20	2.418	0.088	0.571	2.743	0.102	0.693
200	2.452	0.090	0.625	2.782	0.104	0.754

ALPHA = 0.05 APPARENT VARIANCE = 0.000001 K = 8

N	FO = 1.3			FO = 1.4		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	1.724	0.056	0.212	2.075	0.073	0.292
3	1.724	0.056	0.269	2.073	0.073	0.384
4	1.724	0.056	0.305	2.073	0.073	0.443
5	1.725	0.056	0.331	2.073	0.073	0.485
8	1.728	0.056	0.381	2.075	0.073	0.565
10	1.730	0.056	0.402	2.077	0.073	0.598
20	1.739	0.057	0.456	2.086	0.073	0.679
200	1.759	0.058	0.532	2.110	0.074	0.779

*See footnote on first page of Table 2.

TABLE 2 - CONTINUED

N	F0 = 1.5			F0 = 1.6		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.417	0.088	0.361	2.746	0.102	0.418
3	2.415	0.088	0.482	2.742	0.102	0.560
4	2.413	0.088	0.558	2.740	0.102	0.647
5	2.413	0.088	0.612	2.739	0.102	0.706
8	2.414	0.088	0.708	2.740	0.102	0.807
10	2.416	0.088	0.746	2.742	0.102	0.843
20	2.425	0.088	0.832	2.751	0.103	0.917
200	2.452	0.090	0.920	2.782	0.104	0.977

ALPHA = 0.05 APPARENT VARIANCE = 0.000001 K = 10

N	F0 = 1.3			F0 = 1.4		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	1.732	0.057	0.224	2.084	0.073	0.306
3	1.731	0.057	0.291	2.082	0.073	0.411
4	1.732	0.057	0.337	2.081	0.073	0.482
5	1.732	0.057	0.371	2.081	0.073	0.534
8	1.734	0.057	0.439	2.082	0.073	0.633
10	1.735	0.057	0.468	2.083	0.073	0.675
20	1.741	0.057	0.547	2.089	0.073	0.775
200	1.760	0.058	0.659	2.110	0.074	0.891

N	F0 = 1.5			F0 = 1.6		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.427	0.088	0.376	2.757	0.103	0.433
3	2.424	0.088	0.511	2.753	0.103	0.589
4	2.423	0.088	0.598	2.751	0.103	0.685
5	2.422	0.088	0.660	2.750	0.102	0.750
8	2.422	0.088	0.771	2.749	0.102	0.857
10	2.423	0.088	0.813	2.749	0.102	0.894
20	2.429	0.089	0.903	2.756	0.103	0.961
200	2.452	0.090	0.977	2.782	0.104	0.996

ALPHA = 0.05 APPARENT VARIANCE = 0.000001 K = 12

N	F0 = 1.3			F0 = 1.4		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	1.737	0.057	0.231	2.089	0.073	0.315
3	1.737	0.057	0.306	2.088	0.073	0.430
4	1.737	0.057	0.359	2.087	0.073	0.508
5	1.737	0.057	0.399	2.087	0.073	0.566
8	1.738	0.057	0.481	2.087	0.073	0.679
10	1.739	0.057	0.518	2.087	0.073	0.725
20	1.743	0.057	0.616	2.091	0.074	0.836
200	1.760	0.058	0.758	2.110	0.074	0.949

TABLE 2 - CONTINUED

N	F0 = 1.5			F0 = 1.6		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.433	0.089	0.385	2.763	0.103	0.443
3	2.431	0.089	0.530	2.760	0.103	0.607
4	2.429	0.089	0.624	2.758	0.103	0.708
5	2.428	0.089	0.691	2.757	0.103	0.776
8	2.428	0.089	0.809	2.755	0.103	0.885
10	2.428	0.089	0.852	2.755	0.103	0.921
20	2.432	0.089	0.939	2.759	0.103	0.979
200	2.452	0.090	0.994	2.782	0.104	0.999

ALPHA = 0.05 APPARENT VARIANCE = 0.000225* K = 5

N	F0 = 1.3			F0 = 1.4		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	1.589	0.055	0.155	1.916	0.071	0.221
3	1.591	0.055	0.178	1.916	0.071	0.264
4	1.594	0.055	0.190	1.918	0.072	0.288
5	1.597	0.055	0.198	1.920	0.072	0.304
8	1.605	0.056	0.212	1.928	0.072	0.331
10	1.610	0.056	0.217	1.932	0.072	0.342
20	1.624	0.057	0.231	1.948	0.073	0.368
200	1.648	0.058	0.250	1.976	0.074	0.401

N	F0 = 1.5			F0 = 1.6		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.235	0.087	0.282	2.540	0.101	0.336
3	2.233	0.087	0.348	2.538	0.101	0.422
4	2.234	0.087	0.384	2.538	0.101	0.471
5	2.236	0.087	0.409	2.539	0.101	0.503
8	2.243	0.087	0.451	2.546	0.101	0.559
10	2.248	0.087	0.468	2.551	0.101	0.581
20	2.264	0.088	0.507	2.569	0.102	0.630
200	2.297	0.090	0.555	2.605	0.104	0.689

ALPHA = 0.05 APPARENT VARIANCE = 0.000225 K = 8

N	F0 = 1.3			F0 = 1.4		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	1.611	0.056	0.186	1.941	0.073	0.263
3	1.612	0.056	0.230	1.940	0.073	0.341
4	1.613	0.056	0.259	1.940	0.073	0.392
5	1.614	0.056	0.279	1.940	0.073	0.429
8	1.617	0.056	0.319	1.942	0.073	0.498
10	1.620	0.056	0.335	1.944	0.073	0.527
20	1.628	0.057	0.379	1.953	0.073	0.600
200	1.648	0.058	0.441	1.976	0.074	0.696

*See footnote on first page of Table 2.

TABLE 2 - CONTINUED

N	F0 = 1.5			F0 = 1.6		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.262	0.088	0.331	2.570	0.102	0.388
3	2.260	0.088	0.439	2.567	0.102	0.520
4	2.259	0.088	0.508	2.565	0.102	0.602
5	2.259	0.088	0.558	2.565	0.102	0.659
8	2.260	0.088	0.649	2.566	0.102	0.759
10	2.262	0.088	0.685	2.567	0.102	0.796
20	2.271	0.088	0.771	2.577	0.103	0.878
200	2.297	0.090	0.869	2.605	0.104	0.953

ALPHA = 0.05 APPARENT VARIANCE = 0.000225 K = 10

N	F0 = 1.3			F0 = 1.4		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	1.619	0.056	0.196	1.949	0.073	0.276
3	1.620	0.056	0.250	1.948	0.073	0.367
4	1.620	0.056	0.287	1.948	0.073	0.429
5	1.620	0.056	0.314	1.948	0.073	0.475
8	1.623	0.057	0.369	1.949	0.073	0.565
10	1.624	0.057	0.393	1.950	0.073	0.603
20	1.630	0.057	0.457	1.956	0.073	0.699
200	1.648	0.058	0.554	1.976	0.074	0.822

N	F0 = 1.5			F0 = 1.6		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.271	0.088	0.345	2.580	0.103	0.403
3	2.269	0.088	0.468	2.577	0.103	0.549
4	2.268	0.088	0.549	2.575	0.102	0.641
5	2.267	0.088	0.607	2.574	0.102	0.705
8	2.268	0.088	0.715	2.574	0.102	0.816
10	2.268	0.088	0.758	2.575	0.102	0.856
20	2.275	0.089	0.856	2.581	0.103	0.935
200	2.297	0.090	0.951	2.605	0.104	0.990

ALPHA = 0.05 APPARENT VARIANCE = 0.000225 K = 12

N	F0 = 1.3			F0 = 1.4		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	1.625	0.057	0.203	1.955	0.073	0.284
3	1.625	0.057	0.264	1.954	0.073	0.385
4	1.625	0.057	0.306	1.953	0.073	0.454
5	1.625	0.057	0.339	1.953	0.073	0.507
8	1.627	0.057	0.406	1.953	0.073	0.611
10	1.628	0.057	0.437	1.954	0.073	0.655
20	1.632	0.057	0.521	1.959	0.073	0.767
200	1.648	0.058	0.651	1.976	0.074	0.901

TABLE 2 - CONTINUED

N	F0 = 1.5			F0 = 1.6		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.277	0.089	0.355	2.587	0.103	0.413
3	2.275	0.089	0.487	2.584	0.103	0.568
4	2.274	0.089	0.575	2.582	0.103	0.666
5	2.273	0.089	0.639	2.581	0.103	0.734
8	2.273	0.088	0.757	2.580	0.103	0.849
10	2.273	0.088	0.803	2.580	0.103	0.889
20	2.277	0.089	0.903	2.584	0.103	0.962
200	2.297	0.090	0.983	2.606	0.104	0.998

ALPHA = 0.10

APPARENT VARIANCE = -0.000975

K = 5

N	F0 = 1.3			F0 = 1.4		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.749	0.056	0.481	3.302	0.072	0.554
3	2.745	0.056	0.604	3.296	0.072	0.696
4	2.745	0.056	0.671	3.295	0.072	0.770
5	2.746	0.056	0.715	3.296	0.072	0.815
8	2.753	0.056	0.785	3.303	0.072	0.884
10	2.758	0.056	0.811	3.308	0.072	0.907
20	2.777	0.057	0.865	3.330	0.073	0.949
200	2.816	0.058	0.918	3.376	0.074	0.981

N	F0 = 1.5			F0 = 1.6		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	3.843	0.087	0.609	4.363	0.101	0.651
3	3.835	0.087	0.760	4.353	0.101	0.806
4	3.832	0.087	0.835	4.349	0.101	0.877
5	3.833	0.087	0.878	4.349	0.101	0.916
8	3.840	0.087	0.937	4.357	0.101	0.964
10	3.846	0.087	0.954	4.364	0.102	0.977
20	3.871	0.088	0.982	4.392	0.102	0.994
200	3.924	0.090	0.997	4.452	0.104	1.000

ALPHA = 0.10

APPARENT VARIANCE = -0.000975

K = 8

N	F0 = 1.3			F0 = 1.4		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.781	0.057	0.518	3.339	0.073	0.588
3	2.777	0.057	0.671	3.333	0.073	0.755
4	2.775	0.057	0.758	3.330	0.073	0.840
5	2.774	0.057	0.813	3.328	0.073	0.890
8	2.774	0.057	0.898	3.328	0.073	0.956
10	2.776	0.057	0.926	3.330	0.073	0.973
20	2.786	0.057	0.973	3.340	0.073	0.995
200	2.816	0.058	0.997	3.376	0.074	1.000

TABLE 2 - CONTINUED

F0 = 1.5				F0 = 1.6		
N	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	3.885	0.089	0.641	4.410	0.103	0.680
3	3.878	0.088	0.810	4.401	0.102	0.849
4	3.873	0.088	0.890	4.396	0.102	0.920
5	3.871	0.088	0.932	4.393	0.102	0.955
8	3.870	0.088	0.979	4.391	0.102	0.990
10	3.871	0.088	0.939	4.392	0.102	0.995
20	3.883	0.088	0.999	4.405	0.103	1.000
200	3.925	0.090	1.000	4.452	0.104	1.000

ALPHA = 0.10

APPARENT VARIANCE = -0.000975

K = 10

F0 = 1.3				F0 = 1.4		
N	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.791	0.057	0.528	3.351	0.074	0.598
3	2.788	0.057	0.690	3.346	0.073	0.770
4	2.785	0.057	0.782	3.343	0.073	0.858
5	2.784	0.057	0.840	3.341	0.073	0.908
8	2.783	0.057	0.925	3.339	0.073	0.969
10	2.784	0.057	0.950	3.339	0.073	0.983
20	2.790	0.057	0.988	3.346	0.073	0.998
200	2.816	0.058	1.000	3.377	0.074	1.000

F0 = 1.5				F0 = 1.6		
N	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	3.898	0.089	0.649	4.424	0.103	0.688
3	3.892	0.089	0.823	4.417	0.103	0.859
4	3.888	0.089	0.903	4.412	0.103	0.931
5	3.885	0.089	0.944	4.409	0.103	0.964
8	3.882	0.088	0.986	4.405	0.103	0.993
10	3.882	0.088	0.994	4.405	0.103	0.998
20	3.889	0.089	1.000	4.412	0.103	1.000
200	3.925	0.090	1.000	4.452	0.104	1.000

ALPHA = 0.10

APPARENT VARIANCE = -0.000975

K = 12

F0 = 1.3				F0 = 1.4		
N	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.798	0.057	0.534	3.358	0.074	0.603
3	2.795	0.057	0.702	3.354	0.074	0.780
4	2.793	0.057	0.796	3.351	0.074	0.869
5	2.791	0.057	0.855	3.349	0.074	0.918
8	2.790	0.057	0.939	3.347	0.073	0.976
10	2.790	0.057	0.962	3.346	0.073	0.988
20	2.793	0.057	0.994	3.350	0.074	0.999
200	2.816	0.058	1.000	3.377	0.074	1.000

TABLE 2 - CONTINUED

N	F0 = 1.5			F0 = 1.6		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	3.906	0.089	0.655	4.433	0.103	0.693
3	3.901	0.089	0.831	4.427	0.103	0.866
4	3.897	0.089	0.911	4.423	0.103	0.936
5	3.895	0.089	0.951	4.420	0.103	0.968
8	3.891	0.089	0.990	4.415	0.103	0.995
10	3.891	0.089	0.996	4.414	0.103	0.998
20	3.894	0.089	1.000	4.418	0.103	1.000
200	3.925	0.090	1.000	4.452	0.104	1.000

ALPHA = 0.10 APPARENT VARIANCE = 0.000001 K = 5

N	F0 = 1.3			F0 = 1.4		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	1.700	0.055	0.278	2.049	0.072	0.357
3	1.702	0.055	0.328	2.049	0.072	0.436
4	1.704	0.055	0.355	2.050	0.072	0.480
5	1.707	0.055	0.374	2.052	0.072	0.509
8	1.715	0.056	0.406	2.059	0.072	0.560
10	1.720	0.056	0.418	2.064	0.072	0.580
20	1.734	0.057	0.449	2.080	0.073	0.625
200	1.759	0.058	0.487	2.109	0.074	0.679

N	F0 = 1.5			F0 = 1.6		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.389	0.087	0.423	2.715	0.101	0.476
3	2.387	0.087	0.525	2.711	0.101	0.597
4	2.387	0.087	0.583	2.711	0.101	0.664
5	2.389	0.087	0.621	2.712	0.101	0.707
8	2.396	0.087	0.685	2.719	0.101	0.777
10	2.401	0.087	0.709	2.724	0.101	0.803
20	2.418	0.088	0.763	2.743	0.102	0.857
200	2.452	0.090	0.823	2.782	0.104	0.911

ALPHA = 0.10 APPARENT VARIANCE = 0.000001 K = 6

N	F0 = 1.3			F0 = 1.4		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	1.724	0.056	0.308	2.075	0.073	0.392
3	1.724	0.056	0.385	2.073	0.073	0.504
4	1.724	0.056	0.434	2.073	0.073	0.573
5	1.725	0.056	0.469	2.073	0.073	0.622
8	1.728	0.056	0.535	2.075	0.073	0.710
10	1.730	0.056	0.563	2.077	0.073	0.745
20	1.739	0.057	0.631	2.086	0.073	0.824
200	1.759	0.058	0.721	2.110	0.074	0.909

TABLE 2 - CONTINUED

N	F0 = 1.5			F0 = 1.6		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.417	0.088	0.459	2.746	0.102	0.513
3	2.415	0.088	0.595	2.742	0.102	0.665
4	2.413	0.088	0.677	2.740	0.102	0.751
5	2.413	0.088	0.732	2.739	0.102	0.807
8	2.414	0.088	0.824	2.740	0.102	0.893
10	2.416	0.088	0.858	2.742	0.102	0.921
20	2.425	0.088	0.925	2.751	0.103	0.970
200	2.452	0.090	0.979	2.782	0.104	0.996

ALPHA = 0.10 APPARENT VARIANCE = 0.000001 K = 10

N	F0 = 1.3			F0 = 1.4		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	1.732	0.057	0.317	2.084	0.073	0.402
3	1.731	0.057	0.404	2.082	0.073	0.525
4	1.732	0.057	0.462	2.081	0.073	0.603
5	1.732	0.057	0.504	2.081	0.073	0.659
8	1.734	0.057	0.586	2.082	0.073	0.759
10	1.735	0.057	0.620	2.083	0.073	0.798
20	1.741	0.057	0.707	2.089	0.073	0.884
200	1.760	0.058	0.820	2.110	0.074	0.964

N	F0 = 1.5			F0 = 1.6		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.427	0.088	0.469	2.757	0.103	0.523
3	2.424	0.088	0.616	2.753	0.103	0.684
4	2.423	0.088	0.705	2.751	0.103	0.776
5	2.422	0.088	0.764	2.750	0.102	0.834
8	2.422	0.088	0.863	2.749	0.102	0.920
10	2.423	0.088	0.896	2.749	0.102	0.946
20	2.429	0.089	0.959	2.756	0.103	0.986
200	2.452	0.090	0.995	2.782	0.104	1.000

ALPHA = 0.10 APPARENT VARIANCE = 0.000001 K = 12

N	F0 = 1.3			F0 = 1.4		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	1.737	0.057	0.323	2.089	0.073	0.408
3	1.737	0.057	0.417	2.088	0.073	0.538
4	1.737	0.057	0.480	2.087	0.073	0.622
5	1.737	0.057	0.528	2.087	0.073	0.682
8	1.738	0.057	0.620	2.087	0.073	0.790
10	1.739	0.057	0.660	2.087	0.073	0.831
20	1.743	0.057	0.761	2.091	0.074	0.919
200	1.760	0.058	0.886	2.110	0.074	0.986

TABLE 2 - CONTINUED

N	F0 = 1.5			F0 = 1.6		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.433	0.089	0.476	2.763	0.103	0.529
3	2.431	0.089	0.629	2.760	0.103	0.696
4	2.429	0.089	0.722	2.758	0.103	0.790
5	2.428	0.089	0.784	2.757	0.103	0.850
8	2.428	0.089	0.885	2.755	0.103	0.935
10	2.428	0.089	0.918	2.755	0.103	0.960
20	2.432	0.089	0.975	2.759	0.103	0.993
200	2.452	0.090	0.999	2.782	0.104	1.000

ALPHA = 0.10 APPARENT VARIANCE = 0.000225 K = 5

N	F0 = 1.3			F0 = 1.4		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	1.589	0.055	0.251	1.916	0.071	0.328
3	1.591	0.055	0.291	1.916	0.071	0.396
4	1.594	0.055	0.313	1.918	0.072	0.434
5	1.597	0.055	0.328	1.920	0.072	0.460
8	1.605	0.056	0.354	1.928	0.072	0.504
10	1.610	0.056	0.364	1.932	0.072	0.521
20	1.624	0.057	0.389	1.948	0.073	0.561
200	1.648	0.058	0.421	1.976	0.074	0.610

N	F0 = 1.5			F0 = 1.6		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.235	0.087	0.394	2.540	0.101	0.449
3	2.233	0.087	0.487	2.538	0.101	0.560
4	2.234	0.087	0.539	2.538	0.101	0.623
5	2.236	0.087	0.573	2.539	0.101	0.664
8	2.243	0.087	0.632	2.546	0.101	0.731
10	2.248	0.087	0.654	2.551	0.101	0.756
20	2.264	0.088	0.706	2.569	0.102	0.812
200	2.297	0.090	0.764	2.605	0.104	0.870

ALPHA = 0.10 APPARENT VARIANCE = 0.000225 K = 8

N	F0 = 1.3			F0 = 1.4		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	1.611	0.056	0.278	1.941	0.073	0.362
3	1.612	0.056	0.342	1.940	0.073	0.461
4	1.613	0.056	0.383	1.940	0.073	0.524
5	1.614	0.056	0.413	1.940	0.073	0.569
8	1.617	0.056	0.468	1.942	0.073	0.651
10	1.620	0.056	0.491	1.944	0.073	0.684
20	1.628	0.057	0.551	1.953	0.073	0.762
200	1.648	0.058	0.631	1.976	0.074	0.854

TABLE 2 - CONTINUED

N	F0 = 1.5			F0 = 1.6		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.262	0.088	0.430	2.570	0.102	0.485
3	2.260	0.088	0.557	2.567	0.102	0.630
4	2.259	0.088	0.634	2.565	0.102	0.714
5	2.259	0.088	0.687	2.565	0.102	0.770
8	2.260	0.088	0.779	2.566	0.102	0.860
10	2.262	0.088	0.814	2.567	0.102	0.891
20	2.271	0.088	0.888	2.577	0.103	0.951
200	2.297	0.090	0.957	2.605	0.104	0.990

ALPHA = 0.10 APPARENT VARIANCE = 0.000225 K = 10

N	F0 = 1.3			F0 = 1.4		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	1.619	0.056	0.287	1.949	0.073	0.372
3	1.620	0.056	0.360	1.948	0.073	0.482
4	1.620	0.056	0.409	1.948	0.073	0.554
5	1.620	0.056	0.445	1.948	0.073	0.605
8	1.623	0.057	0.515	1.949	0.073	0.702
10	1.624	0.057	0.545	1.950	0.073	0.740
20	1.630	0.057	0.624	1.956	0.073	0.832
200	1.648	0.058	0.733	1.976	0.074	0.929

N	F0 = 1.5			F0 = 1.6		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.271	0.088	0.440	2.580	0.103	0.495
3	2.269	0.088	0.578	2.577	0.103	0.650
4	2.268	0.088	0.663	2.575	0.102	0.740
5	2.267	0.088	0.721	2.574	0.102	0.800
8	2.268	0.088	0.822	2.574	0.102	0.893
10	2.268	0.088	0.859	2.575	0.102	0.924
20	2.275	0.089	0.934	2.581	0.103	0.975
200	2.297	0.090	0.988	2.605	0.104	0.998

ALPHA = 0.10 APPARENT VARIANCE = 0.000225 K = 12

N	F0 = 1.3			F0 = 1.4		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	1.625	0.057	0.293	1.955	0.073	0.378
3	1.625	0.057	0.372	1.954	0.073	0.496
4	1.625	0.057	0.426	1.953	0.073	0.573
5	1.625	0.057	0.467	1.953	0.073	0.629
8	1.627	0.057	0.548	1.953	0.073	0.735
10	1.628	0.057	0.584	1.954	0.073	0.777
20	1.632	0.057	0.678	1.959	0.073	0.875
200	1.648	0.058	0.808	1.976	0.074	0.966

TABLE 2 - CONTINUED

N	F0 = 1.5			F0 = 1.6		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.277	0.089	0.447	2.587	0.103	0.502
3	2.275	0.089	0.591	2.584	0.103	0.662
4	2.274	0.089	0.681	2.582	0.103	0.757
5	2.273	0.089	0.743	2.581	0.103	0.818
8	2.273	0.088	0.849	2.580	0.103	0.912
10	2.273	0.088	0.886	2.580	0.103	0.941
20	2.277	0.089	0.957	2.584	0.103	0.986
200	2.297	0.090	0.997	2.606	0.104	1.000

ALPHA = 0.20 APPARENT VARIANCE = -0.000975 K = 5

N	F0 = 1.3			F0 = 1.4		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.749	0.056	0.607	3.302	0.072	0.667
3	2.745	0.056	0.738	3.296	0.072	0.806
4	2.745	0.056	0.805	3.295	0.072	0.872
5	2.746	0.056	0.846	3.296	0.072	0.909
8	2.753	0.056	0.907	3.303	0.072	0.957
10	2.758	0.056	0.926	3.308	0.072	0.971
20	2.777	0.057	0.962	3.330	0.073	0.990
200	2.816	0.058	0.987	3.376	0.074	0.999

N	F0 = 1.5			F0 = 1.6		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	3.843	0.087	0.710	4.363	0.101	0.743
3	3.835	0.087	0.851	4.353	0.101	0.881
4	3.832	0.087	0.912	4.349	0.101	0.936
5	3.833	0.087	0.943	4.349	0.101	0.963
8	3.840	0.087	0.979	4.357	0.101	0.989
10	3.846	0.087	0.988	4.364	0.102	0.995
20	3.871	0.088	0.998	4.392	0.102	0.999
200	3.924	0.090	1.000	4.452	0.104	1.000

ALPHA = 0.20 APPARENT VARIANCE = -0.000975 K = 8

N	F0 = 1.3			F0 = 1.4		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.781	0.057	0.627	3.339	0.073	0.684
3	2.777	0.057	0.775	3.333	0.073	0.836
4	2.775	0.057	0.851	3.330	0.073	0.905
5	2.774	0.057	0.895	3.328	0.073	0.942
8	2.774	0.057	0.955	3.328	0.073	0.982
10	2.776	0.057	0.971	3.330	0.073	0.991
20	2.786	0.057	0.994	3.340	0.073	0.999
200	2.816	0.058	1.000	3.376	0.074	1.000

TABLE 2 - CONTINUED

F0 = 1.5				F0 = 1.6		
N	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	3.885	0.089	0.726	4.410	0.103	0.758
3	3.878	0.088	0.875	4.401	0.102	0.901
4	3.873	0.088	0.936	4.396	0.102	0.955
5	3.871	0.088	0.965	4.393	0.102	0.978
8	3.870	0.088	0.992	4.391	0.102	0.996
10	3.871	0.088	0.997	4.392	0.102	0.999
20	3.883	0.088	1.000	4.405	0.103	1.000
200	3.925	0.090	1.000	4.452	0.104	1.000

ALPHA = 0.20 APPARENT VARIANCE = -0.000975 K = 10

F0 = 1.3				F0 = 1.4		
N	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.791	0.057	0.632	3.351	0.074	0.689
3	2.788	0.057	0.785	3.346	0.073	0.844
4	2.785	0.057	0.863	3.343	0.073	0.914
5	2.784	0.057	0.908	3.341	0.073	0.950
8	2.783	0.057	0.966	3.339	0.073	0.987
10	2.784	0.057	0.980	3.339	0.073	0.994
20	2.790	0.057	0.997	3.346	0.073	1.000
200	2.816	0.058	1.000	3.377	0.074	1.000

F0 = 1.5				F0 = 1.6		
N	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	3.898	0.089	0.731	4.424	0.103	0.762
3	3.892	0.089	0.882	4.417	0.103	0.907
4	3.888	0.089	0.942	4.412	0.103	0.959
5	3.885	0.089	0.970	4.409	0.103	0.981
8	3.882	0.088	0.995	4.405	0.103	0.998
10	3.882	0.088	0.998	4.405	0.103	0.999
20	3.889	0.089	1.000	4.412	0.103	1.000
200	3.925	0.090	1.000	4.452	0.104	1.000

ALPHA = 0.20 APPARENT VARIANCE = -0.000975 K = 12

F0 = 1.3				F0 = 1.4		
N	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.798	0.057	0.636	3.358	0.074	0.693
3	2.795	0.057	0.791	3.354	0.074	0.849
4	2.793	0.057	0.870	3.351	0.074	0.919
5	2.791	0.057	0.916	3.349	0.074	0.954
8	2.790	0.057	0.972	3.347	0.073	0.990
10	2.790	0.057	0.985	3.346	0.073	0.996
20	2.793	0.057	0.998	3.350	0.074	1.000
200	2.816	0.058	1.000	3.377	0.074	1.000

TABLE 2 - CONTINUED

N	F0 = 1.5			F0 = 1.6		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	3.906	0.089	0.734	4.433	0.103	0.764
3	3.901	0.089	0.886	4.427	0.103	0.910
4	3.897	0.089	0.946	4.423	0.103	0.962
5	3.895	0.089	0.973	4.420	0.103	0.983
8	3.891	0.089	0.996	4.415	0.103	0.998
10	3.891	0.089	0.999	4.414	0.103	0.999
20	3.894	0.089	1.000	4.418	0.103	1.000
200	3.925	0.090	1.000	4.452	0.104	1.000

ALPHA = 0.20 APPARENT VARIANCE = 0.000001 K = 5

N	F0 = 1.3			F0 = 1.4		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	1.700	0.055	0.418	2.049	0.072	0.496
3	1.702	0.055	0.491	2.049	0.072	0.597
4	1.704	0.055	0.532	2.050	0.072	0.653
5	1.707	0.055	0.560	2.052	0.072	0.689
8	1.715	0.056	0.607	2.059	0.072	0.750
10	1.720	0.056	0.626	2.064	0.072	0.773
20	1.734	0.057	0.668	2.080	0.073	0.823
200	1.759	0.058	0.719	2.109	0.074	0.876

N	F0 = 1.5			F0 = 1.6		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.389	0.087	0.556	2.715	0.101	0.602
3	2.387	0.087	0.675	2.711	0.101	0.733
4	2.387	0.087	0.739	2.711	0.101	0.800
5	2.389	0.087	0.780	2.712	0.101	0.841
8	2.396	0.087	0.844	2.719	0.101	0.902
10	2.401	0.087	0.867	2.724	0.101	0.922
20	2.418	0.088	0.913	2.743	0.102	0.959
200	2.452	0.090	0.954	2.782	0.104	0.985

ALPHA = 0.20 APPARENT VARIANCE = 0.000001 K = 8

N	F0 = 1.3			F0 = 1.4		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	1.724	0.056	0.439	2.075	0.073	0.517
3	1.724	0.056	0.534	2.073	0.073	0.640
4	1.724	0.056	0.592	2.073	0.073	0.713
5	1.725	0.056	0.633	2.073	0.073	0.761
8	1.728	0.056	0.707	2.075	0.073	0.842
10	1.730	0.056	0.737	2.077	0.073	0.871
20	1.739	0.057	0.806	2.086	0.073	0.931
200	1.759	0.058	0.886	2.110	0.074	0.979

TABLE 2 - CONTINUED

N	F0 = 1.5			F0 = 1.6		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.417	0.088	0.577	2.746	0.102	0.622
3	2.415	0.088	0.716	2.742	0.102	0.770
4	2.413	0.088	0.793	2.740	0.102	0.846
5	2.413	0.088	0.841	2.739	0.102	0.891
8	2.414	0.088	0.915	2.740	0.102	0.952
10	2.416	0.088	0.938	2.742	0.102	0.969
20	2.425	0.088	0.977	2.751	0.103	0.993
200	2.452	0.090	0.997	2.782	0.104	1.000

ALPHA = 0.20 APPARENT VARIANCE = 0.000001 K = 10

N	F0 = 1.3			F0 = 1.4		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	1.732	0.057	0.445	2.084	0.073	0.523
3	1.731	0.057	0.547	2.082	0.073	0.653
4	1.732	0.057	0.612	2.081	0.073	0.731
5	1.732	0.057	0.657	2.081	0.073	0.783
8	1.734	0.057	0.742	2.082	0.073	0.869
10	1.735	0.057	0.775	2.083	0.073	0.899
20	1.741	0.057	0.854	2.089	0.073	0.957
200	1.760	0.058	0.937	2.110	0.074	0.994

N	F0 = 1.5			F0 = 1.6		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.427	0.088	0.583	2.757	0.103	0.628
3	2.424	0.088	0.728	2.753	0.103	0.780
4	2.423	0.088	0.808	2.751	0.103	0.859
5	2.422	0.088	0.859	2.750	0.102	0.904
8	2.422	0.088	0.932	2.749	0.102	0.964
10	2.423	0.088	0.954	2.749	0.102	0.979
20	2.429	0.089	0.988	2.756	0.103	0.997
200	2.452	0.090	1.000	2.782	0.104	1.000

ALPHA = 0.20 APPARENT VARIANCE = 0.000001 K = 12

N	F0 = 1.3			F0 = 1.4		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	1.737	0.057	0.449	2.089	0.073	0.527
3	1.737	0.057	0.556	2.088	0.073	0.662
4	1.737	0.057	0.624	2.087	0.073	0.742
5	1.737	0.057	0.674	2.087	0.073	0.796
8	1.738	0.057	0.764	2.087	0.073	0.885
10	1.739	0.057	0.801	2.087	0.073	0.915
20	1.743	0.057	0.884	2.091	0.074	0.970
200	1.760	0.058	0.966	2.110	0.074	0.998

TABLE 2 - CONTINUED

N	F0 = 1.5			F0 = 1.6		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.433	0.089	0.586	2.763	0.103	0.631
3	2.431	0.089	0.735	2.760	0.103	0.787
4	2.429	0.089	0.818	2.758	0.103	0.866
5	2.428	0.089	0.869	2.757	0.103	0.912
8	2.428	0.089	0.943	2.755	0.103	0.970
10	2.428	0.089	0.964	2.755	0.103	0.983
20	2.432	0.089	0.993	2.759	0.103	0.998
200	2.452	0.090	1.000	2.782	0.104	1.000

ALPHA = 0.20 APPARENT VARIANCE = 0.000225 K = 5

N	F0 = 1.3			F0 = 1.4		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	1.589	0.055	0.389	1.916	0.071	0.468
3	1.591	0.055	0.452	1.916	0.071	0.560
4	1.594	0.055	0.487	1.918	0.072	0.611
5	1.597	0.055	0.510	1.920	0.072	0.645
8	1.605	0.056	0.551	1.928	0.072	0.702
10	1.610	0.056	0.567	1.932	0.072	0.723
20	1.624	0.057	0.605	1.948	0.073	0.772
200	1.648	0.058	0.651	1.976	0.074	0.826

N	F0 = 1.5			F0 = 1.6		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.235	0.087	0.530	2.540	0.101	0.579
3	2.233	0.087	0.642	2.538	0.101	0.704
4	2.234	0.087	0.703	2.538	0.101	0.770
5	2.236	0.087	0.743	2.539	0.101	0.811
8	2.243	0.087	0.807	2.546	0.101	0.875
10	2.248	0.087	0.830	2.551	0.101	0.896
20	2.264	0.088	0.879	2.569	0.102	0.938
200	2.297	0.090	0.926	2.605	0.104	0.973

ALPHA = 0.20 APPARENT VARIANCE = 0.000225 K = 8

N	F0 = 1.3			F0 = 1.4		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	1.611	0.056	0.409	1.941	0.073	0.490
3	1.612	0.056	0.492	1.940	0.073	0.604
4	1.613	0.056	0.543	1.940	0.073	0.672
5	1.614	0.056	0.580	1.940	0.073	0.719
8	1.617	0.056	0.647	1.942	0.073	0.799
10	1.620	0.056	0.675	1.944	0.073	0.830
20	1.628	0.057	0.741	1.953	0.073	0.895
200	1.648	0.058	0.823	1.976	0.074	0.957

TABLE 2 - CONTINUED

N	F0 = 1.5			F0 = 1.6		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.262	0.088	0.551	2.570	0.102	0.599
3	2.260	0.088	0.685	2.567	0.102	0.743
4	2.259	0.088	0.760	2.565	0.102	0.820
5	2.259	0.088	0.809	2.565	0.102	0.867
8	2.260	0.088	0.887	2.566	0.102	0.935
10	2.262	0.088	0.913	2.567	0.102	0.955
20	2.271	0.088	0.962	2.577	0.103	0.987
200	2.297	0.090	0.993	2.605	0.104	0.999

ALPHA = 0.20 APPARENT VARIANCE = 0.000225 K = 10

N	F0 = 1.3			F0 = 1.4		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	1.619	0.056	0.415	1.949	0.073	0.496
3	1.620	0.056	0.505	1.948	0.073	0.617
4	1.620	0.056	0.563	1.948	0.073	0.691
5	1.620	0.056	0.604	1.948	0.073	0.742
8	1.623	0.057	0.682	1.949	0.073	0.829
10	1.624	0.057	0.714	1.950	0.073	0.862
20	1.630	0.057	0.793	1.956	0.073	0.930
200	1.648	0.058	0.888	1.976	0.074	0.983

N	F0 = 1.5			F0 = 1.6		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.271	0.088	0.558	2.580	0.103	0.605
3	2.269	0.088	0.697	2.577	0.103	0.754
4	2.268	0.088	0.777	2.575	0.102	0.834
5	2.267	0.088	0.829	2.574	0.102	0.882
8	2.268	0.088	0.909	2.574	0.102	0.949
10	2.268	0.088	0.934	2.575	0.102	0.968
20	2.275	0.089	0.978	2.581	0.103	0.993
200	2.297	0.090	0.999	2.605	0.104	1.000

ALPHA = 0.20 APPARENT VARIANCE = 0.000225 K = 12

N	F0 = 1.3			F0 = 1.4		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	1.625	0.057	0.419	1.955	0.073	0.500
3	1.625	0.057	0.514	1.954	0.073	0.626
4	1.625	0.057	0.575	1.953	0.073	0.703
5	1.625	0.057	0.620	1.953	0.073	0.757
8	1.627	0.057	0.706	1.953	0.073	0.849
10	1.628	0.057	0.742	1.954	0.073	0.882
20	1.632	0.057	0.828	1.959	0.073	0.949
200	1.648	0.058	0.928	1.976	0.074	0.994

TABLE 2 - CONTINUED

F0 = 1.5				F0 = 1.6		
N	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.277	0.089	0.561	2.587	0.103	0.609
3	2.275	0.089	0.705	2.584	0.103	0.761
4	2.274	0.089	0.787	2.582	0.103	0.843
5	2.273	0.089	0.840	2.581	0.103	0.892
8	2.273	0.088	0.922	2.580	0.103	0.958
10	2.273	0.088	0.947	2.580	0.103	0.975
20	2.277	0.089	0.986	2.584	0.103	0.996
200	2.297	0.090	1.000	2.606	0.104	1.000

ALPHA = 0.30 APPARENT VARIANCE = -0.000975 K = 5

F0 = 1.3				F0 = 1.4		
N	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.749	0.056	0.688	3.302	0.072	0.737
3	2.745	0.056	0.812	3.296	0.072	0.864
4	2.745	0.056	0.872	3.295	0.072	0.919
5	2.746	0.056	0.907	3.296	0.072	0.947
8	2.753	0.056	0.953	3.303	0.072	0.981
10	2.758	0.056	0.966	3.308	0.072	0.988
20	2.777	0.057	0.987	3.330	0.073	0.998
200	2.816	0.058	0.998	3.376	0.074	1.000

F0 = 1.5				F0 = 1.6		
N	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	3.843	0.087	0.772	4.363	0.101	0.799
3	3.835	0.087	0.897	4.353	0.101	0.918
4	3.832	0.087	0.945	4.349	0.101	0.961
5	3.833	0.087	0.968	4.349	0.101	0.980
8	3.840	0.087	0.991	4.357	0.101	0.996
10	3.846	0.087	0.996	4.364	0.102	0.998
20	3.871	0.088	1.000	4.392	0.102	1.000
200	3.924	0.090	1.000	4.452	0.104	1.000

ALPHA = 0.30 APPARENT VARIANCE = -0.000975 K = 8

F0 = 1.3				F0 = 1.4		
N	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.781	0.057	0.699	3.339	0.073	0.747
3	2.777	0.057	0.834	3.333	0.073	0.881
4	2.775	0.057	0.898	3.330	0.073	0.937
5	2.774	0.057	0.933	3.328	0.073	0.964
8	2.774	0.057	0.976	3.328	0.073	0.991
10	2.776	0.057	0.986	3.330	0.073	0.996
20	2.786	0.057	0.998	3.340	0.073	1.000
200	2.816	0.058	1.000	3.376	0.074	1.000

TABLE 2 - CONTINUED

N	F0 = 1.5			F0 = 1.6		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	3.885	0.089	0.782	4.410	0.103	0.807
3	3.878	0.088	0.910	4.401	0.102	0.929
4	3.873	0.088	0.958	4.396	0.102	0.971
5	3.871	0.088	0.979	4.393	0.102	0.987
8	3.870	0.088	0.996	4.391	0.102	0.998
10	3.871	0.088	0.999	4.392	0.102	0.999
20	3.883	0.088	1.000	4.405	0.103	1.000
200	3.925	0.090	1.000	4.452	0.104	1.000

ALPHA = 0.30 APPARENT VARIANCE = -0.000975 K = 10

N	F0 = 1.3			F0 = 1.4		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.791	0.057	0.703	3.351	0.074	0.750
3	2.788	0.057	0.840	3.346	0.073	0.885
4	2.785	0.057	0.905	3.343	0.073	0.942
5	2.784	0.057	0.941	3.341	0.073	0.968
8	2.783	0.057	0.982	3.339	0.073	0.993
10	2.784	0.057	0.990	3.339	0.073	0.997
20	2.790	0.057	0.999	3.346	0.073	1.000
200	2.816	0.058	1.000	3.377	0.074	1.000

N	F0 = 1.5			F0 = 1.6		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	3.898	0.089	0.784	4.424	0.103	0.809
3	3.892	0.089	0.914	4.417	0.103	0.932
4	3.888	0.089	0.962	4.412	0.103	0.973
5	3.885	0.089	0.982	4.409	0.103	0.988
8	3.882	0.088	0.997	4.405	0.103	0.999
10	3.882	0.088	0.999	4.405	0.103	1.000
20	3.889	0.089	1.000	4.412	0.103	1.000
200	3.925	0.090	1.000	4.452	0.104	1.000

ALPHA = 0.30 APPARENT VARIANCE = -0.000975 K = 12

N	F0 = 1.3			F0 = 1.4		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.798	0.057	0.705	3.358	0.074	0.752
3	2.795	0.057	0.844	3.354	0.074	0.888
4	2.793	0.057	0.910	3.351	0.074	0.945
5	2.791	0.057	0.945	3.349	0.074	0.971
8	2.790	0.057	0.984	3.347	0.073	0.995
10	2.790	0.057	0.992	3.346	0.073	0.998
20	2.793	0.057	0.999	3.350	0.074	1.000
200	2.816	0.058	1.000	3.377	0.074	1.000

TABLE 2 - CONTINUED

N	F0 = 1.5			F0 = 1.6		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	3.906	0.089	0.786	4.433	0.103	0.811
3	3.901	0.089	0.916	4.427	0.103	0.934
4	3.897	0.089	0.964	4.423	0.103	0.974
5	3.895	0.089	0.983	4.420	0.103	0.989
8	3.891	0.089	0.998	4.415	0.103	0.999
10	3.891	0.089	0.999	4.414	0.103	1.000
20	3.894	0.089	1.000	4.418	0.103	1.000
200	3.925	0.090	1.000	4.452	0.104	1.000

ALPHA = 0.30 APPARENT VARIANCE = 0.000001 K = 5

N	F0 = 1.3			F0 = 1.4		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	1.700	0.055	0.523	2.049	0.072	0.593
3	1.702	0.055	0.606	2.049	0.072	0.698
4	1.704	0.055	0.652	2.050	0.072	0.755
5	1.707	0.055	0.683	2.052	0.072	0.792
8	1.715	0.056	0.735	2.059	0.072	0.850
10	1.720	0.056	0.755	2.064	0.072	0.870
20	1.734	0.057	0.799	2.080	0.073	0.913
200	1.759	0.058	0.848	2.109	0.074	0.952

N	F0 = 1.5			F0 = 1.6		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.389	0.087	0.645	2.715	0.101	0.684
3	2.387	0.087	0.763	2.711	0.101	0.808
4	2.387	0.087	0.824	2.711	0.101	0.869
5	2.389	0.087	0.860	2.712	0.101	0.903
8	2.396	0.087	0.915	2.719	0.101	0.950
10	2.401	0.087	0.932	2.724	0.101	0.964
20	2.418	0.088	0.965	2.743	0.102	0.986
200	2.452	0.090	0.988	2.782	0.104	0.997

ALPHA = 0.30 APPARENT VARIANCE = 0.000001 K = 8

N	F0 = 1.3			F0 = 1.4		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	1.724	0.056	0.537	2.075	0.073	0.606
3	1.724	0.056	0.636	2.073	0.073	0.727
4	1.724	0.056	0.695	2.073	0.073	0.794
5	1.725	0.056	0.735	2.073	0.073	0.837
8	1.728	0.056	0.806	2.075	0.073	0.905
10	1.730	0.056	0.833	2.077	0.073	0.927
20	1.739	0.057	0.892	2.086	0.073	0.969
200	1.759	0.058	0.951	2.110	0.074	0.994

TABLE 2 -- CONTINUED

N	F0 = 1.5			F0 = 1.6		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.417	0.088	0.657	2.746	0.102	0.696
3	2.415	0.088	0.788	2.742	0.102	0.830
4	2.413	0.088	0.856	2.740	0.102	0.895
5	2.413	0.088	0.896	2.739	0.102	0.931
8	2.414	0.088	0.952	2.740	0.102	0.975
10	2.416	0.088	0.968	2.742	0.102	0.985
20	2.425	0.088	0.992	2.751	0.103	0.998
200	2.452	0.090	1.000	2.782	0.104	1.000

ALPHA = 0.30 APPARENT VARIANCE = 0.000001 K = 10

N	F0 = 1.3			F0 = 1.4		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	1.732	0.057	0.541	2.084	0.073	0.610
3	1.731	0.057	0.645	2.082	0.073	0.735
4	1.732	0.057	0.708	2.081	0.073	0.806
5	1.732	0.057	0.752	2.081	0.073	0.851
8	1.734	0.057	0.829	2.082	0.073	0.920
10	1.735	0.057	0.858	2.083	0.073	0.943
20	1.741	0.057	0.921	2.089	0.073	0.981
200	1.760	0.058	0.976	2.110	0.074	0.999

N	F0 = 1.5			F0 = 1.6		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.427	0.088	0.661	2.757	0.103	0.699
3	2.424	0.088	0.795	2.753	0.103	0.837
4	2.423	0.088	0.865	2.751	0.103	0.902
5	2.422	0.088	0.906	2.750	0.102	0.938
8	2.422	0.088	0.962	2.749	0.102	0.980
10	2.423	0.088	0.976	2.749	0.102	0.989
20	2.429	0.089	0.996	2.756	0.103	0.999
200	2.452	0.090	1.000	2.782	0.104	1.000

ALPHA = 0.30 APPARENT VARIANCE = 0.000001 K = 12

N	F0 = 1.3			F0 = 1.4		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	1.737	0.057	0.544	2.089	0.073	0.613
3	1.737	0.057	0.651	2.088	0.073	0.741
4	1.737	0.057	0.717	2.087	0.073	0.813
5	1.737	0.057	0.763	2.087	0.073	0.859
8	1.738	0.057	0.844	2.087	0.073	0.930
10	1.739	0.057	0.874	2.087	0.073	0.952
20	1.743	0.057	0.938	2.091	0.074	0.987
200	1.760	0.058	0.988	2.110	0.074	1.000

TABLE 2 - CONTINUED

N	F0 = 1.5			F0 = 1.6		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.433	0.089	0.664	2.763	0.103	0.701
3	2.431	0.089	0.800	2.760	0.103	0.840
4	2.429	0.089	0.871	2.758	0.103	0.907
5	2.428	0.089	0.912	2.757	0.103	0.942
8	2.428	0.089	0.967	2.755	0.103	0.983
10	2.428	0.089	0.981	2.755	0.103	0.992
20	2.432	0.089	0.997	2.759	0.103	0.999
200	2.452	0.090	1.000	2.782	0.104	1.000

ALPHA = 0.30 APPARENT VARIANCE = 0.000225 K = 5

N	F0 = 1.3			F0 = 1.4		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	1.589	0.055	0.496	1.916	0.071	0.568
3	1.591	0.055	0.569	1.916	0.071	0.667
4	1.594	0.055	0.610	1.918	0.072	0.721
5	1.597	0.055	0.637	1.920	0.072	0.756
8	1.605	0.056	0.685	1.928	0.072	0.813
10	1.610	0.056	0.703	1.932	0.072	0.834
20	1.624	0.057	0.745	1.948	0.073	0.878
200	1.648	0.058	0.794	1.976	0.074	0.923

N	F0 = 1.5			F0 = 1.6		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.235	0.087	0.623	2.540	0.101	0.664
3	2.233	0.087	0.736	2.538	0.101	0.786
4	2.234	0.087	0.796	2.538	0.101	0.846
5	2.236	0.087	0.833	2.539	0.101	0.882
8	2.243	0.087	0.890	2.546	0.101	0.934
10	2.248	0.087	0.909	2.551	0.101	0.950
20	2.264	0.088	0.946	2.569	0.102	0.977
200	2.297	0.090	0.977	2.605	0.104	0.994

ALPHA = 0.30 APPARENT VARIANCE = 0.000225 K = 8

N	F0 = 1.3			F0 = 1.4		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	1.611	0.056	0.510	1.941	0.073	0.582
3	1.612	0.056	0.598	1.940	0.073	0.696
4	1.613	0.056	0.652	1.940	0.073	0.761
5	1.614	0.056	0.690	1.940	0.073	0.805
8	1.617	0.056	0.757	1.942	0.073	0.875
10	1.620	0.056	0.784	1.944	0.073	0.900
20	1.628	0.057	0.845	1.953	0.073	0.949
200	1.648	0.058	0.913	1.976	0.074	0.986

TABLE 2 - CONTINUED

N	F0 = 1.5			F0 = 1.6		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.262	0.088	0.636	2.570	0.102	0.676
3	2.260	0.088	0.763	2.567	0.102	0.809
4	2.259	0.088	0.831	2.565	0.102	0.876
5	2.259	0.088	0.873	2.565	0.102	0.914
8	2.260	0.088	0.935	2.566	0.102	0.965
10	2.262	0.088	0.954	2.567	0.102	0.978
20	2.271	0.088	0.985	2.577	0.103	0.995
200	2.297	0.090	0.999	2.605	0.104	1.000

ALPHA = 0.30 APPARENT VARIANCE = 0.000225 K = 10

N	F0 = 1.3			F0 = 1.4		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	1.619	0.056	0.514	1.949	0.073	0.586
3	1.620	0.056	0.608	1.948	0.073	0.705
4	1.620	0.056	0.666	1.948	0.073	0.774
5	1.620	0.056	0.707	1.948	0.073	0.819
8	1.623	0.057	0.782	1.949	0.073	0.893
10	1.624	0.057	0.811	1.950	0.073	0.919
20	1.630	0.057	0.879	1.956	0.073	0.967
200	1.648	0.058	0.950	1.976	0.074	0.995

N	F0 = 1.5			F0 = 1.6		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.271	0.088	0.640	2.580	0.103	0.680
3	2.269	0.088	0.771	2.577	0.103	0.816
4	2.268	0.088	0.841	2.575	0.102	0.884
5	2.267	0.088	0.885	2.574	0.102	0.923
8	2.268	0.088	0.947	2.574	0.102	0.972
10	2.268	0.088	0.965	2.575	0.102	0.984
20	2.275	0.089	0.991	2.581	0.103	0.998
200	2.297	0.090	1.000	2.605	0.104	1.000

ALPHA = 0.30 APPARENT VARIANCE = 0.000225 K = 12

N	F0 = 1.3			F0 = 1.4		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	1.625	0.057	0.517	1.955	0.073	0.589
3	1.625	0.057	0.614	1.954	0.073	0.711
4	1.625	0.057	0.675	1.953	0.073	0.782
5	1.625	0.057	0.719	1.953	0.073	0.829
8	1.627	0.057	0.798	1.953	0.073	0.905
10	1.628	0.057	0.830	1.954	0.073	0.930
20	1.632	0.057	0.902	1.959	0.073	0.976
200	1.648	0.058	0.971	1.976	0.074	0.998

TABLE 2 - CONTINUED

N	F0 = 1.5			F0 = 1.6		
	LMAX	SIGMA SEI	POWER	LMAX	SIGMA SEI	POWER
2	2.277	0.089	0.642	2.587	0.103	0.682
3	2.275	0.089	0.776	2.584	0.103	0.820
4	2.274	0.089	0.848	2.582	0.103	0.889
5	2.273	0.089	0.892	2.581	0.103	0.928
8	2.273	0.088	0.954	2.580	0.103	0.976
10	2.273	0.088	0.971	2.580	0.103	0.987
20	2.277	0.089	0.995	2.584	0.103	0.999
200	2.297	0.090	1.000	2.606	0.104	1.000

TABLE 3

POWER FUNCTION FOR THE TEST OF HYPOTHESIS II
WHEN THE VARIANCES ARE KNOWN

SIGMA CORRTEX = 0.04

B = 1

ALPHA = 0.05

SIGMA SEI = 0.03

K = 5

	H								
	0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
2	0.050	0.122	0.246	0.417	0.605	0.772	0.889	0.956	0.985
3	0.050	0.136	0.291	0.499	0.707	0.863	0.950	0.986	0.997
4	0.050	0.147	0.326	0.557	0.770	0.909	0.973	0.994	0.999
N 5	0.050	0.156	0.352	0.600	0.812	0.935	0.984	0.997	1.000
8	0.050	0.173	0.405	0.677	0.877	0.969	0.995	0.999	1.000
10	0.050	0.180	0.427	0.707	0.899	0.978	0.997	1.000	1.000
20	0.050	0.199	0.482	0.775	0.940	0.991	0.999	1.000	1.000
200	0.050	0.223	0.549	0.843	0.971	0.997	1.000	1.000	1.000

ALPHA = 0.05

SIGMA SEI = 0.03

K = 8

	H								
	0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
2	0.050	0.127	0.263	0.449	0.648	0.812	0.918	0.971	0.992
3	0.050	0.146	0.322	0.551	0.764	0.905	0.971	0.994	0.999
4	0.050	0.161	0.368	0.624	0.833	0.948	0.989	0.998	1.000
N 5	0.050	0.173	0.405	0.677	0.877	0.969	0.995	0.999	1.000
8	0.050	0.199	0.482	0.775	0.940	0.991	0.999	1.000	1.000
10	0.050	0.211	0.517	0.812	0.958	0.995	1.000	1.000	1.000
20	0.050	0.246	0.605	0.889	0.985	0.999	1.000	1.000	1.000
200	0.050	0.296	0.717	0.954	0.997	1.000	1.000	1.000	1.000

ALPHA = 0.05

SIGMA SEI = 0.03

K = 10

	H								
	0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
2	0.050	0.130	0.270	0.462	0.663	0.826	0.927	0.976	0.994
3	0.050	0.150	0.334	0.571	0.784	0.918	0.977	0.995	0.999
4	0.050	0.166	0.385	0.649	0.855	0.959	0.992	0.999	1.000
N 5	0.050	0.180	0.427	0.707	0.899	0.978	0.997	1.000	1.000
8	0.050	0.211	0.517	0.812	0.958	0.995	1.000	1.000	1.000
10	0.050	0.227	0.557	0.850	0.973	0.998	1.000	1.000	1.000
20	0.050	0.270	0.663	0.927	0.994	1.000	1.000	1.000	1.000
200	0.050	0.341	0.795	0.980	1.000	1.000	1.000	1.000	1.000

TABLE 3 - CONTINUED

ALPHA =		0.05		SIGMA SEI =		0.03		K = 12		
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.050	0.131	0.275	0.471	0.674	0.835	0.933	0.978	0.995
	3	0.050	0.153	0.343	0.585	0.798	0.927	0.981	0.996	1.000
	4	0.050	0.171	0.398	0.668	0.870	0.966	0.994	0.999	1.000
	5	0.050	0.186	0.444	0.729	0.913	0.983	0.998	1.000	1.000
	8	0.050	0.221	0.543	0.837	0.969	0.997	1.000	1.000	1.000
	10	0.050	0.239	0.588	0.877	0.982	0.999	1.000	1.000	1.000
	20	0.050	0.291	0.707	0.950	0.997	1.000	1.000	1.000	1.000
	200	0.050	0.382	0.852	0.992	1.000	1.000	1.000	1.000	1.000

ALPHA =		0.05		SIGMA SEI =		0.06		K =		5	
		H									
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16	
N	2	0.050	0.095	0.163	0.258	0.375	0.505	0.635	0.750	0.843	
	3	0.050	0.103	0.188	0.307	0.450	0.600	0.737	0.845	0.918	
	4	0.050	0.109	0.207	0.343	0.504	0.664	0.798	0.894	0.952	
	5	0.050	0.114	0.221	0.371	0.544	0.708	0.838	0.923	0.969	
	8	0.050	0.123	0.251	0.426	0.618	0.785	0.899	0.961	0.988	
	10	0.050	0.127	0.264	0.450	0.648	0.812	0.918	0.971	0.992	
	20	0.050	0.138	0.296	0.508	0.717	0.870	0.954	0.987	0.997	
	200	0.050	0.151	0.337	0.576	0.790	0.922	0.979	0.996	0.999	

ALPHA = 0.05		SIGMA SEI = 0.06				K = 8				
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.050	0.098	0.173	0.277	0.405	0.544	0.677	0.791	0.877
	3	0.050	0.108	0.205	0.339	0.498	0.657	0.792	0.889	0.949
	4	0.050	0.117	0.230	0.387	0.566	0.732	0.858	0.936	0.976
	5	0.050	0.123	0.251	0.426	0.618	0.785	0.899	0.961	0.988
	8	0.050	0.138	0.296	0.508	0.717	0.870	0.954	0.987	0.997
	10	0.050	0.145	0.317	0.544	0.756	0.899	0.969	0.993	0.999
	20	0.050	0.163	0.375	0.635	0.843	0.953	0.990	0.999	1.000
200	0.050	0.191	0.458	0.746	0.924	0.986	0.999	1.000	1.000	

ALPHA =		0.05		SIGMA SEI =		0.06		K = 10		
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.050	0.099	0.177	0.284	0.416	0.558	0.693	0.806	0.889
	3	0.050	0.111	0.211	0.352	0.516	0.678	0.811	0.904	0.958
	4	0.050	0.120	0.240	0.406	0.591	0.758	0.879	0.949	0.982
	5	0.050	0.127	0.264	0.450	0.648	0.812	0.918	0.971	0.992
	8	0.050	0.145	0.317	0.544	0.756	0.899	0.969	0.993	0.999
	10	0.050	0.153	0.343	0.585	0.798	0.927	0.981	0.996	1.000
	20	0.050	0.177	0.416	0.693	0.889	0.974	0.996	1.000	1.000
	200	0.050	0.215	0.527	0.822	0.962	0.996	1.000	1.000	1.000

TABLE 3 - CONTINUED

ALPHA =		0.05		SIGMA SEI =		0.06		K = 12		
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.050	0.100	0.179	0.289	0.424	0.568	0.703	0.815	0.896
	3	0.050	0.112	0.216	0.361	0.529	0.693	0.825	0.914	0.963
	4	0.050	0.122	0.247	0.419	0.609	0.775	0.892	0.957	0.986
	5	0.050	0.131	0.273	0.467	0.670	0.832	0.931	0.977	0.994
	8	0.050	0.150	0.334	0.571	0.784	0.918	0.977	0.995	0.999
	10	0.050	0.159	0.363	0.617	0.828	0.945	0.988	0.998	1.000
	20	0.050	0.188	0.450	0.737	0.918	0.984	0.998	1.000	1.000
200	0.050	0.238	0.588	0.876	0.982	0.999	1.000	1.000	1.000	

ALPHA =		0.05		SIGMA SEI =		0.08		K =		5	
		H									
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16	
N	2	0.050	0.084	0.133	0.200	0.282	0.379	0.484	0.589	0.689	
	3	0.050	0.090	0.151	0.234	0.337	0.455	0.576	0.691	0.789	
	4	0.050	0.095	0.164	0.260	0.378	0.509	0.639	0.754	0.847	
	5	0.050	0.098	0.174	0.280	0.409	0.549	0.683	0.797	0.882	
	8	0.050	0.105	0.195	0.320	0.470	0.624	0.761	0.865	0.932	
	10	0.050	0.108	0.204	0.337	0.495	0.654	0.789	0.887	0.948	
	20	0.050	0.116	0.227	0.381	0.557	0.723	0.850	0.931	0.973	
	200	0.050	0.125	0.256	0.435	0.630	0.795	0.906	0.965	0.989	

ALPHA =		0.05		SIGMA SEI =		0.08		K =		8	
		H									
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16	
N	2	0.050	0.087	0.140	0.213	0.304	0.409	0.521	0.631	0.732	
	3	0.050	0.094	0.162	0.257	0.373	0.503	0.632	0.748	0.841	
	4	0.050	0.100	0.180	0.291	0.427	0.572	0.707	0.819	0.899	
	5	0.050	0.105	0.195	0.320	0.470	0.624	0.761	0.865	0.932	
	8	0.050	0.116	0.227	0.381	0.557	0.723	0.850	0.931	0.973	
	10	0.050	0.120	0.241	0.409	0.595	0.762	0.882	0.951	0.983	
	20	0.050	0.133	0.282	0.484	0.689	0.848	0.941	0.982	0.996	
	200	0.050	0.153	0.343	0.585	0.798	0.927	0.981	0.996	1.000	

ALPHA =		0.05		SIGMA SEI =		0.08		K = 10		
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.050	0.088	0.143	0.218	0.312	0.420	0.535	0.646	0.747
	3	0.050	0.096	0.167	0.266	0.387	0.521	0.653	0.768	0.858
	4	0.050	0.103	0.187	0.305	0.447	0.597	0.733	0.842	0.916
	5	0.050	0.108	0.204	0.337	0.495	0.654	0.789	0.887	0.948
	8	0.050	0.120	0.241	0.409	0.595	0.762	0.882	0.951	0.983
	10	0.050	0.126	0.260	0.442	0.639	0.804	0.912	0.968	0.991
	20	0.050	0.143	0.312	0.535	0.747	0.893	0.966	0.992	0.999
	200	0.050	0.170	0.396	0.665	0.868	0.964	0.994	0.999	1.000

TABLE 3 - CONTINUED

ALPHA = 0.05		SIGMA SEI = 0.08			K = 12					
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.050	0.088	0.145	0.222	0.318	0.428	0.544	0.657	0.757
	3	0.050	0.097	0.171	0.272	0.398	0.535	0.668	0.782	0.870
	4	0.050	0.104	0.192	0.315	0.462	0.615	0.751	0.857	0.927
	5	0.050	0.110	0.211	0.350	0.514	0.676	0.809	0.902	0.957
	8	0.050	0.124	0.253	0.430	0.624	0.789	0.902	0.963	0.989
	10	0.050	0.131	0.274	0.469	0.672	0.833	0.932	0.978	0.994
	20	0.050	0.151	0.337	0.576	0.789	0.922	0.979	0.996	0.999
	200	0.050	0.186	0.444	0.730	0.914	0.983	0.998	1.000	1.000

ALPHA = 0.10		SIGMA SEI = 0.03			K = 5					
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.100	0.211	0.372	0.561	0.736	0.866	0.944	0.981	0.995
	3	0.100	0.232	0.426	0.641	0.818	0.917	0.978	0.995	0.999
	4	0.100	0.247	0.465	0.694	0.865	0.91	0.989	0.998	1.000
	5	0.100	0.258	0.493	0.731	0.894	0.970	0.994	0.999	1.000
	8	0.100	0.281	0.548	0.795	0.936	0.987	0.998	1.000	1.000
	10	0.100	0.291	0.571	0.818	0.949	0.991	0.999	1.000	1.000
	20	0.100	0.315	0.625	0.868	0.972	0.997	1.000	1.000	1.000
	200	0.100	0.345	0.686	0.914	0.988	0.999	1.000	1.000	1.000

ALPHA =		0.10		SIGMA SEI =		0.03		K =		8	
		H									
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16	
N	2	0.100	0.219	0.394	0.593	0.771	0.894	0.960	0.988	0.997	
	3	0.100	0.245	0.460	0.688	0.860	0.953	0.988	0.998	1.000	
	4	0.100	0.265	0.510	0.751	0.908	0.976	0.996	1.000	1.000	
	5	0.100	0.281	0.548	0.795	0.936	0.987	0.998	1.000	1.000	
	8	0.100	0.315	0.625	0.868	0.972	0.997	1.000	1.000	1.000	
	10	0.100	0.331	0.657	0.894	0.982	0.998	1.000	1.000	1.000	
	20	0.100	0.372	0.736	0.944	0.995	1.000	1.000	1.000	1.000	
	200	0.100	0.432	0.826	0.980	0.999	1.000	1.000	1.000	1.000	

ALPHA =		0.10		SIGMA SEI =		0.03		K = 10		
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.100	0.222	0.402	0.606	0.783	0.903	0.965	0.990	0.998
	3	0.100	0.250	0.474	0.706	0.875	0.961	0.991	0.999	1.000
	4	0.100	0.272	0.528	0.772	0.923	0.982	0.997	1.000	1.000
	5	0.100	0.291	0.571	0.818	0.949	0.991	0.999	1.000	1.000
	8	0.100	0.331	0.657	0.894	0.982	0.998	1.000	1.000	1.000
	10	0.100	0.349	0.694	0.920	0.989	0.999	1.000	1.000	1.000
	20	0.100	0.402	0.783	0.965	0.998	1.000	1.000	1.000	1.000
	200	0.100	0.481	0.882	0.992	1.000	1.000	1.000	1.000	1.000

TABLE 3 - CONTINUED

ALPHA = 0.10

SIGMA SEI = 0.03

K = 12

		0.00	0.02	0.04	H 0.06	0.08	0.10	0.12	0.14	0.16
	2	0.100	0.224	0.407	0.614	0.792	0.909	0.969	0.991	0.998
	3	0.100	0.254	0.483	0.718	0.884	0.965	0.993	0.999	1.000
	4	0.100	0.278	0.541	0.787	0.932	0.985	0.998	1.000	1.000
N	5	0.100	0.298	0.588	0.835	0.958	0.993	0.999	1.000	1.000
	8	0.100	0.343	0.681	0.911	0.987	0.999	1.000	1.000	1.000
	10	0.100	0.364	0.721	0.936	0.993	1.000	1.000	1.000	1.000
	20	0.100	0.426	0.818	0.978	0.999	1.000	1.000	1.000	1.000
	200	0.100	0.526	0.921	0.997	1.000	1.000	1.000	1.000	1.000

ALPHA = 0.10

SIGMA SEI = 0.06

K = 5

		0.00	0.02	0.04	H 0.06	0.08	0.10	0.12	0.14	0.16
	2	0.100	0.171	0.268	0.387	0.518	0.647	0.760	0.851	0.915
	3	0.100	0.184	0.301	0.443	0.594	0.731	0.841	0.916	0.961
	4	0.100	0.193	0.325	0.484	0.645	0.784	0.885	0.947	0.979
N	5	0.100	0.200	0.343	0.514	0.682	0.819	0.911	0.963	0.987
	8	0.100	0.213	0.379	0.571	0.747	0.875	0.949	0.983	0.995
	10	0.100	0.219	0.394	0.594	0.772	0.894	0.961	0.988	0.997
	20	0.100	0.234	0.432	0.649	0.826	0.932	0.980	0.995	0.999
	200	0.100	0.252	0.478	0.711	0.879	0.963	0.992	0.999	1.000

ALPHA = 0.10

SIGMA SEI = 0.06

K = 8

		0.00	0.02	0.04	H 0.06	0.08	0.10	0.12	0.14	0.16
	2	0.100	0.176	0.281	0.409	0.548	0.682	0.795	0.880	0.935
	3	0.100	0.192	0.322	0.479	0.640	0.778	0.880	0.944	0.977
	4	0.100	0.204	0.354	0.531	0.702	0.837	0.924	0.971	0.990
N	5	0.100	0.213	0.379	0.571	0.747	0.875	0.949	0.983	0.995
	8	0.100	0.234	0.432	0.649	0.826	0.932	0.980	0.995	0.999
	10	0.100	0.243	0.455	0.682	0.855	0.950	0.987	0.998	1.000
	20	0.100	0.268	0.518	0.760	0.915	0.979	0.996	1.000	1.000
	200	0.100	0.304	0.601	0.848	0.964	0.995	1.000	1.000	1.000

ALPHA = 0.10

SIGMA SEI = 0.06

K = 10

		0.00	0.02	0.04	H 0.06	0.08	0.10	0.12	0.14	0.16
	2	0.100	0.178	0.286	0.418	0.560	0.695	0.807	0.890	0.943
	3	0.100	0.195	0.330	0.493	0.657	0.795	0.894	0.952	0.982
	4	0.100	0.208	0.365	0.550	0.724	0.856	0.937	0.977	0.993
N	5	0.100	0.219	0.394	0.594	0.772	0.894	0.961	0.988	0.997
	8	0.100	0.243	0.455	0.682	0.855	0.950	0.987	0.998	1.000
	10	0.100	0.254	0.484	0.719	0.885	0.966	0.993	0.999	1.000
	20	0.100	0.286	0.560	0.807	0.943	0.989	0.999	1.000	1.000
	200	0.100	0.335	0.667	0.901	0.984	0.999	1.000	1.000	1.000

TABLE 3 - CONTINUED

ALPHA = 0.10 SIGMA SEI = 0.06 K = 12

		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.100	0.179	0.289	0.424	0.568	0.703	0.815	0.896	0.948
	3	0.100	0.197	0.336	0.503	0.669	0.807	0.903	0.958	0.984
	4	0.100	0.212	0.374	0.563	0.739	0.869	0.945	0.981	0.995
	5	0.100	0.223	0.405	0.611	0.789	0.907	0.967	0.991	0.998
	8	0.100	0.250	0.474	0.706	0.875	0.961	0.991	0.999	1.000
	10	0.100	0.263	0.506	0.746	0.905	0.975	0.995	0.999	1.000
	20	0.100	0.301	0.594	0.841	0.961	0.994	0.999	1.000	1.000
200		0.100	0.364	0.721	0.935	0.993	1.000	1.000	1.000	1.000

ALPHA = 0.10 SIGMA SEI = 0.08 K = 5

		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.100	0.155	0.228	0.316	0.416	0.522	0.626	0.722	0.804
	3	0.100	0.165	0.252	0.358	0.477	0.598	0.711	0.806	0.879
	4	0.100	0.172	0.269	0.389	0.521	0.650	0.764	0.854	0.917
	5	0.100	0.177	0.283	0.413	0.553	0.687	0.799	0.884	0.939
	8	0.100	0.187	0.310	0.458	0.613	0.752	0.858	0.928	0.968
	10	0.100	0.191	0.321	0.477	0.637	0.776	0.879	0.943	0.976
	20	0.100	0.202	0.349	0.524	0.694	0.830	0.920	0.968	0.989
	200	0.100	0.215	0.384	0.579	0.756	0.883	0.954	0.985	0.996

ALPHA = 0.10 SIGMA SEI = 0.08 K = 8

		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.100	0.159	0.237	0.332	0.440	0.553	0.661	0.758	0.837
	3	0.100	0.171	0.267	0.386	0.516	0.644	0.758	0.849	0.913
	4	0.100	0.180	0.291	0.426	0.571	0.707	0.818	0.899	0.949
	5	0.100	0.187	0.310	0.458	0.613	0.752	0.858	0.928	0.968
	8	0.100	0.202	0.349	0.524	0.694	0.830	0.920	0.968	0.989
	10	0.100	0.209	0.367	0.553	0.727	0.859	0.939	0.978	0.994
	20	0.100	0.228	0.416	0.626	0.804	0.918	0.973	0.993	0.999
	200	0.100	0.254	0.484	0.719	0.885	0.966	0.993	0.999	1.000

ALPHA = 0.10 SIGMA SEI = 0.08 K = 10

		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.100	0.160	0.241	0.339	0.450	0.564	0.674	0.770	0.848
	3	0.100	0.173	0.274	0.396	0.531	0.662	0.775	0.864	0.924
	4	0.100	0.183	0.300	0.441	0.591	0.728	0.838	0.914	0.959
	5	0.100	0.191	0.321	0.477	0.637	0.776	0.879	0.943	0.976
	8	0.100	0.209	0.367	0.553	0.727	0.859	0.939	0.978	0.994
	10	0.100	0.217	0.389	0.586	0.764	0.888	0.957	0.987	0.997
	20	0.100	0.241	0.450	0.674	0.848	0.946	0.985	0.997	1.000
	200	0.100	0.277	0.539	0.785	0.930	0.985	0.998	1.000	1.000

TABLE 3 - CONTINUED

ALPHA = 0.10 SIGMA SEI = 0.08 K = 12									
	H								
	0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
2	0.100	0.161	0.243	0.343	0.456	0.572	0.683	0.779	0.856
3	0.100	0.175	0.278	0.404	0.541	0.674	0.787	0.874	0.932
4	0.100	0.186	0.306	0.452	0.606	0.744	0.851	0.924	0.965
N 5	0.100	0.194	0.329	0.492	0.655	0.794	0.892	0.951	0.981
8	0.100	0.214	0.381	0.575	0.751	0.879	0.951	0.984	0.996
10	0.100	0.224	0.406	0.612	0.790	0.908	0.968	0.991	0.998
20	0.100	0.252	0.477	0.711	0.879	0.962	0.992	0.999	1.000
200	0.100	0.298	0.588	0.835	0.958	0.993	0.999	1.000	1.000
ALPHA = 0.20 SIGMA SEI = 0.03 K = 5									
	H								
	0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
2	0.200	0.358	0.546	0.723	0.858	0.939	0.979	0.994	0.999
3	0.200	0.384	0.600	0.789	0.911	0.971	0.993	0.999	1.000
4	0.200	0.403	0.637	0.828	0.939	0.984	0.997	1.000	1.000
N 5	0.200	0.417	0.664	0.854	0.954	0.990	0.998	1.000	1.000
8	0.200	0.444	0.713	0.897	0.975	0.996	1.000	1.000	1.000
10	0.200	0.456	0.732	0.911	0.981	0.998	1.000	1.000	1.000
20	0.200	0.483	0.776	0.940	0.991	0.999	1.000	1.000	1.000
200	0.200	0.517	0.823	0.965	0.996	1.000	1.000	1.000	1.000
ALPHA = 0.20 SIGMA SEI = 0.03 K = 8									
	H								
	0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
2	0.200	0.369	0.568	0.751	0.881	0.954	0.986	0.997	0.999
3	0.200	0.401	0.633	0.824	0.936	0.983	0.997	1.000	1.000
4	0.200	0.425	0.679	0.868	0.962	0.992	0.999	1.000	1.000
N 5	0.200	0.444	0.713	0.897	0.975	0.996	1.000	1.000	1.000
8	0.200	0.483	0.776	0.940	0.991	0.999	1.000	1.000	1.000
10	0.200	0.501	0.801	0.954	0.994	1.000	1.000	1.000	1.000
20	0.200	0.546	0.858	0.979	0.999	1.000	1.000	1.000	1.000
200	0.200	0.606	0.916	0.994	1.000	1.000	1.000	1.000	1.000
ALPHA = 0.20 SIGMA SEI = 0.03 K = 10									
	H								
	0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
2	0.200	0.373	0.576	0.760	0.890	0.959	0.988	0.997	0.999
3	0.200	0.408	0.646	0.837	0.944	0.986	0.997	1.000	1.000
4	0.200	0.434	0.695	0.882	0.969	0.994	0.999	1.000	1.000
N 5	0.200	0.456	0.732	0.911	0.981	0.998	1.000	1.000	1.000
8	0.200	0.501	0.801	0.954	0.994	1.000	1.000	1.000	1.000
10	0.200	0.521	0.828	0.967	0.997	1.000	1.000	1.000	1.000
20	0.200	0.576	0.890	0.988	0.999	1.000	1.000	1.000	1.000
200	0.200	0.653	0.948	0.998	1.000	1.000	1.000	1.000	1.000

TABLE 3 - CONTINUED

ALPHA = 0.20 SIGMA SEI = 0.03 K = 12

		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.200	0.375	0.582	0.767	0.895	0.962	0.989	0.998	1.000
	3	0.200	0.412	0.655	0.846	0.949	0.988	0.998	1.000	1.000
	4	0.200	0.441	0.707	0.892	0.973	0.996	1.000	1.000	1.000
	5	0.200	0.464	0.746	0.921	0.985	0.998	1.000	1.000	1.000
	8	0.200	0.514	0.819	0.963	0.996	1.000	1.000	1.000	1.000
	10	0.200	0.537	0.848	0.975	0.998	1.000	1.000	1.000	1.000
	20	0.200	0.600	0.911	0.993	1.000	1.000	1.000	1.000	1.000
	200	0.200	0.693	0.968	0.999	1.000	1.000	1.000	1.000	1.000

ALPHA = 0.20 SIGMA SEI = 0.06 K = 5

		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.200	0.305	0.429	0.561	0.686	0.793	0.874	0.930	0.965
	3	0.200	0.322	0.467	0.617	0.751	0.855	0.925	0.965	0.986
	4	0.200	0.334	0.494	0.655	0.792	0.890	0.949	0.980	0.993
	5	0.200	0.343	0.514	0.682	0.819	0.912	0.963	0.987	0.996
	8	0.200	0.361	0.552	0.732	0.865	0.944	0.981	0.995	0.999
	10	0.200	0.369	0.568	0.751	0.882	0.955	0.986	0.997	0.999
	20	0.200	0.387	0.606	0.795	0.916	0.973	0.994	0.999	1.000
	200	0.200	0.409	0.649	0.840	0.946	0.987	0.998	1.000	1.000

ALPHA = 0.20 SIGMA SEI = 0.06 K = 8

		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.200	0.312	0.444	0.583	0.713	0.819	0.897	0.947	0.975
	3	0.200	0.333	0.491	0.651	0.787	0.886	0.947	0.979	0.993
	4	0.200	0.349	0.526	0.697	0.834	0.923	0.970	0.990	0.997
	5	0.200	0.361	0.552	0.732	0.865	0.944	0.981	0.995	0.999
	8	0.200	0.387	0.606	0.795	0.916	0.973	0.994	0.999	1.000
	10	0.200	0.399	0.628	0.819	0.933	0.981	0.996	0.999	1.000
	20	0.200	0.429	0.686	0.874	0.965	0.993	0.999	1.000	1.000
	200	0.200	0.471	0.757	0.929	0.987	0.999	1.000	1.000	1.000

ALPHA = 0.20 SIGMA SEI = 0.06 K = 10

		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.200	0.314	0.450	0.592	0.723	0.829	0.904	0.952	0.978
	3	0.200	0.337	0.500	0.664	0.801	0.897	0.954	0.982	0.994
	4	0.200	0.355	0.538	0.714	0.849	0.934	0.976	0.993	0.998
	5	0.200	0.369	0.568	0.751	0.882	0.955	0.986	0.997	0.999
	8	0.200	0.399	0.628	0.819	0.933	0.981	0.996	0.999	1.000
	10	0.200	0.412	0.655	0.846	0.949	0.988	0.998	1.000	1.000
	20	0.200	0.450	0.723	0.904	0.978	0.997	1.000	1.000	1.000
	200	0.200	0.506	0.808	0.958	0.995	1.000	1.000	1.000	1.000

TABLE 3 - CONTINUED

ALPHA =		0.20		SIGMA SEI =		0.06		K = 12		
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.200	0.316	0.454	0.598	0.729	0.835	0.909	0.955	0.980
	3	0.200	0.340	0.507	0.673	0.810	0.904	0.959	0.985	0.995
	4	0.200	0.359	0.547	0.726	0.860	0.941	0.979	0.994	0.999
	5	0.200	0.374	0.579	0.765	0.893	0.961	0.989	0.997	1.000
	8	0.200	0.408	0.646	0.837	0.944	0.986	0.997	1.000	1.000
	10	0.200	0.423	0.675	0.865	0.960	0.992	0.999	1.000	1.000
	20	0.200	0.467	0.751	0.925	0.986	0.998	1.000	1.000	1.000
	200	0.200	0.536	0.847	0.975	0.998	1.000	1.000	1.000	1.000

ALPHA = 0.20		SIGMA SEI = 0.08				K = 5				
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.200	0.283	0.379	0.484	0.590	0.690	0.777	0.848	0.903
	3	0.200	0.296	0.409	0.531	0.649	0.755	0.840	0.903	0.946
	4	0.200	0.306	0.431	0.563	0.689	0.795	0.877	0.932	0.966
	5	0.200	0.313	0.446	0.587	0.717	0.823	0.900	0.949	0.977
	8	0.200	0.327	0.477	0.631	0.766	0.869	0.935	0.972	0.989
	10	0.200	0.332	0.490	0.649	0.786	0.885	0.946	0.978	0.992
	20	0.200	0.347	0.521	0.691	0.828	0.918	0.967	0.989	0.997
	200	0.200	0.364	0.558	0.739	0.872	0.948	0.983	0.996	0.999

ALPHA =		0.20		SIGMA SEI =		0.08		K =		8	
		H									
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16	
N	2	0.200	0.288	0.391	0.503	0.614	0.717	0.804	0.872	0.922	
	3	0.200	0.305	0.428	0.559	0.684	0.791	0.873	0.929	0.964	
	4	0.200	0.317	0.456	0.600	0.732	0.837	0.911	0.957	0.981	
	5	0.200	0.327	0.477	0.631	0.766	0.869	0.935	0.972	0.989	
	8	0.200	0.347	0.521	0.691	0.828	0.918	0.967	0.989	0.997	
	10	0.200	0.356	0.540	0.717	0.852	0.935	0.977	0.993	0.998	
	20	0.200	0.379	0.590	0.777	0.903	0.966	0.991	0.998	1.000	
	200	0.200	0.412	0.655	0.846	0.949	0.988	0.998	1.000	1.000	

ALPHA =		0.20		SIGMA SEI =		0.08		K = 10			
										H	
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16	
N	2	0.200	0.290	0.396	0.510	0.623	0.726	0.813	0.881	0.929	
	3	0.200	0.308	0.436	0.570	0.697	0.804	0.884	0.938	0.970	
	4	0.200	0.321	0.466	0.615	0.749	0.853	0.923	0.964	0.985	
	5	0.200	0.332	0.490	0.649	0.786	0.885	0.946	0.978	0.992	
	8	0.200	0.356	0.540	0.717	0.852	0.935	0.977	0.993	0.998	
	10	0.200	0.366	0.563	0.745	0.877	0.951	0.985	0.996	0.999	
	20	0.200	0.396	0.623	0.813	0.929	0.980	0.996	0.999	1.000	
	200	0.200	0.440	0.705	0.890	0.972	0.995	1.000	1.000	1.000	

TABLE 3 - CONTINUED

ALPHA = 0.20 SIGMA SEI = 0.08 K = 12

		0.00	0.02	0.04	H 0.06	0.08	0.10	0.12	0.14	0.16
	2	0.200	0.292	0.399	0.515	0.629	0.733	0.820	0.886	0.933
	3	0.200	0.310	0.441	0.578	0.707	0.813	0.892	0.943	0.973
	4	0.200	0.325	0.473	0.626	0.760	0.863	0.931	0.969	0.988
N	5	0.200	0.337	0.499	0.662	0.799	0.896	0.953	0.982	0.994
	8	0.200	0.363	0.555	0.735	0.868	0.946	0.982	0.995	0.999
	10	0.200	0.375	0.580	0.766	0.894	0.962	0.989	0.998	1.000
	20	0.200	0.409	0.649	0.840	0.946	0.987	0.998	1.000	1.000
	200	0.200	0.464	0.746	0.922	0.985	0.998	1.000	1.000	1.000

ALPHA = 0.30 SIGMA SEI = 0.03 K = 5

		0.00	0.02	0.04	H 0.06	0.08	0.10	0.12	0.14	0.16
	2	0.300	0.482	0.667	0.819	0.917	0.969	0.990	0.998	1.000
	3	0.300	0.509	0.716	0.868	0.952	0.987	0.997	1.000	1.000
	4	0.300	0.529	0.748	0.897	0.969	0.993	0.999	1.000	1.000
N	5	0.300	0.543	0.771	0.915	0.978	0.996	0.999	1.000	1.000
	8	0.300	0.570	0.810	0.943	0.989	0.999	1.000	1.000	1.000
	10	0.300	0.582	0.825	0.952	0.992	0.999	1.000	1.000	1.000
	20	0.300	0.609	0.859	0.970	0.996	1.000	1.000	1.000	1.000
	200	0.300	0.640	0.893	0.983	0.999	1.000	1.000	1.000	1.000

ALPHA = 0.30 SIGMA SEI = 0.03 K = 8

		0.00	0.02	0.04	H 0.06	0.08	0.10	0.12	0.14	0.16
	2	0.300	0.493	0.687	0.840	0.933	0.978	0.994	0.999	1.000
	3	0.300	0.526	0.744	0.894	0.967	0.992	0.999	1.000	1.000
	4	0.300	0.551	0.783	0.924	0.982	0.997	1.000	1.000	1.000
N	5	0.300	0.570	0.810	0.943	0.989	0.999	1.000	1.000	1.000
	8	0.300	0.609	0.859	0.970	0.996	1.000	1.000	1.000	1.000
	10	0.300	0.625	0.877	0.978	0.998	1.000	1.000	1.000	1.000
	20	0.300	0.667	0.917	0.990	1.000	1.000	1.000	1.000	1.000
	200	0.300	0.721	0.955	0.997	1.000	1.000	1.000	1.000	1.000

ALPHA = 0.30 SIGMA SEI = 0.03 K = 10

		0.00	0.02	0.04	H 0.06	0.08	0.10	0.12	0.14	0.16
	2	0.300	0.497	0.694	0.847	0.938	0.980	0.995	0.999	1.000
	3	0.300	0.533	0.755	0.903	0.972	0.994	0.999	1.000	1.000
	4	0.300	0.560	0.796	0.934	0.985	0.998	1.000	1.000	1.000
N	5	0.300	0.582	0.825	0.952	0.992	0.999	1.000	1.000	1.000
	8	0.300	0.625	0.877	0.978	0.998	1.000	1.000	1.000	1.000
	10	0.300	0.644	0.897	0.985	0.999	1.000	1.000	1.000	1.000
	20	0.300	0.694	0.938	0.995	1.000	1.000	1.000	1.000	1.000
	200	0.300	0.761	0.974	0.999	1.000	1.000	1.000	1.000	1.000

TABLE 3 - CONTINUED

ALPHA =		0.30		SIGMA SEI =		0.03		K = 12		
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.300	0.500	0.700	0.852	0.942	0.982	0.996	0.999	1.000
	3	0.300	0.538	0.763	0.909	0.975	0.995	0.999	1.000	1.000
	4	0.300	0.567	0.805	0.940	0.988	0.998	1.000	1.000	1.000
	5	0.300	0.590	0.836	0.958	0.993	0.999	1.000	1.000	1.000
	8	0.300	0.638	0.890	0.982	0.999	1.000	1.000	1.000	1.000
	10	0.300	0.659	0.911	0.989	0.999	1.000	1.000	1.000	1.000
	20	0.300	0.716	0.952	0.997	1.000	1.000	1.000	1.000	1.000
	200	0.300	0.794	0.985	1.000	1.000	1.000	1.000	1.000	1.000

ALPHA =		0.30		SIGMA SEI =		0.06		K =		5	
		H									
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16	
N	2	0.300	0.424	0.555	0.681	0.789	0.871	0.928	0.964	0.983	
	3	0.300	0.443	0.593	0.731	0.840	0.915	0.960	0.984	0.994	
	4	0.300	0.456	0.619	0.763	0.871	0.939	0.975	0.991	0.997	
	5	0.300	0.466	0.638	0.786	0.891	0.952	0.982	0.995	0.999	
	8	0.300	0.485	0.673	0.825	0.922	0.972	0.992	0.998	1.000	
	10	0.300	0.493	0.687	0.840	0.933	0.978	0.994	0.999	1.000	
	20	0.300	0.512	0.721	0.873	0.955	0.988	0.997	1.000	1.000	
	200	0.300	0.535	0.758	0.905	0.973	0.994	0.999	1.000	1.000	

ALPHA =		0.30		SIGMA SEI =		0.06		K =		8	
		H									
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16	
N	2	0.300	0.431	0.570	0.701	0.810	0.891	0.943	0.973	0.989	
	3	0.300	0.454	0.616	0.759	0.867	0.936	0.973	0.990	0.997	
	4	0.300	0.472	0.649	0.798	0.901	0.959	0.986	0.996	0.999	
	5	0.300	0.485	0.673	0.825	0.922	0.972	0.992	0.998	1.000	
	8	0.300	0.512	0.721	0.873	0.955	0.988	0.997	1.000	1.000	
	10	0.300	0.524	0.741	0.891	0.965	0.992	0.999	1.000	1.000	
	20	0.300	0.555	0.789	0.928	0.983	0.997	1.000	1.000	1.000	
	200	0.300	0.597	0.845	0.963	0.995	1.000	1.000	1.000	1.000	

ALPHA =		0.30		SIGMA SEI =		0.06		K = 10		
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.300	0.434	0.576	0.709	0.818	0.897	0.948	0.976	0.990
	3	0.300	0.459	0.625	0.770	0.877	0.943	0.977	0.992	0.998
	4	0.300	0.478	0.660	0.811	0.912	0.966	0.989	0.997	0.999
	5	0.300	0.493	0.687	0.840	0.933	0.978	0.994	0.999	1.000
	8	0.300	0.524	0.741	0.891	0.965	0.992	0.999	1.000	1.000
	10	0.300	0.538	0.763	0.909	0.975	0.995	0.999	1.000	1.000
	20	0.300	0.576	0.818	0.948	0.990	0.999	1.000	1.000	1.000
	200	0.300	0.630	0.882	0.979	0.998	1.000	1.000	1.000	1.000

TABLE 3 - CONTINUED

ALPHA = 0.30

SIGMA SEI = 0.06

K = 12

		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.300	0.436	0.580	0.714	0.823	0.902	0.951	0.978	0.991
	3	0.300	0.462	0.631	0.778	0.884	0.948	0.980	0.993	0.998
	4	0.300	0.482	0.669	0.820	0.919	0.970	0.991	0.998	1.000
	5	0.300	0.499	0.698	0.851	0.941	0.981	0.995	0.999	1.000
	8	0.300	0.533	0.755	0.903	0.972	0.994	0.999	1.000	1.000
	10	0.300	0.549	0.780	0.922	0.981	0.997	1.000	1.000	1.000
	20	0.300	0.593	0.840	0.960	0.994	0.999	1.000	1.000	1.000
	200	0.300	0.659	0.910	0.989	0.999	1.000	1.000	1.000	1.000

ALPHA = 0.30

SIGMA SEI = 0.08

K = 5

		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.300	0.399	0.504	0.609	0.707	0.792	0.860	0.911	0.947
	3	0.300	0.414	0.535	0.653	0.758	0.843	0.905	0.947	0.973
	4	0.300	0.424	0.557	0.683	0.791	0.873	0.930	0.965	0.984
	5	0.300	0.432	0.572	0.704	0.813	0.893	0.945	0.974	0.989
	8	0.300	0.447	0.603	0.743	0.852	0.925	0.966	0.987	0.996
	10	0.300	0.454	0.615	0.758	0.866	0.935	0.973	0.990	0.997
	20	0.300	0.469	0.644	0.793	0.897	0.957	0.985	0.995	0.999
	200	0.300	0.488	0.678	0.831	0.927	0.974	0.993	0.998	1.000

ALPHA = 0.30

SIGMA SEI = 0.08

K = 8

		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.300	0.405	0.516	0.627	0.728	0.813	0.880	0.927	0.959
	3	0.300	0.423	0.554	0.680	0.787	0.870	0.927	0.963	0.983
	4	0.300	0.437	0.582	0.716	0.825	0.903	0.952	0.979	0.992
	5	0.300	0.447	0.603	0.743	0.852	0.925	0.966	0.987	0.996
	8	0.300	0.469	0.644	0.793	0.897	0.957	0.985	0.995	0.999
	10	0.300	0.479	0.662	0.813	0.913	0.967	0.989	0.997	0.999
	20	0.300	0.504	0.707	0.860	0.947	0.984	0.996	0.999	1.000
	200	0.300	0.538	0.763	0.909	0.975	0.995	0.999	1.000	1.000

ALPHA = 0.30

SIGMA SEI = 0.08

K = 10

		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.300	0.407	0.521	0.634	0.736	0.821	0.886	0.933	0.963
	3	0.300	0.427	0.562	0.690	0.798	0.880	0.935	0.968	0.986
	4	0.300	0.442	0.592	0.729	0.838	0.914	0.959	0.983	0.994
	5	0.300	0.454	0.615	0.758	0.866	0.935	0.973	0.990	0.997
	8	0.300	0.479	0.662	0.813	0.913	0.967	0.989	0.997	0.999
	10	0.300	0.490	0.683	0.835	0.930	0.976	0.993	0.999	1.000
	20	0.300	0.521	0.736	0.886	0.963	0.991	0.998	1.000	1.000
	200	0.300	0.566	0.804	0.939	0.987	0.998	1.000	1.000	1.000

TABLE 3 - CONTINUED

ALPHA = 0.30

SIGMA SEI = 0.08

K = 12

		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.
	2	0.300	0.408	0.524	0.638	0.741	0.826	0.891	0.936	0.9
	3	0.300	0.429	0.567	0.697	0.805	0.886	0.940	0.971	0.9
	4	0.300	0.445	0.599	0.738	0.847	0.921	0.964	0.986	0.9
N	5	0.300	0.458	0.624	0.769	0.876	0.942	0.977	0.992	0.9
	8	0.300	0.486	0.676	0.828	0.924	0.973	0.992	0.998	1.0
	10	0.300	0.499	0.698	0.851	0.941	0.982	0.995	0.999	1.0
	20	0.300	0.535	0.758	0.905	0.973	0.994	0.999	1.000	1.0
	200	0.300	0.590	0.837	0.958	0.994	0.999	1.000	1.000	1.0

TABLE 4

POWER OF THE TEST OF HYPOTHESIS II AS RELATED TO F_0
OF THE COMPLIANCE TEST
(SIGMA U AND SIGMA Z KNOWN AND EQUAL)

LAMBDA = 0.025 SIGMA CORRTEX = 0.04 B = 1

ALPHA = 0.05 SIGMA SEI = 0.03 $F_0 = 1.3$ K = 5

N	FLSIGWHAT *	HMAX	POWER
2	1.174	0.062	0.438
3	1.170	0.073	0.640
4	1.168	0.084	0.805
5	1.165	0.095	0.913
8	1.161	0.128	0.998
10	1.159	0.150	1.000
20	1.153	0.260	1.000
200	1.146	2.245	1.000

ALPHA = 0.05 SIGMA SEI = 0.03 $F_0 = 1.3$ K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.165	0.059	0.443
3	1.164	0.066	0.622
4	1.162	0.073	0.771
5	1.161	0.080	0.877
8	1.158	0.100	0.991
10	1.157	0.114	0.999
20	1.153	0.183	1.000
200	1.146	1.424	1.000

ALPHA = 0.05 SIGMA SEI = 0.03 $F_0 = 1.3$ K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.162	0.058	0.446
3	1.161	0.064	0.617
4	1.160	0.069	0.758
5	1.159	0.075	0.862
8	1.157	0.091	0.986
10	1.155	0.102	0.998
20	1.152	0.157	1.000
200	1.146	1.150	1.000

* FLSIGWHAT = $F_{\lambda}(\sigma_{\hat{W}})$

TABLE 4 - CONTINUED

ALPHA = 0.05 SIGMA SEI = 0.03 F0 = 1.3 K = 12

N	FLSIGWHAT*	HMAX	POWER
2	1.160	0.058	0.448
3	1.159	0.062	0.614
4	1.158	0.067	0.750
5	1.157	0.072	0.852
8	1.155	0.085	0.982
10	1.155	0.094	0.997
20	1.152	0.140	1.000
200	1.146	0.967	1.000

ALPHA = 0.05 SIGMA SEI = 0.03 F0 = 1.4 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.174	0.107	0.821
3	1.170	0.125	0.961
4	1.168	0.142	0.995
5	1.165	0.159	1.000
8	1.161	0.212	1.000
10	1.159	0.246	1.000
20	1.153	0.421	1.000
200	1.146	3.564	1.000

ALPHA = 0.05 SIGMA SEI = 0.03 F0 = 1.4 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.165	0.100	0.809
3	1.164	0.110	0.947
4	1.162	0.121	0.990
5	1.161	0.132	0.999
8	1.158	0.165	1.000
10	1.157	0.187	1.000
20	1.153	0.296	1.000
200	1.146	2.260	1.000

ALPHA = 0.05 SIGMA SEI = 0.03 F0 = 1.4 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.162	0.097	0.805
3	1.161	0.106	0.942
4	1.160	0.114	0.987
5	1.159	0.123	0.998
8	1.157	0.149	1.000
10	1.155	0.167	1.000
20	1.152	0.254	1.000
200	1.146	1.826	1.000

TABLE 4 - CONTINUED

ALPHA = 0.05 SIGMA SEI = 0.03 F0 = 1.4 K = 12

N	FLSIGWHAT*	HMAX	POWER
2	1.160	0.095	0.803
3	1.159	0.103	0.938
4	1.158	0.110	0.985
5	1.157	0.117	0.997
8	1.155	0.139	1.000
10	1.155	0.153	1.000
20	1.152	0.226	1.000
200	1.146	1.536	1.000

ALPHA = 0.05 SIGMA SEI = 0.03 F0 = 1.5 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.174	0.149	0.973
3	1.170	0.173	0.999
4	1.168	0.196	1.000
5	1.165	0.219	1.000
8	1.161	0.289	1.000
10	1.159	0.336	1.000
20	1.153	0.571	1.000
200	1.146	4.793	1.000

ALPHA = 0.05 SIGMA SEI = 0.03 F0 = 1.5 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.165	0.137	0.966
3	1.164	0.152	0.998
4	1.162	0.166	1.000
5	1.161	0.181	1.000
8	1.158	0.225	1.000
10	1.157	0.254	1.000
20	1.153	0.401	1.000
200	1.146	3.039	1.000

ALPHA = 0.05 SIGMA SEI = 0.03 F0 = 1.5 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.162	0.133	0.963
3	1.161	0.145	0.997
4	1.160	0.156	1.000
5	1.159	0.168	1.000
8	1.157	0.203	1.000
10	1.155	0.227	1.000
20	1.152	0.344	1.000
200	1.146	2.455	1.000

TABLE 4 - CONTINUED

ALPHA = 0.05 SIGMA SEI = 0.03 F0 = 1.5 K = 12

N	FLSIGWHAT *	HMAX	POWER
2	1.160	0.130	0.961
3	1.159	0.140	0.996
4	1.158	0.150	1.000
5	1.157	0.160	1.000
8	1.155	0.189	1.000
10	1.155	0.208	1.000
20	1.152	0.306	1.000
200	1.146	2.065	1.000

ALPHA = 0.05 SIGMA SEI = 0.03 F0 = 1.6 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.174	0.188	0.998
3	1.170	0.217	1.000
4	1.168	0.246	1.000
5	1.165	0.275	1.000
8	1.161	0.362	1.000
10	1.159	0.420	1.000
20	1.153	0.711	1.000
200	1.146	5.942	1.000

ALPHA = 0.05 SIGMA SEI = 0.03 F0 = 1.6 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.165	0.172	0.997
3	1.164	0.190	1.000
4	1.162	0.208	1.000
5	1.161	0.226	1.000
8	1.158	0.281	1.000
10	1.157	0.317	1.000
20	1.153	0.499	1.000
200	1.146	3.768	1.000

ALPHA = 0.05 SIGMA SEI = 0.03 F0 = 1.6 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.162	0.167	0.996
3	1.161	0.181	1.000
4	1.160	0.196	1.000
5	1.159	0.210	1.000
8	1.157	0.254	1.000
10	1.155	0.283	1.000
20	1.152	0.428	1.000
200	1.146	3.044	1.000

*FLSIGWHAT = $F_{\lambda}(\sigma_{\hat{W}})$

TABLE 4 - CONTINUED

ALPHA = 0.05 SIGMA SEI = 0.03 F0 = 1.6 K = 12

N	FLSIGWHAT	HMAX	POWER
2	1.160	0.163	0.996
3	1.159	0.175	1.000
4	1.158	0.187	1.000
5	1.157	0.199	1.000
8	1.155	0.236	1.000
10	1.155	0.260	1.000
20	1.152	0.381	1.000
200	1.146	2.561	1.000

ALPHA = 0.05 SIGMA SEI = 0.06 F0 = 1.4 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.346	0.024	0.105
3	1.342	0.029	0.138
4	1.339	0.035	0.178
5	1.336	0.041	0.226
8	1.330	0.058	0.404
10	1.328	0.069	0.541
20	1.321	0.126	0.968
200	1.312	1.153	1.000

ALPHA = 0.05 SIGMA SEI = 0.06 F0 = 1.4 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.336	0.025	0.115
3	1.334	0.029	0.146
4	1.332	0.032	0.182
5	1.330	0.036	0.221
8	1.327	0.047	0.363
10	1.325	0.054	0.471
20	1.320	0.089	0.906
200	1.312	0.731	1.000

ALPHA = 0.05 SIGMA SEI = 0.06 F0 = 1.4 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.332	0.026	0.119
3	1.330	0.029	0.150
4	1.329	0.032	0.183
5	1.328	0.034	0.220
8	1.325	0.043	0.349
10	1.324	0.049	0.447
20	1.319	0.077	0.868
200	1.312	0.591	1.000

TABLE 4 - CONTINUED

ALPHA = 0.05 SIGMA SEI = 0.06 F0 = 1.4 K = 12

N	FLSIGWHAT *	HMAX	POWER
2	1.329	0.026	0.122
3	1.328	0.029	0.152
4	1.327	0.031	0.185
5	1.326	0.033	0.220
8	1.324	0.041	0.340
10	1.323	0.045	0.430
20	1.319	0.069	0.836
200	1.312	0.497	1.000

ALPHA = 0.05 SIGMA SEI = 0.06 F0 = 1.5 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.346	0.066	0.289
3	1.342	0.077	0.430
4	1.339	0.089	0.577
5	1.336	0.101	0.712
8	1.330	0.136	0.951
10	1.328	0.159	0.991
20	1.321	0.276	1.000
200	1.312	2.381	1.000

ALPHA = 0.05 SIGMA SEI = 0.06 F0 = 1.5 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.336	0.063	0.294
3	1.334	0.070	0.418
4	1.332	0.077	0.543
5	1.330	0.085	0.661
8	1.327	0.107	0.905
10	1.325	0.121	0.971
20	1.320	0.194	1.000
200	1.312	1.510	1.000

ALPHA = 0.05 SIGMA SEI = 0.06 F0 = 1.5 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.332	0.062	0.296
3	1.330	0.068	0.414
4	1.329	0.074	0.532
5	1.328	0.079	0.643
8	1.325	0.097	0.883
10	1.324	0.109	0.958
20	1.319	0.167	1.000
200	1.312	1.220	1.000

*FLSIGWHAT = $F_{\lambda}(\sigma_{\hat{w}})$

TABLE 4 - CONTINUED

ALPHA = 0.05 SIGMA SEI = 0.06 F0 = 1.5 K = 12

N	FLSIGWHAT	HMAX	POWER
2	1.329	0.061	0.298
3	1.328	0.066	0.412
4	1.327	0.071	0.525
5	1.326	0.076	0.631
8	1.324	0.091	0.866
10	1.323	0.100	0.945
20	1.319	0.149	1.000
200	1.312	1.026	1.000

ALPHA = 0.05 SIGMA SEI = 0.06 F0 = 1.6 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.346	0.105	0.538
3	1.342	0.122	0.750
4	1.339	0.139	0.892
5	1.336	0.157	0.963
8	1.330	0.208	1.000
10	1.328	0.243	1.000
20	1.321	0.416	1.000
200	1.312	3.530	1.000

ALPHA = 0.05 SIGMA SEI = 0.06 F0 = 1.6 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.336	0.098	0.529
3	1.334	0.109	0.719
4	1.332	0.119	0.856
5	1.330	0.130	0.936
8	1.327	0.163	0.998
10	1.325	0.184	1.000
20	1.320	0.292	1.000
200	1.312	2.239	1.000

ALPHA = 0.05 SIGMA SEI = 0.06 F0 = 1.6 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.332	0.096	0.526
3	1.330	0.104	0.709
4	1.329	0.113	0.841
5	1.328	0.121	0.924
8	1.325	0.147	0.996
10	1.324	0.165	1.000
20	1.319	0.251	1.000
200	1.312	1.808	1.000

TABLE 4 - CONTINUED

ALPHA = 0.05 SIGMA SEI = 0.06 F0 = 1.6 K = 12

N	FLSIGWHAT *	HMAX	POWER
2	1.329	0.094	0.525
3	1.328	0.101	0.702
4	1.327	0.108	0.831
5	1.326	0.116	0.914
8	1.324	0.137	0.994
10	1.323	0.152	0.999
20	1.319	0.224	1.000
200	1.312	1.521	1.000

ALPHA = 0.05 SIGMA SEI = 0.08 F0 = 1.5 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.480	0.008	0.062
3	1.474	0.012	0.072
4	1.470	0.016	0.083
5	1.467	0.020	0.097
8	1.459	0.031	0.150
10	1.456	0.039	0.196
20	1.448	0.077	0.532
200	1.436	0.771	1.000

ALPHA = 0.05 SIGMA SEI = 0.08 F0 = 1.5 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.467	0.012	0.071
3	1.464	0.015	0.080
4	1.461	0.017	0.091
5	1.459	0.019	0.103
8	1.455	0.027	0.147
10	1.453	0.031	0.183
20	1.446	0.055	0.435
200	1.436	0.489	1.000

ALPHA = 0.05 SIGMA SEI = 0.08 F0 = 1.5 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.461	0.014	0.074
3	1.459	0.016	0.084
4	1.458	0.017	0.094
5	1.456	0.019	0.106
8	1.453	0.025	0.146
10	1.451	0.029	0.178
20	1.446	0.048	0.400
200	1.436	0.395	1.000

TABLE 4 - CONTINUED

ALPHA = 0.05 SIGMA SEI = 0.08 F0 = 1.5 K = 12

N	FLSIGWHAT	HMAX	POWER
2	1.458	0.015	0.076
3	1.456	0.016	0.086
4	1.455	0.018	0.096
5	1.454	0.019	0.108
8	1.451	0.024	0.146
10	1.449	0.027	0.176
20	1.445	0.043	0.375
200	1.436	0.333	1.000

ALPHA = 0.05 SIGMA SEI = 0.08 F0 = 1.6 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.480	0.047	0.156
3	1.474	0.057	0.219
4	1.470	0.066	0.294
5	1.467	0.076	0.379
8	1.459	0.104	0.653
10	1.456	0.123	0.805
20	1.448	0.217	0.999
200	1.436	1.921	1.000

ALPHA = 0.05 SIGMA SEI = 0.08 F0 = 1.6 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.467	0.047	0.164
3	1.464	0.053	0.221
4	1.461	0.059	0.285
5	1.459	0.065	0.355
8	1.455	0.083	0.580
10	1.453	0.094	0.719
20	1.446	0.154	0.993
200	1.436	1.218	1.000

ALPHA = 0.05 SIGMA SEI = 0.08 F0 = 1.6 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.461	0.047	0.168
3	1.459	0.052	0.223
4	1.458	0.057	0.283
5	1.456	0.061	0.348
8	1.453	0.076	0.554
10	1.451	0.085	0.684
20	1.446	0.132	0.985
200	1.436	0.984	1.000

TABLE 4 - CONTINUED

ALPHA = 0.05 SIGMA SEI = 0.08 F0 = 1.6 K = 12

N	FLSIGWHAT *	HMAX	POWER
2	1.458	0.047	0.170
3	1.456	0.051	0.224
4	1.455	0.055	0.282
5	1.454	0.059	0.343
8	1.451	0.071	0.536
10	1.449	0.079	0.659
20	1.445	0.118	0.976
200	1.436	0.828	1.000

ALPHA = 0.10 SIGMA SEI = 0.03 F0 = 1.3 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.174	0.062	0.582
3	1.170	0.073	0.764
4	1.168	0.084	0.889
5	1.165	0.095	0.957
8	1.161	0.128	0.999
10	1.159	0.150	1.000
20	1.153	0.260	1.000
200	1.146	2.245	1.000

ALPHA = 0.10 SIGMA SEI = 0.03 F0 = 1.3 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.165	0.059	0.587
3	1.164	0.066	0.750
4	1.162	0.073	0.865
5	1.161	0.080	0.936
8	1.158	0.100	0.997
10	1.157	0.114	1.000
20	1.153	0.183	1.000
200	1.146	1.424	1.000

ALPHA = 0.10 SIGMA SEI = 0.03 F0 = 1.3 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.162	0.058	0.590
3	1.161	0.064	0.745
4	1.160	0.069	0.856
5	1.159	0.075	0.927
8	1.157	0.091	0.995
10	1.155	0.102	1.000
20	1.152	0.157	1.000
200	1.146	1.150	1.000

$$*FLSIGWHAT = F_{\lambda}(\sigma_{\hat{\theta}}^2)$$

TABLE 4 - CONTINUED

ALPHA = 0.10 SIGMA SEI = 0.03 F0 = 1.3 K = 12

N	FLSIGWHAT	HMAX	POWER
2	1.160	0.058	0.592
3	1.159	0.062	0.743
4	1.158	0.067	0.851
5	1.157	0.072	0.920
8	1.155	0.085	0.993
10	1.155	0.094	0.999
20	1.152	0.140	1.000
200	1.146	0.967	1.000

ALPHA = 0.10 SIGMA SEI = 0.03 F0 = 1.4 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.174	0.107	0.900
3	1.170	0.125	0.983
4	1.168	0.142	0.998
5	1.165	0.159	1.000
8	1.161	0.212	1.000
10	1.159	0.246	1.000
20	1.153	0.421	1.000
200	1.146	3.564	1.000

ALPHA = 0.10 SIGMA SEI = 0.03 F0 = 1.4 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.165	0.100	0.892
3	1.164	0.110	0.976
4	1.162	0.121	0.996
5	1.161	0.132	1.000
8	1.158	0.165	1.000
10	1.157	0.187	1.000
20	1.153	0.296	1.000
200	1.146	2.260	1.000

ALPHA = 0.10 SIGMA SEI = 0.03 F0 = 1.4 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.162	0.097	0.890
3	1.161	0.106	0.973
4	1.160	0.114	0.995
5	1.159	0.123	0.999
8	1.157	0.149	1.000
10	1.155	0.167	1.000
20	1.152	0.254	1.000
200	1.146	1.826	1.000

TABLE 4 - CONTINUED

ALPHA = 0.10 SIGMA SEI = 0.03 F0 = 1.4 K = 12

N	FLSIGWHAT *	HMAX	POWER
2	1.160	0.095	0.888
3	1.159	0.103	0.971
4	1.158	0.110	0.994
5	1.157	0.117	0.999
8	1.155	0.139	1.000
10	1.155	0.153	1.000
20	1.152	0.226	1.000
200	1.146	1.536	1.000

ALPHA = 0.10 SIGMA SEI = 0.03 F0 = 1.5 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.174	0.149	0.989
3	1.170	0.173	1.000
4	1.168	0.196	1.000
5	1.165	0.219	1.000
8	1.161	0.289	1.000
10	1.159	0.336	1.000
20	1.153	0.571	1.000
200	1.146	4.793	1.000

ALPHA = 0.10 SIGMA SEI = 0.03 F0 = 1.5 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.165	0.137	0.986
3	1.164	0.152	0.999
4	1.162	0.166	1.000
5	1.161	0.181	1.000
8	1.158	0.225	1.000
10	1.157	0.254	1.000
20	1.153	0.401	1.000
200	1.146	3.039	1.000

ALPHA = 0.10 SIGMA SEI = 0.03 F0 = 1.5 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.162	0.133	0.984
3	1.161	0.145	0.999
4	1.160	0.156	1.000
5	1.159	0.168	1.000
8	1.157	0.203	1.000
10	1.155	0.227	1.000
20	1.152	0.344	1.000
200	1.146	2.455	1.000

*FLSIGWHAT = $F_{\lambda}(\sigma_W)$

TABLE 4 - CONTINUED

ALPHA = 0.10 SIGMA SEI = 0.03 F0 = 1.5 K = 12

N	FLSIGWHAT	HMAX	POWER
2	1.160	0.130	0.983
3	1.159	0.140	0.999
4	1.158	0.150	1.000
5	1.157	0.160	1.000
8	1.155	0.189	1.000
10	1.155	0.208	1.000
20	1.152	0.306	1.000
200	1.146	2.065	1.000

ALPHA = 0.10 SIGMA SEI = 0.03 F0 = 1.6 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.174	0.188	0.999
3	1.170	0.217	1.000
4	1.168	0.246	1.000
5	1.165	0.275	1.000
8	1.161	0.362	1.000
10	1.159	0.420	1.000
20	1.153	0.711	1.000
200	1.146	5.942	1.000

ALPHA = 0.10 SIGMA SEI = 0.03 F0 = 1.6 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.165	0.172	0.999
3	1.164	0.190	1.000
4	1.162	0.208	1.000
5	1.161	0.226	1.000
8	1.158	0.281	1.000
10	1.157	0.317	1.000
20	1.153	0.499	1.000
200	1.146	3.768	1.000

ALPHA = 0.10 SIGMA SEI = 0.03 F0 = 1.6 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.162	0.167	0.999
3	1.161	0.181	1.000
4	1.160	0.196	1.000
5	1.159	0.210	1.000
8	1.157	0.254	1.000
10	1.155	0.283	1.000
20	1.152	0.428	1.000
200	1.146	3.044	1.000

TABLE 4 - CONTINUED

ALPHA = 0.10 SIGMA SEI = 0.03 F0 = 1.6 K = 12

N	FLSIGWHAT *	HMAX	POWER
2	1.160	0.163	0.999
3	1.159	0.175	1.000
4	1.158	0.187	1.000
5	1.157	0.199	1.000
8	1.155	0.236	1.000
10	1.155	0.260	1.000
20	1.152	0.381	1.000
200	1.146	2.561	1.000

ALPHA = 0.10 SIGMA SEI = 0.06 F0 = 1.4 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.346	0.024	0.187
3	1.342	0.029	0.235
4	1.339	0.035	0.288
5	1.336	0.041	0.348
8	1.330	0.058	0.548
10	1.328	0.069	0.679
20	1.321	0.126	0.986
200	1.312	1.153	1.000

ALPHA = 0.10 SIGMA SEI = 0.06 F0 = 1.4 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.336	0.025	0.202
3	1.334	0.029	0.245
4	1.332	0.032	0.292
5	1.330	0.036	0.343
8	1.327	0.047	0.505
10	1.325	0.054	0.614
20	1.320	0.089	0.954
200	1.312	0.731	1.000

ALPHA = 0.10 SIGMA SEI = 0.06 F0 = 1.4 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.332	0.026	0.207
3	1.330	0.029	0.250
4	1.329	0.032	0.295
5	1.328	0.034	0.342
8	1.325	0.043	0.490
10	1.324	0.049	0.591
20	1.319	0.077	0.931
200	1.312	0.591	1.000

TABLE 4 - CONTINUED

ALPHA = 0.10 SIGMA SEI = 0.06 F0 = 1.4 K = 12

N	FLSIGWHAT *	HMAX	POWER
2	1.329	0.026	0.211
3	1.328	0.029	0.253
4	1.327	0.031	0.297
5	1.326	0.033	0.341
8	1.324	0.041	0.481
10	1.323	0.045	0.574
20	1.319	0.069	0.910
200	1.312	0.497	1.000

ALPHA = 0.10 SIGMA SEI = 0.06 F0 = 1.5 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.346	0.066	0.424
3	1.342	0.077	0.574
4	1.339	0.089	0.711
5	1.336	0.101	0.822
8	1.330	0.136	0.978
10	1.328	0.159	0.997
20	1.321	0.276	1.000
200	1.312	2.381	1.000

ALPHA = 0.10 SIGMA SEI = 0.06 F0 = 1.5 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.336	0.063	0.429
3	1.334	0.070	0.562
4	1.332	0.077	0.681
5	1.330	0.085	0.782
8	1.327	0.107	0.953
10	1.325	0.121	0.988
20	1.320	0.194	1.000
200	1.312	1.510	1.000

ALPHA = 0.10 SIGMA SEI = 0.06 F0 = 1.5 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.332	0.062	0.431
3	1.330	0.068	0.558
4	1.329	0.074	0.671
5	1.328	0.079	0.767
8	1.325	0.097	0.940
10	1.324	0.109	0.982
20	1.319	0.167	1.000
200	1.312	1.220	1.000

*FLSIGWHAT = $F_{\lambda}(\sigma_{\hat{W}})$

TABLE 4 - CONTINUED

ALPHA = 0.10 SIGMA SEI = 0.06 F0 = 1.5 K = 12

N	FLSIGWHAT	HMAX	POWER
2	1.329	0.061	0.433
3	1.328	0.066	0.556
4	1.327	0.071	0.665
5	1.326	0.076	0.757
8	1.324	0.091	0.929
10	1.323	0.100	0.975
20	1.319	0.149	1.000
200	1.312	1.026	1.000

ALPHA = 0.10 SIGMA SEI = 0.06 F0 = 1.6 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.346	0.105	0.676
3	1.342	0.122	0.850
4	1.339	0.139	0.945
5	1.336	0.157	0.984
8	1.330	0.208	1.000
10	1.328	0.243	1.000
20	1.321	0.416	1.000
200	1.312	3.530	1.000

ALPHA = 0.10 SIGMA SEI = 0.06 F0 = 1.6 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.336	0.098	0.668
3	1.334	0.109	0.828
4	1.332	0.119	0.923
5	1.330	0.130	0.970
8	1.327	0.163	0.999
10	1.325	0.184	1.000
20	1.320	0.292	1.000
200	1.312	2.239	1.000

ALPHA = 0.10 SIGMA SEI = 0.06 F0 = 1.6 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.332	0.096	0.666
3	1.330	0.104	0.820
4	1.329	0.113	0.914
5	1.328	0.121	0.964
8	1.325	0.147	0.999
10	1.324	0.165	1.000
20	1.319	0.251	1.000
200	1.312	1.808	1.000

TABLE 4 - CONTINUED

ALPHA = 0.10 SIGMA SEI = 0.06 F0 = 1.6 K = 12

N	FLSIGWHAT*	HMAX	POWER
2	1.329	0.094	0.665
3	1.328	0.101	0.814
4	1.327	0.108	0.907
5	1.326	0.116	0.958
8	1.324	0.137	0.998
10	1.323	0.152	1.000
20	1.319	0.224	1.000
200	1.312	1.521	1.000

ALPHA = 0.10 SIGMA SEI = 0.08 F0 = 1.5 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.480	0.008	0.121
3	1.474	0.012	0.136
4	1.470	0.016	0.154
5	1.467	0.020	0.175
8	1.459	0.031	0.250
10	1.456	0.039	0.311
20	1.448	0.077	0.671
200	1.436	0.771	1.000

ALPHA = 0.10 SIGMA SEI = 0.08 F0 = 1.5 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.467	0.012	0.134
3	1.464	0.015	0.149
4	1.461	0.017	0.166
5	1.459	0.019	0.184
8	1.455	0.027	0.246
10	1.453	0.031	0.294
20	1.446	0.055	0.579
200	1.436	0.489	1.000

ALPHA = 0.10 SIGMA SEI = 0.08 F0 = 1.5 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.461	0.014	0.139
3	1.459	0.016	0.154
4	1.458	0.017	0.170
5	1.456	0.019	0.188
8	1.453	0.025	0.245
10	1.451	0.029	0.288
20	1.446	0.048	0.543
200	1.436	0.395	1.000

*FLSIGWHAT = $F_{\lambda}(\hat{\tau}_{\hat{\theta}})$

TABLE 4 - CONTINUED

ALPHA = 0.10 SIGMA SEI = 0.08 F0 = 1.5 K = 12

N	FLSIGWHAT	HMAX	POWER
2	1.458	0.015	0.143
3	1.456	0.016	0.158
4	1.455	0.018	0.174
5	1.454	0.019	0.191
8	1.451	0.024	0.245
10	1.449	0.027	0.285
20	1.445	0.043	0.518
200	1.436	0.333	1.000

ALPHA = 0.10 SIGMA SEI = 0.08 F0 = 1.6 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.480	0.047	0.259
3	1.474	0.057	0.340
4	1.470	0.066	0.429
5	1.467	0.076	0.522
8	1.459	0.104	0.775
10	1.456	0.123	0.890
20	1.448	0.217	1.000
200	1.436	1.921	1.000

ALPHA = 0.10 SIGMA SEI = 0.08 F0 = 1.6 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.467	0.047	0.270
3	1.464	0.053	0.343
4	1.461	0.059	0.419
5	1.459	0.065	0.497
8	1.455	0.083	0.714
10	1.453	0.094	0.827
20	1.446	0.154	0.998
200	1.436	1.218	1.000

ALPHA = 0.10 SIGMA SEI = 0.08 F0 = 1.6 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.461	0.047	0.274
3	1.459	0.052	0.345
4	1.458	0.057	0.417
5	1.456	0.061	0.489
8	1.453	0.076	0.691
10	1.451	0.085	0.800
20	1.446	0.132	0.994
200	1.436	0.984	1.000

TABLE 4 - CONTINUED

ALPHA = 0.10 SIGMA SEI = 0.08 F0 = 1.6 K = 12

N	FLSIGWHAT *	HMAX	POWER
2	1.458	0.047	0.277
3	1.456	0.051	0.346
4	1.455	0.055	0.415
5	1.454	0.059	0.483
8	1.451	0.071	0.675
10	1.449	0.079	0.780
20	1.445	0.118	0.990
200	1.436	0.828	1.000

ALPHA = 0.20 SIGMA SEI = 0.03 F0 = 1.3 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.174	0.062	0.741
3	1.170	0.073	0.877
4	1.168	0.084	0.952
5	1.165	0.095	0.985
8	1.161	0.128	1.000
10	1.159	0.150	1.000
20	1.153	0.260	1.000
200	1.146	2.245	1.000

ALPHA = 0.20 SIGMA SEI = 0.03 F0 = 1.3 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.165	0.059	0.745
3	1.164	0.066	0.867
4	1.162	0.073	0.939
5	1.161	0.080	0.975
8	1.158	0.100	0.999
10	1.157	0.114	1.000
20	1.153	0.183	1.000
200	1.146	1.424	1.000

ALPHA = 0.20 SIGMA SEI = 0.03 F0 = 1.3 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.162	0.058	0.748
3	1.161	0.064	0.864
4	1.160	0.069	0.934
5	1.159	0.075	0.971
8	1.157	0.091	0.999
10	1.155	0.102	1.000
20	1.152	0.157	1.000
200	1.146	1.150	1.000

*FLSIGWHAT = $F_{\lambda}(\hat{\sigma}_W)$

TABLE 4 - CONTINUED

ALPHA = 0.20 SIGMA SEI = 0.03 FO = 1.3 K = 12

N	FLSIGWHAT	HMAX	POWER
2	1.160	0.058	0.749
3	1.159	0.062	0.863
4	1.158	0.067	0.930
5	1.157	0.072	0.968
8	1.155	0.085	0.998
10	1.155	0.094	1.000
20	1.152	0.140	1.000
200	1.146	0.967	1.000

ALPHA = 0.20 SIGMA SEI = 0.03 FO = 1.4 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.174	0.107	0.958
3	1.170	0.125	0.995
4	1.168	0.142	1.000
5	1.165	0.159	1.000
8	1.161	0.212	1.000
10	1.159	0.246	1.000
20	1.153	0.421	1.000
200	1.146	3.564	1.000

ALPHA = 0.20 SIGMA SEI = 0.03 FO = 1.4 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.165	0.100	0.953
3	1.164	0.110	0.992
4	1.162	0.121	0.999
5	1.161	0.132	1.000
8	1.158	0.165	1.000
10	1.157	0.187	1.000
20	1.153	0.296	1.000
200	1.146	2.260	1.000

ALPHA = 0.20 SIGMA SEI = 0.03 FO = 1.4 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.162	0.097	0.952
3	1.161	0.106	0.991
4	1.160	0.114	0.999
5	1.159	0.123	1.000
8	1.157	0.149	1.000
10	1.155	0.167	1.000
20	1.152	0.254	1.000
200	1.146	1.826	1.000

TABLE 4 - CONTINUED

ALPHA = 0.20 SIGMA SEI = 0.03 F0 = 1.4 K = 12

N	FLSIGWHAT	HMAX	POWER
2	1.160	0.095	0.951
3	1.159	0.103	0.990
4	1.158	0.110	0.998
5	1.157	0.117	1.000
8	1.155	0.139	1.000
10	1.155	0.153	1.000
20	1.152	0.226	1.000
200	1.146	1.536	1.000

ALPHA = 0.20 SIGMA SEI = 0.03 F0 = 1.5 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.174	0.149	0.997
3	1.170	0.173	1.000
4	1.168	0.196	1.000
5	1.165	0.219	1.000
8	1.161	0.289	1.000
10	1.159	0.336	1.000
20	1.153	0.571	1.000
200	1.146	4.793	1.000

ALPHA = 0.20 SIGMA SEI = 0.03 F0 = 1.5 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.165	0.137	0.996
3	1.164	0.152	1.000
4	1.162	0.166	1.000
5	1.161	0.181	1.000
8	1.158	0.225	1.000
10	1.157	0.254	1.000
20	1.153	0.401	1.000
200	1.146	3.039	1.000

ALPHA = 0.20 SIGMA SEI = 0.03 F0 = 1.5 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.162	0.133	0.995
3	1.161	0.145	1.000
4	1.160	0.156	1.000
5	1.159	0.168	1.000
8	1.157	0.203	1.000
10	1.155	0.227	1.000
20	1.152	0.344	1.000
200	1.146	2.455	1.000

TABLE 4 - CONTINUED

ALPHA = 0.20 SIGMA SEI = 0.03 F0 = 1.5 K = 12

N	FLSIGWHAT *	HMAX	POWER
2	1.160	0.130	0.995
3	1.159	0.140	1.000
4	1.158	0.150	1.000
5	1.157	0.160	1.000
8	1.155	0.189	1.000
10	1.155	0.208	1.000
20	1.152	0.306	1.000
200	1.146	2.065	1.000

ALPHA = 0.20 SIGMA SEI = 0.03 F0 = 1.6 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.174	0.188	1.000
3	1.170	0.217	1.000
4	1.168	0.246	1.000
5	1.165	0.275	1.000
8	1.161	0.362	1.000
10	1.159	0.420	1.000
20	1.153	0.711	1.000
200	1.146	5.942	1.000

ALPHA = 0.20 SIGMA SEI = 0.03 F0 = 1.6 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.165	0.172	1.000
3	1.164	0.190	1.000
4	1.162	0.208	1.000
5	1.161	0.226	1.000
8	1.158	0.281	1.000
10	1.157	0.317	1.000
20	1.153	0.499	1.000
200	1.146	3.768	1.000

ALPHA = 0.20 SIGMA SEI = 0.03 F0 = 1.6 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.162	0.167	1.000
3	1.161	0.181	1.000
4	1.160	0.196	1.000
5	1.159	0.210	1.000
8	1.157	0.254	1.000
10	1.155	0.283	1.000
20	1.152	0.428	1.000
200	1.146	3.044	1.000

$$\text{FLSIGWHAT} = F_{\lambda}(\sigma_{\hat{W}})$$

TABLE 4 - CONTINUED

ALPHA = 0.20 SIGMA SEI = 0.03 F0 = 1.6 K = 12

N	FLSIGWHAT	HMAX	POWER
2	1.160	0.163	1.000
3	1.159	0.175	1.000
4	1.158	0.187	1.000
5	1.157	0.199	1.000
8	1.155	0.236	1.000
10	1.155	0.260	1.000
20	1.152	0.381	1.000
200	1.146	2.561	1.000

ALPHA = 0.20 SIGMA SEI = 0.06 F0 = 1.4 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.346	0.024	0.327
3	1.342	0.029	0.388
4	1.339	0.035	0.453
5	1.336	0.041	0.520
8	1.330	0.058	0.712
10	1.328	0.069	0.817
20	1.321	0.126	0.996
200	1.312	1.153	1.000

ALPHA = 0.20 SIGMA SEI = 0.06 F0 = 1.4 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.336	0.025	0.346
3	1.334	0.029	0.402
4	1.332	0.032	0.458
5	1.330	0.036	0.514
8	1.327	0.047	0.675
10	1.325	0.054	0.767
20	1.320	0.089	0.983
200	1.312	0.731	1.000

ALPHA = 0.20 SIGMA SEI = 0.06 F0 = 1.4 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.332	0.026	0.353
3	1.330	0.029	0.407
4	1.329	0.032	0.460
5	1.328	0.034	0.513
8	1.325	0.043	0.661
10	1.324	0.049	0.748
20	1.319	0.077	0.973
200	1.312	0.591	1.000

TABLE 4 - CONTINUED

ALPHA = 0.20 SIGMA SEI = 0.06 F0 = 1.4 K = 12

N	FLSIGWHAT *	HMAX	POWER
2	1.329	0.026	0.358
3	1.328	0.029	0.411
4	1.327	0.031	0.462
5	1.326	0.033	0.512
8	1.324	0.041	0.652
10	1.323	0.045	0.735
20	1.319	0.069	0.963
200	1.312	0.497	1.000

ALPHA = 0.20 SIGMA SEI = 0.06 F0 = 1.5 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.346	0.066	0.598
3	1.342	0.077	0.734
4	1.339	0.089	0.841
5	1.336	0.101	0.914
8	1.330	0.136	0.993
10	1.328	0.159	0.999
20	1.321	0.276	1.000
200	1.312	2.381	1.000

ALPHA = 0.20 SIGMA SEI = 0.06 F0 = 1.5 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.336	0.063	0.603
3	1.334	0.070	0.724
4	1.332	0.077	0.819
5	1.330	0.085	0.889
8	1.327	0.107	0.963
10	1.325	0.121	0.997
20	1.320	0.194	1.000
200	1.312	1.510	1.000

ALPHA = 0.20 SIGMA SEI = 0.06 F0 = 1.5 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.332	0.062	0.605
3	1.330	0.068	0.721
4	1.329	0.074	0.812
5	1.328	0.079	0.879
8	1.325	0.097	0.977
10	1.324	0.109	0.994
20	1.319	0.167	1.000
200	1.312	1.220	1.000

$$*FLSIGWHAT = F_{\lambda}(\sigma_{\hat{W}})$$

TABLE 4 - CONTINUED

ALPHA = 0.20 SIGMA SEI = 0.06 F0 = 1.5 K = 12

N	FLSIGWHAT	HMAX	POWER
2	1.329	0.061	0.607
3	1.328	0.066	0.719
4	1.327	0.071	0.807
5	1.326	0.076	0.872
8	1.324	0.091	0.972
10	1.323	0.100	0.992
20	1.319	0.149	1.000
200	1.312	1.026	1.000

ALPHA = 0.20 SIGMA SEI = 0.06 F0 = 1.6 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.346	0.105	0.815
3	1.342	0.122	0.930
4	1.339	0.139	0.979
5	1.336	0.157	0.995
8	1.330	0.208	1.000
10	1.328	0.243	1.000
20	1.321	0.416	1.000
200	1.312	3.530	1.000

ALPHA = 0.20 SIGMA SEI = 0.06 F0 = 1.6 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.336	0.098	0.809
3	1.334	0.109	0.917
4	1.332	0.119	0.969
5	1.330	0.130	0.990
8	1.327	0.163	1.000
10	1.325	0.184	1.000
20	1.320	0.292	1.000
200	1.312	2.239	1.000

ALPHA = 0.20 SIGMA SEI = 0.06 F0 = 1.6 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.332	0.096	0.808
3	1.330	0.104	0.912
4	1.329	0.113	0.964
5	1.328	0.121	0.987
8	1.325	0.147	1.000
10	1.324	0.165	1.000
20	1.319	0.251	1.000
200	1.312	1.808	1.000

TABLE 4 - CONTINUED

ALPHA = 0.20 SIGMA SEI = 0.06 F0 = 1.6 K = 12

N	FLSIGWHAT*	HMAX	POWER
2	1.329	0.094	0.807
3	1.328	0.101	0.909
4	1.327	0.108	0.961
5	1.326	0.116	0.985
8	1.324	0.137	1.000
10	1.323	0.152	1.000
20	1.319	0.224	1.000
200	1.312	1.521	1.000

ALPHA = 0.20 SIGMA SEI = 0.08 F0 = 1.5 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.480	0.008	0.232
3	1.474	0.012	0.255
4	1.470	0.016	0.281
5	1.467	0.020	0.310
8	1.459	0.031	0.408
10	1.456	0.039	0.479
20	1.448	0.077	0.811
200	1.436	0.771	1.000

ALPHA = 0.20 SIGMA SEI = 0.08 F0 = 1.5 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.467	0.012	0.252
3	1.464	0.015	0.274
4	1.461	0.017	0.298
5	1.459	0.019	0.322
8	1.455	0.027	0.402
10	1.453	0.031	0.459
20	1.446	0.055	0.739
200	1.436	0.489	1.000

ALPHA = 0.20 SIGMA SEI = 0.08 F0 = 1.5 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.461	0.014	0.259
3	1.459	0.016	0.282
4	1.458	0.017	0.304
5	1.456	0.019	0.327
8	1.453	0.025	0.401
10	1.451	0.029	0.453
20	1.446	0.048	0.709
200	1.436	0.395	1.000

$$*FLSIGWHAT = F_{\lambda}(\sigma_{\hat{\theta}})$$

TABLE 4 - CONTINUED

ALPHA = 0.20 SIGMA SEI = 0.08 F0 = 1.5 K = 12

N	FLSIGWHAT	HMAX	POWER
2	1.458	0.015	0.265
3	1.456	0.016	0.287
4	1.455	0.018	0.309
5	1.454	0.019	0.331
8	1.451	0.024	0.401
10	1.449	0.027	0.449
20	1.445	0.043	0.686
200	1.436	0.333	1.000

ALPHA = 0.20 SIGMA SEI = 0.08 F0 = 1.6 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.480	0.047	0.418
3	1.474	0.057	0.511
4	1.470	0.066	0.603
5	1.467	0.076	0.690
8	1.459	0.104	0.884
10	1.456	0.123	0.952
20	1.448	0.217	1.000
200	1.436	1.921	1.000

ALPHA = 0.20 SIGMA SEI = 0.08 F0 = 1.6 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.467	0.047	0.431
3	1.464	0.053	0.514
4	1.461	0.059	0.593
5	1.459	0.065	0.667
8	1.455	0.083	0.843
10	1.453	0.094	0.917
20	1.446	0.154	0.999
200	1.436	1.218	1.000

ALPHA = 0.20 SIGMA SEI = 0.08 F0 = 1.6 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.461	0.047	0.436
3	1.459	0.052	0.516
4	1.458	0.057	0.591
5	1.456	0.061	0.660
8	1.453	0.076	0.826
10	1.451	0.085	0.900
20	1.446	0.132	0.999
200	1.436	0.984	1.000

TABLE 4 - CONTINUED

ALPHA = 0.20 SIGMA SEI = 0.08 F0 = 1.6 K = 12

N	FLSIGWHAT	HMAX	POWER
2	1.458	0.047	0.440
3	1.456	0.051	0.518
4	1.455	0.055	0.589
5	1.454	0.059	0.655
8	1.451	0.071	0.814
10	1.449	0.079	0.887
20	1.445	0.118	0.997
200	1.436	0.828	1.000

ALPHA = 0.30 SIGMA SEI = 0.03 F0 = 1.3 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.174	0.062	0.832
3	1.170	0.073	0.930
4	1.168	0.084	0.976
5	1.165	0.095	0.993
8	1.161	0.128	1.000
10	1.159	0.150	1.000
20	1.153	0.260	1.000
200	1.146	2.245	1.000

ALPHA = 0.30 SIGMA SEI = 0.03 F0 = 1.3 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.165	0.059	0.836
3	1.164	0.066	0.924
4	1.162	0.073	0.969
5	1.161	0.080	0.989
8	1.158	0.100	1.000
10	1.157	0.114	1.000
20	1.153	0.183	1.000
200	1.146	1.424	1.000

ALPHA = 0.30 SIGMA SEI = 0.03 F0 = 1.3 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.162	0.058	0.838
3	1.161	0.064	0.922
4	1.160	0.069	0.966
5	1.159	0.075	0.986
8	1.157	0.091	1.000
10	1.155	0.102	1.000
20	1.152	0.157	1.000
200	1.146	1.150	1.000

TABLE 4 - CONTINUED

ALPHA = 0.30 SIGMA SEI = 0.03 F0 = 1.3 K = 12

N	FLSIGWHAT *	HMAX	POWER
2	1.160	0.058	0.839
3	1.159	0.062	0.921
4	1.158	0.067	0.964
5	1.157	0.072	0.985
8	1.155	0.085	0.999
10	1.155	0.094	1.000
20	1.152	0.140	1.000
200	1.146	0.967	1.000

ALPHA = 0.30 SIGMA SEI = 0.03 F0 = 1.4 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.174	0.107	0.979
3	1.170	0.125	0.998
4	1.168	0.142	1.000
5	1.165	0.159	1.000
8	1.161	0.212	1.000
10	1.159	0.246	1.000
20	1.153	0.421	1.000
200	1.146	3.564	1.000

ALPHA = 0.30 SIGMA SEI = 0.03 F0 = 1.4 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.165	0.100	0.977
3	1.164	0.110	0.997
4	1.162	0.121	1.000
5	1.161	0.132	1.000
8	1.158	0.165	1.000
10	1.157	0.187	1.000
20	1.153	0.296	1.000
200	1.146	2.260	1.000

ALPHA = 0.30 SIGMA SEI = 0.03 F0 = 1.4 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.162	0.097	0.976
3	1.161	0.106	0.996
4	1.160	0.114	1.000
5	1.159	0.123	1.000
8	1.157	0.149	1.000
10	1.155	0.167	1.000
20	1.152	0.254	1.000
200	1.146	1.826	1.000

*FLSIGWHAT = $F_{\lambda}(\sigma_{\hat{W}})$

TABLE 4 - CONTINUED

ALPHA = 0.30 SIGMA SEI = 0.03 F0 = 1.4 K = 12

N	FLSIGWHAT	HMAX	POWER
2	1.160	0.095	0.976
3	1.159	0.103	0.996
4	1.158	0.110	0.999
5	1.157	0.117	1.000
8	1.155	0.139	1.000
10	1.155	0.153	1.000
20	1.152	0.226	1.000
200	1.146	1.536	1.000

ALPHA = 0.30 SIGMA SEI = 0.03 F0 = 1.5 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.174	0.149	0.999
3	1.170	0.173	1.000
4	1.168	0.196	1.000
5	1.165	0.219	1.000
8	1.161	0.289	1.000
10	1.159	0.336	1.000
20	1.153	0.571	1.000
200	1.146	4.793	1.000

ALPHA = 0.30 SIGMA SEI = 0.03 F0 = 1.5 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.165	0.137	0.998
3	1.164	0.152	1.000
4	1.162	0.166	1.000
5	1.161	0.181	1.000
8	1.158	0.225	1.000
10	1.157	0.254	1.000
20	1.153	0.401	1.000
200	1.146	3.039	1.000

ALPHA = 0.30 SIGMA SEI = 0.03 F0 = 1.5 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.162	0.133	0.998
3	1.161	0.145	1.000
4	1.160	0.156	1.000
5	1.159	0.168	1.000
8	1.157	0.203	1.000
10	1.155	0.227	1.000
20	1.152	0.344	1.000
200	1.146	2.455	1.000

TABLE 4 - CONTINUED

ALPHA = 0.30 SIGMA SEI = 0.03 F0 = 1.5 K = 12

N	FLSIGWHAT	HMAX	POWER
2	1.160	0.130	0.998
3	1.159	0.140	1.000
4	1.158	0.150	1.000
5	1.157	0.160	1.000
8	1.155	0.189	1.000
10	1.155	0.208	1.000
20	1.152	0.306	1.000
200	1.146	2.065	1.000

ALPHA = 0.30 SIGMA SEI = 0.03 F0 = 1.6 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.174	0.188	1.000
3	1.170	0.217	1.000
4	1.168	0.246	1.000
5	1.165	0.275	1.000
8	1.161	0.362	1.000
10	1.159	0.420	1.000
20	1.153	0.711	1.000
200	1.146	5.942	1.000

ALPHA = 0.30 SIGMA SEI = 0.03 F0 = 1.6 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.165	0.172	1.000
3	1.164	0.190	1.000
4	1.162	0.208	1.000
5	1.161	0.226	1.000
8	1.158	0.281	1.000
10	1.157	0.317	1.000
20	1.153	0.499	1.000
200	1.146	3.768	1.000

ALPHA = 0.30 SIGMA SEI = 0.03 F0 = 1.6 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.162	0.167	1.000
3	1.161	0.181	1.000
4	1.160	0.196	1.000
5	1.159	0.210	1.000
8	1.157	0.254	1.000
10	1.155	0.283	1.000
20	1.152	0.428	1.000
200	1.146	3.044	1.000

TABLE 4 - CONTINUED

ALPHA = 0.30 SIGMA SEI = 0.03 FO = 1.6 K = 12

N	FLSIGWHAT *	HMAX	POWER
2	1.160	0.163	1.000
3	1.159	0.175	1.000
4	1.158	0.187	1.000
5	1.157	0.199	1.000
8	1.155	0.236	1.000
10	1.155	0.260	1.000
20	1.152	0.381	1.000
200	1.146	2.561	1.000

ALPHA = 0.30 SIGMA SEI = 0.06 FO = 1.4 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.346	0.024	0.448
3	1.342	0.029	0.513
4	1.339	0.035	0.579
5	1.336	0.041	0.643
8	1.330	0.058	0.810
10	1.328	0.069	0.889
20	1.321	0.126	0.998
200	1.312	1.153	1.000

ALPHA = 0.30 SIGMA SEI = 0.06 FO = 1.4 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.336	0.025	0.469
3	1.334	0.029	0.527
4	1.332	0.032	0.584
5	1.330	0.036	0.638
8	1.327	0.047	0.779
10	1.325	0.054	0.853
20	1.320	0.089	0.993
200	1.312	0.731	1.000

ALPHA = 0.30 SIGMA SEI = 0.06 FO = 1.4 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.332	0.026	0.476
3	1.330	0.029	0.533
4	1.329	0.032	0.586
5	1.328	0.034	0.636
8	1.325	0.043	0.768
10	1.324	0.049	0.838
20	1.319	0.077	0.987
200	1.312	0.591	1.000

*FLSIGWHAT = $F_{\lambda}(\sigma_W^2)$

TABLE 4 - CONTINUED

ALPHA = 0.30 SIGMA SEI = 0.06 F0 = 1.4 K = 12

N	FLSIGWHAT	HMAX	POWER
2	1.329	0.026	0.482
3	1.328	0.029	0.537
4	1.327	0.031	0.588
5	1.326	0.033	0.636
8	1.324	0.041	0.761
10	1.323	0.045	0.827
20	1.319	0.069	0.982
200	1.312	0.497	1.000

ALPHA = 0.30 SIGMA SEI = 0.06 F0 = 1.5 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.346	0.066	0.714
3	1.342	0.077	0.827
4	1.339	0.089	0.906
5	1.336	0.101	0.954
8	1.330	0.136	0.997
10	1.328	0.159	1.000
20	1.321	0.276	1.000
200	1.312	2.381	1.000

ALPHA = 0.30 SIGMA SEI = 0.06 F0 = 1.5 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.336	0.063	0.718
3	1.334	0.070	0.819
4	1.332	0.077	0.890
5	1.330	0.085	0.938
8	1.327	0.107	0.992
10	1.325	0.121	0.999
20	1.320	0.194	1.000
200	1.312	1.510	1.000

ALPHA = 0.30 SIGMA SEI = 0.06 F0 = 1.5 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.332	0.062	0.721
3	1.330	0.068	0.817
4	1.329	0.074	0.885
5	1.328	0.079	0.931
8	1.325	0.097	0.990
10	1.324	0.109	0.998
20	1.319	0.167	1.000
200	1.312	1.220	1.000

TABLE 4 - CONTINUED

ALPHA = 0.30 SIGMA SEI = 0.06 F0 = 1.5 K = 12

N	FLSIGWHAT *	HMAX	POWER
2	1.329	0.061	0.722
3	1.328	0.066	0.815
4	1.327	0.071	0.881
5	1.326	0.076	0.927
8	1.324	0.091	0.987
10	1.323	0.100	0.997
20	1.319	0.149	1.000
200	1.312	1.026	1.000

ALPHA = 0.30 SIGMA SEI = 0.06 F0 = 1.6 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.346	0.105	0.888
3	1.342	0.122	0.964
4	1.339	0.139	0.991
5	1.336	0.157	0.998
8	1.330	0.208	1.000
10	1.328	0.243	1.000
20	1.321	0.416	1.000
200	1.312	3.530	1.000

ALPHA = 0.30 SIGMA SEI = 0.06 F0 = 1.6 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.336	0.098	0.884
3	1.334	0.109	0.956
4	1.332	0.119	0.985
5	1.330	0.130	0.996
8	1.327	0.163	1.000
10	1.325	0.184	1.000
20	1.320	0.292	1.000
200	1.312	2.239	1.000

ALPHA = 0.30 SIGMA SEI = 0.06 F0 = 1.6 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.332	0.096	0.882
3	1.330	0.104	0.953
4	1.329	0.113	0.983
5	1.328	0.121	0.995
8	1.325	0.147	1.000
10	1.324	0.165	1.000
20	1.319	0.251	1.000
200	1.312	1.808	1.000

TABLE 4 - CONTINUED

ALPHA = 0.30 SIGMA SEI = 0.06 F0 = 1.6 K = 12

N	FLSIGWHAT*	HMAX	POWER
2	1.329	0.094	0.882
3	1.328	0.101	0.951
4	1.327	0.108	0.981
5	1.326	0.116	0.994
8	1.324	0.137	1.000
10	1.323	0.152	1.000
20	1.319	0.224	1.000
200	1.312	1.521	1.000

ALPHA = 0.30 SIGMA SEI = 0.08 F0 = 1.5 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.480	0.008	0.339
3	1.474	0.012	0.367
4	1.470	0.016	0.397
5	1.467	0.020	0.429
8	1.459	0.031	0.533
10	1.456	0.039	0.604
20	1.448	0.077	0.885
200	1.436	0.771	1.000

ALPHA = 0.30 SIGMA SEI = 0.08 F0 = 1.5 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.467	0.012	0.363
3	1.464	0.015	0.389
4	1.461	0.017	0.415
5	1.459	0.019	0.443
8	1.455	0.027	0.528
10	1.453	0.031	0.585
20	1.446	0.055	0.831
200	1.436	0.489	1.000

ALPHA = 0.30 SIGMA SEI = 0.08 F0 = 1.5 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.461	0.014	0.371
3	1.459	0.016	0.397
4	1.458	0.017	0.423
5	1.456	0.019	0.448
8	1.453	0.025	0.527
10	1.451	0.029	0.579
20	1.446	0.048	0.807
200	1.436	0.395	1.000

*FLSIGWHAT = $F_{\lambda}(\sigma_{\hat{W}})$

TABLE 4 - CONTINUED

ALPHA = 0.30 SIGMA SEI = 0.08 F0 = 1.5 K = 12

N	FLSIGWHAT	HMAX	POWER
2	1.458	0.015	0.378
3	1.456	0.016	0.403
4	1.455	0.018	0.428
5	1.454	0.019	0.453
8	1.451	0.024	0.526
10	1.449	0.027	0.575
20	1.445	0.043	0.789
200	1.436	0.333	1.000

ALPHA = 0.30 SIGMA SEI = 0.08 F0 = 1.6 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.480	0.047	0.544
3	1.474	0.057	0.635
4	1.470	0.066	0.719
5	1.467	0.076	0.792
8	1.459	0.104	0.935
10	1.456	0.123	0.976
20	1.448	0.217	1.000
200	1.436	1.921	1.000

ALPHA = 0.30 SIGMA SEI = 0.08 F0 = 1.6 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.467	0.047	0.557
3	1.464	0.053	0.638
4	1.461	0.059	0.710
5	1.459	0.065	0.773
8	1.455	0.083	0.907
10	1.453	0.094	0.956
20	1.446	0.154	1.000
200	1.436	1.218	1.000

ALPHA = 0.30 SIGMA SEI = 0.08 F0 = 1.6 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.461	0.047	0.562
3	1.459	0.052	0.640
4	1.458	0.057	0.708
5	1.456	0.061	0.767
8	1.453	0.076	0.895
10	1.451	0.085	0.945
20	1.446	0.132	1.000
200	1.436	0.984	1.000

TABLE 4 - CONTINUED

ALPHA = 0.30 SIGMA SEI = 0.08 F0 = 1.6 K = 12

N	FLSIGWHAT*	HMAX	POWER
2	1.458	0.047	0.566
3	1.456	0.051	0.641
4	1.455	0.055	0.706
5	1.454	0.059	0.763
8	1.451	0.071	0.887
10	1.449	0.079	0.937
20	1.445	0.118	0.999
200	1.436	0.828	1.000

$$*FLSIGWHAT = F_{\lambda}(\sigma_{\hat{W}})$$

TABLE 5

POWER FUNCTION FOR THE TEST OF HYPOTHESIS II
WHEN THE VARIANCES ARE UNKNOWN

SIGMA CORRTEX = 0.04

B = 1.

ALPHA = 0.05		SIGMA SEI = 0.03			K = 5					
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.050	0.110	0.208	0.343	0.502	0.659	0.791	0.887	0.946
	3	0.050	0.124	0.251	0.425	0.615	0.779	0.893	0.957	0.986
	4	0.050	0.135	0.286	0.488	0.692	0.849	0.941	0.982	0.995
	5	0.050	0.144	0.313	0.536	0.746	0.892	0.964	0.991	0.998
	8	0.050	0.162	0.371	0.629	0.837	0.949	0.989	0.998	1.000
	10	0.050	0.171	0.397	0.666	0.868	0.965	0.994	0.999	1.000
	20	0.050	0.193	0.463	0.753	0.928	0.987	0.999	1.000	1.000
	200	0.050	0.222	0.546	0.841	0.970	0.997	1.000	1.000	1.000

ALPHA = 0.05		SIGMA SEI = 0.03			K = 8					
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.050	0.119	0.237	0.399	0.581	0.746	0.869	0.943	0.979
	3	0.050	0.136	0.291	0.497	0.704	0.859	0.947	0.984	0.996
	4	0.050	0.150	0.335	0.571	0.784	0.918	0.977	0.995	0.999
	5	0.050	0.162	0.371	0.629	0.837	0.949	0.989	0.998	1.000
	8	0.050	0.189	0.451	0.738	0.918	0.984	0.998	1.000	1.000
	10	0.050	0.201	0.488	0.781	0.943	0.991	0.999	1.000	1.000
	20	0.050	0.238	0.586	0.874	0.981	0.999	1.000	1.000	1.000
	200	0.050	0.295	0.715	0.953	0.997	1.000	1.000	1.000	1.000

ALPHA = 0.05		SIGMA SEI = 0.03		K = 10						
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.050	0.122	0.248	0.420	0.610	0.775	0.891	0.956	0.986
	3	0.050	0.141	0.307	0.526	0.736	0.885	0.961	0.990	0.998
	4	0.050	0.157	0.356	0.605	0.817	0.938	0.985	0.997	1.000
	5	0.050	0.171	0.397	0.666	0.868	0.965	0.994	0.999	1.000
	8	0.050	0.201	0.488	0.781	0.943	0.991	0.999	1.000	1.000
	10	0.050	0.217	0.530	0.825	0.964	0.996	1.000	1.000	1.000
	20	0.050	0.262	0.644	0.916	0.991	1.000	1.000	1.000	1.000
	200	0.050	0.339	0.793	0.980	0.999	1.000	1.000	1.000	1.000

TABLE 5 - CONTINUED

ALPHA =		0.05		SIGMA SEI =		0.03		K = 12		
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.050	0.125	0.256	0.435	0.629	0.794	0.905	0.964	0.989
	3	0.050	0.145	0.319	0.546	0.759	0.901	0.969	0.993	0.999
	4	0.050	0.162	0.372	0.630	0.839	0.950	0.989	0.998	1.000
	5	0.050	0.177	0.417	0.694	0.889	0.974	0.996	1.000	1.000
	8	0.050	0.211	0.517	0.811	0.958	0.995	1.000	1.000	1.000
	10	0.050	0.229	0.563	0.856	0.975	0.998	1.000	1.000	1.000
	20	0.050	0.283	0.690	0.941	0.996	1.000	1.000	1.000	1.000
	200	0.050	0.381	0.850	0.991	1.000	1.000	1.000	1.000	1.000

ALPHA =		0.05		SIGMA SEI =		0.06		K =		5	
		H									
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16	
N	2	0.050	0.088	0.143	0.217	0.310	0.416	0.528	0.637	0.736	
	3	0.050	0.096	0.166	0.264	0.383	0.514	0.644	0.758	0.848	
	4	0.050	0.102	0.185	0.300	0.440	0.586	0.721	0.830	0.907	
	5	0.050	0.107	0.200	0.330	0.484	0.640	0.775	0.875	0.939	
	8	0.050	0.117	0.232	0.392	0.571	0.737	0.862	0.938	0.977	
	10	0.050	0.122	0.247	0.419	0.608	0.774	0.891	0.956	0.986	
	20	0.050	0.134	0.285	0.488	0.694	0.852	0.943	0.983	0.996	
	200	0.050	0.151	0.336	0.574	0.787	0.920	0.978	0.996	0.999	

ALPHA =		0.05		SIGMA SEI =		0.06		K =		8	
		H									
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16	
N	2	0.050	0.093	0.158	0.248	0.359	0.484	0.610	0.724	0.820	
	3	0.050	0.103	0.188	0.306	0.448	0.597	0.733	0.841	0.915	
	4	0.050	0.111	0.212	0.353	0.517	0.678	0.811	0.903	0.957	
	5	0.050	0.117	0.232	0.392	0.571	0.737	0.862	0.938	0.977	
	8	0.050	0.132	0.278	0.475	0.679	0.839	0.935	0.979	0.995	
	10	0.050	0.139	0.300	0.514	0.724	0.875	0.956	0.988	0.998	
	20	0.050	0.159	0.362	0.615	0.826	0.943	0.987	0.998	1.000	
	200	0.050	0.190	0.456	0.744	0.922	0.986	0.998	1.000	1.000	

ALPHA =		0.05		SIGMA SEI =		0.06		K = 10		
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.050	0.095	0.164	0.260	0.378	0.509	0.639	0.754	0.846
	3	0.050	0.106	0.197	0.323	0.474	0.629	0.765	0.868	0.934
	4	0.050	0.115	0.224	0.375	0.549	0.714	0.842	0.926	0.970
	5	0.050	0.122	0.247	0.419	0.608	0.774	0.891	0.956	0.986
	8	0.050	0.139	0.300	0.514	0.724	0.875	0.956	0.988	0.998
	10	0.050	0.147	0.326	0.558	0.771	0.909	0.973	0.994	0.999
	20	0.050	0.172	0.402	0.674	0.875	0.968	0.995	0.999	1.000
	200	0.050	0.214	0.524	0.820	0.961	0.996	1.000	1.000	1.000

TABLE 5 - CONTINUED

ALPHA =		0.05		SIGMA SEI =		0.06		K = 12		
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.050	0.097	0.169	0.269	0.392	0.527	0.659	0.773	0.862
	3	0.050	0.108	0.203	0.336	0.493	0.652	0.787	0.885	0.946
	4	0.050	0.118	0.233	0.392	0.572	0.738	0.863	0.939	0.977
	5	0.050	0.126	0.258	0.439	0.635	0.800	0.909	0.966	0.990
	8	0.050	0.145	0.317	0.543	0.756	0.899	0.968	0.993	0.999
	10	0.050	0.154	0.347	0.592	0.804	0.931	0.982	0.997	1.000
	20	0.050	0.183	0.436	0.720	0.907	0.981	0.997	1.000	1.000
	200	0.050	0.237	0.585	0.874	0.981	0.999	1.000	1.000	1.000

ALPHA =		0.05		SIGMA SEI =		0.08		K =		5	
		H									
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16	
N	2	0.050	0.079	0.119	0.172	0.237	0.313	0.398	0.488	0.578	
	3	0.050	0.085	0.136	0.204	0.289	0.387	0.493	0.599	0.698	
	4	0.050	0.090	0.149	0.230	0.330	0.444	0.563	0.676	0.774	
	5	0.050	0.093	0.160	0.251	0.363	0.489	0.615	0.730	0.825	
	8	0.050	0.101	0.182	0.295	0.431	0.577	0.712	0.823	0.902	
	10	0.050	0.104	0.192	0.314	0.461	0.614	0.750	0.855	0.926	
	20	0.050	0.113	0.219	0.366	0.536	0.700	0.831	0.918	0.966	
	200	0.050	0.125	0.255	0.433	0.627	0.793	0.905	0.964	0.989	

ALPHA = 0.05		SIGMA SEI = 0.08			K = 8					
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.050	0.083	0.130	0.193	0.271	0.363	0.463	0.565	0.663
	3	0.050	0.090	0.151	0.233	0.336	0.453	0.574	0.687	0.786
	4	0.050	0.096	0.168	0.267	0.388	0.522	0.653	0.768	0.858
	5	0.050	0.101	0.182	0.295	0.431	0.577	0.712	0.823	0.902
	8	0.050	0.111	0.214	0.356	0.523	0.685	0.817	0.908	0.960
	10	0.050	0.116	0.229	0.386	0.564	0.729	0.856	0.935	0.975
	20	0.050	0.130	0.273	0.467	0.669	0.831	0.930	0.977	0.994
	200	0.050	0.152	0.341	0.583	0.796	0.926	0.980	0.996	1.000

ALPHA = 0.05		SIGMA SEI = 0.08			K = 10					
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.050	0.085	0.134	0.201	0.285	0.382	0.488	0.594	0.693
	3	0.050	0.092	0.157	0.246	0.356	0.479	0.605	0.720	0.816
	4	0.050	0.099	0.176	0.283	0.413	0.555	0.689	0.802	0.885
	5	0.050	0.104	0.192	0.314	0.461	0.614	0.750	0.855	0.926
	8	0.050	0.116	0.229	0.386	0.564	0.729	0.856	0.935	0.975
	10	0.050	0.122	0.248	0.420	0.610	0.776	0.892	0.957	0.986
	20	0.050	0.140	0.302	0.518	0.728	0.879	0.959	0.989	0.998
200	0.050	0.169	0.394	0.662	0.866	0.964	0.993	0.999	1.000	

TABLE 5 - CONTINUED

ALPHA =		0.05		SIGMA SEI =		0.08		K = 12		
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.050	0.086	0.137	0.207	0.295	0.396	0.505	0.613	0.713
	3	0.050	0.094	0.162	0.255	0.370	0.499	0.627	0.742	0.836
	4	0.050	0.101	0.182	0.295	0.432	0.578	0.714	0.824	0.903
	5	0.050	0.107	0.200	0.329	0.484	0.640	0.776	0.877	0.940
	8	0.050	0.120	0.241	0.409	0.595	0.761	0.881	0.951	0.983
	10	0.050	0.127	0.263	0.448	0.645	0.810	0.916	0.970	0.991
	20	0.050	0.148	0.327	0.560	0.773	0.911	0.974	0.994	0.999
	200	0.050	0.185	0.442	0.727	0.912	0.982	0.998	1.000	1.000

ALPHA = 0.10		SIGMA SEI = 0.03		K = 5						
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.100	0.200	0.343	0.513	0.679	0.816	0.908	0.961	0.986
	3	0.100	0.220	0.397	0.597	0.774	0.895	0.961	0.988	0.997
	4	0.100	0.236	0.436	0.655	0.831	0.935	0.981	0.996	0.999
	5	0.100	0.248	0.467	0.697	0.867	0.956	0.989	0.998	1.000
	8	0.100	0.272	0.527	0.771	0.922	0.982	0.997	1.000	1.000
	10	0.100	0.283	0.553	0.799	0.939	0.988	0.998	1.000	1.000
	20	0.100	0.310	0.614	0.859	0.969	0.996	1.000	1.000	1.000
	200	0.100	0.345	0.685	0.914	0.988	0.999	1.000	1.000	1.000

ALPHA = 0.10		SIGMA SEI = 0.03			K = 8					
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.100	0.211	0.374	0.562	0.737	0.867	0.944	0.981	0.994
	3	0.100	0.236	0.439	0.652	0.834	0.937	0.982	0.996	0.999
	4	0.100	0.256	0.488	0.724	0.889	0.967	0.993	0.999	1.000
	5	0.100	0.272	0.527	0.771	0.922	0.982	0.997	1.000	1.000
	8	0.100	0.307	0.607	0.852	0.966	0.995	1.000	1.000	1.000
	10	0.100	0.323	0.641	0.881	0.977	0.998	1.000	1.000	1.000
	20	0.100	0.367	0.726	0.938	0.993	1.000	1.000	1.000	1.000
	200	0.100	0.431	0.825	0.979	0.999	1.000	1.000	1.000	1.000

ALPHA =		0.10		SIGMA SEI =		0.03		K = 10		
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.100	0.216	0.385	0.580	0.757	0.883	0.954	0.985	0.996
	3	0.100	0.243	0.455	0.681	0.854	0.949	0.987	0.997	1.000
	4	0.100	0.265	0.509	0.750	0.908	0.976	0.996	0.999	1.000
	5	0.100	0.283	0.553	0.799	0.939	0.988	0.998	1.000	1.000
	8	0.100	0.323	0.641	0.881	0.977	0.998	1.000	1.000	1.000
	10	0.100	0.342	0.679	0.910	0.987	0.999	1.000	1.000	1.000
	20	0.100	0.396	0.774	0.962	0.997	1.000	1.000	1.000	1.000
	200	0.100	0.420	0.881	0.992	1.000	1.000	1.000	1.000	1.000

TABLE 5 - CONTINUED

ALPHA = 0.10		SIGMA SEI = 0.03			K = 12					
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.100	0.219	0.393	0.593	0.770	0.893	0.960	0.988	0.997
	3	0.100	0.248	0.467	0.698	0.868	0.957	0.990	0.998	1.000
	4	0.100	0.271	0.525	0.769	0.920	0.981	0.997	1.000	1.000
	5	0.100	0.291	0.571	0.818	0.949	0.991	0.999	1.000	1.000
	8	0.100	0.335	0.667	0.901	0.984	0.999	1.000	1.000	1.000
	10	0.100	0.357	0.708	0.928	0.991	0.999	1.000	1.000	1.000
	20	0.100	0.420	0.810	0.975	0.999	1.000	1.000	1.000	1.000
	200	0.100	0.525	0.920	0.997	1.000	1.000	1.000	1.000	1.000

ALPHA = 0.10		SIGMA SEI = 0.06		K = 5						
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.100	0.164	0.251	0.356	0.473	0.593	0.704	0.798	0.872
	3	0.100	0.177	0.283	0.412	0.552	0.685	0.797	0.881	0.937
	4	0.100	0.186	0.307	0.454	0.607	0.745	0.852	0.924	0.965
	5	0.100	0.193	0.326	0.486	0.648	0.786	0.886	0.947	0.979
	8	0.100	0.208	0.365	0.549	0.722	0.855	0.936	0.977	0.993
	10	0.100	0.214	0.382	0.575	0.751	0.879	0.951	0.984	0.996
	20	0.100	0.231	0.424	0.638	0.815	0.925	0.976	0.994	0.999
	200	0.100	0.251	0.477	0.710	0.878	0.962	0.991	0.999	1.000

ALPHA = 0.10		SIGMA SEI = 0.06			K = 8					
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.100	0.171	0.269	0.388	0.519	0.648	0.761	0.851	0.915
	3	0.100	0.187	0.309	0.456	0.610	0.749	0.855	0.926	0.967
	4	0.100	0.198	0.340	0.508	0.675	0.812	0.906	0.960	0.985
	5	0.100	0.208	0.365	0.549	0.722	0.855	0.936	0.977	0.993
	8	0.100	0.229	0.419	0.630	0.808	0.920	0.974	0.993	0.999
	10	0.100	0.238	0.443	0.665	0.840	0.941	0.984	0.997	0.999
	20	0.100	0.265	0.509	0.750	0.908	0.976	0.996	0.999	1.000
	200	0.100	0.304	0.600	0.847	0.963	0.995	1.000	1.000	1.000

ALPHA =		0.10		SIGMA SEI =		0.06		K = 10		
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.100	0.174	0.276	0.401	0.536	0.668	0.781	0.868	0.928
	3	0.100	0.191	0.319	0.474	0.633	0.772	0.875	0.940	0.975
	4	0.100	0.204	0.353	0.530	0.701	0.836	0.924	0.970	0.990
	5	0.100	0.214	0.382	0.575	0.751	0.879	0.951	0.984	0.996
	8	0.100	0.238	0.443	0.665	0.840	0.941	0.984	0.997	0.999
	10	0.100	0.250	0.472	0.704	0.873	0.960	0.991	0.998	1.000
	20	0.100	0.282	0.552	0.798	0.938	0.988	0.998	1.000	1.000
	200	0.100	0.335	0.665	0.900	0.984	0.999	1.000	1.000	1.000

TABLE 5 - CONTINUED

ALPHA =		0.10		SIGMA SEI =		0.06		K = 12		
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.100	0.176	0.281	0.409	0.548	0.681	0.794	0.879	0.936
	3	0.100	0.193	0.327	0.487	0.649	0.787	0.887	0.948	0.979
	4	0.100	0.207	0.363	0.546	0.720	0.853	0.935	0.976	0.993
	5	0.100	0.219	0.394	0.594	0.772	0.894	0.960	0.988	0.997
	8	0.100	0.246	0.462	0.691	0.863	0.954	0.989	0.998	1.000
	10	0.100	0.259	0.495	0.733	0.895	0.971	0.994	0.999	1.000
	20	0.100	0.297	0.586	0.833	0.957	0.993	0.999	1.000	1.000
	200	0.100	0.363	0.719	0.935	0.993	1.000	1.000	1.000	1.000

ALPHA = 0.10		SIGMA SEI = 0.08				K = 5				
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.100	0.150	0.215	0.293	0.382	0.477	0.574	0.666	0.749
	3	0.100	0.160	0.239	0.335	0.443	0.556	0.664	0.760	0.839
	4	0.100	0.167	0.257	0.367	0.489	0.612	0.725	0.818	0.889
	5	0.100	0.172	0.271	0.391	0.523	0.653	0.766	0.855	0.918
	8	0.100	0.183	0.299	0.441	0.590	0.727	0.837	0.913	0.958
	10	0.100	0.188	0.312	0.462	0.618	0.756	0.862	0.931	0.970
	20	0.100	0.200	0.343	0.514	0.683	0.820	0.912	0.963	0.987
	200	0.100	0.215	0.384	0.578	0.755	0.882	0.953	0.985	0.996

ALPHA = 0.10		SIGMA SEI = 0.08		K = 8						
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.100	0.156	0.228	0.317	0.417	0.523	0.628	0.723	0.805
	3	0.100	0.167	0.257	0.368	0.491	0.615	0.728	0.821	0.891
	4	0.100	0.176	0.281	0.408	0.547	0.680	0.793	0.878	0.935
	5	0.100	0.183	0.299	0.441	0.590	0.727	0.837	0.913	0.958
	8	0.100	0.198	0.340	0.508	0.675	0.813	0.907	0.960	0.986
	10	0.100	0.205	0.358	0.538	0.710	0.845	0.929	0.973	0.992
	20	0.100	0.225	0.409	0.617	0.795	0.911	0.970	0.992	0.998
200	0.100	0.254	0.483	0.717	0.884	0.965	0.992	0.999	1.000	

ALPHA =		0.10		SIGMA SEI =		0.08		K = 10		
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.100	0.158	0.233	0.326	0.431	0.540	0.647	0.743	0.824
	3	0.100	0.170	0.265	0.382	0.510	0.638	0.751	0.842	0.908
	4	0.100	0.180	0.291	0.426	0.571	0.706	0.818	0.898	0.949
	5	0.100	0.188	0.312	0.462	0.618	0.756	0.862	0.931	0.970
	8	0.100	0.205	0.358	0.538	0.710	0.845	0.929	0.973	0.992
	10	0.100	0.214	0.380	0.573	0.749	0.877	0.950	0.984	0.996
	20	0.100	0.238	0.443	0.665	0.840	0.941	0.983	0.997	0.999
	200	0.100	0.277	0.538	0.784	0.930	0.985	0.998	1.000	1.000

TABLE 5 - CONTINUED

ALPHA = 0.10		SIGMA SEI = 0.08			K = 12					
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.100	0.159	0.237	0.332	0.440	0.552	0.660	0.757	0.836
	3	0.100	0.172	0.271	0.392	0.524	0.653	0.767	0.856	0.919
	4	0.100	0.183	0.298	0.439	0.588	0.725	0.835	0.911	0.958
	5	0.100	0.191	0.321	0.478	0.638	0.776	0.879	0.942	0.976
	8	0.100	0.211	0.373	0.561	0.736	0.867	0.944	0.981	0.995
	10	0.100	0.221	0.398	0.600	0.777	0.899	0.963	0.989	0.998
	20	0.100	0.249	0.471	0.702	0.872	0.959	0.990	0.998	1.000
	200	0.100	0.298	0.587	0.834	0.957	0.993	0.999	1.000	1.000

ALPHA = 0.20		SIGMA SEI = 0.03		K = 5						
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.200	0.352	0.532	0.705	0.841	0.927	0.972	0.991	0.998
	3	0.200	0.378	0.587	0.774	0.900	0.965	0.990	0.998	1.000
	4	0.200	0.397	0.625	0.816	0.930	0.980	0.996	0.999	1.000
	5	0.200	0.412	0.653	0.844	0.948	0.988	0.998	1.000	1.000
	8	0.200	0.440	0.705	0.890	0.972	0.995	1.000	1.000	1.000
	10	0.200	0.452	0.725	0.906	0.979	0.997	1.000	1.000	1.000
	20	0.200	0.481	0.772	0.938	0.990	0.999	1.000	1.000	1.000
200	0.200	0.516	0.822	0.965	0.996	1.000	1.000	1.000	1.000	

ALPHA = 0.20			SIGMA SEI = 0.03			K = 8					
			H								
			0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.200	0.364	0.559	0.739	0.872	0.948	0.983	0.996	0.999	
	3	0.200	0.396	0.624	0.815	0.930	0.980	0.996	0.999	1.000	
	4	0.200	0.421	0.670	0.860	0.958	0.991	0.999	1.000	1.000	
	5	0.200	0.440	0.705	0.890	0.972	0.995	1.000	1.000	1.000	
	8	0.200	0.479	0.770	0.937	0.990	0.999	1.000	1.000	1.000	
	10	0.200	0.497	0.796	0.951	0.994	1.000	1.000	1.000	1.000	
	20	0.200	0.543	0.855	0.978	0.998	1.000	1.000	1.000	1.000	
	200	0.200	0.605	0.915	0.993	1.000	1.000	1.000	1.000	1.000	

ALPHA =		0.20		SIGMA SEI =		0.03		K = 10		
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.200	0.369	0.568	0.752	0.882	0.955	0.986	0.997	0.999
	3	0.200	0.404	0.638	0.829	0.939	0.984	0.997	1.000	1.000
	4	0.200	0.430	0.688	0.876	0.966	0.994	0.999	1.000	1.000
	5	0.200	0.452	0.725	0.906	0.979	0.997	1.000	1.000	1.000
	8	0.200	0.497	0.796	0.951	0.994	1.000	1.000	1.000	1.000
	10	0.200	0.518	0.824	0.965	0.997	1.000	1.000	1.000	1.000
	20	0.200	0.573	0.887	0.987	0.999	1.000	1.000	1.000	1.000
200	0.200	0.652	0.948	0.998	1.000	1.000	1.000	1.000	1.000	

TABLE 5 - CONTINUED

ALPHA = 0.20		SIGMA SEI = 0.03		K = 12						
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.200	0.372	0.575	0.760	0.889	0.959	0.988	0.997	0.999
	3	0.200	0.409	0.648	0.839	0.945	0.987	0.998	1.000	1.000
	4	0.200	0.437	0.701	0.887	0.971	0.995	0.999	1.000	1.000
	5	0.200	0.461	0.740	0.917	0.983	0.998	1.000	1.000	1.000
	8	0.200	0.510	0.814	0.961	0.996	1.000	1.000	1.000	1.000
	10	0.200	0.534	0.844	0.974	0.998	1.000	1.000	1.000	1.000
	20	0.200	0.598	0.909	0.992	1.000	1.000	1.000	1.000	1.000
	200	0.200	0.693	0.968	0.999	1.000	1.000	1.000	1.000	1.000

ALPHA = 0.20		SIGMA SEI = 0.06		K = 5						
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.200	0.301	0.420	0.546	0.668	0.774	0.858	0.918	0.956
	3	0.200	0.318	0.458	0.604	0.736	0.841	0.914	0.958	0.982
	4	0.200	0.330	0.486	0.643	0.779	0.879	0.942	0.976	0.991
	5	0.200	0.340	0.506	0.671	0.808	0.903	0.958	0.984	0.995
	8	0.200	0.358	0.546	0.724	0.858	0.939	0.979	0.994	0.999
	10	0.200	0.366	0.562	0.744	0.876	0.951	0.984	0.996	0.999
	20	0.200	0.385	0.602	0.791	0.913	0.972	0.993	0.999	1.000
	200	0.200	0.409	0.649	0.840	0.946	0.987	0.998	1.000	1.000

ALPHA =		0.20		SIGMA SEI =		0.06		K =		8	
		H									
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16	
N	2	0.200	0.309	0.438	0.574	0.702	0.808	0.888	0.940	0.971	
	3	0.200	0.330	0.485	0.642	0.777	0.878	0.941	0.975	0.991	
	4	0.200	0.346	0.519	0.689	0.826	0.916	0.966	0.988	0.997	
	5	0.200	0.358	0.546	0.724	0.858	0.939	0.979	0.994	0.999	
	8	0.200	0.384	0.600	0.788	0.911	0.971	0.993	0.999	1.000	
	10	0.200	0.396	0.623	0.814	0.929	0.980	0.996	0.999	1.000	
	20	0.200	0.427	0.683	0.872	0.963	0.993	0.999	1.000	1.000	
	200	0.200	0.471	0.757	0.928	0.987	0.999	1.000	1.000	1.000	

ALPHA =		0.20		SIGMA SEI =		0.06		K = 10		
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.200	0.312	0.445	0.584	0.714	0.820	0.897	0.947	0.976
	3	0.200	0.335	0.495	0.656	0.793	0.891	0.950	0.980	0.993
	4	0.200	0.352	0.533	0.707	0.843	0.929	0.973	0.992	0.998
	5	0.200	0.366	0.562	0.744	0.876	0.951	0.984	0.996	0.999
	8	0.200	0.396	0.623	0.814	0.929	0.980	0.996	0.999	1.000
	10	0.200	0.410	0.650	0.841	0.947	0.987	0.998	1.000	1.000
	20	0.200	0.448	0.720	0.902	0.977	0.997	1.000	1.000	1.000
	200	0.200	0.505	0.808	0.958	0.995	1.000	1.000	1.000	1.000

TABLE 5 - CONTINUED

ALPHA = 0.20		SIGMA SEI = 0.06			K = 12					
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.200	0.314	0.450	0.591	0.722	0.828	0.904	0.952	0.978
	3	0.200	0.338	0.502	0.666	0.803	0.899	0.955	0.983	0.995
	4	0.200	0.357	0.543	0.719	0.854	0.937	0.977	0.993	0.998
	5	0.200	0.372	0.575	0.759	0.888	0.958	0.988	0.997	0.999
	8	0.200	0.405	0.641	0.832	0.941	0.985	0.997	1.000	1.000
	10	0.200	0.421	0.671	0.861	0.958	0.991	0.999	1.000	1.000
	20	0.200	0.466	0.748	0.923	0.985	0.998	1.000	1.000	1.000
200	0.200	0.536	0.847	0.975	0.998	1.000	1.000	1.000	1.000	

ALPHA = 0.20		SIGMA SEI = 0.08			K = 5					
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.200	0.280	0.372	0.472	0.575	0.672	0.759	0.831	0.888
	3	0.200	0.293	0.402	0.520	0.635	0.740	0.826	0.891	0.937
	4	0.200	0.303	0.424	0.553	0.676	0.783	0.865	0.924	0.960
	5	0.200	0.310	0.440	0.577	0.705	0.812	0.891	0.942	0.973
	8	0.200	0.324	0.472	0.624	0.758	0.861	0.930	0.968	0.988
	10	0.200	0.330	0.485	0.643	0.779	0.879	0.942	0.976	0.991
	20	0.200	0.345	0.518	0.688	0.825	0.916	0.966	0.988	0.997
200	0.200	0.364	0.558	0.738	0.871	0.948	0.983	0.996	0.999	

ALPHA = 0.20		SIGMA SEI = 0.08			K = 8					
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.200	0.286	0.386	0.495	0.604	0.705	0.793	0.863	0.914
	3	0.200	0.302	0.423	0.551	0.675	0.781	0.864	0.923	0.960
	4	0.200	0.315	0.450	0.592	0.723	0.829	0.905	0.952	0.979
	5	0.200	0.324	0.472	0.624	0.758	0.861	0.930	0.968	0.988
	8	0.200	0.345	0.516	0.685	0.822	0.914	0.965	0.988	0.996
	10	0.200	0.354	0.536	0.711	0.847	0.932	0.975	0.992	0.998
	20	0.200	0.378	0.587	0.774	0.900	0.965	0.990	0.998	1.000
200	0.200	0.412	0.655	0.845	0.949	0.988	0.998	1.000	1.000	

ALPHA = 0.20		SIGMA SEI = 0.08			K = 10					
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.200	0.288	0.392	0.503	0.615	0.718	0.805	0.873	0.923
	3	0.200	0.306	0.431	0.564	0.690	0.796	0.877	0.933	0.966
	4	0.200	0.319	0.461	0.608	0.741	0.846	0.918	0.961	0.984
	5	0.200	0.330	0.485	0.643	0.779	0.879	0.942	0.976	0.991
	8	0.200	0.354	0.536	0.711	0.847	0.932	0.975	0.992	0.998
	10	0.200	0.364	0.559	0.740	0.873	0.949	0.983	0.996	0.999
	20	0.200	0.394	0.620	0.810	0.927	0.979	0.995	0.999	1.000
200	0.200	0.440	0.704	0.890	0.972	0.995	1.000	1.000	1.000	

TABLE 5 - CONTINUED

ALPHA =		0.20		SIGMA SEI =		0.08		K = 12		
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.200	0.290	0.396	0.509	0.622	0.726	0.813	0.880	0.929
	3	0.200	0.309	0.437	0.573	0.700	0.807	0.886	0.939	0.971
	4	0.200	0.323	0.469	0.620	0.754	0.858	0.927	0.967	0.987
	5	0.200	0.335	0.495	0.657	0.793	0.891	0.950	0.980	0.993
	8	0.200	0.361	0.551	0.730	0.864	0.943	0.981	0.995	0.999
	10	0.200	0.373	0.577	0.761	0.890	0.960	0.988	0.997	1.000
	20	0.200	0.408	0.646	0.838	0.944	0.986	0.998	1.000	1.000
	200	0.200	0.464	0.746	0.921	0.985	0.998	1.000	1.000	1.000

ALPHA = 0.30		SIGMA SEI = 0.03			K = 5					
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.300	0.479	0.662	0.813	0.913	0.966	0.989	0.997	0.999
	3	0.300	0.507	0.712	0.864	0.949	0.985	0.997	0.999	1.000
	4	0.300	0.526	0.744	0.894	0.967	0.992	0.999	1.000	1.000
	5	0.300	0.541	0.767	0.912	0.976	0.995	0.999	1.000	1.000
	8	0.300	0.569	0.808	0.941	0.988	0.998	1.000	1.000	1.000
	10	0.300	0.580	0.823	0.951	0.991	0.999	1.000	1.000	1.000
	20	0.300	0.608	0.858	0.969	0.996	1.000	1.000	1.000	1.000
	200	0.300	0.640	0.893	0.983	0.999	1.000	1.000	1.000	1.000

ALPHA =		0.30		SIGMA SEI =		0.03		K =		8	
		H									
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16	
N	2	0.300	0.491	0.684	0.836	0.931	0.976	0.994	0.999	1.000	
	3	0.300	0.525	0.741	0.891	0.966	0.992	0.999	1.000	1.000	
	4	0.300	0.549	0.780	0.922	0.981	0.997	1.000	1.000	1.000	
	5	0.300	0.569	0.808	0.941	0.988	0.998	1.000	1.000	1.000	
	8	0.300	0.607	0.857	0.969	0.996	1.000	1.000	1.000	1.000	
	10	0.300	0.624	0.876	0.977	0.998	1.000	1.000	1.000	1.000	
	20	0.300	0.666	0.917	0.990	0.999	1.000	1.000	1.000	1.000	
	200	0.300	0.721	0.955	0.997	1.000	1.000	1.000	1.000	1.000	

ALPHA =		0.30		SIGMA SEI =		0.03		K = 10		
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.300	0.495	0.692	0.845	0.937	0.979	0.995	0.999	1.000
	3	0.300	0.532	0.753	0.901	0.971	0.994	0.999	1.000	1.000
	4	0.300	0.559	0.794	0.932	0.985	0.998	1.000	1.000	1.000
	5	0.300	0.580	0.823	0.951	0.991	0.999	1.000	1.000	1.000
	8	0.300	0.624	0.876	0.977	0.998	1.000	1.000	1.000	1.000
	10	0.300	0.643	0.896	0.984	0.999	1.000	1.000	1.000	1.000
	20	0.300	0.694	0.938	0.995	1.000	1.000	1.000	1.000	1.000
200	0.300	0.761	0.974	0.999	1.000	1.000	1.000	1.000	1.000	

TABLE 5 - CONTINUED

ALPHA = 0.30 SIGMA SEI = 0.03 K = 12									
	H								
	0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
2	0.300	0.499	0.697	0.850	0.940	0.981	0.995	0.999	1.000
3	0.300	0.537	0.761	0.907	0.974	0.995	0.999	1.000	1.000
4	0.300	0.566	0.804	0.939	0.987	0.998	1.000	1.000	1.000
N 5	0.300	0.588	0.834	0.957	0.993	0.999	1.000	1.000	1.000
8	0.300	0.636	0.889	0.982	0.998	1.000	1.000	1.000	1.000
10	0.300	0.658	0.909	0.988	0.999	1.000	1.000	1.000	1.000
20	0.300	0.715	0.952	0.997	1.000	1.000	1.000	1.000	1.000
200	0.300	0.794	0.985	1.000	1.000	1.000	1.000	1.000	1.000

ALPHA = 0.30 SIGMA SEI = 0.06 K = 5									
	H								
	0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
2	0.300	0.422	0.551	0.676	0.783	0.866	0.924	0.961	0.982
3	0.300	0.441	0.589	0.726	0.836	0.912	0.958	0.982	0.993
4	0.300	0.454	0.616	0.759	0.867	0.936	0.973	0.990	0.997
N 5	0.300	0.464	0.635	0.782	0.888	0.950	0.981	0.994	0.998
8	0.300	0.484	0.671	0.823	0.921	0.971	0.991	0.998	1.000
10	0.300	0.492	0.685	0.838	0.932	0.977	0.994	0.999	1.000
20	0.300	0.511	0.720	0.872	0.954	0.987	0.997	1.000	1.000
200	0.300	0.535	0.758	0.905	0.973	0.994	0.999	1.000	1.000

ALPHA = 0.30 SIGMA SEI = 0.06 K = 8									
	H								
	0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
2	0.300	0.430	0.568	0.698	0.807	0.888	0.941	0.972	0.988
3	0.300	0.453	0.614	0.756	0.865	0.934	0.972	0.990	0.997
4	0.300	0.470	0.646	0.795	0.899	0.958	0.985	0.996	0.999
N 5	0.300	0.484	0.671	0.823	0.921	0.971	0.991	0.998	1.000
8	0.300	0.511	0.719	0.871	0.954	0.987	0.997	1.000	1.000
10	0.300	0.523	0.739	0.889	0.964	0.991	0.999	1.000	1.000
20	0.300	0.554	0.788	0.928	0.983	0.997	1.000	1.000	1.000
200	0.300	0.597	0.845	0.963	0.995	1.000	1.000	1.000	1.000

ALPHA = 0.30 SIGMA SEI = 0.06 K = 10									
	H								
	0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
2	0.300	0.433	0.574	0.706	0.815	0.895	0.946	0.975	0.990
3	0.300	0.458	0.623	0.768	0.875	0.942	0.977	0.992	0.998
4	0.300	0.477	0.658	0.809	0.910	0.965	0.988	0.997	0.999
N 5	0.300	0.492	0.685	0.838	0.932	0.977	0.994	0.999	1.000
8	0.300	0.523	0.739	0.889	0.964	0.991	0.999	1.000	1.000
10	0.300	0.537	0.761	0.908	0.974	0.995	0.999	1.000	1.000
20	0.300	0.575	0.817	0.947	0.990	0.999	1.000	1.000	1.000
200	0.300	0.630	0.882	0.979	0.998	1.000	1.000	1.000	1.000

TABLE 5 - CONTINUED

ALPHA =		0.30		SIGMA SEI =		0.06		K = 12		
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.300	0.435	0.578	0.712	0.821	0.900	0.950	0.977	0.991
	3	0.300	0.461	0.629	0.776	0.882	0.947	0.979	0.993	0.998
	4	0.300	0.481	0.667	0.818	0.917	0.969	0.990	0.998	1.000
	5	0.300	0.498	0.696	0.849	0.939	0.981	0.995	0.999	1.000
	8	0.300	0.532	0.754	0.902	0.971	0.994	0.999	1.000	1.000
	10	0.300	0.548	0.778	0.921	0.980	0.997	1.000	1.000	1.000
	20	0.300	0.592	0.839	0.960	0.994	0.999	1.000	1.000	1.000
	200	0.300	0.659	0.910	0.989	0.999	1.000	1.000	1.000	1.000

ALPHA =		0.30		SIGMA SEI =		0.08		K =		5	
		H									
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16	
N	2	0.300	0.397	0.501	0.605	0.702	0.786	0.854	0.906	0.943	
	3	0.300	0.412	0.532	0.649	0.754	0.838	0.902	0.944	0.971	
	4	0.300	0.423	0.554	0.679	0.787	0.870	0.927	0.963	0.983	
	5	0.300	0.431	0.570	0.701	0.810	0.890	0.943	0.973	0.989	
	8	0.300	0.446	0.601	0.740	0.850	0.923	0.965	0.986	0.995	
	10	0.300	0.453	0.613	0.756	0.864	0.934	0.972	0.990	0.997	
	20	0.300	0.469	0.643	0.792	0.896	0.956	0.984	0.995	0.999	
	200	0.300	0.488	0.678	0.831	0.927	0.974	0.993	0.998	1.000	

ALPHA = 0.30		SIGMA SEI = 0.08			K = 8					
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.300	0.404	0.514	0.624	0.725	0.810	0.876	0.925	0.957
	3	0.300	0.422	0.552	0.677	0.784	0.867	0.925	0.962	0.982
	4	0.300	0.436	0.580	0.713	0.823	0.901	0.951	0.978	0.991
	5	0.300	0.446	0.601	0.740	0.850	0.923	0.965	0.986	0.995
	8	0.300	0.468	0.643	0.791	0.895	0.955	0.984	0.995	0.999
	10	0.300	0.478	0.661	0.812	0.912	0.966	0.989	0.997	0.999
	20	0.300	0.503	0.706	0.859	0.946	0.984	0.996	0.999	1.000
	200	0.300	0.538	0.763	0.909	0.975	0.995	0.999	1.000	1.000

ALPHA = 0.30		SIGMA SEI = 0.08			K = 10					
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.300	0.406	0.519	0.631	0.733	0.818	0.884	0.931	0.962
	3	0.300	0.426	0.560	0.687	0.795	0.878	0.933	0.967	0.985
	4	0.300	0.441	0.590	0.727	0.836	0.912	0.958	0.982	0.993
	5	0.300	0.453	0.613	0.756	0.864	0.934	0.972	0.990	0.997
	8	0.300	0.478	0.661	0.812	0.912	0.966	0.989	0.997	0.999
	10	0.300	0.489	0.681	0.834	0.929	0.975	0.993	0.998	1.000
	20	0.300	0.521	0.735	0.886	0.962	0.991	0.998	1.000	1.000
	200	0.300	0.566	0.804	0.939	0.987	0.998	1.000	1.000	1.000

TABLE 5 - CONTINUED

ALPHA = 0.30		SIGMA SEI = 0.08		K = 12						
		H								
		0.00	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16
N	2	0.300	0.408	0.523	0.636	0.739	0.824	0.889	0.935	0.964
	3	0.300	0.429	0.565	0.695	0.803	0.885	0.939	0.970	0.987
	4	0.300	0.445	0.597	0.736	0.845	0.920	0.963	0.985	0.995
	5	0.300	0.458	0.622	0.767	0.875	0.941	0.976	0.992	0.998
	8	0.300	0.485	0.674	0.826	0.923	0.972	0.992	0.998	1.000
	10	0.300	0.498	0.697	0.850	0.940	0.981	0.995	0.999	1.000
	20	0.300	0.534	0.757	0.905	0.973	0.994	0.999	1.000	1.000
200	0.300	0.590	0.836	0.958	0.994	0.999	1.000	1.000	1.000	

TABLE 6

POWER OF THE TEST OF HYPOTHESIS IN II AS RELATED TO F_0
FOR THE COMPLIANCE TEST
(SIGMA U AND SIGMA Z UNKNOWN AND ASSUMED TO BE EQUAL)

LAMBDA = 0.025 SIGMA(COR) = 0.04 B = 1
NOTE: "*****" IMPLIES THAT HMAX IS NEGATIVE.

ALPHA = 0.05 SIGMA(SEI) = 0.03 $F_0 = 1.3$ K = 5

N	FLSIGWHAT*	HMAX	POWER
2	1.218	0.039	0.204
3	1.205	0.053	0.358
4	1.196	0.065	0.544
5	1.189	0.077	0.722
8	1.177	0.112	0.979
10	1.172	0.135	0.999
20	1.160	0.247	1.000
200	1.147	2.234	1.000

ALPHA = 0.05 SIGMA(SEI) = 0.03 $F_0 = 1.3$ K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.189	0.048	0.300
3	1.184	0.056	0.451
4	1.180	0.063	0.607
5	1.177	0.070	0.746
8	1.170	0.092	0.966
10	1.167	0.106	0.995
20	1.158	0.175	1.000
200	1.147	1.417	1.000

ALPHA = 0.05 SIGMA(SEI) = 0.03 $F_0 = 1.3$ K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.180	0.050	0.333
3	1.177	0.056	0.482
4	1.174	0.062	0.628
5	1.172	0.068	0.755
8	1.167	0.084	0.961
10	1.164	0.096	0.993
20	1.158	0.151	1.000
200	1.147	1.144	1.000

$$*FLSIGWHAT = F_{\lambda}(\sigma_W^2)$$

TABLE 6 - CONTINUED

ALPHA = 0.05 SIGMA(SEI) = 0.03 F0 = 1.3 K = 12

N	FLSIGWHAT	HMAX	POWER
2	1.174	0.052	0.355
3	1.172	0.056	0.503
4	1.170	0.061	0.642
5	1.168	0.066	0.761
8	1.164	0.080	0.957
10	1.162	0.089	0.991
20	1.157	0.135	1.000
200	1.147	0.963	1.000

ALPHA = 0.05 SIGMA(SEI) = 0.03 F0 = 1.4 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.218	0.084	0.538
3	1.205	0.104	0.808
4	1.196	0.123	0.950
5	1.189	0.142	0.992
8	1.177	0.196	1.000
10	1.172	0.232	1.000
20	1.160	0.408	1.000
200	1.147	3.553	1.000

ALPHA = 0.05 SIGMA(SEI) = 0.03 F0 = 1.4 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.189	0.089	0.656
3	1.184	0.100	0.859
4	1.180	0.111	0.958
5	1.177	0.123	0.991
8	1.170	0.156	1.000
10	1.167	0.178	1.000
20	1.158	0.288	1.000
200	1.147	2.254	1.000

ALPHA = 0.05 SIGMA(SEI) = 0.03 F0 = 1.4 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.180	0.089	0.690
3	1.177	0.098	0.873
4	1.174	0.107	0.960
5	1.172	0.116	0.991
8	1.167	0.142	1.000
10	1.164	0.160	1.000
20	1.158	0.248	1.000
200	1.147	1.820	1.000

TABLE 6 - CONTINUED

ALPHA = 0.05 SIGMA(SEI) = 0.03 FO = 1.4 K = 12

N	FLSIGWHAT *	HMAX	POWER
2	1.174	0.089	0.710
3	1.172	0.097	0.882
4	1.170	0.104	0.962
5	1.168	0.111	0.990
8	1.164	0.133	1.000
10	1.162	0.148	1.000
20	1.157	0.221	1.000
200	1.147	1.532	1.000

ALPHA = 0.05 SIGMA(SEI) = 0.03 FO = 1.5 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.218	0.126	0.826
3	1.205	0.152	0.977
4	1.196	0.177	0.999
5	1.189	0.202	1.000
8	1.177	0.274	1.000
10	1.172	0.322	1.000
20	1.160	0.558	1.000
200	1.147	4.782	1.000

ALPHA = 0.05 SIGMA(SEI) = 0.03 FO = 1.5 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.189	0.126	0.896
3	1.184	0.141	0.986
4	1.180	0.156	0.999
5	1.177	0.171	1.000
8	1.170	0.216	1.000
10	1.167	0.245	1.000
20	1.158	0.393	1.000
200	1.147	3.033	1.000

ALPHA = 0.05 SIGMA(SEI) = 0.03 FO = 1.5 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.180	0.125	0.912
3	1.177	0.137	0.988
4	1.174	0.149	0.999
5	1.172	0.161	1.000
8	1.167	0.196	1.000
10	1.164	0.220	1.000
20	1.158	0.338	1.000
200	1.147	2.450	1.000

*FLSIGWHAT = $F_{\lambda}(\sigma_{\hat{W}})$

TABLE 6 - CONTINUED

ALPHA = 0.05 SIGMA(SEI) = 0.03 F0 = 1.5 K = 12

N	FLSIGWHAT *	HMAX	POWER
2	1.174	0.124	0.921
3	1.172	0.134	0.989
4	1.170	0.144	0.999
5	1.168	0.154	1.000
8	1.164	0.183	1.000
10	1.162	0.203	1.000
20	1.157	0.301	1.000
200	1.147	2.061	1.000

ALPHA = 0.05 SIGMA(SEI) = 0.03 F0 = 1.6 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.218	0.166	0.957
3	1.205	0.197	0.999
4	1.196	0.228	1.000
5	1.189	0.258	1.000
8	1.177	0.347	1.000
10	1.172	0.406	1.000
20	1.160	0.698	1.000
200	1.147	5.931	1.000

ALPHA = 0.05 SIGMA(SEI) = 0.03 F0 = 1.6 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.189	0.161	0.980
3	1.184	0.180	0.999
4	1.180	0.198	1.000
5	1.177	0.217	1.000
8	1.170	0.272	1.000
10	1.167	0.308	1.000
20	1.158	0.491	1.000
200	1.147	3.761	1.000

ALPHA = 0.05 SIGMA(SEI) = 0.03 F0 = 1.6 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.180	0.159	0.984
3	1.177	0.173	0.999
4	1.174	0.188	1.000
5	1.172	0.203	1.000
8	1.167	0.247	1.000
10	1.164	0.276	1.000
20	1.158	0.422	1.000
200	1.147	3.038	1.000

TABLE 6 - CONTINUED

ALPHA = 0.05 SIGMA(SEI) = 0.03 F0 = 1.6 K = 12

N	FLSIGWHAT *	HMAX	POWER
2	1.174	0.157	0.987
3	1.172	0.169	1.000
4	1.170	0.181	1.000
5	1.168	0.193	1.000
8	1.164	0.230	1.000
10	1.162	0.254	1.000
20	1.157	0.376	1.000
200	1.147	2.556	1.000

ALPHA = 0.05 SIGMA(SEI) = 0.06 F0 = 1.4 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.444	*****	*****
3	1.418	*****	*****
4	1.401	*****	*****
5	1.388	0.007	0.067
8	1.366	0.028	0.157
10	1.357	0.041	0.253
20	1.336	0.101	0.858
200	1.314	1.131	1.000

ALPHA = 0.05 SIGMA(SEI) = 0.06 F0 = 1.4 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.388	0.005	0.058
3	1.379	0.009	0.070
4	1.372	0.013	0.087
5	1.366	0.018	0.107
8	1.353	0.029	0.192
10	1.348	0.037	0.272
20	1.333	0.074	0.772
200	1.314	0.718	1.000

ALPHA = 0.05 SIGMA(SEI) = 0.06 F0 = 1.4 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.372	0.011	0.071
3	1.366	0.014	0.086
4	1.361	0.017	0.103
5	1.357	0.020	0.124
8	1.348	0.030	0.208
10	1.344	0.036	0.281
20	1.332	0.065	0.735
200	1.314	0.580	1.000

$$*FLSIGWHAT = F_{\lambda}(\sigma_{\hat{W}})$$

TABLE 6 - CONTINUED

ALPHA = 0.05 SIGMA(SEI) = 0.06 F0 = 1.4 K = 12

N	FLSIGWHAT	HMAX	POWER
2	1.361	0.014	0.081
3	1.357	0.017	0.097
4	1.353	0.020	0.116
5	1.350	0.022	0.137
8	1.344	0.030	0.219
10	1.340	0.035	0.288
20	1.330	0.059	0.708
200	1.314	0.488	1.000

ALPHA = 0.05 SIGMA(SEI) = 0.06 F0 = 1.5 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.444	0.023	0.095
3	1.418	0.039	0.163
4	1.401	0.054	0.260
5	1.388	0.067	0.384
8	1.366	0.106	0.779
10	1.357	0.131	0.931
20	1.336	0.251	1.000
200	1.314	2.360	1.000

ALPHA = 0.05 SIGMA(SEI) = 0.06 F0 = 1.5 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.388	0.042	0.166
3	1.379	0.050	0.245
4	1.372	0.058	0.340
5	1.366	0.066	0.447
8	1.353	0.089	0.761
10	1.348	0.104	0.899
20	1.333	0.179	1.000
200	1.314	1.497	1.000

ALPHA = 0.05 SIGMA(SEI) = 0.06 F0 = 1.5 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.372	0.047	0.193
3	1.366	0.053	0.275
4	1.361	0.059	0.368
5	1.357	0.065	0.469
8	1.348	0.084	0.756
10	1.344	0.096	0.886
20	1.332	0.155	1.000
200	1.314	1.209	1.000

TABLE 6 - CONTINUED

ALPHA = 0.05 SIGMA(SEI) = 0.06 F0 = 1.5 K = 12

N	FLSIGWHAT*	HMAX	POWER
2	1.361	0.049	0.212
3	1.357	0.054	0.296
4	1.353	0.060	0.388
5	1.350	0.065	0.485
8	1.344	0.080	0.753
10	1.340	0.090	0.876
20	1.330	0.139	1.000
200	1.314	1.017	1.000

ALPHA = 0.05 SIGMA(SEI) = 0.06 F0 = 1.6 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.444	0.063	0.228
3	1.418	0.084	0.409
4	1.401	0.104	0.615
5	1.388	0.123	0.794
8	1.366	0.179	0.992
10	1.357	0.215	1.000
20	1.336	0.391	1.000
200	1.314	3.509	1.000

ALPHA = 0.05 SIGMA(SEI) = 0.06 F0 = 1.6 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.388	0.077	0.342
3	1.379	0.089	0.514
4	1.372	0.100	0.681
5	1.366	0.112	0.816
8	1.353	0.145	0.985
10	1.348	0.168	0.999
20	1.333	0.277	1.000
200	1.314	2.226	1.000

ALPHA = 0.05 SIGMA(SEI) = 0.06 F0 = 1.6 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.372	0.080	0.380
3	1.366	0.089	0.548
4	1.361	0.098	0.702
5	1.357	0.107	0.823
8	1.348	0.134	0.982
10	1.344	0.152	0.998
20	1.332	0.239	1.000
200	1.314	1.798	1.000

*FLSIGWHAT = $F_{\lambda}(\sigma_{\hat{W}})$

TABLE 6 - CONTINUED

ALPHA = 0.05 SIGMA(SEI) = 0.06 F0 = 1.6 K = 12

N	FLSIGWHAT	HMAX	POWER
2	1.361	0.082	0.405
3	1.357	0.089	0.570
4	1.353	0.097	0.715
5	1.350	0.104	0.828
8	1.344	0.126	0.980
10	1.340	0.141	0.997
20	1.330	0.214	1.000
200	1.314	1.513	1.000

ALPHA = 0.10 SIGMA(SEI) = 0.03 F0 = 1.3 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.218	0.039	0.338
3	1.205	0.053	0.524
4	1.196	0.065	0.707
5	1.189	0.077	0.849
8	1.177	0.112	0.994
10	1.172	0.135	1.000
20	1.160	0.247	1.000
200	1.147	2.234	1.000

ALPHA = 0.10 SIGMA(SEI) = 0.03 F0 = 1.3 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.189	0.048	0.451
3	1.184	0.056	0.613
4	1.180	0.063	0.755
5	1.177	0.070	0.861
8	1.170	0.092	0.988
10	1.167	0.106	0.999
20	1.158	0.175	1.000
200	1.147	1.417	1.000

ALPHA = 0.10 SIGMA(SEI) = 0.03 F0 = 1.3 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.180	0.050	0.486
3	1.177	0.056	0.641
4	1.174	0.062	0.769
5	1.172	0.068	0.865
8	1.167	0.084	0.986
10	1.164	0.096	0.998
20	1.158	0.151	1.000
200	1.147	1.144	1.000

TABLE 6 - CONTINUED

ALPHA = 0.10 SIGMA(SEI) = 0.03 F0 = 1.3 K = 12

N	FLSIGWHAT*	HMAX	POWER
2	1.174	0.052	0.509
3	1.172	0.056	0.658
4	1.170	0.061	0.779
5	1.168	0.066	0.868
8	1.164	0.080	0.983
10	1.162	0.089	0.997
20	1.157	0.135	1.000
200	1.147	0.963	1.000

ALPHA = 0.10 SIGMA(SEI) = 0.03 F0 = 1.4 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.218	0.084	0.713
3	1.205	0.104	0.913
4	1.196	0.123	0.984
5	1.189	0.142	0.998
8	1.177	0.196	1.000
10	1.172	0.232	1.000
20	1.160	0.408	1.000
200	1.147	3.553	1.000

ALPHA = 0.10 SIGMA(SEI) = 0.03 F0 = 1.4 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.189	0.089	0.799
3	1.184	0.100	0.937
4	1.180	0.111	0.986
5	1.177	0.123	0.998
8	1.170	0.156	1.000
10	1.167	0.178	1.000
20	1.158	0.288	1.000
200	1.147	2.254	1.000

ALPHA = 0.10 SIGMA(SEI) = 0.03 F0 = 1.4 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.180	0.089	0.821
3	1.177	0.098	0.943
4	1.174	0.107	0.986
5	1.172	0.116	0.997
8	1.167	0.142	1.000
10	1.164	0.160	1.000
20	1.158	0.248	1.000
200	1.147	1.820	1.000

*FLSIGWHAT = $F_{\lambda}(\hat{\sigma}_W)$

TABLE 6 - CONTINUED

ALPHA = 0.10 SIGMA(SEI) = 0.03 F0 = 1.4 K = 12

N	FLSIGWHAT	HMAX	POWER
2	1.174	0.089	0.834
3	1.172	0.097	0.946
4	1.170	0.104	0.986
5	1.168	0.111	0.997
8	1.164	0.133	1.000
10	1.162	0.148	1.000
20	1.157	0.221	1.000
200	1.147	1.532	1.000

ALPHA = 0.10 SIGMA(SEI) = 0.03 F0 = 1.5 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.218	0.126	0.929
3	1.205	0.152	0.995
4	1.196	0.177	1.000
5	1.189	0.202	1.000
8	1.177	0.274	1.000
10	1.172	0.322	1.000
20	1.160	0.558	1.000
200	1.147	4.782	1.000

ALPHA = 0.10 SIGMA(SEI) = 0.03 F0 = 1.5 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.189	0.126	0.958
3	1.184	0.141	0.996
4	1.180	0.156	1.000
5	1.177	0.171	1.000
8	1.170	0.216	1.000
10	1.167	0.245	1.000
20	1.158	0.393	1.000
200	1.147	3.033	1.000

ALPHA = 0.10 SIGMA(SEI) = 0.03 F0 = 1.5 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.180	0.125	0.965
3	1.177	0.137	0.997
4	1.174	0.149	1.000
5	1.172	0.161	1.000
8	1.167	0.196	1.000
10	1.164	0.220	1.000
20	1.158	0.338	1.000
200	1.147	2.450	1.000

TABLE 6 - CONTINUED

ALPHA = 0.10 SIGMA(SEI) = 0.03 F0 = 1.5 K = 12

N	FLSIGWHAT *	HMAX	POWER
2	1.174	0.124	0.968
3	1.172	0.134	0.997
4	1.170	0.144	1.000
5	1.168	0.154	1.000
8	1.164	0.183	1.000
10	1.162	0.203	1.000
20	1.157	0.301	1.000
200	1.147	2.061	1.000

ALPHA = 0.10 SIGMA(SEI) = 0.03 F0 = 1.6 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.218	0.166	0.990
3	1.205	0.197	1.000
4	1.196	0.228	1.000
5	1.189	0.258	1.000
8	1.177	0.347	1.000
10	1.172	0.406	1.000
20	1.160	0.698	1.000
200	1.147	5.931	1.000

ALPHA = 0.10 SIGMA(SEI) = 0.03 F0 = 1.6 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.189	0.161	0.995
3	1.184	0.180	1.000
4	1.180	0.198	1.000
5	1.177	0.217	1.000
8	1.170	0.272	1.000
10	1.167	0.308	1.000
20	1.158	0.491	1.000
200	1.147	3.761	1.000

ALPHA = 0.10 SIGMA(SEI) = 0.03 F0 = 1.6 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.180	0.159	0.996
3	1.177	0.173	1.000
4	1.174	0.188	1.000
5	1.172	0.203	1.000
8	1.167	0.247	1.000
10	1.164	0.276	1.000
20	1.158	0.422	1.000
200	1.147	3.038	1.000

*FLSIGWHAT = $F_{\lambda}(\sigma_W^2)$

TABLE 6 - CONTINUED

ALPHA = 0.10 SIGMA(SEI) = 0.03 F0 = 1.6 K = 12

N	FLSIGWHAT	HMAX	POWER
2	1.174	0.157	0.996
3	1.172	0.169	1.000
4	1.170	0.181	1.000
5	1.168	0.193	1.000
8	1.164	0.230	1.000
10	1.162	0.254	1.000
20	1.157	0.376	1.000
200	1.147	2.556	1.000

ALPHA = 0.10 SIGMA(SEI) = 0.06 F0 = 1.4 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.444	*****	*****
3	1.418	*****	*****
4	1.401	*****	*****
5	1.388	0.007	0.130
8	1.366	0.028	0.266
10	1.357	0.041	0.389
20	1.336	0.101	0.929
200	1.314	1.131	1.000

ALPHA = 0.10 SIGMA(SEI) = 0.06 F0 = 1.4 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.388	0.005	0.114
3	1.379	0.009	0.135
4	1.372	0.013	0.161
5	1.366	0.018	0.192
8	1.353	0.029	0.312
10	1.348	0.037	0.410
20	1.333	0.074	0.872
200	1.314	0.718	1.000

ALPHA = 0.10 SIGMA(SEI) = 0.06 F0 = 1.4 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.372	0.011	0.136
3	1.366	0.014	0.159
4	1.361	0.017	0.186
5	1.357	0.020	0.217
8	1.348	0.030	0.331
10	1.344	0.036	0.420
20	1.332	0.065	0.845
200	1.314	0.580	1.000

TABLE 6 - CONTINUED

ALPHA = 0.10 SIGMA(SEI) = 0.06 F0 = 1.4 K = 12

N	FLSIGWHAT *	HMAX	POWER
2	1.361	0.014	0.152
3	1.357	0.017	0.177
4	1.353	0.020	0.205
5	1.350	0.022	0.236
8	1.344	0.030	0.345
10	1.340	0.035	0.428
20	1.330	0.059	0.824
200	1.314	0.488	1.000

ALPHA = 0.10 SIGMA(SEI) = 0.06 F0 = 1.5 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.444	0.023	0.177
3	1.418	0.039	0.278
4	1.401	0.054	0.405
5	1.388	0.067	0.546
8	1.366	0.106	0.884
10	1.357	0.131	0.972
20	1.336	0.251	1.000
200	1.314	2.360	1.000

ALPHA = 0.10 SIGMA(SEI) = 0.06 F0 = 1.5 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.388	0.042	0.280
3	1.379	0.050	0.382
4	1.372	0.058	0.494
5	1.366	0.066	0.605
8	1.353	0.089	0.869
10	1.348	0.104	0.955
20	1.333	0.179	1.000
200	1.314	1.497	1.000

ALPHA = 0.10 SIGMA(SEI) = 0.06 F0 = 1.5 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.372	0.047	0.315
3	1.366	0.053	0.418
4	1.361	0.059	0.523
5	1.357	0.065	0.625
8	1.348	0.084	0.864
10	1.344	0.096	0.947
20	1.332	0.155	1.000
200	1.314	1.209	1.000

*FLSIGWHAT = $F_{\lambda}(\sigma_{\hat{W}})$

TABLE 6 - CONTINUED

ALPHA = 0.10 SIGMA(SEI) = 0.06 F0 = 1.5 K = 12

N	FLSIGWHAT	HMAX	POWER
2	1.361	0.049	0.338
3	1.357	0.054	0.441
4	1.353	0.060	0.542
5	1.350	0.065	0.639
8	1.344	0.080	0.860
10	1.340	0.090	0.941
20	1.330	0.139	1.000
200	1.314	1.017	1.000

ALPHA = 0.10 SIGMA(SEI) = 0.06 F0 = 1.6 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.444	0.063	0.370
3	1.418	0.084	0.580
4	1.401	0.104	0.770
5	1.388	0.123	0.899
8	1.366	0.179	0.998
10	1.357	0.215	1.000
20	1.336	0.391	1.000
200	1.314	3.509	1.000

ALPHA = 0.10 SIGMA(SEI) = 0.06 F0 = 1.6 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.388	0.077	0.500
3	1.379	0.089	0.675
4	1.372	0.100	0.814
5	1.366	0.112	0.908
8	1.353	0.145	0.996
10	1.348	0.168	1.000
20	1.333	0.277	1.000
200	1.314	2.226	1.000

ALPHA = 0.10 SIGMA(SEI) = 0.06 F0 = 1.6 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.372	0.080	0.538
3	1.366	0.089	0.702
4	1.361	0.098	0.827
5	1.357	0.107	0.911
8	1.348	0.134	0.994
10	1.344	0.152	1.000
20	1.332	0.239	1.000
200	1.314	1.798	1.000

TABLE 6 - CONTINUED

ALPHA = 0.10 SIGMA(SEI) = 0.06 F0 = 1.6 K = 12

N	FLSIGWHAT *	HMAX	POWER
2	1.361	0.082	0.562
3	1.357	0.089	0.719
4	1.353	0.097	0.835
5	1.350	0.104	0.913
8	1.344	0.126	0.993
10	1.340	0.141	0.999
20	1.330	0.214	1.000
200	1.314	1.513	1.000

ALPHA = 0.20 SIGMA(SEI) = 0.03 F0 = 1.3 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.218	0.039	0.526
3	1.205	0.053	0.712
4	1.196	0.065	0.854
5	1.189	0.077	0.939
8	1.177	0.112	0.999
10	1.172	0.135	1.000
20	1.160	0.247	1.000
200	1.147	2.234	1.000

ALPHA = 0.20 SIGMA(SEI) = 0.03 F0 = 1.3 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.189	0.048	0.638
3	1.184	0.056	0.780
4	1.180	0.063	0.881
5	1.177	0.070	0.943
8	1.170	0.092	0.997
10	1.167	0.106	1.000
20	1.158	0.175	1.000
200	1.147	1.417	1.000

ALPHA = 0.20 SIGMA(SEI) = 0.03 F0 = 1.3 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.180	0.050	0.669
3	1.177	0.056	0.799
4	1.174	0.062	0.889
5	1.172	0.068	0.944
8	1.167	0.084	0.996
10	1.164	0.096	1.000
20	1.158	0.151	1.000
200	1.147	1.144	1.000

*FLSIGWHAT = $F_{\lambda}(\sigma_{\hat{W}})$

TABLE 6 - CONTINUED

ALPHA = 0.20 SIGMA(SEI) = 0.03 F0 = 1.3 K = 12

N	FLSIGWHAT	HMAX	POWER
2	1.174	0.052	0.687
3	1.172	0.056	0.810
4	1.170	0.061	0.893
5	1.168	0.066	0.945
8	1.164	0.080	0.996
10	1.162	0.089	0.999
20	1.157	0.135	1.000
200	1.147	0.963	1.000

ALPHA = 0.20 SIGMA(SEI) = 0.03 F0 = 1.4 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.218	0.084	0.865
3	1.205	0.104	0.973
4	1.196	0.123	0.997
5	1.189	0.142	1.000
8	1.177	0.196	1.000
10	1.172	0.232	1.000
20	1.160	0.408	1.000
200	1.147	3.553	1.000

ALPHA = 0.20 SIGMA(SEI) = 0.03 F0 = 1.4 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.189	0.089	0.911
3	1.184	0.100	0.980
4	1.180	0.111	0.997
5	1.177	0.123	1.000
8	1.170	0.156	1.000
10	1.167	0.178	1.000
20	1.158	0.288	1.000
200	1.147	2.254	1.000

ALPHA = 0.20 SIGMA(SEI) = 0.03 F0 = 1.4 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.180	0.089	0.921
3	1.177	0.098	0.982
4	1.174	0.107	0.997
5	1.172	0.116	1.000
8	1.167	0.142	1.000
10	1.164	0.160	1.000
20	1.158	0.248	1.000
200	1.147	1.820	1.000

TABLE 6 -- CONTINUED

ALPHA = 0.20 SIGMA(SEI) = 0.03 F0 = 1.4 K = 12

N	FLSIGWHAT*	HMAX	POWER
2	1.174	0.089	0.927
3	1.172	0.097	0.982
4	1.170	0.104	0.997
5	1.168	0.111	0.999
8	1.164	0.133	1.000
10	1.162	0.148	1.000
20	1.157	0.221	1.000
200	1.147	1.532	1.000

ALPHA = 0.20 SIGMA(SEI) = 0.03 F0 = 1.5 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.218	0.126	0.980
3	1.205	0.152	0.999
4	1.196	0.177	1.000
5	1.189	0.202	1.000
8	1.177	0.274	1.000
10	1.172	0.322	1.000
20	1.160	0.558	1.000
200	1.147	4.782	1.000

ALPHA = 0.20 SIGMA(SEI) = 0.03 F0 = 1.5 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.189	0.126	0.988
3	1.184	0.141	0.999
4	1.180	0.156	1.000
5	1.177	0.171	1.000
8	1.170	0.216	1.000
10	1.167	0.245	1.000
20	1.158	0.393	1.000
200	1.147	3.033	1.000

ALPHA = 0.20 SIGMA(SEI) = 0.03 F0 = 1.5 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.180	0.125	0.990
3	1.177	0.137	0.999
4	1.174	0.149	1.000
5	1.172	0.161	1.000
8	1.167	0.196	1.000
10	1.164	0.220	1.000
20	1.158	0.338	1.000
200	1.147	2.450	1.000

*FLSIGWHAT = $F_{\lambda}(\sigma_w^2)$

TABLE 6 - CONTINUED

ALPHA = 0.20 SIGMA(SEI) = 0.03 F0 = 1.5 K = 12

N	FLSIGWHAT	HMAX	POWER
2	1.174	0.124	0.991
3	1.172	0.134	0.999
4	1.170	0.144	1.000
5	1.168	0.154	1.000
8	1.164	0.183	1.000
10	1.162	0.203	1.000
20	1.157	0.301	1.000
200	1.147	2.061	1.000

ALPHA = 0.20 SIGMA(SEI) = 0.03 F0 = 1.6 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.218	0.166	0.998
3	1.205	0.197	1.000
4	1.196	0.228	1.000
5	1.189	0.258	1.000
8	1.177	0.347	1.000
10	1.172	0.406	1.000
20	1.160	0.698	1.000
200	1.147	5.931	1.000

ALPHA = 0.20 SIGMA(SEI) = 0.03 F0 = 1.6 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.189	0.161	0.999
3	1.184	0.180	1.000
4	1.180	0.198	1.000
5	1.177	0.217	1.000
8	1.170	0.272	1.000
10	1.167	0.308	1.000
20	1.158	0.491	1.000
200	1.147	3.761	1.000

ALPHA = 0.20 SIGMA(SEI) = 0.03 F0 = 1.6 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.180	0.159	0.999
3	1.177	0.173	1.000
4	1.174	0.188	1.000
5	1.172	0.203	1.000
8	1.167	0.247	1.000
10	1.164	0.276	1.000
20	1.158	0.422	1.000
200	1.147	3.038	1.000

TABLE 6 - CONTINUED

ALPHA = 0.20 SIGMA(SEI) = 0.03 F0 = 1.6 K = 12

N	FLSIGWHAT *	HMAX	POWER
2	1.174	0.157	0.999
3	1.172	0.169	1.000
4	1.170	0.181	1.000
5	1.168	0.193	1.000
8	1.164	0.230	1.000
10	1.162	0.254	1.000
20	1.157	0.376	1.000
200	1.147	2.556	1.000

ALPHA = 0.20 SIGMA(SEI) = 0.06 F0 = 1.4 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.444	*****	*****
3	1.418	*****	*****
4	1.401	*****	*****
5	1.388	0.007	0.247
8	1.366	0.028	0.432
10	1.357	0.041	0.570
20	1.336	0.101	0.974
200	1.314	1.131	1.000

ALPHA = 0.20 SIGMA(SEI) = 0.06 F0 = 1.4 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.388	0.005	0.223
3	1.379	0.009	0.255
4	1.372	0.013	0.293
5	1.366	0.018	0.336
8	1.353	0.029	0.485
10	1.348	0.037	0.591
20	1.333	0.074	0.945
200	1.314	0.718	1.000

ALPHA = 0.20 SIGMA(SEI) = 0.06 F0 = 1.4 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.372	0.011	0.257
3	1.366	0.014	0.291
4	1.361	0.017	0.329
5	1.357	0.020	0.370
8	1.348	0.030	0.506
10	1.344	0.036	0.600
20	1.332	0.065	0.930
200	1.314	0.580	1.000

*FLSIGWHAT = $F_{\lambda}(\sigma_{\hat{W}})$

TABLE 6 - CONTINUED

ALPHA = 0.20 SIGMA(SEI) = 0.06 F0 = 1.4 K = 12

N	FLSIGWHAT	HMAX	POWER
2	1.361	0.014	0.279
3	1.357	0.017	0.315
4	1.353	0.020	0.353
5	1.350	0.022	0.393
8	1.344	0.030	0.521
10	1.340	0.035	0.607
20	1.330	0.059	0.917
200	1.314	0.488	1.000

ALPHA = 0.20 SIGMA(SEI) = 0.06 F0 = 1.5 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.444	0.023	0.319
3	1.418	0.039	0.452
4	1.401	0.054	0.594
5	1.388	0.067	0.726
8	1.366	0.106	0.955
10	1.357	0.131	0.992
20	1.336	0.251	1.000
200	1.314	2.360	1.000

ALPHA = 0.20 SIGMA(SEI) = 0.06 F0 = 1.5 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.388	0.042	0.452
3	1.379	0.050	0.567
4	1.372	0.058	0.675
5	1.366	0.066	0.771
8	1.353	0.089	0.946
10	1.348	0.104	0.985
20	1.333	0.179	1.000
200	1.314	1.497	1.000

ALPHA = 0.20 SIGMA(SEI) = 0.06 F0 = 1.5 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.372	0.047	0.491
3	1.366	0.053	0.601
4	1.361	0.059	0.700
5	1.357	0.065	0.785
8	1.348	0.084	0.942
10	1.344	0.096	0.982
20	1.332	0.155	1.000
200	1.314	1.209	1.000

TABLE 6 - CONTINUED

ALPHA = 0.20 SIGMA(SEI) = 0.06 F0 = 1.5 K = 12

N	FLSIGWHAT *	HMAX	POWER
2	1.361	0.049	0.516
3	1.357	0.054	0.622
4	1.353	0.060	0.716
5	1.350	0.065	0.794
8	1.344	0.080	0.940
10	1.340	0.090	0.979
20	1.330	0.139	1.000
200	1.314	1.017	1.000

ALPHA = 0.20 SIGMA(SEI) = 0.06 F0 = 1.6 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.444	0.063	0.562
3	1.418	0.084	0.759
4	1.401	0.104	0.895
5	1.388	0.123	0.964
8	1.366	0.179	1.000
10	1.357	0.215	1.000
20	1.336	0.391	1.000
200	1.314	3.509	1.000

ALPHA = 0.20 SIGMA(SEI) = 0.06 F0 = 1.6 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.388	0.077	0.684
3	1.379	0.089	0.827
4	1.372	0.100	0.918
5	1.366	0.112	0.966
8	1.353	0.145	0.999
10	1.348	0.168	1.000
20	1.333	0.277	1.000
200	1.314	2.226	1.000

ALPHA = 0.20 SIGMA(SEI) = 0.06 F0 = 1.6 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.372	0.080	0.715
3	1.366	0.089	0.844
4	1.361	0.098	0.924
5	1.357	0.107	0.967
8	1.348	0.134	0.999
10	1.344	0.152	1.000
20	1.332	0.239	1.000
200	1.314	1.798	1.000

*FLSIGWHAT = $F_{\lambda}(\hat{\sigma}_W^2)$

TABLE 6 - CONTINUED

ALPHA = 0.20 SIGMA(SEI) = 0.06 F0 = 1.6 K = 12

N	FLSIGWHAT	HMAX	POWER
2	1.361	0.082	0.734
3	1.357	0.089	0.854
4	1.353	0.097	0.927
5	1.350	0.104	0.967
8	1.344	0.126	0.998
10	1.340	0.141	1.000
20	1.330	0.214	1.000
200	1.314	1.513	1.000

ALPHA = 0.30 SIGMA(SEI) = 0.03 F0 = 1.3 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.218	0.039	0.657
3	1.205	0.053	0.817
4	1.196	0.065	0.919
5	1.189	0.077	0.971
8	1.177	0.112	1.000
10	1.172	0.135	1.000
20	1.160	0.247	1.000
200	1.147	2.234	1.000

ALPHA = 0.30 SIGMA(SEI) = 0.03 F0 = 1.3 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.189	0.048	0.754
3	1.184	0.056	0.866
4	1.180	0.063	0.936
5	1.177	0.070	0.973
8	1.170	0.092	0.999
10	1.167	0.106	1.000
20	1.158	0.175	1.000
200	1.147	1.417	1.000

ALPHA = 0.30 SIGMA(SEI) = 0.03 F0 = 1.3 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.180	0.050	0.779
3	1.177	0.056	0.879
4	1.174	0.062	0.940
5	1.172	0.068	0.973
8	1.167	0.084	0.999
10	1.164	0.096	1.000
20	1.158	0.151	1.000
200	1.147	1.144	1.000

TABLE 6. - CONTINUED

ALPHA = 0.30 SIGMA(SEI) = 0.03 F0 = 1.3 K = 12

N	FLSIGWHAT *	HMAX	POWER
2	1.174	0.052	0.793
3	1.172	0.056	0.887
4	1.170	0.061	0.943
5	1.168	0.066	0.973
8	1.164	0.080	0.998
10	1.162	0.089	1.000
20	1.157	0.135	1.000
200	1.147	0.963	1.000

ALPHA = 0.30 SIGMA(SEI) = 0.03 F0 = 1.4 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.218	0.084	0.929
3	1.205	0.104	0.989
4	1.196	0.123	0.999
5	1.189	0.142	1.000
8	1.177	0.196	1.000
10	1.172	0.232	1.000
20	1.160	0.408	1.000
200	1.147	3.553	1.000

ALPHA = 0.30 SIGMA(SEI) = 0.03 F0 = 1.4 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.189	0.089	0.955
3	1.184	0.100	0.992
4	1.180	0.111	0.999
5	1.177	0.123	1.000
8	1.170	0.156	1.000
10	1.167	0.178	1.000
20	1.158	0.288	1.000
200	1.147	2.254	1.000

ALPHA = 0.30 SIGMA(SEI) = 0.03 F0 = 1.4 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.180	0.089	0.961
3	1.177	0.098	0.993
4	1.174	0.107	0.999
5	1.172	0.116	1.000
8	1.167	0.142	1.000
10	1.164	0.160	1.000
20	1.158	0.248	1.000
200	1.147	1.820	1.000

*FLSIGWHAT = $F_{\lambda}(\sigma_W^2)$

TABLE 6 - CONTINUED

ALPHA = 0.30 SIGMA(SEI) = 0.03 F0 = 1.4 K = 12

N	FLSIGWHAT	HMAX	POWER
2	1.174	0.089	0.964
3	1.172	0.097	0.993
4	1.170	0.104	0.999
5	1.168	0.111	1.000
8	1.164	0.133	1.000
10	1.162	0.148	1.000
20	1.157	0.221	1.000
200	1.147	1.532	1.000

ALPHA = 0.30 SIGMA(SEI) = 0.03 F0 = 1.5 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.218	0.126	0.993
3	1.205	0.152	1.000
4	1.196	0.177	1.000
5	1.189	0.202	1.000
8	1.177	0.274	1.000
10	1.172	0.322	1.000
20	1.160	0.558	1.000
200	1.147	4.782	1.000

ALPHA = 0.30 SIGMA(SEI) = 0.03 F0 = 1.5 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.189	0.126	0.996
3	1.184	0.141	1.000
4	1.180	0.156	1.000
5	1.177	0.171	1.000
8	1.170	0.216	1.000
10	1.167	0.245	1.000
20	1.158	0.393	1.000
200	1.147	3.033	1.000

/ ALPHA = 0.30 SIGMA(SEI) = 0.03 F0 = 1.5 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.180	0.125	0.996
3	1.177	0.137	1.000
4	1.174	0.149	1.000
5	1.172	0.161	1.000
8	1.167	0.196	1.000
10	1.164	0.220	1.000
20	1.158	0.338	1.000
200	1.147	2.450	1.000

TABLE 6 - CONTINUED

ALPHA = 0.30 SIGMA(SEI) = 0.03 F0 = 1.5 K = 12

N	FLSIGWHAT *	HMAX	POWER
2	1.174	0.124	0.997
3	1.172	0.134	1.000
4	1.170	0.144	1.000
5	1.168	0.154	1.000
8	1.164	0.183	1.000
10	1.162	0.203	1.000
20	1.157	0.301	1.000
200	1.147	2.061	1.000

ALPHA = 0.30 SIGMA(SEI) = 0.03 F0 = 1.6 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.218	0.166	1.000
3	1.205	0.197	1.000
4	1.196	0.228	1.000
5	1.189	0.258	1.000
8	1.177	0.347	1.000
10	1.172	0.406	1.000
20	1.160	0.698	1.000
200	1.147	5.931	1.000

ALPHA = 0.30 SIGMA(SEI) = 0.03 F0 = 1.6 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.189	0.161	1.000
3	1.184	0.180	1.000
4	1.180	0.198	1.000
5	1.177	0.217	1.000
8	1.170	0.272	1.000
10	1.167	0.308	1.000
20	1.158	0.491	1.000
200	1.147	3.761	1.000

ALPHA = 0.30 SIGMA(SEI) = 0.03 F0 = 1.6 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.180	0.159	1.000
3	1.177	0.173	1.000
4	1.174	0.188	1.000
5	1.172	0.203	1.000
8	1.167	0.247	1.000
10	1.164	0.276	1.000
20	1.158	0.422	1.000
200	1.147	3.038	1.000

*FLSIGWHAT = $F_{\lambda}(\sigma_{\hat{W}})$

TABLE 6 - CONTINUED

ALPHA = 0.30 SIGMA(SEI) = 0.03 F0 = 1.6 K = 12

N	FLSIGWHAT	HMAX	POWER
2	1.174	0.157	1.000
3	1.172	0.169	1.000
4	1.170	0.181	1.000
5	1.168	0.193	1.000
8	1.164	0.230	1.000
10	1.162	0.254	1.000
20	1.157	0.376	1.000
200	1.147	2.556	1.000

ALPHA = 0.30 SIGMA(SEI) = 0.06 F0 = 1.4 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.444	*****	*****
3	1.418	*****	*****
4	1.401	*****	*****
5	1.388	0.007	0.358
8	1.366	0.028	0.561
10	1.357	0.041	0.692
20	1.336	0.101	0.988
200	1.314	1.131	1.000

ALPHA = 0.30 SIGMA(SEI) = 0.06 F0 = 1.4 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.388	0.005	0.328
3	1.379	0.009	0.367
4	1.372	0.013	0.411
5	1.366	0.018	0.460
8	1.353	0.029	0.613
10	1.348	0.037	0.710
20	1.333	0.074	0.973
200	1.314	0.718	1.000

ALPHA = 0.30 SIGMA(SEI) = 0.06 F0 = 1.4 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.372	0.011	0.369
3	1.366	0.014	0.409
4	1.361	0.017	0.451
5	1.357	0.020	0.496
8	1.348	0.030	0.632
10	1.344	0.036	0.718
20	1.332	0.065	0.964
200	1.314	0.580	1.000

TABLE 6 - CONTINUED

ALPHA = 0.30 SIGMA(SEI) = 0.06 F0 = 1.4 K = 12

N	FLSIGWHAT *	HMAX	POWER
2	1.361	0.014	0.395
3	1.357	0.017	0.436
4	1.353	0.020	0.478
5	1.350	0.022	0.520
8	1.344	0.030	0.646
10	1.340	0.035	0.724
20	1.330	0.059	0.957
200	1.314	0.488	1.000

ALPHA = 0.30 SIGMA(SEI) = 0.06 F0 = 1.5 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.444	0.023	0.443
3	1.418	0.039	0.583
4	1.401	0.054	0.717
5	1.388	0.067	0.826
8	1.366	0.106	0.979
10	1.357	0.131	0.997
20	1.336	0.251	1.000
200	1.314	2.360	1.000

ALPHA = 0.30 SIGMA(SEI) = 0.06 F0 = 1.5 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.388	0.042	0.582
3	1.379	0.050	0.691
4	1.372	0.058	0.784
5	1.366	0.066	0.859
8	1.353	0.089	0.974
10	1.348	0.104	0.994
20	1.333	0.179	1.000
200	1.314	1.497	1.000

ALPHA = 0.30 SIGMA(SEI) = 0.06 F0 = 1.5 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.372	0.047	0.620
3	1.366	0.053	0.720
4	1.361	0.059	0.804
5	1.357	0.065	0.869
8	1.348	0.084	0.972
10	1.344	0.096	0.992
20	1.332	0.155	1.000
200	1.314	1.209	1.000

*FLSIGWHAT = $F_{\lambda}(\sigma_W^2)$

TABLE 6 - CONTINUED

ALPHA = 0.30 SIGMA(SEI) = 0.06 F0 = 1.5 K = 12

N	FLSIGWHAT	HMAX	POWER
2	1.361	0.049	0.643
3	1.357	0.054	0.739
4	1.353	0.060	0.816
5	1.350	0.065	0.875
8	1.344	0.080	0.970
10	1.340	0.090	0.991
20	1.330	0.139	1.000
200	1.314	1.017	1.000

ALPHA = 0.30 SIGMA(SEI) = 0.06 F0 = 1.6 K = 5

N	FLSIGWHAT	HMAX	POWER
2	1.444	0.063	0.691
3	1.418	0.084	0.853
4	1.401	0.104	0.946
5	1.388	0.123	0.984
8	1.366	0.179	1.000
10	1.357	0.215	1.000
20	1.336	0.391	1.000
200	1.314	3.509	1.000

ALPHA = 0.30 SIGMA(SEI) = 0.06 F0 = 1.6 K = 8

N	FLSIGWHAT	HMAX	POWER
2	1.388	0.077	0.793
3	1.379	0.089	0.900
4	1.372	0.100	0.958
5	1.366	0.112	0.985
8	1.353	0.145	1.000
10	1.348	0.166	1.000
20	1.333	0.277	1.000
200	1.314	2.226	1.000

ALPHA = 0.30 SIGMA(SEI) = 0.06 F0 = 1.6 K = 10

N	FLSIGWHAT	HMAX	POWER
2	1.372	0.080	0.817
3	1.366	0.089	0.911
4	1.361	0.098	0.962
5	1.357	0.107	0.985
8	1.348	0.134	1.000
10	1.344	0.152	1.000
20	1.332	0.239	1.000
200	1.314	1.798	1.000

TABLE 6 - CONTINUED

ALPHA = 0.30 SIGMA(SEI) = 0.06 F0 = 1.6 K = 12

N	FLSIGWHAT *	HMAX	POWER
2	1.361	0.082	0.830
3	1.357	0.089	0.917
4	1.353	0.097	0.963
5	1.350	0.104	0.985
8	1.344	0.126	1.000
10	1.340	0.141	1.000
20	1.330	0.214	1.000
200	1.314	1.513	1.000

$$*FLSIGWHAT = F_{\lambda}(\sigma_W)$$

Prof. Thomas Ahrens
Seismological Lab, 252-21
Division of Geological & Planetary Sciences
California Institute of Technology
Pasadena, CA 91125

Prof. Charles B. Archambeau
CIRES
University of Colorado
Boulder, CO 80309

Dr. Thomas C. Bache, Jr.
Science Applications Int'l Corp.
10260 Campus Point Drive
San Diego, CA 92121 (2 copies)

Prof. Muawia Barazangi
Institute for the Study of the Continent
Cornell University
Ithaca, NY 14853

Dr. Douglas R. Baumgardt
ENSCO, Inc
5400 Port Royal Road
Springfield, VA 22151-2388

Prof. Jonathan Berger
IGPP, A-025
Scripps Institution of Oceanography
University of California, San Diego
La Jolla, CA 92093

Dr. Lawrence J. Burdick
Woodward-Clyde Consultants
566 El Dorado Street
Pasadena, CA 91109-3245

Dr. Jerry Carter
Center for Seismic Studies
1300 North 17th St., Suite 1450
Arlington, VA 22209-2308

Dr. Karl Coyner
New England Research, Inc.
76 Olcott Drive
White River Junction, VT 05001

Prof. Vernon F. Cormier
Department of Geology & Geophysics
U-45, Room 207
The University of Connecticut
Storrs, CT 06268

Professor Anton W. Dainty
Earth Resources Laboratory
Massachusetts Institute of Technology
42 Carleton Street
Cambridge, MA 02142

Prof. Steven Day
Department of Geological Sciences
San Diego State University
San Diego, CA 92182

Dr. Zoltan A. Der
ENSCO, Inc.
5400 Port Royal Road
Springfield, VA 22151-2388

Prof. John Ferguson
Center for Lithospheric Studies
The University of Texas at Dallas
P.O. Box 830688
Richardson, TX 75083-0688

Dr. Mark D. Fisk
Mission Research Corporation
735 State Street
P. O. Drawer 719
Santa Barbara, CA 93102

Prof. Stanley Flatte
Applied Sciences Building
University of California
Santa Cruz, CA 95064

Dr. Alexander Florence
SRI International
333 Ravenswood Avenue
Menlo Park, CA 94025-3493

Prof. Henry L. Gray
Vice Provost and Dean
Department of Statistical Sciences
Southern Methodist University
Dallas, TX 75275

Dr. Indra Gupta
Teledyne Geotech
314 Montgomery Street
Alexandria, VA 22314

Prof. David G. Harkrider
Seismological Laboratory
Division of Geological & Planetary Sciences
California Institute of Technology
Pasadena, CA 91125

Prof. Donald V. Helmberger
Seismological Laboratory
Division of Geological & Planetary Sciences
California Institute of Technology
Pasadena, CA 91125

Prof. Eugene Herrin
Institute for the Study of Earth and Man
Geophysical Laboratory
Southern Methodist University
Dallas, TX 75275

Prof. Bryan Isacks
Cornell University
Department of Geological Sciences
SNEE Hall
Ithaca, NY 14850

Dr. Rong-Song Jih
Teledyne Geotech
314 Montgomery Street
Alexandria, VA 22314

Prof. Lane R. Johnson
Seismographic Station
University of California
Berkeley, CA 94720

Dr. Richard LaCoss
MIT-Lincoln Laboratory
M-200B
P. O. Box 73
Lexington, MA 02173-0073 (3 copies)

Prof. Fred K. Lamb
University of Illinois at Urbana-Champaign
Department of Physics
1110 West Green Street
Urbana, IL 61801

Prof. Charles A. Langston
Geosciences Department
403 Deike Building
The Pennsylvania State University
University Park, PA 16802

Prof. Thorne Lay
Institute of Tectonics
Earth Science Board
University of California, Santa Cruz
Santa Cruz, CA 95064

Prof. Arthur Lerner-Lam
Lamont-Doherty Geological Observatory
of Columbia University
Palisades, NY 10964

Dr. Christopher Lynnes
Teledyne Geotech
314 Montgomery Street
Alexandria, VA 22314

Prof. Peter Malin
University of California at Santa Barbara
Institute for Crustal Studies
Santa Barbara, CA 93106

Dr. Randolph Martin, III
New England Research, Inc.
76 Olcott Drive
White River Junction, VT 05001

Prof. Thomas V. McEvilly
Seismographic Station
University of California
Berkeley, CA 94720

Dr. Keith L. McLaughlin
S-CUBED
A Division of Maxwell Laboratory
P.O. Box 1620
La Jolla, CA 92038-1620

Prof. William Menke
Lamont-Doherty Geological Observatory
of Columbia University
Palisades, NY 10964

Stephen Miller
SRI International
333 Ravenswood Avenue
Box AF 116
Menlo Park, CA 94025-3493

Prof. Bernard Minster
IGPP, A-025
Scripps Institute of Oceanography
University of California, San Diego
La Jolla, CA 92093

Prof. Brian J. Mitchell
Department of Earth & Atmospheric Sciences
St. Louis University
St. Louis, MO 63156

Mr. Jack Murphy
S-CUBED, A Division of Maxwell Laboratory
11800 Sunrise Valley Drive
Suite 1212
Reston, VA 22091 (2 copies)

Prof. John A. Orcutt
IGPP, A-025
Scripps Institute of Oceanography
University of California, San Diego
La Jolla, CA 92093

Prof. Keith Priestley
University of Cambridge
Bullard Labs, Dept. of Earth Sciences
Madingley Rise, Madingley Rd.
Cambridge CB3 0EZ, ENGLAND

Dr. Jay J. Pulli
Radix Systems, Inc.
2 Taft Court, Suite 203
Rockville, MD 20850

Prof. Paul G. Richards
Lamont Doherty Geological Observatory
of Columbia University
Palisades, NY 10964

Dr. Wilmer Rivers
Teledyne Geotech
314 Montgomery Street
Alexandria, VA 22314

Prof. Charles G. Sammis
Center for Earth Sciences
University of Southern California
University Park
Los Angeles, CA 90089-0741

Prof. Christopher H. Scholz
Lamont-Doherty Geological Observatory
of Columbia University
Palisades, NY 10964

Thomas J. Sereno, Jr.
Science Application Int'l Corp.
10260 Campus Point Drive
San Diego, CA 92121

Prof. David G. Simpson
Lamont-Doherty Geological Observatory
of Columbia University
Palisades, NY 10964

Dr. Jeffrey Stevens
S-CUBED
A Division of Maxwell Laboratory
P.O. Box 1620
La Jolla, CA 92038-1620

Prof. Brian Stump
Institute for the Study of Earth & Man
Geophysical Laboratory
Southern Methodist University
Dallas, TX 75275

Prof. Jeremiah Sullivan
University of Illinois at Urbana-Champaign
Department of Physics
1110 West Green Street
Urbana, IL 61801

Prof. Clifford Thurber
University of Wisconsin-Madison
Department of Geology & Geophysics
1215 West Dayton Street
Madison, WI 53706

Prof. M. Nafi Toksoz
Earth Resources Lab
Massachusetts Institute of Technology
42 Carleton Street
Cambridge, MA 02142

Prof. John E. Vidale
University of California at Santa Cruz
Seismological Laboratory
Santa Cruz, CA 95064

Prof. Terry C. Wallace
Department of Geosciences
Building #77
University of Arizona
Tucson, AZ 85721

Dr. William Wortman
Mission Research Corporation
8560 Cinderbed Road
Suite # 700
Newington, VA 22122

OTHERS (UNITED STATES)

Dr. Monem Abdel-Gawad
Rockwell International Science Center
1049 Camino Dos Rios
Thousand Oaks, CA 91360

Prof. Keiiti Aki
Center for Earth Sciences
University of Southern California
University Park
Los Angeles, CA 90089-0741

Prof. Shelton S. Alexander
Geosciences Department
403 Deike Building
The Pennsylvania State University
University Park, PA 16802

Dr. Kenneth Anderson
BBNSTC
Mail Stop 14/1B
Cambridge, MA 02238

Dr. Ralph Archuleta
Department of Geological Sciences
University of California at Santa Barbara
Santa Barbara, CA 93102

Dr. Jeff Barker
Department of Geological Sciences
State University of New York
at Binghamton
Vestal, NY 13901

Dr. Susan Beck
Department of Geosciences, Bldg # 77
University of Arizona
Tucson, AZ 85721

Dr. T.J. Bennett
S-CUBED
A Division of Maxwell Laboratory
11800 Sunrise Valley Drive, Suite 1212
Reston, VA 22091

Mr. William J. Best
907 Westwood Drive
Vienna, VA 22180

Dr. N. Biswas
Geophysical Institute
University of Alaska
Fairbanks, AK 99701

Dr. G.A. Bollinger
Department of Geological Sciences
Virginia Polytechnical Institute
21044 Derring Hall
Blacksburg, VA 24061

Dr. Stephen Bratt
Center for Seismic Studies
1300 North 17th Street
Suite 1450
Arlington, VA 22209

Michael Browne
Teledyne Geotech
3401 Shiloh Road
Garland, TX 75041

Mr. Roy Burger
1221 Serry Road
Schenectady, NY 12309

Dr. Robert Burrige
Schlumberger-Doll Research Center
Old Quarry Road
Ridgefield, CT 06877

Dr. W. Winston Chan
Teledyne Geotech
314 Montgomery Street
Alexandria, VA 22314-1581

Dr. Theodore Cherry
Science Horizons, Inc.
710 Encinitas Blvd., Suite 200
Encinitas, CA 92024 (2 copies)

Prof. Jon F. Claerbout
Department of Geophysics
Stanford University
Stanford, CA 94305

Prof. Robert W. Clayton
Seismological Laboratory
Division of Geological & Planetary Sciences
California Institute of Technology
Pasadena, CA 91125

Prof. F. A. Dahlen
Geological and Geophysical Sciences
Princeton University
Princeton, NJ 08544-0636

Prof. Adam Dziewonski
Hoffman Laboratory
Harvard University
20 Oxford St
Cambridge, MA 02138

Prof. John Ebel
Department of Geology & Geophysics
Boston College
Chestnut Hill, MA 02167

Eric Fielding
SNEE Hall
INSTOC
Cornell University
Ithaca, NY 14853

Prof. Donald Forsyth
Department of Geological Sciences
Brown University
Providence, RI 02912

Dr. Cliff Frolich
Institute of Geophysics
8701 North Mopac
Austin, TX 78759

Dr. Anthony Gangi
Texas A&M University
Department of Geophysics
College Station, TX 77843

Dr. Freeman Gilbert
IGPP, A-025
Scripps Institute of Oceanography
University of California
La Jolla, CA 92093

Mr. Edward Giller
Pacific Sierra Research Corp.
1401 Wilson Boulevard
Arlington, VA 22209

Dr. Jeffrey W. Given
SAIC
10260 Campus Point Drive
San Diego, CA 92121

Prof. Stephen Grand
University of Texas at Austin
Department of Geological Sciences
Austin, TX 78713-7909

Prof. Roy Greenfield
Geosciences Department
403 Deike Building
The Pennsylvania State University
University Park, PA 16802

Dan N. Hagedorn
Battelle
Pacific Northwest Laboratories
Battelle Boulevard
Richland, WA 99352

Dr. James Hannon
Lawrence Livermore National Laboratory
P. O. Box 808
Livermore, CA 94550

Prof. Robert B. Herrmann
Dept. of Earth & Atmospheric Sciences
St. Louis University
St. Louis, MO 63156

Ms. Heidi Houston
Seismological Laboratory
University of California
Santa Cruz, CA 95064

Kevin Hutchenson
Department of Earth Sciences
St. Louis University
3507 Laclede
St. Louis, MO 63103

Dr. Hans Israelsson
Center for Seismic Studies
1300 N. 17th Street, Suite 1450
Arlington, VA 22209-2308

Prof. Thomas H. Jordan
Department of Earth, Atmospheric
and Planetary Sciences
Massachusetts Institute of Technology
Cambridge, MA 02139

Prof. Alan Kafka
Department of Geology & Geophysics
Boston College
Chestnut Hill, MA 02167

Robert C. Kemerait
ENSCO, Inc.
445 Pineda Court
Melbourne, FL 32940

William Kikendall
Teledyne Geotech
3401 Shiloh Road
Garland, TX 75041

Prof. Leon Knopoff
University of California
Institute of Geophysics & Planetary Physics
Los Angeles, CA 90024

Prof. L. Timothy Long
School of Geophysical Sciences
Georgia Institute of Technology
Atlanta, GA 30332

Dr. Gary McCartor
Department of Physics
Southern Methodist University
Dallas, TX 75275

Prof. Art McGarr
Mail Stop 977
Geological Survey
345 Middlefield Rd.
Menlo Park, CA 94025

Dr. George Mellman
Sierra Geophysics
11255 Kirkland Way
Kirkland, WA 98033

Prof. John Nabelek
College of Oceanography
Oregon State University
Corvallis, OR 97331

Prof. Geza Nagy
University of California, San Diego
Department of Ames, M.S. B-010
La Jolla, CA 92093

Dr. Keith K. Nakanishi
Lawrence Livermore National Laboratory
L-205
P. O. Box 808
Livermore, CA 94550

Dr. Bao Nguyen
GL/LWH
Hanscom AFB, MA 01731-5000

Prof. Amos Nur
Department of Geophysics
Stanford University
Stanford, CA 94305

Prof. Jack Oliver
Department of Geology
Cornell University
Ithaca, NY 14850

Dr. Kenneth Olsen
P. O. Box 1273
Linwood, WA 98046-1273

Howard J. Patton
Lawrence Livermore National Laboratory
L-205
P. O. Box 808
Livermore, CA 94550

Prof. Robert Phinney
Geological & Geophysical Sciences
Princeton University
Princeton, NJ 08544-0636

Dr. Paul Pomeroy
Rondout Associates
P.O. Box 224
Stone Ridge, NY 12484

Dr. Jay Pulli
RADIX System, Inc.
2 Taft Court, Suite 203
Rockville, MD 20850

Dr. Norton Rimer
S-CUBED
A Division of Maxwell Laboratory
P.O. Box 1620
La Jolla, CA 92038-1620

Prof. Larry J. Ruff
Department of Geological Sciences
1006 C.C. Little Building
University of Michigan
Ann Arbor, MI 48109-1063

Dr. Richard Sailor
TASC Inc.
55 Walkers Brook Drive
Reading, MA 01867

Dr. Susan Schwartz
Institute of Tectonics
1156 High St.
Santa Cruz, CA 95064

John Sherwin
Teledyne Geotech
3401 Shiloh Road
Garland, TX 75041

Dr. Matthew Sibol
Virginia Tech
Seismological Observatory
4044 Derring Hall
Blacksburg, VA 24061-0420

Dr. Albert Smith
Lawrence Livermore National Laboratory
L-205
P. O. Box 808
Livermore, CA 94550

Prof. Robert Smith
Department of Geophysics
University of Utah
1400 East 2nd South
Salt Lake City, UT 84112

Dr. Stewart W. Smith
Geophysics AK-50
University of Washington
Seattle, WA 98195

Donald L. Springer
Lawrence Livermore National Laboratory
L-205
P. O. Box 808
Livermore, CA 94550

Dr. George Sutton
Rondout Associates
P.O. Box 224
Stone Ridge, NY 12484

Prof. L. Sykes
Lamont-Doherty Geological Observatory
of Columbia University
Palisades, NY 10964

Prof. Pradeep Talwani
Department of Geological Sciences
University of South Carolina
Columbia, SC 29208

Dr. David Taylor
ENSCO, Inc.
445 Pineda Court
Melbourne, FL 32940

Dr. Steven R. Taylor
Lawrence Livermore National Laboratory
L-205
P. O. Box 808
Livermore, CA 94550

Professor Ta-Liang Teng
Center for Earth Sciences
University of Southern California
University Park
Los Angeles, CA 90089-0741

Dr. R.B. Tittmann
Rockwell International Science Center
1049 Camino Dos Rios
P.O. Box 1085
Thousand Oaks, CA 91360

Dr. Gregory van der Vink
IRIS, Inc.
1616 North Fort Myer Drive
Suite 1440
Arlington, VA 22209

Professor Daniel Walker
University of Hawaii
Institute of Geophysics
Honolulu, HI 96822

William R. Walter
Seismological Laboratory
University of Nevada
Reno, NV 89557

Dr. Raymond Willeman
GL/LWH
Hanscom AFB, MA 01731-5000

Dr. Gregory Wojcik
Weidinger Associates
4410 El Camino Real
Suite 110
Los Altos, CA 94022

Dr. Lorraine Wolf
GL/LWH
Hanscom AFB, MA 01731-5000

Prof. Francis T. Wu
Department of Geological Sciences
State University of New York
at Binghamton
Vestal, NY 13901

Dr. Gregory B. Young
ENSCO, Inc.
5400 Port Royal Road
Springfield, VA 22151-2388

Dr. Eileen Vergino
Lawrence Livermore National Laboratory
L-205
P. O. Box 808
Livermore, CA 94550

J. J. Zucca
Lawrence Livermore National Laboratory
P. O. Box 808
Livermore, CA 94550

GOVERNMENT

Dr. Ralph Alewine III
DARPA/NMRO
1400 Wilson Boulevard
Arlington, VA 22209-2308

Mr. James C. Battis
GL/LWH
Hanscom AFB, MA 01731-5000

Dr. Robert Blandford
AFTAC/TT
Center for Seismic Studies
1300 North 17th St., Suite 1450
Arlington, VA 22209-2308

Eric Chael
Division 9241
Sandia Laboratory
Albuquerque, NM 87185

Dr. John J. Cipar
GL/LWH
Hanscom AFB, MA 01731-5000

Cecil Davis
Group P-15, Mail Stop D406
P.O. Box 1663
Los Alamos National Laboratory
Los Alamos, NM 87544

Mr. Jeff Duncan
Office of Congressman Markey
2133 Rayburn House Bldg.
Washington, DC 20515

Dr. Jack Evernden
USGS - Earthquake Studies
345 Middlefield Road
Menlo Park, CA 94025

Art Frankel
USGS
922 National Center
Reston, VA 22092

Dr. Dale Glover
DIA/DT-1B
Washington, DC 20301

Dr. T. Hanks
USGS
Nat'l Earthquake Research Center
345 Middlefield Road
Menlo Park, CA 94025

Paul Johnson
ESS-4, Mail Stop J979
Los Alamos National Laboratory
Los Alamos, NM 87545

Janet Johnston
GL/LWH
Hanscom AFB, MA 01731-5000

Dr. Katharine Kadinsky-Cade
GL/LWH
Hanscom AFB, MA 01731-5000

Ms. Ann Kerr
IGPP, A-025
Scripps Institute of Oceanography
University of California, San Diego
La Jolla, CA 92093

Dr. Max Koontz
US Dept of Energy/DP 5
Forrestal Building
1000 Independence Avenue
Washington, DC 20585

Dr. W.H.K. Lee
Office of Earthquakes, Volcanoes,
& Engineering
345 Middlefield Road
Menlo Park, CA 94025

Dr. William Leith
U.S. Geological Survey
Mail Stop 928
Reston, VA 22092

Dr. Richard Lewis
Director, Earthquake Engineering & Geophysics
U.S. Army Corps of Engineers
Box 631
Vicksburg, MS 39180

James F. Lewkowicz
GL/LWH
Hanscom AFB, MA 01731-5000

Mr. Alfred Lieberman
ACDA/VI-OA'State Department Bldg
Room 5726
320 - 21st Street, NW
Washington, DC 20451

Stephen Mangino
GL/LWH
Hanscom AFB, MA 01731-5000

Dr. Robert Masse
Box 25046, Mail Stop 967
Denver Federal Center
Denver, CO 80225

Art McGarr
U.S. Geological Survey, MS-977
345 Middlefield Road
Menlo Park, CA 94025

Richard Morrow
ACDA/VI, Room 5741
320 21st Street N.W
Washington, DC 20451

Dr. Carl Newton
Los Alamos National Laboratory
P.O. Box 1663
Mail Stop C335, Group ESS-3
Los Alamos, NM 87545

Dr. Kenneth H. Olsen
Los Alamos Scientific Laboratory
P. O. Box 1663
Mail Stop D-406
Los Alamos, NM 87545

Mr. Chris Paine
Office of Senator Kennedy
SR 315
United States Senate
Washington, DC 20510

Colonel Jerry J. Perrizo
AFOSR/NP, Building 410
Bolling AFB
Washington, DC 20332-6448

Dr. Frank F. Pilotte
HQ AFTAC/TT
Patrick AFB, FL 32925-6001

Katie Poley
CIA-ACIS/TMC
Room 4X16NHB
Washington, DC 20505

Mr. Jack Rachlin
U.S. Geological Survey
Geology, Rm 3 C136
Mail Stop 928 National Center
Reston, VA 22092

Dr. Robert Reinke
WL/NTESG
Kirtland AFB, NM 87117-6008

Dr. Byron Ristvet
HQ DNA, Nevada Operations Office
Attn: NVCG
P.O. Box 98539
Las Vegas, NV 89193

Dr. George Rothe
HQ AFTAC/TTR
Patrick AFB, FL 32925-6001

Dr. Alan S. Ryall, Jr.
DARPA/NMRO
1400 Wilson Boulevard
Arlington, VA 22209-2308

Dr. Michael Shore
Defense Nuclear Agency/SPSS
6801 Telegraph Road
Alexandria, VA 22310

Mr. Charles L. Taylor
GL/LWG
Hanscom AFB, MA 01731-5000

Dr. Larry Turnbull
CIA-OSWR/NED
Washington, DC 20505

Dr. Thomas Weaver
Los Alamos National Laboratory
P.O. Box 1663, Mail Stop C335
Los Alamos, NM 87545

GL/SULL
Research Library
Hanscom AFB, MA 01731-5000 (2 copies)

Defense Intelligence Agency
Directorate for Scientific & Technical Intelligence
Attn: DT1B
Washington, DC 20340-6158

Secretary of the Air Force
(SAFRD)
Washington, DC 20330

AFTAC/CA
(STINFO)
Patrick AFB, FL 32925-6001

Office of the Secretary Defense
DDR & E
Washington, DC 20330

TACTEC
Battelle Memorial Institute
505 King Avenue
Columbus, OH 43201 (Final Report Only)

HQ DNA
Attn: Technical Library
Washington, DC 20305

DARPA/RMO/RETRIEVAL
1400 Wilson Boulevard
Arlington, VA 22209

DARPA/RMO/Security Office
1400 Wilson Boulevard
Arlington, VA 22209

Geophysics Laboratory
Attn: XO
Hanscom AFB, MA 01731-5000

Geophysics Laboratory
Attn: LW
Hanscom AFB, MA 01731-5000

DARPA/PM
1400 Wilson Boulevard
Arlington, VA 22209

Defense Technical Information Center
Cameron Station
Alexandria, VA 22314 (5 copies)

CONTRACTORS (FOREIGN)

Dr. Ramon Cabre, S.J.
Observatorio San Calixto
Casilla 5939
La Paz, Bolivia

Prof. Hans-Peter Harjes
Institute for Geophysik
Ruhr University/Bochum
P.O. Box 102148
4630 Bochum 1, FRG

Prof. Eystein Husebye
NTNF/NORSAR
P.O. Box 51
N-2007 Kjeller, NORWAY

Prof. Brian L.N. Kennett
Research School of Earth Sciences
Institute of Advanced Studies
G.P.O. Box 4
Canberra 2601, AUSTRALIA

Dr. Bernard Massinon
Societe Radiomana
27 rue Claude Bernard
75005 Paris, FRANCE (2 Copies)

Dr. Pierre Mecheler
Societe Radiomana
27 rue Claude Bernard
75005 Paris, FRANCE

Dr. Svein Mykkeltveit
NTNF/NORSAR
P.O. Box 51
N-2007 Kjeller, NORWAY (3 copies)

FOREIGN (OTHER)

Dr. Peter Basham
Earth Physics Branch
Geological Survey of Canada
1 Observatory Crescent
Ottawa, Ontario, CANADA K1A 0Y3

Dr. Fekadu Kebede
Seismological Section
Box 12019
S-750 Uppsala, SWEDEN

Dr. Eduard Berg
Institute of Geophysics
University of Hawaii
Honolulu, HI 96822

Dr. Tormod Kvaerna
NTNF/NORSAR
P.O. Box 51
N-2007 Kjeller, NORWAY

Dr. Michel Bouchon
I.R.I.G.M.-B.P. 68
38402 St. Martin D'Herès
Cedex, FRANCE

Dr. Peter Marshall
Procurement Executive
Ministry of Defense
Blacknest, Brimpton
Reading FG7-4RS, UNITED KINGDOM

Dr. Hilmar Bungum
NTNF/NORSAR
P.O. Box 51
N-2007 Kjeller, NORWAY

Prof. Ari Ben-Menahem
Department of Applied Mathematics
Weizman Institute of Science
Rehovot, ISRAEL 951729

Dr. Michel Campillo
Observatoire de Grenoble
I.R.I.G.M.-B.P. 53
38041 Grenoble, FRANCE

Dr. Robert North
Geophysics Division
Geological Survey of Canada
1 Observatory Crescent
Ottawa, Ontario, CANADA K1A 0Y3

Dr. Kin Yip Chun
Geophysics Division
Physics Department
University of Toronto
Ontario, CANADA M5S 1A7

Dr. Frode Ringdal
NTNF/NORSAR
P.O. Box 51
N-2007 Kjeller, NORWAY

Dr. Alan Douglas
Ministry of Defense
Blacknest, Brimpton
Reading RG7-4RS, UNITED KINGDOM

Dr. Jorg Schlittenhardt
Federal Institute for Geosciences & Nat'l Res.
Postfach 510153
D-3000 Hannover 51, FEDERAL REPUBLIC OF GERMANY

Dr. Roger Hansen
NTNF/NORSAR
P.O. Box 51
N-2007 Kjeller, NORWAY

Dr. Manfred Henger
Federal Institute for Geosciences & Nat'l Res.
Postfach 510153
D-3000 Hanover 51, FRG

Ms. Eva Johannisson
Senior Research Officer
National Defense Research Inst.
P.O. Box 27322
S-102 54 Stockholm, SWEDEN