AD-A242 718

CRREL Technical Publications

Supplement 1976 to 1990

DTIC
ELECTE
NOV 5 1991
S D
C




U.S. ARMY
COLD REGIONS
RESEARCH & ENGINEERING
LABORATORY

U.S. Army Corps of Engineers
Cold Regions Research & Engineering Laboratory

DISTRIBUTION STATEMENT A
Approved for public release;
Distribution Unlimited

CRREL Technical Publications

Supplement 1976 to 1990








U.S. Army Corps of Engineers
Cold Regions Research & Engineering Laboratory

91 1104 143

91-15043



CONTENTS

CRREL Scientific and Technical Reports iii
NTIS Order Form v
CRREL Bibliography Order Form vii
CRREL Reports (CR) 1
Special Reports (SR) 40
Monographs (M) 78
Technical Digests 81
Miscellaneous Publications 82
Author Index 222
Subject Index 269

CRREL Scientific and Technical Reports

Effective scientific and technical research depends on the transfer of information throughout the scientific community as well as the general dissemination of information to the public. CRREL has maintained an active publication program since its inception. This publications list is the supplement to the CRREL Publications List dated December 1975. The following descriptions are meant to clarify the CRREL report series.

CRREL Reports

The results of all major research efforts at CRREL are published in the CRREL Report series.

Special Reports

The Special Report series contains a wide variety of reports that do not fall within the CRREL Report category, e.g. literature reviews, data compilations, interim reports.

Monographs

The Cold Regions Science and Engineering Monograph series comprises comprehensive reviews of a field of scientific or technical knowledge with analysis and evaluation. This series is not published on a regular basis and the numbers and frequency vary from year to year. This series would be considered classics in the field of cold regions science and engineering.

Miscellaneous Publications

This series includes papers by CRREL authors that are published outside the laboratory but under CRREL funding. This series would include conference proceedings, contract reports, and journal articles.

Internal Reports and Technical Notes

This series is not listed in our publications list but frequently is referred to in literature cited by CRREL authors. These documents have not been published for reasons such as proprietary information, excessive expense, limited interest, or awkwardness of format. Copies are available for review in the CRREL Library or with the author's explicit release. Technical Notes are informal, preliminary, unedited, and frequently superceded by a more formal CRREL publication. These are also not available for external distribution without prior permission from the author.

Bibliography on Cold Regions Science and Technology

The *Bibliography on Cold Regions Science and Technology* has been sponsored at the Library of Congress by CRREL since 1951. This most important CRREL product has been published in volumes 1–15 as the *Bibliography on Snow, Ice and Permafrost*, SIPRE Report 12. Beginning with volume 16 the title was changed to *Bibliography on Snow, Ice, and Frozen Ground*, with Abstracts, and with volume 23 the current title was adopted. This publication differs from the CRREL Publications List because it includes all the world's cold regions research in addition to the CRREL in-house work.

Almost all the literature cited in the *Bibliography on Cold Regions Science and Technology* has been microfiched and is available in full text from the Library of Congress. If your requests number fewer than 10 you may borrow documents from the CRREL Library, 72 Lyme Road, Hanover, New Hampshire 03755-1290. Those interested in purchasing a photocopy of a document cited should write to the Library.

The *Bibliography* is available for purchase in three formats:

- Online searching is offered as FILE COLD through Orbit Search Service, 8000 Westpark Drive, MacLean, Virginia 22102 (phone 703-442-0900 or 800-445-7248).
- A CD-ROM version, *Arctic and Antarctic Regions*, is available from NISC, Suite 6, Wyman Towers, 3100 St. Paul St., Baltimore, Maryland 21218 (phone 301-243-0797 or FAX 301-243-0982).
- The paper version currently in 44 volumes is available for purchase from the National Technical Information Service (NTIS), Springfield, Virginia 22161 (phone 703-487-4650). The annual volume appears in two parts: author/subject index and the numerical listing. Every five years a five-year author/subject index has been published to simplify the search process.

Current Literature—Cold Regions Science and Technology

Current Literature is a monthly listing of items added the previous month to the *Bibliography on Cold Regions Science and Technology*. This list is produced by the Library of Congress monthly. The monthly Current Literature comprises the annual volume of the *Bibliography on Cold Regions Science and Technology*. Only the annual volumes contain indexes. To receive the *Current Literature*, write to U.S. Army CRREL, Technical Communications Branch, 72 Lyme Road, Hanover, New Hampshire 03755-1290.

Availability of CRREL Publications

The CRREL Reports, Special Reports and Monographs are all available for purchase from the National Technical Information Service (NTIS), Springfield, Virginia 22161. The telephone number is 703-487-4650. Please refer to the next page for ordering information, or copy the form.

U.S. DEPARTMENT OF COMMERCE
National Technical Information Service
SPRINGFIELD, VA 22161

NTIS® ORDER FORM

TELEPHONE ORDERS
Call (703) 487-4650

FAX Your Order (703) 321-8547 TELEX 89-9405 Subscriptions: (703) 487-4630
(See reverse side for RUSH and EXPRESS ordering options)

- HANDLING FEE: A handling fee is required for each order except Express, Rush, Subscription, QuickSERVICE, or Pickup orders.
- SHIPPING: **U.S.:** Printed reports and microfiche copies are shipped First Class Mail or equivalent.
  FOREIGN: Regular service: Printed reports and microfiche copies are shipped surface mail.
  Air Mail service to Canada and Mexico: add $3.50 per printed report; 75¢ per microfiche copy.
  Air Mail service to all other addresses: add $7.50 per printed report; $1 per microfiche copy.
  Subscriptions and standing orders are sent surface mail; contact NTIS for Air Mail rates.

1 *Address Information*

DTIC Users Code:_____ Contract No. ___ ____ ___
(Last six digits)

PURCHASER: DATE:_____

Last Name First Initial

Title

Company/Organization

Address

City/State/ZIP

Attention

Telephone number

SHIP TO (Enter ONLY if different from purchaser):

Last Name First Initial

Title

Company/Organization

Address

City/State/ZIP

Attention

Telephone number

2 *Method of Payment*

☐ Charge my NTIS Deposit Account ___ ___ ___ ___ ___-___

Charge my ☐ Amer. Express ☐ VISA ☐ MasterCard

Account No. _____ Exp. _____

Signature: _____
(Required to validate all orders)

☐ Check/Money order enclosed for $_____

☐ Please bill **ADD $7.50 per order** (See below for restrictions)†

Purchase Order No. _____

3 *Order Selection* (For computer products, see reverse)

Enter NTIS order number(s) (Ordering by title only will delay your order)	Customer†† Routing (up to 8 digits)	QUANTITY Printed Copy	QUANTITY Micro-fiche	UNIT PRICE	Foreign Air Mail	TOTAL PRICE
1. /CBM						
2. /CBM						
3. /CBM						
4. /CBM						
5. /CBM						
6. /CBM						
7. /CBM						

☐ **OVER**—Order continued on reverse

SUBTOTAL From Other Side	
Regular Service Handling Fee per order ($3 U.S., Canada, and Mexico; $4 other)	
Billing Fee if required ($7.50)	
GRAND TOTAL	

† Billing Service: This service is restricted to customers in the United States, Canada, and Mexico for an additional $7.50 per order. A late payment charge will be applied to all billings more than 30 days overdue.

†† Customer Routing Code: NTIS can label each item for routing within your organization. If you want this service, put your routing code in this box.

Rev. 6/31/89
PR-OFA

U.S DEPARTMENT OF COMMERCE
National Technical Information Service
SPRINGFIELD, VA 22161

NTIS ORDER FORM—Side 2

3 Order Selection (Cont.)

Enter the NTIS order number(s) (Ordering by title only will delay your order)		Customer Routing	QUANTITY Printed Copy	QUANTITY Micro-fiche	UNIT PRICE	Foreign Air Mail	TOTAL PRICE
8.	/CBM						
9.	/CBM						
10.	/CBM						
11.	/CBM						
12.	/CBM						
13.	/CBM						
14.	/CBM						
15.	/CBM						
16.	/CBM						
17.	/CBM						
18.	/CBM						
19.	/CBM						
						Subtotal	

ENTER this amount on the other side of this form.

4 Computer Products

If you have questions about a particular computer product, please call our Federal Computer Products Center at (703) 487-4763.

Enter the NTIS order number(s) (Ordering by title only will delay your order)		Customer Routing	TAPE DENSITY (9 track) 1600 bpi	TAPE DENSITY (9 track) 6250 bpi	TOTAL PRICE
20.	/CBM				
21.	/CBM				
22.	/CBM				
23.	/CBM				
				Subtotal	

All magnetic tapes are sent air mail or equivalent service to both U.S. and foreign addresses.

ENTER this amount on the other side of this form.

SPECIAL RUSH and EXPRESS ORDERING OPTIONS

Telephone: (800) 336-4700
in Virginia call:
(703) 487-4700

RUSH SERVICE—Orders are processed within 24 hours and sent First Class or equivalent. U.S., Canada, and Mexico, add $12 per item, other countries add $14.50 per item (Air Mail postage additional, see other side).

EXPRESS SERVICE—Orders are processed within 24 hours AND delivered by overnight courier. Available to U.S. addresses only, add $22 per item.

ORDER FORM for
Bibliography on Cold Regions Science and Technology
MAIL ORDER TO:
National Technical Information Service
Springfield, Virginia 22161
Or call . . .
NTIS Sales Desk (703) 557-4650 (Telex 89-9405)

SHIP TO: _____
NAME _____
ORGANIZATION _____
STREET _____
CITY, STATE, ZIP _____

☐ Check enclosed for _____ Checks must be made payable to "F&AO, USA NRDC," and must be in U.S. currency from a U.S. bank

_____
Signature

Publication date	Coverage	Volume	NTIS order number	Paper copy	Micro-fiche	Quantity	Unit* price	Total
Sept 1951	SIP 1-781	1	AD 495995				30.00	
July 1952	SIP 781-2400	2	AD 495996				30.00	
Jan 1953	SIP 2401-4000	3	AD 11941				30.00	
July 1953	SIP 4001-5500	4	AD 23334				30.00	
Jan 1954	SIP 5501-7000	5	AD 29227				30.00	
July 1954	SIP 7001-8500	6	AD 42727				30.00	
Jan 1955	SIP 8501-10,000	7	AD 57394				30.00	
July 1955	SIP 10,001-11,500	8	AD 99684				30.00	
Jan 1956	SIP 11,501-13,000	9	AD 99685				30.00	
July 1956	SIP 13,001-14,000	10	AD 115158				30.00	
Jan 1957	SIP 14,001-15,000	11	AD 139463				30.00	
Jan 1958	SIP 15,001-16,000	12	AD 158195				30.00	
Jan 1959	SIP 16,001-17,000	13	AD 217715				30.00	
Jan 1960	SIP 17,001-18,000	14	AD 255775				30.00	
Jan 1961	SIP 18,001-19,000	15	AD 277537				30.00	
Jan 1962	SIP 19,001-20,000	16	AD 278593				30.00	
June 1963	SIP 20,001-21,000	17	AD 432809				30.00	
June 1964	SIP 21,001-22,000	18	AD 447121				30.00	
June 1965	SIP 22,001-23,000	19	AD 621041				30.00	
June 1966	SIP 23,001-24,200	20	AD 641116				30.00	
June 1967	SIP 24,201-25,200	21	AD 658229				30.00	
June 1968	SIP 25,201-26,000	22	AD 672756				30.00	
Dec 1983	SIP 1-26,000	Cum. Subj. & Author Index Vol. 1-22	ADA 147763				30.00	
July 1969	23-1 to 23-5949	23	AD 696404				30.00	
July 1970	24-2 to 24-4014	24	AD 715769				30.00	
July 1971	25-1 to 25-4385	25	AD 740201				30.00	
Sept 1972	26-1 to 26-4025	26	AD 752083				30.00	
July 1973	27-1 to 27-3104	27	AD 768099				30.00	
Dec 1973		Cum. Subj. & Author Index Vol. 23-27	AD A022642				30.00	
July 1974	28-1 to 28-4320	28	AD A 007092				30.00	
Oct 1975	29-1 to 29-4032	29	AD A 022640				30.00	
Dec 1976	30-1 to 30-4635	30	AD A 083016				30.00	
Dec 1977	31-1 to 31-4544	31	AD A 063686				30.00	
Dec 1978	32-1 to 32-4772	32	AD A 083017				30.00	
Dec 1978		Cum. Subj. & Author Index Vol. 28-32	AD A 083015				30.00	
Dec 1979	33-1 to 33-4770	33	AD A 097639				30.00	
Dec 1980	34-1 to 34-4255	34	AD A 102357				30.00	
Dec 1981	35-1 to 35-4342	35	AD A 115954				30.00	
Dec 1982	36-1 to 36-4268	36	ADA 134620				30.00	
Dec 1983	37-1 to 37-4389	37	ADA 149148				30.00	
Dec 1983		Cum. Subj. & Author Index Vol. 33-37	ADA 149147				30.00	
Dec 1984	38-1 to 38-4596	38 & Index	ADA 154638				30.00	
Dec 1985	39-1 to 39-4069	39 39 Index	ADA 173543 ADA 173474				30.00	
Dec 1986	40-1 to 40-4788	40 40 Index	ADA 185048 ADA 185049				30.00	
Dec 1987	41-1 to 41-4639	41 41 Index	ADA 190161 ADA 190162				30.00	
Dec 1988	42-1 to 42-4328	42	ADA 207649				30.00	
Dec 1988		Cumulative Subj. Index Vol. 38-42	ADA 207651				30.00	
Dec 1988		Cumulative Author Index Index Vol. 38-42	ADA 207650				30.00	
Dec 1989	43-1 to 43-4649	43 43 Index	ADA 220985 ADA 220986				30.00 30.00	
* $3.00 handling charge on each order							Sheet total	

CRREL REPORTS

CR 76-01
ARCTIC ENVIRONMENT AND THE ARCTIC SURFACE EFFECT VEHICLE.
Sterrett, K.F., Jan. 1976, 28p., ADA-024 849, Bibliography p.25-28.
31-4161
AIR CUSHION VEHICLES, SEA ICE, TOPOGRAPHIC FEATURES, ARCTIC LANDSCAPES.
This report summarizes the advances in understanding of the Arctic which have come about since the inception of the ARPA Arctic Surface Effect Vehicle Program in 1970, primarily as the result of CRREL's participation. Major efforts to increase knowledge of sea ice, terrestrial, and coastal topographic features are described. Special emphasis is placed upon the quantitative understanding of pressure ridging. Other areas of major interest are atmospheric characteristics and ecological effects. A list of publications generated is included.

CR 76-02
PROTECTED MEMBRANE ROOFS IN COLD REGIONS.
Aamot, H.W.C., et al, Mar. 1976, 27p., ADA-025 226, 32 refs.
Schaefer, D.
31-4162
ROOFS, WATERPROOFING, INSULATION, COST ANALYSIS.
Protected membrane roofs have the prerequisites for better performance and the experience to date is encouraging. The results of performance measurements of three roofs built by the Corps of Engineers verify that the membrane remains at nearly constant temperature, independent of the weather, and that the insulation retains its integrity despite periodic wetting. Moisture absorption is slow and appears to stabilize in time due to the self-drying nature of the roof. Heat losses are increased due to rain, and extra insulation should be added to compensate for these losses. The resistance of protected membrane roofs to fire, traffic, impact, and other adverse forces is superior. So far, the initial cost of protected membrane roofs is at a premium, primarily due to the cost of concrete pavers. The initial cost premium can be justified, however, by the reduced repair and maintenance costs as indicated to date, and by the longer life expectancy of the protected membrane. The high probability of superior performance and cost effectiveness is a compelling reason to incorporate protected membrane roofs increasingly in Government construction.

CR 76-03
SURVEY OF DESIGN CRITERIA FOR HARBORS AND CHANNELS IN COLD REGIONS—AN ANNOTATED BIBLIOGRAPHY.
Haynes, F.D., Mar. 1976, 32p., ADA-025 226.
31-4163
BIBLIOGRAPHIES, PORTS, CHANNELS (WATERWAYS), ICE LOADS, DESIGN CRITERIA.
A world-wide review of the literature applicable to the design of harbors and channels in cold regions was conducted. Forces due to ice movement present the dominant factor in the design of marine structures in cold regions. Expressions for calculating the ice force are presented. Other factors relating to design criteria such as construction materials, structure geometry, and methods of ice suppression are discussed.

CR 76-04
ISLANDS OF GROUNDED SEA ICE.
Kovacs, A., et al, Apr. 1976, 24p., ADA-025 257, 26 refs.
Gow, A.J., Dehn, W.F.
31-4164
SEA ICE, ICE ISLANDS, SPACEBORNE PHOTOGRAPHY.
Large areas of grounded sea ice have been reported by early arctic explorers and more recently by the U.S. Coast Guard. The ESSA, ERTS, NOAA and DMSP satellites now provide multispectral imagery with sufficiently high resolution to allow detailed sequential observations to be made of the movement and spatial extent of arctic sea ice. This report discusses the location, formation and decay of five large (>30 sq km) islands of grounded sea ice in the southern Chukchi Sea as observed for an extended period of time using satellite imagery. Measurements of the bathymetry around one grounded sea ice feature are presented along with observations made and photos taken from the ice surface. The potential use of these sea ice islands as research stations is also discussed.

CR 76-05
INTERPRETATION OF THE TENSILE STRENGTH OF ICE UNDER TRIAXIAL STRESSES.
Nevel, D.E., et al, Apr. 1976, 9p., ADA-027 042, 12 refs.
Haynes, F.D.
31-4165
ICE STRENGTH, TENSILE STRENGTH, THEORIES, STRESSES.
Griffith, and later Bobel, have previously developed a tensile fracture criterion for a two-dimensional state of stress. This theory is extended to the compression-compression region. From this theory the angle of fracture is developed. The theory is extended conceptually to three dimensions. Triaxial test data by Haynes for snow-ice are shown in this three-dimensional fracture theory. The test data are slightly less than those predicted when the void in the snow-ice is spherical.

CR 76-06
WATER FLOW THROUGH VEINS IN ICE.
Colbeck, S.C., Apr. 1976, 5p., ADA-026 631, 8 refs.
31-4166
GLACIERS, WATER FLOW, WATER PRESSURE, POROUS MATERIALS.
Water flow through the vein structure of temperate ice is described as Darcian flow in which the pressure gradient is determined from vein size and overburden pressure. A solution method for the resulting equation is given and two special cases are considered. For steady flow the equilibrium vein size is a function of depth and, by neglecting the effects of diffusion, it is shown that flow perturbations introduced at the surface propagate downward at a constant speed. These perturbations propagate so slowly that even annual surface fluctuations of flow may be eliminated by diffusion before reaching the bottom of the glacier.

CR 76-07
CANTILEVER BEAM TESTS ON REINPORCED ICE.
Ohstrom, E.G., et al, Apr. 1976, 12p., ADA-025 380, 6 refs.
DenHartog, S.L.
31-4167
ICE STRENGTH, ICE ROADS, FLOATING ICE, REINFORCEMENT (STRUCTURES).
To determine the effectiveness of reinforcement in ice roads or other uses of a floating ice sheet a series of in-situ cantilever beam tests were run in both seawater ice and freshwater ice. Tests were run using 1-in.-diameter tree branches, 3/16-in.-diameter wire rope and 9/16-in. half-round wood dowels. The tests demonstrated clearly that properly placed reinforcement increases the bending strength of the ice and showed further that reinforcement reduces the chances of equipment loss. The question of whether to reinforce or simply grow a thicker ice sheet has not been addressed as this is more a problem of local economics.

CR 76-08
PREDICTION OF UNFROZEN WATER CONTENTS IN FROZEN SOILS FROM LIQUID DETERMINATIONS.
Tice, A.R., et al, Apr. 1976, 9p., ADA-026 632, 30 refs.
Anderson, D.M., Banin, A.
31-4168
SOIL WATER, UNFROZEN WATER CONTENT.
During the past decade a number of methods for measuring the amount of unfrozen water in partially frozen ground have emerged. Means of quickly and simply predicting unfrozen water contents in clay have become increasingly important with the growth of interest in encapsulating clay soils compacted at low water contents to serve as base courses for roads. Unfortunately the measurements require sophisticated equipment and, in most instances, specially trained operators. In an effort to simplify the task of obtaining water-ice phase composition data, methods of calculating phase composition curves from other, simpler measurements on soils have been sought. In this paper we present a method of deriving the measurement of unfrozen water contents at various temperatures from liquid limit determinations. Previous studies have indicated that phase composition curves can be well represented by a simple power equation, W sub u = alpha x theta sup beta, where W sub u is the unfrozen water content in g H2O/g soil, theta is the temperature in degrees below freezing and alpha and beta are empirical constants characteristic of a given soil. When the liquid limits of a large group of soils encompassing a wide range of textures were regressed against values of alpha, the correlation was found to be remarkably good. This has permitted the development of a prediction equation of sufficient accuracy for general engineering use.

CR 76-09
SITE ACCESS FOR A SUBARCTIC RESEARCH EFFORT.
Slaughter, C.W., Apr. 1976, 13p., ADA-026 624, 9 refs.
31-4169
RESEARCH PROJECTS, REMOTE SENSING, SITE ACCESSIBILITY.
Access to study areas may be an important factor in long-term field-oriented research, particularly in regions without well-developed road and communications systems. In a wildland hydrometeorology research project in subarctic Alaska, access to and within a 40-square-mile research watershed has been developed both in accordance with a general plan prepared at project inception and in response to developing research requirements. Foot trails, trails for "off-road" low-ground-pressure tracked vehicles, helicopter transport, long-term data recorders, and radio telemetry of data have all been incorporated in an access and communications system. Cost estimates indicate that incorporation of gravel roads into the system would be economically advantageous, given adequate funding for initial road construction.

CR 76-10
DE-ICING USING LASERS.
Lane, J.W., et al, Apr. 1976, 25p., ADA-026 637, 27 refs.
Marshall, S.J.
31-4170
ICE REMOVAL, LASERS, STRUCTURES, DAMAGE.
The feasibility of employing a laser to de-ice remote surfaces was investigated. A Nd:Glass laser, wavelength 1.06 micrometers, and a Ruby laser, wavelength 6943Å, were used to irradiate ice grown upon six types of substrates - asphalt, brass, concrete, aluminum, steel, and stone. It was found that a single pulse, delivered to the interface between the ice and its substrate at a power density of 100 million to 1 billion watts/cm2, produced fractures 0.1 to 2 cm in diameter for all substrates. If the initial fracture could be propagated by suitable scanning of the optical beam over the interface, the ice could be disrupted and thus removed from the substrate. The technique could also be a useful adjunct to de-icing methods that depend upon the existence of an initial crack. The process of producing the initial fracture was found to be limited by the thickness of the ice, the bubble content of the ice, and the focusing system.

CR 76-11
EFFECTS OF RADIATION PENETRATION ON SNOWMELT RUNOFF HYDROGRAPHS.
Colbeck, S.C., Apr. 1976, 9p., ADA-025 763, 10 refs.
For this report from another source see 31-4211.
31-4171
SNOW HYDROLOGY, RUNOFF, RADIATION ABSORPTION.
Water flow through the unsaturated portion of a snowpack is calculated using various assumptions about radiation penetration into the snow. The results show that for the purposes of hydrologic forecasting, it is sufficiently accurate to assume that all of the radiation absorption occurs at the surface. The error in the calculation of flow is largest for very shallow snowpacks, but this error is reduced by radiation absorption at the base of the snow and by the routing of meltwater through the saturated basal layer.

CR 76-12
HEAT TRANSFER CHARACTERISTICS OF MELTING AND REFREEZING A DRILL HOLE THROUGH AN ICE SHELF IN ANTARCTICA.
Yen, Y.-C., et al, Apr. 1976, 15p., ADA-026 365, 3 refs.
Tien, C.
31-4172
HEAT TRANSFER, BOREHOLES, ICE SHELVES, ICE MELTING, REGELATION.
The heat transfer processes associated with melting and refreezing a drill hole 500 m in depth and 0.150 m in initial radius through an ice shelf were approximately analyzed. The results were expressed in graphical form showing the time available for experimentation under the hole as a function of heating duration and heating strength. It was found that the refreezing of the drill hole had a much slower rate than the melting of the hole. (Auth.)

CR 76-13
WINTER THERMAL STRUCTURE AND ICE CONDITIONS ON LAKE CHAMPLAIN, VERMONT.
Bates, R.E., June 1976, 22p., ADA-027 146, 9 refs.
31-4173
LAKE ICE, THERMAL REGIME, ICE CONDITIONS, MEASURING INSTRUMENTS, UNITED STATES—VERMONT—LAKE CHAMPLAIN

The thermal structure and ice conditions of Lake Champlain, a mid-latitude large lake, near Shelburne Point, Vermont, were studied during the winter of 1974-75. The lake was instrumented to a depth of 8.5 m with a string of highly calibrated thermistors, connected to a data logger on shore which recorded water temperatures every four hours. An ice mooring system was developed to anchor the thermistor string so that ice and water temperatures could be obtained at known levels. This temperature recording system measured vertical and horizontal variations in ice and water temperature regimes during ice formation, growth and decay. Meteorological data were measured during the winter period November 1974 through March 1975 at the site. Ice stratigraphy was determined for the ice at the site at its maximum seasonal growth for comparison with ice from St. Albans Bay (at the northern end of Lake Champlain) which had formed earlier. Correlations were determined between ice growth and accumulated degree days of freezing. The operation of a bubbler system installed near the measurement site around a service dock was observed.

CR 76-14
THERMAL POLLUTION STUDIES OF FRENCH CREEK, EIELSON AFB, ALASKA.
McFadden, T., June 1976, 5p., ADA-027 405, 7 refs.
31-4174
THERMAL POLLUTION, WATER POLLUTION, UNITED STATES—ALASKA—EIELSON AFB.

At the height of warm weather in Alaska in 1975, temperature measurements were made to determine the extent of the thermal impact on French Creek due to a condenser cooling water impact from the Eielson AFB Power plant. Water temperature measurements during a two-day period failed to show any significant thermal impact on the water in French Creek. It was concluded that no thermal pollution exists due to this warm water input at the volumes and conditions that presently exist.

CR 76-15
REVEGETATION IN ARCTIC AND SUBARCTIC NORTH AMERICA—A LITERATURE REVIEW.
Johnson, L.A., et al, June 1976, 32p., ADA-027 406, Bibliography p.22-28.
Van Cleve, K.
31-4175
PLANTS (BOTANY), ARCTIC LANDSCAPES, SUBARCTIC LANDSCAPES, REVEGETATION.

A literature review of revegetation and biological aspects of restoration research was completed for arctic and subarctic North America. Although there is a great deal of climatic variation in this region it is generally characterized by extreme conditions, such as a short growing season and permafrost. Most of the revegetation research has been undertaken in the last six years as a result of increased natural resource development. The primary goal has been erosion control, with aesthetics, minimization of thermokarst, and production of browse as other objectives. Revegetation and long-term restoration methods depend upon such variables as the site conditions, nutrient regime (especially as this is influenced by the climatic conditions in the Arctic and Subarctic), plant adaptations, and the selection of native or introduced species. Technologies which have been developed to meet these conditions primarily include seedbed preparation, use of seed mixes, and fertilization and seeding methods. Most of the research has focused on the use of agronomic grasses and legumes. These are selected on the basis of a number of factors, such as cold hardiness and growth form prior to evaluation in the laboratory and the field. The most successful species to date have been Arctared fescue and Nugget bluegrass in the Arctic, while these two as well as creeping red fescue, meadow foxtail, Frontier reed canarygrass, Durar hard fescue, slender wheatgrass, and Icelandic poa did well in the Subarctic. Similar methods have been attempted to a more limited extent with evaluation of native herbaceous and woody species which seem promising on the basis of natural succession studies. There are a number of continuing research needs for arctic and subarctic revegetation. These include fertilization strategies, development of specialized techniques (such as sprigging) for native species, and longer term studies. It is particularly important to integrate short-term revegetation methods with long-term restoration goals.

CR 76-16
MECHANICS OF CUTTING AND BORING. PART II: KINEMATICS OF AXIAL ROTATION MACHINES.
Mellor, M., June 1976, 45p., ADA-027 279, 11 refs.
31-4177
ROCK DRILLING, ROTARY DRILLING, AUGERS, TUNNELING (EXCAVATION), MECHANICAL PROPERTIES, EXCAVATION, CUTTING TOOLS.

This report, which is one of a series on the mechanics of cutting and boring in rock, deals with the kinematics of machines such as rotary drills, augers, tunnel boring machines, cavers, and raise borers, in which the rotary cutting unit revolves about an axis that is parallel to the machine's direction of advance. The discussion and analysis covers the geometry and motion of various components of the cutting system, including such topics as tool trajectories, tool speeds, motions of the more complicated mechanisms, chipping depth, penetration rates, production and clearance of cuttings, tool angles, and spatial distribution of cutters. Worked examples are given to illustrate the application of various equations to practical problems.

CR 76-17
MECHANICS OF CUTTING AND BORING. PART III: KINEMATICS OF CONTINUOUS BELT MACHINES.
Mellor, M., June 1976, 24p., ADA-027 833, 2 refs.
31-4178
ROCK DRILLING, EXCAVATION, CUTTING TOOLS, CONTINUOUS BELT MACHINES.

This report, which is one of a series on the mechanics of cutting and boring in rock, deals with the kinematics of machines which utilize a continuous belt as the cutting unit (e.g. coal saws, stake saws, digger-chain trenchers). The discussion and analysis covers the geometry and motion of various components of the cutting system, including such topics as chipping depth, production and conveyance of cuttings, tool trajectories, tool speeds, tool angles, and arrangement of cutting tools on the belt. Worked examples are included to illustrate the application of various equations to practical problems.

CR 76-18
THICKNESS AND ROUGHNESS VARIATIONS OF ARCTIC MULTIYEAR SEA ICE.
Ackley, S.F., et al, June 1976, 25p., ADA-028 086, 11 refs.
Hibler, W.D., III, Kugzruk, F.K., Kovacs, A., Weeks, W.F.
31-4179
SEA ICE, ICE COVER THICKNESS, SURFACE ROUGHNESS, MODELS.

Three surface elevation and ice thickness profiles obtained during the 1972 Arctic Ice Dynamics Joint Experiment Pilot Study on a multiyear ice floe were analyzed to obtain relationships between the surface elevation, thickness and physical properties of the ice. It was found that for ice freeboards from 0.10 m to 1.05 m above sea level a linear relationship between the ice density and the freeboard could be postulated in a statistical relationship consistent with the observed physical properties, which indicate that as the ice freeboard increases, the ice salinity decreases and the higher freeboard or thicker ice therefore decreases in density. Using this variable density with freeboard relationship, a model was constructed to predict the ice thickness, given the ice freeboard and snow depth alone. The model was compared with two other models, one assuming constant ice density (independent of freeboard) and the other using smoothing filters for predicting the ice thickness. It was found that the variable density prediction model gave the best approximation to the observed ice thickness, with a standard error between the measured and predicted value of about 0.4 m, compared with errors from 50 to 100% higher for the other two models. The model was also compared with data on multiyear ice from two other investigations in different regions and was found to give error estimates similar to the error of the data set on which the model was based. It is therefore concluded that the model can be useful to estimate multiyear ice thicknesses from surface elevation information obtained either by ground-based techniques or by aerial methods such as laser profilometry or stereo aerial photogrammetry. The effect of the variable density on estimates of the stress induced in the ice sheet by isostatic imbalance loading was examined and the results are presented in an appendix. Consideration of this property led to the conclusion that stresses from sources other than isostatic imbalance must account for 75% or more of the bending stresses necessary to induce cracking in multi-year ice.

CR 76-19
WASTEWATER RENOVATION BY A PROTOTYPE SLOW INFILTRATION LAND TREATMENT SYSTEM.
Iskandar, I.K., et al, June 1976, 44p., ADA-029 744, Bibliography p.33-35.
Sletten, R.S., Leggett, D.C., Jenkins, T.F.
32-1066
WASTE TREATMENT, WATER TREATMENT, SOIL CHEMISTRY, SEEPAGE.

The feasibility of a slow-infiltration land treatment system as an alternative to advanced waste treatment of wastewater was studied using six outdoor test cells. Wastewater was applied to forage grasses by spray irrigation. Parameters studied were wastewater application rate, effect of pretreatment and soil type and seasonal effects on the treatment system. Activated sludge pretreatment of the applied wastewater did not improve the overall quality of the product water from this slow-infiltration system. The uptake of nutrients by forage grasses accounted for significant removal of nitrogen and phosphorus from applied wastewater during the growing season. Other renovative mechanisms, namely nitrification-denitrification of applied nitrogen and phosphorus immobilization and fixation by the soils may have accounted for further renovation of the applied effluents. The nitrogen loading rate appeared to be the critical factor in limiting the amount of wastewater that could be successfully applied to this type of land treatment system, at least over the short term. Also the renovative mechanisms for nitrogen were found to be seasonally dependent. Due to decreased nitrification and sorption of ammonium by soil components nitrogen was stored in the winter months. The sorbed ammonium underwent nitrification in the warmer months, giving rise to a high concentration of nitrate-N in spring. The higher nitrate concentrations observed in leachate after the first year of wastewater application were attributed to mineralization of native organic-N. Application of 15 cm/week of secondary effluent containing 27 mg/l total N to sandy loam soil produced percolate water containing NO3-N concentrations consistently in excess of accepted drinking water standards (10 mg NO3-N/l). Leaching phosphorus was not observed but needs further study to predict long-term effects. Winter-time application was successful in terms of operational parameters, but the renovative capacity for nitrogen was impaired. The effect on the other water quality parameters such as suspended solids, BOD, fecal coliform and organic-C was essentially complete removal. There was a negative chloride balance which was presumed to be due to plant uptake.

CR 76-20
APPARENT ANOMALY IN FREEZING OF ORDINARY WATER.
Swinzow, G.K., June 1976, 23p., ADA-039 177, 9 refs.
32-1067
ICE FORMATION, ICE CRYSTAL NUCLEI, SUPERCOOLED WATER, IMPURITIES, TEMPERATURE VARIATIONS, LABORATORY TECHNIQUES.

Under ordinary conditions the freezing of water begins with supercooling and ice nucleation, and proceeds at 0C at the ice/water interface until ice formation stops. The presence of solutes, high pressure, or dispersal in fine pores causes the water to freeze at temperatures below 0C (the so-called freezing point depression). Whenever freezing begins, it proceeds at a constant temperature, or at a temperature which becomes progressively lower. A temperature rise during ice formation is considered here to be an anomaly. Under all equal circumstances, the conditions under which an anomalous freezing temperature is observable appear to be very special. This report describes two different experiments displaying the anomalous rise of temperature after nucleation and during ice formation. In one case the water was dispersed in the fine pores of fine powders; in the other case pure water was frozen in a transparent insulated cell. Photographic observations were made; relations of ice surface to water volume were measured.

CR 76-21
COMPRESSIBILITY CHARACTERISTICS OF COMPACTED SNOW.
Abele, G., et al, June 1976, 47p., ADA-028 622, 5 refs.
Gow, A.J.
32-1068
SNOW TEMPERATURE, SNOW DENSITY, SNOW DEFORMATION, STRESSES, PHASE TRANSFORMATIONS, RECRYSTALLIZATION.

The effects of snow temperature and initial density on the stress vs density and stress vs deformation relationships were investigated for shallow compacted snow in the density range of 0.28 to 0.76 g/cu cm, for a stress range of 0.5 to 72 bars and a temperature range of -1 to -34C at a deformation rate of 40 cm/sec. A decrease in temperature increases the resistance to stress, the effect increasing with applied stress. For any stress, an increase in the initial density results in an increase in the resulting density, the effect decreasing with an increase in stress. The approximate yield envelopes, which define the stress required to initiate any deformation of snow of a particular density and temperature, were determined. Rapid compaction of snow results in extensive recrystallization, significantly different from that of naturally compacted snow. At a stress of 72 bars, transformation to ice occurs only at temperatures above -10C.

CR 76-22
EVALUATION OF MESL MEMBRANE—PUNCTURE, STIFFNESS, TEMPERATURE, SOLVENTS.
Sayward, J.M., June 1976, 60p., ADA-027 834, 30 refs.
32-1069
SOIL STRUCTURE, SOIL STRENGTH, PROTECTIVE COATINGS, FROST PROTECTION, CELLULAR PLASTICS.

Several membrane materials used or considered for MESL (membrane-enveloped soil layer) utilization of poor soils in road construction have been tested for cold effect on puncture and stiffness. PE (polyethylene) film was also tested for solvent soak effects. A simple blunt needle apparatus was devised for puncture testing. For plastic films (mainly PE), both puncture resistance and stiffness increase at low temperature. For non-wovens, spunbonded fabrics these properties are little affected by cold. For both non-wovens and PE film, puncture and bending strengths increase linearly with weight or thickness. The slope is steeper for the non-wovens, which generally are stronger on a per unit weight basis. PE film soaked in a hydrocarbon solvent swelled approximately 17% and lost about 30-40% of its puncture strength. These effects are apparently reversible upon drying. Consideration has been given to sealing and patching requirements and to the drying of sealant liquids when adhering film to film. Also considered have been possible slippage related to the reported low angle of friction of plastic films in soil and the possibility of lamination for improved membrane properties.

CR 76-23
STUDY OF PILES INSTALLED IN POLAR SNOW.
Kovacs, A., July 1976, 132p., ADA-029 191, 18 refs.
32-1070
PILE DRIVING, SNOW BEARING STRENGTH, SNOW MECHANICS, GREENLAND.

This report describes the study of piles tested in polar snow at Camp Century, Greenland. More than 20 piles of various lengths and sizes were driven, including timber, closed-end and open-end steel pipe piles, and I- and H-piles. The H-piles were instrumented with strain gages. In addition to the driven piles, two purely end-bearing piles were installed in augered holes and five piles were frozen in place using a snow-water slurry. Driving records were obtained and are discussed. Analysis of the driving response of various piles revealed that the Hiley formula, and presumably other similar pile driving formulas, cannot be used to predict the ultimate supporting capacity of piles driven in snow. Factors such as pile inertia, rigidity, size, and tip resistance are discussed in relation to their apparent influence upon pile penetration. Pile load test procedures are described and test results are discussed. It was found that closed-end pipe piles are decidedly inferior to open-end pipe piles in their load-carrying capability and their ultimate supporting capacity. Although pile settlement was found to be dependent upon such variables as pile load, time, pile shape, and snow temperature, precise effects of these variables were not determined. Nevertheless, the capability of open-end piles to carry quite heavy loads was demonstrated and a procedure is presented for testing these piles in snow. Strain gage instrumentation is described and its performance discussed. Both dynamic and static strain data were obtained and analyzed to reveal the strain distribution within a pile during driving and static loading. Excavations revealed the configuration of the densified snow displaced along the sides and beneath the tips of a number of driven piles. Inspection of this displacement gave insight into the carrying response of each pile type.

CR 76-24
VANADIUM AND OTHER ELEMENTS IN GREENLAND ICE CORES.
Herron, M.M., et al. July 1976, 4p., ADA-029 356, 16 refs.
Langway, C.C., Jr., Weiss, H.V., Hurley, J.P., Kerr, R., Cragin, J.H.
32-1071
SNOW COMPOSITION, CHEMICAL ANALYSIS, ICE CORES, ICE COMPOSITION, IMPURITIES, GREENLAND.
Chemical analysis of surface snows and deeper ice core samples from Milcent, Greenland, indicates a marine origin for Na and Cl and a terrestrial origin for Al, Mn and V. Pre-1900 enrichment factors, based on average crustal composition, are high for Zn and Hg and appear to be related to their volatility. A comparison of pre-1900 and 1971-1973 concentrations of V and Hg shows no decided increase from industrial production, however, the abundance of Zn (relative to Al) increased three-fold during this time period. The chemical composition of ancient ice is extremely useful in interpreting modern aerosols.

CR 76-25
BASELINE DATA ON THE OCEANOGRAPHY OF COOK INLET, ALASKA.
Gatto, L.W., July 1976, 84p., ADA-029 358, Bibliography p.78-81.
32-1072
OCEAN CURRENTS, TIDAL CURRENTS, WATER CHEMISTRY, SEDIMENT TRANSPORT, TURBULENT FLOW.
The primary objective of this investigation was to compile baseline information pertaining to the ocean circulation, especially the extent and patterns of tidal currents and tidal mixing, in Cook Inlet, Alaska, utilizing aircraft and satellite imagery with corroborative ground truth data. LANDSAT-1 and NOAA-2 and -3 imagery provided repetitive, synoptic views of surface currents, water mass migration and sediment distribution during different seasons and tides. Color, color infrared and thermal infrared imagery acquired on 22 July 1972 with the NASA NP-3A aircraft were used to analyze currents, mixing patterns and sediment dispersion in selected areas. Temperature, salinity and suspended sediment concentration data and hand-held photography were utilized as ground truth information in the interpretation of the aircraft and satellite imagery. Coriolis effect, semidiurnal tides and the Alaska current govern the estuary circulation. Clear, oceanic water enters the inlet on the southeast during flood tide, progresses northward along the east shore with minor lateral mixing, and remains a distinct water mass to the latitude of Kasilof-Ninilchik. South of the forelands, mixing with turbid inlet water becomes extensive. Turbid water moves south primarily along the north shore during ebb tide and a shear zone between the two water masses forms in mid-inlet south of Kalgi Island. Currents adjacent to and north of the forelands are complicated by tidal action, coastal configuration and bottom effects. Turbulence is greatest throughout the water column along the south shore and stratification is more pronounced in Kamishak and Kachemak Bays, especially when fresh water runoff is high. Most of the sediment discharged into the inlet is deposited on the extensive tidal flats or removed by tidal currents along the west side during ebb flow. Bottom scouring is evident along the east shore south of Ft. Possession.

CR 76-26
DEBRIS OF THE CHENA RIVER.
McFadden, T., et al. July 1976, 14p., ADA-029 357, 5 refs.
Stallion, M.
32-1073
RIVERS, LOGJAMS, UNITED STATES ALASKA—CHENA RIVER.
Debris over a 44-mile stretch of the Chena River was studied. The study area extended from the first bridge on the Chena Hot Springs Road to the Chena River Flood Control dammite. The purpose of the study was to assess the potential danger to the Chena River Flood Control Dam outlet structure. Debris was catalogued, log jams were measured, and sources of debris were studied. The average size of logs was determined, as well as the number of logs present on the river. The authors concluded that a serious debris problem existed and would remain serious for the foreseeable future. Recommendations for debris handling were made.

CR 76-27
ENERGY BALANCE AND RUNOFF FROM A SUBARCTIC SNOWPACK.
Price, A.G., et al, August 1976, 27p., ADA-030 096, Bibliography p.28-29.
Dunne, T., Colbeck, S.C.
32-1074
SNOW HYDROLOGY, SNOWMELT, RUNOFF, MOISTURE TRANSFER, TUNDRA VEGETATION, FOREST LAND.
In Part I a physically based model was used to predict daily snowmelt on 2,000 sq m plots in the Subarctic. The plots had a range of aspects and inclinations in boreal forest and on the tundra. The energy balance, computed for each of the plots, was compensated for differences in radiative and turbulent energy fluxes caused by varied slope geometry and vegetative cover. The turbulent energy fluxes were also corrected for the effects of the stable stratification of the air over the snow surface. The predictions of the model were compared with daily melts derived from runoff measured on the snowmelt plots. The results show that the method is a good predictor of daily amounts of snowmelt, although some uncertainties are introduced by changes in the snow surface during the melt period. In Part II, a physically based model of the movement of water through snowpacks was used to calculate hydrographs generated by diurnal waves of snowmelt on the tundra and in the boreal forest of subarctic Labrador. The model was tested against measured hydrographs from hillside plots that sampled a range of aspect, gradient, length, vegetative cover, and snow depth and density. The model yielded good results, particularly in the prediction of peak runoff rates, though there was a slight overestimate of the lag time. A comparison of predictions against field measurements indicated that, given the ranges over which each of the controls is likely to vary, the two most critical factors controlling the hydrograph are the snow depth and the melt rate, which must be predicted precisely for short intervals of time. Permeability of the snowpack is another important control, but it can be estimated closely from published values.

CR 76-28
ANALYSIS OF EXPLOSIVELY GENERATED GROUND MOTIONS USING FOURIER TECHNIQUES.
Blouin, S.E., et al, August 1976, 86p., ADA-030 060, 18 refs.
Wolfe, S.H.
32-1075
SEISMIC SURVEYS, WAVE PROPAGATION, VIBRATION, EXPLOSION EFFECTS, NUCLEAR EXPLOSIONS, EARTH MOVEMENT, FOURIER TRANSFORMS OF SELECTED GROUND-MOTION TIME HISTORIES FROM FIVE UNDERGROUND HIGH-EXPLOSIVE AND NUCLEAR DETONATIONS ARE USED TO DEFINE THE TRANSMISSION PROPERTIES (TRANSFER FUNCTIONS) OF THREE ROCK TYPES.
Absorption, a measure of a rock's energy dissipating characteristics, is expressed for each of the tests as a function of the frequency of transmission. Dispersion results from a variation in transmission velocity with frequency and is described for each test by a phase velocity spectrum. The transmission properties from one of the sites are used to predict a ground-motion time history at that site from another nuclear event. The potential use of Fourier techniques to make ground-motion predictions and to measure in-situ material properties is discussed.

CR 76-29
FAILURE OF AN ICE BRIDGE.
DenHartog, S.L., et al, August 1976, 13p., ADA-030 413, 2 refs.
McFadden, T., Crook, L.
32-1077
BRIDGES, ICE COVER STRENGTH, ICE BEARING CAPACITY
In order to verify current theoretical equations on ice bearing capacity, a heavily loaded truck was used to make successive passes over two ice bridges. Breakthrough occurred on one bridge with a vehicle weight of 53,630 lb (24,327 kg). The ice thickness was 17.4 in (44.2 cm). This one test was in good agreement with the theoretical equations.

CR 76-30
REMOTE SENSING OF LAND USE AND WATER QUALITY RELATIONSHIPS—WISCONSIN SHORE, LAKE MICHIGAN.
Haugen, R.K., et al, Aug. 1976, 47p., ADA-030 746, Bibliography p.42-43.
McKim, H.L., Marlar, T.L.
32-1078
REMOTE SENSING, AERIAL SURVEYS, SPACEBORNE PHOTOGRAPHY, INFRARED PHOTOGRAPHY, LAND DEVELOPMENT, UNITED STATES—WISCONSIN.
The focus of this investigation was to assess the utility of remote sensing techniques in the study of land use-water quality relationships in an east central Wisconsin test area. The following types of aerial imagery were evaluated for this purpose: high altitude (60,000 ft) color, color infrared, multispectral black and white, and thermal; low altitude (less than 5,000 ft) color infrared, multispectral black and white, thermal, and passive microwave. A non-imaging hand-held four-band radiometer was evaluated for utility in providing data on suspended sediment concentrations. Land use analysis includes the development of mapping and quantification methods to obtain baseline data for comparison to water quality variables. Suspended sediment loads in streams, determined from water samples, were related to land use differences and soil types in three major watersheds. A multiple correlation coefficient R of 0.85 was obtained for the relationship between the 0.6-0.7 micron incident and reflected radiation data from the hand-held radiometer and concurrent ground measurements of suspended solids in streams. Applications of the methods and baseline data developed in this investigation include mapping and quantification of land use, input to watershed runoff models, estimation of effects of land use changes on stream sedimentation, and remote sensing of suspended sediment content of streams. High altitude color infrared imagery was found to be the most acceptable remote sensing technique for the mapping and measurement of land use types.

CR 76-31
ANALYSIS OF POTENTIAL ICE JAM SITES ON THE CONNECTICUT RIVER AT WINDSOR, VERMONT.
Calkins, D.J., et al, Sep. 1976, 31p., ADA-031 572, 11 refs.
Hutton, M.S., Marlar, T.L.
32-1079
RIVER ICE, ICE JAMS, ICE MECHANICS, WATER FLOW.
Sections in the Connecticut River where ice jam potential is high were identified through the use of low-altitude black and white photographs taken during low-flow, ice-free conditions. The hydraulics and mechanics of ice jam initiation were investigated in the river reach where these sections were identified. Certain areas were found in the river that had a high susceptibility to ice clogging, but this high potential decreased with increasing discharge because of the improved surface conveyance of the ice through the reach. The stability of ice floes was established along the channel, but the floes generally became unstable as the flow increased. This was calculated by using a Froude number criterion. Grounding locations for ice became evident when the critical Froude number was zero for a given thickness and water depth. No single factor was determined to be responsible for initiating the ice jams in the Connecticut River at Windsor. Apparently there existed a multitude of interacting conditions: surface constrictions, possible high backwater conditions from the Brattleboro Dam, a solid ice cover in the backwater of the Brattleboro Dam that prevented ice transport from the Windsor area, deep pools followed by shallow depth sections upstream of bridge piers, a greater ice thickness accumulation of fragmented floes than would result if a uniform cover could be established in the same reach, and the diurnal fluctuation of river stage caused by the release of water at Wilder Dam.

CR 76-32
GROUNDED ICE IN THE FAST ICE ZONE ALONG THE BEAUFORT SEA COAST OF ALASKA.
Kovacs, A., Sep. 1976, 21p., ADA-031 352, 13 refs.
32-1080
SEA ICE, FAST ICE, ICE PHYSICS, PRESSURE RIDGES
Four large grounded multi-year shear ridge formations were found in the grounded ice subzone of the fast ice zone near the Harrison Bay Prudhoe Bay area of Alaska. A 1.6km-long cross section of one of these formations was obtained by leveling and shear measurements. These measurements revealed that the maximum ridge height was 12.6 m and that the formation was grounded in 17-18 m of water. The salinity, temperature, brine volume and density of the ice were determined on samples obtained by coring. The physical characteristics of the formations as observed in satellite, SLAR and aerial imagery indicate that these formations have not moved between the time of their formation in the fall of 1975 and August of 1976. Evidence of significant aeolian debris discoloring the ice is discussed.

CR 76-33
DETECTING STRUCTURAL HEAT LOSSES WITH MOBILE INFRARED THERMOGRAPHY. PART I: ESTIMATING QUANTITATIVE HEAT LOSS AT DARTMOUTH COLLEGE, HANOVER, NEW HAMPSHIRE.
Munis, R.H., et al. Sep. 1976. 9p., ADA-031 803, 3 refs. For Parts II, and III of this study see 29-2349, 30-895, and 30-1807 respectively.
Marshall, S.J., and M.A.
32-1081
BUILDINGS. HEAT LOSS, INFRARED EQUIPMENT.
During the winter of 1973-74 a mobile infrared thermography system was used to survey campus buildings at Dartmouth College, Hanover, New Hampshire. This report provides both qualitative and quantitative data regarding heat flow through a small area of a wall of one brick dormitory building before and after installation of aluminum reflectors between radiators and the wall. These data were used to estimate annual fuel savings for 22 buildings of similar construction having aluminum reflectors installed behind 1,100 radiators. The data were then compared with the actual savings which were calculated from condensate meter data. The discrepancy between estimated and actual annual cost savings is explained in detail along with all assumptions required for these calculations.

CR 76-34
SOME CHARACTERISTICS OF GROUNDED FLOEBERGS NEAR PRUDHOE BAY, ALASKA.
Kovacs, A., et al. Sep. 1976. 10p., ADA-031 844, 11 refs. For abridged version of this report see 32-1082.
Gow, A.J.
32-1083
SEA ICE, ICE BOTTOM SURFACE, SOUNDING, ICE STRUCTURE, ACOUSTIC MEASURING INSTRUMENTS, PRESSURE RIDGES.
Some physical characteristics of two grounded floebergs near Prudhoe Bay, Alaska are described. Cross-sectional profiles of the sails and keels of both floebergs were obtained. Additional sounding revealed the configuration of the internal structure of the floebergs, surveys of the sea floor for evidence of scouring produced during grounding of the floebergs, and a brief examination of the organic and sedimentary debris found entrained within the floebergs.

CR 76-35
RHEOLOGICAL IMPLICATIONS OF THE INTERNAL STRUCTURE AND CRYSTAL FABRICS OF THE WEST ANTARCTIC ICE SHEET AS REVEALED BY DEEP CORE DRILLING AT BYRD STATION.
Gow, A.J., et al. Sep. 1976. 25p., ADA-031 745. Bibliography p.22-25.
Williamson, T.
32-1097
ICE SHEETS. DRILL CORE ANALYSIS, ICE MECHANICS, ICE STRUCTURE, ANISOTROPY, ANTARCTICA—BYRD STATION.
Crystalline textures and fabrics of ice cores from the 2,164-m-thick ice sheet at Byrd Station, Antarctica, reveal the existence of an anisotropic ice sheet. A gradual but persistent increase in the degree preferred orientation of the ice crystals was observed between the surface and 1,200 m. This progressive growth of an oriented crystal fabric is accompanied by a 20-fold increase in crystal size between 56 and 600 m, followed by virtually no change in crystal size between 600 and 1,200 m. A broad vertical clustering of c-axes develops by 1,500 m. Between 1,200 and 1,300 m the dominant grain size changes from a fine-grained mosaic of crystals with their optic planes randomly oriented substantially within the horizontal. This highly oriented fine-grained structure, which persists to 1,800 m, is comparable only with a strong horizontal shear deformation in this part of the ice sheet. Rapid transformation from single- to multiple-maximum fabrics occurs below 1,800 m. This transformation, accompanied by the growth of very large crystals, is attributed to the annealing effect of relatively high temperatures in the bottom layers of old ice at Byrd Station rather than to an appreciable decrease in stress. The zone of single-maximum fabrics between 1,200 and 1,800 m also contains numerous layers of volcanic dust. Fabrics of the very fine-grained ice associated with these dust bands indicate that they are actively associated with shearing in the ice sheet. Some slipping of ice along the bedrock seems likely at Byrd Station, since the basal ice is at the pressure melting point and liquid water is known to exist at the ice-rock interface. The textures and fabrics of the ice indicate that these deformations (microcrystalline grades) in the zone of strongly single-maximum fabrics, and movement of ice along deep-lying Planet undulating will shape bedrock, are also major contributors to the flow of the ice sheet. Any extensive shearing at depth could seriously destroy stratigraphic records established in the ice cores, such as climatic history inferred from oxygen isotope analyses. Also, the common practice of using simplified flow models to approximate the stress-age relationships of deep ice sheet cores may need to be revised in light of the deformational features and fabrics observed in the Byrd Station ice cores.

CR 76-36
ROCK, FROZEN SOIL AND ICE BREAKAGE BY HIGH-FREQUENCY ELECTROMAGNETIC RADIATION. A REVIEW.
Hoekstra, P., Oct. 1976. 17p., ADA-039 178, 17 refs.
32-1098
ROCK EXCAVATION, FROZEN GROUND STRENGTH, EXCAVATION, DIELECTRIC PROPERTIES, ELECTROMAGNETIC PROPERTIES, MATHEMATICAL MODELS.
In the past decade, various workers have investigated the use of high-frequency electromagnetic radiation for breaking and excavating rock and frozen ground. This report reviews the high-frequency dielectric properties of these materials, the physics of heating, and the existing literature on these subjects. The high-frequency dielectric properties of rocks and soils, and the absorption of energy by these materials, are mainly determined by their liquid water contents. Computer modeling was used to calculate absorption energy as a function of distance behind irradiated faces of earth materials. The resulting computations showed that most energy is absorbed in the first few centimeters of frozen ground and weak soils. However, in hard rocks of low water content, electromagnetic waves penetrate more deeply, and significant amounts of energy are also absorbed tens of centimeters behind the irradiated faces. Test results showed that electromagnetic rock breakage is feasible only for excavations in hard rock; test results from the use of electromagnetic radiation for excavating tunnels in weak rocks and frozen ground are not promising.

CR 76-37
AIRBORNE RESISTIVITY AND MAGNETOMETER SURVEY IN NORTHERN MAINE FOR OBTAINING INFORMATION ON BEDROCK GEOLOGY.
Sellmann, P.V., et al. Oct. 1976. 19p., ADA-032 733, 21 refs.
Arcone, S.A., Delaney, A.J.
32-1099
MAGNETIC MEASUREMENT, ELECTRICAL RESISTIVITY, GEOPHYSICAL SURVEYS, GEOLOGY, UNITED STATES—MAINE.
Geophysical studies were conducted during September and October of 1975 in northern Maine to locate rock types suitable for construction purposes for the proposed Dickey-Lincoln School Dam Project. Simultaneous airborne magnetometer and VLF electrical resistivity and of total magnetic intensity above the earth's background magnetic field. During the same time period, ground and multi-elevation surveys were performed over a special test sector of known geology. The ground and airborne study in the test sector aided in interpretation of the data by revealing a strong correlation between igneous geology, resistivity, and magnetic intensity. Lack of a similar correlation between resistivity and magnetic data in the remainder of the survey area suggested an absence of additional areas of igneous rocks. The multi-elevation survey of the test area indicated that changes in flight altitude, necessitated by the topographic relief encountered, would not seriously affect the regional resistivity patterns. Although there was no strong evidence of igneous rocks outside the test sector, suitable rock types may exist within the Dia geologic unit (cyclically bedded gray slate and sandstone) in the central part of the main survey area, where most of the high resistivity contours occur.

CR 76-38
WATER ABSORPTION OF INSULATION IN PROTECTED MEMBRANE ROOFING SYSTEMS.
Schaefer, D., Oct. 1976. 15p., ADA-032 089, 12 refs.
32-1100
INSULATION, PROTECTIVE COATINGS, WATERPROOFING, ABSORPTION, ROOFS.
Current methods for evaluation of the moisture absorption of plastic insulations (ASTM-C-272-53 and ASTM-C-355-64) due to vapor pressure gradients or immersion rely on short time periods to predict long term performance. This procedure may not provide accurate information on performance since in practice insulations may absorb more moisture than these tests indicate. A series of tests was conducted on extruded polystyrene roof insulation that had been in place, exposed to environmental moisture and pressure gradients, for a maximum of 36 months. Results indicate that moisture absorption of 1.5% by volume can be expected in the field.

CR 76-39
EFFECTS OF WASTEWATER APPLICATION ON THE GROWTH AND CHEMICAL COMPOSITION OF FORAGES.
Palazzo, A.J., Oct. 1976. 8p., ADA-032 774, 9 refs.
32-1101
WASTES, WATER, SOIL CHEMISTRY, WATER CHEMISTRY, PLANTS (BOTANY), GRASSES.
The contribution of a forage mixture in the renovation of wastewater by a prototype slow infiltration land treatment system was studied from June 1974 to June 1975. The forage was grown in six outdoor cells, three containing a Windsor sandy loam soil and three a Carlton silt loam. Three cells received primary and three received secondary wastewater at various application rates. Crop yields, soils and tissue analyses, plant removal efficiency, and total uptake of applied nutrients were related to the rate of wastewater applied. Dry matter production, plant heavy metal concentrations, and plant removal of nitrogen and phosphorus all increased as the rate of applied wastewater increased from 5 to 15 cm/week. Total dry matter production ranged from 9.63 to 12.99 metric tons/ha, and total uptake of nitrogen and phosphorus ranged from 309 to 453 kg/ha and from 32 to 42 kg/ha, respectively. An increase in wastewater application rates suppressed nitrogen and phosphorus removal efficiency by plants. Forages receiving 5 cm/wk of wastewater removed 74% and 83% of the N applied during the growing season, in contrast to the 44% removed by those treated with 15 cm/wk of wastewater. Forages grown on the Charlton soils produced a greater amount of dry matter and removed more N and less heavy metals than those grown on the Windsor soils. Soil analyses in spring 1975 showed reductions in soil pH and in the total amounts of exchangeable cations, as compared to analyses performed in spring 1974. Soils receiving the greatest application rate of wastewater showed the greatest reduction. Wastewater application during 1974 increased the amount of soluble soil P. Higher amounts of soil-extractable P were also noted at the highest wastewater application rate.

CR 76-40
PHOTOMACROGRAPHY OF ARTIFACTS IN TRANSPARENT MATERIALS.
Marshall, S.J., Nov. 1976. 31p., ADA-033 670, 31 refs.
32-1102
ICE, IMPURITIES, PHOTOMACROGRAPHS.
Several original methods were developed to photograph artifacts in transparent materials such as ice. The artifacts, occurring in the surface, bulk, and interface, were generally 0.01 mm to 70 mm in size. Sample preparation, illumination, focusing and other technical problems are discussed in detail. Several sample photographs are included.

CR 76-41
GEODETIC POSITIONS OF BOREHOLE SITES OF THE GREENLAND ICE SHEET PROGRAM.
Mock, S.J., Nov. 1976. 7p., ADA-033 840, 9 refs.
32-1103
GEODETIC SURVEYS, BOREHOLES, ICE SHEETS, ICE CREEP, GREENLAND.
Eight Geocever stations were established and suitably marked along or near the crestline of the Greenland ice sheet during GISP field operations from 1971 to 1975. At one of these stations, DYE-3, repeated Geocever positions indicate an ice velocity of 12.7 m/yr on an azimuth of approximately 60 deg. Data from the International Greenland Glaciological Expedition (EGIG) surveys show that ice flow in the vicinity of Crete is radiating outward from a dome to the south. Two independent calculations of the state of equilibrium at Crete indicate ice sheet thinning rates of 0.25 to 0.37 m/yr, while direct measurement of elevation change by EGIG indicates an ice sheet thickening rate of of approx 0.06 m/yr. Resolution of these differences must await further geophysical work and deep drilling in the ice sheet.

CR 76-42
ARCHING OF MODEL ICE FLOES: EFFECT OF MIXTURE VARIATION OF TWO BLOCK SIZES.
Calkins, D.J., et al. Nov. 1976. 11p., ADA-033 841, 5 refs.
Ashton, G.D.
32-1104
EXPERIMENTAL DATA, FLOATING ICE, ICE BOOMS.
A study of arching of mixed, square fragmented ice floes at an opening in an ice boom is documented, using results from a model study in which two sizes of plastic blocks represented real ice. A power function, relating the upstream ice concentration to the ratio of a characteristic block dimension to the gap opening, is found adequate to distinguish between arching and nonarching events for block mixtures of two component sizes. It is demonstrated that when the respective total areas of the two block components are nearly equal, a minimum ice concentration initiates an arch across the opening. As the mixture of two sizes of blocks approaches a uniform (one-sized) mixture, a higher concentration of ice is needed to initiate the arch. When the ratio of the block dimension to the gap opening is equal to or less than 0.10, arching of the fragmented ice is not possible, even when the upstream ice discharge exceeds the maximum discharge of ice through a gap opening. The distribution of fragmented ice areas is an important parameter in establishing the minimum size of opening at which an ice boom will retain its arching capability.

CR 76-43
SUPPRESSION OF ICE FOG FROM COOLING PONDS.
McFadden, T., Nov. 1976. 75p., ADA-035 322. Bibliography p.71-75
32-1105
ICE FOG, FOG FORMATION, FOG DISPERSAL, PONDS, ICE COVER EFFECT, PROTECTIVE COATINGS.
Ice fog generated at the Fairbanks AFB power plant cooling pond contributes heavily to the total ice fog problem on the base. Several methods for ice fog suppression were studied and two techniques were tested experimentally. Experiments were also conducted to determine the magnitude of the various modes of heat transfer within the pond's environment. Values of evaporative and radiative heat loss during ice fog are presented. Ice cover is shown

to be an effective ice fog suppression technique. Monomolecular films are also shown to be effective and offer some unique advantages, such as ease of application and low overall cost. The heat normally lost to evaporation must be dissipated by other means during suppression. With the ice cover technique this is accomplished by melting the ice cover. During suppression with monomolecular films, the heat must be dissipated by increasing radiative and convective losses. The simplicity of application of monomolecular films, along with their lower cost, combine to make this technique attractive; however, the lower pond temperatures and increased suppression effectiveness weigh heavily in favor of the ice cover technique.

CR 76-44
THERMODYNAMIC DEFORMATION OF WET SNOW.
Colbeck, S.C., Nov. 1976, 9p., ADA-033 830, 10 refs.
32-1106
WET SNOW, SNOW DEFORMATION, THERMODYNAMIC PROPERTIES.
The deformation of wet snow is explained in terms of the thermodynamics of the three phases of water. When deformation by particle rearrangement is fully developed, deformation can occur most rapidly by melting at the particle contacts. The rate of deformation is highly sensitive to the liquid water content, ionic impurity content, particle contact area, and stress level. A model of the hydrostatic deformation of wet snow is constructed, and examples of the deformation of wet snow are given for a variety of conditions. These results are in agreement with existing experimental evidence. The model accurately simulates the transient nature of the deformation and the effect of water content on the quasi-stable density of wet snow subjected to a constant stress.

CR 76-45
AIR CUSHION VEHICLE GROUND CONTACT DIRECTIONAL CONTROL DEVICES.
Abele, G., et al, Dec. 1976, 15p., ADA-034 825, 3 refs.
Liston, R.A.
32-1107
AIR CUSHION VEHICLES, YAW.
The maneuverability of air cushion vehicles can become a serious operational problem when the vehicle's travel route is restricted by obstacles, slopes or cross-wind conditions, or when close-quarter turns are required. While improvement and perfection of aerodynamic methods may be a more desirable approach, there is a practical limit to these methods and the use of ground contact devices requires considerations for providing more positive directional control. Wheels deserve special attention, and therefore are analyzed in more detail because of their obvious application on a variety of land terrains. Brake rods and harrows are more suitable on water, ice and snow. The saucer-shaped ground contact device would cause the least ecological impact on fragile organic terrains such as tundra. Relative directional stability is evaluated in terms of the total yawing moments produced by wheel arrangements (single, dual, tandem), location on the vehicle, and operational modes (free-rolling, braked, or a combination of the two). The available moments are plotted against the yaw angle of the vehicle to determine the most effective operational mode with a particular wheel arrangement for any yaw condition. The analysis is limited to retractable devices which act as moment producing brakes or rollers and do not serve as either propulsion or load support aids. Controlled ground contact with skirt sections having special wearing surfaces may provide a suitable control method and would require the least significant change to the basic design of the vehicle or its components. The concept involves the use of an air flow control mechanism for deflating specific skirt sections, thus causing skirt-ground contact at selected areas of the peripheral skirt.

CR 76-46
TOPOLOGICAL PROPERTIES OF SOME TRELLIS PATTERN CHANNEL NETWORKS.
Mock, S.J., Dec. 1976, 54p., ADA-034 824, 27 refs.
32-1108
CHANNELS (WATERWAYS), TOPOGRAPHIC FEATURES, DRAINAGE, CLASSIFICATIONS.
The topological properties of 10 stream networks having moderate to well developed trellis drainage patterns have been compared with those expected in a topologically random population. Magnitude 4 subnetworks show a systematic departure from expectation which can be related to geological controls. A link type classification system was developed and a series of equations describing the probability of occurrence of link types in topologically random populations derived. Analysis of the link structure in the channel networks showed small but persistent deviations from expectation in the well developed trellis pattern streams. The general conclusion is that the topologically random model is a very useful standard with which to compare real channel networks.

CR 76-47
DEVELOPMENT OF LARGE ICE SAWS.
Garfield, D.E., et al, Dec. 1976, 14p., ADA-034 999, 6 refs.
Hanamoto, B., Mellor, M.
32-1109
ICE CUTTING, SAWS.
This report describes two mechanical ice-cutting systems for the removal of ice collars at the high pool level on the Poe Lock of the St. Mary's Falls Canal at Sault Ste. Marie, Michigan. One system was a narrow kerf (3 x 4 in. wide) coal-cutting chain saw mounted on a bar, driven by a 65-hp wheeled and trencher which cut a 9.54-m-wide kerf. The lumber-cutting saw's bar was too flexible and the desired cutting traverse speed was not met. The coal-cutting saw cut 6-ft-deep ice collars at traverse speeds of up to 10 ft/min and is acceptable. With a few modifications, the coal-cutting saw would be operational.

CR 76-48
RAPID INFILTRATION OF PRIMARY SEWAGE EFFLUENT AT FORT DEVENS, MASSACHUSETTS.
Satterwhite, M.B., et al, Dec. 1976, 34p., ADA-035 730, 26 refs.
Stewart, G.L., Condike, B.J., Vlach, E.
32-1110
GROUND WATER, WATER TREATMENT, WATER CHEMISTRY, SEWAGE TREATMENT.
Rapid infiltration has provided final treatment to unchlorinated landfill tank effluent at Fort Devens, Massachusetts, since 1942. Wastewater flow has varied seasonally; however, most flows to the 22 treatment beds at the installation in 1973 were 2,676 to 9,541 cu m/day (1.3 million gallons per day). In an operation cycle of simultaneous inundation of three 0.31-hectare treatment beds for 2 days, followed by a 14-day recovery period, effluent application has been about 27.1 m/yr. Chemical analyses of soil samples obtained from the upper 3.05 m of the treatment beds showed that levels of organic matter ranged from substantially to only slightly higher than those of background samples. The quality of the primary effluent applied to the treatment beds and the groundwater in 14 observation wells was determined by comprehensive analysis of the samples at biweekly intervals. Groundwater quality in wells located 60 to 100 m from the application area showed that the primary effluent after flowing through the sand and gravel formation, had been substantially renovated.

CR 76-49
TREATMENT OF PRIMARY SEWAGE EFFLUENT BY RAPID INFILTRATION.
Satterwhite, M.B., et al, Dec. 1976, 15p., ADA-035 390, 22 refs.
Condike, B.J., Stewart, G.L.
32-1111
SEWAGE TREATMENT, WATER TREATMENT, CHEMICAL ANALYSIS, SEEPAGE.
Treatment of unchlorinated primary sewage effluent by using rapid infiltration basins resulted in a high degree of wastewater renovation in a humid, cool northern climate. Inundating 9 treatment basins for 7 days followed by 14 days of rest, from 4 January to 21 June 1974, resulted in effluent additions totaling about 27 m. Analysis of the groundwater from the treatment site and from the peripheral area showed that total coliform bacteria, 5-day biochemical oxygen demand, and chemical oxygen demand were essentially removed, while phosphorus concentrations were only one-third of the applied effluent concentrations. Total nitrogen additions to the treatment basins during the 7-day inundation period were about 56% greater than the nitrogen additions in the 1973 investigations. Even so, groundwater nitrogen concentrations were closely comparable to those observed in the 1973 study. Efforts to increase nitrogen removal through longer inundation periods resulted in a gradual decrease in the infiltration capacities of the basins. Calculations of the organic matter additions strongly suggested that the reduced infiltration rates resulted from surface clogging. This study showed that proper management is needed if rapid infiltration basins are used for nitrogen removal by maintaining effluent infiltration in northern climates.

CR 77-01
GROWTH HISTORY OF LAKE ICE IN RELATION TO ITS STRATIGRAPHIC, CRYSTALLINE AND MECHANICAL STRUCTURE.
Gow, A.J., et al, Jan. 1977, 24p., ADA-036 228, 9 refs.
Langston, D.
32-1162
LAKE ICE, ICE GROWTH, ICE STRUCTURE, ELECTRICAL RESISTIVITY, CRYSTAL ORIENTATION, ICE MECHANICS.
Studies of the growth history and structural characteristics of winter ice covers on two New Hampshire lakes are described. These investigations included measurements of ice cover thickness, characterization of the stratigraphic and crystalline structure of the ice, identification and classification of major ice types and measurements of electrolytic conductivity. The formation of cracks and flaws in the ice and their effects on the mechanical properties of the ice were also investigated. A method of correlating ice growth with surface wind and temperature measurement is described and the interrelationships of the various physical and mechanical properties of temperate lake ice covers are discussed.

CR 77-02
COMPUTER PROGRAM TO DETERMINE THE RESISTANCE OF LONG WIRES AND RODS TO NONHOMOGENEOUS GROUND.
Arcone, S.A., Jan. 1977, 16p., ADA-036 250, 6 refs.
32-1163
COMPUTER PROGRAMS, ELECTRICAL RESISTIVITY, MODELS, FROZEN GROUND PHYSICS
A computer program was developed for finding the dc resistance to ground of two simple electrodes, a straight horizontal wire and a vertically driven rod. The objective of this study was to develop a rapid means of finding the resistance to ground of simple electrode types in arctic environments where a two-layer earth model, frozen and unfrozen ground, is applicable. The program can consider homogeneous as well as two-layer earth, and the length, diameter and position of the electrodes. Some specific computations are presented in comparison with previous theoretical work of other authors. The following conclusions were made: 1) A maximum run time of 165 seconds is needed for all two-layer arctic models where (a) the depth of the upper layer does not exceed 10 m, (b) the vertical rod length is less than 30 m, or (c) the horizontal wire length is less than 100 m; 2) Best accuracy is obtained when rod and wire radii are less than 0.01 m; and 3) Coincidence of the center of the vertical electrode with the two-layer interface must be avoided.

CR 77-03
EFFECT OF TEMPERATURE ON THE STRENGTH OF FROZEN SILT.
Haynes, F.D., et al, Feb. 1977, 27p., ADA-037 932, 27 refs.
Karalius, J.A.
32-1139
FROZEN GROUND STRENGTH, COMPRESSIVE STRENGTH, SEDIMENTS, TENSILE STRENGTH, STRAINS, TEMPERATURE EFFECTS, PERMAFROST, TESTS.
Tests were conducted in uniaxial compression and tension to determine the effect of temperature on the strength of frozen Fairbanks silt. Test temperatures ranged from 0C to -56.7C. Two machine speeds, 4.23 cm/sec and 0.0423 cm/sec, were used for the constant displacement rate tests. From the highest to the lowest temperature, the compressive strength increased up to about one order of magnitude and the tensile strength increased one-half an order of magnitude. Equations are presented which correlate strength with temperature at the strain rates obtained. The initial tangent and 50% strength moduli and the specific energy are given for each test. The mode of fracture and the effects of unfrozen water content and ice matrix strengthening are discussed, and the test results are compared with the data of other investigations.

CR 77-04
ST. MARYS RIVER ICE BOOMS. DESIGN FORCE ESTIMATE AND FIELD MEASUREMENTS.
Perham, R.E., Feb. 1977, 26p., ADA-037 902, 13 refs.
32-1140
ICE BOOMS, RIVER ICE, ICE STRENGTH, ICE COVER STRENGTH, ICE LOADS, ICE NAVIGATION, UNITED STATES--ST. MARYS RIVER.
A set of two ice booms with a 250-ft (76m)-wide navigation opening between them was designed to stabilize the ice cover in the harbor at Sault Ste. Marie, Michigan and Ontario, and to reduce the ice losses associated with winter navigation of ships on the St. Marys River. The forces from natural effects on the ice cover were predicted using existing theory and physical data for the area. The forces in the boom structure resulting from ice cover and boom interaction were estimated. When the ice booms were installed, force measurement systems were put into selected anchor cables. These systems were operated all winter in conjunction with a modest program of supplemental data gathering. The force data exhibited periods when the force distribution was in good agreement with predictions and periods when the effect of ice on the booms differed substantially from predictions. Sometimes passing ships had a substantial effect on the ice cover and the boom loads, and at other times, the effect was negligible. The direction of travel made little difference on average peak loads. The maximum loads on the booms resulted from natural occurrences.

CR 77-05
NUMERICAL STUDIES TO AID INTERPRETATION OF AN AIRBORNE VLF RESISTIVITY SURVEY.
Arcone, S.A., Apr. 1977, 10p., ADA-039 904, 17 refs.
32-1141
PERMAFROST, ELECTRICAL RESISTIVITY, SITE SURVEYS, VERY LOW FREQUENCIES, AIRBORNE RADAR, RADIO WAVES, ANALYSIS (MATHEMATICS)
Airborne resistivity surveys, which use the wavetilt phenomena of radio waves, are used as a reconnaissance technique to find suitable areas for either engineering investigations or geologic reconnaissance explorations. Survey results are usually processed as resistivity profiles or as contour maps from which the interpretation of ice structure proceeds must be inferred. To aid in this process and provide additional understanding of the correlation between data obtained from airborne and ground surveys, an analysis was performed to determine a very low-frequency airborne system's response to modified resistivity structures assumed to occur at the surface of an idealized flat earth. Some of the assumptions used to simplify the analysis were based on the results of past surveys. The influences of survey altitude, anomaly size, and average ground resistivity upon airborne resistivity patterns were analyzed. The results show that the average resistivity of a region plays an important role in suppressing large resistivity contrasts for anomalies of approximately 1 sq km area. Curves are presented to separate the effects of resistivity contrast and anomaly size, and two examples are given to demonstrate how these curves may be applied to the results of actual surveys.

CR 77-06
DEFENSIVE WORKS OF SUBARCTIC SNOW.
Johnson, P.R., Apr. 1977, 23p , ADA-051 769, 11 refs.
32-2725
SNOW (CONSTRUCTION MATERIAL), SNOW DENSITY, FORTIFICATIONS, MILITARY OPERATION.

Field tests at Fort Wainwright, Alaska, carried out in March-April 1975 showed that the typical subarctic snow of interior Alaska can be used effectively to provide protection from both rifle and machine gun fire. The undisturbed snow had an average density of 0 18 g/cu cm, but simple processing, such as shoveling, increased the density to around 0 34 g/cu cm Further processing increased the density to above 0 40 g/cu cm, but densities much above that value were difficult to obtain with simple hand equipment. Tests of the M16 rifle and M60 and M2HB machine guns showed that bullet penetration was inversely related to density—the higher the density the lower the bullet penetration. Design values for the three weapons were determined A number of types of snow trenches and structures were designed and tested They were found to provide good protection, in part since bullets showed a strong tendency to ricochet from the snow surface when striking it at a low angle Burlap bags filled with snow to revet structures worked very well. Several types of Russian defensive works of snow were tested but proved unsuitable in the light, weak subarctic snow The times required for troops to build several types of structures using only shovels and scoops were recorded.

CR 77-07
MECHANICS OF CUTTING AND BORING. PART 4: DYNAMICS AND ENERGETICS OF PARALLEL MOTION TOOLS.
Mellor, M , Apr. 1977, 85p., ADA-040 760, Bibliography p.80-82.
32-1142
DRILLING, ROCK EXCAVATION, ICE CUTTING, BOREHOLE INSTRUMENTS, PERMAFROST, METALS, DESIGN.

The report deals with the cutting of rock and similar materials by parallel motion tools It examines cutting forces and energy requirements, taking into consideration tool geometry, wear, operating conditions, and material properties After an introductory discussion of terminology, some general principles are outlined, and relevant theoretical ideas on metal cutting and rock cutting are reviewed. The next section, which is the heart of the report, reviews experimental data on the magnitudes and directions of cutting forces. There is a graphical compilation of data, including some from obscure or unpublished sources The variables covered include chipping depth, rake angle, relief angle, side rake, base angle, tool width, tool compliance, tool speed, tool wear, tool interactions, and material properties The second major part of the report treats the energetics of cutting It begins with a short discussion of relevant principles, and continues with a compilation and review of experimental data, covering the same independent variables as the force section The report ends with a concise summary of general behavior for parallel motion tools

CR 77-08
REMOTE SENSING OF ACCUMULATED FRAZIL AND BRASH ICE IN THE ST. LAWRENCE RIVER.
Dean, A.M , Jr , Apr 1977, 19p., ADA-039 905, 7 refs.
32-1143
FRAZIL ICE, ICE CONDITIONS, RIVER ICE, REMOTE SENSING, AIRBORNE RADAR, AERIAL SURVEYS, CANADA—SAINT LAWRENCE RIVER.

A broadbanded impulse radar system was used for aerial detection of accumulated frazil and brash ice in a 9 5-km reach of the St Lawrence River near Ogden Island The remote sensing and data reduction system developed for the project provided data sufficient for production of a contour map having 1-ft intervals With this contour map, the accumulation pattern of frazil and brash ice could be analyzed Recommendations are given for improving the performance of the aerial profiling system

CR 77-09
LABORATORY INVESTIGATION OF THE MECHANICS AND HYDRAULICS OF RIVER ICE JAMS.
Tatinclaux, J C., et al, Apr 1977, 45p., ADA-032 471, 7 refs
Lee, C L , Wang, T.P., Nakato, T., Kennedy, J.F.
32-1144
ICE JAMS, ICE MECHANICS, ICE COVER STRENGTH, COMPRESSIVE PROPERTIES, ICE FLOES, ICE CONDITIONS, EXPERIMENTAL DATA

This report presents experimental results on the conditions of initiation of an ice jam by a simple surface obstruction, on the equilibrium thickness of an ice jam formed by accumulation and submergence of ice floes, and on the compressive strength of a floating, fragmented ice cover In the study on ice jam initiation, it was found that the minimum concentration of floes in the opening of the obstruction at which a jam occurs is nearly independent of the ratio of width of constricted passage to channel width and is proportional to a negative power of the ratio of floe length to width of constricted passage. The coefficient of proportionality and the negative exponent of this power function appear to be dependent upon the ratio of floe length to floe thickness and to be strongly affected by the properties of the material of the laboratory floes, in particular by the interparticle friction or cohesive characteristics. From energy analysis of floe submergence, a relationship between the thickness of a jam formed by accumulation and submergence of floes and the approach flow characteristics was derived and found to fit the experimental data satisfactorily The relationship predicts that a stable jam cannot be formed when the approach flow velocity exceeds a certain value This phenomenon was observed experimentally, and the measured maximum values of approach velocity were found to be in excellent agreement with the predicted values In both studies on jam initiation and development, it was found that surface tension, and therefore the wetting properties of the material used for small laboratory floes, have a significant effect on the submergence velocity of small floes, and should be taken into consideration when small-scale laboratory investigations of ice jam phenomena are conducted using floes made of artificial material Experiments on compressive strength of floating, fragmented ice covers were conducted for ranges of cover length and cover thickness, using three different floe shapes and sizes. It was found that the compressive strength was inversely proportional to compression velocity and independent of cover length The effect of cover thickness and floe shape or size remains unclear partly because of the limited ranges of thickness and floe size investigated and partly because of the experimental scatter in the results

CR 77-10
ICE FORCES ON VERTICAL PILES.
Nevel, D.E , et al, Apr. 1977, 9p., ADA-051 770, 16 refs.
Perham, R.E., Hogue, G B
32-1145
ICE PRESSURE, PILE STRUCTURES, ICE BREAKING, ICE LOADS, ICE COVER THICKNESS, AIR TEMPERATURE.

The amount of force that an ice sheet can apply to a vertical pile was tested by lowering a hydraulic ram device into a hole cut in an existing ice sheet The device had a large base and shoved a relatively narrow vertical pile in a horizontal direction Test variables were pile widths—1 5 in to 36 7 in , pile shapes—flat, round, 45 deg and 90 deg wedges; ice thickness—2 6 in to 8.8 in , and ram speed—0 07 in./sec to 18 75 in /sec, but not all shapes and sizes were tested at all speeds. Air temperature was 20F (-6.7C) Forces and displacements were measured electronically The findings are presented as a table of test results and as bar graphs of the resultant ice pressures versus the pile width-to-ice-thickness ratio, pile width and shape combination and and pile velocity The types of failures in the ice sheet were classified as crushing, splitting, buckling, bending, and creeping The ice sheet generally withstood a high initial load followed by several lower peak load levels The maximum ice pressure measured was 610 psi for a 12.6-in.-diam round pile in 8 4-in -thick ice

CR 77-11
OBSERVATION AND ANALYSIS OF PROTECTED MEMBRANE ROOFING SYSTEMS.
Schaefer, D., et al, Apr 1977, 40p., ADA-040 220, 5 refs.
Larsen, E.T., Aamot, H.W.C.
32-1146
ROOFS, HEAT LOSS, THERMAL INSULATION, THERMAL PROPERTIES, COLD WEATHER CONSTRUCTION, CLIMATIC FACTORS, TESTS, EFFECTIVENESS.

Two performance indicators, effectiveness and thermal efficiency, are defined and used to evaluate the year-round performance of three protected membrane roofs in Alaska and New Hampshire Effectiveness is a measure of the deviations of ceiling temperatures from a yearly average, with large deviations indicating erratic performance in the roofing-insulation system and small departures indicating a thermally stable system Thermal efficiency, the ratio of calculated heat loss to measured heat loss, is affected by climatic conditions such as rain, snow, solar radiation and wind Thermal efficiency values of 100% or greater are possible since the calculated heat loss is based only on the inside and outside air temperature differences and the thermal properties of the roof components Results of the year-round evaluation indicate that the three protected membrane roofs generally have high values of both effectiveness and thermal efficiency

CR 77-12
ROOF LOADS RESULTING FROM RAIN-ON-SNOW.
Colbeck, S C , May 1977, 19p , ADA-040 536, 11 refs
32-1151
ROOFS, SNOW LOADS, LOADS (FORCES), DRAINAGE, RAIN, ANALYSIS (MATHEMATICS)

A computer program to calculate the increased live load on a snow-covered roof due to rain-on-snow is given For the 25-year rainstorm falling on a heavy snow load on a flat roof in Hanover, New Hampshire, an additional 98 kg/sq m (20 lb/sq ft) of liquid water is added to the live load The additional load due to rain-on snow is very sensitive to the snow properties and characteristics of the roof A wide range of live loads is possible, depending on the particular circumstances

CR 77-13
APPLICATIONS OF REMOTE SENSING IN THE BOSTON URBAN STUDIES PROGRAM, PARTS I AND II.
Merry, C.J., et al, June 1977, 36p., ADA-049 285, ADA-049 286, 15 refs.
McKim, H.L.
32-2699
REMOTE SENSING, AERIAL SURVEYS, URBAN PLANNING, UNITED STATES—MASSACHUSETTS—BOSTON.

The cost effectiveness of remote sensing techniques was compared to that of the conventional techniques used by the U.S. Army Engineer Division, New England, in the Boston Harbor-Eastern Massachusetts Metropolitan Area study A total of 6 level I, 18 level II, and 18 level III land use categories were mapped from NASA RB-57/RC-8 high altitude aircraft photography for six selected 7.5 minute quadrangles located in the Boston area Watershed and political boundaries could not be mapped from the NASA photography Impervious surfaces and curb lengths were mapped from low altitude aircraft photography obtained with a Zeiss RMK 15/23 camera system (measured scale 1.3500) for two sites in the Boston South and Newton quadrangles The remote sensing procedures used in this study usually provided much greater detail than conventional procedures The remote sensing procedures were not always cost-effective when compared to the conventional procedures, but they were always more accurate. Therefore, remote sensing techniques should be used and appropriate photographic resolution and scale factors taken into consideration when mapping land use, curb density and impervious surfaces for use in the STORM (storage, treatment, overflow, runoff) model

CR 77-14
ICE BREAKUP ON THE CHENA RIVER 1975 AND 1976.
McFadden, T., et al, June 1977, 44p , ADA-043 070, Bibliography p.17-19.
Collins, C.M.
32-1152
ICE BREAKUP, RIVER ICE, DAMS, BRIDGES, FLOOD CONTROL, ICE COVER THICKNESS, ICE VOLUME, UNITED STATES—ALASKA—CHENA RIVER.

The breakup of the Chena River was observed and documented during the spring of 1975 and 1976. This study attempted to determine the potential for damage to the proposed Chena River flood control dam from ice and debris during breakup. Results of this study were compared to those of a 1974 companion study In 1975, ice thicknesses were determined to be 15% thinner than in 1974 and ice volume was 33% smaller No major ice floes were observed in 1975 and no significant flooding occurred, although the approaches to a bridge at the damsite were eroded by debris and high water immediately after breakup The 1976 breakup was milder than that of 1975 Minor flooding in the lower river was caused by jamming of a few large ice pieces, but no property damage resulted.

CR 77-15
EXPERIMENTAL SCALING STUDY OF AN ANNULAR FLOW ICE-WATER HEAT SINK.
Stubstad, J M., et al, June 1977, 54p., ADA-045 869, 19 refs.
Quinn, W F
32-1153
ICE WATER INTERFACE, HEAT TRANSFER, UNDERGROUND FACILITIES, HEAT RECOVERY, COOLING SYSTEMS, MODELS, COMPUTERIZED SIMULATION.

A laboratory experimental study was conducted on a scale model of an annular flow ice-water heat sink to be used to store the waste heat produced in a hardened defense installation operating in an isolated mode The study examined 1) scaling relationships for predicting the performance of prototype units using data from scale models, 2) the accuracy of a computer prediction technique developed during an earlier study, 3) the heat transfer phenomenon at the ice-water interface, and 4) some practical aspects related to the operation of a prototype installation. The scaling relationships and the computer program were found to be sufficiently accurate for use in developing a prototype sink design During operation the scale model sink provided an almost constant low temperature source of coolant water for approximately one-half its useful life and thereafter behaved like an ordinary stored water reservoir type heat sink. No significant operational problems were discovered.

CR 77-16
ICEBREAKER SIMULATION.
Nevel, D E , July 1977, 9p , ADA-044 109, 6 refs.
32-1154
ICEBREAKERS, ICE BREAKING, ICE NAVIGATION, MATHEMATICAL MODELS, SIMULATION.

A brief discussion is given of the ways an icebreaker breaks ice Since the icebreaking process is so complex, the solution of a mathematical model does not appear to be feasible As an alternative, it is suggested that physical models be used to design icebreakers The appropriate scaling laws for physical models are developed and their practical limitation discussed

CR 77-17
ICE ACCUMULATION ON OCEAN STRUCTURES.
Minsk, L.D., Aug. 1977, 42p., ADA-044 258, Bibliography p.17-19.
32-1155
ICE ACCRETION, ICE FORMATION, SHIP ICING, ICE PREVENTION, ICE REMOVAL, SEA SPRAY, AIR TEMPERATURE, WATER TEMPERATURE, WIND FACTORS, FREEZING POINTS.
A literature search was made for information on the accretion of ice on ocean structures and on methods for control. The bulk of the reports were in Russian, with some additional Japanese, British, American, Canadian, and Icelandic sources. Analysis of icing reports indicated that sea spray is the most important cause of ship icing, with lesser amounts due to freezing rain, snow, and fog. Icing is a potential danger whenever air temperatures are below the freezing point of water and the sea temperature is 6C or lower. Theoretical work on the ice accretion process is discussed, and a method is suggested, based on Russian experiments, for calculating the sea spray accumulation rate for cylindrical and flat surfaces as a function of water source temperature, air temperature, and wind speed. Other factors that influence icing severity are ship size and configuration, angle between ship course and water heading, and ship speed. Icing in the north temperate latitudes generally occurs in the rear of barometric depressions. Maps showing limits of various degrees of icing severity are included. Atmospheric icing measurements on tall land-based structures are presented, and potential maximum accumulations estimated. Control measures are discussed, though no completely effective method is available. Mechanical (impaction) methods are the most common, but experiments have been conducted on heated, icephobic, and deformable surfaces, and with freezing point depressants. No device for the unequivocal measurement of ice accumulation is available, though some experimental methods are suitable for controlled testing; it is recommended that a device be developed.

CR 77-18
ICE ARCHING AND THE DRIFT OF PACK ICE THROUGH RESTRICTED CHANNELS.
Sodhi, D.S., Aug. 1977, 11p., ADA-044 218, 23 refs.
32-1156
PACK ICE, SEA ICE, DRIFT, CHANNELS (WATERWAYS), ICE JAMS, MATHEMATICAL MODELS.
Models originally developed to describe the arching and the movement of granular materials through hoppers or chutes are applied to the arching and drift of pack ice in straits and gulfs having lengths of 50 to 500 km. Verification of the usefulness of the models is attempted by making comparisons with ice deformation patterns as observed via satellite imagery in the Bering Strait region and in Amundsen Gulf. The results are encouraging in that there is good correspondence between observed arching and lead patterns and those predicted by theory. In addition, values determined via the model for the angle of internal friction (approx 30 deg to 35 deg) and the cohesive strength per unit thickness (approx 2,000N/m) are similar to values obtained by other approaches. It is estimated that if the wind velocity parallel to the Bering Strait exceeds approx 6 m/s, there will be ice flow through the strait.

CR 77-19
MECHANICS OF CUTTING AND BORING. PART 6: DYNAMICS AND ENERGETICS OF TRANSVERSE ROTATION MACHINES.
Mellor, M., Aug. 1977, 36p., ADA-045 127, 3 refs.
32-1157
ROCK DRILLING, EXCAVATION, ICE CUTTING, DRILLS, PERMAFROST, DESIGN.
The report deals with forces and power levels in cutting machines having a disc or drum that rotates about an axis perpendicular to the direction of advance. The forces on individual cutting tools are related to position on the rotor and to characteristics such as tool layout, rotor speed, rotor size, machine advance speed, and rotor torque. Integration leads to expressions for force components acting on the rotor axis, taking into account tool characteristics, cutting depth of the rotor, and rotor torque. These provide estimates of tractive thrust and thrust normal to the primary free surface. For self-propelled machines, this leads to considerations of traction, normal reaction, weight and balance, and power/weight ratios. Specific energy consumption is analyzed and related to machine characteristics and strength of the material being cut. Power per unit working area is discussed, and data for existing machines are summarized. Power requirements for ejection of cuttings are analyzed, and the hydrodynamic resistance on underwater cuttings is treated. A number of worked examples are given to illustrate the principles discussed in the report.

CR 77-20
INVESTIGATION OF AN AIRBORNE RESISTIVITY SURVEY CONDUCTED AT VERY LOW FREQUENCY.
Arcone, S.A., Aug. 1977, 48p., ADA-044 684, Bibliography p.44-45.
32-1158
AERIAL SURVEYS, REMOTE SENSING, AIRBORNE RADAR, ELECTRICAL RESISTIVITY, GEOLOGIC STRUCTURES, VERY LOW FREQUENCY, GEOPHYSICAL SURVEYS, SUBSURFACE INVESTIGATIONS, UNITED STATES—MAINE—ALLAGASH.
An airborne survey of earth electrical resistivity, computed from the complex tilt of the electric field vector of a VLF (17.8 kHz) radio surface wave, has been studied. The survey was conducted at a 150-m mean flight altitude. The bedrock of the survey area was slate containing an igneous stock. Topography was found to distort the resistivity contours through its effect upon the vertical component of the electric field. At 300-m flight altitude most resistivity information was retained due to the deterioration of topographic influence. The phase of the tilt, which cannot be distinguished from the amplitude by an airborne antenna system, was determined from a ground survey of the surface impedance and was found to be an important influence on the airborne detection of high resistivity areas. The entire 150-m survey was reevaluated with topographic effects removed. The resolution of the igneous geology improved and several of these improvements were verified by the ground measurements.

CR 77-21
MID-WINTER INSTALLATION OF PROTECTED MEMBRANE ROOFS IN ALASKA.
Aamot, H.W.C., Aug. 1977, 5p., ADA-045 356, 2 refs.
32-1159
ROOFS, THERMAL INSULATION, COLD WEATHER CONSTRUCTION, COST ANALYSIS, UNITED STATES—ALASKA.
Cold weather limits the successful application of built-up roofing, but often a roof installation must be completed late in the fall or in the winter. The loose-laid protected membrane roof with a synthetic sheet membrane can be installed in the middle of the winter with complete reliability. A synthetic membrane is traditionally more expensive than built-up roofing (rising crude oil prices, however, have reversed this condition), but it has two special features besides its suitability for winter installation: it can be placed on a damp deck, if necessary, and, being loose-laid, it does not split because of deck movement. This report documents information on the installation of two roofs in Anchorage, Alaska, during January and February 1972, including a discussion of the necessary snow removal from the bare deck and the use of portable shelters for preparing the lap joints between sheets during very cold weather. The winter installation caused no special construction problems and the advantages of the synthetic membrane make it an attractive alternative to built-up roofing. The cost of loose-laid protected membrane roofs in Alaska was, in 1972, nearly $300 per square ($28/sq m), including insulation. Prices are rising as labor costs rise and as more insulation is specified.

CR 77-22
BASEPLATE DESIGN AND PERFORMANCE: MORTAR STABILITY REPORT.
Aitken, G.W., Aug. 1977, 28p., ADB-021 703L, 4 refs.
Distribution limited to U.S. Gov't. agencies only.
32-1237
MILITARY EQUIPMENT, SOIL STRENGTH, STATIC STABILITY, FOUNDATIONS.
The results of field test programs conducted to evaluate the performance of several prototype baseplates on sand and clay soils are presented. One test series was accomplished to develop a possible alternative baseplate for the 60-mm Lightweight Company Mortar System (LWCMS). Three prototype baseplates were used in this series which resulted in design recommendations for a very lightweight, three-spade baseplate for use with the LWCMS. Another part of the program consisted of design and testing of a prototype baseplate for use with an improved 81-mm mortar system. Design goals, which were verified in the test program, were to provide a displacement reduction of up to 50% and substantial reductions in tilt relative to the present M3 baseplate. Results obtained using a baseplate test fixture having spades of variable depth and configuration indicated that spade depth was very important on sand but of minor influence on clay. The influence of spade depth on displacement and tilt in both three- and four-spade configurations is covered in detail. Some data on the influence of socket height and perforation pattern on performance are also included.

CR 77-23
COLLABORATION OF ARCHITECT AND BEHAVIORAL SCIENTIST IN RESEARCH.
Ledbetter, C.B., Aug. 1977, 8p., ADA-045 418, 33 refs.
32-1160
COLD WEATHER CONSTRUCTION, BUILDINGS, ENVIRONMENTS, PROFESSIONAL PERSONNEL, RESEARCH PROJECTS, HOUSES
This report discusses the relationship between an architect and a behavioral scientist. Some of the discussion applies to this cooperative work for design of buildings. The bulk, however, relates to the cooperation of architect and behavioral scientist while conducting research. Examples from collaborative research at Alaskan military installations are cited which demonstrate the roles and contributions of the two disciplines.

CR 77-24
EVALUATION OF EXISTING SYSTEMS FOR LAND TREATMENT OF WASTEWATER AT MANTECA, CALIFORNIA, AND QUINCY, WASHINGTON.
Iskandar, I.K., et al, Sep. 1977, 34p., ADA-045 357, 28 refs.
Murrmann, R.P., Leggett, D.C.
32-1161
WASTE DISPOSAL, GROUND WATER, SOIL CHEMISTRY, LAND DEVELOPMENT, WATER TREATMENT, ENVIRONMENTAL IMPACT.
Wastewater disposal sites at Manteca, California, and Quincy, Washington, were evaluated for their current performance and for the long-term impact of wastewater application. These sites have been operated as slow-infiltration, land-disposal systems for up to 20 years. Current performance was evaluated in terms of water quality, while soil chemical parameters were measured to determine the effects of prolonged wastewater application at the sites. No significant effects on the performance were found to be due to differences in pretreatment. A difference between the performances of the two sites was attributed mainly to management practices, site history and climatic differences. While leaching of nitrate was observed at both sites, the impact on groundwater quality generally was found to be within the accepted limits (less than 10 mg/l of NO3-N). Leaching of phosphorus to a depth of 150 cm was found at both sites but was higher at Manteca. This was thought to be due to problems associated with crop management, land use, and mode and schedule of wastewater application. Total and extractable phosphorus increased in the surface soil layers with time. However, soil nitrogen appeared to decrease, probably because of mineralization. Soil organic matter and cation exchange capacity increased. Some increase in exchangeable Na was noted, but not enough to produce alkaline or saline conditions. A drop in soil pH at Quincy after prolonged application is thought to have been due to removal of carbonates by leaching and by H+ from nitrification. If these disposal areas were managed as treatment sites, leachate quality should meet proposed Environmental Protection Agency guidelines for drinking waters.

CR 77-25
DETECTION OF MOISTURE IN CONSTRUCTION MATERIALS.
Morey, R.M., et al, Sep. 1977, 9p., ADA-045 353, 4 refs.
Kovacs, A.
32-1164
CONCRETE CURING, CONSTRUCTION MATERIALS, MOISTURE, ROOFS, AIRBORNE RADAR, REMOTE SENSING, DETECTION, CONCRETE DURABILITY, RADAR ECHOES.
Results of a study to determine the feasibility of using an impulse radar to detect moisture variations in the built-up roof at CRREL and to monitor the curing of concrete are presented. The results indicate that impulse radar can be used to detect wide variations in roof moisture associated with built-up roof surface deterioration and that this technique has the potential of providing a nondestructive test method for measuring the strength of concrete during curing.

CR 77-26
INTERMITTENT ICE FORCES ACTING ON INCLINED WEDGES.
Tryde, P., Oct. 1977, 26p., ADA-046 590, 15 refs.
32-1165
ICE LOADS, LOADS (FORCES), ICE PRESSURE, WEDGES, ANALYSIS (MATHEMATICS), THEORIES.
A theory for ice forces acting on inclined wedges has been developed, thus making it possible to predict the magnitude of the intermittent ice forces from knowledge of the physical parameters of the system. The theory has been verified by model tests with artificial and natural ice.

CR 77-27
OBSERVATIONS OF THE ULTRAVIOLET SPECTRAL REFLECTANCE OF SNOW.
O'Brien, H.W., Oct. 1977, 19p., ADA-046 349, 11 refs.
32-1166
SNOW OPTICS, REFLECTIVITY, SPECTROPHOTOMETERS, ULTRAVIOLET RADIATION
The spectral reflectance of natural snow in the range of 0.20- to about 0.40-micron wavelengths was studied in the laboratory using both continuous spectral scanning and fixed bandpass measurements. White barium sulfate pressed powder was used as a standard for comparison. The reflectance of fresh snow was found to be very high (usually nearly 100%) and only weakly wavelength dependent from 0.24 micron to the visible range. In the 0.20- to 0.24-micron portion of the spectrum, the reflectance was found to be quite erratic. Possible reasons for the irregularities in reflectance measurements are discussed.

CR 77-28
FREEZE-THAW TESTS OF LIQUID DEICING CHEMICALS ON SELECTED PAVEMENT MATERIALS.
Minsk, L.D., Nov. 1977, 16p., ADA-051 771, 7 refs.
32-2726
FREEZE THAW TESTS, CHEMICAL ICE PREVENTION, CONCRETE DURABILITY, BITUMINOUS CONCRETES.
Tests were conducted to assess the extent of surface degradation resulting from the application of non-chloride deicing chemicals on three types of airfield pavements The chemicals tested were proprietary mixtures of urea, formamide, and ethylene glycol, sodium chloride, distilled water, and dry specimens were used as controls and for comparison Pavements included new and old specimens of open-graded asphaltic concrete and old specimens of dense-graded asphaltic concrete. Portland cement concrete specimens used were new and old, with and without air-entrainment. New and old tar rubber concrete specimens were also tested Samples were subjected to up to 60 freeze-thaw cycles with deicing chemicals flooding their upper surface Each specimen was rated on a scale of 0-5 after every five freeze-thaw cycles. All PCC specimens showed some surface degradation, whereas the dense- and open-graded asphaltic concretes were largely unaffected.

CR 77-29
INTERNAL STRUCTURE OF FAST ICE NEAR NARWAHL ISLAND, BEAUFORT SEA, ALASKA.
Gow, A.J., et al, Oct. 1977, 8p., ADA-047 785, 13 refs.
Weeks, W.F.
32-2727
FAST ICE, ICE STRUCTURE.
Results of measurements of salinity, grain size, substructure dimensions and crystal fabrics of the undeformed 2.15-m-thick annual sea ice sheet near Narwhal Island, Alaska, are presented. A notable observation was the formation of a dominant c-axis horizontal structure in all ice below 14 cm, including transformation to a pronounced east-west alignment of the c-axes by a depth of 66 cm This study confirms earlier reports of the occurrence of very strong horizontal c-axis alignments in arctic fast ice

CR 77-30
COMPUTER MODEL OF MUNICIPAL SNOW REMOVAL.
Tucker, W.B., Nov 1977, 7p., ADA-047 360, 10 refs.
32-1630
SNOW REMOVAL, URBAN PLANNING, COMPUTERIZED SIMULATION.
A general computer model to simulate municipal snow removal has been developed Programs which aid in the routing of snowplows are a part of this package Once vehicle routes are created, the simulation program can be used to assess situations varying both equipment and meteorological parameters Time for each plow to complete its route is calculated. Considerations are made for the above variable parameters plus plowing windrow, route starting depth, overlapping truck routes and intersection delay time The effects of storm length, snowfall rate and starting depth on total plowing time are examined in a test case

CR 77-31
ROOF MOISTURE SURVEY: TEN STATE OF NEW HAMPSHIRE BUILDINGS.
Tobiasson, W., et al, Dec 1977, 29p., ADA-048 986, 5 refs.
Korhonen, C., Dudley, T.
32-2695
ROOFS, WATER CONTENT, INFRARED PHOTOGRAPHY.
Ten roofs in Concord, New Hampshire, were surveyed for wet insulation using a hand-held infrared camera Suspected wet areas were marked on the roof with spray paint and roof samples were obtained to verify wet and dry conditions Recommendations for maintenance and repair were made based on infrared findings, water contents, and visual examinations An incremental economic study is presented to serve as a guide in determining the most cost-effective approach

CR 77-32
HEAT TRANSFER OVER A VERTICAL MELTING PLATE.
Yen, Y.-C., et al, Dec. 1977, 12p., ADA-049 437, 11 refs.
Hart, M.M.
32-2696
HEAT TRANSFER, CONVECTION, ICE MELTING, WATER FLOW, EXPERIMENTAL DATA
An experimental study of forced convective heat transfer over a vertical melting plate has been conducted This study covers water velocities ranging from 1.7 to 9.8 mm/s and bulk water temperatures from 1.11 to 7.50C. The experimental results are correlated in terms of Nusselt, Prandtl and Reynolds numbers with a moderate correlation coefficient of 0.843. The results are expected to be useful in predicting the heat transfer characteristics of a much larger prototype ice-water heat sink.

CR 78-01
AXIAL DOUBLE POINT-LOAD TESTS ON SNOW AND ICE.
Kovacs, A., Mar 1978, 11p., ADA-053 321, 11 refs.
32-3535
ICE MECHANICS, SNOW MECHANICS, COMPRESSIVE STRENGTH, INDEXES (RATIOS), STRAIN TESTS, ANTARCTICA—MCMURDO SOUND.
The results of axial double point-load tests on disk samples of snow and ice obtained from the area of McMurdo Sound, Antarctica, are presented. They show the effects of temperature, sample length, load point diameter and specific gravity on failure load. It was determined that 13 samples should be tested to obtain a representative mean strength index The results show that the axial double point-load test has good possibilities as a rapid field test for determining the unconfined compressive strength of snow and ice but that further evaluation of the variables affecting test results must be made. (Auth.)

CR 78-02
SOME ELEMENTS OF ICEBERG TECHNOLOGY.
Weeks, W.F., et al, Mar 1978, 31p., ADA-053 431, 52 refs
Mellor, M.
32-3536
ICEBERG TOWING, ICE (WATER STORAGE), ENGINEERING.
Many of the technical questions relating to iceberg transport are given brief, but quantitative, consideration. These include iceberg genesis and properties, the mechanical stability of icebergs at sea, towing forces and tug characteristics, drag coefficients, ablation rates, and handling and processing the iceberg at both the pick-up site and at the final destination. In particular, the paper attempts to make technical information on glaciological and ice engineering aspects of the problem more readily available to the interested planner or engineer Specific conclusions include. 1) No unprotected iceberg, no matter how long or wide, would be likely to survive the ablation caused by a long trip to low latitudes 2) Icebergs that have a horizontal dimension exceeding 2 km may well be prone to breakup by long wavelength swells 3) To avoid the dangers associated with an iceberg capsizing, the width of a 200-m-thick iceberg should always be more than 300 m 4) For towing efficiency the length/width ratio of a towed iceberg should be appreciably greater than unity 5) For a pilot project, the selected iceberg would have to be quite small, if for no other reason than the practical availability of tug power (Auth.)

CR 78-03
BEARING CAPACITY OF RIVER ICE FOR VEHICLES.
Nevel, D E., Apr. 1978, 22p., ADA-055 244, 7 refs.
33-2527
RIVER ICE, ICE STRENGTH, VEHICLES, FLOATING ICE
The mathematical theory for the bearing capacity of river ice for vehicles is presented The floating ice sheet is assumed to have simple supports at the shore line. Solutions are presented for loads uniformly distributed over circular and rectangular areas. Numerical evaluations are made for a number of vehicles and the results presented in graphical form

CR 78-04
COMPARISON BETWEEN DERIVED INTERNAL DIELECTRIC PROPERTIES AND RADIO-ECHO SOUNDING RECORDS OF THE ICE SHEET AT CAPE FOLGER, ANTARCTICA.
Keliher, T.E., et al, Apr 1978, 12p., ADA-055 245, 17 refs
Ackley, S.F.
32-4366
ICE SHEETS, ICE ELECTRICAL PROPERTIES, ICE PHYSICS, RADIO ECHO SOUNDINGS, DIELECTRIC PROPERTIES, ICE COVER THICKNESS, ICE DENSITY, ANTARCTICA—FOLGER, CAPE
Measured physical properties of core to bedrock taken at Cape Folger, East Antarctica, are used to compute a profile of dielectric properties and from this, a depth-reflection coefficient profile for comparison with the observed radio-echo reflections The measurements available on physical properties are density variations, bubble size and shape changes, and crystal fabric variations The close correspondence between the depths of the bubble shape changes (which are definitely deformational features), and the depths of the density variations, and between both of these and the radio echo layers indicates that deformational events in the ice sheet's history are represented by the variations in the physical property and associated radio-echo records (Auth mod.)

CR 78-05
VISCOELASTIC DEFLECTION OF AN INFINITE FLOATING ICE PLATE SUBJECTED TO A CIRCULAR LOAD.
Takagi, S., Apr. 1978, 32p., ADA-054 896, 19 refs.
32-4367
FLOATING ICE, PLATES, VISCOELASTICITY, LOADS (FORCES), ANALYSIS (MATHEMATICS).
The viscoelastic deflection of an infinite floating ice plate subjected to a circular load is solved, assuming the Maxwell-Voigt type four-element model An effective method is developed for numerical integration of the solution integrals, of which each integrand contains a product of Bessel functions extending to infinity The theoretical curve is fitted to the field data, but the material constants thus found varied with time and location.

CR 78-06
SEGREGATION FREEZING AS THE CAUSE OF SUCTION FORCE FOR ICE LENS FORMATION.
Takagi, S., Apr. 1978, 13p., ADA-055 780, 38 refs.
For another version see 32-3470.
32-4368
ICE LENSES, ICE FORMATION, SOIL FREEZING, GROUND ICE, FROST HEAVE, SOIL MECHANICS, MATHEMATICAL MODELS, FROZEN GROUND THERMODYNAMICS.

CR 78-07
IN-PLANE DEFORMATION OF NON-COAXIAL PLASTIC SOIL.
Takagi, S., Apr. 1978, 28p., ADA-054 217, 28 refs.
32-3962
THEORIES, SOIL CREEP, PLASTIC DEFORMATION, BOUNDARY VALUE PROBLEMS
The theory of non-coaxial in-plane plastic deformation of soils that obey the Coulomb yield criterion is presented The constitutive equations are derived by use of the geometry of the Mohr circle and the theory of characteristic lines It is found that, for solving a boundary value problem, the non-coaxial angle must be given such values that enable us to accommodate the presupposed type of flow in the given domain satisfying the given boundary conditions The non-coaxial angle is contained in the constitutive equations as a parameter Therefore, the plastic material obeying the Coulomb yield criterion is a singular material whose constitutive equations are not constant with material but are variable with flow conditions

CR 78-08
INTERACTION OF A SURFACE WAVE WITH A DIELECTRIC SLAB DISCONTINUITY.
Arcone, S.A., et al, Apr. 1978, 10p., ADA-055 956, 15 refs.
Delaney, A.J
32-4369
ICE ELECTRICAL PROPERTIES, DIELECTRIC PROPERTIES, WAVE PROPAGATION, ELECTRIC FIELDS, MICROWAVES, AIRCRAFT ICING, HELICOPTERS, ICE REMOVAL.
The interaction of a 5.1-GHz transverse electric surface wave with a dielectric slab is experimentally investigated The wave is initially supported by a dielectric substrate resting upon a metallic ground-plane A slab, made of the same dielectric material as the substrate and variable in height, is then placed upon the waveguide The results for a small slab sitting on the substrate showed that the discontinuity was a very inefficient launcher of reflected surface waves Investigations of these reflections with a trough waveguide showed that, for values of slab height comparable to the exponential decay height of the surface wave, the reflections remain very small However, as the slab height is increased beyond the decay height, the reflected amplitude approaches the theoretical value for a plane wave reflected from the interface between air and the same dielectric. The results are applicable to surface wave methods of microwave deicing of wings and helicopter rotors

CR 78-09
FLEXURAL STRENGTH OF ICE ON TEMPERATE LAKES—COMPARATIVE TESTS OF LARGE CANTILEVER AND SIMPLY SUPPORTED BEAMS.
Gow, A.J., et al, Apr 1978, 14p., ADA-054 218, 9 refs
Ueda, H.T., Ricard, J.A
32-3963
LAKE ICE, FLEXURAL STRENGTH, STRESS CONCENTRATION, SUPPORTS
Large, simply supported beams of temperate lake ice were found, generally, to yield significantly higher flexural strengths than the same beams tested in the cantilever mode Data support the view that a significant stress concentration may exist at the fixed corners of the cantilever beams Maximum effects are experienced with beams of cold, brittle ice substantially free of structural imperfections, for this kind of ice the strength difference factor here attributed to the effect of stress concentrations, may exceed 2.0, that is simply supported beams test a factor of 2 or more stronger than the same beams tested in the cantilever mode In ice that has undergone extensive thermal degradation the stress

concentration effect may he eliminated entirely Simply supported beams generally yield higher strengths when the top surfaces are placed in tension This behavior is attributed to differences in ice type; the fine-grained, crack-free top layer of snow-ice, which constituted up to 50% of the ice cover in the current series of tests, usually reacted more strongly in tension than the coarse-grained crack-prone bottom lake ice.

CR 78-10
COMPRESSION OF WET SNOW.
Colbeck, S.C., et al, Apr. 1978, 17p., ADA-055 246, 34 refs.
Shaw, K.A., Lemieux, G.
32-4370
WET SNOW, SNOW COMPRESSION, SNOW WATER CONTENT, VISCOSITY, SALINITY, SNOW MELTING, STRESSES, IONS.

The compressibility of wet snow is described in terms of pressure melting and nonlinear viscous deformation at grain contacts The results of experiments with different salinities and liquid water contents are compared with computed densities. The decreasing compressibility of wet snow with increasing salinity and decreasing liquid content is quantified and explained. Simultaneous particle growth and the doubly charged layer at phase boundaries are included in the model The results show that the density of wet snow increases approximately as a power of time but is highly dependent on the stress, initial particle size, liquid water content, and ionic impurity content of the snow

CR 78-11
MECHANICS OF CUTTING AND BORING, PART 8: DYNAMICS AND ENERGETICS OF CONTINUOUS BELT MACHINES.
Mellor, M., Apr. 1978, 24p., ADA-055 247.
32-4371
ROCK EXCAVATION, BOREHOLE INSTRUMENTS, ROCK DRILLING, EXCAVATION, ICE CUTTING, MACHINERY, PERMAFROST, DESIGN.

The report deals with forces and power requirements for cutting machines of the belt type, as exemplified by large chain saws and ladder trenchers The forces of single cutting tools are considered, and related to the overall forces on a cutter bar Forces are related to power, and sources of loss are identified Tractive thrust and normal reaction are analyzed and used to assess the traction, weight and balance factors for self-propelled machines Specific energy consumption and performance index are treated, and concepts of power density and apparent belt pressure are introduced Requirements for acceleration of cuttings are assessed, and the report concludes with a set of worked examples

CR 78-12
REPETITIVE LOADING TESTS ON MEMBRANE-ENVELOPED ROAD SECTIONS DURING FREEZE-THAW CYCLES.
Smith, N , et al, May 1978, 16p., ADA-056 744, 15 refs.
Eaton, R A., Stubstad, J.M.
32-4407
LOADS (FORCES), ROADS, FREEZE THAW CYCLES, LOW TEMPERATURE TESTS, SUBGRADE PREPARATION, WATERPROOFING, SOIL WATER MIGRATION.

Road test sections of membrane-enveloped silt and clay soils overlain with asphalt cement concrete were subjected to repetitive dynamic plate-bearing loadings to determine their strength variations during freeze-thaw cycles The recoverable surface deformations in the load deflection bowl were continuously measured during the loading cycles and analyzed, using the Chevron layered elastic computer program to obtain the in situ resilient deformation modulus of the various section layers at different stages of the freeze-thaw cycles The resilient stiffness of the pavement system (the total load per unit of resilient load plate deflection) was also calculated for the various freeze-thaw conditions The modulus values of the asphalt cement concrete varied inversely with its temperature by an order of magnitude (90,000 psi to 1,300,000 psi) The resilient stiffness of the pavement system varied in the same manner by nearly a factor of eight (228 4 kips/in to 1740 2 kips/in) Despite the wide strength variations of the sections during freeze-thaw cycles, membrane-enveloped fine-grained soils can be utilized instead of granular materials as base and subbase layers in flexible pavements in cold regions where moisture migration is a major concern Moisture migration did not occur at saturation levels up to 75%, thus there was no strength loss during thawing

CR 78-13
PREFERRED CRYSTAL ORIENTATIONS IN THE FAST ICE ALONG THE MARGINS OF THE ARCTIC OCEAN.
Weeks, W F , et al, June 1978, 24p., ADA-059 024, 77 refs.
Gow, A.J.
33-1520
SEA ICE, FAST ICE, ICE CRYSTAL STRUCTURE, OCEAN CURRENTS

Field observations of the growth fabrics of the fast and near-fast ice along the coasts of the Beaufort and Chukchi Seas show that at depths of more than 60 cm below the upper ice surface, the sea ice crystals show striking alignments within the horizontal plane. In general, the c-axes of the crystals were aligned roughly E-W parallel to the coast In the vicinity of islands the alignment roughly paralleled the outlines of the islands, and in narrow passes between islands the alignment paralleled the channel Our observations, as well as similar observations made in the Kara Sea by Cherepanov, can be explained if it is assumed that the c-axes of the crystals are aligned parallel to the "long-term" current direction at the sea ice/sea water interface. The alignments are believed to be the result of geometric selection among the growing crystals, with the most favored orientation being that in which the current flows normal to the plates of ice that make up the dendritic ice/water interface characteristic of sea ice.

CR 78-14
BUCKLING PRESSURE OF AN ELASTIC PLATE FLOATING ON WATER AND STRESSED UNIFORMLY ALONG THE PERIPHERY OF AN INTERNAL HOLE.
Takagi, S., June 1978, 49p., ADA-056 585, 10 refs.
32-4408
FLOATING ICE, ICE STRENGTH, BOUNDARY VALUE PROBLEMS, ANALYSIS (MATHEMATICS).

The analytical solution and the numerical study of the eigenvalue problem for determining the buckling pressure of an infinite elastic plate floating on water and stressed uniformly along the periphery of an internal hole is presented. The boundary conditions considered are the clamped-, simple-, and free-edge conditions Small buckling pressure occurs only for the free-edge condition The shape of the deflection for the free-edge condition suggests that buckling is an important mechanism of failure

CR 78-15
ON THE DETERMINATION OF HORIZONTAL FORCES A FLOATING ICE PLATE EXERTS ON A STRUCTURE.
Kerr, A.D., Aug. 1978, 9p., ADA-060 444, 26 refs.
For this report from a different source see 32-4451.
33-1521
FLOATING ICE, ICE PRESSURE, LOADS (FORCES), OFFSHORE STRUCTURES, ICE STRENGTH

This report first discusses the general approach for calculating horizontal forces an ice cover exerts on a structure Ice force determination consists of two parts (1) the analysis of the in-plane forces, assuming that the ice cover remains intact, and (2) the use of a failure criterion, since an ice force cannot be larger than the force capable of breaking up the ice cover For an estimate of the largest ice force, an elastic plate analysis and a failure criterion are often sufficient A review of the literature revealed that, in the majority of the analyses, it is assumed that the failure load is directly related to a "crushing strength" of the ice cover However, observations in the field and tests in the laboratory show that in some instances the ice cover fails by buckling This report reviews the ice force analyses based on the buckling failure mechanism and points out their shortcomings The report then presents a new method of analysis which is based on the buckling mechanism

CR 78-16
HYDRAULIC MODEL INVESTIGATION OF DRIFTING SNOW.
Wuebben, J.L , June 1978, 29p., ADA-059 175
33-1767
HYDRAULIC STRUCTURES, SNOWDRIFTS, MODELS, BOUNDARY VALUE PROBLEMS, SNOW FENCES.

A model investigation of drifting snow conditions was conducted in a hydraulic flume using a sand-water analog Model results were evaluated to define modeling parameters that would allow quantitative correlation between measured prototype drift conditions and the model Models of the fence were constructed for three heights and two geometric scales Geometric scaling was based on terrain roughness and boundary layer thickness considerations, while velocity scaling was based on particle fall velocity and threshold of motion characteristics Simulation of the atmospheric boundary layer was found to be of primary importance Velocity scaling analysis suggested the use of a 'significant wind' concept, based on a combination of velocity magnitude and frequency Similarity of precipitation rate was not essential, and could be altered within limits to adjust the time scale

CR 78-17
SHORELINE CHANGES ALONG THE OUTER SHORE OF CAPE COD FROM LONG POINT TO MONOMOY POINT.
Gatto, L.W , July 1978, 49p , ADA-060 297, 52 refs
33-1522
SHORELINE MODIFICATION, AERIAL SURVEYS, PHOTOINTERPRETATION

This investigation utilized historical and recent aerial photographs and satellite imagery in 1) estimating changes in positions of the high-water line and sea cliff break and base in rates of accretion and or erosion, and in volumes of transported sediment, and 2) providing a preliminary evaluation of the direction of littoral transport along the outer Cape Cod coast This investigation has illustrated a photo interpretation technique that is useful in performing a reconnaissance of coastal change The data obtained from this method can be used to supplement those acquired by ground surveys and are valid as first approximations for planning subsequent, more detailed surveys.

CR 78-18
ESTUARINE PROCESSES AND INTERTIDAL HABITATS IN GRAYS HARBOR, WASHINGTON: A DEMONSTRATION OF REMOTE SENSING TECHNIQUES.
Gatto, L.W., July 1978, 79p , ADA-061 823, 49 refs
33-1523
ESTUARIES, SHORELINE MODIFICATION, REMOTE SENSING, AERIAL SURVEYS, SPACEBORNE PHOTOGRAPHY, TIDAL CURRENTS, SEDIMENTATION, MAPPING.

The primary objective of this project was to demonstrate the utility of remote sensing techniques as an operational tool in the acquisition of data required by the U S Army Corps of Engineers, Seattle District, in the Grays Harbor dredging effects project, and related projects. Aerial imagery was used to map surface circulation and suspended sediment patterns near the hopper dredge pump site at the harbor entrance and near pulpmill outfalls in Aberdeen, and to map the areal distribution and extent of intertidal habitats The surface circulation maps, prepared from the aerial photographs and thermal imagery, compared favorably with the large-scale circulation patterns observed in the Grays Harbor hydraulic model at the U S Army Engineer Waterways Experiment Station. Of the imagery provided by NASA, the thermal imagery was more useful than the color or color infrared (CIR) photographs for mapping circulation, while the CIR photographs were more useful than the thermal imagery or the color photographs for mapping intertidal habitats Current velocities estimated from dye dispersion patterns and drifting dye drogues were comparable at some locations to velocities measured by *in situ* current meters and in the hydraulic model Based on a cursory evaluation of LANDSAT-1 imagery acquired in January, February, and October 1973, it had limited utility in providing data on surface circulation patterns n Grays Harbor

CR 78-19
PRIMARY PRODUCTIVITY IN SEA ICE OF THE WEDDELL REGION.
Ackley, S.F., et al, July 1978, 17p , ADA-059 344, 24 refs.
Taguchi, S., Buck, K R.
33-1524
SEA ICE, ICE CORES, BIOMASS, WEDDELL SEA

Physical and biological measurements were made of sea ice cores taken from 68S to 78S in the Weddell Sea. Fluorescence measurements indicated an algal community that was strongly associated with salinity maxima within the ice. Maximum concentration of chlorophyll *a* ranged from 0 306 to 4 54 mg/stere Comparisons with the water column standing crop indicated that the standing crop within the ice represents a minor but significant percentage of the total standing crop for the region The ice algal community is apparently distinct from others that have been described for land-fast ice in McMurdo Sound, sea ice in the Arctic and pack ice off East Antarctica The highest concentrations of biological material are found in the bottom or top of the sample in those regions, whereas the Weddell Sea samples are concentrated at intermediate depths (.65 m to 2 15 m) within the ice A qualitative model indicating the relationship between thermally-induced brine migration and subsequent algae growth is presented This model indicates the distribution of algae within the ice is dependent on the unique thermal and physical setting for Weddell Sea pack ice where brine drainage processes are initiated by spring and summer warming, but are not carried through as completely as in other regions (Auth)

CR 78-20
MEASUREMENT AND IDENTIFICATION OF AEROSOLS COLLECTED NEAR BARROW, ALASKA.
Kumai, M , July 1978, 6p , ADA-058 606, 9 refs
33-1525
AEROSOLS, PARTICLE SIZE DISTRIBUTION, ELECTRON MICROSCOPY.

Measurements of the concentrations of Aitken nuclei in maritime air were made near Barrow, Alaska, in June 1975, with a modified Nolan-Pollack small-particle detector The concentrations varied from 50 to 300 particles/cu cm, depending upon meteorological conditions The mean Aitken nuclei count was 100 particles cu cm for diameters greater than 002 microns Transmission electron micrographs of aerosols in maritime air near Barrow were taken The size range was measured to be 0 01 to 2 5 microns in diameter, with the most frequently observed diameter being 0 04 microns The volume of the maritime air and the collection efficiency of aerosol particles on filmed grids for electron microscopy were measured The aerosol concentrations were found to be 76 to 101 particles cu cm, the mean concentration was calculated to be 87 particles cu cm The aerosol particles in the maritime air were identified by electron microscopy and selected area electron diffraction analysis About 20 of the aerosol particles were identified, and 80 of the particles were too small for electron diffraction analysis

CR 78-21
ANALYSIS OF THE MIDWINTER TEMPERATURE REGIME AND SNOW OCCURRENCE IN GERMANY.
Bilello, M.A., et al, Sep. 1978, 56p., ADA-066 934.
Appel, G.C.
33-4415
AIR TEMPERATURE, SNOWFALL, METEOROLOGICAL DATA, WEATHER FORECASTING, STATISTICAL ANALYSIS.
This study investigates the possibility of providing estimates of the time of occurrence and length of the freezing season for any location in East and West Germany by using the average January air temperature (AJAT) as an index The results indicate that reliable values of the mean freezing index can be obtained from the AJAT relationships which are developed for Germany This association is further verified using data from the northeastern part of the U S, and the AJAT is then used to determine the average starting and ending dates (and hence the probable length) of the freezing season for stations in Germany The AJAT and the average dates of snowfall occurrence for numerous locations in the U.S. and Germany are also correlated. Interrelationships between these parameters and the average number of days with snow on the ground for stations up to 3000 m in elevation in Germany are examined

CR 78-22
UNDERSEA PIPELINES AND CABLES IN POLAR WATERS.
Mellor, M., Sep. 1978, 34p, ADA-086 161, 19 refs.
34-3448
PIPELINES, TRANSMISSION LINES, HYDRAULIC STRUCTURES, DAMAGE, ENGINEERING, EXCAVATION, SEA ICE, SUBSEA PERMAFROST, ICE SCORING, POLAR REGIONS.
Special environmental factors that influence the design, laying and maintenance of undersea pipelines and cables in polar waters are described. Various approaches to the protection of submarine pipes and cables are considered, and prime emphasis is given to burial techniques for shallow water A wide range of methods for trenching and burying are discussed, and technical data are given.

CR 78-23
INFLUENCE OF FREEZING AND THAWING ON THE RESILIENT PROPERTIES OF A SILT SOIL BENEATH AN ASPHALT CONCRETE PAVEMENT.
Johnson, T.C., et al, Sep. 1978, 59p., See also 32-3761
Cole, D.M, Chamberlain, E.J.
33-3128
BITUMINOUS CONCRETES, SUBGRADE SOILS, SOIL FREEZING, GROUND THAWING, ELASTIC PROPERTIES.
Stress-deformation data for silt subgrade soil were obtained from in-situ and laboratory tests, for use in mechanistic models for design of pavements affected by frost action Plate-bearing tests were run on bituminous concrete pavements constructed directly on a silt subgrade, applying repeated loads to the pavement surface while the silt was frozen, thawing, thawed, and fully recovered. Repeated-load laboratory triaxial tests were performed on the silt in the same conditions Analysis of deflection data from the in-situ tests showed resilient moduli of the silt as low as 2000 kPa for the critical thawing period, and 100,000 kPa or higher when silt was fully recovered Analysis of the laboratory tests, which gave moduli comparable to the latter values, showed that resilient modulus during recovery from the thaw-weakened condition can be modeled as a function of the changing moisture content

CR 78-24
PERFORMANCE OF THE ST. MARYS RIVER ICE BOOMS, 1976-77.
Perham, R.E., Sep. 1978, 13p., ADA-061 431, 5 refs
33-1526
ICE BOOMS, ICE PRESSURE, ICE NAVIGATION, COLD WEATHER PERFORMANCE.
The ice booms on the St Marys River at Sault Ste. Marie, Michigan and Ontario, were operated a second winter, 1976-77, under colder conditions, with less water flow, lower water levels, and 25% fewer ships in the river than during the previous year The ice cover behind the booms remained frozen to shore for longer periods, and the loads registered in the booms were relatively unaffected by ship passages compared with the previous year's activity As in the previous year, most structural load changes took place in the west ice boom and were due to movements of the ice cover immediately upstream of the boom The cover broke free from shore on three occasions the first and third occasions were minor events, but on the second occasion the cover cracked free, the timbers remained frozed to it and the boom structure became damaged by the subsequent ice activity Three anchor line assemblies broke over a period of about 4 hours, the two latter breaks occurred while a ship was operating in the ice These events point out several factors to be considered in ice booms, such as designing the booms to withstand the action of the solid ice cover as well as the fragmented ice cover, keeping the structures and their assembly simple, and inspecting components and assemblies carefully

CR 78-25
RIVER CHANNEL CHARACTERISTICS AT SELECTED ICE JAM SITES IN VERMONT.
Gatto, L.W., Oct. 1978, 52p., ADA-061 778, 30 refs.
33-1527
ICE JAMS, CHANNELS (WATERWAYS), REMOTE SENSING, PHOTOINTERPRETATION, TOPOGRAPHIC FEATURES, RIVER ICE.
The objectives of this investigation were to describe channel characteristics and geographic settings of ice jam sites from aerial photographic interpretation, to indicate which characteristics may be important in causing ice jams, and to suggest additional uses of aerial photographs Uncontrolled photomosaics of each site were assembled and major river characteristics were delineated on the photomosaics Characteristics described include man-made structures, falls, rapids, changes in channel depths, channel islands, mid-channel shoals or bars, river bed material, river sinuosity, meanders, floodplain width, riparian vegetation, and types of development on the floodplain River channel widths were measured from the photographs along rivers where ground truth data were available for comparison Lengths of channel riffles and pools were measured along the rivers where variations in river depths were evident on the photographs. Aerial photographs provide a regional perspective for evaluating channel characteristics at an ice jam site and for analyzing the geographic setting at each site during ice-free conditions Photographs taken after ice jams have formed are useful in monitoring ice jam formation, in analyzing ice characteristics, and in documenting ice jam breakup and movement

CR 78-26
ICE FOG SUPPRESSION USING REINFORCED THIN CHEMICAL FILMS.
McFadden, T., et al, Nov. 1978, 23p., ADA-063 107, 20 refs.
Collins, C M.
33-2526
ICE FOG, FOG DISPERSAL, CHEMICAL ICE PREVENTION.
Ice fog suppression experiments on the Fort Wainwright Power Plant cooling pond were conducted during the winters of 1974-76. Baseline information studies occupied a sizable portion of the available ice fog weather in 1974-75. Then hexadecanol was added to the pond and dramatically improved visibility by reducing fog generated from water vapor released by the pond at -14C Although this temperature was not low enough to create ice fog, the cold vapor fog created was equally as devastating to visibility in the vicinity of the pond During the winter of 1975-76, suppression tests were continued, using films of hexadecanol, mixes of hexadecanol and octadecanol, and ethylene glycol monobutyl ether (EGME) Suppression effectiveness at colder temperatures was studied and limits to the techniques were probed A reinforcing grid was constructed that prevented breakup of the film by wind and water currents Lifetime tests indicated the EGME degrades much more slowly than either hexadecanol or the hexadecanol-octadecanol mix. The films were found to be very effective fog reducers at warmer temperatures but still allowed 20% to 40% of normal evaporation to occur The vapor thus produced was sufficient to create some ice fog at lower temperatures, but this ice fog occurred less frequently and was more quickly dispersed than the thick fog that was present before application of the films

CR 78-27
EFFECT OF TEMPERATURE ON THE STRENGTH OF SNOW-ICE.
Haynes, F.D., Dec. 1978, 25p., ADA-067 583.
33-4414
SNOW STRENGTH, ICE STRENGTH, TEMPERATURE EFFECTS, TENSILE PROPERTIES, COMPRESSIVE STRENGTH.
Uniaxial compression and tension tests were conducted on polycrystalline snow-ice to determine the effect of temperature on its strength. Test temperatures ranged from -0 1C to -54C. Two machine speeds, 0 847 mm/s and 84 7 mm/s were used for the constant displacement rate tests The compressive strength at -54C was about one order of magnitude higher than at -0 1C The tensile strength at -18C was about 20% higher than at -0 1C The initial tangent and 50% strength moduli are given for the compression tests, while the secant modulus to failure is given for the tension tests The mode of fracture is discussed and the test results are compared with data from other investigations.

CR 78-28
TUNDRA DISTURBANCES AND RECOVERY FOLLOWING THE 1949 EXPLORATORY DRILLING, FISH CREEK, NORTHERN ALASKA.
Lawson, D E., et al, Dec. 1978, 81p, ADA-065-192, 67 refs.
Brown, J, Everett, K R, Johnson, A W, Komárková, V, Murray, D.F., Webber, P.J.
33-2739
HUMAN FACTORS, ENVIRONMENTAL IMPACT, OIL SPILLS, DAMAGE, EXPLORATION, TUNDRA VEGETATION, REVEGETATION.
A 1949 drill site in the Naval Petroleum Reserve Number 4, Alaska, the Fish Creek Test Well 1, was examined in August 1977 to determine the disturbance caused by drilling activities and to analyze the response and recovery of the vegetation, soils, permafrost, and surficial materials to that disturbance Man-made disturbances include bladed and unbladed vehicular trails, a winter runway, excavations, pilings, remains of camp structures, steel drums and other solid waste, and hydrocarbon spills The most intense and lasting disturbance to the vegetation, soils, and permafrost resulted from bulldozing of surface materials, diesel fuel spills, and trails developed by multiple passes of vehicles Thermokarst subsidence and thermal erosion, caused by increased thaw of permafrost due to disturbance, resulted in the development of a hummocky topography and water-filled depressions at the drill site Some ice wedges disturbed in 1949 are still melting Soil disturbance ranges from minor modification to complete destruction of the soil morphology The effects of hydrocarbon spills are still detectable in the soils. Little of the original vegetation remains in the intensely disturbed area, such as around the drill pad where a grass-dominated community prevails After 28 years, the vegetation cover is closed over most mesic sites, shallow wet sites are well vegetated, and xeric sites, areas of diesel fuel spills and areas of severe erosion remain mostly bare Pioneering plant species on bare, disturbed areas are members of mature vegetation assemblages from the undisturbed tundra which have high reproductive and dispersal capacities. A hypothetical model of natural revegetation and vegetation recovery is proposed. Vascular plants, bryophytes, and lichens were collected from the Fish Creek site area for the first time Recommendations on cleanup and restoration of sites are presented.

CR 79-01
STUDY OF WATER DRAINAGE FROM COLUMNS OF SNOW.
Denoth, A, et al, Jan. 1979, 19p., ADA-066 935
Seidenbusch, W., Blumthaler, M., Kirchlechner, P, Ambach, W.
34-1108
SNOW, WATER FLOW, DRAINAGE
Experiments were conducted to study the flow of water through columns of homogeneous, repacked snow The gravity flow theory of water flow through snow was verified, although possibly there is some dependence of the relative permeability on the state of metamorphism of the snow Also, at very large values of saturation there may be some additional flow in saturated channels

CR 79-02
EFFECT OF WATER CONTENT ON THE COMPRESSIBILITY OF SNOW-WATER MIXTURES.
Abele, G., et al, Jan. 1979, 26p., ADA-066 936, 6 refs.
Haynes, F D.
33-3650
SNOW WATER CONTENT, SNOW COMPRESSION, SNOW DENSITY, SNOW DEFORMATION.
The stress-density relationships of snow-water mixtures were investigated and are shown as functions of water content, initial snow density, initial snow-water mixture density and rate of deformation. An increase in water content in snow at a particular density or a decrease in the rate of deformation (or strain rate) decreases the stress, but apparently not the specific energy required to reach a specific mixture density.

CR 79-03
BLANK CORRECTIONS FOR ULTRATRACE ATOMIC ABSORPTION ANALYSIS.
Cragin, J.H, et al, Jan. 1979, 5p., ADA-066 979, 2 refs.
Quarry, S T.
33-3166
WATER CHEMISTRY, CHEMICAL ANALYSIS, METALS, ATOMIC ABSORPTION.
Both flame and flameless atomic absorption(AA) measurements require a distilled water blank correction This correction is due to the analyte contained in the distilled water used to prepare the standards and not, as commonly thought, to the reference "blank" used to zero the instrument Flameless AA analyses of acidified heavy metal samples generally require additional corrections for the furnace deflection blank and for an acid blank To prevent adsorption losses, the acid blank should be determined by extrapolation of a series of acid dilutions in distilled water.

CR 79-04
COMPUTER MODELING OF ATMOSPHERIC ICE ACCRETION.
Ackley, S.F, et al, Mar. 1979, 36p., ADA-068 582, 25 refs.
Templeton, M K.
33-3651
ICE ACCRETION, METEOROLOGICAL FACTORS, ICE PHYSICS, HELICOPTERS
A computer model is described to compute the amount of ice accretion on an object under a variety of initial conditions Numerical techniques are best applied to these problems because of time dependent effects governing the amount of ice collected and the variety of initial conditions that can lead to ice accumulation The helicopter rotor icing problem adds an additional complexity since the velocity along the rotor blade varies over a wide range, strongly affecting the amounts of ice collected at different blade positions The physics of ice accretion is reviewed, and the accounting for the time-dependence in the computer model is described Some model results are presented

and indicate the dependence of ice accretion on velocity, droplet sizes, cloud liquid water content, and temperature for a cylindrical object of constant size

CR 79-05
GROUTING SILT AND SAND AT LOW TEMPERATURES—A LABORATORY INVESTIGATION.
Johnson, R., Mar. 1979, 33p, ADA 068 741, 4 refs.
33-3867
LOW TEMPERATURE TESTS, GROUTING, CHEMICAL REACTIONS, COMPRESSIVE STRENGTH.
This report presents data from an experimental program undertaken to develop information on proposed and existing chemical grout solutions to provide engineering properties in connection with grouting of soils in ambient temperatures of 39 F and below Twelve grout solutions were investigated, including organic chemicals, sodium silicates, cements, and clay (bentonite).

CR 79-06
NONDESTRUCTIVE TESTING OF IN-SERVICE HIGHWAY PAVEMENTS IN MAINE.
Smith, N., et al, Apr. 1979, 22p, ADA-069 817.
Eaton, R.A., Stubstad, J.
34-1843
ROADS, COLD WEATHER TESTS, PAVEMENTS, BEARING STRENGTH, FLEXURAL STRENGTH.
Nondestructive repetitive plate bearing (RPB) tests were conducted on various test sections in state highways in Maine during April 13-15, 1976. The RPB test consists of making resilient surface deflection measurements during repetitive loadings at various radii from the load plate The pavement system stiffness was calculated, and the resilient modulus values for the various pavement layers were determined with the Chevron computer program for a layered elastic system A thawed analysis using nondimensional deflection curves for the various sections provided a guide to the susceptibility of the pavement systems to surface failure and pothole development Some comparisons between stabilized and nonstabilized aggregate and soil were made with calculated stiffness values. The moduli of the various materials were also compared. The residual surface deflections during testing for several pavement systems indicated a linear logarithmic relationship with number of load applications A relationship between the modulus of the asphalt cement concrete pavement and pavement temperature was developed for the limited temperature range during the testing

CR 79-07
PENETRATION TESTS IN SUBSEA PERMAFROST, PRUDHOE BAY, ALASKA.
Blouin, S E, et al, May 1979, 45p., ADA-071 999, 9 refs.
Chamberlain, E J., Sellmann, P.V., Garfield, D.E
33-4437
SUBSEA PERMAFROST, BOTTOM SEDIMENT, PENETRATION TESTS, PENETROMETERS, OFFSHORE DRILLING.
Sediments beneath the Beaufort Sea near Prudhoe Bay, Alaska, were probed at 27 sites using a static cone penetrometer to determine engineering properties and distribution of material types, including ice-bonded sediments The probe provided both point and casing resistance data and thermal profiles At five sites these data were correlated with information from adjacent drilled and sampled holes These control data and the quality of the probe information permitted profiles of sediment type and occurrence of ice bonded material to be developed along three lines that included various geological features and depositional environments Material properties were quite variable in the upper 14 m of sediments probed In general, softer, finer-grained sediments occurred in the upper layers, while penetration refusal was met in stiff gravels 10 to 12 m below the seabed Seabed temperatures during the study were all below OC However, because of uncertainties in freezing point values caused by brines, evaluation of the penetration resistance data was required to identify the occurrence of ice-bonded sediments The coupling of thermal and penetration resistance data revealed that seasonally ice-bonded sediments occurred where the sea ice froze back to or near the seabed Deeper perennially frozen sediments also appeared to be present at several probe sites The penetration data obtained can be used to aid in the design of shallow and deep foundations in both ice-bonded and unfrozen subsea sediments

CR 79-08
SEA ICE RIDGING OVER THE ALASKAN CONTINENTAL SHELF.
Tucker, W B., et al, May 1979, 24p., ADA-070 572, 24 refs.
Weeks, W.F., Frank, M
33-4223
SEA ICE DISTRIBUTION, PRESSURE RIDGES, ICE DEFORMATION, SURFACE ROUGHNESS, PROFILES, LASERS, MATHEMATICAL MODELS, STATISTICAL ANALYSIS, REMOTE SENSING, FORECASTING
Sea ice ridging statistics obtained from a series of laser surface roughness profiles are examined Each set of profiles consists of six 200-km-long flight tracks oriented approximately perpendicular to the coastline of the Chukchi and Beaufort Seas. The flights were made in February, April, August, and December 1976, and one additional profile was obtained north of Cross Island during March 1978 It was found that although there is a systematic variation in mean ridge height (h) with season (with the highest values occurring in late winter), there is no systematic spatial variation in h at a given time The number of ridges/km is also high during the late winter, with the highest values occurring in the Barter and Cross Island profiles In most profiles, the ice 20 to 60 km from the coast is more highly deformed than the ice either nearer the coast or farther seaward The Wadhams model for the distribution of ridge heights gives better agreement with observed values in the higher ridge categories than does the Hibler model Estimates of the spatial recurrence frequency of large pressure ridges are made by using the Wadhams model and also by using an extreme value approach. In the latter, the distribution of the largest ridges per 20 km of laser track was found to be essentially normal Wadhams' distribution consistently predicts slightly larger ridge sails than does the extreme value approach.

CR 79-09
SEDIMENTOLOGICAL ANALYSIS OF THE WESTERN TERMINUS REGION OF THE MATANUSKA GLACIER, ALASKA.
Lawson, D.E., May 1979, 112p., ADA-072 000, Refs p.109-112.
33-4438
GLACIAL DEPOSITS, GLACIAL GEOLOGY, SEDIMENT TRANSPORT, GLACIAL TILL.
Sedimentation at the terminus of the Matanuska Glacier has been found to be primarily subaerial in a 100- to 300-m wide, ice-cored zone paralleling the edge of the active ice Certain physical and chemical characteristics of the ice and debris of the supraglacial, englacial and basal zones of the glacier indicate the debris of the basal zone, the primary source of sediment, is entrained during freeze-on of meltwater to the glacier sole Till formation results from the melting of buried ice of the basal zone Melt-out till inherits the texture and particle orientations of basal ice debris, other properties are not as well preserved Most deposits result from resedimentation of till and debris by sediment gravity flows, meltwater sheet and rill flow, slump, spall, and ice ablation Depositional processes are interrelated in the process of backwasting of ice-cored slopes Sediment flows are the primary process of resedimentation Their physical characteristics, multiple mechanisms of flow and deposition, and characteristics of their deposits vary with the water content of the flow mass Deposits of each process are distinguished from one another by detailed analysis of their internal organization, geometry and dimensions, and the presence of other internal and related external features Genetic facies are defined by these characteristics

CR 79-10
ULTRASONIC VELOCITY INVESTIGATIONS OF CRYSTAL ANISOTROPY IN DEEP ICE CORES FROM ANTARCTICA.
Kohnen, H., et al, May 1979, 16p., ADA-071 451, 23 refs.
Gow, A J.
33-4204
ICE SHEETS, GLACIER FLOW, ICE CORES, ICE CRYSTAL STRUCTURE, ICE ACOUSTICS, ANISOTROPY, WAVE PROPAGATION, ULTRASONIC TESTS, ICE CRYSTAL SIZE, SHEAR PROPERTIES, ANTARCTICA—BYRD STATION, ANTARCTICA—LITTLE AMERICA STATION.
Ice cores from Byrd Station and Little America V have been used to test an ultrasonic technique for evaluating crystal anisotropy in the Antarctic Ice Sheet P-wave velocities measured parallel and perpendicular to the vertical axes of cores from the 2164-m-thick ice sheet at Byrd Station have yielded results in excellent agreement with the observed c-axis fabric profile and with the in-situ P-wave velocity profile measured parallel to the bore hole axis Velocity differences in excess of 140 m/s for core samples from deeper than 1300 m attest to the strong single pole clustering of crystallographic c-axes about the vertical especially in the zone from 1300-1800 m Such oriented structure is compatible only with strong horizontal shearing in the zone The existence in an ice sheet of widespread shearing several hundred meters above its bed raises serious questions as to the validity of current concepts of the flow of large ice masses that tend to gloss over or ignore crystal alignments of this magnitude The ultrasonic technique has proven to be a fast and powerful tool for determining crystal fabrics in ice sheets Results from Byrd Station and Little America V, together with fabric data from several other locations in East Antarctica suggest that crystal orientations within the Antarctic Ice Sheet tend to be characterized by either single or multi-pole clustering of c-axes about a vertical symmetry axis

CR 79-11
SNOWPACK OPTICAL PROPERTIES IN THE INFRARED.
Berger, R.H., May 1979, 16p ADA-071 004
34-1366
SNOW OPTICS, SNOW DENSITY, LIGHT SCATTERING, REFLECTIVITY
A theory of the optical properties of snow in the 2.20 microns region of the infrared has been developed Using this theory it is possible to predict the absorption and scattering coefficients and the emissivity of snow as function of the snow parameters of grain size and density, for densities between 0.17 and 0.4 g/cu cm The absorption and scattering coefficients are linearly related to the density and inversely related to the average grain size The emissivity is independent of grain size and exhibits only a weak dependence upon density

CR 79-12
POINT SOURCE BUBBLER SYSTEMS TO SUPPRESS ICE.
Ashton, G.D., May 1979, 12p, ADA-071 038, 8 refs.
33-4224
ICE REMOVAL, BUBBLES, ICE MELTING, HEAT TRANSFER, WATER FLOW, AIR TEMPERATURE, PILES, OFFSHORE STRUCTURES, COMPUTERIZED SIMULATION.
An analysis of a point source bubbler system used to induce local melting of an ice cover is presented The analysis leads to a numerical simulation programmed in FORTRAN which may be used to predict the effectiveness of such systems An example application is presented using a typical record of average daily air temperatures. The FORTRAN program for the point source simulation as well as a FORTRAN program for line source systems are included in the Appendix

CR 79-13
TURBULENT HEAT TRANSFER IN LARGE ASPECT CHANNELS.
Haynes, F.D., et al, May 1979, 5p., ADA-071 003, 6 refs.
Ashton, G.D.
33-4136
HEAT TRANSFER, CHANNELS (WATERWAYS), ICE WATER INTERFACE, TURBULENT FLOW, RIVER FLOW, ICE COVER EFFECT, MATHEMATICAL MODELS, WATER TEMPERATURE
Heat transfer in turbulent flow was measured in a rectangular channel with a width of 0.254 m and a flow depth of 0.0254 m Correlations between the Nusselt and Reynolds numbers are given for a range of 3.02x1000 is less than Re is less than 2.236x10,000 A Prandtl number range of 9.90 is less than or equal to 12.28 for water was used in the tests The results are compared with those of other investigations and show that some well-known correlations underpredict the heat transfer by about 35%

CR 79-14
ACCELERATED ICE GROWTH IN RIVERS.
Calkins, D.J., May 1979, 5p., ADA-071 015, 5 refs.
33-4137
FRAZIL ICE, RIVER ICE, ICE GROWTH, ICE COVER THICKNESS, HEAT TRANSFER, SLUSH, POROSITY, MATHEMATICAL MODELS
Solid ice growth rates due to the presence of frazil slush beneath the ice cover have been shown to be greater than the so-called static growth The frazil slush reduces the effective heat of ice solidification and the frazil particles freeze into the interstitial water. Numerical schemes are presented which clearly show the effect of frazil ice porosity on ice cover growth rates and the numerical model using air temperature as the major input is compared with field data on ice thickness in a small river laden with frazil ice beneath its cover

CR 79-15
DETECTION OF ARCTIC WATER SUPPLIES WITH GEOPHYSICAL TECHNIQUES.
Arcone, S A., et al, June 1979, 30p, ADA-072 157, 38 refs.
Delaney, A J., Sellmann, P.V.
33-4423
WATER SUPPLY, DETECTION, GROUND WATER, MAGNETIC PROPERTIES, RADIO WAVES
This report discusses the application of several modern geophysical techniques to groundwater exploration in areas of permafrost These methods utilize the principles of magnetic induction and radiowave surface impedance in the 10- to 400 kHz band, the techniques of impulse and side-looking radar in the 50- to 10 000 MHz band, and also some optical techniques using imagery obtained from a satellite, all for detecting free water under an ice cover in shallow, almost completely frozen lake basins, and thaw zones within lake beds, stream channels and in permafrost in general The radar studies demonstrate the use of these techniques for determining depth of free water and ice cover thickness on lakes and rivers

CR 79-16
CONSTRUCTION AND PERFORMANCE OF MEMBRANE ENCAPSULATED SOIL LAYERS IN ALASKA.
Smith, N., June 1979, 27p, ADA-073 531, 17 refs.
34-134
SOIL FREEZING, COLD WEATHER TESTS, FROST PROTECTION, SOIL WATER, WATERPROOFING, FROST HEAVE
In 1974 two membrane encapsulated soil layer (MESL) test sections were constructed into existing gravel surfaced roads at Elmendorf AFB and at Ft Wainwright in Anchorage and Fairbanks, Alaska respectively The Elmendorf AFB MESL contains a silty clay soil and the Ft Wainwright MESL contains a nonplastic silt Both sections were con-

structed at soil moisture contents of approximately 2% to 3% below optimum for the CE-12 compactive effort There were no indications of soil moisture migration during freezing in either test section, and after-thaw field California Bearing Ratio values were nearly equal to values measured before freezing There is growing evidence of a slight increase in the overall soil moisture content in the Elmendorf AFB MESL, possibly from moisture entering through the single layer polyethylene sidewalls which were not treated with asphalt emulsion. There is good evidence that the membrane of the same section might have received damage during a soil sampling operation which allowed localized moisture infiltration A two-layer polyethylene membrane used in the Ft. Wainwright MESL is considered a more positive moisture barrier than the single sheet and a justifiable added cost for permanent construction

CR 79-17
ROOF RESPONSE TO ICING CONDITIONS.
Lane, J.W., et al, July 1979, 40p., ADA-074 477, 12 refs.
Marshall, S.J , Munis, R.H.
34-625
ROOFS, THERMAL CONDUCTIVITY, ICING, MELTING, SLOPE ORIENTATION.

Six test roofs of two different slopes—16 3 deg and 39 8 deg, and three different roof coverings—asphalt shingles, cedar shingles, and corrugated aluminum sheeting, were constructed at USACRREL, Hanover, New Hampshire, and were instrumented with thermocouples, heat flow meters, and calibrated gutters Measurements were recorded for the winters of 1971-72 and 1972-73 The degree of icing and the chronological changes in the snow cover were recorded on 35-mm Kodachrome slides It was found that eave icing is a sensitive function of the slope, roof covering composition, and solar radiation. The effects of wind were not investigated, the data were screened to remove all information corresponding to windspeeds over 8 km/h In order of increasing tendency to form ice dams on the eaves, the roofs were high-slope asphalt, high-slope cedar, high-slope aluminum, low-slope asphalt, low-slope cedar, and low slope aluminum

CR 79-18
INSULATING AND LOAD-SUPPORTING PROPERTIES OF SULFUR FOAM FOR EXPEDIENT ROADS IN COLD REGIONS.
Smith, N., et al, Sep. 1979, 21p., ADA-074 694, 6 refs.
Pazsint, D.A.
34-742
ROADS, THERMAL INSULATION, CELLULAR MATERIALS, BEARING STRENGTH, FREEZE THAW CYCLES.

Temperatures of the subgrade and of sulfur foam insulation test sections in an expedient road were monitored with thermocouples to document freezing and thawing conditions Vehicular trafficking was conducted on a limited basis to determine the load supporting capabilities of the foam. The sulfur foam, placed directly under a prefabricated surface mat, was found to be unsuitable for use as an expedient thermal insulation and traffic load supporting material, primarily because of its low tensile strength and high brittleness The insulating value of sulfur foam produced by the batch process in the field was about one-half that of extruded polystyrene, meaning double the thickness for equal protection against thaw.

CR 79-19
CRITICAL VELOCITIES OF A FLOATING ICE PLATE SUBJECTED TO IN-PLANE FORCES AND A MOVING LOAD.
Kerr, A.D., Aug. 1979, 12p., ADA-075 455, 6 refs
34-802
FLOATING ICE, DYNAMIC LOADS, VELOCITY.

The critical velocities of loads moving over floating ice plates have been determined by several authors In all these analyses it was assumed that the in-plane force field in the ice cover is zero However, due to constrained thermal strains, in-plane forces do occur in the field The purpose of the present paper is to determine their effect upon the critical velocities of the moving loads It is shown that a uniform compression force field reduces the critical velocity, whereas a tension force has the opposite effect

CR 79-20
VOLUMETRIC CONSTITUTIVE LAW FOR SNOW SUBJECTED TO LARGE STRAINS AND STRAIN RATES.
Brown, R.L., Aug 1979. 13p., ADA-075 474, 10 refs.
34-913
SNOW DEFORMATION, SNOW COMPRESSION, VOLUME, STRAINS, STRAIN TESTS DYNAMIC LOADS, TRACKED VEHICLES

A volumetric constitutive equation was developed to characterize the behavior of snow subjected to large compressive volumetric deformations By treating the material as a suspension of air voids in a matrix material of polycrystalline ice, a rate-dependent volumetric constitutive law was formulated and found to accurately predict material response to pressure loads for a wide range of load rates Comparison of the theory with shock wave data was not considered in this paper, although the constitutive law appears to be valid for such load situations One application to oversnow mobility of tracked vehicles was made. In this case, power requirements due to snow compaction were calculated parametrically in terms of vehicle speed, track loading, and snow density

CR 79-21
TOWING SHIPS THROUGH ICE-CLOGGED CHANNELS BY WARPING AND KEDGING.
Meilor, M., Sep. 1979, 21p., ADA-077 801, 6 refs.
34-1380
CHANNELS (WATERWAYS), ICE COVER, ICE PRESSURE, SHIPS, ANCHORS.

The report studies the question of whether Great Lakes freighters could move effectively through ice-clogged channels with the aid of tows provided by warping or kedging systems Ten operational concepts are outlined, and their advantages and disadvantages are noted The crushing resistance of floating brash ice is then analyzed. The neutral, active and passive states of stress for laterally confined brash ice are considered, and the resistance to horizontal thrusting by a smooth vertical wall is calculated for cohesionless brash ice, and for ice in which there is finite cohesion between the ice fragments The thickening of the ice cover in the vicinity of a "pusher" and the formation of pressure ridges are analyzed in order to estimate the amount of pile-up that can occur against a ship hull The analysis then moves on to consideration of ship resistance by brash ice, taking into account crushing resistance at the bow, tangential friction at the bow, and the hull friction aft of the bow section. Comparisons are made between thrust from the ship's screws and the calculated ice resistance. The next section of the report estimates the force requirements for a warping or kedging system in terms of thrust augmentation for existing vessels Tow cable requirements are given, and estimates are made for cable anchors and for anchorage of underwater structures The force and power requirements for winches and windlasses are given, the practical problems involved in the pickup or transfer of cables are mentioned, and the report concludes with a brief appraisal. The conclusion is that a simple warping tug system is appropriate for a full-scale experiment, a chain ferry with auxiliary barge seems attractive for an operational system, and a chain ferry plow may be an efficient way to clear ice from channels

CR 79-22
CRYSTAL ALIGNMENTS IN THE FAST ICE OF ARCTIC ALASKA.
Weeks, W F., et al, Oct 1979, 21p , ADA-077 188, 9 refs.
Gow, A.J.
34-1379
ICE CRYSTAL STRUCTURE, FAST ICE, ICE CRYSTAL GROWTH, SEA ICE, OCEAN CURRENTS

Field observations at 60 sites located in the fast or near-fast ice along a 1200-km stretch of the north coast of Alaska between Bering Strait and Barter Island have shown that 95% of the ice samples exhibit striking c-axis alignments within the horizontal plane Such alignments were usually well developed by the time the ice was 50 cm thick and in some cases when the ice was 20 cm thick In all cases the degree of preferred orientation increased with depth in the ice Representative standard deviations around a mean direction in the horizontal plane are commonly less than 10 deg for samples collected near the bottom of the ice The general patterns of the alignments support a correlation between the preferred c-axis direction and the current direction at the ice water interface A comparison between c-axis alignments and spot current measurements made at 42 locations shows that the most frequent current direction coincides with the mean c-axis direction Such alignments are believed to be the result of geometric selection with the most favored orientation being that in which the current flows normal to ice foliation planes that compose the dendritic sea ice crystal structure

CR 79-23
EFFECTS OF SEASONAL CHANGES AND GROUND ICE ON ELECTROMAGNETIC SURVEYS OF PERMAFROST.
Arcone, S.A., et al, Oct 1979, 24p., ADA-077 903
Delaney, A.J , Sellmann, P.V.
34-2363
PERMAFROST DISTRIBUTION, ELECTROMAGNETIC PROSPECTING, SEASONAL VARIATIONS, GROUND ICE

The performance of surface impedance and magnetic induction electromagnetic subsurface exploration techniques was studied seasonally at various sites in Alaska where permafrost and massive ground ice occurred The methods used have greatest sensitivity within about 20 m of the surface and are, therefore, most applicable for shallow subsurface investigations The selection of study sites was based on anticipated contrasts in electrical resistivity between ground ice and adjacent earth materials A magnetic induction instrument, using a separation of 366 m between the transmitter and receiver antennas, in general was able to detect near surface zones of massive ice and to provide data regarding permafrost distribution in both the Fairbanks and Prudhoe Bay areas

CR 79-24
ANTIFREEZE-THERMODRILLING FOR CORE THROUGH THE CENTRAL PART OF THE ROSS ICE SHELF (J-9 CAMP), ANTARCTICA.
Zotikov, I.A., Nov. 1979, 12p., ADA-078 748, 11 refs.
34-1577
ICE SHELVES, ICE CORES, DRILL CORE ANALYSIS.

By using a new thermocoring technique, a hole was successfully drilled through the 416-m thickness of the Ross Ice Shelf at J-9 Camp This report provides a description of the drill and an account of this drilling project A provisional examination of the core shows the ice shelf to consist of 410 m of snow and glacial ice underlain by 6 m of sea ice formed by direct freezing of sea water to the bottom of the Ross Ice Shelf (Auth.)

CR 79-25
CHARGED DISLOCATION IN ICE: 1. EXISTENCE AND CHARGE DENSITY MEASUREMENT BY X-RAY TOPOGRAPHY.
Itagaki, K , Nov. 1979, 12p , ADA-078 775, 23 refs.
34-1608
ICE ELECTRICAL PROPERTIES, ELECTRIC CHARGE, DISLOCATIONS (MATERIALS), X RAY ANALYSIS, ICE CRYSTAL STRUCTURE.

The motion of dislocations in single crystal ice under an electric field was observed by using X-ray topographic methods Electric charge density on these dislocations was deduced from the amplitude and length of the dislocation segment under the known AC electrical field In linear charge density, considerable variation is possible, depending on the effective field acting on the dislocation lines

CR 79-26
LAKE CHAMPLAIN ICE FORMATION AND ICE FREE DATES AND PREDICTIONS FROM METEOROLOGICAL INDICATORS.
Bates, R E , et al, Nov. 1979, 21p., ADA-079 640, 11 refs.
Brown, M.-L.
34-1745
LAKE ICE, ICE FORMATION, ICE BREAKUP, METEOROLOGICAL DATA, PERIODIC VARIATIONS

A 19-yr record of the annual closing and opening dates of operation of the Lake Champlain ferry at Grand Isle, Vermont, which are controlled by the lake's ice cover, was made available to CRREL These navigation records accurately approximated the freeze-over and breakup dates for the ferry crossing area between Gordon Landing, Vermont, and Cumberland Head, New York When compared statistically with water temperature and climatological data for the same years at nearby Lake Champlain locations, the dates allowed accurate predictions of ice formation From nearby air temperature records, cumulative freezing degree-day (C) curves were plotted for each year of record, and ice formation dates and standard deviations were predicted with considerable accuracy Several methods of predicting ice formation on Lake Champlain were attempted The most accurate approach used a combination of water temperatures and freezing degree-days The influence of wind speed on ice cover formation and prediction are also discussed in the report

CR 79-27
SOME BESSEL FUNCTION IDENTITIES ARISING IN ICE MECHANICS PROBLEMS.
Takagi, S , Nov 1979, 13p DA-078 709, 10 refs.
34-1609
ICE MECHANICS, ANALYSIS (MATHEMATICS).

Some Bessel function identities found by solving problems of the deflection of a floating ice plate by two different methods are rigorously proved The master formulas from which all the identities are derived are in a Fourier reciprocal relationship, connecting a Hankel function to an exponential function Many new formulas can be derived from the master formulas The analytical method presented here now opens the way to study a hitherto impossible type of problem the deflection of floating elastic plates of various shapes and boundary conditions

CR 79-28
ELECTRON MICROSCOPE INVESTIGATIONS OF FROZEN AND UNFROZEN BENTONITE.
Kumai, M., Nov. 1979, 14p , ADA-078 776, 12 refs
34-1578
ELECTRON MICROSCOPY, FROZEN GROUND PHYSICS, SOIL STRUCTURE, CLAY SOILS

Transmission and scanning electron micrographs of Umiat bentonite revealed thin, mica like grains with irregular shapes Most of the bentonite showed electron diffraction ring patterns, but some showed hexagonal net patterns as well as ring patterns The lengths of the unit cells were calculated to be 5 18 A along the a-axis and 8 97 A along the b-axis Semiquantitative analyses were made using an energy dispersive spectrometer Common elements such as Si, Ti, Al, Fe, Mg, Na and K were determined The molecular ratio of SiO_2-Al_2O_3 was calculated to be 4 92 100 for the bulk sample, indicating that Umiat bentonite is similar in most respects to Wyoming bentonite, and is classified as a montmorillonite The microstructure of frozen Umiat bentonite was observed at a specimen temperature of 100C using a scanning electron

microscope equipped with a cold stage Frozen bentonite and segregated ice patterns formed from wet bentonite were examined using an Al-ray map and Si X-ray line scan. Sublimation processes of ice in the frozen bentonite were observed at specimen temperatures of -60 and -80C. After sublimation of the ice, the bentonite displayed a honeycomb structure It was concluded that the freezing-sublimation cycle in frozen soil increases the permeability of water vapor due to the three-dimensional structure of the coagulated clay formed by freezing

CR 79-29

ANALYSIS OF PLASTIC SHOCK WAVES IN SNOW.

Brown, R.L., 1979, 14p., ADA-080 051, 12 refs.

34-2528

WAVE PROPAGATION, SNOW DEFORMATION, SHOCK WAVES, LOADS (FORCES), ANALYSIS (MATHEMATICS).

An analytical study of the propagation of shock waves in snow was carried out to evaluate the response of medium density snow to high rates of loading One solution was developed for steady shock waves, this resulted in calculation of pressure jump, density jump and stress wave speed Correlation with available experimental data was found to be good. Nonsteady shock waves were also considered in order to evaluate wave attenuation rates in snow Very few data were available to compare with the analytical results, so no definite conclusions on the part of the study could be made. The results show, however, that shock waves that produce plastic deformation attenuate at extremely high rates and that differences in pressure between two waves are quickly eliminated within a short distance Calculations were also made to evaluate the effect of wave frequency on attenuation rates. The results show that, for plastic waves, frequency is not a predominant factor for determining attenuation rates (Auth.)

CR 79-30

SUPPRESSION OF RIVER ICE BY THERMAL EFFLUENTS.

Ashton, G.D., Dec. 1979, 23p., ADA-080 654, 5 refs

34-2283

RIVER ICE, ICE CONTROL, THERMAL DIFFUSION, THERMAL POLLUTION, HEAT TRANSFER.

The ice suppression resulting from discharge of warm water into rivers during winter is analyzed with emphasis in two different cases In Part 1, the case of a thermal effluent fully mixed across the flow section is analyzed to include the effects of unsteadiness in the effluent temperature and the meteorological variations The location of the ice edge is determined either by O C water temperature criterion or an equilibrium ice melting analysis. The choice of the applicable criterion emerges naturally from the analysis, even though the location of the ice edge may be considerably different when a steady state analysis is done In Part 2, the case of a side discharge of heated effluent is analyzed, also in an unsteady manner, and the effects of transverse dispersion are included in the analysis Comparisons are made in Parts 1 and 2 to limited field data that are available

CR 80-01

IMPROVED ENZYME KINETIC MODEL FOR NITRIFICATION IN SOILS AMENDED WITH AMMONIUM. 1. LITERATURE REVIEW.

Leggett, D.C., et al, Jan 1980, 20p., ADA-082 303, Refs. p.18-20.

Iskandar, I.K.

35-2583

WASTE TREATMENT, WATER TREATMENT, SOIL CHEMISTRY, SOIL MICROBIOLOGY, GROWTH.

Previous research indicates that nitrification in pure cultures can be represented by Michaelis-Menten kinetics However, the effects of temperature and especially pH have not been treated systematically in any of the previous reviews of the subject The work reported here is an attempt to synthesize reported temperature and pH effects on nitrification and nitrifier growth rates In addition we attempt to extend the principles of microbial kinetics to soils Our work indicates that pH effects can be interpreted mechanistically as inhibitions by hydrogen and hydroxyl ions, nitrous acid, and ammonia These are incorporated into the Michaelis-Menten expressions It is also our observation that ammonium oxidizers in natural habitats are characterized by lower Michaelis constants than pure cultures This is significant particularly in terms of their growth and activity in acid soils Alternatively, we speculate that proliferation of ammonium oxidizers in acid soils is due to spatial heterogeneity of "pH" at the microsite level

CR 80-02

WINTER THERMAL STRUCTURE, ICE CONDITIONS AND CLIMATE OF LAKE CHAMPLAIN.

Bates, R E, Jan 1980, 26p., ADA-082 304, 7 refs

35-2585

LAKE ICE, ICE CONDITIONS, THERMAL REGIME, ICE FORMATION, ICE THERMAL PROPERTIES, WATER TEMPERATURE, METEOROLOGICAL DATA, WINTER, THERMISTORS, STEFAN PROBLEM

Winter thermal structure and ice conditions in the landfast ice cover of Lake Champlain were studied in detail for the winters of 1975-76 and 1976-77 The lake was instrumented to a depth of 9.5 m with a string of highly calibrated thermistors attached to an ice mooring system and connected to a data logger at Shelburne Point, Vermont, during the winter of 1975-76 and at Gordon Landing on Grand Isle, Vermont, during 1976-77 This data logger automatically recorded water temperatures from the surface of the lake through snow, ice and water vertical profiles to the bottom of the lake every four hours Pertinent meteorological parameters are presented for the appropriate measurement sites during the two winter periods, November '75-April '76, and November '76-April '77. Computations were made of freezing degree days for both winters and correlated with ice formation dates. Predictions of ice growth, using the Stefan equation with an empirical coefficient, were correlated with observed ice growth. Documentation was made of the Lake Champlain Transportation Company's first attempt at winter navigation by ferry from Gordon Landing, Vermont to Grand Head, New York, in a landmass, ice-thickening the coldest winters of this century

CR 80-03

REVEGETATION OF TWO CONSTRUCTION SITES IN NEW HAMPSHIRE AND ALASKA.

Palazzo, A.J., et al, Jan. 1980, 21p., ADA-082 305, 36 refs.

Rindge, S.D., Gravel Pit, NH

Fairbanks, Alaska

35-2586

REVEGETATION, SEWAGE DISPOSAL, LAND RECLAMATION, GRAVELS, GRAVEL, ORGANIC SOILS, SLUDGES, NUTRIENT CYCLE.

Revegetation techniques were investigated for gravel soils in cold regions Two gravel soil test sites were established in Hanover, New Hampshire, and Fairbanks, Alaska During three growing seasons, we studied the applicability and cost effectiveness of various nutrient sources and mulch materials The nutrient sources included sewage sludge (40, 60 and 80 tons/acre) and commercial fertilizer (at 200, 400 and 600 lb/acre) The mulching materials were wood fiber mulch with various types of tackifiers, peat moss, and sewage sludge The effects of refertilization during the second growing season were also studied.

CR 80-04

ENVIRONMENTAL ANALYSIS OF THE UPPER SUSITNA RIVER BASIN USING LANDSAT IMAGERY.

Gatto, L.W., et al, Jan. 1980, 41p., ADA-084 909, 52 refs.

Merry, C.J., McKim, H.L., Lawson, D.E.

34-3198

AERIAL SURVEYS, REMOTE SENSING, SPACEBORNE PHOTOGRAPHY, LANDSAT MAPPING, PHOTOINTERPRETATION, SPACECRAFT, RIVER BASINS, ENVIRONMENTS, UNITED STATES—ALASKA—SUSITNA RIVER

The primary objectives of this study were to 1) prepare a map from Landsat imagery of the Upper Susitna River Basin drainage network, lakes, glaciers and snowfields, 2) identify possible faults and lineaments within the upper basin and within a 100-km radius of the proposed Devil Canyon and Watana dam sites as observed on Landsat imagery, and 3) prepare a Landsat-derived map showing the distribution of surficial geologic materials and poorly drained areas The EROS Digital Image Enhancement System (EDIES) provided computer-enhanced images of Landsat-1 scene 5470-19560 The EDIES false color composite of this scene was used as the base for mapping drainage network, lakes, glaciers and snowfields, six surficial geologic materials units and poorly drained areas Some single-band and other color composites of Landsat images were used during interpretation All the above maps were prepared by photointerpretation of Landsat images without using computer analysis, aerial photographs, field data, or published reports

CR 80-05

ASPHALT CONCRETE FOR COLD REGIONS; A COMPARATIVE LABORATORY STUDY AND ANALYSIS OF MIXTURES CONTAINING SOFT AND HARD GRADES OF ASPHALT CEMENT.

Dempsey, B.J., et al, Jan. 1980, 55p., ADA-082 198, 39 refs.

Ingersoll, J., Johnson, T.C., Shahin, M.Y.

35-2587

BITUMENS, BITUMINOUS CONCRETES, PAVEMENTS, CEMENT ADMIXTURES, TENSILE PROPERTIES, CRACKING (FRACTURING), STRAIN TESTS, THERMAL EFFECTS, VISCOSITY, TRAFFICABILITY

Pavements containing soft asphalt cement have been shown in the past to be less susceptible to low-temperature contraction cracking, but more susceptible to traffic load-associated distress in warm weather, than pavements with harder asphalt cements This research comprised laboratory testing to determine the properties of asphalt-aggregate mixtures containing three grades of asphalt cements, and analyses to project the performance of pavements containing each of the asphalts, in resisting thermally induced distress and traffic associated distress From the results it is concluded that only the softest asphalt cement tested (AC 2.5) would perform satisfactorily in a cold climatic zone The moderately soft (AC 5) and moderately hard (AC 20) asphalt cements showed little susceptibility to thermal cracking in a moderate and a warm climatic zone respectively The AC 2.5 and AC 5 asphalts are not recommended for use in warm climates however, owing to increased susceptibility to rutting under traffic

CR 80-06

MAXIMUM THICKNESS AND SUBSEQUENT DECAY OF LAKE, RIVER AND FAST SEA ICE IN CANADA AND ALASKA.

Bilello, M.A., Feb 1980, 160p., ADA-084 488, 57 refs.

35-2588

ICE COVER THICKNESS, ICE MELTING, ICE DETERIORATION, LAKE ICE, RIVER ICE, SEA ICE, FAST ICE, AIR TEMPERATURE, ICE FORECASTING

Weekly measurements of the thickness of lake, river and fast sea ice made over a period of 10 to 15 years at 66 locations in Canada and Alaska are analyzed, and the portion of the data relating to maximum ice thickness and decay (i.e. the decrease in ice thickness) is examined Ice thickness curves revealed individual patterns of ice decay, and comparisons between locations disclosed major contrasts in the amount of ice ablation and the times of maximum ice and ice clearance Although many factors affect the ice decay process, this study investigates in detail the effect of thawing temperatures Concurrent measurements of the air temperature at each location made it possible to analyze the relationship between accumulated thawing degree days (ATDD) and ice cover decay. Other factors affecting ice ablation and breakup, such as snow-ice formation, snow cover depth, solar radiation and wind are also discussed

CR 80-07

WASTEWATER TREATMENT IN COLD REGIONS BY OVERLAND FLOW.

Martel, C.J., et al, Feb 1980, 14p., ADA-084 489, 16 refs.

Jenkins, T.F., Palazzo, A.J.

34-3325

WASTE TREATMENT, WATER TREATMENT, IRRIGATION, COLD WEATHER PERFORMANCE, ENGINEERING, SOIL CHEMISTRY, AGRICULTURE

Primary effluent, secondary effluent (package extended aeration plant effluent with BOD's often greater than 30 mg/liter) and tapwater were applied to separate sections of a pilot-scale overland flow site in a cold regions environment The average application rate for each section was 5.0 cm (2.0 in.) per week Performance was evaluated for one year, May 1977 to June 1978 Results of this study demonstrated that overland flow can renovate both primary and secondary effluent during spring, summer and fall seasons However, during winter, runoff water quality from the primary section contained almost no pollutants during its entire operation Ammonia was the easiest form of nitrogen to remove and nitrate was the most difficult Rainstorms did not cause a "flushing" effect However, ammonia and nitrate concentrations in the runoff increased during snowmelt The forage yield from the primary and secondary sections was almost twice that of a typical New Hampshire hayfield Wastewater application during winter caused only minor cases of plant injury Based on these results, a minimum of 30 days of storage is recommended if overland flow is used as a polishing process If overland flow is used to treat primary effluent, the number of storage days predicted by EPA-1 computer program appears to be adequate

CR 80-08

ANALYSIS OF THE PERFORMANCE OF A 140-FOOT GREAT LAKES ICEBREAKER: USCGC *KATMAI BAY*.

Vance, G.P., Feb. 1980, 28p., ADA-084 736, 8 refs.

34-3199

ICEBREAKERS, BUBBLES, PROTECTIVE COATINGS, ICE COVER THICKNESS, ICE FRICTION, ICE STRENGTH.

This report presents the results of the tests on the new U.S. Coast Guard 140-ft icebreaker Katmai Bay (WTGB-101) in the level plate ice and brash ice in Whitefish Bay and the St. Marys River The results indicate that the vessel can penetrate 22 in. of level freshwater ice with 2-3 in. of snow cover It can also penetrate up to 48 in. of brash ice in a continuous mode and at least 30 in. of plate ice by backing and ramming The installed bubbler system decreased the required power of the vessel from 10 to 30% in brash ice and 25 to 35% in level ice The low friction coating appears to be effective in decreasing the friction factor when it remains intact when it peels off, it appears to make conditions worse than plain paint An average dynamic friction factor of 0.15 could be used over the entire hull for these tests

CR 80-09

HIGH-EXPLOSIVE CRATERING IN FROZEN AND UNFROZEN SOILS IN ALASKA.

Snethen, D.R., Feb 1980, 21p., ADA-084 702, 8 refs

34-3326

FROZEN GROUND MECHANICS, EXPLOSION EFFECTS, SEASONAL FREEZE-THAW, TALIKS, EXCAVATION, TESTS

Explosive cratering tests were conducted in seasonally frozen and thawed gravel at Ft. Richardson near Anchorage, Alaska, and in seasonally frozen and thawed silt overlying permafrost and in silt permafrost at Ft. Wainwright near Fairbanks, Alaska Explosive charge weights ranged from 20 to 1120 lb, and charge burial depths ranged from about 4 to 40 ft The cube root of the charge weight scaling was used to determine maximum scaled crater dimensions and optimum

scaled depth of burial of the charge Test results for frozen and thawed gravel were essentially the same because of the low moisture content and the relatively shallow depth of freezing (5 to 6 ft). The optimum depth of burial of the charge for maximizing the apparent radius and depth and the true radius was about 1 8 times the cube root of the charge weight for both the frozen and thawed conditions. In seasonally frozen silt overlying a talik and silt permafrost, the maximum scaled crater dimensions and optimum scaled burial depths of the charge were smaller than for the thawed condition except for the true crater dimensions The channeling of energy in the talik produces maximum crater dimensions and an optimum burial depth for the true crater that is larger than for the thawed condition The results for the homogeneous silt permafrost were very similar to the frozen gravel results, with much smaller maximum crater dimensions and smaller optimum charge burial depths than for the thawed silt overlying permafrost.

CR 80-10
MATHEMATICAL MODEL TO CORRELATE FROST HEAVE OF PAVEMENTS WI H LABORATORY PREDICTIONS.
Berg, R.L., et al, Feb. 1980 49p., ADA-084 737, 67 refs.
Cuymon, G. , Johnson, T C.
34-3200
MATHEMATICAL MODELS, FROST HEAVE, FROST PENETRATION, HEAT TRANSFER, SOIL WATER MIGRATION, PAVEMENTS, COMPUTERIZED SIMULATION, LABORATORY TECHNIQUES, FORECASTING.
A mathematical model of coupled heat and moisture flow in soils has been developed The model includes algorithms for phase change of soil moisture and frost heave and permits several types of boundary and initial conditions The finite element method of weighted residuals (Galerkin procedure) was chosen to simulate the spatial regime, and the Crank-Nicholson method was used for the time domain portion of the model. To facilitate evaluation of the model, the heat and moisture fluxes were essentially decoupled; moisture flux was then simulated accurately, as were heat flux and frost heave in a laboratory test. Comparison of the simulated and experimental data illustrates the importance of unsaturated hydraulic conductivity It is one parameter which is difficult to measure and for which only a few laboratory test results are available. Therefore, unsaturated hydraulic conductivities calculated in the computer model may be a significant source of error in calculations of frost heave. The algorithm incorporating effects of surcharge and overburden was inconclusively evaluated Time-dependent frost penetration and frost heave in laboratory specimens were closely simulated with the model After 10 days of simulation, the computed frost heave was about 2 3 cm vs 2 0 cm and 2 8 cm in two tests Frost penetration was computed as 15 cm and was measured at 12 0 cm and 12 2 cm in the two laboratory samples after 10 days

CR 80-11
ROOF LEAKS IN COLD REGIONS: SCHOOL AT CHEVAK, ALASKA.
Tobiasson, W., et al, Apr. 1980, 12p., ADA-084 914.
Johnson, P.R.
34-3327
ROOFS, LEAKAGE, BUILDINGS, MELTWATER, SNOW ACCUMULATION, CONDENSATION, SUBPOLAR REGIONS.
Four types of roof leaks occurred at a new school building in Chevak Alaska 1) blowing snow entered the roof through eave vents and then melted, 2) slush and ice in roof valleys caused meltwater to overflow the valley flashing and run into the building, 3) water entered at a roof/wall intersection and 4) in some areas water entered through gaps in the sloping plywood deck Sealing the eave vents made it impossible for blowing snow to enter the roof at the eaves Electric heat tapes eliminated the valley icing problem Missing flashing was responsible for the roof-wall intersection leaks The absence of a vapor barrier in the roof was the cause of many leaks It was recommended that the roof be repaired from the exterior by removing component elements down to the plywood deck, installing an adhered continuous vapor barrier and reassembling the roof An alternative roof cladding of composition shingles was discussed as was conversion to a "cold roof" The roof was repaired and modified following recommendations, and problems appear to have been solved

CR 80-12
SIMPLIFIED MODEL FOR PREDICTION OF NITROGEN BEHAVIOR IN LAND TREATMENT OF WASTEWATER.
Selim, H.M., et al, Apr. 1980. 49p., ADA-085 191, 23 refs.
Iskandar, I.K.
34-3263
WASTE TREATMENT, WATER TREATMENT, NUTRIENT CYCLE, SOIL CHEMISTRY
A simplified model for simulation of nitrogen transformations and transportation in land treatment of wastewater is presented The purpose of the model is to predict the behavior of NH4-N and NO3-N in the soil profile in land treatment systems The program is based on the solution of the transient soil water flow equation simultaneously with the equations describing the transformation, transport, and plant uptake of nitrogen in the soil The program is valid for uniform as well as multilayered soil profiles and can be adapted to incorporate various nitrogen transformation mechanisms and boundary conditions The model can be used as a tool to predict the fate of nitrogen in land treatment systems Model sensitivity to changes in the rate of nitrification, ammonium ion exchange, and rate of plant uptake of nitrogen is also described. Description of the computer program, the program listing, and an example of input data and a two-week computer simulation of output data are presented.

CR 80-13
FRACTURE BEHAVIOR OF ICE IN CHARPY IMPACT TESTING.
Itagaki, K., et al, June 1980, 13p , ADA-089 920, 17 refs.
Sabourin, L.
35-973
ICE CRACKS, FRACTURING, IMPACT TESTS, TEMPERATURE EFFECTS, DOPED ICE, ICE COMPOSITION, ICE CRYSTAL STRUCTURE.
Specimens prepared from various types of ice without introducing excessive defects were tested at temperatures ranging from -2 to -190C. These tests indicated slightly higher Charpy values at lower temperatures and in more highly dispersed material concentrations Three modes of fracture occurred during testing Depending on the temperature and the material composition, either of the first two modes (normal fracture or multiple fracture, will appear and will have a normal frequency distribution of Charpy values in each type of ice. The third mode, fracture from both ends, which frequently occurred in the (NH4F) doped ice, gave Charpy values two to five times higher than the mean value for normal fracture It can, therefore, be concluded that certain types of doping can alter the mode of fracture, through which drastic modifications of impact resistance may be possible

CR 80-14
GEOBOTANICAL ATLAS OF THE PRUDHOE BAY REGION, ALASKA.
Walker, D.A., et al, June 1980, 69p., Refs. p.45-47.
Everett, K.R., Webber, P.J., Brown, J.
35-2150
TUNDRA, GEOMORPHOLOGY, PERMAFROST, SOILS, VEGETATION, LANDFORMS, ECOSYSTEMS, MAPS, PLANTS (BOTANY), ENVIRONMENTS, PHOTOGRAPHY, ECONOMIC DEVELOPMENT, UNITED STATES—ALASKA—PRUDHOE BAY
This atlas illustrates the interrelationships among the landforms, soils and vegetation of a portion of the Arctic Coastal Plain of Alaska. The Prudhoe Bay region is dominated by an alkaline peaty coastal tundra, a type that has not been intensively studied Forty-two vegetation communities, thirteen major landforms, and eight soil types are described Several of the plant communities and one soil, the Pergelic Cryoboroll, have not been described previously The vegetation is discussed with respect to three important gradients temperature, soil pH and soil moisture. Other aspects of the Prudhoe Bay environment, including geology, permafrost, and winter and summer climate, are discussed and illustrated Also included are historical descriptions of the development of the oilfield and of selected scientific investigations in the Alaskan Arctic. Master maps present the landforms, soils and vegetation of a 145-sq km portion of the oilfield road network at a scale of 1 12,000 Derived geobotanical special purpose maps, useful for land-use planning and management of the ecosystem, are explained and several examples are shown for a 3 6 sq km portion of the oilfield

CR 80-15
TIME CONSTRAINTS ON MEASURING BUILDING R-VALUES.
Flanders, S.N., June 1980. 30p., ADA-089 712 18 refs
35-1998
COLD WEATHER CONSTRUCTION, CONSTRUCTION MATERIALS, THERMAL PROPERTIES, THERMAL CONDUCTIVITY, BUILDINGS, HEAT FLUX, TIME FACTOR, COMPUTER APPLICATIONS, ANALYSIS (MATHEMATICS)
This report discusses the time constraints on measuring the thermal resistance (R-value) of building components Temperature changes on either side of a building component perturb measurement accuracy Long measurement times and measurement times corresponding to a consistent diurnal cycle can be satisfactory, however, individual temperature changes cause significant error for shorter measurement periods This report shows how to scale the thermal properties of individual constituent materials in a building element to determine its characteristic thermal time constant The report then demonstrates the size of measurement error resulting from a variety of changes in temperature with representative walls of different time constants

CR 80-16
MORPHOLOGY AND DISTRIBUTION OF THE ACANTHOECIDAE (CHOANOFLAGELLATA) FROM THE WEDDELL SEA DURING THE AUSTRAL SUMMER, 1977.
Buck, K R., July 1980, 26p., ADA-090 680, 35 refs.
35-1721
PLANKTON, MARINE BIOLOGY, SEA ICE DISTRIBUTION, OCEAN ENVIRONMENTS, ICE EDGE, CRYOBIOLOGY, ANTARCTICA—WEDDELL SEA
Eight species of loricate choanoflagellates (Acanthoecidae) were observed in samples obtained from the Weddell Sea during the austral summer, 1977 Habitats in which choanoflagellates were found included the water column, the edges of ice floes, ponds on ice floes, and the interiors of ice floes The presence of choanoflagellates within the ice indicates that they may be a closely coupled trophic relationship with the other biological components of the ice community, the ice algae and the bacteria The presence in the ice of seven species with both a caudal appendage and anterior projections suggests a positive relationship between this lorica configuration and the ice habitat Mechanisms of variance of transverse costal diameters between genera may be useful to the taxonomy and phylogeny of this family. (Auth mod)

CR 80-17
SNOW PADS USED FOR PIPELINE CONSTRUCTION IN ALASKA, 1976: CONSTRUCTION, USE AND BREAKUP.
Johnson, P R., et al, July 1980, 28p., ADA-090 521, 11 refs.
Collins, C.M.
35-2584
COLD WEATHER CONSTRUCTION, PIPELINES, SNOW ROADS, PERMAFROST PRESERVATION, SNOW STRENGTH, SOIL TRAFFICABILITY, ENVIRONMENTAL PROTECTION, ARTIFICIAL SNOW.
Construction pads made of snow were used to build two sections of the Trans Alaska Pipeline and a small gas pipeline during the winter of 1975-76 Construction during the winter has become increasingly common in the Arctic. Surface travel and the use of heavy construction equipment on the unprotected tundra have been severely restricted, even during the winter, so the use of temporary winter roads and construction pads built of snow and ice has been advocated and is being adopted. The three snow construction pads mentioned above were the first snow roads and construction pads used on a large scale in Alaska. Snow roads and construction pads have two objectives: to protect the underlying vegetation and upper layers of the ground, and to provide a hard, smooth surface for travel and the operation of equipment Several types have been built, and a brief discussion is given of their history and classification systems The three snow construction pads used in construction of the Trans Alaska Pipeline and the small gas pipeline in 1975-76 were built and observed while in use.

CR 80-18
HEAT AND MASS TRANSFER FROM FREELY FALLING DROPS AT LOW TEMPERATURES.
Zarling, J P , Aug 1980, 14p , ADA-090 522 18 refs.
35-594
DROPS (LIQUIDS), FREEZING, HEAT TRANSFER, MASS TRANSFER, LOW TEMPERATURE TESTS, SUPERCOOLING, ICE PHYSICS, COMPUTER APPLICATIONS, CONSTRUCTION MATERIALS
The use of ice as a structural material is common practice for certain applications in cold regions Techniques such as surface flooding or water spraying are used to accelerate ice growth rates, thereby lengthening the winter construction season This report examines the heat and mass transfer rates from freely falling water drops in cold air Design equations which predict the amount of supercooling of the drops as a function of outdoor ambient temperature, drop size and distance of fall are given

CR 80-19
ENVIRONMENTAL ENGINEERING AND ECOLOGICAL BASELINE INVESTIGATIONS ALONG THE YUKON RIVER-PRUDHOE BAY HAUL ROAD.
Brown, J. ed. Sep 1980. 18 p., ADA-094 497, Refs. p 151-155 For individual chapters see 35-1769 through 35-1772
Berg, R L , ed
35-1768
ROADS CONSTRUCTION, PERMAFROST, SEASONAL FREEZE THAW, REVEGETATION, PIPELINES, SOIL EROSION, ENVIRONMENTAL IMPACT, ENGINEERING, ECOLOGY.
During the period 1975-1978 the Federal Highway Administration sponsored a series of environmental engineering investigations along the Yukon River to Prudhoe Bay Haul Road In 1976 the Department of Energy joined the investigations with a series of ecological projects which continue to the present Both agencies research efforts were conducted on a cooperative basis with CRREL's in-house research program The objectives of the research focused on 1) an

evaluation of the performance of the road, 2) an assessment of changes in the environment associated with the road, 3) documentation of flora and vegetation along the 577-km-long transect, 4) methodologies for revegetation and restoration, and 5) an assessment of biological parameters as indicators of environmental integrity. In support of these objectives, specific studies were undertaken that investigated the climate along the road, thaw and subsidence beneath and adjacent to the road, drainage and side slope performance, distribution and properties of road dust, vegetation distribution, vegetation disturbance and recovery, occurrence of weeds and weedy species, erosion and its control, revegetation and restoration, and construction of the fuel gas line. This report presents background information on the region, detailed results of the road thaw subsidence and dust investigations, and summaries of revegetation, fuel gas line, vegetation distribution, soil, and weed studies.

CR 80-20
INVESTIGATIONS OF SEA ICE ANISOTROPY, ELECTROMAGNETIC PROPERTIES, STRENGTH, AND UNDER-ICE CURRENT ORIENTATION.
Kovacs, A., et al, Sep. 1980, 18p., ADA-092 089, 16 refs.
Morey, R.M.
35-1891
SEA ICE, ANISOTROPY, ICE STRENGTH, ELECTROMAGNETIC PROPERTIES, ICE CRYSTAL STRUCTURE, BRINES, OCEAN CURRENTS, RADIO ECHO SOUNDINGS.
Results of impulse radar studies of sea ice give support to the concept of a sea ice model in which the ice bottom is composed of an array of lossy parallel plate waveguides. The fundamental relation between the average bulk brine volume of sea ice and its electrical and strength properties is discussed as is the remote detection of under-ice current alignment. It was found that 1) the average effective bulk dielectric constant is dependent upon the average bulk brine volume of the sea ice, 2) sea ice anisotropy, arising from a bottom structure of crystal platelets with a preferred c-axis horizontal alignment, can be detected by radio echo sounding measurements made not only on the ice surface but also from an airborne platform; 3) the effective coefficient of reflection from the sea ice bottom decreases with increasing average effective bulk dielectric constant of the ice, decreases with increasing bulk brine volume, and is typically one to two orders of magnitude lower than the coefficient of reflection from the ice surface; and 4) the losses in sea ice increase with increasing average bulk brine volume.

CR 80-21
MECHANICS OF CUTTING AND BORING. PART 5: DYNAMICS AND ENERGETICS OF INDENTATION TOOLS.
Mellor, M., Sep. 1980, 82p., ADA-092 365, 40 refs.
35-1892
DRILLING, ICE CUTTING, EXCAVATION, PERMAFROST, ROCK DRILLING, LOADS (FORCES), EQUIPMENT, DYNAMIC LOADS, STRESSES, DESIGN.
This report deals with the cutting of rock and other brittle materials by means of indentation tools. The principles of indentation cutters are dealt with at length, the coverage including elastic contact stresses for initial loading by various types of indenters, application of formal plasticity theory to penetration analysis, and a variety of theories and penetration analyses that are not based on plasticity theory. Practical indentation mechanisms are described, and theoretical analyses are given for the dynamics and energetics of various types of roller cutters. The final section reviews experimental investigations and results for rock-cutting discs, giving a systematic summary of available data.

CR 80-22
NEUMANN SOLUTION APPLIED TO SOIL SYSTEMS.
Lunardini, V.J., Oct. 1980, 7p., ADA-092 244, 12 refs.
35-1893
SOIL FREEZING, GROUND THAWING, FREEZE THAW TESTS, THERMAL CONDUCTIVITY, THERMAL DIFFUSION, ACTIVE LAYER, PHASE TRANSFORMATIONS, TIME FACTOR, ANALYSIS (MATHEMATICS).
The only complete, analytic solution for conduction problems with phase change is the Neumann solution. The Neumann solution is valid for phase change in a semi-infinite, homogeneous medium with a step change in surface temperature, starting from an initial temperature which can be different than or equal to the fusion temperature of the medium. The Neumann solution, when applied to soils, forms the basis of a number of formulae for calculating the depths of freezing or thawing. Widely used graphs were previously developed that are valid only when the ratios of the thermal conductivities and thermal diffusivities of the frozen and thawed soils are unity. In this report general charts, applicable to any property ratios, are developed. The figures have been drawn specifically for soil systems, but they are applicable to any material with appropriate property ratios.

CR 80-23
MODELING OF ANISOTROPIC ELECTROMAGNETIC REFLECTION FROM SEA ICE.
Golden, K.M., et al, Oct. 1980, 15p., ADA-094 620, 21 refs.
Ackley, S.F.
35-1722
ANISOTROPY, SEA ICE, ELECTROMAGNETIC PROPERTIES, BRINES, DIELECTRIC PROPERTIES, MATHEMATICAL MODELS, ICE CRYSTAL STRUCTURE, REFLECTIVITY, RADAR ECHOES.
The contribution of brine layers to observed reflective anisotropy of sea ice at 100 MHz is quantitatively assessed. The sea ice is considered to be a stratified, inhomogeneous, anisotropic dielectric consisting of pure ice containing ordered arrays of conducting inclusions (brine layers). Below the transition zone, the ice is assumed to have constant azimuthal c-axis orientation within the horizontal plane, so that the orientation of brine layers is uniform. The brine layers are also assumed to become increasingly well-defined with depth, since adjacent brine inclusions tend to fuse together with increasing temperature. A theoretical explanation for observed reflective anisotropy is proposed in terms of anisotropic electric flux penetration into the brine layers. Penetration anisotropy and brine layer geometry are linked to anisotropy in the complex dielectric constant of sea ice. In order to illustrate the above effects we present a numerical method of approximating the reflected power of a plane wave pulse incident on a slab of sea ice. Mixture dielectric constants, calculated for two polarizations of the incident wave, are used to calculate power reflection coefficients for the two polarizations.

CR 80-24
MEASUREMENT OF THE SHEAR STRESS ON THE UNDERSIDE OF SIMULATED ICE COVERS.
Calkins, D.J., et al, Oct. 1980, 11p., ADA-094 621, 15 refs.
Müller, A.
35-1723
ICE MECHANICS, SHEAR STRESS, HYDRAULICS, SUBGLACIAL OBSERVATIONS, SURFACE ROUGHNESS, WATER, VELOCITY, EXPERIMENTATION, MODELS.
The fluid shear stress applied to the underside of a simulated floating ice cover was measured in a laboratory flume. The measured values were compared with values of the shear stress computed from the von Karman-Prandtl velocity distribution fitted to the velocity profiles measured beneath the cover. For the lower velocity runs (about 0.079 m/s) the measured and computed values of the shear stress were in close agreement. At the high velocity flows (about 0.138 m/s) the measured values were roughly one-half those calculated from the velocity distribution. As the underside of the cover became increasingly rough, the position of maximum velocity moved closer to the bottom of the channel. It was shown that the Darcy friction coefficient is exponentially related to a normalized ice cover thickness, which suggests that it is measure of the roughness of a fragmented ice cover.

CR 80-25
SINGLE AND DOUBLE REACTION BEAM LOAD CELLS FOR MEASURING ICE FORCES.
Johnson, P.R., et al, Oct. 1980, 17p., 15 refs.
Zarling, J.P.
35-1724
ICE LOADS, RIVER ICE, BRIDGES, MEASURING INSTRUMENTS, LOADS (FORCES).
Two new types of load cells for attachment to bridge piers and direct measurement of ice forces were developed and tested with one type being installed on a pier of the Yukon River Bridge northwest of Fairbanks, Alaska. Both types of load cells used beams supported by base plates and carried nose plates that were loaded by the ice. The loads were imposed at the beams at locations differing from the support reactions so that the loads developed moments in the beams. By instrumenting them with strain gauges, the loads could be measured. Details of the design of the load cells, the means of calculating the loads and experience obtained with load cells are discussed.

CR 80-26
BLOCK MOTION FROM DETONATIONS OF BURIED NEAR-SURFACE EXPLOSIVE ARRAYS.
Blouin, S.E., Dec. 1980, 62p., ADA-095 492, 31 refs.
35-1999
ROCK MECHANICS, EXPLOSION EFFECTS, EXPLOSIVES, SUBSURFACE STRUCTURES, SOIL MECHANICS.
A vital concern to the survivability of hardened underground structures in rock is the relative displacement induced along geologic discontinuities by nearby explosions. Such displacement, commonly termed block motion, can occur along faults, joints, bedding planes and other structural weaknesses in rock. This report documents all occurrences of block motion observed during the development of DIHEST, a series of shallow-buried high explosive experiments designed to simulate the direct induced ground motions from a nuclear surface burst. Instances of block motion are described, along with pertinent details of the explosive arrays, geology and ground motion fields. The influence of these and other factors on the direction and magnitude of block motion is discussed.

CR 80-27
PHASE CHANGE AROUND A CIRCULAR PIPE.
Lunardini, V.J., Dec. 1980, 18p., ADA-094 600, 12 refs.
35-1894
PIPES (TUBES), HEAT TRANSFER, PERMAFROST THERMAL PROPERTIES, STEFAN PROBLEM, PHASE TRANSFORMATIONS, FROZEN GROUND STRENGTH, THERMAL DIFFUSION, FREEZE THAW CYCLES, ANALYSIS (MATHEMATICS).
No general, analytical solution exists for phase change around a cylinder, thus, approximate methods have been evaluated. The heat balance integral technique applied to the cylinder gave excellent results when compared to published numerical solutions. Graphical solutions are given for phase change about a cylinder for ranges of the Stefan number, superheat parameter, and property value ratios for typical soils. An approximate, general solution has been derived which is reasonably accurate and can be used for any values of the above-mentioned parameters. The effective thermal diffusivity method has been shown to be useful for practical problems of phase change.

CR 80-28
CLEARING ICE-CLOGGED SHIPPING CHANNELS.
Vance, G.P., Dec. 1980, 13p., ADA-095 490, 18 refs.
35-2000
CHANNELS (WATERWAYS), ICE REMOVAL, ICE NAVIGATION, ICE CONDITIONS, RIVER ICE, STREAM FLOW, WATER LEVEL.
This report investigates the feasibility of clearing ice from the shipping channel of the St. Marys River. Four basic concepts are investigated: disposal under the ice, disposal on top of the ice, slurrying and rafting. Each technique was found to have application in limited portions of the river with the exception of disposal on top of the adjacent ice sheet, which is deemed feasible throughout the river system. Disposal onto the adjacent ice sheet will increase the free stream velocity less than 1.0 ft/s (30.5 cm/s) and raise the water level less than 1.0 ft (0.30 m). Further model and field tests are recommended to validate the findings of this report.

CR 80-29
FATE AND EFFECTS OF CRUDE OIL SPILLED ON SUBARCTIC PERMAFROST TERRAIN IN INTERIOR ALASKA.
Johnson, L.A., et al, Dec. 1980, 67p., ADA-095 491, Refs. p.41-43.
Sparrow, E.B., Jenkins, T.F., Collins, C.M., Davenport, C.V., McFadden, T.
35-2001
OIL SPILLS, PERMAFROST, VEGETATION, DAMAGE, SOIL MICROBIOLOGY, THAW DEPTH, SLOPES, FREEZE THAW CYCLES.
This study was conducted to determine the short- and long-term physical, chemical and biological effects of spills of hot Prudhoe Bay crude oil on permafrost terrain near Fairbanks, Alaska. Two experimental oil spills, one in winter and one in summer, of 7570 liters (2000 gallons) were made at a forest site. The winter-spill oil moved within the surface moss layer beneath the snow. The summer-spill oil moved primarily below the moss in the organic soil. The oil moved faster and further downslope in the summer spill. Oil in the winter spill stopped during the first day but remobilized and flowed further downslope in the spring. The total area affected by the summer spill was nearly one and one-half times as large as that affected by the winter spill. The initial heat of the spilled oil had little measurable thermal effect on the soil. However, thaw depth significantly increased following two full thaw seasons. The greatest increases occurred beneath oil blackened surfaces. Evaporation of volatile components is the most significant weathering process in the first two years. Volatiles evaporated faster from surface oil than from oil carried deeper into the soil profile. Microbial degradation has not been observed. The indigenous soil microbial populations responded differently to winter and summer oil applications, ranging from inhibition to stimulation, with stimulation appearing to predominate. Vegetation showed both immediate and long-term damage. Damage was greatest near the top of the slope and in areas with surface oil. Deciduous species showed damage faster than evergreen species.

CR 80-30
FIELD COOLING RATES OF ASPHALT CONCRETE OVERLAYS AT LOW TEMPERATURES.
Eaton, R.A., et al, Dec. 1980, 11p., ADA-095 489, 7 refs.
Berg, R.L.
35-2002
TEMPERATURE EFFECTS, BITUMINOUS CONCRETES, COOLING RATE, LOW TEMPERATURE TESTS, ROADS, PAVEMENTS, COMPACTION.
Six overlay test sections were placed on an existing test road in Hanover, New Hampshire, to gain experience in

compaction of asphalt pavements at rolling temperatures as low as 150 F The asphalt cement and aggregate used had mix characteristics similar to those of the mix expected to be used for a proposed overlay project at Thule Air Base, Greenland. Results of the overlay tests showed that computer-modeled cooling curves can be accurate predictors of the actual asphalt overlay cooling with time In Addition, the effects of temperature upon compaction were determined and it was found that nuclear gauges, when used and calibrated properly, successfully monitored mix density changes during compaction

CR 80-31
ICING ON STRUCTURES.
Minsk, L.D., Dec. 1980, 18p , ADA-095 474, 34 refs.
35-2003
STRUCTURES, ICING, ICE ACCRETION, ICE LOADS, ICE PREVENTION, HUMIDITY, WIND PRESSURE, ICE COVER THICKNESS.

Ice accretion on structures built on the earth's surface is discussed. Sources of water are the atmosphere or water bodies near or surrounding the structure Ice types include frost, rime, glaze and spray; properties and conditions governing their formation are presented. Methods of estimating accretion rates and total accretion on structures are given, and extracts from U.S and Canadian codes for ice and wind loads on structures are included. Techniques for preventing ice accretion or removing accreted ice are presented

CR 81-01
ANALYSIS OF ICE JAMS AND THEIR METEOROLOGICAL INDICATORS FOR THREE WINTERS ON THE OTTAUQUECHEE RIVER, VERMONT.
Bates, R.E , et al, Feb. 1981, 27p., ADA-099 173, 11 refs.
Brown, M.-L.
35-3926
ICE JAMS, ICE BREAKUP, ICE FORMATION, RIVER ICE, METEOROLOGICAL DATA.

The formation of ice jams and their meteorological indicators were studied in detail for the winters of 1975-76, 1976-77 and 1977-78 on the Ottauquechee River at and east of Woodstock, Vermont. Meteorological data are presented for nearby National Weather Service Co-Operative Stations as well as for CRREL sites on the Ottauquechee River The severity of each winter is discussed, as are the effects of a heavy rainfall on a high water-equivalent snow cover The resultant runoff and subsequent ice jamming that occurs is discussed. Continuous monitoring of water temperature before, during and immediately after an ice cover formed on the river during the winter of 1977-78 is included The report includes a section on warm sewer outfall effects on the ice at and below a municipal treatment plant. Retrieved data will assist in future modeling studies to help predict ice formation, growth, decay and jamming of river ice covers

CR 81-02
HYPERBOLIC REFLECTIONS ON BEAUFORT SEA SEISMIC RECORDS.
Neave, K.G., et al, Mar. 1981, 16p., ADA-099 172, 8 refs.
Sellmann, P.V., Delaney, A.J
36-318
BOTTOM SEDIMENT, SEISMIC REFLECTION, OCEAN BOTTOM, ICE CONDITIONS, SEA ICE, BEAUFORT SEA.

Many hyperbolic reflections have been observed on marine seismic records obtained during oil exploration in the Beaufort Sea, and on USGS seismic sub-bottom profiles from the Prudhoe Bay vicinity. A hyperbolic projection system was designed to rapidly measure seismic velocities from the curves on the records The velocities observed were approximately the velocity of sound in water The hyperbolic signals also showed dispersion properties similar to acoustic normal modes in shallow water. These observations indicate that the signals responsible for the hyperbolic reflections propagate as normal modes within the layer, with very limited penetration of the seabed Determinations of the dominant frequency of these signals indicate that the penetration into the seabed has a characteristic attenuation depth (skin depth) of about 1.5 m for the sub-bottom profiles and 12 m for the marine records It therefore appears that some hyperbolic reflections may be generated by variations in materials that occur near the seabed There is some evidence of linearity of the anomalies, possibly related to sediment-filled or open ice gouges, or other changes in material properties at shallow depths.

CR 81-03
HYDRAULIC MODEL STUDY OF A WATER INTAKE UNDER FRAZIL ICE CONDITIONS.
Tantillo, T.J , Mar 1981, 11p., ADA-099 171, 8 refs
36-319
WATER INTAKES, ICE CONDITIONS, FRAZIL ICE, HYDRAULIC STRUCTURES, ICE PREVENTION, PROTECTION, MODELS, BUOYANCY

A 1 24 scale hydraulic model study of a water intake under frazil ice conditions is presented The intake, located 9 m below the surface of the St Lawrence River in Massena New York, has a throughflow of 0 14 cu m s The model study, conducted in the refrigerated flume facility of the U S Army Cold Regions Research and Engineering Laboratory, investigated methods of minimizing the frazil ice blockage on the intake Two protective structures were modeled and the relative benefits of each are presented The additional cross-sectional area provided by the protective structures lowered the vertical velocity component of the intake water to 0.0027 m/s At this velocity the buoyant force acting on the frazil ice particle is larger than the downward drag force, causing the particle particle to rise. The results demonstrate that under certain low flow conditions a protective structure can minimize frazil ice blockage problems

CR 81-04
MOVEMENT STUDY OF THE TRANS-ALASKA PIPELINE AT SELECTED SITES.
Ueda, H.T., et al, Apr. 1981, 32p., ADA-101 605, 3 refs.
Garfield, D.E., Haynes, F.D.
36-320
PIPELINES, MECHANICAL PROPERTIES, STABILITY, PIPELINE SUPPORTS, ANCHORS, UNITED STATES—ALASKA.

Eight sites along the trans-Alaska pipeline from the Denali Fault to Fairbanks were selected for pipeline and pipeline support movement studies Four measurement surveys were conducted, starting before oil pumping operations began up to September 2, 1978, to determine the lateral and longitudinal pipe movement due to the thermal expansion of elevated sections of the pipeline, the tilt of the vertical support members (VSM's), and the changes in relative elevation of the support crossbeams A maximum lateral and longitudinal motion of the pipe of 13 3/4 in and 2 3/16 in respectively were measured up to September 1978. Tilt data for 180 VSM's showed little change over a one-year period, with only 5 VSM's tilting more than 0 5 deg Relative elevation measurements showed insignificant changes for two sites compared over a one-year period Comparisons of our data with as-built elevations at 8 sites shows a few large differences that cannot be readily explained In general the pipeline and its supports, at least at the sites studied, show minimal movement and activity.

CR 81-05
VIBRATIONS CAUSED BY SHIP TRAFFIC ON AN ICE-COVERED WATERWAY.
Haynes, F.D., et al, Apr. 1981, 27p., ADA-101 541, 11 refs.
Määttänen, M.
36-321
SHIPS, VIBRATION, ICE BREAKING, ICE COVER, FROZEN GROUND, SEISMOLOGY.

Vibrations have been felt on shore along the St. Marys River in Michigan during the passage of ships through ice Vibration measurements were made on a ship, on the ice, on the shore, and on buildings along the shore. Vibration levels in 1979 were about an order of magnitude lower than levels that would cause damage to building walls. Two factors, however, could have reduced the vibration levels in 1979 a lack of ice jams and a record high snow cover which prevented the soil from freezing Vibration levels with an ice cover are about four times those without an ice cover Icebreaking and opening the channel can reduce vibration levels by about 50% for a ship following closely behind another ship The dominant frequencies measured on shore were associated with propeller excitation The dominant frequencies and magnitudes measured on the bow of a ship are an order of magnitude higher than those on the shore and are related to icebreaking by the bow Vibration magnitudes are dependent upon the velocity of the ship, the energy expended by the ship, the cross-sectional area of the ship, weather, conditions of the ice and soil, and site-specific conditions Further studies are needed to determine the effects of these factors and to determine the mode of energy transmission

CR 81-06
INVESTIGATION OF THE ACOUSTIC EMISSION AND DEFORMATION RESPONSE OF FINITE ICE PLATES.
Xirouchakis, P C., et al, Apr. 1981, 19p , ADA-103 731 .
Chaplin, M . St Lawrence, W.F.
36-389
ICE ACOUSTICS, FRACTURING, ICE LOADS, PLATES, ICE DEFORMATION, ICE CRACKS, ANALYSIS (MATHEMATICS)

A procedure is described for monitoring the microfracturing activity in ice plates subjected to constant loads Sample time records of freshwater ice plate deflections as well as corresponding total acoustic emission activities are presented The linear elastic, as well as viscoelastic, response for a simply supported rectangular ice plate is given Suggested future work using te above procedure is discussed

CR 81-07
HYDRAULIC CHARACTERISTICS OF THE DEER CREEK LAKE LAND TREATMENT SITE DURING WASTEWATER APPLICATION.
Abele, G , et al, Apr 1981, 37p , 3 refs
McKim, H.L , Caswell, D.M., Brockett, B.E.
36-390
SOIL WATER, WASTE DISPOSAL, WATER TREATMENT, HYDRAULICS, DRAINAGE, IRRIGATION, SEEPAGE, LAND RECLAMATION,

During the summer of 1979, wastewater was applied 10 times to the Deer Creek Lake, Ohio land treatment site Wastewater distribution on the ground during spray application is not uniform some locations receive less than 70% and others more than 130% of the mean amount applied The saturated infiltration rate ranges from moderately slow (0 6 cm/hr after 1 hr) to slow (0 3 cm/hr after 12 hours) The under-drain flow rate increases approximately as the cube of time until 1 hour after the end of application and then decreases as the reciprocal of time squared The rate and amount of drainage increases with an increase in the initial soil water content and can be predicted from soil tension measurements It was possible to calculate the mass water budget at the end of a typical application to within 88% of the actual water applied

CR 81-08
SEASONAL GROWTH AND UPTAKE OF NUTRIENTS BY ORCHARDGRASS IRRIGATED WITH WASTEWATER.
Palazzo, A J., et al, May 1981, 19p , ADA-101 613, 33 refs.
Graham, J.M.
36-391
GRASSES, NUTRIENT CYCLE, GROWTH, WASTE DISPOSAL, WATER TREATMENT, IRRIGATION, LAND RECLAMATION, SEASONAL VARIATIONS.

A 2-year field study determined the seasonal growth and nutrient accumulation of a forage grass receiving 7 5 cm/wk of primary treated domestic wastewater The average N and P concentrations in the wastewater were 31 5 and 6 1 mg/l respectively. An established sward of Pennlate orchardgrass (Dactylis glomerata L) was managed on an annual three cutting system Grass samples were periodically taken to determine plant dry matter accumulation and uptake of N, P and K Changes in nutrient uptake within a harvest period were related to both changes in dry matter accumulation and plant nutrient concentration For maximum yields and nutrient removal, it is recommended that orchardgrass be initially harvested at the early heading stage of growth in the spring Subsequent harvests should be performed at 5- to 6-week intervals Average daily dry matter, N and P accumulation was greatest during the first harvest period (May in Hanover, N H) This would be the most appropriate time to increase the application rate, thus treating excess wastewater stored during the winter. Estimates of monthly plant removal for N and P are presented as a guide in designing land treatment systems according to the procedures given in the EPA/Corps Land Treatment Design Manual

CR 81-09
ON THE BUCKLING FORCE OF FLOATING ICE PLATES.
Kerr, A.D , June 1981, 7p., ADA-103 733, 12 refs.
36-392
ICE LOADS, PLATES, FLOATING ICE, ICE COVER STRENGTH, DYNAMIC LOADS, MATHEMATICAL MODELS

The calculation of the largest horizontal force a relatively thin floating ice plate may exert on a structure requires the knowledge of the buckling load for this floating plate In the published literature on the stability of continuously supported beams and plates, it is usually assumed that this buckling force corresponds to the lowest bifurcation force p(cr) However, recent studies indicate that, generally, this is not the case, and this report clarifies the situation for floating ice plates This problem is first studied on a simple model that exhibits the buckling mechanism of a floating ice plate but is amenable to an exact nonlinear analysis This study shows that, depending on the ratio of the rigidities of the "liquid" and "plate", the post-buckling branch may rise or drop away from the bifurcation point

CR 81-10
REVIEW OF THERMAL PROPERTIES OF SNOW, ICE AND SEA ICE.
Yen, Y.-C., June 1981, 27p , ADA-103 734, Refs. p 25-27.
36-393
ICE THERMAL PROPERTIES, SEA ICE, SNOW DENSITY, SNOW THERMAL PROPERTIES, ICE DENSITY, THERMAL PROPERTIES, COMPRESSIVE PROPERTIES, THERMAL EXPANSION.

This treatise thoroughly reviews the subjects of density, thermal expansion and compressibility of ice, snow density change attributed to destructive, constructive and melt metamorphism, and the physics of regelation and the effects on penetration rate of both the thermal properties of the wire and stress level Heat capacity latent heat of fusion and thermal conductivity of ice and snow over a wide range of temperatures were analyzed with regression techniques In the case of snow, the effect of density was also evaluated The contribution of vapor diffusion to heat transfer through snow under both natural and forced convective conditions was assessed Expressions representing specific and latent heat of sea ice in terms of sea ice salinity and temperature were given Theoretical models were given that can predict the thermal conductivities of fresh bubbly ice and sea ice in terms of salinity, temperature and fractional air content

CR 81-11
PREDICTION OF EXPLOSIVELY DRIVEN RELATIVE DISPLACEMENTS IN ROCKS.
Blouin, S E., June 1981, 23p , ADA-101 314, 15 refs
36-394
ROCK MECHANICS, EXPLOSION EFFECTS, NUCLEAR EXPLOSIONS, SOIL MECHANICS, FORECASTING

Relative displacement data from high explosive, shallow-buried bursts in rock are combined with relative displacement data from the contained nuclear explosion MIGHTY EPIC. Analysis of these data yields a preliminary, semi-empirical technique for predicting the location, direction and magnitude of relative displacements in rock from contained explosions. This technique is used to make relative displacement predictions for the DIABLO HAWK nuclear blast.

CR 81-12

REVEGETATION AND SELECTED TERRAIN DISTURBANCES ALONG THE TRANS-ALASKA PIPELINE, 1975-1978.

Johnson, A.J., June 1981, 115p., ADA-138 426, 41 refs.

38-4413

REVEGETATION, SOIL EROSION, GRASSES, PIPELINES, ENVIRONMENTAL IMPACT, POLAR REGIONS.

Revegetation techniques along the trans-Alaska pipeline as employed by Alyeska Pipeline Service Company during the 1975-1978 summers were observed. Objectives included determining the success of treatments, identifying problem areas, and noticing long-term implications. Observations and photographs at 60 sites located along the trans-Alaska pipeline indicated frequent occurrence of successful revegetation as well as frequent problems, such as erosion, slope instability, poor scheduling of seed application, occurrence of weed species, failure to optimally reuse topsoil and fine-grained soil, and low rates of native species reinvasion. Alyeska's visual impact engineering was observed to be very successful, as shown by high first-season survival. However, a related program for establishing willow cuttings was unsuccessful in 1977 but appeared very promising in 1978 largely due to improved management and more favorable growing conditions. Terrain disturbances due to the construction of the fuel gas line, snowpads, and oil spills were examined to identify and describe related environmental impacts on natural vegetation. Proper construction and use of snowpads minimized the extent and severity of disturbance. Crude oil spills, although damaging to vegetation, did not cause total kill of vegetation, and certain types of spills may have only short-term effects. Results of restoration research by CRREL along the trans-Alaska pipeline are discussed.

CR 81-13

VHF ELECTRICAL PROPERTIES OF FROZEN GROUND NEAR POINT BARROW, ALASKA.

Arcone, S.A., et al, June 1981, 18p., ADA-103 735, 32 refs.

Delaney, A.J.

36-395

PERMAFROST PHYSICS, DIELECTRIC PROPERTIES, RADIO WAVES, FROZEN GROUND PHYSICS, SOIL COMPOSITION, WATER CONTENT, ORGANIC SOILS.

Electrical properties of frozen ground were measured using radio frequency interferometry (RFI) in the very high frequency (VHF) radiowave band. Ice-rich organic silts and sands and gravels of variable ice content were investigated during early April of both 1979 and 1980. Frequencies between 10 and 150 MHz were used with best results obtained between 40 and 100 MHz. Surface impedance and magnetic induction techniques were also used to obtain an independent measure of low frequency resistivity and to obtain a separate control on vertical inhomogeneity. Soil samples were tested for organic and water content. The dielectric constants determined for the ice-rich organic silts ranged from 4.0 to 5.5 while those for the sands and gravels were about 5.1. Dielectric loss was due to d.c. conduction and was very low for the silts but significant for the sands and gravels. The higher values for the sands and gravels were most likely due to the higher concentrations of salt that are reported to exist in the old beach ridges in this region. All the RFI measurements are believed to be indicative of only the first few meters of the ground although the radiowaves could penetrate to tens of meters.

CR 81-14

WASTEWATER TREATMENT BY A PROTOTYPE SLOW RATE LAND TREATMENT SYSTEM.

Jenkins, T.F., et al, Aug. 1981, 44p., ADA-106 975, Refs. p.37-39.

Palazzo, A.J.

36-1308

WASTE TREATMENT, WATER TREATMENT, CHEMICAL ANALYSIS, NUTRIENT CYCLE, EVAPOTRANSPIRATION, PLANTS (BOTANY), SOIL WATER.

CR 81-15

STATISTICAL EVALUATION OF SOIL AND CLIMATIC PARAMETERS AFFECTING THE CHANGE IN PAVEMENT DEFLECTION DURING THAWING OF SUBGRADES.

Chamberlain, E.J., July 1981, 10p., ADA-106 976, 7 refs.

36-975

PAVEMENTS, DEFORMATION, SEASONAL FREEZE THAW, SUBGRADE SOILS, LOADS (FORCES), CLIMATIC FACTORS, FROST PENETRATION, STATISTICAL ANALYSIS.

This report analyzes the results of a field study previously reported by Scrivner et al (1969) for the National Cooperative Highway Research Program. These authors studied the seasonal pavement deflection characteristics of 24 test sites on roads in service in regions with freezing indexes ranging from 100F-days to 2100F-days. They used the Dynaflect cyclic pavement loading device to determine the pavement system response. Of specific interest to the analysis was the increased pavement deflection after freezing and thawing and the time to recovery of normal deflection characteristics. These characteristics were related to soil and climatic factors using statistical techniques. The most significant observations of this statistical analysis are: 1) that the freezing index is not a significant parameter in determining the percent increase in pavement deflection during thawing, and 2) that the recovery time is inversely proportional to the depth of freezing. As was expected, the most significant variable affecting the increase in pavement deflection was the frost susceptibility classification. This observation reinforces the necessity for careful selection of soil materials used in pavement systems.

CR 81-16

COLD REGIONS TESTING OF AN AIR-TRANSPORTABLE SHELTER.

Flanders, S.N., Aug. 1981, 20p., ADA-107 131, 9 refs.

36-1309

PORTABLE SHELTERS, TRANSPORTATION, COLD WEATHER PERFORMANCE, AIRPLANES, TESTS.

An air-transportable shelter designed and built at CRREL for use in cold regions underwent testing in Hanover, New Hampshire, and Ft. Greely, Alaska. The shelter demonstrated some of its capabilities for mobility by being towed for more than 60 miles behind various vehicles and by being transported on a C-130 cargo airplane, a CH-47 helicopter, and a trailer truck. The shelter proved to be very easy for a crew of two to four to set up in all weather conditions including -40F cold. However, the gasoline-powered generator, which was a source for space heat as well as electricity, functioned very poorly. Overall, the prototype successfully demonstrated qualities of self-reliance, ease of operation and thermal efficiency.

CR 81-17

SUBSEA TRENCHING IN THE ARCTIC.

Mellor, M., Sep. 1981, 31p., ADA-108 341, 44 refs.

40-4673

DREDGING, OCEAN BOTTOM, PIPE LAYING, ICE SCORING, ICE ACTION, EQUIPMENT, VELOCITY, ICEBERGS, PRESSURE RIDGES, PROTECTION.

Environmental conditions are described for the continental shelf of the western Arctic, and for the shelf of Labrador and Newfoundland. Special emphasis is given to the gouging of bottom sediments by ice pressure ridges and icebergs, and an approach to systematic risk analysis is outlined. Protection of subsea pipelines and cables by trenching and direct embedment is discussed, touching on burial depth, degree of protection, and environmental impact. Conventional land techniques can be adapted for trenching across the beach and through the shallows, but in deeper water special equipment is required. The devices discussed include hydraulic dredges, submarine dredges, plows, rippers, water jets, disc saws and wheel ditchers, ladder trenchers and chain saws, routers and slot millers, ladder dredges, vibratory and percussive machines, and blasting systems. Consideration is given to the relative merits of working with seabed vehicles, or alternatively with direct surface support from vessels or from the sea ice.

CR 81-18

CHENA RIVER LAKES PROJECT REVEGETATION STUDY—THREE-YEAR SUMMARY.

Johnson, L.A., et al, Oct. 1981, 59p., ADA-108 909, 22 refs.

Rindge, S.D., Gaskin, D.A.

36-2222

REVEGETATION, GRASSES, GROWTH, SOIL STABILIZATION, GRAVEL, VEGETATION, UNITED STATES—ALASKA—FAIRBANKS.

During the growing seasons of 1977, 1978 and 1979, revegetation techniques were studied on the Chena River Lakes Project a flood control dam and levee near Fairbanks, Alaska, to find an optimal treatment for establishing permanent vegetation cover on the gravel structures. The treatments tested on plots at the dam and/or levee involved three main variables: 1) vegetation (grass and clover seed and or willow cuttings), 2) mulch, mulch blanket, and or sludge and 3) substrate (gravel or fine-grained soil over the gravel base). The mulches were hay, wood-cellulose-fiber, peat moss, and Conwed Hydro Mulch 2000, which is a wood-cellulose-fiber mulch with a polysaccharide tackifier. A constant rate of fertilizer was applied to all plots except the control. A section of each plot was refertilized again in their third growing season to compare annual and biannual fertilization. The high fertilization rate produced above-average growth. Fescue, brome, and foxtail were the most productive species on the dam, while alsike clover was the most productive on the wetter levee site. When grass seed and willow cuttings were planted at the same time, willow survival and growth were reduced. Fertilization is required for at least two years to produce an acceptable permanent vegetation cover, although fine grained soil or sludge reduces the amount of fertilizer needed in the second year. Third year fertilization may be necessary since the benefits of the second fertilization continue for at least two years. A sludge treatment refertilized during its second growing season produces the highest biomass recorded in this study. Sludge from the Fairbanks treatment plant poses little, if any, danger of contamination from heavy metals or pathogens. Four-year-old seedlings of willow and native woody species growing on the dam do not have deeply penetrating root systems and therefore don't appear to pose an early threat of leakage through the dam.

CR 81-19

GROUND-TRUTH OBSERVATIONS OF ICE-COVERED NORTH SLOPE LAKES IMAGES BY RADAR.

Weeks, W.F., et al, Oct. 1981, 17p., ADA-108 342, 5 refs.

Gow, A.J., Schertler, R.J.

38-4414

LAKE ICE, ICE COVER THICKNESS, RADAR ECHOES, ICEBOUND LAKES, ICE WATER INTERFACE, SIDE LOOKING RADAR, UNITED STATES—ALASKA—NORTH SLOPE.

Field observations support the interpretation that differences in the strength of radar returns from the ice covers of lakes on the North Slope of Alaska can be used to determine where the lake is frozen completely to the bottom. An ice/frozen soil interface is indicated by a weak return and an ice water interface by a strong return. The immediate value of this result is that SLAR (side-looking airborne radar) imagery can now be used to prepare maps of large areas of the North Slope showing where the lakes are shallower or deeper than 1.7 m (the approximate draft of the lake ice at the time of the SLAR flights). The bathymetry of these shallow lakes is largely unknown and is not obvious from their sizes or outlines. Such information could be very useful, for example in finding suitable year-round water supplies.

CR 81-20

SHALLOW SNOW MODEL FOR PREDICTING VEHICLE PERFORMANCE.

Harrison, W.L., Oct. 1981, 21p., ADA-108 343, 63 refs.

39-1261

SNOW ACCUMULATION, MOTOR VEHICLES, COLD WEATHER PERFORMANCE, TRACTION, SNOW COVER EFFECT, ICE COVER EFFECT, SLUSH, SNOW DEPTH, GROUND THAWING, FORECASTING, MODELS.

A historical review of research is presented to establish the state-of-the-art for analyzing the behavior of vehicles in shallow snow. From this review, the most comprehensive and promising model is put together to establish a first-cut performance prediction model for vehicles operating in shallow snow, slush, ice and thawing soils.

CR 81-21

NEAR-INFRARED REFLECTANCE OF SNOW-COVERED SUBSTRATES.

O'Brien, H.W., et al, Nov. 1981, 17p., ADA-110 868, 16 refs.

Koh, G.

36-2431

SNOW COVER EFFECT, SOLAR RADIATION, REFLECTION, SUBSTRATES, ICE CRYSTAL OPTICS, RADIOMETRY, METEOROLOGICAL DATA.

The reflection of solar radiation by a snow cover in situ and the apparent influence of selected substrates were examined in wavelength bands centered at 0.81, 1.04, 1.10, 1.30, 1.50 and 1.80 micrometers. Substrates included winter wheat, timothy, corn, alfalfa, grass, concrete and subsurface layers of "crusty" snow and ice. Reasonable qualitative agreement between measurements and theoretical predictions was demonstrated, with indications of quantitative agreement in the definition of a "semi-infinite depth" of snow cover. It was concluded that ultimate quantitative agreement between theory and measurement will require that an "optically effective grain size" be defined in terms of physically measurable dimensions or meteorologically predictable characteristics of the ice crystals composing the snow pack.

CR 81-22

ICE DISTRIBUTION AND WINTER SURFACE CIRCULATION PATTERNS, KACHEMAK BAY, ALASKA.

Gatto, L.W., Dec. 1981, 43p., ADA-110 806, 20 refs.

36-2432

ICE CONDITIONS, SEA ICE DISTRIBUTION, OCEAN CURRENTS, SUSPENDED SEDIMENTS, REMOTE SENSING, LANDSAT, UNITED STATES, ALASKA, KACHEMAK BAY.

Development of the hydropower potential of Bradley Lake, Alaska, would nearly double winter freshwater discharge from the Bradley River into upper Kachemak Bay, and the Corps of Engineers is concerned about possible subsequent increased ice formation and related ice-induced problems. The objectives of this investigation were to describe winter surface circulation in the bay and document ice distribution patterns for predicting where additional ice might be transported if it forms. Fifty one Landsat MSS band 5 and 7 and RBV images with "0" cloud cover or less, taken between 1 November and 30 April each year, were analyzed for the eight winters from 1972 to 1980 with standard photointerpretation techniques. Results of this analysis showed that glacial sediment discharged into Kachemak Bay acts as a natural tracer in the water. Inner Kachemak Bay circulation in the winter is predominantly counterclockwise, with

northeasterly nearshore currents along the south shore and southwesterly nearshore currents along the north shore. Most of the ice in the inner bay forms at its northeast end and is discharged by the Fox, Sheep and Bradley Rivers. Some ice becomes shorefast on the tidal flats at the head of the bay, while some moves southwestward along the north shore pushed by winds and currents.

CR 81-23
EVALUATION OF A COMPARTMENTAL MODEL FOR PREDICTION OF NITRATE LEACHING LOSSES.
Mehran, M., et al, Dec. 1981. 24p., ADA-111 560, 41 refs.
Tanji, K.K., Iskandar, I.K.
36-2284
WASTE TREATMENT, LEACHING, LAND RECLAMATION, WATER FLOW, SOIL CHEMISTRY, MODELS.

A model is presented that consists of a water flow submodel and a nitrogen flow submodel. Irrigation, precipitation, evapotranspiration, surface return flow, and deep percolation are considered in the water flow submodel. The processes of nitrification, denitrification, mineralization, immobilization, plant uptake, and nitrogen fixation are included in the nitrogen flow submodel. The model has been applied to two sets of experimental data obtained from 1) controlled test cells at U.S. Army Cold Regions Research and Engineering Laboratory in Hanover, New Hampshire, and 2) field plots of the University of California at Davis. Comparison between the experimental and model results indicates the potential capabilities of compartmental models in predicting nitrogen behavior in soil-water-plant systems under wastewater land treatment operations. This model is applicable to slow rate, rapid infiltration, and overland flow systems.

CR 81-24
TRANSIENT ANALYSIS OF HEAT TRANSMISSION SYSTEMS.
Phetteplace, G., Dec. 1981. 53p., ADA-112 365. Refs. p.46-47.
36-2753
HEAT LOSS, UNDERGROUND PIPELINES, HEATING, PUMPS, TEMPERATURE EFFECTS, ANALYSIS (MATHEMATICS), COST ANALYSIS, SOIL TEMPERATURE, COMPUTER PROGRAMS.

This report develops a method of analysis for heat transmission systems operating under district heating load conditions. The use of thermal energy storage systems is outlined and advantages are given. The method accounts for the effects of heat source and load characteristics. The transmission model itself considers the following technical aspects. 1) frictional pressure losses in piping systems, 2) pump characteristics, 3) pump driver characteristics, and 4) heat losses from the buried piping. The capital costs considered are the piping system and necessary pumps. Operation and maintenance costs include cost of heat loss and cost of pumping energy input. Allowances are also made for system maintenance and repair over the assumed lifetime. The heat transmission problem is formulated in the forms of a two-dimensional optimization problem. The decision variables are pipe diameter and supply temperature. The problem is solved by direct search techniques using a Hooke-Jeeves pattern search algorithm. Parametric results are presented along with suggestions for further work.

CR 81-25
APPLICATION OF THE HEAT BALANCE INTEGRAL TO CONDUCTION PHASE CHANGE PROBLEMS.
Lunardini, V.J., Dec. 1981. 14p., ADA-112 813, 15 refs.
36-2669
THERMAL CONDUCTIVITY, PHASE TRANSFORMATIONS, HEAT TRANSFER, FREEZE THAW CYCLES, FROZEN GROUND PHYSICS, STEFAN PROBLEM, HEAT FLUX, ANALYSIS (MATHEMATICS), COMPUTER APPLICATIONS, CONVECTION.

The problem of heat conduction with phase change, often called the Stefan problem, includes some of the most intractable mathematical areas of heat transfer. Exact solutions are extremely limited and approximate methods are widely used. This report discusses the collocation method for the heat balance integral approximation. The method is applied to some standard problems of phase change. Neumann's problem and a new solution is presented for the case of surface convection for a semi-infinite body. Numerical results are given for soil systems and also for materials of interest in latent heat thermal storage.

CR 81-26
MECHANICS OF CUTTING AND BORING. PART 7: DYNAMICS AND ENERGETICS OF AXIAL ROTATION MACHINES.
Mellor, M., Dec. 1981. 38p., ADA-113 931, 10 refs.
36-3110
DRILLS, PERMAFROST, ROCK DRILLING, EQUIPMENT, THERMAL EFFECTS, DRILLING FLUIDS, ANALYSIS (MATHEMATICS).

This report deals with force, torque, energy and power in machines such as drills and boring devices where the cutting head rotates about a central axis while penetrating parallel to that axis. Starting from a consideration of the forces developed on individual cutting tools, or segments of cutters, the thrust and torque on a complete cutting head is assessed, and simple relationships between thrust and torque are derived. Similarly, the energy and power needed to drive the cutting head are estimated and related to tool characteristics. Design characteristics of existing machines are compiled and analyzed to give indications of thrust, torque, power, effective tool forces, nominal thrust pressure, power density, and specific energy.

CR 81-27
SEDIMENTOLOGICAL CHARACTERISTICS AND CLASSIFICATION OF DEPOSITIONAL PROCESSES AND DEPOSITS IN THE GLACIAL ENVIRONMENT.
Lawson, D.E., Dec. 1981. 16p., ADA-113 261, 33 refs.
36-2754
GLACIAL DEPOSITS, GLACIOLOGY, SEDIMENTATION, GLACIER OSCILLATION, PERIGLACIAL PROCESSES, GLACIER FLOW, ENVIRONMENTS, CLASSIFICATIONS.

Existing classifications for deposits in the glacial environment are inadequate and inconsistent. Deposits should be classified both descriptively and genetically; adequate descriptive classifications already exist. A major problem for previous genetic classifications has been that glacial deposition and the resulting deposits' properties were poorly understood. On the basis of three criteria— sediment source, uniqueness to the glacial environment, and preservation of glacier-derived properties—deposits in the glacial environment result from either of two groups of processes, primary or secondary. Primary processes release the debris of the glacier directly and form deposits that may bear properties related to the glacier and its mechanics. Their deposits are classified genetically as till and are the only deposits indicative of glaciation. In contrast, secondary processes mobilize, rework, transport and resediment debris and deposits in the glacial environment. They develop new, nonglacial properties in their deposits, while destroying or substantially modifying glacier-derived properties. Interpretation of their properties may provide information on the depositional process and/or the local depositional environment. Secondary deposits are resedimented and therefore not till. They are classified genetically according to the depositional process just as they are in other sedimentary environments. This genetic classification differs from previous classifications in that not all diamictons deposited in the glacial environment are classified as till, it is based strictly on process-related criteria. The origin of properties of glacial deposits in relation to glacier mechanics and environment must be recognized if the mechanisms and depositional processes of former glaciers are to be precisely understood.

CR 82-01
ALASKA GOOD FRIDAY EARTHQUAKE OF 1964.
Swinzow, G.K., Feb. 1982. 26p., ADA-113 800.
36-2838
EARTHQUAKES, FROZEN GROUND STRENGTH, DAMAGE, ICE SHEETS, ROCK MECHANICS, STRUCTURES, WATER WAVES, UNITED STATES—ALASKA—ANCHORAGE.

On 27 March 1964, a major earthquake struck Southern Alaska. The city of Anchorage, which contained a large part of Alaska's population, suffered loss of life and destruction of property. The time of the day, the season, and ground conditions were such that loss of life and property was minimized. The frozen ground and the ice on fresh water bodies responded to the earthquake shocks in a seldom-observable pattern, which was noted and recorded. Changes of sea level and slides into the sea were responsible for waterfront destruction. It is concluded that the main factor that limited structural damage was the frozen state of the ground.

CR 82-02
DEVELOPMENT OF A RATIONAL DESIGN PROCEDURE FOR OVERLAND FLOW SYSTEMS.
Martel, C.J., et al, Feb. 1982. 29p., ADA-113 762, 22 refs.
Jenkins, T.F., Diener, C.J., Butler, P.L.
39-1262
SEWAGE TREATMENT, WATER TREATMENT, WASTE TREATMENT, FLOODING, DESIGN

This report describes the development of a new design procedure for overland flow systems that is based on hydraulic detention time, a familiar concept in wastewater treatment process design. A two-year study was conducted at Hanover, New Hampshire, on a full-scale overland flow site to obtain performance data in relation to detention time. Kinetic relationships were developed for removal of biochemical oxygen demand, total suspended solids, ammonia and total phosphorus. Also an empirical relationship was developed to predict hydraulic detention time as a function of application rate, terrace length and slope. These relationships were validated using published data from other systems. To advantage of the new procedure, which should significantly reduce site preparation costs, is that it allows overland flow systems to be designed for a wide range of site conditions as long as detention time requirements are met.

CR 82-03
BREAKUP OF SOLID ICE COVERS DUE TO RAPID WATER LEVEL VARIATIONS.
Billfalk, L., Feb. 1982. 17p., ADA-112 819, 19 refs.
36-2650
ICE BREAKUP, ICE COVER THICKNESS, RIVER ICE, WATER LEVEL, WATER WAVES, FLEXURAL STRENGTH, FREEZEUP, VARIATIONS, ICE FORMATION, TIME FACTOR, ICEBOUND RIVERS, ANALYSIS (MATHEMATICS).

The conditions that lead to initial breakup of a solid ice cover on a river due to rapid water level variations are analyzed. The analysis is based on the theory of beams on an elastic foundation. First cracking is assumed to occur when the bending moment induced in the ice cover by the wave exceeds the flexural strength of the ice cover.

CR 82-04
SEA ICE DRAG LAWS AND SIMPLE BOUNDARY LAYER CONCEPTS, INCLUDING APPLICATION TO RAPID MELTING.
McPhee, M.G., Feb. 1982. 17p., ADA-113 542, 24 refs.
36-2839
SEA ICE, DRIFT, BOUNDARY LAYER, ICE MELTING, STRESSES, TURBULENT FLOW, VELOCITY, VISCOSITY, BUOYANCY, MATHEMATICAL MODELS.

Several proposed methods for treating the momentum flux between drifting sea ice and the underlying ocean are interpreted in terms of simple planetary-boundary-layer (PBL) turbulence theory. The classical two-layer approach, in which the solution for a thin surface layer is matched to an Ekman solution for the outer layer, is used to derive several forms for the drag law. These forms range from linear (where stress is proportional to relative speed), through quadratic drag on geostrophic wind in the atmosphere. Only formulations which conform with Rossby-similarity scaling are consistent with free-drift data from the 1975 AIDJEX drift station experiment. We show how a two-layer model, in thickness, provides an analytic solution for the steady-state PBL equation quite similar to recent numerical solutions. The theory is extended to include drag reduction due to buoyancy from rapid melting and is shown to agree with atmospheric results for geostrophic drag under analogous conditions of radiational cooling. The theory provides a basis for estimating trajectories and melt rates of floes drifting into water warmer than the ice melting temperature.

CR 82-05
ON THE TEMPERATURE DISTRIBUTION IN AN AIR-VENTILATED SNOW LAYER.
Yen, Y.-C., Mar. 1982. 10p., ADA-115 598, 9 refs.
39-1263
SNOW TEMPERATURE, HEAT TRANSFER, MASS TRANSFER, TEMPERATURE GRADIENTS, FLOW RATE, TEMPERATURE DISTRIBUTION, DIURNAL VARIATIONS, ANALYSIS (MATHEMATICS).

The problem of simultaneous heat and mass transfer in a homogeneous snow layer, with one side kept at its initial temperature and the other side with a step temperature increase, was solved for the case of constant through-flow conditions. An experimentally determined effective thermal conductivity function, i.e. $K_e = 0.0014 + 0.58\,G$ (where G is dry mass flow rate of air in g/(cm²s)), was employed in the solution. The computed nondimensional temperature distribution agreed quite well with experimental data taken under pseudo-steady state conditions with the exception of the temperature for the lowest flow rate used in the experiment. The pronounced nonlinearity of the temperature distribution was found to be a strong function of the flow rate. For sinusoidal variation of atmospheric pressure, the responding flow in the snow medium was also found to be sinusoidal. In conjunction with the diurnal temperature change, this variation facilitated the process of repeated sublimation and condensation in alternate directions and thereby produced a surface layer of approximately constant snow density.

CR 82-06
MEASUREMENT OF GROUND DIELECTRIC PROPERTIES USING WIDE-ANGLE REFLECTION AND REFRACTION.
Arcone, S.A., et al, Mar. 1982. 11p., ADA-119 596, 11 refs.
Delaney, A.J.
40-4674
SOIL PHYSICS, DIELECTRIC PROPERTIES, RADAR ECHOES, GEOPHYSICAL SURVEYS, REFRACTION, EQUIPMENT, WAVE PROPAGATION.

The interpretation of continuous radar profiles requires an alternative geophysical means of obtaining ground dielectric information. Ground dielectric properties were measured using wide angle reflection and refraction (WARR) soundings with a ground probing radar set that transmits pulses of a few nanoseconds duration. The investigations, carried out over sands gravel in interior Alaska, provided dielectric data to about a 5 m depth. The WARR soundings were displayed as individual traces allowing interference between separate events and dispersion to be observed, and the soundings were compared with continuous radar and resistivity profiles conducted concurrently to extract the maximum

amount of dielectric information. The dielectric constants, derived mainly from the direct ground waves propagating along the surface, ranged from 2.9 to 7.4. Dielectric values interpreted for one site predicted the possibility of a refracted event which may have occurred during one of the soundings.

CR 82-07
CHARGED DISLOCATION IN ICE. 2. CONTRIBUTION OF DIELECTRIC RELAXATION.
Itagaki, K., Mar. 1982, 15p., ADA-113 936, 18 refs.
The results indicate that the charged dislocation process can produce the observed audio frequency dielectric relaxation as well as the distribution of spectra.
36-2840
ICE ELECTRICAL PROPERTIES, ICE RELAXATION, DISLOCATIONS (MATERIALS), ICE CRYSTALS, DIELECTRIC PROPERTIES, ELECTRIC CHARGE, RELAXATION (MECHANICS), ANALYSIS (MATHEMATICS), SPECTRA.
The contribution of electrically-charged dislocation motion to dielectric relaxation was studied theoretically. Experimentally obtained data on charge density, dislocation density, and segment length and distribution described in Part 1 of this series were used to calculate dielectric relaxation spectra.

CR 82-08
EVALUATION OF METHODS FOR CALCULATING SOIL THERMAL CONDUCTIVITY.
Farouki, O., Mar. 1982, 90p., 24 refs.
37-221
FROZEN GROUND PHYSICS, THERMAL CONDUCTIVITY, PERMAFROST HEAT TRANSFER, SOIL COMPOSITION, SOIL WATER, COMPUTER PROGRAMS, TESTS.
A detailed analysis of methods for calculating the thermal conductivity of soils is presented, and trends in the predictions of these methods are compared. The influence of changes in the moisture content on the calculated thermal conductivity of a soil is shown, as is the sensitivity of this calculated value to changes in dry density or in the soil solids' thermal conductivity. The methods are evaluated to determine the extent of agreement of their predictions with measured values obtained on soils of known composition and properties. The deviations of the predicted values are determined for soils that are unfrozen or frozen, coarse or fine, unsaturated, saturated or dry. The applicability of each of the methods under various conditions is determined and recommendations are made as to the best method for each condition.

CR 82-09
MODEL STUDY OF PORT HURON ICE CONTROL STRUCTURE: WIND STRESS SIMULATION.
Sodhi, D.S., et al, Apr. 1982, 27p., ADA-115 417, 14 refs.
Calkins, D.J., Deck, D.S.
36-3111
ICE CONTROL, LAKE ICE, WATER PRESSURE, WIND PRESSURE, WATER FLOW, SHEAR STRESS, ICE NAVIGATION, PORTS, MODELS
This study deals with the distribution of forces along the converging boundaries of the Port Huron, Michigan, region where unconsolidated ice in Lake Huron is held against wind and water stresses. An experimental basin was built to induce uniform shear stress on the model ice cover by flowing water beneath the ice. The boundary segments, which held the ice cover in the region, were instrumented to measure force in the normal and tangential directions. The distribution of normal forces along the boundary was compared with a distribution derived by using a theoretical model. An ice control structure (ICS) was installed in the basin and experiments were conducted to measure the forces on the ICS and the ice release through the opening in the ICS during simulated ship passages. The experimental results are presented in a nondimensional form. In addition, the force per unit length on the ICS and the area of ice released through its opening were estimated for the expected wind conditions at the Port Huron site.

CR 82-10
LABORATORY MEASUREMENTS OF SOIL ELECTRIC PROPERTIES BETWEEN 0.1 AND 5 GHZ.
Delaney, A.J., et al, Apr. 1982, 12p., ADA-115 126
Arcone, S.A.
40-4675
PERMAFROST PHYSICS, SOIL PHYSICS, DIELECTRIC PROPERTIES, ELECTROMAGNETIC PROSPECTING, WAVE PROPAGATION, SOIL WATER, GROUND ICE, SANDS, SEDIMENTS, REFLECTION
Dielectric measurements have been performed on silt and sand samples from permafrost areas using time domain reflectometry. The sample temperatures were varied from +25 C to -25 C, and volumetric water content was varied between oven-dry and 0.55 g H2O cc. The data were processed for frequencies between 0.1 and 5.0 GHz. The results show a constant k and a low k for frequencies up to 1 GHz. A frequency dependence seen on the data above 2 GHz is probably the result of unfrozen adsorbed water. At moisture levels near saturation at all temperatures, these soils have excellent propagation characteristics for ground-probing radar operating below 0.1 GHz. Moisture ice should be easily detectable in permafrost within a few degrees of 0 C.

CR 82-11
SHORELINE CONDITIONS AND BANK RECESSION ALONG THE U.S. SHORELINES OF THE ST. MARYS, ST. CLAIR, DETROIT AND ST. LAWRENCE RIVERS.
Gatto, L.W., May 1982, 75p., ADA-116 398, 31 refs.
39-1264
BANKS (WATERWAYS), EROSION, SHORELINE MODIFICATION, RIVERS, ICE NAVIGATION, PHOTOINTERPRETATION, SOIL EROSION, SLIDING, CHARTS, AERIAL SURVEYS, SEASONAL VARIATIONS.
The purpose of this investigation was to provide data to be used in evaluating the effects of winter navigation on processes that cause bank erosion. The specific objectives were to document bank conditions and erosion rates along the rivers, to monitor and compare the amounts of winter and summer bank recession and change, and to estimate the amount of recession that occurred prior to winter navigation. Shoreline conditions and bank recession were documented during field surveys each spring and fall. Bank changes were evaluated by comparison to observations from a previous survey. Aerial photointerpretation was done to estimate the amount of bank recession that occurred prior to winter navigation. Three hundred forty-five miles of river shoreline were surveyed. Banks were eroding along 21.5 miles (6.2%). The common types of bank failures were soil falls (sloughing) and block sliding and slumping. The erosion along approximately 15 miles (70%) of the 21.5 miles was occurring along reaches not bordering winter navigation channels.

CR 82-12
SENSIBLE AND LATENT HEAT FLUXES AND HUMIDITY PROFILES FOLLOWING A STEP CHANGE IN SURFACE MOISTURE.
Andreas, E.L., Apr. 1982, 18p., ADA-115 596, 42 refs.
39-1265
HEAT FLUX, LATENT HEAT, SURFACE PROPERTIES, ANALYSIS (MATHEMATICS), HUMIDITY, BOUNDARY LAYER, FRICTION, WIND FACTORS.
From a high-quality set of velocity, temperature, and humidity profiles collected upwind and downwind of a step change in surface roughness, temperature, and moisture, upwind and downwind values of the heat fluxes and friction velocity are calculated.

CR 82-13
NUMERICAL SOLUTIONS FOR A RIGID-ICE MODEL OF SECONDARY FROST HEAVE.
O'Neill, K., et al, Apr. 1982, 11p., ADA-115 597. For another version see 36-54. 11 refs.
Miller, R.D.
39-1266
FROST HEAVE, SOIL FREEZING, ICE MODELS, REGELATION, ICE FORMATION, GROUNDED ICE, HEAT TRANSFER, MASS TRANSFER, THERMODYNAMICS, ANALYSIS (MATHEMATICS).
In this paper, frost heave is analyzed for the common case in which some ice penetrates the soil. In this situation, heave is due to the accumulation of soil-free ice just within the frozen zone, behind a frozen fringe of finite thickness. Heat and mass transport within and across that fringe are crucial processes in the dynamics of heave. This analysis concentrates on activity within the fringe, also connecting that activity to heat and mass flows in the more frozen and unfrozen zones. Each component in a set of governing differential equations is developed from rational physics and thermodynamics, using previous experimental work. It is assumed that the soil ice grows through interconnected interstices, hence it constitutes and can move as a rigid body. When this assumption is translated into mathematical terms, it completes the governing equations. The model resulting from these considerations is a one-dimensional finite element computer program that solves the equations for arbitrary initial and boundary conditions. The model is used to simulate the heave history of a hypothetical soil column frozen unidirectionally and subjected to a surcharge. The results are gratifying in that they predict qualitatively the characteristics of numerous laboratory observations. Some questions about the completeness of the theory remain, and strict verification of the model awaits further experimentation and better parameter identification.

CR 82-14
COMPARATIVE ANALYSIS OF THE USSR CONSTRUCTION CODES AND THE US ARMY TECHNICAL MANUAL FOR DESIGN OF FOUNDATIONS ON PERMAFROST.
Fish, A.M., May 1982, 20p., ADA-116 234, 2? refs.
39-1267
PERMAFROST BENEATH STRUCTURES, FROZEN GROUND SETTLING, COLD WEATHER CONSTRUCTION, FOUNDATIONS, PILES, DESIGN CRITERIA, BUILDING CODES, FROZEN GROUND STRENGTH, SAFETY, USSR
A comparative study was made of design criteria and analysis methods for footings and pile foundations on permafrost employed in U.S.S.R. Design Code SNiP 11-18-76 (1977) and U.S. Army Cold Regions Research and Engineering Laboratory Special Report 80-34 developed in the early 1970's by the U.S. Army Corps of Engineers and published in 1980. The absence of adequate constitutive equations for frozen soils and of rigorous solutions of the boundary problems has made it necessary to incorporate (explicitly or implicitly) various safety factors in the foundation analyses. From the review it is concluded that the principal difference between these practices is in the assessment and application of appropriate values of safety factors, which leads to a substantial discrepancy in the dimensions and cost of footings and pile foundations in permafrost.

CR 82-15
RELATIONSHIP BETWEEN THE ICE AND UNFROZEN WATER PHASES IN FROZEN SOIL AS DETERMINED BY PULSED NUCLEAR MAGNETIC RESONANCE AND PHYSICAL DESORPTION DATA.
Tice, A.R., et al, June 1982, 8p., ADA-118 486, 14 refs.
Oliphant, J.L., Nakano, Y., Jenkins, T.F.
37-48
FROST HEAVE, GROUND WATER, FROZEN GROUND, NUCLEAR MAGNETIC RESONANCE, UNFROZEN WATER CONTENT, SOIL TEMPERATURE.
An experiment is described that demonstrates the balance between the ice and the unfrozen water in a frozen soil as water is removed. Nuclear magnetic resonance (NMR) is used to monitor the unfrozen water content as the soil is dehydrated by a molecular sieve material. Our results show that the unfrozen water content of a Mar... clay soil remains constant until the total water content has been reduced to the point where no ice remains in the system. Once the ice is depleted, the unfrozen water content determined by NMR corresponds to the total water content of the soil determined by the weight of water removed by the molecular sieve material. Thus the validity of utilizing NMR in determining unfrozen water contents vs temperature is established.

CR 82-16
APPLICATION OF A NUMERICAL SEA ICE MODEL TO THE EAST GREENLAND AREA.
Tucker, W.B., Aug. 1982, 40p., ADA-120 659. For another version see 36-3254. 37 refs.
39-1268
ICE MODELS, DRIFT, SEA ICE, THERMODYNAMICS, ICE STRENGTH, MATHEMATICAL MODELS, ICE COVER THICKNESS, ICE GROWTH, VELOCITY, HEAT FLUX, OCEAN CURRENTS, WIND FACTORS, GREENLAND.
A dynamic-thermodynamic sea ice model which employs a viscous-plastic constitutive law has been applied to the East Greenland area. The model is run on a 40-km spatial scale at 1/4-day time steps for a 60-day period with forcing data beginning on 1 October 1979. Results tend to verify that the model predicts reasonable thicknesses and velocities within the ice margin. Thermodynamic ice growth produces excessive ice extent, however, probably due to inadequate parameterization of oceanic heat flux. Ice velocities near the free ice edge are also not well simulated, and preliminary investigations attribute this to an improper wind field in this area. A simulation which neglects ice strength, effectively damping ice interaction with itself and allowing no resistance to deformation, produces excessive ice drift toward the coast and results in unrealistic nearshore thicknesses. A dynamics-only simulation produced reasonable results, including a more realistic ice extent, but the need for proper thermodynamics is also apparent. Other simulations verify that ice import from the Arctic Basin, and ice transport due to winds and currents, were also important components in the model studies.

CR 82-17
SEISMIC SITE CHARACTERIZATION TECHNIQUES APPLIED TO THE NATO RSG-11 TEST SITE IN MÜNSTER NORD, FEDERAL REPUBLIC OF GERMANY.
Albert, D.G., July 1982, 33p., ADA-119 390, 15 refs.
39-1269
SEISMIC REFRACTION, GEOLOGIC STRUCTURES, WAVE PROPAGATION, SEISMOLOGY, VELOCITY
Seismic P and SH wave refraction experiments at the NATO RSG-11 test site in Münster Nord, Federal Republic of Germany, reveal the presence of a nearly horizontal, three-layer velocity structure. The upper layer, composed of unconsolidated glacial till, is 1 m thick and has P (compressional) and SH (shear, or vertically) wave velocities of 240 and 165 m/s. The second layer, made up of similar, more compacted material, is 9.5 m thick, with a P wave velocity of 470 m/s and an SH wave velocity of 275 m/s. The third layer, interpreted as the groundwater table, is located at a depth of 10.5 m and has a P wave velocity of 1590 m/s. The SH wave velocity of this layer is controlled by the matrix material and is the same as that of the second layer. A single, unreversed observation indicated a fourth layer at a depth of about 20 m, but the existence of this layer remains unconfirmed. The observed fundamental mode Love wave dispersion is in agreement with the theoretical dispersion predicted by the refraction velocities. Computed partial derivatives of phase velocity with respect to shear wave

velocity show, for the frequencies observed, that the dispersion confirms the thicknesses and velocities of the two upper layers and is not affected by the deeper s. ucture

CR 82-18
OPTIMIZING DEICING CHEMICAL APPLICATION RATES.
Minsk, L.D., Aug. 1982, 55p., ADA-119 681, 8 refs.
39-1270
CHEMICAL ICE PREVENTION, ICE CONTROL, SALTING, ROAD ICING, SNOW REMOVAL, ICE REMOVAL, SAFETY, FRICTION, TRAFFICABILITY.

Snow and ice control on highways has come to rely heavily on the sodium chloride to maintain a trafficable surface for unimpeded movement Empirical approaches have led to a wide range of application rates, some clearly excessive, but justified on the ground of safety and expediency. The combination of environmental degradation from the huge quantities of salt entering the environment, along with the increased cost of salt itself and the cost of its application have spurred the search for more precise knowledge of the proper amount of salt to apply to a pavement, considering a range of environmental, traffic and chemical parameters. Since controlled tests in the field are extremely difficult to make, a circular test track of three test pavements, dense-graded asphaltic concrete (DGA), open-graded asphaltic concrete (OGA) and portland cement concrete (PCC), was constructed in a coldroom Natural snow and ice were applied to the pavements and an instrumented slipping wheel was driven over the surfaces to generate frictional forces These forces were measured and then used to evaluate the response to salt application with time for three test temperatures OGA had the lowest friction values at a temperature near the freezing point, but higher initial values or more rapidly increasing values than DGA and PCC following salt application at the two lower temperatures Optimum application rate of salt on PCC and DGA lies between 100 and 300 lb/lane mile (LM), and a higher rate resulted in slight or no improvement in friction. DGA showed anomalous results lower friction for 300 lb/LM and higher friction for both 100 and 500 lb/LM.

CR 82-19
WASTEWATER APPLICATIONS IN FOREST ECOSYSTEMS.
McKim, H.L., et al, Aug 1982, 22p. ADA-119 994, 38 refs.
37-462
WASTE DISPOSAL, WASTE TREATMENT, WATER TREATMENT, FOREST ECOSYSTEMS, TREES (PLANTS), GROWTH, LAND RECLAMATION, REVEGETATION, WATER POLLUTION.

Under proper design and management, a forest ecosystem in the central United States should renovate municipal wastewater as long or longer than conventional agricultural systems, especially when design limitations are hydraulic loading rate, heavy metals, P and N Forest systems require smaller buffer zones than agricultural systems and lower sprinkler pressures Immatur. forests are better wastewater renovators than mature for.sts

CR 82-20
DECELERATION OF PROJECTILES IN SNOW.
Albert, D.G., et al, Aug 1982, 29p, ADA-119 676, 11 refs.
Richmond, P.W.
39-1271
SNOW DENSITY, PENETRATION TESTS, PROJECTILE PENETRATION, MILITARY RESEARCH, VELOCITY, IMPACT STRENGTH

Instrumented M374 projectiles were launched into snow, nylon, and Styrofoam targets using a 10 7-m radius centrifuge For snow of 410-kg/cu m density, the 3 1-kg test projectile experienced decelerations of approximately 220, 400, and 550 m/sq s (at a depth of 0 1 m) for initial impact velocities of 15, 30 and 46 m/s respectively These values disagree with values predicted from a simple hydrodynamic drag force approximation The decelerations measured for snow targets were always greater than those measured for nylon shaving targets (of density 120 kg/cu m) indicating that this material is not a good analog for snow of the density used in these tests

CR 82-21
ACOUSTIC EMISSIONS FROM POLYCRYSTALLINE ICE.
St Lawrence, W F, et al, Aug 1982, 15p, ADA-119 632, 18 refs
Cole, D.M.
37-734
ICE CRYSTAL STRUCTURE, ICE ACOUSTICS, COMPRESSIVE PROPERTIES, STATIC LOADS, FRACTURING, STRESSES, STRAINS, TEMPERATURE EFFECTS, TIME FACTOR, TESTS

The acoustic emission response from fine-grained polycrystalline ice subjected to constant compressive loads was examined A number of tests were conducted with the nominal stress ranging from 0 8 to 3 67 MPa at a temperature of -5 C The acoustic emission response was recorded and the data are presented with respect to time and strain The source of acoustic emissions in ice is considered in terms of the formation of both microfractures and visible fractures that develop without catastrophic failure of the ice. A model to describe the acoustic emission response is developed

CR 82-22
CONDUCTION PHASE CHANGE BENEATH INSULATED HEATED OR COOLED STRUCTURES.
Lunardini, V.J., Aug. 1982, 40p., ADA-119 595, 19 refs.
39-1746
PERMAFROST BENEATH STRUCTURES, PERMAFROST HEAT TRANSFER, FREEZE THAW CYCLES, CONDUCTION, HEAT TRANSFER, PHASE TRANSFORMATIONS, UNDERGROUND PIPELINES, THERMAL INSULATION, ANALYSIS (MATHEMATICS).

The problem of thawing beneath heated structures on permafrost (or cooled structures in non-permafrost zones) must be addressed if safe engineering designs are to be conceived. In general there are no exact solutions to the problem of conduction heat transfer with phase change for practical geometries. The quasi-steady approximation is used here to solve the conductive heat transfer problem with phase change for insulated geometries including infinite strips, rectangular buildings, circular storage tanks, and buried pipes. Analytical solutions are presented and graphed for a range of parameters of practical importance.

CR 82-23
DIRECT FILTRATION OF STREAMBORNE GLACIAL SILT.
Ross, M D., et al, Sep. 1982, 17p, ADA-120 751, 8 refs.
Lowman, R.A., Sletten, R.S
39-1272
SEDIMENTS, GLACIAL DEPOSITS, GLACIAL RIVERS, WATER TREATMENT, GEOLOGICAL SURVEYS, EQUIPMENT.

A direct filtration, water treatment pilot plant was operated on the Kenai River at Soldotna, Alaska, during the summer of 1980. The purpose of the pilot plant operations was to determine the feasibility of the direct filtration process for removal of glacial silt The major criterion used to determine feasibility was production of water containing less than 1 0 NTU of turbidity For the range of raw water turbidities encountered (22-34 NTU), the pilot plant testing indicated that direct filtration was feasible and could be considered as an alternative to conventional water treatment plants containing sedimentation tanks

CR 82-24
SUBSEA PERMAFROST IN HARRISON BAY, ALASKA: AN INTERPRETATION FROM SEISMIC DATA.
Neave, K.G., et al, Aug. 1982, 62p., ADA-121 020, 16 refs.
Sellmann, P.V.
39-1727
SUBSEA PERMAFROST, SEISMIC SURVEYS, BOTTOM SEDIMENT, SEISMIC REFRACTION, SEISMOLOGY, NATURAL RESOURCES, OCEAN BOTTOM, UNITED STATES—ALASKA—HARRISON BAY.

Velocity data derived from petroleum industry seismic records from Harrison Bay show that high-velocity material (>2km/s) interpreted to be ice-bonded permafrost is common In the eastern part of the bay, the depth to high velocity material increases and velocity decreases in an orderly manner with increasing distance from shore until the layer is no longer apparent The western part of the bay is less orderly, possibly reflecting a different geological and thermal history This western part may be an inundated section of the low coastal plain characterized by the region north of Teshekpuk Lake, and could have contained deep thaw lakes, creating low velocity zones Along some seismic lines, the high-velocity material extends approximately 25 km offshore.

CR 82-25
EXPERIMENTAL INVESTIGATION OF POTENTIAL ICING OF THE SPACE SHUTTLE EXTERNAL TANK.
Ferrick, M.G., et al, Sep. 1982, 305p., ADA-121 330
Itagaki, K., Lemieux, G.E., Minas, S.E.
39-1712
AIRCRAFT ICING, TANKS (CONTAINERS), SPACECRAFT, PROTECTIVE COATINGS, THERMAL INSULATION, ICE FORMATION, COUNTERMEASURES, SURFACE TEMPERATURE, STATISTICAL ANALYSIS, EXPERIMENTATION.

The thermal protection system tiles on the space shuttle Orbiter are extremely sensitive to impact damage Such impacts could be caused by ice particles dislodged from the outer surface of the external tank (ET) during the launch The ET, which contains the cryogenic propellant tanks, is covered with a spray-on foam insulation (SOFI) to minimize ice formation The objective of this investigation was to experimentally explore a range of environmental conditions for which significant icing potential exists for the ET . A significant finding, which became evident early in the experimental program, was that computer models based upon the average SOFI thickness predicted panel surface temperatures that were considerably higher than those observed For an assessment of icing, the important values to characterize the SOFI are the minimum thickness and range of thickness. Dense ice formation occurred most readily when a small portion of the total surface area had a temperature below freezing.

CR 82-26
HYDROLOGY AND CLIMATOLOGY OF THE CARIBOU-POKER CREEKS RESEARCH WATERSHED, ALASKA.
Haugen, R.K., et al, Oct. 1982, 34p, ADA-122 402, Refs. p.25-28.
Slaughter, C.W., Howe, K.E., Dingman, S.L.
37-1233
WATERSHEDS, DRAINAGE, PERMAFROST HYDROLOGY, CLIMATE, RUNOFF, STREAM FLOW, PRECIPITATION (METEOROLOGY), SEASONAL VARIATIONS, UNITED STATES—ALASKA—CARIBOU CREEK.

The Caribou-Poker Creeks Research Watershed is a small drainage basin located 48 km northwest of Fairbanks, Alaska Elevations within the watershed range from 210 to 826 m, and approximately 28% of its area is underlain by permafrost. Climatic differences between the watershed and Fairbanks are primarily due to the higher elevation of watershed. Generally the watershed climatic sites are warmer in winter and cooler in summer than Fairbanks An analysis of annual streamflow data showed an inconsistency of baseflow recessions from year to year The runoff-rainfall ratio for individual summer storms averaged 0 35 for Caribou Creek Comparisons of spot discharge measurements of predominantly permafrost and non-permafrost subwatersheds showed that permafrost-dominated watersheds have a much "flashier" response to precipitation than non-permafrost watersheds A comparison of the annual flow distribution of the watershed indicated that Caribou Creek has lower summer and higher winter discharges per unit area than the Chena or Salcha Rivers. The temporal variability of the flow of Caribou Creek is low compared with small- and moderate-sized streams in New England.

CR 82-27
LEAST LIFE-CYCLE COSTS FOR INSULATION IN ALASKA.
Flanders, S.N, et al, Oct 1982, 47p, ADA-122 806, 6 refs.
Coutts, H.J.
37-1482
THERMAL INSULATION, BUILDINGS, COST ANALYSIS, ECONOMIC ANALYSIS, CLIMATIC FACTORS, FUELS, MILITARY FACILITIES.

Recommendations for economical thicknesses for building insulation result from a study of fuel and construction costs of 12 military installations in Alaska. A comparison between the insulation thickness that a building owner might choose today and what he might choose in 20 years indicates a trend for much thicker insulation in the future An analysis of how much more expensive a building built today with the thickness that would be appropriate 20 years hence indicates only a small penalty in life-cycle costs for the additional insulation Therefore, a minimum of R-32 walls and R-62 attics is recommended for most of Alaska

CR 82-28
EVALUATION OF VAISALA'S MICROCORA AUTOMATIC SOUNDING SYSTEM.
Andreas, E.L, et al, Oct. 1982, 17p., ADB-070 011L, 17 refs.
Richter, W.A
37-1529
MARINE METEOROLOGY, METEOROLOGICAL INSTRUMENTS, METEOROLOGICAL DATA, WIND (METEOROLOGY).

During the Weddell Polynya Expedition in the southern ocean, over 60 upper-air soundings were made with a Vaisala MicroCORA Automatic Sounding System installed on the Soviet icebreaker *Mikhail Somov* The MicroCORA system measures the wind vector by using the Omega navaid signals to track the balloon-borne radiosonde This windfinding is thus unaffected by any motions of the ground station, the system is easy to use, and the data seem accurate Comparison launches, during which the Vaisala radiosonde and the sonde of another manufacturer were carried on the same balloon, indicate that the MicroCORA pressure and temperature data are also of high quality There were problems with the MicroCORA measurement of humidity, however, because of an inordinate number of failures of the humidity sensor, the Humicap, which is prone to drift After a unit-by-unit hardware evaluation of the components of the MicroCORA system, its expected reliability for use at sea is judged only fair, several units were poorly packaged, and servicing and repair require a high degree of technical expertise (Auth.)

CR 82-29
GROWTH OF FACETED CRYSTALS IN A SNOW COVER.
Colbeck, S C, Oct. 1982, 19p, ADA-122 792, 45 refs
37-1722
SNOW CRYSTAL GROWTH, RECRYSTALLIZATION, SNOW CRUST, DEPTH HOAR, HEAT FLUX, VAPOR TRANSFER, GRAIN SIZE, THERMODYNAMICS, SNOW DENSITY, TEMPERATURE EFFECTS, TEMPERATURE GRADIENTS, SNOW COVER.

Ice grains in a snow cover with a low temperature gradient assume a well-rounded equilibrium form However, at temperature gradients of 0 1 to 0.2C/cm (depending somewhat on temperature and snow density), the rounded grains recrystallize into a faceted kinetic growth form The lar temperature gradient must play a decisive role in mov ne vapor fast enough to sustain the rapid growth rate t ed with the kinetic growth form Once the large perature gradient is removed, the grains recrystallize to the equilibrium form The recrystallization occu in either direction without a change in bulk density. The growth of faceted crystals begins at the warmer base of the snow cover where the excess vapor pressure is largest A transition between the overlying rounded grains moves upward in time. Faceted crystals also grow just below crusts of reduced permeability, where the increased vapor accumulation can sustain the excess vapor pressure needed for kinetic growth The heat and vapor flows are described using a model based on thermodynamic equilibrium. The temperature distribution is shown to be quasi-linear at steady state in homogeneous snow The recrystallization of the snow is modeled using the rounded grains as sources and the faceted grains as sinks In the future this model should be extended to account for different temperatures among the sources and sinks.

CR 82-30
EQUATIONS FOR DETERMINING THE GAS AND BRINE VOLUMES IN SEA ICE SAMPLES.
Cox, G.F.N., et al, Oct. 1982, 11p , ADA-122 779, 13 refs.
Weeks, W.F.
37-1723
SEA ICE, BRINES, GAS INCLUSIONS, ICE DENSITY, ICE TEMPERATURE, ICE SALINITY, TEMPERATURE EFFECTS, COMPUTER APPLICATIONS, ANALYSIS (MATHEMATICS).
Equations are developed that can be used to determine the amount of gas present in sea ice from measurements of the bulk ice density, salinity and temperature in the temperature range of -2 to -30C. Conversely these relationsips can be used to give the density of sea ice as a function of its temperature and salinity, considering both the presence of gas and of solid salts in the ice. Equations are also given that allow the calculation of the gas and brine volumes in the ice at temperatures other than that at which the bulk density was determined

CR 82-31
BERING STRAIT SEA ICE AND THE FAIRWAY ROCK ICEFOOT.
Kovacs, A., et al, Oct. 1982, 40p , ADA-122 477, 45 refs.
Sodhi, D.S., Cox, G.F N.
39-1273
ICE CONDITIONS, SEA ICE, PRESSURE RIDGES, ICE PRESSURE, ICE FORMATION, OFFSHORE LANDFORMS, ICE LOADS, GROUNDED ICE, AERIAL SURVEYS, BERING STRAIT.
Information on sea ice conditions in the Bering Strait and the icefoot formation around Fairway Rock, located in the strait, is presented Cross-sectional profiles of Fairway Rock and the relief of the icefoot are given along with theoretical analyses of the possible forces active during icefoot formation It is shown that the ice cover most likely fails in flexure as opposed to crushing or buckling, as the former requires less force Field observations reveal that the Fairway Rock icefoot is massive, with ridges up to 15 m high, a seaward face only 20 deg from vertical, and interior ridge slopes averaging 33 deg The icefoot is believed to be grounded and its width ranges from less than 10 to over 100 m

CR 82-32
FLUID DYNAMIC ANALYSIS OF VOLCANIC TREMOR.
Ferrick, M.G , et al, Oct 1982. 12p , ADA-122 778, 28 refs.
Qamar, A., St Lawrence, W.F.
37-1499
FLUID DYNAMICS, SEISMOLOGY, VOLCANOES, EARTHQUAKES, ICEQUAKES, GEOMAGNETISM.
Low-frequency (< 10 Hz) volcanic earthquakes originate at a wide range of depths and occur before, during, and after magmatic eruptions The characteristics of these earthquakes suggest that they are not typical tectonic events Physically analogous processes occur in hydraulic fracturing of rock formations, low-frequency icequakes in temperate glaciers, and autoresonance in hydroelectric power stations We propose that unsteady fluid flow in volcanic conduits is the common source mechanism of low-frequency volcanic earthquakes (tremor) The fluid dynamic source mechanism explains low-frequency earthquakes of arbitrary duration, magnitude, and depth of origin, as unsteady flow is independent of physical properties of the fluid and conduit Fluid transients occur in both low-viscosity gases and high-viscosity liquids A fluid transient analysis can be formulated as generally as is warranted by knowledge of the composition and physical properties of the fluid, material properties geometry and roughness of the conduit, and boundary conditions

CR 82-33
ON THE DIFFERENCES IN ABLATION SEASONS OF ARCTIC AND ANTARCTIC SEA ICE.
Andreas, E.L., et al, Oct. 1982, 9p , ADA-122 454, 41 refs. For another source see 36-2836 (MP 1517).
Ackley, S.F.
39-1728
SEA ICE, ICE MELTING, ABLATION, METEOROLOGICAL FACTORS, ICE CONDITIONS.
Arctic sea ice is freckled with melt ponds during the ablation season, Antarctic sea ice has few, if any On the basis of a simple surface heat budget, we investigate the meteorological conditions necessary for the onset of surface melting in an attempt to explain these observations The low relative humid y associated with the relatively dry winds off the continent and an effective radiation parameter smaller than that characteristic of the Arctic are primarily responsible for the absence of melt features in the Antarctic Together these require a surface-layer air temperature above 0 C before Antarctic sea ice can melt A ratio of the bulk transfer coefficients C(H)/C(E) less than 1 also contributes to the dissimilarity in Arctic and Antarctic ablation seasons The effects of wind speed and of the sea-ice roughness on the absolute values of C(H) and C(E) seem to moderate regional differences, but final assessment of this hypothesis awaits better data, especially from the Antarctic

CR 82-34
HYDRAULIC MODEL STUDY OF PORT HURON ICE CONTROL STRUCTURE.
Calkins, D J., et al, Nov. 1982, 59p., ADA-123 715, 8 refs.
Deck, D.S , Sodhi, D S.
37-2375
ICE CONTROL, HYDRAULIC STRUCTURES, ICE NAVIGATION, ICE MECHANICS, FLOATING ICE, ARTIFICIAL ICE, ICE LOADS, ICE FLOES, DOPED ICE, PORTS, MODELS.
The ice discharge through an opening in an ice control structure was documented to be a function of the floe size, ice type, ice floe conditions and vessel direction. The model data for the average ice discharge per vessel transit scaled to prototype values compared favorably with data taken at the St. Marys River ice control structure (ICS) The model results of the force measurements were also consistent with data taken at the St Marys ICS The dynamic loading conditions were independent of vessel direction The dynamic loading to the structure using 3 types of ice (plastic, natural and urea-doped) showed a considerable difference in their means and standard deviations The urea-doped ice was evaluated for dynamic loading conditions, and reasonable peak values of 3 to 5 times the mean load at each measuring position were recorded, independent of vessel direction It appears that synthetic random ice floes may be used in model studies where ice discharge through an opening in a structure needs to be documented This study shows the synthetic random ice floe discharge to fall reasonably within the values obtained for natural ice discharge for both rafted and non-rafted ice fields above the ICS However, the question of whether synthetic ice can be used for analyzing force distribution and dynamic force loading criteria cannot be fully answered at this time because the load distributions of the synthetic and natural floes appear to differ

CR 82-35
CLIMATE OF REMOTE AREAS IN NORTH-CENTRAL ALASKA: 1975-1979 SUMMARY.
Haugen, R K , Nov. 1982, 110p , ADA-123 719, 31 refs.
37-2376
CLIMATE, SNOW ACCUMULATION, PRECIPITATION (METEOROLOGY), AIR TEMPERATURE, TEMPERATURE GRADIENTS, STATISTICAL ANALYSIS, TEMPERATURE VARIATIONS, UNITED STATES -ALASKA
Air temperature, precipitation, and some ground surface temperatures predominantly from remote areas of central and northern Alaska are statistically and graphically summarized on a monthly basis for a five-year period (1975 79) The remote site data were obtained during the course of several CRREL investigations To provide a more comprehensive coverage, these data are presented together with data obtained at National Weather Service stations in the area The analysis is based on four climatic regions within the study area, the Continental Interior the Brooks Range the Arctic Foothills, and the Arctic Coastal Plain A detailed analysis of coastal-inland summer air temperature gradients on the Arctic Coastal Plain is given Station histories for the 1975-79 period and tabulated air and ground temperature statistics are included as appendices

CR 82-36
LONG-TERM MODIFICATIONS OF PERENNIALLY FROZEN SEDIMENT AND TERRAIN AT EAST OUMALIK, NORTHERN ALASKA.
Lawson, D.E., Nov. 1982, 33p , ADA-123 731, Refs. p.30-33.
37-2377
PERMAFROST THERMAL PROPERTIES, DEGRADATION, SOIL EROSION, SEDIMENTS, TUNDRA, ENVIRONMENTAL IMPACT, THERMOKARST, ACTIVE LAYER, HUMAN FACTORS ENGINEERING, UNITED STATES—ALASKA—OUMALIK.
Camp construction and drilling activities in 1950 at the East Oumalik drill site in northern Alaska caused extensive degradation of ice-rich, perennially frozen silt and irreversible modification of the upland terrain In a study of the long-term degradational effects at this site, the near-surface geology was defined by drilling and coring 76 holes (maximum depth of 34 m) in disturbed areas and by laboratory analyses of these cores Terrain disturbances, including bulldozed roads and excavations, camp structures and off-road vehicle trails, were found to have severely disrupted the site's thermal regime This led to a thickening of the active layer, melting of the ground ice, thaw subsidence and thaw consolidation of the sediments Slumps, sediment gravity flows and collapse of materials on slopes bounding thaw depressions expanded the degradation laterally, with thermal and hydraulic erosion removing material as the depressions widened and deepened with time Degradational processes became less active after thawed sediments thickened sufficiently to slow the increase in the depth of thaw and permit slope stabilization. The site's terrain is now irregular and hummocky with numerous depressions Seasonal thaw depths are deeper in disturbed areas than in undisturbed areas and reflect the new moisture conditions and morphology The severity of disturbance is much greater at East Oumalik than at another old drill site, Fish Creek The difference results primarily from differences in the physical properties of the sediments, including the quantity and distribution of ground ice. In areas similar to East Oumalik, the removal or severe compaction of the vegetative mat would cause similar adverse physical changes to take place over two to three decades and should therefore be avoided

CR 82-37
LANDSAT-ASSISTED ENVIRONMENTAL MAPPING IN THE ARCTIC NATIONAL WILDLIFE REFUGE, ALASKA.
Walker, D A., et al, Nov. 1982, 59p. + 2 maps, ADA-123 440, Refs. p 34-37.
Acevedo, W , Everett, K.R , Gaydos, L , Brown, J., Webber, P.J.
39-1274
TUNDRA, MAPPING, REMOTE SENSING, GEOBOTANICAL INTERPRETATION, ENVIRONMENTS, SOILS, PATTERNED GROUND, VEGETATION, CLASSIFICATIONS, LANDSAT, UNITED STATES—ALASKA—ARCTIC NATIONAL WILDLIFE REFUGE.
This report presents a Landsat-derived land cover map of the northwest portion of the Arctic National Wildlife Refuge, Alaska The report is divided into two parts The first is devoted to the land cover map with detailed descriptions of the mapping methods and legend The second part is a description of the study area The classification system used for the maps is an improvement over existing methods of describing tundra vegetation It is a comprehensive method of nomenclature that consistently applies the same criteria for all vegetation units It is applicable for large- and small-scale mapping and is suitable for describing vegetation complexes, which are common in the patterned-ground terrain of the Alaskan Arctic The system is applicable to Landsat-derived land cover classifications The description of the study area focuses on five primary terrain types: flat thaw-lake plains, hilly coastal plains, foothills, mountainous terrain, and river flood plains Topography, landforms, soils and vegetation are described for each terrain type The report also contains area summaries for the Landsat-derived map categories The area summaries are generated for the five terrain types and for the 89 townships within the study areas Two land cover maps at 1 250,000 are included

CR 82-38
WINDOW PERFORMANCE IN EXTREME COLD.
Flanders, S N , et al, Dec. 1982, 21p , ADA-124 571, For another version see 35-2514. 10 refs
Buska, J . Barrett, S
38-4415
ICING, WINDOWS, WEATHERPROOFING, MILITARY FACILITIES, THERMAL INSULATION, COLD WEATHER CONSTRUCTION, HEAT LOSS, AIR LEAKAGE, HUMIDITY, CONDENSATION, COUNTERMEASURES, COST ANALYSIS
Extreme cold causes heavy buildup of frost, ice and condensation on many windows It also increases the incentive for improving the airtightness of windows against heat loss Our study shows that tightening specifications for Alaskan windows to permit only 30 of the air leakage allowed by current American airtightness standards is economically

attractive. We also recommend triple glazing in much of Alaska to avoid window icing in homes and barracks. We base our conclusions on a two-year field study of Alaskan military bases that included recording humidity and temperature data, observing moisture accumulation on windows and measuring airtightness with a fan pressurization device.

CR 82-39

BRINE ZONE IN THE MCMURDO ICE SHELF, ANTARCTICA.

Kovacs, A , et al, Dec. 1982, 28p., ADA-124 516, 29 refs.

Gow, A.J., Cragin, J.H., Morey, R.M.

37-3355

ICE SHELVES, BRINES, ICE SALINITY, ANTARCTICA—MCMURDO ICE SHELF.

A 4.4-m-high brine step in McMurdo Ice Shelf has migrated about 1.2 km in 4 years This migration is proof of the dynamic nature of the step, which is the leading edge of a brine wave that originated at the shelf edge after a major break-out of the McMurdo Ice Shelf. The inland boundary of brine penetration is characterized by a series of descending steps that are believed to represent terminal positions of separate intrusions of brine of similar origin The inland boundary of brine percolation is probably controlled largely by the depth at which brine encounters the firn/ice transition (43m) However, this boundary is not fixed by permeability considerations alone, since measurable movement of brine is still occurring at the inland boundary Freeze-fractionation of the seawater as it migrates through the ice shelf preferentially precipitates virtually all sodium sulfate, and concomitant removal of water by freezing in all pore spaces of the infiltrated firn produces residual brines approximately six times more concentrated than the original seawater. (Auth.)

CR 82-40

BREAKING ICE WITH EXPLOSIVES.

Mellor, M., Dec. 1982, 64p., ADA-123 761, 25 refs.

37-2378

ICE BREAKING, ICE BLASTING, EXPLOSIVES, EXPLOSION EFFECTS, UNDERWATER EXPLOSIONS, ICE COVER THICKNESS, STATISTICAL ANALYSIS, COMPUTER APPLICATIONS, ANALYSIS (MATHEMATICS), DESIGN.

The use of explosives to break floating ice sheets is described, and test data are used to develop curves that predict explosives effects as ice thickness, charge size, and charge depth vary Application of the curves to practical problems is illustrated by numerical examples The general features of underwater explosions are reviewed and related to ice blasting Quasi-static plate theory is considered, and is judged to be inapplicable to explosive cratering of ice plates The specific energy for optimized ice blasting is found to compare quite favorably with the specific energy of icebreaking ships All available field data for ice blasting are tabulated in appendices, together with details of the regression analyses from which the design curves are generated

CR 82-41

EVALUATION OF PROCEDURES FOR DETERMINING SELECTED AQUIFER PARAMETERS.

Daly, C.J , Dec. 1982, 104p., ADA-125 437, Refs. p.93-104.

37-3496

GROUND WATER, WATER FLOW, HYDROLOGY, PERMEABILITY, WATER POLLUTION, POROSITY, TESTS.

Many of the important factors influencing the choice of appropriate aquifer test procedures are presented The concepts of bias, accuracy and spatial variability are explained The definitions of a number of aquifer parameters are developed from basic principles demonstrating the underlying assumptions and limitations The parameters considered are piezometric head, hydraulic conductivity/intrinsic permeability, flow direction, specific discharge magnitude, transmissivity, volumetric flow rate, total porosity, effective porosity, average linear velocity, storage coefficient, specific yield, dispersion coefficient-aquifer dispersivity For each parameter several techniques are described, evaluated and ranked in terms of perceived potential accuracy, simplicity and value to contaminant transport studies It must be stressed, however, that the evaluations are based principally upon theoretical grounds, and not upon actual conduct of the desribed procedures

CR 82-42

EFFECTS OF CONDUCTIVITY OF HIGH-RESOLUTION IMPULSE RADAR SOUNDING, ROSS ICE SHELF, ANTARCTICA.

Morey, R.M , et al, Dec 1982, 12p., ADA-124 456, 16 refs.

Kovacs, A

37-3354

RADAR ECHOES, ELECTRONIC EQUIPMENT, ICE COVER THICKNESS, OCEAN CURRENTS, ANTARCTICA—ROSS ICE SHELF

The system was evaluated to detect sea ice on the bottom of the Ross Ice Shelf, detect the preferred horizontal c-axis azimuthal direction of the sea ice crystals and determine the direction of the currents under an Antarctic ice shelf Surface radar survey on the Ross Ice Shelf at Site J-9 and surface and airborne radar profiling on the McMurdo Ice Shelf were made The CRREL impulse radar system was unable to detect the shelf bottom at Site J 9, which drilling revealed to be 416 m below the snow surface The radar system was used to profile the McMurdo Ice Shelf both from the snow surface and from the air, a shelf thickness of about 275 m was easily detected The bulk conductivity of the ice shelf at Site J-9 was higher than originally anticipated, and this limited the radar sounding depth to about 405 m when operating at a frequency of 20 MHz (Auth. mod)

CR 82-44

CASE STUDY OF LAND TREATMENT IN A COLD CLIMATE—WEST DOVER, VERMONT.

Bouzoun, J.R., et al, Dec. 1982, 96p., ADA-125 438, 42 refs. Collection of two articles.

Meals, D.W., Cassell, E.A.

37-3494

ICE FORMATION, WASTE TREATMENT, WATER TREATMENT, SNOW ACCUMULATION, LAND RECLAMATION, COLD WEATHER PERFORMANCE, GROUND WATER, WATER PIPELINES, HYDROLOGY, NUTRIENT CYCLE, SURFACE WATER

A slow rate land treatment system that operates throughout the year in a very cold climate is described in detail Information on the geology, soils, vegetation, wildlife and the climate at the site is also presented Winter operational problems such as ice formation on the elevated spray laterals, and freezing and plugging of the spray nozzles are discussed, as are their solutions The detailed results of a 1-year study to characterize the seasonal performance of the system, to develop N and P budgets for the system, to monitor specific hydrologic events on the spray field, to monitor shallow groundwater quality, to monitor the groundwater quality in off-site wells, and to monitor the water quality of two rivers that border the site are presented Recommendations for the design and operation of other slow rate land treatment systems to be constructed in cold climates are included.

CR 83-01

ANALYSIS OF ROOF SNOW LOAD CASE STUDIES; UNIFORM LOADS.

O'Rourke, M , et al, Jan 1983, 29p., ADA-126 330, 12 refs.

Koch, P., Redfield, R.

37-3351

ROOFS, BUILDING CODES, SLOPE ORIENTATION, DESIGN, STATISTICAL ANALYSIS.

Roof snow load case studies gathered throughout the United States over a three-year period are analyzed. The objective of the analysis is to determine a relationship between the snow load on the ground and the corresponding uniform snow load on flat and sloped roofs The main parameters considered are the thermal characteristics of the roof, the roof slope and the exposure of the structure Exposure has the strongest effect on the ratio of ground to roof snow loads Comparisons are made with existing and proposed building codes and standards

CR 83-02

COMPUTER MODELING OF TIME-DEPENDENT RIME ICING IN THE ATMOSPHERE.

Lozowski, E.P., et al, Jan 1983, 74p., ADA-126 404, 19 refs.

Oleskiw, M.M.

37-3497

AIRCRAFT ICING, ICE ACCRETION, TIME FACTOR, ICE FORMATION, COMPUTERIZED SIMULATION, HELICOPTERS, MATHEMATICAL MODELS.

A numerical model of rime ice accretion on an arbitrary two-dimensional airfoil is presented The physics of the model are described and results are presented that demonstrate, by comparison with other theoretical data and experimental data, that the model predictions are believable Results are also presented that illustrate the capability of the model to handle time-dependent rime ice accretion, taking into account the feedback between the ice accretion and the airflow and droplet trajectory fields

CR 83-03

ASSESSMENT OF THE TREATABILITY OF TOXIC ORGANICS BY OVERLAND FLOW.

Jenkins, T F , et al, Jan. 1983, 47p , ADA-126 384, Refs. p 28-30.

Leggett, D.C., Parker, L V , Oliphant, J.L , Martel, C.J , Foley, B T , Diener, C.J

37-3498

WASTE TREATMENT, WATER TREATMENT, LAND RECLAMATION, TEMPERATURE EFFECTS, SLOPES, WATER POLLUTION, ABSORPTION, WATER FLOW

The removal efficiency for 13 trace organics in wastewater was studied on an outdoor, prototype overland flow land treatment system The removal for each of these substances was greater that 94% at an application rate of 0.4 cm/hr The percent removals declined as application rates were increased The rate of removal from solution was described by the sum of two mass-transport limited, first-order rate coefficients representing volatilization and sorption A model based on the two-film theory was developed, the observed removal rate coefficients were regressed against three properties of each substance the Henry's constant, the octanol water partition coefficient and the molecular weight The dependence of the removal process on temperature was studied and is included along with average water depth in the model. The decrease in removal rate as temperature declined is supported by the known dependence of Henry's constant and diffusivity on temperature The model was validated on a second overland flow system. The surface soil concentrations of the trace organics determined at the end of the experiment suggest that a secondary mechanism renews the surface activity rapidly enough so that contaminants do not build up on the surface, with the possible exception of PCB. Biodegradation is suggested as the predominant secondary mechanism rather than volatilization because substances less volatile than PCB were not found at the end of the experiment

CR 83-04

ICE GROWTH ON POST POND, 1973-1982.

Gow, A.J , et al, Feb. 1983, 25p., ADA-126 334, 15 refs.

Govoni, J W.

40-4676

ICE GROWTH, ICE DETERIORATION, PONDS, SNOW ICE, ICE COVER THICKNESS, METEOROLOGICAL FACTORS, SEASONAL VARIATIONS, ICE MODELS, DEGREE DAYS, STEFAN PROBLEM, UNITED STATES—NEW HAMPSHIRE—POST POND.

Measurements and analysis of seasonal ice growth and decay on Post Pond, New Hampshire, for the period 1973-1982 are presented Observations included ice thickness measurements, examination of the various ice types contributing to the ice cover, and measurements of meteorological parameters for correlation with and modeling of the ice growth process. The overall nature of ice growth and decay (ice loss) on Post Pond has been ascertained, the seasonal variability in the timing of freeze-up and ice-out and the duration of the ice cover have been determined, and the relationship of ice growth to freezing-degree-day records evaluated on the basis of a Stefan conduction equation modified to deal with ice sheets covered with or free of snow. Ice growth occurs predominantly by the direct freezing of lake water, but snow ice may compose as much as 50% of the ice cover in winters with higher than average snowfall. Freeze-up leading to the establishment of a stable ice cover occurs during the 4-week period from the end of November to the end of December. Maximum seasonal ice thicknesses were from 45 to 67 cm and are generally attained during the first two weeks of March, ice-out, marking the final disappearance of ice from Post Pond, usually occurs by the third week of April The overall rate of ice loss is three to four times that of ice growth, and is dominated initially by melting from the top. As much as 50% of the ice may be lost in this way before the onset of any bottom melting Final dissipation of the ice cover is usually expedited by candling resulting from preferential melting and disintegration of the ice at crystal boundaries.

CR 83-05

DYNAMIC ICE-STRUCTURE INTERACTION DURING CONTINUOUS CRUSHING.

Määttänen, M., Feb 1983, 48p., ADA-126 349, 22 refs.

37-3441

ICE SOLID INTERFACE, OFFSHORE STRUCTURES, PILE STRUCTURES, ICE PRESSURE, DYNAMIC LOADS, ICE LOADS, VELOCITY, TESTS.

This report presents the results of dynamic ice-structure interaction model tests conducted at the CRREL Ice Engineering Facility A flexible, single-pile, bottom-founded offshore structure was simulated by a test pile with about a one-to-ten scale ratio Urea (instead of sodium chloride) was used as dopant to scale down the ice properties, resulting in good model ice properties Six ice fields were frozen and 18 tests carried out In all cases distinctive dynamic ice-structure interaction vibrations appeared, from which abundant data were collected In tests with linear ice velocity sweep, sawtooth-shaped ice force fluctuations occurred first. With increasing velocity the natural modes of the test pile were excited, and shifts from one mode to another occurred The maximum ice force values appeared mostly with low loading rates but high forces appeared randomly at high ice velocities As a general trend, ice force maximums, averages and standard deviations decreased with increasing ice velocities The aspect ratio effect of the ice force in continuous crushing follows the same dependence as in static loadings The frequency of observed ice forces is strongly dominated by the natural modes of the structure. Dynamically unstable natural modes tend to make the developing ice force frequencies the same as the natural frequencies

CR 83-06

CHEMICAL FRACTIONATION OF BRINE IN THE MCMURDO ICE SHELF, ANTARCTICA.

Cragin, J H , et al, Mar 1983, 16p., ADA-127 821, 23 refs

Gow, A.J., Kovacs, A

38-688

ICE CORES, ICE SALINITY, ICE COMPOSITION, ICE SHELVES, ICE PHYSICS, ANTARCTICA – MCMURDO SOUND

During the austral summers of 1976-77 and 1978-79, several ice cores were taken from the McMurdo Ice Shelf brine zone to investigate its thermal, physical and chemical properties Chemical analyses of brine samples from the youngest (uppermost) brine wave show that it contains sea salts in normal seawater proportions Further inland, deeper and

older brine layers, though slightly highly saline (S > 200%), are severely depleted in (S04)2-/Na+ ratio being an order of magnitude less than that of normal seawater Analyses of Na+, K+, Ca2+, Mg2+, (So4)2- and Cl-, together with solubility and temperature considerations, show that the sulfate depletion is due to selective precipitation of mirabilite, Na2S041OH2O. The location of the inland boundary of brine penetration is closely related to the depth at which the brine encounters the firn/ice transition. However, a small but measurable migration of brine is still occurring in otherwise impermeable ice, this is attributed to eutectic dissolution of the ice by concentrated brine as it moves into deeper and warmer parts of the McMurdo Ice Shelf (Auth.)

CR 83-07
ANALYSIS OF DIFFUSION WAVE FLOW ROUTING MODEL WITH APPLICATION TO FLOW IN TAILWATERS.
Ferrick, M.G., et al, Mar. 1983, 31p, ADA-128 142, 18 refs.
Bilmes, J., Long, S.E.
39-1252
DAMS, WATER FLOW, WATER WAVES, HYDROLOGY, RIVER FLOW, FLOW MEASUREMENT, MATHEMATICAL MODELS, DIFFUSION.
Peak power generation with hydropower creates tailwater flow conditions characterized by high and low flows with abrupt transitions between these states Flows occurring in tailwaters typically form sharp-fronted, large-amplitude waves of relatively short period An understanding of the mechanics of downstream propagation of these waves is important both for direct application in studies of the tailwater and because of the similarity of these waves to those following a dam break An analysis of the dynamic equations of open channel flow is used to quantify the relative importance of flow wave convection, diffusion and dispersion in rivers. The relative importance of each process is related to the relative magnitude of terms in the dynamic equations, providing a physical basis for model formulation A one-dimensional diffusion wave flow routing model, modified for tailwaters, simulates the important physical processes affecting the flow and is straightforward to apply The model is based upon a numerical solution of the kinematic wave equation

CR 83-08
PROPERTIES OF UREA-DOPED ICE IN THE CRREL TEST BASIN.
Hirayama, K., Mar. 1983, 44p, ADA-128 219, 34 refs
38-4416
DOPED ICE, UREA, ICE STRENGTH, ICE COVER THICKNESS, ICE MECHANICS, HYDRAULICS, FLEXURAL STRENGTH, ICE MODELS, AIR TEMPERATURE, TESTS.
In the course of model tests with urea-doped ice in the CRREL Ice Engineering Facility test basin, the growth process and the physical and mechanical properties of the model ice were investigated The parameters which were varied were: urea concentration in the tank water, air temperature during growth, growth duration, and tempering time Uniformity of ice thickness and ice mechanical properties over the whole tank area were found to be satisfactory The structure of the urea-doped ice was found to be similar to that of the ice except for a relatively thick incubation layer over a dendritic bottom layer. Empirical relationships were established between ice thickness and negative degree-hours, mechanical properties and growth temperature, urea concentration, and ice thickness, and reduction in mechanical properties and tempering time The results of the study are presented in charts which permit reliable scheduling of model tests with required ice thickness and ice flexural strength.

CR 83-09
SHORE ICE RIDE-UP AND PILE-UP FEATURES. PART 1: ALASKA'S BEAUFORT SEA COAST.
Kovacs, A, Mar. 1983, 51p, ADA-127 198, 24 refs
38-394
FAST ICE, ICE PILEUP, ICE OVERRIDE, SEA ICE, SHORES, SHORELINE MODIFICATION, BEACHES, BEAUFORT SEA
Recent observations of shore ice pile-up and ride-up along the coast of the Alaska Beaufort Sea are presented. Information is given to show that sea ice movement on shore has overridden steep coastal bluffs and has thrust inland over 150 m, gouging into and pushing up mounds of beach sand, gravel, boulders and peat and, inland, the tundra material The resulting ice scar morphology was found to remain for tens of years Onshore ice movements up to 20 m are relatively common, but those over 100 m are very infrequent Spring is a dangerous time, when sea ice melts away from the shore, allowing ice to move freely Under this condition, driving stresses of less than 100 kPa can push thick sea ice onto the land

CR 83-10
COMPUTER MODELS FOR TWO-DIMENSIONAL STEADY-STATE HEAT CONDUCTION.
Albert, M R., et al, Apr. 1983, 90p., ADA-128 793, 8 refs.
Phetteplace, G.
38-543
PERMAFROST HEAT TRANSFER, PERMAFROST PHYSICS, FROST ACTION, THERMAL CONDUCTIVITY, UNDERGROUND PIPELINES, BOUNDARY LAYER, COMPUTER PROGRAMS, MATHEMATICAL MODELS.
This report outlines the development and verification of two computer models of two-dimensional steady-state heat conduction including a variety of boundary conditions One is a finite difference program and the other is a finite element program The results of each program are compared to two analytic solutions, and to one another

CR 83-11
RADAR PROFILING OF BURIED REFLECTORS AND THE GROUNDWATER TABLE.
Sellmann, P.V., et al, Apr 1983, 16p., ADA-130 225, 17 refs.
Arcone, S A., Delaney, A.J.
38-544
RADAR ECHOES, SEASONAL FREEZE THAW, WATER TABLE, SUBSURFACE INVESTIGATIONS, PROFILES, GROUND WATER, SOIL FREEZING, GROUND THAWING.
Investigations of ground radar performance over thawed and seasonally frozen silts, and sands and gravels containing artificial and natural reflectors were carried out in Alaska The radar emitted 5-10 ns pulses, the center frequency of which was approximately 150 MHz The artificial reflectors were metal sheets and discs and the natural reflectors were the groundwater table and interfaces between frozen and thawed material

CR 83-12
COMPUTER MODELS FOR TWO-DIMENSIONAL TRANSIENT HEAT CONDUCTION.
Albert, M.R., Apr. 1983, 66p., ADA-134 893, 9 refs.
38-877
HEAT TRANSFER, FREEZE THAW CYCLES, HEAT PIPES, HEATING, MATHEMATICAL MODELS, COMPUTERIZED SIMULATION, PHASE TRANSFORMATIONS.
This paper documents the development and verification of two finite difference models that solve the general two-dimensional form of the heat conduction equation, using the alternative-direction implicit method. Both can handle convective, constant flux, specified temperature and semi-infinite boundaries The conducting medium may be composed of many materials. The first program, ADI, solves for the case where no change of state occurs ADIPC solves for the case where a freeze/thaw change of phase may occur, using the apparent heat capacity method Both models are verified by comparison to analytical results

CR 83-13
REVIEW OF THE PROPAGATION OF INELASTIC PRESSURE WAVES IN SNOW.
Albert, D.G., Apr. 1983, 26p., ADA-128 714, 35 refs
38-4417
SNOW ELASTICITY, EXPLOSIVES, WAVE PROPAGATION, PRESSURE, ELASTIC WAVES, DETONATION WAVES, TESTS.
A review on past experimental and theoretical work indicates a need for additional experimentation to characterize the response of snow to inelastic pressure waves Pressure data from previously conducted explosion tests are analyzed to estimate the elastic limit of snow of 400 kg/cu m density to be about 36 kPa This pressure corresponds to a scaled distance of 1 6 m/kg exp 1/3 for charges fired beneath the surface of the snow, and to a scaled distance of 1 2 m/kg exp 1/3 for charges fired in the air The effects of a snow cover on the method of clearing a minefield by using an explosive charge fired in the air above the snow surface are also discussed and recommendations are given for further work in this area Explosive pressure data are used to estimate the maximum effective scaled radius for detonating buried mines at shallow depth to be 0 8 kg exp 1/3 Fuel-air explosive will increase this effective radius significantly because of the increase in the size of the source region

CR 83-14
STUDY ON THE TENSILE STRENGTH OF ICE AS A FUNCTION OF GRAIN SIZE.
Currier, J H, et al, May 1983, 38p, ADA-134 889, 30 refs
Schulson, E M, St Lawrence, W F.
38-2189
ICE CRYSTAL STRUCTURE, TENSILE PROPERTIES, ICE STRENGTH, ICE CRACKS, GRAIN SIZE, ICE DEFORMATION, COMPRESSIVE PROPERTIES, BRITTLENESS, FRACTURING
An analysis of ice fracture that incorporates dislocation mechanics and linear elastic fracture mechanics is discussed The derived relationships predict a brittle to ductile transition in polycrystalline ice under tension with a Hall-Petch type dependence of brittle fracture strength on grain size. A uniaxial tensile testing technique, including specimen preparation and loading system design was developed and employed to verify the model The tensile strength of ice in purely brittle fracture was found to vary with the square root of the reciprocal of grain size, supporting the relationship that the theory suggests The inherent strength of the ice lattice and the Hall-Petch slope are evaluated and findings discussed in relation to previous results Monitoring of acoustic emissions was incorporated in the tests, providing insights into the process of microfracture during ice deformation

CR 83-15
LAKE WATER INTAKES UNDER ICING CONDITIONS.
Dean, A.M., Jr., May 1983, 7p, ADA-128 757, 52 refs.
38-4418
WATER INTAKES, ICE CONDITIONS, ICE PREVENTION, LAKE WATER, ICE MECHANICS, DESIGN CRITERIA, ICING.
An intake may be restricted or clogged by active frazil, passive frazil brash, or a combination of these ice forms. The exact nature of the interactions among the intake structure, the ice and the hydraulic and meteorological conditions that lead to icing problems is extremely site-specific The better these parameters are quantified, the more tailored and economical the solution A defense against these ice forms may be formulated in four areas the origin of the ice, the transportation mechanics of the ice, the accumulation characteristics of the ice, and the form of the ice when it is in the area of influence of the intake To produce a lake intake structure that minimizes or eliminates icing problems, one may devise an unconstrained or a constrained design. To evaluate solutions to icing problems and/or to supplement incomplete data, a scale-model investigation is recommended. A universal, unconstrained solution would be extremely expensive The more data available through site monitoring and model studies, the better the problem (and therefore the solution) can be bracketed This paper provides guidance for developing a site-specific solution

CR 83-16
DEVELOPING A MODEL FOR PREDICTING SNOWPACK PARAMETERS AFFECTING VEHICLE MOBILITY.
Berger, R.H., May 1983, 26p., ADA-134 878, Refs. p.23-26.
38-878
SNOW COVER EFFECT, TRAFFICABILITY, VEHICLES, SNOW DEPTH, SNOW DENSITY, SNOW ACCUMULATION, ABLATION, TEMPERATURE EFFECTS, MODELS.
The presence of snow on the ground can impose limitations on the mobility of wheeled and tracked vehicles. Snow depth and density are the two most easily measured snow properties that can be related to mobility over snow Existing models of snowpack accumulation and ablation processes and models of internal snowpack structure were examined to determine if a model of the snowpack can be developed for use in predicting the snow parameters that affect mobility Simple models, such as temperature index models, do not provide sufficient snowpack details and the more detailed models required too many measured inputs Components of the various models were selected from a basis of a snowpack model for predicting snow properties related to mobility over snow Methods of obtaining the input data for some components are suggested and areas where more development is needed are described

CR 83-17
COMPARISON OF SEA ICE MODEL RESULTS USING THREE DIFFERENT WIND FORCING FIELDS.
Tucker, W.B., June 1983, 11p., ADA-134 462, 11 refs.
38-879
ICE MODELS, SEA ICE, WIND PRESSURE, ICE MECHANICS, ATMOSPHERIC PRESSURE, ICE COVER THICKNESS
A sea ice model was applied to the East Greenland Sea to examine a 60-day ice advance period beginning 1 October 1979 This investigation compares model results using driving geostrophic wind fields derived from three sources Winds calculated from sea-level pressures obtained from the National Weather Service's operational analysis system resulted in strong velocities concentrated in a narrow band adjacent to the Greenland coast, with moderate velocities elsewhere The model showed excessive ice transport and thickness build ups in the coastal region The extreme pressure gradient parallel to the coast resulted partially from a pressure reduction procedure that was applied to the terrain-following sigma coordinate system to obtain sea level pressures Additional sea level pressure fields were obtained from an independent optimal interpolation analysis that merged FGGE buoys drifting in the Arctic basin with high latitude land stations and from manual digitization of the NWS hand-analyzed Northern Hemisphere Surface Charts Modeling results using winds derived from both of these fields agreed favorably

CR 83-18
DETECTION OF CAVITIES UNDER CONCRETE PAVEMENT.
Kovacs, A., et al, July 1983, 41p., ADA-131 851, 10 refs.
Morey, R.M.
38-470
CONCRETE PAVEMENTS, CAVITATION, RADAR ECHOES, DETECTION, CRACKING (FRACTURING), PROFILES.
An evaluation of an impulse radar system for detecting cavities under concrete pavement is discussed, and field results are presented. It was found that a dual antenna mode of surveying was ideal for void detection In this mode one antenna operated in a transceive mode and a second, offset from the first, operated in a receive-only mode. This arrangement allowed a refraction-type profile survey to be performed, which enabled subpavement voids to be easily detected Field trials were held at Plattsburgh Air Force Base, where 28 cavities were detected and mapped Drilling of holes verified that a cavity existed and allowed cavity depth to be measured The cavities varied from 1 5 in. to 23 in in depth and were up to 20 ft long.

CR 83-19
ICE FORCES ON MODEL BRIDGE PIERS.
Haynes, F.D., et al, July 1983, 11p., ADA-133 082, 20 refs.
Sodhi, D.S., Kato, K., Hirayama, K.
38-395
ICE PRESSURE, ICE LOADS, ICE SOLID INTERFACE, ICE PUSH, ICE MECHANICS, BRIDGES, PIERS, ICE STRENGTH, MODELS, FLEXURAL STRENGTH, TESTS.
Small-scale laboratory experiments were conducted on model bridge piers in the CRREL test basin. The experiments were performed by pushing model ice sheets against structures and monitoring the ice forces during the ice/structure interaction. The parameters, varied during the test program, were the geometry of the bridge piers and the velocity, thickness, and flexural strength of the ice. The results are presented in the form of ice forces on sloping and vertical structures with different geometries During ice action on sloping structures, a phenomenon of transition of failure mode from bending to crushing was observed as the ice velocity was steadily increased.

CR 83-20
LAND TREATMENT RESEARCH AND DEVELOPMENT PROGRAM: SYNTHESIS OF RESEARCH RESULTS.
Iskandar, I K., et al, Aug. 1983, 144p., ADA-134 540, Refs. p.63-124.
Wright, E.A.
38-4419
WASTE TREATMENT, WATER TREATMENT, SANITARY ENGINEERING, LAND RECLAMATION, DESIGN CRITERIA, RESEARCH PROJECTS.
The major objective of the Corps of Engineers Land Treatment Research and Development Program was to provide, through research, definitive criteria and procedures to enable the cost-effective and environmentally safe use of land treatment of municipal wastewater This research included long-term field experiments at different locations within the United States to establish design criteria, laboratory research to understand and solve fundamental problems, and evaluation of existing land treatment systems to document long-term performance The information gathered from the land treatment research program has been published in more than 240 technical publications on regional planning, site selection, design procedures, mechanisms of wastewater renovation, site management, site monitoring and environmental effects. During the land treatment program an active technology transfer effort was maintained to transmit research results directly to users The LTRP clearly demonstrated that land treatment is an attractive alternative to other waste treatment practices It was also shown that the direct benefits of the program, in terms of increased cost-effectiveness from improved design, were much greater than the program's cost.

CR 83-21
STATISTICAL ASPECTS OF ICE GOUGING ON THE ALASKAN SHELF OF THE BEAUFORT SEA.
Weeks, W.F., et al, Sep. 1983, 34p. + map, ADA-134 428, Refs. p 32-34.
Barnes, P.W., Rearic, D.M., Reimnitz, E
38-880
ICE SCORING, OCEAN BOTTOM, BOTTOM TOPOGRAPHY, OFFSHORE DRILLING, OFFSHORE STRUCTURES, SEA ICE, STATISTICAL ANALYSIS, BEAUFORT SEA.
The statistical characteristics of ice-produced gouges in the sea floor along a 190-km stretch of the Alaskan coast of the Beaufort Sea between Smith Bay and Camden Bay are studied, based on 1500 km of precision fathometry and side-looking sonar records that were obtained between 1972 and 1979 in water depths to 38 m The probability density function of the gouge depths into the sediment is represented by a simple negative exponential over four decades of gouge frequency The deepest gouge observed was 3 6 m, from a sample of 20,354 gouges that have depths greater than or equal to 0.2 m. The dominant gouge orientations are usually unimodal and reasonably clustered, with the most frequent alignments roughly parallel to the general trend of the coastline The value of the mean number of gouges (deeper than 0 2 m) per kilometer measured normal to the trend of the gouges, varies from 0 2 for protected lagoons to 80 in water between 20 and 38 m deep in unprotected offshore regions. The distribution of the spacings between gouges as measured along a sampling track is a negative exponential. The form of the frequency distribution of the mean number of gouges varies with water depth and is exponential for lagoons and shallow offshore areas, positively skewed for 10 to 20 m depths off the barrier islands, and near-normal for deeper water. As a Poisson distribution gives a reasonable fit to the mean number of gouges distributions for all water depths, it is suggested that gouging can be taken as approximating a Poisson process in both space and time The distributions of the largest values per kilometer of gouge depths, gouge widths, and heights of the lateral embankments of sediments plowed from the gouges are also investigated Limited data on gouging rates give an average of 5 gouges per kilometer per year Examples are given of the application of the data set to hypothetical design problems associated with the production of oil from areas in the Alaskan portion of the Beaufort Sea.

CR 83-22
TRANSPORT OF WATER IN FROZEN SOIL. 1. EXPERIMENTAL DETERMINATION OF SOIL-WATER DIFFUSIVITY UNDER ISOTHERMAL CONDITIONS.
Nakano, Y., et al, Aug. 1983, 8p., ADA-135 419, For another source see 37-4218. 13 refs.
Tice A.R., Oliphant, J.L., Jenkins, T.F.
38-4462
FROZEN GROUND MECHANICS, SOIL WATER MIGRATION, FROST HEAVE, UNFROZEN WATER CONTENT, SOIL MECHANICS, WATER TRANSPORT, ANALYSIS (MATHEMATICS), EXPERIMENTATION.
A new experimental method for measuring the soil-water diffusivity of frozen soil under isothermal conditions is introduced. The theoretical justification of the method is presented and the feasibility of the method is demonstrated by experiments conducted using marine-deposited clay The measured values of the soil-water diffusivity are found comparable to reported experimental data

CR 83-23
STRESS MEASUREMENTS IN ICE.
Cox, G.F.N., et al, Aug. 1983, 31p., ADA-133 906, 29 refs.
Johnson, J.B.
38-4463
ICE PHYSICS, STRESSES, LOADS (FORCES), ICE CREEP, ICE ELASTICITY, MEASURING INSTRUMENTS, ANALYSIS (MATHEMATICS), TESTS.
The problems associated with measuring stresses in ice are reviewed Theory and laboratory test results are then presented for a stiff cylindrical sensor made of steel that is designed to measure ice stresses in a biaxial stress field. Loading tests on freshwater and saline ice blocks containing the biaxial ice stress sensor indicate that the sensor has a resolution of 20 kPa and an accuracy of better than 15% under a variety of uniaxial and biaxial loading conditions Principal stress directions can also be determined within 5 deg The biaxial ice stress sensor is not significantly affected by variations in the ice elastic modulus, ice creep or differential thermal expansion between the ice and gauge The sensor also has a low temperature sensitivity (5 kPa degC).

CR 83-24
SENSITIVITY OF PLANT COMMUNITIES AND SOIL FLORA TO SEAWATER SPILLS, PRUDHOE BAY, ALASKA.
Simmons, C.L., et al, Sep. 1983, 35p., ADA-136 619, 22 refs.
Everett, K.R., Walker, D.A., Linkins, A.E., Webber, P.J
38-4464
TUNDRA, VEGETATION, SEA WATER, POLLUTION, ENVIRONMENTAL IMPACT, WATER TREATMENT, SALT WATER, SOIL WATER, SOIL MICROBIOLOGY, ROOTS, DAMAGE
Secondary recovery of oil at Prudhoe Bay, Alaska, will involve transporting large quantities of seawater in elevated pipelines across tundra for injection into oil-bearing rock strata The possibility of a pipeline rupture raises questions concerning the effects of seawater on tundra vegetation and soils To evaluate the relative sensitivities of differe... plant communities to seawater, eight sites representing the range of vegetation types along the pipeline route were treated with single, saturating applications of seawater during the summer of 1980 Live (green) bryophyte cover was markedly reduced in the moist experimental sites in 1981 Bryophytes in all but one of the wet-site experimental plots were apparently unaffected by the seawater treatment Two species of foliose lichens treated with seawater showed marked deterioration in 1981 All other lichen taxa were apparently unaffected by the seawater treatment On spill sites, microbial-related soil respiration and hydrolysis of cellulose and organic phosphorus were significantly reduced, as were soil enzymes and viable microbial biomass, for up to one year after treatment. Ectomycorrhizal roots of *Salix* on the treated plots showed a significant reduction in viable biomass, number of mycorrhizal roots, and respiration rates of the viable roots.

CR 83-25
ICE ACTION ON PAIRS OF CYLINDRICAL AND CONICAL STRUCTURES.
Kato, K., et al, Sep. 1983, 35p., ADA-134 595, 22 refs.
Sodhi, D.S.
38-881
BRIDGES, PIERS, ICE LOADS, OFFSHORE STRUCTURES, ICE PRESSURE, ICE SOLID INTERFACE, COMPRESSIVE PROPERTIES, FLEXURAL STRENGTH, TESTS.
Ice action on two cylindrical and conical structures, located side by side, has been investigated in a small-scale experimental study to determine the interference effects on the ice forces generated during ice-structure interaction. The proximity of the two structures changes the mode of ice failure, the magnitude and direction of ice forces on the individual structure, and the dominant frequency of ice force variations. Interference effects were determined by comparing the experimental results of tests at different structure spacings.

CR 83-26
MECHANICAL ICE RELEASE PROCESSES. 1. SELF-SHEDDING FROM HIGH-SPEED ROTORS.
Itagaki, K., Oct. 1983, 8p., ADA-135 369, 19 refs.
38-4465
ICE REMOVAL, PROPELLERS, ICING, ICE ACCRETION, SUPERCOOLED FOG, ICE FORMATION, ICE ADHESION, ICE STRENGTH, ICE CONTROL, TENSILE PROPERTIES, ANALYSIS (MATHEMATICS).
Ice accreted on high-speed rotors operating in supercooled fog can be thrown off by centrifugal force, creating severe unbalance and dangerous projectiles A simple force balance analysis indicates that the strength of accreted ice and its adhesive strength can be obtained by measuring the thickness of the accretion, the location of the separation, the rotor speed and the density. Such an analysis was applied to field and laboratory observations of self-shedding events. The results agree reasonably well with other observations.

CR 83-27
DRIVING TRACTION ON ICE WITH ALL-SEASON AND MUD-AND-SNOW RADIAL TIRES.
Blaisdell, G.L., Nov. 1983, 22p., ADA-136 115, 9 refs.
38-2555
RUBBER ICE FRICTION, TRACTION, TIRES, RUBBER SNOW FRICTION, ICE TEMPERATURE, ADHESION, DESIGN.
This study reports on a comparison of the driving traction performance on ice of a selected group of all-season radial tires with mud-and-snow radial tires In addition to performance variation due to tread design, the effects of tire inflation pressure and ice temperature are explored The results indicate that no significant tractive advantage on ice can be attributed to tread design. The contribution of tire tread to traction on ice is completely overshadowed by adhesion between the ice and the compound which makes up the tire's contact surface. Based on adhesion, a slight favoring of all-season tires is found Increasing ice temperature generally decreased the tractive capability of a specific tire For several tires, however, the opposite was true. Reduced inflation pressure also caused a slight decrease in the tractive performance parameters calculated

CR 83-28
LONG-TERM PLANT PERSISTENCE AND RESTORATION OF ACIDIC DREDGE SOILS WITH SEWAGE SLUDGE AND LIME.
Palazzo, A.J., Dec. 1983, 11p., ADA-137 451, 31 refs.
38-1658
DREDGING, SOIL CHEMISTRY, SEWAGE TREATMENT, REVEGETATION, LIMING, SLUDGES, LAND RECLAMATION, GRASSES.
A field study was conducted to determine whether sewage sludge and lime could be useful as soil amendments on acidic (pH 2 4) and infertile dredged spoils and to evaluate grasses that may be suitable for restoring acidic dredged spoils. Applications of dolomitic limestone in combination with sewage sludge or commercial fertilizer and topsoil improved soil fertility and produced a better overall growth environment at the site. Metal concentrations resulting from sludge applications increased but not to excessive levels. Movement of metals below the 20-cm depth was noted for the extractible forms of zinc, copper and nickel A total of 29 grass treatments, containing grasses seeded alone or in combinations and receiving the sludge/lime treatment, were evaluated over a seven-year period, and selected grasses were analyzed for mineral composition All grass species showed good establishment on the amended acidic spoil.

CR 83-29
EROSION OF PERENNIALLY FROZEN STREAMBANKS.
Lawson, D.E., Dec. 1983, 22p., ADA-138 410, Refs. p.14-17.
38-4466
SHORE EROSION, PERMAFROST THERMAL PROPERTIES, BANKS (WATERWAYS), FROZEN GROUND STRENGTH, SOIL EROSION, STABILITY, GULLIES, SHORELINE MODIFICATION, STREAMS, TEMPERATURE EFFECTS, HYDRAULICS.

A literature review indicated that the effects of permafrost on streambank erodibility and stability are not yet understood because systematic and quantitative measurements are seriously lacking Consequently, general controversy exists as to whether perennially frozen ground inhibits lateral erosion and bankline recession, or whether it increases bank recession rates. Perennially frozen streambanks erode because of modification of the bank's thermal regime by exposure to air and water, and because of various erosional processes. Factors that determine rates and locations of erosion include physical, thermal and structural properties of bank sediments, stream hydraulics and climate Thermal and physical modification of streambanks may also induce accelerated erosion within permafrost terrain removed from the immediate river environment. Bankline or bluffline recession rates are highly variable, ranging from less than 1 m/year to over 30 m/year and, exceptionally, to over 60 m/year. Long-term observations of the physical and thermal erosion processes and systematic ground surveys and measurements of bankline-bluffline recession rates are needed

CR 83-30
ICE SHEET RETENTION STRUCTURES.
Perham, R.E., Dec. 1983, 33p., ADA-138 030, Refs. p.27-29.
38-4467
ICE CONTROL, ICE BOOMS, STABILIZATION, ICE SHEETS, ICE COVER, FRAZIL ICE.

Ice sheets are formed and retained in several ways in nature, and an understanding of these factors is needed before most structures can be successfully applied. Many ice sheet retention structures float and are somewhat flexible; others are fixed and rigid or semirigid. An example of the former is the Lake Erie ice boom and of the latter, the Montreal ice control structure. Ice sheet retention technology is changing. The use of timber cribs is gradually but not totally giving way to sheet steel pilings and concrete cells New structures and applications are being tried but with caution. Ice-hydraulic analyses are helpful in predicting the effects of structures and channel modifications on ice cover formation and retention. Often, varying the flow rate in a particular system at the proper time will make the difference between whether a structure will or will not retain ice The structure, however, invariably adds reliability to the sheet ice retention process

CR 83-31
MECHANICS OF ICE JAM FORMATION IN RIVERS.
Ackermann, N.L., et al, Dec. 1983, 14p., ADA-138 371, For another version see 36-3281. 12 refs.
Shen, H.T.
38-4468
ICE JAMS, ICE FORMATION, ICE MECHANICS, RIVER ICE, RIVER FLOW, HYDRAULICS, ICE CROSSINGS, COMPUTER PROGRAMS, MATHEMATICAL MODELS.

A mathematical model is described that is used to determine the maximum ice conveyance capacity of a river channel. Based upon this model, computer programs were developed that enable the ice discharge to be calculated for steady-state flow conditions For rivers that have uniform flow, the maximum ice-conveying capacity can be described with a simple function expressed in terms of the size of the ice fragments, channel geometry, and the flow of water in the river For nonuniform flows, the computer program determines the elevation profile of the surface layer in addition to other flow characteristics, such as the velocity and surface concentration of the ice fragments The location along this surface profile where the ice conveyance capacity becomes less than the upstream supply is determined and is considered to be the position where a surface ice jam or ice bridge will be formed

CR 83-32
ICE FORCE MEASUREMENTS ON A BRIDGE PIER IN THE OTTAUQUECHEE RIVER, VERMONT.
Sodhi, D S., et al, Dec. 1983, 6p., ADA-139 425, 2 refs.
Kato, K., Haynes, F.D
38-4469
ICE LOADS, ICE FLOES, PIERS, BRIDGES, ICE PRESSURE, RIVER ICE, WATER LEVEL, ICE STRENGTH, ICE MECHANICS.

Ice forces on a bridge pier in the Ottauquechee River, in Quechee, Vermont, were measured by installing four panels —each capable of measuring forces in the normal and tangential direction—on both sides of a vertical V-shaped pier nose The measured forces are presented for a short period during an ice run After the ice run, the thickness and sizes of the ice floes were measured and the compressive strength of the ice was determined in the laboratory from the ice samples collected along the river banks The water level measurements made at several locations along the river are also presented for the period of the ice run.

CR 83-33
THERMODYNAMIC MODEL OF CREEP AT CONSTANT STRESSES AND CONSTANT STRAIN RATES.
Fish, A.M., Dec. 1983, 18p., ADA-139 883, Refs. p.16-18.
38-4470
SOIL CREEP, FROZEN GROUND THERMODYNAMICS, FROZEN GROUND MECHANICS, ICE MECHANICS, STRESSES, STRAINS, RHEOLOGY, MATHEMATICAL MODELS.

A thermodynamic model has been developed that for the first time describes the entire creep process, including primary, secondary, and tertiary creep, and failure for both constant stress (CS) tests and constant strain rate (CSR) tests, in the form of a unified constitutive equation and unified failure criteria. Deformation and failure are considered as a single thermoactivated process in which the dominant role belongs to the change of entropy. Failure occurs when the entropy change is zero. At the moment the strain rates in CS tests reach the minima and stress in CSR tests reaches the maximum (peak) values Families of creep and stress-strain curves, obtained from uniaxial compression CS and CSR tests of frozen soil, respectively (both presented in dimensionless coordinates), are plotted as straight lines and are superposed, confirming the unity of the deformation and failure process and the validity of the model A method is developed for determining the parameters of the model, so that creep deformation and the stress-strain relationship of ductile materials such as soils can be predicted based upon information obtained from either type of test

CR 84-01
TOWARD IN-SITU BUILDING R-VALUE MEASUREMENT.
Flanders, S.N., et al, Jan. 1984, 13p., ADA-139 917, 8 refs.
Marshall, S J.
38-4471
THERMAL CONDUCTIVITY, BUILDINGS, THERMAL INSULATION, WALLS, HEAT FLUX, TEMPERATURE MEASUREMENT, INFRARED PHOTOGRAPHY, ACCURACY.

A technique for measuring the thermal resistance (R-value) of large areas of building envelope is under development It employs infrared thermography to locate radiant temperature extremes on a building surface and to provide a map of normalized temperature values for interpolation between locations Contact thermal sensors (thermocouples for temperature and thermopiles for heat flow) are used to calculate the R-value at specific locations by summing the output from each sensor until the ratio between temperature difference from inside to outside surface and heat flow converges to a constant value R-value measurements of a wood frame insulated wall were within 13% of the expected theoretical value. Similar measurements of a masonry wall were 31 and 43% less than expected Experimentation demonstrated that a large ratio between temperature difference was the single most important variable affecting accuracy and speed of convergence Thermal guards around heat flow sensors were of little value, according to both experimentation and computer simulation Attempts to match the absorptivity of sensors with their surroundings may have been insufficient to diminish about 10% of the remaining error in measurement Lateral heat flow and convection may have been significant problems for accuracy in the masonry construction Currently, an investigator cannot rely on the literature for guidance in assessing the limitations on accuracy for in-situ building R-value measurement.

CR 84-02
ELECTROMAGNETIC PROPERTIES OF SEA ICE.
Morey, R.M , et al, Jan. 1984, 32p., ADA-140 330, 26 refs
Kovacs, A , Cox, G.F.N
38-4472
ICE ELECTRICAL PROPERTIES, SEA ICE, ELECTROMAGNETIC PROPERTIES, DIELECTRIC PROPERTIES, ELECTRICAL RESISTIVITY, ICE SPECTROSCOPY, ICE CRYSTAL STRUCTURE, ANISOTROPY, BRINES

Investigations of the in situ complex dielectric constant of sea ice were made using time-domain spectroscopy It was found that (1) for sea ice with a preferred horizontal crystal c-axis alignment, the anisotropy or polarizing properties of the ice increased with depth, (2) brine inclusion conductivity increased with decreasing temperature down to about -8 C, at which point the conductivity decreased with decreasing temperature, (3) the DC conductivity of sea ice increased with increasing brine volume, (4) the real part of the complex dielectric constant is strongly dependent upon brine volume but less dependent upon the brine inclusion orientation, (5) the imaginary part of the complex dielectric constant was strongly dependent upon brine inclusion orientation but much less dependent upon brine volume Because the electromagnetic (EM) properties of sea ice are dependent upon the physical state of the ice, which is continually changing, it appears that only trends in the relationships between the EM properties of natural sea ice and its brine volume and brine inclusion microstructure can be established.

CR 84-03
MODEL TESTS ON TWO MODELS OF WTGB 140-FOOT ICEBREAKER.
Tatinclaux, J.C., Jan. 1984, 17p., ADA-139 882, 10 refs.
38-4473
ICEBREAKERS, ICE COVER STRENGTH, ICE CONDITIONS, ICE BREAKING, UREA, DOPED ICE, MODELS.

The results of resistance tests in level ice and broken ice channels are presented for two models of the WTGB 140-ft icebreaker at scales of 1 10 and 1 24, respectively No scale effect on the resistance in level ice could be detected between the two models From the test results an empirical predictor equation for the full scale ice resistance is derived Predicted resistance is compared against, and found to be 25 to 40% larger than, available full-scale values estimated from thrust measurements during full-scale trials of the Great Lakes icebreaker *Katmai Bay*

CR 84-04
EFFECTIVENESS AND INFLUENCES OF THE NAVIGATION ICE BOOMS ON THE ST. MARYS.
Perham, R.E., Jan 1984, 12p., ADA-139 908, 8 refs.
38-4474
ICE NAVIGATION, ICE BOOMS, RIVER ICE, ICE BREAKING, ICE CONTROL, ICE BREAKUP, ICE MECHANICS, ICE COVER THICKNESS.

Ice problems developed in the Sault Ste. Marie, Michigan, portion of the St. Marys River because of winter navigation. Passing ships and natural influences moved ice from Soo Harbor into Little Rapids Cut in sufficient quantities to jam, cause high water in the harbor, and prevent further ship passage. After physical model and engineering studies, two ice booms with a total span of 1375 ft (419 m) with a 250-ft (76-m) navigation opening between were installed at the head of Little Rapids Cut in 1975 A modest field study program on the booms was conducted for the ensuing four winters to determine ice and boom interaction and the effects of ship passages on the system. Forces on some anchors were recorded and supplemental data were taken by local personnel. Several reports have been written about the booms' early operations. This paper presents a four-year summary of the main effects of the boom on ice and ship interaction and vice versa Throughout the four winter seasons, the small quantities of ice lost over and between the booms were manageable. Ships usually passed through the boom without influencing the boom force levels, but at times they brought about large changes One boom needed strengthening, and artificial islands were added for upstream ice stability Coast Guard icebreakers were also a necessary part of winter navigation in this area

CR 84-05
MORPHOLOGY AND ECOLOGY OF DIATOMS IN SEA ICE FROM THE WEDDELL SEA.
Clarke, D.B., et al, Feb. 1984, 41p., ADA-141 994, Refs. p.12-14.
Ackley, S.F., Kumai, M.
38-4501
ICE COMPOSITION, ALGAE, PACK ICE, SEA ICE, PLANKTON, ICE CORES, ICE COVER THICKNESS, ICE SALINITY, ECOLOGY, CLASSIFICATIONS, ANTARCTICA—WEDDELL SEA.

Diatom species composition and relative abundances were determined for ice cores obtained from Weddell Sea pack ice during the October-November 1981 Weddell Polynya expedition (WEPOLEX) Ice thickness and salinity indicate that the ice was less than one year old The predominant ice type (70%) was frazil, which has the capacity to mechanically incorporate biological material through nucleation and scavenging Diatoms were found throughout the length of the cores Species showed down-core fluctuations in abundance that appeared to be correlated with changes in ice type Pennate forms were more abundant than centrics, the average ratio being 16 1 Diatom frustules with intact organic material were more abundant (50 million cells/liter) Differences in species abundances are attributed initially to incorporation of algal cells from a temporally changing water column and subsequently to diatom reproduction within the ice Scanning electron micrographs illustrating the morphologic characteristics of the predominant species are included

CR 84-06
AEROSOL GROWTH IN A COLD ENVIRONMENT.
Yen, Y -C., Feb 1984, 21p., ADA-139 907, 4 refs.
38-4475
AEROSOLS, GROWTH, HEAT TRANSFER, MASS TRANSFER, VAPOR DIFFUSION, COLD WEATHER TESTS, ANALYSIS (MATHEMATICS), DROPS (LIQUIDS), TEMPERATURE EFFECTS

An expression relating aerosol growth to cold environmental conditions was developed This was accomplished by solving the diffusion equation with the method of Laplace transformation The series solution was expressed in terms of the ratio of vapor density over droplet surface to droplet density, ratio of environmental vapor density at time zero to vapor

density over droplet surface, and ratio of product of diffusion coefficient and time to square of initial radius of condensation nucleus. To take into account the variation of the vapor density over the surface of an acidic condensation nucleus due to the continuous dilution of the droplet, the solution was obtained by assuming various levels of constant vapor concentration

CR 84-07
FORCE DISTRIBUTION IN A FRAGMENTED ICE COVER.
Stewart, D.M., et al, Mar. 1984, 16p., ADA-142 100, 10 refs.
Daly, S.F.
38-4476
ICE FLOES, SHEAR STRESS, FLOATING ICE, LOADS (FORCES), ICE BOOMS, ICE LOADS, RIVER ICE, ICE COVER THICKNESS, SHORES, EXPERIMENTATION.
Experiments were conducted in CRREL's refrigerated flume facility to examine the two-dimensional force distribution of a floating, fragmented ice cover restrained by a boom in a simulated river channel. To determine the force distribution, a vertically walled channel, instrumented for measuring normal and tangential forces, and an instrumented restraining boom were installed in a 40.0- by 1.3-m flume. Two sizes of polyethylene blocks and two similar sizes of freshwater ice blocks were tested using water velocities ranging from 10 to 30 cm/s. The forces measured at the instrumented boom leveled off with increasing cover length. The contribution of the increasing shear forces developed along the shorelines to this leveling off in the data was clearly evident. The shear coefficients of the polyethylene blocks averaged 0.43, and the freshwater ice averaged 0.044. The normal force measured along the instrumented shoreline could not be related simply by a K coefficient to the longitudinal force; another expression was required, with a term being a function of the cover thickness and independent of the undercover shear stress or cover length. By adding this term, good agreement was then found between the measured and predicted values of the boom forces and the shoreline normal and shear forces

CR 84-08
MECHANICAL PROPERTIES OF MULTI-YEAR SEA ICE. TESTING TECHNIQUES.
Mellor, M., et al, Apr. 1984, 39p., ADA-144 431, 17 refs.
Cox, G.F.N., Bosworth, H.
39-382
ICE MECHANICS, SEA ICE, STATIC LOADS, COMPRESSIVE PROPERTIES, TENSILE PROPERTIES, EQUIPMENT, ICE SAMPLING, TESTS.
This report describes the equipment and procedures that were used for acquiring, preparing and testing samples of multi-year sea ice. Techniques and procedures are discussed for testing ice samples in compression and tension at constant strain rates and constant loads, as well as in a conventional triaxial cell. A detailed account is given of the application and measurement of forces and displacements on the ice test specimens under these different loading conditions

CR 84-09
MECHANICAL PROPERTIES OF MULTI-YEAR SEA ICE. PHASE 1: TEST RESULTS.
Cox, G.F.N., et al, Apr. 1984, 105p., ADA-144 132, 21 refs.
Richter-Menge, J.A., Weeks, W.F., Mellor, M., Bosworth, H.
39-98
ICE MECHANICS, SEA ICE, PRESSURE RIDGES, ICE STRENGTH, COMPRESSIVE PROPERTIES, TENSILE PROPERTIES, STATIC LOADS, ICE PHYSICS, ICE SAMPLING, ICE FLOES, STATISTICAL ANALYSIS.
This report presents the results of the first phase of a test program designed to obtain a comprehensive understanding of the mechanical properties of multi-year sea ice from the Alaskan Beaufort Sea. In Phase I, 222 constant-strain-rate uniaxial compression tests were performed on ice samples from ten multi-year pressure ridges to examine the magnitude and variation of ice strength within and between pressure ridges. A limited number of constant-strain-rate compression and tension tests, constant-load compression tests, and conventional triaxial tests were also performed on ice samples from a multi-year floe to provide preliminary data for developing ice yield criteria and constitutive laws for multi-year sea ice. Data are presented on the strength, failure strain, and modulus of multi-year sea ice under different loading conditions. The statistical variation of ice strength within and between pressure ridges is examined, as well as the effects of ice temperature, porosity, structure, strain rate and confining pressure on the mechanical properties of multi-year sea ice

CR 84-10
MODELING TWO-DIMENSIONAL FREEZING USING TRANSFINITE MAPPINGS AND A MOVING-MESH FINITE ELEMENT TECHNIQUE.
Albert, M.R., May 1984, 45p., ADA-144 131, 29 refs.
39-383
FREEZING, PHASE TRANSFORMATIONS, HEAT TRANSFER, BOUNDARY VALUE PROBLEMS, MATHEMATICAL MODELS, LATENT HEAT.
Freezing phase change problems in conduction heat transfer represent a set of moving boundary problems for which much interest currently exists. In the work presented here, two-dimensional freezing is modeled by incorporating the use of transfinite mappings with a moving-mesh finite element technique. The use of transfinite mapping in governing interior mesh motion is shown to provide very acceptable results and is demonstrated to be the most efficient general computational technique used to date. The model developed is capable of using either Cartesian or (r,z) cylindrical coordinates. Both frozen and unfrozen phases may be modeled when conduction governs behavior in both. In the case of freezing of a fluid as it flows through a pipe the usefulness of always having the phase boundary coincident with element boundaries is demonstrated. Results of the model are shown to compare well with analytical and experimental results. A von Neumann stability analysis is performed for the numerical solution and tends to support the observation that the occurrence of a high Peclet number in the moving-mesh model of heat conduction may produce distortions of the numerical solution

CR 84-11
SEA ICE DATA BUOYS IN THE WEDDELL SEA.
Ackley, S.F., et al, May 1984, 18p., ADA-144 953, 6 refs.
Holt, E.T.
39-384
SEA ICE DISTRIBUTION, PACK ICE, DRIFT, WEATHER OBSERVATIONS, DRIFT STATIONS, ATMOSPHERIC PRESSURE, AIR TEMPERATURE, ANTARCTICA—WEDDELL SEA.
Data obtained from two sets of data buoys either air-dropped or deployed by ship onto the Weddell Sea pack ice during the period from Dec 1978 to Nov 1980 are presented. The buoy data include position, pressure and temperature information and to date represent the most complete combined weather and pack ice drift records for the ice-covered southern ocean regions. The buoys tended to drift north initially and then to turn east generally between latitudes 62°S and 64°S. Buoy 1433 turned east farther south at approximately 67°S but at about the same time as buoy 0527, implying that the westerly wind belt was farther south than usual in 1979. The range of air pressures—from about 950 mb to about 1020 mb—is typical of the circumpolar low pressure trough in the Southern Hemisphere. All buoys were equipped with an internal or compartment temperature sensor. The buoys also contained an external air temperature sensor in a ventilated, shielded can at 1-m height. Although differences of 10°C or more between recorded air and compartment temperatures are common, the correlation between the two measured temperatures is generally very good. The compartment temperatures are higher probably because the buoy is radiationally heated. We found that subtracting 3°C from the average daily compartment temperature yielded a good estimate of the average air temperature for any given day. This technique can be used to construct average daily air temperature records for the 1979 buoys which only contained the internal or compartment temperature sensor

CR 84-12
ICING RATE ON STATIONARY STRUCTURES UNDER MARINE CONDITIONS.
Itagaki, K., June 1984, 9p., ADA-145 797, 7 refs.
39-385
ICING, OFFSHORE STRUCTURES, ICE FORMATION, OFFSHORE DRILLING, SHIP ICING, SEA SPRAY, WIND VELOCITY, ANALYSIS (MATHEMATICS).
The rate of ice accumulation on stationary structures was calculated using published data. The results were compared with icing measured on board ships. Although the general trend of this calculation indicated parallelism with the onboard measurements, the measured ice accumulation rate on ships needed a 5 to 8 m/s higher windspeed to correspond with the calculated rate for stationary structures

CR 84-13
NITROGEN REMOVAL IN WASTEWATER PONDS.
Reed, S.C., June 1984, 26p., ADA-144 971, 26 refs.
39-386
WASTE TREATMENT, ICE COVER EFFECT, WATER TREATMENT, SANITARY ENGINEERING, PONDS, CHEMICAL ANALYSIS, MATHEMATICAL MODELS
Nitrogen removal from wastewater can be required in a number of situations, and many military facilities have been or will be retrofitted for this purpose. Treatment lagoons and holding or storage ponds are a common treatment method or a common component in many systems. Qualitative observations over several decades document nitrogen losses from these systems due to a variety of possible biochemical interactions. This analysis is based on an extensive body of quantitative data recently published by the U.S. EPA. A mathematical model was developed and validated that indicated that nitrogen removal from pond systems is dependent on pH, temperature, and detention time. The specific biochemical factors could not be isolated, but the analysis suggests that volatilization of ammonia is the major pathway for nitrogen loss. The model can be used as a design equation for new facilities, for retrofits, and for land treatment systems with storage ponds, since nitrogen is a critical design parameter in these cases.

CR 84-14
EFFECTS OF LOW TEMPERATURES ON THE GROWTH AND UNFROZEN WATER CONTENT OF AN AQUATIC PLANT.
Palazzo, A.J., et al, June 1984, 8p., ADA-147 107, 24 refs.
Tice, A.R., Oliphant, J.L., Graham, J.M.
39-804
PLANT TISSUES, TEMPERATURE EFFECTS, UNFROZEN WATER CONTENT, COLD TOLERANCE, LOW TEMPERATURE TESTS, GROWTH, DAMAGE, NUCLEAR MAGNETIC RESONANCE, AQUATIC PLANTS.
Two laboratory studies were performed to investigate the effects of low temperatures on the aquatic plant *Ceratophyllum demersum* L. Whole plants were subjected to low-temperature treatments of +4, 0 and -6C for 48 hours, and regrowth was compared to an untreated control. The control and +4C-treated plants gained weight, while visible injury and reductions in plant biomass were noted 30 days after treatment at the two lower temperatures. The -6C treatment killed the plants, while the 0C treatment injured them to some degree. In another phase of this study, nuclear magnetic resonance (NMR) analysis of plant buds, leaves and stems showed that lowering temperatures caused the plants' unfrozen water content to drop rapidly as the temperature approached -5C, then slowly as temperatures approached -13C. From -13C to -22C there was little change in unfrozen water content. The results show that ice in this plant causes injury that affects subsequent regrowth; temperatures of -6C or below can actually kill them. This killing temperature was also near the point where frozen water content increased only slightly with lower temperatures. NMR analysis could be one way of determining plant tolerance to cold. It appears from this study that this weedy species is susceptible to low-temperature injury, and subjecting this plant to cold may be a promising method of weed control in northern lakes

CR 84-15
BASELINE ACIDITY OF ANCIENT PRECIPITATION FROM THE SOUTH POLE.
Cragin, J.H., et al, June 1984, 7p., ADA-145 007, 33 refs.
Giovinetto, M.B., Gow, A.J.
39-387
ICE COMPOSITION, ICE CORES, DRILL CORE ANALYSIS, PRECIPITATION (METEOROLOGY), CHEMICAL PROPERTIES, FIRN, PALEOCLIMATOLOGY, ANTARCTICA—AMUNDSEN-SCOTT STATION.
Measurements of meltwater pH from annual layers of South Pole firn and ice samples ranging in age from 40 to 2000 years B.P. show that precipitation at this remote site has a higher natural acidity than that expected from atmospheric equilibrium with CO_2. The average pH of deaerated (CO_2-free) samples was 5.64, while air-equilibrated samples averaged 5.37, a pH that is about a factor of two more acidic than the expected background pH of 5.65. The observed "excess" acidity can be accounted for by natural SO_4 and NO_3 ion levels in the samples probably originating from non-anthropogenic H_2SO_4 and HNO_3. Because of the presence of these naturally occurring acids in South Pole precipitation, a pH of 5.4 is considered a more representative baseline reference pH for acid precipitation studies

CR 84-16
EFFECTS OF SOLUBLE SALTS ON THE UNFROZEN WATER CONTENTS OF THE LANZHOU, P.R.C., SILT.
Tice, A.R., et al, June 1984, 18p., ADA-152 825, 24 refs.
Zhu, Y., Oliphant, J.L.
39-2916
UNFROZEN WATER CONTENT, SALINE SOILS, LOESS, SOIL WATER, SOLUBILITY, TEMPERATURE EFFECTS, ELECTRICAL RESISTIVITY
Phase composition curves are presented for a typical saline silt from Lanzhou, P.R.C., and compared to some salts from Alaska. The unfrozen water content of the Chinese silt is much higher than that of the Alaskan silts due to the large amount of soluble salts present in the silts from China, which are not present in silt from interior Alaska. When the salt is removed, the unfrozen water content is then similar for both the Chinese and Alaskan silt. Here we introduce a technique for correcting the unfrozen water content of partially frozen soils due to high salt concentrations. We calculate the equivalent molality of the salts in the unfrozen water at various temperatures from a measurement of the electrical conductivity of the extract from saturated paste

CR 84-17
PULSE TRANSMISSION THROUGH FROZEN SILT.
Arcone, S.A., July 1984, 9p., ADA-147 108, 19 refs
39-803
FROZEN GROUND PHYSICS, RADIO WAVES, WAVE PROPAGATION, PERMAFROST PHYSICS, RADAR, TEMPERATURE EFFECTS.
VHF-band radiowave short pulses were transmitted within the permafrost tunnel at Fox, Alaska, over distances between 2.2 and 10.5 m. The propagation medium was a frozen silt containing both disseminated and massive ice with temperatures varying from -7C near the transmitter to probably -2C near the center of the tunnel overburden. The short pulses underwent practically no dispersion in the coldest zones but did disperse and refract through the warmer overburden, as suggested by calculations of the effective dielectric constant. Most significantly the measured frequency content decreased as the effective dielectric constant increased. The results indicate that deep, cross-borehole pulse transmissions over distances greater than 10 m might be possible, especially when the ground is no warmer than -4C. The information thus gained could be used for identifying major subsurface variations, including ground ice features.

CR 84-18
FRAZIL ICE FORMATION.
Ettema, R., et al, July 1984, 44p., ADA-147 425, 34 refs.
Karim, M.F., Kennedy, J.F.
40-3413
FRAZIL ICE, ICE FORMATION, HEAT TRANSFER, PARTICLE SIZE DISTRIBUTION MATHEMATICAL MODELS, TESTS, TURBULENT FLOW, WATER TEMPERATURE, COMPUTER PROGRAMS, SUPERCOOLING.
This report investigates the influences of turbulence and water temperature on frazil ice formation. The rate and the quantity of frazil ice formed in a specified volume of supercooled water increase with both increasing turbulence intensity and decreasing water temperature. The influence of turbulence intensity on the rate of frazil ice formation, however, is more pronounced for larger initial supercooling. The turbulence characteristics of a flow affect the rate of frazil ice formation by governing the temperature to which the flow can be supercooled by influencing heat transfer from the frazil ice to surrounding water, and by promoting collision nucleation, particle and floc rupture and increasing the number of nucleation sites. Larger frazil ice particles formed in water supercooled to lower temperatures. The particles usually were disks, with diameters several orders greater than their thickness. Particle size generally decreased with increasing turbulence intensity. This report develops an analytical model, in which the rate of frazil ice formation is related to temperature rise of a turbulent volume of water from the release of latent heat of fusion of liquid water to ice. Experiments conducted in a turbulence jar with a heated, vertically oscillating grid served both to guide and to calibrate the analytical model as well as to afford insights into frazil ice formation. The formation of frazil ice was studied for temperatures of supercooled water ranging from -0.9 to -0.05 C.

CR 84-19
FORECASTING WATER TEMPERATURE DECLINE AND FREEZE-UP IN RIVERS.
Shen, H.T., et al, July 1984, 17p., ADA-147 068, 14 refs.
Foltyn, E.P., Daly, S.F.
39-802
ICE FORMATION, RIVER ICE, WATER TEMPERATURE, FREEZEUP, LONG RANGE FORECASTING, COMPUTER PROGRAMS
In this study a method for making long-range forecasts of freeze-up dates in rivers is developed. The method requires the initial water temperature at an upstream station, the long-range air temperature forecast, the predicted mean flow velocity in the river reach, and water temperature response parameters. The water temperature response parameters can be either estimated from the surface heat exchange coefficient and the average flow depth or determined empirically from recorded air and water temperature data. The method is applied to the St. Lawrence River between Kingston, Ontario, and Massena, New York, and is shown to be capable of accurately forecasting freeze-up.

CR 84-20
CHANGE IN ORIENTATION OF ARTILLERY-DELIVERED ANTI-TANK MINES IN SNOW.
Bigl, S.R., Aug. 1984, 20p., ADA-090 946, 5 refs.
39-2917
MILITARY OPERATION, TANKS (COMBAT VEHICLES), SNOW COVER EFFECT, ORIENTATION, TEMPERATURE EFFECTS, TESTS.
The Remote Anti-Armor Mine System (RAAMS) employs scatterable mines that are delivered by ejection from a projectile during flight. A problem with delivery of RAAMS mines in snow arises because a percentage of them are equipped with an anti-disturbance mechanism. The natural disturbance or tilting of the mines while melting into the snow on a warm or sunny day may cause them to detonate. Five tests lasting 1 hours to 5 days were conducted at CRREL to study change in orientation of RAAMS mines after landing in snow. Mines were set in the snow at various repose angles and their orientations were recorded periodically. The tests indicated that a critical angle of approximately 65 deg from horizontal divides the settlement patterns of the mines. Those with initial repose angles below 65 deg will tend towards 0 deg, while more steeply dipping mines will most often come to rest in a vertical position. Angular change rates during midday hours (0900-1500) ranged from 0 deg to 10 deg per hour. On sunny days with near-freezing temperatures, most mines had a total one-day change of 10 deg to 20 deg. From these tests, it appears that many of the mines would have detonated if they had been equipped with an anti-disturbance mechanism.

CR 84-21
IMPACT OF DREDGING ON WATER QUALITY AT KEWAUNEE HARBOR, WISCONSIN.
Iskandar, I.K., et al, Aug. 1984, 16p., ADA-148 321, 16 refs
Cragin, J.H., Parker, L.V., Jenkins, T.F
40-3546
DREDGING, SEDIMENTS, WASTE DISPOSAL, WATER POLLUTION, LACUSTRINE DEPOSITS, WATER CHEMISTRY, PORTS, UNITED STATES—WISCONSIN—KEWAUNEE.
Six sediments and four water samples were collected from Kewaunee, Wisconsin, in 1981, prior to dredging of this Lake Michigan harbor. A modified elutriate test was used to estimate potential impact on water quality upon harbor dredging and disposal of the sediments in a confined facility. The modification of the test included a comparison between containment release under aerated vs unaerated conditions and filtered vs unfiltered elutriates. Statistical analysis showed that the differences in the chemical characteristics between the filtered and unfiltered samples were significant for soluble reactive P and all the tested metals except Cu. Significant but low amounts of heavy metals (Cd, Pb, Zn, Ni, Fe, Mn) and soluble reactive P will be released to the water if the effluent is not filtered. Under aerated conditions, COD in both the filtered and unfiltered samples was higher than under unaerated conditions. In contrast, total organic carbon was much higher under the unaerated condition than under aerated conditions. The study concluded that sediment and contaminant releases from the confined disposal facility (CDF) to the harbor water were less than those from the Kewaunee River input. Also, retention of effluent in the CDF for about four days decreased the suspended solids in the effluent to about 40 to 50 mg/L, which is similar to the concentration in the lake water. The use of sand filters should not be for routine operation but rather for emergency cases when there is not enough time for effluent retention in this CDF.

CR 84-22
REGIONAL AND SEASONAL VARIATIONS IN SNOW-COVER DENSITY IN THE U.S.S.R.
Bilello, M.A., Aug. 1984, 70p., ADA-148 429, Refs. p.55-58
39-1140
SNOW COVER DISTRIBUTION, SNOW DENSITY, SNOW SURVEYS, SNOW DEPTH, TOPOGRAPHIC EFFECTS, GEOGRAPHY, SEASONAL VARIATIONS, WIND VELOCITY, FOREST CANOPY, MAPPING, USSR.
Regional and seasonal variations in snow-cover density (SCD) in the U.S.S.R. were determined through the analysis of data obtained from all available Soviet literature. A relationship found between observed winter wind speeds and SCD values recorded from November through March made it possible to develop a snow-density map of the U.S.S.R. The map was divided into five general categories of SCD, ranging from values less than or equal to 0.21 g/cu cm at interior stations with very light winds to values greater than or equal to 0.31 g/cu cm at arctic locations with strong winds. Since this literature survey indicated that the reported Soviet SCD values were incorrect due to instrumental errors, adjustments to the data in this study were required. Month-to-month investigation of the SCD data revealed a gradual increase in density from November to March and that the SCD values under forest canopies averaged from 4 to 14% lower than those recorded in open areas. Also included in this report are 1) a compilation of pertinent passages in the Soviet literature on SCD, 2) a map showing the location of SCD measurements, and 3) an average winter wind speed chart for the U.S.S.R.

CR 84-23
EFFECT OF SNOW ON VEHICLE-GENERATED SEISMIC SIGNATURES.
Albert, D.G., Aug. 1984, 24P., ADB-090 976, 10 refs.
40-3544
MILITARY OPERATION, SNOW COVER EFFECT, SEISMOLOGY, DETECTION, VEHICLES, ATTENUATION, ACOUSTICS, SEASONAL VARIATIONS.
Vehicle-generated seismograms recorded under summer and winter conditions at Fort Devens, Massachusetts, are analyzed and compared. The data were recorded using three-component geophones located just beneath the ground surface and microphones mounted on tripods 0.3 m tall. Winter data were recorded when a 0.7-m thick snow cover was present. The filtering effect of this snow cover on the seismic data was striking. The appearance and frequency content of the recorded ground motion changed dramatically from summer to winter because snow attenuates the acoustic-to-seismic coupled energy. These changes were verified by magnitude-squared coherence analysis and by a simple Wiener prediction model. Automatic vehicle classification algorithms will have to account for these effects if the algorithms are to operate successfully in the presence of snow.

CR 84-24
CRYSTALLINE STRUCTURE OF UREA ICE SHEETS USED IN MODELING EXPERIMENTS IN THE CRREL TEST BASIN.
Gow, A.J., Sep. 1984, 48p., ADA-148 434, 29 refs.
39-1141
ICE CRYSTAL STRUCTURE, UREA, SEA ICE, ICE MECHANICS, GRAIN SIZE, ICE MODELS, ICE SHEETS, TESTS.
This report describes the growth characteristics and crystalline textures of urea ice sheets which are now used extensively in the CRREL test basin for modeling sea ice. The aims of the report are to describe the different kinds of crystalline texture encountered in urea ice sheets and to show that even small variations in texture can drastically influence the mechanical behavior of urea ice sheets. Standard petrographic techniques for studying microstructure in thin sections were used on 24 urea ice sheets. These investigations entailed observations of the crystalline texture of the ice (including details of the subgrain structure), grain size measurements, and studies of the nature and extent of urea entrapment and drainage patterns in the ice. Increased knowledge of the factors controlling the crystalline characteristics of urea ice sheets has progressed to the point where test basin researchers at CRREL are now able to fabricate ice sheets with prescribed structures leading to predictable mechanical properties.

CR 84-25
REVIEW OF ANTITANK OBSTACLES FOR WINTER USE.
Richmond, P.W., Sep. 1984, 12p., ADB-100 767L, 24 refs.
40-3306
TANKS (COMBAT VEHICLES), DETONATION WAVES, MILITARY OPERATION, SNOW COVER EFFECT, ICE COVER EFFECT, BOREHOLES, MODELS, DRILLING, AUGERS.
This report is a review of information, equipment and procedures related to the use of antitank obstacles in winter. Demolition and construction of expedient and existing obstacles are discussed. Obstacle performance models are identified and their methodology is discussed. Five tasks are identified as areas requiring further research. 1) investigation of the use of light-weight augers for drilling bore holes in frozen soil, 2) investigation of the effectiveness of Soviet-style snow obstacles, 3) development of a model of vehicle performance on snow-covered slopes, 4) development of a design procedure and performance model for step-type obstacles when snow covered, and 5) development of construction procedures for creating ice slopes.

CR 84-26
SHORE ICE RIDE-UP AND PILE-UP FEATURES. PART 2: ALASKA'S BEAUFORT SEA COAST—1983 AND 1984.
Kovacs, A., Sep. 1984, 28p. + map, ADA-148 428, 16 refs.
39-1142
ICE OVERRIDE, ICE PILEUP, SEA ICE DISTRIBUTION, ICE MECHANICS, FAST ICE, BEACHES, SHORES, BEAUFORT SEA, ARCTIC OCEAN.
Observations of shore ice pile-up and ride-up along the Alaska Beaufort Sea coast in 1983 and 1984 are presented. New information on historical accounts of onshore ice movement, uncovered since publication of Part 1 of this series, is reported. An account is given of ice overtopping a concrete caisson exploration island in the Canadian Beaufort Sea.

CR 84-27
RADAR INVESTIGATIONS ABOVE THE TRANS-ALASKA PIPELINE NEAR FAIRBANKS.
Arcone, S.A., et al, Oct. 1984, 15p., ADA-150 303, 15 refs.
Delaney, A.J.
39-2098
RADAR ECHOES, UNDERGROUND PIPELINES, REMOTE SENSING, FREEZE THAW CYCLES, WATER TABLE, WATER CONTENT, REFRACTION, UNITED STATES—ALASKA—FAIRBANKS.
Radar and wide-angle reflection and refraction (WARR) profiles were obtained across three buried sections of the trans-Alaska pipeline near Fairbanks in late April 1983. A broad-band, pulsed radar operating in the VHF (very high frequency) range was used. The surficial geology at the three sites consisted of gravel (dredge tailings), silt and alluvium, respectively, and the sites were marginally frozen or completely thawed. At the gravel site the pipe (approximately 2 m deep) and an underlying water table were easily visible. There was no radar signature of the pipe at the silt site the WARR profiles verified the high absorption of the material. The response was marginal at the alluvium site. High absorption due to thawing or marginal freezing conditions about the pipe makes radar a generally poor choice for mapping freeze-thaw boundaries but a good choice for estimating material state and moisture content.

CR 84-28
POLYETHYLENE GLYCOL AS AN ICE CONTROL COATING.
Itagaki, K., Dec. 1984, 11p., ADA-150 466, 13 refs
40-3577
PROTECTIVE COATINGS, ICE CONTROL, ICE PREVENTION, RESINS, MELTING POINTS, SNOW ACCUMULATION, ICE ACCRETION, COUNTERMEASURES, TESTS.

The properties of polyethylene glycol (PEG) as a sacrificial ice control coating are discussed PEG is effective longer than many single component coatings, and it has low toxicity and a high flash point The results of preliminary experiments on PEG's ability to control snow accumulation on a panel and ice accumulation on a cryogenic tank are also discussed.

CR 84-29
REVERSE PHASE HPLC METHOD FOR ANALYSIS OF TNT, RDX, HMX AND 2,4-DNT IN MUNITIONS WASTEWATER.
Jenkins, T.F., et al, Dec. 1984, 95p., ADA-155 983, Refs. p.36-38.
Bauer, C.F., Leggett, D.C., Grant, C.L
40-3578
WATER POLLUTION, WASTE DISPOSAL, EXPLOSIVES, CHEMICAL ANALYSIS, DETECTION, TESTS, MILITARY FACILITIES, STATISTICAL ANALYSIS.

An analytical method was developed to determine the concentrations of HMX, RDX, TNT and 2,4-DNT in munitions wastewater The method involves dilution of an aqueous sample with an equal volume of methanol-acetonitrile solvent mixture, filtration through a 0.4 micron polycarbonate membrane and analysis of a 100 microL subsample by Reverse-phase, high-performance liquid chromatography using an LC-8 column Retention times of these four analytes, their degradation products, and impurities expected in wastewater matrices were determined for two eluent compositions An eluent of 50% water, 38% methanol and 12% acetonitrile successfully separated HMX, RDX and TNT from each other and the potential interferents The method provided linear calibration curves over a wide range of concentrations

CR 84-30
IMPACT OF SLOW-RATE LAND TREATMENT ON GROUNDWATER QUALITY: TOXIC ORGANICS.
Parker, L.V., et al, Dec 1984, 36p., ADA-153 253, Refs. p 19-21.
Jenkins, T.F., Foley, B.T
40-3361
GROUND WATER, WASTE TREATMENT, WATER TREATMENT, LAND RECLAMATION, SEEPAGE, ORGANIC NUCLEI, ENVIRONMENTAL IMPACT.

The removal efficiency for 16 organic substances in wastewater was studied on an outdoor, prototype slow-infiltration system The initial concentration of each of these substances in the wastewater was approximately 50 microgram/L Removal was via volatilization during spray application and subsequent adsorption in the soil The percent removal during spraying could be estimated from the liquid-phase transfer coefficient, losses were up to 70% for the most volatile components The total percent removal for the system, based on the concentration in the percolate, was more than 98% for all substances Only chloroform, which has a low octanol-water coefficient and according to the literature is not degradable aerobically, was continuously detected in the percolate The major final removal mechanisms are believed to be volatilization and biodegradation-biotransformation. Breakthrough of several other organics in early spring as a result of application during the colder months was also observed The two substances that were most persistent in the soil were PCBs and diethylphthalate PCBs were apparently slowly lost from the system, probably by volatilization The behavior of diethylphthalate was different in the two soils tested but was more recalcitrant than expected

CR 84-31
DETECTION OF BURIED UTILITIES. REVIEW OF AVAILABLE METHODS AND A COMPARATIVE FIELD STUDY.
Bigl, S.R., et al, Dec 1984, 36p., ADB-090 068L, 21 refs
Henry, K.S., Arcone, S.A
39-2918
UNDERGROUND FACILITIES, UTILITIES, DETECTION, FROST PENETRATION, MAGNETIC SURVEYS, GEOPHYSICAL SURVEYS, EARTHWORK.

Locating buried utilities is often necessary for repair, servicing or prevention of damage when earthwork is to be conducted in a particular area Of the many methods available for detection of buried utilities those in most widespread use are magnetic induction, magnetometry, and radiofrequency tracking Comparative field tests of 11 locators using these three operating methods were conducted in Hanover, New Hampshire and eight of these were further tested at the U.S. Military Academy, West Point, New York, and the Stewart Army Subpost Newburgh, New York At West Point and Newburgh, the nine sites included a variety of utility types including iron and steel pipe, cable, vitreous tile and plastic, as well as different terrain and groundcover characteristics Tests with the radiofrequency tracking locators were insufficient to evaluate their ability to locate nonmetallic pipe or to judge if one locator was superior to the other. Although not statistically different, slightly more accurate average readings were obtained with the magnetic induction and magnetometer instruments over cable than over pipe Shallow utilities (<3.5 ft) were located slightly more accurately than deeper ones. In general, the low- to mid-priced magnetic induction locators appeared to be the most cost effective. Problems with accuracy in utility location occurred mainly at sites with steep topography or where utilities were in very close proximity Successful operation of the instruments required only a small amount of training

CR 84-32
SHORELINE EROSION PROCESSES: ORWELL LAKE, MINNESOTA.
Reid, J.R., Dec. 1984, 101p., ADA-152 952, Refs. p.54-56.
40-3545
SHORE EROSION, SLOPE PROCESSES, LAKE WATER, BANKS (WATERWAYS), GROUND THAWING, SEDIMENT TRANSPORT, WATER WAVES, RESERVOIRS, SHORELINE MODIFICATION, RAIN, SEASONAL VARIATIONS, METEOROLOGICAL FACTORS.

Orwell Lake, in west-central Minnesota, is a flood-control, water-management reservoir first impounded in 1953 Subsequent erosion of the shoreline and a lack of knowledge of slope erosion processes in this region prompted this study to identify and quantify the processes there The processes were measured at selected sites between June 1980 and June 1983 Erosion of the banks is primarily caused by three processes rain, frost thaw, and waves. The first two processes tend to move sediment to the base of the steep slopes, forming a relatively gentle surface of accumulation Wave action then tends to move this sediment into the lake Analysis of the data collected over three years has confirmed that wave action is the dominant erosion process, providing almost 7[illegible] of the erosion during the 1981-82 study year During the 1981 high pool level, 2,089 Mg of sediment, mostly colluvium, was removed from the lower slopes by wave action striking the 1.62 km of eroding shoreline More than 5,300 Mg was eroded by waves accompanying the higher pool levels of 1982

CR 84-33
ICE FORCES ON RIGID, VERTICAL, CYLINDRICAL STRUCTURES.
Sodhi, D.S., et al, Dec. 1984, 36p., ADA-151 393, 32 refs.
Morris, C.E.
39-2515
ICE PRESSURE, ICE LOADS, OFFSHORE STRUCTURES, COLD WEATHER CONSTRUCTION, PILES, ICE BREAKING, ICE SOLID INTERFACE, ICE COVER THICKNESS, FLEXURAL STRENGTH, COMPRESSIVE PROPERTIES, VELOCITY, EXPERIMENTATION.

A small-scale experimental study was conducted to characterize the magnitude and nature of ice forces during continuous crushing of ice against a rigid, vertical, cylindrical structure The diameter of the structure was varied from 50 to 500 mm, the relative velocity from 10 to 210 mm/s, and the ice thickness from 50 to 80 mm. The ice tended to fail repetitively, with the frequency of failure termed the characteristic frequency The characteristic frequency varied linearly with velocity and to a small extent with structure diameter The size of the damage zone was 10 to 50% of the ice thickness, with an average value of 30%. The maximum and mean normalized ice forces were strongly dependent on the aspect ratio (structure diameter/ice thickness) The forces increased significantly with decreasing aspect ratio but were constant for large aspect ratios The maximum normalized forces appeared to be independent of strain rate

CR 85-01
PROTOTYPE DRILL FOR CORE SAMPLING FINE-GRAINED PERENNIALLY FROZEN GROUND.
Brockett, B.E., et al, Jan 1985, 29p., ADA-152 388, 11 refs.
Lawson, D.E
40-3579
DRILLS, AUGERS, PERMAFROST THERMAL PROPERTIES, FROZEN GROUND TEMPERATURE, CORING, SAMPLING, GROUND ICE, GRAIN SIZE, TEMPERATURE EFFECTS, COST ANALYSIS

An inexpensive drill has been modified to provide researchers with the ability to auger an open hole or to acquire continuous undisturbed 76-mm-diam core samples of a variety of perennially frozen materials that are suitable for chemical and petrographic analysis It was developed by field testing in support of research from 1980 to 1983 Operation of the drill is based mainly on using a minimum of power to cut through frozen ground with tungsten carbide cutters on a CRREL coring auger The ice content, temperature and grain size of the frozen sediments are important variables determining the sampling depth Perennially frozen sediments with temperatures in the range of -0.5 C to -9.5 C have been continuously cored with this drill. Drilling and sampling are most efficiently conducted when ambient air temperatures are below freezing and the active layer is frozen. The self-contained lightweight drill is readily transportable off-road by helicopter or tracked vehicle, or by towing over roads It is locally self-mobile by use of a winch Total cost of the drill and modifications is estimated at approximately $10,000

CR 85-02
EFFECT OF NONUNIFORM SIZE ON INTERNAL STRESSES IN A RAPID, SIMPLE SHEAR FLOW OF GRANULAR MATERIALS. PART 1. TWO GRAIN SIZES.
Shen, H.H., Feb. 1985. 18p., ADA-154 045, 18 refs.
40-38
SHEAR FLOW, PARTICLE SIZE DISTRIBUTION, MICROSTRUCTURE, MATERIALS, STRESSES, STRAINS, AVALANCHE MECHANICS, MATHEMATICAL MODELS

Existing theories that predict the stress-strain rate relationship in a rapidly sheared granular flow can only treat materials that are made of single-size particles However, granular flows usually involve materials of mixed sizes It has been observed in many laboratory studies that size distribution has a significant effect on the flow of a granular material. Despite its importance, no quantitative theory has been devised that can explain the effect of size distribution An analytical model is developed here to quantify the stresses in a mixture of spheres with two different sizes and identical material properties Binary collisions between adjacent particles are considered as the dominating stress-generating mechanism Comparisons between the theoretical results and the existing laboratory data show good agreement

CR 85-03
EFFECT OF NONUNIFORM SIZE ON INTERNAL STRESSES IN A RAPID, SIMPLE SHEAR FLOW OF GRANULAR MATERIALS. PART 2. MULTIPLE GRAIN SIZES.
Shen, H.H., Feb. 1985, 20p., ADA-154 046, 19 refs.
40-439
SHEAR FLOW, PARTICLE SIZE DISTRIBUTION, MICROSTRUCTURE, STRESSES, MATERIALS, SHEAR STRESS.

In the past all theoretical analyses for rapidly sheared granular flows assumed that the granular solids are either disks or spheres and are uniform in size However, natural materials that create these granular flows are in general irregular in shape and have various spectra of sizes The stress and rate of energy dissipation levels in granular flows are significantly influenced by the size distribution In part 1 of this report series (see 40-38, CR 85-2) the formulation of the constitutive equations considering a two-size granular mixture is presented, where the ratio of the two sizes is nearly one Here, in part 2, the constitutive equations for a two-size mixture are extended to include a general size ratio In addition, a complete spectrum of size distribution is incorporated, which allows the quantification of the size distribution effect in the most general way In analyzing the stresses, intergranular collision is assumed to be the major dynamic activity at the microscopic level Because of the present limited knowledge of treating shape effects, the analysis is confined to the flow of either disks or spheres The result of this work provides necessary information for a more realistic analysis of natural and industrial granular flows

CR 85-04
PROPULSION TESTS IN LEVEL ICE ON A MODEL OF A 140-FT WTGB ICEBREAKER.
Tatinclaux, J.C., Mar 1985, 13p., ADA-154 075, 6 refs
39-3956
ICEBREAKERS, ICE CONDITIONS, ICE STRENGTH, ICE BREAKING, ICE COVER THICKNESS, LAKE ICE, FLEXURAL STRENGTH, VELOCITY, TESTS, MODELS

Results of propulsion tests in level ice on a model of the WTGB 140-ft Great Lakes icebreaker are presented and compared to available full-scale data In spite of the difficulties in exactly modeling full scale conditions, the predictions based on the model test results of the ship performance compared reasonably well to those measured during full-scale trials Several possible sources of errors are identified In particular duplication at the model scale of the ship hull's ice friction coefficient is considered to be critical in determining the ice resistance and the corresponding propulsion characteristics, namely propeller speed, thrust and torque

CR 85-05
NUMERICAL MODELING OF SEA ICE DYNAMICS AND ICE THICKNESS CHARACTERISTICS. A FINAL REPORT.
Hibler, W.D., III, Mar 1985, 50p., ADA-154 600, Refs. p.35-38
40-3362
ICE MECHANICS, DRIFT, SEA ICE, ICE COVER THICKNESS, ICE EDGE, MATHEMATICAL MODELS, HEAT BALANCE

A dynamic thermodynamic sea ice model is extended to include a full thermodynamic code and a complete multilevel ice thickness distribution The variable thickness formulation includes a more realistic parameterization of ice ridging

than used in previous models. Seasonal simulations have been performed using this model and the results have been analyzed with particular emphasis of the ridge buildup results off the Canadian Archipelago and off the North Slope. This report presents a complete description of this model and discusses progress made on examining and testing the variable thickness extensions.

CR 85-06
KINETIC FRICTION COEFFICIENT OF ICE.
Forland, K.A., et al, Mar. 1985, 40p., AL A-155 035, 23 refs.
Tatinclaux, J.C.
39-3957
ICE SOLID INTERFACE, ICE FRICTION, ICE HARDNESS, SURFACE ROUGHNESS, ENGINEERING, VELOCITY, TESTS.

This study investigates the relative influence of various parameters on the kinetic friction coefficient between ice and different surfaces. Friction tests were performed with urea-doped, columnar ice, studying the parameters of normal pressure, velocity, type of material roughness, ice orientation, ice hardness and test configuration. Tests were conducted by pulling a sample of ice over a sheet of material and by pulling a sample of material over an ice sheet. An ambient temperature of -1.5 was maintained throughout, and the ice surface hardness was measured using a specially designed apparatus. The results of the friction tests revealed that the behavior of kinetic friction coefficient with varying velocity was significantly influenced by the test configuration and material roughness. The magnitude of the kinetic friction coefficient was also affected by varying normal pressure, surface roughness and ice hardness. Additional guidelines for standardized ice friction tests and future investigations are recommended.

CR 85-07
MEASURING THERMAL PERFORMANCE OF BUILDING ENVELOPES: NINE CASE STUDIES.
Flanders, S.N., Mar. 1985, 36p., ADA-155 083, 13 refs.
39-3958
THERMAL INSULATION, BUILDINGS, HEAT FLUX, THERMAL MEASUREMENTS, THERMOCOUPLES, COMPUTER APPLICATIONS, COST ANALYSIS, WIND FACTORS.

Nine buildings at Ft Devens were the object of a study employing heat flux sensors, thermocouples, a computer-controlled data acquisition system and infrared thermography. The purpose was to measure the R-values of those buildings to determine their economic potential for improved insulation. The sample included four frame buildings, two masonry buildings, and three frame buildings with brick facing. The technique for measuring R-values proved repeatable and accurate within 15%. Sampling a small representative sample sufficiently characterizes the entire stock of buildings. Measurement is more important for poorly insulated buildings since the beginning R-value has a drastic impact on the budget for a cost-effective reinsulation project. At Ft Devens, installing an external Styrofoam insulation system on concrete block barracks has a savings-to-investment ratio of about 1.4.

CR 85-08
ICE FOG AS AN ELECTRO-OPTICAL OBSCURANT.
Koh, G., Mar. 1985. 11p., ADA-155 059, 22 refs.
39-3959
ICE FOG, INFRARED RADIATION, LIGHT (VISIBLE RADIATION), RADIATION ABSORPTION, SCATTERING, ELECTROMAGNETIC PROPERTIES, ICE CRYSTAL OPTICS, ANALYSIS (MATHEMATICS)

The extinction of visible light and infrared radiation (at wavelengths of 3.5 and 10.6 micron) by ice fog is considered utilizing theoretical concepts and historical experimental data. The reliability of the spherical approximation of ice fog for Mie calculations is examined and judged adequate for forward scatter situations but limited for side and backscatter applications. The relative efficacy in penetrating ice fog as a function of size distribution is evaluated for the wavelengths considered.

CR 85-09
THERMAL CONVECTION IN SNOW.
Powers, D.J., et al, May 1985, 61p., ADA-157 577, Refs. p.46-48.
Colbeck, S.C., O'Neill, K.
40-1009
SNOW THERMAL PROPERTIES, SNOW HEAT FLUX, HEAT TRANSFER, WATER VAPOR, TEMPERATURE GRADIENTS, POROUS MATERIALS, THERMAL CONDUCTIVITY, CONVECTION, MATHEMATICAL MODELS, LATENT HEAT, EXPERIMENTATION, METAMORPHISM (SNOW)

Large temperature gradients applied to a snow cover drive water vapor upwards and result in rapid recrystallization of snow crystals. The same temperature gradients create gradients of air density that can cause flows of air through the snow cover. The formalism necessary to describe these flows is developed here in an effort to include the convection of vapor in the understanding of snow metamorphism. The theory of convection through porous media is extended to include the transport of water vapor, which is important because of its latent heat. Results are presented in terms of a Lewis number, defined as the ratio of thermal to mass diffusivities. For Lewis numbers greater than 1.0, phase change intensifies convection, and for Lewis numbers less than 1.0, phase change retards convection. Two boundary conditions of special interest in the study of snow, a constant heat flux bottom and a permeable top, are investigated.

CR 85-10
REVIEW OF METHODS FOR GENERATING SYNTHETIC SEISMOGRAMS.
Peck, L., June 1985, 39p., ADA-159 128, Refs. p.36-39.
40-1587
SOIL MECHANICS, SEISMOLOGY, GEOPHYSICAL SURVEYS, WAVE PROPAGATION, COMPUTER APPLICATIONS, ANALYSIS (MATHEMATICS)

Various methods of generating synthetic seismograms are reviewed and examples of recent applications of the methods are cited. Body waves, surface waves, and normal modes are considered. The analytical methods reviewed include geometric ray theory, generalized ray theory (Cagniard-de Hoop method), asymptotic ray theory, reflectivity method, full wave theory, and hybrid methods combining ray theory and mode theory. Two numerical methods, those of finite differences and finite elements, and a hybrid method combining finite differences with asymptotic ray theory are described. Limitations on the application or validity of the various methods are stated.

CR 85-11
RECONNAISSANCE OBSERVATIONS OF LONG-TERM NATURAL VEGETATION RECOVERY IN THE CAPE THOMPSON REGION, ALASKA, AND ADDITIONS TO THE CHECKLIST OF FLORA.
Everett, K.R., et al, June 1985, 75p., ADA-158 724, Refs. p.44-48.
Murray, B.M., Murray, D.F., Johnson, A.W., Linkins, A.E., Webber, P.J.
40-440
REVEGETATION, TUNDRA, PERMAFROST, SOIL EROSION, ENVIRONMENTAL PROTECTION, ACTIVE LAYER, VEGETATION, FROST ACTION, CLASSIFICATIONS, LANDFORMS, ENVIRONMENTAL IMPACT.

The diversity of disturbance types, landforms, vegetation and soils, together with the large, well-documented flora, makes Cape Thompson an ideal site to study long-term (20-year) environmental adjustments after impact. Man-caused disturbances there between 1958 and 1962 fall into five categories: runways, excavations and off-road vehicle trails. In addition, natural disturbance by frost action creates scars. Reestablished vegetation after 20 years consisted of species found in adjacent undisturbed landscapes.

CR 85-12
ANALYSIS OF RIVER WAVE TYPES.
Ferrick, M.G., June 1985, 17p., ADA-158 683, For another source see 39-3098. 20 refs.
40-1050
WATER WAVES, RIVER FLOW, RIVER ICE, DAMS, UNSTEADY FLOW, ICE JAMS, RUNOFF, FRICTION, MATHEMATICAL MODELS.

In this paper we consider long-period, shallow-water river waves that are a consequence of unsteady flow. Five waves result from hydroelectric power generation or flow control at a dam, the breach of a dam, the formation or release of an ice jam, and rainfall/runoff processes. The Saint-Venant equations are generally used to describe river waves. Dynamic, gravity, diffusion, and kinematic river waves have been defined, each corresponding to different forms of the momemtum equation and each applying to some subset of the overall range of river hydraulic properties and time scales of wave motion. However, the parameter range corresponding to each wave description are not well defined, and the transitions between wave types have not been explored. This paper is an investigation into these areas, which are fundamental to river wave modeling. The analysis is based on the concept that river wave behavior is determined by the balance between friction and inertia.

CR 85-13
ELECTROMAGNETIC MEASUREMENTS OF MULTI-YEAR SEA ICE USING IMPULSE RADAR.
Kovacs, A., et al, Sep 1985, 26p., ADA-160 737, 11 refs.
Morey, R.M.
40-1544
SEA ICE, ELECTROMAGNETIC PROPERTIES, ICE BOTTOM SURFACE, MARINE GEOLOGY, GEOPHYSICAL SURVEYS, ELECTRICAL RESISTIVITY, BRINES, DIELECTRIC PROPERTIES

Sounding of multi-year sea ice, using impulse radar operating in the 80- to 500-MHz frequency band, has revealed that the bottom of this ice cannot always be detected. This paper discusses a field program aimed at finding out why this is so, and at determining the electromagnetic (EM) properties of multi-year sea ice. It was found that the bottom of the ice could not be detected when the ice structure had a high brine content. Because of brine's high conductivity, brine volume dominates the loss mechanism in first-year sea ice, and the same was found true for multi-year ice. A two-phase dielectric mixing formula, used by the authors to describe the EM properties of first-year sea ice, was modified to include the effects of the gas pockets found in the multi-year sea ice.

CR 85-14
VEGETATION AND ENVIRONMENTAL GRADIENTS OF THE PRUDHOE BAY REGION, ALASKA.
Walker, D.A., Sep. 1985, 239p., ADA-162 022, Refs. p.122-135.
40-1790
TUNDRA, VEGETATION, TEMPERATURE GRADIENTS, PLANTS (BOTANY), COASTAL TOPOGRAPHIC FEATURES, ICE WEDGES, SNOW DEPTH, TEMPERATURE EFFECTS, LOESS, HUMMOCKS, SOIL WATER, UNITED STATES—ALASKA.

The Prudhoe Bay region is a particularly interesting area of tundra because of its well-defined and steep environmental gradients, the combination of which has not been described elsewhere in the Arctic. It is a region of wet coastal tundra that has a unique substrate pH gradient, due in part to its coastal location. The prevailing northeast winds distribute loess from the Sagavanirktok River over most of the region. Areas downwind from the river have alkaline tundra with a gradient of declining soil pH values away from the river the northwest portion of the region is not downwind from the river and consequently has acidic tundra. The coastal temperature gradient is among the steepest in the Arctic. Three of Young's (1971) four floristic zones, which are based on the amount of total summer warmth, are present within the region. The effects of the temperature gradient can be seen in the increase of the total number of plants in the flora and the increased plant productivity, particularly of shrubs, as one moves inland. The predominantly wet landscape also creates steep vegetation gradients within elevation changes of a few centimeters. Small hummocks and higher microsites associated with ice wedge polygon relief may be elevated only 10-25 cm above the level of saturated soils but can support rich mesic tundra plant communities.

CR 85-15
TNT, RDX AND HMX EXPLOSIVES IN SOILS AND SEDIMENTS. ANALYSIS TECHNIQUES AND DRYING LOSSES.
Cragin, J.H., et al, Oct 1985, 11p., 13 refs.
Leggett, D.C., Foley, B.T., Schumacher, P.W.
40-3363
EXPLOSIVES, FREEZE DRYING, SOIL POLLUTION, SEDIMENTS, CHEMICAL ANALYSIS, COUNTERMEASURES, DRYING, ADSORPTION, ABSORPTION, TESTS

A method for the analysis of TNT, RDX and HMX explosives in soils and sediments has been developed. It consists of methanol extraction followed by reversed-phase high performance liquid chromatography using 10% acetonitrile/40% methanol/50% water as the eluant. This method was used to study the effect of various drying techniques upon the recovery of TNT, RDX and HMX from soil and sediment samples contaminated with high (%) and low (microgram/g) levels of these explosives. For highly contaminated samples, complete recovery of TNT and RDX was obtained using freeze drying while air drying at room temperature resulted in greater than 90% recovery for both explosives. Other techniques, such as oven drying at 105C, oven drying at 45C, microwave oven drying, and drying under infrared lamps all resulted in greater losses, with TNT and RDX recoveries ranging from 76 to 90%. Drying losses were not due to simple volatilization but rather to chemical reaction and or sorption. For soil and sediment samples containing low levels of TNT, RDX and HMX, recoveries of all three explosives were quantitative for all of the above drying techniques.

CR 85-16
MECHANICAL PROPERTIES OF MULTI-YEAR SEA ICE. PHASE 2: TEST RESULTS.
Cox, G.F.N., et al, Oct 1985, 81p., ADA-166 333, 10 refs.
Richter-Menge, J.A., Weeks, W.F., Bosworth, H., Perron, N., Mellor, M., Durell, G.
40-3364
ICE MECHANICS, ICE STRENGTH, SEA ICE, STRAINS, COMPRESSIVE PROPERTIES, ICE PHYSICS, PRESSURE RIDGES, TENSILE PROPERTIES, LOADS (FORCES)

This report presents the results of the second phase of a test program designed to obtain a comprehensive understanding of the mechanical properties of multi-year sea ice from the Alaskan Beaufort Sea. In Phase II, 62 constant-strain-rate uniaxial compression tests were performed on horizontal and vertical ice samples from multi-year pressure ridges to examine the effect of sample orientation on ice strength. Also conducted were 16 constant-strain-rate tension tests, 55 conventional triaxial tests and 135 constant-load compression tests on multi-year pressure ridge samples to provide data for developing ice yield criteria and constitutive laws. Data are presented on the strength, failure strain and modulus

of multi-year sea ice under different loading conditions. The effects of ice temperature, porosity, structure, strain rate, confining pressure and sample orientation on the mechanical properties of multi-year sea ice are examined.

CR 85-17
FIELD TESTS OF THE KINETIC FRICTION COEFFICIENT OF SEA ICE.
Tatinclaux, J.C., et al, Oct. 1985, 20p., ADA-163 170, 4 refs.
Murdey, D.
40-3365
ICE FRICTION, SEA ICE, SURFACE PROPERTIES, STEEL STRUCTURES, SHIPS, ICE CRYSTAL STRUCTURE, PRESSURE, ICE STRENGTH, VELOCITY, TESTS.

This report presents the results of tests of the ice friction coefficient carried out during the May 1984 expedition of the P.S. *Polarstern* off the coast of Labrador. The test surfaces were Inerta-160-coated steel plates and bare steel plates, hand roughened and sandblasted. The main findings of the studies were: 1) columnar and granular sea ice showed no significant differences in friction coefficient; 2) for columnar ice, friction coefficient was independent of ice crystal orientation with respect to test surface, 3) friction coefficient was independent of normal pressure applied on ice sample; 4) friction coefficient initially decreased with increasing relative velocity between the ice sample and the test surface and reached a steady value at higher speeds; 5) friction coefficient increased with increasing surface roughness; 6) a wetting surface exhibited a higher friction coefficient than a non-wetting surface of the same or even higher roughness average.

CR 85-18
SORPTION OF MILITARY EXPLOSIVE CONTAMINANTS ON BENTONITE DRILLING MUDS.
Leggett, D.C., Nov. 1985, 33p., ADA-163 231, Refs. p.14-16.
40-3366
EXPLOSIVES, DRILLING FLUIDS, MILITARY OPERATION, POLLUTION, MUD, CHEMICAL COMPOSITION, ENVIRONMENTAL PROTECTION, ADSORPTION, ABSORPTION, ANALYSIS (MATHEMATICS).

Concern over the environmental fate of explosives has brought about development of sensitive analytical methods for measuring them in groundwater. In turn this concern has been extended to validating the sampling procedures for groundwater. This report addresses the potential effects of residual drilling muds on the analysis for explosive contaminants (TNT, DNT, RDX and HMX) in monitoring wells. The approach was to determine sorption isotherms for each contaminant. Sorption appeared to be independent of solids concentration. Linear isotherms were obtained for RDX and HMX over a range of analytic concentrations, therefore, a single constant can be used to estimate the amount sorbed when the solution concentration is known. Isotherms for TNT and DNT were not linear, however. Scatchard analysis suggested that the isotherms for these analytes could be resolved into two predominant components: a linear component above a certain sorbed quantity and a Langmuir-type component below this quantity. The experimental data were fitted by regression analysis using the appropriate model. The equations developed can be used to predict the sorbed fraction (analytical bias) for any combination of solids and analyte concentration. The amounts of bentonite found in some existing wells do not appear to be sufficient to cause significant bias in analyses for these explosive contaminants

CR 85-19
MODEL STUDIES OF SURFACE NOISE INTERFERENCE IN GROUND-PROBING RADAR.
Arcone, S.A., et al, Nov. 1985, 23p., ADA-163 208, 12 refs.
Delaney, A.J.
41-447
RADAR ECHOES, NOISE (SOUND), POLARIZATION (WAVES), COUNTERMEASURES, ELECTRICAL PROPERTIES, ANTENNAS, TESTS, MODELS.

Ground-probing radar can be an effective tool for exploring the top 10 to 20 m of ground, especially in cold regions where the freezing of water decreases signal absorption. However, the large electrical variability of the surface, combined with the short wavelengths used, can often cause severe ground clutter that can mask a desired, deeper return. In this study a model facility was constructed consisting of a metallic reflector covered by sand. Troughs of saturated sand were emplaced at the surface to vary surface electrical properties and to act as a noise source to interfere with the bottom reflections. Antenna polarization and height, and signal stacking in both static (antennas stationary) and dynamic (antennas moving) modes were then investigated as methods for reducing the surface clutter. Polarization parallel to the profile direction (perpendicular to the troughs' axes) gave profiles superior to the perpendicular case because of the directional sensitivity of the antenna radiation

CR 85-20
CONSTITUTIVE RELATIONS FOR A PLANAR, SIMPLE SHEAR FLOW OF ROUGH DISKS.
Shen, H.H., et al, Dec. 1985, 17p., ADA-163 147, 10 refs.
Hopkins, M.A.
40-3367
SHEAR FLOW, SURFACE ROUGHNESS, FLOW RATE, FRICTION, STRESSES, AVALANCHES, COMPUTER APPLICATIONS, TESTS.

Stresses developed in a rapid, simple shear flow of disks are quantified. Collisional momentum transfer is considered to be the dominant stress generating mechanism. The disks are inelastic and frictional. The restitution coefficient and the coefficient of friction together determine the transfer of momentum and dissipation of energy during a collision. The frictional coefficient generates and maintains a rotational motion of disks. The total fluctuation motion of disks consists of two translational modes and one rotational mode. The rotational mode is found to depend on both the restitution and friction coefficient. Equipartitions of energy among all modes of motion is absent. The mean rotation, however, depends only on the mean flow gradient. The analysis assumes a constant magnitude for all fluctuation modes. Comparison with a computer simulated disk flow shows good agreement. This implies that the distribution of velocity magnitude may not be crucial to the quantification of stresses.

CR 85-21
ICE-CORING AUGERS FOR SHALLOW DEPTH SAMPLING.
Rand, J.H., et al, Dec. 1985, 22p., ADA-166 630, 12 refs.
Mellor, M.
40-3273
AUGERS, ICE CORING DRILLS, PERMAFROST, FROZEN GROUND, ICE SAMPLING, DRILLING, EQUIPMENT.

The development of lightweight coring augers for ice is reviewed. Emphasis is on equipment designed by the Cold Regions Research and Engineering Laboratory and its predecessor organizations for sampling to depths less than 20 m or so. Design and operation of the ACFEL/SIPRE/CRREL 3-in.-ID corer is discussed, and modifications of the basic design for powered operation and for drilling in frozen soil are outlined. Recent replacements for the traditional coring auger are described, and details are given for the construction and operation of the new 4 1/4-in.-ID coring equipment. A powered 12-in.-ID drill for shallow-depth coring is also described

CR 85-22
LEVEL ICE BREAKING BY A SIMPLE WEDGE.
Tatinclaux, J.C., Dec. 1985, 46p., ADA-166 629, 6 refs.
40-3274
ICE BREAKING, ICEBREAKERS, ICE FLOES, ICE FRICTION, ICE LOADS, LOADS (FORCES), ICE MODELS, ICE PHYSICS, TESTS.

Tests in level ice on an idealized icebreaker bow in the shape of a simple wedge were conducted in the test basin. The horizontal and vertical forces on the wedge were measured, and floe size distribution in the wake of the wedge was observed. From the force measurements, the ice wedge/hull friction factor was calculated and in general agreement with the friction factor measured in separate friction tests. The ice floe length and ice floe area measured in the current study followed log-normal probability distributions defined by the length average and area average and corresponding standard deviations S(L) and S(A)

CR 86-01
MODEL STUDIES OF ICE INTERACTION WITH THE U.S. ARMY RIBBON BRIDGE.
Coutermarsh, B.A., Apr. 1986, 18p., ADA-166 360, 12 refs.
43-4592
PONTOON BRIDGES, ICE SOLID INTERFACE, MILITARY OPERATION, ICE JAMS, ICE MODELS.

The performance of the U.S. Army's floating Ribbon Bridge in an ice-filled waterway is investigated in a model study. Conditions when ice-blocks could be expected to jam behind the bridge are outlined using available instability theories. It is shown that current theories do not accurately describe block instability throughout the range of expected block thicknesses. Bridge deployment doctrine is outlined as it relates to the winter environment. Ice forces on the bridge are discussed along with ways to minimize the chance of ice buildup behind the bridge

CR 86-02
BRITTLENESS OF REINFORCED CONCRETE STRUCTURES UNDER ARCTIC CONDITIONS.
Kivekäs, L., et al, May 1986, 20p., ADA-170 792, 9 refs.
Korhonen, C
41-213
REINFORCED CONCRETES, BRITTLENESS, CONCRETE STRUCTURES, TRANSPORTATION, COLD WEATHER TESTS, CRACKING (FRACTURING)

The behavior of reinforced and unreinforced concrete beams was studied under impact loading at low temperatures, and the results were compared to the behavior of reinforcing steel (rebar) in Charpy-V impact tests. Transition temperatures as low as -30 C were obtained for the rebars in the Charpy-V tests, whereas no brittle failures occurred in the rebars in the reinforced concrete beams at temperatures as low as -63 C, even in beams where the rebars were intentionally notched. The impact strength of unreinforced concrete increases considerably at lower temperatures, thus reducing cracking of reinforced concrete structures and significantly increasing the safety of lightly reinforced structures.

CR 86-03
EXPERIMENTAL DETERMINATION OF HEAT TRANSFER COEFFICIENTS IN WATER FLOWING OVER A HORIZONTAL ICE SHEET.
Lunardini, V.J., et al, June 1986, 81p., ADA-170 427, 32 refs.
Zisson, J.R., Yen, Y.-C.
40-4709
HEAT TRANSFER, WATER TEMPERATURE, WATER FLOW, ICE COVER EFFECT, ICE MELTING, ICE SURFACE, TESTS, VELOCITY, COMPUTER APPLICATIONS, TURBULENT FLOW.

Experiments to study the melting of a horizontal ice sheet with a flow of water above it were conducted in a 35-m-long refrigerated flume, with a cross section of 1.2x1.2 m. Water depth, temperature, and velocity were varied as well as the temperature and initial surface profile of the ice sheet. The heat transfer regimes were found to consist of forced turbulent flow at high Reynolds numbers with a transition to free convection heat transfer. There was no convincing evidence of a forced laminar regime. The data were correlated for each of the regimes, with the Reynolds number, Re, or the Grashof number combined with the Reynolds number.

CR 86-04
RESILIENT MODULUS OF FREEZE-THAW AFFECTED GRANULAR SOILS FOR PAVEMENT DESIGN AND EVALUATION. PART 1. LABORATORY TESTS ON SOILS FROM WINCHENDON, MASSACHUSETTS, TEST SECTIONS.
Cole, D.M., et al, July 1986, 70p., ADA-171 541, 15 refs.
Bentley, D.L., Durell, G., Johnson, T.C.
41-593
ROADS, FROZEN GROUND STRENGTH, FREEZE THAW CYCLES, GROUND THAWING, PAVEMENTS, SOIL STRENGTH, SUBGRADE SOILS, LOADS (FORCES), UNFROZEN WATER CONTENT, STRESSES, SOIL WATER.

This work is the first of a series of four reports about laboratory and field testing of various granular road and airfield subgrades. This report details the acquisition, testing and analysis of six soils from a test site in Winchendon, Massachusetts. Repeat load triaxial tests were done on frozen and thawed soils to characterize the variations in their resilient properties throughout the seasons. Linear regression yielded empirical equations relating the resilient modulus to applied stress, unfrozen water content (for frozen soils), moisture tension (for thawed soils) and density. Equipment and test procedures (given in detail) were developed that allowed simulation in the laboratory of the gradual recovery of stiffness that occurs in the field after thawing. The resilient moduli were strongly dependent on soil state, dropping at least two orders of magnitude upon thawing.

CR 86-05
EFFECT OF GRAIN SIZE ON THE INTERNAL FRACTURING OF POLYCRYSTALLINE ICE.
Cole, D.M., July 1986, 71p., ADA-171 571, Refs. p.49-51.
41-3479
ICE CRACKS, ICE CRYSTAL STRUCTURE, FRACTURING, GRAIN SIZE, ICE CREEP, PHOTOGRAPHY, STRESSES.

This work presents the results of a study to examine the effects of grain size on the number and size of internal microfractures in polycrystalline ice. Laboratory-prepared specimens were tested under uniaxial, constant-load creep conditions at -5 C. Grain size ranged from 1.5 to 6.0 mm. This range of grain size, under an initial creep stress of 2.0 MPa, led to a significant change in the character of deformation. The finest-grained material displayed no internal cracking and typically experienced strains of 1/100 at the minimum creep rate. The coarse-grained material experienced severe cracking and a drop in the strain at the minimum creep rate to approximately 4/1000. Extensive post test optical analysis allowed estimation of the size distribution and number of microcracks in the tested material. These data led to the development of a relationship between the average crack size and the average grain size. Additionally, the crack size distribution, when normalized to the grain diameter, was very similar for all specimens tested. The results indicate that the average crack size is approximately one half the average grain diameter over the stated grain size range. A dislocation pileup model is found to adequately predict the onset of internal cracking. The work employed acoustic emission techniques to monitor the fracturing activity. This information shed light on the time and strain at which

the fracturing began and when the peak fracturing rate occurred. Other topics covered in this report include creep behavior, crack healing, the effect of stress level on fracture size and the orientation of cracked grains. Theoretical aspects of the grain size effect on material behavior are also given.

CR 86-06
SHORT-PULSE RADAR INVESTIGATIONS OF FRESHWATER ICE SHEETS AND BRASH ICE.
Arcone, S.A., et al, July 1986, 10p., ADA-172 578, 5 refs.
Delaney, A.J., Perham, R.E.
41-594
ICE COVER THICKNESS, RADAR ECHOES, LAKE ICE, ICE SHEETS, ANTENNAS.
Short-pulse radar profiles and waveform traces were recorded over natural, freshwater ice sheets and an artificially made, 1.6-m-diameter column of brash ice. The purpose was to study the feasibility of this type of radar to detect ice thickness, determine ice properties and distinguish ice forms. The radar utilized two antennas, one with a spectrum centered near 900 MHz and a second more powerful one near 700 MHz. Distinct top and bottom reflections from several ice sheets were produced by both antennas, but the value of dielectric permittivity calculated from the time delay of the reflections varied between sheets as one ice sheet was ready to candle and contained free water. The brash ice distorted signals and allowed no discernible bottom return.

CR 86-07
NITROGEN CONTROL IN WASTEWATER TREATMENT SYSTEMS FOR MILITARY FACILITIES IN COLD REGIONS.
Reed, S.C., Aug. 1986, 23p., ADA-173 724, 25 refs.
41-859
MILITARY FACILITIES, WASTE TREATMENT, WATER TREATMENT, CHEMICAL ANALYSIS, SEWAGE TREATMENT, WATER POLLUTION, CLIMATIC FACTORS, FILTERS, SLUDGES
Nitrogen control in the form of ammonia removal or conversion is required, or will be required, for a significant number of military wastewater treatment systems. This report presents a summary of engineering criteria for those processes in most common use at military facilities in the cold regions. These processes include: trickling filters, treatment ponds, rotating biological contactors (RBC) and activated sludge. A design example is presented for each case. All four processes can achieve significant levels of ammonia removal or conversion. If ammonia discharge limits are 0.5 mg/L or less it may be necessary to use the activated sludge process. Trickling filters or RBC units are recommended for higher (> 1 mg/L) discharge limits. Pond systems are suitable for seasonal ammonia removal in cold climates.

CR 86-08
APPLICATIONS OF THE FINITE-ELEMENT METHOD TO THE PROBLEM OF HEAT TRANSFER IN A FREEZING SHAFT WALL.
Liandi, F., Aug. 1986, 24p., ADA-172 552, 12 refs.
41-595
SOIL FREEZING, SHAFTS (EXCAVATIONS), HEAT TRANSFER, TUNNELS, WALLS, LATENT HEAT, HEAT CAPACITY, ANALYSIS (MATHEMATICS).
In this work, numerical computations of heat transfer for freezing a shaft wall have been conducted. Both fixed mesh and deforming mesh finite-element methods are used. In the fixed mesh method, latent heat effects are accounted for through a *delta* function in the apparent heat capacity. In the deforming mesh method, an automatic mesh-generation technique with transfinite mappings is used, and in this method two different approaches are taken to evaluate the movement of the interface. The freeze-pipes are considered as point sources with irregular distribution. The advancement of the inner and outer boundaries of the frozen wall is found to be in agreement with the previously computed results.

CR 86-09
THEORY FOR THE SCALAR ROUGHNESS AND THE SCALAR TRANSFER COEFFICIENTS OVER SNOW AND SEA ICE.
Andreas, E.L., Sep. 1986, 19p., ADA-174 089, Refs. p.17-19.
41-1263
SNOW SURFACE, SEA ICE, HEAT TRANSFER, MOISTURE TRANSFER, SURFACE ROUGHNESS, TURBULENT FLOW, MODELS, WIND VELOCITY, LATENT HEAT
The bulk aerodynamic transfer coefficients for sensible, C(H) and latent, C(E), heat over snow and sea ice surfaces are necessary for accurately modeling the surface energy budget but are very difficult to measure. This report therefore presents a theory that predicts C(H) and C(E) as functions of the wind speed and a surface roughness parameter. The crux of the model is establishing the interfacial sublayer profiles of the scalars, temperature and water vapor, over aerodynamically smooth and rough surfaces. These interfacial sublayer profiles are derived from a surface-renewal model in which turbulent eddies continually sweep down to the surface, transfer scalar contaminants across the interface by molecular diffusion, and then burst away. Matching the interfacial sublayer profiles with the usual semilogarithmic inertial sublayer profiles yields the roughness lengths for temperature and water vapor. With these and a model for the drag coefficient over snow and sea ice based on actual measurements, the transfer coefficients are predicted. C(E) is always a few percent larger than C(H). Both decrease monotonically with increasing wind speed for speeds above 1 m/s, and both increase at all wind speeds as the surface gets rougher.

CR 86-10
NATURAL ROTOR ICING ON MOUNT WASHINGTON, NEW HAMPSHIRE.
Itagaki, K., et al, Sep. 1986, 62p., ADA-170 583, 21 refs.
Lemieux, G.E., Bosworth, H.W.
41-3480
AIRCRAFT ICING, PROPELLERS, WIND TUNNELS, WIND VELOCITY, UNFROZEN WATER CONTENT, WATER VAPOR, ICE FOG
Icing of a four-bladed rotor was studied under natural conditions at the top of Mt. Washington, N.H. The rotor had two cylindrical blades and two airfoil blades. The results were compared with studies conducted in icing wind tunnels. Considerable differences in icing regimes were observed. For instance, with comparable liquid water content and wind speed the wet-to-dry growth regime transition temperature was up to 10 C higher under natural conditions than in the wind tunnel studies. Results of other studies made under natural conditions were close to those of the present study, indicating that wind tunnel conditions are significantly different from natural conditions. Close examination of the conditions indicated that supersaturation of water vapor existing in most of the wind tunnel studies is the most probable cause of the differences.

CR 86-11
MORPHOLOGY, HYDRAULICS AND SEDIMENT TRANSPORT OF AN ICE-COVERED RIVER. FIELD TECHNIQUES AND INITIAL DATA.
Lawson, D.E., et al, Oct. 1986, 37p., ADA-177 196, 33 refs.
Chacho, E.F., Brockett, B.E., Wuebben, J.L., Collins, C.M., Arcone, S.A., Delaney, A.J.
41-2612
ICEBOUND RIVERS, RIVER FLOW, ICE COVER EFFECT, SEDIMENT TRANSPORT, ICE CONDITIONS, ICE COVER THICKNESS, SAMPLING, WATER LEVEL, FRAZIL ICE, WATER TEMPERATURE, TESTS, HYDRAULICS, UNITED STATES—ALASKA—TANANA RIVER.
This initial study of the ice-covered Tanana River, near Fairbanks, Alaska, attempted to 1) establish field methods for systematic and repetitive quantitative analyses of an ice-covered river's regime, 2) evaluate the instruments and equipment for sampling, and 3) obtain the initial data of a long-term study of ice cover effects on the morphology, hydraulics and sediment transport of a braided river. A methodology was established, and detailed measurements and samplings, including profiling by geophysical techniques, were conducted along cross sections of the river.

CR 86-12
RESILIENT MODULUS OF FREEZE-THAW AFFECTED GRANULAR SOILS FOR PAVEMENT DESIGN AND EVALUATION. PART 2. FIELD VALIDATION TESTS AT WINCHENDON, MASSACHUSETTS, TEST SECTIONS.
Johnson, T.C., et al, Oct. 1986, 62p., ADA-175 708, 13 refs.
Bentley, D.L., Cole, D.M.
41-2613
SOIL FREEZING, BITUMINOUS CONCRETES, FREEZE THAW CYCLES, PAVEMENTS, SOIL STRUCTURE, STRESSES, DESIGN, TESTS.
Stress-deformation data for six granular soils ranging from sandy silt to dense-graded crushed stone were obtained from *in-situ* tests and laboratory tests. Surface deflections were measured in the *in-situ* tests, with repeated-load plate-bearing and falling-weight deflectometer equipment, when the six granular soils were frozen, thawed, and at various stages of recovery from thaw weakening. The measured deflections were used to judge the validity of procedures developed for laboratory triaxial tests to determine nonlinear resilient moduli of specimens in the frozen, thawed, and recovering states. The validity of the nonlinear resilient moduli, expressed as functions of externally applied stress and moisture tension, was confirmed by using the expressions to calculate surface deflections that were found to compare well with deflections measured in the *in-situ* tests. The tests on specimens at various stages of recovery are especially significant because they show a strong dependence of the resilient modulus on moisture tension leading to the conclusion that predictions of *in situ* measurements of moisture tension can be used to evaluate expected seasonal variation in the resilient modulus of granular soils.

CR 86-13
RESILIENT MODULUS OF FREEZE-THAW AFFECTED GRANULAR SOILS FOR PAVEMENT DESIGN AND EVALUATION.
Johnson, T.C., et al, Oct. 1986, 138p., ADA-175 924, 10 refs.
Crowe, A., Erickson, M., Cole, D.M.
41-2549
PAVEMENTS, FREEZE THAW CYCLES, AIRPORTS, THAW WEAKENING, BITUMINOUS CONCRETES, SUBGRADE SOILS, DEFORMATION, ROADS, SURFACE PROPERTIES, DESIGN.
Stress-deformation data for unbound base, subbase, and silty sand subgrade soils in two airfield pavements were obtained from *in situ* tests and laboratory tests. Surface deflections were measured in the *in situ* tests, with a falling-weight deflectometer, when the soils were frozen, thawed, and at various stages of recovery from thaw weakening. The measured deflections were used to judge the validity of procedures developed for laboratory triaxial tests to determine nonlinear resilient moduli of specimens in the frozen, thawed and recovering states. The validity of the nonlinear resilient moduli, expressed as functions of externally applied stress and moisture tension, was confirmed by using the expressions to calculate surface deflections that were found to compare well with deflections measured in the *in situ* tests. The tests on specimens at various stages of recovery are especially significant because they show a strong dependence of the resilient modulus on moisture tension, leading to the conclusion that predictions or *in situ* measurements of moisture tension can be used to evaluate expected seasonal variation in the resilient modulus of granular soils.

CR 86-14
EVALUATION OF SELECTED FROST-SUSCEPTIBILITY TEST METHODS.
Chamberlain, E.J., Dec. 1986, 51p., ADA-176 125, 17 refs.
41-2614
SOIL FREEZING, FROST RESISTANCE, FROST HEAVE, SOIL MECHANICS, SOIL CLASSIFICATION, SOIL WATER, FREEZE THAW TESTS.
Three methods for determining the frost susceptibility of soils are evaluated in this report. These methods are the U.S. Army Corps of Engineers frost design soil classification system, a moisture-tension/hydraulic-conductivity test, and a laboratory freeze-thaw test. The Corps method, which is based on particle size, soil classification, and a laboratory freezing test, was found to be useful for identifying frost-susceptible soils. However, it cannot be used with confidence for determining the degree of frost susceptibility. The moisture-tension/hydraulic-conductivity test was found to be unacceptable because it required too much time and its results correlated poorly with field observations. The freeze-thaw test was determined to be the most accurate of the methods studied, including the freeze test that is a part of the Corps method. The freeze-thaw test is thoroughly described. It includes indexes of both frost-heave susceptibility (heave rate) and thaw-weakening susceptibility (CBR after thawing). It also accounts for the effects of freeze-thaw cycling and is completely automated to improve the repeatability of the test results. It is suggested that the freeze-thaw test be considered as a replacement for the Corps freezing test.

CR 86-15
EFFECT AND DISPOSITION OF TNT IN A TERRESTRIAL PLANT AND VALIDATION OF ANALYTICAL METHODS.
Palazzo, A.J., et al, Dec. 1986, 17p., ADA-199 546, For another version see 40-3708. 30 refs.
Leggett, D.C.
43-1200
PLANTS (BOTANY), SOIL POLLUTION, PLANT PHYSIOLOGY, WASTE DISPOSAL, CHEMICAL ANALYSIS, TESTS, GROWTH, ROOTS
Little is known about the response of terrestrial plants to 2,4,6-trinitrotoluene (TNT). The objectives of this study were to develop and test a method for measuring the amounts of TNT and its metabolites in plant tissue and to assess their effects in yellow nutsedge *(Cyperus esculentus L.)*. The method developed was tested for its precision and accuracy for measuring TNT and its metabolites. The minimum detection limits of the method were 0.4, 0.6 and 0.9 mg/kg for TNT, 4-ADNT and 2-ADNT, respectively. Homogenization of plant tissue prior to analysis did not improve precision or recovery of naturally incorporated residues. Spike recoveries ranged from 46% to 101%. Two plant growth and uptake studies were conducted by growing nutsedge in hydroponic cultures containing TNT concentrations ranging from 0 to 20 mg/L. The greatest changes in physiological activity occurred between solution concentrations of 0.5 and 5.0 mg/L of TNT. Within this range, new plant growth became increasingly inhibited. Physiological effects from TNT may occur at levels below 0.5 mg/L. Root growth was affected most, followed by rhizomes and leaves. TNT and metabolites were found throughout the plant. Since TNT was the only compound present in the cultures, the metabolites must have been formed within the plant. Increasing the TNT concentration in culture solutions increased the concentrations of this compound and the two metabolites in the plants. Concentrations of all 3 compounds were greatest in the roots, while the rhizomes contained the greatest quantities of TNT and metabolites.

CR 86-16
TRIAXIAL TESTING OF FIRST-YEAR SEA ICE.
Richter-Menge, J.A., et al, Dec. 1986, 41p., ADA-178 329, 36 refs.
Cox, G.F.N., Perron, N., Durell, G., Bosworth, H.W.
41-2547
ICE STRENGTH, ICE MECHANICS, ICE CRYSTAL STRUCTURE, SEA ICE, YOUNG ICE, COMPRESSIVE PROPERTIES, STRAIN TESTS, LOADS (FORCES), TEMPERATURE EFFECTS.

This report presents the first series of conventional triaxial tests carried out on columnar first-year sea ice samples obtained from the field and tested under controlled laboratory conditions using a large-capacity test machine. A total of 110 horizontal ice samples from Prudhoe Bay, Alaska, were tested on a closed-loop electro-hydraulic test machine at -10 C in unconfined and confined constant-strain-rate compression. The confined tests were conducted in a conventional triaxial cell that maintained a constant ratio between the radial and axial stress to simulate *in situ* loading conditions. The load ratios used were 0.25, 0.50 and 0.75. The strain rate of each test was constant at 1/100, 1/1000, or 1/100,000 per sec. Data are presented on the strength, failure strain and initial tangent modulus of the first-year sea ice under these loading conditions. The effects of confining pressure, strain rate and ice structure on the mechanical properties of the ice are examined.

CR 86-17
ATMOSPHERIC ICING ON COMMUNICATION MASTS IN NEW ENGLAND.
Mulherin, N., Dec. 1986, 46p., ADA-178 347, 34 refs.
41-3142
ANTENNAS, ICING, TOWERS, ICE FORMATION, PRECIPITATION (METEOROLOGY), COST ANALYSIS.

Rime icing and freezing precipitation are of concern to the radio and television broadcasting industry. This report contains the results of a study seeking to document the severity and extent of transmitter tower icing and related problems in the northeastern United States. Information was obtained via mail questionnaire and telephone interviews with 85 station owners and engineers concerning 118 different stations. Results show that television and FM broadcasters are seriously impacted by tower icing, however, AM operators are usually not affected by expected New England icing levels. Combined annual costs for icing protection and icing-related repairs averaged $121, $402 and $3066 for AM, FM and TV stations respectively. None of the AM stations polled employ any icing protection measures whereas all the TV stations do. The percentage of FM stations having icing protection in the three northern states averaged 80%, indicating a significant concern for icing in that region. In contrast, the percentage of FM stations with icing protection was 63.5% for the southern New England states. The usage of guyed versus non-guyed towers was a poor indicator of icing costs. However the factors of increasing mast height and mast top elevation are significant to increasing costs.

CR 86-18
FROST ACTION PREDICTIVE TECHNIQUES FOR ROADS AND AIRFIELDS. A COMPREHENSIVE SURVEY OF RESEARCH FINDINGS.
Johnson, T.C., et al, Dec. 1986, 45p., ADA-178 243, 32 refs.
Berg, R.L., Chamberlain, E.J., Cole, D.M.
41-3143
FROST HEAVE, ROADS, AIRPORTS, FREEZE THAW CYCLES, FROST RESISTANCE, FROST PENETRATION, PAVEMENTS, SUBGRADE SOILS, DESIGN, MATHEMATICAL MODELS, FROST ACTION

Findings from a six-year field and laboratory program of frost-action research in four areas are summarized. Research on the first topic, frost-susceptibility index tests, led to selection of the Corps of Engineers frost design soil classification system as a useful method at the simplest level of testing. At a much more complex level, a new freezing test combined with a CBR test after thawing is recommended as an index of susceptibility to both frost heave and thaw weakening. Under the second topic, a soil column and dual gamma system were developed and applied to obtain soil data used in improving and validating a mathematical model of frost heave, the objective of the third topic. The model was effectively improved, a probabilistic component was added, and it was successfully tested against field and laboratory measurements of frost heave. A thaw consolidation algorithm was added which was shown to be useful in predicting the seasonal variation in resilient modulus of granular soils, the objective of the fourth topic. A laboratory testing procedure was developed for assessing the resilient modulus of thawed soil at various stages of the recovery process, as a function of the applied stress and the soil moisture tension, which increases as the soil gradually desaturates during recovery. The procedure was validated by analyzing deflections measured on pavements by a falling weight deflectometer. Frameworks for implementing findings from the principal research topics are outlined.

CR 87-01
RIME METEOROLOGY IN THE GREEN MOUNTAINS.
Ryerson, C.C., Jan. 1987, 46p., ADA-178 358, 33 refs.
41-3144
ICING, HOARFROST, ANTENNAS, ICE DETECTION, SYNOPTIC METEOROLOGY, METEOROLOGICAL FACTORS, MOUNTAINS, VARIATIONS.

Rime icing is a frequent and severe problem in higher elevations of the Green Mountains because it impacts radio and television antennas and ski lifts and could affect high elevation wind machine performance. Rime meteorology, measuring equipment performance, and variation with elevation were analyzed statistically on Mt. Mansfield and Madonna Peak, Vermont, during the winters of 1982-83 and 1983-84. Weather conditions were measured from surface weather observations, from rawinsonde 850 mb records, and from synoptic weather maps. Rime intensity with time was measured with a Rosemount antenna deicing system on Mt. Mansfield, and rime accretion was measured from collectors installed from 643 to 1227 m on the two peaks. Most rime events in the Green Mountains are of low intensity, with greatest intensities found in warmer, subfreezing air within 5 C of the dew point. Rime was usually most intense within deep low pressure systems, and was associated with 9- to 10-tenths cloud cover and light precipitation. Rime was rarely associated with high pressure. Most rime events occurred within cold and occluded fronts in southerly to westerly winds.

CR 87-02
RESILIENT MODULUS OF FREEZE-THAW EFFECTED GRANULAR SOILS FOR PAVEMENT DESIGN AND EVALUATION. PART 3. LABORATORY TESTS ON SOILS FROM ALBANY COUNTY AIRPORT.
Cole, D.M., et al, Feb 1987, 36p., ADA-179 253, 6 refs.
Bentley, D.L., Durell, G., Johnson, T.C.
41-2942
PAVEMENTS, FREEZE THAW TESTS, SUBGRADE SOILS, AIRPORTS, ROADS, UNFROZEN WATER CONTENT, SOIL WATER, TEMPERATURE EFFECTS.

This is the third in a series of four reports on the laboratory and field testing of a number of road and airfield subgrades, covering the laboratory repeated-load triaxial testing of five soils in the frozen and thawed states and analysis of the resulting resilient modulus measurements. The laboratory testing procedures allow simulation of the gradual increase in stiffness found in frost-susceptible soils after thawing. The resilient modulus is expressed in a nonlinear model in terms of the applied stresses, the soil moisture tension level (for unfrozen soil), the unfrozen water content (for frozen soil) and the dry density. The resilient modulus is about 10 GPa for the frozen material at temperatures in the range of -5 to -8 C. The decrease in modulus with increasing temperature was well-modeled in terms of the unfrozen water content. Upon thaw, the modulus dropped to about 100 MPa and generally increased with increasing confining stress and decreased with increasing principal stress ratio. The modulus also increased with the soil moisture tension level. The resilient Poisson's ratio did not appear to be a systematic function of any of the test variables.

CR 87-03
MECHANICAL PROPERTIES OF MULTI-YEAR SEA ICE. PHASE 1: ICE STRUCTURE ANALYSIS.
Richter-Menge, J.A., et al, Mar. 1987, 30p., ADA-181 205, 19 refs.
Cox, G.F.N., Perron, N.
41-4143
ICE MECHANICS, ICE STRUCTURE, SEA ICE, PRESSURE RIDGES, ICE FLOES, TESTS.

This report describes the structural analysis of multi-year sea ice samples that were tested in the first phase of a program designed to obtain a comprehensive understanding of the mechanical properties of multi-year sea ice from the Alaskan Beaufort Sea. Each test specimen is classified into one of three major ice texture categories: granular, columnar, or a mixture of columnar and granular ice. The crystallographic orientation, percent columnar ice, and grain size are then evaluated for the granular and columnar ice in the sample. Test results are interpreted with respect to these parameters. The overall composition of multi-year ridges is also considered, based on the extensive field sampling that was done in the program.

CR 87-04
CRYSTAL STRUCTURE AND SALINITY OF SEA ICE IN HEBRON FIORD AND VICINITY, LABRADOR.
Gow, A.J., Mar. 1987, 18p., ADA-180 930, 15 refs.
41-4144
ICE CRYSTAL STRUCTURE, ICE SALINITY, SEA ICE, MELTWATER, OCEAN CURRENTS, BRINES, PHOTOGRAPHY, CANADA, LABRADOR, HEBRON FIORD

Results of measurements of the crystalline structure and salinity characteristics of sea ice in Hebron Fiord and vicinity are presented. Structurally, the fiord ice was entirely first-year and composed predominantly of congelation, columnar-type crystals. At most of the sampling sites the ice exhibited moderately to strongly aligned c-axes consistent with the inferred direction of near-surface currents in the fiord. Generally diminished values of bulk salinity at five separate locations reflect the warm ice conditions encountered at the time of sampling (late May), and the effect of meltwater flushing in promoting loss of brine, vertically, from the ice sheet. Observations outside Hebron Fiord indicated the presence of only minor amounts of multiyear ice during the latter part of May.

CR 87-05
VEGETATION AND A LANDSAT-DERIVED LAND COVER MAP OF THE BEECHEY POINT QUADRANGLE, ARCTIC COASTAL PLAIN, ALASKA.
Walker, D.A., et al, Apr. 1987, 63p., ADA-180 931, Refs. p.51-54.
Acevedo, W.
41-4367
TUNDRA, VEGETATION, GEOBOTANICAL INTERPRETATION, MAPPING, REMOTE SENSING, LANDSAT, LANDSCAPES, PATTERNED GROUND, CLASSIFICATIONS, UNITED STATES—ALASKA—BEECHEY POINT.

This report presents a Landsat-derived land cover classification of the Beechey Point, Alaska, 1:250,000-scale quadrangle with descriptions of the major vegetation units. Eight Landsat-level units derived from multispectral scanner data, eleven photo-interpreted units, and eight common vegetation complexes are described and illustrated. Procedures of Landsat analysis, field methods, and cartographic methods are described. The region is divided into four landscape units: flat thaw-lake plains, gently rolling thaw-lake plains, hills, and flood plains. Area analysis of the quadrangle was done according to townships and nine small study areas. The map uses a modified version of the hierarchical tundra mapping classification of Walker (1985). Area-measurement data from geobotanical maps at eight study sites are compared with similar data from Landsat maps of the same sites. The results indicate that Landsat maps yield area measurements corresponding to broad geobotanical categories.

CR 87-06
ELECTROMAGNETIC PROPERTY TRENDS IN SEA ICE, PART 1.
Kovacs, A., et al, Apr. 1987, 45p., ADA-180 929, 34 refs.
Morey, R.M., Cox, G.F.N., Valleau, N.C.
41-4368
ICE ELECTRICAL PROPERTIES, ELECTROMAGNETIC PROPERTIES, SEA ICE, REMOTE SENSING, DIELECTRIC PROPERTIES, BRINES, ICE SALINITY, ICE COVER THICKNESS, TEMPERATURE EFFECTS, ANALYSIS (MATHEMATICS).

Two-phase dielectric mixing model results are presented showing the electromagnetic (EM) properties of sea ice versus depth. The modeled data are compared with field measurements and show comparable results. It is also shown how the model data can be used in support of impulse radar and airborne electromagnetic (AEM) remote sensing of sea ice. Examples of the remote measurement of sea ice thickness using impulse radar operating in the 80- to 400-MHz frequency band and low-frequency (500 to 30,000 Hz) sounding techniques are presented and discussed.

CR 87-07
DEVELOPMENT OF AN ANALYTICAL METHOD FOR EXPLOSIVE RESIDUES IN SOIL.
Jenkins, T.F., et al, June 1987, 51p., ADA-183 738, Refs. p.19-21
Walsh, M.E.
42-20
EXPLOSIVES, SOIL POLLUTION, MILITARY OPERATION, MEASURING INSTRUMENTS, EXPERIMENTATION

An analytical method was developed to determine the concentrations of HMX, RDX, TNB, DNB, Tetryl, TNT, and 2,4-DNT in soil. The method involves extracting a 2-g sample with 80 ml of acetonitrile using an ultrasonic bath procedure for 18 hr. A 10-ml portion of the extract is diluted with 10 ml of water, filtered through a 0.45-micron Millex SR filter, and analyzed by RP-HPLC using a fixed 254-nm UV detector. Separations were obtained on an LC-18 column eluted with 60:40 water-methanol. Retention times were 2.55, 3.82, 5.16, 6.24, 7.04, 8.47, and 10.19 min for HMX, RDX, TNB, DNB, Tetryl, TNT, and 2,4-DNT, respectively. Confirmation of analyte identities is recommended by RP-HPLC on an LC-CN column using 80:20 water-methanol. Kinetic studies using naturally contaminated soil indicate that equilibrium was achieved within 24 hr for the majority of soils and analytes studied.

CR 87-08
USE OF LANDSAT DIGITAL DATA FOR SNOW COVER MAPPING IN THE UPPER SAINT JOHN RIVER BASIN, MAINE.
Merry, C.J., et al, June 1987, 68p., ADA-183 213, Refs. p.52-57.
Miller, M.S.
42-21
SNOW COVER DISTRIBUTION, SNOW DEPTH, REMOTE SENSING, SNOW WATER EQUIVALENT, MAPPING, LANDSAT, COMPUTER APPLICATIONS, FOREST LAND.
Measurements of snow depth and its water equivalent were obtained at 11 snow courses in the Allagash, Maine, area in conjunction with the acquisition of five Landsat-2 and -3 images during the 1977-78 and 1978-79 winters. To test a hypothesis that Landsat reflected radiance values on a regional scale do change, histograms of the Landsat MSS band 7 reflected radiance values for a 300 x 300 pixel (420 sq km) area near Allagash were evaluated to quantify the change. A statistical description (skewness and kurtosis) of the histogram for each scene was developed and then correlated with ground measurements of snow depth. A snow index based on skewness and model population was found to correlate well with snow depth. Following these initial results, the Landsat data were re-examined and corrections were made for solar elevation and MSS sensor calibration. The reflected radiance from open areas showed a consistent increase in intensity with increasing snow depth. The forested land cover classes did not change with snow depth.

CR 87-09
FACTORS AFFECTING WATER MIGRATION IN FROZEN SOILS.
Xu, X., et al, July 1987, 16p., ADA-184 796, 20 refs.
Oliphant, J.L., Tice, A.R.
42-463
SOIL WATER MIGRATION, UNFROZEN WATER CONTENT, FROZEN GROUND PHYSICS, TESTS, NUCLEAR MAGNETIC RESONANCE, TEMPERATURE GRADIENTS, WATER CHEMISTRY, DENSITY (MASS/VOLUME), TEMPERATURE EFFECTS.
Soil-water potential was measured on three soils and influencing factors, including water content, soil texture, dry density and temperature, were investigated. The soil-water potential in unsaturated, unfrozen soils decreases with decreasing soil water content and soil dispersion, and increases with increasing temperature and dry density. Unfrozen water contents were determined by pulsed nuclear magnetic resonance and three factors thought to affect the unfrozen water content at a given temperature were investigated. Of these three factors, only increasing the salt concentration caused a large change in the unfrozen water versus temperature curves. Water migration in an unsaturated frozen soil (Morin clay) was determined in horizontally closed soil columns under linear temperature gradients. The flux of water migration was calculated from the water distribution curves before and after testing. The flux is directly proportional to the temperature gradient and inversely proportional to the square root of the test duration, and decreases with decreasing temperature and soil dry density.

CR 87-10
CREEP AND STRENGTH BEHAVIOR OF FROZEN SILT IN UNIAXIAL COMPRESSION.
Zhu, Y., et al, July 1987, 67p., ADA-184 816, Refs. p.58-60.
Carbee, D.L.
43-426
FROZEN GROUND MECHANICS, FROZEN GROUND STRENGTH, SOIL CREEP, STRESS STRAIN DIAGRAMS, RHEOLOGY, COMPRESSIVE PROPERTIES, TEMPERATURE EFFECTS, FROZEN GROUND PHYSICS, TESTS.
Uniaxial constant-stress and constant-strain-rate compression tests were conducted on more than 200 remolded, saturated, frozen specimens of Fairbanks silt under various conditions. A series of curves of stress vs strain rate for various temperatures for strain rates ranging from about 0.06 to 1/100,000,000/s show a close strength correspondence between the constant-stress and constant-strain-rate tests. All of these "complete" stress vs strain rate curves could not be described by a single power law or exponential equation, indicating that different deformation mechanisms are dominant within different ranges of strain rate. Two critical strain rates for distinguishing between the different deformation mechanisms were observed to be near 1:1,000 and 1/1,000,000/s for the medium-dense frozen Fairbanks silt. The former indicates the transition from ductile failure to moderate brittle fracture as strain rate increases, while the latter indicates the transition from dislocation creep to glide creep (by the authors' definition). Based on the changes in flow law, two fundamental creeps were classified short-term creep, which is governed by glide creep, and long-term creep, which is governed by dislocation creep. The failure strain was not sensitive to temperature and strain rate over a certain range of strain rates, but it was very sensitive to density. Assur's creep model (1980) for ice was used to fit the creep data in this study. It works well for short-term creep but does not fit as well for long-term creep. The rate process theory was applied to the creep data. A very high value of experimental activation energy was obtained for lower stresses, and a very high value of apparent activation energy was observed for higher temperatures. The peak compressive strength was very sensitive to temperature and strain rate but relatively insensitive to density. While the initial tangent modulus is not sensitive to strain rate, it increases with decreasing temperature and density.

CR 87-11
DISTURBANCE AND RECOVERY OF ARCTIC ALASKAN TUNDRA TERRAIN.
Walker, D.A., et al, July 1987, 63p., ADA-184 442, Refs. p.52-62.
Cate, D., Brown, J., Racine, C.H.
42-334
TUNDRA, REVEGETATION, HUMAN FACTORS, LAND RECLAMATION, ENVIRONMENTAL IMPACT, PIPELINES, PERMAFROST, ROADS, UNITED STATES—ALASKA.
This document is a summary of over a decade of CRREL-managed research regarding disturbance and recovery in northern Alaska. Much of this research was sponsored by the U.S. Geological Survey's National Petroleum Reserve —Alaska exploration program and the Department of Energy's environmental research program, although numerous other agencies and members of the oil industry have also made contributions to several of the university participants. This work comes at a time of major transition in the focus of northern Alaskan environmental research from single-impact studies to analysis of cumulative impacts. Thus, it summarizes studies of anthropogenic disturbances in northern Alaska and discusses the immediate need for new methods to approach the problems of revegetation, restoration and cumulative impacts of terrain underlain by permafrost. This heritage of research comes from many research sites in northern Alaska, including Cape Thompson, the Seward Peninsula, Barrow, Fish Creek, Oumalik, East Oumalik, Prudhoe Bay, the Arctic National Wildlife Refuge and along the trans-Alaska pipeline. The impacts that are discussed include bladed trails, off-road vehicle trails, winter trails, ice roads, gravel pads and roads, borrow pits, roadside impoundments, road dust, hydrocarbon spills and seawater spills.

CR 87-12
PERSISTENCE OF CHEMICAL AGENTS ON THE WINTER BATTLEFIELD. PART I. LITERATURE REVIEW AND THEORETICAL EVALUATION.
Leggett, D.C., Aug. 1987, 20p., ADB-115 298, Refs. p.11-14.
42-1089
MILITARY OPERATION, CHEMICAL PROPERTIES, DROPS (LIQUIDS), SNOW COVER, ICE COVER, EVAPORATION, TEMPERATURE GRADIENTS, IMPURITIES.
Literature concerning persistence of chemical warfare agents and related chemicals in cold environments is analyzed. An existing model of droplet persistence is discussed in relation to evaporation theory and practical uncertainties. This model was questioned in the case of ice and snow-covered terrain—a new model may be needed, but the necessary experimental data for testing and validation are not yet available. Experimental evaporation data for chemicals on snow are needed as well as the solubilities of ice in the relevant chemicals. Since evaporation from ice is inferred to be significantly retarded, it was emphasized that the rates of chemical degradation need to be addressed under these conditions. Hydrolysis is a mechanism of agent degradation already experimentally demonstrated in ice. More experiments are needed under conditions realistically simulating agent contamination over snow and ice covers. Photolysis is a third potential mechanism of agent dissipation. Theoretical and indirect experimental evidence suggest that it is a viable pathway. Because thermal activation is theoretically not required, it may proceed equally rapidly at low or high temperatures. Suggestions for relevant experiments —droplet evaporation and solubility tests, and tests of hydrolysis and photolysis of droplets on ice and snow surfaces —are made.

CR 87-13
GEOCHEMISTRY OF FREEZING BRINES. LOW-TEMPERATURE PROPERTIES OF SODIUM CHLORIDE.
Thurmond, V.L., et al, Aug. 1987, 11p., ADA-185 751, 21 refs.
Brass, G.W.
42-914
BRINES, FREEZING, GEOCHEMISTRY, SOLUTIONS, LOW TEMPERATURE TESTS, SOLUTIONS, CHEMICAL PROPERTIES, THERMODYNAMICS, SALINITY.
Thermodynamic properties of electrolyte solutions change rapidly below 25 C, but these properties are seldom measured over the low temperature range (below 0 C), even though some salt solutions can remain unfrozen to -50 C. The heat capacities of concentrated solutions (0.5-6.0 molal) of NaCl-H2O were measured from 25 C to -40 C as part of a study to provide thermodynamic data of salt solutions for use in cold regions chemical geophysical studies. A differential scanning calorimeter was used to measure specific heat capacity from cooling scans as a function of temperature and concentration. The heat capacity data were fit to the equations of Pitzer and coworkers to obtain activity and osmotic coefficients of NaCl and H2O, respectively, below 0 C. Supercooling of the solutions was encouraged by using a fast scan rate (10 deg/minute) so that specific heat could be measured to lower temperatures than would be possible if the solutions were allowed to equilibrate with the solid phases. The solubility of ice was calculated and compared to the experimental freezing point of NaCl solutions.

CR 87-14
PHYSICAL AND STRUCTURAL CHARACTERISTICS OF WEDDELL SEA PACK ICE.
Gow, A.J., et al, Aug. 1987, 70p., ADA-188 189, 31 refs.
Ackley, S.F., Buck, K.R., Golden, K.M.
42-1950
PACK ICE, ICE PHYSICS, ICE STRUCTURE, SEA ICE, ICE SALINITY, DRILL CORE ANALYSIS, FRAZIL ICE, MARINE BIOLOGY, LUMINESCENCE, ANTARCTICA—WEDDELL SEA.
During Feb. and Mar. 1986 the physical properties of Weddell Sea pack ice were investigated via core drilling of 66 floes located along a transect of 600 nautical miles from 64 S to 74 S latitude at roughly 40 W longitude. These studies revealed widespread frazil ice in amounts not known to exist in arctic sea ice of comparable age and thickness. It is estimated from structure studies of 62 of the 66 floes that 54% of the total ice production in the Weddell Sea is generated as frazil. The disposition and exceptional thicknesses of the frazil show that mechanisms other than surface turbulence effects are involved and imply that the circulation and structure of water in the upper levels of the Weddell Sea are significantly different from those in the Arctic basin. Salinities of both first-year and multi-year floes are notably higher than those of their Arctic counterparts because summer surface melting is rare or absent in the Weddell Sea; in the Arctic, downward percolating meltwater flushes through the ice and lowers its salinity. Fluorescence was evaluated as a means of revealing biological activity in Weddell Sea pack ice. It proved useful as an index of combined living and dead material in the ice, but measurements failed to establish any consistent relationship between fluorescence and salinity as suggested by earlier work in the Weddell Sea. (Auth.)

CR 87-15
TENSILE STRENGTH OF FROZEN SILT.
Zhu, Y., et al, Aug. 1987, 23p., ADA-185 483, 8 refs.
Carbee, D.L.
42-475
FROZEN GROUND STRENGTH, TENSILE PROPERTIES, SOIL PHYSICS, STRAINS, SEDIMENTS, UNFROZEN WATER CONTENT.
Constant strain-rate tension tests were conducted on remolded saturated frozen Fairbanks silt at various temperatures, strain rates, and densities. It was found that the critical strain rate of the ductile-brittle transition is not temperature-dependent at temperatures down to -5 C, but varies with density. The transition occurs at a strain rate of 0.01/s for medium-density silt and 0.0005/s for low-density silt. The peak tensile strength decreases considerably with decreasing strain rate for ductile failure, but it decreases slightly with increasing strain rate for brittle fracture. The failure strain remains almost constant at temperatures lower than about -2 C, but it varies with density and strain rate at -5 C. The initial tangent modulus is independent of strain rate and increases with decreasing temperature and density.

CR 87-16
PHYSICAL PROPERTIES OF SUMMER SEA ICE IN THE FRAM STRAIT, JUNE-JULY 1984.
Gow, A.J., et al, Sep. 1987, 81p., ADA-186 937, 39 refs.
Tucker, W.B., Weeks, W.F.
42-1516
ICE PHYSICS, ICE CRYSTAL STRUCTURE, ICE FLOES, SNOW DEPTH, ICE SALINITY, BRINES, FRAZIL ICE, ICE WATER INTERFACE, SEASONAL VARIATIONS, GREENLAND SEA.
The physical properties of sea ice in the Fram Strait region of the Greenland Sea were examined during June and July 1984 in conjunction with the MIZEX field program. Most of the ice sampled within Fram Strait during this period was multi-year, it is estimated to be, at least 85% by volume of the total ice discharged from Fram Strait during June and July. Thickness and other properties indicated that most of the multi-year ice was older than 4 to 5 years. Snow cover on the multi-year ice averaged 29 cm deep while that on first-year averaged only 8 cm. Much of this difference appears to be the result of enhanced sublimation of the snow on the thinner first-year ice. The salinity profiles of first-year ice clearly show the effects of ongoing brine drainage in that profiles from cores drilled later in the experiment were substantially less saline than earlier cores. Bulk salinities of multi-year ice are generally much lower than those of first-year ice. This difference furnished a very reliable means of distinguishing between the two ice types. Thin section examinations of crystal structure indicate that about 75% of the ice consisted of congelation ice with typically columnar type crystal structure. The remaining 25% consisted of granular ice with only a few occurrences of snow ice. The granular ice occurred primarily of frazil, found in small amounts at the top of floes, but mainly observed in multi-year ridges where it occurred as the major component of ice in interblock voids.

CR 87-17
EVALUATION OF THE MAGNETIC INDUCTION CONDUCTIVITY METHOD FOR DETECTING FRAZIL ICE DEPOSITS.
Arcone, S.A., et al, Sep. 1987, 12p., ADA-186 940, 13 refs.
Brockett, B.E., Lawson, D.E., Chacho, E.F.
42-1517
ICE DETECTION, FRAZIL ICE, ICE GROWTH, ICEBOUND RIVERS, MAGNETIC SURVEYS, SUBGLACIAL OBSERVATIONS, WATER FLOW, MEASURING INSTRUMENTS.

The ability to map frazil ice deposits and water channels beneath an ice-covered river in central Alaska using the magnetic induction conductivity (MI) technique has been assessed. The study was performed during the first week of Mar. 1986 on the Tanana River near Fairbanks and employed a commercially available instrument operating at a fixed frequency with a fixed antenna (coil) spacing and orientation Comparisons of the MI data with theoretical models based upon physical data measured along three cross sections of the river demonstrate the sensitivity of the MI technique to frazil ice deposits. The conductivity generally derived for the frazil ice deposits encountered is very low (about 6.3 x 1/10,000 S/m) when compared with the measured value for water (about 0 011 S/m), and is similar to the calculated values for gravel and sandy gravel bed sediments. In all three cross sections, maxima in the apparent conductivity profiles correlated with frazil ice deposits Difficulties, possibly due to adverse effects of cold weather upon instrument calibration, affected the quantitative performance of the instrument on one cross section, although the interpretation of the data (locations of open channels vs frazil deposits) was qualitatively unaffected.

CR 87-18
AUTOMATIC FINITE ELEMENT MESH GENERATOR.
Albert, M.R., et al, Sep. 1987, 27p., ADA-186 939, 10 refs.
Warren, J.L.
42-1518
HEAT TRANSFER, FLUID DYNAMICS, COMPUTER PROGRAMS, MATHEMATICAL MODELS, ENGINEERING.

Finite element computer codes are used in a variety of fields to solve partial differential equations of importance in science and engineering. The initial input to all of these programs requires the formation of a mesh (i.e , extensive lists of geometrical data listed in particular orders), and the success of the solution depends on a well-formed mesh. This report documents a mathematical mapping technique and its implementation into a computer code that will automatically generate quality finite element meshes. This versatile generator uses standard FORTRAN, requires no special equipment (such as a digitizer), is very economical to run, and is user-friendly. The mathematical technique is discussed, advantages and limitations of the method are presented, examples are shown, and notes on user instructions are provided.

CR 87-19
APPROXIMATE SOLUTIONS OF HEAT CONDUCTION IN A MEDIUM WITH VARIABLE PROPERTIES.
Yen, Y.-C., Sep. 1987, 18p., ADA-186 933, 6 refs.
42-1519
SNOW PHYSICS, HEAT TRANSFER, CONDUCTION, ANALYSIS (MATHEMATICS), HEAT BALANCE, THERMAL CONDUCTIVITY.

The approximate heat balance integral method (HBIM) is extended to the case of a medium with variable properties such as snow. The case of linear variation of thermal conductivity is investigated An alternative heat balance integral method (AHBIM) is developed Both constant surface temperature and surface heat flux are considered A comparison is made of the temperature distribution from the HBIM, AHBIM and an analytical method for the case of constant surface temperature In general, results agree quite well with the analytical method for small values of dimensionless time *tau*, but the difference becomes more pronounced as *tau* increases It is found that the AHBIM with a quadratic temperature profile gives a somewhat better result, especially when the value of the dimensionless distance is small The results, when compared with those from HBIM, AHBIM and the analytical method are found to agree exceptionally well with the analytical method, especially for large values of *tau*

CR 87-20
MICROWAVE AND STRUCTURAL PROPERTIES OF SALINE ICE.
Gow, A J., et al, Oct. 1987, 36p., ADA-189 307, Refs. p.32-34.
Arcone, S.A., McGrew, S.G.
42-2419
ICE STRUCTURE, ICE SALINITY, MICROWAVES, ICE ELECTRICAL PROPERTIES, DIELECTRIC PROPERTIES, TESTS, TEMPERATURE EFFECTS, BRINES, MODELS, SEA ICE, STRUCTURAL ANALYSIS.

The structure and salinity characteristics of saline ice slabs removed from ice sheets grown in an outdoor pool have been studied and related to the complex relative dielectric permittivity measured with free-space transmission techniques at 4.80 and 9 50 GHz. The saline ice closely simulated arctic sea ice in its structural and salinity characteristics, which were regularly monitored in a number of ice sheets grown during the winters of 1983-84 and 1984-85. *In-situ* transmission measurements at similar frequencies were also made on the ice sheets themselves using antennas located above and beneath the ice. The slab measurements were made during warming from -29 to -2 C on slabs grown during the winter of 1983-84 (4 75 GHz) and during a warming and cooling cycle over a slightly larger temperature range on slabs grown during the winter of 1984-85 (4.80 and 9.50 GHz)

CR 87-21
SPECTRAL MEASUREMENTS IN A DISTURBED BOUNDARY LAYER OVER SNOW.
Andreas, E.L., Nov. 1987, 41p., ADA-190 217, Refs. p.37-41.
42-2637
SNOW COVER EFFECT, SPECTRA, BOUNDARY LAYER, SURFACE TEMPERATURE, TURBULENT FLOW, HUMIDITY.

The author measured time series of longitudinal *(u)* and vertical *(w)* velocity and temperature *(t)* and humidity *(q)* fluctuations with fast-responding sensors in the near-neutrally stable surface layer over a snow-covered field. These series yielded individual spectra and *u-w*, *w-q* and *t-q* cospectra, phase spectra and coherence spectra for nondimensional frequencies *(fz/U)* from roughly 0 001 to 10 This is, thus, one of the most extensive spectral sets ever collected over a snow-covered surface. With the exception of the *u-w* cospectra, all of the spectra and cospectra displayed the expected dependence on frequency in an inertial or inertial-convective subrange All, however, contained significantly more energy at low frequency than the Kansas neutral-stability spectra and cospectra This excess low-frequency energy and the erratic behavior of the *u-w* cospectra imply that the forested hills bordering the site on two sides were producing disturbances in the flow field at scales roughly equal to the height of the hills, 100 m. The phase and coherence spectra suggest that internal gravity waves were also frequently present, since the atmospheric boundary layer generally had slightly stable stratification. Consequently, at this complex site, turbulence alone determines the spectra and cospectra at high frequency; at low frequency the spectra and cospectra reflect a combination of topographically generated turbulence and internal waves From the measured temperature and humidity spectra and the *t-q* cospectra, the author computed refractive index spectra for light of 0.55-micron and millimeter wavelengths, the first such spectra obtained over snow.

CR 87-22
THERMAL INSTABILITY AND HEAT TRANSFER CHARACTERISTICS IN WATER/ICE SYSTEMS.
Yen, Y.-C., Nov. 1987, 33p., ADA-189 627, 33 refs.
42-2420
ICE WATER INTERFACE, HEAT TRANSFER, MELTWATER, PHASE TRANSFORMATIONS, WATER TEMPERATURE, TEMPERATURE VARIATIONS, CONVECTION, ANALYSIS (MATHEMATICS), DENSITY (MASS/VOLUME), TEMPERATURE DISTRIBUTION.

This review discusses problems associated with the anomalous temperature-density relations of water. It covers a) onset of convection, b) temperature structure and natural convective heat transfer, and c) laminar forced convective heat transfer in the water/ice system. The onset of convection in a water/ice system was found to be dependent on thermal boundary conditions, not a constant value as in the classical fluids that have a monotonic temperature-density relationship The water/ice system also exhibits a unique temperature distribution in the melt layer immediately after the critical Rayleigh number is exceeded and soon after it establishes a more or less constant temperature region progressively deepening as the melt layer grows The constant temperature is approximately 3 2 C for water layers formed from above but varies for melt layers formed from below. The heat flux across the water/ice interface was found to be a weak power function and to increase linearly with temperature for melted layers from above and below, respectively Both theoretical and experimental melting studies of ice spheres, cylinders, and vertical plates show a minimum heat flux in the water/ice system due to the density extremum of 4C The inversion temperature was from 5 1 to 5 6 C For the case of laminar forced convection melting heat transfer, the presence of an interfacial velocity (due to phase transition) reduces heat transfer in comparison with the case without phase change.

CR 87-23
AIRBORNE ELECTROMAGNETIC SOUNDING OF SEA ICE THICKNESS AND SUB-ICE BATHYMETRY.
Kovacs, A., et al, Dec. 1987, 40p., ADA-188 939, 21 refs
Valleau, N.C., Holladay, J S
42-2551
ICE COVER THICKNESS, REMOTE SENSING, SEA ICE, ELECTROMAGNETIC PROSPECTING, SOUNDING, SUBGLACIAL OBSERVATIONS, AIRBORNE EQUIPMENT, ANALYSIS (MATHEMATICS).

A study was made in May 1985 to determine the feasibility of using an airborne electromagnetic sounding system for profiling sea ice thickness and the sub-ice water depth and conductivity. The study was made in the area of Prudhoe Bay, Alaska. The multifrequency airborne electromagnetic sounding system consisted of control and recording electronics and an antenna. The electronics module was installed in a helicopter, and the 7-m-long tubular antenna was towed beneath the helicopter at about 35 m above the ice surface. For this electromagnetic system, both first-year and second-year sea ice could be profiled, but the resolution of ice thickness decreased as the ice became rough This decrease was associated with the large footprint of the system, which effectively smoothed out the sea ice relief. Under-ice water depth was determined, as was seawater conductivity. The results of the feasibility study were encouraging, and further system development is therefore warranted.

CR 88-01
OPTIONS FOR MANAGEMENT OF DYNAMIC ICE BREAKUP ON THE CONNECTICUT RIVER NEAR WINDSOR, VERMONT.
Ferrick, M.G., et al, Mar. 1988, 16p., ADA-195 329, 8 refs.
Lemieux, G.E., Weyrick, P.B., Demont, W.
43-5
ICE BREAKUP, ICE CONTROL, RIVER ICE, HYDRAULICS, HYDROLOGY, FLOOD CONTROL, TESTS

The Cornish-Windsor bridge is the longest covered bridge in the United States and has significant historical value. At a large peak flow, dynamic ice breakup of the Connecticut River can threaten the bridge and cause flood damage in the town of Windsor, VT. Throughout the 1985-86 winter we regularly monitored ice conditions, including a midwinter dynamic ice breakup on 27 January We conducted controlled release tests over the operating range of the turbines at Wilder Dam upstream during both open water and ice cover conditions. These data and observations were analyzed in light of more than 60 years of temperature and discharge records. Our analysis indicates that river regulation presents alternatives for ice management that would minimize the probability of bridge damage and flooding during breakup

CR 88-02
FREEZING OF SOIL WITH AN UNFROZEN WATER CONTENT AND VARIABLE THERMAL PROPERTIES.
Lunardini, V.J., Mar. 1988, 23p , ADA-195 343, 15 refs.
42-3911
SOIL FREEZING, UNFROZEN WATER CONTENT, THERMAL CONDUCTIVITY, PHASE TRANSFORMATIONS, TEMPERATURE EFFECTS, SPECIFIC HEAT.

While many materials undergo phase change at a fixed temperature, soil systems exhibit a definite zone of phase change. The variation of unfrozen water with temperature causes a soil system to freeze or thaw over a finite temperature range. Exact and approximate solutions are given for conduction phase change of plane layers of soil with unfrozen water contents that vary linearly and quadratically with temperature. The temperature and phase change depths were found to vary significantly from those predicted for the constant-temperature or Neumann problem The thermal conductivity and specific heat of the soil within the mushy zone varied as a function of unfrozen water content. It was found that the effect of specific heat is negligible, while the effect of variable thermal conductivity can be accounted for by a proper choice of thermal properties used in the constant-thermal-property solution

CR 88-03
PERSISTENCE OF CHEMICAL AGENTS ON THE WINTER BATTLEFIELD. PART 2. EVAPORATION FROM ICE AND SNOW.
Leggett, D C., Mar. 1988, 10p., ADB-121 807, 17 refs.
43-425
MILITARY OPERATION, CHEMISTRY, EVAPORATION, SNOW IMPURITIES, ICE COMPOSITION, SOLUBILITY, ICE AIR INTERFACE, TESTS.

Very little information is available on the evaporation of liquid chemicals from ice or snow Organophosphorus chemical agents and their simulants have appreciable mutual solubility with water. Theoretically, this would be expected to lead to simple dilution, causing retardation of their evaporation at the ice/air interface Polar chemicals such as these are also known to spread when applied to ice enhancing evaporation due to surface area expansion or a "spread factor" relative to non-spreading droplets These notions were tested by comparing evaporation of dimethyl methylphosphonate (DMMP) from ice and Teflon, a non-spreading surface Evaporation from ice was initially much slower, but increased with time, while the evaporation rate from Teflon was nearly constant The data suggest that dissolution of ice at the interface retards DMMP evaporation This is supported by the equilibrium solubility of ice in DMMP, which was measured concurrently. These preliminary results imply that evaporation of chemical agents dispersed on ice will be retarded to some degree by the dissolution process. Further experimentation will be needed to explain the observed increase in evaporation rate with time.

CR 88-04
COMPOSITE BUILDINGS FOR MILITARY BASES.
Flanders, S.N., Mar. 1988, 25p., ADA-194 475, 4 refs.
42-3429
MILITARY FACILITIES, BUILDINGS, SAFETY, COST ANALYSIS, CONSTRUCTION MATERIALS.

This report compares the use of composite buildings with the use of conventional buildings Composite buildings are those that combine into fewer buildings several uses that traditionally have occurred in separate buildings The comparisons are based on construction costs, life cycle costs, speed of construction, materials availability, energy efficiency, fire safety, organizational efficiency, incremental or modular construction, and habitability. The uses reported on include a military training facility in St. Jean, Quebec, a shopping and community center complex for Fort Wainwright, Alaska, and battalion and brigade buildings for mobilization at Fort Leonard Wood, Missouri, and in Alaska. In each case, when comparisons are made between permanently constructed buildings, the composite buildings are cheaper to build and maintain than the conventional buildings The composite buildings consume less energy and are much more convenient to their occupants.

CR 88-05
MECHANICAL PROPERTIES OF MULTI-YEAR SEA ICE. PHASE II: ICE STRUCTURE ANALYSIS.
Richter-Menge, J.A., et al, Mar. 1988, 27p , ADA-213 043, 15 refs.
Perron, N.
43-4593
SEA ICE, ICE MECHANICS, ICE STRUCTURE, GRAIN SIZE, ICE COMPOSITION

This report describes the structural analysis of multi-year sea ice samples that were tested in the second phase of a program designed to obtain a comprehensive understanding of the mechanical properties of multi-year sea ice from the Alaskan Beaufort Sea. Each test specimen is classified into one of three major ice texture categories granular, columnar, or a mixture of columnar and granular ice The crystallographic orientation, percent columnar ice, and grain size are then evaluated for the granular and/or columnar ice in the sample Test results are interpreted with respect to these parameters. The overall composition of multi-year ridges is considered, based on the extensive field sampling that was done in the program. The effect of sample orientation on the results is also discussed

CR 88-06
TEMPERATURE AND STRUCTURE DEPENDENCE OF THE FLEXURAL STRENGTH AND MODULUS OF FRESHWATER MODEL ICE.
Gow, A.J., et al, June 1988, 43p., ADA-199 637, 21 refs.
Ueda, H.T., Govoni, J.W., Kalafut, J.
43-1399
ICE STRENGTH, FLEXURAL STRENGTH, ICE STRUCTURE, ICE TEMPERATURE, STRAIN TESTS, STRESSES, ICE CRYSTAL STRUCTURE, TEMPERATURE GRADIENTS, ICE GROWTH, AIR TEMPERATURE.

This report presents results of small beam testing conducted in a test tank on ice corresponding in structure to the two major ice types, S1 and S2, encountered in lake ice sheets. Tests of 730 beams in the temperature range -1 to -19 C showed that macrocrystalline (S1) and columnar (S2) ice differ appreciably in their flexural characteristics, and that these differences are attributable to variations in the size and orientation of the crystals in the ice and the thermal condition of the beams Parallel testing of cantilever and simply supported beams indicated a virtual non-dependence of flexural strength on the temperature of the fiber in tension. It was also determined that the sharply terminated corners of conventional cantilever beams are a source of appreciable stress concentration that can reduce the intrinsic flexural strength by as much as one-half, but which, in most cases, can be substantially relieved by drilling holes at the beam roots. Overall, flexural strengths did not exceed 1200 kPa for cantilever beams or 1650 kPa for simply supported beams tested in parallel with cantilever beams The highest flexural strengths were measured on isothermal simply supported beams of S2 ice tested with the top surface in tension, with average strengths for such ice increasing from 1650 kPa at -1 C to nearly 2600 kPa at -19 C

CR 88-07
DECONTAMINATION OF CHEMICAL AGENTS ON THE WINTER BATTLEFIELD. A LITERATURE REVIEW AND PRELIMINARY ASSESSMENT.
Parker, L.V , June 1988, 48p., ADB-123 137, Refs. p.38-43.
43-427
MILITARY OPERATION, CHEMISTRY, POLLUTION, COUNTERMEASURES, DECONTAMINATION, POLAR REGIONS, WINTER

This report reviews the literature existing prior to 1987 on the effectiveness of chemical decontamination in a cold or winter environment. Both chemical neutralization techniques and physical methods for decontamination are discussed with respect to their use on a winter battlefield. The U.S. Army's current standard decontaminants are compared to other chemical neutralizing agents Physical decontamination methods that are discussed include thermal decomposition methods, hot air decontamination, aqueous and solvent cleaning techniques, abrasive cleaning techniques, and the use of absorbents. The potential utility of field expedient methods on a winter battlefield is reviewed Final recommendations cite specific areas where research is needed so that cold weather decontamination doctrine can be better defined

CR 88-08
DEVELOPMENT OF AN ANALYTICAL METHOD FOR THE DETERMINATION OF EXPLOSIVE RESIDUES IN SOIL. PART II: ADDITIONAL DEVELOPMENT AND RUGGEDNESS TESTING.
Jenkins, T.F., et al, July 1988, 46p., ADA-213 045, Refs. passim.
Schumacher, P.W., Walsh, M.E., Bauer, C.F.
43-4594
SOIL ANALYSIS, SOIL TESTS, SOIL CHEMISTRY, SOIL POLLUTION, EXPLOSIVES.

The analytical method for determination of explosive residues in soil developed by Jenkins and Walsh (1987) was tested and modified to improve its usability The major modification is the use of an aqueous CaCl2 solution to achieve flocculation and settling of suspended particulates prior to filtration. Ruggedness testing demonstrated that the method is not sensitive to minor modifications in analytical protocol Specific studies indicated that the following had negligible effects on determined soil concentrations: the degree of grinding prior to extraction with acetonitrile, the ratio of soil mass to extraction solvent volume, the kind of mixing (vortex mixing or manual shaking) used prior to ultrasonic bath extraction, the concentrations of CaCl2 used for flocculation, the length of time allowed after flocculation before samples were filtered, and the number of samples processed simultaneously in the ultrasonic bath Specific studies were conducted to determine how long stock and working standards and soil extracts were stable. The combined analyte stock solution is good for at least a year, and the combined working standard is good for at least 28 days Results indicated that soil extracts can be held for at least two months before being analyzed without measurable analyte loss. Care needs to be taken to ensure that air drying is not conducted in direct sunlight, otherwise losses of TNT will result The authors recommend a full collaborative test of the method to define performance characteristics in everyday use.

CR 88-09
DEVELOPMENT OF A RIVER ICE PROW.
Tatinclaux, J.C., et al, July 1988, 26p., ADA-199 466, 19 refs.
Martinson, C.R.
43-1199
RIVER ICE, ICE NAVIGATION, ICE CONTROL, ICE REMOVAL, ICE CONDITIONS, MODELS, LOCKS (WATERWAYS), CHANNELS (WATERWAYS), DAMS, TESTS.

This report describes the development of a river ice prow to be attached to a towboat for opening ice-free navigation channels or for ice management in the vicinity of the locks and dams on the northern rivers of the United States (Illinois, Ohio and Upper Mississippi rivers) Following a literature survey, the basic concept of the prow was selected to minimize construction and maintenance costs Three successive models were constructed and tested in level ice in the CRREL Test Basin to optimize the prow's performance from the points of view of resistance and maneuverability in level ice Test results are presented and discussed

CR 88-10
MEASUREMENT AND INTERPRETATION OF ELECTRICAL FREEZING POTENTIAL OF SOILS.
Kelsh, D.J , et al, Aug. 1988, 9p., ADA-201 699, 23 refs.
Taylor, S.
43-1562
FREEZING POTENTIAL (ELECTRICAL), FROST HEAVE, SOIL FREEZING, CHEMICAL COMPOSITION, SOIL WATER, SOIL PRESSURE, EXPERIMENTATION, ELECTRICAL PROPERTIES

When soil freezes, abrupt changes occur in the electrical potential measured between electrodes buried in frozen vs unfrozen regions These "freezing potentials" can vary in polarity and magnitude depending on soil type, freezing rate, nature and concentration of electrolytes in the soil-water, etc This report finds that electrical potential changes of the same order of magnitude as freezing potentials (i.e., about 100 mV) can be generated by simply compressing the soil at room temperature This suggests that a significant and previously unrecognized source of electrical freezing potential could be due to pressure induced during frost heaving Because many interrelated variables are responsible for electrical freezing potential, the use of freezing potential to predict corrosivity, water migration, or other physical properties of freezing soils is considered to be inappropriate

CR 88-11
ATMOSPHERIC ICING AND BROADCAST ANTENNA REFLECTIONS.
Ryerson, C.C., Aug. 1988, 13p., ADA-200 378, 17 refs
43-1400
ICING, ANTENNAS, ICE DETECTION, ICE ACCRETION, MEASURING INSTRUMENTS, STATISTICAL ANALYSIS.

This study assesses the effects of atmospheric icing on broadcast transmission reflections on two mountains—Mount Mansfield in northern Vermont and Mount Washington in New Hampshire. Experience and theory suggest that antenna ice accretions produce large signal reflections. Correlations between reflection coefficients and ice accretions on Rosemount ice detectors adjacent to antennas were low and occasionally negative. The unexpected correlations may be due to factors not measured, such as antenna tuning, ice type and ice location on the antenna system Other confounding factors may include ice detector performance and methods used to compute antenna ice accretions from the ice detectors

CR 88-12
NEW ENGLAND MOUNTAIN ICING CLIMATOLOGY.
Ryerson, C.C., Aug. 1988, 35p., ADA-200 281, 24 refs.
43-1339
ICING, ANTENNAS, ICE DETECTION, SYNOPTIC METEOROLOGY, MOUNTAINS, ICE ACCRETION, STATISTICAL ANALYSIS, ATMOSPHERIC PRESSURE, MEASURING INSTRUMENTS.

Statistics and weather maps are used to compare the atmospheric icing climatology of two New England mountains Mount Mansfield in northern Vermont and Mount Washington in New Hampshire Atmospheric icing, as measured with Rosemount ice detectors, is twice as frequent on Mount Washington, with about 12-20 times greater intensities and 25-50 times more accretion Periods between icing events average 35-45 hours on the two peaks Most Mount Mansfield icing events are of low intensity Plots indicate the return probabilities of ice events by length, intensity and accretion magnitude. Approximately half of all severe icing on the two peaks occurs during and immediately after cold front passages. Icing is most intense when lows are about 450 km to the east of the mountains High-pressure centers are never closer than about 450 km during intense icing Prolonged accretion periods occur when coastal and inland storms merge or follow closely

CR 88-13
PROFILE PROPERTIES OF UNDEFORMED FIRST-YEAR SEA ICE.
Cox, G.F.N., et al, Sep. 1988, 57p., ADA-213 087, 75 refs
Weeks, W.F.
43-4595
SEA ICE, ICE MECHANICS, ICE SALINITY, ICE STRENGTH, ICE TEMPERATURE, ICE MODELS, ICE DEFORMATION.

In many sea ice engineering problems the ice sheet has been assumed to be a homogeneous plate whose mechanical properties are estimated from the bulk salinity and average temperature of the ice sheet Typically no regard has been given to the vertical variation of ice properties in the ice sheet or to the time of ice formation. This paper first reviews some of the mechanical properties of sea ice, including the ice tensile, flexural and shear strengths, as well as the ice modulus Equations for these properties are given as functions of the ice brine volume, which can be determined from the ice salinity and temperature Next a numerical, finite difference model is developed to predict the salinity and temperature profiles of a growing ice sheet. In this model ice temperatures are calculated by performing an energy balance of the heat fluxes at the ice surface. The conductive heat flux obtained from the energy balance is then used to calculate the rate of ice growth and ice thickness by applying the Stefan ice growth equation Ice salinities are determined by considering the amount of initial salt entrapment at the ice/water interface and the subsequent brine drainage due to brine expulsion and gravity drainage Ice salinity and temperature profiles are then generated using climatological data for the Central Arctic Basin The profiles appear to be realistic and agree reasonably well with field data Finally the predicted salinity and temperature profiles are combined with the mechanical property data to provide mechanical property profiles for first-year sea ice of different thicknesses, grown at different times of the winter The predicted profiles give composite plate properties that are significantly different from bulk properties obtained by assuming homogeneous plates In addition with failure strength, profiles give maximum strengths in the interior of the sheet as contrasted with the usual assumption of maximum strength at the cold, upper ice surface Surprisingly the mechanical property profiles are only a function of the ice thickness, independent of the time of ice formation

CR 88-14
ON THE PRESSURE DROP THROUGH A UNIFORM SNOW LAYER.
Yen, Y.C., Sep. 1988, 10p., ADA-201 045, 8 refs.
43-1401
SNOW COVER, POROUS MATERIALS, FLUID FLOW, PRESSURE, FLOW RATE, FRICTION, SNOW DENSITY, MATHEMATICAL MODELS, EXPERIMENTATION.
An experimental study covering a mass flow rate ranging from 1 62 to 67.45 g/sq cm-s and snow density varying from 0 377 to 0.472 g/cu cm has been conducted Pressure drops ranging from 0.012 to 2.868 gf/sq cm were recorded A plot of the friction factor f(p) vs Re(p) (defined as the classical Reynolds number Re for fluid flow through conduits) showed a good representation of all the experimental data.

Cr 88-15
SHIP MODEL TESTING IN LEVEL ICE: AN OVERVIEW.
Tatinclaux, J.C., Oct. 1988, 30p., ADA-201 012, Refs. p.26-30.
43-1402
ICE STRENGTH, ICE MODELS, SHIPS, SHEAR STRENGTH, FLEXURAL STRENGTH, TANKER SHIPS, TESTS, ICE CONDITIONS, ICE DENSITY, ICE GROWTH, COMPRESSIVE PROPERTIES.
This report presents a general discussion of model testing of ships in level ice The main points covered are: 1) modeling criteria for ships in ice, which must take into account the presence of a solid boundary at the water surface; 2) types of model ice used in various tanks—saline ice, urea-doped ice, EG/AD/S ice and synthetic ice; 3) techniques for growing model ice sheets, and achieving and monitoring the required ice properties, 4) limitations of both model ice and property measurement techniques, 5) model testing procedures for EHP and SHP tests and their limitations; 6) comparison between model test results and available full-scale trials data; 7) existing empirical and analytical or semi-analytical algorithms for predicting ship performance in level ice; 8) current research at CRREL and research facilities to improve modeling techniques and data interpretation, and 9) novel bow designs for ice-transiting vessels.

CR 88-17
CHEMICAL ASPECTS OF SOIL FREEZING.
Henry, K , Oct. 1988, 8p , ADA-205 392, 17 refs.
43-4596
SOIL FREEZING, SOIL WATER, FROST HEAVE, FREEZING POINTS.
Soil water chemistry and soil particle characteristics directly and significantly influence the freezing process in soils The rate of frost heave is influenced because chemicals modify water migration and depress the freezing point in soils. Solutes are concentrated when they are expelled from crystallizing ice, modifying adsorbed film thicknesses, depressing freezing points, creating concentration gradients, altering forces between particles or between ice and particles, and modifying the chemical potential of the water These effects often have counteracting influences on frost heave Solute expulsion during freezing produces a "fringe-like" freezing front in saline soils, primarily because of freezing point depression; this may also be true in "nonsaline" soils Heave can be reduced by adding chemicals to soil to depress the freezing point or to modify the soil's structure or hydraulic characteristics. The concentration of solutes in the unfrozen water of the freezing soil can possibly be used for isolating toxic wastes in soil.

CR 88-18
MEASUREMENT OF THE UNFROZEN WATER CONTENT OF SOILS: COMPARISON OF NMR AND TDR METHODS.
Smith, M.W., et al, Oct 1988, 11p., ADA-203 082, 10 refs.
Tice, A R.
43-1844
SOIL WATER, UNFROZEN WATER CONTENT, NUCLEAR MAGNETIC RESONANCE, DIELECTRIC PROPERTIES, FROZEN GROUND, TESTS, PHOTOMETERS, MEASURING INSTRUMENTS
The results of a laboratory testing program, carried out to compare two independent methods for determining the unfrozen water content of soils, are described With the time domain reflectometry method, the unfrozen water content is inferred from a calibration curve of apparent dielectric constant vs volumetric water content, determined by experiment. Previously, precise calibration of the TDR technique was hindered by the lack of a reference comparison method, which nuclear magnetic resonance now offers This has provided a much greater scope for calibration, including a wide range of soil types and temperature (unfrozen water content) The results of the testing program yielded a relationship between dielectric constant and volumetric unfrozen water content that is largely unaffected by soil type, although a subtle but apparent dependency on the texture of the soil was noted It is suggested that this effect originates from the lower valued dielectric constant for adsorbed soil water In spite of this, the general equation presented may be considered adequate for most practical purposes The standard error of estimate is 0 015 cu cm/cu cm, although this may be reduced by calibrating for individual soils Brief guidelines on system and probe design are offered to help ensure that use of the TDR method will give results consistent with the relationship presented

CR 88-19
UNFROZEN WATER CONTENTS OF UNDISTURBED AND REMOLDED ALASKAN SILT AS DETERMINED BY NUCLEAR MAGNETIC RESONANCE.
Tice, A.R., et al, Nov. 1988, 17p , ADA-203 696, 13 refs.
Black, P.B., Berg, R.L
43-1998
UNFROZEN WATER CONTENT, FROZEN GROUND, FREEZE THAW CYCLES, NUCLEAR MAGNETIC RESONANCE, DRILL CORE ANALYSIS, TEMPERATURE EFFECTS, SOIL STRUCTURE, TESTS, WATER CONTENT.
Unfrozen water content as a function of temperature was measured in the laboratory using nuclear magnetic resonance (NMR) for 16 undisturbed frozen cores acquired from the Northwest Alaska Pipeline Company Chilled Gas Test Facility. The cores were then remolded and brought to their original densities and water contents, and unfrozen water content as a function of temperature was again measured over three warming and cooling cycles It was found that differences in unfrozen water contents between the undisturbed warming and cooling curves depended upon relative degree of saturation and its effect on soil structure. Only slight changes occurred during the three warming curves of the remolded soil, indicating minor freezing and thawing consequences on the soil structure.

CR 88-20
DEVELOPMENT AND DESIGN OF SLUDGE FREEZING BEDS.
Martel, C.J., Dec. 1988, 49p., ADA-213 086, Refs. p.43-46.
43-4597
SLUDGES, SEWAGE TREATMENT, FREEZE THAW TESTS, MATHEMATICAL MODELS.
This study develops design criteria for a new sludge dewatering unit operation called a sludge freezing bed This bed uses natural freeze-thaw to condition the sludge The total depth of sludge that can be frozen, thawed and dewatered by this process in a year is the main criterion needed for design. Laboratory tests assessed the dewaterability of freeze-thaw conditioned water treatment plant sludge and both anaerobically and aerobically digested wastewater sludges at various depths. Mathematical models for predicting the design depth were developed; values for the input parameters to the models were obtained from the literature or from laboratory and pilot-scale experiments The dewaterability tests indicated that the depth of sludge that can be applied is not limited by drainability Up to 2 0 m of each sludge drained in minutes after freeze-thaw conditioning Except for the aerobically digested sludge, the solids content after drainage is high enough to permit mechanical removal The physical and thermal characteristics of frozen sludge were found to be equivalent to those of ice An analysis of the freezing and thawing models reveals that the design of a freezing bed will depend on the duration and intensity of the freezing and thawing seasons.

CR 88-21
MEASUREMENT OF FROST HEAVE FORCES ON H-PILES AND PIPE PILES.
Johnson, J.B., et al, Dec. 1988, 49p., ADA-205 010, Refs. p.33-34.
Buska, J.S.
43-2029
FROST HEAVE, MEASUREMENT, PILES, SHEAR STRESS, ANALYSIS (MATHEMATICS).
The magnitude and variation of forces and shear stresses, caused by frost heaving in Fairbanks silt and the adfreeze effects of a surface ice layer and a gravel layer, were determined as a function of depth by using electric strain gauges along the upper 2 75 m of a pipe pile, 30 5 cm I D x 0 95 cm wall, and an H-pile, 25 4 cm web x 85 kg/lineal m The peak frost heaving forces on the H-pile for three consecutive winter seasons (1982-1985) were 752, 790 and 802 kN, respectively Peak frost heaving forces on the pipe pile of 1118 and 1115 kN were determined only for the second and third winter seasons Maximum average shear stresses acting on the H-pile were 256, 348 and 308 kPa during the three winter seasons Maximum average shear stresses acting on the pipe pile were 627 and 972 kPa for the second and third winter seasons Ice collars were placed around the tops of both piles during the first and third winter seasons to measure the adfreeze effects of a surface ice layer The ice layer may have contributed 15 to 20% of the peak forces measured on the piles. A 0 6-m-thick gravel layer replaced the soil around the tops of both piles for the second and third winter seasons to measure the adfreeze effects of a gravel backfill The gravel layer on the H-pile may have contributed about 35 % of the peak forces measured. Maximum heaving forces and shear stresses occurred during periods of maximum cold and soil surface heave magnitude. These were not related to the depth of frost penetration for most of the winter since frost was present at all depths extending to the permafrost table Soil surface displacements of 2 to 7 cm were measured at the experiment site during the study The important mechanisms that determine the magnitude of uplift heave forces are 1) soil heaving as the driving force, and 2) soil temperature, which controls the unfrozen water content, mechanical properties of the soil and the area of influence of heaving pressure

CR 88-26
COMPARISON OF SOIL FREEZING CURVE AND SOIL WATER CURVE DATA FOR WINDSOR SANDY LOAM.
Black, P.B., et al, Oct. 1988, 37p., ADA-202 365, 14 refs.
Tice, A R.
43-1843
SOIL FREEZING, SOIL WATER, NUCLEAR MAGNETIC RESONANCE, LOAMS, TEMPERATURE EFFECTS, FREEZING POINTS, TESTS, ANALYSIS (MATHEMATICS).
Unfrozen water content as a function of temperature was measured in the laboratory using nuclear magnetic resonance (NMR) for a Windsor sandy loam soil. The data were related to previously measured soil moisture retention data through the modified Clapeyron equation with suitable adjustment for surface tension. The results show the usefulness of extending the soil freezing curve to temperatures only slightly below freezing and the soil water curve to very great suction.

CR 89-01
SEAFLOOR TEMPERATURE AND CONDUCTIVITY DATA FROM COASTAL WATERS OF THE U.S. BEAUFORT SEA.
Sellmann, P.V., et al, Jan. 1989, 19p., ADA-205 428, 6 refs.
Reimnitz, E., Kempema, E.W.
43-2123
OCEAN BOTTOM, WATER TEMPERATURE, TEMPERATURE MEASUREMENT, WATER TEMPERATURE, THERMAL CONDUCTIVITY, BEAUFORT SEA.
Important and unique seabed engineering properties and conditions observed on the shallow shelf of the Beaufort Sea may be caused by low temperatures and variable salinities of bottom waters. A year-long monitoring program was initiated during the fall of 1985 to make daily measurements of these parameters using small, self-contained, low-cost instrumentation units placed on the seabed in 4 locations The 4 sites selected were in areas where overconsolidated sediments, seasonal seabed freezing and shallow ice-bonded permafrost are known to occur The instruments were recovered during the fall of 1986, 3 units contained useful data The longest record was 341 days at station 8 in outer Harrison Bay Seabed temperatures above 0 C, for the period of record, occurred only 15 days at one site and 13 days at another The mean annual temperatures for these sites were -1 55 C and -1 60 C Estimates of the onset of seabed freezing suggest that the seabed can freeze on all but 82 days of the year

CR 89-02
AIRBORNE RADAR SURVEY OF A BRASH ICE JAM IN THE ST. CLAIR RIVER.
Daly, S F , et al, Feb. 1989, 17p., ADA-206 868, 11 refs.
Arcone, S.A.
43-3475
ICE JAMS, AIRBORNE RADAR, RIVER ICE, SAINT CLAIR RIVER.
A brash ice jam in the South Channel of the St. Clair River was profiled in Feb 1987 using a helicopter-borne short-pulse radar operating in the UHF band near 500 MHz. During the same time, measurements of the brash ice depth and water temperature were made from a Coast Guard icebreaker The returned radar pulses consisted of a strong coherent reflection from the water surface, preceded (and followed) by incoherent returns from the brash ice. The measured waveform time delays were then converted to mean freeboard height of the brash ice pieces above the water surface Given the mean freeboard height, an estimate of the total brash ice thickness was made This estimate was greater than the range of the direct shipboard measurements The difference is believed due to differences between ice porosity above and below the water line, to melting within the ice and to partial submergence of some of the surface p s It is concluded that this technique could be used fo mapping relative brash ice depth if the complexities of automating waveform analysis could be overcome.

CR 89-03
ON THE USE OF THE PHI-VARIABLE TO DESCRIBE THE STATE OF WATER IN POROUS MEDIA.
Black, P B , Feb. 1989, 7p , ADA-206 869, 11 refs.
44-3014
SOIL FREEZING, SOIL WATER MIGRATION, FROST HEAVE, ICE PRESSURE, WATER PRESSURE, ICE WATER INTERFACE, AIR WATER INTERFACE, ANALYSIS (MATHEMATICS)
The concepts of Gibbs free energy and surface tensions are developed to describe the state of water in two-phase porous soil systems in terms of the phi-variable This approach differs from previous attempts at describing the thermodynamic behavior of water in porous materials by offering a simple and intuitive framework In this framework, the phi-variable is found to control the microscopic interfaces between the pore constituent ice or air and water.

CR 89-04
INVESTIGATIONS OF DIELECTRIC PROPERTIES OF SOME FROZEN MATERIALS USING CROSS-BOREHOLE RADIOWAVE PULSE TRANSMISSIONS.
Arcone, S.A., et al, Mar. 1989, 18p , ADA-207 302, 24 refs.
Delaney, A.J.
43-3476
FROZEN GROUND, RADIO WAVES, DIELECTRIC PROPERTIES, SITE SURVEYS, UNITED STATES—ALASKA

Pulsed radiowaves have been transmitted between boreholes at specially prepared sites in central Alaska to determine physical properties of the intervening material The boreholes were drilled 12-25 m deep in both ice-rich silt and frozen alluvium, materials commonly found in the Alaskan interior. The pulse spectra were centered near 100 MHz and were analyzed to obtain the ground dielectric constant and the attenuation rate (beta), which were then correlated with material type, water content and temperature The ice-rich silt, which had volumetric ice contents between 47 and 70%, gave ground dielectric constant values between 4 and 7 and beta values between 2 and 4 dB/m, thus limiting the use of our commercial equipment to borehole spacings of less than 20 m For this material, ground dielectric constant correlated well with volumetric ice content but not with temperature In a deep section (25 m), dielectric contrasts were seen between ice-rich silt, massive ice and frozen gravel In the frozen alluvium, ground dielectric constant values varied between 4 and 6 and beta values were less than 1 dB/m, thus allowing signals to be received at a borehole spacing of over 40 m Generally, ground dielectric constant varied little with depth for any borehole pair The pulses recorded at the widest spacings were due to direct transmissions and not to alternate, indirect paths that might include surface reflection or refraction The observations thus demonstrate a method for reducing the number of boreholes commonly required for obtaining geotechnical information, and they provide data for determining borehole separation for a few common materials

CR 89-05
EXPERIMENTS ON THE CUTTING PROCESS IN ICE.
Ueda, H.T., et al, Apr 1989, 36p., ADA-209 350, 9 refs.
Kalafut, J.
43-3895
ICE CUTTING, LAKE ICE, ICE LOADS, ICE BREAKING, ICE CRACKS.

Cutting tests were carried out on natural lake ice using parallel motion, orthogonal cutting tools Parameters that varied were cutter rake angle, from -5 to 30 deg, cutter velocity from 4 0 to 10 6 in./s, and depth of cut from 0 to 0 200 in The average horizontal and vertical components of force and the average of the five highest peak horizontal forces were determined and the specific energies were calculated. The maximum average horizontal force was 67 lb and the maximum average vertical force was 33 lb The 30 deg rake angle cutter had the lowest specific energy Since some of the cuts were made from a free surface and some from within a groove made by earlier cuts, all of the data cannot be compared The sequence of going from the shallowest to the deepest cuts or vice versa in the same groove has a significant effect on the cutting forces and on the contour of the fractured surface. The effect of cutter velocity was not clearly evident, at least within the range of velocities employed

CR 89-06
RADIATIVE TRANSFER IN FALLING SNOW: A TWO-STREAM APPROXIMATION.
Koh, G , Apr 1989, 10p , ADA-208 960, 8 refs
43-3675
LIGHT TRANSMISSION, SNOW OPTICS, LIGHT SCATTERING, SNOWFALL, ATMOSPHERIC ATTENUATION.

Light transmission measurements through falling snow have produced results unexplainable by single scattering arguments A two-stream approximation to radiative transfer is used to derive an analytical expression that describes the effects of multiple scattering as a function of the snow optical depth and the snowy asymmetry parameter The approximate solution is simple and it may be as accurate as the exact solution for describing the transmission measurements within the limits of experimental uncertainties

CR 89-07
WATER DETECTION IN THE COASTAL PLAINS OF THE ARCTIC NATIONAL WILDLIFE REFUGE USING HELICOPTER-BORNE SHORT PULSE RADAR.
Arcone, S.A., et al, Apr. 1989, 25p., ADA-208 908, 4 refs.
Delaney, A J., Calkins, D J
43-3477
AIRBORNE RADAR, RIVER ICE, SURVEYS, ENVIRONMENTAL IMPACT

A helicopter-borne short-pulse radar survey of water resources was performed along the coastal plains of the Arctic National Wildlife Refuge in Mar 1988 to help evaluate the potential environmental impact of resource exploration The surveys concentrated on the major rivers and a few lakes of the area and were performed at approximately 5-m altitude and 5-m/s flight speed The radar antenna was externally mounted on the helicopter skids and emitted 6- to 7-ns pulses whose bandwidth was centered near 500 MHz The locations of most surveys were determined by a satellite positioning system. The ice cover was generally frozen to the river bed in all areas investigated, except for open water reaches within extensive icings that developed downstream from hot springs. The radar data revealed subice water channels within the icings as well as water beneath ice mound features in icing areas in the delta regions of the major rivers A systematic radar survey, augmented with drilling, of one chain of three mounds allowed the water volume to be estimated, but did not reveal any external source. It is speculated that a more intensive ground-based radar and drilling survey would clearly identify whether the water source was confined to the talik or was from an aquifer system.

CR 89-08
ICE-WATER PARTITION COEFFICIENTS FOR RDX AND TNT.
Taylor, S., Apr. 1989, 10p , ADA-209 243, 7 refs.
43-3869
EXPLOSIVES, SOIL POLLUTION, WASTE DISPOSAL, SOIL FREEZING, ARTIFICIAL FREEZING, FREEZING RATE, ICE WATER INTERFACE, WASTE TREATMENT, ENVIRONMENTAL PROTECTION, ICE GROWTH.

An ice-water partition experiment using RDX and TNT was conducted to determine the efficiency with which the formation of ice excludes nonvolatile organic compounds RDX and TNT are being used by CRREL as substitutes for volatile organics to see if freezing can move organics in saturated soils Knowledge of the behavior of RDX and TNT, i.e , diffusivity and partition coefficient, is important for determining the conditions under which they, and the volatile organics of interest for hazardous waste cleanup, might be moved TNT and RDX are excluded from the ice structure at freezing rates of up to 0.00009 cm/s (3 1 in /day). An upper limit for the partition coefficient, K, was estimated using the measured effective partition coefficient and the growth rate of the ice

CR 89-09
DEVELOPMENT OF AN ANALYTICAL METHOD FOR THE DETERMINATION OF EXPLOSIVE RESIDUES IN SOIL. PART 3. COLLABORATIVE TEST RESULTS AND FINAL PERFORMANCE EVALUATION.
Bauer, C.F., et al, May 1989, 89p , ADA-213 000, 23 refs.
Jenkins, T.F., Koza, S M , Schumacher, P W , Miyares, P.H , Walsh, M.E.
44-3757
SOIL POLLUTION, EXPLOSIVES, CHEMICAL ANALYSIS, SOIL TESTS, SOIL CHEMISTRY, STATISTICAL ANALYSIS.

A collaborative test of a method for the determination of nitroaromatic and nitramine explosives in soil was conducted at eight laboratories The method involves extraction of a 2 00-g portion of soil with 10 0 mL of acetonitrile in a sonic bath, dilution of 5 00 mL of soil extract with 5 00 mL of aqueous CaCl2, filtration and determination by RP-HPLC-UV at 254 nm Certified reporting limits (CRLs) and method detection limits (MDLs) were obtained for HMX, RDX, TNT and ten other analytes Values ranged from 0 07 to 2 15 microgram/g for the CRLs and from 0 03 to 1.27 microgram/g for the MDLs The analytes (HMX, RDX, TNB, DNB, tetryl, TNT and 2,4-DNT) were measured in eight field-contaminated soils and eight spiked standard matrix soils Both sets of eight consisted of four individual samples in duplicate Concentrations ranged from the limits of detection to nearly 1000 microgram/g The results were evaluated by means of analysis of variance and regression analysis with and without the inclusion of data identified as outliers The results indicate that collaborators have nearly equivalent performance on spiked samples, and that for field-contaminated soil the variability of extraction recoveries contributes to imprecision Analyte recoveries were good, except for tetryl 95-97% for HMX, RDX, TNT and DNT (similar to recoveries from aqueous samples), 92-93% for DNB and 1NB, and 70% for tetryl

CR 89-10
DEFINITION OF RESEARCH NEEDS TO ADDRESS AIRPORT PAVEMENT DISTRESS IN COLD REGIONS.
Vinson, T.S., et al, May 1989, 142p , ADA-212 238, 17 refs
Berg, R L., Zomerman, I , Haas W M.
44-1722
RUNWAYS, PAVEMENTS, FROST ACTION, DAMAGE, AIRPORTS, CRACKS

In early fall 1984, a questionnaire was sent to over 325 general aviation airports in cold regions The results from over 200 responses were compiled and evaluated and over 20 airport managers were contacted for additional details Site visits were made to 16 airports to obtain additional information The most common pavement problems identified in the study were associated with non-traffic-related phenomena and include 1) pre existing cracks reflecting through asphalt concrete overlays (in two years or less) 2) thermal cracking, and 3) longitudinal cracking (at a construction joint) Most of the airports experienced 1) water pumping up through cracks and joints in the pavements during spring thaw, or 2) additional roughness due to differential frost heave in the winter, or both problems. Many airport managers reported that debris was generated at cracks during the winter and spring Many pavement problems can be traced to the evolutionary history of general aviation airports and the lack of consideration for site drainage. Based on the recognition of these problems, several future research programs are identified

CR 89-11
THERMAL AND SIZE EVOLUTION OF SEA SPRAY DROPLETS.
Andreas, E L , June 1989, 37p , ADA-210 484, Refs. p.34-37.
43-4042
DROPS (LIQUIDS), SEA SPRAY, MOISTURE TRANSFER, THERMODYNAMICS, BUBBLES, ANALYSIS (MATHEMATICS), MODELS.

Sea spray droplets initially have the same temperature as the ocean surface from which they formed. In high latitudes, under a relatively cold wind, they therefore cool and evaporate, in effect enhancing the air-sea exchange of heat and moisture. With a future goal of investigating this enhanced exchange in mind, this report develops model equations with which to track the thermal and size (moisture content) evolution of a spray droplet from the time it is created until it comes to equilibrium with its environment On testing the model against some of the scanty data available on the evolution of saline droplets, good agreement is found The thermal evolution of the droplets obeys T(t)-T sub eq exp(-t/tau sub T) very well Here, T is the instantaneous droplet temperature, T sub eq is the equilibrium temperature of the droplet and t is time The time constant is the time required for the droplet to come to within 1/e of T sub eq Similarly, for the moisture (size or radius) evolution, a time scale is defined as the time required for the droplet radius to come to within 1/e of its equilibrium radius Tau sub r is always about three orders of magnitude larger than tau sub T, the thermal exchange is thus virtually complete before the moisture transfer starts. Consequently, the ambient humidity has little effect on the thermal exchange, and, analogously, the initial droplet temperature has negligible effect on the moisture exchange.

CR 89-12
FRAMEWORK FOR CONTROL OF DYNAMIC ICE BREAKUP BY RIVER REGULATION.
Ferrick, M.G., et al, June 1989, 14p., ADA-210 869, 18 refs
Mulherin, N.
43-4385
ICE BREAKUP, RIVER ICE, UNSTEADY FLOW, FLOOD CONTROL, ICE JAMS, ICE MODELS.

In this report, we describe and classify the entire range of ice breakup behavior, from thermal to dynamic, to provide order to this complex process The theory and model of the authors are refined, building on the concept of an intrinsic relationship between river waves and dynamic ice breakup A force balance is developed for a common dynamic breakup behavior Empirical criteria that quantify the resistance to breakup of an ice cover are obtained from a case study and compared with published values. Sensitivity studies of ice breakup with the completed model demonstrate insights that follow from the theory presented and the intuitive nature of the results This framework for understanding river ice processes provides the option for ice management by river regulation, and we focus on the potential for control of ice breakup The concept of controlled breakup involves a release of water from a dam that moves the ice downstream of locations with a high potential for damage during uncontrolled breakup The abrupt, short-duration characteristics of the controlled release, patterned after those of unregulated river breakup, minimize both the volume of water required to cause breakup and the water levels at breakup The open water created by the breakup collects heat that increases the rate of melting of the ice The benefits of successful regulation include flooding prevention, minimum erosion, and decreased potential for ice damage to structures during breakup, without adverse effects on the environment.

CR 89-13
COASTAL SUBSEA PERMAFROST AND BEDROCK OBSERVATIONS USING DC RESISTIVITY.
Sellmann, P.V., et al, June 1989, 13p , ADA-210 784, 20 refs
Delaney, A J , Arcone, S A.
43-4386
MAPPING, SUBSEA PERMAFROST, COASTAL TOPOGRAPHIC FEATURES, ELECTRICAL RESISTIVITY, SOUNDING, MODELS.

Measurements were made at several New England coastal sites and at three sites in Prudhoe Bay, Alaska, to evaluate dc resistivity techniques for mapping resistive seabed features bedrock and subsea permafrost The field studies employed the four-probe Wenner array technique, with electrode separations up to 50 m The New England sites were selected to simulate permafrost conditions to help establish a feeling for the range of apparent resistivity in areas of subsea permafrost, and for information on the vertical and lateral resolution of the technique At Prudhoe Bay, offshore measurements were made with a floating cable, and inland measurements were made using electrodes driven into the ground These observations indicate that the electrical properties of permafrost beneath the coastal bluff and adjacent tundra are rapidly

modified by coastal erosion and periodic flooding during storms. Maximum apparent resistivity at the water's edge was around 50 ohm m, and at distances greater than 100 m from shore all values were less than 20 ohm m Modeling supported by the drilling data permitted an interpretation of the position of the top of ice-bonded subsea permafrost. Real resistivities for the ice-bonded permafrost ranged from 200 to 1000 ohm m. The technique and equipment used for this study appear to have applications for studies in shallow coastal waters where permafrost is not more than 30 m below the seabed and where water depths do not exceed 6 to 7 m.

CR 89-14
DYNAMIC FRICTION OF A METAL RUNNER ON ICE. I. MODEL SLED TEST.
Itagaki, K., et al, June 1989, 17p., ADA-211 498, 30 refs.
Huber, N.P., Lemieux, G.E.
43-4609
SLEDS, METAL ICE FRICTION, ICE FRICTION, ICE SOLID INTERFACE, SKIS.

The effects of runner material and surface conditions on the friction between runners and ice were studied. A model sled was pushed over a 6-m-long ice sheet and the reduction of speed of the sliding sled was measured The friction calculated by the reduction of speed between two gates indicated that smooth runners showed lower friction at around -1 C than at around -10 C, as expected, but the friction of rough runners showed little temperature dependence The lower thermally conductive runner showed lower friction than higher thermally conductive smooth runners as the theory predicted, but such effects were obscured on rougher runners.

CR 89-15
TWO-STREAM MULTILAYER, SPECTRAL RADIATIVE TRANSFER MODEL FOR SEA ICE.
Perovich, D.K., July 1989, 17p, ADA-212 433, 24 refs.
44-313
SEA ICE, ICE OPTICS, ALBEDO, LIGHT TRANSMISSION, ELECTROMAGNETIC PROPERTIES, RADIATION, MATHEMATICAL MODELS.

The reflection, absorption, and transmission of light at visible and near-infrared wavelengths is important for a number of geophysical problems. Light reflection is an important parameter in remote sensing studies, absorption is significant to ice thermodynamics, and transmission strongly influences biological activity in and under the ice. The focus of this report is on the reflection and transmission of light by spatially inhomogeneous and temporally varying sea ice covers This is investigated using a two-stream, multilayer radiative transfer model in the wavelength region from 400 to 1000 nm. The model is computationally simple and utilizes the available experimental data on the optical properties of sea ice The ice cover is characterized as a layered medium composed of selections from nine distinct snow and ice types Three case studies are presented illustrating values of spectral albedo, transmittance, and transmitted photosynthetically active radiation (PAR) for 1) a spatially inhomogeneous ice cover, 2) a uniform ice cover as it undergoes a melt cycle, and 3) a temporally changing spatially variable ice cover The importance of thickness and surface conditions on the reflected and transmitted radiation fields is demonstrated.

CR 89-16
PHYSICAL AND OPTICAL PROPERTIES OF FALLING SNOW.
Koh, G, July 1989, 22p, ADA-212 432, 54 refs.
43-3034
SNOWFALL, SNOW PHYSICS, SNOW OPTICS, MILITARY OPERATION, COLD WEATHER OPERATION, VISIBILITY.

The physical and the optical properties of falling snow have been investigated during a series of winter tests (SNOW experiments) The techniques for measuring the physical properties of falling snow are described and a review of the empirical and the theoretical models for describing the extinction of visible and infrared radiation by falling snow is presented. The utility of these findings for the evaluation of electro-optical sensor performance in a winter environment is examined

CR 89-17
CONTRAST AND VISIBILITY UNDER WINTER CONDITIONS WITH APPLICATION TO MOTION DETECTION SYSTEMS.
Peck, L., Sep 1989, 8p., ADB-137 592, 21 refs
44-608
SNOW OPTICS, VISIBILITY, WARNING SYSTEMS, DETECTION, MILITARY EQUIPMENT, FOG, ANALYSIS (MATHEMATICS).

Video motion detection systems are used to automate the detection of intruders for physical security purposes Wintertime conditions of fog and falling or blowing snow are likely to hinder the detection of objects by either an observer or a motion detection system Theoretical equations of contrast and visibility are reviewed

CR 89-18
EVALUATION OF FOUR WELL CASING MATERIALS FOR MONITORING SELECTED TRACE LEVEL ORGANICS IN GROUND WATER.
Parker, L.V., et al, Oct. 1989, 29p., ADA-216 502, 37 refs.
Jenkins, T.F., Black, P.B.
44-1223
GROUND WATER, WATER POLLUTION, SOIL POLLUTION, WELL CASINGS, MONITORS, MATHEMATICAL MODELS, WATER CHEMISTRY, CHEMICAL ANALYSIS, ENVIRONMENTAL PROTECTION.

In this study four well casing materials are examined, polyvinyl chloride (PVC), Teflon, stainless steel 304 (SS 304) and stainless steel 316 (SS 316), to determine their suitability for monitoring selected trace level organic constituents in ground water. Analyte solutions containing pieces of the different well casings were compared to controls that did not contain any well casing material. The aqueous test solution contained approximately 2 mg/L of each of the following organic substances hexahydro-1,3,5-trinitro-1,3,5-triazine (RDX), trinitrobenzene (TNB), cis- and trans-1,2-dichlorethylene (CDCE and TDCE), m-nitrotoluene (MNT), trichloroethylene (TCE), chlorobenzene (CLB), and o-, p-, and m-dichlorobenzene (ODCB, and MDCB) Mercuric chloride was added to prevent biodegradation of the analytes. Two sets of isomers for DCE and DCB were selected to examine the effect of structure on sorption Samples were taken after 0 hour, 1 hour, 8 hours, 24 hours, 72 hours, 7 days (168 hours), and approximately 6 weeks (1000 hours). There was no loss of any analyte in the samples that contained either type of stainless steel casing, although both types of casing rusted. The greatest losses were seen in samples that contained Teflon casings, especially for the chlorinated organics Losses of PDCB and MDCB were the greatest, 16% and 18%, respectively, after only 8 hours While losses were also observed for the samples containing PVC casing, the rate of loss was much slower, and usually 24 hours or more elapsed before losses were significant (more than 5%). After the 1000-hour samples were taken, the casings were rinsed and placed in clean vials containing fresh water and left for three days to allow for desorption. From both plastic casings measurable quantities of all the organics that had been lost from solution were recovered. We were able to correlate the loss of hydrophobic organic constituents in the ground water containing the Teflon casings with the substance's octanol-water partition coefficients, although this correlation overestimates losses of hydrophilic organics The results indicate that Teflon casings are probably not suitable for monitoring trace level organics. For wells that are purged and sampled within an 8- to 24-hour period, PVC well casings probably are suitable for monitoring trace level organics

CR 89-19
DEVELOPMENT OF AN AIRBORNE SEA ICE THICKNESS MEASUREMENT SYSTEM AND FIELD TEST RESULTS.
Kovacs, A., et al, Dec. 1989, 47p., ADA-224-867, 23 refs.
Holladay, J.S.
44-4265
SEA ICE, ICE COVER THICKNESS, ICE SURVEYS, AERIAL SURVEYS, RADIO ECHO SOUNDINGS, PRESSURE RIDGES, ICE ELECTRICAL PROPERTIES.

Recent efforts to improve airborne electromagnetic induction-measurement technology and to downsize the related helicopter-towed antenna assembly from about 7.5 m long to about 3.5 m long for use in airborne measurement of sea ice thickness are discussed, as are the results from arctic field testing Also outlined are the system noise and drift problems encountered during arctic field evaluation, problems that adversely affected the quality of the sounding data. The sea ice sounding results indicate that it should be possible to determine thickness to within 5% for ice floes with moderate relief but that, because of sounding footprint size and current model algorithm constraints, steep-sided pressure ridge keels cannot be well defined. The findings also indicate that routine sea ice thickness profiling from an airborne platform is close at hand with further system improvement, as is the apparent capability to determine the conductivity of the sea ice, from which an assessment of sea ice strength can be made

CR 89-20
ICE CONDITIONS ALONG THE ILLINOIS WATERWAY AS OBSERVED ON LANDSAT IMAGES, 1972-1985.
Gatto, L.W., Dec 1989, 112p., ADA-219 745, 11 refs.
44-2631
ICE CONDITIONS, RIVER ICE, ICE SURVEYS, REMOTE SENSING, LANDSAT, UNITED STATES—ILLINOIS WATERWAY

Landsat images were used to map ice distributions along the navigable portions of the Illinois Waterway from the Mississippi River to Lake Michigan and air temperature and discharge data were used to characterize the conditions under which the observed ice formed and changed The presence or absence of ice on adjacent water bodies (i.e., lakes, channels and sloughs, is also discussed but not mapped Ice was observed on the waterway during 10 of the 13 winters from 1972 to 1985, with the most severe ice conditions in 1981-82 when 79% of the waterway was ice covered, of which 68% was white ice on Feb. 4 The most extensive ice was observed during 1984-85 when 83% of the waterway was ice covered, but only 38% was white ice. Ice was observed on the adjacent water bodies every winter for about 100 days from early to mid-Dec to mid-Mar. Ice conditions changed frequently on the navigation channel of the waterway and usually lasted an average of 63 days from middle to late Dec. to middle to late Feb. Air temperature discharge data and data from Landsat images, when used together, provide a reasonably reliable method to study river ice conditions and changes.

CR 89-21
AIRFIELDS ON ANTARCTIC GLACIER ICE.
Mellor, M., et al, Dec. 1989, 97p., ADA-217 638, 42 refs.
Swithinbank, C.
44-3383
ICE RUNWAYS, GLACIER ICE, GLACIER SURFACES, GLACIER ABLATION, ANTARCTICA

The physical characteristics of blue ice ablation areas in Antarctica are described and some representative ablation rates are given The possibilities for using blue-ice areas as airfields are outlined and exploratory surveys are mentioned. Site details are given for icefields at Mount Howe, Mill Glacier, Patriot Hills, Rosser Ridge, Mount Lechner, S1 near Casey station, and on the Ross Ice Shelf near McMurdo station The surface roughness of blue ice is discussed, microrelief surveys are presented for Mount Howe and Patriot Hills, and spectral analyses are used to develop relations between bump height and wavelength U.S military specifications for the roughness limits of various types of runways are summarized and graphical comparisons are made with the roughness analyses for Mount Howe and Patriot Hills. Special machines for smoothing ice runways are discussed and design specifications are developed Some notes on ground facilities and ground transport are included. Appendices give discussions of weather patterns in the Transantarctic Mountains and methodology for making spectral analyses of surface roughness It is concluded that glacier-ice airfields for conventional transport aircraft can be developed at low cost in Antarctica Recommendations for further work are offered

CR 89-22
ESTIMATING SEA ICE THICKNESS USING TIME-OF-FLIGHT DATA FROM IMPULSE RADAR SOUNDINGS.
Kovacs, A., et al, Dec. 1989, 10p., ADA-218 736, 1 ref.
Morey, R.M.
44-2848
SEA ICE, DIELECTRIC PROPERTIES, RADIO ECHO SOUNDINGS, REMOTE SENSING, ICE FLOES, RADAR ECHOES.

Two second-year sea ice floes were probed using "impulse" radar sounding and direct drilling methods The resulting two-way time of flight of the impulse radar EM wavelet, traveling from the surface to the ice "bottom" and back to the surface, was compared with snow and ice thickness data obtained from a drill hole From this comparison, simple relationships are presented that provide an estimate of the thickness of sea ice, from about 1 to 8 m thick, with or without a snow cover. Relations are also presented that show the bulk or apparent dielectric constant of the ice floes vs ice thickness, again with or without the snow cover The data revealed that the apparent dielectric constant of the sea ice decreased with increasing ice thickness from a value of about 7 for ice 1 m thick to about 3.5 for ice 6 m thick

CR 89-23
THERMAL RESPONSE OF DOWNHILL SKIS.
Warren, G.C., et al, Dec 1989, 40p., ADA-219 279, 15 refs.
Colbeck, S.C., Kennedy, F.E.
44-2361
SKIS, METAL SNOW FRICTION, THERMAL CONDUCTIVITY, SNOWMELT.

Large temperature increases were measured in downhill skis A steady-state temperature was observed at the base, indicating that melting occurs over some portion of the base This steady-state temperature increases with the ambient temperature and depends on ski speed and load, and the type of snow on the surface Heat was observed to propagate up through the ski in both the field measurements and in a finite element model of a Rossignol DH ski In that particular ski, much heat propagates along an aluminum plate that connects with the steel edges of the ski This combination about doubles the heat loss from the base and could reduce the thickness of the layer of lubricating meltwater, especially at lower temperatures These large temperature increases provide further evidence of the existence of a layer of meltwater that would control the friction The finite element model allows the predictions of material properties and geometry in the design of sliders for snow and ice

CR 89-25
CHEMICAL AND STRUCTURAL PROPERTIES OF SEA ICE IN THE SOUTHERN BEAUFORT SEA.
Meese, D.A., Dec. 1989, 134p., ADA-219 746, 63 refs. For Ph.D. thesis of same title see 43-4573.
44-2630
SEA ICE, ICE COMPOSITION, ICE CORES, CHEMICAL ANALYSIS, SEA WATER FREEZING, BEAUFORT SEA.
The purpose of this study is to provide a detailed chemical and structural profile of first-year and multiyear arctic sea ice. Ice cores were collected during Apr.-May 1986 and 1987 near Prudhoe Bay, AK. Concentrations of Cl, Br, SO4, Na, Ca, K, Mg, PO4, SiO4, NO3, NO2 and NH4 were determined for samples chosen on the basis of structural ice type. Chemical and statistical analyses indicate that finer-grained structures incorporate more impurities and that major ion chemistry is controlled almost entirely by salinity. Mg is enriched in the ice indicating precipitation is occurring at temperatures higher than previously reported. K is depleted in the ice suggesting preferential drainage. Ratios of the major ions are the same for first-year and multiyear ice and are similar to that of seawater indicating that as the ice ages no significant changes occur in ice chemistry. Nutrient concentrations in the ice are enriched with respect to the underlying water, indicating that biological activity occurs in the ice and processes other than the overall salinity effect and brine drainage are affecting nutrient concentrations within the ice.

CR 90-01
SIMULATION OF OIL SLICK TRANSPORT IN GREAT LAKES CONNECTING CHANNELS: THEORY AND MODEL FORMULATION.
Shen, H.T., et al, Feb. 1990, 29p., ADA-222 446, 54 refs.
Yapa, P.D., Petroski, M.E.
44-3736
OIL SPILLS, COMPUTERIZED SIMULATION, RIVER FLOW, MATHEMATICAL MODELS, ICE COVER EFFECT, LAKE EFFECTS, ENVIRONMENTAL IMPACT, CHANNELS (WATERWAYS), GREAT LAKES.
The growing concern over the impacts of oil spills on aquatic environments has led to the development of many computer models for simulating the transport and spreading of oil slicks in surface water. Almost all of these models were developed for coastal environments. In this study, two computer models, named as ROSS and LROSS, were developed for simulating oil slick transport in rivers and lakes, respectively. The oil slick transformation processes considered in these models include advection, spreading, evaporation and dissolution. These models can be used for slicks of any shape originated from instantaneous or continuous spills in rivers and lakes with or without ice covers Although the study was originated by U S. Army Corps of Engineers, Detroit District in relation to the Great Lakes limited navigation season extension study, these models can be used for any river and lake.

CR 90-05
THREE FUNCTIONS THAT MODEL EMPIRICALLY MEASURED UNFROZEN WATER CONTENT DATA AND PREDICT RELATIVE HYDRAULIC CONDUCTIVITY.
Black, P.B., May 1990, 7p., ADA-223 875, 22 refs.
44-3987
SOIL FREEZING, UNFROZEN WATER CONTENT, SOIL WATER MIGRATION, MATHEMATICAL MODELS, FROZEN GROUND.
Empirically determined data on changes in unfrozen water content, occurring as result of changes in the state of ice and water in soil, are discussed with reference to the changes in soil-water retention data for ice-free soil. The similarity between the two types of data is developed The Brooks and Corey, van Genuchten and Gardner equations are then shown to be applicable to describing unfrozen water content data. These three functions are then used in the model of Mualem, and the relative hydraulic conductivity of frozen soil is predicted.

SPECIAL REPORTS

SR 76-01
CLIMATIC AND SOIL TEMPERATURE OBSERVATIONS AT ATKASOOK ON THE MEADE RIVER, ALASKA, SUMMER 1975.
Haugen, R.K., et al, May 1976, 25p., ADA-025 193, 11 refs.
Brown, J., May, T.A.
32-1197
CLIMATOLOGY, AIR TEMPERATURE, SOIL TEMPERATURE, UNITED STATES—ALASKA—ATKASOOK.

Air temperatures measured during the summer of 1975 indicated that the Meade River site, 120 km south of Barrow, has a distinctly continental summer temperature pattern in comparison to Barrow, which is cooler and has a smaller daily temperature fluctuation. Stepwise multiple regression analysis indicated a significant relationship between current and previous day's air temperature and all of the (near) surface temperatures examined. Precipitation and pan evaporation were not significantly related to terrain surface temperatures. At the wet site, the warmest subsurface temperatures were measured in a shallow pond. Dry site temperatures were warmer and showed less variation with depth in comparison to wet site temperatures.

SR 76-02
REGIONALIZED FEASIBILITY STUDY OF COLD WEATHER EARTHWORK.
Roberts, W.S., July 1976, 190p., ADA-029 936, M.S. thesis. 91 refs.
32-1238
COLD WEATHER OPERATION, EARTHWORK, SOIL STRUCTURE, MAPPING, ECONOMIC ANALYSIS.

A regional approach is used to delineate areas in Canada and the United States, in which selected earthwork operations should receive careful consideration for winter execution. Soil texture and soil "form" or physical site environment are deemed important physical factors in the economic feasibility of cold weather earthwork. Summary maps showing significant soil forms and related feasible earthwork operations are presented. A general discussion of the importance of the soil form in the economic feasibility of winter earthwork is included. A summary is presented which shows, with respect to physiographic sections, the salient information and conclusions developed by this study. At least 94% of physiographic sections have two or more winter earthwork operations that are deemed feasible. Only 5 of 213 sections considered do not have any earthwork operations that appear feasible in the winter season.

SR 76-03
THERMOINSULATING MEDIA WITHIN EMBANKMENTS ON PERENNIALLY FROZEN SOIL.
Berg, R.L., May 1976, 161p, ADA-062 447, Ph.D. thesis. 120 refs.
32-1239
EMBANKMENTS, THERMAL INSULATION, PERMAFROST PRESERVATION, PROTECTIVE COATINGS, SOIL STABILIZATION, MATHEMATICAL MODELS.

Most transportation facilities proposed for arctic and subarctic regions will be constructed on embankments. Incorporation of a thermoinsulating layer within the embankment may permit use of reduced quantities of embankment material. Thermal design and analysis procedures applicable to embankments are reviewed and a two-dimensional numerical method coupling heat and mass transfer and vertical displacement is proposed. The modified Berggrer equation, a method developed by Lachenbruch, and a finite difference technique are used to illustrate design and analysis methods for insulated embankments on permafrost. Most applications of insulation have been in seasonal frost areas but a few test sections have been constructed on permafrost. Stability of thermal and physical properties is a desirable characteristic of thermoinsulating layers. Moisture absorption causes increased thermal conductivity and degradation of strength of some insulating materials. Several types of moisture barriers have been used but the most successful have been polyethylene sheets.

SR 76-04
CREEP THEORY FOR A FLOATING ICE SHEET.
Nevel, D.E., June 1976, 98p., ADA-026 122, 73 refs.
32-1240
FLOATING ICE, ICE CREEP, LOADS (FORCES), STRESSES, ICE MECHANICS, MATHEMATICAL MODELS

The problem investigated is the prediction of the deflection and stresses in a floating ice sheet under loads which act over a long period of time. A review of analytical methods for predicting the bearing capacity of an ice sheet is given. The problem is formulated by assuming the ice is isotropic with a constant Poisson's ratio. The shear modulus is assumed to obey a linear viscoelastic model., The specific model selected is a series of one Maxwell model and two Voigt models. One of the Voigt models has a negative spring constant which produces tertiary creep. The ice model exhibits a primary, secondary, and tertiary creep response, similar to that observed in uniaxial creep tests of ice. The material properties in the viscoelastic model may be a function of the vertical position in the ice sheet, but all these material properties must be proportional to the same function of position. Using the thin-plate theory for the floating ice sheet, the solution is obtained for the deflection and stresses in the ice sheet for primary, secondary, and tertiary creep regions. It is then shown that for a load that is not distributed over a large area, the time-dependent part of the deflection and stresses is relatively independent of the load's distribution. For the elastic case, the stress significantly depends upon the load's distribution. Results are given for the deflection and stresses as a function of time and distance from the load. The maximum deflection and stresses occur at the center fo the load. At this point the deflection increases with time, while the stresses decrease.

SR 76-05
UTILITY DISTRIBUTION SYSTEMS IN ICELAND.
Aamot, H.W.C., May 1976, 63p., ADA-026 956.
32-1241
UTILITIES, WASTE DISPOSAL, SEWAGE DISPOSAL, SUBARCTIC LANDSCAPES, ICELAND.

The study reports on new developments and special problems or solutions in water distribution systems, sewage collection systems, heat distribution and electric transmission system. Cold weather considerations are highlighted. For water and sewage transport, the use of ductile iron, concrete and plastic materials is reported. Utility lines are generally placed individually, utilidors are too expensive for most installations except in some city center locations. Heat distribution with hot water from geothermal wells is mostly one-way piping. After heating, the water is discharged through the sewage system. Street heating is being expanded. With electric distribution, the use of self-supporting aerial cables is becoming popular because it is very cost-effective and reliable. Within the city, all distribution is under ground. Arcing of isolators on high voltage transmission lines due to salt from the ocean atmosphere is being reduced with silicone fluids.

SR 76-06
INFLUENCE OF INSULATION UPON FROST PENETRATION BENEATH PAVEMENTS.
Eaton, R.A., et al, May 1976, 41p., ADA-026 957, 10 refs.
Dukeshire, D.E.
32-1242
PAVEMENTS, SUBGRADE PREPARATION, FROST HEAVE, FROST PENETRATION, CELLULAR MATERIALS, THERMAL INSULATION.

In order to minimize differential frost heaving caused by variable in-situ soil conditions, granular material is placed on top of the frost-susceptible subgrade. This creates a uniform layer to bridge subsurface irregularities in soil properties. This method of protecting the pavement structure can be costly. A method of reducing the amount of granular material is the use of a thermal insulating layer beneath all or part of the base course which prevents freezing temperatures from reaching the non-uniform subgrade. A test road which includes styrofoam board insulated test sections was constructed at CRREL in 1973. A transition section was built between a control section and an insulated section to minimize the drastic difference in frost penetration and resultant differential frost heave. Large temperature differences were measured between the insulated and conventional sections, frost penetrations were one-third as deep beneath the insulated section, differences in frost heave were negligible, and pavement deflections were approximately the same on the two sections. Surface differential icing did occur between the control and insulated sections.

SR 76-07
SKYLAB IMAGERY: APPLICATION TO RESERVOIR MANAGEMENT IN NEW ENGLAND.
McKim, H L., et al, Sep. 1976, 51p, ADA-030 329, 24 refs.
Gatto, L.W., Merry, C.J., Haugen, R.K.
32-1243
AERIAL SURVEYS, SPACEBORNE PHOTOGRAPHY, MAPPING, RESERVOIRS.

The purpose of this investigation was to determine the utility of Skylab S190A and B photography for providing reservoir management information in New England. LANDSAT, Skylab S190A and S190B and RB-57/RC8 images were reduced to a common scale of 1:63,360 for a mapping base to demonstrate the extent to which the imagery could be utilized in the preparation of reconnaissance land use maps. Visual interpretations were accomplished on original NASA color infrared S190A/B and RB-57/RC8 transparencies and a LANDSAT false color print made in-house. Ancillary data were not used during the mapping exercise to eliminate bias in the comparisons and to ensure that the results were derived strictly from interpretations of tones and textures on the photography. The classification scheme was a modified version of the U.S. Geological Survey Land Use Classification System for use with remote sensor data. The relative utility of the multiband imagery in identifying and quantifying hydrologic factors was evaluated. The land use statistics for two small watersheds were determined and the effects of these land use factors were appraised for possible contribution to runoff potential. This appraisal indicated that basin topography and the nature of runoff may be more important factors in predicting volume of runoff from a watershed than land use factors. Comparisons of the usefulness of the various imagery systems are made.

SR 76-08
SURVEY OF ROAD CONSTRUCTION AND MAINTENANCE PROBLEMS IN CENTRAL ALASKA.
Clark, E.F., et al, Oct. 1976, 36p., ADA-032 085, 21 refs.
Simoni, O.W.
32-1244
ROADS, WINTER MAINTENANCE, ROAD ICING, PERMAFROST PRESERVATION, THERMAL INSULATION, EROSION.

A survey of road construction and maintenance problems in central Alaska is presented. The problems of poor fill and foundation material, permafrost degradation under pavement and shoulders, slope instability, water erosion, road icing from subsurface seepage, and culvert icing are described. Possible solutions to road maintenance problems in central Alaska include the use of insulating materials in permafrost areas, MESL construction when non-frost-susceptible soils are unavailable, and the use of improved drainage in areas where extensive icing occurs. Bridge damage, erosion of sidehill cuts and embankment instability are also discussed and potential solutions are given.

SR 76-09
COMPRESSED AIR SEEDING OF SUPERCOOLED FOG.
Hicks, J.R., Oct. 1976, 9p., ADA-040 819, 1 ref.
32-1245
SUPERCOOLED FOG, CLOUD SEEDING, FOG DISPERSAL, ICE CRYSTAL FORMATION.

Two series of experiments, 25 in a light fog and 25 in a heavy fog, were conducted in the CRREL cold cloud chamber. Compressed air was used to glaciate the -4C fog. The gage air pressure was 413.7 kPa. These tests showed that the number of ice crystals produced exceeded the number of water droplets in the fog by a factor of 21 for a light fog and 133 for a heavy fog. Approximately 2.6 times as many ice crystals were created in a heavy fog than were created in a light fog.

SR 76-10
TEMPORARY ENVIRONMENT. COLD REGIONS HABITABILITY.
Bechtel, R.B., et al, Oct. 1976, 162p., ADA-032 353, Bibliography p.115-116.
Ledbetter, C.B.
32-1246
ENVIRONMENTS, HUMAN FACTORS ENGINEERING, BUILDINGS.

After classifying government environments in Alaska and studying four Federal Aviation Administration (FAA) and three Aircraft Control and Warning (AC&W) stations (in Phases 1 and 2), a cold regions environmental psychology behavior setting survey was made of Fort Wainwright, Alaska, to complete Phase 3. Phase 4 analyzed Fort Wainwright data and compared it with the FAA and AC&W data and previous studies. The military locations could be characterized as temporary environments. The military environments differed from civilian environments in the behavioral areas of religion, government and professionalism. FAA stations were found to have the richest environment and AC&W stations the most deprived. Yet AC&W stations compensated by providing greater leadership opportunities. Small installations had an advantage over large installations in the participation level of their populations in recreational and other activities. Family housing, transient housing, barracks and work environments of Fort Wainwright were studied. Habitability guidelines were suggested for minimal renovation, major renovation and new construction of these kinds of buildings. An overall plan for a more habitable location of post facilities was suggested. The behavior setting survey technique in shortened form proved useful in this study. Suggestions for future research in testing habitability guidelines were made.

SR 76-11
OBSERVATIONS ALONG THE PIPELINE HAUL ROAD BETWEEN LIVENGOOD AND THE YUKON RIVER.
Berg, R.L., et al, Oct. 1976, 73p., ADA-033 380, 7 refs.
Smith, N.
32-1247
ROADS, SLOPE STABILITY, GROUND ICE, VEGETATION.
Periodic observations over a six-year period along the TAPS Road have been evaluated with respect to construction and slope stabilization techniques in ice-rich roadway cuts and embankment subgrades. Lateral drainage ditches of sufficient width to handle construction excavation equipment, along with near-vertical slope cuts with hand-cleared tops equal in width to one and one-half times the height of the cuts, significantly enhance natural processes of slope stabilization. Right-of-way clearing limited to the toe of embankment fill slopes minimizes subsidence of the roadway and its shoulder slopes. In extremely ice-rich soil cuts, the seeding of the slopes should not be attempted until late in the first thaw season for best results. Natural woody growth can be expected to have a substantial stabilizing effect after five or six thaw seasons but could be accomplished sooner by planting tree seedlings. Attempts to stabilize ice-rich cut slopes with applications of insulation are not very effective and seem to prolong the natural stabilization process.

SR 76-12
OPERATIONAL REPORT: 1976 USACRREL-USGS SUBSEA PERMAFROST PROGRAM BEAUFORT SEA, ALASKA.
Sellmann, P.V., et al, Oct. 1976, 20p., ADA-032 440, 5 refs.
Lewellen, R.I., Ueda, H.T., Chamberlain, E.J., Blouin, S.E.
32-1248
OFFSHORE DRILLING, LOGISTICS, SEA ICE, SUBSEA PERMAFROST.
During the spring of 1976, three holes were drilled offshore in the Prudhoe Bay area using the sea ice cover as a drilling platform. The objectives of this program were to obtain samples and subsurface information to aid in quantification of the engineering characteristics of permafrost beneath the Beaufort Sea as well as to conduct supporting thermal and geological studies. The results of the drilling and related investigations are being used in conjunction with data from other subsea permafrost projects to develop maps and models for the prediction of permafrost occurrence in this offshore environment. The project also provides a means of testing drilling, sampling, and in-situ measurement techniques in an offshore setting where material types and sea ice conditions make acquisition of undisturbed samples extremely difficult. This report documents the operational aspects of the spring 1976 field study, subsequent reports will cover the technical and research results.

SR 76-13
ENVIRONMENTAL ANALYSES IN THE KOOTENAI RIVER REGION, MONTANA.
McKim, H.L., et al, Nov. 1976, 53p., ADA-033 500, 11 refs.
Gatto, L.W., Merry, C.J., Brockett, B.E., Bilello, M.A., Hobbie, J.E., Brown, J.
32-1255
CLIMATOLOGY, RESERVOIRS, ICE COVER, LIMNOLOGY, SPACEBORNE PHOTOGRAPHY, UNITED STATES—MONTANA—KOOTENAI RIVER.
The purpose of this investigation was 1) to compile and analyze climatic data for the past 10 years from all available weather observing stations in the East Kootenai River Basin, 2) to analyze changes in ice and snow cover, and turbidity and plankton blooms on Lake Koocanusa, 3) to assess the present limnology of Lake Koocanusa and the potential for water quality problems, especially eutrophication, and 4) to demonstrate the reliability of the LANDSAT Data Collection Platform (DCP)-Martek Water Quality Monitor system for acquisition of data from a remote site. Results of the investigations indicate that the Kootenai region is about twice as cold as the Libby region in winter, and that reservoir ice first forms along the shore in the northern region in late November and in the southern part in mid-December, with total freeze-over usually occurring 2 to 4 weeks later. Ice break-up in the northern sections usually occurs 1-3 weeks later than in southern areas, average annual snowfall is 42 to 144 in., with ice thickness and snowfall varying with relief. Variations in areal distribution of snow within the basin and ice cover on the reservoir were observable for periods from January to October 1973, and reservoir turbidity was observed to increase south of Ellsworth and Stenerson Mountains. Low algal productivity observed was due to the algae being circulated most of the time below the depth of 1% light and due to high turbidity. The DCP-Martek system operated well and reliable data were received while the system was located in the pool above Libby Dam and downstream below the dam. Brief interruptions in data transmissions occurred in April, when the Martek sensor showed a few minor inconsistencies, but the system demonstrated the feasibility of this technique for data acquisition from remote sites.

SR 76-14
NOTES ON CONDUCTING THE BEHAVIOR SETTING SURVEY BY INTERVIEW METHOD.
Ledbetter, C.B., Nov. 1976, 33p., ADA-062 448, 17 refs.
32-1256
ENVIRONMENTS, HUMAN FACTORS, MILITARY FACILITIES.
Practical guidelines for conducting the behavior setting survey by interview method are presented. This training manual for the layperson describes the data, survey forms and interview techniques.

SR 76-15
FATE AND EFFECTS OF CRUDE OIL SPILLED ON PERMAFROST TERRAIN. FIRST YEAR PROGRESS REPORT.
Collins, C.M., et al, Nov. 1976, 18p., ADA-034 140, 3 refs.
Deneke, F.J., Jenkins, T.F., Johnson, L.A., McFadden, T., Slaughter, C.W., Sparrow, E.B.
32-1257
OIL SPILLS, SOIL TEMPERATURE, VEGETATION, PERMAFROST.
The long-term effects and ultimate fate of crude oil spilled on permafrost-underlain tundra is the subject of this study. The project involves two experimental oil spills of 2,000 gallons (7,570 liters) each on 500 sq m test plots near Fairbanks, Alaska. A winter spill, discussed in this progress report, took place in February 1976. Another spill will take place at the peak of the growing season in the summer. This allows conditions prevailing during these climatic periods to be studied as to their effect on oil spills, and makes it possible to study the reaction of the spilled oil to these temperature extremes. The spill discussed in this report was designed to simulate a real pipeline leak, and was large enough to approach reality while remaining within the limits of logistical capabilities. Monitoring of the spill and control plots includes: oil movement, temperature regime, biological effects, microbiological changes, permafrost impact, and chemical degradation of the oil.

SR 76-16
UTILITY DISTRIBUTION SYSTEMS IN SWEDEN, FINLAND, NORWAY AND ENGLAND.
Aamot, H.W.C., et al, Nov. 1976, 121p., ADA-035 088, Bibliography p.116-121.
McFadden, T.
32-1258
UTILITIES, SEWAGE DISPOSAL, ELECTRICITY, HEATING, WATER SUPPLY, SCANDINAVIA, UNITED KINGDOM.
The study reports on new developments and special problems or solutions in water distribution systems, sewage and solid waste transport systems, heat distribution systems and electric transmission systems. Cold weather considerations are highlighted. For water and sewage systems, the use of ductile iron and plastic materials for pipes is reported. The use of heating, insulating or shielding of the pipes for frost protection is of interest. Some developments in tunneling technology were identified. Pneumatic solid waste collection and vacuum sewage collection represent new developments. For heat distribution, the many different types of pipe and insulation systems used are described. Good moisture control in insulation is emphasized. Developments in long distance heat transmission are discussed. With electric distribution, the use of self-supporting aerial cables is a new development. With transmission, problems of icing and countermeasures are discussed.

SR 76-17
ENERGY CONSERVATION IN BUILDINGS.
Ledbetter, C.B., Dec. 1976, 8p., ADA-034 141, 3 refs.
32-1259
HEATING, BUILDINGS, CONSERVATION
This report scans current building designs and describes, for the layman, ways that buildings could be designed for improved energy consumption. Topics of building design addressed are insulation, thermal bridges, ventilation, orientation, lighting, windows, and solar heat.

SR 76-18
IMPROVED MILLIVOLT-TEMPERATURE CONVERSION TABLES FOR COPPER CONSTANTAN THERMOCOUPLES. 32F REFERENCE TEMPERATURE.
Stallman, P.E., et al, Dec 1976, 66p., ADA-034 841, 6 refs.
Itagaki, K.
32-1260
TEMPERATURE MEASUREMENT, CONVERSION TABLES.
This report extends and improves the conversion tables already available (CRREL Special Report 108, G.W. Aitken, 1966, 24-3490 (AD-805 751)). The computational method is described with discussion of error, improved methods, and limitations. The tables are presented in two sections: the first for temperatures in the range -184C to 0C, the second for temperatures in the range 0C to 100C. The corresponding Fahrenheit temperatures are also included.

SR 77-01
SELECTED EXAMPLES OF RADIOHM RESISTIVITY SURVEYS FOR GEOTECHNICAL EXPLORATION.
Hoekstra, P., et al, Jan. 1977, 16p., ADA-035 761, 20 refs.
Sellmann, P.V., Delaney, A.J.
32-1275
GEOPHYSICAL SURVEYS, ELECTRICAL RESISTIVITY, PERMAFROST INDICATORS, GRAVEL.
Measurements of ground resistivity using radio wave techniques have been made in support of several geotechnical projects. Examples of surveys conducted for locating and evaluating gravel deposits, for delineating permafrost, and for extrapolating subsurface information between drill holes are used to illustrate some advantages of ground and airborne surveys using this method.

SR 77-02
CRREL ROOF MOISTURE SURVEY, PEASE AFB BUILDINGS 33, 116, 122 AND 205.
Korhonen, C., et al, Jan. 1977, 10p., ADA-035 762.
Tobiasson, W., Dudley, T.
32-1276
ROOFS, MOISTURE, INSULATION, INFRARED EQUIPMENT.
Four building roofs at Pease AFB were surveyed with a hand-held infrared camera to detect wet insulation. Areas of wet insulation on these roofs were marked with spray paint, and 3-in.-diam core samples of the built-up membrane and insulation were taken to verify wet and dry conditions. Flashing defects are considered responsible for most of the wet insulation uncovered in this survey. Recommendations for maintenance, repair, and replacement were developed from the infrared surveys, core samples and visual examinations.

SR 77-03
ESTIMATING HEATING REQUIREMENTS FOR BUILDINGS UNDER CONSTRUCTION IN COLD REGIONS—AN INTERACTIVE COMPUTER APPROACH.
Bennett, F.L., Feb. 1977, 113p., ADA-035 709, 65 refs.
32-1277
COLD WEATHER CONSTRUCTION, BUILDINGS, HEATING, HEAT LOSS, COMPUTER PROGRAMS.
The paper documents a review of construction literature to find reports of projects constructed under low-temperature conditions. A survey of Alaskan contractors to determine "cutoff temperatures" and other factors that cause suspension of various construction works is also presented. For both the literature search and the contractor survey, the lowest temperature mentioned was -70F. The paper also describes a computer program for estimating heat loss and enclosures and heating costs for buildings under construction in cold regions. The program is described, a sample program run is presented, and a successful validation effort is summarized.

SR 77-04
HAINES-FAIRBANKS PIPELINE: DESIGN, CONSTRUCTION AND OPERATION.
Garfield, D.E., et al, Feb. 1977, 20p., ADA-038 445, 20 refs.
Ashline, C.E., Haynes, F.D., Ueda, H.T.
32-1278
PIPELINES, MAINTENANCE, CONSTRUCTION, UNITED STATES—ALASKA.
This report is intended to provide a background for the analysis and evaluation of new pipelines being built in cold regions. Topics discussed include the initial design, construction, testing, operation and maintenance of, and modifications to, the 8 in. pipeline from the deep water port of Haines to military installations at Fairbanks, Alaska. The 626-mile multi-product pipeline began operation in 1956. The results of a corrosion survey completed in 1970 indicated that extensive renovation would be required to continue operations, and the section from Haines to Eielson Air Force Base was closed in 1973.

SR 77-05
GUIDELINES FOR ARCHITECTURAL PROGRAMMING OF OFFICE SETTINGS.
Ledbetter, C.B., Mar 1977, 14p., ADA-037 124, 2 refs.
32-1279
ENVIRONMENTAL TESTS, HUMAN FACTORS ENGINEERING, BUILDINGS
A demonstration of Barker's K-21 test for identifying and differentiating behavior settings is presented as a means of diagnosing problems in an office environment. Guidelines for rearranging the layout of an organization's offices are developed that could also be used for architectural programming for a new building if the organization were to be relocated. As an instructional program, the demonstration presented here shows how to conduct the K-21 test in order to analyze problems concerning behavior setting boundaries or conflicts between behavior settings.

SR 77-06
SYMPOSIUM: GEOGRAPHY OF POLAR COUNTRIES; SELECTED PAPERS AND SUMMARIES.
Brown, J., ed, Mar. 1977, 61p., ADA-038 379, In English and Russian. Numerous refs. For selected papers see 32-1302 through 32-1306.
32-1301
MEETINGS, LAND DEVELOPMENT, ENVIRONMENTAL PROTECTION.
The symposium on Geography of Polar Countries held in Leningrad 22-26 July 1976 as part of the XXIII International Geographical Congress consisted of three sessions. (1) Polar environment, natural resources, their exploration and exploitation; (2) Past, present and future economic developments in the polar regions; (3) Polar environment protection. This report presents the full text or extended summaries of a number of the U.S. papers, and English and Russian summaries of the Soviet contributions related to environmental protection. The papers and summaries presented in this report reflect the participation of members and of the joint US-USSR environmental protection agreement project, *Protection of Northern Ecosystems.* The U.S papers deal with land use planning to mitigate environmental impact: the impact of resource development on natives, fish and wildlife, and permafrost, the impacts of pipelines and roads on the environment, and computer modeling to simulate terrain modification due to man's activities. The Soviet summaries deal with subjects of properties and changes in arctic and subarctic flora, treeline, and permafrost, and methods of predicting changes in the environment.

SR 77-07
SELECTED BIBLIOGRAPHY OF DISTURBANCE AND RESTORATION OF SOILS AND VEGETATION IN PERMAFROST REGIONS OF THE USSR (1970-1976).
Andrews, M., Mar. 1977, 116p., ADA-051 813.
32-2728
BIBLIOGRAPHIES, CRYOGENIC SOILS, REVEGETATION, LAND RECLAMATION.
The literature is discussed in chronological fashion, with general statements followed by highlights of each year's contributions (with three tables and two appendices for amplification). The years 1972 and 1973 produced the most publications, and by 1975 there was a noticeable lag in pickup of publications by the indexing services. A trend is apparent from a reconnaissance and description approach in earlier papers toward an integrated ecosystem approach in more recent publications. Increased consciousness of the effects of disturbance on the permafrost environment, and the importance of restoration and preservation of these environments, are reflected in the recent literature, particularly in symposium proceedings.

SR 77-08
REVEGETATION AND EROSION CONTROL OBSERVATIONS ALONG THE TRANS-ALASKA PIPELINE—1975 SUMMER CONSTRUCTION SEASON.
Johnson, L.A., et al, Mar. 1977, 36p., ADA-038 416.
Quinn, W.F., Brown, J.
32-1311
PIPELINES, SOIL EROSION, EROSION CONTROL, PROTECTIVE VEGETATION.
Procedures for revegetation and erosion control of the Trans-Alaska Pipeline System during the initial construction phase are reviewed. Fertilizer and seed rates and schedules of application by major areas (sections) are presented. During the field season of 1975 CRREL personnel observed revegetation and erosion control practices along the entire length of the pipeline route. The types of problems and early successes are discussed. Thirty-eight photographs are presented of characteristic areas on which revegetation was initiated. A list of sites for follow up observations is presented.

SR 77-09
INFRARED THERMOGRAPHY OF BUILDINGS: AN ANNOTATED BIBLIOGRAPHY.
Marshall, S.J., Mar. 1977, 21p., ADA-038 447, 42 refs.
32-1312
BIBLIOGRAPHIES, BUILDINGS, THERMAL ANALYSIS, INFRARED RADIATION.
This report summarizes a review of the current literature on the new subject of infrared thermography of buildings. Infrared thermography of buildings (IRTB) uses a thermal imaging scanner to detect heat loss, structural defects, moisture, and other anomalies in building envelopes. Photographs of the imagery called thermograms provide hard copy documentation of faults detected. Thirty-four references are abstracted, covering research and development, roof moisture surveys, and qualitative/quantitative field surveys. The readily obtainable sources were chosen for their practical approach to providing potential users who are not scientifically oriented with an opportunity to quickly grasp the value of this new technology.

SR 77-10
COMPUTER ROUTING OF UNSATURATED FLOW THROUGH SNOW.
Tucker, W.B., et al, May 1977, 44p., ADA-040 121.
Colbeck, S.C.
32-1313
SNOW COVER, WATER FLOW, SNOWMELT, COMPUTER PROGRAMS.
Computer programs for routing the vertical movement of water through snow have been developed. The shock front is dependent on surface melt taking place now as well as the antecedent flow in the snow, usually a function of the nature of the flow for the previous day. One program, designed to accommodate actual surface melt data, has the ability to handle complicated input profiles such as when melt is erratic on a cloudy day, creating such complexities as intersecting shock fronts. Another program, designed for rapid simulation purposes, approximates a simple surface input with a function, in this case a sine wave. This function is easily changed, allowing a variety of conditions to be assessed, although only one shock front is accommodated. Error analysis and some applications of the programs are presented.

SR 77-11
DEMONSTRATION OF BUILDING HEATING WITH A HEAT PUMP USING THERMAL EFFLUENT.
Sector, P.W., May 1977, 24p., ADA-041 024, 13 refs.
32-1314
HEAT RECOVERY, HEATING, BUILDINGS, COST ANALYSIS, HEAT PUMPS.
This report describes efforts made to recover waste heat and to reuse it to heat a building. A heat pump, which is a refrigeration device, was operated to provide building heat and to demonstrate both economic benefits and energy savings possible with this type of heating system. Heat pump fundamentals and system design considerations supplement the report of this demonstration project. Operational characteristics were monitored and are reported. A 25% reduction in heating costs was observed compared with an oil-fired system. The author recommends that the minimum coefficient of performance should be 3.4 for a cost effective, energy-conservative heat pump heating system.

SR 77-12
LABORATORY STUDIES OF COMPRESSED AIR SEEDING OF SUPERCOOLED FOG.
Hicks, J.R., et al, May 1977, 19p., ADA-040 633, 3 refs.
Rice, R.C., Jr.
32-1315
SUPERCOOLED FOG, CLOUD SEEDING, LABORATORY TECHNIQUES.
Some 400 tests were conducted in the CRREL cold cloud chamber to determine the combination of air pressure and nozzle design that yielded the maximum production of ice crystals in a supercooled fog. It was found that some 0.22 cu m/min of air which was compressed to 517 kPa is needed to be effective for clearing a supercooled fog.

SR 77-13
STAKE DRIVING TOOLS: A PRELIMINARY SURVEY.
Kovacs, A., et al, May 1977, 43p., ADA-041 053, 9 refs.
Atkins, R.T.
32-1316
ANCHORS, FROZEN GROUND, DRILLS, PILE DRIVING, HAMMERS.
This report gives results of a study of four commercial breaker-rock drills, a prototype hydraulic stake driver-retriever and a prototype propellant-actuated hammer which were evaluated for driving anchors into hard frozen ground. The tests found that commercial breaker-rock drills can be used without modification to drive standard military GP-112/G and GP-113/G stakes into frozen ground. The study revealed that while the hydraulic stake driver would require further development to increase its reliability, it could drive the above stakes into frozen ground. The propellant-actuated stake driver was found incapable of driving stakes into hard frozen ground and was not considered worthy of further development as a stake driver.

SR 77-14
RUNWAY SITE SURVEY, PENSACOLA MOUNTAINS, ANTARCTICA.
Kovacs, A., et al, June 1977, 45p., ADA-051 814, 6 refs.
Abele, G.
32-1317
SITE SURVEYS, AIRCRAFT LANDING AREAS, ICE RUNWAYS, ANTARCTICA—PENSACOLA MOUNTAINS.
Two blue ice areas were surveyed in the Pensacola Mountain region of Antarctica and found suitable for runway sites. A length of 2.5 to 3 km, oriented in the predominant wind direction, is available at Rosser Ridge, requiring very little snow removal. A length of 3 km, oriented at 30 deg to 45 deg with the predominant wind direction, is available at Mt. Lechner, but considerable snow removal would be required, and some obstacles are present near both ends of the runway area. Aerial inspection disclosed one and probably two more suitable sites near the Patuxent Range.

SR 77-15
KOLYMA WATER BALANCE STATION, MAGADAN OBLAST, NORTHEAST U.S.S.R.: UNITED STATES-SOVIET SCIENTIFIC EXCHANGE VISIT.
Slaughter, C.W., et al, May 1977, 66p., ADA-041 606, 16 refs. For a shorter version see Arctic bulletin, 1978, 2(13), p.305-313.
Bilello, M.A.
32-1318
WATER BALANCE, STATIONS, RESEARCH PROJECTS, INTERNATIONAL COOPERATION, USSR—MAGADAN.
Two U.S scientists visited Kolyma Water Balance Station (KWBS) in Magadan Oblast of northeast USSR during the last two weeks of August 1976. Under the auspices of the Joint USA-USSR Agreement on Cooperation in the Field of Environmental Protection, this trip was undertaken to review current Soviet watershed hydrology research in a permafrost dominated setting similar to that of central Alaska. Research objectives, instrumentation, and field practices were observed and discussed at KWBS. A series of proposals for future cooperation in high latitude hydrology research and data exchange was prepared.

SR 77-16
COMPOSITION OF VAPORS EVOLVED FROM MILITARY TNT AS INFLUENCED BY TEMPERATURE, SOLID COMPOSITION, AGE AND SOURCE.
Leggett, D.C., et al, June 1977, 25p., ADA-040 632, 19 refs.
Jenkins, T.F., Murrmann, R.P.
32-1319
EXPLOSIVES, IMPURITIES, VAPOR PRESSURE, CHEMICAL ANALYSIS.
A number of domestic and foreign military TNT samples were analyzed by a gas chromatographic headspace technique. The method allowed the determination of the vapor pressure of TNT and the partial pressures of several associated impurities over a 2 to 32C temperature range. A major volatile impurity in all U.S. military TNT samples was 2,4-dinitrotoluene, which had a partial pressure 1 to 2 orders of magnitude higher than the vapor pressure of TNT. The experimental data followed a Clausius-Clapeyron temperature dependence for the vapor pressure of TNT, and the partial pressure of DNT was related to its concentration in the solid by a Henry's constant. Age and source of the TNT were found to have little or no influence on these relationships. The reasons for finding a relatively high DNT partial pressure are discussed, as is its implication for TNT detection by trace gas methods.

SR 77-17
EFFECTS OF LOW-PRESSURE WHEELED VEHICLES ON PLANT COMMUNITIES AND SOILS AT PRUDHOE BAY, ALASKA.
Walker, D.A., et al, June 1977, 49p., ADA-041 593, 11 refs.
Webber, P.J., Everett, K.R., Brown, J.
32-1320
TUNDRA TERRAIN, DAMAGE, ALL TERRAIN VEHICLES, TIRES, TUNDRA VEGETATION, UNITED STATES—ALASKA—PRUDHOE BAY.
An off-road vehicle test utilizing a smooth tired Rolligon weighing approximately 25,000 lb. was conducted at Prudhoe Bay, Alaska, on 25 June 1976. Vehicle impact on the vegetation and terrain was documented at 32 stations selected as representative of the coastal tundra terrain. Twenty-seven stations were of single pass track and five were multiple pass lanes of up to 30 passes. The report documents the impacts with photographs and numerical ratings. Future observations will enable determination of rates of recovery.

SR 77-18
INSTALLATION OF LOOSE-LAID INVERTED ROOF SYSTEM AT FORT WAINWRIGHT, ALASKA.
Schaefer, D., June 1977, 27p., ADA-041 574, 11 refs.
32-1321
ROOFS, INSULATION, COST ANALYSIS.
In the summer 1971 the Corps of Engineers replaced the roof on Building 1053 at Ft. Wainwright, Alaska, with a loose-laid inverted roof system. This roof system was selected to permit an evaluation of its performance and potential suitability for general use in Corps construction. The installation of the roof also permitted an analysis of its construction costs and a record of the construction procedures. Costs were identified in terms of costs of the materials used and the number of man-hours required. For the analysis, the job was broken down into four phases. 1) removal of the existing roofing material and preparation of the deck, 2) application of a surface of plywood decking, 3) placement of the butyl membrane and installation of flashings, and 4) placement of the insulation and ballast pavers. The results show that the installation time requirements compare favorably with those of conventional built-up roofs but the butyl membrane and the pavers cause higher material costs. Advantages are in the maintainability of the roof system and in its increased life expectancy.

SR 77-19
RECLAMATION OF ACIDIC DREDGE SOILS WITH SEWAGE SLUDGE AND LIME AT THE CHESAPEAKE AND DELAWARE CANAL.
Palazzo, A.J., June 1977, 24p., ADA-041 636, Bibliography p.22-24.
32-1322
SOIL ANALYSIS, SOIL CHEMISTRY, SLUDGES, PLANTS (BOTANY), VEGETATION.
A field study was conducted to assess the effects of sewage sludge and lime on the revegetation and reclamation of acidic (pH 3 0) and infertile dredge soils. Sewage sludge at 100 metric tons/ha and lime at 25 metric tons/ha were applied during the summer of 1974 on a seven hectare site and plowed into the soil to a depth of 20 cm Soils were sampled 20 months after sludge incorporation at three depths, 0-20, 20-40, and 40-60 cm within the sludged and control areas. A total of 29 grass treatments, containing grasses seeded alone or in combinations, were also evaluated and seven grass types analyzed for mineral composition. Comparisons between the sludged and control areas in the layers from 0-20 cm and below 20 cm were made in terms of changes in soil and plant chemistry, plant utilization of soil minerals, plant adaptability and vigor, and eventual resulting vegetative cover.

SR 77-20
UNCONFINED COMPRESSION TESTS ON SNOW: A COMPARATIVE STUDY.
Kovacs, A , et al, July 1977, 27p., ADA-062 445, 21 refs.
Michitti, F., Kalafut, J.
32-4357
SNOW COMPRESSION, COMPRESSIVE STRENGTH, TESTS.
Results of unconfined compression tests performed on snow from Camp Century, Greenland, using a new self-aligning platen system are compared with tests using a more conventional platen system The average unconfined compressive test strength was 42% higher for samples tested on the new platen assembly vs the old Test results indicate that the new platen system provides for better sample alignment and therefore a more uniform load distribution applied to the ends of the sample. The higher strength values obtained with the new platen system are considered more representative of the unconfined compressive strength of the snow tested

SR 77-21
INVESTIGATION OF SLUMPING FAILURE IN AN EARTH DAM ABUTMENT AT KOTZEBUE, ALASKA.
Collins, C.M., et al, July 1977, 21p., ADA-042 306, 5 refs.
McFadden, T.
32-1323
RESERVOIRS, EARTH DAMS, FROZEN GROUND TEMPERATURE, SETTLEMENT (STRUCTURAL), SUBSIDENCE.
A slumping failure on the upstream side in one area of the water supply reservoir at Kotzebue, Alaska, was investigated. Seven 80-ft (24 4-m) thermocouple strings were emplaced in the dam abutment, and an additional four thermocouple strings were installed behind the dam, extending to a depth of 95 ft (28.9 m) below the bottom of the reservoir All thermocouples indicated below freezing temperatures at their respective positions These measurements combined with the drill logs indicate that neither the dam nor the abutment is in immediate danger of failure, but that steps must be taken to stop the sloughing of material in the abutment area Recommendations are given to accomplish this.

SR 77-22
LOCK WALL DEICING STUDIES.
Hanamoto, B., ed, Aug. 1977, 68p , ADA-044 943, For individual papers see 32-1350 through 32-1352, 31-1800, and 32-1109.
32-1349
ICE REMOVAL, CHANNELS (WATERWAYS), LOCKS (WATERWAYS)
Four methods for removing the ice buildup on navigation lock walls on the Poe Locks at Sault Ste Marie, Michigan, were investigated mechanical pneumatic boots, high-pressure water jets, mechanical chain saws, and chemical coatings Two of the more promising means of ice removal, the chain saw and the chemical coatings, are being developed further so that they may be used as operational aids for lock wall deicing during the winter navigation season.

SR 77-23
ABNORMAL INTERNAL FRICTION PEAKS IN SINGLE-CRYSTAL ICE.
Stallman, P.E., et al, Aug. 1977, 15p , ADA-045 412, 9 refs.
Itagaki, K.
32-1355
CUBIC ICE, ICE PHYSICS, ICE CRYSTAL STRUCTURE, TEMPERATURE EFFECTS, ICE FRICTION
A series of sharp skewed internal friction peaks were observed during warming of single crystal ice after cooling below 120C (153K), the cubic hexagonal transition temperature The peaks were higher when the strain amplitude was lower Since handling and annealing strongly affect the occurrence of the skewed peaks, those peaks are probably related to the stacking fault process in hexagonal-cubic transition.

SR 77-24
BRAZIL TENSILE STRENGTH TESTS ON SEA ICE: A DATA REPORT.
Kovacs, A., et al, Aug. 1977, 39p., ADA-044 941, 6 refs.
Kalafut, J.
32-1356
SEA ICE, IMPACT STRENGTH, PENETRATION TESTS.
In March 1970 drop penetrometer tests in sea ice were made by Sandia Laboratories for the U.S. Coast Guard In support of this study, properties of the sea ice penetrated were measured The data collected included ice temperature, salinity, brine volume, density and Brazil tensile strength versus depth. The data are presented in this report in both tables and graphs as a permanent data source.

SR 77-25
SOLVING PROBLEMS OF ICE-BLOCKED DRAINAGE FACILITIES.
Carey, K.L , Aug. 1977, 17p., ADA-044 994, 4 refs.
32-1357
SURFACE DRAINAGE, ICE CONTROL, HEATING, SUBSURFACE DRAINAGE.
The report summarizes several processes for ice formation and blockage in culverts, ditches, and subsurface drains. Solutions to ice blockage problems involve ice prevention and ice control, usually the latter. In some cases, culverts can be closed, leading to intentional ponding and storage of ice. Alternatively, flow can be maintained in culverts by heating them electrically, with steam, or with oil-burner heaters Ditches can also be heated, but it is usually more effective to widen them to provide more storage space for ice, or to install insulating covers Subsurface drain outlets can be heated, protected with insulating covers, or partially blocked to prevent cold air entry. Ground seepage that forms ice is successfully controlled using ice fences. Design changes, such as more and larger drainage structures, staggered culverts, and channel modifications, are discussed.

SR 77-26
INFRARED THERMOGRAPHY OF BUILDINGS: QUALITATIVE ANALYSIS OF FIVE BUILDINGS AT RICKENBACKER AIR FORCE BASE, COLUMBUS, OHIO.
Munis, R.H , et al, Sep. 1977, 21p., ADA-067 161.
Marshall, S.J.
32-4358
HEAT LOSS, INFRARED PHOTOGRAPHY, BUILDINGS, THERMAL ANALYSIS, THERMAL MEASUREMENTS.
A heat loss survey was performed on five typical Air Force Base buildings with an infrared camera system two with wood frames and wood clapboards, one with wood frame and aluminum siding, and two of cinder block construction with brick veneer This report presents thermograms typical of the heat loss problems in each of the five buildings along with a complete explanation of each thermogram. The report is intended to serve as a basis upon which Air Force civil engineers can plan a future retrofit program for the buildings surveyed and write a set of specifications incorporating thermography.

SR 77-27
ICING ON SHIPS AND STATIONARY STRUCTURES UNDER MARITIME CONDITIONS—A PRELIMINARY LITERATURE SURVEY OF JAPANESE SOURCES.
Itagaki, K., Sep. 1977, 22p., ADA-044 792, 8 refs.
32-1358
SHIP ICING, ICE ACCRETION, ICE FORECASTING, TEMPERATURE EFFECTS, SEA SPRAY.
This report reviews Japanese literature on ship icing, including direct measurements of ice accumulated on ship, ice accretion rate and sea spray flux as well as statistical analyses of icing conditions The report also describes some possibilites of forecasting icing conditions

SR 77-28
AIRBORNE SPECTRORADIOMETER DATA COMPARED WITH GROUND WATER-TURBIDITY MEASUREMENTS AT LAKE POWELL, UTAH: CORRELATION AND QUANTIFICATION OF DATA.
Merry, C.J., Sep. 1977, 38p , ADA-044 793, Bibliography p 26-29.
32-1359
WATER CHEMISTRY, TURBIDITY, LIGHT TRANSMISSION, SPECTRORADIOMETERS, AERIAL SURVEYS, UNITED STATES—UTAH—LAKE POWELL.
The objective of this study is to correlate and quantify the airborne spectroradiometer multispectral data to ground truth water quality measurements obtained at Lake Powell, Utah, during 1975 A ground truth water sampling program was accomplished during 9-16 June 1975 for correlation to an aircraft spectroradiometer flight Field measurements were taken of percentage of transmittance, surface temperature, pH and secchi disk depth Also, percentage of light transmittance was measured in the laboratory for the water samples In addition, electron micrographs and suspended sediment concentration data were obtained of selected water samples located at Hite Bridge (Mile 171), Mile 168, Mile 150 (along the Colorado River main channel) and Bullfrog Bay (Mile 122). Airborne spectroradiometer spectra were selected which correlated to the same test sites

SR 77-29
INFRARED THERMOGRAPHY OF BUILDINGS: QUALITATIVE ANALYSIS OF WINDOW INFILTRATION LOSS, FEDERAL OFFICE BUILDING, BURLINGTON, VERMONT.
Munis, R.H., et al, Sep. 1977, 17p., ADA-044 942.
Marshall, S.J.
32-1360
INFRARED PHOTOGRAPHY, THERMAL DIFFUSION, BUILDINGS, HEAT LOSS, WINDOWS.
An interior, infrared thermographic survey of single-pane, aluminum-frame, projected windows was performed to pinpoint locations of excessive infiltration. Infrared thermographic inspection accomplishes this more quickly and more accurately than conventional techniques of studying window infiltration This report presents 32 thermograms and photographs which in many cases dramatically illustrate infiltrations around the mullion, along the top opening cracks, and under the frame/sill interfaces. Poor glazing seals were easily detected and the exact points of glass/frame leakages were pinpointed. Plumes of warm air on the window glass, rising from the convectors, were dramatically captured by the infrared camera system. In several cases, the plumes were noted 12 ft. above the convectors on the top window panels Heat loss from the convectors was noted through the walls of the building in thermograms taken from the outside. Several recommendations were prepared for the General Services Administration, owner of this Federal Office Building in Burlington, Vermont.

SR 77-30
PAVEMENT RECYCLING USING A HEAVY BULLDOZER MOUNTED PULVERIZER.
Eaton, R.A., et al, Sep. 1977, 12p. + appends., ADA-046 008, 8 refs.
Garfield, D.E.
32-1361
EXCAVATION, SUBGRADES, PAVEMENT BASES.
Recycling of paving materials is currently gaining acceptance as a means of economic savings in pavement reconstruction or rehabilitation Pavements having low serviceability indices due to surface irregularities such as cracks, bumps, spalling, potholes, etc., may be broken up to meet specified granular base course gradation requirements and reused as a base for the new surface The USACRREL developed a permafrost excavating attachment for heavy bulldozers and a prototype test rig was constructed. Tests were conducted on frozen soils, gravels, and ledge In September 1976, this rig was used to pulverize a flexible pavement on North Main Street in Hanover, N H , and highway pavement test sections in a CRREL test facility The resultant processed material did meet Corps of Engineers base course gradation requirements The machine can process 120 square ft of pavement structure per minute to a depth of 12 inches The most uniformly graded material was obtained at a drum speed of 15 revolutions per minute Once the pavement structure is broken down from the solid mass (asphalt concrete pavement), the machine does not further break down or pulverize the aggregate. A minor amount of dust was evident during the operations, but no refinements are recommended

SR 77-31
EFFECTS OF LOW GROUND PRESSURE VEHICLE TRAFFIC ON TUNDRA AT LONELY, ALASKA.
Abele, G., et al, Sep. 1977, 32p , ADA-062 446, 13 refs.
Brown, J., Brewer, M.C., Atwood, D.M.
32-4359
AIR CUSHION VEHICLES, TRACKED VEHICLES, TUNDRA VEGETATION, VEHICLE WHEELS, ENVIRONMENTAL IMPACT, DAMAGE, PATTERNED GROUND, SOIL MOISTURE.
Traffic tests were conducted with two low pressure tire Rolligon-type vehicles and a small, tracked Nodwell with minimal load for 1, 5, and 10 vehicle passes on relatively dry tundra near Lonely, Alaska The traffic impact was limited to compression of the vegetation and the organic mat and a maximum terrain surface depression of several cm, with no shearing or disaggregation of the mat

SR 77-32
AERIAL PHOTOINTERPRETATION OF A SMALL ICE JAM.
DenHartog, S L , Oct 1977, 17p , ADA-045 870.
32-1362
ICE JAMS, AERIAL SURVEYS, PHOTOINTERPRETATION.
Aerial photos of a small ice jam on the Pemigewasett River near Plymouth, New Hampshire, were taken three days after the jam and compared with photos taken after the ice went out. The winter photos show a marked and sudden decrease in floe size apparently indicative of faster and longer movement of the ice The spring photos show a number of shallows and obstructions that apparently had no effect on the ice movement It is concluded that this jam was caused by a change in slope and subsequent reduction in velocity

SR 77-33
LAND TREATMENT OF WASTEWATER AT WEST DOVER, VERMONT.
Bouzoun, J.R., Oct. 1977, 24p, ADA-046 300, 12 refs
32-1363
WASTE DISPOSAL, WATER TREATMENT, SEWAGE TREATMENT.
A general description of a wastewater land treatment system located in a "cold temperate" climatic region is given The winter season average daily design flow is almost double that of the summer-fall season (0 55 MGD vs 0 30 MGD) Wastewater is sprayed on a forested knoll after it receives secondary biological treatment. The system is operated during the winter when the ambient air temperature is as low as 10F. Spray nozzles have been developed that ensure rapid drainage of the spray laterals after each spray cycle and, therefore, prevent their freezing

SR 77-34
CANOL PIPELINE PROJECT: A HISTORICAL REVIEW.
Ueda, H.T., et al, Oct. 1977, 32p., ADA-046 707, 8 refs.
Garfield, D.E., Haynes, F.D.
32-1364
PIPELINES, HISTORY, ARCTIC LANDSCAPES
This report is a historical review of the Canol project, the first long-distance petroleum pipeline system constructed in the Arctic region of North America The project was initiated during the early days of World War II when the military situation appeared critical It was designed to supply the military need for fuel in the area, particularly Alaska, by exploiting the Norman Wells oil field in the Northwest Territory of Canada The system was completed in April 1944 and operated for 11 months converting 975,764 barrels of crude oil into gasoline and fuel oil Construction for the pioneering effort was difficult and costly. Considerable controversy plagued the project throughout, nevertheless, its completion proved that undertakings of such magnitude could be accomplished despite the formidable problems of the Arctic.

SR 77-35
CEMENTS FOR STRUCTURAL CONCRETE IN COLD REGIONS.
Johnson, R., Oct. 1977, 13p., ADA-046 302, 19 refs
32-1366
WINTER CONCRETING, CONCRETE ADMIXTURES, CONCRETE STRENGTH, CONCRETE CURING, CEMENTS.
A literature search was undertaken to collect information on cements which could be used in structural concrete and would cure at low temperatures In the literature search, 18 types of cements or concretes manufactured by various firms were reviewed Trade names are identified with their cement or concrete description, temperature range for curing, use experience and application, approximate cost (in 1976), and reference source or manufacturer

SR 77-36
SMALL COMMUNITIES RESULT IN GREATER SATISFACTION: AN EXAMINATION OF UNDERMANNING THEORY.
Ledbetter, C.B., Nov. 1977, 15p, ADA-046 817, 3 refs.
32-1367
HUMAN FACTORS, THEORIES.
Roger Barker's undermanning theory states that the smaller an organization, the greater the degree of undermanning, resulting in greater inhabitant satisfaction This theory is examined using the National Opinion Research Center's General Social Survey for 1974 Two groups of survey variables were dichotomized and net transmittances or coefficients of correlation for the system were determined Two groups of variables were chosen objective groups, such as age and income, and subjective ones, such as sociability and job satisfaction The only positive correlation found was that people residing in small communities are more satisfied with their community than are people who live in large communities Only a small portion of this is explained by the degree to which small town inhabitants are satisfied with their financial situation

SR 77-37
UTILIZATION OF SEWAGE SLUDGE FOR TERRAIN STABILIZATION IN COLD REGIONS.
Gaskin, D.A., et al, Nov 1977, 45p, ADA-047 368
Hannel, W., Palazzo, A.J., Bates, R.E, Stanley, L.E.
32-1368
SOIL STABILIZATION, SLUDGES, EROSION CONTROL, SEWAGE, VEGETATION.
A terrain stabilization research/demonstration site was constructed in May 1974 at Hanover, New Hampshire, to investigate various combinations of physical, chemical and biological techniques for terrain stabilization in cold regions Fourteen test plots (10 x 40 ft) with individual 350 gal tanks to collect sediment were installed on a 16 deg slope These 14 test plots were to examine the effectiveness of sewage sludge and primary effluent on terrain stabilization in cold regions. In 13 of the 14 plots the variables studied were nutrient source (fertilizer, sludge, and primary wastewater), moisture (irrigated and nonirrigated), erosion control material (jute netting, straw tacked with a tacking compound), no erosion control material and vegetation (three grasses and two legumes) The control plot was left bare of seed, fertilizer and erosion control material for comparison A 20,000 sq ft area adjacent to the 14 plots was installed for general testing of various combinations of tacking chemicals, plastic netting, straw, and wood fiber mulch In general, all treatments with the exception of two plots were effective in reducing soil loss in comparison with the control which had a loss of 34,531 lb of soil (dry weight) on a per acre basis.

SR 77-38
FINITE ELEMENT MODEL OF TRANSIENT HEAT CONDUCTION WITH ISOTHERMAL PHASE CHANGE (TWO AND THREE DIMENSIONAL).
Guymon, G.L., et al, Nov. 1977, 167p., ADA-047 369.
Hromadka, T.V., II.
32-1369
THERMAL CONDUCTIVITY, MATHEMATICAL MODELS, COMPUTERIZED SIMULATION, FROZEN GROUND MECHANICS, COMPUTER PROGRAMS.
The partial differential equation for transient heat conduction is solved by a finite element analog using a quadratic weighting function for the discretized spatial domain. The transient problem is solved by the Crank-Nicolson approximation. Two dimensional and three dimensional models incorporated in the same computer program are presented The finite element method is reviewed, assumptions and limitations upon which the model is based are presented, and a complete derivation of the system analog is included Certain problems can only be modeled as a three dimensional system, e g , thaw degradations around roadway culverts, embankment dams on permafrost where dam length is short relative to dam width, and thaw and freezeback under buildings In most cases, however, the more economical two dimensional model can be used Numerical tests of both models have been accomplished but field verification has not been attempted. A user's manual and a FORTRAN IV computer listing of the program are presented.

SR 77-39
TEMPORARY PROTECTION OF WINTERTIME BUILDING CONSTRUCTION, FAIRBANKS, ALASKA, 1976-77.
Bennett, F.L , Nov. 1977, 41p , ADA-048 987, 2 refs.
32-2729
COLD WEATHER CONSTRUCTION, BUILDINGS, HEATING.
Nine building construction projects, whose total area exceeds one half million square feet, were under construction in Fairbanks, Alaska, area during the winter of 1976-77. These projects were studied to determine the methods used for providing temporary enclosures and temporary building heating during the construction process The types of construction activities underway at various temperature conditions are reported, and a record of temperature variations in the buildings under construction is discussed. Both black and white and color photo documentation was developed, and several black and white photographs are included in this report

SR 77-40
WINTER EARTHWORK CONSTRUCTION IN UPPER MICHIGAN.
Haas, W M., et al, Nov 1977, 59p., ADA-049 052, 5 refs. See also 32-293.
Alkire, B.D., Dingeldein, J.E.
32-2698
EARTHWORK, SUBGRADE PREPARATION, COLD WEATHER CONSTRUCTION, FROZEN GROUND.
Winter earthwork construction was observed in three counties in Michigan's Upper Peninsula during the 1975-76 season. In all cases, construction methods are used which exclude frozen soil from the central core of the embankment, with frozen soil permitted in the outer slope zone While all projects were technically successful, construction was halted in early February on one project because it was uneconomical for the contractor to continue On another project, the contractor successfully exploited soil freezing to form stable smooth haul roads for his scrapers Most of the work consisted of raising the grade of existing roads by 18 inches of non frost-susceptible soil to minimize frost heaving and loss of bearing capacity This winter activity resulted in better utilization of county equipment and work crews

SR 77-41
1977 CRREL-USGS PERMAFROST PROGRAM BEAUFORT SEA, ALASKA, OPERATIONAL REPORT.
Sellmann, P V , et al, Dec 1977, 19p., ADA-048 985, 11 refs See also 32-1248 (SR 76-12, ADA-032 440).
Chamberlain, E.J , Leda, H T., Blouin, S.E , Garfield, D.E , Lewellen, R.I.
32-2697
OFFSHORE DRILLING, DRILL CORE ANALYSIS, SUBSEA PERMAFROST, BOTTOM SEDIMENT, TEMPERATURE MEASUREMENT
During the spring of 1977 soil samples were obtained in the Prudhoe Bay area from one hole drilled on land and five holes drilled offshore The study is a continuation of the program started the previous season to examine the engineering characteristics and properties of permafrost under the Beaufort Sea Emphasis was placed on establishing the range of thermal and physical properties found in this geological setting, which is thought to be common to much of the eastern Alaska coastal zone. Twenty-seven probe sites were selected to determine local engineering properties and temperature conditions, and to aid in interpreting the lithology between the drill holes Core drilling information from some of the probe sites was used as control for interpreting the probe records Deep thermal and geological information was obtained from the drill sites by the USGS personnel participating in the study. Maximum drill hole depth was 68 5 m (225 ft) and maximum penetration depth was 15 m (50 ft) The probe temperature data indicated the presence of permafrost in all holes. Probe penetration resistance measurements helped to delineate shallow, ice-bonded zones, some of which may have been only seasonal. In the core study, frozen sediments were found in only one hole, at approximately the 29 6-m (97-ft) depth Fine-grained sediments were more common than course-grained material, and showed general increase in thickness with increasing distance from shore The only departure from the previous year's field drilling techniques was the use of larger diameter, thick-walled casing and an air-operated casing driver The probe equipment and techniques employed, however, represented a significant improvement over the prototype equipment used in 1976.

SR 77-42
GROUTING OF SOILS IN COLD ENVIRONMENTS: A LITERATURE SEARCH.
Johnson, R., Dec 1977, 49p., ADA-049 436, 52 refs.
32-2548
GROUTING, ADMIXTURES, SOIL STRENGTH.
A literature search was undertaken to collect information on grouting of soils as related to low temperature environment, 40 F and below This report reviews existing literature and the state-of-the-art on conventional grouting engineering methods and materials to seek which may be used in thawed or dry, frozen ground and to establish the need of new methods and techniques where conventional grouting methods fail.

SR 77-43
CRREL ROOF MOISTURE SURVEY, BUILDING 208 ROCK ISLAND ARSENAL.
Korhonen, C., et al, Dec. 1977, 6p., ADA-051 490.
Dudley, T., Tobiasson, W.
32-2730
ROOFS, MOISTURE, INFRARED RADIATION.
The roof of building 208 at Rock Island Arsenal was surveyed for wet insulation using a hand-held infrared camera Areas of wet insulation were marked with spray paint on the roof and 3-in -diam core samples of the built-up membrane and insulation were obtained to verify wet and dry conditions Roof defects uncovered during a visual inspection were also marked with spray paint The majority of the wet areas detected are associated with flashing flaws, which are considered responsible for the wet insulation Recommendations for maintenance of this roof are based on information derived from the infrared survey, core samples and visual examinations

SR 77-44
FATE AND EFFECTS OF CRUDE OIL SPILLED ON PERMAFROST TERRAIN. SECOND ANNUAL PROGRESS REPORT, JUNE 1976 TO JULY 1977.
McFadden, T., et al, Dec 1977, 46p , ADA-061 779, 4 refs. Includes progress report for the first year, CRREL SR 76-15, q.v. 32-1257.
Jenkins, T.F., Collins, C.M., Johnson, L.A , McCown, B H., Sparrow, E.B.
33-1528
OIL SPILLS, DAMAGE, CHEMICAL REACTIONS, FROZEN GROUND, ENVIRONMENTAL IMPACT, VEGETATION.
This spill was compared with one that took place in February 1976 (reported upon in the first annual progress report) Oil moved downslope at a much faster rate during the summer spill than during the winter spill In the winter the oil cooled and pooled rapidly The summer spill covered approximately one-third more surface area than did the winter spill in the final configuration, even though the two spills were of almost identical volume Increases in microbial populations and activities during the months following the spill were evident Increased counts of bacteria, yeasts, denitrifying bacteria, and petroleum degrading bacteria following the spills were particularly evident Analysis of oil decomposition using gas chromatography techniques indicated that the low molecular weight fractions, methane and etane, were lost almost immediately after the spill in each case Fractions in the C3 to C9 range were reduced significantly in two months and were nearly zero at the end of five months An obvious adverse effect on vegetation was noted in both spills Biological damage from the summer spill appeared to exceed that from the winter spill

SR 78-01
RECOMMENDATIONS FOR IMPLEMENTING ROOF MOISTURE SURVEYS IN THE U.S. ARMY.
U.S Army CRREL-WES/FESA Roof Moisture Research Team, Aug 1978, 8p., ADB-031 978L, Distribution limited to U S Government agencies only
33-1534
MOISTURE METERS, ROOFS, INFRARED RECONNAISSANCE, SITE SURVEYS.
Nuclear, infrared, capacitance, microwave and impulse radar methods for non destructively detecting moisture in roofs

were evaluated. No system was reliable enough by itself or by cross-checking with another system to eliminate the need for a few core samples of membrane and insulation to verify findings. Airborne infrared surveys are a cost-effective way of reconnoitering numerous roofs at a major installation. However, follow-up on-the-roof surveys are necessary. Of the several grid techniques examined, nuclear surveys were the most reliable. Hand-held infrared surveys are the most accurate on-the-roof method studied. Although an infrared camera costs significantly more than a nuclear meter ($25K vs $3K), infrared surveys can be conducted more rapidly. Since the Army has numerous roofs to survey, infrared surveys appear to be the most cost-effective method. For reasons of continuity, accuracy and economy, the Army should establish its own capability to survey roofs for moisture. Implementation should not be at the installation level A centralized team of roof moisture surveying specialists, skilled in operating infrared equipment but, more importantly, skilled in roofing technology, should be established. The team should both conduct and contract for airborne and on-the-roof infrared surveys. The CRREL/-WES/FESA roof moisture research group has initiated development of training aids for use by such a team

SR 78-02
ARCHITECTURAL PROGRAMMING: MAKING SOCIALLY RESPONSIVE ARCHITECTURE MORE ACCESSIBLE.
Ledbetter, C.B., Mar. 1978, 7p., ADA-052 153, 6 refs
32-3537
BUILDINGS, DESIGN.

SR 78-03
PHYSICAL MEASUREMENT OF ICE JAMS 1976-77 FIELD SEASON.
Wuebben, J.L., et al, Mar. 1978, 19p., ADA-053 260, 2 refs.
Stewart, D.M.
32-3538
RIVER ICE, ICE JAMS, ICE COVER THICKNESS, MEASUREMENT.
Three shallow stream ice jams which occurred on the Ottauquechee River in Vermont during the 1976-77 winter season are documented. Measurements of the variation in jam thickness along the longitudinal profile of the jams are given along with the variation in surface ice floe sizes. These measurements are compared with those of previous work All jams were caused to some extent by backwater conditions in the river. The effects of an ice cover and the ice jams on the longitudinal water surface profiles are examined and compared with open water conditions

SR 78-04
LARGE MOBILE DRILLING RIGS USED ALONG THE ALASKA PIPELINE.
Sellmann, P.V., et al, Mar. 1978, 23p., ADA-053 536
Mellor, M.
32-3539
PIPELINES, DRILLING, UNITED STATES—ALASKA.
The requirement for installing more than 70,000 vertical support members along elevated sections of the Alaska Pipeline resulted in an extremely large drilling program Several large drilling units, some specially designed, including rotary (auger), percussive, and combination rotary-percussive units, were selected for this job This selection of equipment and techniques provided the potential to drill in all conceivable material types. An examination of these drills in the field, together with product literature, provided some insight into the characteristics of these drills compared with other commercially available drilling units The pipeline drilling program provided a major impetus for design and development of new equipment in the area of large rotary-percussive and percussive drilling units The pipeline drills in general showed sound design characteristics in weight, power, thrust, torque, and speed Many of the auger boring heads could benefit from improvements in shape, angles, cutter position, and in consideration of the center of the hole problem Need for work in this area was indicated by drilling rates, as well as by noticeable improvements in some augers following contractors' field modifications

SR 78-05
SPECIALIZED PIPELINE EQUIPMENT.
Hanamoto, B., Mar. 1978, 30p., ADA-055 715, 3 refs.
32-4372
PIPELINES, CONSTRUCTION EQUIPMENT, PIPELINE INSULATION, COLD WEATHER CONSTRUCTION, UNITED STATES- ALASKA
The use of specialized heavy equipment in the construction phase of the 800-mile Trans-Alaska Pipeline is described The types include equipment used in bending, taping and insulating the 48-in pipe used for the pipeline Stretching from Prudhoe Bay on the North Slope and Beaufort Sea to the southern terminal at Valdez on the Prince William Sound and the Gulf of Alaska, the pipeline construction task, with the combination of varied arctic terrain, severe climatic conditions, conservational and and environmental restraints, and rigid scheduling is a project unlike any that has been undertaken before

SR 78-06
COMPUTER PROCESSING OF LANDSAT DIGITAL DATA AND SENSOR INTERFACE DEVELOPMENT FOR USE IN NEW ENGLAND RESERVOIR MANAGEMENT.
Merry, C.J., et al, Apr. 1978, 61p., ADA-055 762, Refs. p.40-44.
McKim, H.L.
32-4373
RESERVOIRS, REMOTE SENSING, SNOW WATER EQUIVALENT, LANDSAT, FLOODS, WATER SUPPLY, COMPUTER APPLICATIONS.
A preliminary analysis of Landsat digital data using the NASA GISS computer algorithms for a February 11 scene of the upper St. John River Basin, Maine, showed that the total radiance of pixels contained in three snow courses varied from 5.34 to 7.74 mW/sq cm sr for a water equivalent of approximately 24 1 cm (9 5 in) of water This correlation between radiance values and water equivalent of the snowpack still needs to be tested A multispectral signature was developed with an accuracy of 75% for a wetlands category in the Merrimack River estuary. Low-water reservoir and flood water stages were mapped from grayscale printouts of MSS band 7 for October 27, 1972, and July 6, 1973, respectively, for the Franklin Falls reservoir area, New Hampshire Two snow pillow transducer systems for measuring the water equivalent of the snowpack in northern Maine were interfaced and field tested A water quality monitor interfaced to the Landsat DCS was field tested in northern Maine and transmitted the following water quality information: pH, dissolved oxygen, river stage, water temperature and conductivity. A thermocouple system was successfully interfaced and field tested at Sugarloaf Mountain, Maine. Temperature data from the surface to a depth of 30 m (100 ft) were transmitted through the Landsat DCS Also, a tensiometer/transducer system to measure moisture tension and soil volumetric moisture content was successfully interfaced to the Landsat DCS

SR 78-07
FRESH WATER SUPPLY FOR A VILLAGE SURROUNDED BY SALT WATER—POINT HOPE, ALASKA.
McFadden, T., et al, Apr. 1978, 18p , ADA-054 147, 9 refs.
Collins, C.M.
32-3964
WATER SUPPLY, GROUND WATER, PERMAFROST HYDROLOGY.
Point Hope is a village located on a narrow gravel spit extending eight miles out into the Bering Sea Studies to locate an adequate fresh water source for the village have yielded two possible supplies which will fill the needs of the village. The first is a ground water supply existing on top of the undulating permafrost layer which underlies the gravel spit This supply consists of several million gallons of water and can be augmented with snow fences which will drift blowing snow into areas where it will drain into the aquifer when it melts Excess water will overflow the sides of the natural permafrost basin into the ocean on both sides of the spit The second source is a small lake located approximately four miles from the village The lake provides water of adequate quality and quantity to be used as a raw water supply; however, this source is not as desirable since it is surface water and supports a higher level of bacterial contamination In addition, it is a much greater distance from the village, and longer, much more expensive piping would be required to get the water to the village

SR 78-08
METHODOLOGY FOR NITROGEN ISOTOPE ANALYSIS AT CRREL.
Jenkins, T F., et al, Apr. 1978, 57p , ADA-054 939, 9 refs
Quarry, S.T.
32-4374
SOIL CHEMISTRY, WASTE DISPOSAL, ISOTOPE ANALYSIS, NITROGEN ISOTOPES, COMPUTER APPLICATIONS.
This report documents the chronology of events and the procedures employed in developing a nitrogen isotope analysis capability at the U.S Army Cold Regions Research and Engineering Laboratory Both the instrumental and wet chemistry procedures are reported to enable others interested in the procedures to obtain useful data The procedures described have resulted in the ability to measure the 15-N/14-N ratio to a precision of 0 001 atom %, a value easily thin the acceptable range for tracer experiments

SR 78-09
IMPROVED DRAINAGE AND FROST ACTION CRITERIA FOR NEW JERSEY PAVEMENT DESIGN. PHASE 2: FROST ACTION.
Berg, R L., et al, May 1978, 80p ADA-055 785, Numerous refs, passim.
McGaw, R.
32-4380
FROST ACTION, PAVEMENTS, FROST HEAVE, DRAINAGE, THERMAL CONDUCTIVITY, FROST PENETRATION, SOIL FREEZING, COMPUTER APPLICATIONS
Before constructing actual pavements with open-graded drainage layers in New Jersey, the influence of the drainage layer on frost penetration beneath hypothetical pavements was analytically examined Thermal conductivity values of several New Jersey soils, stabilized drainage layer materials, and pavement samples were measured using the Guarded Hot Plate method or the probe method Frost penetration depths were computed using the modified Berggren equations Mean air freezing indexes used in the computation ranged from 50 deg-days in Atlantic City to 480 deg-days in Newton. Design freezing indexes ranged from 250 deg-days to 900 deg-days for the same two sites Maximum computed frost depths ranged from 0 8 to 2 1 ft beneath conventional pavements, i e , those without drainage layers For pavements incorporating an open-graded drainage layer, computed maximum frost depths ranged from 0 8 ft to 1 4 ft It was concluded that frost penetration beneath a pavement including an open-graded drainage layer would be approximately equal to a pavement without the drainage layer at the same site

SR 78-10
1977 TUNDRA FIRE AT KOKOLIK RIVER, ALASKA.
Hall, D.K., et al, Aug. 1978, 11p., ADA-062 439, 10 refs. For this paper from another source see MP 1125, 32-4577.
Brown, J., Johnson, L.A.
35-2591
TUNDRA, FIRES, VEGETATION, DAMAGE, THAW DEPTH, REMOTE SENSING, SPACEBORNE PHOTOGRAPHY, LANDSAT.
During summer 1977 widespread fires occurred in northwest Alaska Through the use of Landsat imagery and ground studies, one such fire, at Kokolik River was examined. The Kokolik fire was first reported on 26 July, and by the time it was extinguished had consumed 44 sq km of tundra vegetation Streams and drainages contained the fire on several sides Ground observations provided information on the intensity of the fire effects Depth of thaw by late August measured 35 4 cm in the burned areas and 26 6 cm in the unburned areas

SR 78-11
CONSTRUCTION EQUIPMENT PROBLEMS AND PROCEDURES: ALASKA PIPELINE PROJECT.
Hanamoto, B., June 1978, 14p., ADB-029 226, 4 refs. Distribution limited to U.S. Government agencies only.
33-1535
COLD WEATHER PERFORMANCE, CONSTRUCTION EQUIPMENT, PIPELINES, ENGINES, HUMAN FACTORS.
The Trans-Alaska pipeline construction project posed many problems which are not encountered in the more temperate regions Construction equipment maintenance and operation is of major concern in the far north. Difficulties encountered were due to extreme low temperature of -70F (-57C) and common winter temperatures of -30F (-34C), the remoteness and isolation of the work area, harsh environment, and the working personnel This report describes some of the typical problems encountered with construction equipment on this project and some of the remedies and procedures for solving these problems

SR 78-12
SOIL LYSIMETERS FOR VALIDATING MODELS OF WASTEWATER RENOVATION BY LAND APPLICATION.
Iskandar, I.K., et al, June 1978, 11p , ADA-059 994, 12 refs.
Nakano, Y.
33-1536
MOISTURE METERS, WATER TREATMENT, WASTE DISPOSAL, MODELS.
This report describes the construction, operation and performance of large-scale (90 cm-inside diameter and 150-cm-high) lysimeters These lysimeters can continuously monitor soil moisture flow, soil temperature and redox potential with depth, and sample soil water and soil air with depth The rate of soil water movement to the groundwater was continuously monitored by a rain gage and a recorder To simulate field condition, an automatic spray system was developed, this system is also described in this report The total cost of one lysimeter is approximately $650 (1975 estimate) The lysimeters are being used to validate a biophysical-chemical model of wastewater renovation by application to land Detailed blueprints of the lysimeters are kept at CRREL and are available on request

SR 78-13
ECOLOGICAL BASELINE INVESTIGATIONS ALONG THE YUKON RIVER-PRUDHOE BAY HAUL ROAD, ALASKA.
Brown, J., ed, Sep 1978, 131p , ADA-060 255, For this item as a progress report to the U S Department of Energy and for individual papers see 32-3888 through 32-3896
33-1537
RESEARCH PROJECTS, ECOLOGY, TUNDRA VEGETATION, ROADS, CLAY SOILS
Results of the first full year s field research on five projects along the Yukon River-Prudhoe Bay Haul Road are reported Several projects are extensions of investigations begun in 1976 and are being conducted in cooperation with a Federal

Highway Administration sponsored environmental engineering study. The extent and success of weeds and weedy species along the road and in material sites has been followed for summer 1976 and 1977. In order to document the vegetation along the complex elevational and latitudinal gradient and its potential for impact and recovery, 17 vegetation maps have now been completed, and vegetation described and plots established at 120 locations along the 600-kilometer-long road. Collections of vascular plants, bryophytes and lichens were made and catalogued for an additional 9 sites. Sampling for soil invertebrates to determine their sensitivity to impact was undertaken at approximately 25 sites. A detailed study of the impact of road dust upon the vegetation was initiated at one tundra site, and four sites were established to monitor the amount of dust transported onto the tundra across 1000-meter-long transects. The clay mineralogy and chemistry of the dust and road material were investigated.

SR 78-14

GEOCHEMISTRY OF SUBSEA PERMAFROST AT PRUDHOE BAY, ALASKA.

Page, F.W., et al, Sep. 1978, 70p., ADA-060 434, Refs. p.62-68.

Iskandar, I.K.

33-1543

SUBSEA PERMAFROST, SEDIMENTS, SEA WATER, CHEMICAL ANALYSIS, DRILL CORE ANALYSIS, SALINITY.

The analytical data from sediment, interstitial water, and seawater analyses of samples collected near Prudhoe Bay, Alaska, during the period from March to May 1977, are presented. Analyses include determinations of moisture, calcium carbonate, and organic carbon contents in the sediment samples and pH, electrical conductivity, alkalinity, and concentrations of sodium, potassium, calcium, magnesium, chloride, and sulfate in the interstitial water and seawater samples. Salinity, ionic balance, and freezing point of the water samples were calculated. The marine sediments in Prudhoe Bay generally contain more calcium carbonate, organic carbon, and interstitial water than the underlying glacial and fluvial gravels. On land, a surficial layer of peat also had high organic carbon and moisture contents. The salinity of the seawater samples varied from concentrated brines near the shore where sea ice is frozen directly to, or is located near, the sea bottom to water which was 1.0 to 1.5 ppt less saline than normal seawater at a distance of approximately 10 to 15 km from shore.

SR 78-15

WATERPROOFING STRAIN GAGES FOR LOW AMBIENT TEMPERATURES.

Garfield, D.E., et al, Sep. 1978, 20p., ADA-061 749, 10 refs.

McLain, B.G.

33-1544

STRAIN MEASURING INSTRUMENTS, LOW TEMPERATURE TESTS, FREEZE THAW CYCLES, WATERPROOFING.

Due to recent problems experienced with strain-gage based transducers immersed in water at below-freezing ambient temperatures, a test program was conducted to determine if commercially available strain-gage waterproofing systems could withstand these conditions. A total of 96 combinations of eight waterproofing systems, three beam materials and four strain gage adhesives were evaluated. Test environments included strain cycling at temperatures from +32F to +75F and freeze-thaw cycling from -35 to +90F. Only one waterproofing system withstood all tests with no failures. Other results ranged from one installation failure on three systems to the failure of all 12 installations of one system.

SR 78-16

EFFECTS OF LOW GROUND PRESSURE VEHICLE TRAFFIC ON TUNDRA AT LONELY, ALASKA.

Abele, G., et al, Sep. 1978, 63p., ADA-061 777, 18 refs.

Walker, D.A., Brown, J., Brewer, M.C., Atwood, D.M.

33-1545

TUNDRA VEGETATION, TIRES, SOIL TRAFFICABILITY, DAMAGE.

Traffic tests were conducted with two low-pressure-tire Rolligon-type vehicles and a small, tracked Nodwell for 1, 5, and 10 vehicle passes on tundra near Lonely, Alaska. The traffic impact was limited to compression of the vegetation and the organic mat and a maximum terrain surface depression of several centimeters, with virtually no shearing or disaggregation of the mat. After one year, the visibility of the traffic signatures had increased, surface depression remained the same, and the thaw depth below the multiple pass tracks had increased a few centimeters.

SR 78-17

EFFECTS OF WINTER MILITARY OPERATIONS ON COLD REGIONS TERRAIN.

Abele, G., et al, Sep. 1978, 34p., ADA-061 260

Johnson, L.A., Collins, C.M., Taylor, R.A.

33-1546

COLD WEATHER OPERATION, MILITARY OPERATION, DAMAGE, ENVIRONMENTAL IMPACT, VEGETATION.

Observations were made on the 197[illegible] winter military maneuver sites south of Fairbanks to obtain base line data for monitoring terrain and vegetation recovery from the impact of winter trail preparation, and vehicular and troop activities in various terrains and vegetation types.

SR 78-18

GUIDE TO THE USE OF 14N AND 15N IN ENVIRONMENTAL RESEARCH.

Edwards, A.P., Sep. 1978, 77p., ADA-060 385.

33-1768

WASTES, WATER CHEMISTRY, ISOTOPIC LABELING, RESEARCH PROJECTS.

The fate of the mineral nitrogen in wastewater can be established only through natural or artificial stable isotopic labeling. This report assesses the possibilities and problems associated with such tracer techniques applied to the small amounts of nitrogen normally present after secondary waste treatment. The methods outlined for sample processing to minimize analytical errors are applicable to other types of environmental research involving isotope ratio analysis as a means of tracing nitrogen in the biosphere.

SR 78-19

SELECTED BIBLIOGRAPHY OF DISTURBANCE AND RESTORATION OF SOILS AND VEGETATION IN PERMAFROST REGIONS OF THE USSR (1970-1977).

Andrews, M., Oct. 1978, 175p., ADA-062 339.

33-2520

BIBLIOGRAPHIES, HUMAN FACTORS, ENVIRONMENTAL IMPACT, CONTINUOUS PERMAFROST, DISCONTINUOUS PERMAFROST, REVEGETATION, CRYOGENIC SOILS, DAMAGE.

This compilation of literature, published in Russian since 1970, comprises 1225 bibliographic citations relating to disturbance and restoration of soils and vegetation. Sixty-five percent of these were found by a manual search of CRREL Bibliography Vols. 25-32, the others were obtained through off-line searches from the relevant computerized data bases and personal files. Only one of these data bases, that of the National Agricultural Library, is shown to be of significance in providing a valuable checking source. The literature is discussed in chronological fashion, with general statements followed by highlights of each year's contributions. The years 1972 and 1973 produced the most publications, and by 1976 there was a noticeable lag in pickup of publications by the indexing services. A trend is apparent from a reconnaissance and description approach in earlier papers toward an integrated ecosystem approach in more recent publications. Increased consciousness of the effects of disturbance on the permafrost environment, and the importance of restoration and preservation of these environments, are reflected in the recent literature, particularly in symposium proceedings.

SR 78-20

EFFECTS OF WASTEWATER AND SEWAGE SLUDGE ON THE GROWTH AND CHEMICAL COMPOSITION OF TURFGRASS.

Palazzo, A.J., Nov. 1978, 11p., ADA-061 878, 17 refs.

33-1349

WASTE DISPOSAL, SEWAGE DISPOSAL, GRASSES, GROWTH, CHEMICAL COMPOSITION.

A greenhouse study was conducted to determine the effects of wastewater and sewage applications on the growth and chemical composition of two turfgrass mixtures. A mixture of tall fescue and annual ryegrass was compared to a mixture of Kentucky bluegrass, red fescue and annual ryegrass. The mixtures were grown in pots of Charlton silt loam in a greenhouse. Prior to seeding, soil in some pots was amended with sludge at rates of 45 or 90 g/pot. Commercial fertilizer supplying N, P, and K was incorporated with soil in pots designated as controls. Treated municipal wastewater was applied on unamended and sludge-amended soil at rates of 5 or 10 cm per week. Wastewater and sludge treatment increased yields, and total uptake of N, P, K, Zn, Cd, P, Cu, and Ni by the turfgrasses differed by treatment. The two grass mixtures were similar with regard to yields and composition. Larger yields corresponded to greater plant uptake of N, P, K, and metals.

SR 78-21

CLIMATIC SURVEY AT CRREL IN ASSOCIATION WITH THE LAND TREATMENT PROJECT.

Bilello, M.A., et al, Nov. 1978, 37p., ADA-062 518, 39 refs.

Bates, R.E.

33-1542

MICROCLIMATOLOGY, WASTE DISPOSAL, WATER TREATMENT, WASTE TREATMENT, METEOROLOGICAL DATA.

During 1972, six test cells were constructed at CRREL for the purpose of studying application of wastewater on various soil types and vegetation. In conjunction with this program, a meteorological observing station was established in order to obtain basic information on the climate proximate to the test cells. This report describes the equipment and its installation, and provides a daily tabulation of the following observed parameters: maximum and minimum air temperatures, relative humidity, dew point, wind speed and direction, precipitation amounts, depth of snow on the ground, solar radiation and pan evaporation. The meteorological data collected during the period starting Oct 1, 19[illegible]2, to Mar 31, 19[illegible]8, were then summarized, and the results are presented in a series of graphs and line diagrams. The meteorological parameters recorded at CRREL were then examined to determine how weather can constrain or help year-round operation of wastewater application to the land. The positive and negative effects of air temperature, precipitation, wind speed, evaporation and snow cover, with respect to land treatment of wastewater, were evaluated. Although no specific recommendations or conclusions are given, the influences of these climatic elements as observed at the CRREL wastewater site are presented for consideration.

SR 78-22

COMPUTER FILE FOR EXISTING LAND APPLICATION OF WASTEWATER SYSTEMS: A USER'S GUIDE.

Iskandar, I.K., et al, Nov. 1978, 24p., ADA-062 658, 4 refs.

Robinson, D., Willcockson, W., Keefauver, E.

33-2521

WASTE DISPOSAL, WATER TREATMENT, COMPUTER PROGRAMS.

Two computer programs, both written in BASIC, have been developed to store and retrieve information on existing wastewater land treatment systems. The purpose of establishing these programs is to provide assistance to design engineers during the planning of new land treatment systems by making available the design criteria and performance characteristics of operating systems. The SFARCH program is designed to locate systems with specific design parameters, such as flow rate, waste type, application rate and mode, ground cover and length of operation. The printout from SEARCH includes a list of articles on similar systems in addition to the design parameters. The UPDATE program is used for the revision of information on file. Currently, there are about 350 domestic and 75 foreign systems on file.

SR 78-23

ENGINEERING ASPECTS OF AN EXPERIMENTAL SYSTEM FOR LAND RENOVATION OF SECONDARY EFFLUENT.

Nylund, J.R., et al, Nov. 1978, 26p., ADA-062 923.

Larson, R.E., Clapp, C.E., Linden, D.R., Larson, W.E.

33-2522

WASTE DISPOSAL, WATER TREATMENT, WASTE TREATMENT, IRRIGATION, LAND RECLAMATION.

A research system was designed and installed at the Apple Valley Wastewater Treatment Plant, two miles south of Rosemount, Minnesota, to develop agricultural management practices for removal of nitrogen from municipal wastewater effluent. A solid set irrigation system was designed and installed to apply wastewater effluent to 12 test blocks, each measuring 60 x 150 ft. A perforated plastic drainage tile was placed lengthwise in each block at a depth equivalent to the normal water table level and opening at one end of the block into a sampling station. Six blocks were planted to corn and six planted to eight species of forages. The effluent was applied at rates up to 15 ft/yr. This report presents the engineering considerations in the design of a solid set irrigation system and drain tile and monitoring system for evaluating the influence of the effluent application and agronomic practices on drainage waters.

SR 78-24

ROOF CONSTRUCTION UNDER WINTERTIME CONDITIONS: A CASE STUDY.

Bennett, F.L., Nov. 1978, 34p., ADA-062 519.

33-1541

ROOFS, COLD WEATHER CONSTRUCTION, INSULATION, CONSTRUCTION MATERIALS.

This report describes construction of the roof of an addition to the Interior City Branch of the First National Bank of Anchorage, located in downtown Fairbanks, Alaska, during the 19[illegible]7 winter. The report documents the schedule and procedure for building the roof, reports successful performance of the roof to date, and presents some general comments on roof construction in the wintertime.

SR 78-25

INCREASING THE EFFECTIVENESS OF SOIL COMPACTION AT BELOW-FREEZING TEMPERATURES.

Haas, W.M., et al, Nov. 1978, 58p., ADA-062 875, 57 refs.

Alkire, B.D., Kaderabek, T.J.

33-2523

SOIL COMPACTION, FROZEN GROUND COMPRESSION, COMPRESSIVE STRENGTH, SOIL WATER, CHEMICAL REACTIONS.

This report presents data from an experimental program undertaken to determine the effect of low temperatures on the compaction characteristics of a silty sand. The effects of compactive effort and chemical additives were also investigated to determine possible methods of improving the densities of soils placed and compacted at low temperatures. A single soil type was used throughout the test program, and test results were obtained using Standard and Modified AASHO compactive efforts on an untreated soil prepared and tested at temperatures of 20C and 7C. Additional test series, using the same compactive efforts and temperatures, were performed on the soil after it had been treated with an additive. The amounts of additive used, based on the dry weight of soil, were 3, 2, 1, 0.5, and 0.25% of calcium chloride and 0.5% of sodium chloride. From the results of the experimental program, several important conclusions concerning the effect of low temperature compaction were drawn.

SR 78-26
FIVE-YEAR PERFORMANCE OF CRREL LAND TREATMENT TEST CELLS; WATER QUALITY PLANT YIELDS AND NUTRIENT UPTAKE.
Jenkins, T.F., et al, Nov. 1978, 24p., ADA-086 172, 6 refs.
Palazzo, A.J., Schumacher, P.W., Keller, D.B., Graham, J.M., Quarry, S.T., Hare, H.E., Bayer, J.J., Foley, E.S.
34-3449
LAND RECLAMATION, WASTE TREATMENT, WATER TREATMENT, WASTE DISPOSAL.
The performance of the six land treatment cells is summarized over a five-year period from June 1937 through May 1978. The data presented include quality and volume of wastewater applied and percolate resulting from application of primary and secondary wastewater by spray irrigation. Mass loadings and removals are presented as well as crop production and nutrient uptake. Nutrient balance sheets are shown which demonstrate the percentage of nitrogen and phosphorus that is attributed to crop uptake and leachate over this period.

SR 78-27
CONSTRUCTION AND PERFORMANCE OF PLATINUM PROBES FOR MEASUREMENT OF REDOX POTENTIAL.
Blake, B.J., et al, Nov. 1978, 8p., ADA-062 426, 2 refs.
Brockett, B.E., Iskandar, I.K.
33-1596
SOIL WATER, PROBES, MEASURING INSTRUMENTS.
A simple method is described for construction and testing of platinum oxidation-reduction probes in the laboratory. The probes are "blacked" with platinic chloride to increase their lifetime. Methods of standardization and problems encountered are discussed.

SR 78-28
WASTEWATER STABILIZATION POND LININGS.
Middlebrooks, E.J., et al, Nov. 1978, 116p., ADA-062 903, Refs. p.63-66.
Perman, C.D., Dunn, I.S.
33-2524
WASTE DISPOSAL, WATER TREATMENT, STABILIZATION, PONDS, LININGS, SEALING, SEEPAGE.
A review of the literature on wastewater stabilization lagoon linings, covering the work during the past 20 years, is presented. Design, operating and maintenance experiences are presented for soil sealants, natural sealants, bentonite clays, chemical treatments, gunite, concrete, asphaltic compounds, plastics and elastomers. The characteristics of various materials, applicability to different wastes, construction techniques and details of installation techniques are presented. Installation costs for various materials and comparative costs are summarized. A summary of reported seepage rates for various types of lining materials is presented. A survey of the 50 states was conducted to determine the requirements for liners and allowable seepage rates. Requirements are varied and depend upon the local soil conditions and the experiences of the regulatory agencies with various materials. The trend is toward more stringent requirements. Accepted design and installation procedures are summarized, and detailed drawings of installation techniques are presented. Recommendations of the manufacturers and installers of liners are also presented.

SR 78-29
SUMMARY OF CORPS OF ENGINEERS RESEARCH ON ROOF MOISTURE DETECTION AND THE THERMAL RESISTANCE OF WET INSULATION.
Tobiasson, W., et al, Dec. 1978, 6p., ADA-063 144, 12 refs.
Korhonen, C.
33-2525
ROOFS, MOISTURE TRANSFER, DETECTION, INFRARED SPECTROSCOPY.
Nuclear, infrared, capacitance, microwave and impulse radar methods for nondestructively detecting moisture in roofs were evaluated. No system was reliable enough by itself or by cross-checking with another system to eliminate the need for a few core samples of membrane and insulation to verify findings. Airborne infrared surveys are a cost-effective way of reconnoitering numerous roofs at a major installation. However, follow-up on-the-roof surveys are necessary. Of the several grid techniques examined, nuclear surveys were the most reliable. Hand-held infrared surveys are the most accurate on-the-roof method studied. Although an infrared camera costs significantly more than a nuclear meter ($27,000 vs $3,000), infrared surveys can be conducted more rapidly. Where numerous roofs are to be surveyed, infrared surveys appear to be the most cost-effective method. In-situ measurements have been made of the thermal resistance of wet and dry portions of roofs. A laboratory apparatus has been built to subject 12 in x 12 in specimens of roof insulation to combined thermal and moisture gradients. Thermal resistance and moisture content are periodically determined, and characteristic curves are being developed for various roof insulations.

SR 78-30
GROWTH RATES AND CHARACTERISTICS OF ICE ON THE OTTAUQUECHEE AND WINOOSKI RIVERS OF VERMONT DURING WINTER 1977-78.
Deck, D.S., Dec. 1978, 30p., ADA-063 874.
34-1107
RIVER ICE, ICE GROWTH, ICE COVER THICKNESS, FRAZIL ICE.
Ice thickness, growth rates and characteristics of river ice are tabulated for use with a planned physical hydraulic model of the Ottauquechee River in Quechee, Vermont, using real ice.

SR 79-01
INFRARED THERMOGRAPHY OF BUILDINGS—A BIBLIOGRAPHY WITH ABSTRACTS.
Marshall, S.J., Feb. 1979, 67p., ADA-068 682.
33-3429
BIBLIOGRAPHIES, INFRARED RADIATION, BUILDINGS, HEAT LOSS, MOISTURE.
This report contains annotated abstracts of over 100 reports (66 more than the 1977 edition) on the new, but rapidly expanding subject of infrared thermography of buildings. The references cover remote sensing airborne surveys of large numbers of buildings, close-up ground surveys of individual buildings, and qualitative (speculative) and semi-quantitative (ground-truth) field surveys. The report presents examples of thermographic energy audits, roof moisture surveys, building retrofit surveys, solar panel analysis, window assessments, and other practical applications by government agencies and private sector survey teams. It lists research and development efforts to provide fundamental information to improve quantification accuracy, evaluate equipment, and develop interpretation standards, along with examples of daily usage in contract specifications, public awareness programs, and product testing.

SR 79-02
LANDSAT DATA COLLECTION PLATFORM AT DEVIL CANYON SITE, UPPER SUSITNA BASIN, ALASKA—PERFORMANCE AND ANALYSIS OF DATA.
Haugen, R.K., et al, Feb. 1979, 17 refs., ADA-068 508, 7 refs.
Tuinstra, R.L., Slaughter, C.W.
33-3649
DATA TRANSMISSION, REMOTE SENSING, LANDSAT.
In October 1974, a Landsat Data Collection Platform was installed near the prospective Devil Canyon damsite on the Susitna River, south central Alaska. The development of sensor interfaces and characteristics of transmitted data for air and ground surface temperature, windspeed and wind run, water equivalent snow accumulation, and battery voltage are discussed. Temperature data are analyzed statistically and compared with data from surrounding National Weather Service stations. Although some difficulties were encountered in operation during the winter of 1974-75, it was demonstrated that the Landsat data collection system could provide useful environmental data from a remote, subarctic location in the winter on a near-real-time basis.

SR 79-03
COMMUNICATION IN THE WORK PLACE: AN ECOLOGICAL PERSPECTIVE.
Ledbetter, C.B., Feb. 1979, 19p., ADA-066 322, 30 refs.
33-2977
COLD WEATHER CONSTRUCTION, DATA TRANSMISSION, HUMAN FACTORS, ENVIRONMENTS.
Patterns of communication and social interaction within a work organization are significantly influenced by architecture. Nearly all work organizations are dependent upon information flow, both informal and formal, between coworkers. As a rule, the more open and informal the communication, the more productively and efficiently the organization operates. The architectural design concept of focal points is presented as a strategy for planning the work facility for improved informal communication. Examples of energy-efficient building design schemes for cold regions are presented. These prototype buildings combine design for improved worker efficiency with thermal efficiency.

SR 79-04
PRELIMINARY INVESTIGATIONS OF THE KINETICS OF NITROGEN TRANSFORMATION AND NITROSAMINE FORMATION IN LAND TREATMENT OF WASTEWATER.
Jacobson, S., et al, Mar 1979, 59p., ADA-086 169, 93 refs.
Alexander, M
34-3231
WASTE DISPOSAL, WATER TREATMENT, SOIL CHEMISTRY, LABORATORY TECHNIQUES
In laboratory experiments, denitrification of nitrate in wastewater proceeded slowly in an acid soil (pH 4.2), but the rate was fast in soils with pH values of 6.5 to 8.1. The rate of denitrification was governed by the carbon source added, with glucose supporting the fastest rate. The rate was somewhat slower with methanol and succinate and was appreciably slower with secondary effluents as the source of supplemental carbon. Charlton loam supported the most rapid denitrification with glucose as a carbon source, but the rate was higher in Windsor sandy loam with sewage as the carbon source. Denitrification in these soils did not occur at 1C, and the rate increased with rising temperatures.

SR 79-05
PHYSICAL AND THERMAL DISTURBANCE AND PROTECTION OF PERMAFROST.
Brown, J., et al, Mar. 1979, 42p., ADA-069 405, Numerous refs.
Grave, N.A.
33-3830
PERMAFROST PRESERVATION, THERMAL STRESSES, HUMAN FACTORS, PERMAFROST DISTRIBUTION, DAMAGE.
This report is based on a review paper presented at the Third International Conference on Permafrost held in July 1978 at Edmonton, Canada. It reviews the literature covering 1974-1978 and covers subjects related to natural and human induced disturbance of terrain underlain by permafrost. Subjects include investigations undertaken in conjunction with oil and gas pipelines, terrain mapping, methods for estimating terrain sensitivity, methods of protecting terrain, and the thermal effects of off road transportation, oil spills, fire, removal of the surface soil layers, snow conditions, mining and other construction practices. Methods of protecting and restoring permafrost in the USSR are presented in tabular form. An appendix summarizes results of modeling and microclimatic investigation, and the distribution and properties of subsea, land-based, and alpine permafrost.

SR 79-06
SPRAY APPLICATION OF WASTEWATER EFFLUENT IN WEST DOVER, VERMONT: AN INITIAL ASSESSMENT.
Castell, E.A., et al, Apr. 1979, 38p., ADA-068 534, 26 refs.
Meals, D.W., Bourcier, J.R.
33-3862
WASTE DISPOSAL, WATER TREATMENT, SOIL CHEMISTRY, WATER CHEMISTRY.
Runoff from spray application of secondary wastewater effluent on a forested hillside in West Dover, Vermont, was monitored for a six-week period (31 July-19 August 1977). Both quantity and quality of applied effluent and site drainage were monitored. Concrete groundwater and two adjacent streams were sampled for water quality. Drainage flows were relatively constant during the study period in spite of highly variable inputs to the site. There is evidence that substantial quantities of water may be leaving the spray site by moving through the subsurface fragipan layer. On a mass basis, 95% of the total nitrogen, 96% of the ammonium nitrogen, 92% of the nitrate-nitrogen, 98% of the organic nitrogen, 99% of the total phosphorus, and 79% of the BOD5 were removed by spray application. Heavy precipitation was observed to flush most nutrient forms, especially nitrate-nitrogen, from the spray site. Groundwater on the spray field contained lower concentrations of nutrients than did the applied effluent, but higher concentrations than those found in site drainage. No hazardous nitrate levels were detected in groundwater. No elevations of nutrient concentrations in the Deerfield River or Ellis Brook were detected during the study period. However, there was some evidence of increased chloride concentrations in Ellis Brook.

SR 79-07
ENERGY REQUIREMENTS FOR SMALL FLOW WASTEWATER TREATMENT SYSTEMS.
Middlebrooks, E.J., et al, Apr. 1979, 82p., ADA-070 676, 16 refs.
Middlebrooks, C.H.
33-4225
WASTE DISPOSAL, WASTE TREATMENT, PONDS, SEEPAGE, SEEPAGE, COST ANALYSIS.
This report summarizes energy requirements for small wastewater treatment systems (0.5 - 5 million gallons per day) applicable to military installations. It compares various treatment combinations, and presents the energy requirements for the most viable alternatives in tabular form. It also presents energy requirements for various components of wastewater treatment systems in a format making it convenient to calculate the energy requirements for many combinations of the components. In addition, it summarizes briefly energy estimates made by others. The report compares typical combinations of unit operations and processes used to produce various quality effluents on the basis of energy consumption. It concludes that land application systems are the most energy-efficient wastewater treatment systems and that they are capable of producing an equivalent or higher quality effluent than any other treatment system.

SR 79-08
DESIGN PROCEDURES FOR UNDERGROUND HEAT SINK SYSTEMS.
Stubstad, J.M., et al, Apr 1979, 156p in var pagns., ADA-068 926, 65 refs
Quinn, W.F., Greenberg, M., Best, W.C., Rotros, M.M.
33-3427
UNDERGROUND FACILITIES, HEAT TRANSFER, WASTE DISPOSAL, HEAT RECOVERY, HEAT SINKS

This report presents criteria, engineering information and estimation procedures for the disposal of waste heat associated with the generation of power required to supply the needs of hardened defense underground installations. The major emphasis is placed on the temporary disposal of waste heat below ground while the installation is under attack and cannot rely upon aboveground disposal. A series of sample problems is included to illustrate the use of the estimation procedures presented in the report. All of the sample problems are based on the sizing of a heat sink system for an underground nuclear power plant. Under the design criteria which were assumed for the sample problems, it is shown that the combination ice/water type heat sink concepts provide the most cost effective solutions.

SR 79-09
ESTIMATED SNOW, ICE, AND RAIN LOAD PRIOR TO THE COLLAPSE OF THE HARTFORD CIVIC CENTER ARENA ROOF.
Redfield, R., et al, Apr. 1979, 32p., ADA-069 323, 19 refs.
Tobiasson, W., Colbeck, S.C.
33-4673
ROOFS, LOADS (FORCES), SNOW LOADS, ICE LOADS, RAIN.

The roof of the Hartford, Connecticut, Civic Center Arena collapsed under an unknown load of snow, ice and rain early in the morning on Jan. 18, 1978. Based on available meteorological and snow load measurements, estimates for the amount of load present at the time of failure are made using a number of techniques. In addition, previous maximum loads due to snow, ice or rain since the building was constructed are also estimated.

SR 79-10
RAPID DETECTION OF WATER SOURCES IN COLD REGIONS—A SELECTED BIBLIOGRAPHY OF POTENTIAL TECHNIQUES.
Smith, D.W., comp, May 1979, 75p., ADA-070 030.
Smith, G.A., comp, Brown, J.M., comp, Schraeder, R.L., comp, Kosikowski, L., comp.
33-4425
BIBLIOGRAPHIES, GROUND WATER, WATER SUPPLY, DETECTION, ELECTRICAL RESISTIVITY.

A review of current literature on existing techniques that could be utilized in the rapid location of water sources for field camp use in permafrost regions resulted in the selection of three non-ground contact methods of electrical resistivity and two radar methods as being the most effective techniques. The search included thousands of references, 77 of these were chosen to be included in the annotated bibliography. The interest level or pertinence of each entry to the study is indicated, and keywords are provided. The keyword index contains all keywords for all entries listed in alphabetical order.

SR 79-11
SEEKING LOW ICE ADHESION.
Sayward, J.M., Apr. 1979, 83p., ADA-071 040, 54 refs.
33-4226
ICE ADHESION, ADHESIVE STRENGTH, ICE PREVENTION, ICE SOLID INTERFACE, WETTABILITY, COHESION, POLYMERS, ICE REMOVAL, SURFACE PROPERTIES, SURFACE ENERGY.

Icing impairs operation of helicopters and other aircraft, antennae, power and communication lines, shipping and superstructures, canal locks, etc Prevention or easier removal of icing requires reduction of its adhesion strength Literature study shows that adhesion results from secondary (van der Waals) forces yet exceeds normal cohesive strengths It depends on free surface energy, low contact angle, good contact and wetting, cleanliness, and texture. Modes of adhesion testing are briefly discussed. Poor adhesion occurs with low energy surfaces or contaminants, e g. hydrocarbons, fluorocarbons, waxes, oils, etc., particularly when textured or porous. The resulting low contact angle, poor wetting and occlusion of air at the interface weaken the bond or provide stress loci which can initiate cracks and failure. Coefficient of expansion differences may help in release of ice. Further ideas appear among the 100 abstracts presented. A survey of over 300 manufacturers produced over 100 replies Half of them offered some 100 products deemed worth testing. These are listed with addresses and contacts. Besides simple resins and other release agents, they include composites which combine low surface energy and stronger materials as micro-mixture, interpenetrating-network, "plastic-alloy," or filler-matrix systems. About 15 to 20 products appear of special interest. Samples of liquid coating or supplier-prepared panels of many are available for the testing phase to follow.

SR 79-12
FREEZING PROBLEMS ASSOCIATED WITH SPRAY IRRIGATION OF WASTEWATER DURING THE WINTER.
Bouzoun, J.R., May 1979, 12p , ADA-070 031, 5 refs.
34-136
WASTE TREATMENT, WATER TREATMENT, WASTE DISPOSAL, IRRIGATION, ICE PREVENTION.

During the winters of 1975-76, 1976-77 and 1977-78, biologically treated wastewater was applied to land in West Dover, Vermont. The wastewater was applied using the spray irrigation method at ambient temperatures as low as 0F. During the first winter, freezing was a major problem. Modified spray nozzles that were less susceptible to freezing were installed at both the low points and high points of the aboveground spray laterals. During the second and third winters, ice buildup along the spray laterals, particularly in the vicinity of the spray nozzles, caused serious damage to the pipes. Many man-hours were required to cut the ice repeatedly from the laterals. As an experiment to alleviate the problem, several 30- to 36-in risers were installed at an angle of approximately 30 degrees from the vertical on two of the spray laterals during the winter of 1977-78. They functioned well enough to warrant future installation on the entire system of spray laterals.

SR 79-13
PHOTOELASTIC INSTRUMENTATION—PRINCIPLES AND TECHNIQUES.
Roberts, A., et al, May 1979, 153p., ADA-072 011, 83 refs.
Hawkes, I.
33-4424
MEASURING INSTRUMENTS, OPTICAL PROPERTIES, STRESSES, ELASTIC PROPERTIES, INDICATING INSTRUMENTS, PHOTOELASTICITY.

This report contains a detailed review of the theory and design of photoelastic transducers for measuring loads, strains, stresses and pressures. The measurement of engineering parameters under the adverse conditions normally encountered in the mining and civil engineering industries presents great problems, particularly where such measurements are to be made over long periods of time Photoelastic transducers have distinct advantages over competing equipment in this respect in that the parameters to be measured are revealed as light interference fringes, and the measuring gage itself often need consist of nothing more than simple steel and glass components Examples of such gages are given in the report. The majority of the work reported here was carried out by the staff and students of the Postgraduate School of Mining, Sheffield University.

SR 79-14
ELECTROMAGNETIC GEOPHYSICAL SURVEY AT AN INTERIOR ALASKA PERMAFROST EXPOSURE.
Sellmann, P.V., et al, May 1979, 7p., ADA-071 065, 5 refs.
Delaney, A.J., Arcone, S.A.
33-4227
PERMAFROST PHYSICS, PERMAFROST STRUCTURE, GROUND ICE, ICE WEDGES, SOIL STRENGTH, ELECTROMAGNETIC PROSPECTING, GEOPHYSICAL SURVEYS, SEASONAL FREEZE THAW.

Road construction activity near Fairbanks, Alaska, in the late fall of 1977, revealed a large exposure of Fairbanks silt containing numerous massive ice features. These exposures are typical of those found in this region. Thaw, during the summer of 1978, caused the upper ice-rich sections to retreat several meters. Geophysical techniques were utilized over these exposures to determine if resistive anomalies of ice wedge dimension could be detected. Magnetic induction measurements at three intercoil spacings and low-frequency surface impedance measurements were made about 6 m from the edge of each exposure in April 1978 before thaw commenced. The results agree well with observations of the layering, but most individual anomalies are difficult to interpret because the lateral extent of the ice is unknown

SR 79-15
IMPROVED DRAINAGE AND FROST ACTION CRITERIA FOR NEW JERSEY PAVEMENT DESIGN. PHASE 2 (DATA ANALYSIS).
Berg, R.L., May 1979, 51p., ADA-071 041, 7 refs.
33-4228
FROST PENETRATION, SUBSURFACE DRAINAGE, MOISTURE, FREEZING INDEXES, PAVEMENTS.

Before constructing actual highway pavements with open-graded drainage layers, frost penetration depths and moisture content profiles were measured beneath several pavements in New Jersey. Air and surface freezing indexes were measured at three locations during the 1975-1976 and 1976-1977 winters. All freezing indexes were considerably greater during the 1976-1977 winter. The modified Berggren equation was used to compute the maximum frost depth at 30 test sites Measured maximum frost depths ranged from 20 5 in to 52 0 in , while computed maximum values ranged from 14 0 in to 61 0 in The mean difference between observed and computed maximum frost penetration depths was 3.8 in. Maximum frost penetration depths were computed for hypothetical pavements with open-graded drainage at four of the test sites It was concluded that open-graded drainage layers would not significantly change the frost penetration beneath highway pavements in New Jersey It was recommended that test pavements be installed to verify the computations

SR 79-16
ROOF MOISTURE SURVEY—U.S. MILITARY ACADEMY.
Korhonen, C., et al, May 1979, 8 refs.
Tobiasson, W.
33-4229
ROOFS, WALLS, LEAKAGE, INSULATION, MOISTURE, INFRARED EQUIPMENT, MEASURING INSTRUMENTS.

The [illegible]nd upper story walls of buildings 745E, 752, and [illegible] the U.S Military Academy, West Point, New York, [illegible] surveyed with a hand-held infrared camera to locate s[illegible]es of reported wall leaks. An electrical resistance probe was used to determine the relative level of moisture in wall components. Several 3-in.-diam core samples of each roof were obtained to verify suspected moisture conditions and to examine the roof membrane in cross section. Wet areas on each roof were outlined with white spray paint. Wall leaks are believed to becaused by wind-driven rain entering the parapet walls in locations where the decorative glaze-coat has spalled off Recommendations for maintenance of these buildings are based on information derived from the infrared survey, electric resistance readings, core samples and visual examinations.

SR 79-17
SMALL-SCALE TESTING OF SOILS FOR FROST ACTION AND WATER MIGRATION.
Sayward, J.M., May 1979, 17 p., ADA-071 989, 25 refs.
33-4435
SOIL TESTS, FROST ACTION, SOIL WATER MIGRATION, FROST HEAVE, ICE NEEDLES.

A method is described by which frost action (soil heaving and and needle ice) and the use of soil additives for its control can be studied The apparatus and procedure are simple and convenient, requiring no extensive space or services and using only small quantities of materials The procedure could be useful in developing a standard test for such purposes where small scale and convenience are requisite. Also described are two simple, small-scale accessory tests that likewise relate to permeability of soils These evaporation and wetting tests might also have similar use, particularly in the study of water migration-inhibiting additives

SR 79-18
EVALUATION OF NITRIFICATION INHIBITORS IN COLD REGIONS LAND TREATMENT OF WASTEWATER: PART 1. NITRAPYRIN.
Elgawhary, S.M., et al, May 1979, 25p., ADA-071 077, 21 refs.
Iskandar, I.K., Blake, B.J.
33-4230
WASTE TREATMENT, WATER TREATMENT, SOIL MICROBIOLOGY, LAND RECLAMATION, ARCTIC REGIONS.

A series of laboratory and field tests was conducted to investigate the possibility that nitrapyrin could be useful as a nitrification inhibitor in land treatment of wastewater. Laboratory tests included soil incubation and soil column studies Variables were soil type, temperature, nitrapyrin concentration and method of application to the soil. Experimental designs included two soils, three temperatures (0, 10 and 20C) and three levels of inhibitors in a complete factorial Forage grasses were present in all treatments, and wastewater containing NH4+ was utilized. Weekly application of wastewater was 5 cm Soil solution at depth and leachate at 160 cm were collected and analyzed weekly for NH4N and NO3N That data indicate that nitrapyrin was not effective in inhibiting nitrification when applied to the soil surface in soil columns simulating land treatment slow infiltration The ineffectiveness of the compound under a mode of application where it is mixed and sprayed with wastewater is thought to be due to its volatility, sorption by organic matter, low water solubility and its immobility in soils Other chemicals such as carbon disulfide and thiocarbonates, which have different characteristics than the nitrapyrin, showed promising results Research is under way to obtain conclusive data

SR 79-19
DRAINAGE NETWORK ANALYSIS OF A SUBARCTIC WATERSHED: CARIBOU-POKER CREEKS RESEARCH WATERSHED, INTERIOR ALASKA.
Bredthauer, S.R., et al, June 1979, 9p , ADA-073 595, 14 refs.
Hoch, D.
34-137
WATERSHEDS, DRAINAGE, SLOPE PROCESSES, PERMAFROST.

A Strahler stream order analysis and an exterior link length distribution analysis were made of the Caribou-Poker Creeks Research Watershed near Fairbanks, Alaska The drainage network map used for analysis was produced using a 1 2250 scale aerial photograph mosaic Low drainage densities characterize the basins Bifurcation ratios indicate that the overall drainage network is not dominated by strong geologic controls Statistical analysis indicates that bifurcating source links and tributary source links do not belong to the same length population, a characteristic shared by watersheds in other climatic regions of the world Additional analysis indicates that exterior links originating on permafrost

slopes tend to be shorter than those originating on non-permafrost, well-drained slopes.

SR 79-20
INFRARED THERMOGRAPHY OF BUILDINGS: 1977 COAST GUARD SURVEY.
Marshall, S.J., June 1979, 40p., ADA-073 596, 9 refs.
34-138
BUILDINGS, HEAT LOSS, INFRARED PHOTOGRAPHY, WINDOWS.

An IRTB (infrared thermography of buildings) field survey, producing 631 thermograms, 127 photographs, and weather data, was conducted during a 14-day study of 10 Coast Guard stations in Maine, New Hampshire and Massachusetts. This report discusses how the survey was initiated and performed with emphasis on details for the benefit of the reader wishing to plan a survey. One hundred twenty selected thermograms and photographs in this report illustrate many types of heat loss and compare thermally ineffective doors and windows with units designated as standards for thermal effectiveness Radiator heat leakage through walls, mottled moisture patterns on brick walls, infiltration patterns on glass, and poorly covered openings are illustrated Thermograms of severe heat losses through glass doors, glass transoms, and glass wall panels are also included, and several solutions for individual heat loss problems, such as fiberglass garage doors and porcelain insulated panels, are suggested. Unanticipated survey problems, such as difficulties in obtaining photographs to compare with thermographically discovered artifacts and adjustments to survey techniques for inclement weather, are also discussed.

SR 79-21
ICEBERGS: AN OVERVIEW.
Kovacs, A., July 1979, 7p., ADA-078 692, 9 refs.
34-1597
ICEBERGS, CLASSIFICATIONS.

Icebergs are discussed and categorized according to their size, shape, composition and color A general overview of iceberg-producing areas in the Arctic and Antarctic is given, and their drift and deterioration are discussed (Auth.)

SR 79-22
DETERMINATION OF FROST PENETRATION BY SOIL RESISTIVITY MEASUREMENTS.
Atkins, R.T., July 1979, 24p., ADA-071 990.
33-4436
MEASURING INSTRUMENTS, FROST PENETRATION, ELECTRICAL RESISTIVITY, FROZEN GROUND PHYSICS.

Two sensors that depend on changes in soil resistivity were tested. Tests were conducted under a parking area with an asphalt-concrete surface where salt was periodically applied as part of snow removal operations For comparison, data were obtained from a resistivity probe, a thermocouple probe and a thermistor probe Results indicated that measuring temperature to determine frost penetration can lead to large errors under some conditions, for instance when salt has been applied or when frost is coming out of the ground in spring The resistivity probe performed reliably during the entire measurement program It was concluded that resistivity probes have definite advantages which should be considered when future frost penetration measurement programs are designed

SR 79-23
DOCUMENTATION OF SOIL CHARACTERISTICS AND CLIMATOLOGY DURING FIVE YEARS OF WASTEWATER APPLICATION TO CRREL TEST CELLS.
Iskandar, I.K., et al, July 1979, 82p., ADA-074 712, 14 refs.
Quarry, S.T., Bates, R E , Ingersoll, J
34-743
WASTE DISPOSAL, WATER TREATMENT, SOIL CHEMISTRY, CLIMATOLOGY, METEOROLOGICAL DATA.

Section 1 deals with physical properties of the two soils used and the changes in soil chemical characteristics The physical properties of the soil are those most important in controlling the rate of water movement in soils, such as saturated and unsaturated soil hydraulic conductivity, particle size distribution, bulk density, void ratio, available water and specific gravity The chemical characteristics of the soil that are of potential importance in assessing the short and long-term effects of wastewater application on land include free iron oxides, organic carbon, organic nitrogen, pH, conductivity, cation exchange capacity, exchangeable cations, total and extractable phosphorus, and total and extractable heavy metals Section 2 summarizes climatic conditions at the CRREL site in Hanover, New Hampshire, and the changes that occurred during the period 1974 to 1978 Climatic parameters include temperature, precipitation, wind speed, and soil temperature at depth

SR 79-24
DETERMINATION OF DISSOLVED NITROGEN AND OXYGEN IN WATER BY HEADSPACE GAS CHROMATOGRAPHY.
Leggett, D C , July 1979, 5p , ADA-074 411, 25 refs
34-744
LAKE WATER, WATER CHEMISTRY

In this study dissolved oxygen and nitrogen were determined by shaking 20 to 25 ml of water with an equal amount of helium in a 50-ml gas-tight syringe and injecting 2 ml of the equilibrated headgas into a gas chromatograph Oxygen and nitrogen were separated on a 5-A molecular sieve column at ambient temperature and detected with a hot wire detector, using atmospheric air for calibration. Advantages of this method over previously reported methods are 1) oxygen and nitrogen are determined in a single analysis, 2) no specifically fabricated stripping apparatus is needed, and 3) analysis can be done in the field with completely portable, battery-operated equipment. The method appears to be accurate and reproducible, several lake O2 and N2 profiles were obtained using this technique.

SR 79-25
BULLET PENETRATION IN SNOW.
Cole, D.M., et al, July 1979, 23p., ADA-074 412, 14 refs.
Farrell, D.R.
34-626
SNOW (CONSTRUCTION MATERIAL), PROJECTILE PENETRATION, PENETRATION TESTS.

Three types of ammunition, the M193, M80, and M43, were tested. Rounds were fired into snow targets of various thicknesses up to that thickness required to fully stop the projectiles The maximum penetrations for the three rounds tested were 0.70 m, 1 26 m and 1 06 m, respectively Velocity loss as a function of target thickness was determined by measuring projectile velocity before and after impact of the projectile with the target The velocity loss vs thickness data showed a sigmoid shape common to the three types of rounds The impact and exit yaw angles of the M193 rounds were estimated. Scatter in the test data was attributed, in part, to random variations in the impact yaw angle. The penetration required for a 90 deg yaw was determined by the exit yaw measurements. This was shown to correspond to the inflection point on the velocity loss vs penetration curve. This point is potentially significant in the design of composite fortifications Discussions deal with basic concepts and definitions, the occurrence and significance of projectile tumbling and the use of laboratory tests for small arms evaluation in snow targets The validity of the methodology used was established by testing M193 rounds in gelatin targets These results compared favorably with similar test results in literature

SR 79-26
APPLICATION OF HEAT PIPES ON THE TRANS-ALASKA PIPELINE.
Heuer, C.E., July 1979, 27p., ADA-073 597, 26 refs
34-139
PIPELINES, HEAT PIPES, HEAT TRANSFER.

The application of heat pipes on the Trans-Alaska Pipeline is reviewed. The subjects addressed include the general functioning of a heat pipe, the specific heat pipe design used, the different situations where heat pipes were employed, the methods used to develop the heat pipe design, the methods used to monitor the operating heat pipes, and the performance of the heat pipes The discussion is qualitative in nature Quantitative information is largely omitted to allow coverage of a broad area and because it may be considered proprietary Nevertheless, the information presented here should give a good appreciation of the quality and complexity of the heat pipe design The information should also be useful in developing heat pipes for use in other cold regions applications

SR 79-27
EXTENDING THE USEFUL LIFE OF DYE-2 TO 1986, PART I: PRELIMINARY FINDINGS AND RECOMMENDATIONS.
Tobiasson, W., et al, July 1979, 15p., ADA-074 733, 3 refs.
Korhonen, C , Redfield, R.
34-745
COLD WEATHER CONSTRUCTION, ICE SHEETS, STEEL STRUCTURES, STRESSES.

DEW Line Ice Cap Station DYE-2 appears to need major work within the next few years to extend its useful life to 1986 The structural steel frame is overstressed in a few areas, and the lower portion of the subsurface timber truss enclosure is in bad condition Additional performance measurements are needed during 1979 to determine the rate of secondary stress in the structural steel frame and the rate of deterioration of the truss enclosure With this information, a decision can be made whether to move the building sideways onto a new undistorted foundation or to stabilize it in-place by encapsulating the lower 52 ft of the substructure in ice

SR 79-28
UTILIZATION OF SEWAGE SLUDGE FOR TERRAIN STABILIZATION IN COLD REGIONS, PART 2.
Gaskin, D.A., et al, Aug. 1979, 36p , ADA-074 725, 10 refs For Part 1 see 32-1368
Palazzo, A.J., Rindge, S.D., Bates, R.E., Stanley, L E
34-746
SLUDGES, SEWAGE DISPOSAL, SOIL STABILIZATION, VEGETATION

From June 1975 to Sep 1976, a research/demonstration study was conducted at CRREL in Hanover, New Hampshire, to investigate the use of sewage sludge, commercial fertilizer and cultivation techniques for terrain stabilization in cold regions Twenty-seven test plots on a 16-deg west-facing slope received various combinations of 1) surface preparation (tilling, bulldozer tracking, or compacting), 2) nutrient source (sewage sludge or fertilizer), 3) mulching agent (wood fiber mulch or peat moss), and 4) tacking agent (Terra Tack III or Curasol) The plots were seeded in either the spring or fall with a constant seed mixture. The effectiveness of the treatments was determined through vegetation yields and soil loss measurements

SR 79-29
MASS WATER BALANCE DURING SPRAY IRRIGATION WITH WASTEWATER AT DEER CREEK LAKE LAND TREATMENT SITE.
Abele, G., et al, Aug. 1979, 43p., ADA-080 649, 3 refs.
McKim, H.L., Brockett, B.E.
34-2284
WATER TREATMENT, WASTE TREATMENT, WATER BALANCE, SEWAGE TREATMENT, IRRIGATION.

The water budget for a 3 6-ha test area was calculated during and two days after a 2 7-cm (equivalent to 991,000 l) application of wastewater. By computing the water remaining in the soil from soil sample water content data, calculating the amount lost to evapotranspiration and measuring the underdrain flow rate, it was possible to calculate the water budget to within 95% of the actual amount applied The accuracy in computing the soil water content is critical In this case, a 1% variation of error in the volumetric water content is equivalent to nearly one third of the total water applied.

SR 79-30
TUNDRA LAKES AS A SOURCE OF FRESH WATER: KIPNUK, ALASKA.
Bredthauer, S.R., et al, Sep. 1979, 16p., ADA-075 475, 12 refs.
Doerflinger, D.F.
34-740
LAKE WATER, TUNDRA, SNOWMELT, WATER SUPPLY, ARCTIC REGIONS.

A study of water quality in several small tundra lakes near Kipnuk, Alaska, was conducted to determine if the lakes were of sufficiently high quality during the snowmelt season to provide the village with enough water for a year-round supply Since the village is located just 4 miles inland from the Bering Sea, primary emphasis was placed on locating water sources with low chloride concentrations The tundra lakes were of sufficiently high quality to be pumped into a storage area during early summer to be used as a year-round supply.

SR 79-31
USE OF 15N TO STUDY NITROGEN TRANSFORMATIONS IN LAND TREATMENT.
Jenkins, T.F , et al, Sep. 1979, 32p., ADA-077 583.
Quarry, S.T., Iskandar, I.K., Edwards, A.P., Hare, H.E
34-2364
WASTE DISPOSAL, WATER TREATMENT, IRRIGATION, SOIL CHEMISTRY.

The objective of this study was to compare different strategies of using 15N as a tracer to describe the fate of wastewater N in land application of wastewater. Four soil columns were packed with Windsor sandy loam soil and covered with forage grass The columns were treated with 7 5 cm of either tapwater or wastewater according to four experimental strategies The strategies varied the treatment given the soil prior to application of the 15N label, the schedule and amounts of the applied 15N label, and the type of water used for subsequent column leaching Soil solution at depth and leachate were analyzed weekly for concentration and 15N content of nitrate and ammonium. Plant samples were obtained periodically throughout the experiment and, together with soil samples collected at the end of the experiment, analyzed for total nitrogen content and 15N/14N ratios

SR 79-32
BACTERIAL AEROSOLS FROM A FIELD SOURCE DURING MULTIPLE-SPRINKLER IRRIGATION: DEER CREEK LAKE STATE PARK, OHIO.
Bausum, H T , et al, Sep 1979, 64p., ADA-077 632, 18 refs.
Bates, R.E., McKim, H L., Schumacher, P W., Brockett, B E , Schaub, S.A.
34-1381
WATER TREATMENT, WASTE DISPOSAL, IRRIGATION, AEROSOLS, MICROBIOLOGY

An evaluation of microbiological aerosols resulting from the spray irrigation of wastewater under known atmospheric stability conditions was performed during July and August 1978 at the Deer Creek Lake land treatment system in Ohio In the experiment, ponded chlorinated wastewater was sprayed onto a 6-acre test area with 96 impact sprinklers representing a multi-source field aerosol distribution system Approximately 99 9% of the wastewater applied to the 23-hectare test area fell within the area of influence of the sprinkler (about a 20-m diam circle around the sprinkler riser) with only 0 10% of the applied wastewater aerosolized Indigenous total aerobic bacteria in the wastewater and resultant aerosols were sampled and analyzed Fluorescent dye studies were also performed to characterize the aerosol cloud without the effects of biological decay During all of the aerosol tests continuous on-site meteorological measurements were made and wastewater chemical parameters monitored

SR 79-33
TEST OF SNOW FORTIFICATIONS.
Farrell, D.R., Oct. 1979, 15p., ADA-078 742, 16 refs.
34-1598
PENETRATION TESTS, MILITARY ENGINEERING, SNOW (CONSTRUCTION MATERIAL), FORTIFICATIONS, SMALL ARMS AMMUNITION.
A field study was conducted to 1) more accurately define the degree of protection offered by simple snow fortification and 2) evaluate the effort required by infantry troops to build such fortifications when only basic tools are available. A seven-man infantry squad, equipped with standard issue snow shovels and an arctic sled (Akhio), constructed several simple snow structures Construction was made more difficult by the imposition of a camouflage discipline requirement When completed, three positions were subjected to M16A1 rifle fire while the infantry squad executed a simulated tactical assault A fourth and much larger position was tested with simulated covering fire from a M2HB 50-caliber machine gun None of the 5 56-mm bullets fired by the squad from ranges of 200 m to as close as 10 m managed to penetrate the 1.8-m-thick snow embankments. The 12 7-mm-diameter bullets fired from the M2HB at a range of 250 m were all stopped by 3.0 m of packed snow The camouflage considerations and the shallow snow conditions increased the construction time for the three small emplacements by almost a factor of four, and for the larger emplacement by almost a factor of three. But the squad still handled a volume of packed snow that was equal to 3 7 times the volume of unfrozen soil that could be handled with the same amount of effort, according to field manual estimates Under frozen soil conditions the advantages of using snow would be significantly greater.

SR 79-34
UTILIZATION OF SEWAGE SLUDGE FOR TERRAIN STABILIZATION IN COLD REGIONS. PT. 3.
Rindge, S.D., et al, Oct 1979, 33p , ADA-077 585.
Gaskin, D.A., Palazzo, A.J.
34-2365
WASTE DISPOSAL, SEWAGE DISPOSAL, SOIL STABILIZATION
The authors have conducted a two-year revegetation study to assess the ability of sewage sludge applications with or without supplemental fertilizer to promote plant growth and stabilize sloping soils The study site was a west-facing, 16 deg slope at CRREL in Hanover, New Hampshire Eight revegetation treatments and one control were replicated three times Treatments involved applications of dewatered, anaerobically digested sewage sludge at two rates (20 or 40 tons/acre) The sludge was applied alone or in combination with commercial fertilizers which supplied nitrogen, phosphorus and potassium, or all three nutrients. The seed mixture in the treatments contained four grasses and one legume. The effects of the various treatments were determined through soil loss yields, visual grass ratings and plant yields.

SR 79-35
PROTOTYPE OVERLAND FLOW TEST DATA: JUNE 1977-MAY 1978.
Jenkins, T.F., et al, Nov. 1979, 91p., ADA-078 743, 9 refs.
34-1599
WASTE TREATMENT, WATER TREATMENT, IRRIGATION, SOIL CHEMISTRY, ION EXCHANGE, METEOROLOGICAL DATA.
A prototype overland flow land treatment system was operated at Hanover, New Hampshire, over a one-year cycle from June 1977 to May 1978 The individual data points collected over this period for water quantity and quality are presented, as well as plant yields and nutrient uptake. The soil chemical and physical parameters measured are also presented along with a table of initial site characteristics The meteorological measurements obtained in support of this effort are included to complete the data base

SR 79-36
PROCEEDINGS OF A MEETING ON MODELING OF SNOW COVER RUNOFF, 26-28 SEPTEMBER 1978, HANOVER, NEW HAMPSHIRE.
Colbeck, S.C., ed, Jan 1979, 432p , ADA-167 767. For individual papers see 34-1002 through 34-1040. Numerous refs.
Ray, M., ed.
34-1001
MEETINGS, SNOW COVER, RUNOFF, MODELS.

SR 80-01
DISINFECTION OF WASTEWATER BY MICROWAVES.
Iskandar, I.K., et al, Jan 1980, 15p , ADA-082 174, 36 refs.
Parker, L.V., Madore, K., Gray, C , Kumai, M.
35-2592
WASTE TREATMENT, WATER TREATMENT, MICROWAVES, BACTERIA
Results from a laboratory study show that microwave energy can be used for disinfection of wastewater The time required for destruction of bacteria by microwaves was reduced over that of conventional heating Destruction of wastewater bacteria and a cell-suspension of of *E Coli* B was logarithmic after an initial lag phase, which was dependent upon the volume used Thermophilic *B stearothermophilus* cells were used to try to determine if the mechanism of destruction was thermal

SR 80-02
ICEBREAKING CONCEPTS.
Mellor, M., Jan. 1980, 18p., ADA-082 175, 4 refs.
35-2593
ICE BREAKING, ICEBREAKERS, ICE COVER THICKNESS, PENETRATION, ICE CUTTING, ICE BLASTING, MARINE TRANSPORTATION, OFFSHORE STRUCTURES.
Icebreaking concepts that have potential application in the protection of offshore stuctures and drillships are reviewed The concepts dealt with include conventional icebreaking by ships, icebreaking by air cushion vehicles, breaking against fixed structures, mechanical cutting with drag bit tools, blasting by high explosives, blasting with compressed gases or propellants, ice melting, thermal cutting, cutting with lasers, cutting with high pressure water jets, and unproven novel concepts Special emphasis is given to the specific energy requirements for the various methods.

SR 80-03
DANISH DEEP DRILL; PROGRESS REPORT: FEBRUARY-MARCH 1979.
Rand, J.H., Jan. 1980, 37p., ADA-082 206.
35-2594
DRILLING, ICE CORING DRILLS, ICE CORES, GLACIOLOGY, DESIGN, PERFORMANCE, MAINTENANCE.
The "Danish Deep Drill" was developed at the University of Copenhagen The drill, which will be used to obtain ice cores from the Greenland Ice Sheet, was tested at the U S Army Cold Regions Research and Engineering Laboratory. The drill is battery-operated and has a down-hole microprocessor-based control section and a delicately balanced chip removal system It is a lightweight, electro-mechanical drill designed to obtain a 10.2-cm-diameter core in 2-m lengths There are potential problems in chip recovery and storage, malfunctions of the computer or batteries, leaks in the pressure chamber, spin-out or rotation of the drill, and the very close tolerances required by the drill design Tests are recommended that will help eliminate some of these potential problems and determine the drill's overall strengths and weaknesses The drill is a very complex and delicate instrument that will require constant maintenance, modification and monitoring when in use

SR 80-04
EVALUATION OF ICE DEFLECTORS ON THE USCG ICEBREAKER *POLAR STAR*.
Vance, G.P., Jan. 1980, 37p , ADA-082 205.
35-2595
ICEBREAKERS, PROPELLERS, ICE COVER THICKNESS, ICE NAVIGATION.
Model tests were carried out in the CRREL Ice Engineering Facility test basin on a 1-to-19 1 model of the USCG *Polar Star* (WAGB-10) to determine the effectiveness of several different devices that would eliminate or mitigate the ingestion of ice into the propeller slip stream Propeller RPM records and highspeed movies were obtained for each device in two thicknesses of ice and at two speeds Four devices were evaluated large bilge keels, small bilge keels, bossing fins and propeller cages (called bird cages) The most effective concept appeared to be the bilge keels Open water power tests and structural analysis must now be carried out to determine the overall feasibility of these concepts

SR 80-05
COASTAL ENVIRONMENT, BATHYMETRY, AND PHYSICAL OCEANOGRAPHY ALONG THE BEAUFORT, CHUKCHI AND BERING SEAS.
Gatto, L.W , Jan 1980, 357p , ADA-084 281, 56 refs.
34-3328
COASTAL TOPOGRAPHIC FEATURES, BATHYMETRY, MARINE GEOLOGY, SHORELINE MODIFICATION, OCEANOGRAPHY, ENVIRONMENTS.
The report compiles references, figures, and tables that are concerned with the coastal environment, bathymetry, and physical oceanography along the Beaufort, Chukchi, and Bering Seas The text, intentionally minimized, describes the salient points with a minimum of detail The extensive references and figures give direction to a reader seeking additional information

SR 80-06
POST OCCUPANCY EVALUATION OF A PLANNED COMMUNITY IN ARCTIC CANADA.
Bechtel, R.B , et al, Feb. 1980, 27p., ADA-082 162, 4 refs.
Ledbetter, C B.
35-2596
URBAN PLANNING, HOUSES, SITE SURVEYS, BUILDINGS, ECOLOGY
This report describes a post-occupancy evaluation of a small mining community in the high Arctic Providing superior housing, having wives work and integrating singles, Inuits (the indigenous people) and families successfully established a viable community. Fewer problems were encountered than is usual in other isolated cold regions communities The central focal point of the town, a large dome, was diluted by later construction of buildings housing separate recreational and social facilities. Since the buildings are too costly to remove, the only method of restoring the focal point is to build connecting links at upper levels of the recreational buildings.

SR 80-07
SOME ASPECTS OF SOVIET TRENCHING MACHINES.
Mellor, M., Feb. 1980, 13p., ADA-082 176, 1 ref.
35-2597
TRENCHING, FROZEN GROUND, EARTHWORK, EQUIPMENT, DESIGN.
Technical characteristics of Soviet trenching machines are assessed and compared with those of similar machines built in the United States and Europe. The report deals with transverse rotation machines and belt machines, considering rotor speeds and belt speeds, tool speeds, power/weight ratios, power density, traverse speeds, and effective mean cutting pressures The probable capabilities of Soviet machines for cutting frozen ground are assessed. It is concluded that, while general design characteristics are satisfactory, construction and product development are weak, and performance in frozen ground is not expected to be impressive

SR 80-08
DOCUMENTATION FOR A TWO-LEVEL DYNAMIC THERMODYNAMIC SEA ICE MODEL.
Hibler, W.D., III, Feb. 1980, 35p., ADA-084 273, 9 refs.
34-3329
SEA ICE, ICE THERMAL PROPERTIES, THERMODYNAMIC PROPERTIES, HEAT TRANSFER, ICE MECHANICS, ICE COVER THICKNESS, MATHEMATICAL MODELS, COMPUTER PROGRAMS, RHEOLOGY.
A discussion of the numerics and computer code for a two-level dynamic thermodynamic sea ice model is presented. For interested users a listing of the computer code and results from a 21-day test run are included as appendices. To a large degree this report is meant to serve as an extended appendix to an article by the author in the Journal of Physical Oceanography (see 34-741) describing his model and a variety of simulation results. The model consists of a two-level ice thickness distribution coupled to the ice dynamics by a plastic rheology In addition to the ice interaction, the momentum balance includes nonlinear wind and water drag terms, Coriolis force, and inertial and momentum advection terms. The numerical scheme is formulated in an energy-conserving manner in a fixed Eulerian grid which allows simulation over unlimited time intervals. The momentum balance (including inertial terms) is numerically treated in a semi-implicit manner so that time steps of up to one day in length may be used if desired. The boundaries, grid size and time step magnitude are easily modified so that the model should have application to a variety of climate and forecasting problems

SR 80-09
ICE THICKNESS-TENSILE STRESS RELATIONSHIP FOR LOAD-BEARING ICE.
Johnson, P R , Feb. 1980, 11p., ADA-084 274, 3 refs.
34-3330
ICE COVER STRENGTH, ICE LOADS, ICE CROSSINGS, ICE ROADS, TENSILE PROPERTIES, STRESSES, ICE COVER THICKNESS
The "bearing capacity" of a floating ice sheet is of considerable interest The pattern of ice thickness vs tensile stress for a fixed load and fixed ice properties was examined and showed some constant relationships It proved possible to completely describe the ice thickness-tensile stress pattern in terms of a single number When the load was changed by increasing the payload but not altering the geometry of the load pattern, other relationships were found that described the tensile stress in the ice sheet for any combination of payload and ice thickness This provides a simple method of finding tensile stress in the ice that can be used in the field Further studies are planned

SR 80-10
OPERATION OF THE CRREL PROTOTYPE AIR TRANSPORTABLE SHELTER.
Flanders, S.N., Feb. 1980, 73p., ADA-084 275.
34-3331
PORTABLE SHELTERS, COLD WEATHER PERFORMANCE, TRANSPORTATION AIRPLANES, LOGISTICS
This report describes the operation of the CRREL prototype air-transportable shelter which was designed specifically for use in cold regions The operating instructions cover moving the shelter on its own wheels or skis, loading it onto a truck or military transport aircraft, slinging it from a helicopter or preparing it for shipment as an ISO container The report details how to site the shelter and expand it to about double its transport size The report also covers operation of the utility systems, including the on board alternator set, the primary and auxiliary heating systems, the water system and various safety systems

SR 80-11
SNOW FORTIFICATIONS AS PROTECTION AGAINST SHAPED CHARGE ANTITANK PROJECTILES.
Farrell, D.R., Mar. 1980, 19p , ADA-084 276.
34-3332
SNOW STRENGTH, FORTIFICATIONS, COLD WEATHER CONSTRUCTION, COLD WEATHER OPERATION, SNOW (CONSTRUCTION MATERIAL), EXPLOSION EFFECTS, IMPACT TESTS, DETONATION WAVES, EMBANKMENTS.
This report chronicles an investigation of the effectiveness of snow fortifications. The test was planned to observe and measure how packed snow absorbs the energy of high explosive antitank (HEAT) ammunition In the test plan both the possibility of non-detonation due to insufficient resistance in snow and the rate of deterioration of a snow embankment with repeated impacts were considered The 90-mm M67 recoilless rifle was used because it has a relatively low velocity, and its charge was more likely to not detonate than that of a high velocity weapon The findings indicate that snow can be used to good advantage for building expedient fortifications, particularly in situations where large volumes of snow have to be cleared from roads and airfields

SR 80-12
DRILLING AND CORING OF FROZEN GROUND IN NORTHERN ALASKA, SPRING 1979.
Lawson, D.E., et al, Mar. 1980, 14p., ADA-084 277, 6 refs.
Brockett, B.E.
34-3333
DRILLING, PERMAFROST STRUCTURE, STRATIGRAPHY, GROUND ICE, PERMAFROST SAMPLERS, CORE SAMPLERS, EQUIPMENT
Frozen samples of perennially frozen ground were obtained from 33 holes drilled at six locations in the National Petroleum Reserve, Alaska, in the spring of 1979 Total depth of drilling was 510 m (1670 ft), of which 178 m (584 ft) was cored. The objectives of the program were to define the location and extent of segregated and massive ice at each location and to determine the origins and ages of the ground ice through studies of the hole stratigraphy and future laboratory analyses of core samples

SR 80-13
EXTENDING THE USEFUL LIFE OF DYE-2 TO 1986. PART 2: 1979 FINDINGS AND FINAL RECOMMENDATIONS.
Tobiasson, W , et al, Apr. 1980, 37p., ADA-084 278, 8 refs.
Tilton, P.
34-3334
RADAR, STATIONS, SNOW ACCUMULATION, ICE FORMATION, SNOW STRENGTH, LOADS (FORCES), STEEL STRUCTURES, STRESSES, COST ANALYSIS.
A major construction effort is needed at Dew Line Ice Cap Station DYE-2 to extend its useful life to 1986 That work should be done as soon as possible because the truss enclosure is deteriorating rapidly Although a 210-ft sideways move as was accomplished at DYE-3 in 1977 is technically feasible, the alternative of backfilling the truss enclosure with ice is expected to cost about $2 7 million less Unless there is a strong possibility that DYE-2 will be needed for many years beyond 1986, the ice backfill alternative is recommended.

SR 80-14
CRREL ROOF MOISTURE SURVEY, PEASE AFB BUILDINGS 35, 63, 93, 112, 113, 120 AND 220.
Korhonen, C., et al, Mar. 1980, 31p., ADA-084 279, 3 refs.
Tobiasson, W.
34-3335
ROOFS, MOISTURE TRANSFER, DETECTION, INFRARED SPECTROSCOPY, THERMAL INSULATION, MEASURING INSTRUMENTS
We surveyed the roofs of seven buildings at Pease AFB with a hand-held infrared scanner to detect wet insulation We used white spray paint to outline the wet areas and took core samples of the built-up membrane and insulation to verify our findings Flashing defects around penetrations and bordering walls appear to be the major cause of the wet insulation found on these roofs Since most problem areas are localized, we directed o repair recommendations toward salvaging as much of each roof as is economically possible.

SR 80-15
REGIONAL DISTRIBUTION AND CHARACTERISTICS OF BOTTOM SEDIMENTS IN ARCTIC COASTAL WATERS OF ALASKA.
Sellmann, P.V., Apr. 1980, 50p., ADA-084 922, Refs. p.31-50.
35-2598
SUBSEA PERMAFROST, PERMAFROST DISTRIBUTION, BOTTOM SEDIMENT, MARINE GEOLOGY, SEDIMENT TRANSPORT, PERMAFROST DEPTH, ICE SCORING, OFFSHORE STRUCTURES, ARTIFICIAL ISLANDS, CONSTRUCTION MATERIALS, OFFSHORE DRILLING.
This report includes a discussion of some of the properties and characteristics of offshore marine sediments found in the U S Beaufort Sea that could influence aspects of offshore development A collection of references is also included in an appendix Perennially and seasonally frozen sediments are extremely common, with variable distribution and properties The depth to the top of icebonded permafrost can be as little as 7 m below the seabed many kilometers from the sea coast. The subsea permafrost can contain visible ground ice similar to that observed on land, and can be anticipated to cause problems at least as great as those experienced on land

SR 80-16
NITROGEN TRANSFORMATIONS IN A SIMULATED OVERLAND FLOW WASTEWATER TREATMENT SYSTEM.
Chen, R.L., et al, Apr 1980, 33p., ADA-084 280, 36 refs.
Patrick, W.H , Jr.
34-3365
WASTE TREATMENT, WATER TREATMENT, NUTRIENT CYCLE, SOIL CHEMISTRY.
Treating wastewater in properly designed and operated overland flow systems results in significant amounts of N being removed through nitrification-denitrification reactions Application of wastewater containing NH4-N in a simulated overland flow model led to the disappearance of ammonium and the formation of nitrate in oxidized surface soil The N balance in the simulated overland flow system was estimated by using labeled 15 N. The amount of N removed in the system depends upon denitrification rates The results of this study indicated that N adsorption on the soil complex and uptake of applied ammonium by vegetation accounted for the N removed in the overland flow systems The adsorbed ammonium on the aerated surface soil mass was nitrified and converted to oxidized forms of N. The nitrate thus formed diffused downward to the reduced zone during subsequent wastewater applications Some of this nitrate then denitrified and converted to gaseous form of N or was assimilated and reduced by plant life Results of the overland flow studies indicated that approximately 55-68% of wastewater NH4-N added to the simulated overland flow system was unaccounted for in controlled laboratory environments This NH4-N was presumably returned to the atmosphere

SR 80-17
INFLUENCE OF NOSE SHAPE AND L/D RATIO ON PROJECTILE PENETRATION IN FROZEN SOIL.
Richmond, P.W., Apr 1980, 21p., ADA-085 398, 10 refs.
34-3450
FROZEN GROUND, PROJECTILE PENETRATION, SOLUTIONS, EXPERIMENTATION
This report presents the results of a laboratory test program designed to determine the applicability of two analytical solutions to projectile penetrations in frozen soils The test program consisted of firing small caliber cylindrical projectiles into frozen soil targets Four types of 7 9-mm-diam projectiles were tested two with a hemispherical nose the other two flat-nosed, with both long (length/diameter = 4) and short (L/D = 2) versions of each nose shape Penetration depth versus impact velocity data are presented Comparisons of the data indicate that a flat-nosed projectile is a less efficient penetrator than one of equal weight with a hemispherical nose A small increase in resistance to penetration is observed for an increased L D ratio

SR 80-18
DEICING A SATELLITE COMMUNICATION ANTENNA.
Hanamoto, B , et al, Apr 1980, 14p , ADA-085 397
Gagnon, J.J , Pratt, B.
34-3451
ICE PREVENTION, ANTENNAS, SPACECRAFT, PROTECTIVE COATINGS, HEATING, THERMAL EFFECTS, POLYMERS
Ice buildup on communication antenna dishes begins to cause signal reception problems when the thickness exceeds 0 64 cm (0 25 in) CRREL's copolymer coating which reduces the adhesive force between ice and the coated surface, was tested on antenna dish panels to facilitate ice removal A combination of the copolymer coating and heat proved to be an effective method of removing ice from the panel

SR 80-19
WINTER ENVIRONMENTAL DATA SURVEY OF THE DRAINAGE BASIN OF THE UPPER SUSITNA RIVER, ALASKA.
Bilello, M.A., Apr 1980, 30p , ADA-086 931, 6 refs.
34-2725
CLIMATE, ICE COVER, SNOW COVER, METEOROLOGICAL DATA, WINTER, UNITED STATES—ALASKA—SUSITNA RIVER.
Basic data on the winter climate and measurements on all available snow and ice cover conditions were compiled for an area in and around the upper Susitna River basin of Alaska The 10 years of tabulated data (from Sep 1964 to May 1974) for 16 locations include average monthly values of air temperature, precipitation amounts (including total snowfall) and maximum depth of snow on the ground. Ice thickness measurements and other related winter surface conditions on rivers in the basin are included in the report Detailed observations on physical properties of the snow cover and the rate at which soil thaws in the spring are also provided for selected stations near the area under study

SR 80-20
SEDIMENT DISPLACEMENT IN THE OTTAUQUECHEE RIVER—1975-1978.
Martinson, C.R., May 1980, 14p., ADA-089 787, 3 refs.
35-974
SEDIMENT TRANSPORT, BOTTOM SEDIMENT, ICE SCORING, ICE EROSION, BANKS (WATERWAYS), RIVER ICE, HYDROLOGY.
A three-year study of sediment displacement was conducted on a short section of the Ottauquechee River in Vermont that has erosional problems caused by ice. The results of cross-sectional surveys showed large quantities of the bank eroded and deposition in the bed within the study area The erosion appears to have been caused by 1) the ice scouring the banks and 2) ice plugging the channel and diverting the flow toward the banks.

SR 80-21
CONSTRUCTION OF AN EMBANKMENT WITH FROZEN SOIL.
Botz, J.J., et al, May 1980, 105p., ADA-086 877, 44 refs
Haas, W.M.
34-3873
EMBANKMENTS, FROZEN GROUND STRENGTH, COLD WEATHER CONSTRUCTION, SOIL COMPACTION, SETTLEMENT (STRUCTURAL), FROST PENETRATION, EARTHWORK, ENGINEERING, EXCAVATION, STABILITY, SOIL PHYSICS, SOIL TEMPERATURE, TESTS.
This paper presents the construction procedure, data and analysis from an experimental field program to determine the rippability and compaction characteristics of frozen soil Also investigated was the stability upon thawing of the frozen soil compacted in the field From the results of the experimental program, several important conclusions concerning winter earthwork were obtained 1) Ripping frozen soil can be accomplished with heavy equipment which will produce a large range of chunk sizes 2) The effectiveness of field compaction of frozen material is highly dependent on the moisture content of the soils 3) The magnitude of settlement in embankments constructed of frozen material is closely related to the compacted dry density of the placed soil.

SR 80-22
ESTIMATING COSTS OF ICE DAMAGE TO PRIVATE SHORELINE STRUCTURES ON GREAT LAKES CONNECTING CHANNELS.
Carey, K L , May 1980, 33p., ADA-089 781.
35-2599
STRUCTURES, DAMAGE, ICE LOADS, IMPACT STRENGTH, ICE PRESSURE, ICE NAVIGATION, COST ANALYSIS.
The possible extension of the navigation season through the entire winter or a portion thereof has been under consideration for the Great Lakes and the St Lawrence Seaway for a number of years To balance the benefits and costs of such an extension it is necessary to determine the damage costs to shore structures that might result from ice loosened by ship passage This paper is concerned with the interconnecting channels of the Lakes where there is estimated to be $18,000,000 (1976 dollars) worth of small, private, vulnerable shore structures

SR 80-23
RADIO-ECHO SOUNDING IN THE ALLAN HILLS, ANTARCTICA, IN SUPPORT OF THE METEORITE FIELD PROGRAM.
Kovacs, A., May 1980, 9p , ADA-086 858, 3 refs
34-3874
RADIO ECHO SOUNDINGS, GLACIER THICKNESS, GLACIER SURVEYS, ICE COVER THICKNESS, POLLUTION, ANTARCTICA ALLAN HILLS
Radio echo sounding measurements made on Ross Island and in the Allan Hills, Antarctica, indicate that radio echo sounding may offer the unique possibility of detecting a buried meteorite in glacial ice The results also revealed

internal layering within the snow on Ross Island and in the snow filling an ice depression west of Allan Nunatak Radio-echo sounding also gave the depth to bedrock near the west side of Allan Nunatak. The greatest ice depth measured was 310 m

SR 80-24
1979 GREENLAND ICE SHEET PROGRAM. PHASE 1: CASING OPERATION.
Rand, J.H., June 1980, 18p., ADA-089 699, 5 refs.
34-3485
ICE DRILLS, THERMAL DRILLS, GLACIOLOGY, LININGS, GREENLAND.
A modified CRREL thermal drill was used at DYE-3 in Greenland to drill a 8 75-in -diameter hole 251 ft deep for the installation of a steel casing This activity was accomplished by a drill team from CRREL in preparation for the Danish deep drill tests Included in this report is a description of both the drilling and casing operation as well as a description of the equipment used.

SR 80-25
ROOFS IN COLD REGIONS: MARSON'S STORE, CLAREMONT, NEW HAMPSHIRE.
Tobiasson, W , et al, June 1980, 13p., ADA-089 788.
Korhonen, C.
35-975
ROOFS, BITUMENS, COLD WEATHER PERFORMANCE.
A reinforced, single-ply PVC membrane was examined five years after being applied over a leaky, built-up, bituminous membrane. The bare PVC membrane was dirty, poorly drained and littered with broken glass, nails and such, yet no flaws were evident on leaks reported. Even at 0 F the PVC was quite flexible Diagonal wrinkles at a parapet wall were attributed to workmanship, other observations suggested that membrane shrinkage had not occurred The membrane has functioned well for five years and years and appears to be in good condition

SR 80-26
WORKING GROUP ON ICE FORCES ON STRUCTURES.
Carstens, T., ed, June 1980, 146p., ADA-089 674, Refs passim For individual articles see 35-508 through 35-511
35-507
ICE PRESSURE, ICE LOADS, HYDRAULIC STRUCTURES, DAMS, LOADS (FORCES), ICE SOLID INTERFACE, TEMPERATURE VARIATIONS, FLOATING ICE, ICE WEDGES, ICE SHEETS.

SR 80-27
DYNAMICS OF NH4 AND NO3 IN CROPPED SOILS IRRIGATED WITH WASTEWATER.
Iskandar, I K , et al, June 1980, 20p , ADA-090 575, 6 refs.
Parker, L.V., McDade, C., Atkinson, J., Edwards, A.P.
35-872
WASTE DISPOSAI WATER TREATMENT, IRRIGATION, SOIL CHEMISTRY, NUTRIENT CYCLE, AGRICULTURE
The objectives of this field study were 1) to obtain information on the dynamic behavior of wastewater NH4 and NO3 in soils, 2) to determine the relative abundance of NH4 and NO3 in soils receiving wastewater, and 3) to evaluate the seasonal effect on the fate of wastewater NH4 applied to soils in a slow infiltration system The study was conducted using an on-going test plot which contained two soil types and was covered with forage grass Samples were collected in June and October to study the seasonal effect on the dynamic of N. The concentrations of NH4 and NO3 in the soil reached a daily, quasi-steady state condition. The seasonal effect on the relative amounts of NH4 and NO3 was similar but there was always more NH4 than NO3 The concentrations of both NH4 and NO3 in soil profile were high at the surface and decreased with depth, consistent with the higher CEC, the slow movement of NH4 in soils, and the higher organic matter content in the surface Both NH4 and NO3 concentrations were higher in the finer texture Charlton silt loam soil than in the coarser texture Windsor sandy loam soil

SR 80-28
ICE ADHESION TESTS ON COATINGS SUBJECTED TO RAIN EROSION.
Minsk, L.D., July 1980. 14p . ADA-089 698.
34-3484
ICE ADHESION, ICE PREVENTION, PROTECTIVE COATINGS, HELICOPTERS, TESTS
Screening tests to select icephobic coatings displaying low ice release forces, both before and after exposure to rain erosion in a whirling arm simulator, were performed on approximately 60 commercial materials A unique linear ball-slide shear test apparatus was designed to provide pure shear forces No coating survived the erosion test to give an interfacial shear strength as low as 15 psi (103 kPa), an arbitrarily established goal Several coatings showed shear strengths between 30 and 45 psi (207 and 310 kPa) after rain erosion

SR 80-29
POST OCCUPANCY EVALUATION OF A REMOTE AUSTRALIAN COMMUNITY: SHAY GAP, AUSTRALIA.
Bechtel, R.B., et al, July 1980, 57p., ADA-089 675, 8 refs.
Ledbetter, C.B.
35-2600
URBAN PLANNING, HOUSES, BUILDINGS, SITE SURVEYS, ECOLOGY.
A post occupancy evaluation (POE) was made of Shay Gap, an iron mining community in Western Australia More than 50 design hypotheses were tested with results favoring the original design Selecting a townsite surrounded by hills was deemed successful by residents Keeping automobiles out of the living areas increased the safety of children and made residents walk and socialize more A centrally located building housing the shopping facilities, beauty parlor, bank, post office, and snack bar served as the focal point of the community. Bland, off-white interiors allowed residents to express themselves when decorating Shay Gap was a successful design concept for communities designed for remote areas in either hot or cold regions

SR 80-30
DYNAMIC TESTING OF FREE FIELD STRESS GAGES IN FROZEN SOIL.
Aitken, G.W., et al, July 1980, 26p., ADA-089 676, 6 refs.
Albert, D.G., Richmond, P.W.
35-2601
FROZEN GROUND MECHANICS, STRESSES, IMPACT TESTS, SHOCK WAVES, SOIL MECHANICS, WAVE PROPAGATION.
This report describes an attempt to develop a procedure for dynamic calibration of free-field soil stress gages embedded in a soil sample The method presented utilizes a drop-type impact testing machine and a small, instrumented container of soil. The velocity history of a shock pulse applied to the soil sample is measured and the applied stress computed, this value is then compared with data obtained from stress gages embedded in the soil. The results showed that the procedure is adequate for unfrozen soil, but for frozen soil the accuracy in the measurement of compressional wave velocity needs to be increased to obtain useful results

SR 80-31
REVIEW OF TECHNIQUES FOR MEASURING SOIL MOISTURE *IN SITU*.
McKim, H.L., et al, Aug. 1980, 17p., ADA-089 974, Refs. p.13-17.
Walsh, J.E., Arion, D N.
35-976
SOIL WATER, ELECTROMAGNETIC PROPERTIES, TENSILE PROPERTIES, CLIMATIC FACTORS.
Recently there has been an increased interest in the in-situ measurement of soil moisture content in the areas of hydrology, meteorology, agriculture and environmental studies Current methods generally have limitations, depending upon the use of the data, that greatly influence acquisition and reliability of the soil moisture determination This report discusses gravimetric nuclear, electromagnetic, tensiometric and hygroscopic techniques and the advantages and disadvantages of using the techniques Emphasis is placed on the tensiometric and electromagnetic techniques These two measurements when coupled would supply information on the wetting and drying soil moisture characteristic curves and thereby provide a means of tracing moisture movement under field conditions in cold climates

SR 80-32
CHARACTERISTICS OF ICE IN WHITEFISH BAY AND ST. MARYS RIVER DURING JANUARY, FEBRUARY AND MARCH 1979.
Vance, G.P., Aug 1980, 27p., ADA-089 950, 12 refs.
35-488
ICE BREAKING, ICE COVER THICKNESS, ICE COVER STRENGTH, FLEXURAL STRENGTH, ICE DENSITY, METAL ICE FRICTION, METAL SNOW FRICTION, SNOW DENSITY, SNOW DEPTH, AIR TEMPERATURE
This report presents data on the full-scale trials of the U S Coast Guard Icebreaker *Katmai Bay*, which was tested in plate ice that varied in thickness from 10 to 33 in (25 4 to 83 82 cm) and had a snow cover of 1 to 6 in (2 54 to 15 24 cm) In January the average temperature was -5C, and the ice flexural strength was 13,363 lb/sq ft (640 kPa) In March the average temperature was -2C and the ice flexural strength was 11,643 lb sq ft (560 kPa) The specific weight (density) of the ice was 0 894 g cu cm The specific weight of the snow was in the area of 0 32 g cm The coefficient of friction between the ice snow and steel plate (coated and uncoated) varied from a low of 0 02 in the dynamic case of ice on the Inerta 160 coating to 0 47 for the static case of snow on a rusty steel plate

SR 80-33
NEW HAMPSHIRE FIELD STUDIES OF MEMBRANE ENCAPSULATED SOIL LAYERS WITH ADDITIVES.
Eaton, R A., et al, Aug. 1980, 46p., 20 refs.
Berg, R.L
35-977
SOIL FREEZING, FROST PENETRATION, SOIL STABILIZATION, SOIL WATER, FROST RESISTANCE, PAVEMENTS, ADMIXTURES, LIMING, DESIGN.
This report describes the construction, instrumentation, and performance of membrane encapsulated soil layer (MESL) pavement test sections at the U S Army Cold Regions Research and Engineering Laboratory in Hanover, New Hampshire, from 1973 to 1978 Membrane encapsulated soil layer construction involves using a waterproof membrane to protect low grade soils from absorbing moisture, especially during the freezing process Most of these lower grade soils are frost-susceptible; in these soils water can be drawn to the freezing zone to form ice lenses, which in turn cause heaving of the surface. Lime, flyash, and sodium chloride were added to a silt material prior to encapsulation. These additives were incorporated to add strength to the silt, absorb excess moisture, and increase its load-supporting capabilities Results show that 1) the moisture content within the MESL sections remained relatively constant over the five years of testing, 2) a nonencapsulated lime-flyash-stabilized silt material heaved 8 8 times as much as the identical material which was encapsulated, 3) the lime-flyash-stabilized MESL had twice the strength of the plain or salt-stabilized MESL, 4) the silt with the additives had less frost heave within the MESL than the untreated silt. In summary, MESL's can be constructed to perform well in cold regions, thereby replacing high quality aggregates which are being depleted.

SR 80-34
DESIGN AND CONSTRUCTION OF FOUNDATIONS IN AREAS OF DEEP SEASONAL FROST AND PERMAFROST.
Linell, K A , et al, Aug 1980, 310p , ADA-090 324, Refs p 307-310.
Lobacz, E.F.
35-886
PILE STRUCTURES, FOUNDATIONS, PERMAFROST PRESERVATION, FROZEN GROUND MECHANICS, COLD WEATHER CONSTRUCTION, FROST PENETRATION, FROST ACTION, FROST HEAVE, ENGINEERING, SOIL MECHANICS, DESIGN.
This report presents engineering guidance for the design and construction of foundations in areas of deep seasonal frost and permafrost as developed up to the early 1970's Attention is given to basic considerations affecting foundation design, site investigations, survey datum points, construction considerations, and monitoring performance Included in the main text are 17 tables, 141 figures, and 213 selected references A bibliography presents 45 additional references

SR 80-35
RESINS AND NON-PORTLAND CEMENTS FOR CONSTRUCTION IN THE COLD.
Johnson, R , Sep 1980, 19p , ADA-092 952, 6 refs.
35-1725
CEMENTS, COLD WEATHER CONSTRUCTION, CONSTRUCTION MATERIALS, RESINS, POLYMERS.
A laboratory investigation was conducted to assess the potential of some resins and non-portland cements for structural concrete at low temperatures The resins investigated were urethane (non-hydrophilic), epoxy and polyester, as well as a polysulfide polymer Two non-portland (modified) cements were also tested The curability of the resins, when mixed with fine aggregate, showed that they had potential for low temperature use in the following decreasing order urethane, polyester, and epoxy Of the non portland cement materials, mixed as individual neat slurries one showed potential for low temperature use at -10 C (using 3.9 C water)

SR 80-36
INFILTRATION CHARACTERISTICS OF SOILS AT APPLE VALLEY, MINN.; CLARENCE CANNON DAM, MO; AND DEER CREEK LAKE, OHIO, LAND TREATMENT SITES.
Abele, G , et al, Oct. 1980, 41p., ADA 093 350, 5 refs.
McKim, H L., Brockett, B E , Ingersoll, J.
35-1726
SOIL WATER MIGRATION, PERMEABILITY, SOIL MECHANICS, SEEPAGE, WASTE TREATMENT, DENSITY (MASS/VOLUME), GRAVITY, TESTS
Large-scale, 3- to 6-m diameter infiltration tests provide realistic data for determining soil infiltration rates Tensiometers can be used to monitor the relative degree of saturation during the test At Apply Valley, Minnesota, the saturated infiltration rate is moderately rapid, at Clarence Cannon Dam, Missouri the rates range from moderate to slow, and at Deer Creek Lake, Ohio, from moderately slow to slow

SR 80-37
EFFECTS OF A TUNDRA FIRE ON SOILS AND PLANT COMMUNITIES ALONG A HILLSLOPE IN THE SEWARD PENINSULA, ALASKA.
Racine, C , Nov. 1980, 21p., ADA-094 6607, 21 refs.
35-2602
TUNDRA, FIRES, DAMAGE, SOILS, PLANTS (BOTANY), VEGETATION, SLOPES.
During summer 1977, wildfires burned extensive areas of low arctic tundra in the Seward Peninsula, Alaska. The present study was initiated in July 1978 to determine the effects of these fires on tundra soils and vegetation Nine 10- x 1-m permanent transects were established at regular intervals along the topographic gradient of a burned hillslope in the central Seward Peninsula near Imuruk Lake Soil characteristics and plant species density and cover were determined in each of the 90 1- x 1-m plots on this slope during July of both 1978 and 1979

SR 80-38
THERMAL DIFFUSIVITY OF FROZEN SOIL.
Haynes, F D , et al, Dec 1980, 30p., ADA-094 605, 10 refs.
Carbee, D.L., VanPelt, D.J.
35-2603
FROZEN GROUND PHYSICS, THERMAL DIFFUSION, THERMAL CONDUCTIVITY, SPECIFIC HEAT, HEAT TRANSFER, TEMPERATURE EFFECTS, DENSITY (MASS/VOLUME), SOIL WATER, PERMAFROST PHYSICS.
Knowledge of the thermal diffusivity of frozen soils is necessary for transient heat transfer analysis The specific heat, thermal conductivity and density for a sand, a silt and a clay were obtained experimentally and used to calculate their thermal diffusivity. These properties were measured over a range of temperatures from -50 C to +45 C and for moisture contents from dry to saturated The use of a differential scanning calorimeter for obtaining specific heat values was proven to be a reliable technique

SR 80-39
STRUCTURAL EVALUATION OF POROUS PAVEMENT TEST SECTIONS AT WALDEN POND STATE RESERVATION, CONCORD, MASSACHUSETTS.
Eaton, R.A., et al, Dec. 1980, 43p , ADA-094 606, 5 refs.
Marzbanian, P.C.
35-2006
BITUMINOUS CONCRETES, PAVEMENTS, POROUS MATERIALS, BEARING STRENGTH, CONCRETE STRENGTH, STRUCTURAL ANALYSIS, COLD WEATHER PERFORMANCE, LOADS (FORCES), DEFORMATION, TESTS
This report presents the results of repeated load tests upon various porous pavement test sections constructed in an overflow parking lot at Walden Pond State Reservation in Concord, Massachusetts From the fall of 1977 to the spring of 1979, the seasonal structural responses of the sections were monitored with a repeated plate bearing apparatus After the first set of fall and spring tests, some sections were reconstructed because the asphalt concrete pavement was not porous enough Test points were added or replaced to accommodate the reconstructed sections Results show that the dense asphalt concrete distributed the load over a greater area than the porous asphalt concrete, thicker pavements were stronger for both dense and porous asphalt concrete, and the deflection basin depth and diameter changed proportionately to applied loads

SR 80-40
BUILDING UNDER COLD CLIMATES AND ON PERMAFROST; COLLECTION OF PAPERS FROM A U.S.-SOVIET JOINT SEMINAR, LENINGRAD, USSR.
U S -Soviet Joint Seminar on Building under Cold Climates and on Permafrost, Leningrad, June 24-29, 1979, Dec 1980, 365p , ADA-097 516, Refs passim
For individual papers see 35-1966 through 35-1986
U.S. Department of Housing and Urban Development, U.S Army Corps of Engineers.
35-1965
COLD WEATHER CONSTRUCTION, BUILDINGS, PERMAFROST BENEATH STRUCTURES, CLIMATIC FACTORS, MEETINGS

SR 80-41
EMBANKMENT DAMS ON PERMAFROST IN THE USSR.
Johnson, T C , et al, Dec. 1980, 59p , ADA-095 141, 24 refs
Sayles, F H.
35-2005
EARTH DAMS, PERMAFROST, EMBANKMENTS, THERMAL REGIME, USSR SIBERIA
The report documents a study tour of the USSR to determine the current practices in analyzing the thermal regime of embankment dams on permafrost and in application of these practices in designing dams The results of visits to earth and rockfill dams on permafrost in Siberia are summarized Discussions with the designers of the dams, and with a construction manager and an operations manager, are recorded The leading Soviet engineers and scientists specializing in analysis of the thermal regime of embankment dams on permafrost were consulted, and the discussions are summarized. Experimental facilities of institutes concerned with this question also were inspected.

SR 81-01
OVERLAND FLOW: REMOVAL OF TOXIC VOLATILE ORGANICS.
Jenkins, T F , et al, Feb. 1981, 16p., ADA-097 576, 34 refs.
Leggett, D C , Martel, C.J , Hare, H E
35-2581
WASTE TREATMENT, WATER TREATMENT, FLOODING, LAND RECLAMATION, WATER CHEMISTRY.
A small-scale overland flow system was studied to determine its effectiveness in reducing the levels of volatile trace organics in municipal wastewater. Chlorinated primary wastewater, water collected from the surface at various points downslope, and runoff were analyzed by gas chromatography/mass spectrometry using a purge and trap sampler The results indicated that overland flow was effective in reducing the levels of these substances by 80-100% depending on the specific substance and the application rate The removal mechanism was found to follow first order kinetics The most likely mechanism to explain the observed behavior is volatilization Comparison of the experimental results with theoretical prediction using published models resulted in reasonable agreement considering the complexity of the system compared to the model systems

SR 81-02
METHOD FOR COINCIDENTALLY DETERMINING SOIL HYDRAULIC CONDUCTIVITY AND MOISTURE RETENTION CHARACTERISTICS.
Ingersoll, J , Mar. 1981, 11p., ADA-099 136, 3 refs.
35-3644
SOIL WATER, WATER RETENTION, PERMEABILITY, HYDRAULICS, CONDUCTION, DENSITY (MASS/VOLUME), TENSILE PROPERTIES, GLACIAL DEPOSITS, EQUIPMENT
A constant-head permeameter has been modified to include the essential components of a Tempe cell moisture extractor With this equipment, tests for saturated hydraulic conductivity (permeability), unsaturated hydraulic conductivity and moisture retention characteristics of the soil can be conducted using the same soil sample The procedure can be used for both absorption and desorption phases Test results from four different soils (a glacial till, a fine sand, a silt and a coarse sand) are presented. The effects of density on hydraulic conductivity and moisture retention characteristics are shown

SR 81-03
INVESTIGATION OF THE SNOW ADJACENT TO DYE-2, GREENLAND.
Ueda, H.T., et al, Mar. 1981, 23p., ADA-099 139, 8 refs
Goff, M A , Nielsen, K G
35-3651
SNOW STRENGTH, COMPRESSIVE PROPERTIES, SNOW DENSITY, LOADS (FORCES), SNOW DEPTH, DRILL CORE ANALYSIS
Snow samples from five 50-ft (15 2m) deep holes, augered adjacent to the west side of DEW line Station Dye-2 in Greenland, were investigated for density and unconfined compressive strength Forty-two percent of the recovered cores were tested. Ninety-three percent of the samples tested had a length/diameter ratio greater than 2 1 The loading rate was 2 in /min (51 mm /min) Sample end-effects appeared to influence a high percentage of the failures The heavily disturbed nature of the material is evidenced in the widely scattered values of density and strength with depth. A minimum and maximum strength value of 31 psi (0 21 MPa) and 1065 psi (7 34 MPa) respectively were obtained from a hole located 50 ft (15 2 m) from the structure Using an approach similar to that used prior to the Dye-3 move in 1976, a safety factor exceeding 6 5 is obtained against a brittle bearing failure based on a maximum footing design load of 2000 lb sq ft (96 kPa)

SR 81-04
PLANT GROWTH ON A GRAVEL SOIL: GREENHOUSE STUDIES.
Palazzo, A J , et al, Mar 1981, 8p , ADA-098 598, 9 refs.
Graham, J.M.
35-3692
GRASSES, GROWTH, SOIL STABILIZATION, GRAVEL, NUTRIENT CYCLE
Two greenhouse studies were performed with gravel soils to determine the requirements for nitrogen (N), phosphorus (P), and potassium (K) for grass establishment and to assess the establishment performance of 15 types of grasses The fertilizer study consisted of 30 treatments, each representing a different combination of application rates of N, P, and K A seed mixture containing 'Nugget' kentucky bluegrass 'Pennlawn' red fescue, and annual ryegrass was sown, and the plants were harvested 133 days after sowing Plant leaf and root weights were measured, and soil samples were analyzed for pH, P, K and soluble salts In the grass study, 15 grasses were grown for 76 days All treatments were fertilized at the beginning of the study Plant establishment was periodically assessed and yields were measured at the end of the study In the fertilizer study, N and P were shown to be limiting to leaf growth on this soil Applications of P were the most beneficial for root growth Needs for K were less evident, but it was required for maximum leaf growth at the higher application rates of N and P The greatest yields were recorded when all three elements were applied, while at the lower application rates only N and P were required to promote growth.

SR 81-05
UPPER OCEAN TEMPERATURE, SALINITY AND DENSITY IN THE VICINITY OF ARCTIC DRIFT STATION *FRAM* I, MARCH TO MAY 1979.
McPhee, M.G., Mar. 1981, 20p., ADA-098 597, 2 refs.
35-3706
OCEANOGRAPHY, SALINITY, TEMPERATURE GRADIENTS, DENSITY (MASS/VOLUME), DRIFT STATIONS, ARCTIC OCEAN.
A program designed to measure temperature and conductivity in the upper 270 m of the Arctic Ocean within a 150-km radius of Drift Station FRAM I is described, and data in the form of profiles of temperature, salinity, and density as functions of depth are presented for each of 104 casts made with a portable, self-contained conductivity-temperature-depth instrument Seventy-five of the casts were made away from the ice station at sites reached by helicopter Details of sampling procedure, instrument calibration, and data organization are given.

SR 81-06
INTRODUCTION TO THE BASIC THERMODYNAMICS OF COLD CAPILLARY SYSTEMS.
Colbeck, S C , Mar 1981, 9p., ADA-099 138, 9 refs
35-3712
THERMODYNAMICS, CAPILLARITY, FROZEN GROUND THERMODYNAMICS, WET SNOW, ICE CRYSTAL GROWTH, ENTHALPY, ANALYSIS (MATHEMATICS).
The basic principles of phase equilibrium thermodynamics are reviewed These principles are used to derive several useful relations such as osmotic pressure and Kelvin's equation Several examples are given of the application of thermodynamics to cold regions materials such as grain growth in wet snow and capillary condensation in rocks

SR 81-07
LABORATORY AND FIELD USE OF SOIL TENSIOMETERS ABOVE AND BELOW 0 DEG C.
Ingersoll, J., Apr. 1981, 17p., ADA-101 561, 8 refs.
35-3796
SOIL MECHANICS, SOIL WATER, WATER RETENTION, DENSITY (MASS/VOLUME), TENSILE PROPERTIES, FROST PENETRATION, TEMPERATURE EFFECTS, MEASURING INSTRUMENTS.
Methods for using tensiometers in conjunction with moisture retention characteristic curves for non-destructive soil water measurements are presented for above- and below-freezing situations of engineering interest Four methods for determining moisture retention characteristics, three tensiometer types and several methods of recording soil suction are discussed Procedures for preparing, modifying and installing tensiometers for field use in cold climates are explained Several examples of moisture retention characteristics are shown, including the effect of soil density on water retention Examples of soil tension ahead of and behind a frozen soil zone are also presented

SR 81-08
SUBLIMATION AND ITS CONTROL IN THE CRREL PERMAFROST TUNNEL.
Johansen, N I , May 1981, 12p., ADA-101 555, 3 refs
Chalich, P.C., Wellen, E W.
35-3736
SUBLIMATION, PERMAFROST PRESERVATION, DUST CONTROL
The U S Army Cold Regions Research and Engineering Laboratory s permafrost tunnel at Fox, near Fairbanks Alaska, was used to investigate the sublimation process in permafrost silt The rate of increase in thickness of the dried silt layer from sublimation was found to be approximately 0 023 in (0 058 cm) in 1 month and closely related to the relative humidity in the tunnel Sublimation prevention studies consisted of evaluation of various membranes to impede the sublimation Ice was found to show promise as an easily installed, effective membrane when applied as a fine water mist and subsequently left to freeze

SR 81-09
ICE JAM PROBLEMS AT OIL CITY, PENNSYLVANIA.
Deck, D S , et al, May 1981, 19p , ADA-103 736, 9 refs
Gooch, G
36-179
ICE JAMS, FLOOD CONTROL, ICE CONDITION
Oil City, Pennsylvania, is at the confluence of Oil Creek and the Allegheny River The business district lies within the flood plain of Oil Creek, and as of the winter of 1980, 25 ice jam flooding events had occurred since the mid

1800's. An investigation was done to determine why Oil City was subject to perennial ice jams and nearly biennial ice jam floods. Ice conditions were analyzed and it was determined how and why the jams occurred. By controlling where the initial ice cover forms, Oil City's ice jam floods can be alleviated. Ice control structures will be used to encourage the early formation of ice cover and hence eliminate frazil ice. This will greatly reduce the amount of ice which currently develops in both Oil Creek and the Allegheny River.

SR 81-10
FABRIC INSTALLATION TO MINIMIZE REFLECTION CRACKING ON TAXIWAYS AT THULE AIRBASE, GREENLAND.
Eaton, R.A., et al, May 1981, 26p., ADA-103 737, 2 refs.
Godfrey, R.
36-407
RUNWAYS, CRACKING (FRACTURING), COUNTERMEASURES, BITUMENS, CONCRETE DURABILITY, CONCRETE STRENGTH.
In August 1978 two types of fabrics were placed on sections of taxiways 1 and 3 of Thule AB, Greenland, to study the ability of fabrics with an AC 2.5 overlay to minimize reflection cracking in severe climates. Both fabrics should retain durability and mechanical strength under Thule's arctic conditions.

SR 81-11
METHOD FOR MEASURING BRASH ICE THICKNESS WITH IMPULSE RADAR.
Martinson, C.R., et al, June 1981, 10p., ADA-103 738, 3 refs.
Dean, A.M., Jr.
36-377
ICE FLOES, ICE COVER THICKNESS, LAKE ICE, RADAR ECHOES.
During March 1980 a subsurface impulse radar system was successfully used on board a U.S. Coast Guard cutter to measure brash ice thickness in the Great Lakes. Manual ice thickness measurements were made in the test area to calibrate the radar data and to determine radar range settings. Radar-collected data were recorded on magnetic tape and later played back to a graphic recorder for interpretation. Most of the usable data were collected when the ship's speed was 3-4 knots.

SR 81-12
SEVEN-YEAR PERFORMANCE OF CRREL SLOW-RATE LAND TREATMENT PROTOTYPES.
Jenkins, T.F., et al, July 1981, 25p., ADA-103 739, 6 refs.
Palazzo, A.J., Schumacher, P.W., Hare, H.E., Butler, P.L., Diener, C.J., Graham, J.M.
36-776
WASTE TREATMENT, WATER TREATMENT, LAND RECLAMATION, WATER CHEMISTRY, NUTRIENT CYCLE, STATISTICAL ANALYSIS, SOIL WATER.
A set of six outdoor, slow-rate land treatment prototypes was operated from June 1973 through May 1980. Water quantity and quality data are presented for the wastewater applied to and the percolate leaving the 5-foot soil profile. Average concentration, mass loading and mass and percentage removal of wastewater constituents are presented on a yearly basis. Tabulations of crop production and nutrient uptake are also presented. Nutrient balance sheets summarize the relative amounts removed by plant uptake, deep percolation and other removal mechanisms for nitrogen and phosphorus.

SR 81-13
EFFECTS OF ICE ON COAL MOVEMENT VIA THE INLAND WATERWAYS.
Lunardini, V.J., et al, June 1981, 72p., ADA-103 740, 31 refs.
Minsk, L.D., Phetteplace, G.
36-939
ICE COVER EFFECT, CHANNELS (WATERWAYS), COAL, FUEL TRANSPORT, LOCKS (WATERWAYS), MARINE TRANSPORTATION, COLD WEATHER PERFORMANCE, DAMS.
The part of the Inland Waterways which carries significant coal and which may experience significant ice problems includes the following rivers or waterways: Ohio, Monogahela, Allegheny, Kanawha, Upper Mississippi, and Illinois. Coal transportation along these rivers may be locally interrupted for periods up to 30 days or more every three to five years. Coal handling facilities, navigation channels, and lock and dam sites along the ice prone rivers were surveyed by visit or telephone to ascertain the scope of the ice problems. The importance of ice as a barrier to increased coal movement on the waterways studied manifests itself differently for each link of the flow system. In order of importance the ice will affect the navigation channels, locks and dams, and finally the coal loading unloading facilities. The coal handling facilities will not be significantly slowed down by ice problems associated with winter navigation.

SR 81-14
LOSSES FROM THE FORT WAINWRIGHT HEAT DISTRIBUTION SYSTEM.
Phetteplace, G., et al, June 1981, 29p., ADA-103 741, 6 refs.
Willey, W., Novick, M.A.
36-351
HEAT LOSS, ELECTRIC POWER, PIPELINES, STEAM, THERMAL INSULATION, COMPUTER APPLICATIONS, ANALYSIS (MATHEMATICS).
This report estimates the heat losses from the heat distribution system at Fort Wainwright, Alaska. Specific data on the Fort Wainwright heat and power plant are given and a method is then developed to calculate the heat losses from buried utilidor systems, such as the one at Fort Wainwright. This method is programmed for computer execution and estimates are made for the Fort Wainwright system, where heat losses are found to be 204,500 MBtu/yr. Possible improvements to the system to reduce heat losses are examined. Of the possible combinations of additional pipe insulation investigated, the addition of 1 in. of insulation to the steam pipe only is the most economically favorable. The results also indicate that insulating only the generally larger pipes found in larger utilidors would be the most economically favorable approach. Possible reductions in heat losses due to reduced steam temperature are also given, as well as recommendations for refinement of the predictions.

SR 81-15
LIMNOLOGICAL INVESTIGATIONS: LAKE KOOCANUSA, MONTANA. PT. 5: PHOSPHORUS CHEMISTRY OF SEDIMENTS.
Iskandar, I.K., et al, July 1981, 9p., ADA-107 049, 13 refs.
Shukla, S.S.
36-1122
LIMNOLOGY, LACUSTRINE DEPOSITS, CHEMICAL COMPOSITION, BOTTOM SEDIMENT.
This study characterizes the sediments from Lake Koocanusa (Libby Dam reservoir), Montana, in terms of their ability to sorb and release P. Sediment samples were collected at 12 stations located between the U.S.-Canadian border and Libby Dam (42 miles downstream of the border) during July 1977. The sediments from Lake Koocanusa are calcareous, low in organic matter (< 2.3%), and have a silty loam or loam texture. Most of the P associated with these sediments was in the inorganic form (> 85%), which was highly correlated (r=0.89) with oxalate extractable Fe in the sediment. Sorption tests, with concentrations of either 1 or 10 mg P/g sediments, showed that these sediments have limited ability to sorb additional P from concentrated solutions. The maximum amount sorbed at the lower P concentrations was 67% of the added P and was highly correlated with oxalate extractable Fe in the sediments. Desorption studies showed that very small amounts of both the originally bound P (1 to 2%) and the added P (< 6.3%) were released. Conclusion: the sediments in Lake Koocanusa act as a P sink.

SR 81-16
PROCEEDINGS OF THE INTERNATIONAL SOCIETY FOR TERRAIN-VEHICLE SYSTEMS WORKSHOP ON SNOW TRACTION MECHANICS, ALTA, UTAH, JAN. 29-FEB. 2, 1979.
Harrison, W.L., ed, July 1981, 71p., ADA-106 972, Refs. passim. For individual papers see 36-1391 through 36-1397.
36-1390
SNOW MECHANICS, SNOW COMPRESSION, TRACTION, TRAFFICABILITY, VEHICLE WHEELS, TRACKED VEHICLES, MEETINGS, MATHEMATICAL MODELS.
This report reviews the state of the art of snow traction mechanics and presents the results of a limited field exercise that allowed participants to observe and practice current snow measurement processes and vehicle test procedures. The prime recommendations of the workshop attendees were 1) the use of parameters basic to the laws of physics for the classification of snow strength, and 2) the use of instrumented tracked and wheeled vehicles for snow strength measurements.

SR 81-17
MACROSCOPIC VIEW OF SNOW DEFORMATION UNDER A VEHICLE.
Richmond, P.W., et al, July 1981, 20p., ADA-107 038, 10 refs.
Blaisdell, G.L.
36-1193
SNOW DEFORMATION, SNOW COMPRESSION, LOADS (FORCES), VEHICLES, SNOW DENSITY, STRESSES, SNOW COMPACTION, TESTS.
In this report the deformation of snow under a vehicle is discussed. For snow with an initial density of less than 0.45 Mg cu m, load transfer through shallow snow is shown to be attenuated by an interfacial boundary force. Evidence is presented that shows the existence of a density distribution in the deformed area. Results of a laboratory plate-sinkage test on sintered snow support this analysis. Maximum values obtained for the interfacial boundary force range from 1355 to 2670 N when the average density of the deformed area is about 0.5 Mg/cu m.

SR 81-18
BOTTOM HEAT TRANSFER TO WATER BODIES IN WINTER.
O'Neill, K., et al, Sep. 1981, 8p., ADA-106-977.
Ashton, G.D.
36-972
WATER TEMPERATURE, FREEZING POINTS, HEAT FLUX, HEAT TRANSFER, BOTTOM SEDIMENT, LIMNOLOGY, LAKES, PONDS, WINTER.
In many surface water bodies, water temperature closely follows ambient air temperature. This means that warmer water in winter absorbs heat from below. The extent and pattern of winter heat gain is constrained by the fact that the water temperature does not fall below the freezing point. On the basis of a few simple assumptions, governing equations are solved here pertaining to heat flow in bottom sediments. The results are presented in general nondimensionalized curves. These allow estimation of water/sediment heat flux for any particular case, given truncation of the water temperature curve at the freezing point. The user must supply pertinent yearly air temperature mean and amplitude of variation, together with the thermal diffusivity for the bottom material. The governing equations are solved using a higher order finite element method which solves directly for temperature gradients and hence for heat flux. Thus the method provides particularly accurate flux values at high efficiency. The results illustrate in detail how winter water heat gain is less in cases where mean air temperatures are lower.

SR 81-19
MIZEX—A PROGRAM FOR MESOSCALE AIR-ICE-OCEAN INTERACTION; EXPERIMENTS IN ARCTIC MARGINAL ICE ZONES. 1. RESEARCH STRATEGY.
Wadhams, P., ed, June 1981, 20p., ADA-107 046, 59 refs.
Martin, S., ed, Johannessen, O.M., ed, Hibler, W.D., III, ed, Campbell, W.J., ed.
36-1310
ICE AIR INTERFACE, ICE WATER INTERFACE, ICE EDGE, SEA ICE DISTRIBUTION, RESEARCH PROJECTS, CLIMATIC FACTORS, SEA WATER, WATER TEMPERATURE.
This document describes the research strategy for a series of mesoscale studies of arctic marginal ice zones. The main goal of this program is to gain a better understanding of the processes occurring at the ice margin. These processes are relevant to climate, weather forecasting, petroleum exploration and production, marine transportation, naval operations, and commercial fisheries. In addition MIZEX will aid in determining what modifications to existing ice-ocean-atmospheric models are needed for better prediction near the ice margin.

SR 81-20
MINE/COUNTERMINE PROBLEMS DURING WINTER WARFARE. FINAL REPORT OF A WORKSHOP.
Lunardini, V.J., ed, Sep. 1981, 43p., ADA-107 047.
36-973
EXPLOSIVES, COLD WEATHER PERFORMANCE, SNOW COVER EFFECT, BLASTING, FROZEN GROUND, RESEARCH PROJECTS.
The possibility of modern warfare being waged under cold weather conditions has raised questions about the effectiveness of conventional and new mine systems during the winter. A workshop on mine/countermine winter warfare was held at the U.S. Army Cold Regions Research and Engineering Laboratory, 21-23 October 1980, to define problems related to cold climates. The designer, developer and user communities sent 22 representatives from 16 organizations outside of CRREL. Discussion papers were prepared by four groups, covering emplacement of mines, mine performance, detection of mines, and neutralization of mines. The emphasis was on the unique problems of the winter environment. It appears that the U.S. has the capability to conduct defensive warfare during the summer but is not adequately prepared for mine/countermine winter warfare. Test and research programs are called for to compensate for the prior lack of consideration of the winter environment, to adequately winterize new mine/countermine systems, and to formulate appropriate doctrine for defensive winter warfare.

SR 81-21
POTHOLE PRIMER—A PUBLIC ADMINISTRATOR'S GUIDE TO UNDERSTANDING AND MANAGING THE POTHOLE PROBLEM.
Eaton, R.A., et al, Sep. 1981, 24p., ADA-107 294, 11 refs.
Joubert, R.H., Wright, E.A.
36-1114
PAVEMENTS, DEFECTS, ROAD MAINTENANCE, FREEZE THAW CYCLES, DAMAGE, FATIGUE.

SR 81-22
SURFACE DRAINAGE DESIGN FOR AIRFIELDS AND HELIPORTS IN ARCTIC AND SUBARCTIC REGIONS.
Lobacz, E.F., et al, Sep. 1981, 56p., ADA-107 293, 40 refs.
Eff, K.S.
36-974
AIRPORTS, SURFACE DRAINAGE, ROAD ICING, PERMAFROST DISTRIBUTION, COLD WEATHER CONSTRUCTION, DESIGN CRITERIA, ENVIRONMENTAL IMPACT, HELICOPTERS, ENGINEERING.
This report presents engineering guidance and design criteria for drainage facilities at Army and Air Force airfields and heliports in arctic and subarctic regions. Attention is given to hydrologic criteria, icings, environmental impact, storm drains and design computer programs. A design example and a list of 40 references are included in two appendixes.

SR 81-23
ELECTROMAGNETIC SUBSURFACE MEASUREMENTS.
Dean, A.M., Jr., Oct. 1981, 19p., ADA-108 192.
36-1037
ICE COVER, PROFILES, ELECTROMAGNETIC PROSPECTING, AIRBORNE RADAR, SUBGLACIAL OBSERVATIONS, REMOTE SENSING, ICE BOTTOM SURFACE, FRAZIL ICE, ICE JAMS, PERMAFROST, OIL SPILLS.
In 1974 personnel at the U S Army Cold Regions Research and Engineering Laboratory (CRREL) began using an impulse radar system to profile accumulations of ice forms. Through field experience the system has been modified so that it can be effectively used as a profiling system, in a ground or airborne configuration, in certain high-noise environments. The system can penetrate fresh water and media with a high water content. For instance, frazil and brash ice accumulations with approximately 50% water have been profiled to a depth of 25 to 35 ft. As a result of the CRREL modifications, the system has found extensive and varied applications as a low-level remote sensing tool. Applications include profiling ice accumulations (including ice jams), river beds, sheet ice, permafrost, subsurface ice masses, river bank revetments through air-entrained water, snow covers, sea ice, icebergs, and peat bogs. Limited laboratory work has also shown that the impulse radar system may be able to detect oil and gas under sea ice. Selected applications and data are presented. Since it has been used mainly for research, the CRREL system needs further development to make it useful to operational units. Additional development of hardware and software is recommended.

SR 81-24
SITE INVESTIGATIONS AND SUBMARINE SOIL MECHANICS IN POLAR REGIONS.
Chamberlain, E.J., Oct. 1981, 18p., ADA-108 269, 44 refs.
36-1644
SUBSEA PERMAFROST, SOIL MECHANICS, FROZEN GROUND MECHANICS, OCEAN BOTTOM, OFFSHORE DRILLING, OFFSHORE STRUCTURES, SITE SURVEYS, POLAR REGIONS, BEAUFORT SEA.
Placing oil exploration and production structures offshore in the Alaskan Beaufort Sea will require careful site investigation and evaluation of submarine soil mechanics. Ice-bounded permafrost occurs widely under the Beaufort Sea floor. Its engineering properties are important to the design of offshore structures. Highly overconsolidated clays also occur widely and interfere with access to gravels for constructing artificial islands. Sites should be selected to avoid ice-rich permafrost. Laboratory tests may need to be conducted to determine the potential hazards of thaw consolidation and weakening.

SR 81-25
FOUNDATIONS OF STRUCTURES IN POLAR WATERS.
Chamberlain, E.J., Oct. 1981, 16p., ADA-108 344, 29 refs.
36-1410
OFFSHORE STRUCTURES, FOUNDATIONS, HYDRAULIC STRUCTURES, OFFSHORE DRILLING, ARTIFICIAL ISLANDS, ICE LOADS, SUBSEA PERMAFROST, SEA ICE, SEASONAL FREEZE THAW, PILE STRUCTURES, SITE SURVEYS, BEAUFORT SEA.
Artificial islands and gravity- and pile-founded towers used for the exploration and production of petroleum resources in the Alaskan Beaufort Sea will be affected by conditions not found in more temperate waters. The force of sea ice, the thawing of subsea permafrost, and seasonal freezing and thawing all may cause failure of the foundations of these structures. To ensure the stability of foundations and fill structures, special precautions must be taken in selecting sites and evaluating the engineering properties of sea bed and fill materials.

SR 81-26
IDENTIFYING AND DETERMINING HALOCARBONS IN WATER USING GAS CHROMATOGRAPHY.
Leggett, D.C., Oct. 1981, 13p., ADA-108 345, 50 refs.
36-1749
WASTES, WATER CHEMISTRY, HYDROCARBONS, CHEMICAL ANALYSIS.
Since the discovery that chloroform and other haloforms are produced during water chlorination, methods have been needed for their routine analysis. This report describes application of the multiple equilibration headspace technique for the determination of halocarbons in water. This method has certain advantages over solvent extraction and direct injection techniques, including greater sensitivity because of the favorable gas/liquid distribution ratios. It is simpler and faster than purge and trap and resin sorption methods and gives more information about compound identity than single headspace analysis because gas/liquid distribution ratios are determined experimentally. The method is absolute, unlike solvent extraction, resin sorption, purge and trap, and conventional headspace analysis, which require standard additions to correct for incomplete recovery. The use of the technique to analyze chlorinated water samples for haloforms revealed a potential problem in their analysis. Haloforms continued to form for 24 hours, even after destruction of chlorine residuals with thiosulfate. Maximum haloform concentrations were observed in undechlorinated samples only after a 48-hour aging period.

SR 81-27
SYNOPTIC METEOROLOGY DURING THE SNOW-ONE FIELD EXPERIMENT.
Bilello, M.A., Nov. 1981, 55p., ADA-109 080, 3 refs.
36-1821
SYNOPTIC METEOROLOGY, METEOROLOGICAL DATA, SNOWFALL, MEASURING INSTRUMENTS, MAPPING.
The daily atmospheric pressure systems and weather fronts that traversed the northeastern United States during the SNOW-ONE Field Experiment from 11 January through 20 February 1981 are summarized. This experiment is the first in a planned series of measurements to study the influence of atmospheric obscurants on electro-optical system performance. The analysis of the large-scale synoptic patterns that developed during the field test period constitutes a critical component of the research program. The weather during the measurement period included nine new daily high temperature records. January was one of the driest and February was one of the wettest ever observed. These conditions were caused in part by two high pressure cells and two major low pressure systems that crossed the region. One of these lows brought warm air and heavy rain to New England, and the other produced significant snowfall in northern Vermont.

SR 81-28
SITE SELECTION METHODOLOGY FOR THE LAND TREATMENT OF WASTEWATER.
Ryan, J.R., et al, Nov. 1981, 74p., ADA-108 636, Refs. p.46-49.
Loehr, R.C.
36-1853
WASTE DISPOSAL, WATER TREATMENT, LAND RECLAMATION, SITE ACCESSIBILITY.
A methodology is presented that covers facets of site selection from preliminary screening to field data acquisition for the preparation of a final design for a land treatment system. The basic assumption underlying the methodology is an approach to site selection in which the entire study area is investigated for potential sites while considering the whole spectrum of land treatment processes. Due to the extensive nature of such a study, several iterations are required to determine the most feasible site and land treatment alternatives. The methodology is presented in three parts. Level I defines the technical feasibility of implementing land treatment for a particular wastewater problem. The boundaries of the study area are defined and available land areas are rated for their suitability for land treatment based on topography, land use, hydrogeology and soil characteristics. A preliminary design for each suitable level I site candidate is prepared in the level II site analysis. The design is based on an evaluation of soil/waste interactions that considers responses to limiting soil conditions. A cost-effectiveness evaluation of waste treatment alternatives and site candidates is developed in level II. The most cost-effective site candidate is then selected for intensive level III field investigations. Data acquired in the level III field investigations will determine the design requirements of the land treatment system.

SR 81-29
MOBILITY BIBLIOGRAPHY
Liston, N., comp, Nov 1981, 313p., ADA-108 228.
Hutt, M., comp, White, L., comp
36-1491
TRAFFICABILITY, VEHICLES, BIBLIOGRAPHIES, TRANSPORTATION, SNOW VEHICLES, AIR CUSHION VEHICLES, TRACKED VEHICLES, SNOW STRENGTH, SOIL STRENGTH.
This bibliography is an international compilation of literature relating to terrain vehicles, amphibious vehicles, snow vehicles, air cushion vehicles, tracked vehicles, wheeled vehicles, and off road vehicles. It also covers the related subjects of rolling resistance, traction, snow strength measurement, soil strength measurement, terrain analogs, vehicle models, and the overall topic of vehicle mobility. It is not comprehensive but begins at about 1970 and ends in 1980. The European coverage is lacking because much of this material is not accessible by computerized literature searching, which was the mechanism used for compiling this bibliography.

SR 81-30
PREDICTING WHEELED VEHICLE MOTION RESISTANCE IN SHALLOW SNOW.
Blaisdell, G.L., Dec. 1981, 18p., ADA-147 117, 14 refs.
39-872
RUBBER SNOW FRICTION, SNOW COMPACTION, VEHICLE WHEELS, SNOW DEPTH, SNOW COVER EFFECT, TRAFFICABILITY, VELOCITY, FORECASTING, MATHEMATICAL MODELS.
A vehicle traveling through snow is required to expend a greater amount of energy than is necessary when traveling on a rigid surface. Visually, this energy difference can be explained by the formation of a rut. Various attempts have been made in the past to equate the energy of compaction to vehicle motion resistance. However, many of the previous models use information gathered through the application of a vertical force (with a plate-sinkage device) to predict the horizontal motion resisting force. In an attempt to more accurately quantify the relationship between snow compaction and vehicle motion resistance, a vectorial analysis of compaction by a wheel is performed. A method for separating the compaction due to vehicle weight and forward thrust (horizontal propulsion) is suggested. Two methods of using this compaction force breakdown with field-generated data are proposed for the calculation of vehicle motion resistance in shallow snow.

SR 81-31
ROOF MOISTURE SURVEY: RESERVE CENTER GARAGE, GRENIER FIELD, MANCHESTER, N.H.
Tobiasson, W., et al, Dec. 1981, 18p., ADA-110 135, 6 refs.
Coutermarsh, B.A., Greatorex, A.
36-2430
ROOFS, WATERPROOFING, MOISTURE, THERMAL INSULATION, WETTABILITY, BITUMENS, INFRARED EQUIPMENT, DRAINS, TEMPERATURE MEASUREMENT, MEASURING INSTRUMENTS.
An insulated roof with a badly blistered bituminous builtup membrane was surveyed with a hand-held infrared camera to locate areas of wet insulation. Several thermal patterns were observed. Core samples were taken to determine moisture contents. Core samples verified that one thermal anomaly was caused by the increased thickness of bitumen. All other anomalies were caused by wet urethaneperlite composite insulation. Some insulation boards contained much more moisture near the edges than at the center, but others were more uniformly wet. Dramatically different thermal patterns resulted. A few nuclear and capacitance readings, taken for comparison purposes, showed that extra bitumen adversely affects such sensing methods. Because of the amount of wet insulation and the condition of the membrane, both should be removed. The new roofing system for this building should have internal drains and be provided with a sloped surface.

SR 81-32
AUTOMOTIVE COLD-START CARBON MONOXIDE EMISSIONS AND PREHEATER EVALUATION.
Coutts, H.J., Dec. 1981, 37p., ADA-112 170, 7 refs.
36-2751
ENGINE STARTERS, VEHICLES, COLD WEATHER OPERATION, AIR POLLUTION, TEMPERATURE EFFECTS.
Fairbanks and Anchorage, Alaska, experience high wintertime ambient levels of carbon monoxide (CO). Emissions from starting automobile engines in cold weather are thought to be a major source of CO. A quantitative procedure for determining startup CO was developed. The startup emissions were measured as a function of soak time at several low ambient temperatures. The performance of engine preheaters in reducing the startup CO at the various soak times and temperatures was estimated. The data scatter was too great to draw any firm conclusions, however, the length of cold-soak time appeared to have a stronger effect on cold-start CO emissions than did soak temperatures (0 to -30C). Compared to no preheat, continuous preheat during an overnight cold soak can reduce the cold-start CO emissions by 20 to 90%.

SR 81-33
EFFECT OF SOIL TEMPERATURE AND PH ON NITRIFICATION KINETICS IN SOILS RECEIVING A LOW LEVEL OF AMMONIUM ENRICHMENT.
Parker, L.V., et al, Dec 1981, 27p., ADA-112 171, Refs. p.17-20.
Iskandar, I.K., Leggett, D.C.
36-2752
SOIL CHEMISTRY, SOIL TEMPERATURE, NUTRIENT CYCLE, WASTE TREATMENT, SOIL MICROBIOLOGY.

Two soil samples from an on-going field study of land application municipal wastewater were spiked with low levels of ammonium to determine the effect of temperature on nitrification kinetics. The concentrations of ammonium and nitrite-plus-nitrate, and the number of autotrophic ammonium and nitrite oxidizers were monitored periodically durng the study. There was a lag period prior to nitrite-plus-nitrate production at all temperatures, and the length of this lag period was temperature-dependent, with the longest period occuring at the lowest temperature. The maximum rate of nitrification increased with temperature as expected. While nitrite-plus-nitrate production appeared logarithmic, suggesting a growing nitrifier population, the MPB counts of the nitrifiers did not exhibit logarithmic growth To study the effect of soil pH on nitrification kinetics, soil samples from field plots having the same soil type but different pHs (4 5, 5.5, and 7.0) were spiked with low levels of ammonium and the rate of nitrite-plus-nitrate production was measured The maximum rate of nitrification was greater at pH 5.5 than at 4.5. Unexpectedly rapid disappearance of ammonium, nitrite and nitrate, caused by immobilization, obscured the expected effects of pH on the nitrification rate at the highest pH.

SR 81-34
SEA ICE RUBBLE FORMATIONS IN THE BERING SEA AND NORTON SOUND, ALASKA.
Kovacs, A., Dec. 1981, 23p., ADA-113 773, 22 refs.
36-2841
PRESSURE RIDGES, ICE PRESSURE, SEA ICE, OFFSHORE STRUCTURES, ICE LOADS, ICE FORMATION, ICE SURFACE, OFFSHORE DRILLING, GROUNDED ICE, FLOATING ICE.
The occurrence of large, compact, grounded pressure ridge formations up to 15 m high in the coastal waters of Norton Sound and the Bering Sea is discussed. These formations periodically float free and drift about, gouging the seabed. Their mass makes them a severe threat to both floating and bottom-founded structures in these waters

SR 82-01
OVERVIEW OF MODELS USED IN LAND TREATMENT OF WASTEWATER.
Iskandar, I K , Mar. 1982, 27p., ADA-114 403, Refs. p.22-27.
36-2910
LAND RECLAMATION, WASTE TREATMENT, WATER TREATMENT, NUTRIENT CYCLE, MATHEMATICAL MODELS, SOIL MICROBIOLOGY, SOIL WATER, SOIL CHEMISTRY.
This report summarizes the state of the art of the modeling of wastewater renovation by land treatment. The models discussed are classified based on their use for planning, site selection and cost analysis, and for predicting 1) water and salt transport in soils, 2) nitrogen transport and transformations, 3) phosphorus transport and transformations, 4) virus movement in soils, and 5) toxic metal and trace organic movement in soils. This report compares the different models as to their purpose, input and output data, and status of validation In addition, the report includes a section on research needs for modeling land treatment of wastewater

SR 82-02
TESTING SHAPED CHARGES IN UNFROZEN AND FROZEN SILT IN ALASKA.
Smith, N., Mar. 1982, 10p., ADA-113 670, 2 refs
36-2742
EXPLOSION EFFECTS, BLASTING, FROZEN GROUND STRENGTH, SOIL STRENGTH, BOREHOLES, TESTS

SR 82-03
SECOND NATIONAL CHINESE CONFERENCE ON PERMAFROST, LANZHOU, CHINA, 12-18 OCTOBER 1981.
Brown, J., et al, Mar 1982, 58p , ADA-114 445
Yen, Y.-C.
39-871
PERMAFROST, FROZEN GROUND, RESEARCH PROJECTS, MEETINGS, GEOCRYOLOGY, CHINA.
The Second National Chinese Conference on Permafrost was attended by the authors, and visits were made to two research institutes in Lanzhou, the Northwest Institute of the China Academy of Railway Sciences and the Institute of Glaciology and Cryopedology Approximately 100 papers were presented at the conference and 180 abstracts were published The papers were presented during three sessions 1) Distribution, Characteristics and Formation of Frozen Ground, 2) Basic Physico-Mechanical Properties and Processes in Frozen Soils, and 3) Engineering Design and Construction in Permafrost. Sixty nine institutions conducting frozen ground research in China were represented It was planned to present selected papers from this conference at the Fourth International Conference on Permafrost in Fairbanks, Alaska, in 1983

SR 82-04
PRELIMINARY ASSESSMENT OF THE NUTRIENT FILM TECHNIQUE FOR WASTEWATER TREATMENT.
Bouzoun, J.R., et al, Mar. 1982, 15p , ADA-115 425, 12 refs.
Palazzo, A.J.
36-3112
WASTE TREATMENT, WATER TREATMENT, SANITARY ENGINEERING, PLANTS (BOTANY), GROWTH, STATISTICAL ANALYSIS.
An experiment was conducted to determine the feasibility of using a solar powered, self-regenerating plant growth system, called the nutrient film technique (NFT), to treat primary effluent (average temperature, 11 1C) Primary effluent was pumped onto the elevated end of a sloping waterproof 2-x40-ft plywood tray and trickled through the root mat of reed canarygrass. The quantity of influent and effluent was measured as well as temperature, pH, total suspended solids, volatile suspended solids, BOD5, total nitrogen, ammonia nitrogen, nitrate nitrogen, total phosphorus, phosphate phosphorus, and fecal coliform organisms The quantity and quality of the reed canarygrass was determined from samples taken from six harvests. Mass balances are presented for BOD5, total suspended solids, total nitrogen, ammonia nitrogen, total phosphorus, and phosphate phosphorus. The removal of several volatile trace organic compounds was determined on two separate dates.

SR 82-05
PLANT GROWTH AND MANAGEMENT FOR WASTEWATER TREATMENT IN OVERLAND FLOW SYSTEMS.
Palazzo, A.J., Apr. 1982, 21p., 25 refs.
36-3113
WASTE TREATMENT, WATER TREATMENT, LAND RECLAMATION, PLANTS (BOTANY), GROWTH, GRASSES.
Domestic wastewater was applied over a four-year period at various rates to three overland flow test slopes to study forage grass growth and nutrient removal The annual application rates of nitrogen and phosphorus ranged up to 2026 and 226 kg/ha, respectively The forage grasses were harvested three times per season Plant yields, composition and uptake of nutrients were determined. The results show that reed canary grass, quackgrass and Kentucky bluegrass were the most persistent grasses on the slope over the four years.

SR 82-06
METEOROLOGICAL CONDITIONS CAUSING MAJOR ICE JAM FORMATION AND FLOODING ON THE OTTAUQUECHEE RIVER, VERMONT.
Bates, R., et al, May 1982, 25p., ADA-116 386, 15 refs.
Brown, M.-L.
39-873
ICE JAMS, FLOODING, METEOROLOGICAL FACTORS, ICE BREAKUP, RIVER ICE, RIVER FLOW, PRECIPITATION (METEOROLOGY), UNITED STATES—VERMONT—OTTAUQUECHEE RIVER.
This report discusses wintertime meteorological conditions that can induce rapid ice breakup, ice jam formation and subsequent flooding These conditions, described for the Ottauquechee River in Vermont, should be representative of those for similar unregulated river systems in northern temperate regions Summer flood conditions are compared to those during winter floods, when river ice is the main impediment to water flow Comparisons are made for total precipitation, stage height and the synoptic meteorological situations.

SR 82-07
MOISTURE DETECTION IN ROOFS WITH CELLULAR PLASTIC INSULATION—WEST POINT, NEW YORK, AND MANCHESTER, NEW HAMPSHIRE.
Korhonen, C., et al, May 1982, 22p , ADA-117 872, 6 refs
Coutermarsh, B A
36-3924
MOISTURE DETECTION, ROOFS, CELLULAR PLASTICS, THERMAL INSULATION, THERMAL REGIME, INFRARED PHOTOGRAPHY
New roofs with cellular plastic insulation and a bituminous built up membrane were surveyed with a hand held infrared camera to determine its effectiveness in detecting damp and wet insulation Wet areas were found and defined with the help of 2 in diam core samples The results of the tests showed the infrared camera can be useful and effective as an inspection tool within the time constraints of the typical one year warranty period The tests also underlined the importance of core samples for verification

SR 82-08
SNOW-ONE-A; DATA REPORT.
Aitken, G.W., ed, May 1982, 641p., ADB-068 569, For selected papers see 37-1095 through 37-1107.
37-1094
SNOWFALL, SNOWSTORMS, SNOWFLAKES, ELECTROMAGNETIC PROPERTIES, METEOROLOGICAL DATA, WAVE PROPAGATION, MILITARY OPERATION, VISIBILITY.
This report contains the data obtained during the SNOW-ONE-A Field Experiment. All of the data suitable for presentation in this format are included with the exception of the results from a very few measurement programs whose data could not be provided in time The report includes meteorological measurements made by CRREL and ASL; snow characterization data from CRREL, AFGL and ASL, OptiMetrics, NRL, AFGL and Photometrics; millimeter wavelength propagation measurements made by BRL, and target/background data from Optimetrics. The SNOW-ONE-A Field Experiment was the second in a planned series conducted by the Cold Regions Research and Engineering Laboratory for the Directorate of Research and Development of the U.S. Army Corps of Engineers It was conducted at CEATC, Jericho, Vermont from 30 Nov. 1981 to 23 Feb 1982.

SR 82-09
CRREL 2-INCH FRAZIL ICE SAMPLER.
Rand, J.H., May 1982, 8p.
36-3744
FRAZIL ICE, SAMPLERS, ANTARCTICA—WEDDELL SEA.
The CRREL 2-inch frazil ice sampler is a tubular device for obtaining undisturbed samples of frazil ice from beneath a floating ice cover. It fits through a 2 1/2 in -diameter hole drilled in the ice. A liquid-tight seal at the bottom of the sampler prevents the loss of frazil ice and/or water from the tube while the unit is being raised. The sampler was used for the first time in the floes in the Weddell Sea, Antarctica in austral summer, 1980-1981. (Auth. mod)

SR 82-10
EVALUATING THE HEAT PUMP ALTERNATIVE FOR HEATING ENCLOSED WASTEWATER TREATMENT FACILITIES IN COLD REGIONS.
Martel, C.J., et al, May 1982, 23p., ADA-116 385, 11 refs.
Phetteplace, G.
39-1259
HEAT RECOVERY, WASTE TREATMENT, WATER TREATMENT, PUMPS, COST ANALYSIS.
This report presents a five-step procedure for evaluating the technical and economic feasibility of using heat pumps to recover heat from treatment plant effluent The procedure is meant to be used at the facility planning level by engineers who are unfamiliar with this technology. An example of the use of the procedure and general design information are provided. Also, the report reviews the operational experience with heat pumps at wastewater plants located in Fairbanks, Alaska, Madison, Wisconsin, and Wilton, Maine.

SR 82-11
SNOWPACK PROFILE ANALYSIS USING EXTRACTED THIN SECTIONS.
Harrison, W.L., May 1982, 15p., ADA-117 839, 3 refs.
36-3925
SNOW SURVEY TOOLS, PROFILES, EQUIPMENT.
A method is presented for obtaining snow profiles for analysis. The method and required equipment replace former methods such as the "roaring bonfire" technique and the use of dyes

SR 82-12
EFFECTS OF INUNDATION ON SIX VARIETIES OF TURFGRASS.
Erbisch, F.H , et al, May 1982, 25p., ADA-117 838, Refs. p.17-25.
Stark, K L.
36-4002
GRASSES, GROWTH, FLOODING, DAMAGE, PLANT PHYSIOLOGY, TESTS
Six cold-adapted grasses were given ten-day dark and inundation stress treatments Nugget Kentucky bluegrass grown in soil or gravel exhibited the best survival Sydsport bluegrass did well in gravel Meadow foxtail and manchar brome survived the treatments when grown in silt soil, but did not when grown on gravel soil Rhizomes were regenerated by most of the grasses Root transverse sections did not show any stress-related damage, but leaf sections did The damage in the sections paralleled that observed macroscopically Electrophoretic analysis for the peroxidase enzyme complex showed significant banding pattern differences before external damage was visible This technique may prove to be a diagnostic tool for determining stress damage Seedlings of all grasses except sydsport bluegrass survived a 15-day inundation

SR 82-13
IMPROVING ELECTRIC GROUNDING IN FROZEN MATERIALS.
Delaney, A.J., et al, June 1982, 12p., ADA-117 873, 14 refs.
Sellmann, P.V., Arcone, S.A.
37-51
PERMAFROST PHYSICS, ELECTRICAL GROUNDING, ELECTRICAL RESISTIVITY, SALINE SOILS, GRAIN SIZE, ELECTRIC CHARGE, FROZEN GROUND PHYSICS, TESTS.
This study shows that resistance to ground of a simple vertical electrode in frozen fine-grained soil can be lowered significantly by placing it in a hole backfilled with a conductive soil-salt mixture. These tests were performed near Fairbanks, Alaska, in perennially frozen silt. Three electrodes were installed in holes created by detonating standard military shaped charges placed at the ground surface. The backfill contained varying amounts of salt. Measurement of resistance to ground of each electrode was made seasonally. The resistance to ground was lowered by an order of magnitude by the addition of a water-saturated salt-soil backfill. Improvement persisted six months after the backfill was placed and allowed to freeze. The degree of improvement provided by this technique will be a function of grain size and permeability of the surrounding soil.

SR 82-14
EVALUATION OF A SIMPLE MODEL FOR PREDICTING PHOSPHORUS REMOVAL BY SOILS DURING LAND TREATMENT OF WASTEWATER.
Ryden, J.C., et al, June 1982, 12p., ADA-117 848, 35 refs.
Syers, J.K., Iskandar, I.K.
36-4092
WASTE TREATMENT, WATER TREATMENT, SOIL CHEMISTRY, FORECASTING, LAND RECLAMATION, MATHEMATICAL MODELS.
This report evaluates a simple P balance model to predict site longevity with respect to P removal during land treatment of wastewater. The model is based on measured inputs and outputs of P at the treatment site and on an estimate of the P storage capacity of the soil profile. Sorption of P by three soils used for land treatment conformed to the P sorption model based on a generalized isotherm. Laboratory sorption tests were used to predict P storage capacity of the soil profiles at a solution P concentration equivalent to that in the effluent applied to the soil. For two soil profiles the P balance model predicted site longevities of approximately 50 and 210 years. The existing depth of P enrichment in these profiles predicted from the model agreed closely with measurements of P enrichment based on amounts of NaOH-extractable P and on measured soil solution P concentrations.

SR 82-15
LIMNOLOGICAL INVESTIGATIONS: LAKE KOOCANUSA, MONTANA. PART 4: FACTORS CONTROLLING PRIMARY PRODUCTIVITY.
Woods, P.F., et al, June 1982, 106p., ADA-119 328, Refs. p.54-63.
Falter, C.M.
37-173
BIOMASS, RESERVOIRS, LIMNOLOGY, DAMS, PHOTOSYNTHESIS, LAKE WATER, WATER TEMPERATURE.
Postimpoundment loadings of total nitrogen and total phosphorus delivered to Lake Koocanusa by the principal inflowing stream, the Kootenai River, were predicted to be large enough to cause eutrophication of the lake; however, measured annual primary productivity for 1972 through 1975 was relatively low, and characteristic of oligotrophic values because phytoplankton photosynthesis was suppressed by physical limnological factors. The predominant flood-control function of the reservoir necessitates substantial reductions in volume during the autumn and winter. These large-scale water movements weakened the thermal structure of the reservoir.

SR 82-17
(PROCEEDINGS).
Snow Symposium, 1st, Hanover, NH, August 1981, June 1982, 324p., ADB-091 442, Refs passim. For individual papers see 40-1928 through 40-1946.
40-1927
SNOW SURVEYS, SNOWFALL, BLOWING SNOW, MILITARY OPERATION, SNOW OPTICS, SNOW ACOUSTICS, TRANSMISSION, MEETINGS, SCATTERING, SNOW WATER EQUIVALENT, INFRARED RADIATION, VISIBILITY.

SR 82-18
PROCEEDINGS OF A WORKSHOP ON THE PROPERTIES OF SNOW, 8-10 APRIL 1981, SNOWBIRD, UTAH.
Brown, R.L., ed, 1982, 135p., ADA-120 517, Refs. passim. For individual papers see 36-2530 through 36-2535 and 39-1718. Includes committee chairmen's reports.
Colbeck, S.C., ed, Yong, R.N., ed.
39-1717
SNOW PHYSICS, SNOW SURVEYS, METAMORPHISM (SNOW), SNOW MECHANICS, SNOW ACCUMULATION, SNOW OPTICS, SNOW ELECTRICAL PROPERTIES.

SR 82-19
CHEMICAL OBSCURANT TESTS DURING WINTER; ENVIRONMENTAL FATE.
Cragin, J.H., Aug. 1982, 9p, ADB-068 594, 3 refs.
37-733
AEROSOLS, SNOW COMPOSITION, SNOW SURFACE, AIR POLLUTION, CHEMICAL PROPERTIES, SMOKE GENERATORS.
Concentrations of orthophosphate, IR1 and IR2 obscurants were measured in surface snow samples after a winter test of white phosphorus (WP) smoke and the two infrared screeners. Sample concentrations of IR1 and IR2 decreased exponentially downwind from the smoke release point. Orthophosphate concentrations were all lower than the analytical detection limit of 0.15 mg/L. Quantities of smoke released pose no hazard to the public or environment. Snow was found to provide a clean non-contaminating surface upon which to collect the deposited aerosol.

SR 82-20
BIBLIOGRAPHY OF LITERATURE ON CHINA'S GLACIERS AND PERMAFROST. PART 1: 1938-1979.
Shen, J., ed, Sep. 1982, 44p., ADA-122 399.
Zhang, X., ed.
37-2371
GLACIER SURVEYS, PERMAFROST, GLACIOLOGY, SNOW SURVEYS, ICE SURVEYS, BIBLIOGRAPHIES, AVALANCHES, MUDFLOWS, REMOTE SENSING, MAPPING, ISOTOPE ANALYSIS, CHINA.
This report is a translation of a book received by USACRREL as part of its cooperative program with the Institute of Glaciology and Cryopedology, Academia Sinica, People's Republic of China. The bibliography covers the following topics: glaciers by geographic regions, applied glaciology including snow, avalanches, and river ice, permafrost (cryopedology), mud flows, and survey techniques including mapping, remote sensing, and isotope analyses. A list of Chinese journals is included.

SR 82-21
LIMNOLOGICAL INVESTIGATIONS: LAKE KOOCANUSA, MONTANA. PART 1: PRE-IMPOUNDMENT STUDY, 1967-1972.
Bonde, T.J.H., et al, Oct. 1982, 184p., ADA-119 632, Refs. p.76-78.
Bush, R.M.
39-1260
LIMNOLOGY, LAKE WATER, DAMS, WATER POLLUTION, RESERVOIRS, NUTRIENT CYCLE, UNITED STATES—MONTANA—KOOCANUSA, LAKE.
This report documents the effects of the construction of Libby Dam upon the water quality of the United States portion of the Kootenai River during the pre-impoundment phase of a long-term water quality study. Water quality problems during dam construction appeared to be restricted to short-term increases in suspended sediment and turbidity which suppressed the aquatic insect population in the river downstream. Abnormally high background concentrations and abrupt chemical changes in water quality during the course of the study were attributed to industrial discharges from a fertilizer plant and mining operation located on an upstream tributary to the river. Nutrient loadings of nitrogen and phosphorus were found to be of sufficient magnitude to predict the development of eutrophic conditions following impoundment suggesting that efforts in controlling nutrient point sources be continued.

SR 82-22
SUPPRESSION OF ICE FOG FROM THE FORT WAINWRIGHT, ALASKA, COOLING POND.
Walker, K.E., et al, Oct. 1982, 34p., ADA-123 069, 28 refs.
Brunner, W.
39-1729
ICE FOG, VISIBILITY, COUNTERMEASURES, PONDS, COOLING SYSTEMS, AIR TEMPERATURE, VEHICLES, ACCIDENTS.
Ice fog near the Ft. Wainwright cooling pond creates a visibility hazard. Observations show a substantial reduction in visibility along both private and public roadways in the path of the cooling pond's ice fog plume. This reduction in visibility increases as the ambient air temperature decreases. Visibility was less than 215 m (700 ft) on the Richardson Highway on the average of 8 days for each of the 4 data years. Data collected during the winters of 1979-80, 1980-81 and 1981-82 statistically show that use of a monomolecular film evaporation suppressant, hexadecanol, on the pond to reduce ice fog is ineffective. There is an immediate need for a driver warning system when visibility is affected by the ice fog.

SR 82-23
LIMNOLOGICAL INVESTIGATIONS: LAKE KOOCANUSA, MONTANA. PART 3: BASIC DATA, POST-IMPOUNDMENT, 1972-1978.
Storm, P.C., et al, Nov. 1982, 597p., ADA-124 454, 8 refs.
Bonde, T.J.H., Bush, R.M., Helms, J.W.
38-4080
LIMNOLOGY, LAKE WATER, WATER CHEMISTRY, WATER POLLUTION, RESERVOIRS, RIVERS, STATISTICAL ANALYSIS, WASTE DISPOSAL, WATER TREATMENT, WATER TEMPERATURE, UNITED STATES—MONTANA—KOOCANUSA, LAKE.
Study of Lake Koocanusa, Montana (the reservoir formed by impoundment of the Kootenai River by Libby Dam in 1972), was undertaken in 1972 as a continuation of pre-impoundment studies of the Kootenai River underway since 1967. This report presents the water quality-limnological data compiled by the Corps of Engineers from 1972 through 1978. Additional information was provided by the British Columbia Ministry of Environment, Waste Management Branch, and the Water Survey of Canada. The data are presented in tabular form. No analyses are included.

SR 82-24
ENERGY CONSERVATION AT THE WEST DOVER, VERMONT, WATER POLLUTION CONTROL FACILITY.
Martel, C.J., et al, Nov. 1982, 18p., ADA-123 170, 4 refs.
Sargent, B.C., Bronson, W.A.
37-2372
WATER TREATMENT, WATER POLLUTION, SEWAGE TREATMENT, WASTE TREATMENT, ENVIRONENTAL PROTECTION, COST ANALYSIS.
An energy audit was conducted at the West Dover, Vermont, water pollution control facility. The audit revealed that aeration, not pumping to the land treatment site, was the largest energy consumer. As a result of the audit, five Energy Conservation Opportunities (ECO) were evaluated. Three of the ECOs were recommended for implementation; these could result in annual savings of more that $6000. The remaining two ECOs were not recommended because of a large capital investment required and a long payback period.

SR 82-25
METHOD FOR MEASURING ENRICHED LEVELS OF DEUTERIUM IN SOIL WATER.
Oliphant, J.L., et al, Nov. 1982, 12p., ADA-123 070, 10 refs.
Jenkins, T.F., Tice, A.R.
38-4039
SOIL WATER, HYDROGEN, ISOTOPES, HEAVY WATER, SPECTROSCOPY, ACCURACY.
This report describes procedures for analyzing hydrogen isotope ratios. Hydrogen is separated from liquid water or soil water by reacting the water with heated uranium. An isotope-ratio mass spectrometer determines the atom % deuterium in the hydrogen to a precision of 0.0075. Ways of upgrading the mass spectrometer to obtain better precision are also discussed.

SR 82-26
USER'S INDEX TO CRREL LAND TREATMENT COMPUTER PROGRAMS AND DATA FILES.
Berggren, P.A., et al, Nov. 1982, 65p., ADA-123 172, Refs. p.56-65.
Iskandar, I.K.
37-2373
WASTE TREATMENT, WATER TREATMENT, LAND RECLAMATION, COMPUTER PROGRAMS
This user's index is a directory for the computer programs and data files developed at CRREL on land treatment of wastewater. Two computers are used, a Prime 400 located at CRREL and the Dartmouth Time Sharing System (DTSS) located at Dartmouth College, Hanover, New Hampshire. The objective of this directory is to allow users to locate and use or request desired programs or data files, to maintain a permanent record of programs and data files developed under the land treatment program, and to assist in technology transfer. Appendix A contains a list of published papers and technical reports related to the computer programs and the data files. The program or file of concern is listed at the end of each citation.

SR 82-27
PILOT-SCALE EVALUATION OF THE NUTRIENT FILM TECHNIQUE FOR WASTEWATER TREATMENT.
Bouzoun, J.R., et al, Nov. 1982, 34p., ADA-123 429, 12 refs.
Diener, C.J., Butler, P.L.
38-4383
WASTE TREATMENT, WATER TREATMENT, CHEMISTRY, NUTRIENT CYCLE, PLANT PHYSIOLOGY, WATER RETENTION.
An experiment was conducted to determine the feasibility of using several plant species in a pilot-scale nutrient film technique (NFT) installation to further treat primary-treated effluent. The reduction of biochemical oxygen demand, total suspended solids, and nitrogen and phosphorus concentrations by the NFT is discussed. Tracer studies showed that the hydraulic retention time of the wastewater in the NFT trays was inversely related to the wastewater application rate, and that for a given flow, plants with fine root systems (such as reed canarygrass) had a much longer detention time than plants with coarse tuberous rhizomes (such as cattails). The BOD reduction could be described using the plug-flow reactor model with first-order kinetics.

SR 82-28
PHYSICAL PROPERTIES OF THE ICE COVER OF THE GREENLAND SEA.
Weeks, W.F., Nov. 1982, 27p., ADA-123 712, 3 refs.
37-2374
ICE PHYSICS, SEA ICE, ICE STRUCTURE, ICE COMPOSITION, ICE MECHANICS, ICE FRICTION, ICE ADHESION, ICE ELECTRICAL PROPERTIES, ICE THERMAL PROPERTIES, FAST ICE, PACK ICE, GREENLAND SEA.
There is very little information available on the physical properties of the ice cover of the Greenland Sea. This paper reviews what is known about the different types of ice that are believed to occur in this area. It also discusses how the internal structure and composition of these ice masses may differ from those of the more extensively studied ice of the Beaufort Sea and identifies gaps in the present knowledge of the properties of such ice masses (regardless of places of origin). Finally a strategy is outlined for efficiently studying the properties of the ice in the Greenland Sea by combining structural and compositional characterization with limited property determinations.

SR 82-30
BASELINE WATER QUALITY MEASUREMENTS AT SIX CORPS OF ENGINEERS RESERVOIRS, SUMMER 1981.
Parker, L.V., et al, Dec. 1982, 55p., ADA-125 440, 13 refs.
Jenkins, T.F., Brockett, B.E., Butler, P.L., Cragin, J.H., Govoni, J.W., Keller, D.B.
37-3495
RESERVOIRS, WATER CHEMISTRY, WATER POLLUTION, CHEMICAL ANALYSIS, WATER TEMPERATURE, SUSPENDED SEDIMENTS.
Water quality information was collected at six reservoirs of the New England Division, U.S. Army Corps of Engineers, during the summer and fall of 1981. The reservoirs tested included Ball Mountain in Jamaica, Vermont, Everett and Hopkinton-Elm Brook in Hopkinton, New Hampshire, North Hartland in North Hartland, Vermont, Stoughton Pond and North Springfield in North Springfield, Vermont, and Townshend in Townshend, Vermont. Field measurements included temperature, pH, conductivity, dissolved oxygen, depth, and the point of visual extinction. Laboratory analyses included determination of total suspended matter, turbidity, alkalinity, ammonium, nitrate, orthophosphate, total phosphorus, total nitrogen, total organic carbon, heavy metals (Zn, Pb, Cd and Cr), fecal coliforms, and chlorophyll a.

SR 82-31
RESERVOIR BANK EROSION CAUSED AND INFLUENCED BY ICE COVER.
Gatto, L.W., Dec. 1982, 26p., ADA-124 508, Refs. p.20-26.
38-4040
BANKS (WATERWAYS), SOIL EROSION, ICE EROSION, RESERVOIRS, ICE COVER EFFECT, EROSION, WATER LEVEL, BEACHES.
The purpose of this study was to evaluate the importance of reservoir bank erosion caused by an ice cover. The evaluation is based on a literature review and on inferences made from field observations and experience. Very little is known about the amount of reservoir bank erosion caused by the actions of an ice cover, although considerable information is available on the processes of ice-related erosion along the shorelines or beaches of oceans, rivers or lakes. The importance of ice-related erosion along a reservoir bank seems to be determined primarily by water level. If the reservoir water level is high enough for ice to act directly on the bank face, the amount of erosion caused by ice could be substantial. If the water level is below the bank, ice would have no direct effect on it. However, ice could indirectly increase bank instability by disrupting and eroding nearshore and beach zones, which could lead to bank erosion.

SR 82-32
DEVELOPING A WATER WELL FOR THE ICE BACKFILLING OF DYE-2.
Rand, J.H., Dec. 1982, 19p., ADA-125 503, 11 refs.
39-1730
WATER SUPPLY, ICE MELTING, WELLS, LOGISTICS, GREENLAND.
One proposal to extend the useful life of DEW Line Ice Cap Station DYE-2 is to backfill the lower 50 feet of the truss enclosure with ice. This report discusses a method by which 2.8 million gallons of water would be collected and stored by melting ice. Also included is a description of required components, their costs and the logistical requirements to establish such a system.

SR 82-33
INFRARED INSPECTION OF NEW ROOFS.
Korhonen, C., Dec. 1982, 14p., ADA-125 502, 9 refs.
37-2788
ROOFS, MOISTURE DETECTION, INFRARED PHOTOGRAPHY, THERMAL INSULATION, BUILDINGS.
The feasibility of using infrared cameras to detect wet insulation during the typical 1-year warranty period for new Army roofs was studied. Both the ability to gain moisture and the manner of wetting of insulations were of major concern. Although some insulations take on moisture much slower that others, 8 to 10 months usually is ample time for most insulations to absorb enough moisture to be detectable by an infrared camera. However, the early signs of this moisture as seen with the infrared camera differ with insulation type. Basically, boards of slower-wetting cellular plastic insulations initially wet at their perimeters, whereas highly absorbent fibrous insulations tend to wet more or less uniformly. An infrared camera is well suited for finding the typically small and sometimes irregularly shaped wet areas on a new roof. A specification incorporating this technology should be now tested.

SR 83-01
USING THE DWOPER ROUTING MODEL TO SIMULATE RIVER FLOWS WITH ICE.
Daly, S.F., et al, Jan. 1983, 19p., ADA-125 439, 10 refs.
Ashton, G.D.
37-2487
RIVER FLOW, RIVER ICE, ICE COVER EFFECT, ICEBOUND RIVERS, FLOODS, FLOW RATE, MATHEMATICAL MODELS.
The flow routing model of the National Weather Service entitled DWOPER (Dynamic Wave Operational Forecast Program) is examined with regard to the modifications required to include the effect of river ice on the flow variables of water level and discharge. Difficulties in modeling the ice effects are described. Example model output is presented showing the transient effects introduced by imposition of removal of the ice cover from and otherwise uncovered flow.

SR 83-03
CRREL INSTRUMENTED VEHICLE: HARDWARE AND SOFTWARE.
Blaisdell, G.L., Jan. 1983, 75p., ADA-128 713.
38-4041
TIRES, VEHICLES, LOADS (FORCES), SURFACE PROPERTIES, TESTS, COMPUTER PROGRAMS, MEASURING INSTRUMENTS, MAINTENANCE, VELOCITY.
This report gives a detailed description of the CRREL Instrumented Vehicle (CIV). The CIV is equipped with instrumentation to measure three mutually perpendicular forces acting at the interface between the front tires and any surface material. In addition, accurate wheel and vehicle speeds and rear axle torque are measured. The vehicle is equipped for front-wheel, rear-wheel or four-wheel drive. A dual brake system allows front-, rear- or four-wheel braking. A minicomputer-based data acquisition system is installed in the vehicle to control data gathering and to process the data. The software for data acquisition and manipulation and the interfacing techniques required are described.

SR 83-04
SNOW SYMPOSIUM 2; U.S. ARMY COLD REGIONS RESEARCH AND ENGINEERING LABORATORY, HANOVER, NEW HAMPSHIRE, AUGUST 1982, VOL.1.
Snow Symposium, 2nd, Hanover, NH, August 1982, Mar 1983, 295p., ADB-073 046, Refs passim. For individual papers see 38-4305 through 38-4325.
38-4304
SNOW PHYSICS, SNOW CRYSTAL STRUCTURE, SNOWFALL, BLOWING SNOW, SNOW OPTICS, INFRARED RADIATION, LIGHT TRANSMISSION, LIGHT SCATTERING, VISIBILITY, MODELS, MEETINGS.

SR 83-05
FROZEN SOIL CHARACTERISTICS THAT AFFECT LAND MINE FUNCTIONING.
Richmond, P.W., Apr. 1983, 18p., ADA-144 308, 10 refs.
39-96
MILITARY OPERATION, FROZEN GROUND MECHANICS, EXPLOSION EFFECTS, LOADS (FORCES), MINES (ORDNANCE), FREEZE THAW CYCLES, STRESSES, FROZEN GROUND TEMPERATURE, TENSILE PROPERTIES, WATER CONTENT.
This report discusses the results of an experiment to determine the effect of five factors on the load transferred through frozen soil to a buried land mine. The five variables examined were load, temperature, number of freeze-thaw cycles, soil, and water content. Analysis of a half-fraction factorial experiment shows that no one variable can be used as a predictor of mine functioning performance.

SR 83-06
OPTIMIZATION MODEL FOR LAND TREATMENT PLANNING, DESIGN AND OPERATION. PART 1. BACKGROUND AND LITERATURE REVIEW.
Baron, J.A., et al, Apr. 1983, 35p., ADA-134 554, Refs. p.31-35.
Lynch, D.R., Iskandar, I.K.
38-882
LAND RECLAMATION, WASTE TREATMENT, WATER TREATMENT, MODELS, DESIGN, NUTRIENT CYCLE, SEASONAL VARIATIONS, AGRICULTURE.
The material presented in Part I is intended to provide insight into the possible land treatment planning objectives, the status of land treatment research and implementation, the renovative processes that occur in the various components of these systems, and the potential for optimizing the configuration of these components. The structure and application of nine models, which include methods to optimize the regional planning, design and operation of slow-rate land treatment systems, are briefly discussed. General comments follow on the overall status of research in land treatment modeling and design and directions for future work.

SR 83-07
OPTIMIZATION MODEL FOR LAND TREATMENT PLANNING, DESIGN AND OPERATION. PART 2. CASE STUDY.
Baron, J.A., et al, Apr. 1983, 30p., ADA-134 513, 14 refs.
Lynch, D.R., Iskandar, I.K.
38-883
WASTE TREATMENT, WATER TREATMENT, LAND RECLAMATION, DESIGN, MODELS, NUTRIENT CYCLE, AGRICULTURE.
A procedure to evaluate design and operating options for slow-rate land treatment systems is demonstrated. The nonlinear optimization model LTMOD is used to generate optimal monthly operating regimes (effluent application patterns) and to define optimal design configurations (combinations of storage capacity and irrigation area). The model is applied to a hypothetical slow-rate land treatment system in a cool, humid area with a forage crop, where the operation and design of the system is constrained by the potential for nitrogen renovation in the storage facility and in the soil-crop system. The cost properties over the range of optimal design alternatives are examined to deduce some general cost characteristics of slow-rate systems ranging from 0.5 to 10 mgd.

SR 83-08
OPTIMIZATION MODEL FOR LAND TREATMENT PLANNING, DESIGN AND OPERATION. PART 3. MODEL DESCRIPTION AND USER'S GUIDE.
Baron, J.A., et al, Apr. 1983, 38p., ADA-134 461, 4 refs.
Lynch, D.R.
38-884
WASTE TREATMENT, LAND RECLAMATION, WATER TREATMENT, MODELS, DESIGN.
A nonlinear optimization model applicable to slow-rate land treatment systems in cool, humid regions is described. The model prescribes optimal design variables as well as an operating schedule for a facility comprising a storage lagoon with bypass and a single-crop irrigation system. The optimization is achieved by use of generalized, commercially available software that embodies the reduced gradient method. The model equations are presented. The computational structure as implemented on the CRREL Prime System is described, with instructions for use. A sample problem illustrates model application, and a program listing is appended.

SR 83-09
CORPS OF ENGINEERS LAND TREATMENT OF WASTEWATER RESEARCH PROGRAM: AN ANNOTATED BIBLIOGRAPHY.
Parker, L.V., et al, Apr. 1983, 82p., ADA-130 136.
Berggren, P.A., Iskandar, I.K., Irwin, D., McDade, C., Hardenberg, M.
38-4042
WASTE TREATMENT, WATER TREATMENT, SANITARY ENGINEERING, LAND RECLAMATION, BIBLIOGRAPHIES.
This bibliography contains publications of research funded in whole or in part by the Corps of Engineers Land Treatment Research Program, conducted from January 1972 to May 1982. The program was officially complete in October 1980. Six types of publications are included: 1) publications in open literature (which may include papers in journals, chapters in books and books), 2) technical reports, 3) engineer technical letters, 4) draft translations (mainly from Russian), 5) theses and dissertations (M.S., Ph.D.), and 6) presentations at scientific conferences

SR 83-10
SYNOPTIC METEOROLOGY DURING THE SNOW-ONE-A FIELD EXPERIMENT.
Bilello, M.A., May 1983, 80p., ADA-134 888, 8 refs.
38-885
SNOWFALL, STORMS, FREEZING, SYNOPTIC METEOROLOGY, PRECIPITATION (METEOROLOGY), METEOROLOGICAL DATA.
The daily atmospheric systems and weather fronts that traversed the northeastern United States during the SNOW-ONE-A Field Experiment from 30 November to 20 December 1981 and from 3 January to 10 February 1982 are summarized. This experiment is the second of a series of winter measurements of the influence of atmospheric obscurants on electro-optical system performance. The analysis of the large-scale synoptic weather patterns that developed during the field test period constitutes a critical component of the research program. Precipitation in northern Vermont during SNOW-ONE-A was near normal for the region. Numerous separate snowfall events, including some with substantial amounts of snow, were recorded during the experiment period. Almost all of the storms that produced more than 6 cm of snow resulted from coastal cyclogenesis or developing waves that deepened as they moved north or northeastward along the Atlantic coastline. The majority of the other events with lighter amounts of freezing precipitation were caused by less intense storm systems, troughs, or fronts that traversed the region from the west or northwest and often moved quite rapidly.

SR 83-11
EFFECT OF VESSEL SIZE ON SHORELINE AND SHORE STRUCTURE DAMAGE ALONG THE GREAT LAKES CONNECTING CHANNELS.
Wuebben, J.L., May 1983, 62p., ADA-134 887, 13 refs.
40-4677
SHORES, CHANNELS (WATERWAYS), ICE LOADS, SHIPS, STRUCTURES, DAMAGE, VELOCITY, GREAT LAKES.
In conjunction with the Great Lakes connecting channels and harbors study, this report examines the potential damage to the shore and shore structures due to an increase in vessel size. The areas considered in this report are the United States shorelines along the St. Marys, St. Clair and Detroit rivers. The potential for shoreline or shore structure damage due to an increase in vessel size was reviewed on both a conceptual and site-specific basis. Ship-induced waves were ruled out as a damage mechanism since the analysis showed that the contemplated increases in vessel size would not significantly affect wave heights in the nearshore zone. Propeller wash was discounted for similar reasons. Ship-induced drawndown was determined to be the major potential damage mechanism. While larger ships potentially produce more damage, this potential is significant only in severely restricted channel sections for the size increase considered here. By far the most significant factor in ship-related damage potential is vessel speed. In almost all areas the effect of an increase in vessel size could be eliminated by a reduction in vessel speed of 1-2 mph.

SR 83-12
MIZEX—A PROGRAM FOR MESOSCALE AIR-ICE-OCEAN INTERACTION EXPERIMENTS IN ARCTIC MARGINAL ICE ZONES. 2. A SCIENCE PLAN FOR A SUMMER MARGINAL ICE ZONE EXPERIMENT IN THE FRAM STRAIT/GREENLAND SEA: 1984.
Johannessen, O.M., ed, May 1983, 47p., ADA-134 872, Refs. p 19-21
Hibler, W.D., III, ed, Wadhams, P., ed, Campbell, W.J., ed, Hasselmann, K., ed, Dyer, I., ed, Dunbar, M., ed.
38-876
ICE WATER INTERFACE, ICE AIR INTERFACE, ICE NAVIGATION, ICE EDGE, RESEARCH PROJECTS, GREENLAND SEA.

SR 83-13
REPORTS OF THE U.S.-U.S.S.R. WEDDELL POLYNYA EXPEDITION, OCTOBER-NOVEMBER 1981, VOLUME 6: UPPER-AIR DATA.
Andreas, E.L., May 1983, 288p., ADA-134 871.
38-4498
MARINE METEOROLOGY, SOUNDING, METEOROLOGICAL INSTRUMENTS, ANTARCTICA—WEDDELL SEA.
This report summarizes the most extensive set of upper-air data ever collected over Antarctic sea ice in winter, the data obtained using radiosondes during the U.S.-U.S.S.R. Weddell Polynya Expedition. The report includes a description of the two radiosonde systems used, a chronological listing of all 110 soundings made during the expedition, a discussion of measured and derived quantities, listings of all of the sounding data, and plots to 5 km of the potential temperature profile from each sounding.

SR 83-14
REPORTS OF THE U.S.-U.S.S.R. WEDDELL POLYNYA EXPEDITION, OCTOBER-NOVEMBER 1981 VOLUME 7: SURFACE-LEVEL METEOROLOGICAL DATA.
Andreas, E.L., et al, May 1983, 32p., ADA-134 476, 11 refs.
Makshtas, A.P.
38-867
METEOROLOGICAL DATA, SEA ICE, ICE TEMPERATURE, WIND VELOCITY, AIR TEMPERATURE, HUMIDITY, SOLAR RADIATION, ANTARCTICA—WEDDELL SEA.
This report summarizes a comprehensive set of surface-level meteorological data collected on the *Mikhail Somov* over sea ice in the southern ocean during the U.S.-U.S.S.R. Weddell Polynya Expedition in October and November of 1981. The data assembled here comprise three distinct sets of measurements: the standard meteorological observations at 3-hour intervals for 41 consecutive days, radiation and ice-surface temperature measurements every hour for 23 days while the *Somov* was within the Antarctic ice pack, and 23 sets of atmospheric surface-layer profiles of velocity, temperature and humidity for various sea-ice conditions. (Auth.)

SR 83-15
SHORELINE EROSION AND SHORE STRUCTURE DAMAGE ON THE ST. MARYS RIVER.
Wuebben, J.L., May 1983, 36p., ADA-134 863, 4 refs.
38-886
SHORELINE MODIFICATION, SHORE EROSION, FAST ICE, SEDIMENT TRANSPORT, STRUCTURES, DAMAGE, ICE NAVIGATION, ICE FLOES, PIERS.
From 1961 to 1970 navigation on the St. Marys River closed for the winter from mid-December to mid-April. Subsequent extension of the navigation season to include the winter months resulted in complaints of shoreline and dock damage along the navigation channels. Studies were initiated to examine the potential for navigation-caused damage, but information on damage during a navigation-free winter was lacking. Since limited navigation was planned during the 1979-80 winter, the St. Marys River System could be examined under relatively undisturbed conditions. The report examines potential navigation-related damage mechanisms and presents data from the closed navigation season. The results are compared with information collected during previous periods with winter navigation.

SR 83-16
SNOW-ONE-B DATA REPORT.
Bates, R.E., ed, June 1983, 284p., ADB-088 224, Refs. passim. For individual papers see 39-1952 through 39-1961. For SNOW-ONE-A preliminary data report see 37-1094 (SR 82-8).
Bowen, S.L., ed.
39-1951
SNOWFLAKES, WAVE PROPAGATION, MILITARY OPERATION, SNOWFALL, SNOWSTORMS, METEOROLOGICAL DATA, VISIBILITY, ELECTROMAGNETIC PROPERTIES, OPTICAL PROPERTIES, TRANSMISSION
This is the third in a series of data reports on the SNOW field experiments of the U.S. Army Corps of Engineers Winter Battlefield Obscuration Research Program. It contains data obtained by the U.S. Army Cold Regions Research and Engineering Laboratory and other agencies during the SNOW ONE B field experiment at Camp Grayling, Michigan, between 30 November and 17 December 1982. Included are data on meteorology, atmospheric turbulence, visible and IR transmission, snow characterization, millimeter wavelength radar propagation, transmittance through falling and blowing snow, the lidar system, the SMART system, and preliminary smoke trials with snow as a contrast background.

SR 83-17
PROCEEDINGS OF THE FIRST INTERNATIONAL WORKSHOP ON ATMOSPHERIC ICING OF STRUCTURES, 1-3 JUNE 1982, HANOVER, NEW HAMPSHIRE.
Minsk, L.D., ed, June 1983, 366p., ADA-131 869, Refs. passim. For individual papers see 38-424 through 38-463.
38-423
ICING, STRUCTURES, ICE LOADS, SNOW LOADS, ICE ACCRETION, SNOW ACCUMULATION, TRANSMISSION LINES, POWER LINE ICING, MEETINGS, ICE REMOVAL, ICE PREVENTION.

SR 83-18
EFFECT OF UNCONFINED LOADING ON THE UNFROZEN WATER CONTENT OF MANCHESTER SILT.
Oliphant, J.L., et al, June 1983, 17p., ADA-131 851, 13 refs.
Tice, A.R., Berg, R.
39-1370
FROZEN GROUND STRENGTH, LOADS (FORCES), UNFROZEN WATER CONTENT, SOIL WATER, TEMPERATURE MEASUREMENT, NUCLEAR MAGNETIC RESONANCE, THERMODYNAMICS.
Frozen samples of a Manchester silt having various total water contents were subjected to several surcharge loads, and the unfrozen water content was measured with NMR as the temperature was gradually raised. The surcharge pressure had a greater effect on the unfrozen water content than had been predicted using the Clausius-Clapeyron equation. This effect was explained by considering the loaded samples as nonequilibrium systems in which the surcharge pressures were concentrated in the ice phase.

SR 83-19
PREDICTING LAKE ICE DECAY.
Ashton, G.D., June 1983, 4p., ADA-132 012, 4 refs.
38-471
LAKE ICE, ICE DETERIORATION, HEAT TRANSFER, FORECASTING, DEGREE DAYS, ANALYSIS (MATHEMATICS).
A nine-year record of the lake ice decay pattern of Post Pond in Lyme, New Hampshire, is analyzed using a simple algorithm. Quite good correlations between decay rates and thawing degree-days are obtained using heat transfer coefficients on the order of 15-20 W/sq m/deg C.

SR 83-2
REPORTS OF THE U.S.-U.S.S.R. WEDDELL POLYNYA EXPEDITION, OCTOBER-NOVEMBER 1981, VOLUME 5, SEA ICE OBSERVATIONS.
Ackley, S.F., et al, Jan. 1983, 6p. + 59p., ADA-130 140, 4 refs.
Smith, S.J.
39-380
SEA ICE DISTRIBUTION, POLYNYAS, ICE CONDITIONS.
Sea ice conditions are presented in several formats. These include an ice conditions map prepared by the ship's meteorological crew, a narrative ice log supplemented by photographs taken by one of the authors, and daily satellite photographs. These are presented in a format compiling each day's conditions on one or two pages. These observations are being correlated with other satellite-based estimates of ice conditions, and with other oceanographic and meteorological measurements made during the expedition. (Auth.)

SR 83-20
SNOW COVER AND METEOROLOGY AT ALLAGASH, MAINE, 1977-1980.
Bates, R., June 1983, 49p., ADA-132 013, 4 refs.
38-472
SNOW COVER DISTRIBUTION, SNOW SURVEYS, SNOW WATER EQUIVALENT, PRECIPITATION (METEOROLOGY), WEATHER STATIONS, METEOROLOGICAL DATA, UNITED STATES—MAINE ALLAGASH
A complete meteorological field station and a snow survey network were set up in the Allagash River Watershed to record baseline conditions prior to construction of the proposed Dickey-Lincoln Dam in the upper St. John River Basin in Allagash, Maine. Nearly three years of daily data (Oct 1977 May 1980) are summarized and compared to long-term climatic conditions for nearby National Weather Service stations. Air temperature values for Allagash are similar to those for the two nearest meteorological stations, water equivalent precipitation amounts and snowfall totals in the Allagash basin are inconsistent with those for nearby meteorological stations.

SR 83-21
EXAMINATION OF A BLISTERED BUILT-UP ROOF: O'NEILL BUILDING, HANSCOM AIR FORCE BASE.
Korhonen, C., et al, June 1983, 12p., ADA-133 042, 2 refs.
Greatorex, A.
38-123
ROOFS, DEFORMATION, COLD WEATHER TESTS, MOISTURE, INFRARED SPECTROSCOPY.
Blisters are a common defect in built-up roofs. In January 1983 we examined a recently constructed built-up roof at Hanscom Air Force Base in Bedford, Massachusetts, to determine the cause of its blisters. We used an infrared scanner, took ten core samples, conducted visual examinations, and cut open three blisters. Our findings show that the membrane is essentially watertight and that the blisters were caused by voids that were built into the roof during construction. Poor workmanship and cold weather are the likely causes of the voids. With proper maintenance reasonable performance can be achieved from this imperfect roof

SR 83-22
ESTIMATING TRANSIENT HEAT FLOWS AND MEASURING SURFACE TEMPERATURES OF A BUILT-UP ROOF.
Korhonen, C., July 1983, 20p., ADA-133 043, 4 refs.
38-541
HEAT TRANSFER, SURFACE TEMPERATURE, ROOFS, INFRARED EQUIPMENT, THERMAL INSULATION.
Transient heat flow through a multilayered building component can be estimated using the transfer function method presented in the ASHRAE (1977) *Handbook of Fundamentals*. Sol-air temperature is one parameter recommended for use in this method, but surface temperatures were shown to be a reasonable substitute. Although the magnitude of the heat flow as calculated with the transfer function appears to be reasonable, more testing should be carried out to determine its accuracy. An infrared camera can measure roof surface temperatures fairly accurately; the most accurate measurements were made at night.

SR 83-23
AEROSTAT ICING PROBLEMS.
Hanamoto, B., Aug. 1983, 29p., ADA-133 403.
39-874
BALLOONS, ICING, PROTECTIVE COATINGS, ICE PREVENTION, COATINGS.
This report describes laboratory tests to determine the effectiveness of a copolymer coating on a balloon to minimize ice build-up problems when operating in sleet, freezing rain or other ice-forming conditions. Methods for deicing the surface after an ice cover forms are also described. A small-scale balloon was used for the laboratory tests. A full-scale prototype was also partially coated with the copolymer to test its effectiveness as an icing control measure.

SR 83-24
CURRENT PROCEDURES FOR FORECASTING AVIATION ICING.
Tucker, W.B., Aug. 1983, 31p., ADA-136 152, 23 refs.
38-2437
AIRCRAFT ICING, ICE FORECASTING, WEATHER FORECASTING, METEOROLOGICAL FACTORS.
The responsibilities for aircraft icing forecasts in the U.S. lie with the National Weather Service (NWS) for civilian operations and the U.S. Air Force Air Weather Service (AWS) and Naval Weather Service for military operations. Forecasting technology is based upon empirical rules and techniques that were developed in the 1950s. The AWS is the only forecasting agency which issues explicit numerical icing products to aid the forecaster. These products are also based upon the application of techniques developed long ago. The NWS has no rigorous guidelines for developing icing forecasts, thus individual forecasters adopt their own preferred methods. The tendency is generally to "overforecast," that is, to forecast too large an area of icing for too long a time. A major shortcoming in the ability to produce more accurate forecasts is that atmospheric parameters critical to icing are not routinely observed.

SR 83-25
UNDERSTANDING THE ARCTIC SEA FLOOR FOR ENGINEERING PURPOSES.
National Research Council. Committee on Arctic Seafloor Engineering. 1982, Washington, D.C., National Academy Press, 1982, 141p., ADA-119 773, Refs. p.115-141.
38-787
SUBSEA PERMAFROST, FROZEN GROUND PHYSICS, PERMAFROST PHYSICS, FREEZE THAW CYCLES, OCEAN BOTTOM, ICE CONDITIONS, EROSION, POLAR REGIONS, BOTTOM SEDIMENT, ENGINEERING, EXPLORATION, FROST HEAVE, PETROLEUM INDUSTRY, ICE SCORING, OFFSHORE STRUCTURES, HYDRATES, SEASONAL VARIATIONS, ARCTIC OCEAN.
This report identifies and assesses those arctic seafloor phenomena that influence the design and operation of facilities and platforms for exploring and producing oil, gas, and hard minerals both on and under the sea floor. It also identifies knowledge that is needed of seafloor phenomena and conditions, and, for several areas of major concern, recommends special research. These recommendations are intended to enhance the ability of the engineer and operator to anticipate and avoid problems that may be posed by seafloor and coastal phenomena, and guard against the effects of such events as thaw subsidence and erosion.

SR 83-26
LAND TREATMENT PROCESSES WITHIN CAPDET (COMPUTER-ASSISTED PROCEDURE FOR THE DESIGN AND EVALUATION OF WASTEWATER TREATMENT SYSTEMS).
Merry, C.J., et al, Sep. 1983, 79p., ADA-134 766, Refs. p.70-72.
Corey, M.W., Epps, J.W., Harris, R.W., Cullinane, M.J., Jr.
38-887
LAND RECLAMATION, WASTE TREATMENT, WATER TREATMENT, SEEPAGE, COMPUTERIZED SIMULATION, ANALYSIS (MATHEMATICS).
A summary of the first-, second-, and third-order design steps for the three land treatment unit processes (slow infiltration, rapid infiltration and overland flow) within the CAPDET model is presented. The first-order design, consisting of the basic sanitary engineering processes for slow infiltration, rapid infiltration, and overland flow, is described in terms of the selected procedures and the computer format. The second-order design is a description of the quantities and sizes calculated for each land treatment process. The third-order design is the calculation of the unit process costs by applying prices to the quantities and sizes calculated during the second-order design step.

SR 83-27
REVISED PROCEDURE FOR PAVEMENT DESIGN UNDER SEASONAL FROST CONDITIONS.
Berg, R., et al, Sep. 1983, 129p., ADA-134 480, 7 refs.
Johnson, T.C.
38-888
PAVEMENTS, FROST PROTECTION, FROST ACTION, SOIL STABILIZATION, FROST HEAVE, SEASONAL FREEZE THAW, ROADS, AIRPORTS, THERMAL INSULATION, DESIGN CRITERIA.
This report presents engineering guidance and design criteria for pavements at Army and Air Force facilities in seasonal frost areas. Design methods for controlling surface roughness and loss of subgrade strength during thawing periods are provided. Criteria for using thermal insulating materials and membrane encapsulated soil layers in seasonal frost areas are presented. Six design examples are included.

SR 83-28
SIMPLE BOOM ASSEMBLY FOR THE SHIPBOARD DEPLOYMENT OF AIR-SEA INTERACTION INSTRUMENTS.
Andreas, E.L., et al, Sep. 1983, 14p., ADA-134 256, 21 refs.
Rand, J.H., Ackley, S.F.
38-868
METEOROLOGICAL INSTRUMENTS, MEASURING INSTRUMENTS, SHIPS, BOOMS (EQUIPMENT), ANTARCTICA
We have developed a simple boom for use in measuring meteorological variables from a ship. The main structural member of the boom, a triangular communications tower with rollers attached along its bottom side, is deployed horizontally from a long, flat deck, such as a helicopter deck, and will support a 100-kg payload at its outboard end. The boom is easy to deploy, requires minimal ship modifications, and provides ready access to the instruments mounted on it. And because it is designed for use with the ship crosswind, oceanographic work can go on at the same time as the air-sea interaction measurements. We describe our use of the boom on the *Mikhail Somov* during a cruise into antarctic sea ice and present some representative measurements made with instruments mounted on it. Theory, experiment, and our data all imply that instruments deployed windward from a rear helicopter deck can reach air undisturbed by the ship. Such an instrument site has clear advantages over the more customary mast, bow, or buoy locations. (Auth.)

SR 83-29
U.S. TUNDRA BIOME PUBLICATION LIST.
Brown, J., et al, Sep. 1983, 29p., ADA-137 441
Liston, N., Murphy, D., Watts, J.
38-2247
TUNDRA, VEGETATION, ECOSYSTEMS, NUTRIENT CYCLE, BIBLIOGRAPHIES, PLANT PHYSIOLOGY, SOILS, ECOLOGY, CLIMATIC FACTORS, ENVIRONMENTAL IMPACT, GROWTH

SR 83-30
HISTORICAL BANK RECESSION AT SELECTED SITES ALONG CORPS OF ENGINEERS RESERVOIRS.
Gatto, L.W., et al, Sep. 1983, 103p., ADA-138 030, Refs. p.76-79.
Doe, W.W., III.
39-1371
SOIL EROSION, RESERVOIRS, BANKS (WATERWAYS), ICE COVER EFFECT, FREEZE THAW CYCLES, SHORELINE MODIFICATION, ENVIRONMENTAL IMPACT, WATER WAVES, WIND FACTORS, CLIMATIC FACTORS.
This analysis was done to improve our understanding of the patterns of reservoir bank recession as a preliminary step in a detailed study of reservoir bank erosion processes and environmental impacts. The specific objectives were to observe and document bank characteristics, conditions and changes along reservoirs with eroding banks, to estimate the amounts of historical bank recession, and to analyze its possible causes. Aerial photographs were used to observe the historical bank changes and to estimate bank recession. Site reconnaissance, discussions with Corps personnel, and published reports were used to evaluate possible relationships between the recession and reservoir bank conditions.

SR 83-31
PROCEEDINGS, VOL.1.
Snow Symposium, 3rd, Hanover, NH, Aug. 9-10, 1983, Oct. 1983, 241p., ADB-079 265, Refs. passim.
For individual papers see 38-2119 through 38-2138.
38-2118
SNOW PHYSICS, SNOW CRYSTAL STRUCTURE, SNOW WATER EQUIVALENT, SNOWFALL, HEAT TRANSFER, SNOW SURVEYS, MICROWAVES, REMOTE SENSING, ANALYSIS (MATHEMATICS), MEETINGS.

SR 83-32
MULTIVARIABLE REGRESSION ALGORITHM.
Blaisdell, G.L., et al, Nov. 1983, 41p., ADA-136 630.
Carpenter, T.
38-4043
DATA PROCESSING, ANALYSIS (MATHEMATICS), COMPUTER PROGRAMS, THEORIES.
A BASIC algorithm has been developed that is capable of fitting a user-defined regression equation to a set of data. This best-fit-curve algorithm is unique in that it allows multiple variables and multiple forms (exponential, trigonometric, logarithmic, etc.) to be present in a single regression equation. The least-squares regression performed determines the constants for each of the regression equation terms to provide a best-fit curve. Other programs within the algorithm set allow for data entry, editing and printout, and plotting of the raw data and their best-fit regression curve.

SR 84-01
INTEGRATION OF LANDSAT LAND COVER DATA INTO THE SAGINAW RIVER BASIN GEOGRAPHIC INFORMATION SYSTEM FOR HYDROLOGIC MODELING.
McKim, H.L., et al, Feb. 1984, 19p., ADA-140 185, 16 refs.
Ungar, S.G., Merry, C.J., Gauthier, J.F
38-4044
HYDROLOGY, REMOTE SENSING, TERRAIN IDENTIFICATION, LANDSAT, MODELS, RIVER BASINS, ENVIRONMENTAL IMPACT, FLOOD FORECASTING, UNITED STATES-MICHIGAN, SAGINAW RIVER.
A May 1977 Landsat-2 scene that covered approximately 85% of the Saginaw River Basin was classified into five land cover categories (urban, agriculture, forest, freshwater wetlands and open water) using a clowest centroid classifier. The Landsat digital data were geometrically corrected to conform to a UTM (Universal Transverse Mercator) grid before classification. The 1.1-acre Landsat land cover classification data base was converted to 40-acre grid cells (subby-six blocks of Landsat pixels) using an aggregation scheme and was integrated into the Detroit District's existing grid cell data base. A regression relationship between unit hydrograph parameters and the Landsat land cover classification was developed. The results indicated that the Landsat-2 land cover data were suitable for the Corps of Engineers hydrologic model.

SR 84-02
ICE OBSERVATION PROGRAM ON THE SEMISUBMERSIBLE DRILLING VESSEL SEDCO 708.
Minsk, L.D., Feb. 1984, 15p., ADA-139 992, 5 refs.
38-4045
SHIP ICING, ICE CONDITIONS, ICE FORMATION, ICE PREVENTION, PROTECTIVE COATINGS, OFFSHORE DRILLING, SHIPS, SEA SPRAY
A semisubmersible drilling vessel (SEDCO 708) was equipped with ice detectors and ice accretion measurement devices, and observations were conducted while it drilled an exploratory well on the North Aleutian Shelf. One significant storm

occurred 2-8 January 1983, which resulted in light spray ice accretion, estimated at 30 tons and a maximum thickness of 5 in. on understructure diagonal trusses. Only minor icing (less than 1 in.) occurred on the windward main columns (30 ft diameter). Comparison with the 1979 Ocean Bounty icing event suggests that wind speed is the significant parameter influencing icing severity, and that light icing will occur at average speeds around 30 knots and heavy icing around 38 knots, with undefined severity within the range. Four icephobic coatings were exposed on test panels, one was effective

SR 84-03
U.S. AIR FORCE ROOF CONDITION INDEX SURVEY: FT. GREELY, ALASKA.
Coutermarsh, B.A., Mar. 1984, 67p., ADA-142 023, 6 refs.
38-4046
ROOFS, MOISTURE DETECTION, TESTS, DEFECTS, CRACKING (FRACTURING).
The United States Air Force Roof Condition Index Survey (RCI) procedure was studied and used on the roofs of Fort Greely, Alaska. Approximately 93 roof sections were inspected using this procedure. The results will be used in a comparison study between this method and the Army's method of infrared roof surveys and core samples. This report details the RCI method, discusses various aspects of the procedure and presents the results of the Fort Greely survey.

SR 84-04
ASSESSMENT OF ICE ACCRETION ON OFFSHORE STRUCTURES.
Minsk, L.D., Apr. 1984, 12p., ADA-141 996, 19 refs.
38-4047
ICE ACCRETION, OFFSHORE STRUCTURES, SEA SPRAY, SHIP ICING, OFFSHORE DRILLING.
The literature on sea spray (superstructure) icing is almost entirely based on observations on moving ships. However, icing on stationary offshore platforms with their fixed vertical columns will differ significantly from ship icing, which is influenced by ship movement and wind and wave directions. An observation program on offshore drilling vessels is proposed, using 1-in.-diam x 8-in.-long cylinders in arrays as a standard measuring technique for spray icing. Atmospheric icing may be a source of ice accretion on derricks in some locations, and the best commercial device currently available for measuring it is the Rosemount detector. Improved devices for both spray and atmospheric ice accretion measurements should be developed. Icephobic coatings have the potential for reducing ice accretion, and testing of candidate materials should be undertaken. Well-documented icing reports by all types of ships or platforms should be made and collected at a central clearinghouse.

SR 84-05
OPERATION OF THE U.S. COMBAT SUPPORT BOAT (USCSBMK 1) ON AN ICE-COVERED WATERWAY.
Stubstad, J., et al, Apr. 1984, 28p., ADA-142 535, 8 refs.
Rand, J.H., Jackson, L.
38-4048
MILITARY OPERATION, ICE BREAKING, RIVER CROSSINGS, CHANNELS (WATERWAYS), ICE COVER EFFECT, FAST ICE, ICE COVER THICKNESS, PONTOON BRIDGES
From 15 January through 15 April 1982, the U.S. Combat Support Boat (USCSBMK 1) was tested on the Connecticut River, in and around Hanover, New Hampshire, to examine its operation on an ice-covered waterway. The objectives were to determine to what extent shoreline ice would affect launch and recovery and if the boat could create an ice-free channel across a river so that a ribbon bridge could be floated. Shoreline ice can inhibit launch and recovery, but several solutions were developed to reduce or eliminate these problems. The boat can, to a limited extent, be used as an expedient icebreaker. It can break competent ice sheets 3.5-4 in thick as well as significantly thicker thaw-weakened ice sheets. Sheets of well degraded "end of season" ice up to 13 in thick were broken.

SR 84-06
MODEL TESTS IN ICE OF A CANADIAN COAST GUARD R-CLASS ICEBREAKER.
Tatinclaux, J.C., Apr. 1984, 24p., ADA-141 995, 13 refs.
38-4049
ICEBREAKERS, ICE COVER STRENGTH, ICE NAVIGATION, ICE FRICTION, STRENGTH, MODELS, TESTS, ICE SOLID INTERFACE, PROPELLERS, FORECASTING, VELOCITY
This report presents the results of resistance and propulsion tests in level ice of a 1:20-scale model of the R-class icebreaker of the Canadian Coast Guard. On the basis of the model test results, full-scale performance is predicted and compared with available full-scale trials data. Predicted ice resistance and required propeller rpm, thrust and delivered power are lower than full-scale measurements. This disagreement was attributed to the fact that the ship model had a much lower ice friction coefficient than the prototype. On the other hand, predictions of thrust and power for a given ship speed and propeller rpm are in good agreement with corresponding full-scale measurements.

SR 84-07
MIZEX—A PROGRAM FOR MESOSCALE AIR-ICE-OCEAN INTERACTION EXPERIMENTS IN ARCTIC MARGINAL ICE ZONES. 3. MODELING THE MARGINAL ICE ZONE.
Hibler, W.D., III, ed, Apr. 1984, 99p., ADA-145 351, Discussions, p.95-98. Refs. passim. For individual papers see 39-361 through 39-374.
39-360
ICE MODELS, ICE MECHANICS, ICE EDGE, SEA ICE DISTRIBUTION, ICE WATER INTERFACE, ICE AIR INTERFACE, WIND FACTORS, ICE CONDITIONS, OCEAN CURRENTS, RHEOLOGY.

SR 84-08
ACCUMULATION, CHARACTERIZATION, AND STABILIZATION OF SLUDGES FOR COLD REGIONS LAGOONS.
Schneiter, R.W., et al, Apr. 1984, 40p., ADA-141 948, Refs. p.37-40.
Middlebrooks, E.J., Sletten, R.S., Reed, S.C.
38-4050
SEWAGE TREATMENT, SANITARY ENGINEERING, SLUDGES, FREEZE THAW CYCLES, MODELS, POLAR REGIONS.
Accumulated solids associated with the operation of aerated and facultative lagoons in cold climates were investigated to determine 1) the rate and extent of solids accumulation, 2) the characteristics of the accumulated solids, 3) the potential for in situ stabilization of the accumulated solids, and 4) the effect of lime treatment upon the pathogenic population and subsequent solids drying on sand and soil beds. Accumulated sludges from the Logan and Cornune, Utah, facultative lagoons and the Palmer and Galena, Alaska, partial mix aerated lagoons were studied. The rates of accumulation, determined by in situ measurement of the sludge layer in each lagoon, were found to vary with lagoon type and specific operational and environmental conditions.

SR 84-09
PROCEDURE FOR CALCULATING GROUNDWATER FLOW LINES.
Daly, C.J., Apr. 1984, 42p., ADA-141 947, 4 refs.
38-4051
GROUND WATER, WATER FLOW, FLUID FLOW, COMPUTER PROGRAMS, MATHEMATICAL MODELS, WATER TABLE, VELOCITY.
A methodology for the calculation of flow lines in steady or unsteady two-dimensional velocity fields is described. Although the principal application is intended to be determining fluid particle trajectories in groundwater flow, components of the methodology are relevant to more general problems of fluid flow. Two alternative numerical procedures form the core of the methodology. Each employs the method of characteristics to solve for the advection of fluid particles. The first uses an efficient, fourth-order Runge-Kutta, predictor corrector algorithm based upon a constant time step. The second uses a fifth-order Runge-Kutta algorithm incorporating an embedded fourth-order result. This latter alternative includes automatic time-step modification and guarantees a prescribed level of accuracy. Several utility routines are provided in support of the method of characteristics.

SR 84-10
OBSERVATIONS DURING BRIMFROST '83.
Bourgoun, J.R., et al, May 1984, 36p., ADA-142 559, 2 refs.
Haynes, F.D., Perham, R.E., Walker, K.E., Craig, J.L., Collins, C.M.
38-4052
MILITARY OPERATION, COLD WEATHER OPERATION, ELECTRICAL GROUNDING, SHELTERS, WASTE DISPOSAL, SANITARY ENGINEERING, WATER SUPPLY, MILITARY EQUIPMENT, ICE CROSSINGS, TRAFFICABILITY
During BRIMFROST '83, a biennial joint training exercise conducted in Alaska by the U.S. Readiness Command, a team from the U.S. Army Cold Regions Research and Engineering Laboratory made several trips into the exercise area to observe and document Army operations in the Arctic. This report presents an overview of the team's observations in the following areas: electrical grounding, camouflage, field fortifications, living shelters, water supply point operations, ice bridges, vehicular mobility and human and solid waste disposal.

SR 84-11
ANALYSIS OF INFILTRATION RESULTS AT A PROPOSED NORTH CAROLINA WASTEWATER TREATMENT SITE.
Abele, G., et al, May 1984, 24p., ADA-142 598, 6 refs.
Bourgoun, J.R.
38-4053
WASTE TREATMENT, WATER TREATMENT, SEEPAGE, FLOW RATE, SOILS, LAND RECLAMATION, SITE SURVEYS, TESTS
A 6-ft-diam flooding infiltration test was conducted at a proposed wastewater land treatment site near Chapel Hill, North Carolina. The saturated infiltration rate of the test was 0.3 in./hr and the restoration rate of the saturated soil was equivalent to 1.35 in. of water after six days. A conservative wastewater application rate at this site would be between 1 and 2 in./wk.

SR 84-12
DETERIORATED CONCRETE PANELS ON BUILDINGS AT SONDRESTROM, GREENLAND.
Korhonen, C., May 1984, 11p., ADA-142 595, 4 refs.
38-4054
CONCRETE STRUCTURES, CONCRETE STRENGTH, BUILDINGS, REINFORCED CONCRETES, DAMAGE, MOISTURE TRANSPORT, THERMAL EFFECTS, FREEZE THAW CYCLES, GREENLAND.
On July 22 1983 a dozen reinforced concrete buildings, built in 1954 at Sondrestrom Air Base in Greenland, were examined to determine why their concrete wall panels were cracked, spalled and rust stained. The investigation determined that structural and thermal movements caused most of this deterioration. Very little freeze-thaw deterioration was evident on the outside, but the most serious problem was that of frost damage within the wall cavities fed by moisture from the inside of each building. The visible surface defects can be repaired with breathable patching materials, but to achieve long-term success and to minimize wall-cavity frost damage, vapor migration through the walls must be properly controlled.

SR 84-13
PERFORMANCE OF THE ALLEGHENY RIVER ICE CONTROL STRUCTURE, 1983.
Deck, D.S., et al, May 1984, 15p., ADA-144 094, 3 refs.
Gooch, G.
39-381
ICE CONTROL, ICE BOOMS, RIVER ICE, FRAZIL ICE, ICE BREAKUP, ICE JAMS, UNITED STATES—PENNSYLVANIA—ALLEGHENY RIVER.
Oil City, Pennsylvania, is at the confluence of the Allegheny River and Oil Creek. The business district is located in the flood plain, and ice jam flooding has been a persistent problem. A floating ice control structure was installed on the Allegheny River prior to the 1983 ice season. The structure was a steel pontoon ice boom located upstream of Oil City and was used to encourage early formation of an ice cover at this location. This would suppress prolonged frazil ice generation, which in the past led to a massive freezeup jam downstream. This accumulation would prevent the discharge of ice from Oil Creek during breakup, when ice jam flooding would occur. The performance of the structure during its first year is documented here. Oil City escaped ice jam flooding during the winter of 1983.

SR 84-14
ON-SITE UTILITY SERVICES FOR REMOTE MILITARY FACILITIES IN THE COLD REGIONS.
Reed, S.C., et al, May 1984, 66p., ADA-142 596, 20 refs.
Ryan, W.L., Cameron, J.J., Bourgoun, J.R.
38-4055
MILITARY FACILITIES, WASTE TREATMENT, WASTE DISPOSAL, WATER TREATMENT, WATER SUPPLY, UTILITIES, COLD WEATHER PERFORMANCE, THERMAL EFFECTS, DESIGN CRITERIA
Utility services (water, sewer, solid wastes) for small, remote military facilities in cold regions require special considerations. This report presents concepts and criteria for the planning and preliminary design of external and external utility systems. Also included are some thermal aspects for design of these water and wastewater systems.

SR 84-15
CALCULATING BOREHOLE GEOMETRY FROM STANDARD MEASUREMENTS OF BOREHOLE INCLINOMETRY.
Jerek, H.C., et al, June 1984, 15p., ADA-145 006, 9 refs.
Alley, R.B.
39-475
BOREHOLES, ICE DRILLS, DRILLING, MEASUREMENT, GREENLAND
This report is an extension of the authors' earlier resistance to ground experiments. Here they suggest additional information on the influence of an inverted bubble around grounding electrodes for reducing resistance to ground. The results are based on observations made over several seasons of freezing and thawing at sites selected for their variations in grain size, ice content and ground temperature. More than 20 test electrodes were monitored at two test sites and one alluvial site. The diameter of the backfilled zones, the soil content and the backfill material were varied for the electrode borehole resistance data collected at DYE-3, Greenland. The methods were found convenient to use and it is claimed that the results represent physically reasonable approximations to the borehole geometry.

SR 84-17
CONDUCTIVE BACKFILL FOR IMPROVING ELECTRICAL GROUNDING IN FROZEN SOILS.
Sellmann, P.V., et al, June 1984, 19p., ADA-144 861, 14 refs.
Delaney, A.J., Arcone, S.A.
39-561
FROZEN GROUND PHYSICS, ELECTRICAL GROUNDING, ELECTRICAL RESISTIVITY, FREEZE THAW CYCLES, PERMAFROST PHYSICS, SALINE SOILS, GRAIN SIZE, SOIL TEMPERATURE, GROUND ICE, TESTS.
This report describes two new methods for computing borehole geometry from discrete measurements of borehole inclination and azimuth. In the first method borehole inclination and azimuth are assumed to vary linearly with arc length. This results in an analytic model of the borehole that is continuous but not smooth. The second model, which takes borehole inclination and azimuth to vary quadratically with arc length between three measuring points, improves the smoothness of the model but the analysis must be carried out numerically. These models were applied to the installations. In all cases salt backfilling reduced the resistance to ground, with 175 ohms being the lowest obtained. Reductions varied from very small to an order of magnitude. Resistance also decreased over several seasons. Generally the greatest improvement and lowest values were obtained in the perennially frozen silt in interior Alaska. Data from colder silt suggest that salt backfilling will not be effective in arctic settings. Measurements at a partially thawed, coarse-grained site indicate that salt was moving much more rapidly (approximately five times as fast) away from the treated backfill than at the silt site in the CRREL permafrost tunnel.

SR 84-18
EFFECT OF SEASONAL SOIL CONDITIONS ON THE RELIABILITY OF THE M15 LAND MINE.
Richmond, P.W., et al, June 1984, 35p., ADB-085 452, In English and Korean. 2 refs.
Ho, S.C., Dittemore, H.R.
39-562
FROZEN GROUND STRENGTH, SOIL STRENGTH, MILITARY ENGINEERING, EXPLOSIVES, BLASTING, METEOROLOGICAL DATA, TESTS.
Inert M15 mines with live fuzes were tested for functioning under four soil conditions (immediately after installation in July, and in November, January and April). The mines were installed using current emplacement doctrine and initiated by driving a tank over them. Results showed significant degradation in functioning rates during winter, which was attributed to frozen soil. A change in installation doctrine is recommended.

SR 84-19
SNOW-TWO/SMOKE WEEK VI FIELD EXPERIMENT PLAN.
Redfield, R.K., et al, June 1984, 85p., ADB-089 502.
Farmer, W.M., Ebersole, J.F.
39-3031
SNOWFALL, TRANSMISSIVITY, WAVE PROPAGATION, SCATTERING, SMOKE GENERATORS, FALLING BODIES, VISIBILITY, EXPLOSIVES, SNOW COVER EFFECT, BLOWING SNOW, TESTS, HELICOPTERS.

SR 84-20
SNOW-TWO DATA REPORT. VOLUME 2: SYSTEM PERFORMANCE.
Jordan, R., ed, June 1984, 417p., ADB-101 241, Refs. passim. For Vol. 1 see 39-3031. For individual papers see 40-3773 through 40-3787.
40-3772
SNOW PHYSICS, MILITARY OPERATION, WAVE PROPAGATION, TRANSMISSION, SMOKE GENERATORS, LIGHT SCATTERING, ELECTROMAGNETIC PROPERTIES, SNOWFALL, BLOWING SNOW, VISIBILITY, DETECTION, COLD WEATHER PERFORMANCE.
The SNOW-TWO/Smoke Week VI Field Experiment held at Camp Grayling, Michigan, was a cooperative effort of the U.S. Army Cold Regions Research and Engineering Laboratory and the Office of the Project Manager Smoke/Obscurants the main objective of which was to study the effects of manmade and natural obscurants on the performance of electro-optical and millimeter wavelength devices. This report presents the results obtained by CRREL and some 20 other agencies during the SNOW-TWO phase of the experiment, covering the periods 28 November to 21 December 1983 and 4 January to 9 March 1984. It is the fourth in a series of data reports on the SNOW field experiments sponsored by the U.S. Army Corps of Engineers Winter Battlefield Obscuration Research Program. The report is in two main volumes with a supplemental classified volume. The first volume covers the general topics of meteorology and snow characterization, the second covers the topics of electromagnetic wave transmission through falling and blowing snow, target/background signatures, and system performance in snow.

SR 84-21
RELATIONSHIPS AMONG BANK RECESSION, VEGETATION, SOILS, SEDIMENTS AND PERMAFROST ON THE TANANA RIVER NEAR FAIRBANKS, ALASKA.
Gatto, L.W., July 1984, 53p., ADA-152 332, 31 refs.
39-3030
BANKS (WATERWAYS), SOIL EROSION, PERMAFROST DISTRIBUTION, VEGETATION, RIVER FLOW, SEDIMENTS, HYDRAULICS, UNITED STATES—ALASKA—TANANA RIVER.
The objective of this analysis was to determine if available data are useful in identifying the characteristics that contribute to erodibility of the banks along two reaches of the Tanana River. Existing data on bank vegetation, soils, sediments and permafrost were used. Because these data were general and not collected for the purpose of site-specific analysis, the analytical approach was simple and did not include any statistical tests. The data were visually compared to the locations and estimated amounts of historical recession to evaluate if any relationships were obvious. The results of this analysis showed no useful relationships.

SR 84-22
MINE DETECTION USING NON-SINUSOIDAL RADAR. PART 1: SPATIAL ANALYSIS OF LABORATORY TEST DATA.
Dean, A.M., Jr., et al, Aug. 1984, 92p., ADA-150 471, 8 refs.
Martinson, C.R.
41-462
MILITARY RESEARCH, COLD WEATHER TESTS, MINES (ORDNANCE), RADAR ECHOES, COUNTERMEASURES, GROUND THAWING.
The interaction among UHF radiation, winter roadway conditions and buried mines was investigated in a refrigerated facility. The near-field spatial return from each target was unique. When the target was not in the near field the spatial return was not at all unique. Cobbles in the medium had little effect, but surface-thawed conditions significantly affected the spatial return, and the reflected signal strength and frequency content. The primary frequency content of the returned signal was either spread over a band broader than that of the transmitted primary frequencies, or completely outside of the primary detection band. We conclude that the complexity of winter roadway conditions requires 1) a much broader frequency band than is currently being considered, and 2) a more complex and adaptive background-removal, signal-enhancement scheme than is currently used. Further, more data are required describing the interaction of the winter media, UHF radiation, and buried mines so that adequate detection instrumentation can be developed.

SR 84-23
BUCKLING ANALYSIS OF CRACKED, FLOATING ICE SHEETS.
Adley, M.D., et al, Aug. 1984, 28p., ADA-147 330, 24 refs.
Sodhi, D.S.
39-715
ICE LOADS, FLOATING ICE, OFFSHORE STRUCTURES, ICE SHEETS, ICE PRESSURE, ICE CRACKS, ANALYSIS (MATHEMATICS), TESTS, ICE DEFORMATION.
A buckling analysis of cracked, floating ice sheets is presented; both symmetrical and unsymmetrical shapes were investigated. The finite element method was used for the in-plane analysis as well as the out-of-plane analysis. The results of the analyses of symmetrically shaped ice sheets are compared to those of previous analyses where a radial stress field was assumed for the in-plane stresses, and there is good agreement between them. The results of theoretical analyses are compared to experimental data obtained in small-scale laboratory experiments.

SR 84-24
CLIMATE AT CRREL, HANOVER, NEW HAMPSHIRE.
Bates, R.E., Aug. 1984, 78p., ADA-148 400, 6 refs.
39-547
CLIMATE, METEOROLOGICAL DATA, SNOWFALL, PRECIPITATION (METEOROLOGY), WEATHER STATIONS, FREEZING POINTS, DEGREE DAYS, UNITED STATES—NEW HAMPSHIRE—HANOVER.
A 10-year climatological record of meteorological data collected at the CRREL meteorological station is presented for the period October 1972 through December 1982. Data presented include air temperature, heating and freezing degree-days, relative humidity, dew point, precipitation, snowfall, wind speed and direction, solar radiation and evaporation. Air temperature and precipitation monthly and annually are compared statistically to the 30-year normal and the period-of-record normal for Hanover, New Hampshire. The appendix gives daily and monthly values for the entire period of record. Some comparisons are made between the 10-year averages and the long-term normals.

SR 84-25
SALT ACTION ON CONCRETE.
Sayward, J.M., Aug. 1984, 69p., ADA-147 812, Refs. p.52-57.
39-1046
CONCRETE PAVEMENTS, SALTING, CORROSION, FREEZE THAW CYCLES, DAMAGE, REINFORCED CONCRETES, WEATHERING, BRIDGES, CHEMICAL ICE PREVENTION, CRACKING (FRACTURING).
Serious deterioration of concrete bridges by deicing salts is generally ascribed to depassivation and corrosion of reinforcing steel, as growth of its corrosion products causes spalling. Here, simple evaporative tests simulated the salt weathering that slowly crumbles rocks in nature, where crystals growing from pore water fed from below stress the matrix just as do ice crystals in frost heaving soil. Like needle ice (surface frost action in soil) the salt columns exuded from concrete also lifted tiny particles, signifying crumbling. Microcracks developed in 1-3 years of after-test dry storage.

SR 84-26
SECONDARY STRESS WITHIN THE STRUCTURAL FRAME OF DYE-3: 1978-1983.
Ueda, H.T., et al, Sep. 1984, 44p., ADA-148 401, 5 refs.
Tobiasson, W., Fisk, D., Keller, D., Korhonen, C.
39-1138
SNOW LOADS, STRESSES, MILITARY FACILITIES, STRUCTURES, FOUNDATIONS, LOADS (FORCES), WIND FACTORS, COLD WEATHER CONSTRUCTION, GREENLAND.
DEW line ice cap station DYE-3 was moved sideways 210 ft and placed on a new foundation in 1977, then raised 27 ft in 1978. Secondary forces within the structural steel framework were measured in 1978, 1981, 1982 and 1983. The overall level of secondary stresses had increased but through 1983 the columns were still within their stress limitations. Some localized overstress is expected in 1984. The concept of using above-surface trusses to resist wind loads and brace the eight columns has proven to be satisfactory. It has eliminated the subsurface enclosures used in the past to protect subsurface trusses, enclosures that proved to be the structural weak link of the original facility, their elimination has resulted in a stronger facility that is easier to maintain. The measurements and findings of this program were used in the development of the design to extend the life of DYE-3 to be implemented in 1984. That work should reduce the level of secondary stresses in the frame.

SR 84-27
DEUTERIUM DIFFUSION IN A SOIL-WATER-ICE MIXTURE.
Oliphant, J.L., et al, Sep. 1984, 11p., ADA-148 457, 7 refs.
Tice, A.R.
39-1139
FROZEN GROUND PHYSICS, ISOTOPES, SOIL WATER MIGRATION, PHASE TRANSFORMATIONS, TESTS, LABORATORY TECHNIQUES.
An experiment was performed to determine the rate of equilibration of deuterium between the ice and liquid phases of water in partially frozen soil. The results of this experiment are consistent with a diffusion rate of deuterium in ice of 1 or 2 ten-billionths sq cm/s. A method for calculating the approximate equilibration time, given the size of the ice crystals in the system, is provided. This calculation compares well with the experimental results.

SR 84-28
MIZEX—A PROGRAM FOR MESOSCALE AIR-ICE-OCEAN INTERACTION EXPERIMENTS IN ARCTIC MARGINAL ICE ZONES. 4: INITIAL RESULTS AND ANALYSES FROM MIZEX 83. Sep. 1984, 56p., ADA-148 255, Refs. passim. For individual papers see 39-1124 through 39-1130.
39-1123
ICE MECHANICS, DRIFT STATIONS, ICE EDGE, SEA ICE DISTRIBUTION, RHEOLOGY, ICE CREEP, OCEANOGRAPHY, ICE WATER INTERFACE, ICE AIR INTERFACE, ICE CONDITIONS.

SR 84-29
MIZEX: A PROGRAM FOR MESOSCALE AIR-ICE-OCEAN INTERACTION EXPERIMENTS IN ARCTIC MARGINAL ICE ZONES. 5: MIZEX 84 SUMMER EXPERIMENT PI PRELIMINARY REPORTS.
Johannessen, O.M., ed, Oct 1984, 176p., ADA-148 986, Refs. passim. For selected papers see 40-4691 through 40-4703.
Horn, D.A., ed.
40-4690
ICE PHYSICS, DRIFT STATIONS, ICE EDGE, SEA ICE, REMOTE SENSING, OCEANOGRAPHY, ACOUSTIC MEASUREMENT, MARINE BIOLOGY, ICE FLOES

SR 84-30
CONVENTIONAL LAND MINES IN WINTER: EMPLACEMENT IN FROZEN SOIL, USE OF TRIP WIRES AND EFFECT OF FREEZING RAIN.
Richmond, P.W., Nov. 1984, 23p., ADB-091 027, 9 refs.
40-3580
MILITARY ENGINEERING, AUGERS, FROZEN GROUND, SNOW COVER, MINES (ORDNANCE), RAIN, FREEZING, SEASONAL VARIATIONS.
This report presents information relating to land mine use in winter. Three areas are addressed: the emplacement of mines in frozen soil, the use of trip wires in snow, and the effect of freezing rain on antitank mines Data from a minefield installation exercise provide information on the installation of a 100-m minefield under summer and winter conditions

SR 84-31
COMPARISON OF THREE COMPACTORS USED IN POTHOLE REPAIR.
Snelling, M.A., et al, Nov. 1984, 14p , ADA-149 937, 2 refs.
Eaton, R.A.
39-2099
ROAD MAINTENANCE, BITUMINOUS CONCRETES, COMPACTION, EQUIPMENT, DENSITY (MASS/VOLUME), TEMPERATURE EFFECTS.
This report is a summary of the results of a compaction study using recycled hot mix asphalt concrete conducted during August 1983 in an indoor facility at CRREL in Hanover, New Hampshire. This study compared three kinds of compactors for optimum performance, and also considered such factors as temperature of the asphalt concrete mix, number of passes, size and depth of patches, and the number of lifts to fill the holes Results showed that a vibratory roller and vibratory plate compactor could both compact patches to the desired 98% of laboratory density, but that a 200-lb lawn roller could not Temperature of the hot recycled mix is critical, with 250F being the cut-off temperature It was shown that if the mix is not compacted promptly after placement and is allowed to cool below 250F, proper compaction may not be attained

SR 84-32
FROZEN PRECIPITATION AND CONCURRENT WEATHER: A CASE STUDY FOR MUNCHEN/RIEM, WEST GERMANY.
Bilello, M.A., Nov 1984, 47p , ADA-149 227, 29 refs
39-1731
WEATHER FORECASTING, SNOWFALL, METEOROLOGICAL DATA, MILITARY OPERATION, PRECIPITATION (METEOROLOGY), VISIBILITY, FREEZING, RAIN, WINTER, CLIMATE, GERMANY—MUNICH.
This study evaluates statistical data for two or more meteorological parameters, recorded concurrently, to improve prediction of atmospheric conditions that would obscure a winter battlefield. The analysis considers only freezing precipitation types that were categorized and correlated with simultaneously observed weather conditions, such as temperature, humidity and visibility, using 11 years of winter weather records for Munchen/Riem, Federal Republic of Germany. These results are an example of the unusual and essential environmental information that can be derived from available records It is suggested that similar investigations should be conducted for other sites in central Europe.

SR 84-33
[PROCEEDINGS].
Workshop on Ice Penetration Technology, Hanover, NH, June 12-13, 1984, Dec 1984, 345p., ADB-093 880, Refs. passim. Discussions, p.319-336. For individual papers see 40-1962 through 40-1965.
40-1961
PENETRATION TESTS, ICE COVER STRENGTH, ICE BREAKING, MILITARY OPERATION, ICE DRILLS, ICE COVER THICKNESS, MEETINGS, SEA ICE, SUBMARINES.

SR 84-34
ICE DRILLING TECHNOLOGY.
Holdsworth, G , ed, Dec. 1984, 142p , ADA-156 733, Refs. passim For individual papers see 40-1176 through 40-1199 or F-32743 through F-32750
Kuivinen, K.C , ed, Rand, J.H , ed, International Workshop/Symposium on Ice Drilling Technology, 2nd, Calgary, Alberta, Aug 30-31, 1982.
40-1175
ICE CORING DRILLS, ICE CORES, BOREHOLE INSTRUMENTS, ICE DRILLS, MEETINGS, DRILLING FLUIDS, TEMPERATURE EFFECTS
The Symposium on Ice Drilling Technology dealt with research on the operation and design of ice coring drills Various types of drills, as well as drilling fluids used in the Arctic and Antarctic are described The boreholes and ice cores are used to study ice physics and climatic changes

SR 84-35
PROCEEDINGS, VOL.1.
Snow Symposium, 4th, Hanover, NH, Aug. 14-16, 1984, Dec 1984, 433p., ADB-090 935, Refs. passim. For individual papers see 39-2945 through 39-2981.
39-2944
SNOW PHYSICS, SNOWFALL, TRANSMISSIVITY, MILITARY OPERATION, SNOWFLAKES, SCATTERING, SMOKE GENERATORS, AEROSOLS, MEETINGS, REFLECTIVITY, REMOTE SENSING, SPECTRA.

SR 84-36
PERMAFROST, SEASONALLY FROZEN GROUND, SNOW COVER AND VEGETATION IN THE USSR.
Bigl, S.R., Dec. 1984, 128p., ADA-153 628, Refs. p.26-31.
40-1052
PERMAFROST DISTRIBUTION, ACTIVE LAYER, SNOW COVER, VEGETATION, PERMAFROST THERMAL PROPERTIES, PERMAFROST DEPTH, GROUND ICE, SEASONAL VARIATIONS, USSR.
A survey of the Cold Regions Science and Technology Bibliography and other references in the CRREL library was conducted to compile recent information about several Soviet physiogeographic features: permafrost, seasonally frozen ground, snow cover and vegetation The products of the study are 1) a series of maps presenting the general distribution of these features over the entire Soviet Union and 2) a collection of 57 maps showing the local distribution of ground ice and permafrost

SR 84-37
OVERVIEW OF TANANA RIVER MONITORING AND RESEARCH STUDIES NEAR FAIRBANKS, ALASKA.
Neill, C.R , et al, Jan. 1984, 98p. + 5 appends., ADA-167 790, Refs. passim For individual articles see 38-4207 through 38-4211.
Buska, J S , Cnacho. E.F , Collins, C M , Gatto, L W
38-4206
BANKS (WATERWAYS), RIVER FLOW, SOIL EROSION, SEDIMENT TRANSPORT, FLOOD CONTROL, EMBANKMENTS, ENVIRONMENTAL IMPACT, AERIAL SURVEYS, PERMAFROST, COUNTERMEASURES, UNITED STATES—ALASKA—TANANA RIVER
The Tanana River changes character in the vicinity of Fairbanks, from the braided pattern upstream of North Pole to the anastomosing or irregular meander pattern downstream of the Chena River confluence This transition in planform is accompanied by a marked decrease in gradient and a change in dominant bed material from gravel to sand Within the past 50 years the river has been affected by a variety of human activities, including flood control works, access causeways and gravel extractions The Phase III in-river levee and groin construction constituted a strong local disturbance of the river system where local river slope was steepened and large quantities of bed material were put into transport from pilot channel enlargement as the river adjusted to the new alignment As of the end of 1982, the full and final effects of this disturbance were not clear Recommendations are given regarding impacts from human activities, alleviation of impacts, levee protection, further interpretive analysis and future monitoring of river behavior.

SR 85-01
CATALOG OF CORPS OF ENGINEERS STRUCTURE INVENTORIES SUITABLE FOR THE ACID PRECIPITATION-STRUCTURE MATERIAL STUDY.
Merry, C J , et al, Mar 1985, 40p , ADA-154 364, 4 refs
McKim H.L., Humiston, N.H.
39-4054
PRECIPITATION (METEOROLOGY), CHEMICAL PROPERTIES, CONSTRUCTION MATERIALS, ENVIRONMENTAL PROTECTION, DAMAGE, BUILDINGS, COST ANALYSIS, COMPUTER APPLICATIONS.
This report contains a survey of Corps of Engineers floodplain inventories Its purpose was to determine if enough building materials information was available in the Corps data base to be used for predicting the distribution of building materials across the country as part of the EPA acid rain assessment program The floodplain surveys were rated using the criteria of the date of the survey, the number of buildings, the variety of building materials, the amount of dimensions data listed for the buildings the land cover types in the data and whether or not the data were computerized Six structure inventories are recommended for further study

SR 85-02
SURVEY OF ICE PROBLEM AREAS IN NAVIGABLE WATERWAYS.
Zufelt, J , et al, Apr. 1985, 32p., ADA-157 477.
Calkins, D.J.
40-3360
ICE NAVIGATION, ICING, LOCKS (WATERWAYS), DAMS, ICE CONTROL, RIVER ICE, ICE CONDITIONS, ICE JAMS, ICE BREAKUP.
This report presents the findings of a survey of ice problems encountered on the nation's major navigable waterways A survey questionnaire was developed and, through a field review group, was distributed to lock and dam facilities on the Allegheny, Monongahela, Ohio, Kanawha, Kaskaskia, and Mississippi Rivers and the Illinois Waterway. Analysis of the completed questionnaires identified 13 ice problem categories. The report describes each category of ice problem encountered, as well as the cited methods, operational and/or structural, undertaken to reduce the impact of each ice problem.

SR 85-03
PERIGLACIAL LANDFORMS AND PROCESSES IN THE SOUTHERN KENAI MOUNTAINS, ALASKA.
Bailey, P.K., Apr. 1985, 60p., ADA-157 459, Refs. p 54-60.
40-764
PERIGLACIAL PROCESSES, LANDFORMS, PERMAFROST DISTRIBUTION, GEOMORPHOLOGY, PATTERNED GROUND, NUNATAKS, ALTIPLANATION, NIVATION, SOIL TEMPERATURE, UNITED STATES—ALASKA—KENAI MOUNTAINS.
The distribution and characteristics of periglacial landforms in the southern Kenai Mountains, Alaska, were investigated during 1979 and 1980. The principal area of study was a 1300-m-high mountain mass that stood as a nunatak during the last general glaciation. Periglacial features in the area include gelifluction lobes, nivation hollows, cryoplanation terraces, tors, a string bog, and such patterned ground as sorted circles, sorted polygons, earth hummocks, sorted steps, sorted stripes, and small ice-wedge polygons

SR 85-04
USER'S GUIDE FOR THE BIBSORT PROGRAM FOR THE IBM-PC PERSONAL COMPUTER.
Kyriakakis, T., et al, Apr. 1985, 61p., ADA-157 936.
Iskandar, I.K.
39-4055
DATA PROCESSING, BIBLIOGRAPHIES, MANUALS, COMPUTER PROGRAMS, COMPUTER APPLICATIONS.
This report is intended to provide the reader with step-by-step instructions on how to use the BIBSORT computer program on the IBM Personal Computer The program allows storage and retrieval of bibliographic data The program has been tested on an IBM-XT, using DOS 1.1 or 2.1 The program requires a monitor and a printer This user's guide discusses how to prepare diskettes to enter the data, how to name categories and files, how to open categories and files, and how to enter data The guide also shows how to sort and store data, edit, delete, or append the data, and how to obtain a hard copy of the sorted data Each data diskette can take up to 500 entries, assuming 512 characters per entry A section on how to change the program to fit specific needs is presented in Appendix A, and the program listing is in Appendix B

SR 85-05
WORKSHOP ON PERMAFROST GEOPHYSICS, GOLDEN, COLORADO, 23-24 OCTOBER 1984.
Brown, J., ed, May 1985, 113p , ADA-157 485, Refs. passim. For individual papers see 40-1290 through 40-1308.
Metz, M C , ed, Hoekstra, P , ed
40-1289
PERMAFROST PHYSICS, GEOPHYSICAL SURVEYS, PERMAFROST DISTRIBUTION, SUBSEA PERMAFROST, BOREHOLES, WELL LOGGING, MEETINGS, PERMAFROST THERMAL PROPERTIES, OIL WELLS

SR 85-06
MIZEX—A PROGRAM FOR MESOSCALE AIR-ICE-OCEAN INTERACTION EXPERIMENTS IN ARCTIC MARGINAL ICE ZONES. 6: MIZEX-WEST.
Wadhams, P , ed, May 1985, 119p , ADA-167 310, Refs passim For individual papers see 40-4167 through 40-4180
40-4166
SEA ICE DISTRIBUTION, ICE AIR INTERFACE, ICE WATER INTERFACE, ICE MECHANICS, REMOTE SENSING, ICE CONDITIONS, ICE EDGE, ICE FLOES, WIND FACTORS, WATER TEMPERATURE

SR 85-07
ANALYSIS OF THE REVERE, QUINCY AND STAMFORD STRUCTURE DATA BASES FOR PREDICTING BUILDING MATERIAL DISTRIBUTION.
Merry, C.J., et al, May 1985, 35p, ADA-157 458, 8 refs.
LaPotin, P.J.
40-1010
CONSTRUCTION MATERIALS, PRECIPITATION (METEOROLOGY), CHEMICAL PROPERTIES, BUILDINGS, RAIN, FORECASTING

Data bases on buildings in Revere and Quincy, Massachusetts, and Stamford, Connecticut, were studied to determine if a measure of building material distribution could be calculated for a city using land use, census tract and the Corps' data on buildings. Statistical measures of chi-square, asymmetric lambda, uncertainty coefficient, F ordinate, as well as the correlation coefficient-squared and eta-swuared statistics were calculated for the three data bases. The Corps definition of building type was found to be the best predictor of the building surface area. However, all indicators (including building type) explained only low percentages of the variability in the dependent variable (building surface area). These results indicate that other variables are required to explain the variability of building surface area adequately.

SR 85-08
STEFAN'S PROBLEM IN A FINITE DOMAIN WITH CONSTANT BOUNDARY AND INITIAL CONDITIONS: ANALYSIS.
Takagi, S., June 1985, 28p., ADA-158 558, 13 refs.
40-4455
FROST HEAVE, BOUNDARY LAYER, STEFAN PROBLEM, ANALYSIS (MATHEMATICS).

Stefan's problem in a finite domain is solved under constant boundary and initial conditions. Starting in a semi-infinite domain, the solution passes infinitely many stages of lead times in a finite domain and finally becomes stationary. The singularity at the finite terminal necessitates introduction of lead times. Including lead times, parameters defining the solution vary with time. Only the analytical result is reported in this paper.

SR 85-09
U.S. PERMAFROST DELEGATION VISIT TO THE PEOPLE'S REPUBLIC OF CHINA, 15-31 JULY 1984.
Brown, J., June 1985, 137p., ADA-158 535, 19 refs.
40-1051
PERMAFROST BENEATH STRUCTURES, PERMAFROST THERMAL PROPERTIES, PERMAFROST DISTRIBUTION, FROZEN GROUND MECHANICS, ORGANIZATIONS, ENGINEERING, FREEZE THAW CYCLES, DAMAGE, GEOCRYOLOGY, CHINA.

A U S delegation of 15 scientists and engineers representing federal and state agencies, industry, and universities specializing in problems of seasonally and perennially frozen ground visited China during the period 15-31 July, 1984. The trip was organized by the Ministry of Railways and was co-hosted by the Academia Sinica's Institute of Glaciology and Cryopedology in Lanzhou. The 16-day visit was in return for a U S-hosted visit of a Chinese delegation to Alaska and the West Coast in July 1983 as part of the Fourth International Conference on Permafrost. The U S Committee on Permafrost of the National Research Council organized the U S participation. The facilities visited are described and technical information obtained is discussed.

SR 85-10
ACOUSTIC WAVES INCIDENT ON A SEAWATER/SEA ICE INTERFACE.
Jezek, K.C., July 1985, 10p., ADA-213 085, 9 refs.
43-4588
ICE WATER INTERFACE, UNDERWATER ACOUSTICS, SEA ICE, SEA WATER

Simple plane wave theory is used to compute the energies of reflected and transmitted elastic waves at a seawater/sea ice interface. The results indicate that for incident angles between 30 and 60 deg, most of the scattered energy is in the form of transmitted shear waves for typical values of sea ice and seawater densities and elastic wave velocities.

SR 85-11
PREVENTION OF FREEZING AND OTHER COLD WEATHER PROBLEMS AT WASTEWATER TREATMENT FACILITIES.
Reed, S C., et al, July 1985, 49p, ADA-160 727, 23 refs.
Pottle, D S, Moeller, W B, Ott, R, Peirent, R, Niedringhaus, E.L.
40-1476
UNDERGROUND FACILITIES, FREEZING, COLD WEATHER PERFORMANCE, WASTE TREATMENT, WATER TREATMENT, FROST PROTECTION, COUNTERMEASURES, DESIGN.

Freezing and other cold weather problems are a major cause of poor performance at wastewater treatment plants in cold climates. This report, based on experience in Alaska, in the north central U S and on a survey of over 200 treatment systems in northern New England, presents procedures and criteria so that designers can avoid cold weather problems in future systems. It also contains detailed guidance for assisting operators in overcoming current problems and deficiencies. The information is organized and presented in terms of the major process units that are likely to be found in a typical wastewater treatment system. A number of detailed case studies of problems and solutions at specific systems in northern New England are also included.

SR 85-12
SUITABILITY OF POLYVINYL CHLORIDE PIPE FOR MONITORING TNT, RDX, HMX AND DNT IN GROUNDWATER.
Parker, L.V., et al, Aug. 1985, 27p., ADA-160 733, Refs. p.19-22.
Jenkins, T.F., Foley, B.T.
40-1497
PIPES (TUBES), GROUND WATER, WATER POLLUTION, WATER CHEMISTRY, MATERIALS, TESTS, SALINITY.

A number of samples of commercial PVC groundwater monitoring pipe, which varied in schedule, diameter or manufacturer, were placed in contact with low concentrations of aqueous solutions of TNT, RDX, HMX and 2,4-DNT for 80 days under nonsterile conditions. Results indicated that there was some loss of TNT and HMX in the presence of PVC pipe compared to glass controls but that for the most part concentrations of analyte were equivalent between types of pipe. A second experiment was performed to determine if the losses were due solely to sorption or if biodegradation was also a factor. This experiment was done under a variety of groundwater conditions by varying salinity, initial pH and dissolved oxygen. The only case where there was increased loss of any substance because of the presence of PVC pipe was in the TNT solution under nonsterile conditions. This increased loss was thought to be associated with increased microbial degradation rather than sorption. Therefore, given the length of time of this experiment and the small amount of loss attributable to sorption, PVC groundwater monitoring pipe is acceptable for monitoring groundwater for these munitions. Several samples of PVC pipe were also leached with groundwater for 80 days and no detectable interferences were found by reversed phase HPLC analysis.

SR 85-13
CONSTRUCTION AND CALIBRATION OF THE OTTAUQUECHEE RIVER MODEL.
Gooch, G., Aug. 1985, 10p., ADA-159 902.
40-1545
ICE JAMS, ICE BREAKUP, RIVER ICE, ICE FORMATION, MODELS, FLOODING, WATER SUPPLY, TESTS.

The Ottauquechee River is located in west-central Vermont. This river was chosen for a physical hydraulic model using real ice. The model was built at a scale of 1:50 horizontal and 1:20 vertical. After problems with modeling bed roughness and operating the pump system were overcome, the tests went smoothly.

SR 85-14
LOCATING BURIED UTILITIES.
Bigl, S R., Sep 1985, 48p, ADA-213 084, 2 refs
43-4589
UTILITIES, UNDERGROUND FACILITIES, MAGNETIC SURVEYS, DETECTION, EQUIPMENT.

This report describes, in basic language, how to operate buried-utility locators and what the locators' uses and limitations are. Its scope is limited to locators using the principles of magnetometry, induction balance, magnetic induction and radio-frequency tracking. Magnetometry and induction balance work best for near-surface isolated targets such as valve boxes and manhole covers. Magnetic induction will locate all types of metallic utilities, including cast iron and steel pipe, power cables and communication lines. Radio-frequency tracking traces unpressurized non-metallic lines that have available access for introducing a floating transmitter into the line (e.g., sewer or storm drains made of plastic or vitreous tile pipe).

SR 85-15
PROCEEDINGS OF THE ISTVS WORKSHOP ON MEASUREMENT AND EVALUATION OF TIRE PERFORMANCE UNDER WINTER CONDITIONS, ALTA, UTAH, 11-14, APRIL 1983.
ISTVS Workshop on Measurement and Evaluation of Tire Performance under Winter Conditions, Alta, Utah, Apr 11-14, 1983, Sep 1985, 177p, ADA-161 129. Refs passim. For individual papers see 40-3321 through 40-3335
Blaisdell, G.L., ed. Yong, R.N., ed.
40-3320
TIRES, COLD WEATHER PERFORMANCE, MOTOR VEHICLES, ROAD ICING, MILITARY EQUIPMENT, SNOW COVER EFFECT, TRACTION, MEETINGS.

SR 85-16
SAMPLE DIGESTION AND DRYING TECHNIQUES FOR OPTIMAL RECOVERY OF MERCURY FROM SOILS AND SEDIMENTS.
Cragin, J.H., et al, Sep. 1985, 16p., ADA-161 948, 9 refs.
Foley, B.T.
40-4456
SOIL CHEMISTRY, SEDIMENTS, METALS, DETECTION, CHEMICAL ANALYSIS, DRYING.

Mercury in soils and sediments can be accurately determined over the concentration range of 0.04 to 2 microgram Hg/g using amalgamation on thin gold films. Relative standard deviation of analysis is about 10%. A mild sample dissolution technique, involving HNO3 at 75C, produced quantitative Hg recoveries for certified sediment samples and recoveries equivalent to those of rigorous Parr-bomb digestions for other soil and sediment samples. Oven drying of samples at 150C resulted in significant losses of Hg from both soil and sediment samples. Air drying, oven drying at 60C or freeze drying resulted in Hg recoveries that agreed within 20% of those for undried samples. Thus, any one of these three comparable methods is recommended for Hg determinations in soils and sediments.

SR 85-17
DETERMINING THE EFFECTIVENESS OF A NAVIGABLE ICE BOOM.
Perham, R E., Oct 1985, 28p, ADA-162 926, 19 refs.
41-446
ICE NAVIGATION, ICE BOOMS, RIVER ICE, ICE CONTROL, ICE COVER THICKNESS, ICE POROSITY.

The performance of a navigable ice boom was studied by monitoring the progression of the leading edge of the unconsolidated ice cover over a reach of the St. Marys River directly downstream of the boom. Ice and hydraulic data were obtained for four winters from 1975-76 through 1978-79 for the St. Marys River at Sault Ste. Marie, Michigan. The ice cover progression rate was highest in early winter. The unconsolidated ice cover in the channel was estimated to have a thickness of at least 0.91 m and a porosity of 30%. During early winter the ice discharge per vessel passage averaged approximately 5500 cu m for the four years. Model tests for this site had indicated that without an ice control structure of any type, an ice release of 63,000 cu m per ship passage could be expected, with an ice boom the release would be 12,300 cu m per ship passage.

SR 85-18
SNOW IN THE CONSTRUCTION OF ICE BRIDGES.
Coutermarsh, B A., et al, Oct 1985, 12p, ADA-163 118, 6 refs.
Phetteplace, G.
40-3269
ICE CROSSINGS, MILITARY OPERATION, SNOW (CONSTRUCTION MATERIAL), SNOW COVER EFFECT, SURFACE PROPERTIES, ICE SURFACE, ICE COVER STRENGTH.

Snow's contribution as a wearing surface, leveling material or reinforcement to ice bridges is discussed. It is shown that it has limited value as a reinforcement and then only by adding water and freezing the resulting slurry. Snow can be used effectively as either a leveling or wearing surface but natural ice thickening is inhibited by the insulating property of the snow. The snow should be of uniform depth and not mounded or windrowed to avoid deflecting the ice away from the water surface. This would substantially weaken the carrying capacity of the ice bridge.

SR 85-19
DESCRIPTION OF THE BUILDING MATERIALS DATA BASE FOR NEW HAVEN, CONNECTICUT.
Merry, C J., et al, Nov 1985, 129p, ADA-166 457, 13 refs.
LaPotin, P.J.
40-3270
CONSTRUCTION MATERIALS, CHEMICAL PROPERTIES, SAMPLING, DAMAGE, STATISTICAL ANALYSIS, COMPUTER APPLICATIONS, PRECIPITATION (METEOROLOGY), ENVIRONMENTAL PROTECTION.

A building material sampling program for the New Haven, Connecticut, region was conducted in March and April of 1984 to examine the types and amounts of building surface materials exposed to acid deposition. A stratified, systematic, unaligned random sampling approach was used to generate sample points across the five sampling frame areas. At least 107 sample points were examined per sampling frame to yield a total sample size of 576 points. Building sizes, surface materials, roof characteristics, roof-mounted apparatus, chimneys, gutters, downspouts, fences and miscellaneous outdoor accessories were recorded. This report provides an initial summary of the data collected. Sample sizes indicate that additional sampling is required to produce the desired 70 sites (with buildings) per frame.

SR 85-20
POTENTIAL OF REMOTE SENSING IN THE CORPS OF ENGINEERS DREDGING PROGRAM.
McKim, H.L., et al, Nov. 1985, 42p., ADA-166 334, Refs. p.23-37.
Klemas, V., Gatto, L.W., Merry, C J.
40-3271
DREDGING, REMOTE SENSING, AERIAL SURVEYS, CHANNELS (WATERWAYS), SEDIMENT TRANSPORT, SUSPENDED SEDIMENTS, ENVIRONMENTAL IMPACT.
The potential of remote sensing in the Corps of Engineers Dredging Program for providing data on channel surveys, sediment drift and dispersion during dredging, water quality and suspended sediment concentrations, and selection of disposal sites and monitoring environmental effects at disposal sites was reviewed The recommended remote sensor combination for recording dredging and environmental changes was a small, single-engine aircraft equipped with at least two 70-mm or 35-mm cameras The first camera should be loaded with color film and the second camera with color infrared film for vegetation or land use mapping, or panchromatic film with special filters for water studies. For bathymetric mapping, the cameras will have to be supplemented by airborne impulse radar or laser profilers, and possibly sonar depth finders A combination of small aircraft and boats is optimum for mapping currents and observing plume dynamics

SR 85-21
IMPULSE RADAR SOUNDING OF LEVEL FIRST-YEAR SEA ICE FROM AN ICEBREAKER.
Martinson, C.R , Nov 1985, 9p., ADA-163 229, 2 refs.
41-461
ICE COVER THICKNESS, SEA ICE, RADAR ECHOES, SOUNDING, ICEBREAKERS.
During the last weeks of May 1984, a CRREL impulse radar system was used onboard the RV *Polarstern* to measure the thickness of level first-year sea ice The purpose was to determine the onboard performance of the radar system and, if possible, provide ice thickness information to researchers conducting other tests Radar data were compared with ice thicknesses determined by drilling, indicating that radar soundings could be a viable means of collecting ice thickness information A lack of adequate coordination between the two measurement methods prevented a point-by-point comparison of ice thicknesses, the comparisons were based on averages for particular test runs The differences of the averages from the two measuring methods ranged from 0 03 m to 0 22 m with a mean variation in the differences of 0 13 m for eight runs There may have been some interference from the ship's hull during data collection because of the location of the antenna However, an unidentified signal in some of the data does not appear to obscure a valid return from the bottom of the ice sheet

SR 85-22
COMPARISON OF EXTRACTION TECHNIQUES AND SOLVENTS FOR EXPLOSIVE RESIDUES IN SOIL.
Jenkins, T F , et al, Nov 1985, 33p., ADA-166 474, 11 refs.
Leggett, D.C.
40-3272
SOIL CHEMISTRY, EXPLOSIVES, SOIL POLLUTION, ULTRASONIC TESTS, CHEMICAL ANALYSIS.
Extraction of TNT, TNB, RDX and HMX from two soils was studied in terms of process kinetics and recovery. Two solvents, acetonitrile and methanol, and four extraction techniques, Soxhlet, ultrasonic bath, mechanical shaker and homogenizer-sonicator were compared The results were complex in that some interactions among analyte, method and solvent were found Acetonitrile was found to be clearly superior to methanol for RDX and HMX Soxhlet and ultrasonic bath generally recovered more than homogenizer or shaker, although a complicating factor is that all techniques were not necessarily at equilibrium In terms of sample throughput, the ultrasonic bath and shaker are preferred over Soxhlet and homogenizer-sonicator The ultrasonic bath generally approached equilibrium more rapidly than the shaker so it appears to be the best overall choice Another complicating factor is that times to reach equilibrium were different for the two soils and for the different analytes This points to the need for more kinetic studies on other soils and sediments

SR 85-23
PRELIMINARY INVESTIGATIONS OF MINE DETECTION IN COLD REGIONS USING SHORT-PULSE RADAR.
Arcone, S A , Nov 1985, 16p , ADB-100 401, 10 refs
40-3302
DETECTION, SNOW COVER EFFECT, RADAR ECHOES, MINES (ORDNANCE), DIELECTRIC PROPERTIES, FROZEN GROUND PHYSICS, POLARIZATION (WAVES), POLAR REGIONS.
Short pulse radar is being investigated as a tool for detecting mines in cold regions The specific problem is the detection of mines buried in a snowpack characterized by a dielectric constant In this preliminary investigation air and frozen sand are used to roughly approximate the dielectric extremes of a dry snowpack The radar signal used had a duration of 3-4 ns and a broad frequency spectrum centered near 800 MHz. The responses of mines suspended in air were first recorded as a function of polarization and orientation Mine responses were then recorded for emplacement in a fairly homogeneous dielectric of frozen sand. The waveform amplitudes depended strongly on mine orientation and weakly on polarization Resonances in air at all orientations and polarizations for a particular mine type were similar. Responses in the sand were easily recognizable for an antenna standoff of 1 m, but depended on target size Investigations in a snowpack are now beginning

SR 85-24
REGRESSION MODELS FOR PREDICTING BUILDING MATERIAL DISTRIBUTION IN FOUR NORTHEASTERN CITIES.
Merry, C J., et al, Dec 1985, 50p , ADA-166 335, 12 refs.
LaPotin, P.J.
40-3303
CONSTRUCTION MATERIALS, BUILDINGS, POLAR REGIONS, MODELS, DISTRIBUTION.
The Corps of Engineers conducted a field sampling program for inventorying building materials in the northeastern United States, and the data from the field program were compiled into a data base for statistical analysis Correlation coefficients were derived between the independent variables and the surface area of the five building material types The correlation coefficients were used in an optimal stepwise regression model developed for each material class for each city A number of factors appear to be significantly associated with the distribution of building material exposure However, the variables do not correlate at levels required for constructing adequate predictive models that would be applicable to other sampling locations.

SR 85-25
BLASTING AND BLAST EFFECTS IN COLD REGIONS. PART 1: AIR BLAST.
Mellor, M., Dec. 1985, 62p., ADA-166 315, 23 refs.
40-3304
BLASTING, EXPLOSION EFFECTS, SHOCK WAVES, ATTENUATION, ANALYSIS (MATHEMATICS), POLAR REGIONS.
Air blast phenomena are reviewed and a digest of data is given, mainly in graphical form To the extent possible, corresponding data are given for air blast in cold regions, provided that the prevailing conditions are significantly different from those of temperate regions

SR 85-26
USACRREL PRECISE THERMISTOR METER.
Trachier, G.M., et al, Dec. 1985, 34p., ADA-166 470, 4 refs.
Morse, J S., Daly, S.F.
40-3305
FRAZIL ICE, WATER TEMPERATURE, THERMISTORS, ICE FORMATION, MEASURING INSTRUMENTS, ACCURACY.
To facilitate the study of frazil ice in the field, a highly accurate, portable water temperature meter was required The USACRREL Precise Thermistor Meter was designed and built to meet this need. The meter is rugged, battery-operated, waterproof, and able to operate over a wide range of ambient temperatures A unique feature of this instrument is the use of software to compensate for temperature-dependent variation in the analog electronics The circuitry consists of an analog printed circuit board and a low power microcomputer. The resistance of a calibrated thermistor is determined and its temperature calculated using the Steinhart-Hart equation The accuracy of the meter was determined both theoretically and in cold room tests The hardware and software used in the meter are described

SR 86-01
TECHNOLOGY TRANSFER OPPORTUNITIES FOR THE CONSTRUCTION ENGINEERING COMMUNITY: MATERIALS AND DIAGNOSTICS. 1986, 54p , ADA-166 360. Refs passim For selected papers see 40-4705 through 40-4708
40-4704
DETECTION, CONSTRUCTION MATERIALS, ROOFS, PAVEMENTS, MAINTENANCE, PROTECTIVE COATINGS, THERMAL CONDUCTIVITY, CONCRETE AGGREGATES

SR 86-02
NITROGEN REMOVAL IN COLD REGIONS TRICKLING FILTER SYSTEMS.
Reed, S.C , et al, Fe' 1986, 39p., ADA-167 118, 19 refs
Diener, C.J., W) .B.
40-3581
WASTE T' MENT, WATER TREATMENT, SEEPAGE, MICAL ANALYSIS, TEMPERATURE EFFECTS, DESIGN, HEAT LOSS, POLAR REGIONS
Trickling filters are found in about 50' of the operating wastewater treatment systems owned by the U S Army, and more are likely for any new construction Control of nitrogen, particularly ammonia in wastewater effluents is a growing necessity Ammonia can be removed in trickling filters but the process is temperature-dependent This study combined an intensive literature review with data collection at full-scale and pilot-scale systems These results are presented and evaluated A liquid temperature of at least 7 C is necessary in the filter bed for effective ammonia removal, and a separate single-purpose filter bed dedicated for nitrification is recommended when significant ammonia removal is required at cold regions locations Criteria and equations are derived for future cold region system designs

SR 86-03
MIZEX—A PROGRAM FOR MESOSCALE AIR-ICE-OCEAN INTERACTION EXPERIMENTS IN ARCTIC MARGINAL ICE ZONES. MIZEX BULLETIN 7. Mar 1986, 88p., ADA-172 265, Refs. passim For individual papers see 41-3053 through 41-3061.
41-3052
SEA ICE DISTRIBUTION, ICE EDGE, ICE MELTING, ICE DEFORMATION, ICE CRYSTAL STRUCTURE, ICE SURFACE, OCEAN CURRENTS, ICE AIR INTERFACE, ICE WATER INTERFACE, BOUNDARY LAYER.

SR 86-04
FORTRAN SUBROUTINES FOR ZERO-PHASE DIGITAL FREQUENCY FILTERS.
Albert, D G , Mar 1986, 26p., ADA-168 855, 4 refs
41-3648
FILTERS, COMPUTER PROGRAMS, DESIGN, ANALYSIS (MATHEMATICS).
This report describes and gives user instructions for a series of FORTRAN subroutines that can be used to design and apply zero-phase frequency filters to digitized data The general properties of these filters are discussed and complete listings are presented

SR 86-05
COMPARISON OF WINTER CLIMATIC DATA FOR THREE NEW HAMPSHIRE SITES.
Govoni, J.W., et al, Mar. 1986, 78p., ADA-167 427, 5 refs.
Smith, S.J.
40-3582
ICE DETECTION, ICING, METEOROLOGICAL DATA, CLIMATE, DEW POINT, WIND VELOCITY, WIND DIRECTION, PRECIPITATION (METEOROLOGY), ALTITUDE, HUMIDITY, UNITED STATES—NEW HAMPSHIRE.
This data report contains climatological measurements for the winters of 1980-81 and 1981-82 made at three sites in New Hampshire situated at elevations of 155 m, 870 m and 1910 m above sea level Parameters measured included wind speed and direction, precipitation, temperature, humidity, and duration of icing events. Comparison of the data provides the opportunity to examine the influence of elevation on atmospheric icing occurrence and intensity. In New Hampshire, icing appears to occur only at elevations above about 900 m

SR 86-07
PERFORMANCE OF HIGHWAY AND ALL-SEASON RADIAL TIRES AND TRACTION AIDS ON ICE AND IN SNOW.
Rogers, T , et al, Apr. 1986, 20p., ADA-168 872, 3 refs.
Liston, R A
43-4590
TIRES, PERFORMANCE, TRACTION, COLD WEATHER PERFORMANCE, COLD WEATHER TESTS
This study compares the traction performance of a group of all-season radial tires, highway radial tires, link and cable chains The tests were conducted on ice and snow The all-season radials perform slightly better on ice, presumably because of the adhesive compound used in manufacturing these tires The chains significantly improved traction on ice over bare tires, the link chain being best In snow, the bare tires performed approximately the same The cable chains provided only a slight improvement, while the link chains again performed best

SR 86-08
DESCRIPTION OF THE BUILDING MATERIALS DATA BASE FOR PITTSBURGH, PENNSYLVANIA.
Merry, C J., et al, Apr 1986, 87p , ADA-167 285, 15 refs.
LaPotin, P J
40-3583
CONSTRUCTION MATERIALS, PRECIPITATION (METEOROLOGY), BUILDINGS, ENVIRONMENTAL PROTECTION, ROOFS, CHEMICAL ANALYSIS, STATISTICAL ANALYSIS, COST ANALYSIS, UNITED STATES—PENNSYLVANIA—PITTSBURGH
A building materials sampling program for the Pittsburgh, Pennsylvania, region was conducted in December 1984 through February 1985 to examine the types and amounts of building surface materials exposed to acid deposition A stratified, systematic, unaligned random sampling approach was used to generate sample points across six sampling frame areas

A minimum of 70 sample points was examined per sampling frame to yield a total sample size of 541 points Building sizes, surface materials, roof characteristics, roof-mounted apparatus, chimneys, gutters, downspouts and fences were recorded. This report provides an initial summary of the data collected.

SR 86-09

MIZEX—A PROGRAM FOR MESOSCALE AIR-ICE-OCEAN INTERACTION EXPERIMENTS IN ARCTIC MARGINAL ICE ZONES. 8. A SCIENCE PLAN FOR A WINTER MARGINAL ICE ZONE EXPERIMENT IN THE FRAM STRAIT/GREENLAND SEA: 1987/89.

Davidson, K., ed, Apr. 1986, 53p., ADA-169 070, Refs. p.46-47.

41-3930

ICE PHYSICS, REMOTE SENSING, ICE EDGE, ACOUSTICS, METEOROLOGY, OCEANOGRAPHY, ICE WATER INTERFACE, MEASURING INSTRUMENTS, FRAM STRAIT, GREENLAND SEA.

SR 86-10

REVISED GUIDELINES FOR BLASTING FLOATING ICE.

Mellor, M., May 1986, 37p., ADA-168 760, 11 refs

41-3814

ICE BLASTING, PENETRATION TESTS, FLOATING ICE, EXPLOSION EFFECTS, SUBGLACIAL OBSERVATIONS

Empirical prediction curves for ice blasting are given, and their derivation and use is explained Alternative forms of the curves, which relate more closely to conventional underwater explosion technology, are developed and examined. Results of experiments with gas blasting devices are summarized and discussed in relation to the cratering effects of conventional explosives There is a brief discussion of the energetics of ice fragmentation, effects of surface charges are outlined, and penetration by shaped charges is described Some test data that were not previously available are given in an appendix.

SR 86-11

CONCENTRATION AND FLUX OF WIND-BLOWN SNOW.

Mellor, M., et al, June 1986, 16p., ADA-170 504, 7 refs.

Fellers, G.

41-3928

SNOWDRIFTS, SNOW REMOVAL, WIND TUNNELS, VISIBILITY, WIND VELOCITY, MASS TRANSFER, STATISTICAL ANALYSIS.

Representative graphical relations are developed for the flux and concentration of wind-blown snow as functions of wind speed and height above surface Previously published field data are tabulated to provide 120' data sets for flux and the same number for mass concentration Using appropriately transformed variables, multiple regression analysis yields empirical relations for horizontal mass flux as a function of wind speed and height, and for mass concentration as a function of wind speed and height.

SR 86-12

NATURAL ELECTRICAL POTENTIALS THAT ARISE WHEN SOILS FREEZE.

Yarkin, I.G , June 1986, 24p., ADA-170 583, 16 refs.

41-3929

SOIL FREEZING, ELECTRICAL PROPERTIES, FROST HEAVE, SOIL STRUCTURE, EXPERIMENTATION, POLARIZATION (CHARGE SEPARATION)

Samples of sand, kaolin, bentonite, and loam were frozen from the top downward in cylinders 10 to 12 cm high and 7 cm in diameter. During the freezing process electrical potentials of up to 300 mV were measured between platinum electrodes placed near the ends of the samples The mechanism that gives rise to these potentials and the effect of soil type and fineness, moisture content, and moisture migration are discussed.

SR 86-13

DESCRIPTION OF THE BUILDING MATERIALS DATA BASE FOR PORTLAND, MAINE.

Merry, C J , et al, June 1986, 83p., ADA-172 633, 12 refs.

LaPotin, P.J.

41-662

CONSTRUCTION MATERIALS, PRECIPITATION (METEOROLOGY), CHEMICAL ANALYSIS, ENVIRONMENTAL PROTECTION, BUILDINGS, DAMAGE, STATISTICAL ANALYSIS, COMPUTER APPLICATIONS, UNITED STATES—MAINE—PORTLAND.

A building materials sampling program for the Portland, Maine, region was conducted in July and August 1984 to examine the types and amounts of building surface materials exposed to acid deposition The stratified, systematic, unaligned random sampling approach was used to generate sample points across the six sampling frame areas A minimum of 70 sample points was examined per sampling frame to yield a total sample size of 461 points Building sizes, surface materials, roof characteristics, roof-mounted apparatus, chimneys, gutters, downspouts and fences were recorded. This report provides an initial summary of the data collected.

SR 86-14

ICE HEAT SINKS. PART 1: VERTICAL SYSTEMS.

Lunardini, V.J., June 1986, 107p., ADB-105 859, Refs. p.40-42.

41-3815

MILITARY OPERATION, ICE HEAT FLUX, HEAT SINKS, HEAT TRANSFER, THERMAL PROPERTIES, MATHEMATICAL MODELS, DESIGN, COMPUTER APPLICATIONS, ICE MELTING, WATER TEMPERATURE.

A review is presented of the general characteristics of ice heat sinks, including thermal, mechanical and operational aspects The thermal design of a vertical ice heat sink with annular flow is outlined using a computer model to give quantitative results The mathematical model allows interaction between the ice sink and the surrounding rock material. Design curves are presented to estimate the outlet water temperature as a function of time and the rate of ice melt.

SR 86-15

PROCEEDINGS, VOL.1.

Snow Symposium, 5th, Hanover, NH, Aug. 13-15, 1985, June 1986, 369p., ADB-135 277, Refs. passim. For individual papers see 43-4622 through 43-4649.

43-4621

SNOW PHYSICS, SNOWFLAKES, SNOWSTORMS, SNOWFALL, MILITARY OPERATION, SNOW ACOUSTICS, MEETINGS, VISIBILITY, TRAFFICABILITY, SNOW ICE INTERFACE, BACKSCATTERING, RADAR ECHOES, MEASURING INSTRUMENTS.

SR 86-16

BLASTING AND BLAST EFFECTS IN COLD REGIONS. PART 2: UNDERWATER EXPLOSIONS.

Mellor, M., July 1986, 56p., ADA-178 363, For Pt.1 see 40-3304. 17 refs.

41-3020

ICE BLASTING, EXPLOSION EFFECTS, SHOCK WAVES, ICE SHEETS, SUBGLACIAL OBSERVATIONS, COLD WEATHER PERFORMANCE, MILITARY OPERATION.

The general characteristics of underwater explosions are reviewed in order to provide a background for the consideration of under-ice explosions Test data for under-ice explosions and for explosive icebreaking are summarized and interpreted.

SR 86-17

ARCTIC AND SUBARCTIC CONSTRUCTION: GENERAL PROVISIONS.

Lobacz, E.F., July 1986, 75p., ADA-172 674, Refs. p.72-75.

41-663

COLD WEATHER CONSTRUCTION, FROST ACTION, PERMAFROST DISTRIBUTION, FROST PENETRATION, FREEZING INDEXES, GROUND THAWING, SNOW COVER DISTRIBUTION, POLAR REGIONS.

Working in the world's cold regions is quite different from working in warmer places This document gives general information on frost action, permafrost and other special factors to help engineers who must operate in arctic and subarctic areas

SR 86-18

SOME DEVELOPMENTS IN SHAPED CHARGE TECHNOLOGY.

Mellor, M., July 1986, 29p., ADB-109 567, 16 refs. For another source see 41-2678.

41-3049

PROJECTILE PENETRATION, CAVITATION, FROZEN GROUND STRENGTH, ICE STRENGTH, MILITARY OPERATION, MATERIALS, PENETRATION TESTS, DESIGN.

SR 86-19

EFFECT OF FREEZING ON THE LEVEL OF CONTAMINANTS IN UNCONTROLLED HAZARDOUS WASTE SITES. PART 1: LITERATURE REVIEW.

Iskandar, I K , July 1986, 33p , ADA-172 979, Refs p 27-33.

41-693

WASTE TREATMENT, POLLUTION, SOIL FREEZING, WATER TREATMENT, SEA WATER, SLUDGES, FREEZE THAW CYCLES, IONS, ARTIFICIAL FREEZING

This report reviews the literature concerning the effects of ground freezing on uncontrolled hazardous waste sites Since there was very little information directly related to hazardous waste materials, previous studies on the beneficial use and impact of freezing on wastewater, sea water, sludges and soils have been included Freezing of uncontrolled hazardous waste sites may cause frost heaving of buried waste material, allowing chemical wastes to move upward, and chemical transport of ions in freezing and frozen soils Also, repeated cycles of freeze thaw may adversely affect the durability of clay liners being used to cover hazardous waste sites Ground freezing can be used beneficially to 1) dewater and consolidate hazardous waste materials, particularly slurry-type wastes, 2) serve as an alternative to slurry walls, trenches, etc , to separate contaminated areas; and 3) immobilize the contaminants, particularly if time is a critical factor.

SR 86-20

INITIAL ASSESSMENT OF THE 600-GALLON-PER-HOUR REVERSE OSMOSIS WATER PURIFICATION UNIT. FIELD WATER SUPPLY ON THE WINTER BATTLEFIELD.

Bouzoun, J.R., et al, July 1986, 6p., ADA-171 989, 3 refs.

Reed, S.C., Diener, C.J.

41-529

WATER SUPPLY, MILITARY FACILITIES, WATER TREATMENT, COLD WEATHER PERFORMANCE, WATER POLLUTION, LOGISTICS, WATER TEMPERATURE

An initial study was conducted to determine the effects of raw water temperature on the finished water production rates of the Army's new 600-gal /hr Reverse Osmosis Water Purification Unit (ROWPU) This study showed that the finished water production rates decreased from 687 gal./hr at a raw water temperature of 68.3 F to 348 gal./hr at a raw water temperature of 33 7 F The report also has a list of suggestions on how to set up and operate the ROWPU on the winter battlefield.

SR 86-21

STABILIZATION OF FINE-GRAINED SOIL FOR ROAD AND AIRFIELD CONSTRUCTION.

Danyluk, L S., July 1986, 37p., ADA-172 600, 14 refs.

41-540

SOIL STABILIZATION, ROADS, FROST RESISTANCE, BITUMENS, CEMENT ADMIXTURES, SUBGRADE SOILS, GRAIN SIZE, LIMING, CHEMICAL PROPERTIES, ORGANIC SOILS, FROST HEAVE, AIRPORTS.

A laboratory study was conducted to determine the feasibility of stabilizing an organic silt for use in sub-base or base courses for all-weather, low-volume roads and airfields in Alaska The soil used in this study has an organic content of 12% and a modified Proctor value of 79 1 lb/cu ft at a 29% moisture content. The stabilizers evaluated were: cement, cement with additives (calcium chloride, hydrogen peroxide, sodium sulfate, and lime), lime, lime/fly ash, asphalt emulsion, tetrasodium polyphosphate, and calcium acrylate Unconfined compressive strengths obtained were 39 lb/sq in with 20% cement, 64 lb/sq in. with 20% cement and 2% calcium chloride, 51 lb/sq in. with aspahalt emulsion, and 348 lb/sq in with calcium chloride. Lime and lime/fly ash proved to be ineffective for this soil. Although tetrasodium polyphosphate did not improve the soil's strength it did reduce frost susceptibility and permeability.

SR 86-22

AFTER-ACTION REPORT—REFORGER '85.

Liston, R.A , Aug. 1986, 20p., ADB-107 244.

41-3816

MILITARY OPERATION, TANKS (COMBAT VEHICLES), TIRES, SNOW COVER EFFECT, SOIL WATER, TRAFFICABILITY, SNOWFALL.

Four demonstrations associated with the 1985 REFORGER are described a demonstration of the performance characteristics of commercially available radial tires, a demonstration of the use of a soil moisture sensor to predict the trafficability of soils in a maneuver area, a demonstration of the need to account for the effects of a snow cover when planning anti-tank and anti-personnel mine fields, and a determination of the effects of the winter environment on tank electro/optical systems performance

SR 86-23

ICE ATLAS, 1984-1985: OHIO RIVER, ALLEGHENY RIVER, MONONGAHELA RIVER.

Gatto, L.W., et al, Aug. 1986, 185p

Daly, S.F., Carey, K.L.

42-801

RIVER ICE, MAPS, ICE CONDITIONS, ICE NAVIGATION, UNITED STATES—OHIO RIVER, UNITED STATES—PENNSYLVANIA—ALLEGHENY RIVER, UNITED STATES—MONONGAHELA RIVER.

Ice conditions on inland rivers can change rapidly and adversely affect navigation The ice maps in this atlas were prepared to document the 1984-85 ice conditions on those reaches of the Ohio, Allegheny and Monongahela Rivers that are included in study areas for the River Ice management (RIM) Program, namely river mile 0 to 437 on the Ohio River, mile 0 to 7 on the Allegheny, and mile 0 to 66 on the Monongahela The maps were prepared from interpretation of vertical aerial video imagery taken from a low-flying aircraft The interpreted ice conditions were classified into 5 units and transferred to base maps by reference to navigation charts and topographic maps Fragmented Ice Cover and Ice Floes or Frazil Slush and Pans were the most common ice units in the lower pools of the Monongahela River and lower Allegheny. Solid Ice Cover and Fragmented Ice Cover were the most common units in the upper pools of the Monongahela Fragmented Ice Cover and Open Water were the most extensive units in

the Emsworth to New Cumberland pools of the Ohio; Open Water and Ice Floes or Frazil Slush and Pans were the predominant units in the downstream pools There were frequent cancellations of flights during the 1984-85 winter because of low cloud ceilings. To get more frequent video coverage of ice during the 1985-86 winter, a wider-angle lens on the video camera will be used. This will allow flights at a lower altitude, permitting video coverage even when the ceiling is low.

SR 86-24

CONDENSING STEAM TUNNEL HEAT SINKS.

Lunardini, V.J., Aug. 1986, 29p, ADB-106 677, 19 refs.

41-1350

HEAT SINKS, TUNNELS, HEAT TRANSFER, ROCKS, THERMODYNAMICS, CONDENSATION, THERMAL CONDUCTIVITY, MATHEMATICAL MODELS, TEMPERATURE EFFECTS, AIR MASSES.

This report examines the feasibility of condensing steam from an underground power source by heat conduction into the surrounding rocks. A mathematical model was utilized such that the condensing steam delivered a variable flux of energy to the walls of the condenser tunnel Heat flow in the surrounding rock was limited to conduction A numerical analysis of the transient problem results in predictions of tunnel lengths and diameters needed to dissipate specified condenser heat loads as a function of initial steam pressure, surrounding rock thermal properties, and ambient rock temperature. The rock thermal conductivity exerts a large influence upon the required tunnel length, with tunnel length decreasing with increasing rock conductivity. The quantitative predictions of the model indicate that a condensing steam tunnel in rock may be competitive with circulating water or ice/water heat dissipation modes

SR 86-25

WINTER FIELD FORTIFICATIONS.

Farrell, D., Aug. 1986, 50p., ADB-106 228, 23 refs

41-3817

FORTIFICATIONS, MILITARY OPERATION, SNOW (CONSTRUCTION MATERIAL), WOODEN STRUCTURES, EMBANKMENTS, WINTER, TESTS.

Preparation of winter field fortifications poses problems that are not encountered in any other environment The primary construction materials available for aboveground construction are snow and wood. This report describes what snow is, and how and when to use it to the best advantage, and it presents the results of tests of the capacity of snow embankments to stop projectiles The information presented is based on both laboratory and field test results. Both approaches were required to understand why a bullet stops quickly in snow and how durable a snow fortification can be. Field tests showed that a non-fuzed round as large as that from the Soviet 14 5 mm KPV can be stopped by 2 m (6 6 ft) of packed snow Laboratory studies revealed the mechanics of bullet interaction with snow For the larger, fragmentation munitions field tests were cumbersome and unproductive But a laboratory simulation of fragment penetration into snow showed that only 0 6 m (2 ft) of packed snow stops the smaller, high-velocity fragments while 1 5 m (5 ft) of snow is required to stop the larger, slower fragments To represent the larger, anti-armor, direct-fire weapons containing shaped-charge warheads, the 90-mm M67 and the 70-mm Soviet RPG-7 were used in field tests The results showed that 3 m (10 ft) of snow absorbed all effects, even after multiple impacts

SR 86-26

ICE HEAT SINKS. PART 2: HORIZONTAL SYSTEMS.

Lunardini, V.J., Aug 1986, 104p, ADB-111 755, Refs. p.23-25.

41-3818

MILITARY OPERATION, HEAT SINKS, ICE HEAT FLUX, HEAT TRANSFER, COMPUTER APPLICATIONS, MATHEMATICAL MODELS, THERMAL PROPERTIES, ICE MELTING, WATER TEMPERATURE.

The thermal design of a horizontal ice heat sink with horizontal water flow is outlined using a computer model to give quantitative results The mathematical model allows interaction between the ice sink and the surrounding rock material Data taken from an experiment, undertaken as part of this study, on melting, horizontal ice sheets were used in the mathematical model. Design curves are presented to estimate the outlet water temperature as a function of time and the rate of ice melt The horizontal ice heat sinks can deliver outlet water at temperatures between 45 and 55 F for a considerable period of time (hundreds of hours) if the heat dissipation rate of the sink is less than 0 8 kW/ft For this range of heat dissipation rates, the horizontal sink is comparable in performance to the vertical ice heat sink The mathematical model emphasizes the thermal aspects of the heat sink with no consideration given to mechanical and plumbing problems construction techniques, or maintenance of the sink

SR 86-27

DRILL BITS FOR FROZEN FINE-GRAINED SOILS.

Sellmann, P V., et al, Aug. 1986, 33p., ADA-178 113, 9 refs.

Mellor, M.

41-2610

DRILLS, FROZEN GROUND TEMPERATURE, AUGERS, PERMAFROST, SEDIMENTS, GRAIN SIZE, GROUND ICE, ROTARY DRILLING, TEMPERATURE EFFECTS.

Successful drill bits for use in frozen sediments have certain characteristics that are not commonly found in commercial bits used for unfrozen soils and rocks In frozen sediments, drilling characteristics and optimum bit design vary, depending on grain size, ice content, and temperature of the material Drills for frozen *fine-grained* material (silt and clay) have specific requirements that differ from those for other frozen soil types Important features of drills that perform well in frozen fine-grained materials include (1) full face cutting, (2) a pilot bit that can cut and clear its cuttings, (3) appropriate cutter angles (adequate clearance angles and positive rake), (4) sharp but durable cutters, (5) unobstructed flow paths for chip clearing, and (6) stabilizing features for smooth running Examples of successful bits are discussed and illustrated Some were built or modified at CRREL, while others are of commercial manufacture

SR 86-28

ENGINEERING SURVEYS ALONG THE TRANS-ALASKA PIPELINE.

Godfrey, R N, et al, Sep. 1986, 85p, ADA-173 853, 4 refs.

Eaton, R.A

41-799

PERMAFROST BENEATH STRUCTURES, COLD WEATHER CONSTRUCTION, PIPELINES, FREEZE THAW CYCLES, ENGINEERING, PERMAFROST BENEATH ROADS, DESIGN CRITERIA, ENVIRONMENTAL PROTECTION, CLIMATIC FACTORS, THAW DEPTH, UNITED STATES—ALASKA.

During the spring of 1976, environmental engineering investigations along the Alyeska Pipeline Haul Road and TAPS (Trans-Alaska Pipeline System) Road were initiated by CRREL in conjunction with the Federal Highway Administration and the Alaska Department of Highways The three-year research project had two general objectives 1) to systematically obtain data on selected highway, airfield and pipeline workpad test sites and adjacent terrain to establish the rates and types of modifications in permafrost-dominated regions, and 2) to provide the basis for improved design criteria and specifications governing road, airfield and workpad construction and restoration in permafrost zones that are influenced by many different seasonal climatic regimes

SR 86-29

BLISTERING OF BUILT-UP ROOF MEMBRANES: PRESSURE MEASUREMENTS.

Korhonen, C., Oct. 1986, 22p, ADA-190 293, 13 refs.

42-2672

ROOFS, SURFACE TEMPERATURE, PROTECTIVE COATINGS, MAINTENANCE, PRESSURE, DAMAGE, TEMPERATURE MEASUREMENT.

Several blisters in built-up roof membranes were instrumented with pressure and temperature sensors Internal blister pressures varied from positive during the heat of the day to negative during the cool of the night, these pressure changes cause blisters to grow Air is drawn into the blister at night When exposed to sunshine, the air rapidly expands before it can escape. Water is not necessary to cause growth Blisters grow best when the days are hot and the nights are cool Pressures apparently do not occur within the insulated space of a roof to cause blisters Reflective coatings may help to slow blister growth Growth can be stopped by using a miniature pressure relief valve

SR 86-30

SECOND WORKSHOP ON ICE PENETRATION TECHNOLOGY, 1986.

Workshop on Ice Penetration Technology, 2nd, Monterey, CA, June 16-19, 1986, Oct. 1986, 659p, ADB-108 529. Refs passim For individual papers see 41-2653 through 41-2681.

41-2652

ICE COVER STRENGTH, PENETRATION TESTS, MILITARY OPERATION, SEA ICE, ICE MECHANICS, MEETINGS, DESIGN, ICE COVER THICKNESS, MODELS, CAVITATION.

On 16-19 June 1986 the Naval Surface Weapons Center (NSWC) and the U S Army Cold Regions Research and Engineering Laboratory (CRREL) co hosted the Second Workshop on Ice Penetration Technology at the Naval Postgraduate School in Monterey, California Since the first workshop at CRREL two years ago, many notable accomplishments had occurred regarding ice penetration and related subjects The objectives of the workshop were to provide a forum at which to present and discuss these findings and identify areas requiring more work Papers were presented on the following general topics environmental data needs, ice measurement techniques, ice statistics, ice mechanics, scale model tests, field tests, analytical modeling, design and hardware, alternate methods, airborne ASW and submarines

SR 86-31

DESCRIPTION OF THE BUILDING MATERIALS DATA BASE FOR CINCINNATI, OHIO.

Merry, C J., et al, Oct. 1986, 85p., ADA-189 046, 14 refs.

LaPotin, P.J.

41-3498

CONSTRUCTION MATERIALS, PRECIPITATION (METEOROLOGY), ENVIRONMENTAL PROTECTION, DAMAGE, CHEMICAL ANALYSIS, STATISTICAL ANALYSIS, COMPUTER PROGRAMS, SAMPLING.

A building materials sampling program for the Cincinnati, Ohio, region was conducted in Jan. and Feb. 1985 to examine the types and amounts of building surface materials exposed to acid deposition The stratified, systematic, unaligned random sampling approach was used to generate sample points across four sampling frame areas A minimum of 70 sample points was examined per sampling frame to yield a total sample size of 387 points Building sizes, surface materials, roof characteristics, roof-mounted apparatus, chimneys, gutters, downspouts and fences were recorded. This report provides an initial summary of the data collected.

SR 86-32

EQUIPMENT FOR MAKING ACCESS HOLES THROUGH ARCTIC SEA ICE.

Mellor, M., Nov. 1986, 34p., ADA-180 961, 34 refs.

41-3819

ICE CUTTING, ICE DRILLS, PROJECTILE PENETRATION, SEA ICE, HYDRAULIC JETS, ICE BLASTING, EQUIPMENT, ROTARY DRILLING, PERCUSSION DRILLING.

Navy underwater construction teams require a capability for making access holes through arctic sea ice. Required hole diameters range from less than 4 in. (100 mm) to more than 10 ft (3 m) in ice up to 15 ft (4.6 m) thick. Small diameter holes are to be completed in less than 4 hr and large diameter holes in less than 8 hr. The report first gives brief descriptions of the working environment, site access considerations, and probable operational procedure. Principles and techniques for penetrating sea ice are summarized, with an initial list of 14 topics Twelve of these items are identified as potentially relevant, and are discussed more fully They include 1) projectile penetration, 2) shaped charge penetration, 3) high pressure water jets, 4) blasting, 5) flame jets, 6) electrothermal devices, 7) hydrothermal devices, 8) rotary drilling, 9) percussive and vibratory penetration, 10) mechanical cutting, 11) chemical penetration, 12) exotic concepts. The final selection, which takes into account practical concerns and field experience, recommends the following things as basic tools a) small diameter auger drills (less than 4 in diam), b) large diameter auger drills (approx 9 in diam), c) chain saws, d) a hot water system for drilling and cutting The discussion of associated equipment covers electric generators, hoists and lifting tackle, hand tools, and blasting supplies Consideration is also given to single-fuel operation, bulk melting, and possibilities for use of compressed air Recommendations for development work by NCEL are given

SR 86-33

INSTRUCTIONS FOR COMPLETING A FIELD WORKSHEET FOR INVENTORYING BUILDING MATERIALS.

Merry, C J, Dec. 1986, 25p., ADA-176 467, 9 refs.

41-2530

CONSTRUCTION MATERIALS, PRECIPITATION (METEOROLOGY), ENVIRONMENTAL PROTECTION, DAMAGE CHEMICAL ANALYSIS.

A worksheet for use in the field was developed to inventory building materials in four northeastern cities in support of the EPA Acid Rain program The initial form was tested for two of the cities, the redesigned and simplified form discussed in this report was used in the two remaining cities The worksheet was designed to provide information on the census tract, land use type and sampling frame, the dimensions and type of building, the lot size, the materials distribution percentages in the foundation, first story and all above stories, and the surface area and material types for the roof roof-mounted apparatus (vents, flues, stacks, skylights and flashing), chimneys, rain gutters, downspouts and fences The worksheet is recommended for future surveys of building materials in other cities

SR 86-34

CALIBRATING HEC-2 IN A SHALLOW, ICE-COVERED RIVER.

Calkins, D J, et al, Dec 1986, 25 refs., ADA-176 485, 7 refs

Adley, M D.

41-2531

FLOOD CONTROL, ICEBOUND RIVERS, ICE COVER THICKNESS, RIVER FLOW, WATER LEVEL, MATHEMATICAL MODELS, FLOATING ICE, FREEZEUP, ICE COVER EFFECT.

HEC-2 has recently been modified to accept input for a floating ice cover Several techniques were evaluated in calibrating the model versus the measured field data for a steep, shallow river The ice cover thickness, as expected, was the dominant parameter affecting the water levels and not the Manning's roughness coefficient of the ice cover

Excellent field data on ice cover thicknesses, water levels and flow discharges were available for calibration The relatively shallow depths of less than 6 ft and ice covers of up to 3-ft thick created special problems in matching the water levels. The actual ice cover thicknesses measured in the field should be used as a guide for ice thickness input to the model for shallow streams The transition of ice cover thickness from one section to the next in the model is extremely critical, otherwise there will be excessive head losses Several methods for interpolating the ice thickness between the measured sections were attempted in trying to simulate the freeze-up, and ineffective flow areas were blocked off as well. The latter provided the most realistic simulation of flow velocities beneath the ice cover.

Sr 86-35
ROOF BLISTERS. PHYSICAL FITNESS BUILDING, FORT LEE, VIRGINIA.
Korhonen, C., et al, Dec. 1986, 15p., ADA-177 801, 3 refs.
Bayer, J.J.
41-2611
ROOFS, WATERPROOFING, THERMAL PROPERTIES, LEAKAGE, BUILDINGS, DEFECTS, COUNTERMEASURES.
The blisters on this 2-year old roof were first noticed one year after construction. Findings show that all blisters were built into the roof and that they will continue to develop in size and number. Currently, this roof is watertight, but leaks will occur as blisters begin to break. Rather than wait for problems, recommendations are provided for using a CRREL-designed pressure relief valve to prevent blisters from growing and ever becoming a problem

SR 86-36
AUGER BIT FOR FROZEN FINE-GRAINED SOIL.
Sellmann, P.V , et al, Dec. 1986, 13p , ADA-190 343, 5 refs.
Brockett, B.E.
42-2673
AUGERS, FROZEN GROUND STRENGTH, DRILLS, MILITARY ENGINEERING, PENETRATION TESTS, BOREHOLES.
Auger bits 6 5 in. (165 mm) and 9 5 in (241 mm) in diameter were modified to satisfy military and general engineering requirements for producing holes in frozen soil A commercial bit was selected since it appeared to need only minor modification Penetration tests were run in frozen fine-grained soils, one type containing some gravel Modifications, which primarily involve changes in cutter relief angles, substantially improved performance Penetration rates were as high as 5 ft/min (1 5 m/min), compared to 0-1 4 ft/min (0-0.4 m/min) for the unmodified bits

SR 86-37
DEVELOPMENT OF A FRAZIL ICE SAMPLER.
Brockett, B.E., et al, Dec. 1986, 12p , ADA-179 043
Sellmann, P.V.
41-3257
FRAZIL ICE, CORE SAMPLERS, ICE SAMPLING, DESIGN, GRAIN SIZE
A lightweight sampler has been constructed to provide large cores from frazil ice deposits. Samples containing frazil ice particles ranging in size from 1 mm to over 70 mm, including the interstitial water, were successfully recovered during field tests These samples were nearly undisturbed while confined in the sample tube, based on a comparison with samples acquired using a freeze probe technique

SR 86-38
LOW TEMPERATURE EFFECTS ON SORPTION, HYDROLYSIS AND PHOTOLYSIS OF ORGANOPHOSPHONATES—A LITERATURE REVIEW.
Britton, K.B., Dec. 1986, 47 refs., ADA-178 349, Refs. p.42-47.
41-3050
POLLUTION, CHEMICAL ANALYSIS, ICE COMPOSITION, SNOW COMPOSITION, SOIL COMPOSITION, FROZEN GROUND, TEMPERATURE EFFECTS, ENVIRONMENTAL IMPACT.
A survey was made of the open literature to determine the information available on the persistence of organophosphonate chemical agents in the environment This review focuses on low temperature hydrolytic and photolytic degradation of the nerve agents GA (Tabun), GB (Sarin), GD (Soman) and VX. The role of adsorption to ice, snow and frozen soils and sediments is also discussed in relation to these degradative processes Suggestions are made for the investigation of agent decomposition using simulants The method proposed for the study of agent persistence is based on the use of linear free energy relationships, which should allow for more reliable prediction of agent behavior than if a single simulant is used as a model compound

SR 86-39
COMPARATIVE TRACTIVE PERFORMANCE OF MICROSIPED AND CONVENTIONAL RADIAL TIRE DESIGNS.
Blaisdell, G.L., et al, Dec. 1986, 11p., ADA-178 355, 4 refs.
Morrison, T.L.
41-3051
TIRES, TRACTION, RUBBER ICE FRICTION, BRAKES (MOTION ARRESTERS), DESIGN.
The braking and driving tractive effectiveness of aftermarket microsiping of all-season design radial tires was studied as an alternative to standard traction aids such as snow tires, studs, and chains Microsiping is a process that involves laterally slicing the tires to a depth close to that of the tread depth, thus dividing each tread element into several adjacent, contacting elements Microsiping removes virtually no material from the tire From previous studies, it is known that traction on ice is overwhelmingly dependent on the adhesion between the ice surface and the tire tread compound. Since microsiping does not alter the compound, a measurable improvement in traction on ice for several tire types and temperatures, as expected, was not found

SR 87-02
LOSSES OF EXPLOSIVES RESIDUES ON DISPOSABLE MEMBRANE FILTERS.
Jenkins, T.F., et al, Mar. 1987, 25p., ADA-180 889, 10 refs
Knapp, L.K., Walsh, M.E.
41-3820
EXPLOSIVES, POLLUTION, FILTERS, LABORATORY TECHNIQUES, EXPERIMENTATION, WATER POLLUTION, SOLUTIONS.
A number of 0 45-micron disposable filters were tested for sorption of HMX, RDX, TNB, DNB, tetryl, TNT and 2,4-DNT. Both aqueous and mixed aqueous-organic solvent matrices were tested. For aqueous matrices, the Nalgene (green) cellulose acetate filter sorbed significant amounts of HMX, RDX, TNT and 2,4-DNT. The Gelman Acro LC25 filter, described as a naturally hydrophilic fluoropolymer, also sorbed significant levels of HMX, TNT and tetryl Where sorption was found, losses were greatest for the first portion of filtrate passed through the filter and for filtration conducted slowly Addition of 50% organic solvent prior to filtration eliminated sorption problems for all filters tested When aqueous matrices are filtered, the recommended procedure is to discard the first 10-mL portion of filtrate and retain the second 10-mL portion for analysis

SR 87-04
EXTINCTION COEFFICIENT MEASUREMENT IN FALLING SNOW WITH A FORWARD SCATTER METER.
Koh, G., Mar. 1987, 9p., ADA-180 958, 5 refs.
41-3849
LIGHT SCATTERING, SNOWFALL, INFRARED RADIATION, LIGHT TRANSMISSION, FOG, MILITARY OPERATION.
A forward scatter meter designed to measure the visible extinction coefficients measured with a forward scatter meter and a transmissometer indicates that a forward scatter meter can be used to measure extinction coefficient in falling snow The different calibrations required for snow and fog are partially explained by examining the effect of particle size on the angular distribution of scattered light.

SR 87-05
TREATMENT AND DISPOSAL OF ALUM AND OTHER METALLIC HYDROXIDE SLUDGES.
Reed, S.C., et al, Mar. 1987, 40p. + plates, ADA-180 960, 19 refs.
Smith, J.E., Sletten, R S , Resta, J.
41-4142
SLUDGES, WATER TREATMENT, WASTE TREATMENT, WASTE DISPOSAL, FREEZING, DRYING, MILITARY FACILITIES, MASS BALANCE.
Sludge is an inevitable product of water and wastewater treatment The treatment and disposal of these materials is often the most costly aspect of the overall operation The use of alum and other metallic chemicals for coagulation and other purposes has increased significantly in both water and wastewater treatment in recent years These chemicals not only increase the total volume of sludge produced but very significantly influence its characteristics This report describes a number of processes for sludge treatment and disposal and recommends those best suited for military facilities.

SR 87-06
PROCEDURE FOR MEASURING BUILDING R-VALUES WITH THERMOGRAPHY AND HEAT FLUX SENSORS.
Flanders, S.N , May 1987, 29p., ADA-180 959, 5 refs.
41-4083
THERMAL INSULATION, BUILDINGS, HEAT FLUX, ECONOMIC ANALYSIS, COMPUTER APPLICATIONS, INFRARED EQUIPMENT, MEASURING INSTRUMENTS, TESTS.
This report describes a procedure for measuring R-values on actual buildings, using thermography, heat flux transducers, and data acquisition equipment. R-values measurement is necessary to optimize investment in additional insulation and permits confirmation of the quality of newly installed insulation.

SR 87-07
PREPARATION AND DESCRIPTION OF A RESEARCH GEOPHYSICAL BOREHOLE SITE CONTAINING MASSIVE GROUND ICE NEAR FAIRBANKS, ALASKA.
Delaney, A.J , June 1987, 15p., ADA-183 186, 4 refs.
41-3627
PERMAFROST PHYSICS, GROUND ICE, BOREHOLES, GEOPHYSICAL SURVEYS, SOIL TEMPERATURE, UNITED STATES—ALASKA—FAIRBANKS.
A geophysical control site consisting of 27 holes drilled in permafrost and cased with ABS pipe has been completed near the USACRREL permafrost tunnel at Fox, Alaska The site provides excellent control on a range of material types in permafrost terrain including frozen silt, gravel, bedrock, and all common ground-ice types such as wedge, lens, and pore ice The holes delineate massive ground-ice features of which there is no surface manifestation Ground temperature data is available from a small-diameter glycol-filled hole This report describes the site, its preparation, and the soil logs and data obtained.

SR 87-08
TRACKING TWO-DIMENSIONAL FREEZING FRONT MOVEMENT USING THE COMPLEX VARIABLE BOUNDARY ELEMENT METHOD.
Hromadka, T.V., II, June 1987, 58p., ADA-183 547, 11 refs.
43-428
COMPUTER PROGRAMS, FROZEN GROUND TEMPERATURE, SOIL FREEZING, SOIL WATER MIGRATION, PHASE TRANSFORMATIONS, BOUNDARY LAYER, THERMAL REGIME, HEAT FLUX.
The Complex Variable Boundary Element Method (CVBEM) is used to develop a computer model for estimating the location of the freezing front in soil-water phase change problems This computer program, CVBFRI, is based on the following major assumptions 1) the problem is two-dimensional, 2) the entire soil system is homogeneous and isotropic, 3) the problem thermal boundary conditions are constant values of temperature (or stream function), 4) soil-water flow effects are neglected (the problem is strictly geothermal), 5) all heat flow from the freezing front is within the control volume, there is no heat flux associated with the freezing front from exterior of the control volume, and 6) the freezing front movement is slow enough that heat flux along the moving boundary can be determined by assuming steady state heat flow conditions for small durations of time (i.e., timesteps) The CVBEM is used to model the thermal regime of the soil system The theory and development of the CVBEM are given in CRREL Internal Report 969, *Complex Variable Boundary Elements in Engineering*, by Hromadka. Because the numerical technique is a boundary integral approach, the control volume thermal regime is modeled with respect to the boundary values, and, therefore, the CVBFRI data entry requirements are significantly less than those usually required of domain methods such as finite-differences or finite-elements. Soil-water phase change along the freezing front is modeled as a simple balance between computed heat flux and the evolution of soil-water volumetric latent heat of fusion To model the displacement of the freezing front, program CVBFRI provides two options 1) displace the freezing front coordinates with respect to changes in the y-coordinate only, 2) displace the freezing front coordinates with respect to a vector normal to the freezing front boundary.

SR 87-09
NODAL DOMAIN INTEGRATION MODEL OF TWO-DIMENSIONAL HEAT AND SOIL-WATER FLOW COUPLED BY SOIL-WATER PHASE CHANGE.
Hromadka, T.V., II, June 1987, 124p , ADA-183 518, Refs passim
41-1568
FROZEN GROUND THERMODYNAMICS, SOIL WATER MIGRATION, HEAT TRANSFER, FREEZE THAW CYCLES, HEAT FLUX, PHASE TRANSFORMATIONS, MATHEMATICAL MODELS, COMPUTER APPLICATIONS, TEMPERATURE EFFECTS, SNOW COVER EFFECT
A model of phase change in freezing and thawing soils is developed for cold regions engineering problems which require two-dimensional analysis of the thermal regime of soils These problems include complex boundary conditions such as atmosphere ground surface thermal interaction and snowpack insulation Other concerns include complex soil conditions such as the presence of a peaty muskeg or tundra-like soil which may provide thermal insulation for underlying ice-rich mineral soil Although several models have been developed to predict temperatures in freezing and thawing soils, often the key question is simply whether or not the soil is frozen since soil structural properties are significantly influenced by the soil water state of phase In this report, a simple two dimensional model is developed for use in cold regions engineering studies A FORTRAN computer program is available which accommodates two-dimensional

heat and soil-water flow models as coupled by an isothermal phase change model The program can be used to analyze two-dimensional freezing-thawing problems which have sufficient known information to supply the necessary modeling parameters, boundary conditions, and initial conditions.

SR 87-1
FREEZE-THAW TEST TO DETERMINE THE FROST SUSCEPTIBILITY OF SOILS.
Chamberlain, E.J., Jan. 1987, 90p., ADA-180 000, 7 refs.
41-3258
FREEZE THAW TESTS, PAVEMENTS, FROST HEAVE, FROST RESISTANCE, AIRPORTS, SOIL FREEZING, THAW WEAKENING, AIRCRAFT LANDING AREAS.
A new freezing test for determining the frost susceptibility of soils is presented to supplant the standard CRREL freezing test currently specified by the Corps of Engineers This test reduces the time required to determine the frost susceptibility of a soil in half It also allows for the determination of both the frost heave and thaw weakening susceptibilities and considers the effects of freeze-thaw cycling The new freezing test eliminates much of the variability in test results caused by the human element by completely automating the temperature control and data observations

SR 87-10
BENCHMARK DESIGN AND INSTALLATION: A SYNTHESIS OF EXISTING INFORMATION.
Gatto, L.W., July 1987, 73p., ADA-183 925, 27 refs.
42-92
BENCH MARKS, COLD WEATHER CONSTRUCTION, FROST HEAVE, STABILITY, SUBSIDENCE, DESIGN, SURVEYS.
Techniques used for topographic, hydrographic, construction, boundary, geodetic and structural movement surveys are only as accurate as the benchmarks used as reference In northern areas, frost action can cause substantial vertical movement of benchmarks Benchmarks may also subside or shift in wetlands and coastal areas Various benchmark designs and installation procedures reduce or eliminate movement, but information on the designs and procedures is widely scattered and not available to Corps of Engineers Districts in one report This report is a synthesis of information compiled from surveys of Corps of Engineers Districts and Divisions, U S and Canadian government agencies, private industry and a literature review Matrices for selecting and installing benchmarks that meet third-order accuracy requirements or better and that are appropriate for various climatic and soil conditions were prepared from the synthesized information. Procedures to be followed while installing various types of benchmarks are included

SR 87-11
EMBANKMENT DAMS ON PERMAFROST: DESIGN AND PERFORMANCE SUMMARY, BIBLIOGRAPHY AND AN ANNOTATED BIBLIOGRAPHY.
Sayles, F.H., July 1987, 109p, ADA-184 163, Refs p.28-102.
42-106
PERMAFROST BENEATH STRUCTURES, DAMS, EMBANKMENTS. SEEPAGE, COLD WEATHER CONSTRUCTION, DESIGN, DEFORMATION, PONDS, SPILLWAYS, FREEZE THAW CYCLES.
The designs of embankment dams on permafrost can be divided into two general types, frozen and thawed. The frozen type of embankments and their foundations are maintained frozen during the life of the structure The thawed type of embankments usually are designed assuming that the embankment will remain unfrozen and its permafrost foundation will thaw during construction or during the operation of the structure In some locations where water is to be retained intermittently for short periods of time, thawed embankments have been designed assuming the permafrost will remain frozen throughout the life of the embankment In selecting this type of design for a particular site, many factors that are peculiar to cold regions must be considered This summary of methods of design, construction and operation of embankment dams in permafrost areas records the successes and some failures that have occurred Embankment dams have been built and successfully operated in Canada, Greenland, the USSR and Alaska A number of failures have been reported in the USSR and one in Alaska Most of the difficulties arose because insufficient attention was given to establishing and maintaining a reliable frozen condition and to controlling seepage

SR 87-12
PROCEEDINGS, VOL.1.
Snow Symposium, 6th, Hanover, NH, Aug 12-14, 1986, July 1987, 207p, ADB-115 486, Refs. passim For individual papers see 42-1404 through 42-1422.
42-1403
SNOW PHYSICS, SNOWFALL, SNOW COVER EFFECT, INFRARED RADIATION, MEETINGS, VISIBILITY, LIGHT TRANSMISSION, SOUND WAVES, LIGHT SCATTERING, RADAR ECHOES.

SR 87-13
TACTICAL BRIDGING DURING WINTER: 1986 KOREAN BRIDGING EXERCISE.
Coutermarsh, B A., July 1987, 23p., ADB-114 800, 11 refs
42-568
ICE CUTTING, RIVER CROSSINGS, ICE BLASTING, MILITARY OPERATION, BRIDGES, EXPLOSIVES, ICE CONTROL, WINTER
Deployment alternatives for the U.S Ribbon bridge are discussed assuming an ice sheet is present at the crossing site. Ice blasting time and effectiveness with several explosives readily available to the Army are presented A 1986 Korean winter bridging exercise is detailed where an ice sheet was blasted using C4 explosives in a grid pattern Ice rubble consolidation was attempted using the Bridge Erection Boat, after which the launch of a bridge bay section was tried It is shown that ice rubble hinders boat operations and retrieval of the bay sections

SR 87-14
SALINE ICE PENETRATION: A JOINT CRREL-NSWC TEST PROGRAM.
Cole, D M., et al, July 1987, 34p , ADA-189 206.
Steves, H.K.
42-2417
MILITARY OPERATION, PENETRATION TESTS, ICE STRENGTH, FLOATING ICE, ICE SALINITY, PROJECTILE PENETRATION, IMPACT STRENGTH, FRACTURING, ICE COVER THICKNESS.
This paper reports on the response of a floating saline ice sheet to penetration and perforation by 25 4-mm-diameter projectiles with 3 nose shapes a full cone, a truncated cone and a full flat Impact velocity was varied to produce behavior ranging from slight penetration to complete perforation of the 210- to 280-mm-thick ice sheet The extent of crushing and fracturing adjacent to the path of the projectile was quantified, indicating the existence of a zone of crushing extending 1 to 2 body diameters into the ice sheet from the cavity wall A series of shots into free-floating targets indicated that for penetrations of roughly two-thirds of the sheet thickness, the depth of penetration did not vary significantly as the target size was reduced to 24 body diameters Tests on coated projectiles indicated that no significant abrasion occurred between the ice and the nose area of the projectile Information is also presented on the effects of gun pressure, nose shape, average sheet temperature and angle of attack on the depth of penetration

SR 87-15
RATING UNSURFACED ROADS—A FIELD MANUAL FOR MEASURING MAINTENANCE PROBLEMS.
Eaton, R.A , et al, Aug 1987, 34p , ADA-185 621
Gerard, S., Cate, D.
42-804
ROAD MAINTENANCE, SURFACE ROUGHNESS, DRAINAGE, TRAFFICABILITY, PAVEMENTS, MANUALS.

SR 87-16
EVALUATION OF THE SHASTA WATERLESS SYSTEM AS A REMOTE SITE SANITATION FACILITY.
Martel, C J , Aug 1987, 24p., ADA-186 000, 5 refs
42-1088
SANITARY ENGINEERING, MILITARY FACILITIES, WASTE DISPOSAL, TANKS (CONTAINERS).
The waterless toilet manufactured by Shasta Manufacturing, Inc , of Redding, California, was evaluated for possible use at remote military training sites and guard stations A telephone survey of 6 recreational areas indicated that park personnel were generally pleased with the performance of these units On-site visits did not encounter offensive odors Proper ventilation and liquid level control were found to be key factors in successful operation A rational approach to sizing these units was developed on the basis of local pan evaporation rates

SR 87-17
WORKING GROUP ON ICE FORCES. 3RD STATE-OF-THE-ART REPORT.
Sanderson, T.J.O , ed, Sep 1987, 221p., ADA-191 067, Refs passim. For individual papers (mostly from different source) see 40-4602 through 40-4608 and 42-3038
42-3037
ICE LOADS, OFFSHORE STRUCTURES, HYDRAULIC STRUCTURES, SEA ICE, ICE SCORING, STRUCTURES, DESIGN, ENGINEERING, TESTS.
This working group report on ice forces includes individual papers which discuss laboratory results, field measurements, instrumentation, numerical analysis, and iceberg scour A more detailed abstract appears at the beginning of each individual paper

SR 87-18
SORPTION OF CHEMICAL AGENTS AND SIMULANTS: MEASUREMENT AND ESTIMATION OF OCTANOL-WATER PARTITION COEFFICIENT.
Leggett, D.C., Sep. 1987, 15p , ADB-117 069, 14 refs.
42-1790
MILITARY OPERATION, CHEMICAL COMPOSITION, SOIL POLLUTION, WATER FLOW, SOLUBILITY, TIME FACTOR, COUNTERMEASURES, ANALYSIS (MATHEMATICS), POLAR REGIONS.
Octanol-water partition coefficients were determined experimentally for 8 simulants These were supplemented with published fragment constants and water solubilities to predict log K(ow) values of several threat agents These estimates can be used to predict sorption and transport in soils If correct, organophosphorus agents are more mobile in soil water than previously expected

SR 87-19
FIELD OBSERVATIONS OF MINE DETECTION IN SNOW USING UHF SHORT-PULSE RADAR.
Arcone, S A , et al, Oct. 1987, 24p., ADB-117 360, 11 refs.
Delaney, A.J.
42-1953
MILITARY OPERATION, RADAR ECHOES, SNOW DEPTH, DETECTION, POLAR REGIONS, FREEZE THAW CYCLES, EXPERIMENTATION, METALS.
The response to short-pulse radar of land mines emplaced in snow was observed throughout the winter of 1985-86 in Fairbanks, Alaska. The radar produced a pulse of a few nanoseconds duration with a spectrum centered near 900 MHz, resistively loaded dipole antennas were used at two polarizations The mines—standard anti-armor types and a Plexiglas simulation of one of these—were emplaced at various orientations on or above a cleared ground surface and monitored. There was little change in the mine responses that occur before the ground surface response under conditions of 0 and 35 cm of snow, the maximum depth achieved, as long as the snow was dry Responses from the migrating freeze-thaw interface in the active layer masked some of the later mine responses The radar detected no response from several of the mines when the pack began to thaw and temperature was nearly constant at 0 C Some polarization sensitivity was always evident, depending on the orientation of the mine. In no case was there any response to the Plexiglas simulation. UHF short-pulse radar is an excellent mine detection technique in dry snow so long as mines are metallic, but is unsuitable for detecting small, plastic mines in snow.

SR 87-20
ICE ATLAS 1985-1986: MONONGAHELA RIVER, ALLEGHENY RIVER, OHIO RIVER, ILLINOIS RIVER, KANKAKEE RIVER.
Gatto, L.W., et al, Nov. 1987, 367p., ADA-191 865.
Daly, S.F., Carey, K.L.
42-2681
ICE CONDITIONS, RIVER ICE, MAPS, PHOTOINTERPRETATION, AERIAL SURVEYS, ICE SURVEYS, ICE REPORTING.
The ice maps in this atlas were prepared to document the 1985-86 ice conditions included in study areas for the River Ice Management (RIM) Program, namely river mile 0 to 12 on the Monongahela River, mile 0 to 17 on the Allegheny, mile 0 to 437 on the Ohio, mile 120 to 273 on the Illinois and mile 0 to 21 on the Kankakee The maps were prepared from interpretation of vertical aerial video imagery taken from low flying aircraft The interpreted ice conditions were classified into 5 units and transferred to base maps by reference to navigation charts and topographic maps Ice floes or frazil slush and pans (IFFSP) was the most common ice unit on the lower Monongahela Fragmented ice cover with open water areas (FICOWA) was the most common ice unit in the lower Allegheny Fragmented ice cover (FIC) and FICOWA were the most extensive ice units above Hannibal Dam on the Ohio, ICFSP were predominant below Solid ice cover (SIC), FIC and FICOWA were the most extensive ice types on the lake-like areas of the Illinois River, while FICOWA and IFFSP predominated elsewhere on the Illinois. SIC and FIC were the most common ice units on the Kankakee River There were frequent cancellations of flights of the Ohio, Allegheny and Monongahela during the 1985-86 winter because of low cloud ceilings Various options are being explored to get more frequent coverage in the future

SR 87-21
CRITICAL COMPARISON OF MOVING AVERAGE AND CUMULATIVE SUMMATION CONTROL CHARTS FOR TRACE ANALYSIS DATA.
McGee, I.E , et al, Nov. 1987, 57p , ADA-188 312, 20 refs
Grant, C.L.
42-1775
WASTE DISPOSAL, CHEMICAL ANALYSIS, ENVIRONMENTAL IMPACT, SOIL POLLUTION, ISOTOPE LABELING, DETECTION
Percentage recovery estimates have been obtained for 15 analytes or surrogates of environmental concern by four

commercial laboratories over a two-year period. These quality control analyses were performed using standardized methods on a control soil matrix. Over 100 lots of results were available for many of these analytes. This massive amount of data afforded an opportunity to compare the sensitivity of different quality control protocols for detecting "out-of-control" situations and also to compare the performance of the four laboratories. Recoveries averaged 90-100% for 11 of 15 analytes. Reproductibility of recovery estimates was surprisingly consistent from lab-to-lab. From a comparison of moving average control charts (n=2 and n=3) with cumulative summation charts, the n=3 moving average charts were considered most suitable for routine lot-to-lot control by contractors. The cumulative summation charts are very useful for situations requiring critical diagnostic analysis of problems. Where duplicate recoveries were obtained with each lot, lot-to-lot variability was similar in magnitude to within-lot variability To avoid an excessive number of out-of-control responses, control limits should be based on total variability rather than within-lot variability.

SR 87-22
COMPARISON OF METHANOL AND TETRAGLYME AS EXTRACTION SOLVENTS FOR DETERMINATION OF VOLATILE ORGANICS IN SOIL.
Jenkins, T.F., et al, Nov 1987, 26p., ADA-189 028, 23 refs.
Schumacher, P.W.
42-2498
SOIL CHEMISTRY, WASTE DISPOSAL, WATER POLLUTION, DETECTION, SOLUBILITY.

The abilities of methanol and tetraglyme to extract chloroform, benzene, toluene, and tetrachloroethylene from vapor-contaminated soils are directly compared. Comparisons are made both with respect to process kinetics and analyte recovery using an extraction procedure based on equilibration on a wrist-action shaker and determination using a purge-and-trap GC/MS. An equilibration period of 10 minutes is recommended for extraction using either methanol or tetraglyme. In all cases methanol was as good as or better than tetraglyme with respect to analyte recovery This was even the case for soils contaminated with an oily residue. While commercial methanol and tetraglyme both contain measurable levels of volatile aromatics, simple rotary evaporation was successful in removing these contaminants to levels below detection limits for tetraglyme. Thus, for cases where very small amounts of these contaminants must be detected, degassed tegraglyme would be superior Overall, however, methanol is considered the best choice for extraction of volatile organics where subsequent analysis is to be conducted by purge-and-trap GC/MS.

SR 87-23
INFORMATION SYSTEMS PLANNING STUDY.
Atkins, R.T., et al, Nov. 1987, 48p.
Albert, D.G., Fellers, G., Greeley, H P, Hoge, G., O'Neill, K., Swart, P., Tucker, W.B, Zabilansky, L J.
43-4591
LABORATORIES, ORGANIZATIONS, COMPUTER PROGRAMS.

SR 87-24
CRREL HOPKINSON BAR APPARATUS.
Dutta, P.K., et al, Dec. 1987, 29p, ADA-190 599, 21 refs.
Farrell, D., Kalafut, J.
42-2635
ICE STRENGTH, FROZEN GROUND STRENGTH, MEASURING INSTRUMENTS, ICE CRYSTAL STRUCTURE, LOW TEMPERATURE TESTS, BRITTLENESS, DYNAMIC LOADS, CONSTRUCTION MATERIALS, IMPACT STRENGTH.

Most materials at low temperatures change their modulus and tend to become brittle When using these materials in structural components that are likely to be subjected to impact it is important to understand their behavior at low temperatures under dynamic loading The CRREL split Hopkinson Test Bar was designed and set up to conduct compressive strain rate tests (up to 1000 strains/s, i e , in /in/ per s) at low temperatures (down to -100 C) The results provide dynamic stress-strain relationships of materials at low temperatures by considering the transmission of the stress wave through a test specimen sandwiched between two elastic bars The specimen is contained in a liquid-nitrogen-operated cooling environment. During the test an elastic striker impacts the bar as a result a stress wave passes down the bar At the specimen a part of the wave is reflected and the rest is transmitted to the second bar Strain gauges mounted on the bars record the wave shapes, which are analyzed to obtain the dynamic stress-strain relationships The test bars are 1-1 2 in. in diameter and each is 8 ft long The apparatus is suitable for testing light metals, plastics, composites, rocks, ice, and frozen soil The data acquisition and analysis system are completely automatic, using software developed at CRREL, so the system provides for a rapid and low-cost method for high strain rate behavior studies of materials

SR 87-25
ANALYTICAL METHOD FOR DETERMINING TETRAZANE IN WATER.
Walsh, M.E., et al, Dec. 1987, 34p., ADA-189 045, 15 refs.
Jenkins, T.F.
42-2418
EXPLOSIVES, GROUND WATER, MILITARY OPERATION, CHEMICAL ANALYSIS, WATER POLLUTION.

An ion-pairing RP-HPLC method was developed to determine tetrazene in water. The method uses an LC-18 column and a mobile phase of 2/3 v/v methanol-water modified by 0 01 molar 1-decanesulfonic acid sodium salt. The mobile phase pH was adjusted to 3 with glacial acetic acid. The modified mobile phase was optimal for separating of tetrazene from potential interferences by other explosive compounds such as HMX and RDX and for allowing elution of TNT within a 15-minute run time. The retention time for tetrazene was 2.8 minutes The UV detector was set at 280 nm A linear model with zero intercept was found to adequately describe the calibration data The concentration range tested was 6.2-1238 microgram/L. A spike recovery test on each of 4 days gave an average recovery of 103%. A reporting limit of 7.25 microgram/L was estimated The relative standard deviation was approximately 2% over the range tested Tetrazene was found to be unstable in an aqueous medium at room temperature Concentrations decreased by 96-100% over 24 hours. Chilled solutions were less prone to degradation than room temperature solutions, and heated solutions (50 C) degraded completely within two hours.

SR 87-28
XYFREZ.4 USER'S MANUAL.
O'Neill, K., Dec. 1987, 55p., ADA-191 466, 3 refs.
42-3159
HEAT TRANSFER, COMPUTER PROGRAMS, PHASE TRANSFORMATIONS, MATHEMATICAL MODELS, LATENT HEAT, HEAT CAPACITY, TEMPERATURE DISTRIBUTION.

Using the program XYFREZ, version 4, one may simulate two-dimensional conduction of heat, with or without phase change. The mathematical method employed uses finite elements in space and finite differences in time, and includes latent heat effects through a singularity in the heat capacity. The user need have no real familiarity with either the underlying equations or the numerical procedures. He must only specify material properties, geometrical features, initial and boundary conditions, and information on the desired manner and duration of simulation through time. Heterogeneous material properties may be specified Boundary conditions currently implemented allow one to specify 1) temperature values which vary arbitrarily in space and time, 2) convective conditions, via a heat transfer coefficient and an ambient temperature, and 3) a no-flux or symmetry condition The program outputs computed temperature values at numerical mesh points, as well as information for later plotting. From the latter one may see the mesh configuration as well as the phase change isotherm location on it over time.

SR 88-01
ICE CONDITIONS ALONG THE OHIO RIVER AS OBSERVED ON LANDSAT IMAGES, 1972-1985.
Gatto, L.W., Jan. 1988, 162p, ADA-191 172, 25 refs.
42-3010
ICE CONDITIONS, RIVER ICE, REMOTE SENSING, ICE NAVIGATION, AERIAL SURVEYS, LANDSAT, PHOTOINTERPRETATION, SEASONAL VARIATIONS, UNITED STATES—OHIO RIVER.

Landsat images were used to map ice distributions along the Ohio River Ice conditions were inferred based on image grey tones interpreted using conventional photointerpretation techniques Portions of the river that appeared black were considered ice-free Grey tones were interpreted as ice that varied from patches of thin, snow-free solid or fragmented ice, sometimes with open areas, to floes, pans and slush A white tone represented thick ice or snow-covered ice with few interspersed open areas Ice that produced grey tones on the images occurred most frequently. Ice typically forms in late Dec. or early Jan on the Ohio River and is gone by mid to late Feb Ice was observed on the upstream section of the river from Pittsburgh to Greenup Dam during 7 of the 13 winters from 1972 to 1985, on the middle section from Greenup Dam to Cannelton Dam during 3 winters, and on the downstream section from Cannelton Dam to the Mississippi River during 4 winters The most severe and long-lasting ice conditions occurred during the 1976-77 winter when ice covered 65% of the upstream section, 56% of the middle section, and 78% of the downstream section

SR 88-02
PREDICTING PRODUCT WATER QUALITY FROM THE 600-GALLON-PER-HOUR REVERSE OSMOSIS WATER PURIFICATION UNIT. FIELD WATER SUPPLY ON THE WINTER BATTLEFIELD.
Bouzoun, J.R., Feb. 1988, 7p., ADA-194 988, 4 refs.
43-429
WATER SUPPLY, MILITARY ENGINEERING, MILITARY RESEARCH, LOGISTICS, WATER TREATMENT, WATER CHEMISTRY, ANALYSIS (MATHEMATICS).

A preliminary equation for predicting the total dissolved solids (TDS) concentration in the product water from the 600-gph ROWPU is presented The equation requires the raw water temperature and TDS concentration as input data. Both of these variables can be easily measured in the field. The equation is presently limited to raw water TDS concentrations in the range of 800-900 mg/L. As data become available for a greater range of raw water TDS concentrations, including seawater, the equation will be modified The standard error of the estimate is 3.4 mg/L

SR 88-03
TECHNIQUES FOR MEASURING RESERVOIR BANK EROSION.
Gatto, L.W., Feb. 1988, 27p., ADA-191 400, Refs. p.23-27.
42-3462
BANKS (WATERWAYS), SHORE EROSION, RESERVOIRS, LAKES, RIVERS, SEDIMENTS.

This report summarizes the processes that cause and conditions that contribute to bank erosion along reservoirs, lakes, rivers and coasts. It suggests measurements, techniques and measurement frequencies for four different levels of bank erosion study Details on specific procedures for a particular technique must be obtained from references cited. There are neither standard measurements to make nor standard methods to use during erosion studies, but this report can be useful to investigators selecting an approach for future work

SR 88-04
PRELIMINARY DEVELOPMENT OF A FIBER OPTIC SENSOR FOR TNT.
Zhang, Y., et al, Mar. 1988, 16p., ADA-191 865, 6 refs.
Seitz, W.R., Sundberg, D.C., Grant, C.L.
42-2809
SOIL POLLUTION, DETECTION, GROUND WATER, OPTICAL PROPERTIES, MILITARY RESEARCH, WATER POLLUTION.

Research aimed at the development of a fiber-optic based sensor is described for *in-situ* detection of TNT in groundwater Three approaches were evaluated in depth All three involved use of a material to concentrate TNT in the field of view of an optical fiber. The materials tested were 1) a concentrated dextran solution isolated by a semi-permeable membrane, 2) a pre-swollen cross-linked polyvinyl alcohol polymer; and 3) an amine-loaded PVC membrane. Another approach based on the formation of a colored TNT anion at high pH was also considered The amine-loaded PVC membrane appears to have the most promise Clear membranes were prepared which reacted with TNT to form a colored product. Measurement is made at 520 nm which is very convenient for fiber optic-based sensing. Various primary amines were assessed

SR 88-05
DEVELOPMENT OF THE UNSURFACED ROADS RATING METHODOLOGY.
Eaton, R.A., Apr. 1988, 13p., ADA-195 837, 2 refs.
43-430
ROAD MAINTENANCE, SURFACE PROPERTIES, SURFACE DRAINAGE, ENGINEERING.

A method for rating the surface drainage and conditions of unpaved roads has been developed, and a field manual has been prepared to assist county, municipal, military and township highway agencies in managing the maintenance of such roads The types of distress found in unpaved roads are categorized and listed in the manual For each type of distress listed, there is a description of the distress and the levels of severity, an illustration, and a measurement method The manual also includes instructions on how to inspect unsurfaced road conditions, a field inspection work sheet, and a family of 'deduct value' curves for the distress types and associated severity levels The curves were validated using data gathered during 7 field surveys throughout the United States This report describes the development of the deduct value curves for the 7 distresses identified in unsurfaced road maintenance The development of the original curves and the adjustments after each field trip are described The surface and drainage rating method and maintenance management strategies can be used alone, or they can be adapted for use with any existing computerized pavement management system (PMS) The rating method and strategies are compatible with the PAVER PMS developed by the U S Army Corps of Engineers and the American Public

SR 88-06
ICE CONDITIONS ALONG THE ALLEGHENY AND MONONGAHELA RIVERS AS OBSERVED ON LANDSAT IMAGES, 1972-1985.
Gatto, L.W., May 1988, 106p , ADA-196 432, 11 refs
43-431
RIVER ICE, ICE CONDITIONS, REMOTE SENSING, ICE NAVIGATION, LANDSAT, SNOW COVER EFFECT, AERIAL SURVEYS, PHOTOGRAPHY, UNITED STATES—ALLEGHENY RIVER, UNITED STATES—MONONGAHELA RIVER.

Landsat images were used to map ice distributions along a 72-mile section of the Allegheny River, and the 129-mile-long Monongahela River. River reaches with grey ice and white ice were mapped based on image tones using conventional photointerpretation techniques Portions of a river that appeared black were mapped as ice free, although thin, transparent ice could also appear black Grey tones were produced by ice that varied from patches of solid or fragmented ice with large open-water areas, to floes, pans, slush, or thin ice mixed with open areas. A white tone was produced by thick ice or snow-covered ice with very small or no open areas Ice that produced grey tones was more frequent than ice that produced a white tone Ice was observed on the Allegheny River during 10 of the 13 winters from 1972 to 1985, with the most severe ice conditions in 1976-77 when 100% of the river showed evidence of some ice cover, and 89% of the river was covered with white ice. The Monongahela River had ice during 7 winters Grey ice and white ice were observed covering the entire Monongahela River during the 1983-84 winter. During 1976-77, grey and white ice covered 94%

SR 88-07
INVENTORY OF ICE PROBLEM SITES AND REMEDIAL ICE CONTROL STRUCTURES.
Perham, R.E., July 1988, 9p., ADA-197 967, 12 refs.
43-432
RIVER ICE, ICE CONTROL, ICE NAVIGATION, ICE CONDITIONS, STRUCTURES.

As part of the River Ice Management (RIM) program, several ice-affected, navigable rivers were studied to find locations where ice problems occur on a regular basis The rivers studied were the Illinois River and the Ohio River and its tributaries, especially the Allegheny and the Monongahela Several problem areas were found at river bends, islands, and locks and dams and were generally caused by having too much broken ice in the ship track One site had a serous frazil ice problem. Ice control structures such as ice booms and deflector booms were investigated for use at certain locations The report includes a list of 64 ice problem sites, 5 locks and dams that could benefit from ice control structures, and 3 proven structures that are technically applicable.

SR 88-08
EVALUATION OF SEVERAL AUGER BITS IN FROZEN FINE-GRAINED SOILS, ASPHALT, AND CONCRETE.
Sellmann, P.V., et al, July 1988, 10p., ADA-199 415, 3 refs.
Brockett, B.E.
43-1024
AUGERS, FROZEN GROUND STRENGTH, DRILLING, CONCRETE STRENGTH, BITUMENS, GRAIN SIZE, TESTS.

Several auger bits were evaluated for drilling in frozen ground, asphalt, and concrete to determine bit performance in a wide range of materials. Promising bits in the 9- to 10- in (229- to 254-mm) diameter range were used with varying success depending on bit configuration Bits included finger bits and a two-wing bit with continuous cutters It was possible to penetrate all the test materials, with performance depending on bit parameters and characteristics of the drill rig Drill rig specifications are important because of the high torque and vertical thrust required for drilling in these hard materials The finger bits have an advantage over bits with fixed cutters (soldered to the bit) for this demanding drilling, since damaged and dull cutters can be rapidly replaced in the field without special equipment. Several smaller-diameter bits 3 5 in (89 mm) to 6 5 in (165 mm) were also tested in frozen ground only.

SR 88-09
BEHAVIOR OF MATERIALS AT COLD REGIONS TEMPERATURES. PART 1: PROGRAM RATIONALE AND TEST PLAN.
Dutta, P.K., July 1988, 68p , ADA-199 566, Refs p 26-29.
43-1146
MATERIALS, MILITARY RESEARCH, LOW TEMPERATURE TESTS, FRACTURING, EXPERIMENTATION, METALS, POLYMERS, STRESS STRAIN DIAGRAMS, ANALYSIS (MATHEMATICS)

Newer materials and products are being constantly added to the Army s inventory Cold regions climatic conditions should not impair the reliability and durability of these new systems This report discusses the rationale of the test program being undertaken at CRREL to evaluate material behavior at low temperatures

SR 88-10
WATER QUALITY CHANGES CAUSED BY EXTENSION OF THE WINTER NAVIGATION SEASON ON THE DETROIT-ST. CLAIR RIVER SYSTEM.
Sletten, R.S., July 1988, 56p., ADA-200 535, 15 refs.
43-1201
WATER POLLUTION, ICE NAVIGATION, WINTER, SEASONAL VARIATIONS, LAKE WATER, GREAT LAKES, DETROIT RIVER, SAINT CLAIR RIVER

This study was conducted to determine how the water quality in the Detroit-St Clair river system may change if the navigation season is extended from early Jan. to the end of Jan The study looked at background water quality, the effects of ship passage, and sedimentation rates Background water quality in the study area has been continually improving since 1967. In the main shipping channel where ship passage studies were conducted, there were no significant relationships between the passage of a ship by a point and water quality The rate of natural sediment accumulation increased during the winter.

SR 88-11
PREDICTION OF OCTANOL-WATER PARTITION COEFFICIENTS OF ORGANOPHOSPHONATES: EVALUATION OF STRUCTURE-FUNCTION RELATIONSHIPS.
Britton, K B , et al, Aug. 1988, 24p., ADB-126 287, 44 refs.
Grant, C.L.
43-1338
MILITARY RESEARCH, CHEMICAL COMPOSITION, MOLECULAR STRUCTURE, FROZEN GROUND, SNOW COMPOSITION, ENVIRONMENTAL IMPACT, ANALYSIS (MATHEMATICS), THEORIES.

Three theoretical approaches were evaluated for the prediction of octanol-water partition coefficients for organophosphonates The first involved the development of a series of substituent constants based on experimentally determined partition coefficients A linear relationship was found between the log of the partition coefficient (log P) and substituent constants, indicating possible utility for predicting partitioning behavior for chemical agents This approach is limited by the available data for some important substituents The second approach investigated involves dissecting molecules into a series of structural elements called fragments Log P is calculated by summing the corresponding fragment values Octanol-water partition coefficients calculated for organophosphorus compounds disagreed significantly with experimentally determined values. Molecular connectivity was the third method evaluated Values obtained by this method are not derived from experimental data but are solely based on molecular structure. Connectivity indices are based on the number and types of atoms and bonds with the molecule The most promising results were obtained using compounds that are structurally similar to chemical agents containing only aliphatic substituents Agreement between experimental and predicted values was highly variable. It appears that molecular connectivity cannot at present be used to accurately predict K(ow) values for chemical agents Overall, the use of structure-function relationships is not recommended for the accurate prediction of chemical agent partitioning at their current stage of development.

SR 88-12
ICE CONTROL IN RIVER HARBORS AND FLEETING AREAS.
Perham, R E., Aug. 1988, 7p , ADA-199 369, 9 refs
43-1147
ICE CONTROL, RIVER ICE, ICE NAVIGATION, PORTS, ICE REMOVAL, CHANNELS (WATERWAYS)

Ice control in river harbors and fleeting areas in the northern tier of the United States east of the Mississippi River is handled mainly by the barge and towboat companies Fleeting area protection in many locations is provided by ice piers and mooring cells When possible, unused barges are anchored in side channels and below islands or set along one side of the waterway in large groups for ice protection Icebreaking is done by towboats, without barges, and a wide track is broken out Alternative methods of ice control are discussed

SR 88-13
HARD-SURFACE RUNWAYS IN ANTARCTICA.
Mellor, M., Aug 1988, 87p , ADA-200 444
43-1148
RUNWAYS, AIRCRAFT LANDING AREAS, ICE RUNWAYS, SNOW ROADS, PAVEMENTS, TRAFFICABILITY, AIRPLANES, FREEZE THAW CYCLES, COST ANALYSIS, ANTARCTICA MCMURDO STATION, ANTARCTICA AMUNDSEN SCOTT STATION

The feasibility of constructing and maintaining hard surface snow runways at McMurdo Sound and South Pole was studied Existing technology was reviewed, and proposals for novel techniques and machines were put forward It was concluded that all season operation of heavy wheeled aircraft from snow runways is not a practical proposition for the short term Other possibilities for all season operation of wheeled aircraft were considered These included (a) a conventional runway of rock-fill and gravel, (b) rock-fill and gravel over permanent ice, (.) a runway on coastal glacier ice, (d) runways on bare glacier ice at inland locations Rough cost estimates were made for each of the runway types that were considered After examining the trends in antarctic aviation, the following recommendations were offered (1) develop a construction plan for a conventional runway at Marble Point, (2) proceed with site selection, equipment design, and development of ground transport for a wheel runway on the Ross Ice Shelf, (3) search for natural "blue ice" airfields at inland locations, especially locations that are not too far from the South Pole (Auth.)

SR 88-14
ERUPTIONS FROM UNDER-ICE EXPLOSIONS.
Mellor, M , et al, Sep. 1988, 26p., ADA-207 497, 4 refs.
L'Heureux, D.
43-3617
EXPLOSIVES, VELOCITY MEASUREMENT, EXPLOSION EFFECTS, UNDERWATER ICE, PHOTOGRAPHIC TECHNIQUES.

Eruptions from under-ice explosions were recorded by a standard video camera and an ordinary motor-driven 35-mm camera The records give the dimensions and velocities of the eruptions Velocity, diameter, and height are related to charge depth and the results are compared with data for ordinary underwater explosions in ice-free water

SR 88-15
ANALYTICAL METHOD FOR DETERMINING TETRAZENE IN SOIL.
Walsh, M.E., et al, Sep 1988, 22p., ADA-201 138, 14 refs.
Jenkins, T.F.
43-1397
EXPLOSIVES, DETECTION, SOIL POLLUTION, MILITARY RESEARCH, CHEMICAL ANALYSIS, WATER POLLUTION, EXPERIMENTATION, ENVIRONMENTAL IMPACT, COMPUTER APPLICATIONS, STORAGE, MANUFACTURING.

An ion-pairing RP-HPLC method was developed to determine tetrazene in soil The method involves extracting a 2-g soil sample with 50 mL of a solvent containing 55/45 v/v methanol-water and 1-decanesulfonic acid, sodium salt at 0 01 M concentration The soil and extracting solvent are vortexed for 15 s and shaken on a platform orbital shaker for a period up to 5 hr The extract is filtered through a 0 5-micron Millex SR filter and analyzed Determination was achieved using an LC-18 column, a mobile phase of 2/3 v v methanol-water containing 1-decanesulfonic acid, sodium salt at 0 01 M concentration, and a UV detector set at 280 nm The mobile phase pH was adjusted to 3 with glacial acetic acid, which was optimal for separation of tetrazene from potential interferences by other explosives Retention time was 2 8 min Kinetic studies show maximum tetrazene recoveries are achieved from undried soil within 5 hr of shaking at room temperature Refrigeration is required for extracts that are not analyzed immediately

SR 88-16
EFFECTS OF TEMPERATURE AND SPECIES ON TNT INJURY TO PLANTS.
Palazzo, A J , et al, Sep 1988, 7p., ADA-200 323, 12 refs.
Bailey, R., Graham, J.
43-1149
PLANTS (BOTANY), SOIL POLLUTION, PLANT PHYSIOLOGY, DAMAGE, GROWTH, TEMPERATURE EFFECTS.

The studies tested the toxic effects of trinitrotoluene (TNT) to plants grown hydroponically The first study tested the effect of temperature and TNT concentration on plant growth and the second tested the effect of TNT on various legumes and grass The studies showed that the tolerance to TNT is related to both the genotypic characteristics of the plant and its rate of growth Plants growing in more optimum environments and having a greater growth rate were more tolerant to the injurious effects of TNT TNT tolerance was greater in grasses than in legumes The growing points of plants originating from the crown were most tolerant to TNT injury

SR 88-17
EFFECTS OF ALL-TERRAIN VEHICLE TRAFFIC ON TUNDRA TERRAIN NEAR ANAKTUVUK PASS, ALASKA.
Racine, C., et al, Sep 1988, 12p , ADA-199 969, 17 refs
Johnson, L.A
43-1340
TUNDRA, ALL TERRAIN VEHICLES, ENVIRONMENTAL IMPACT, VEGETATION, TOPOGRAPHIC FEATURES, DAMAGE, FROZEN GROUND STRENGTH, LICHENS, GROUND THAWING, THERMOKARST DEVELOPMENT

Six- and eight-wheel, light-weight all-terrain vehicles (ATVs) (mainly the Argo with low pressure, low-ribbed tires) are currently used in the Anaktuvuk Pass, Alaska, area for summer subsistence travel from the village into several Brooks Range valleys The environmental effects of summer ATV use are poorly understood During the summers of 1985 and

1986, terrain disturbance at 31 sites representing trails over dry, moist and wet tundra was evaluated by rating the levels of soil exposure, vegetation destruction and microtopographic depression (ruts). Surface and frozen layer profiles across selected trail sites were also obtained, and trail visibility from the air and ground was rated. The levels of trail disturbance vary between valleys and generally decrease with distance from the village of Anaktuvuk Pass Trails over dry tundra showed low to moderate terrain disturbance, the hard substrate and shallow organic cover resulted in low surface depression and low exposure of mineral soil However, vegetation disturbance was often high, particularly to lichens and taller shrubs These trails were generally of low visibility except where light-colored lichens were removed Terrain disturbance on trails over moist tundra varied from low to high. As long as cottongrass tussocks remained intact, and supported vehicle weight, terrain disturbance was low, once tussocks were destroyed, deep ruts developed quickly, followed by trail abandonment and formation of a new parallel track Thawing increased under the highly disturbed trails, but thermokarst formation was infrequent because the ice content of the soils in the Anaktuvuk Pass area is generally low Wet tundra trail sites showed moderate to high terrain disturbance with low vegetation disturbance but high microtopographic changes. On wet tundra, drivers often move to an adjacent new trail following only a few passes, reducing the disturbance in one track. Visibility was generally high because of standing water in the tracks and the presence of several parallel tracks

SR 88-18

IMPROVED TECHNIQUES FOR CONSTRUCTION OF SNOW ROADS AND AIRSTRIPS.

Lee, S.M., et al, Sep. 1988, 99p, ADA-100 113, 41 refs.

Haas, W.M., Wuori, A.F.

43-1150

AIRCRAFT LANDING AREAS, ICE RUNWAYS, SNOW ROADS, SNOW COMPACTION, SNOW HARDNESS, SNOW TEMPERATURE, SNOW DENSITY, SNOW STRATIGRAPHY, GRAIN SIZE, METAMORPHISM (SNOW), ANTARCTICA—MCMURDO STATION, ANTARCTICA—AMUNDSEN-SCOTT STATION.

Rammsonde profile measurements and surface strength (Clegg impact) tests were conducted at selected sites in Antarctica on the snow roadways between McMurdo Station and Williams Field as well as on the aircraft skiway Rammsonde measurements were also made at several points on the South Pole Station skiway, taxiway and construction sites Snow pit data were collected at various locations at McMurdo and South Pole stations The purpose of the snow pit work was to investigate possible correlation between rammsonde hardness data of the snowpack and the snow characterization data consisting of profiles of temperature, density, stratification, grain size, and metamorphic state. California Bearing Ratio (CBR) testing, to supplement previous work, was done in a laboratory coldroom at Michigan Technological University using snow that had been harvested near Houghton, Michigan, during the winter of 1985-86 A report on this will be published separately The samples were prepared in a compaction machine and tested after sintering times of 7 14 and 21 days at -10 C A field test was conducted in Houghton with binder/additive-snow mixes *in situ* The results of this field test are also included in this report (Auth)

SR 88-19

ANTITANK OBSTACLES FOR WINTER USE.

Richmond, P.W., Oct. 1988, 11p, ADB-128 768, 18 refs

43-1997

MILITARY OPERATION, SLOPES, ICE COVER EFFECT, SNOW COVER EFFECT, TANKS (COMBAT VEHICLES), WINTER.

Barrier systems and obstacles have an important role in defense plans and in the conduct of a battle A complete understanding of antitank obstacles is thus required under all environmental conditions This report examines the construction and effectiveness of antitank obstacles under winter conditions Expedient and constructed obstacles, in particular ice slopes, natural snow-covered slopes, snow berms and snow-covered step obstacles, are discussed

SR 88-20

DEPLOYMENT OF FLOATING BRIDGES IN ICE-COVERED RIVERS.

Mellor, M, et al, Oct 1988, 38p, ADB-129 184, 8 refs.

Calkins, D.J.

43-1839

RIVER ICE, ICE REMOVAL, RIVER CROSSINGS, ICE NAVIGATION, MILITARY OPERATION BRIDGES, KOREA

The U S Army Ribbon Bridge was deployed in an ice-covered river in Korea, using two different methods to remove ice from the river In one method, the ice was cut by chain saws, floating ice slabs were conveyed to the river bank, where they were pushed into a disposal pile by a bulldozer. In the other method, the ice was broken by a row of 40-lb (18-kg) explosive charges set beneath the ice cover The largest ice slabs were conveyed to the river bank and were again pushed into a disposal pile by a bulldozer After initial clearance of the launching area, Bridge Erection Boats were used to push ice slabs to the river bank The report gives full details of the exercise and illustrates the methods with numerous photographs

SR 88-21

DYNAMIC AEROSOL FLOW CHAMBER.

Hewitt, A.D., Oct. 1988, 13p., ADA-202 305, 7 refs.

43-1840

AEROSOLS, SNOWFALL, CLOUD CHAMBERS, DYNAMIC PROPERTIES, OPTICAL PROPERTIES, AIR FLOW, TESTS.

A flow chamber has been developed for optically measuring the interaction between an aerosol cloud and falling snow Analysis of aerosol clouds passing through the optical region of the chamber in the absence of precipitation resulted in an average ratio of 1.09 for transmission readings taken from two lines of sight 1 5 m apart The ability to pass dynamic aerosol clouds of constant opacity through a chamber where they can be exposed to natural meteorological phenomena allows for the analysis of precipitation scavenging

SR 88-22

IMJIN RIVER ICE BOOM.

Perham, R.E., Oct. 1988, 10p., ADB-127 580, 8 refs.

43-1398

ICE BOOMS, FLOATING ICE, ICE STRENGTH, ICE COVER THICKNESS, MILITARY ENGINEERING, BRIDGES, ANCHORS, RIVER ICE, ICE CONTROL, ICE (CONSTRUCTION MATERIAL), KOREA—IMJIN RIVER.

An ice boom to support military bridging exercises in the winter of 1982-83 was designed well in advance of selecting the materials from stores in the field The design was based upon a sparse amount of information, yet by on-site work and communication with the appropriate military persons the project came to fruition, and the ice boom was built and deployed This report provides data for reusing the boom as well as design data and background information

SR 88-23

IMPROVED RP-HPLC METHOD FOR DETERMINING NITROAROMATICS AND NITRAMINES IN WATER.

Jenkins, T.F., et al, Nov. 1988, 36p, ADA-203 306, 13 refs.

Miyares, P.H., Walsh, M.E.

43-1841

SOIL POLLUTION, SOIL WATER, EXPLOSIVES, SOIL COMPOSITION, CHEMICAL ANALYSIS, WATER CHEMISTRY.

A protocol was developed for determining nitroaromatic and nitramine explosives by reversed-phase high-performance liquid chromatography on an LC-18 column The method employs dilution of an aqueous sample 1 1 with methanol, filtration through a 0 5 micron Millex-SR filter, separation on the LC-18 column using a 1 1 water-methanol eluent, and determination by UV-254 nm. A careful comparison was made with an earlier standard protocol, which used separation on an LC-8 column with a 50 38 12 water-methanol-acetonitrile eluent Overall, the new procedure provides better separation for a wider range of analytes and equivalent recovery for all analytes tested. The new procedure is particularly effective at separating TNT from tetryl, and it allows analysis of water and soil extracts using a single column and eluent combination

SR 88-24

DEVELOPMENT OF A MEMBRANE FOR *IN-SITU* OPTICAL DETECTION OF TNT.

Zhang, Y., et al, Nov. 1988, 6p., ADA-202 306, 6 refs

Seitz, W R, Sundberg, D D

43-1842

WATER POLLUTION, GROUND WATER, EXPLOSIVES, MILITARY FACILITIES, OPTICAL FILTERS, PHOTOMETRY, DETECTION, MEASURING INSTRUMENTS.

A membrane has been developed for *in-situ* determination of polynitroaromatic hydrocarbons in groundwater at levels as low as 10 ng/ml A typical membrane is prepared by dissolving the following in tetrahydrofuran 0 5 g polyvinyl chloride) (PVC), 0 2 ml dioctyl phthalate to serve as a plasticizer and 0 12 ml Jeffamine T403, a polyoxyethylenediamine that also acts as a plasticizer, as well as reacting with polynitroaromatic hydrocarbons to produce a colored product The membrane is formed by casting the solution into a glass Petri dish with a diameter of 8 cm and allowing the solvent to slowly evaporate Trace amounts of 2,4,6-trinitrotoluene (TNT), 1,3,5-trinitrobenzene (TNB), 2,4,5-trinitrotoluene (2,4,5-TNT), and methyl 2,4,6 trinitrophenyl nitramine (tetryl) react with the membrane to produce a visually observable reddish brown color No pretreatment of water samples is required Recoveries of 0 1 to 4 0 ppm TNT from spiked groundwater ranged from 95 - to 105 - Direct analysis of water samples agreed with HPLC results

SR 88-25

ICE OBSERVATIONS ON THE ALLEGHENY AND MONONGAHELA RIVERS.

Bilello, M.A., et al, Nov. 1988, 43p., ADA-213 028, 10 refs.

Gatto, L.W., Daly, S F., Gagnon, J.J.

44-800

RIVER ICE, ICE NAVIGATION, ICE CONDITIONS, ICE REPORTING, UNITED STATES—ALLEGHENY RIVER, UNITED STATES—MONONGAHELA RIVER.

Corps of Engineers and National Weather Service records of ice conditions on the Allegheny and Monongahela rivers in PA and WVA were analyzed for seven recent winters. The on-ground observations recorded daily at a number of lock and dam locations were issued in the form of alphanumeric ice codes that included the coverage, type, thickness, structure and extent of river ice. These codes were used to graph ice conditions throughout the rivers to allow easier analysis of historical ice conditions In addition, comparisons were made between these observations and aerial videotapes and satellite images of the ice. Results of these comparisons illustrate that ice data from these three sources are complementary and should be used together whenever possible

SR 88-26

SNOWMELT INCREASE THROUGH ALBEDO REDUCTION.

Colbeck, S.C., Dec. 1988, 11p., ADA-204 523, 45 refs.

43-1927

SNOWMELT, ALBEDO, DUSTING, FREEZE THAW CYCLES, CLIMATIC FACTORS, SURFACE PROPERTIES, SNOW SURFACE, ICE MELTING, ABLATION.

Due to changing surface conditions, the albedo decreases naturally as snow ages The details of the melting processes have been investigated for some years and much is known about the effect of each process and the interactions among them Albedo has attracted a lot of attention because of recent interest in snow-climate feedback, and the reduction in albedo by darkening agents has been studied and practiced extensively. Although much is known about albedo reduction, the optimum design of a field program to enhance snow melting requires too much information to be easily achievable The relevant snow properties and processes are described here along with some field observations. Much research must still be done to provide guidelines for the use of snow darkening agents in any particular environment.

SR 88-27

CONSIDERATIONS FOR WINTER USE OF THE GROUND EMPLACED MINE SCATTERING SYSTEM.

Richmond, P.W., et al, Nov. 1988, 13p., ADB-129 428, 13 refs.

Blaisdell, G.L.

43-2120

MILITARY OPERATION, SNOW COVER EFFECT, ICE COVER EFFECT, ICE COVER THICKNESS, EQUIPMENT, COLD WEATHER OPERATION, TRAFFICABILITY.

This report presents information related to the use of the Ground Emplaced Mine Scattering System in winter Specifically, the following areas are examined mobility in snow-covered areas, ice thickness requirements for operations on freshwater ice, and mine performance considerations in winter. Results of a limited number of drawbar-pull tests in snow are discussed, as are the results of a series of mine orientation tests in various snow conditions Recommendations are made for the inclusion of this information in appropriate Army manuals

SR 88-28

SNOW III WEST FIELD EXPERIMENT REPORT. VOLUME I.

Lacombe, J., et al, Dec. 1988, 170p, ADB-129 329, 17 refs.

Matise, B.K., Petzko, D R., Petraska, J W, Rice, J.E, Burlbaw, E J., Chenault, T, Stallings, E.S., Farmer, W.M

43-2121

MILITARY OPERATION, COLD WEATHER OPERATION, SNOW COVER EFFECT, TRANSMISSIVITY, METEOROLOGICAL FACTORS, EXPERIMENTATION, STATISTICAL ANALYSIS.

The SNOW-III WEST field experiment was conducted by the U S Army Cold Regions Research and Engineering Laboratory during the winter of 1984-85 at Camp Grayling, Michigan The principal purpose of this test was to compare military target acquisition sensors under obscuring winter conditions Detection ranges for ground combat vehicular targets were measured for selected U S and foreign acquisition sensors while vehicle and background signatures, atmospheric transmittance, snow characterization, and meteorological measurements were made This report describes the instrumentation and test procedures that were used and the manner in which the collected data were reduced Results are presented in a format that allows for convenient extraction of information needed by the modeling, measurement and systems analysis communities

SR 89-01
STATISTICAL ANALYSIS OF BUILDING WALL MATERIALS DISTRIBUTION IN FOUR NORTHEASTERN CITIES.
Merry, C.J., et al, Jan. 1989, 156p., ADA-205 754, 19 refs.
LaPotin, P.J.
44-3015
CONSTRUCTION MATERIALS, BUILDINGS, POLLUTION, RAIN, PRECIPITATION (METEOROLOGY), CHEMICAL PROPERTIES, STATISTICAL ANALYSIS, URBAN PLANNING.
The overall purpose of this research was to develop a data base of building material types sensitive to acid deposition The objective of this study was to address several statistical questions about the data base of sampled building materials for four cities, which included New Haven, Connecticut, Portland, Maine; Pittsburgh, Pennsylvania, and Cincinnati, Ohio. The four cities were mapped into sampling frames, which divided the city into similar areas. Use of the sampling frames assumed that the location, form and function of buildings, and the amount and kind of building materials, are related to the land use Information on building materials for about 70 buildings per sampling frame were inventoried for each city. The statistical analyses of the data base for each city included comparing building sizes with the size of the sampling footprint, determining the distribution of buildings per footprint for each sampling frame, and examining the distribution of material types as a function of building size and building type for each sampling frame

SR 89-02
RESPONSE OF PAVEMENT TO FREEZE-THAW CYCLES: LEBANON, NEW HAMPSHIRE, REGIONAL AIRPORT.
Allen, W.L., et al, Jan. 1989, 31p., ADA-205 559, 6 refs.
Quinn, W.F., Keller, D., Eaton, R.A.
43-2809
PAVEMENTS, RUNWAYS, FREEZE THAW CYCLES, FROST HEAVE, FROST PROTECTION, UNITED STATES—NEW HAMPSHIRE—LEBANON.
In 1978 reconstruction was begun on the runway of the Lebanon Regional Airport, Lebanon, New Hampshire The runway had experienced severe differential frost heaving and cracking during the previous three winters, which had resulted in closure of the facility during periods of extreme roughness At the request of the Federal Aviation Administration and in conjunction with the reconstruction, CRREL undertook to study the newly constructed pavements to investigate the relationships between weakening of the pavements, frost heave of the pavement surfaces and the position of the freezing front. Temperature sensors were placed within the newly constructed pavement sections, and during the winters of 1979, 1980 and 1982 temperature data were recorded, and level surveys and repeated plate bearing tests were performed in order to provide data for the investigation. The three pavement sections were constructed to investigate the effect of section thickness on the level of frost protection provided The sections consisted of 4 in of asphalt concrete, 6 in. of crushed gravel and 22, 30 and 38 in of well-graded sand subbase material. The 48 in section provided the highest level of frost protection to the subgrade However, all three pavement sections maintained resilient stiffness values during the spring thaw period on the order of two to three times that of the pavement before reconstruction Also, frost heave in all sections was reduced to levels that would not cause difficulty for aircraft using the facility

SR 89-04
RADAR PROFILING OF NEWTON AIRFIELD IN JACKMAN, MAINE.
Martinson, C.R., Feb. 1989, 9p , ADA-207 303, 2 refs.
43-3618
FROST HEAVE, INSULATION, PAVEMENTS, RADAR.
During Apr 1987 ground-penetrating radar was used to observe subsurface conditions of Newton Field, an airfield in Jackman, ME. It was constructed in 1986, with insulation used as part of its subgrade A road near the airfield that was constructed in the same fashion, except without the insulation, was also profiled for comparison. The survey was to document conditions of nonuniform frost heaving and, if possible, frost depth Radar data, collected with a 900-MHz antenna, showed that the insulation beneath the runway apparently varied in depth from approximately 5 to 24 in Frost depth, however, could not be determined with the 900-MHz antenna.

SR 89-05
WORKING GROUP ON ICE FORCES. 4TH STATE-OF-THE-ART REPORT.
Timco, G.W., ed, Feb. 1989, 385p., ADA-207 546, Refs. passim. For individual articles see 43-2813 through 43-2825.
43-2812
ICE LOADS, ICE MECHANICS, ICE PRESSURE, ICE SOLID INTERFACE, ICE STRENGTH, STRUCTURES.
This working group report on ice forces on structures includes 13 papers covering topics of local ice pressures, large-scale ice pressures, large-scale ice loads and failure modes, damage models for ice, ice forces on compliant structures and conical-shaped structures, ice rubble, spray ice and ice loads on icebreaking vessels. The papers were written with senior undergraduate and graduate students in mind so it should provide an excellent textbook for those students interested in ice mechanics.

SR 89-06
FIRST INTERNATIONAL CONFERENCE ON SNOW ENGINEERING, SANTA BARBARA, CALIFORNIA, JULY 1988; PROCEEDINGS.
International Conference on Snow Engineering, 1st, Santa Barbara, CA, July 10-15, 1988, Feb. 1989, 573p., ADA-207 260, Refs. passim. For individual papers see 43-3545 through 43-3599.
43-3544
SNOW LOADS, ENGINEERING, ROOFS, SNOW MECHANICS, SNOW DENSITY, BUILDINGS, STRUCTURES, MEETINGS, SNOWDRIFTS, SNOW ACCUMULATION, MODELS, DESIGN.

SR 89-07
PROCEEDINGS.
Snow Symposium, 7th, Hanover, NH, Aug. 11-12, 1987, Mar. 1989, 136p., ADB-133 455, Refs. passim. For individual papers see 43-3872 through 43-3883.
Bates, R.E., ed, Hogan, A.W., ed, Wright, E.A., ed.
43-3871
SNOW THERMAL PROPERTIES, SNOW OPTICS, SNOW ACOUSTICS, SNOWFALL, SNOW COVER EFFECT, SNOW DEPTH, SNOW AIR INTERFACE, RADIO ECHO SOUNDINGS.

SR 89-08
QUICKDRAW DATA STRUCTURES FOR IMAGE PROCESSING.
LaPotin, P.J , et al, Apr. 1989, 17p , ADA-208 945, 11 refs
McKim, H.L.
43-3676
DATA PROCESSING, COMPUTER PROGRAMS, SPACEBORNE PHOTOGRAPHY, PHOTOINTERPRETATION, AERIAL SURVEYS.
QuickDraw is the graphical operating language for the Apple Macintosh. Standard binary data formats are currently used to import and export satellite images to geographic information- and image-processing systems These data structures provide a standard sequential method to read and write large volumes of information in a semicompressed format. While the binary structure is adequate for strict import and export of image data, it is poorly adapted to fast image-processing at the microcomputer level In this study, new data structures are investigated that use operating codes to quickly convert raster binary image data and vector overlay files into a high-speed graphical language for efficient display and processing Binary data is converted into "picture handles" of variable size and resolution using 2-byte operating codes to symbolize the graphical process As a result, images are drawn as objects that may be coupled as independent vector components in multiple bit planes The bit planes may be specified for each pixel to support 24- and 32-bit color of both raster and vector data The efficiency of these structures allows the user to display 1024 x 1024 scenes in multiple overlapping windows using simple Cut/Copy/Paste commands In addition, the use of operating codes allows an analyst to quickly store and retrieve archived images in their compressed form using simple "scrap manager" techniques Early results for this technique indicate that converted vector overlays may be compressed by a factor of 8 and SPOT images (depending on scene diversity) by a factor of 2 More significantly, images that typically require 4 min to load from binary may be displayed in fractions of a second using the new display method and resultant operating codes In its present form, the software provides a gateway for users of image data to display multiple bands of information quickly, and to vary hue, saturation, brightness, and resolution levels on the microcomputer New utilities will include image export into the PNTG, PHCA, EPS, and TIFF formats for export compatibility with Postscript page-layout software and video image-processing systems

SR 89-09
INFLUENCE OF WELL CASING COMPOSITION ON TRACE METALS IN GROUND WATER.
Hewitt, A.D., Apr. 1989, 18p , ADA-208 109, 12 refs.
43-3619
GROUND WATER, WELL CASINGS, WATER POLLUTION, ENVIRONMENTAL IMPACT.
Experiments were conducted to determine the concentration dependence of trace inorganic priority pollutants (As, Cd, Cr and Pb) in ground water solutions exposed to polyvinylchloride (PVC), polytetrafluoroethylene (PTFE) and two types of stainless steel (SS304 and SS316) The test design used a factorial screening matrix with two concentrations of metals (As-Cr-Pb, 50 and 10 microgram/L, Cd, 10 and 2 microgram/L), pH (5 8 and 7 7), and total organic carbon (natural and natural plus 5 mg/L humic acid) as variables Samples containing well casings and controls without pipe sections were run as duplicates Aliquots were removed from all of the solutions after 0 5, 4, 8 24 and 72 hours Aqueous metal concentrations were determined by graphite furnace atomic absorption spectroscopy The results showed PTFE to have no significant influence on the metals monitored under any of the groundwater conditions Metal concentrations in ground water exposed to SS316 and SS304 had large random variances believed to be caused by surface oxidation of the stainless steel. PVC had a more active surface than PTFE in terms of both sorption of Pb and release of Cd.

SR 89-10
COMPACTED-SNOW RUNWAYS: GUIDELINES FOR THEIR DESIGN AND CONSTRUCTION IN ANTARCTICA.
Russell-Head, D.S., et al, Apr. 1989, 68p., ADA-208 910, Refs. passim.
Budd, W.F.
43-3474
SNOW PHYSICS, SNOW COMPACTION, SNOW (CONSTRUCTION MATERIAL), RUNWAYS, DESIGN, PENETROMETERS, ANTARCTICA.
Only small areas near the margins of the ice cap in Antarctica are ice-free, and only a few of these exposed sites are suitable for the construction of conventional runways. Wheeled aircraft have operated successfully on hard sea ice and exposed glacial ice, and skis have been fitted to a wide range of aircraft for use on snow There has been a resurgence of interest in making snow runways suitable for use by conventional wheeled aircraft. Laboratory and field work has confirmed that low-density surface snow can be compacted in several ways to yield a strong, uniform, load-bearing pavement that can support heavy wheeled aircraft The Soviets have constructed several full-scale runways in Antarctica This report provides some of the technical background for the design and construction of compacted-snow runways in Antarctica. The technology is not particularly difficult, and it is likely that the next few decades will see substantial changes to antarctic air transportation as more snow runways are constructed throughout the continent. (Auth)

SR 89-11
LAND MINES IN WINTER.
Richmond, P.W., May 1989, 10p., ADB-134 433, 26 refs.
43-4041
MINES (ORDNANCE), MILITARY OPERATION, COLD WEATHER PERFORMANCE, RAIN, FROZEN GROUND, SNOW DEPTH.
A number of questions about the use and performance of land mines in winter were investigated during the past 7 years as part of the Mine/Countermine Research Program of the Corps of Engineers The environmental effects of winter on both conventional and scatterable mines are discussed Recommendations are made to enhance the efficient use of mines in winter, many of these suggestions have already been published in U S Army doctrinal literature The effects of thawing and freezing soil, deep snow, triplines in snow and freezing rain on conventional mines (mines that are not designed to self-destruct) are discussed A general analysis of the behavior of scatterable antitank mines in snow is introduced and results of experiments using the GEMSS and RAAMS are presented

SR 89-12
POROUS PORTLAND CEMENT CONCRETE AS AN AIRPORT RUNWAY OVERLAY: LABORATORY EVALUATION.
Korhonen, C., et al, May 1989, 20p., ADA-208 974, 10 refs.
Bayer, J.J.
43-3070
CONCRETE PAVEMENTS, RUNWAYS, CONCRETE STRENGTH, COLD WEATHER PERFORMANCE.
A company recently introduced a special mixing method for producing stronger porous portland cement concrete than that made using standard mixing techniques The process, which includes no admixtures, relies on a patented high-speed mixer to achieve the claimed results The material, as designed by the company, was evaluated under laboratory conditions to determine its suitability for use as an overlay on concrete runways in the cold regions Evaluations included strength, permeability and freeze-thaw tests Concrete strength was improved whenever the high-speed mixer was used However, the improvements were erratic, ranging from 2 to 37% stronger than the same concrete mixed using the standard technique The mix design used by the company was fairly permeable to water but was not resistant to freezing and thawing when water was ponded on it. Further improvements are needed in both the consistency of strength and the resistance to frost of this material before it can be considered for cold regions applications

SR 89-13
PRELIMINARY DESIGN GUIDE FOR ARCTIC EQUIPMENT.
Walsh, M R , et al, May 1989, 35p , ADA-209 455, 8 refs + bibliography p 33-35
Morse, J.S.
43-3894
EQUIPMENT, DESIGN CRITERIA, COLD WEATHER OPERATION, COLD WEATHER PERFORMANCE, LOW TEMPERATURE RESEARCH, TEMPERATURE EFFECTS
Designing equipment for arctic environments requires special considerations from the design engineer. Low temperatures

and harsh environments place special demands on equipment and components. Many materials in common use will experience drastic changes in physical properties, resulting in catastrophic failure of the systems in which they are incorporated. Components may no longer meet original specifications, and instrumentation may not work properly. This design guide should familiarize the design engineer with the factors that must be considered when designing for the arctic environment. A list of environmental factors and how they may affect a design is first presented. Then, a general design procedure is presented and a detailed analysis of problems and solutions for materials, components and systems follows.

SR 89-14
SNOW IV FIELD EXPERIMENT DATA REPORT.
Wright, E.A., ed, May 1989, 250p., ADB-134 724, Refs. passim. For individual papers see 43-4297 through 43-4308.
Bates, R.E., ed.
43-4296
MEASUREMENT, WAVE PROPAGATION, METEOROLOGICAL CHARTS, METEOROLOGICAL DATA, METEOROLOGICAL INSTRUMENTS, SNOWFALL, ACOUSTICS, VISIBILITY, AIRBORNE EQUIPMENT, MILITARY OPERATION, ATTENUATION, LIGHT TRANSMISSION, LIGHT SCATTERING.

The SNOW-IV Field Experiment, held at the Hollis Center, ME, U.S. National Guard site (near Portland) was conducted by the U.S. Army Cold Regions Research and Engineering Laboratory in cooperation with several other government agencies and contractors. The objectives of the field study were to 1) evaluate the effects of natural obscurants on the performance of electro-optical and millimeter wavelength devices, 2) extend the data base for electromagnetic propagation through falling and blowing snow, and 3) determine the effects of wet snow and coastal winter fog on electro-optical system performance. This data report presents information gathered at the sixth field experiment of the SNOW series. It was conducted between Dec. 1985 and Mar. 1986 and was sponsored by the U.S. Army Corps of Engineers Winter Battlefield Obscuration Research Program. The report includes field data collected on meteorology, snow characterization, atmospheric propagation, and seismic-/acoustic wave propagation.

SR 89-15
BLASTING AND BLAST EFFECTS IN COLD REGIONS. PART 3: EXPLOSIONS IN GROUND MATERIALS.
Mellor, M., May 1989, 62p., ADA-209 382, Refs. p.59-62. For Pt.1 see 40-3304; Pt.2, 41-3020.
43-3651
EXPLOSION EFFECTS, BLASTING, ICE BLASTING, FROZEN GROUND STRENGTH, FROZEN ROCK STRENGTH, COLD WEATHER PERFORMANCE, MILITARY OPERATION.

The effects of underground explosions are considered, first for deep explosions far from a free surface, then for shallow explosions which form craters and eject debris. The general pattern of behavior is established from compilations of test data for typical rocks and soils, and comparable compilations are made for the more limited test data relating to frozen soils, ice and snow.

SR 89-16
EFFECT OF TOSTON DAM ON UPSTREAM ICE CONDITIONS.
Ashton, G.D., May 1989, 9p., ADA-210 119, 4 refs.
43-3957
DAMS, RIVER ICE, ICE JAMS, ICE CONDITIONS, ICE COVER THICKNESS, UNITED STATES—MONTANA—MISSOURI RIVER.

The effect of raising the reservoir level of Toston Dam on the Missouri River on water levels upstream during winter periods with ice is assessed. The analysis used the HEC-2 program with the ice option to estimate water levels under present and future raised dam elevations. Ice thicknesses were estimated using a trial-and-error procedure based on existing ice jam theory. Results of the analysis were validated using field observations from two winters.

SR 89-17
EFFECTS OF SOIL COVERS ON LATE-FALL SEEDINGS OF FOUR TALL FESCUE VARIETIES.
Palazzo, A.J., June 1989, 5p., ADA-212 203, 20 refs
44-774
GRASSES, COLD WEATHER SURVIVAL.

Soil covers promote seed germination and plant growth at suboptimum temperatures by conserving heat near the soil surface. This conservation of heat results in a higher soil surface temperature than in uncovered soil. The result is succulent seedlings that may be more susceptible to premature death during winter and reduced growth the following season. The objectives of this study were to evaluate the effectiveness of soil covers for promoting seed germination in the fall and to observe the effects of soils covers on plant growth and development. A field study was conducted using Clemfine, Mustang, Rebel and Rebel II varieties of tall fescue (*Festuca arundinacea* Schreb.) sown in mid-Oct in New Hampshire using a randomized block design. Half of each plot was covered with a spun-bonded polypropylene soil cover. The cover remained on the plots until the following June. It enhanced seedling emergence in the fall for all four varieties and subsequent regrowth during May for all varieties except Rebel. Very little extra growth was observed under the cover during Apr., when average ambient temperatures were about 6.2 C. Analysis of tissue sampled in June showed that the carbohydrate content was lower with the higher-yielding varieties. Higher-yielding varieties that had been covered showed lower concentrations of fructans in leaves, but the levels were not sufficient to affect summer growth. No differences in carbohydrate concentrations between varieties were found. Test results show that the use of soil covers promoted seed germination of late fall seeding and improved grass growth through the following Aug.

SR 89-18
SINGLE FIBER MEASUREMENTS FOR REMOTE OPTICAL DETECTION OF TNT.
Zhang, Y., et al, May 1989, 7p., ADA-209 995, 5 refs.
Seitz, W.R., Sundberg, D.C.
43-3870
EXPLOSIVES, WATER POLLUTION, DETECTION, SPECTROSCOPY, GROUND WATER, MEASURING INSTRUMENTS.

Single fiber optical measurements have been used to follow changes in the color of an initially clear poly(vinyl chloride) (PVC) membrane, which reacts with aqueous 2,4,6-trinitrotoluene (TNT) to form a colored product that absorbs strongly at 500 nm. Attempts to make this measurement via the effect of the colored product on the emission spectrum of a fluorophor incorporated into the PVC membrane were unsuccessful. However, single fiber absorption measurements were successful. Refractive index matching and a reflector behind the membrane to increase reflected intensity were essential to keeping the stray light levels small relative to the signal of interest. To compensate for drift, the reflected intensity at 500 nm is measured relative to the reflected intensity at 824 nm, a wavelength where intensity is not affected by color formation in the membrane. The rate at which the ratio of intensity at 500 nm to intensity at 824 nm increases is a function of TNT concentration. It is estimated that TNT levels below 0.10 ppm can be measured by this technique.

SR 89-19
ICE RUNWAYS NEAR THE SOUTH POLE.
Swithinbank, C., June 1989, 42p., ADA-211 606, 7 refs.
43-4598
ICE RUNWAYS, COLD WEATHER CONSTRUCTION, AERIAL SURVEYS, ANTARCTICA—MILL GLACIER, ANTARCTICA—HOWE, MOUNT.

Following an examination of air photographs of the Transantarctic Mountains, 37 blue-ice areas were reconnoitered from the air, using a ski-wheel Twin Otter operating from the South Pole. Two sites were selected as potential airfields for conventional transport aircraft, and ground surveys were made. On the Mill Glacier at 85 06'S, 167 15'E there is an area of smooth and level ice which gives a 7 km run directly into the prevailing wind. Five wheel landings were made there. Alongside Mount Howe there is a large area of level ice at 87 20'S, 149 50'W. It offers a 7 km runway, but there is a strong crosswind component from the prevailing wind and some bumps on the ice surface need to be planed off. Eight wheel landings were made at Mount Howe. (Auth.)

SR 89-20
COMPARISONS OF LOW CONCENTRATION MEASUREMENT CAPABILITY ESTIMATES IN TRACE ANALYSIS: METHOD DETECTION LIMIT AND CERTIFIED REPORTING LIMIT.
Grant, C.L., et al, June 1989, 21p., ADA-211 829, 19 refs.
Hewitt, A.D., Jenkins, T.F.
43-4607
SOIL POLLUTION, CHEMICAL ANALYSIS, WASTES, SPECTROSCOPY.

Two large data sets were obtained over a four-day period for graphite furnace atomic absorption spectroscopic measurement of copper (Cu) and reversed-phase high performance liquid chromotographic determination of dinitrobenzene (DNB) at a number of concentrations near the lower limit of measurement. Low concentration measurement capability estimates for each analyte were obtained using the Environmental Protection Agency's MDL (method detection limit) protocol and the U.S. Army Toxic and Hazardous Materials Agency's CRL (certified reporting limit) protocol. For DNB, analytical variance was found to be homogeneous over the concentration range examined and MDL estimates were independent of concentration over the range of concentration examined. MDL estimates varied by as much as a factor of three from day to day, emphasizing the uncertainty in these estimates. CRL estimates varied to about the same extent and were numerically quite similar to MDLs when equivalent false positive and false negative risks were used. For Cu, analytical variance was found to be proportional to concentration. Thus CRL estimates were very dependent on the concentration range examined. MDLs were less sensitive to this problem. Recommendations regarding the choice of target reporting limits for the CRL protocol were made. The influence of risk assumptions on both MDL and CRL estimates was examined and recommendations for modifications to both procedures made to incorporate an operational false negative-risk appropriate to the problem at hand. A case was made for using outlier tests to edit data used to estimate low concentration measurement capabilities.

SR 89-21
INTERNATIONAL ARCTIC RESEARCH PROGRAMS.
Chung, J.S., comp, July 1989, 74p., ADA-212 206, Presented at the 7th International Conference and Exhibition on Offshore Mechanics and Arctic Engineering, Houston, TX, Mar. 1988. For individual papers see 44-125 through 44-130.
Link, L.E., comp.
44-124
RESEARCH PROJECTS, ECONOMIC DEVELOPMENT.

SR 89-22
IMPROVING SNOW ROADS AND AIRSTRIPS IN ANTARCTICA.
Lee, S.M., et al, July 1989, 18p., ADA-211 588, 7 refs.
Haas, W.M., Brown, R.L., Wuori, A.F.
44-1
SNOW ROADS, RUNWAYS, ANTARCTICA—MCMURDO STATION, ANTARCTICA—AMUNDSEN-SCOTT STATION.

During the 1986-1987 austral summer, snow road and runway test lanes were constructed at McMurdo Station and at South Pole Station. These lanes were monitored during Dec. 1986, Jan. 1987, and again in Jan. 1988. Test sections were constructed of 1) tractor-compacted snow topped with a 15-cm thick layer of rotary blower processed snow, 2) rotary processed and compacted snow in 15-cm layers to a depth of 60 cm, 3) rotary processed and compacted snow in 15-cm layers incorporating a sawdust additive mixed at 5% by volume, and 4) rotary-processed snow with 10% sawdust by volume. These test sections were observed and monitored by obtaining temperature and density profiles, Rammsonde hardness profiles, California Bearing Ratio and Clegg surface strength values, and testing for to withstand traffic. It was concluded that wood sawdust added to processed snow in amounts of 5% to 10% by volume significantly increases the strength of the resulting snow road or runway. This increase was greater at McMurdo than at the South Pole, appearing to be a function of snow temperature. Adequate strengths of the snow/sawdust mixtures were achieved for limited use by wheeled C130 aircraft, but additional processing with heat, water or added compaction appears necessary to produce a 25-cm-thick surface layer adequate for more frequent use and to accommodate wheeled C141 aircraft. At McMurdo, it was found that the sawdust was not effective in maintaining the integrity of the surface for traffic during the thawing season without additional maintenance, whereas at the South Pole, thawing was not a problem since temperatures remained well below the melting point. It was concluded that the McMurdo snow roads were not constructed adequately early in the season to prevent failure and, therefore, required an undul, high maintenance effort during the warm season. It is recommended that the future roads be constructed by depth processing with a rotary miller or blower. It is also recommended that geotextile fabrics or membranes be used to divert water into culverts, and that the use of heat (or water) injection or confined dynamic compaction be investigated for creating a hard snow surface layer for use by C141 wheeled aircraft. (Auth.)

SR 89-23
STATE OF THE ART OF PAVEMENT RESPONSE MONITORING SYSTEMS FOR ROADS AND AIRFIELDS.
Symposium on State of the Art of Pavement Response Monitoring Systems for Roads and Airfields, 1st, Hanover, NH, Mar. 6-9, 1989, Sep. 1989, 401p., ADA-214 957, Refs. passim. For individual papers see 44-1637 through 44-1675.
Janoo, V.C., ed, Eaton, R., ed.
44-1636
PAVEMENTS, LOADS (FORCES), ROADS, AIRPORTS, FROST ACTION, MEASURING INSTRUMENTS, MONITORS, DESIGN, MEETINGS, DEFORMATION.

SR 89-24
FACTORS AFFECTING RATES OF ICE CUTTING WITH A CHAIN SAW.
Coutermarsh, B.A., July 1989, 14p., ADA-212 405, 8 refs.
44-775
BRIDGES, ICE CUTTING, MILITARY OPERATION, SAWS, ICE MODELS, ICE COVER THICKNESS.

Military winter bridging procedures with an ice cover present on the waterway may involve cutting the ice away with chain saws to provide an ice-free crossing zone. This report investigates the cutting rates possible from one type of chain saw with two chain configurations, two operators, three cut lengths and three ice thicknesses. A statistical analysis is used to determine the effect the various factors have upon cutting rate and suggestions are made for chain modifications that might further improve cutting performance.

SR 89-25
MODEL TESTS IN ICE OF A CANADIAN COAST GUARD R-CLASS ICEBREAKER: HIGH FRICTION MODEL.
Tatinclaux, J.C., et al, July 1989, 41p., ADA-212 898, 8 refs.
Martinson, C.R.
44-1723
ICEBREAKERS, ICE NAVIGATION, METAL ICE FRICTION, TEST CHAMBERS, ICE MODELS, ICE FRICTION.
This report presents the results of resistance and propulsion tests in level ice of a roughened 1:20 scale model of the Canadian Coast Guard R-class icebreaker. The test conditions were the same as those previously reported for the smooth model. The present test results and those with the smooth model are compared, as are the results obtained at all facilities participating in the comparative study proposed by the Committee on Performance of Ships in Ice-Covered Waters of the International Towing Tank Conference.

SR 89-26
ESTIMATION OF TIME TO MAXIMUM SUPERCOOLING DURING DYNAMIC FRAZIL ICE FORMATION.
Daly, S.F., et al, July 1989, 13p., ADA-212 204, 12 refs.
Axelson, K.D.
44-776
FRAZIL ICE, ICE FORMATION, RIVER ICE, SUPERCOOLING, HEAT LOSS, ANALYSIS (MATHEMATICS).
Time to maximum supercooling is a parameter that can be easily measured during experiments on the dynamic, nonequilibrium stage of frazil ice formation. Mercier's analytical expression is applied to a number of experiments in which the time to maximum supercooling was measured. In each of the experiments, the heat loss rate and turbulent dissipation rate were reported or could be determined from the experiment description. The secondary nucleation was set at the value of 40,000,000,000 nuclei/erg suggested by Mercier, and the seeding rate optimized to reproduce the experimental results. An inverse relationship was found between the coldroom temperature at which the experiment was conducted and the seeding rate. The optimized seeding rates varied from 2.7 to .000075 crystals/sq cm s. The implications for frazil ice formation in rivers and streams are discussed.

SR 89-27
REFERENCE GUIDE FOR BUILDING DIAGNOSTICS EQUIPMENT AND TECHNIQUES.
McKenna, C.M., et al, July 1989, 64p., ADA-213 818, Refs. p.61-64.
Munis, R.H.
44-777
BUILDINGS, INDOOR CLIMATES, HEATING, VENTILATION, AIR CONDITIONING, ILLUMINATING, AIR POLLUTION, MONITORS.
This report is designed for use by facilities engineers as a guide in the initial phases of investigating building diagnostics equipment and techniques. It provides information related to energy management and building environmental considerations resulting from energy conservation measures. Subjects covered include: 1) building enclosure system evaluation; 2) heating, ventilating and air conditioning (HVAC) system evaluation; 3) lighting/illuminating system evaluation; 4) electrical system evaluation; and 5) indoor air quality measurements.

SR 89-28
CRYOGENIC SAMPLING OF FRAZIL ICE DEPOSITS.
Chacho, E.F., Jr., et al, Aug. 1989, 6p., ADA-212 207, 18 refs.
Brockett, B.E., Lawson, D.E.
44-778
FRAZIL ICE, ICE SAMPLING, RIVER ICE, SAMPLERS.
A prototype cryogenic sampler has been used to examine frazil ice deposits beneath the ice-covered Tanana River near Fairbanks, AK. Modification of a streambed sediment sampler has provided full depth, *in-situ* samples of frazil ice deposits, which are suitable for determining structure and overall composition.

SR 89-29
DATA REDUCTION OF GOES INFORMATION FROM DCP NETWORKS.
DeCoff, G.W., et al, Sep. 1989, 15p., ADA-215 844, 1 ref.
Daly, S.F., Pangburn, T., Thomson, C.
44-1480
ICE REPORTING, REMOTE SENSING, DATA PROCESSING, COMPUTER PROGRAMS.
A software system, DCP.FOR, was developed to provide a convenient and efficient method of decoding, reducing, and storing data from Data Collection Platform (DCP) networks transmitted through the Geostationary Operational Environmental Satellite (GOES) data collection system. The software system includes a simple means of defining the arrangement of sensors at a DCP site that can be easily updated if the sensor arrangement is changed or the sensors modified. Any local data reduction procedure can be processed. Precise temperature measurements using individually calibrated thermistors can be processed through the use of voltage divider circuits, nonlinear resistance to temperature calibration, and impedance mismatch detection and correction. The system can process data from DCPs manufactured by four companies. User-defined maximum and minimum limits determine the acceptability of the processed data. Data values not within these limits or missing data are flagged with a missing value marker. The database created by the system is independent of the particular sensor arrangement at any DCP site. The data can be easily transferred to other database systems.

SR 89-3
WASTE MANAGEMENT PRACTICES OF THE UNITED STATES ANTARCTIC PROGRAM.
Reed, S.C., et al, Feb. 1989, 28p., ADA-205 560, 20 refs.
Sletten, R.S.
44-2105
WASTE TREATMENT, WASTE DISPOSAL, WATER SUPPLY, ANTARCTICA.
The United States operates research facilities in Antarctica, at Coastal locations, inland sites, and on the interior snowfield. This report documents the results of 1988 investigations and evaluations of present waste management practices at these stations and recommends future action. In addition to liquid and solid waste management, the report discusses related water supply issues. (Auth.)

SR 89-30
OPTICAL MEASUREMENT OF PRECIPITATION.
Koh, G., Sep. 1989, 13p., ADA-214 357, 11 refs.
44-694
PRECIPITATION (METEOROLOGY), METEOROLOGICAL INSTRUMENTS, SNOWFALL, RAIN, SNOW OPTICS, MEASURING INSTRUMENTS, ANALYSIS (MATHEMATICS).
A simple optical device is used to measure changes in light intensity caused by precipitating particles as they fall through a beam of light. The intensity changes are analyzed in the amplitude and frequency domains to obtain information about precipitation. Tests conducted in snow and in rain show that the optical device can be used for characterizing precipitation with finer time resolution than conventional methods. Rain rates can be accurately monitored; however, errors in snow rates can be as high as a factor of two. Number flux measurements suggest that periodic trends may exist during snow and rain. Power spectra of the intensity changes show that spectral signatures exist for different types of precipitation.

SR 89-31
VEHICLE MOBILITY ON THAWING SOILS.
Shoop, S.A., Sep. 1989, 16p., ADA-215 148, 21 refs.
44-1481
GROUND THAWING, SOIL TRAFFICABILITY, FREEZE THAW TESTS, SOIL TESTS, SOIL STRENGTH, THAW DEPTH, FROST ACTION, TRACTION.
Although vehicle mobility in soft and wet soil has been studied in the past, the more complex problem of vehicle mobility on thawing soils has not been addressed. This problem is being examined in CRREL's Frost Effects Research Facility (FERF), where field-scale testing can be conducted under controlled conditions. The soil is frozen and then thawed to the desired test conditions. Traction and motion resistance are measured using an instrumented vehicle. To date, mobility testing has been conducted for nine different thawing conditions of a frost-susceptible silt. The failure mechanisms of the tire-soil interaction were observed, the soil strength was calculated, and vehicle performance was analyzed. For the tire and soil conditions tested, the initial failure of the tire-soil interaction is totally within the soil. At higher tire slip the failure occurs at or near the tire-soil interface. The shear strength data calculated from the vehicle test results indicate that the soil is basically frictional in behavior, with little or no cohesion; however, there is apparent cohesion from soil tension at low moisture contents. Of the soil parameters measured, vehicle traction is most strongly influenced by the soil friction. In turn, soil friction and cohesion are influenced by moisture content, density and thaw depth.

SR 89-32
LEACHING OF METAL POLLUTANTS FROM FOUR WELL CASINGS USED FOR GROUNDWATER MONITORING.
Hewitt, A.D., Sep. 1989, 11p., ADA-215 239, 18 refs.
44-1482
WATER POLLUTION, GROUND WATER, WELL CASINGS, LEACHING, CHEMICAL ANALYSIS, IMPURITIES, WATER PIPES.
Polytetrafluorethylene (PTFE), polyvinylchloride (PVC), stainless steel 304 (SS 304) and stainless steel 316 (SS 316) well casings were tested for suitability for ground-water monitoring. A laboratory experiment, testing for the leaching of Ag, As, Ba, Cd, Cr, Hg, Pb, Se and Cu, was run in triplicate by exposing sections of the well casings to ground water for four periods ranging from 1 to 40 days. The results showed that PTFE did not leach any of the nine analytes studied, while SS 316 and PVC showed significant leaching of Cr, Cd and Pb; SS 316 also leached significant amounts of Ba and Cu. Stainless steel 304 showed significant leaching of Cr and Pb. In every case where contamination was observed, the release of metal analyte, when averaged over all of the exposure periods, was the greatest from either SS 304 or SS 316. Released contaminants were sorbed back onto the well casings in several cases.

SR 89-33
ALTERNATIVE METHODS OF USING STB FOR DECONTAMINATION AT LOW TEMPERATURES.
Walsh, M.E., et al, Sep. 1989, 13p., ADB-139 077, 7 refs.
Parker, L.V.
44-2110
SURFACTANTS, POLLUTION, MILITARY RESEARCH, MILITARY EQUIPMENT, COLD WEATHER OPERATION, COLD WEATHER TESTS, COUNTERMEASURES, WASTE DISPOSAL.
Alternative methods of using STB (Super Tropical Bleach) for cold weather decontamination of metal surfaces were investigated. Surfaces contaminated with the chemical agent simulant, Bis, were treated with STB, fuller's earth, snow and diesel fuel, separately or in combination. Of the decontaminants tested, STB mixed with snow and diesel fuel achieved the maximum neutralization.

SR 89-34
WINTER HABITATS OF ATLANTIC SALMON, BROOK TROUT, BROWN TROUT AND RAINBOW TROUT: A LITERATURE REVIEW.
Calkins, D.J., Oct. 1989, 9p., ADA-214 832, 44 refs.
44-1483
ANIMALS, RIVER ICE, PHYSIOLOGICAL EFFECTS, ECOLOGY, ICE CONDITIONS, ICE COVER EFFECT, COLD WEATHER SURVIVAL.
A review of winter habitat studies in ice-covered streams for four species of salmonid provided some general information on substrate conditions and focal point velocities and depths. All species of fry are found at depths less than 40 cm and at velocities of 10 cm/s or less; juveniles of all species are found at velocities of less than 15 cm/s. A lack of continuous physical, chemical and biological measurements throughout the ice-covered season was a common deficiency of the studies reviewed. The interaction of the ice cover with other physical processes in the stream was rarely addressed.

SR 89-35
ANALYTICAL METHODS FOR DETERMINING NITROGUANIDINE IN SOIL AND WATER.
Walsh, M.E., Nov. 1989, 27p., ADA-216 615, 9 refs.
44-1785
SOIL POLLUTION, SOIL CHEMISTRY, WATER POLLUTION, GROUND WATER, EXPLOSIVES, CHEMICAL ANALYSIS.
Methods were developed for determining nitroguanidine in soil and water. The soil method involves extracting a 2-g sample with water using an ultrasonic bath. Soil extracts and water samples are filtered through a 45-micron membrane prior to determination by RP-HPLC. Separations are achieved on a mixed-mode RP18/cation column eluted with 1.5 mL/min of water; detection is by UV (lambda = 263 nm). Certified reporting limits were estimated at 5.0 microgram/L for water and 0.5 microgram/L for soil.

SR 89-36
PERFORMANCE OF WALL COATINGS FOR CONCRETE AND MASONRY BUILDINGS IN ALASKA.
Korhonen, C.J., et al, Nov. 1989, 27 refs., ADB-139 753, 8 refs.
Bayer, J.J., Jr.
44-1878
PROTECTIVE COATINGS, WALLS, MILITARY FACILITIES, VAPOR BARRIERS, BUILDINGS, THERMAL INSULATION, WEATHERPROOFING.
Coatings traditionally have been applied to the Army's concrete and masonry buildings in Alaska to improve their appearance and to increase their weather resistance. Unfortunately, these materials have not always lasted as long as desired, resulting in high maintenance costs. A visual examination of 151 buildings at three military installations in Alaska revealed that water vapor condensation was a major cause of premature coating failure. This moisture not only caused coatings to deteriorate, but when it froze, it caused spalling of the wall. Laboratory tests proved that coatings with the best field performance had the highest permeance to water vapor. This suggested that more attention be given to defining and selecting breathable coatings.

SR 89-37
ACCURACY AND PRECISION OF GOES DATA COLLECTION PLATFORMS FOR TEMPERATURE MEASUREMENTS.
Daly, S.F., et al, Dec. 1989, 14p., ADA-218 798.
Clark, C.H., Pangburn, T.
44-2846
REMOTE SENSING, ACCURACY, DATA TRANSMISSION, TEMPERATURE MEASUREMENT, EQUIPMENT.

This report describes an analysis of the accuracy and precision of data transmitted by 12 Data Collection Platforms (DCPs) over a one-month period. The DCPs were installed on the Monongahela, Ohio and Illinois rivers. A reference resistor with a known and stable resistance was installed at each DCP site. Comparison of the resistance calculated from the transmitted information with the actual resistance of the reference resistor allowed the accuracy and precision of the measurements made by the DCP to be determined. Four brands of DCPs were included in the test; two had 8-bit resolution and two had 12-bit resolution. The results were analyzed with respect to the nominal accuracy provided by the manufacturer and the expected analog-to-digital quantizing error. This error explained most of the imprecision of the 8-bit DCPs but only part of the imprecision of the 12-bit DCPs. A large bias for some of the results was apparently caused by an impedance mismatch. A means for correcting the data based on the reference resistor measurement is proposed.

SR 89-38

LOW-TEMPERATURE EFFECTS ON SYSTEMS FOR COMPOSTING OF EXPLOSIVES-CONTAMINATED SOILS. PART 1: LITERATURE REVIEW.

Ayorinde, O.A., et al, Dec. 1989, 18p., ADA-219 352, 48 refs.

Reynolds, C.M.

44-2847

THERMODYNAMICS, LOW TEMPERATURE RESEARCH, TEMPERATURE EFFECTS, EXPLOSIVES, WASTE TREATMENT, SOIL PHYSICS.

This report reviews literature on the influence of major parameters on composting, with emphasis on temperature and explosives. Heat energy is produced by composting as a result of the microbial conversion of chemical energy to thermal energy. Hence, heat production and transfer, the influence of engineering design on compost pile temperatures, and the control and measurement of compost pile temperatures are also examined. In addition, the report includes a general discussion on composting, fundamental composting principles, available types of composting systems, applications of composting technology, and the established parameters influencing composting under various environmental conditions that may be applicable to cold regions treatment of hazardous waste.

SR 89-39

PROCEEDINGS.

Arctic Technology Workshop, Hanover, NH, June 20-23, 1989, Dec. 1989, 475p., ADB-141 754, Refs. passim. For individual papers see 44-3133 through 44-3163.

Richter-Menge, J.A., ed, Tucker, W B., ed, Kleinerman, M.M., ed.

44-3132

SUBMARINES, ICE NAVIGATION, ICE MECHANICS, MILITARY OPERATION, ICE PHYSICS, MEETINGS. MILITARY EQUIPMENT, UNDERWATER ACOUSTICS, POLAR REGIONS, SEA ICE DISTRIBUTION.

The Arctic Technology Workshop was held from 20-22 June 1989 at the U.S. Army Cold Regions Research and Engineering Laboratory (CRREL) in Hanover, NH. This workshop follows the three previously held Ice Penetration Technology Workshops in its intent to provide a forum for sharing and discussing recent efforts in the area of naval operations in the Arctic. Papers were presented on the following general topics: Arctic Ocean Acoustics, Atmospheric Phenomena, Ice Features, Statistics and Models, Mechanical Behavior of Ice, Through-Ice and High-Latitude Communications, Surface and Air Platforms, Submarine Operations, and Weapons Systems.

SR 90-01

PROCEEDINGS.

International Symposium: Frozen Soil Impacts on Agricultural, Range, and Forest Lands, Spokane, WA, March 21-22, 1990, Mar. 1990, 318p., ADA-219 687, Refs. passim. For individual papers see 44-2959 through 44-2998.

Cooley, K.R., ed.

44-2958

SOIL FREEZING, FROZEN GROUND PHYSICS, FREEZE THAW CYCLES, FROST PENETRATION, SOIL WATER, CLIMATIC FACTORS, HEAT TRANSFER, WATER FLOW, MEETINGS, AGRICULTURE, FROST ACTION

SR 90-02

ENVIRONMENTAL TRANSFORMATION PRODUCTS OF NITROAROMATICS AND NITRAMINES: LITERATURE REVIEW AND RECOMMENDATIONS FOR ANALYTICAL DEVELOPMENT.

Walsh, M.E., Feb. 1990, 21p., ADA-220 610, 57 refs

44-3178

EXPLOSIVES, SOIL POLLUTION, WATER POLLUTION, WASTES, ENVIRONMENTAL IMPACT, SOIL CHEMISTRY, CHEMICAL ANALYSIS, DECOMPOSITION.

The literature describing the environmental transformation of organic explosives and related compounds is reviewed in an attempt to identify those byproducts for which certified analytical methods should be developed. Among those compounds identified are TNT reduction products (aminodinitrotoluenes and diaminonitrotoluenes) and coupling products (azoxytoluenes). The development of methods is also recommended for the amino derivatives of DNT, TNB and DNB, as well as the nitroso derivatives of HMX and RDX.

SR 90-04

FREEZEUP DYNAMICS OF A FRAZIL ICE SCREEN.

Axelson, K.D., Feb. 1990, 8p., ADA-219 588, 12 refs.

44-2762

FRAZIL ICE, RIVER ICE, ICE CONTROL, ICE BOOMS, FREEZEUP.

Fence booms made of wire mesh screen have been proposed as economical, temporary frazil ice control structures. These screens incorporate frazil ice as it freezes to the screen material, eventually forming a frazil ice dam and raising the water level at a specified location. The purpose of raising the water level is to allow the formation of a stable ice cover that will incorporate still more frazil ice through hydraulic thickening of the cover and deposition beneath the cover. A series of experiments examining the freezeup and blocking dynamics of an expanded metal frazil ice screen were conducted using both an impermeable barrier and frazil ice. A qualitative analysis of the complex frazil ice accumulation process indicated three phases of blocking—an orifice flow stage, a transition stage, and a permeable flow stage. A fourth phase, weir flow, was observed in some cases, and is expected to occur in prototype structures. High downstream flow velocities were associated with the orifice and transition stages. Downstream velocities decreased during the permeable flow stage, although piping resulted in velocity jets. The test results indicate that a rapidly and completely blocked screen is desirable to minimize the time during which high downstream velocities, which lead to bed scour, occur.

SR 90-05

X-RAY PHOTOGRAPHY METHOD FOR EXPERIMENTAL STUDIES OF THE FROZEN FRINGE CHARACTERISTICS OF FREEZING SOIL.

Akagawa, S., Feb. 1990, 69p., ADA-222 448, 15 refs.

44-3756

SOIL FREEZING, FROST HEAVE, X RAY ANALYSIS, ICE LENSES, GROUND ICE, TEMPERATURE MEASUREMENT.

The objectives of this report are to demonstrate a useful method for observing frost heave in freezing soil and to evaluate the method for the study of frozen fringe characteristics. X-ray photography of lead spheres containing thermocouples was tested in conjunction with frost heave tests. By applying image-processing techniques for determining the coordinates of the spheres, it is possible to obtain precise temperature profiles and determine the deformation in freezing soil. Strain and strain rate data calculated from the coordinates of the lead spheres and the temperature profiles show when, where and how much deformation (heaving and consolidation) has taken place in the freezing soil. The temperature and strain field around the frozen fringe were also observed. However, the method of determining the frozen fringe location from the location of the warmest ice lens was found to be questionable, because the active heaving zone was found to be located between the warmest visible ice lens and the 0 C isotherm. This was especially true during transient heaving, which occurs while the 0 C isotherm penetrates into the unfrozen soil. For studying the precise deformation characteristics of the frozen fringe, further precise analysis of the X-ray photo's intensity profile will be needed to convert it to a strain profile. The accuracy and spacing of the temperature sensors do not seem to be adequate for temperature measurements in the frozen fringe, and there is a need for measurement methods that are more accurate than conventional temperature sensors.

SR 90-06

SALMON RIVER ICE JAM CONTROL STUDIES: INTERIM REPORT.

Axelson, K.D., et al, Apr. 1990, 8p., ADA-222 665, 9 refs.

Foltyn, E.P., Zabilansky, L.J., Lever, J.H., Perham, R.E., Gooch, G.E.

44-3754

ICE JAMS, RIVER ICE, ICE CONTROL, FRAZIL ICE, FLOOD CONTROL, ICE BOOMS, UNITED STATES—IDAHO—SALMON RIVER.

The city of Salmon, ID, has been affected by flooding resulting from an ice jam on the Salmon River. This ice jam, known as the Deadwater jam, is composed of frazil ice. Environmental and economic constraints require an innovative approach to the control of the frazil ice in this situation. An Ice Control Structure (ICS) should provide enough control of both production and transport of frazil ice to prevent the Deadwater jam from reaching Salmon. Past investigations have indicated that a temporary ICS, or a combination of temporary and permanent structures, might be successful at Salmon. This interim report documents the progress of a study intended to obtain the information necessary to design an ICS upstream from Salmon.

SR 90-07

SURFACE CHANGES IN WELL CASING PIPE EXPOSED TO HIGH CONCENTRATIONS OF ORGANICS IN AQUEOUS SOLUTION.

Taylor S., et al. Mar. 1990, 14p., ADA-222 447, 12 refs.

Parker, L.

44-3755

WELL CASINGS, GROUND WATER, SOIL POLLUTION, WATER POLLUTION, WASTES, SCANNING ELECTRON MICROSCOPY, CORROSION, PIPES (TUBES), SURFACE PROPERTIES.

This preliminary study was undertaken to assess how the surface structural characteristics of four common well casing materials—polyvinyl chloride (PVC), Teflon (polytetrafluoroethylene, PTFE), stainless steel 304 (SS304) and stainless steel 316 (SS316)—are affected by exposure to an aqueous solution containing tetrachloroethylene, toluene, *p*-dichlorobenzene and *o*-dichlorobenzene in concentrations near their solubility. Casing samples that had been exposed to a test solution for 1 week, 1 month and 6 months were examined with a scanning electron microscope (SEM) and compared with control samples placed in well water for an equivalent time period. Pieces of casing that had not been placed in any aqueous solution were also examined and are assumed to be representative of the initial structure of the casing's surface. These organics are of concern at hazardous waste sites, where they often occur in ground water. The observations indicate that the surface characteristics of PVC, SS316 and SS304 did not change when exposed to the organic aqueous solution. The surface variability and lack of distinguishing features at high magnification made it difficult to tell if the PTFE surface had changed. However, no obvious changes (swelling, pitting etc.) were seen.

SR 90-08

ICE EFFECTS ON HYDRAULICS AND FISH HABITAT.

Ashton, G.D., Apr. 1990, 24p., ADA-222 457, 5 refs.

44-3753

RIVER ICE, ICE COVER EFFECT, RIVER FLOW, HYDRAULICS, ANALYSIS (MATHEMATICS), ICE CONDITIONS, UNITED STATES—NEBRASKA—PLATTE RIVER.

The effects of an ice cover on the flow depths and velocities beneath the ice are analyzed. Data from gauging records for the Platte River in Nebraska are analyzed using this context. A procedure to use the results for habitat simulations during winter periods is suggested. The effects of partial coverage by a stationary ice cover and the effects of coverage of ice on multiple channel flow distributions are analyzed.

SR 90-09

CASE STUDY OF POTENTIAL CAUSES OF FROST HEAVE.

Henry, K.S., May 1990, 35p., ADA-224 071, 17 refs.

44-4060

FROST HEAVE, PAVEMENTS, SOIL FREEZING, RUNWAYS, FROST PROTECTION, FROST PENETRATION, SUBGRADE SOILS.

Frost action beneath pavements can lead to several problems, including thaw weakening, which causes cracking and subsequent pumping of fine soil particles onto the surface, as well as hazardous conditions caused by differential heaving. This study examined data and frost-susceptible soil collected during the winter of 1985-86 at Ravalli County Airport, Hamilton, MT, to determine potential causes of frost heave. Variables analyzed were depth to water table, depth of frost penetration, maximum frost heave, and soil moisture tension and soil temperature with depth. Analysis of the field data revealed the possibility that hydraulic conductivity of subgrade soils and rates of heat loss in the soil may be limiting frost heave rates. Soil density and depth to water table may also be factors affecting amounts of frost heave. Furthermore, the base course "gravel" used at the airport contained considerable amounts of fines and did heave somewhat in laboratory tests. Recommendations for design changes to reduce frost heave at Ravalli County Airport were made.

SR 90-10

WINTER BRIDGING EXERCISE ON THICK ICE: FORT MCCOY, WISCONSIN, 1988.

Coutermarsh, B.A., Apr. 1990, 24p., ADA-223 682, 7 refs.

44-3957

ICE CROSSINGS, RIVER CROSSINGS, ICE CUTTING, BRIDGES, MILITARY OPERATION

Deployment alternatives for the U.S. Army Ribbon Bridge on a waterway covered with 24-in.-thick ice were investigated. Ice clearing methods using a bulldozer, ice tongs, chain saws and the hoists available on the bridge transporter trucks all worked with varying degrees of success. Sections of the Ribbon Bridge were deployed directly on the ice cover, a procedure that has potential but that also has problems and unanswered questions.

SR 90-11
INVESTIGATION OF THE LIZ-3 DEW LINE STATION WATER SUPPLY LAKE.
Kovacs, A., Apr. 1990, 10p., ADA-222 469, 6 refs.
44-3752
WATER SUPPLY, FROZEN LAKES, LAKE WATER, LAKE ICE, RADAR PHOTOGRAPHY, SUBSURFACE DRAINAGE, SUBPERMAFROST GROUNDWATER, PERMAFROST BENEATH LAKES, UNITED STATES—ALASKA—NORTH SLOPE.

The level of a lake supplying water to the LIZ-3 Dew Line Station, near the Chukchi Sea coast of Alaska, had fallen about a quarter of a meter. This lowering reduced the availability of water to the station during the winter and raised concern that the lake may continue to drain. A radar subsurface sounding survey of the lake was made in May 1984 to determine if the lake contained a deep area from which potable water could be drawn from under the ice during the winter. No acceptable deep areas were found. Recommendations are provided for preventing further drainage of the lake and for deepening a portion of the lake. A possible solution for making the sour water remaining under the winter lake ice acceptable for consumption is also presented.

SR 90-12
USE OF SOFT GRADE ASPHALTS IN AIRFIELDS AND HIGHWAY PAVEMENTS IN COLD REGIONS.
Janoo, V.C., May 1990, 47p., ADA-224 072, 54 refs.
44-4059
PAVEMENTS, BITUMINOUS CONCRETES, CRACKING (FRACTURING), FROST RESISTANCE, FATIGUE (MATERIALS), BEARING STRENGTH, FREEZING INDEXES.

Soft grades of asphalt cement are being used for controlling low temperature cracking in some parts of the northern regions of the United States and in Canada. The U.S. Army Corps of Engineers (COE) specified softer asphalts for use in cold regions (ETL 1110-3-369) dated Nov. 1976; at present, the COE uses the penetration viscosity number (PVN) as a measure of the temperature susceptibility of the asphalt. A minimum PVN of -0.5 is specified for moderately cold areas and -0.2 in regions where the design freezing index is greater than 39900 C-hr. Field studies have been conducted that clearly show the benefits of using softer grades of asphalt for minimizing low temperature cracking in cold regions; however, field studies relating rutting to asphalt type are rare. A major concern is whether or not pavements constructed with softer grades of asphalt are more susceptible to rutting during the hot summer months. A field study was conducted by CRREL to gather information on the use of soft grades of asphalt (AC 2.5, AC 5 and AC 10) and their associated pavement performance. An attempt was made to compare the COE specifications with State DOT specifications for these soft grades of asphalt. The influence of the asphalts studied, and the preliminary results of this field program, are presented in this report. For the longer term objectives of this study, new or reconstructed pavements in various parts of the country will be monitored for both low temperature cracking and rutting.

SR 90-13
COMPARISON OF FOUR VOLATILE ORGANIC COMPOUNDS IN FROZEN AND UNFROZEN SILT.
Taylor, S., et al, Apr. 1990, 9p., ADA-224 009.
Schumacher, P.W., Perry, L.B.
44-3991
SOIL FREEZING, SOIL POLLUTION, SOIL CHEMISTRY, WASTE TREATMENT.

The effect of freezing on the distribution and movement of four volatile organic compounds was studied in a silty soil. Eight polycarbonate test tubes were filled with spiked saturated soil. The soil was frozen half way up in four of the tubes; the other four were controls and were not frozen. It was found that freezing a water-saturated silt spiked with chloroform, benzene, toluene, or tetrachloroethylene did not move the organics ahead of the freezing front, but rather that freezing retarded the volatilization of each organic in the frozen soil relative to the unfrozen soil.

SR 90-15
MULTIBAND IMAGING SYSTEMS.
McKim, H.L., et al, May 1990, 10p., ADA-223 969
Merry, C.J., LaPotin, N.T.
44-4058
TERRAIN IDENTIFICATION, REMOTE SENSING, SPACECRAFT, MILITARY OPERATION, SPACEBORNE PHOTOGRAPHY, AERIAL SURVEYS, DATA PROCESSING, PHOTOINTERPRETATION.

Digital data from satellite systems can provide timely and detailed terrain information for battlefield intelligence. Multiband imaging systems that can acquire simultaneous remotely sensed data for the same ground locality throughout the electromagnetic spectrum are available for analysis using conventional photo interpretation techniques or more sophisticated digital image processing methods. This report describes existing and future multiband imaging systems with the emphasis on how a terrain analyst would use these data to prepare thematic overlays.

SR 90-17
THERMAL INFRARED SURVEY OF WINTER TRAILS IN THE FT. WAINWRIGHT TRAINING AREA, ALASKA.
Collins, C.M., et al, May 1990, 16p., ADB-145 746, 6 refs.
Haugen, R.K.
44-3988
ROAD ICING, MILITARY OPERATION, NALEDS, INFRARED PHOTOGRAPHY, ICE ROADS, TERRAIN IDENTIFICATION, SNOW ROADS, INFRARED RECONNAISSANCE, PERMAFROST BENEATH ROADS, UNITED STATES—ALASKA—FORT WAINWRIGHT.

A thermal infrared imaging system was mounted on an Army UH-1H helicopter and used to conduct a series of survey flights over the winter trail network of the Ft. Wainwright Training Area during November 1986. The training area is south of the Tanana River from Fairbanks and consists of 2600 sq. km. of nearly flat land underlain by discontinuous permafrost. A network of trails has been developed over the years to allow access to the training area during the winter for unit training and large-scale military maneuvers. The purpose of the survey flights was to try to identify areas along the trails where groundwater comes to the surface as springs, seeps and stream overflows. During the winter these outflow areas can be a source of extensive ground icings as the water repeatedly seeps to the surface and freezes. These areas frequently remain unfrozen below a thin ice cover well into the winter, and vehicles have become stuck when they broke through the thin ice. On the thermal IR imagery, overflow or icing areas were easily discernible as brighter (warmer) areas against the darker (colder) snow-covered terrain. Even at night, details of the snow-covered trails, airfields and different vegetation types could be ascertained in the thermal IR image, due to slight differences in thermal properties. Information acquired during this study was supplied to the Ft. Wainwright Directorate of Plans, Training, and Mobilization and was used to reroute trails around the overflow and icing areas, allowing unimpeded winter access into the training area.

MONOGRAPHS

M 81-01
THERMAL PROPERTIES OF SOILS.
Farouki, O.T., Dec. 1981, 136p., ADA-111 734, Refs. p.125-132.
39-1258
FROZEN GROUND THERMODYNAMICS, PERMAFROST HEAT TRANSFER, FROZEN GROUND MECHANICS, SOIL PHYSICS, SOIL MECHANICS, THERMAL CONDUCTIVITY, SOIL WATER, SOIL FREEZING.
This monograph describes the thermal properties of soils, unfrozen or frozen. The effects on these properties of water and its phase changes are detailed. An explanation is given of the interaction between moisture and heat transfer. Other influences on soil thermal properties are described, including such factors as soil composition, structure, additives, salts, organics, hysteresis and temperature Techniques for testing soil thermal conductivity are outlined and the methods for calculating this property are described. The monograph gives the results of an evaluation of these methods whereby their predictions were compared with measured values, thus showing their applicability to various soil types and conditions.

M 81-02
FROST SUSCEPTIBILITY OF SOIL; REVIEW OF INDEX TESTS.
Chamberlain, E.J., Dec. 1981, 110p., ADA-111 752, For another source see 37-973 (MP 1557). Refs. p.83-88.
39-2034
FROST HEAVE, SOIL FREEZING, SOIL MECHANICS, ICE WATER INTERFACE, ICE SOLID INTERFACE, SOIL CLASSIFICATION, TEMPERATURE GRADIENTS, SOIL WATER, PARTICLE SIZE DISTRIBUTION, GRAIN SIZE.
Methods of determining the frost susceptibility of soils are identified and presented in this report. More than one hundred criteria were found, the most common based on particle size characteristics These particle size criteria are frequently augmented by information such as grain size distribution, uniformity coefficients and Atterberg limits Information on permeability, mineralogy and soil classification has also been used. More complex methods requiring pore size distribuion, moisture-tension, hydraulic-conductivity, heave-stress, and frost-heave tests have also been proposed However, none has proven to be the universal test for determining the frost susceptibility of soils. Based on this survey, four methods are proposed for further study. They are the U.S Army Corps of Engineers Frost Susceptibility Classification System, the moisture-tension hydraulic-conductivity test, a new frost-heave test, and the CBR-after-thaw test

M 82-01
GROWTH, STRUCTURE, AND PROPERTIES OF SEA ICE.
Weeks, W.F., et al, Nov. 1982, 130p., ADA-123 762, Refs. p.117-130.
Ackley, S.F.
37-2407
SEA ICE, ICE ELECTRICAL PROPERTIES, ICE MECHANICS, ICE SALINITY, ICE THERMAL PROPERTIES, ICE CRYSTAL STRUCTURE, ICE PHYSICS, GRAIN SIZE, ICE CRYSTAL GROWTH, GAS INCLUSIONS, TEMPERATURE EFFECTS.
This monograph describes in some detail the current state of knowledge of the observed variations in the structural characteristics (grain size, crystal orientation, brine layer spacing) and composition (brine, gas and solid salts) of sea ice as well as the presumed causes of these variations. The importance of these variations in controlling the large observed changes in the mechanical, thermal and electrical properties of the sea ice is also discussed.

M 83-1
MECHANICAL BEHAVIOR OF SEA ICE.
Mellor, M , June 1983, 105p , ADA-131 852, Refs p.99-105.
38-469
SEA ICE, ICE MECHANICS, ICE ELASTICITY, ICE STRENGTH, FRACTURING, FLEXURAL STRENGTH, STRESSES, STRAINS, RHEOLOGY, MECHANICAL PROPERTIES, PRESSURE RIDGES, ANALYSIS (MATHEMATICS).
The first part of the report provides an introduction to the mechanics of deformable solids, covering the basic ideas of stress and strain, rheology, equilibrium equations, strain/displacement relations, constitutive equations, and failure criteria Fracture mechanics and fracture toughness are also reviewed briefly The second part of the report summarizes available data on the mechanical properties of freshwater ice and saline ice, accounting for the influences of strain rate and loading rate, temperature, porosity, salinity, and grain size Boundary value problems are not dealt with, but there is discussion of some miscellaneous topics, including thermal strains, behavior of brash ice, and pressure ridges. The report was written as a study text for a NATO Advanced Study Institute on Sea/Ice/Air Interactions, and was intended to be used in conjunction with companion texts on related topics.

M 84-01
FRAZIL ICE DYNAMICS.
Daly, S.F., Apr. 1984, 46p., ADA-142 037, Refs. p.44-46.
38-4420
FRAZIL ICE, ICE MECHANICS, ICE CRYSTAL GROWTH, ICE CRYSTAL NUCLEI, HEAT TRANSFER, ICE FORMATION, ICE PREVENTION, SUPERCOOLING, TURBULENT FLOW, ANALYSIS (MATHEMATICS).
To describe the dynamic evolution of frazil ice in turbulent natural water bodies, the basic equation for dynamic frazil crystal number continuity and the basic equation of heat balance for a differential volume are developed. Crystal growth and nucleation of new crystals are the major parameters in these equations Expressions for the growth rate of frazil ice crystals are described. The growth rate along the major axis is controlled by heat transfer The heat transfer coefficient is a function of crystal size, the fluid turbulence, and the fluid properties. The magnitude of inertial and buoyancy forces on the ice crystals are determined as is their influence on the heat transfer. Spontaneous nucleation of ice can be discounted; secondary nucleation is responsible for the vast majority of frazil ice crystals The theoretical rate of secondary nucleation is partially modeled as a function of the supercooling, fluid turbulence and crystal size distribution A simple analytical solution of the basic equations is developed for the growth of frazil ice in a well-mixed, steady-state crystallizer.

M 84-02
ATMOSPHERIC ICING ON SEA STRUCTURES.
Makkonen, L., Apr. 1934, 92p , ADA-144 448, Refs. p.77-92.
39-97
ICING, OFFSHORE STRUCTURES, ICE ACCRETION, ICE PREVENTION, ICE ADHESION, ICE SOLID INTERFACE, ICE PHYSICS, CLIMATIC FACTORS, ICE LOADS, SUPERCOOLING, ANALYSIS (MATHEMATICS), DESIGN.
Atmospheric icing (icing due to fog, precipitation and water vapor in air) as a physical process and the problems it causes for ships and stationary offshore structures are reviewed Estimation of the probability and severity of atmospheric icing based on climatological and geographical factors is discussed, and theoretical methods for calculating the intensity of atmospheric icing at sea are suggested. Existing data on the dependence of the atmospheric icing rate and the properties of the accreted ice on the meteorological conditions are analyzed The methods of measuring the icing rate and ice prevention methods are discussed

M 84-03
ICE DYNAMICS.
Hibler, W.D., III, July 1984, 52p., ADA-147 376, Refs. p.48-52.
39-896
ICE MECHANICS, RHEOLOGY, DRIFT, THERMODYNAMICS, ICE PLASTICITY, OCEANOGRAPHY, SEA ICE, ICE FORMATION, ICE AIR INTERFACE, ICE WATER INTERFACE, ICE STRENGTH, ICE COVER THICKNESS, ICE MODELS, SEA WATER, ANTARCTICA—WEDDELL SEA.
This monograph reviews essential aspects of sea ice dynamics of the Arctic and Antarctic on the geophysical scale and discusses the role of ice dynamics in air-sea-ice interaction The review is divided into the following components a) a discussion of the momentum balance describing ice drift, b) an examination of the nature of sea ice rheology on the geophysical scale, c) an analysis of the relationship between ice strength and ice thickness characteristics, and d) a discussion of the role of ice dynamics in the atmosphere-ice-ocean system Because of the unique, highly nonlinear nature of sea-ice interaction, special attention is given to the ramifications of ice interaction on sea ice motion and deformation These ramifications are illustrated both by analytic solution and by numerical model results In addition, the role of ice dynamics in the atmosphere-ice-ocean system is discussed in light of numerical modeling experiments, including a fully coupled ice-ocean model of the Arctic-Greenland-Norwegian seas

M 85-01
EROSION OF NORTHERN RESERVOIR SHORES. AN ANALYSIS AND APPLICATION OF PERTINENT LITERATURE.
Lawson, D.E., May 1985, 198p., ADA-157 811, Refs. p.137-191.
40-4448
SHORE EROSION, ICE COVER EFFECT, RESERVOIRS, SLOPE PROCESSES, PERMAFROST, SHORELINE MODIFICATION, GROUND WATER, WATER LEVEL, MODELS, WATER WAVES, FORECASTING, TEMPERATURE EFFECTS.
This monograph describes the current state of knowledge of northern reservoir shore erosion, primarily by examining the results of erosional studies on lakes, coasts and rivers. The major erosional processes of reservoir beaches and bluffs and their mechanics are discussed in detail Thermal and physical parameters affecting the erodibility of shores, the environmental impacts of erosion, and the basic characteristics of the unique reservoir environment are reviewed. Current models of shore zone development are also presented. This literature analysis revealed that knowledge of erosion and recession in northern impoundments is severely limited. Quantitative analyses of the processes of erosion and their relative importance, parameters determining the nature, rate and timing of erosion, and models to predict the erodibility of a shore for use in minimizing shoreline recession remain in need of basic field research.

M 88-01
HEAT CONDUCTION WITH FREEZING OR THAWING.
Lunardini, V J., Apr. 1988, 329p., Refs. p.267-281.
43-3847
HEAT TRANSFER, PHASE TRANSFORMATIONS, CONDUCTION, FREEZING, MELTING, THAWING
Freezing of water or melting of ice are phenomena that underlie many important scientific and engineering studies of cold regions Mathematical methods of treating these phase-change heat transfer problems are critical to understanding and dealing with the problems that freeze-thaw causes. While convection may be an important heat transfer mode, it can often be neglected without significant error. This report deals only with problems for which conduction is the basic heat transfer mode or for which the solutions can be obtained in terms of conduction-like problems. Where possible, exact solutions are presented, but since these are quite limited for phase-change problems, approximate solutions are examined in some detail. The approximate methods are 1) the perturbation method, which leads to quasi-stationary techniques, 2) the heat balance integral method, and 3) Biot's variational principle. The theory associated with these methods is discussed in the appendixes The available exact solutions are derived and explained. Graphical solutions are then developed for practical applications to widely occurring problems. The approximate solutions are used to generate design curves—such as those for phase-change depth, temperature, and heat flow vs time. The results are presented so as to be easily accessible to practicing engineers without recourse to elaborate calculations. This is especially true for application to soil systems

M 90-01
SEA ICE PROPERTIES AND PROCESSES; PROCEEDINGS OF THE W.F. WEEKS SEA ICE SYMPOSIUM.
Ackley, S.F., ed, Feb. 1990, 299p., ADA-221 723, Refs. passim. For individual papers see 44-3809 through 44-3867 or B-42106, F-42103 through F-42105, F-42107 through F-42113, and I-42114.
Weeks, W F , ed, W F Weeks Sea Ice Symposium: Sea Ice Properties and Processes, San Francisco, CA, Dec. 1988.
44-3808
SEA ICE DISTRIBUTION, ICE PHYSICS, ICE DEFORMATION, ICE CONDITIONS, CLIMATIC FACTORS, ICE MECHANICS, MEETINGS.
The W.F Weeks Sea Ice Symposium held in San Francisco, Dec 1988 includes 84 papers and abstracts written by about 150 authors Studies of sea ice properties carried out in the Arctic and Antarctic were reported

M I-A
CHARACTERISTICS OF THE COLD REGIONS.
Gerdel, R.W., Aug. 1969, 51p., AD-695 661, 64 refs.
24-3398
TEMPERATURE DISTRIBUTION, SNOW COVER DISTRIBUTION, GLACIER ICE, FROZEN GROUND, PERMAFROST STRUCTURE, LAKE ICE, RIVER ICE, SEA ICE.
The paper gives a brief introduction to total cold environments relating the characteristics of the cold regions to the problems

produced which hinder man's activities in these regions Discussed are the zonal temperature regimes, the various forms and aspects of snow and ice, frozen ground and permafrost and the atmospheric phenomena of the greenhouse effect, refraction, reflection, and luminance.

M I-A1
SELECTED ASPECTS OF GEOLOGY AND PHYSIOGRAPHY OF THE COLD REGIONS.
Stearns, S.R., July 1965, 40p., AD-630 983, 50 refs.
24-3399
GEOLOGIC STRUCTURES, MOUNTAINS, PLAINS, TEMPERATURE DISTRIBUTION, TOPOGRAPHIC FEATURES, SEA ICE, PERMAFROST.

The cold regions of the earth are defined and described in terms of their physiographic features geologic histories, temperature characteristics, vegetation limitations, permafrost line, and sea ice limits

M I-A2
PERMAFROST (PERENNIALLY FROZEN GROUND).
Stearns, S.R., , Aug 1966, 77p., AD-642 730, Includes, p.71-77, Description and classification of frozen soils by K.A. Linell and C.W. Kaplar Bibliog. p.65-69.
Linell, K.A., Kaplar, C.W.
24-3400
PERMAFROST DISTRIBUTION, PERMAFROST STRUCTURE, PERMAFROST HEAT BALANCE, SURFACE FEATURES, VEGETATION PATTERNS, COLD WEATHER CONSTRUCTION.

This monograph summarizes information on permafrost for engineering construction in cold regions The distribution and origin of permafrost is discussed and information on structure, thickness, and thermal regime is summarized. Patterned ground and vegetation in the cold regions are discussed and the engineering significance of permafrost is reviewed

M I-A3a
CLIMATOLOGY OF THE COLD REGIONS. INTRODUCTION. NORTHERN HEMISPHERE, PART I.
Wilson, C., June 1967, 141p., AD-656 447, For Part II See 24-3402. 323 refs
24-3401
CLIMATOLOGY, TOPOGRAPHIC FEATURES, ATMOSPHERIC CIRCULATION, HEAT BALANCE, RADIATION BALANCE.

A review summary of the climatological environment of the Northern Hemisphere contains a general introduction to the cold regions and a discussion of geographic controls and meteorological aspects including 1) the hemisphere surface in terms of configuration and relief, vegetation zones and permanent and seasonal ice and snow, 2) the general circulation and weather system dealing with the circumpolar vortex, sea-level pressure and cyclonic frequency, circulation system persistence, and surface weather associated with high latitude pressures, 3) the net radiation and heat balance

M I-A3b
CLIMATOLOGY OF THE COLD REGIONS NORTHERN HEMISPHERE. PART II.
Wilson, C., Aug. 1969, 158p., AD-674 185, For Part I, see 24-3401. Extensive bibliogs with each major section.
24-3402
CLIMATOLOGY, TEMPERATURE EFFECTS, HUMIDITY, PRECIPITATION (METEOROLOGY), WIND FACTORS, ICE FOG.

Three major topics are treated in this paper temperature, humidity and precipitation, and surface winds Temperature data for structural design, vegetation and soil temperatures, and inversions are presented Visibility and icing data are included with the section on atmospheric humidity and precipitation Average and maximum wind speeds with their prevailing directions and blowing snow data are given

M I-A3c
CLIMATOLOGY OF THE COLD REGIONS SOUTHERN HEMISPHERE.
Wilson, C., May 1968, 77p., AD-674 185, 281 refs
24-3403
CLIMATOLOGY, ATMOSPHERIC CIRCULATION, HEAT BALANCE, METEOROLOGICAL DATA, ANTARCTICA.

This monograph summarizes the climatology of the cold regions of the Southern Hemisphere which consist almost entirely of the Antarctic Continent Comparsions with the northern cold regions are followed by a systematic treatment of general circulation, the energy budget, and meteorological elements forming the climate of the region Thirty-two illustrations (many of several parts) and ten tables give climatological data, and a selected bibliography of 281 items provides complete coverage for further details

M I-A3d
RADIOACTIVE FALLOUT IN NORTHERN REGIONS.
Wilson, C., Feb 1967, 35p., AD-656 448, 119 refs
24-3404
FALLOUT, RADIOACTIVE ISOTOPES, ATMOSPHERIC CIRCULATION.

Information and data are given on the distribution of radioactive fallout and atmospheric processes, announced nuclear detonations, and monthly fallout deposition collection. It is pointed out that the 3 dangerous isotopes are Sr-90, Cs-137, and I-131. The data suggest that the arctic and subarctic stratosphere plays an important role in the retention and release of radioactive fallout so that, regardless of the latitude at which the debris is injected into the stratosphere, the fallout pattern may be unchanged There is a close relationship between the tropospheric jet streams and associated cyclonic disturbances and the distribution of fallout at the earth's surface This hypothesis calls for the transfer of the debris in well-defined layers from the arctic stratosphere deep down into the troposphere in the vicinity of the jet stream, where subsidence in the rear of cyclonic disturbances and the precipitation processes aid the rapid fall to earth. In the northern regions, fallout behavior depends on the initial pattern of the westerly vortex at the time of the detonation and its subsequent development

M I-B1
ANTARCTIC ICE SHEET.
Mellor, M., Feb. 1961, 50p., AD-276 609, 65 refs.
24-3405
LAND ICE, ICE COVER THICKNESS, ICE TEMPERATURE, SNOW COVER, MASS BUDGET, ANTARCTICA.

The paper summarizes existing (as of 1960) knowledge of the Antarctic continent for the use of professional engineers engaged in design or construction in that region Treated are the topographic features, accumulation, ablation, and drifting of snow, and a variety of ice characteristics including flow, thickness, variation of properties, temperature, mass budget, and annual gains and losses.

M I-B2
GREENLAND ICE SHEET.
Bader, H., Sept. 1961, 18p., AD-276 610, 11 refs.
24-3406
LAND ICE, ICE COVER THICKNESS, ICE TEMPERATURE, SNOW DENSITY, FIRNIFICATION.

The paper summarizes the existing (as of 1961) knowledge of Greenland for use of professional engineers engaged in design or construction in that region. Discussed are the extent and thickness of the ice sheet, the regimen under which it exists, surface and subsurface temperatures, and snow densification

M II-A1
HEAT EXCHANGE AT THE GROUND SURFACE.
Scott, R.F., July 1964, 49p. plus append., AD-449 434, 56 refs
24-3407
MEASURING INSTRUMENTS, METEOROLOGICAL DATA, WIND FACTORS, TEMPERATURE EFFECTS, SOIL TEMPERATURE, HEAT BALANCE, FREEZE THAW INDEXES

The paper summarizes existing (as of 1964) knowledge of heat exchange at the ground surface from an engineering viewpoint, aiming at the solution of the problem of predicting the ground penetration of the freezing point isotherm from weather, soil, and surface conditions As perameters used in the solution, radiation, wind and air temperature, soil and subsurface temperatures, surface heat balance, and freezing and thawing indexes are considered

M II-A2a
SEISMIC EXPLORATION IN COLD REGIONS.
Roethlisberger, H., Oct 1972, 138p., AD-752 111, 199 refs
27-1681
SUBSURFACE INVESTIGATIONS, SEISMIC VELOCITY, ICE PLASTICITY, SNOW PLASTICITY, FROZEN GROUND MECHANICS, GLACIERS.

This monograph contains a comprehensive review of the use of seismic methods and related techniques based on elastic waves, to gain information on the geometry and physical properties of the substrata in cold regions, particularly snow, ice and frozen ground Pertinent elastic properties of these materials are described and methods for determining seismic velocities are summarized Theories and application of reflection and refraction soundings on glaciers, continental ice sheets, ice shelves, and frozen ground are reviewed Surveys employing surface waves, and special application of elastic waves, are described Included with the text are 73 figures and about 200 selected references

M II-B
PHYSICS AND MECHANICS OF SNOW AS A MATERIAL.
Bader, H., et al, July 1962, 79p., AD-287 052, 60 refs.
Kuroiwa, D
24-3408
SNOW PHYSICS, ELECTRICAL PROPERTIES, THERMAL PROPERTIES, METAMORPHISM (SNOW), CLASSIFICATIONS, SNOW DENSITY, SNOW COMPRESSION, COMPRESSIVE STRENGTH, SNOW CREEP, TENSILE STRENGTH, SHEAR STRENGTH

The paper summarizes existing (as of 1962) knowledge of the properties of snow as a material Its structure, changes, permeability, classification, mechanics, thermal and electrical properties are described and illustrated

M II-C1
SNOW AND ICE ON THE EARTH'S SURFACE.
Mellor, M., July 1964, 163p., AD-449 925, Chapter bibliographies.
24-3409
SEA ICE, SNOW PHYSICS, GLACIER ICE, GLACIOLOGY, ICE FORMS

An extensive treatment is given to the various aspects of glaciers including classification, area and thickness, and distribution; flow, wastage, mass economy, temperatures, past glaciations, and study techniques The natural forms of ice, i.e., snow, frost, lake ice, river ice, sea ice, icebergs, and ground ice are described Snow is treated from the viewpoint of its effects and changes after it has fallen to the surface.

M II-C2a
PHYSICS OF ICE.
Glen, J.W., April 1974, 81p., AD-778 009.
28-4125
ICE PHYSICS, ICE CRYSTAL STRUCTURE, ICE MELTING, ICE SURFACE.

Existing knowledge of ice physics is summarized Ice crystalline structure including defects in structure, polycrystalline ice and grain boundaries, electrical properties, thermal properties, propagation of electromagnetic waves in ice and optical properties, nucleation and growth of ice crystals, melting and evaporation, and surface properties are covered A comprehensive bibliography is given.

M II-C2b
MECHANICS OF ICE.
Glen, J.W., Dec. 1975, 43p., ADA-022 797, 134 refs.
30-3396
ICE MECHANICS, ICE ELASTICITY, ICE CREEP, PLASTIC DEFORMATION, BIBLIOGRAPHIES.

This monograph summarizes knowledge of the mechanics of ice to 1970 It is concerned principally with the effect of stress on the mechanical properties of ice, including elasticity, anelasticity, sound propagation, plastic deformation and creep in single crystals and in polycrystalline ice, fracture, and recrystallization and grain growth that accompanies plastic deformation. The monograph also includes a comprehensive bibliography

M II-C3
MECHANICAL PROPERTIES OF SEA ICE.
Weeks, W.F., et al, Sept. 1967, 80p., AD-662 716, 199 refs.
Assur, A.
24-3410
SEA ICE, ICE COVER STRENGTH, TENSILE STRENGTH, FLEXURAL STRENGTH, SHEAR STRENGTH, COMPRESSIVE STRENGTH, ICE CREEP, MECHANICAL PROPERTIES

This review discusses the state of thinking of each of the main national groups investigating sea ice and gives an overall appraisal of the field as a whole Emphasis is placed on (1) the physical basis for interpreting sea ice strength (phase relations, air volume, and structural considerations), (2) theoretical considerations (strength models, air bubbles and salt reinforcement, and interrelations between growth conditions and strength), (3) experimental results (tensile, flexural, shear, and compressive strength, elastic modulus, shear modulus and Poisson's ratio, time dependent effects, and creep), and (4) plate characteristics. The paper includes a review of problems in sea ice investigations, relates the chemical, crystallographic, mechanical, and physical aspects involved, and concludes by showing how to utilize this knowledge to solve practical problems

M II-D1
FREEZING PROCESS AND MECHANICS OF FROZEN GROUND.
Scott, R.F., Oct 1969, 65p., AD-697 136, 64 refs
24-3411
FROZEN GROUND MECHANICS, FREEZING, FROST ACTION, VISCOELASTICITY, SOIL STRENGTH.

Outlined are two current theories on the freezing of water in soils The classification and description, standardized in the United States and Canada, of frozen soils, leads to some laboratory data on the mechanical behavior of frozen soils The Monograph concludes with the application of linear viscoelastic theory to typical field problems Twenty-one illustrations, 7 tables and 64 references are included

M III-A1
PROPERTIES OF SNOW.
Mellor, M., Dec. 1964, 105p., AD-611 023, Chapter refs.
24-3412
SNOW PHYSICS, SNOW STRENGTH, LOADS (FORCES), SHEAR STRENGTH, SNOW CREEP, THERMAL PROPERTIES, ELECTRICAL PROPERTIES.

The paper summarizes existing (as of 1964) knowledge of the properties of snow Snow structure and structural changes are discussed as products of variations in grain size, porosity, density and as the result of loading variations which affect the ultimate strength and creep of snow Emphasized also are ways in which heat is transferred through snow and the changes which result

M III-A2a
METHODS OF BUILDING ON PERMANENT SNOWFIELDS.
Mellor, M., Oct. 1968, 43p., AD-681 889, 14 refs.
24-3413
COLD WEATHER CONSTRUCTION, SNOW (CONSTRUCTION MATERIAL), UNDERSNOW FACILITIES, ANTARCTICA, GREENLAND.
Construction on the polar ice sheets of Greenland and Antarctica is a challenge, mainly because of the mechanical and thermal sensitivity of snow, the major constructional material. Adverse weather, logistical difficulties, and lack of experience add to the problem to make every project a costly experiment. This monograph describes the development of building in, on, and of, snow, beginning with the Eskimo snowhouse for temporary shelter, and leading to permanent installations like 6500-ton steel structures above the snow surface, and a large subsurface encampment maintained with the help of a nuclear reactor. The work is introductory to other monographs dealing with specific aspects of design, construction and operation.

M III-A2b
INVESTIGATION AND EXPLOITATION OF SNOWFIELD SITES.
Mellor, M., Jan. 1969, 57p., AD-686 314, 32 refs.
24-3414
COLD WEATHER CONSTRUCTION, SNOW (CONSTRUCTION MATERIAL), UNDERSNOW FACILITIES, MEASURING INSTRUMENTS, SNOW STRENGTH, EXCAVATION.
This monograph is the 2nd of a series of 5. It covers the site investigations and laboratory tests in connection with construction on a permanent snowfield, and then deals with the technology of excavation and building where snow is almost the only constructional material. The author draws heavily on the work of the Cold Regions Research and Engineering Laboratory (CRREL) in the development of Camp Century and other projects on the Greenland ice sheet and shows the application of the techniques to Antarctic Research Stations.

M III-A2c
FOUNDATIONS AND SUBSURFACE STRUCTURES IN SNOW.
Mellor, M., Oct. 1969, 54p., AD-699 336, 31 refs.
25-2184
FOUNDATIONS, SNOW PHYSICS, SNOW (CONSTRUCTION MATERIAL), SUBSURFACE STRUCTURES.
Various types of foundations suitable for use in very deep snow are described, and design principles are given. Dependence of settlement rate on heaving pressure, size and shape of foundation, snow temperature, and snow density is treated analytically, and field data from test procedures for foundation design are outlined. In treating the design of tunnels, shafts and subsurface structures in very deep snow, the distributions of stress, strain and displacement in polar ice sheets are first obtained analytically. Observed patterns of deformation are given for a variety of excavations and deformable structures, and methods of analysis are put forward. The loading of restraining structures is discussed, and finally some notes on the monitoring and maintenance of subsurface structures are given.

M III-A2d
UTILITIES ON PERMANENT SNOWFIELDS.
Mellor, M., Oct. 1969, 42p., AD-699 337, 46 refs.
25-2243
COLD WEATHER CONSTRUCTION, WATER SUPPLY, WASTE DISPOSAL, UTILITIES, FIRES, HEATING, VENTILATION.
The topics covered in the monograph include water supply, waste disposal, heating, ventilating and fire protection at installations built on polar ice sheets. The section on water supply discusses energy requirements, consumption rates, water quality and treatment, techniques and equipment for melting snow and ice, and water distribution systems. A number of actual water supply systems are described in detail. The section on waste disposal deals with sewage and sewage sinks, latrines, garbage, trash and scrap and radioactive waste. Examples of sanitation systems at polar base are described in some detail. The section on heating discusses heating load, heat losses and insulation, energy sources, and heating systems. The ventilation section covers air demands, intakes and exhausts, ventilation of undersnow tunnels, and carbon monoxide problems. The report concludes with some notes on fire protection.

M III-A3a
EXPLOSIONS AND SNOW.
Mellor, M., June 1965, 34p., AD-623 418, 23 refs.
24-3415
EXPLOSION EFFECTS, ATTENUATION, SHOCK WAVES, SNOW MECHANICS.
Described are experiments with blasting in snow. Weight of the charge and the depth placed are related to the size and configuration of the resulting crater and the permanent deformation of the snow. Shockwaves in the snow and in the air are discussed and engineering applications of snow blasting are indicated.

M III-A3b
SNOW REMOVAL AND ICE CONTROL.
Mellor, M., April 1965, 37p., AD-615 795, 32 refs.
24-3416
SNOW REMOVAL, ICE CONTROL
Climatology of snow cover in the northern hemisphere is briefly presented along with a description of significant snow properties. More extensively treated are the various equipments and methods used to control ice and snow. Snow plows, heating systems, and chemical means of snow removal are compared and details of costs and organization of removal techniques are presented.

M III-A3c
BLOWING SNOW.
Mellor, M., Nov. 1965, 79p., AD-630 328, 97 refs.
24-3417
SNOWDRIFTS, BLOWING SNOW, WIND FACTORS, SNOW FENCES, TURBULENT DIFFUSION.
The monograph reviews available information on blowing snow and the formation of snowdrifts. The mechanics of wind transport is discussed, with special emphasis on turbulent diffusion of snow particles in the surface boundary layer. The metering of blowing snow is explained, and field data are given for concentration and flux of snow particles as functions of wind speed and height above the surface. Deposition and erosion of snow is discussed and wind tunnel modeling is considered. The construction and deployment of snow fences is described, and snow fence performance is analysed. Snow drifting on highways and around structures is considered. Some electrical and optical phenomena are reviewed.

M III-A3d
AVALANCHES.
Mellor, M., May 1968, 215p., AD-671 614, 134 refs.
24-3418
AVALANCHES, AVALANCHE COUNTERMEASURES, AVALANCHE MECHANICS, AVALANCHE TRIGGERING, SLOPE STABILITY.
This monograph contains a comprehensive review of the formation and occurrence of avalanches together with a technical treatment of the principles and practice of avalanche defense. Major sections deal with avalanche hazard, snowfall and snow cover, avalanche terrain, avalanche classification, stress and deformation in snow slopes, engineering mechanics, avalanche dynamics, avalanche defenses, design of supporting structures and galleries, avalanche triggering and slope stabilization, probability forecasting, warning and rescue, and ice avalanches. A glossary of avalanche terminology in English, German and French is given in an appendix.

M III-A4
OVERSNOW TRANSPORT.
Mellor, M., Jan. 1963, 58p. plus appends., AD-404 778, 32 refs.
24-3419
SNOW VEHICLES, CREVASSE DETECTION, DESIGN CRITERIA.
Snow vehicles of various types are described and illustrated. Use, capabilities, limitations, and design features are presented and the procedures used to test the vehicles are given. Characteristics of good oversnow vehicles in terms of speed, power, load capacity, flotation, and traction are described.

M III-B1a
WINTER REGIME OF RIVERS AND LAKES.
Michel, B., April 1971, 131p., AD-724 121, 164 refs.
26-2304
LAKE ICE, RIVER ICE, ICE SURVEYS, ICE FORMATION, HEAT BALANCE, FRAZIL ICE, ICE BREAKUP, ICE CONTROL, ICE FORECASTING.
The monographs summarizes existing knowledge of river and lake ice surveys, heat balance on open water in winter, frazil, ice cover formation, ice breakup and ice control.

M III-B1b
ICE PRESSURE ON ENGINEERING STRUCTURES.
Michel, B., June 1970, 71p., AD-709 625, 79 refs.
25-1650
ICE PRESSURE, STRUCTURES, ICEBREAKERS, ICE BREAKING, STATIC LOADS, DYNAMIC LOADS
This monograph summarizes existing knowledge on forces exerted by an expanding ice sheet, impact forces of ice on structures, and vertical forces exerted by ice on hydraulic structures. Sections are also devoted to icebreakers and ice models.

M III-C4
FOUNDATIONS OF STRUCTURES IN COLD REGIONS.
Sanger, F.J., June 1969, 91p., AD-694 371, 62 refs.
24-3420
COLD WEATHER CONSTRUCTION, FOUNDATIONS, FROST HEAVE, PERMAFROST PRESERVATION, SEASONAL FREEZE THAW.
This monograph describes the various kinds of foundations used for structures on permafrost with a brief discussion of foundations in areas of seasonal frost. Special attention is given to piled foundations in permafrost and the design of ventilation systems for controlling thaw under heated buildings. Appendixes outline techniques for computing the depth of freezing or of thawing, the design of refrigeration systems for artificial freezing, and the recommended procedure in the USSR for static pile tests. Included in the main text are 51 figures and 62 selected references.

M III-C5a
WATER SUPPLY IN COLD REGIONS.
Alter, A.J., Jan. 1969, 85p., AD-685 850, 228 refs.
24-3421
COLD WEATHER OPERATION, WATER SUPPLY, WATER TREATMENT.
The monograph outlines the influence of a cold environment on sanitary engineering works and services. It then deals with water supply in cold regions: sources, distribution systems, treatment processes and possible future supply from other than geological sources.

M III-C5b
SEWERAGE AND SEWAGE DISPOSAL IN COLD REGIONS.
Alter, A.J., Oct. 1969, 106p., AD-698 452, 225 refs.
25-2237
SEWAGE DISPOSAL, SEWAGE TREATMENT, UTILITIES, WASTE DISPOSAL, COLD WEATHER OPERATION.
The main items dealt with in this monograph are: practice and problems encountered by the builder and operator of sewerage works facilities in cold regions, collection and transport systems; treatment and processing of sewage, thermology, reuse and regenerative processes for treating waste water, and construction and operation of sewage facilities. Six appendixes treat stabilization ponds, ventilation of buildings having sewage treatment plant, management of solid waste and classification of wastes and incinerators.

M III-D3
ICINGS DEVELOPED FROM SURFACE WATER AND GROUND WATER.
Carey, K.L., May 1973, 71p., AD-765 452, 80 refs.
28-2877
ICE FORMATION, GROUND WATER, ICE CONTROL, ENGINEERING.
This monograph summarizes existing knowledge of the occurrence, control, and prevention of icings. It covers brief history of icing studies, general descriptions of icings, engineering significance of icings, origins of icings and factors affecting icing formation, techniques for studying icings, techniques for counteracting icings, avoiding icing problems in new construction, and selected bibliography.

TECHNICAL DIGESTS

TD 81-01
USING ELECTRONIC MEASUREMENT EQUIPMENT IN WINTER.
Atkins, R.T., *U.S. Army Cold Regions Research and Engineering Laboratory,* July 1981, 7p., ADA-148 795, 5 refs.
39-2092
ELECTRONIC EQUIPMENT, COLD WEATHER PERFORMANCE, MEASURING INSTRUMENTS, SEMICONDUCTORS (MATERIALS), THERMAL INSULATION, CABLES (ROPES), WINTER, TEMPERATURE EFFECTS.

TD 82-01
FREEZING AND BLOCKING OF WATER PIPES.
Carey, K.L., *U.S. Army Cold Regions Research and Engineering Laboratory,* May 1982, 11p., ADA-148 943, 10 refs.
39-2093
PIPELINE FREEZING, WATER FLOW, ICE FORMATION, WATER PIPES, TEMPERATURE EFFECTS, COUNTERMEASURES, DESIGN, ICE CONTROL, WATER PRESSURE, FREEZEUP.

TD 83-01
MELTING ICE WITH AIR BUBBLERS.
Carey, K.L., *U.S. Army Cold Regions Research and Engineering Laboratory,* Mar. 1983, 11p., ADA-148 739, 7 refs.
39-2094
ICE MELTING, BUBBLING, FLOATING ICE, ICE BREAKING, ICE CONTROL, PORTS, PIERS, DOCKS, ANALYSIS (MATHEMATICS).

TD 83-02
ICE-BLOCKED DRAINAGE: PROBLEMS AND PROCESSES.
Carey, K.L., *U.S. Army Cold Regions Research and Engineering Laboratory,* Nov. 1983, 9p., ADA-148 738, 2 refs.
39-2095
PIPELINE FREEZING, DRAINAGE, CULVERTS, ICE FORMATION, FREEZEUP, ICE REMOVAL, DESIGN, COUNTERMEASURES, HEAT TRANSFER, WINTER MAINTENANCE.

TD 84-01
ENGINEER'S POTHOLE REPAIR GUIDE.
Eaton, R.A., et al, *U.S. Army Cold Regions Research and Engineering Laboratory,* Mar. 1984, 12p., ADA-148 736, 3 refs.
Wright, E.A., Mongeon, W.E
39-2096
ROAD MAINTENANCE, WINTER MAINTENANCE, DAMAGE, ENGINEERING, PAVEMENTS.

TD 84-02
SOLVING PROBLEMS OF ICE-BLOCKED DRAINAGE.
Carey, K.L., *U.S. Army Cold Regions Research and Engineering Laboratory,* Sep. 1984, 9p., ADA-148 737, 4 refs.
39-2097
DRAINAGE, ICE FORMATION, PIPELINE FREEZING, CULVERTS, ICE REMOVAL, ICE CONTROL, ENGINEERING, COUNTERMEASURES, FREEZEUP.

TD 85-01
RADAR PROFILING OF ICE THICKNESS.
Arcone, S.A., *U.S Army Cold Regions Research and Engineering Laboratory,* July 1985, 11p., 18 refs.
43-3945
ICE THICKNESS, PROFILES, SUBSURFACE INVESTIGATIONS, RADAR.

TD 86-01
INTRODUCTION TO HEAT TRACING.
Henry, K., *U.S. Army Cold Regions Research and Engineering Laboratory,* June 1986, 20p., Refs. p 18-20.
40-4447
HEATING, HEAT TRANSFER, PIPELINE FREEZING, SHIP ICING, FREEZING, COUNTERMEASURES, PROTECTION.

TD 87-01
ELECTRICAL GROUNDING IN COLD REGIONS.
Henry, K., *U.S. Army Cold Regions Research and Engineering Laboratory,* Mar. 1987, 17p., 20 refs.
43-3639
ELECTRICAL RESISTIVITY, ELECTRICAL GROUNDING, FROZEN GROUND, PERMAFROST.

TD 87-02
ATMOSPHERIC ICING OF TRANSMISSION LINES.
Henry, K., *U.S. Army Cold Regions Research and Engineering Laboratory,* Mar. 1987, 15p., 15 refs.
43-3640
ICE ACCRETION, ICING RATE, POWER LINE ICING, COMPUTERIZED SIMULATION.

MISCELLANEOUS PUBLICATIONS

ACFEL MP BL 1
REPORT ON COLD ROOM AND EQUIPMENT FOR FROST INVESTIGATION. May 1950, 25p., AD-712 535.
25-4045
COLD CHAMBERS, TEST EQUIPMENT, SOIL FREEZING, FROST HEAVE.
A cold room has been constructed at the Frost Effects Laboratory, New England Division, Corps of Engineers, U S Army, for the purpose of conducting laboratory studies to determine the effect of various factors influencing ice segregation in soils and to study, in general, the frost phenomena in soils, with the objective of establishing design and evaluation criteria for roads, highways, and airfield runways constructed on frost susceptible soils which are subject to seasonal freezing and thawing.

MP 843
ON THE USE OF TENSIOMETERS IN SNOW HYDROLOGY.
Colbeck, S.C., 1976, 17(75), p.135-140, 11 refs.
30-3540
SNOW HYDROLOGY, MEASURING INSTRUMENTS, WATER PRESSURE.
The construction and use of snow-water tensiometers is described Water pressure at the base of a shallow, Arctic snow-pack was measured to illustrate the response of the basal layer to water percolation Water tension above an ice layer and water flux through the ice layer were measured in glacial snow The gravity flow theory is used to explain the close agreement between these parameters. This suggests that the ice layer has little effect on the flow field and that gravity (rather than tension gradients) controls the flow Further work on water tensions is needed to identify the role of tension gradients in ripening and shallow snow covers. (Auth)

MP 844
SNOW AND ICE.
Colbeck, S.C., et al, July 1975, 13(3), p.435-441, 475-487, Refs. p.475-487.
Thorndike, A.S., Willans, I.M., Hodge, S.M., Ackley, S.F., Ashton, G.D.
30-2083
ICE SHEETS, ICE SHELVES, SNOW SURVEYS, SEA ICE, GLACIOLOGY, ICE PHYSICS, RESEARCH PROJECTS.

MP 845
THIRD INTERNATIONAL SYMPOSIUM ON ICE PROBLEMS.
Frankenstein, G E, ed, International Association of Hydraulic Research, 1975, 627p., For individual papers see 30-2708 through 30-2759.
30-2707
ICE NAVIGATION, RIVER ICE, ICE JAMS, SEA ICE, ICE LOADS, HYDRAULIC STRUCTURES, MEETINGS.

MP 846
RESURVEY OF THE "BYRD" STATION, ANTARCTICA, DRILL HOLE.
Garfield, D.E., et al, 1976, 17(75), p.29-34, 4 refs.
Ueda, H.T.
30-3529
BOREHOLE INSTRUMENTS, ICE SHEETS, FLOW MEASUREMENT, MECHANICAL PROPERTIES, ANTARCTICA—BYRD STATION.
The drill hole at "Byrd" station, which was completed in Jan 1968 to a vertical depth of 7063 ft (2153 m) below the top of the hole casing, was resurveyed in Jan 1975 to a vertical depth of 4835 ft (1474 m). Inclination and azimuth measurements were made with a Parsons multiple shot inclinometer and compared with the earlier measurements made during drilling. The results indicate a progressively increasing displacement with depth to a value of 51.2 ft (15.6 m) or about 7.3 ft/year (2 23 m/year) at the 4835 ft (1474 m) level The direction of movement relative to the surface varies from south-west at 300 ft (91 5 m) to north-east at 1100 ft (335 m) to east at 3368 ft (1027 m) to north-east at 4835 ft (1474 m), indicative of a complex twisting motion An increase in accessible depth along the hole axis of 18 ft (5 49 m) beyond the 1969 depth was noted. No attempt was made to measure the hole diameter or vertical strain It is recommended that the hole be resurveyed in 3-5 years if it is still logistically feasible, using a more up-dated inclinometer (Auth)

MP 847
GAS INCLUSIONS IN THE ANTARCTIC ICE SHEET AND THEIR GLACIOLOGICAL SIGNIFICANCE.
Gow, A.J., et al, Dec. 20, 1975, 80(36), p.5101-5108, 16 refs.
Williamson, T.
30-2295
ICE SHEETS, DRILL CORE ANALYSIS, GAS INCLUSIONS, BUBBLES, AIR ENTRAINMENT, ICE PRESSURE, ANTARCTICA—BYRD STATION.
Cores obtained to the bottom of the Antarctic Ice Sheet at Byrd Station have been used to analyze some physical properties of the air bubbles trapped in the ice. These bubbles constitute the remnant air that is retained when polar snow transforms into glacial ice Parameters measured include size, shape, abundance, and spatial distribution of bubbles, gas volumes, and bubble pressures and their variations with depth in the ice sheet Bubbles occur abundantly in the top 800 m of ice but then gradually disappear until they can no longer be detected optically below 1100 m This disappearance is not accompanied by any significant loss of air from the ice, and the available evidence suggests that the air is retained in the form of a gas hydrate or clathrate. Because of the release of confining pressures following drilling, the hydrate begins to decompose soon after cores are pulled to the surface. This decomposition is accompanied by the growth of gas-filled bubblelike cavities that are easily distinguishable from original air bubbles Bubble pressure measurements show that (1) bubbles with pressures exceeding about 16 bars begin to relax back to this value soon after in situ pressures are relieved by drilling, (2) further slow decompression will occur with time, and (3) the rate of decompression is controlled to some extent by the intrinsic structural properties of the ice and its thermal and deformational history Only small variations were observed in the entrapped air content of the ice cores; they probably reflect variations in the temperature and/or pressure of the air at the time of its entrapment Only in ice from the bottom 4 83 m was the air content observed to decrease to trace amounts Since this virtual absence of air coincided precisely with the first appearance of stratified moraine in the cores, it is concluded that this ice originated from the refreezing of air-depleted water produced under pressure melting conditions at the bottom of the ice sheet.

MP 848
HEIGHT VARIATION ALONG SEA ICE PRESSURE RIDGES AND THE PROBABILITY OF FINDING "HOLES" FOR VEHICLE CROSSINGS.
Hibler, W.D., III, et al, Dec. 1975, 12(3/4), p.191-199, 5 refs. For this paper from another source see 28-3039.
Ackley, S.F.
30-3387
SEA ICE, PRESSURE RIDGES, AIR CUSHION VEHICLES, ICE CROSSINGS, HEIGHT FINDING.
Sea ice pressure ridges are major obstacles to vehicle mobility in the Arctic Basin An estimate of the expectation of holes of various heights and widths in the ridges is desirable for optimum vehicle design. This study uses probability theory and ridge shadow measurements from aerial photographs of sea ice to determine the distribution of holes of various heights and widths in pressure ridges General conclusions are drawn regarding trafficability of this terrain for vehicles of various sizes

MP 849
MEASUREMENT OF SEA ICE DRIFT FAR FROM SHORE USING LANDSAT AND AERIAL PHOTOGRAPHIC IMAGERY.
Hibler, W.D., III, et al, International Symposium on Ice Problems, 3rd, Hanover, New Hampshire, 18-21 August 1975 Proceedings, International Association of Hydraulic Research, 1975, p.541-554, 6 refs
Tucker, W.B., Weeks, W.F.
30-2755
SEA ICE, AERIAL SURVEYS, PHOTOGRAMMETRY, ICE DEFORMATION, DRIFT, LANDSAT
This paper discusses recent work on the development of analysis procedures for obtaining drift and deformation measured from sequential visual imagery of sea ice that is located far from land In particular for LANDSAT images far from land a semi automatic procedure for transferring the location coordinates of a common set of ice features from the Earth coordinate system of one image to another is discussed Necessary inputs for the transfer are the location coordinates (latitude and longitude) of the center of each image and the location of two arbitrary points on a known line of longitude, all this information is available from LANDSAT, although with some error These errors will produce spurious apparent strains if velocities are estimated by simply taking position differences. With regard to measuring strain from sea ice aerial imagery without ground control, errors in such measurements are examined using uncorrected photographs. The errors in using such uncorrected imagery and using common undeformed ice floes to establish a common scale are found to be of the order of 1% whereas typical maximum differential motions are as large as 5%.

MP 850
STATISTICAL VARIATIONS IN ARCTIC SEA ICE RIDGING AND DEFORMATION RATES.
Hibler, W.D., III, Ice Tech Symposium, Montreal, Canada, April 9-11, 1975. Proceedings, New York, Society of Naval Architects and Marine Engineers, 1975, p.J1-J16, 13 refs Includes discussions.
30-1846
SEA ICE, PACK ICE, ICE DEFORMATION, ICE PRESSURE, OFFSHORE STRUCTURES, ICE CONDITIONS, STRESSES, ICE NAVIGATION, STATISTICAL DATA.
Past studies of statistics of pressure ridges have supplied useful information on the nature of pressure ridge height and spacing distributions as well as information on geophysical and temporal variations in ridging These statistics should be of some aid in the construction of Arctic offshore structures and in icebreaking and shipping operations By coupling these height and spacing statistics with information on ridge lengths, the amount of detouring necessary to avoid ridges may be estimated Closely associated with ridging are drift and deformation studies Two aspects of these studies applicable to this conference are (1) the prediction of the rate of opening and closing of the pack ice, and (2) estimation of typical geophysical stresses in the ice pack Theoretical and experimental work at CRREL indicates that certain approximate rules may be invoked to estimate the divergence rate far from coastal boundaries, namely that in winter the pack ice should diverge in reasonably well localized high pressure systems, whereas in summer the ice typically diverges in low pressure systems. As regards estimates of geophysical stresses, estimates from a variety of sources suggest that maximum stresses integrated through the pack ice thickness are of the order of 10,000 to 100,000 N/m. The upper limit is approximately equal to the force required to crush 0 25-meter-thick sea ice

MP 851
CONTINUOUS MONITORING OF TOTAL DISSOLVED GASES, A FEASIBILITY STUDY.
Jenkins, T.F, Gas Bubble Disease Conf-741033, Battelle, Pacific Northwest Laboratories, Richland, Washington, Oct. 8-9, 1974, Proceedings, 1975, p.101-105, 7 refs.
31-1900
BUBBLES, WATER, GAS INCLUSIONS, SURVIVAL, EXPERIMENTATION, MONITORS
A preliminary investigation was undertaken to determine if a continuous analyzer could be configured to monitor dissolved gases in natural waters A three-component system was designed consisting of a pumping system, a continuous stripper, and a detector. Prototypes of the first two components were assembled and evaluated under field conditions. Based upon these results, it is possible to configure an unattended, near-continuous monitor to measure total dissolved gas concentration in natural waters

MP 852
ISLANDS OF GROUNDED ICE.
Kovacs, A., et al, Sep. 1975, 28(3), p 213-216, 10 refs.
McKim, H.L., Merry, C.J.
30-3067
SEA ICE, GROUNDED ICE, ERTS IMAGERY.
The report demonstrates the usefulness of ERTS-1 imagery for locating and identifying islands of grounded ice Several examples are cited

MP 853
IDENTIFICATION OF NUCLEI AND CONCENTRATIONS OF CHEMICAL SPECIES IN SNOW CRYSTALS SAMPLED AT THE SOUTH POLE.
Kumai, M., May 1976, 33(5), p.833-841, 16 refs.
30-3647
SNOW COMPOSITION, CLAY MINERALS, SNOW CRYSTAL NUCLEI, ANTARCTICA—SOUTH POLE.
A total of 380 electron micrographs and electron diffraction patterns of 93 snow crystal nuclei were analyzed in this observation. The nuclei were identified as mainly clay minerals and sodium chloride particles The clay mineral nuclei were illite 20%, kaoline 8%, halloysite 4%, vermiculite 3%, and related minerals 24% For the other nuclei, sodium chloride accounted for 20%, and unidentified nuclei accounted for 5% Fifteen percent of the snow crystals did not appear to have nuclei Therefore, all nuclei found in snow crystals were terrestrial substances from oceans and

continents The shapes of snow crystals were single bullets, combinations of bullets, and hexagonal hollow columns. The snow crystals formed at temperatures from -30 to -35C. The snow crystal diameters were from 0.1 to 1 0 mm. The mean mass concentration of sodium chloride in snow crystals was 40 6 ppb and that of clay minerals was 15 4 ppb. The sodium chloride nucleus concentration coincided within the experimental error with data taken from the chemical analysis of the South Pole snow cover made by several workers It was concluded that most of the sodium chloride contained in the South Pole snow cover was due to the sodium chloride nuclei of snow crystals

MP 854
OPTICAL PROPERTIES OF SALT ICE.
Lane, J.W., 1975, 15(73), Symposium on Remote Sensing in Glaciology, Cambridge, 16-20 September, 1974, p.363-372, 12 refs., In English with French and German summaries. Includes discussion. 66 refs.
30-2349
SALT ICE, ICE OPTICS, LIGHT SCATTERING
The dependence of the extinction coefficient on salinity was investigated for both NaCl-ice and salt-ice made from natural sea-water. Specimens were prepared under a variety of conditions and examined over the wavelength range 4,000 to 8,000 A. The effects of scattering from air bubbles trapped in the ice were examined for ice made from distilled water. It was found that the method of preparing samples markedly affected their structure, but that, when prepared in the same manner, salt-ice made from natural sea-water and NaCl-ice did not show significantly different transmission properties. It was found that, for a wavelength of 6328 A, the data could be fit to the relation ke=(1 67-0 85 exp (-0.27x)/cm within an uncertainty of 26%, where ke is the extinction coefficient, and x is the salinity of the ice in g/kg. Within an uncertainty of 10%, there was no variation in transmission for ice at the same temperature and salinity over the wavelength range 4000 to 8000 A All measurements were made at a temperature of -200C.

MP 855
MECHANISMS OF CRACK GROWTH IN QUARTZ.
Martin, R.J., III, et al, Dec. 10, 1975, 80(35), p.4837-4844, 21 refs.
Durham, W.B.
30-3068
ROCKS, CRACK PROPAGATION, WATER TRANSPORT, QUARTZ.
A previous study of time-dependent crack growth in single-crystal quartz has been expanded to examine the possibility of microfracturing events during stable crack growth, to look for evidence of plastic deformation associated with crack propagation, and to determine the dependence of crack growth on crystallographic orientation. No discernible effect of orientation on the temperature or change in applied stress or partial pressure of water dependencies during sequential crack g. . episodes was observed, and no correlation was fo. .etween observed microfracturing events and the rate of crack propagation However, the magnitude of the applied stress to achieve the desired rates of crack extension did vary with orientation No evidence of plastic deformation has been found in samples of quartz undergoing time-dependent crack growth at temperatures up to 250C Some Dauphiné twins have been observed at temperatures above 125C. The fact that the stress, temperature, and water dependencies are independent of orientation is interpreted to suggest that the observed time-dependent cracking is controlled by the transport of water to the crack tip

MP 856
GENERAL CONSIDERATIONS FOR DRILL SYSTEM DESIGN.
Mellor, M., et al, Ice core drilling, edited by J.F. Splettstoesser, Lincoln, University of Nebraska Press, 1976, p.77-111, 58 refs.
Sellmann, P.V.
30-3483
ICE CORING DRILLS, DRILLING, ROTARY DRILLING, THERMAL DRILLS
Drilling systems are discussed in general terms, component functions common to all systems are identified, and a simple classification is drawn up in order to outline relations between penetration, material removal, hole wall support, and ground conditions Energy and power requirements for penetration of ice and frozen ground are analyzed for both mechanical and thermal processes An electromechanical coring drill has been used for deep drilling in Greenland and Antarctica Thermal drills have also been used for boring holes in ice although they are not as efficient, in energetic terms, as mechanical drills Power requirements for removal of material and for hoisting of drill strings are considered, and total power requirements for complete systems are assessed. Performance data for drilling systems working in ice and frozen ground are reviewed, and results are analyzed to obtain specific energy values Specific energy data are assembled for drag-bit cutting, normal impact and identation, liquid jet attack, and thermal penetration Torque and axial for capabilities of typical rotary drilling systems are reviewed and analyzed The overall intent is to provide data and quantitive guidance that can lead to systematic design procedures for drilling systems for cold regions (Auth. mod)

MP 857
COMPUTER SIMULATION OF THE SNOW-MELT AND SOIL THERMAL REGIME AT BARROW, ALASKA.
Outcalt, S I., et al, Oct. 1975, 11(5), p.709-715, 17 refs.
For another version of this paper see 29-4001.
Goodwin, C., Weller, G., Brown, J.
30-2133
COMPUTERIZED SIMULATION, SNOW TEMPERATURE, SOIL TEMPERATURE, THERMAL DIFFUSION, SNOW FENCES, WATER SUPPLY.
An annual snow-soil simulator for arctic tundra was developed by using coupled models of surface equilibrium temperature and substrate thermal diffusion. Snow ripening, melt, and accumulation are modeled in the simulator which is forced with daily weather data. The simulator predicts that a snow fence array capable of producing drift deeper than 4.2 m will initiate a permanent snowfield at Barrow, Alaska Such a man-induced snowfield could serve as a reliable source of freshwater for Barrow and similar villages in the north slope region of Alaska Further analysis indicated that albedo reduction due to dust fall, snow removal, etc., is dominant over aerodynamic effects in producing the early spring meltout observed at Barrow Village

MP 858
FORCES ON AN ICE BOOM IN THE BEAUHARNOIS CANAL.
Perham, R.E., et al, International Symposium on Ice Problems, 3rd, Hanover, New Hampshire, 18-21 August 1975. Proceedings, International Association of Hydraulic Research, 1975, p.397-407, 7 refs.
Racicot, L.
30-2743
ICE BOOMS, SHEAR STRESS, ICE PRESSURE, LOADS (FORCES).
Ice booms are used to hasten the formation of a stable ice cover in early winter. Their main function is to reduce the area of open water where large amounts of ice floes and frazile ice can be generated This ice, if uncontrolled, can cause an ice jam or blockage at power house intakes and restrict its generating capacity A particular function of the forebay ice boom of the Beauharnois Power House is to prevent any ice upstream from moving down into the forebay. In the winter of 1974-75 CRREL obtained force measurements of both cross stream and downstream components in the forebay ice boom The purpose of this paper is to report these forces and their variations A limited amount of supplemental data such as water flow, ice thickness, and canal dimensions is provided All of the information should help in the understanding of interaction between an ice boom and its ice cover.

MP 859
CONSTRUCTION AND PERFORMANCE OF THE HESS CREEK EARTH FILL DAM, LIVENGOOD, ALASKA.
Simoni, O.W., Fall 1975, 7(3), p.23-34. Also presented at the American Society of Civil Engineers, Alaska Section, Annual Meeting, Fairbanks, September 18-29, 1973 See also 27-177, TR 196.
31-1291
EARTH DAMS, PERMAFROST BENEATH STRUCTURES, PERMAFROST PRESERVATION, HYDRAULIC FILL, EARTH FILLS, UNITED STATES--ALASKA—LIVENGOOD.

MP 860
SNOW ACCUMULATION FOR ARCTIC FRESHWATER SUPPLIES.
Slaughter, C.W., et al, 1975, 1(5), p 218-224, 15 refs.
For another version see 29-3345.
Mellor, M., Sellmann, P V., Brown, J., Brown, L
31-3104
WATER SUPPLY, SNOW ACCUMULATION, RUNOFF, MELTWATER, SNOW FENCES

MP 861
APPROXIMATE ANALYSIS OF MELTING AND FREEZING OF A DRILL HOLE THROUGH AN ICE SHELF IN ANTARCTICA.
Tien, C., et al, 1975, 14(72), p 421-432, 3 refs.
Yen, Y.-C.
30-3106
ICE DRILLS, BOREHOLES, FREEZE THAW TESTS, ICE SHELVES, ANALYSIS (MATHEMATICS).
An approximate analysis is made, of the processes of melting and freezing of a drill hole, 500 m in depth and 0 15 m in initial radius, through an ice shelf in Antarctica Results are expressed in graphical form showing the time available for experimentation under the hole as a function of heating duration It is also found that refreezing has a much slower rate than melting (Auth.)

MP 862
REMOTE SENSING PLAN FOR THE AIDJEX MAIN EXPERIMENT.
Weeks, W.F., et al, July 1975, No.29, p.21-48, 14 refs.
Campbell, W.J.
30-2440
REMOTE SENSING, SPACECRAFT, AIRBORNE EQUIPMENT, SEA ICE, ICE COVER THICKNESS, DATA PROCESSING.
This operational plan describes the platforms and sensors that are expected to participate in AIDJEX, explains how they will be used to obtain the required data, discusses the analysis of those data, and points out weaknesses in the remote sensing plan as now formulated The details of the plan have changed constantly as an overall remote sensing strategy was being developed. This document presents the state of the plan as of the start of the field program, in March 1975.

MP 863
ICE FORCES ON MODEL STRUCTURES.
Zabilansky, L.J., et al, 1975, 2(4), p.400-407, In English with French summary. 11 refs.
Nevel, D.E., Haynes, F.D.
30-3095
ICE PRESSURE, HYDRAULIC STRUCTURES, PILE STRUCTURES, MODELS, LABORATORY TECHNIQUES.
Laboratory tests on freshwater ice were conducted by using model structures of various geometries Vertical and sloping pile sections with diameters up to 36 in (91.4 cm) were pushed through the ice with an active testing system. The test variables investigated were size, shape, velocity, and slope or angle from the vertical. The data gathered in this study indicates that nominal ice pressure varies indirectly with pile width/ice thickness (D/T) ratio in the range of 1 10 There was no apparent change in nominal ice pressure due to the change of the pile shape. Data gathered in the velocity tests suggests an inverse effect upon the ice pressure, especially at speeds greater than 3 in /s (7 6 cm/s). In the sloping pile tests it was found that the ice pressure decreased with an increase in the slope angle from the vertical position An expression correlating the vertical and horizontal forces in the sloping pile tests that failed in bending was developed Values for this linear correlation were found graphically. A comparison of the test results with other investigations is also presented

MP 864
ICE FORCES ON SIMULATED STRUCTURES.
Zabilansky, L.J., et al, International Symposium on Ice Problems, 3rd, Hanover, New Hampshire, 18-21 August 1975. Proceedings, International Association of Hydraulic Research, 1975, p.387-396, 1 ref.
Nevel, D.E., Haynes, F.D.
30-2742
ICE PRESSURE, LOADS (FORCES), OFFSHORE STRUCTURES, PILE STRUCTURES, MODELS.
Simulated structures mounted on a portable apparatus were used to investigate ice forces on marine structures. Various geometric shapes of simulate structures or piles were pushed against natural lake ice Parameters varied were size, shape, pile velocity, friction, initial pile-ice contact and slope of the pile

MP 865
INVESTIGATION OF WATER JETS FOR LOCK WALL DEICING.
Calkins, D J., et al, International Symposium on Jet Cutting Technology, 3rd, Chicago, May 11-13, 1976, Proceedings, 1976, p.G2/13-22, 17 refs
Mellor, M.
31-1898
ICE REMOVAL, WALLS, CHANNELS (WATERWAYS).

MP 866
TECHNIQUES FOR STUDYING SEA ICE DRIFT AND DEFORMATION AT SITES FAR FROM LAND USING LANDSAT IMAGERY.
Hibler, W.D., III, et al, International Symposium on Remote Sensing of Environment, 10th, Oct.6-10, 1975, 1976, p.595-609, ADA-041 579, 12 refs
Tucker, W.B., Weeks, W.F.
31-1995
SEA ICE, DRIFT, ICE DEFORMATION, REMOTE SENSING, SPACEBORNE PHOTOGRAPHY, ACCURACY.

MP 867
UPLAND ASPEN/BIRCH AND BLACK SPRUCE STANDS AND THEIR LITTER AND SOIL PROPERTIES IN INTERIOR ALASKA.
Troth, J.L., et al, Mar 1976, 22(1), p 33-44, 17 refs
Deneke, F.J., Brown, L.
31-1625
ARCTIC LANDSCAPES, TREES (PLANTS), FOREST SOILS, SOIL CHEMISTRY, ALPINE VEGETATION, ALPINE SOILS
This study characterizes upland forest stands in interior Alaska and compares and contrasts their organic and soil properties Stand data are presented for tree and sapling species in three aspen/birch and four black spruce stands Litter

layers had greater mass and were more acidic beneath black spruce than beneath aspen/birch. Litter beneath aspen/birch contained higher concentrations of C, N, P, Ca, Mg, Mn, and Zn than did black spruce organic layers. Organic layer K and Fe concentrations were similar beneath the two stand groups. Total organic layer N, P, and Zn mass were similar in the two stand groups, more Ca, Mg, and Mn were present beneath hardwoods, and more K was present beneath black spruce. Extractable soil P decreased rapidly with increasing profile depth beneath aspen/birch stands, but increased with depth to a maximum at or below 15-30 cm beneath hardwoods than beneath coniferous communities. Soils beneath the two stand groups could not be consistently separated by differences in pH, %C, %N, or C/N ratio. Percentage soil carbon at all depths and in all stands was closely correlated with %N (r=0.97) and CEC (r=0.98).

MP 868
FEASIBILITY STUDY OF LAND TREATMENT OF WASTEWATER AT A SUBARCTIC ALASKAN LOCATION.
Sletten, R.S., et al, Hanover, N.H., U.S. Army Cold Regions Research and Engineering Laboratory, 1976, 21p., 10 refs., Presented at the 8th Annual Waste Management Conference, Rochester, N.Y., April 28-30, 1976. Unpublished manuscript.
Uiga, A.
31-1949
WASTE TREATMENT, WATER POLLUTION, SUBARCTIC LANDSCAPES, SUBARCTIC CLIMATE, TESTS, UNITED STATES—ALASKA.

MP 869
LET'S CONSIDER LAND TREATMENT, NOT LAND DISPOSAL.
Howells, D.H., et al, Mar. 1976, 46(3), p.60-62, Comments on J.V. Bentz's paper (see 31-1946).
Uiga, A., Wallace, A.T.
31-1947
WASTE DISPOSAL, WASTE TREATMENT, SEWAGE TREATMENT, WATER POLLUTION, STANDARDS.

MP 870
WASTEWATER REUSE AT LIVERMORE, CALIFORNIA.
Uiga, A., et al, Annual Cornell Agricultural Waste Management Conference, 8th, Rochester, N.Y., April 28-30, 1976. Proceedings, Ann Arbor, Mich., Ann Arbor Science Publishers, 1976, p.511-531, 24 refs.
Iskandar, I.K., McKim, H.L.
31-1493
WATER TREATMENT, WASTE DISPOSAL, SOIL CHEMISTRY.

MP 871
ANALYSIS OF WATER FLOW IN DRY SNOW.
Colbeck, S.C., June 1976, 12(3), p.523-527, 12 refs.
31-2958
SNOW PERMEABILITY, WATER RETENTION, WATER FLOW, SNOW THERMAL PROPERTIES, SNOW WATER CONTENT, METAMORPHISM (SNOW), WET SNOW, SNOW HYDROLOGY.
The equations describing water movement in a dry snow cover are derived, and examples of flow through ripe, refrozen, and fresh snows are given. The grain size of snow has a large effect on the timing of water discharge. Water is retained by dry snow to raise its temperature and satisfy the irreducible water saturation. These requirements delay and reduce runoff following rain on dry snow.

MP 872
RED AND NEAR-INFRARED SPECTRAL REFLECTANCE OF SNOW.
O'Brien, H.W., et al, Operational Applications of Satellite Snowcover Observations. The proceedings of a workshop held Aug. 18-20, 1975, Waystation, South Lake Tahoe, Calif, ed. by A. Rango, Washington, D.C., National Aeronautics and Space Administration, 1975, p.345-360, For the same article from a different source see 29-4002. 3 refs.
Munis, R.H.
30-3521
SNOW OPTICS, SNOW COVER DISTRIBUTION, REFLECTIVITY, INFRARED SPECTROSCOPY.

MP 873
USA CRREL SHALLOW DRILL.
Rand, J.H., Ice core drilling, edited by J.F. Splettstoesser, Lincoln, University of Nebraska Press, 1976, p.133-137, 1 ref.
30-3485
ICE CORING DRILLS, DRILLING, FIRN
The USA CRREL shallow drill is an electromechanical device designed for continuous coring in firn and ice to a depth of 100 m. The drill bores a 14-cm-diameter hole while obtaining a core 10 cm in diameter at a penetration rate up to 1 m/min in -20C ice. The cuttings are transported by spiral brush auger flights to a container above the core-storage section. The core and cuttings are removed from the drill after each 1 m run. Additional components include: 100 m of a seven-conductor electromechanical cable, a 6.8-m tower, a hoist which is ski-mounted, and a three-phase 220-V AC gasoline generator. All the equipment has been designed to be transported in a Twin Otter ski-equipped plane and assembled and operated by two men. The total weight of the drill and associated components is 818 kg. The minimum estimated time required to drill 100 m and retrieve core is 15 hours. Excellent core was obtained in a record drilling time of 15 hr from a 100-m hole drilled in early Nov at the South Pole under the new geodesic dome. A second 100-m hole was drilled on the Ross Ice Shelf.

MP 874
POLAR ICE-CORE STORAGE FACILITY.
Langway, C.C., Jr., Ice core drilling, edited by J.F. Splettstoesser, Lincoln, University of Nebraska Press, 1976, p.71-75, 8 refs.
30-3482
ICE CORES, COLD STORAGE.
The U.S. Army Cold Regions Research and Engineering Laboratory (USA CRREL) has responsibility for the central storage and curatorial activities of the ice cores recovered in the Office of Polar Programs/National Science Foundation (OPP/NSF) Arctic and Antarctic research programs. The main purpose of the central ice-core storage facility is to handle, process, catalog and distribute the ice cores drilled in the polar regions to OPP-approved recipients for glaciological research. Under the agreement with OPP, the ice cores are stored at CRREL and in a commercial freezer facility at Littletown, N.H.; a technician handles and catalogs them. A core data bank is maintained for retrieval and information exchange, and starting with the Dye 3 ice core, is being computerized. The storage facilities are described. Recent developments include a cooperative analysis program between CRREL, the University of Copenhagen, and the University of Bern, a particle analysis lab, a core stratigraphy and logging routine, and a surface pit/ice-core correlation system.

MP 875
HOVERCRAFT GROUND CONTACT DIRECTIONAL CONTROL DEVICES.
Abele, G., International Hovering Craft, Hydrofoil and Advanced Transit Systems Conference, 2nd, Amsterdam, May 17-20, 1976. Proceedings, London, Kalerglic Publications, 1976, p.51-59, 6 refs.
31-1996
ALL TERRAIN VEHICLES, AIR CUSHION VEHICLES, VEHICLE WHEELS, ENVIRONMENTAL IMPACT, TUNDRA TERRAIN, IMPACT.
The maneuverability of a hovercraft can become a serious operational problem where the craft's travel route is restricted by obstacles or requires close-quarter turns, and during travel on slopes and in crosswind conditions. While improvement and perfection of aerodynamic methods may be a more desirable approach, there is a practical limit to these methods, and the use of ground contact devices requires consideration to provide more positive directional control. Wheels deserve special attention, and therefore are analyzed in more detail because of their obvious application on a variety of land terrains. Brake rods and harrows are more suitable on water, ice and snow. The saucer would cause the least ecological impact on fragile organic terrains such as tundra. The use of controlled ground contact with skirt sections having retractable rollers or special wearing surfaces may represent the least significant change to the basic design of the craft or its components. The relative directional stability is evaluated in terms of the total yawing moments produced by a variety of wheel arrangements (single, dual, tandem), location on the craft, and operational modes (free-rolling, braked, or a combination of the two). The available moments are plotted against the yaw angle of the craft to determine the most effective operational mode with a particular wheel arrangement for any yaw condition. The analysis is limited to retractable devices which act as moment-producing brakes or rollers and do not serve as either propulsion or load support aids.

MP 876
SPREAD OF CETYL-1-C14 ALCOHOL ON A MELTING SNOW SURFACE.
Meiman, J.R., et al, Sep 1966, 11(3), p.5-8, 3 refs
Microform No. SIP 25051.
Slaughter, C.W.
31-3141
SNOW SURFACE, SNOW PERMEABILITY, SNOW MELTING, DISTRIBUTION, SNOW EVAPORATION.
The primary objective of the study was to gain information on the rate of spread of cetyl alcohol on a melting snow surface. Point applications of radioactive cetyl-1-C14 alcohol were placed on the surface of snow contained in cubical wooden boxes 25 cm on each side. The boxes with snow were placed in a controlled environment of 2C and with a relative humidity of 95%. Under the study conditions, cetyl alcohol spread as far as 10 cm within 1 hr and 15 min. Distribution of the alcohol over the surface was highly variable. (Auth.)

MP 878
FIRE IN THE NORTHERN ENVIRONMENT-A SYMPOSIUM.
Slaughter, C.W., ed, Portland, Oregon, U.S. Pacific Northwest Forest and Range Experiment Station, 1971, 275p., Numerous refs. passim.
Barney, R.J., ed, Hansen, G.M., ed.
26-2733
FOREST FIRES, FIRES, ENVIRONMENTAL IMPACT, PERMAFROST, TAIGA.
Comprised of 21 papers on fire, its control and effects on the Alaska environment.

MP 879
ON THE DETERMINATION OF HORIZONTAL FORCES A FLOATING ICE PLATE EXERTS ON A STRUCTURE.
Kerr, A.D., 1978, 20(82), p.123-134, 26 refs.
32-4451
ICE PRESSURE, ICE LOADS, ICE COVER STRENGTH, STRUCTURES, LOADS (FORCES), FLOATING ICE.
At first, the general approach for calculating the horizontal forces an ice cover exerts on structures is discussed. Ice-force determination consists of two parts: (1) the analysis of the in-plane forces, assuming that the ice cover remains intact; and (2) the use of a failure criterion, because an ice force cannot be larger than the force capable of breaking up the ice cover. For an estimate of the largest ice force an elastic plate analysis and a failure criterion are often sufficient. A review of the literature revealed that in the majority of the analyses, it is assumed that the failure load is directly related to a "crushing strength" of the ice cover. Observations in the field and tests in the laboratory show, however, that in some instances the ice cover failed by buckling. Subsequently, the ice-force analyses based on the buckling failure mechanism are reviewed, and their shortcomings are pointed out. A new method of analysis, which is based on the buckling of a floating ice wedge, is then presented.

MP 880
TUNDRA BIOME APPLIES NEW LOOK TO ECOLOGICAL PROBLEMS IN ALASKA.
Brown, J., Summer 1970, 2(2), p.9.
31-4048
ECOSYSTEMS, ENVIRONMENTS, TUNDRA BIOME, ENVIRONMENTAL PROTECTION, RESEARCH PROJECTS, ARCTIC REGIONS, UNITED STATES—ALASKA.

MP 881
TUNDRA BIOME PROGRAM.
Brown, J., Feb.27, 1970, Vol.167, p.1278.
31-4049
ECOSYSTEMS, ENVIRONMENTS, TUNDRA BIOME, RESEARCH PROJECTS.

MP 882
HEAT TRANSFER BETWEEN A FREE WATER JET AND AN ICE BLOCK HELD NORMAL TO IT.
Yen, Y.-C., Jul/Aug. 1976, 3(4), p.299-307, 2 refs.
31-242
HEAT TRANSFER COEFFICIENT, ICE MELTING, HYDRAULIC JETS, NOZZLES.

MP 883
GENERATION OF RUNOFF FROM SUBARCTIC SNOWPACKS.
Dunne, T., et al, Aug. 1976, 12(4), P.677-685, 13 refs.
Price, A.G., Colbeck, S.C.
31-773
SNOW COVER, RUNOFF, MODELS, CANADA—LABRADOR.
A physically based model of the movement of water through snowpacks was used to calculate hydrographs generated by diurnal waves of snowmelt on the tundra and in the boreal forest of subarctic Labrador. The model was tested against measured hydrographs from hillside plots that sampled a range of aspect, gradient and length, vegetative cover, and snow depth and density. The model yielded good results, particularly in the prediction of peak runoff rates, though there was a slight overestimate of the lag time. A comparison of predictions with field measurements indicated that given the ranges over which each of the controls is likely to vary, the two most critical factors controlling the hydrograph are the snow depth and the melt rate, which must be predicted precisely for short time intervals. Permeability of the snowpack is another important control, but it can be estimated closely from published values.

MP 884
BEARING CAPACITY OF FLOATING ICE PLATES SUBJECTED TO STATIC OR QUASI-STATIC LOADS.
Kerr, A.D., 1976, 17(76), p.229-268, Bibliography p. 263-268, In English with French and German summaries.
31-786
FLOATING ICE, BEARING STRENGTH, STATIC LOADS, BIBLIOGRAPHIES.
This paper contains a critical survey of the literature on the bearing capacity of floating ice plates. It consists

of a discussion of general questions, a critical survey of analytical attempts to determine the bearing capacity of floating ice plates and a survey of field and laboratory tests on floating ice plates and their relation to the analytical results. It concludes with a systematic summary of the results, a discussion of observed shortcomings, and suggestions for needed investigations

MP 885
SUBSURFACE EXPLORATIONS IN PERMAFROST AREAS.
Cass, J.R., Jr., Oct. 1959. 85(SM5), p.31-41, See also SIP-17852. Discussion by H.W. Stevens and W.P. Verville, Ibid., June 1960, 86(SM3), p 63-67. 10 refs.
Stevens, H.W., Verville, W P
31-1874
PERMAFROST SAMPLERS, SUBSURFACE INVESTIGATIONS, CORE SAMPLERS, FROZEN GROUND, DRILLING.
Soil sampling techniques used in two subsurface investigation programs undertaken in the Arctic are described and compared Since the methods used were only partially successful in recovering samples for field testing, recommendations are made for the development of boring procedures which should prove to be more satisfactory

MP 886
PORTABLE INSTRUMENT FOR DETERMINING SNOW CHARACTERISTICS RELATED TO TRAFFICABILITY.
Parrott, W.H, et al, International Conference on Terrain-Vehicle Systems, 4th, Stockholm, April 24-28, 1972. Proceedings. Vol 2, Stockholm, Sweden, 1972, p.193-204, 7 refs.
Ueda, H.T., Abele, G.
31-1796
SNOW STRENGTH, SNOW COVER STABILITY, MEASURING INSTRUMENTS, TRAFFICABILITY, SHEAR PROPERTIES.
A new, portable one-man operated instrument was developed to simplify the measuring of snow properties required for evaluating the trafficability of a snow cover and to predict vehicle performance The 16-lb instrument with interchangeable plates of various sizes is capable of providing data for computing the vertical strength parameters n and k and the horizontal strength parameters c and f The vertical load is applied manually, the predetermined contact pressures are indicated by a system of signal lights connected to a force control switch type force gage, the manually (push-button) activated torque motor for the shear test is driven by a 12-volt battery A second man is needed to record sinkage and torque data during the test

MP 887
SOME EFFECTS OF AIR CUSHION VEHICLE OPERATIONS ON DEEP SNOW.
Abele, G, et al, International Conference on Terrain-Vehicle Systems, 4th, Stockholm, April 24-28, 1972. Proceedings Vol 2, Stockholm, Sweden, 1972, p.214-241, 2 refs.
Parrott, W H
31-1798
AIR CUSHION VEHICLES, SNOW DEPTH, EROSION, SURFACE PROPERTIES, TESTS
Travel with an SK-5 ACV over soft snow results in surface deformation/erosion of a few inches, caused primarily by rear skirt drag, on windswept snow only scratches can be seen During hovering on soft snow, deformation below the cushion chamber usually does not exceed a few inches The action of the air flow (escape velocity 70 to 120 ft/sec) produces a 1-ft ditch below the peripheral skirt in less than a minute, thereafter the extent of erosion does not increase appreciably during continued hovering A partial seal between the inner face of the skirt (above fingers) and the snow surface may exist, arresting further settling of the vehicle Relatively cohesive layers of snow such as windslabs and crusts are not eroded A level snow cover, regardless of how deep or soft, does not appear to be capble of immobilizing an ACV of this and larger size Some operational problems and their degree of severity, such as visibility, snow accumulation and adhesion to vehicle skirt drag, effect of terrain surface porosity and presence of vegetation, are also discussed

MP 888
ICE REMOVAL FROM THE WALLS OF NAVIGATION LOCKS.
Frankenstein, G E., et al, Symposium on Inland Waters for Navigation, Flood Control and Water Diversions, Colorado State University, August 10-12, 1976. Proceedings, 1976, p.1487-1496, 4 refs.
Wuebben, J.L., Jellinek, H H G, Yokota, R.
31-1800
ICE REMOVAL, WALLS, CHANNELS (WATERWAYS), ICE PREVENTION PROTECTIVE COATINGS, ICE NAVIGATION, ICE ADHESION, DEICING.

MP 889
20-YR OSCILLATION IN EASTERN NORTH AMERICAN TEMPERATURE RECORDS.
Mock, S.J, et al, June 10, 1976, 261(5560), p 484-486, 8 refs.
Hibler, W.D., III.
31-1801
AIR TEMPERATURE, PERIODIC VARIATIONS, SOLAR ACTIVITY, METEOROLOGICAL DATA

MP 890
APPLICATIONS OF THERMAL ANALYSIS TO COLD REGIONS.
Sterrett, K.F., Roundtable Discussion on Thermal Analysis Techniques, Cincinnati, Ohio, June 1976. Proceedings, 1976, p.167-181, 15 refs.
31-1802
THERMAL ANALYSIS, FROZEN GROUND PHYSICS, UNFROZEN WATER CONTENT, CLAY MINERALS, ICE WATER INTERFACE, LOW TEMPERATURE TESTS.
The author discusses the low temperature behavior of several samples of frozen soils taken from the dry valleys of Antarctica The samples were composed of various clay minerals and had varying water contents It is demonstrated that some of the water remains unfrozen and that there is a dependency between the unfrozen portion and the surface area of the sample. It was pointed out that problems arising from the unfrozen water content of soils are of great interest to CRREL researchers as is the analysis of ice cores from Greenland and Antarctica as a technique for establishing past climates and in predicting future climates.

MP 891
OVERVIEW OF LAND TREATMENT FROM CASE STUDIES OF EXISTING SYSTEMS.
Uiga, A, et al, Hanover, N H, U.S. Army Cold Regions Research and Engineering Laboratory, 1976, 26p, Presented at the 49th Annual Water Pollution Control Federation Conference, Minneapolis, Minnesota, 4-8 October 1976. 16 refs.
Sletten, R.S.
31-1803
WASTE TREATMENT, WATER TREATMENT, WATER POLLUTION, SOIL CHEMISTRY, COST ANALYSIS, CLIMATIC FACTORS
Wastewater treatment by land application is described for sites at Calumet, Michigan (88 years), Quincy, Washington (20 years), Manteca, California (11 years), and Livermore, California (8 years) All sites meet on an average the USPHS drinking water limit of 10 mg/l for NO3-N Preapplication treatments vary for the site. Calumet, undisinfected, no treatment; Quincy, undisinfected, primary treatment; Manteca, undisinfected, secondary treatment, and Livermore, disinfected, secondary treatment The preapplication treatment and total operation and maintenance costs are 3c/1000 gallons for Calumet, 20c/1000 gallons for Quincy, 27c/1000 gallons for Manteca, 35c/1000 gallons for Livermore Although minor individual site problems are discussed and solutions presented, the authors conclude that land application offers year round treatment alternatives within variable climates

MP 892
LIFE-CYCLE COST EFFECTIVENESS OF MODULAR MEGASTRUCTURES IN COLD REGIONS.
Wang, L R-L, et al, International Symposium on Housing Problems, Atlanta, Georgia, May 24-28, 1976, 1976, p.760-776, 7 refs
Tobiasson, W.
31-1804
RESIDENTIAL BUILDINGS, COLD WEATHER CONSTRUCTION, CONSTRUCTION COSTS, ARCTIC CLIMATE, WINTER MAINTENANCE, STRUCTURES

MP 893
ICE ENGINEERING COMPLEX ADOPTS HEAT PUMP ENERGY SYSTEM.
Asmot, H.W.C, Jan 19 '77, 14(1), p 25-26. Comments p 3
31-1805
HEAT RECOVERY, HEATING, COOLING SYSTEMS, HEAT TRANSFER, TRANSITION HEATING, PUMPS

MP 894
ARCTIC TRANSPORTATION: OPERATIONAL AND ENVIRONMENTAL EVALUATION OF AN AIR CUSHION VEHICLE IN NORTHERN ALASKA.
Abele, G., et al, American Society of Mechanical Engineers, 1976, 7p., Presented at the Petroleum Mechanical Engineering and Pressure Vessels and Piping Conference, Mexico City, Mexico, September 19-24, 1976. Paper No.76-Pet-41. 8 refs.
Brown, J.
31-1845
AIR CUSHION VEHICLES, TRAFFICABILITY, COST ANALYSIS, ENVIRONMENTAL IMPACT, REVEGETATION, ARCTIC TERRAIN, TESTS.
Traffic tests conducted near Barrow, Alaska with a 7-ton SK-5 Air Cushion Vehicle have shown that these types of vehicles can provide year-round high-speed transport capability over a variety of relatively level, low strength terrains The ecological impact of ACV traffic over easily degradable tundra terrains is not nearly as significant as that of wheeled or tracked vehicle traffic

MP 895
CIRCULATION AND SEDIMENT DISTRIBUTION IN COOK INLET, ALASKA.
Gatto, L W., 1976, No 4, Assessment of the Arctic marine environment, edited by D.W. Hood, D.C. Burrell, and E Kelley. Based on a symposium held in conjunction with Third International Conference on Port and Ocean Engineering Under Arctic Conditions, POAC-75, held in Fairbanks, Alaska, Aug. 11-15, 1975., p.205-227, 18 refs.
31-1935
SEDIMENT TRANSPORT, WATER FLOW, SEA ICE DISTRIBUTION, SPACEBORNE PHOTOGRAPHY, OCEAN CURRENTS, UNITED STATES—ALASKA—COOK INLET
The purpose of this investigation was to analyze surface circulation, suspended sediment distribution, water-type migration, and tidal flushing mechanisms, utilizing medium and high altitude aircraft and repetitive synoptic satellite imagery with corroborative ground truth data LANDSAT-1 and -2 and NOAA-2 and -3 imagery provided observations of surface currents, water type migrations and sediment and sea ice distributions during different seasons and tides NASA NP-3A and L-2 aircraft multispectral imagery was used to analyze coastal processes, i e, currents and sediment dispersion in selected areas Ground truth data were utilized in the interpretation of the aircraft and satellite imagery and verified many of the regional circulation patterns inferred from the suspended sediment patterns apparent on the imagery Several local circulation patterns not previously reported were identified

MP 896
RECLAMATION OF WASTEWATER BY APPLICATION ON LAND.
Iskandar, I.K, et al, Hanover, N H, U.S. Army Cold Regions Research and Engineering Laboratory, 1976, 15p., Presented at the U.S. Army Science Conference, Research Triangle Park, North Carolina, June 1976. 23 refs.
Leggett, D.C
31-1901
WASTE TREATMENT, WATER TREATMENT, WATER CHEMISTRY, SEEPAGE, SOIL CHEMISTRY, WASTE DISPOSAL
The capacity of a slow infiltration land treatment system to renovate wastewater in cold regions was investigated using six outdoor test cells The principal mechanisms for nitrogen removal were found to be plant uptake and denitrification, phosphorus was removed by plant uptake and immobilization in the surface soil layer, heavy metals were removed by sorption or precipitation in the top few centimeters of soil Nitrogen removal was found to be seasonally dependent, the greatest losses occurring in the spring and summer and the least during fall and winter This was due to the absence of plant uptake during winter and the effect of temperature on the conversion of ammonium to nitrate nitrogen (nitrification), which caused significant amounts of NH4 to be stored during winter and released in spring, giving rise to a period of high NO3 concentration in the leachate Application of 15 cm/wk of secondary effluent to sandy loam soil resulted in diminished water quality (>10 mg/l of nitrate-N) during most of the year With the exception of this heavy treatment experiment heavy metals and phosphorus were confined to the top 15 cm of the soil Application of effluents containing ppm levels of heavy metals to [illegible] did not appear to cause phytotoxic effects As for other water quality parameters (organic-C, BOD, suspended solids, fecal coliform) renovation of the wastewater was essentially complete

MP 897
DEVELOPMENT OF A REMOTE-READING TENSIOMETER/TRANSDUCER SYSTEM FOR USE IN SUBFREEZING TEMPERATURES.
McKim, H.L., et al, Conference on Soil-Water Problems in Cold Regions, 2nd, Edmonton, Sep. 1976, Proceedings, 1976, p.31-45, 18 refs.
Berg, R.L., McGaw, R., Atkins, R.T., Ingersoll, J.
31-1905
SOIL WATER, VAPOR PRESSURE, MEASURING INSTRUMENTS, SOIL FREEZING, FREEZE THAW TESTS, REMOTE SENSING.

MP 898
GALERKIN FINITE ELEMENT ANALOG OF FROST HEAVE.
Guymon, G.L., et al, Conference on Soil-Water Problems in Cold Regions, 2nd, Edmonton, Sep. 1976, Proceedings, 1976, p.111-113, 3 refs.
Berg, R.L.
31-1911
FROST HEAVE, MATHEMATICAL MODELS.

MP 899
SIMPLE PROCEDURE TO CALCULATE THE VOLUME OF WATER REMAINING UNFROZEN IN A FREEZING SOIL.
McGaw, R., et al, Conference on Soil-Water Problems in Cold Regions, 2nd, Edmonton, Sep. 1976, Proceedings, 1976, p.114-122, 6 refs.
Tice, A.R
31-1912
FROZEN GROUND PHYSICS, SOIL FREEZING, UNFROZEN WATER CONTENT.

MP 900
SEASONAL VARIATIONS IN APPARENT SEA ICE VISCOSITY ON THE GEOPHYSICAL SCALE.
Hibler, W.D., III, et al, Feb. 1977, 4(2), p.87-90, 12 refs.
Tucker, W.B.
31-3240
SEA ICE, VISCOSITY, DRIFT, ICE GROWTH, ICE PHYSICS, VISCOUS FLOW, SEASONAL VARIATIONS.
Using available atmospheric pressure and ocean current data and estimating non-local stress transferral through the ice cover by employing a viscous drift model in the infinite boundary limit, predicted drift rates for one Russian and two U S drifting stations are made over the time period May 1962 to April 1964. The viscosity values giving the best fit between observed and predicted values show a pronounced winter increase that correlates well with the ice growth rate Phsically this suggests that ice drift rates (for a given wind field) tend to decrease in winter because of increased stress transferral through the ice cover. An empirical linear relationship between viscosity and ice growth rate is derived which yields predictions in reasonable agreement with both long (yearly) and short term (monthly) observed drift rates

MP 901
SEGREGATION-FREEZING TEMPERATURE AS THE CAUSE OF SUCTION FORCE.
Takagi, S., International Symposium on Frost Action in Soils, Luleå, Sweden, Feb. 1977. Proceedings, Vol.1, University of Luleå, 1977, p.59-66, 17 refs.
31-2067
GROUND ICE, ICE LENSES, SOIL WATER MIGRATION, FROZEN GROUND THERMODYNAMICS, SOIL PRESSURE
A new freezing mechanism, called segregation freezing, is proposed, to explain the generation of the suction force that draws pore water up to the freezing surface of a growing ice lens The segregation-freezing temperature is derived by applying thermodynamics to soil mechanics concept that distinguishes the mechanically effective pressure from the mechanically neutral pressure The frost-heaving pressure appears in the solution of the differential equations for the simultaneous flow of heat and water, of which the segregation-freezing temperature is one of the boundary conditions

MP 902
PERIODIC STRUCTURE OF NEW HAMPSHIRE SILT IN OPEN-SYSTEM FREEZING.
McGaw, R., International Symposium on Frost Action in Soils, Luleå, Sweden, Feb. 1977 Proceedings, Vol 1, University of Luleå, 1977, p 129-136, 2 refs.
31-2074
SOIL FREEZING, SOIL STRUCTURE, WATER TABLE, GROUND ICE.
The periodic frozen structure of a glacially-deposited silt soil is analyzed using a metric grouping of sizes Four specimens were frozen simultaneously in open-system freezing with initial water tables ranging from 15 cm (6 in) to 105 cm (42 in) Rate of freezing varied from near zero to 0 80 mm/hr Measurements on the average thickness of individual ice layers and residual soil layers are tabulated and graphed for each specimen, with water-table depth and rate-of-freezing as independent variables The data show that the ice-layer thickness decreases continuously with freezing rate for each of the four water-table depths The maximum ice-layer thickness (4 5 mm) occurred with the highest water table and the slowest freezing In contrast, the residual soil layer develops a maximum thickness for this soil in the 0 30 to 0 40 mm/hr range of freezing rates The peak value (2 5 mm) occurred with water table depths of 45 cm (18 in) and 75 cm (30 in) In addition, the two specimens with the highest water tables developed a major secondary peak at very slow rates of freezing (less than 0.10 mm/hr), giving evidence of a separate mode of freezing.

MP 903
CARBON DIOXIDE DYNAMICS ON THE ARCTIC TUNDRA.
Coyne, P.I, et al, International Biological Program Tundra Biome. Structure and function of the tundra ecosystem. Vol.1, Progress report and proposal abstracts. 1971, p.48-52.
Kelley, J.J.
31-2097
TUNDRA VEGETATION, CARBON DIOXIDE, SNOW COVER EFFECT.

MP 904
SEASONAL CYCLES AND RELATIVE LEVELS OF ORGANIC PLANT NUTRIENTS UNDER ARCTIC AND ALPINE CONDITIONS.
McCown, B.H., et al, International Biological Program. Tundra Biome. Structure and function of the tundra ecosystem. Vol.1, Progress report and proposal abstracts 1971, p.55-57.
Tieszen, L L.
31-2099
TUNDRA VEGETATION, SEASONAL VARIATIONS, PLANT PHYSIOLOGY.

MP 905
ECOLOGICAL EFFECTS OF OIL SPILLS AND SEEPAGES IN COLD-DOMINATED ENVIRONMENTS.
McCown, B.H., et al, International Biological Program. Tundra Biome. Structure and function of the tundra ecosystem. Vol.1, Progress report and proposal abstracts. 1971, p.61-65.
Brown, J., Tieszen, L.L.
31-2101
TUNDRA SOILS, TUNDRA VEGETATION, OIL SPILLS, DAMAGE, ENVIRONMENTAL IMPACT.

MP 906
ABIOTIC OVERVIEW.
Weller, G., et al, International Biological Program. Tundra Biome. Structure and function of the tundra ecosystem. Vol 1, Progress report and proposal abstracts. 1971, p 173-181.
Brown, J.
31-2114
RESEARCH PROJECTS, TUNDRA, MICROCLIMATOLOGY, SOIL TEMPERATURE, MODELS, BOUNDARY LAYER, SNOW COVER EFFECT, VEGETATION PATTERNS.

MP 907
PREDICTION AND VALIDATION OF TEMPERATURE IN TUNDRA SOILS.
Brown, J, et al, International Biological Program Tundra Biome Structure and function of the tundra ecosystem Vol 1, Progress report and proposal abstracts. 1971, p.193-197.
Nakano, Y.
31-2116
TUNDRA SOILS, SOIL TEMPERATURE, THAW DEPTH, MATHEMATICAL MODELS, FORECASTING.

MP 908
TRACE GAS ANALYSIS OF ARCTIC AND SUBARCTIC ATMOSPHERE.
Murrmann, R P, International Biological Program Tundra Biome Structure and function of the tundra ecosystem Vol 1, Progress report and proposal abstracts. 1971, p 199-203
31-2118
ATMOSPHERIC COMPOSITION, GASES.

MP 909
U.S. TUNDRA BIOME CENTRAL PROGRAM 1971 PROGRESS REPORT.
Brown, J, International Biological Program. Tundra Biome Structure and function of the tundra ecosystem Vol 1, Progress report and proposal abstracts 1971, p 244-270
31-2121
RESEARCH PROJECTS

MP 910
SEA ICE CONDITIONS IN THE ARCTIC.
Weeks, W F, Dec. 1976, No.34, p.173-205, Includes, as Appendix 1, a section on Ice Terminology. 24 refs.
31-2291
ICE CONDITIONS, SEASONAL VARIATIONS, TERMINOLOGY, ICE PHYSICS, DRIFT.

MP 911
PROCEEDINGS.
Colloquium on Water in Planetary Regoliths, Hanover, N.H., October 5-7, 1976, Hanover, N.H, U.S. Army Cold Regions Research and Engineering Laboratory, 1977, 161p., Refs. passim. For selected papers see 31-2494 through 31-2511.
31-2493
EXTRATERRESTRIAL ICE, PERMAFROST HYDROLOGY, SOIL WATER, ICE SPECTROSCOPY.

MP 912
MARS SOIL-WATER ANALYZER: INSTRUMENT DESCRIPTION AND STATUS.
Anderson, D.M., et al, Colloquium on Water in Planetary Regoliths, Hanover, N.H., Oct 5-7, 1976. Proceedings, Hanover, N.H, U.S. Army Cold Regions Research and Engineering Laboratory, 1977, p.149-158, 9 refs.
Stephens, J.B., Fanale, F P., Tice, A.R.
31-2511
MARS (PLANET), SOIL WATER, EXTRATERRESTRIAL ICE, PERMAFROST HYDROLOGY, MEASURING INSTRUMENTS, RADIOMETRY, PERMAFROST SAMPLERS.

MP 913
APPLICATIONS OF REMOTE SENSING FOR CORPS OF ENGINEERS PROGRAMS IN NEW ENGLAND.
McKim, H L., et al, International Symposium on Remote Sensing of Environment, 10th, Ann Arbor, Oct. 6-10, 1975, Ann Arbor, Environmental Research Institute of Michigan, 1975, 8p. + 14 figs. and tables, 8 refs.
Merry, C.J., Cooper, S, Anderson, D.M, Gatto, L.W.
31-3652
REMOTE SENSING, AERIAL SURVEYS, SPACEBORNE PHOTOGRAPHY, ENVIRONMENTS, UNITED STATES—NEW ENGLAND.
The utility of satellite, high altitude and low altitude aerial imagery is presently being critically evaluated by the Corps of Engineers The most significant contribution to date has been to increase confidence limits by more accurately estimating parameters used in models Within the last three years several new cooperative remote sensing programs addressing environmental and hydrologic problems have been implemented The objectives of these programs were to determine the availability, type, scale and resolution required and to show how remote sensing methods can be utilized to augment or update conventional procedures Imagery from LANDSAT mission provided valuable information for site evaluation, definition of geologic lineations and monitoring snow and ice accumulation and ablation The Skylab program has defined the detail of land use mapping that can be accomplished from the S190A and S190B photography Low altitude aircraft photography (scale 1 33,600) was used to determine the location of materials at a potential dam construction site which could allow a large cost saving for transportation of material as compared to original design estimates In another program, the effect of inundation at six New England flood control reservoirs was investigated The extent and severity of tree damage were mapped and analyzed statistically These results will be used by the Corps in the reservoir management program

MP 914
EVALUATION AND RECOMMENDATIONS FOR SNOWDRIFT CONTROL AT FAA ILS FACILITIES, BARROW AND DEADHORSE, ALASKA, FINAL REPORT.
Calkins, D J., Sep. 1976, FAA-NA-76-165, 41p., ADA-030 401.
31-2585
SNOWDRIFTS, SNOW FENCES, UNITED STATES—ALASKA—BARROW, UNITED STATES- ALASKA—DEADHORSE.
The existing snowdrifting conditions are described at the Barrow and Deadhorse airfields and recommendations made for minimizing the drifting snow at the ILS facilities The problem of drifting snow at the localizer and glide slope facilities was a result of the structures themselves creating drifts and causing outages The most economical method of eliminating the problem at the glide slope was relocation of the instrument shelters such that they are not in line with the antenna masts and the prevailing wind direction The localizer snowdrifts were caused by the bulkiness of the supporting structure carrying the antenna, although it is elevated on piles severe turbulence develops behind the structure and the snow deposits Wooden snowfences, 10 ft high, in parallel rows 200 ft apart will control the snow during an average snow year Model studies of each alternative method were carried out to validate the various proposals (Auth.)

MP 915
VAPOR PRESSURE OF 2,4,6-TRINITROTOLUENE BY A GAS CHROMATOGRAPHIC HEADSPACE TECHNIQUE.
Leggett, D.C, 1977, Vol.133, p.83-90, 23 refs.
31-2565
VAPOR PRESSURE, GAS CHROMATOGRAPHY, TRINITROTOLUENE.
The vapor pressure of 2,4,6-trinitrotoluene was determined by a gas chromatographic headspace technique The vapor pressure from 12-40C was derived from the experimental data using the ideal gas law and then compared to extrapolations of literature data obtained by the Knudsen effusion technique. Excellent agreement was obtained. Advantages of the chromatographic headspace method over the effusion method were: (1) scrupulous purity was found to be unnecessary since volatile impurities were chromatographically separated from the compound of interest, (2) the method was highly sensitive using an electron capture detector, and (3) the method was experimentally simple, requiring materials that are readily available, i e., a gas chromatograph, a temperature bath, a few septum-capped bottles, and gas-tight syringes.

MP 916
ON THE ORIGIN OF PINGOS—A COMMENT.
Mackay, J.R., 1976, Vol.30, p 295-298, Comment to H. Ryckborst's paper (see 31-2549). 10 refs.
31-2679
PINGOS, GROUND ICE, SOIL WATER, SUBSURFACE STRUCTURES, ACTIVE LAYER, PERMAFROST HYDROLOGY, ICE LENSES, ORIGIN

MP 917
HIGH-LATITUDE BASINS AS SETTINGS FOR CIRCUMPOLAR ENVIRONMENTAL STUDIES.
Slaughter, C.W., et al, Circumpolar Conference on Northern Ecology, Ottawa, Sep. 15-18, 1975. Proceedings, Ottawa, National Research Council, Canada, 1975, p.IV/57-IV/68, 48 refs., In English with French summary.
Santeford, H.S.
31-2564
RESEARCH PROJECTS, WATERSHEDS, ENVIRONMENTS, INTERNATIONAL COOPERATION.
Much environmental research (both small scale and large) may logically be conducted within the larger context of entire drainage basins—Research Watersheds These are catchments which represent major environmental settings (e g., Arctic tundra, subarctic taiga) and are specifically dedicated to research The hydrologic cycle of a complete catchment considered from precipitation through basin yield provides a functional and conceptual base for considering mass, nutrient, and energy transfer questions relevant to ecosystem functioning. With proper planning and execution, advantages to be gained may include economy of effort, better cooperation between disciplines, improved application of results to real-world problems, and enhanced potential for comparative studies among circumpolar settings In high latitudes, where climate, transportation and logistics, available scientific manpower, and lack of good background data often combine to render research both difficult and expensive, increased efficiency through integration of complementary biological and physical studies is especially attractive. In 1974-75 a start was made toward such a circumpolar program Through the International Hydrological Decade (IHD), initial meetings of Swedish, Canadian, and U S scientists have considered objectives of facilitating communication and data exchange, and ultimately improving understanding of hydrologic functioning in high-latitude environments In Alaska the 104-sq-km Caribou-Poker Creeks Research Watershed provides one example of multi-disciplinary, multi-agency research into environmental and hydrological behaviour of subarctic uplands, with provision for physical and biological investigations and experimentation Similar circumpolar efforts should prove useful in a wide variety of discipline-specific and integrated scientific efforts

MP 918
SEA ICE PROPERTIES AND GEOMETRY.
Weeks, W.F., Dec. 1976, No.34, p.137-171, Refs p.167-171.
31-2290
SEA ICE, ICE MECHANICS, ICE PHYSICS, ICE STRENGTH, ICE COVER THICKNESS, PRESSURE RIDGES

MP 919
DELINEATION AND ENGINEERING CHARACTERISTICS OF PERMAFROST BENEATH THE BEAUFORT SEA.
Sellmann, P.V , et al, Environmental assessment of the Alaskan Continental Shelf Vol 4 Principal investigators' reports July-September 1976, Boulder, Colorado, Environmental Research Laboratories, 1976, p.53-60, 3 refs.
Berg, R.L., Brown, J., Blouin, S.E., Chamberlain, E.J., Iskandar, A., Ueda, H.T
31-2621
OFFSHORE DRILLING, DRILL CORE ANALYSIS, ENGINEERING GEOLOGY, SUBSEA PERMAFROST.

MP 920
LAND TREATMENT OF WASTEWATER—CASE STUDIES OF EXISTING DISPOSAL SYSTEMS AT QUINCY, WASHINGTON AND MANTECA, CALIFORNIA.
Murrmann, R.P., et al, Waste Management Conference, 8th, Rochester, N.Y., April 28-30, 1976. Proceedings, Rochester, N.Y., 1976, 36p., 21 refs.
Iskandar, I.K.
31-3656
WASTE TREATMENT, WATER TREATMENT, SOIL CHEMISTRY, WATER CHEMISTRY, IRRIGATION, UNITED STATES—WASHINGTON—QUINCY, UNITED STATES—CALIFORNIA—MANTECA.
Evaluations of long-term systems for wastewater disposal on land by slow infiltration at Manteca, California, and Quincy, Washington, are presented Factors considered include site history, operational characteristics, current performance and impact on soil characteristics. Domestic undisinfected wastewater has been applied at these locations by flood irrigation for up to 20 years At Manteca, forage vegetation (rye grass) has been continuously maintained while at Quincy a crop rotation has been practiced The system at Quincy has been relatively heavily loaded by application of approximately 15 cm/A (6 in./A) per week while at Manteca an average of only 4 5 cm/A (1.8 in./A) of wastewater has been applied per week. At both sites a control field and two disposal fields were investigated for comparison Representative soil samples were collected at intervals to a depth of 150 cm. These were analyzed for about 30 pertinent chemical parameters including total and plant-available heavy metals Soil solution samples were collected at 80- and 160-cm depths with suction lysimeters. Pretreatment water samples, peripheral drainage water and ground water samples were also collected. All water samples were analyzed in the fields for pH, NH4-N, NO3-N and ortho-P during three periods in 1974.

MP 921
PROPOSED SIZE CLASSIFICATION FOR THE TEXTURE OF FROZEN EARTH MATERIALS.
McGaw, R., 1975, 10p., Presented at Les problèmes posés par la gélifraction. Recherches fondamentales et appliquées. Colloque interdisciplanaire, Paris-Le Havre, 23-25 April, 1975. Report No.311. 4 refs.
32-626
FROZEN GROUND, SOIL STRUCTURE, CLASSIFICATIONS, GROUND ICE.
The macroscopic fabric, or texture, of frozen earth materials represents a point-by-point summation of the microscopic nucleation, moisture flow, and heat flow around and between individual mineral particles. As such, frozen texture is intimately related to the basic mechanisms of ice segregation. A study of the details of frozen texture can lead to fundamental new knowledge on the formation and structural effects of segregated ice A size classification derived from laboratory tests is proposed for the systematic measurement of the characteristic (banded) element of interleaved soil and ice in fine-grained granular materials. Graphs are presented showing the relationship between the frozen texture of New Hampshire Silt and measured values of freezing rate as determined by the 0 C isotherm

MP 922
DYNAMICS OF NEAR-SHORE ICE.
Weeks, W.F., et al, Environmental assessment of the Alaskan Continental Shelf, Vol.4. Principal investigators' reports July-September 1976. Boulder, Colorado, Environmental Research Laboratories, 1976, p 267-275.
Kovacs, A.
31-2630
SEA ICE, REMOTE SENSING, ICE CONDITIONS, RESEARCH PROJECTS

MP 923
INTERESTING FEATURES OF RADAR IMAGERY OF ICE-COVERED NORTH SLOPE LAKES.
Weeks, W.F., et al, 1977, 18(78), p.129-136, In English with French and German summaries. 15 refs
Sellmann, P.V , Campbell, W.J.
31-3363
LAKE ICE, RADAR PHOTOGRAPHY, ICE WATER INTERFACE, ICE SOLID INTERFACE, ICE COVER THICKNESS, REFLECTIVITY, UNITED STATES—ALASKA—NORTH SLOPE
Side-looking airborne radar (SLAR) imagery obtained in April-May 1974 from the North Slope of Alaska between Barrow and Harrison Bay indicates that tundra lakes can be separated into two classes based on the strength of the radar returns Correlations between the areal patterns of the returns, limited ground observations on lake depths and water compositions, and information obtained from LANDSAT imagery strongly suggest that areas of fresh water lakes giving weak returns are frozen completely to the bottom while areas giving strong returns are not This is a reasonable interpretation inasmuch as the reflection coefficient associated with the high-dielectric-contrast ice-water interface would be roughly twelve times that associated with the low-contrast ice-soil interface Brackish lakes also give weak returns even when they are not completely frozen This is the result of the brine present in the lower portion of the ice cover limiting the penetration of the X-band radiation into the ice. The ability to separate tundra lakes rapidly and easily into these two classes via SLAR should be useful in understanding a wide variety of problems.

MP 924
DYNAMICS OF NEAR-SHORE ICE.
Kovacs, A., et al, Environmental assessment of the Alaskan Continental Shelf, Vol 4. Principal investigators' reports October-December 1976. Boulder, Colorado, Environmental Research Laboratories, 1977, p.106-112.
Weeks, W.F.
31-2776
SEA ICE, FAST ICE, ICE MECHANICS, RADAR ECHOES, LOGISTICS.

MP 925
PRELIMINARY EVALUATION OF NEW LF RADIOWAVE AND MAGNETIC INDUCTION RESISTIVITY UNITS OVER PERMAFROST TERRAIN.
Sellmann, P.V , et al, June 1977, No 119, Symposium on Permafrost Geophysics, Vancouver, Oct. 12, 1976. Proceedings. p.39-42.
Arcone, S.A , Delaney, A J.
32-2614
MEASURING INSTRUMENTS, ELECTRICAL RESISTIVITY, ELECTROMAGNETIC PROSPECTING, PERMAFROST DISTRIBUTION.

MP 926
SNOW AND SNOW COVER IN MILITARY SCIENCE.
Swinzow, G.K , Fuse/Ammunition/Environment Symposium, Picatinny Arsenal, Dover, N.J., 1978, p.1-239-1-262, 26 refs.
32-2679
SNOW COVER EFFECT, MILITARY OPERATION, MILITARY EQUIPMENT.
Pertinent properties of a snow cover are thicknesses of individual layers, snow density, hardness, grain sizes and temperatures A snow cover is subject to constant metamorphism and its occurrence is subject to seasonal and geographic distribution. A snow cover is a serious obstacle for traffic, especially military transportation As a material, snow may be used for shelters, camouflage and fortification Observations of attenuation of fast projectiles and fragments are reported. It is concluded that snow may be a material seriously affecting fuze mechanisms of certain projectiles and may degrade ammunition effects Cited and recommended literature covers most of the aspects of the role of snow in warfare.

MP 927
DELINEATION AND ENGINEERING CHARACTERISTICS OF PERMAFROST BENEATH THE BEAUFORT SEA.
Sellmann, P.V., et al, Environmental assessment of the Alaskan Continental Shelf, Vol 4. Principal investigators' reports October-December 1976, Boulder, Colorado, Environmental Research Laboratories, 1977, p.234-237, 1 ref.
Berg, R.L , Brown, J., Blouin, S E , Chamberlain, E.J., Iskandar, A., Ueda, H T
31-2780
SEA ICE, SUBSEA PERMAFROST.

MP 928
UTILITY DISTRIBUTION PRACTICES IN NORTHERN EUROPE.
McFadden, T., et al, Jan. 1977, EPS 3-WP-77-1, Symposium on Utilities Delivery in Arctic Regions, March 16-18, 1976, Edmonton, Alberta, Canada, p.70-95.
Aamot, H.W.C.
31-3076
UTILITIES, PIPELINES, PLASTICS, POWER LINE ICING, FROST PROTECTION.
This report represents information on utility distribution systems gathered on a study trip to Scandinavia and Great Britain and Iceland The information concerns new technology and materials in cold weather related problems and solutions The distribution systems involved are water and sewage lines, vacuum sewage and pneumatic solid waste collection lines, heat distribution lines and electrical transmission lines In Sweden much information was obtained on plastic pipes for water and sewage lines and frost penetration protection There are large district heating systems in operation and much information was found on heat distribution pipe systems and long distance heat transmission In Norway, where almost all electricity is produced by hydro-electric stations, information was collected on electric transmission line icing problems and self supporting aerial cables for electrical distribution A wealth of information was gathered in London where the water and sewage systems are among the oldest and largest in the world and where some material and methods have a long history of success and other new ones are being introduced District heating technology is also highly developed in London, but large systems have not yet evolved Pneumatic solid wastes collection systems are being introduced

MP 929
FREEZE DAMAGE PREVENTION IN UTILITY DISTRIBUTION LINES.
McFadden, T., Jan 1977, EPS 3-WP-77-1, Symposium on Utilities Delivery in Arctic Regions, March 16-18, 1976, Edmonton, Alberta, Canada, p.221-231, 3 refs.
31-3082
WATER PIPES, PIPELINE FREEZING, ICE PRESSURE, PRESSURE CONTROL.

MP 930
FIELD PERFORMANCE OF A SUBARCTIC UTILIDOR.
Reed, S.C., Jan. 1977, EPS 3-WP-77-1, Symposium on Utilities Delivery in Arctic Regions, March 16-18, 1976, Edmonton, Alberta, Canada. p.448-468.
31-3092
UTILITIES, COLD WEATHER PERFORMANCE, FOUNDATIONS, WATER SUPPLY, WASTE DISPOSAL.
This paper describes the design, construction, performance and ultimate failure of a functioning utilidor. It is hoped that the lessons learned in this case study description will be of interest and use to engineers concerned with planning and design of such systems.

MP 931
EXAMINING ANTARCTIC SOILS WITH A SCANNING ELECTRON MICROSCOPE.
Kumai, M , et al, Dec. 1976, 11(4), p.249-252, 5 refs
Anderson, D.M , Ugolini, F.C.
31-2963
SOIL CHEMISTRY, WEATHERING, MINERALOGY, X RAY ANALYSIS, ELECTRON MICROSCOPY, ANTARCTICA—BEACON VALLEY, ANTARCTICA—WRIGHT VALLEY.
Results are reported of an investigation by scanning electron microscopy (SEM) and energy dispersion X-ray analysis (EDXA) of the morphology, degree of weathering, and chemical species of six samples of soils from Beacon Valley, lateral valley adjoining Beacon Valley, and lower Wright Valley. EDXA revealed 11 elements in the soil samples: sodium, magnesium, aluminum, silicon, sulfur, chlorine, potassium, calcium, titanium, manganese, and iron Chromium, palladium, and gold, used in shadowing, were also found. A typical SEM of soil from Beacon Valley showed rounded grains, which had been subjected to much mechanical and chemical weathering Chemical species identified by EDXA included Ca, Mg, and Na chlorides, and CaSO4 The soil of Beacon Valley is ahumic, saline soil EDXA of the sandy soil of first lateral valley revealed a quartz particle showing weathering, with contamination by Na, Ca, and Fe, and CaSO4 The ahumic, saline soil of lower Wright Valley shows grains with sharp edges, indicating weak weathering and thus a relatively young age Magnetite and silicate were found, and Fe, CaC12, and KC1 were identified using EDXA.

MP 932
GEOPHYSICAL METHODS FOR HYDROLOGICAL INVESTIGATIONS IN PERMAFROST REGIONS.
Hoekstra, P., Conference on Soil-Water Problems in Cold Regions, 2nd, Edmonton, Sep. 1976. Proceedings, 1976, p.75-90, 6 refs.
31-1908
GEOPHYSICAL SURVEYS, PERMAFROST HYDROLOGY, ELECTROMAGNETIC PROSPECTING, PERMAFROST INDICATORS, DISCONTINUOUS PERMAFROST.

MP 933
EFFECT OF SNOW COVER ON OBSTACLE PERFORMANCE OF VEHICLES.
Hanamoto, B., Oct. 1976, 13(3), p.121-140, 11 refs For another version see 27-2795.
31-3028
TRACKED VEHICLES, SNOW COVER EFFECT, COLD WEATHER PERFORMANCE, TOPOGRAPHIC FEATURES, TRAFFICABILITY, SNOW VEHICLES
Trafficability of terrain is a function of soft soil, hard or rough ground, geometric obstacles, vegetation, and the riverine environment. All of these terrain aspects are altered by cold temperatures and snow cover This paper examines the effect of snow cover on obstacle crossing performance of vehicles The mathematical expressions describing step negotiation, trench crossing, and slope climbing on snow covered obstacles are given in terms of tracked vehicle, obstacle, and snow parameters Tests of two tracked vehicles on snow covered slopes, stream crossings, steps and trenches were conducted, and some of the results were compared with computed values Differences between computed and experimental values are attributed to neglecting slip-sinkage and track deflection in the computations (Auth.)

MP 934
REMOTE SENSING OF ACCUMULATED FRAZIL AND BRASH ICE.
Dean, A.M., Jr., National Hydrotechnical Conference, 3rd (with the participation of the Municipal Section), Quebec, May 30-31, 1977. Proceedings, Université Laval, Canadian Society for Civil Engineering, 1977, p.693-704, In English with French summary. 6 refs.
31-3434
FRAZIL ICE, ICE CONDITIONS, REMOTE SENSING, ICE COVER THICKNESS, IMPACT STRENGTH, AERIAL RECONNAISSANCE, COMPUTER APPLICATIONS, ICE NAVIGATION.
The use of a broad-banded impulse radar system for aerial detection of accumulated frazil and brash ice in a 9.5 km reach of the St. Lawrence River is described The impact of excessive frazil ice accumulation on the extended navigation season and on power generation is discussed Equipment and technique are evaluated, while the data are presented as a contour map of ice thickness

MP 935
AIR PHOTO INTERPRETATION OF A SMALL ICE JAM.
DenHartog, S.L , National Hydrotechnical Conference, 3rd (with the participation of the Municipal Section), Quebec, May 30-31, 1977. Proceedings, Université Laval, Canadian Society for Civil Engineering, 1977, p.705-719, In English with French summary.
31-3435
ICE JAMS, ICE MECHANICS, PHOTOINTERPRETATION, VELOCITY, SLOPES, AERIAL PHOTOGRAPHS.
Air photos of a small ice jam on the Pemigewasett River near Plymouth, N H , were taken three days after the jam and compared with photos taken after the ice went out The winter photos show a marked and sudden decrease in flow size apparently indicative of faster and longer movement of the ice The spring photos show a number of shallows and obstructions that apparently had no effect on the ice movement. It is concluded that this jam was caused by a change in slope and subsequent reduction in velocity.

MP 936
NUMERICAL SIMULATION OF AIR BUBBLER SYSTEMS.
Ashton, G.D., National Hydrotechnical Conference, 3rd (with the participation of the Municipal Section), Quebec, May 30-31, 1977. Proceedings, Université Laval, Canadian Society for Civil Engineering, 1977, p.765-778, In English with French summary. 7 refs.
31-3438
BUBBLING, ICE PREVENTION, ICE CONTROL, HEAT TRANSFER, MECHANICAL ICE PREVENTION, EQUIPMENT, ANALYSIS (MATHEMATICS).
The use of air bubbler systems to suppress ice formation is a technique which has been applied in a variety of situations and with varying degrees of success Recently two-dimensional line source bubbler systems were analyzed (Ashton, 1974) in an effort to make available a tool which may be used in the design of a bubbler installation. That analysis was a steady-state evaluation of the melting rate of an ice cover above a bubbler system predicted on the basis of the input variables (depth, air discharge rate, water temperature). In actual operation, however, a bubbler "sees" changing conditions such as diurnal and longer-term weather conditions, varying water temperatures, and depletion of the available thermal reserve The simulation presented herein uses the steady-state analysis developed earlier (Ashton, 1974) and steps it in time with each new condition determined from the results of the previous time step In this sense the analysis herein may be considered quasi-steady. Results of the simulation are presented for an example case for a winter in Duluth, Minnesota and illustrate selection of time step size, effect of various strategies of intermittent operation, and variation in width of open water area with changing weather conditions

MP 937
REVIEW OF ICE PHYSICS BY P.V. HOBBS.
Ackley, S F., June 1977, 58(6), p.341-342.
31-3517
ICE PHYSICS

MP 938
LONG DISTANCE HEAT TRANSMISSION WITH STEAM AND HOT WATER.
Aamot, H W C , et al, International Total Energy Congress, Copenhagen, Oct 4-8, 1976, Proceedings, 1976, 39p., 9 refs.
Phetteplace, G
32-2680
HEAT TRANSMISSION, STEAM, WATER PIPELINES, COST ANALYSIS, COMPUTER PROGRAMS.

MP 939
ICE ENGINEERING FACILITY HEATED WITH A CENTRAL HEAT PUMP SYSTEM.
Aamot, H.W.C., et al, Energy Environment Conference, Kansas City, Mar. 27-31, 1977. Proceedings. Kansas City, Missouri, 1977, 4p.
Sector, P.W.
32-2681
BUILDINGS, HEATING, HEAT RECOVERY, REFRIGERATION.

MP 940
SEA ICE THICKNESS PROFILING AND UNDER-ICE OIL ENTRAPMENT.
Kovacs, A., Offshore Technology Conference, 9th Houston, May 2-5, 1977. Proceedings, Vol.3, Houston, Texas, 1977, p.547-550, 3 refs.
32-2682
SEA ICE, ICE COVER THICKNESS, MEASURING INSTRUMENTS, RADAR ECHOES.
Results obtained with a unique dual-antenna impulse radar system used to profile first- and multi-year sea ice near Prudhoe Bay, Alaska, are discussed A description of the radar system is given along with representative field data From the radar impulse travel times obtained with the use of dual antennas, calculations of thickness, electromagnetic impulse velocity and effective dielectric constant of the ice were made. Ice thicknesses determined by direct measurement and those calculated using the radar impulse travel times were found to be in good agreement. Continuous ice thickness profiles obtained with the radar were analyzed to provide representative cross sections of first-year and multi-year sea ice. These cross sections reveal the undulating bottom surface relief of both ice types. Calculations are presented that indicate a significant amount of oil could be trapped within this bottom relief should the oil be released under the ice from a sea-floor oil-production system.

MP 941
IONIC MIGRATION AND WEATHERING IN FROZEN ANTARCTIC SOILS.
Ugolini, F.C., et al, June 1973, 115(6), p.461-470, 34 refs.
Anderson, D.M.
28-617
FROZEN GROUND CHEMISTRY, SOIL WATER, SOIL CHEMISTRY, UNFROZEN WATER CONTENT, ION DIFFUSION.
Soils of continental Antarctica are forming in one of the most severe terrestrial environments. Continuously low temperatures and the scarcity of water in the liquid state result in the development of desert-type soils. In an earlier experiment to determine the degree to which radioactive NaCl36 would migrate from a shallow point source in permafrost, movement was observed To confirm this result, a similar experiment involving Na22Cl has been conducted. Significantly less movement of the Na22 ion was observed. Ionic movement in the unfrozen interfacial films at mineral surfaces in frozen ground is held to be important in chemical weathering in Antarctic and other desert soils.

MP 942
MANAGEMENT OF POWER PLANT WASTE HEAT IN COLD REGIONS.
Aamot, H.W.C., Sep.-Oct. 1975, 16(5), p.22-24. For a detailed treatment of this topic see 29-2708 (CRREL TR 257).
32-2683
BUILDINGS, HEATING, HEAT RECOVERY, COST ANALYSIS.

MP 943
WORD MODEL OF THE BARROW ECOSYSTEM.
Brown, J., et al, Conference on Productivity and Conservation in Northern Circumpolar Lands, Edmonton, Alberta, Oct.15-17, 1969 Proceedings. Edited by W.A. Fuller and P.G. Kevan. Morges, Switzerland, International Union for Conservation of Nature and National Resources, 1970, p.41-43
Pitelka, F.A , Coulombe, H N.
31-4099
ECOSYSTEMS, TUNDRA VEGETATION, TUNDRA SOILS, GRAZING, TEMPERATURE EFFECTS, MOISTURE FACTORS, ANIMALS, UNITED STATES—ALASKA—BARROW

MP 944
SYNTHESIS AND MODELING OF THE BARROW, ALASKA, ECOSYSTEM.
Coulombe, H.N., et al, Conference on Productivity and Conservation in Northern Circumpolar Lands, Edmonton, Alberta, Oct.15-17, 1969 Proceedings. Edited by W.A. Fuller and P.G Kevan. Morges, Switzerland, International Union for Conservation of Nature and National Resources, 1970, p.44-49, 6 refs
Brown, J.
31-4100
ECOSYSTEMS, TUNDRA VEGETATION, TUNDRA SOILS, MODELS, ANIMALS, COMPUTER APPLICATIONS, UNITED STATES ALASKA BARROW

MP 945
ENVIRONMENTAL SETTING, BARROW, ALASKA.
Brown, J., Conference on Productivity and Conservation in Northern Circumpolar Lands, Edmonton, Alberta, Oct.15-17, 1969 Proceedings. Edited by W.A. Fuller a...J P.G. Kevan, Morges, Switzerland, International Union for Conservation of Nature and National Resources, 1970, p.50-64, 67 refs.
31-4101
ENVIRONMENTS, ARCTIC LANDSCAPES, TUNDRA VEGETATION, TUNDRA SOILS, THERMAL REGIME, PERMAFROST, GEOMORPHOLOGY, SHORELINE MODIFICATION, UNITED STATES—ALASKA—BARROW.
The Barrow environment can be characterized as follows. (1) Situated at the northern extremity of the Arctic Coastal Plain, it has a climate consisting of long, dry, cold winters and short, moist, cool summers. The latter is moderated by the influence of the Arctic Ocean. (2) Vegetation is meadow-like with an abundance of sedges, grasses, herbs and a few dwarf shrub species. (3) Soils are predominantly wet, with an average seasonal thaw of approximately 40 cm (4) Perennially frozen ground underlies the entire land surface to depths in excess of 300 meters. (5) The near-surface coastal plain sediments are marine in origin and mid- to late-Pleistocene in age (6) The tundra landscape is characterized by active geomorphic processes such as lake erosion, polygonal ground formation and frost stirring of the soil.

MP 946
BIBLIOGRAPHY OF THE BARROW, ALASKA, IBP ECOSYSTEM MODEL.
Brown, J., Conference on Productivity and Conservation in Northern Circumpolar Lands, Edmonton, Alberta, Oct 15-17, 1969. Proceedings. Edited by W.A. Fuller and P.G. Kevan. p.65-71.
31-4102
BIBLIOGRAPHIES, ECOSYSTEMS, BIOMASS, ARCTIC REGIONS, MODELS, UNITED STATES—ALASKA—BARROW.

MP 947
CRREL IS DEVELOPING NEW SNOW LOAD DESIGN CRITERIA FOR THE UNITED STATES.
Tobiasson, W., et al, Feb. 1976, 33rd, p.70-72, Extended abstract only. 10 refs
Redfield, R.
31-4210
SNOW LOADS, ROOFS, DESIGN CRITERIA.

MP 948
EFFECTS OF RADIATION PENETRATION ON SNOWMELT RUNOFF HYDROGRAPHS.
Colbeck, S.C., Feb. 1976, 33rd, p.73-82, 10 refs. For this paper in another form see 31-4171.
31-4211
SNOWMELT, RUNOFF, SOLAR RADIATION, WATER FLOW.
Water flow through the unsaturated portion of a snowpack is calculated using various assumptions about radiation penetration into the snow The results show that for the purposes of hydrologic forecasting, it is sufficiently accurate to assume that all of the radiation absorption occurs on the surface The error in the calculation of flow is largest for very shallow snowpacks but this error is reduced by radiation absorption at the base of the snow and by the routing of meltwater through the saturated basal layer

MP 949
ATMOSPHERIC TRACE METALS AND SULFATE IN THE GREENLAND ICE SHEET.
Herron, M.M., et al, July 1977, 41(7), p.915-920, 22 refs.
Langway, C.C., Jr., Weiss, H.V., Cragin, J.H.
31-4306
ICE SHEETS, CHEMICAL ANALYSIS, METALS, GREENLAND.
Chemical analyses of surface snow and dated deep ice core samples from Central Greenland suggest that Zn, Pb and sulfate are presently being deposited there at two to three times the natural rates No recent increases in Cd or V concentrations were observed Pre 1900 ice shows no measurable effect of the activities of man and represents a good natural aerosol baseline High enrichment factors relative to average crustal material were observed for Zn, Pb, Cd and sulfate in all samples indicating a natural source other than continental dust is responsible A high temperature process or vapor phase origin for these enriched elements, possibly volcanism, seems likely

MP 950
WINTER MAINTENANCE RESEARCH NEEDS.
Minsk, L.D., National Research Council. Transportation Research Board. Highway maintenance research needs; report of a workshop held October 7-10, 1974, Washington, D.C., 1975, p.36-38, FHWA-RD-75-511, PB-247 125.
32-240
WINTER MAINTENANCE, ROAD MAINTENANCE, ICE REMOVAL, ANTIFREEZES, ICE CONTROL, SOIL POLLUTION.

MP 951
COMPRESSIVE AND SHEAR STRENGTHS OF FRAGMENTED ICE COVERS—A LABORATORY STUDY.
Cheng, S.T., et al, Aug. 1977, No.206, 82p., ADA-045 246, 7 refs.
Tatinclaux, J.C.
32-1809
FLOATING ICE, COMPRESSIVE STRENGTH, SHEAR STRENGTH, AIR TEMPERATURE, WATER TEMPERATURE, ICE STRUCTURE.

MP 952
PROCEEDINGS OF THE SECOND INTERNATIONAL SYMPOSIUM ON COLD REGIONS ENGINEERING.
Burdick, J., ed, Fairbanks, University of Alaska, Cold Regions Engineers Professional Association, 1977, 597p., For individual papers see 32-283 through 32-320.
Johnson, P., ed.
32-282
MEETINGS, ENGINEERING, LOW TEMPERATURE RESEARCH

MP 953
FREEZE DAMAGE PROTECTION FOR UTILITY LINES.
McFadden, T., International Symposium on Cold Regions Engineering, 2nd, Fairbanks, Aug. 12-14, 1976, Proceedings, Fairbanks, University of Alaska, Cold Regions Engineers Professional Association, 1977, p.12-16, 2 refs.
32-284
WATER PIPES, PIPELINE FREEZING, PIPELINE INSULATION, ICE PRESSURE.
A method for positioning freeze damage and resultant pipe failures was developed using insulation to position the pressure buildup and subsequent damage area. A pressure relief device fabricated largely from common pipe components was designed and tested. Results show that a significant portion of the failures can be eliminated Experiments into the mechanism involved in pipe freezing has shown that some of the old concepts are incorrect and new insight into the actual freezing process has resulted

MP 954
USE OF A LIGHT-COLORED SURFACE TO REDUCE SEASONAL THAW PENETRATION BENEATH EMBANKMENTS ON PERMAFROST.
Berg, R.L., et al, International Symposium on Cold Regions Engineering, 2nd, Fairbanks, Aug. 12-14, 1976, Proceedings, Fairbanks, University of Alaska, Cold Regions Engineers Professional Association, 1977, p.86-99, 9 refs.
Quinn, W.F.
32-289
PERMAFROST CONTROL, EMBANKMENTS, THAW DEPTH, SURFACE STRUCTURE, SOLAR RADIATION, ABSORPTIVITY
The construction of embankments on permafrost, particularly in regions where the mean ground temperature is close to the melting point, usually results in melting of the permafrost which may cause excessive settlement The depth of melting (thaw penetration) is considerably increased should the surface of the embankment be covered with a bituminous pavement This increased melting results from greater absorptance of solar radiation by the dark surface A light-colored surface (white traffic paint) has been used on the asphalt runway at Thule AB, Greenland (a cold permafrost site) and on highway test sections near Fairbanks, Alaska (a warm permafrost site) The selection of light-colored surfacing materials for embankments on permafrost can have a considerable benign influence on the depth of thaw penetration and ultimately thaw consolidation

MP 955
PERMAFROST EXCAVATING ATTACHMENT FOR HEAVY BULLDOZERS.
Garfield, D.E., et al, International Symposium on Cold Regions Engineering, 2nd, Fairbanks, Aug. 12-14, 1976, Proceedings, Fairbanks, University of Alaska, Cold Regions Engineers Professional Association, 1977, p.144-151, 5 refs
Mellor, M.
32-292
EXCAVATION, FROZEN GRAVEL, FROZEN GROUND STRENGTH
In anticipation of military needs for grading and excavating frozen ground an attachment for heavy engineer tractors was developed. The attachment consists of a hydraulically driven horizontal cutter drum that attaches to bulldozer push arms, together with an auxiliary power source that attaches to the rear of the tractor The machine is intended to break up frozen soil so that it can be handled by conventional earthmoving equipment. Tests in frozen gravel and in rock outcrops demonstrated that the machine and its cutting picks could withstand the most severe cutting conditions that would normally be met. In frozen gravel, cutting rates at a drum operating depth of 1.0 ft (0.3 m) averaged 1.5 ft/min (7.6 mm/s) at a 30-rev/min drum speed and 1.7 ft/min (8.6 mm/s) at 15 rev/min Operating at the same depth in frozen silt, cutting rates averaged 1.8 ft/min (9.1 mm/s) at both 30-rev/min and 15-rev/min drum speeds, however, cutting rates varied considerably at the lower drum speed. Modifications suggested for future designs include changes in the tooth lacing pattern and changes in the method of attaching the drum to the tractor.

MP 956
ICE FOG SUPPRESSION USING MONOMOLECULAR FILMS.
McFadden, T., International Symposium on Cold Regions Engineering, 2nd, Fairbanks, Aug. 12-14, 1976, Proceedings, Fairbanks, University of Alaska, Cold Regions Engineers Professional Association, 1977, p.361-367, 6 refs.
32-306
ICE FOG, COUNTERMEASURES, FILMS, CHEMICAL REACTIONS.
Experiments in ice fog suppression using the evaporation reduction abilities of several chemical films are discussed. Advantages and disadvantages of different films are considered and techniques for minimizing some of the disadvantages are described Fog reduction, both ice fog and cold vapor fog, can be achieved very economically using these films. Up to 85% of the fog normally generated can be suppressed, however, the remaining 15% cannot be eliminated by this technique

MP 957
MEASURING UNMETERED STEAM USE WITH A CONDENSATE PUMP CYCLE COUNTER.
Johnson, P.R., International Symposium on Cold Regions Engineering, 2nd, Fairbanks, Aug. 12-14, 1976, Proceedings, Fairbanks, University of Alaska, Cold Regions Engineers Professional Association, 1977, p.434-442, 2 refs.
32-313
BUILDINGS, HEAT LOSS, STEAM, PUMPS, MEASUREMENT.
The steam heat used in a combination dormitory and office building at Eielson AFB, Alaska, was measured over a 303-day period using a counter on the condensate return pump The general relationships between pump cycle frequency and condensate flow were derived This information was used to calibrate the system and express condensate flow and heat use with the number of pump cycles per hour. The heat used by the building consisted of a constant load for water heating and heat loss within the building and a variable load for space heating The variable space-heating load was strongly controlled by the outside air temperature and apparently consists of two temperature-dependent heat loss mechanisms The first is conduction through the walls It is speculated that the second is open-window air exchange for ventilation and to control room temperatures The condensate pump cycle counter proved to be an inexpensive means of measuring steam use suitable for engineering and energy conservation studies Further studies of actual heat consumption by various types of buildings in Alaska are recommended

MP 958
REINSULATING OLD WOOD FRAME BUILDINGS WITH UREA-FORMALDEHYDE FOAM.
Tobiasson, W., et al, International Symposium on Cold Regions Engineering, 2nd, Fairbanks, Aug. 12-14, 1976, Proceedings, Fairbanks, University of Alaska, Cold Regions Engineers Professional Association, 1977, p.478-487, 6 refs
Flanders, S.N.
32-314
BUILDINGS, WALLS, THERMAL INSULATION, HEAT LOSS, CELLULAR PLASTICS
Urea-formaldehyde (UF) foam was investigated for use as an insulation retrofit material in cold regions A test installation of the material was made in wood frame walls at Fort Greely, Alaska in August 1974 Two months after a nondestructive series of tests was completed that measured thermocouples and an infrared camera revealed a marked improvement in the wall's insulating performance Costs in test areas eight months after retrofit filling and showed shrinkage to be under 2 The implications of these and other findings for the variables of foam as an insulation retrofit material are discussed We are cautiously optimistic that UF foam has good potential for use in cold regions

MP 959
SOME ECONOMIC BENEFITS OF ICE BOOMS.
Perham, R.E., International Symposium on Cold Regions Engineering, 2nd, Fairbanks, Aug. 12-14, 1976, Proceedings, Fairbanks, University of Alaska, Cold Regions Engineers Professional Association, 1977, p.570-591, 29 refs.
32-319
ICE BOOMS, ICE CONTROL, RIVER ICE, LOADS (FORCES), COST ANALYSIS, ECONOMICS.
In early winter, ice booms are used to assist nature in quickly forming a solid ice cover on rivers The open water, insulated in this way, is no longer the source of frazil ice which, in the past, has caused ice jams, flooding, and the loss of electrical generating capacity. They function in other ways as well such as strengthening the ice sheet edge against subsequent damage and restraining its movement. Ice booms are basically lines of floating timbers or pontoons held in place by heavy cable structures connected to buried anchors. They were developed and are used mainly by hydroelectric power groups but they also help facilitate ship navigation in winter The cost of these ice control devices over the past 17 years has ranged from about $48/ft ($156/m) to $333/ft ($1094/m) with one set costing approximately $1,500,000 The value of many ice booms can best be related to the cost of replacing the electric power that could be lost if they were not present, as opposed to trying to choose a cost basis for a flood. A rough estimate of $0 01/kWh for the value of replacement power is used here. The most valuable ice boom could be the Lake Erie Ice boom which saves an estimated $13,000,000 per year. Next are the ice booms on the Beauharnois Canal which are used with particular operating techniques to save approximately $4,300,000 per year. Ice booms can also help save millions in shipping costs as well by stopping excessive ice movements during the navigation season in winter on the Great Lakes

MP 960
YUKON RIVER BREAKUP 1976.
Johnson, P., et al, International Symposium on Cold Regions Engineering, 2nd, Fairbanks, Aug. 12-14, 1976, Proceedings, Fairbanks, University of Alaska, Cold Regions Engineers Professional Association, 1977, p.592-596, 8 refs.
Burdick, J., Esch, D., McFadden, T., Osterkamp, T.E., Zarling, J.
32-320
RIVER ICE, ICE BREAKUP, ICE LOADS, OFFSHORE STRUCTURES.
A recently completed bridge across the Yukon River, north of Fairbanks, Alaska, provides an opportunity for studying breakup processes and measuring ice forces on a structure in a major river where ice conditions are near the continental extreme Above the bridge the river flows through the 200-mile long Yukon Flats, a marshy, lake-dotted area. The multiple channels of the river meander back and forth providing a very large water surface for winter ice production. The winters are long and severely cold with only light snowfall so the Flats produce very large quantities of thick ice which pass through the bridge each spring. The bridge is a six-span continuous orthotropic-deck structure spanning a 2,000-foot channel Five reinforced concrete piers secured to bedrock with prestressed rock anchors are subject to river ice. Steel legs rise from the tops of the piers to carry the deck USACRREL, University of Alaska, and Alaska Department of Highways personnel observed ice-bridge interactions during the 1976 breakup Time lapse and regular speed Super 8 movie and 35mm still photographs were taken. Several types of ice failure were observed including crushing along the full width of the piers, splitting, combined splitting and crushing and non-failure

MP 961
INFRARED DETECTIVE: THERMOGRAMS AND ROOF MOISTURE.
Korhonen, C., et al, Sep. 1977, 19(9), p.41-44.
Tobiasson, W., Dudley, T.
32-508
INFRARED EQUIPMENT, ROOFS, MOISTURE, INSULATION.
Four building roofs at Pease AFB were surveyed with a hand-held infrared camera to detect wet insulation Areas of wet insulation on these roofs were marked with spray paint, and 3-in -dia core samples of the built-up membrane and insulation were taken to verify wet and dry conditions Flashing defects are considered responsible for most of the wet insulation uncovered in this survey Recommendations for maintenance, repair, and replacement were developed from the infrared surveys, core samples and visual examinations

MP 962
REPETITIVE LOADING TESTS ON MEMBRANE ENVELOPED ROAD SECTIONS DURING FREEZE THAW.
Smith, N., et al, Preprints of papers presented at a specialty session of the ASCE Fall Convention and Exhibit, San Francisco, California, Oct. 17-21, 1977, American Society of Civil Engineers, 1977, p.171-197, 15 refs.
Eaton, R.A., Stubstad, J.
32-562
FREEZE THAW TESTS, ROADS, SUBGRADE PREPARATION, PROTECTIVE COATINGS, SOIL AGGREGATES, SOIL STRENGTH, DYNAMIC LOADS.

MP 963
DYNAMIC IN-SITU PROPERTIES TEST IN FINE-GRAINED PERMAFROST.
Blouin, S.E., Preprints of papers presented at a specialty session of the ASCE Fall Convention and Exhibit, San Francisco, California, Oct. 17-21, 1977, American Society of Civil Engineers, 1977, p.282-313, 19 refs.
32-565
PERMAFROST PHYSICS, EXPLOSION EFFECTS, BLASTING.

MP 964
CASE FOR COMPARISON AND STANDARDIZATION OF CARBON DIOXIDE REFERENCE GASES.
Kelley, J.J., et al, Interbiome Workshop on Gaseous Exchange Methodology, Terrestrial Primary Productivity, Oak Ridge National Laboratory, 1973. Proceedings, 1973, p.163-181, 18 refs.
Coyne, P.I.
32-675
CARBON DIOXIDE, ENVIRONMENTS, PHOTOSYNTHESIS, MEASURING INSTRUMENTS, TUNDRA BIOME, SPECTROMETERS.
Infrared gas analytical techniques have made it possible to detect small amounts and changes in carbon dioxide in the environment. The reliability and intercomparison of these measurements depends on the ability to calibrate the IRGA with a high degree of precision and accuracy A mutual comparison scheme is presented to provide a method for calibrating an infrared gas analyzer and to document changes that occur in CO2 reference gas standards. It is suggested that a need exists to establish a central reference gas laboratory for the purpose of supply investigators with accurate reference gas standards. (Auth.)

MP 965
WASTEWATER TREATMENT IN COLD REGIONS.
Sletten, R.S., et al, 1976, 15p., ADA-026 156, Unpublished report.
Uiga, A.
32-1274
WASTE TREATMENT, WATER TREATMENT, MILITARY FACILITIES.
Wastewater treatment at remote military installations in Alaska presently consists of aerated lagoons and extended aeration package plants Although performance data for these systems are either very limited or in most cases nonexistent, indications are that most of these systems can not meet secondary effluent cr 'eria as defined by the EPA Proce'ses for upgrading to meet the new criteria must be as simple as possible to design, build and operate. In particular, the requirements for operation and maintenance should be minimal due to the remote, isolated nature of most of the camps Processes which appear to be feasible include land application, intermittent filtration, and variations of ponding.

MP 966
PASSAGE OF ICE AT HYDRAULIC STRUCTURES.
Calkins, D.J., et al, Annual Symposium of the Waterways, Harbors and Coastal Engineering Division of ASCE, 3rd, Fort Collins, Colorado, Aug. 10-12, 1976. (Proceedings), New York, American Society of Civil Engineers, 1976, p.1726-1736, 32 refs.
Ashton, G.D.
32-836
HYDRAULIC STRUCTURES, ICE LOADS, ICE MECHANICS, ICE BOOMS, ICE STRENGTH, RIVER ICE, ICE CONTROL.
The passage of ice through hydraulic structures is an important consideration in the construction of such works in the northern areas The performance of various structures in passing ice has been documented mainly in descriptive terms, however, some physical measurements have been made on the volumetric ice discharge through such openings. By expressing the ice discharge as a surface concentration, meaningful site comparisons can be made. Physical model studies on various aspects of ice related problems in rivers and at their structures have been increasing within the last five years. One major problem area is the assessment and influence of the strength of ice, which applies to both the field and laboratory studies

MP 967
EFFECT OF SEDIMENT ORGANIC MATTER ON MIGRATION OF VARIOUS CHEMICAL CONSTITUENTS DURING DISPOSAL OF DREDGED MATERIAL.
Blom, B.E., et al, May 1976, WES-CR-D-76-7, 183p., ADA-027 394.
Jenkins, T.F., Leggett, D.C., Murrmann, R.P.
32-850
SEDIMENT TRANSPORT, WASTE DISPOSAL, WATER POLLUTION, WATER CHEMISTRY, DREDGING

MP 968
WASTEWATER TREATMENT ALTERNATIVE NEEDED.
Iskandar, I.K., et al, Nov. 1977, 14(11), p.82-87, Refs.
Sletten, R.S., Jenkins, T.F., Leggett, D.C.
32-974
WASTE TREATMENT, WATER TREATMENT, SEEPAGE, SEWAGE TREATMENT.

MP 969
ICE DECAY PATTERNS ON A LAKE, A RIVER AND COASTAL BAY IN CANADA.
Bilello, M.A., Canadian Association of Geographers. Programme and abstracts (of the CAG Conference, 1977), University of Regina, 1977, p.120-127, 4 refs.
32-929
ICE COVER THICKNESS, ICE BREAKUP, ICE DETERIORATION, LAKE ICE, RIVER ICE, SEA ICE.

MP 970
RATE—THE INFLUENCE OF GRAZING ON THE ARCTIC TUNDRA ECOSYSTEMS.
Batzli, G.O., et al, 1976, 2(9), p 153-160.
Brown, J.
31-394
RESEARCH PROJECTS, TUNDRA VEGETATION, ECOSYSTEMS, ANIMALS, GRAZING, PLANTS (BOTANY), TUNDRA SOILS.

MP 971
COMPUTER MODELING OF TERRAIN MODIFICATIONS IN THE ARCTIC AND SUBARCTIC.
Outcalt, S.I., et al, Symposium: Geography of polar countries. XXIII International Geographical Congress, Leningrad, USSR, 22-26 July 1976, edited by J. Brown. Selected papers and summaries. CRREL SR 77-6, Hanover, New Hampshire, U.S. Army Cold Regions Research and Engineering Laboratory, 1977, p.24-32, ADA-038 379, In English with Russian summary. 41 refs.
Brown, J.
32-1305
TERRAIN IDENTIFICATION, COMPUTERIZED SIMULATION, MODELS, VEGETATION, PERMAFROST STRUCTURE, HUMAN FACTORS.

MP 972
LOCK WALL DEICING.
Hanamoto, B., Lock wall deicing studies. edited by B. Hanamoto. CRREL SR 77-22, Hanover, New Hampshire, Cold Regions Research and Engineering Laboratory, 1977, p 7-14, ADA-044 943.
32-1350
ICE REMOVAL, ICE PREVENTION, INFLATABLE STRUCTURES, PROTECTIVE COATINGS, LOCKS (WATERWAYS).

MP 973
LOCK WALL DEICING WITH HIGH VELOCITY WATER JET AT SOO LOCKS, MI.
Calkins, D.J., et al, Lock wall deicing studies, edited by B. Hanamoto. CRREL SR 77-22, Hanover, New Hampshire, Cold Regions Research and Engineering Laboratory, 1977, p.23-35, ADA-044 943, 2 refs.
Mellor, M., Ueda, H T.
32-1351
ICE REMOVAL, WATER EROSION, HIGH PRESSURE TESTS, LOCKS (WATERWAYS).

MP 974
LABORATORY EXPERIMENTS ON LOCK WALL DEICING USING PNEUMATIC DEVICES.
Itagaki, K , et al, Lock wall deicing studies, edited by B Hanamoto CRREL SR 77-22, Hanover, New Hampshire, Cold Regions Research and Engineering Laboratory, 1977, p 53-68, ADA-044 943, 1 ref
Frank, M., Ackley, S.F
32-1352
ICE REMOVAL, INFLATABLE STRUCTURES, LABORATORY TECHNIQUES, LOCKS (WATERWAYS).

MP 975
LAND APPLICATION OF WASTEWATER: FORAGE GROWTH AND UTILIZATION OF APPLIED NITROGEN, PHOSPHORUS AND POTASSIUM.
Palazzo, A.J., Cornell Agricultural Waste Management Conference, Ithaca, N.Y., 1976. Proceedings. Land as a waste management alternative. Edited by R.C. Loehr, Ann Arbor, Mich., Ann Arbor Science, 1977, p.171-180, 8 refs.
32-1526
WASTE DISPOSAL, SOIL CHEMISTRY, WATER CHEMISTRY, LAND DEVELOPMENT, PLANTS (BOTANY), GRASSES, GROWTH.
Data have been presented on the growth and chemical composition of forages when influenced by various application rates of wastewater during 1974 and 1975. The results show that the greatest average annual forage yields and N and P removal occurred at the highest application rate (15 cm/wk). However, forage removal efficiency of applied N and P was greatest at the lowest application rate of 5 cm/wk. At this rate an average of 97 percent of the applied N and 35 percent of the applied P was contained in the forage Analyses performed in 1974 and 1975 showed a reduction in the levels of K in the soil and forage in 1975, relative to 1974, which indicates a requirement for K fertilization for sustained productivity The reducton in K was related to the large quantities of this element required by crops and its low concentration in the wastewater. Soil analyses also showed reductions in soil pH and total exchangeable cations to levels which could be corrected by liming

MP 976
PRELIMINARY EVALUATION OF 88 YEARS RAPID INFILTRATION OF RAW MUNICIPAL SEWAGE AT CALUMET, MICHIGAN.
Baillod, C.R., et al, Cornell Agricultural Waste Management Conference, Ithaca, N.Y., 1976. Proceedings. Land as a waste management alternative. Edited by R.C. Loehr, Ann Arbor, Mich., Ann Arbor Science, 1977, p.489-510, 16 refs.
Waters, R.G., Iskandar, I.K., Uiga, A.
32-1527
WASTE DISPOSAL, WATER TREATMENT, LAND DEVELOPMENT, SEEPAGE, SEWAGE DISPOSAL, WATER CHEMISTRY.

MP 977
URBAN WASTE AS A SOURCE OF HEAVY METALS IN LAND TREATMENT.
Iskandar, I.K., International Conference on Heavy Metals in the Environment, Toronto, Ont., Canada, Oct. 27-31, 1975. Proceedings, Toronto, Canada, [1976], p.417-432, In English with French summary. 36 refs.
32-1528
WASTE DISPOSAL, SOIL CHEMISTRY, MICROELEMENT CONTENT, PLANTS (BOTANY), LAND DEVELOPMENT, SOIL POLLUTION, GRASSES, METALS.
Heavy metal accumulation in soils and forages of a slow infiltration prototype land treatment system over a two year period is discussed Uptake of heavy metals by plants and soils varied according to the amounts applied, soil type, and mode of wastewater application. Charlton silt loam soil retained more heavy metals than Windsor sandy loam Heavy metals were confined to the top 15 cm of the soil and vertical movement occurred only in the soil from the treatment receiving the highest application rate (15 cm/wk) Movement of heavy metals in this treatment was thought to be due to a redistribution of organic matter (hydraulic effect), a decrease in soil pH or both. Forages (quack grass) from all the treatments contained much higher concentrations of heavy metals than the control There were significant differences in plant tissue heavy metal accumulation between the different cuts. This was related to the concentration of heavy metals in the applied effluent. Forages from the second cut contained Cd and Ni and to some extent Cu at "toxic" levels, while Zn, Cr, Hg and Pb were present in normal or slightly higher amounts Spray irrigation of heavy metal-spiked wastewater resulted in much higher concentrations in the plant tissue than in those from flood irrigation treatments This could be due to absorption of heavy metals by the leaves in the sprayed forages

MP 978
FREEZE-THAW ENHANCEMENT OF THE DRAINAGE AND CONSOLIDATION OF FINE-GRAINED DREDGED MATERIAL IN CONFINED DISPOSAL AREAS.
Chamberlain, E.J., Oct. 1977, TR-D-77-16, 94p., ADA-046 400
Blouin, S.E.
32-1515
WASTE DISPOSAL, DREDGING, SOIL COMPACTION, SOIL FREEZING, FREEZE THAW CYCLES, PERMEABILITY.
Fine-grained dredged material obtained from disposal sites in the Great Lakes region was subjected to controlled freeze-thaw cycling in a special laboratory consolidometer. Volume changes and permeabilities were observed after full consolidation and freeze-thaw cycling for applied pressures in the range of 0.93 to 30.73 kPa It was observed that as much as 20 percent or more volume reduction results when dredged material with liquid limits in the range of 60 to 90 percent is subjected to one cycle of freezing and thawing The degree of overconsolidation by freezing and thawing appears to decrease with increasing amounts of coarse materials and with increasing plasticity. The vertical permeability of all materials examined was increased as much as two orders of magnitude, the greatest increase in permeability occurring for the fine-grained materials at the lowest stress levels

MP 979
WASTEWATER REUSE AT LIVERMORE, CALIFORNIA.
Uiga, A., et al, Cornell Agricultural Waste Management Conference, Ithaca, N.Y., 1976. Proceedings. Land as a waste management alternative. Edited by R.C. Loehr, Ann Arbor, Mich., Ann Arbor Science, 1977, p.511-531, 24 refs.
Iskandar, I.K., McKim, H.L.
32-1529
WASTE TREATMENT, WATER TREATMENT, WATER CHEMISTRY.
Wastewater reuse occurs at Livermore, California by application of treated effluent to a golf course, to a farmland, to an airport area and to a stream. Salinity problems occurred on the clay soils of the golf course because requirements for daily site access and wastewater application were contradictory. The effluent was successfully reused at the agriculture site and disposal area. The outfall discharge increased the total dissolved solids of the receiving water and discharged large quantities of chlorine Soil chemical analysis showed that exchangeable sodium percentage, total phosphorus, soluble phosphorus, pH, and organic carbon were changed but not critically by effluent reuse The changes, except in pH, could be explained by existing agronomic techniques for irrigation in a semi-arid climate

MP 980
DETERMINATION OF 2,4,6-TRINITROTOLUENE IN WATER BY CONVERSION TO NITRATE.
Leggett, D.C., 1977, Vol.49, p.880, 5 refs.
32-1530
WATER TREATMENT, WATER CHEMISTRY, WASTE DISPOSAL, WASTE TREATMENT.

MP 981
WATER VAPOR ADSORPTION BY SODIUM MONTMORILLONITE AT -5C.
Anderson, D.M., et al, 1978, Vol.34, p.638-644, 8 refs
Schwarz, M.J., Tice, A.R.
33-634
WATER VAPOR, ADSORPTION, LOW TEMPERATURE TESTS, CLAY MINERALS, MARS (PLANET).
A large amount of interest has recently been expressed pertaining to the quantity of physically adsorbed water by the Martian regolith. Thermodynamic calculations based on experimentally determined adsorption and desorption isotherms and extrapolated to subzero temperatures indicate that physical adsorption of more than one or two monomolecular layers is highly unlikely under Martian conditions. Any additional water would find ice to be the state of lowest energy and therefore the most stable form. To test the validity of the thermodynamic calculations, we have measured adsorption and desorption isotherms of sodium montmorillonite at -5C. To a first approximation it was found to be valid

MP 982
ROOF LOADS RESULTING FROM RAIN ON SNOW; RESULTS OF A PHYSICAL MODEL.
Colbeck, S.C., Dec. 1977, 4(4), p.482-490, In English with French summary. 11 refs. See also 32-1151 (CR 77-12).
32-1648
ROOFS, SNOW LOADS, RAIN, MATHEMATICAL MODELS.
A physical model is used to calculate roof loads due to rain on a snow covered roof A snow depth of 0.5 m and the twenty-five year rainstorm in Hanover, New Hampshire, are used in the examples. For a flat roof with 10 m parallel flow to gutters, the total liquid weight can increase the roof load by about 50% The weight of the transient liquid is greatly increased if the mode of flow is radial to central drains and is decreased if the roof is slightly inclined or if significant melt channels form in the basal layer However, the wetting of the snow over its entire depth will still cause a significant weight of transient liquid. Snow drifting can cause very large, local loads but the effects of snow temperature and antecedent moisture are not too important Depending on the circumstances, the largest load can occur for either a long duration, low intensity rainstorm or a short duration, high intensity rainstorm The former occurs if the saturated layer makes a significant contribution to the total live load whereas the latter occurs when the liquid weight is due mainly to the unsaturated layer. Further study is needed to establish the joint probabilities of combined snow and rain loads, especially when rain and snowmelt occur simultaneously

MP 983
EXAMINATION OF THE VISCOUS WIND-DRIVEN CIRCULATION OF THE ARCTIC ICE COVER OVER A TWO YEAR PERIOD.
Hibler, W.D., III, et al, Sep. 1977, No.37, p.95-133, 27 refs.
Tucker, W.B
32-1696
SEA ICE, WIND FACTORS, VISCOUS FLOW, MATHEMATICAL MODELS, BOUNDARY VALUE PROBLEMS.
A detailed re-examination of the viscous approach is made by comparing predicted with observed ice drift in the Arctic basin over a two-year period employing a viscous constitutive law having both bulk and shear viscosities Numerical drift calculations for the Arctic Basin are carried out at 4-day intervals over a two-year period employing periodic boundary conditions Drift predictions are compared with the observed drift of three contemporaneous drifting stations with reasonable agreement. The largest errors are found to occur in late summer, and may be due to nonsteady current effects. Boundary value calculations show that reduction of the shear viscosity (while still maintaining a large bulk viscosity) reduces the excessive stiffening often found in viscous models while still maintaining substantial changes in drift direction due to boundaries Sensitivity studies show steady current effects to be small for drift rates over tens of days but not negligible for cumulative drift over years.

MP 984
ANALYSIS OF ENVIRONMENTAL FACTORS AFFECTING ARMY OPERATIONS IN THE ARCTIC BASIN.
Sater, J.E., ed, Montreal, Quebec, Feb. 1962, 11p., For a more extensive report see SIP 21843.
Arctic Institute of North America.
32-1902
ENVIRONMENTS, MILITARY OPERATION, RESEARCH PROJECTS, MILITARY RESEARCH, ARCTIC REGIONS.

MP 985
ARCTIC TRANSPORTATION: OPERATIONAL AND ENVIRONMENTAL EVALUATION OF AN AIR CUSHION VEHICLE IN NORTHERN ALASKA.
Abele, G., et al, Feb. 1977, 99(1), p.176-182, 8 refs.
Brown, J.
32-1801
AIR CUSHION VEHICLES, TRANSPORTATION, TRAFFICABILITY, ARCTIC LANADSCAPES, ENVIRONMENTS, ENVIRONMENTAL IMPACT, TUNDRA VEGETATION, DAMAGE.

MP 986
SEA ICE ENGINEERING.
Assur, A., International Conference on Port and Ocean Engineering Under Arctic Conditions, 3rd, Fairbanks, Aug. 11-15, 1975, Vol.1, University of Alaska, 1976, p.231-234, Extended summary only.
32-2211
SEA ICE, ICE MECHANICS, ENGINEERING.

MP 987
ISLANDS OF GROUNDED SEA ICE.
Kovacs, A., et al, Environmental assessment of the Alaskan continental shelf; Vol. 14, Ice. Principal Investigators' reports for the year ending March 1976, Boulder, Colorado, Environmental Research Laboratories, 1976, p.35-50, 28 refs. Preprint from 1975 POAC Conference.
Gow, A.J., Dehn, W.F.
31-629
ICE ISLANDS, REMOTE SENSING, SPACEBORNE PHOTOGRAPHY, BATHYMETRY.
Large areas of grounded sea ice have been reported by early arctic explorers and more recently by the U.S. Coast Guard The ESSA, ERTS, NOAA, and DMSP satellites now provide multi-spectral imagery with sufficiently high resolution to allow detailed sequential observations to be made of the movement and spatial extent of arctic sea ice This report discusses the location, formation, and decay of five large (>30 sq km) islands of grounded sea ice in the southern Chukchi Sea as observed for an extended period of time using satellite imagery Measurements of the bathymetry around one grounded sea ice feature are presented along with observations made and photos taken from the ice surface The potential use of these sea ice islands as research stations is also discussed

MP 988
IMPACT OF SPHERES ON ICE. CLOSURE.
Yen, Y.-C., et al, April 1972, 98(EM2), p.473. For original article and prior discussion see 25-2241 and 26-0978 respectively.
Odar, F., Bracy, L.R
26-3743
ICE MECHANICS, IMPACT STRENGTH

MP 989
PROGRESS REPORT ON 25 CM RADAR OBSERVATIONS OF THE 1971 AIDJEX STUDIES.
Thompson, T.W., et al, Feb. 1972, No.12, p.1-16.
Bishop, R.J., Brown, W.E.
27-507
RADAR PHOTOGRAPHY, ICE FLOES.

MP 990
USE OF INSTRUMENTATION UNDER ARCTIC CONDITIONS.
Atkins, R.T., Arctic Logistics Support Technology. Proceedings of a symposium held at Hershey, Pennsylvania, Nov. 1, 1971, Arctic Institute of North America, 1972, p.183-188, AD-744 669.
27-630
INSTRUMENTS.

MP 991
ARCTIC AND SUBARCTIC ENVIRONMENTAL ANALYSES UTILIZING ERTS-1 IMAGERY; BI-MONTHLY PROGRESS REPORT, 23 JUNE - 23 AUG. 1972.
Anderson, D.M., et al, Aug. 23, 1972, NASA-CR-128095, 3p., N72-31361.
Haugen, R.K., Gatto, L.W., Slaughter, C.W., Marlar, T.L.
27-1441
REMOTE SENSING, ARCTIC ENVIRONMENT, SPACECRAFT.

MP 992
SURFACE-WAVE DISPERSION IN BYRD LAND, ANTARCTICA.
Acharya, H.K., Aug. 1972, 62(4), p.955-959, 12 refs.
27-1490
ICE SHEETS, WAVE PROPAGATION, SNOW ACOUSTICS, SEISMIC VELOCITY, ANTARCTICA—MARIE BYRD LAND.
Assuming constant density and Poisson's ratio of 0 25, theoretical surface-wave dispersion has been computed for the Byrd Land area in Antarctica, where the velocity increases monotonically with depth. Comparison with observed dispersion indicates 8 to 10 per cent anisotropy in the ice cap Such anisotropy was also detected from ultrasonic velocity measurements on snow cores. (Auth.)

MP 993
SMALL-SCALE STRAIN MEASUREMENTS ON A GLACIER SURFACE.
Colbeck, S.C., et al, July 1971, 10(59), p.237-243, Also published as Washington (State) University. Department of Atmospheric Sciences. Technical report TR-12, Nov. 25, 1970. In English with French and German summaries. 10 refs.
Evans, R.J.
27-1704
GLACIER FLOW, CREVASSES, ICE DEFORMATION, STRAIN MEASUREMENT.
Surface deformations in the neighborhood of a crevasse field were measured over short (3 m) gape lengths in order to study flow conditions associated with crevasse formation. The results obtained were unusual in that they were inconsistent with large-scale results found by previous workers It was concluded that the presence of small-scale surface effects, such as fractures, pot-holes and healed crevasses give rise to small-scale deformation fields with large spatial and temporal variations and that there is a lower limit of gage length below which deformation measurements pertinent to regional flow phenomena cannot be made. This lower limit is apparently an order of magnitude greater than the spacing of the features which give rise to localized effects.

MP 994
MARIE BYRD LAND QUATERNARY VOLCANISM: BYRD ICE CORE CORRELATIONS AND POSSIBLE CLIMATIC INFLUENCES.
LeMasurier, W.E., Sept.-Oct. 1972, 7(5), p.139-141, 4 refs.
27-1956
ICE CORES, DRILL CORE ANALYSIS, VOLCANIC ASH, ANTARCTICA—MARIE BYRD LAND.
Published petrographic descriptions of the volcanic ash bands in the Byrd Station deep drill core (Gow, 1971; E-10325, and Gow and Williamson, 1971, F-10462) have suggested some sources for ash among the volcanoes in Byrd Land and some possible climatic implications of this volcanism The available petrographic and age data on volcanoes that are known to have erupted in Byrd Land in Quaternary time - Mt. Murphy, Toney Mountain, Mt. Takahe, and Mt Waesche - suggest that Mt Waesche and Mt Takahe were the major sources of ash. Events recorded in the core occurred within the last 75,000 yr The most distinctive petrographic characteristics of the Quaternary volcanic rocks are the abundance of olivine, plagioclase, and titanaugite phenocrysts in the basalts, and of alkali feldspar and aegerine phenocrysts in the acid rocks

MP 995
SUMMARY OF THE 1971 US TUNDRA BIOME PROGRAM.
Brown, J., International Biological Programme, Tundra biome; Proceedings IV. International Meeting on the Biological Productivity of Tundra, Leningrad USSR, October 1971. Edited by F.E. Wielgolaski and Th. Rosswall. Stockholm, Tundra Biome Steering Committee, April 1972, p.306-313.
27-2697
RESEARCH PROJECTS, TUNDRA BIOME, UNITED STATES—ALASKA.
Briefly outlined are the U S Tundra Biome studies including the interrelationships between tundra fauna and flora, photosynthesis, carbon dioxide budget, wet tundra soil science, and lake and pond ecosystems. Activities were centered primarily on the Barrow, Alaska area.

MP 996
INTERPRETATION OF THE TENSILE STRENGTH OF ICE UNDER TRIAXIAL STRESS.
Nevel, D.E., et al, International Conference on Port and Ocean Engineering Under Arctic Conditions, 3rd, Fairbanks, Aug. 11-15, 1975, Vol.1, University of Alaska, 1976, p.375-387, 12 refs.
Haynes, F.D.
32-2219
ICE MECHANICS, ICE STRENGTH, TENSILE STRENGTH, STRESSES.
Griffith, and later Babel, have previously developed a tensile fracture criterion for a two-dimensional state of stress This theory is extended to the compressior-compression region From this theory the angle of fracture is developed. For uniaxial compression, the angle may be anywhere from 0 to 30 degrees measured from the direction of loading, depending upon the shape of the cavity. The theory is extended conceptually to three dimensions Triaxial test data by Haynes for snow-ice are shown in this three-dimensional fracture theory The test data are slightly less than that predicted when the void in the snow-ice is spherical.

MP 997
OXYGEN ISOTOPE PROFILES THROUGH THE ANTARCTIC AND GREENLAND ICE SHEETS.
Johnsen, S.J., et al, Feb 25,1972, 235(5339), p.429-434, 37 refs.
Dansgaard, W., Clausen, H.B., Langway, C.C., Jr.
27-3046
ISOTOPE ANALYSIS, ICE SHEETS, OXYGEN ISOTOPES, PALEOCLIMATOLOGY, ICE CORES, GREENLAND, ANTARCTICA—BYRD STATION.
The Camp Century, Greenland, deep ice core reveals seasonal variations in the isotopic composition of the ice back to 8,300 y.b p. This is not the case for the Byrd Station, Antarctica, deep ice core. Both cores show long-term perturbations in isotopic composition reflecting climatic changes from before the beginning of the last glaciation But the complexity of the glaciology regime at Byrd Station precludes a rational choice of a time scale Pole-to-pole correlations of the palaeoclimatic data therefore become speculative except for the more pronounced features and general trends

MP 998
CLIMATIC OSCILLATIONS DEPICTED AND PREDICTED BY ISOTOPE ANALYSES OF A GREENLAND ICE CORE.
Dansgaard, W., et al, 1971, 1st, Vol.1, p.17-22, 8 refs.
Johnsen, S.J., Clausen, H.B., Langway, C.C., Jr.
28-545
ICE CORES, ISOTOPE ANALYSIS, CLIMATIC CHANGES, GREENLAND.

MP 1000
TECHNIQUE FOR PRODUCING STRAIN-FREE FLAT SURFACES ON SINGLE CRYSTALS OF ICE: COMMENTS ON DR. H. BADER'S LETTER AND DR. K. ITAGAKI'S LETTER.
Tobin, T.M., 1973, 12(66), p.519-520, 3 refs.
28-2375
ICE CRYSTALS, CRYSTAL STUDY TECHNIQUES, MICROSCOPY.

MP 1001
CUTTING ICE WITH HIGH PRESSURE WATER JETS.
Mellor, M , et al, U.S Coast Guard. Report USCG-D-15-73, Hanover, New Hampshire, U.S. Army Cold Regions Research and Engineering Laboratory, 1973, 22p., AD-766 172.
Gagnon, F.
28-2886
ICE CUTTING, ICE BREAKING, HYDRAULIC JETS.
The report describes high pressure water jet ice cutting experiments conducted in support of the Coast Guard domestic icebreaking program The test objectives were to determine power requirements for cutting two feet of fresh water ice at a speed of advance of 5 knots. The results of the tests show extremely high power requirements even when using state-of-the art equipment pumping at 100,000 psi. (Auth.)

MP 1002
RIVER-ICE PROBLEMS: A STATE-OF-THE-ART SURVEY AND ASSESSMENT OF RESEARCH NEEDS.
Burgi, P.H., et al, Jan. 1974, 100(HY1), p.1-15, 36 refs.
Childers, J.M., Frankenstein, G.E., Kennedy, J.F., Ashton, G.D.
28-2918
RIVER ICE, ICE JAMS, ICE FORMATION, SEASONAL FREEZE THAW, ICE MECHANICS, ICE THERMAL PROPERTIES.

MP 1003
ARCTIC AND SUBARCTIC ENVIRONMENTAL ANALYSES USING ERTS-1 IMAGERY. PROGRESS REPORT DEC. 72-JUNE 73.
Anderson, D.M., et al, June 23, 1973, NASA-CR-135858, 75p., E74-10017.
McKim, H.L., Haugen, R.K., Gatto, L.W.
28-3601
REMOTE SENSING, MAPPING, PERMAFROST DISTRIBUTION, VEGETATION PATTERNS, SEDIMENT TRANSPORT.
Physiognomic landscape features were used as geologic and vegetative indicators in preparation of a surficial geology, vegetation, and permafrost map at a scale of 1:1 million using ERTS-1 band 7 imagery. The detail from this map compared favorably with USGS maps at 1 250,000 scale Physical boundaries mapped from ERTS-1 imagery in combination with ground truth obtained from existing small scale maps and other sources resulted in improved and more detailed maps of permafrost terrain and vegetation for the same area. ERTS-1 imagery provides for the first time, a means of monitoring the following regional estuarine processes daily and periodic surface water circulation patterns, changes in the relative sediment load of rivers discharging into the inlet, and, several local patterns not recognized before, such as a clockwise back eddy offshore from Clam Gulch and a counterclockwise current north of the Forelands. Comparison of ERTS-1 and Mariner imagery has revealed that the thermokarst depressions found on the Alaskan North Slope and polygonal patterns on the Yukon River Delta are possibly analogs to some Martian terrain features

MP 1004
MORPHOLOGY OF THE NORTH SLOPE.
Walker, H.J., Alaskan arctic tundra. Edited by M.E. Britton. Arctic Institute of North America. Technical paper No.25, Washington, D.C., Sept. 1973, p.49-52, Numerous refs.
28-3606
PERMAFROST STRUCTURE, ARCTIC TOPOGRAPHY, GEOMORPHOLOGY, TUNDRA TERRAIN, CRYOGENIC PROCESSES, PERMAFROST HYDROLOGY, GROUND ICE, PATTERNED GROUND.

MP 1005
PEDOLOGIC INVESTIGATIONS IN NORTHERN ALASKA.
Tedrow, J.C.F., Alaskan arctic tundra. Edited by M.E. Britton. Arctic Institute of North America. Technical paper No.25, Washington, D.C., Sept. 1973, p.93-108, Numerous refs
28-3607
TUNDRA SOILS, ARCTIC SOILS, RESEARCH PROJECTS.

MP 1006
MICROMETEOROLOGICAL INVESTIGATIONS NEAR THE TUNDRA SURFACE.
Kelley, J.J., Alaskan arctic tundra Edited by M.E. Britton. Arctic Institute of North America. Technical paper No.25, Washington, D.C., Sept. 1973, p.109-126, Numerous refs
28-3608
RESEARCH PROJECTS, MICROCLIMATOLOGY, RADIATION BALANCE, TUNDRA SOILS, SOIL CHEMISTRY

MP 1007
ARCTIC LIMNOLOGY: A REVIEW.
Hobbie, J.E., Alaskan arctic tundra Edited by M E. Britton Arctic Institute of North America Technical paper No 25, Washington, D C , Sept 1973, p 127-168, Numerous refs
28-3609
LIMNOLOGY, RESEARCH PROJECTS

MP 1008
VEGETATIVE RESEARCH IN ARCTIC ALASKA.
Johnson, P.L., et al, Alaskan arctic tundra. Edited by M.E. Britton. Arctic Institute of North America. Technical paper No.25, Washington, D.C., Sept. 1973, p.169-198, Numerous refs.
Tieszen, L.L.
28-3610
TUNDRA VEGETATION, ARCTIC VEGETATION, VEGETATION PATTERNS, RESEARCH PROJECTS.

MP 1009
INFLUENCE OF IRREGULARITIES OF THE BED OF AN ICE SHEET ON DEPOSITION RATE OF TILL.
Nobles, L.H., et al, Till: a symposium. Edited by R.P. Goldthwait, Columbus, Ohio State University Press, 1971, p.117-126, 8 refs.
Weertman, J.
28-3686
GLACIAL TILL, GLACIAL DEPOSITS, GLACIAL FEATURES, GLACIER ICE, SEDIMENT TRANSPORT, ICE THERMAL PROPERTIES, GLACIER ABLATION, GLACIER FLOW.

MP 1010
MODEL SIMULATION OF NEAR SHORE ICE DRIFT, DEFORMATION AND THICKNESS.
Hibler, W.D., III, International Conference on Port and Ocean Engineering Under Arctic Conditions, 4th, St. John's, Sep. 26-30, 1977, Memorial University of Newfoundland, 1978, p.33-44, 15 refs.
32-2339
SEA ICE, ICE MODELS, ICE MECHANICS, MATHEMATICAL MODELS.
Simulation results for sea ice drift, deformation and ice thickness variations in the Arctic Basin are presented using a dynamic-thermodynamic model which treats the ice as a rigid plastic continuum Using available observed atmospheric and oceanic forcing data, numerical model simulations are made over a four year long period employing one day time steps in a finite difference code with a resolution of 125km. Drift, deformation, stress and ice thickness time series from the simulation results in the near shore region off the Alaskan and Canadian North slope are reported and briefly examined in light of available observations

MP 1011
DIELECTRIC CONSTANT AND REFLECTION COEFFICIENT OF THE SNOW SURFACE AND NEAR-SURFACE INTERNAL LAYERS IN THE MCMURDO ICE SHELF.
Kovacs, A , et al, Oct 1977, 12(4), p.137-138, 9 refs.
Gow, A.J.
32-2107
SNOW SURFACE, SNOW ELECTRICAL PROPERTIES, ICE SHELVES, ICE ELECTRICAL PROPERTIES, RADAR ECHOES, ANTARCTICA—MCMURDO ICE SHELF.
An impulse radar system was used to profile the shape and lateral extent of the brine layer in the McMurdo Ice Shelf. A small antenna was also used to determine if reflective layers could be detected in the upper 5 m of snow. The radiated impulse center frequency was 626 megahertz with an estimated frequency spectrum of 375 and 875 at the -3 decibel points The measurement technique is described The study indicates that layers of dielectric discontinuity can be detected at shallow depths in polar snow The shallow depth at which the internal layers were detected suggests that they represent density variations in the snow, perhaps associated with summer melt features less than 5 mm thick.

MP 1012
ICEBERG THICKNESS PROFILING USING AN IMPULSE RADAR.
Kovacs, A., Oct. 1977, 12(4), p.140-142, 5 refs.
32-2109
ICEBERGS, ICE COVER THICKNESS, RADAR ECHOES, MEASURING INSTRUMENTS.
Thickness measurements taken on a 100 to 500 m tabular iceberg in McMurdo Sound using an impulse radar system are discussed and illustrated Calculated depths of the brine layer at the south and north ends of the iceberg were 13 7 and 17 4 m, respectively The calculated thickness of the iceberg at station 4 5 and stations 5 through 17 ranged from 900 to 605 m The apparent freeboard-to-thickness ratio was 1 to 5.2, which is higher than the 1 to 3.6 freeboard-to-thickness analysis of Gow (1968, I-6274) for antarctic ice shelves of similar thickness The data suggest a glacial rather than a shelf origin

MP 1013
SUBSURFACE MEASUREMENTS OF THE ROSS ICE SHELF, MCMURDO SOUND, ANTARCTICA.
Kovacs, A., et al, Oct. 1977, 12(4), p.146-148, 2 refs.
Gow, A.J.
32-2114
ICE SHELVES, BRINES, ICE COVER THICKNESS, FIRN, ICE COMPOSITION, ANTARCTICA—MCMURDO ICE SHELF.
Depth characteristics, lateral continuity, and inland boundary of sea water infiltration in the McMurdo Ice Shelf were monitored using a dual-antenna impulse radar profiler The studies have provided new information on the brine infiltration zone, including data on changes in the elevation of the brine-soaked layer and ice shelf thickness as a function of distance from the shelf edge The features of the brine layer are described and illustrated Observations on the glacial ice/saline-ice transition on the Koettlitz Glacier tongue are summarized.

MP 1014
SEA ICE STUDIES IN THE WEDDELL SEA REGION ABOARD USCGC *BURTON ISLAND*.
Ackley, S.F., Oct. 1977, 12(4), p 172-173, 2 refs.
32-2123
SEA ICE DISTRIBUTION, ICE COVER THICKNESS, PACK ICE, ICE SALINITY, WEDDELL SEA.
Sea ice studies in the Weddell Sea aboard *Burton Island* consisted of ice salinity measurements on meltwater from ice cores and thickness measurements taken in drilled holes. Floes in the northern region were generally thicker than 2 m and in two regions exceeded 3 m on average. At higher latitudes in the middle of the Weddell Sea ice thicknesses exceeded 3 5 m. The thinnest ice was measured at the southernmost locations It is concluded that advection is an important component in accounting for ice distribution in the Weddell Sea. *In vivo* fluorescence measurements of core meltwater revealed apparent relationships between ice salinity and biological activity (ice algae)

MP 1015
ENGINEERING PROPERTIES OF SNOW.
Mellor, M., 1977, 19(81), p.15-66, In English with French and German summaries. Refs p.62-65.
32-2434
SNOW IMPURITIES, SNOW MECHANICS, SNOW THERMAL PROPERTIES, SNOW ELECTRICAL PROPERTIES, SNOW OPTICS, ENGINEERING, SNOW CRYSTALS, SNOWFALL, BLOWING SNOW.
The general properties of snow are described with a view to engineering applications of data. Following an introduction and a short note on the origins of snow, data are given for fall velocities of snow particles, and for mass flux and particle concentrations in falling snow and blowing snow Notes on the structural properties of deposited snow cover grain size, grain bonds, bulk density, overburden pressure, and permeability A section on impurities deals with stable and radioactive isotopes, chemical impurities, insoluble particles, living organisms, acidity, and gases Mechanical properties are treated only selectively, and the reader is referred to another paper for comprehensive coverage The selective treatment deals with stress waves and strain waves, compressibility, effects of volumetric strain on deviatoric strain, and specific energy for comminution The section on thermal properties covers heat capacity, latent heat, conductivity, diffusivity, heat transfer by vapor diffusion, heat transfer and vapor transport with forced convection, and thermal strain. The section on electrical properties opens with a brief discussion on dielectric properties of ice, and proceeds to a summary of the dielectric properties of snow, including dielectric dispersion, permittivity, dielectric loss, and dc conductivity There are also notes on the thermoelectric effect and on electrical charges in falling and blowing snow The section on optical properties deals with transmission and attenuation of visible radiation, with spectral reflectance, and with long-wave emissivity The review concludes with some comments on engineering problems that involve snow, and the requirements for research and development (Auth)

MP 1016
STRUCTURES IN ICE INFESTED WATER.
Assur, A , 1972, (Vol.2), Symposium on Ice and its Action on Hydraulic Structures, 2nd, Leningrad, Sept. 26-29, 1972. Papers, p.93-97, 7 refs
28-3899
ICE LOADS, OFFSHORE STRUCTURES, ICE PRESSURE, ICE MODELS.
A method is presented to calculate the effective ice load on vertical structures depending upon width of structure related to ice thickness and fundamental ice properties (anisotropic semirestrained crushing strength, Young's modulus, Poisson's ratio, internal friction) The basic equation satisfies the theoretical identation solution for a straight wall Both extremes appear as simple intercepts on a plot which futhermore can be linearized The concept is compared with largely Russian test material and equations which show good agreement Internal friction must be considered in the analysis since it increases possible ice forces Due to this local identation forces by ice can be higher as previously assumed for the design of ships Buckling instability introduced complications in model tests For structures in the field the random configuration of ice collars must be considered. For this a complete solution is still not available

MP 1017
REPORT ON ICE FALL FROM CLEAR SKY IN GEORGIA OCTOBER 26, 1959.
Harrison, L.P., et al, Washington, D.C., U.S. Weather Bureau, 1960, 31p. plus photographs, 12 refs.
Friedman, I., Saylor, C.P., Swinzow, G.K.
28-3913
ICE STRUCTURE, CHEMICAL ANALYSIS, METEOROLOGICAL FACTORS, AIRPLANES.
The U.S. Weather Bureau, Geological Survey, National Bureau of Standards, National Institutes of Health, and SIPRE investigated the circumstances which resulted in the fall of a 30-40 pound chunk of ice from a clear sky. These agencies concluded that the ice originated from a jet aircraft known to have been flying over the area where the fall was reported. The paper by Swinzow comprises Appendix J of the report.

MP 1018
DESTRUCTION OF ICE ISLANDS WITH EXPLOSIVES.
Mellor, M., et al, International Conference on Port and Ocean Engineering Under Arctic Conditions, 4th, St. John's, Sept. 26-30, 1977, Vol 2, Memorial University of Newfoundland, 1978, p 753-765, 20 refs. See also 31-4112.
Kovacs, A., Hnatiuk, J.
32-2384
ICEBERGS, ICE ISLANDS, EXPLOSION EFFECTS.
Past attempts at explosive demolition of icebergs and ice islands are reviewed, and more recent studies are described. Relevant properties of ice are compared with those of typical rocks, and data are given for crater blasting in ice and in rocks Ice island destruction is analyzed for schemes involving (1) crater blasting, (2) blasting in water underneath the ice, (3) bench blasting, and (4) controlled presplit blasting. The analyses favor crater blasting as the most practical method of attack for small bergs and ice islands.

MP 1019
ICEBERG THICKNESS PROFILING.
Kovacs, A., International Conference on Port and Ocean Engineering Under Arctic Conditions, 4th, St. John's, Sept. 26-30, 1977, Vol.2, Memorial University of Newfoundland, 1978, p.766-774, 16 refs.
32-2385
ICEBERGS, ICE COVER THICKNESS, RADAR ECHOES, PROFILES.
Results obtained with an impulse radar system used to profile the thickness of a tabular iceberg in McMurdo Sound, Antarctica, and an ice island in the Beaufort Sea near Flaxman Island, Alaska, are presented. Graphic records are shown of the radar impulse travel time which clearly reveal, for the first time, the bottom relief of each ice formation Also detected and shown are echo signatures from internal cracks and an infiltration-brine layer The time of flight of the radar impulse in the ice island is compared with a 24 05-m drill hole measurement of the ice thickness. The effective velocity of the radar impulse in the ice island was found to be 0 16 m/ns and the effective dielectric constant of the ice to be 3.5. (Auth.)

MP 1020
TOWING ICEBERGS.
Lonsdale, H K , et al, March 1974, 30(3), p 2, Includes response by W F Weeks and W J Campbell 2 refs.
Weeks, W.F., Campbell, W.J.
28-3927
ICEBERGS, WATER SUPPLY, LOGISTICS, ICE MELTING, ECONOMICS.
Referring to the article by Weeks and Campbell (1973, F-12650 or 28-898) the author questions the following facets of towing icebergs the costs of surveillance, the capital costs of the super-tug, the methods of melting, collecting the fresh water on the high seas, and transporting to the Atacama desert or central Australia, and how the total cost compares with the value of water at the intended use site Weeks and Campbell cite their paper on this subject (1973, F-12780 or 28-1322) which has included the costs of capitalization and a method of melting and collecting fresh water. It is suggested that surveillance costs would be small, and the authors do not believe their estimates of water costs for irrigation purposes to be unrealistically high

MP 1021
USE OF EXPLOSIVES IN REMOVING ICE JAMS.
Frankenstein, G.E , et al, Symposium on Ice and its Action on Hydraulic Structures, Reykjavik, Iceland, Sept 7-10, 1970 Papers and discussions, Reykjavik, Iceland, International Association for Hydraulic Research, 1970, 10p , Session 3.13 6 refs.
Smith, N.
28-3992
ICE JAMS, ICE CONTROL, EXPLOSIVES ICE REMOVAL
A brief history of the use of explosives for ice jam removal is discussed Ammonium nitrate mixed with fuel oil is considered the best explosive for ice jam control because of its cost and safety features For maximum effect, the

charge should be placed in the water below the ice. A curve is included which gives maximum crater hole diameter as a function of the cube root of the charge weight.

MP 1022
CLASSIFICATION AND VARIATION OF SEA ICE RIDGING IN THE ARCTIC BASIN.
Hibler, W.D., III, et al, Jan. 1974, No.23, p.127-146, 16 refs.
Mock, S.J., Tucker, W.B.
28-4069
SEA ICE, ICE STRUCTURE, ICE PRESSURE, ICE MODELS, PRESSURE RIDGES.
A one-parameter model for pressure ridges is developed and compared with good agreement to more than 3000 km of laser profile data taken from November 1970 to February 1973 in the Arctic basin. Using a parameter called ridging intensity, which may be determined for a region from the mean number of ridges per unit length and the mean ridge height, the number of ridges per kilometer at any height level may be predicted. Results from a study of regional and temporal variation in ridging indicate that although magnitudes of ridging intensity vary in time, the relative regional variations are similar. Consequently, three distinct regions of ridging intensity having relatively stable boundaries can be defined. Annual variation in new ice production due to ridging is sufficiently large to suggest that ridging plays an important role in the overall mass balance of the Arctic basin.

MP 1023
SALINITY VARIATIONS IN SEA ICE.
Cox, G.F.N., et al, 1974, 13(67), p.109-122, In English with French and German summaries. 3 refs.
Weeks, W.F.
29-72
SEA ICE, CHEMICAL ANALYSIS, SALINITY, ICE COVER THICKNESS.
The salinity distribution in multi-year sea ice is dependent on the ice topography and cannot be adequately represented by a single average profile. The cores collected from areas beneath surface hummocks generally showed a systematic increase in salinity with depth from 0 per mille at the surface to about 4 per mille at the base. The cores collected from areas beneath surface depressions were much more saline and displayed large salinity fluctuations. Salinity observations from sea ice of varying thicknesses and ages collected at various Arctic and sub-Antarctic locations revealed a strong correlation between the average salinity of the ice S and the ice thickness h. For salinity samples collected from cold sea ice at the end of the growth season, this relationship can be represented by two linear equations: $S = 14.24 - 19.39\ h$ ($h < 0.4$ m); $S = 7.88 - 1.59\ h$ ($h > 0.4$ m). It is suggested that the pronounced break in slope at 0.4 m is due to a change in the dominant brine drainage mechanism from brine expulsion to gravity drainage. A linear regression for the data collected during the melt season gives $S = 1.58 + 0.1\ h$. An annual cyclic variation of the mean salinity exists for multi-year sea ice. The mean salinity reaches a maximum at the end of the growth season and a minimum at the end of the melt season.

MP 1024
ICE FORCES ON VERTICAL PILES.
Nevel, D.E., et al, U.S. Army Science Conference, West Point, N.Y., June 20-23, 1972. Proceedings. Vol. III, Washington, D.C., U.S. Army Research and Development Office, 1972, p.104-114, AD-750 358, 16 refs.
Perham, R.E., Hogue, G.B.
29-121
SEA ICE, ICE PRESSURE, PILE STRUCTURES.
The force that floating ice sheets can exert on vertical piles is important to the design of both military and civilian structures. Present design codes call for 400 psi as the crushing strength of ice without regard to the influencing factors and their variation. The forces which drive the ice into the structure can be water currents, wind, or thermal expansion. These driving forces may be large enough to cause the ice to fail at or near the surface. The purpose of this research is to define this limiting force level and gain a better understanding of the failure process in the ice. (Auth.)

MP 1025
WATER PERCOLATION THROUGH HOMOGENEOUS SNOW.
Colbeck, S.C., et al, The role of snow and ice in hydrology; proceedings of the Banff Symposia, Sept. 1972, Vol.1, Geneva, Switzerland, WMO-IAHS, Unesco, 1973, p.242-257, With French summary. 7 refs. Includes discussions.
Davidson, G.
29-211
SNOW WATER CONTENT, SNOWMELT, SNOW COVER STRUCTURE, SNOW PERMEABILITY.
The gravity flow theory of water percolation through snow is generalized to include any power law relationship between permeability to the water phase and effective water saturation. Experimental observations of water percolation through homogeneous snow are described. It is found that the exponent in the power law is about 3 for homogeneous snow. The theory is used to construct diurnal meltwater waves and these compare favorably with the observed waves. The differences between the results found for natural snow and those found for repacked snow are discussed. The lower limit of applicability of the gravity flow theory is uncertain.

MP 1026
SEASONAL REGIME AND HYDROLOGICAL SIGNIFICANCE OF STREAM ICINGS IN CENTRAL ALASKA.
Kane, D.L., et al, The role of snow and ice in hydrology; proceedings of the Banff Symposia, Sept. 1972, Vol.1, Geneva, Switzerland, WMO-IAHS, Unesco, 1973, p.528-540, With French summary. 16 refs. Includes discussions.
Slaughter, C.W.
29-232
RIVER ICE, FREEZEUP, ICE FORMATION, AERIAL PHOTOGRAPHY, METEOROLOGICAL FACTORS, HYDROLOGIC CYCLE.
Many streams in Arctic and sub-Arctic regions are characterized by accumulations of ice in the channel and nearby floodplain during the winter months. Field data on the rates of growth of this icing and on various climatic factors has been collected at a small research watershed near Fairbanks, Alaska. The volume of icing growths is estimated from aerial photographs. Hydrologic implications are derived by comparing the volume of these icings with other elements of the hydrologic cycle. Discussion on how the hydrologic cycle is modified by these ice accumulations is also included.

MP 1027
MEASURING THE UNIAXIAL COMPRESSIVE STRENGTH OF ICE.
Haynes, F.D., et al, 1977, 19(81), p.213-223, In English with French and German summaries. 7 refs.
Meller, M.
32-2445
ICE, COMPRESSION, COMPRESSIVE STRENGTH, ICE STRENGTH, SHEAR STRESS, ICE CRYSTALS, MEASURING INSTRUMENTS.
An attempt was made to develop a simple but accurate method for making compressive strength tests on right circular cylinders. Compliant loading platens were designed to apply uniform normal stress without introducing significant interface radial shear stresses. The compliant platens gave reproducible results that agree well with results obtained by a precise conventional technique. Accurate results were obtained with simple specimen preparation, and with short specimens where the length-to-diameter ratio was less than unity. Platens were made from a rubber-like urethane which was molded in aluminum cylinders to provide lateral restraint. Uniaxial compression tests on cylindrical polycrystalline ice specimens were made to determine the characteristics of the platens. For 21 specimens with ends prepared on a lapping plate to obtain a mirror finish, the measured strength showed a variation of only 13% for length-to-diameter ratios from 0.74 to 2.5, with no systematic trend. Another 21 specimens with length-to-diameter ratios of about 2.35 were tested with various platens and various methods of specimen end preparation. The strength for specimens with saw-cut ends and for those with ends lapped showed very little difference when tested with the rubber platens.

MP 1028
INVESTIGATION OF AUTOMATIC DATA COLLECTION EQUIPMENT FOR OCEANOGRAPHIC APPLICATIONS.
Dean, A.M., Jr., International Conference on Port and Ocean Engineering Under Arctic Conditions, 4th, St. John's, Sept. 26-30, 1977, Vol.2, Memorial University of Newfoundland, 1978, p.1111-1121, 13 refs.
32-2407
REMOTE SENSING, MONITORS, OCEANOGRAPHY, DATA PROCESSING, METEOROLOGICAL DATA
This paper deals with the instrumentation requirements for in-situ monitoring of specified factors in open water. It contains application information suitable for an organization initiating or extending an oceanographic data collection program. The analysis includes an investigation and evaluation of sensing methodology, sensors, monitoring equipment, and available data collection systems. A comparison of available equipment for a first-year effort is presented.

MP 1029
MESOSCALE MEASUREMENT OF SNOW-COVER PROPERTIES.
Bilello, M.A., et al, The role of snow and ice in hydrology; proceedings of the Banff Symposia, Sept. 1972, Vol.1, Geneva, Switzerland, WMO-IAHS, Unesco, 1973, p.624-643, With French summary. 16 refs.
Bates, R.E., Riley, J.
29-241
SNOW DEPTH, SNOW DENSITY, METEOROLOGICAL FACTORS, SNOW TEMPERATURE.
Physical characteristics of the snow cover and associated meteorological conditions were observed at nineteen sites in and around Fort Greely, Alaska, during the winter of 1966-67. Snowfall totaled 245 cm and maximum snow depths of 80 to 100 cm were observed in a major portion of Fort Greely. Measurements at nine sites showed the snow density to be light, for example, the average density in the forest was less than 0.24 g/cc (however, exceptions could be expected as observed at Jan. Creek, where the density averaged 0.33 g/cc. Daily temperature measurements made within the snow pack also showed that the snow in the forest was colder than that at exposed sites. Associations between snow cover properties and weather were tested and the results substantiated previous studies, which showed good relationships between seasonal snow cover density and windspeed/air temperatures.

MP 1030
ARCTIC AND SUBARCTIC ENVIRONMENTAL ANALYSES UTILIZING ERTS-1 IMAGERY. BIMONTHLY PROGRESS REPORT, 23 AUG. - 23 OCT. 1973.
Anderson, D.M., et al, Oct. 23, 1973, NASA-CR-135846, 3p., N74-11146.
McKim, H.L., Haugen, R.K., Gatto, L.W., Slaughter, C.W., Marlar, T.L.
29-535
REMOTE SENSING, ERTS IMAGERY.

MP 1031
ARCTIC AND SUBARCTIC ENVIRONMENTAL ANALYSES UTILIZING ERTS-1 IMAGERY. BIMONTHLY PROGRESS REPORT, 23 OCT. - 23 DEC. 1973.
Anderson, D.M., et al, Dec. 23, 1973, NASA-CR-136293, 6p., N74-14034.
McKim, H.L., Haugen, R.K., Gatto, L.W., Slaughter, C.W., Marlar, T.L.
29-553
REMOTE SENSING, ENVIRONMENTS, ERTS IMAGERY.

MP 1032
RESULTS OF THE US CONTRIBUTION TO THE JOINT US/USSR BERING SEA EXPERIMENT.
Campbell, W.J., et al, May 1974, NASA-TM-X-70648, 197p., N74-22971, Refs.
Chang, T.C., Fowler, M.G., Gloersen, P., Ramseier, R.O., Kuhn, P.M., Ross, D.B., Stambach, G., Webster, W.J., Jr., Wilheit, T.T.
29-902
SEA ICE, ICE MECHANICS, ICE STRUCTURE, DRIFT, METEOROLOGICAL FACTORS.
The atmospheric circulation which occurred during the Bering Sea Experiment, 15 February to 10 March 1973, in and around the experiment area is analyzed and related to the macroscale morphology and dynamics of the sea ice cover. The ice cover was very complex in structure, being made up of five ice types, and underwent strong dynamic activity. Synoptic analyses show that an optimum variety of weather situations occurred during the experiment: an initial strong anticyclonic period (6 days), followed by a period of strong cyclonic activity (6 days), followed by weak anticyclonic activity (3 days), and finally a period of weak cyclonic activity (4 days). The data of the mesoscale test areas observed on the four sea ice option flights, and ship weather, and drift data give a detailed description of mesoscale ice dynamics which correlates well with the macroscale view: anticyclonic activity advects the ice southward with strong ice divergence and a regular lead and polynya pattern, cyclonic activity advects the ice northward with ice convergence, or slight divergence, and a random lead and polynya pattern. (Auth.)

MP 1033
PROPANE DISPENSER FOR COLD FOG DISSIPATION SYSTEM.
Hicks, J.R., et al, U.S. Air Force Electrical Systems Division, L.G. Hanscomb Field, Mass., ESD-TR-73-208, Hanover, New Hampshire, Cold Regions Research and Engineering Laboratory, 1973, 38p. AD-762 292, Includes as App. B. Evaluation of cloud seeding with liquefied propane by Veal and Auer. 4 refs.
Lukow, T.E., Veal, D.L., Auer, A.H., Jr.
29-1286
FOG DISPERSAL, AIRCRAFT LANDING AREAS, AEROSOLS, SMOKE GENERATORS, COST ANALYSIS

MP 1034
ICE-CRATERING EXPERIMENTS BLAIR LAKE, ALASKA.
Kurtz, M.K., et al, Nov. 25, 1966, NCG/TM 66-7, Various pagings, No microfiche available.
Benfer, R.H., Christopher, W.G., Frankenstein, G.E., Van Wyhe, G., Roguski, E.A.
29-1921
LAKE ICE, EXPLOSION EFFECTS, ICE BREAK-UP.
Operation BREAKUP, FY 66, was a series of small, single and row charge, chemical explosive detonations fired in fresh water to crater the overlying sheet ice. The experiments were conducted in the winter of 1966 through three feet of ice at Blair Lake, 33 miles SSE of Fairbanks, Alaska. The operation had the following purposes: (1) to determine the cratering effects of single and row charges detonated below an ice layer, (2) to study bubble coalescence, and (3) to support theoretical studies of cratering physics. Technical programs included crater measurements, ice surface

motion, engineering properties, and fish surveys Some results and conclusions were: (1) the relationship between depth of detonation and ice crater radius has been defined for 136 pound C4 spherical charges for various experimental conditions; (2) shock wave reflection from the lake bottom did not appear to enhance the crater dimensions; (3) row charge crater dimensions were defined for three charge spacings; (4) cracks appeared to propagate better from larger yield explosions under ice of the same thickness, (5) there did not appear to be any evidence of bubble coalescence in the experiments, (6) commonly used scaling laws may be used to estimate the effects of higher yield ice creating explosions; (7) the procedures used are adaptable to civil application; (8) a detailed evaluation was made of the effects of under-ice explosions on fish, and (9) maintenance of open water gaps created by explosions is affected by refreezing and water currents. Examples of practical engineering applications of the BREAKUP results are included.

MP 1035
MESO-SCALE STRAIN MEASUREMENTS ON THE BEAUFOURT SEA PACK ICE (AIDJEX 1971).
Hibler, W.D., III, et al, 1974, Vol 43-44, p.119-138, In Russian. 21 refs.
Weeks, W.F., Ackley, S.F., Kovacs, A., Campbell, W.J.
29-2023
PACK ICE, ICE DEFORMATION, DRIFT, AERIAL RECONNAISSANCE, ICE REPORTING, AERIAL PHOTOGRAPHS.

MP 1036
LAND TREATMENT OF WASTEWATERS.
Reed, S.C., et al, No..-Dec. 1974, p.12-13.
Buzzell, T.D.
29-2193
WASTE TREATMENT, SEEPAGE, SURFACE DRAINAGE.

MP 1037
USE OF DE-ICING SALT—POSSIBLE ENVIRONMENTAL IMPACT.
Minsk, L.D., 1973, No.425, p.1-2.
29-2220
CHEMICAL ICE PREVENTION, SALTING.
Humorous introduction to a series of 8 reports on various aspects of salting

MP 1038
DEPTH OF WATER-FILLED CREVASSES THAT ARE CLOSELY SPACED.
Robin, G. de Q., et al, 1974, 13(69), p.543-544, Robin's comments on Weertman's article "Can a water-filled crevasse reach the bottom surface of a glacier?" and Weertman's reply. 5 refs.
Weertman, J.
29-2424
GLACIER ICE, CREVASSES, UNFROZEN WATER CONTENT, ATMOSPHERIC PRESSURE.

MP 1039
NEW ENGLAND RESERVOIR MANAGEMENT: LAND USE/VEGETATION MAPPING IN RESERVOIR MANAGEMENT (MERRIMACK RIVER BASIN).
Cooper, S., et al, June 14, 1974, NASA-CR-139239, 30p, E74-10669.
McKim, H.L., Gatto, L.W, Merry, C.J, Anderson, D.M.
29-2456
REMOTE SENSING, AERIAL PHOTOGRAPHY, VEGETATION PATTERNS, MAPPING.
It is evident from this comparison that for land use/vegetation mapping the S190B Skylab photography compares favorably with the RB-57 photography and is much superior to the ERTS-1 and Skylab 190A imagery. For most purposes the 12.5 meter resolution of the S190B imagery is sufficient to permit extraction of the information required for rapid land use and vegetation surveys necessary in the management of reservoir or watershed The ERTS-1 and S190A data products are not considered adequate for this purpose, although they are useful for rapid regional surveys at the level 1 category of the land use/vegetation classification system.

MP 1040
REMOTE SENSING PROGRAM REQUIRED FOR THE AIDJEX MODEL.
Weeks, W.F., et al, Nov. 1974, No.27, p.22-44, 18 refs.
Coon, M.D., Campbell, W.J.
29-2683
RESEARCH PROJECTS, SEA ICE, REMOTE SENSING, ICE MODELS, ICE COVER THICKNESS, STRAINS, SURFACE ROUGHNESS, AERIAL PHOTOGRAPHS, MEASURING INSTRUMENTS.

MP 1041
INVESTIGATION OF ICE FORCES ON VERTICAL STRUCTURES.
Hirayama, K., et al, June 1974, No.158, 153p., 57 refs.
Schwarz, J., Wu, H.-C
29-2975
ICE LOADS, OFFSHORE STRUCTURES, ICE CRACKS, FRACTURE ZONES, TENSILE STRENGTH, PILE STRUCTURES, STRAIN TESTS.
The Iowa Institute of Hydraulic Research has undertaken model studies on the investigation of ice forces on vertical piles Model techniques for the study of ice-breaking phenomena have been developed, and the similarity between the model indications and prototype conditions has been demonstrated. Tests on the relationships between ice forces (ice strength) and pile diameter, ice thickness, and relative velocity (strain rate) between ice and structure have been completed The experimental results were satisfactorily explained by a theoretical approach, and the combination of these relationships led to a basic empirical formula for the calculation of the maximum penetration strength for a circular pile, which agrees with available field measurements and also in part with model investigations in Russia. The suggested formula was modified for application to different structural shapes and degree of contact between ice and structure as well as for application to the indentation case of pile-ice interaction.

MP 1042
STABILITY OF ANTARCTIC ICE.
Weertman, J., Jan. 17, 1975, 253(5488), p.159.
29-3124
ICE SHEETS, ICE SHELVES, FLOW RATE, ICE COVER THICKNESS, ANTARCTICA—ROSS ICE SHELF.
The author comments on the continued existence of the apparently unstable West Antarctic Ice Sheet and Ross Ice Shelf The new field data on the Ross Ice Shelf and fast moving ice streams obtained by G Robin (29-3125 or F-14813) is considered essential to the future solution of this geophysical puzzle. It is possible that the West Antarctic Ice Sheet is indeed disintegrating as suggested by T Hughes (29-0067 or F-12956) A more accurate answer to this question should be obtainable from a three dimensional glacier mechanics analysis carried out with the aid of computer calculations or with field observations. It is hoped that Robin's data on ice streams may also help to solve the problem of why fast moving ice streams form near the edge of the West Antarctic Ice Sheet

MP 1043
SOIL PROPERTIES OF THE INTERNATIONAL TUNDRA BIOME SITES.
Brown, J., et al, International Biological Programme Tundra Biome. Microbiology, Decomposition and Invertebrate Working Groups. Meeting, University of Alaska, Fairbanks, August 1973. Proceedings (Soil organisms and decomposition in tundra), Stockholm Sweden, International Biological Program, Tundra Biome Steering Committee, 1974, p 27-48, 31 refs
Veum, A.K.
29-3348
TUNDRA SOILS, SOIL COMPOSITION, SOIL CHEMISTRY, TUNDRA BIOME, SOUTH GEORGIA, SIGNY ISLAND, MACQUARIE ISLAND.
The soils of the national Tundra Biome sites, which include subantarctic locations, reflect a significantly wide range of soil-forming factors and conditions. It is the purpose of this report to present the most representative set or sets of soil data available for each national project. Presentation of data is confined to the upper three to four soil layers or horizons since these are the most biologically significant for purposes of this volume and other Tundra Biome synthesis activities The main emphasis here is to provide physical, chemical and thermal soils properties which supplement data presented elsewhere in this volume and which are required for subsequent interpretations of those reports A brief summary of major soil conditions at each site is given in order to provide the uninitiated reader with a cursory understanding of the soil physical environment

MP 1044
CAN A WATER-FILLED CREVASSE REACH THE BOTTOM SURFACE OF A GLACIER?.
Weertman, J., 1973, No.95, p.139-145, 7 refs., In English with French summary.
29-3729
CREVASSES, SUBGLACIAL DRAINAGE, PENETRATION, TENSILE STRESS, ICE PRESSURE, ANALYSIS (MATHEMATICS), CREEP PROPERTIES, MAGMA.

MP 1045
ELECTRICAL RESISTIVITY PROFILE OF PERMAFROST.
Hockstra, P., Nov 1974, No.113, p 28-34, 6 refs.
30-806
ELECTRICAL RESISTIVITY, PERMAFROST STRUCTURE, DIELECTRIC PROPERTIES, UNFROZEN WATER CONTENT.

MP 1046
AIRBORNE E-PHASE RESISTIVITY SURVEYS OF PERMAFROST - CENTRAL ALASKA AND MACKENZIE RIVER AREAS.
Sellmann, P.V., et al, Nov. 1974, No.113, p.67-71.
McNeill, J.D., Scott, W.J.
30-810
PERMAFROST INDICATORS, ELECTRICAL RESISTIVITY, AIRBORNE EQUIPMENT, SURFACE STRUCTURE, DISCONTINUOUS PERMAFROST.

MP 1047
ARCTIC AND SUBARCTIC ENVIRONMENTAL ANALYSIS UTILIZING ERTS-1 IMAGERY. FINAL REPORT JUNE 1972-FEB. 1974.
Anderson, D.M., et al, Feb. 28, 1974, NASA-CR-142538, 128p.
McKim, H L, Gatto, L.W., Haugen, R.K., Crowder, W.K., Slaughter, C.W., Marlar, T.L.
30-1296
RIVER FLOW, SEDIMENTS, PERMAFROST DISTRIBUTION, SNOW COVER, RIVER ICE, SEA ICE, MAPPING, REMOTE SENSING, ERTS IMAGERY.
The author has identified the following significant results. ERTS-1 imagery provides a means of distinguishing and monitoring estuarine surface water circulation patterns and changes in the relative sediment load of discharging rivers on a regional basis Physical boundaries mapped from ERTS-1 imagery in combination with ground truth obtained from existing small scale maps and other sources resulted in improved and more detailed maps of permafrost terrain and vegetation for the same area Snowpack cover within a research watershed has been analyzed and compared to ground data. Large river icings along the proposed Alaska pipeline route from Prudhoe Bay to the Brooks Range have been monitored Sea ice deformation and drift northeast of Point Barrow, Alaska have been measured during a four day period in March and shore-fast ice accumulation and ablation along the west coast of Alaska have been mapped for the spring and early summer seasons.

MP 1048
WASTE MANAGEMENT IN THE NORTH.
Rice, E., et al, Winter 1974-75, 6(4), p.14-21.
Alter, A.J.
30-1598
WASTE TREATMENT, SEWAGE TREATMENT, SANITARY ENGINEERING.

MP 1049
ELECTRICAL GROUND IMPEDANCE MEASUREMENTS IN ALASKAN PERMAFROST REGIONS.
Hoekstra, P., April, 1975, FAA-RD 75-25, 60p., ADA-011 458, 18 refs.
30-1855
ELECTRICAL RESISTIVITY, WAVE PROPAGATION, PERMAFROST DEPTH, PERMAFROST THICKNESS, RADIO WAVES
New results about ground conductivity in North America became available from geophysical studies near Fairbanks, from sites along the Alaska Pipeline and in several areas of the Canadian Arctic: at these locations ground and/or airborne conductivity measurements were made by measuring the wavetilt and/or the surface impedance of radio groundwaves The results showed that the ground conductivity in permafrost areas of North America is very heterogeneous, so that it is not directly apparent how to assign an effective conductivity value to a path of practical length (approx. 100 km) The geological and permafrost conditions vary much in Alaska, so that measurements at a location are representative of a small area only, leaving large areas of Alaska open to question Theoretical evaluations of the seasonal changes in ground conductivity and their effect on radiowave propagation and electrical grounding are also discussed

MP 1050
BARROW, ALASKA, USA.
Bunnell, F.L., et al, 1975, No 20, International Meeting on Biological Productivity of Tundra, 5th: IBP Tundra Biome, Aulsko, Sweden, April 16-24, 1974. Structure and function of tundra ecosystems, edited by T. Rosswall and O.W. Heal, p 73-124, 79 refs.
MacLean, S.F., Jr, Brown, J.
30-2199
TUNDRA CLIMATE, SOLAR RADIATION, SNOWMELT, TUNDRA VEGETATION, MOSSES, LICHENS, SOIL COMPOSITION, UNITED STATES—ALASKA—BARROW.

MP 1051
RADIATION AND EVAPORATION HEAT LOSS DURING ICE FOG CONDITIONS.
McFadden, T., Jan. 1975, No 114, p.18-27, 8 refs.
30-2552
ICE FOG, HEAT LOSS, EVAPORATION, WATER TEMPERATURE, RADIATION, WIND (METEOROLOGY), UNITED STATES ALASKA

MP 1052
C-14 AND OTHER ISOTOPE STUDIES ON NATURAL ICE.
Oeschger, H., et al, International conference on radiocarbon dating, 8th, Oct. 18-25, 1972. Proceedings. Vol. 1, Wellington, Royal Society of New Zealand, 1972, p.D70-D92, 26 refs.
Stauffer, B., Bucher, P., Frommer, H., Moll, M., Langway, C.C., Jr.. Hansen, B.L., Clausen, H.B.
30-3086
ICE DATING, ISOTOPE ANALYSIS, GLACIER ICE.

On several field projects in Greenland, Antarctica and the Swiss Alps, the extraction technique of traces from several tons of ice has been developed and perfected. The procedures are as follows. Surface ice samples are melted in vacuum melt vessels, whereas in bore holes the ice is melted *in situ* under vacuum at the desired depth. Until now the maximum depth from which samples have been extracted is 780 m. The gases escaping during the melting process are pumped through a molecular sieve for drying and collection of CO2. The remaining gases are compressed for further treatment in the laboratory Soluble chemistry may be carried out either on the melt water pumped to the surface (collection of Si) or down hole by circulating the melt water through ion exchange resins (collection of CO2) The melt water can be filtered for the collection of pollen, terrestrial and cosmic dust Uncontaminated CO2, Ar and Si samples can be obtained for radioisotopic dating. The results of the Si-32 samples allow us to establish an apparent half-life for Si-32 dating. The possible causes of the C-14 variations are discussed and ways to solve the problem suggested. (Auth.)

MP 1053
ECOLOGICAL INVESTIGATIONS OF THE TUNDRA BIOME IN THE PRUDHOE BAY REGION, ALASKA.
Brown, J., ed, Oct. 1975, No.2, 215p., For selected papers see 30-3305 through 30-3313. Numerous refs.
30-3304
TUNDRA SOILS, TUNDRA VEGETATION, SNOW COVER, ANIMALS, TUNDRA BIOME, UNITED STATES—ALASKA—PRUDHOE BAY.

During the period 1970-1974, the U.S. Tundra Biome Program, which was stationed primarily out of Barrow, performed a series of environmental and terrestrial ecological studies at Prudhoe Bay This volume reports specifically on the Prudhoe results and is divided into three major subdivisions. (1) abiotic and soil investigations, (2) plant investigations, and (3) animal investigations. The abiotic section contains papers on the air and soil temperature regimes, the snow cover, particularly its properties adjacent to the roadnet, major soil and landform associations, and the chemical composition of soils, runoff, lakes, and rivers. The plant section contains reports on a general vegetation survey, a follow-up vegetation mapping project, and a study of the growth of arctic, boreal, and alpine biotypes in an experimental transplant garden. The animal section contains reports on the tundra invertebrates, the bird, lemming, and fox populations, and the behavioral and physiological investigations of caribou and several experimental reindeer Appendices contain a checklist of the vascular, bryophyte, and lichen flora of the Prudhoe Bay area and selected data on vegetation Several of the papers draw comparisons with the Barrow tundra. The volume includes a considerable number of tables in its attempt to document for the first time the abiotic, flora, and fauna of this relatively unknown arctic ti fra landscape.

MP 1054
SELECTED CLIMATIC AND SOIL THERMAL CHARACTERISTICS OF THE PRUDHOE BAY REGION.
Brown, J., et al, Oct. 1975, No 2, p 3-12, 7 refs.
Haugen, R.K., Parrish, S
30-3305
TUNDRA SOILS, CLIMATE, AIR TEMPERATURE, SOIL TEMPERATURE, UNITED STATES—ALASKA—PRUDHOE BAY.

MP 1055
NEAR REAL TIME HYDROLOGIC DATA ACQUISITION UTILIZING THE LANDSAT SYSTEM.
McKim, H.L., et al, Conference on soil-water problems in cold regions, Calgary, Alberta, Canada, N , 6-7, 1975, Proceedings, 1975, p.200-211, 4 refs.
Anderson, D.M., Berg, R.L., Tunstra, R.L.
30-3342
REMOTE SENSING, SPACECRAFT, DATA TRANSMISSION, MEASURING INSTRUMENTS, LANDSAT.

The LANDSAT Data Collection System (DCS) makes the capability of rapidly collecting hydrologic, meteorologic and environmental data at remote sites throughout the United States and Canada The coded signals are transmitted via satellite to NASA ground receiving stations where the data are compiled and teletyped to the user. The number of transmissions per day varies considerably depending on the location of each data collection platform (DCP) During the past two years, many sensors have been interfaced to the DCP, one of the most important is a porous cup tensiometer constructed so that a transducer provides a continuous reading of pore water pressure. Field tests have shown that the transmissions from the DCP are accurate and reliable. This system appears to provide a reliable means of measuring pore water pressure at freeze-up and thaw, critical data needed for validation of current hydrologic models.

MP 1056
GLACIOLOGY'S GRAND UNSOLVED PROBLEM.
Weertman, J., Mar. 25, 1976, 260(5549), p.284-286.
30-3369
ICE SHEETS, GLACIER OSCILLATION, ICE SHELVES, SEA LEVEL.

Glaciology's grand unsolved problem, or set of interrelated problems, concerns the West Antarctic Ice Sheet. how it formed, whether it it growing or disintegrating, why fast moving ice streams form at its periphery, etc. Geological evidence indicates that before 10,000 yr ago the West Antarctic Ice Sheet was much larger, covering the area, now below sea level, presently occupied by the Ross Ice Shelf and that a large scale retreat took place at its edge. The retreat was probably caused by the large rise in sea level that occurred when the ice sheets in the northern hemisphere melted at the end of the last ice age. It has been suggested that the West Antarctic Ice Sheet is still disintegrating, its edge retreating where it joins the Ross Ice Shelf on the order of 70 m/yr. This slowly occurring destruction could account for the present rate of rise of the mean sea level Recent data collected on the Ross Ice Shelf reaches the startling conclusion that the position of the edge of the ice sheet at least at one location is advancing at the very fast rate of 1 km/yr. Extensive field data will be required to determine whether the ice sheet is disintegrating or growing and at what rate.

MP 1057
MECHANICAL PROPERTIES OF SNOW USED AS CONSTRUCTION MATERIAL.
Wuori, A.F., 1975, Vol.326, p.157-164, In Russian. 14 refs.
30-3626
SNOW (CONSTRUCTION MATERIAL), SNOW ROADS, ICE ROADS, ICE RUNWAYS, SNOW MECHANICS, SNOW COMPACTION, SNOW BEARING STRENGTH, TESTS.

Various methods are feasible for processing snow into a construction material in polar areas where conventional materials are uneconomical or impractical This conversion necessitates considerable alteration of the mechanical properties of snow, this study is concerned with these alterations. The problems of compacting snow for road, airstrip and building construction are examined.

MP 1058
METHODS OF MEASURING THE STRENGTH OF NATURAL AND PROCESSED SNOW.
Abele, G , 1975, Vol.326, p.176-186, In Russian. 14 refs.
30-3629
SNOW (CONSTRUCTION MATERIAL), ICE RUNWAYS, SNOW COMPACTION, SNOW ROADS, AIRPORTS, SNOW BEARING STRENGTH.

MP 1059
TECHNIQUES FOR USING LANDSAT IMAGERY WITHOUT REFERENCES TO STUDY SEA ICE DRIFT AND DEFORMATION.
Hibler, W.D., III, et al, Mar. 1976, No.31, p.115-135, 12 refs.
Tucker, W.B., Weeks, W.F.
30-3888
SEA ICE, DRIFT, ICE DEFORMATION, POSITION (LOCATION), LANDSAT.

A semi-automatic procedure is described for transferring ice coordinates rapidly and accurately from one LANDSAT image to another and for simultaneously estimating all linear measures of the ice deformation The procedure takes into account the non-parallel nature of the longitude lines and the finite curvature of the latitude lines, factors which are particularly critical in the polar regions. Necessary inputs are the location coordinates (latitude and longitude) of the center of each image and the location of two arbitrary points on a line of longitude on the image These equations, which are valid over distances of several hundred kilometers, bypass the complex and time-consuming procedure of projecting points on the spheroid After the transfer of common ice feature locations (on successive days) is completed, a least squares program yields the average strain rate and vorticity, with the strain rate being independent of errors in the transfer of the coordinate system Transfer, vorticity, and strain rate errors of the technique are described

MP 1060
LABORATORY INVESTIGATION OF THE MECHANICS AND HYDRAULICS OF RIVER ICE JAMS.
Tatinclaux, J C., et al, Mar. 1975, No.186, 97p., 7 refs
Lee, C.L., Wang, T.P., Nakato, T., Kennedy, J.F.
30-4136
ICE JAMS, RIVER ICE, ICE MECHANICS, HYDRAULICS, COMPRESSIVE STRENGTH, ICE COVER THICKNESS, ICE FLOES, FLOW RATE, EXPERIMENTAL DATA

MP 1061
ROSS ICE SHELF PROJECT DRILLING, OCTOBER-DECEMBER 1976.
Rand, J.H., Oct. 1977, 12(4), p.150-152, 4 refs.
32-2116
ICE SHELVES, ICE CORING DRILLS, DRILLING, ANTARCTICA—ROSS ICE SHELF.

The wire line core drilling system used for the Ross Ice Shelf Project and the problems encountered in using the equipment are described. The proposed plans included drilling four holes: the water well hole, Bern hole, core hole, and access hole The generally unsuccessful operations during the season indicated that it is not feasible to drill an open hole through the Ross Ice Shelf due to closure of the drilled hole as a result of the flowing characteristics of ice.

MP 1062
CONCENTRATED LOADS ON A FLOATING ICE SHEET.
Nevel, D.E., 1977, 19(81), p.237-245, In English with French and German summaries. 8 refs.
32-2447
FLOATING ICE, ICE BEARING CAPACITY, TENSILE STRESS, ICE ELASTICITY, LOADS (FORCES), ICE COVER THICKNESS, MATHEMATICAL MODELS.

The safe bearing capacity of a floating ice sheet is usually determined by limiting the maximum tensile stress which occurs under the load at the bottom of the ice sheet If the size of the load distribution is large compared to the ice thickness, the thin plate theory predicts these stresses correctly. However, if the size of the load distribution becomes small compared to the ice thickness, the plate theory overestimates the stresses In this case the ice sheet should be treated as a three-dimensional elastic layer. Previous investigators have solved the elastic-layer problem for loads distributed over a circular area, and have limited the results to the stress at the bottom of the ice sheet directly under the center of the load In the present paper the stresses are evaluated at any radial position, and it is shown how these stresses approach those for the plate theory as the radial position becomes large The solutions for the stresses are presented in integral form, as well as graphs from the numerical integration These new results are significant for the superposition of stresses when two concentrated loads act near each other. Similarly for loads distributed over a rectangular area, the plate theory will overestimate the stresses if the dimensions of the load become small compared to the ice thickness For this case integral solutions are presented for the stresses, and are evaluated directly under the center of the load. (Auth)

MP 1063
FLEXURAL STRENGTH OF ICE ON TEMPERATE LAKES.
Gow, A.J., 1977, 19(81), p 247-256, In English with French and German summaries. 7 refs.
32-2448
FLEXURAL STRENGTH, LAKE ICE, ICE CRYSTAL STRUCTURE, TENSILE STRESS, ICE CRACKS, TESTS.

Large, simply supported beams of temperate lake ice generally yield significantly higher flexural strengths than the same beams tested in the cantilever mode Data support the view that a significant stress concentration may exist at the fixed corners of the cantilever beams. Maximum effects are experienced with beams of cold, brittle ice substantially free of structural imperfections, the stress concentration factor may exceed 2 0 in this kind of ice. In ice that has undergone extensive thermal degradation the stress concentration effect may be eliminated entirely. Simply supported beams generally test stronger when the top surface is placed in tension This behavior is attributed to differences in ice type, the fine-grained, crack-free top layer of snow-ice usually reacting more strongly in tension than the coarse-grained bottom lake ice which is prone to cracking (Auth)

MP 1064
DE-ICING OF RADOMES AND LOCK WALLS USING PNEUMATIC DEVICES.
Ackley, S F., et al, 1977, 19(81), p 467-478, In English with French and German summaries 1 ref.
Itagaki, K . Frank, M.
32-2467
ICE REMOVAL, PNEUMATIC EQUIPMENT, ICE DETECTION, ICE NAVIGATION.

A rough comparison between thermal and mechanical methods of de-icing indicates that mechanical methods could potentially de-ice with an order-of-magnitude less energy than that required to melt an ice accretion Two applications of mechanical de-icing using pneumatically driven inflatable de-icers are described in this report The first of these was the de-icing of a small cylindrical radome used for air navigational purposes Two seasons of testing were conducted with a de-icer consisting of an inflatable-deflatable flexible plastic covering The de-icer was driven by tanks with pressure and vacuum reservoirs that were recharged by an on-site air compressor in response to a pressure sensor The de-icing cycle was activated by an ice detector so the system responded to icing events on a demand basis driven by the ice detector The system proved successful in keeping the radome free of ice without manned operation and with small energy consumption in a mountain icing environment The second application was an attempt to

de-ice the walls of locks used in river navigational facilities. Ice usually formed at the high-water-mark by the freezing of the water exposed to low air temperatures or by the pressing of ice against the walls by ships using the locks. The de-icers consisted of air-driven hoses mounted on the wall covered by a thick flexible rubber mat and protected from ship damage by steel outer plates. This method was successful in removing ice accumulations up to 2 m long by 0.3 m thick over the area covered by the de-icer. Installation costs and the necessity for protection of the de-icer against abrasion by ships may make this de-icing method prohibitively expensive compared with methods which are not as susceptible to damage by ships (e.g., chemical coating and electrical heating cables buried in the walls).

MP 1065
ENGINEERING PROPERTIES OF SEA ICE.
Schwarz, J., et al, 1977, 19(81), p.499-531, In English with French and German summaries. Refs. p.526-530. For this paper from another source see 31-2778.
Weeks, W.F.
32-2470
ICE SHELVES, ICE STRUCTURE, ICE MECHANICS, ICE FRICTION, ICE THERMAL PROPERTIES, ICE ELECTRICAL PROPERTIES, ICE (CONSTRUCTION MATERIAL), ENGINEERING, SEA ICE, ICE STRENGTH.
As the continental shelves of the Arctic become important as source areas for the oil and minerals required by human society, sea ice becomes an increasing challenge to engineers. The present paper starts with a consideration of the different fields of engineering which require information on sea ice with the tasks ranging from the design of ice-breaking ships to Arctic drilling platforms and man-made ice islands. Then the structure of sea ice is described as it influences the observed variations in physical properties. Next the status of our knowledge of the physical properties important to engineering is reviewed. Properties discussed include mechanical properties (compressive, tensile, shear and flexural strengths; dynamic and static elastic moduli; Poisson's ratio), friction and adhesion, thermal properties (specific and latent heats, thermal conductivity and diffusivity, density) and finally electromagnetic properties (dielectric permittivity and loss, resistivity). Particular attention is given to parameters such as temperature, strain-rate, brine volume, and loading direction as they affect property variations. Gaps, contradictions in the data, and inadequacies in testing techniques are pointed out. Finally suggestions are made for future research, especially for more basic laboratory studies designed to provide the data base upon which further theoretical developments as well as field studies can be built. (Auth.)

MP 1066
STUDIES OF THE MOVEMENT OF COASTAL SEA ICE NEAR PRUDHOE BAY, ALASKA, U.S.A.
Weeks, W.F., et al, 1977, 19(81), p.533-546, In English with French and German summaries. 5 refs. For this paper from another source see 31-2777.
Kovacs, A., Mock, S.J., Tucker, W.B., Hibler, W.D., III, Gow, A.J.
32-2471
FAST ICE, PACK ICE, ICE MECHANICS, THERMAL EXPANSION, RADAR TRACKING, LASERS, SEA ICE, ICE CONDITIONS, UNITED STATES—ALASKA—PRUDHOE BAY.
During March-May 1976, a combination of laser and radar ranging systems was used to study the motion of both the fast ice and the pack ice near Narwahl and Cross Islands, two barrier islands located 16 and 21 km offshore in the vicinity of Prudhoe Bay, Alaska. Laser measurements of targets on the fast ice near Narwahl Island indicate small net displacements of approximately 1 m over the period of study (71 d) with short-term displacements of up to 40 cm occurring over 3 d periods. The main motion was outward normal to the coast and was believed to be the result of thermal expansion of the ice. The radar records of fast-ice sites farther offshore show a systematic increase in the standard deviation of the displacements as measured parallel to the coast, reaching a value of 6.6 m at 31 km. The farthest fast-ice sites show short-term displacements of up to 12 m. There are also trends in the records that are believed to be the result of the general warming of the fast ice with time. Radar targets located on the pack ice showed large short-term displacements (up to 2.7 km) but negligible net ice drift along the coast. There was no significant correlation between the movement of the pack and the local wind, suggesting that coastal ice prediction models can only succeed if handled as part of a regional model which incorporates stress transfer through the pack. The apparent fast-ice-pack-ice boundary in the study area was located in 30-35 m of water. (Auth.)

MP 1067
SHORT-TERM FORECASTING OF WATER RUN-OFF FROM SNOW AND ICE.
Colbeck, S.C., 1977, 19(81), p.571-588, In English with French and German summaries. Refs. p.585-587.
32-2474
RUNOFF FORECASTING, SNOW HYDROLOGY, ICE MELTING, SNOW MELTING, GLACIAL HYDROLOGY, MELTWATER, SNOW COVER EFFECTS, MODELS.
Accurate forecasting of water run-off from snow covers and glaciers is increasingly important because of the increasing competition for scarce water resources. The trend toward conceptual computerized models of hydrologic systems requires extensive knowledge of the physical aspects of those systems. Unlike river and stream networks, the hydrological characteristics of snow covers and glaciers are highly variable with time and cannot be easily defined. After reviewing the physical aspects of water flow through snow covers and glaciers, it is concluded that snow covers and glaciers are predictable hydrological systems once the melt metamorphism of the snow is complete and the englacial conduits have been established. However, much additional information about snow and ice masses must be generated before general forecasting techniques can be established for all situations. (Auth.)

MP 1068
ROLE OF RESEARCH IN DEVELOPING SURFACE PROTECTION MEASURES FOR THE ARCTIC SLOPE OF ALASKA.
Johnson, P.R., Symposium on Surface Protection through Prevention of Damage (Surface Management). Focus: the Arctic Slope, Anchorage, Alaska, May 17-20, 1977. Proceedings. Edited by M.N. Evans. Anchorage, Alaska, Bureau of Land Management, Mar. 1978, p.202-205.
32-2648
ENVIRONMENTAL PROTECTION, SNOW ACCUMULATION, SNOW (CONSTRUCTION MATERIAL), ICE (CONSTRUCTION MATERIAL), CIVIL ENGINEERING, U.S. ARMY CRREL, RESEARCH PROJECTS, UNITED STATES—ALASKA—NORTH SLOPE.
The U.S. Army Cold Regions Research and Engineering Laboratory (USA CRREL) has long conducted research in snow, ice, and permafrost. It also translates foreign language engineering papers and publishes research reports, monographs, and bibliographies. Snow and ice roads and construction pads have been used, primarily on the Arctic Slope, during the last few winters. Some have been successful but problems exist which will require further experience and research to solve. One problem is that of snow supply. Snowfall on the Arctic Slope is limited, particularly early in the season when it is most desired. Few good data are available on total quantities and the time pattern of snowfall but Wyoming Snow Gages, now being installed by a number of government agencies and private organizations, are beginning to provide some data which can be used with some confidence. The snow which falls is often blown off by the strong winds which are common in the area so it is not available where it is needed. Research is under way on equipment and techniques for collecting snow and inducing drifting.

MP 1069
INTEGRATED APPROACH TO THE REMOTE SENSING OF FLOATING ICE.
Campbell, W.J., et al, International Astronautical Congress, 26th, Lisbon, September 21-27, 1975. Proceedings. Edited by L.G. Napolitano, Oxford, Pergamon Press, 1977, p.445-487, Refs. p.483-487.
Ramseier, R.O., Weeks, W.F., Gloersen, P.
32-2840
FLOATING ICE, REMOTE SENSING, SENSOR MAPPING, AERIAL RECONNAISSANCE, SEASONAL VARIATIONS.
The current increase of scientific interest in all forms of floating ice—sea ice, lake ice, river ice, ice shelves and icebergs—has occurred during a time of rapid evolution of both remote-sensing platforms and sensors. The application of these new research tools to ice studies in the Arctic and Antarctic has generally been both piecemeal and sporadic, partly because the community of ice scientists has not kept up with the rapid advances in remote sensing technology and partly because they have not made their needs known to the space community. This paper seeks to help remedy the latter shortcoming. The remote sensing requirements for floating ice studies are given, and the capabilities of various existing and future sensors and sensor combinations in meeting these requirements are discussed. The desirable future sensors are also discussed from both the research and operational points of view.

MP 1070
DYNAMICS OF SNOW AVALANCHES.
Mellor, M., Rockslides and avalanches, 1, Natural phenomena. Edited by B. Voight, New York, Elsevier, 1978, p.753-792, 22 refs.
32-2937
AVALANCHE MECHANICS, SNOW COVER STABILITY, SHEAR STRAIN, AVALANCHE WIND.
After a general introduction to snow avalanches and their consequences, type classification is discussed, and classification schemes are described briefly. The first technical section deals with deformation and displacement of snow slopes prior to avalanche release, with the failure process, and with the propagation of initial failure. The following section describes various types of avalanche motion after release. Representative values are suggested for slope angles, initial accelerations, flow density, driving stresses, and travel velocities. The third technical section considers idealized theoretical analyses of avalanche motion. The final technical section covers the dynamic forces imposed by snow avalanches and their associated "winds." Measured values of impact stresses are summarized, and direct impact stresses for "wide" avalanches are deduced from simple theory. Forces induced by interfacial shear and avalanche deflection are considered briefly, and forces created by avalanche winds, or "air blast," are discussed. In the conclusion there is a simplified tabulation of representative values for stress ranges, typical strain rates and typical velocities in the various avalanche processes.

MP 1071
IN-SITU MEASUREMENTS ON THE CONDUCTIVITY AND SURFACE IMPEDANCE OF SEA-ICE AT VLF FREQUENCIES.
McNeill, D., et al, Dec. 1971, R105, 19p. plus diagrams, 9 refs. Also published in Radio science, Jan. 1973, 8(1):23-30.
Hoekstra, P.
27-700
SEA ICE, ICE RESISTIVITY, ELECTRICAL RESISTIVITY.
An experimental program to measure in-situ values of the electrical conductivity and surface impedance of sea ice at VLF frequencies was carried out at Pt. Barrow, Alaska. Temperature, salinity, and resistivity were measured as a function of depth in the ice for both first year and multi-year sea ice by means of cored samples. All three quantities varied with the age of the ice and, in addition, the resistivity varied with age from 100 to 10,000 ohm-meters at the surface, and in general down to a few ohm-meters at the sea water interface. The wave tilt of a VLF plane wave propagating over sea ice is theoretically linearly dependent on the thickness. Measurements of the quadrature phase wave tilt at 18.6 KHz give values of the right order of magnitude but erratic in local behavior. Short-spacing Wenner array resistivity measurements and telluric current measurements at VLF demonstrated that the erratic behavior was due to significant horizontal variations of the sea ice resistivity over distances of a few feet.

MP 1072
UV RADIATIONAL EFFECTS ON: MARTIAN REGOLITH WATER.
Nadeau, P.H., Hanover, New Hampshire, Dartmouth College, Aug. 1977, 89p., M.A. thesis. Refs. p.66-89.
32-2972
MARS (PLANET), SOIL CHEMISTRY, CHEMICAL REACTIONS, ENVIRONMENTS, HYDROGEN PEROXIDE, SOLAR RADIATION, ULTRAVIOLET RADIATION, ECOLOGY, ENVIRONMENT SIMULATION.

MP 1073
DYNAMICS OF NEAR-SHORE ICE.
Kovacs, A., et al, Environmental assessment of the Alaskan continental shelf. Vol.XVI. Hazards. Principal investigators' reports for the year ending March 1977. Boulder, Colorado, Environmental Research Laboratories, 1977, p.151-163.
Weeks, W.F.
32-3067
SEA ICE, DRIFT, ICE DEFORMATION, LASERS.

MP 1074
DELINEATION AND ENGINEERING CHARACTERISTICS OF PERMAFROST BENEATH THE BEAUFORT SEA.
Sellmann, P.V., et al, Environmental assessment of the Alaskan continental shelf. Vol.XVI. Hazards. Principal investigators' reports for the year ending March 1977. Boulder, Colorado, Environmental Research Laboratories, 1977, p.385-395.
Blouin, S.E., Brown, J., Chamberlain, E.J., Iskandar, I.K., Ueda, H.T.
32-3071
SUBSEA PERMAFROST, PERMAFROST PHYSICS, PERMAFROST DISTRIBUTION, ENGINEERING.
The overall objectives of the CRREL participation in the subsea permafrost program are to quantify the engineering characteristics and ascertain the distribution of permafrost beneath the Beaufort Sea and to determine their relationship to temperature, sediment type, ice content and chemical composition. Permafrost was present in the four holes drilled at Prudhoe Bay. Ice bonded permafrost was absent in the upper 30 meters of sediment up to 17 kilometers from shore. Based on negative temperature gradients and pore water chemistry, ice-bonded permafrost should be encountered at 30- and 43-meter depths at sites PB-2 and PB-3, respectively. It appears that the depth to the ice-bonded permafrost decreases with increasing distance from shore and depth of water. Highly over-consolidated marine clays were encountered seaward of Reindeer Island. The overconsolidation probably resulted from the freeze-thaw history. The presence of these stiff, marine clay deposits is an important consideration for siting structures associated with offshore developments.

MP 1075
ROSS ICE SHELF PROJECT ENVIRONMENTAL IMPACT STATEMENT JULY, 1974.
Parker, B.C., et al, Environmental impact in Antarctica, edited by B.C. Parker, Blacksburg, Virginia Polytechnic Institute and State University, 1978, p.7-36, 13 refs.
McWhinnie, M.A., Elliott, D., Reed, S.C., Rutford, R.H.
32-3113
ENVIRONMENTAL IMPACT, ICE SHELVES, DRILLING, RESEARCH PROJECTS, ANTARCTICA—ROSS ICE SHELF.
The scientific objectives of the Ross Ice Shelf Project (RISP) are to drill into the ice shelf to investigate the physical, chemical, biological, and geological conditions in the ice shelf, the water mass beneath the ice, and the soft sediments and bedrock at the bottom of the sea, and to use the data obtained for interpretation of the present conditions and the history of this portion of Antarctica. This environmental impact assessment describes the proposed action, summarizes the scientific studies to be undertaken, and outlines remedial and protective measures, unavoidable adverse impacts, and alternatives to the proposed action. It is anticipated that the majority of the impacts will be short-term and extremely localized, such as those associated with the camp and laboratory facility on the Ross Ice Shelf during the period of drilling. These impacts will be monitored throughout the RISP operations. The pristine nature of the surface should be restored fully within one year. It is stressed that the likelihood of penetrating a hydrocarbon trap is remote, but should this occur rendering an uncontrollable release of hydrocarbons, the impact on the environment could be quite severe On a scale of 1 to 10 this possibility is assigned a value of 5.

MP 1076
DYNAMICS OF NEAR-SHORE ICE.
Kovacs, A., et al, Environmental assessment of the Alaskan continental shelf. Vol.II. Principal investigators' quarterly reports for the period April-June 1977. Boulder, Colorado, Environmental Research Laboratories, 1977, p.411-424.
Weeks, W.F.
32-3188
SEA ICE, ICE MECHANICS, FAST ICE, ICE STRUCTURE.

MP 1077
DELINEATION AND ENGINEERING CHARACTERISTICS OF PERMAFROST BENEATH THE BEAUFORT SEA.
Sellmann, P.V., et al, Environmental assessment of the Alaskan continental shelf. Vol.II. Principal investigators' quarterly reports for the period April-June 1977. Boulder, Colorado, Environmental Research Laboratories, 1977, p.432-440.
Brown, J., Blouin, S.E., Chamberlain, E.J., Iskandar, I.K., Ueda, H.T.
32-3189
SUBSEA PERMAFROST, OFFSHORE DRILLING, ICE COVER THICKNESS, DRILL CORE ANALYSIS, CHEMICAL ANALYSIS.

MP 1078
GROUTING SILT AND SAND AT LOW TEMPERATURES.
Johnson, R., Conference on Applied Techniques for Cold Environments, Anchorage, Alaska, May 17-19, 1978. Proceedings, Vol 2, New York, American Society of Civil Engineers, 1979, p.937-950, 2 refs.
33-4452
GROUTING, VISCOSITY, SOIL STABILIZATION, FROZEN GROUND MECHANICS, SANDS, STRESS STRAIN DIAGRAMS, COMPRESSIVE STRENGTH, TEMPERATURE EFFECTS, COLD WEATHER OPERATION, RESINS, TESTS.

MP 1079
INTERHEMISPHERIC COMPARISON OF CHANGES IN THE COMPOSITION OF ATMOSPHERIC PRECIPITATION DURING THE LATE CENOZOIC ERA.
Cragin, J.H., et al, Polar oceans. Proceedings of the Polar Oceans Conference, Montreal, May 1974. Edited by M.J. Dunbar, Montreal, Arctic Institute of North America, 1977, p.617-631, 26 refs Includes discussion.
Herron, M.M., Langway, C.C., Jr., Klouda, G.A.
32-3432
GLACIER ICE, ICE SHEETS, ICE COMPOSITION, PRECIPITATION (METEOROLOGY), DUST, ICE CORES.
Concentrations of alkali and alkaline earth elements in north Greenland glacial ice deposited during the past 100,000 years show marked variations over that time span Prior to the Wisconsin Stage concentrations of Na, K, Mg and Ca average 26, 4.4, 6.3, and 18 microg/l respectively Concentration levels rise gradually at the beginning of the Wisconsin Stage and peak at averages of 51, 29, 25, and 162 microg/l during the last third. During the Holocene the concentration levels decrease to lows of 17, 3.3, 2.6, and 5.1 microg/l. Silicon concentrations increase by about a factor of 3 (over Sangamon levels of 100 microg/l) during the late Wisconsin Stage, indicating a significant influx of eolian dust at that time. Although sulfate concentrations are high (280 microg/l) during the last third of the Wisconsin Stage, they remain relatively constant (100 microg/l) prior to and after that time; this might suggest that the Wisconsin Stage was not triggered by volcanism. Similar elemental concentrations measured in West Antarctic glacial ice deposited essentially over the same time period as the Greenland material also increase during the late Wisconsin Stage, but to a much smaller extent than those in Greenland ice. (Auth)

MP 1080
EFFECT OF FREEZING AND THAWING ON THE PERMEABILITY AND STRUCTURE OF SOILS.
Chamberlain, E.J., et al, International Symposium on Ground Freezing, 1st, Bochum, Germany, March 8-10, 1978. Proceedings. Edited by H.L. Jessberger, Bochum, Ruhr University, 1978, p.31-44, 11 refs.
Gow, A.J.
32-3469
FREEZE THAW CYCLES, SOIL WATER MIGRATION, PERMEABILITY, SOIL STRUCTURE, SOIL PHYSICS, SOIL TEXTURE, FINES, PARTICLE SIZE DISTRIBUTION.
The permeability and structure of four fine-grained soils were observed to be changed by freezing and thawing. In all cases freezing and thawing caused a reduction in void ratio and an increase in vertical permeability. The increase in permeability is attributed to the formation of polygonal shrinkage cracks and/or to the reduction of the volume of fines in the pores of the coarse fraction, the mechanism controlling the process depending on material type No definite relationships are established; however, it appears that the largest increase in permeability occurs for the soil of highest plasticity.

MP 1081
SEGREGATION FREEZING AS THE CAUSE OF SUCTION FORCE FOR ICE LENS FORMATION.
Takagi, S., International Symposium on Ground Freezing, 1st, Bochum, Germany, March 8-10, 1978. Proceedings. Edited by H.L. Jessberger, Bochum, Ruhr University, 1978, p.45-51, 20 refs.
32-3470
SOIL FREEZING, GROUND ICE, ICE LENSES, SOIL WATER MIGRATION, FROST HEAVE, FROZEN GROUND THERMODYNAMICS, SOIL STRUCTURE, SOIL PRESSURE, ANALYSIS (MATHEMATICS).
A new freezing mechanism, called segregation freezing, is proposed to explain the generation of the suction force that draws pore water up to the freezing surface of a growing ice lens. The segregation freezing temperature is derived by applying thermodynamics to a soil mechanics concept that distinguishes the mechanically effective pressure from the mechanically neutral pressure The frost-heaving procedure is formulated as part of the solution of the differential equations of the simultaneous flow of heat and water, of which the segregation freezing temperature is one of the boundary conditions

MP 1082
EFFECT OF FREEZE-THAW CYCLES ON RESILIENT PROPERTIES OF FINE-GRAINED SOILS.
Johnson, T.C., et al, U.S. Army Cold Regions Research and Engineering Laboratory, [1978], 19p.
Prepared for International Symposium on Ground Freezing, Bochum, Germany, March 8-10, 1978. 20 refs.
Cole, D.M., Chamberlain, E.J.
32-3502
FROZEN GROUND MECHANICS, FREEZE THAW CYCLES, PAVEMENT BASES, BEARING TESTS, SHEAR STRESS, SUBGRADE SOILS, LOADS (FORCES), SOIL MOISTURE CONTENT, SOIL TEMPERATURE, MODELS.
Stress-deformation data for silt and clay subgrade soils were obtained from in-situ tests and laboratory tests, for use in mechanistic models for design of pavements that will experience freezing and thawing Plate-bearing tests were run on in-service all-bituminous-concrete (ABC) pavements constructed directly on silt subgrade, and on an experimental ABC pavement constructed on clay subgrade, applying repeated loads to the pavement surfaces while the subgrade was frozen, thawing, thawed, and fully recovered Analysis of deflection data from the in-situ tests showed resilient moduli of the subgrade soils up to more than 10 GPa when frozen, as low as 2 MPa during the thawing period, and up to more than 100 MPa when fully recovered Analysis of the laboratory tests, which gave moduli comparable to the latter values, showed that resilient modulus and Poisson's ratio in the thawed and recovering conditions can be expressed as a function of the stress rate, the moisture content, and the dry density

MP 1083
TEMPERATURE EFFECTS IN COMPACTING AN ASPHALT CONCRETE OVERLAY.
Eaton, R.A., et al, Conference on Applied Techniques for Cold Environments, Anchorage, Alaska, May 17-19, 1978. Proceedings, Vol.1, New York, American Society of Civil Engineers, 1978, p.146-158, 9 refs.
Berg, R.L.
32-3608
BITUMINOUS CONCRETES, COMPACTING, DENSITY (MASS/VOLUME), TEMPERATURE EFFECTS, COOLING RATE.
An asphalt concrete overlay was constructed at the U.S. Army Cold Regions Research and Engineering Laboratory (CRREL), Hanover, New Hampshire, in November, 1976, to evaluate temperature and other environmental effects upon compaction. Four overlay sections each 100ft x 12 ft x 3 in. thick and two sections each 80 ft x 12 ft x 1-1/2 in thick were designed to be placed on an existing CRREL test road. The asphalt cement and aggregate used were to have mix characteristics as close to the Thule mix as possible. This paper presents results of the test overlay using an AC 2.5 in a cold environment.

MP 1084
KOTZEBUE HOSPITAL—A CASE STUDY.
Crory, F.E., Conference on Applied Techniques for Cold Environments, Anchorage, Alaska, May 17-19, 1978. Proceedings, Vol.1, New York, American Society of Civil Engineers, 1978, p.342-359, 10 refs.
32-3624
BUILDINGS, SETTLEMENT (STRUCTURAL), PERMAFROST BENEATH STRUCTURES, FOUNDATIONS, SOIL TEMPERATURE.
Construction of the hospital was started in late 1959 and completed in September 1961. The hospital is a single-story structure, supported on insulated perimeter wall footings, with intermediate footings for the support of roof columns and grade beams. All floors are slab-on-grade concrete. Wall cracking was in evidence in the first year of occupancy. A void of more than a foot was found between the floor slab and the gravel fill in August, 1963. At the request of the U.S Public Health Service, USA CRREL conducted soil explorations and installed ground temperature assemblies and vertical movement points within the building and around the perimeter of the foundation to ascertain the source and potential magnitude of the foundation distress. The performance of the hospital through 1976 clearly indicates the settlement associated with the thawing of the underlying permafrost with time. Soil and permafrost conditions in the village of Kotzebue are described in light of the conditions disclosed in the hospital area.

MP 1085
EFFECTS OF MOISTURE AND FREEZE-THAW ON RIGID THERMAL INSULATIONS: A LABORATORY INVESTIGATION.
Kaplar, C.W., Conference on Applied Techniques for Cold Environments, Anchorage, Alaska, May 17-19, 1978. Proceedings, Vol.1, New York, American Society of Civil Engineers, 1978, p.403-417, 13 refs.
32-3628
THERMAL INSULATION, ABSORPTIVITY, MOISTURE, FREEZE THAW TESTS.
Laboratory observations on the effects of moisture absorption and freeze-thaw on various thermal insulation boards commonly used in construction beneath slabs on grade, in roofs, and in perimeter insulation of foundations were made under wet conditions Test specimens were submerged in water and buried in moist soil for periods ranging up to 36 months. Selected soaked specimens submerged in water were subjected to 15 and 30 freeze-thaw cycles. The study showed that: 1) None of the materials was completely resistant to moisture absorption under all test conditions, 2) A number of extruded polystyrenes were highly resistant to moisture, 3) The beaded polystyrene boards were more absorbent than the extruded types, and 4) Alternate freezing and thawing of rigid insulation in presence of free water was either destructive or increased moisture absorption in most of the tested materials, and 5) Cellular glass, normally highly moisture resistant in soaking tests, suffered extremely severe deterioration in freeze-thaw tests This study clearly demonstrated that only highly moisture-resistant rigid thermal insulations should be used under conditions subject to free water and alternate freezing and thawing

MP 1086
DESIGN CONSIDERATIONS FOR AIRFIELDS IN NPRA.
Crory, F.E., et al, Conference on Applied Techniques for Cold Environments, Anchorage, Alaska, May 17-19, 1978. Proceedings, Vol 1, New York, American Society of Civil Engineers, 1978, p.441-458, 6 refs.
Berg, R.L., Burns, C.D., Kachadoorian, R.
32-3631
AIRCRAFT LANDING AREAS, FROZEN SAND, FROZEN GRAVEL, PETROLEUM INDUSTRY.
Two exploratory wells, at Inidgok and Tunalik, will be spudded in the spring of 1978. The well sites require airfields for Hercules aircraft during the entire drilling operation Design and construction problems for the two airfields are compounded by the constraint that they be built in winter and in accordance with environmental requirements which

necessitate that all fill and gravel be transported over snow roads. Laboratory studies conducted at USACRREL showed that fills of frozen silty sand, the only locally available borrow at Inigok, have a greater potential for settlement upon thawing than the in-situ sands in cut sections. Several design options were considered for the airfields, drill pads and short connecting roads which must be usable all year. These included (1) gravel over sand, (2) gravel over insulation on sand, (3) landing mat with insulation, and (4) landing mat without insulation. Some of these concepts were evaluated at USAEWES, using large-scale test sections. In conjunction with the airfields, additional test sections are planned to evaluate different design concepts for runways, drill pads and roads to be built for the 1979 drilling program. This paper describes studies associated with the Inigok airfield.

MP 1087
EFFECTS OF SUBGRADE PREPARATION UPON FULL DEPTH PAVEMENT PERFORMANCE IN COLD REGIONS.
Eaton, R.A., Conference on Applied Techniques for Cold Environments, Anchorage, Alaska, May 17-19, 1978. Proceedings, Vol.1, New York, American Society of Civil Engineers, 1978, p.459-473, 8 refs.
32-3632
BITUMINOUS CONCRETES, COLD WEATHER PERFORMANCE, SUBGRADE PREPARATION, FROST HEAVE.
In September, 1973, a "full-depth" road test section was constructed at the U.S. Army Cold Regions Research and Engineering Laboratory (CRREL), Hanover, New Hampshire. Due to weather and time constraints, the subgrade beneath the asphalt concrete pavement was not properly prepared (blended, mixed, and made as uniform as possible) The road is in a cut area on an 8% slope and intersects horizontal layers of varved silts, silty sands, and sandy materials which are highly frost susceptible. The first winter, surface differential heaves of up to 5 inches in 5 feet occurred. The following summer, the subgrade was removed for 100 feet to a depth of 24 inches and 100 feet to a depth of 12 inches. The material was mixed, blended, and dried before placing back into the roadway in 6-inch compacted lifts. The succeeding two winters' performance has shown very marked improvement with relatively uniform heaving of the pavement surface. This shows, in conjunction with other CRREL highway pavement test sections, the importance of proper subgrade preparation for pavements in cold regions over frost-susceptible soils.

MP 1088
STORM DRAINAGE DESIGN CONSIDERATIONS IN COLD REGIONS.
Lobacz, E.F., et al, Conference on Applied Techniques for Cold Environments, Anchorage, Alaska, May 17-19, 1978. Proceedings, Vol.1, New York, American Society of Civil Engineers, 1978, p.474-489, 12 refs.
Eff, K.S.
32-3633
DRAINAGE, AIRCRAFT LANDING AREAS, ICE CONTROL, COLD WEATHER OPERATION.
This paper, based on the authors' recently revised design manual for drainage facilities at Army and Air Force airfields and heliports, adapts previously used U.S. hydraulic design criteria to the special conditions prevailing in arctic and subarctic regions. Design runoff supply rates for surface drainage are derived from rainfall plus snowmelt minus infiltration, three factors for which typical values are given, for both permafrost and unfrozen ground situations. Guidelines are discussed for other drainage design requirements such as structural, durability, maintenance, and, of major significance in cold regions, environmental impact considerations and debris and icing control Because of the importance of control and prevention of icings in and near drainage structures, applicable principles formulated by CRREL and other researchers are enunciated. While primarily intended for design of storm drain pipes, appurtenances and open drainage ditches serving airfields and heliports, the principles outlined are also generally suitable for culverts and drainage for facilities such as roadways, parking lots, and built-up areas in the Arctic and Subarctic.

MP 1089
TECHNIQUES FOR USING MESL (MEMBRANE ENCAPSULATED SOIL LAYERS) IN ROADS AND AIRFIELDS IN COLD REGIONS.
Smith, N., Conference on Applied Techniques for Cold Environments, Anchorage, Alaska, May 17-19, 1978. Proceedings, Vol.1, New York, American Society of Civil Engineers, 1978, p 560-570, 15 refs.
32-3640
SOIL TEXTURE, SOIL WATER, SOIL COMPACTION, WATERPROOFING, LAYERS
Membrane encapsulation of fine-grained soils to prevent soil moisture intrusion can provide an option to the use of more expensive select granular soils as structural layers in roads and airfields, even in cold regions Silts and clays compacted at, or slightly below, optimum moisture contents can provide high bearing strengths and are not subject to moisture migration or detrimental frost heaving during closed system (membrane encapsulated) freezing. Central Alaska has an abundant supply of silts, and the semi-arid climate is ideal for air-drying those that have an in-situ moisture content above optimum In other areas it might not be economically or technically feasible to dry the soils to the required moisture content for encapsulation unless granular soils are extremely scarce.

MP 1090
WATER RESOURCES BY SATELLITE.
McKim, H.L., May-June 1978, 70(455), p.164-169.
32-3654
REMOTE SENSING, SPACEBORNE PHOTOGRAPHY, WATER SUPPLY, SNOW COVER, ICE COVER, MAPPING.

MP 1091
MASS TRANSFER ALONG ICE SURFACES OBSERVED BY A GROOVE RELAXATION TECHNIQUE.
Tobin, T.M., et al, 1977, No.118, International Symposium on Isotopes and Impurities in Snow and Ice, Grenoble, Aug. 28-30, 1975, p.34-37, In English with French summary. 6 refs.
Itagaki, K.
32-3809
MASS TRANSFER, ARTIFICIAL ICE, DEUTERIUM OXIDE ICE, RELAXATION (MECHANICS).
The mass transfer coefficients were measured using a groove decay technique on the (0001) planes of naturally and artificially grown H2O ice and artificially grown D2O ice at -10C. In each case a viscous flow term contributed the most to groove decay in the longest wavelengths measured, while an evaporation-condensation term predominated in the shortest wavelengths measured. All other terms were found to be negligible. Large discrepancies between the decay constants obtained from measurements and the constants calculated from theory indicate that other mechanisms not considered in Mullins' theory may be responsible for the groove decay.

MP 1092
VANADIUM AND OTHER ELEMENTS IN GREENLAND ICE CORES.
Herron, M.M., et al, 1977, No.118, International Symposium on Isotopes and Impurities in Snow and Ice, Grenoble, Aug. 28-30, 1975, p.98-102, In English with French summary. 16 refs.
Langway, C.C., Jr., Weiss, H.V., Hurley, J.P., Kerr, R., Cragin, J.H.
32-3817
ICE COMPOSITION, CHEMICAL ANALYSIS, ICE CORES, GREENLAND.
Chemical analysis for Na, Cl, Al, Mn and V of surface snows and deeper ice core samples from station Milcent, Greenland, indicates a terrestrial or marine origin for these constituents. Pre-1900 enrichment factors, based on average crustal composition, are high for Zn and Hg and appear to be related to the volatility of these elements. A comparison of pre-1900 and 1971-1973 concentrations of V and Hg shows no decided increase due to industrial production, yet the relative abundance of Zn increased from 12 to 32 over this time period. The chemical composition of ancient ice is extremely useful in interpreting modern aerosols.

MP 1093
TRACER MOVEMENT THROUGH SNOW.
Colbeck, S.C., 1977, No.118, International Symposium on Isotopes and Impurities in Snow and Ice, Grenoble, Aug. 28-30, 1975, p.255-262, In English with French summary. 19 refs.
32-3840
SNOW COMPOSITION, MOISTURE TRANSFER, IMPURITIES.
Impurities flowing with water through snow undergo hydrodynamic dispersion Solutions describing the distribution of impurities are hard to obtain for realistic boundary conditions. The movement of impurities in snow is approximated here by neglecting second-order effects on their movement.

MP 1094
SEASONAL VARIATIONS OF CHEMICAL CONSTITUENTS IN ANNUAL LAYERS OF GREENLAND DEEP ICE DEPOSITS.
Langway, C.C., Jr., et al, 1977, No.118, International Symposium on Isotopes and Impurities in Snow and Ice, Grenoble, Aug. 28-30, 1975, p 302-306, In English with French summary. 13 refs.
Klouda, G.A., Herron, M.M., Cragin, J.H.
32-3846
ICE CORES, CHEMICAL ANALYSIS, SEASONAL VARIATIONS, ICE DATING.
Chemical analysis of century-old ice from continuous 5-year intervals of three ice cores obtained from south and central Greenland (Dye 3, Milcent and Crête) shows maximum concentrations of Na, Mg, Ca, K and Al during early spring and minimum concentrations during late summer and early fall Peak spring values are as much as 10 times greater than fall values. Because of the large seasonal chemical variations, samples used for depth-age or annual deposition rate studies must represent exactly one (or multiple) year's accumulation The seasonal chemical variations seem promising as a new method of defining annual layers and thus dating old ice cores

MP 1095
STABLE ISOTOPE PROFILE THROUGH THE ROSS ICE SHELF AT LITTLE AMERICA V, ANTARCTICA.
Dansgaard, W., et al, 1977, No.118, International Symposium on Isotopes and Impurities in Snow and Ice, Grenoble, Aug. 28-30, 1975, p.322-325, In English with French summary. 9 refs.
Johnsen, S.J., Clausen, H.B., Hammer, C.U., Langway, C.C., Jr.
32-3849
ICE SHELVES, ICE DATING, ICE COMPOSITION, ISOTOPE ANALYSIS, ANTARCTICA—ROSS ICE SHELF.
The delta (O-18)-profile along the Little America V ice core ranges from -20 per mille near the surface to -35 per mille at the bottom, i.e., lower than at any surface value hitherto measured in West Antarctica. (Auth.)

MP 1096
THERMAL PROPERTIES AND REGIME OF WET TUNDRA SOILS AT BARROW, ALASKA.
McGaw, R., et al, International Conference on Permafrost, 3rd, Edmonton, Alberta, Canada, July 10-13, 1978. Proceedings. Vol.1, Ottawa, National Research Council of Canada, 1978, p.47-53, With Russian and French summaries. 12 refs.
Outcalt, S.I., Ng, E.
32-3670
TUNDRA SOILS, THERMAL CONDUCTIVITY, TUNDRA VEGETATION, SOIL TEMPERATURE, TEMPERATURE MEASUREMENT.
Measurements of temperature and of thermal conductivity for two summer periods were carried out on wet organic surface materials and underlying mineral soils at Barrow, Alaska. Precise temperatures were measured by means of calibrated thermistors placed at accurately known depths, from which temperature gradients to a depth of 1.0 m are calculated. Thermal conductivities were measured by the transient-heating probe method, both in-situ and in the laboratory. The observed conductivity of the organic layer was between that of moist air (0.1 W/mK) and that of water (0.6 W/mK); the conductivity of the silt soil depended on the state of freezing. The measured data are combined to calculate summer heat fluxes to a depth of 1.0 m, from which the thermal transition of the active layer from initial thawing to incipient freezing is described and analyzed.

MP 1097
DETERMINATION OF UNFROZEN WATER IN FROZEN SOIL BY PULSED NUCLEAR MAGNETIC RESONANCE.
Tice, A.R., et al, International Conference on Permafrost, 3rd, Edmonton, Alberta, Canada, July 10-13, 1978. Proceedings. Vol.1, Ottawa, National Research Council of Canada, 1978, p.149-155, With Russian and French summaries. 12 refs.
Burrous, C.M., Anderson, D.M.
32-3685
FROZEN GROUND, GROUND ICE, UNFROZEN WATER CONTENT, MEASURING INSTRUMENTS.
Pulsed nuclear magnetic resonance (NMR) techniques have been developed and utilized to determine complete phase composition curves for three soils. This promising new technique offers a non-destructive method for measurements of unfrozen water contents in frozen soils from -0.2C through -25C. The results show that unfrozen water contents determined by this technique depend upon ice content (i.e. total water content) These results are contrary to earlier assumptions based on results which indicated that unfrozen water contents are a function of temperature only These findings show great promise in the discrimination of unfrozen water associated with mineral grain boundaries and the ice-water interfaces of the poly-crystalline ices present in soil-water systems

MP 1098
GEOECOLOGICAL MAPPING SCHEME FOR ALASKAN COASTAL TUNDRA.
Everett, K.R., et al, International Conference on Permafrost, 3rd, Edmonton, Alberta, Canada, July 10-13, 1978. Proceedings. Vol.1, Ottawa, National Research Council of Canada, 1978, p.359-365, With Russian and French summaries. 8 refs.
32-3717
TUNDRA, MAPPING, CHARTS, VEGETATION PATTERNS, TUNDRA SOILS, UNITED STATES—ALASKA.
A unified geoecological mapping system has been developed for northern Alaska which recognizes in a given area a suite of landforms whose geomorphic elements control the composition and distribution of vegetation and soil Within each landform boundary a fractional code is displayed in which the numerator consists of the geomorphic feature and its characteristic vegetation stand presented as a series of alpha-numeric units The denominator is comprised of three elements the soil(s), the landform type and its mean slope Each map contains an annotated list of code symbols and is accompanied by a text in which the characteristics of the code components are discussed The advantages

of such a mapping technique include: (1) integrating on a single base a large body of diverse data into a relatively few easily detected environment units, (2) the derivation of any number of special purpose maps by selecting components of the cod and/or related analytical data; (3) permitting an expansion of the code to include other kinds of geotechnical or environmental data.

MP 1099
CLIMATIC AND DENDROCLIMATIC INDICES IN THE DISCONTINUOUS PERMAFROST ZONE OF THE CENTRAL ALASKAN UPLANDS.
Haugen, R.K., et al. International Conference on Permafrost, 3rd, Edmonton, Alberta, Canada, July 10-13, 1978. Proceedings. Vol.1, Ottawa, National Research Council of Canada, 1978, p.392-398, With Russian and French summaries. 17 refs.
Brown, J.
32-3722
PERMAFROST DISTRIBUTION, DISCONTINUOUS PERMAFROST, ALPINE TUNDRA, TUNDRA VEGETATION, FOREST TUNDRA, PLANT ECOLOGY, CLIMATIC FACTORS, UNITED STATES—ALASKA—CENTRAL ALASKAN UPLANDS.
Most climatic records from central Alaska represent lowland sites. Consequently, continuous climatic observations were initiated in 1970 at four sites (750-1150 m elevation) 160 km north of Fairbanks near Eagle Summit, at one site (760 m) to km east of Livengood, and at one site (1040 m) on the northern flank of Mt. Fairplay. Mean annual temperatures at these upland sites range from -8.1 to -6.4C, as compared to -3 5C at Fairbanks for the same period of record. The site data characterize air temperatures and permafrost conditions for several different alpine tundra and forested settings. Based upon correlations of radial growth of timberline white spruce and June-July temperatures, dendroclimatic patterns of warm and cool growing seasons are documented over the past 300 years for the Yukon-Tanana Uplands. Similar timberline tree growth patterns are found south to the Alaska Range and at the white spruce timberline in the southern foothills of the Brooks Range, suggesting a relative uniformity of summer temperature patterns throughout central Alaska.

MP 1100
BIOLOGICAL RESTORATION STRATEGIES IN RELATION TO NUTRIENTS AT A SUBARCTIC SITE IN FAIRBANKS, ALASKA.
Johnson, L.A., International Conference on Permafrost, 3rd, Edmonton, Alberta, Canada, July 10-13, 1978. Proceedings. Vol.1, Ottawa, National Research Council of Canada, 1978, p.460-466, With Russian and French summaries. 9 refs.
32-3732
SUBARCTIC LANDSCAPES, ARCTIC LANDSCAPES, ENVIRONMENTAL PROTECTION, REVEGETATION, UNITED STATES—ALASKA—FAIRBANKS.
Restoration needs in the far north have dramatically increased as the extent of surface disturbance has increased over the last decade The urgency of arctic and subarctic revegetation and restoration has prompted the use of technology developed in the temperate zones, at least some of which may ultimately be suitable in these colder regions. A randomized block design was established in 1975 on the Chena Flood Control Project in order to test the effect of nutrient applications upon the competitive relationships between arctared fescue, bluejoint reedgrass, and annual rye Data gathered over two growing seasons on biomass, cover, maximum height, nutrient content, and other pertinent parameters are used to predict the effects of nutrient manipulation upon long-term restoration goals. It is anticipated that this research will increase the options available for successful mitigation of impact from northern industrial development

MP 1101
SHALLOW ELECTROMAGNETIC GEOPHYSICAL INVESTIGATIONS OF PERMAFROST.
Arcone, S.A., et al. International Conference on Permafrost, 3rd, Edmonton, Alberta, Canada, July 10-13, 1978. Proceedings. Vol.1, Ottawa, National Research Council of Canada, 1978, p.501-507, With Russian and French summaries. 6 refs.
Sellmann, P.V., Delaney, A.J.
32-3738
PERMAFROST PHYSICS, ELECTRICAL PROPERTIES, ELECTRICAL PROSPECTING, PERMAFROST DISTRIBUTION, MEASURING INSTRUMENTS.
Radiowave surface impedance (SI) and LF (200-400 kHz) and VLF (10-30 kHz) and magnetic induction (MI) methods were used to investigate permafrost properties and distribution in the Fairbanks and Copper River Basin areas of Alaska Recently developed portable field instruments were used The sites contained a range of materials and ground ice of varying volume and type Galvanic resistivity soundings and existing borehole data provided ground truth for data comparison Local plane wave interpretations of the LF and VLF apparent resistivity and phase data correlated with subsurface conditions Frequencies in the LF band were most sensitive to permafrost conditions at the sites studied while VLF frequencies were more affected by conductive materials underlying the permafrost The MI technique also correlated with subsurface control, but the coil spacing used limited the instrument's depth of penetration, making it more sensitive to variations in the active layer than the other instruments.

MP 1102
THAW PENETRATION AND PERMAFROST CONDITIONS ASSOCIATED WITH THE LIVENGOOD TO PRUDHOE BAY ROAD, ALASKA.
Berg, R.L., et al. International Conference on Permafrost, 3rd, Edmonton, Alberta, Canada, July 10-13, 1978. Proceedings. Vol.1, Ottawa, National Research Council of Canada, 1978, p.615-621, With Russian and French summaries. 16 refs.
Brown, J., Haugen, R.K.
32-3754
ROADS, PERMAFROST BENEATH ROADS, ACTIVE LAYER, HEAT TRANSFER, GROUND THAWING, CONTINUOUS PERMAFROST, DISCONTINUOUS PERMAFROST, THERMAL REGIME, UNITED STATES—ALASKA—PRUDHOE BAY.
An environmental engineering study including the 88 kilometer TAPS Road and the 580 kilometer Alyeska Pipeline Haul Road was initiated during the summer of 1976. Physiography along the route ranges from the rolling Yukon-Tanana Uplands, where the permafrost is warm (-1 C) and discontinuous, through the Brooks Range and the Arctic Foothills to the Arctic Coastal Plain, where permafrost is cold (-10 C) and continuous. Permanently frozen subgrade materials range from rock to extremely ice-rich fine-grained silts. Approximately 30 sites have been selected for measuring thaw subsidence and seasonal thaw penetration, instrumentation for measuring air temperatures has been installed at 15 sites and surface temperatures were also measured at three of these sites. The 1976 thawing indexes varied from 350C degree-days at Prudhoe Bay to 1880C degree-days at Livengood. Measured thaw penetration in undisturbed areas adjacent to the road varied from 28 cm to 112 cm. The calculated gravel embankment thickness to prevent subgrade thawing during the 1976 thawing season ranged from 1.9 m near Prudhoe Bay to 5.2 m near Livengood.

MP 1103
DENSIFICATION BY FREEZING AND THAWING OF FINE MATERIAL DREDGED FROM WATERWAYS.
Chamberlain, E.J., et al. International Conference on Permafrost, 3rd, Edmonton, Alberta, Canada, July 10-13, 1978. Proceedings. Vol.1, Ottawa, National Research Council of Canada, 1978, p.622-628, With Russian and French summaries. 11 refs.
Blouin, S.E.
32-3755
FINES, DREDGING, SOIL COMPACTION, FREEZE THAW CYCLES.
Volume changes and permeabilities for fine material dredged from waterways were observed in the laboratory after full consolidation and freeze-thaw cycling for applied pressures in the range of 0 93 to 30 73 kN/sq m Up to 20% volume reduction was observed when dredged materials with liquid limits in the range of 60 to 90% were subjected to freeze-thaw cycling Vertical permeabilities were observed to increase by as much as two orders of magnitude. The technical and economic feasibility of using freeze-thaw overconsolidation procedures to increase the volume of material stored in disposal sites is considered

MP 1104
ENGINEERING PROPERTIES OF SUBSEA PERMAFROST IN THE PRUDHOE BAY REGION OF THE BEAUFORT SEA.
Chamberlain, E.J., et al. International Conference on Permafrost, 3rd, Edmonton, Alberta, Canada, July 10-13, 1978. Proceedings. Vol.1, Ottawa, National Research Council of Canada, 1978, p 629-635, With Russian and French summaries. 14 refs.
Sellmann, P.V., Blouin, S.E.
32-3756
SUBSEA PERMAFROST, DRILLING, DRILL CORE ANALYSIS, FROZEN ROCK TEMPERATURE, BEAUFORT SEA.
Core samples, cone penetration resistance and temperature data obtained from subsea sediments near Prudhoe Bay, Alaska, provided the basis for this study The sites were located 1 to 17 km from shore in 2 to 12 m of water Maximum hole depth was 50 m The materials at the drill sites included sands and gravels overlain by 4 5 to 7 5 m of silts and clays No ice-bonded materials were observed, although thermal data indicated that permafrost was present Index property, triaxial compressive strength, consolidation and permeability data were obtained in the laboratory Strengths ranged between 25 and 270 kPa for the fine material Highly overconsolidated clays were encountered at the site farthest from shore The preconsolidation pressure was estimated to be 1 5 MPa Based on considerations of geologic and climatic history, it is proposed that the overconsolidation is a result of freezing and thawing

MP 1105
STRENGTH AND DEFORMATION OF FROZEN SILT.
Haynes, F.D., International Conference on Permafrost, 3rd, Edmonton, Alberta, Canada, July 10-13, 1978. Proceedings. Vol.1, Ottawa, National Research Council of Canada, 1978, p.655-661, With Russian and French summaries. 20 refs.
32-3760
FROZEN FINES, TENSILE STRENGTH, COMPRESSIVE STRENGTH, FROZEN GROUND TEMPERATURE, DEFORMATION.
Results are given for tests made in uniaxial tension and uniaxial compression on frozen Fairbanks silt. These constant displacement rate tests were made over a strain rate range from .00016/s to 2.9/s and a temperature range from 0C to -57C. Over these ranges athe compressive strength increased about one order of magnitude, while the tensile strength doubled over the strain rate range and increased about one order of magnitude over the temperature range. For increasing strain rate and decreasing temperature, the specific energy for the compression tests and the modulus increased, but the specific energy for the tension tests decreased. Expressions were developed for the strength as a function of strain rate and temperature. The increase in strength with higher strain rates and lower temperatures is explained by the strength of the ice matrix, changes in the unfrozen water content, and intergranular friction.

MP 1106
INFLUENCE OF FREEZING AND THAWING ON THE RESILIENT PROPERTIES OF A SILT SOIL BENEATH AN ASPHALT PAVEMENT.
Johnson, T.C., et al, International Conference on Permafrost, 3rd, Edmonton, Alberta, Canada, July 10-13, 1978. Proceedings. Vol.1, Ottawa, National Research Council of Canada, 1978, p.662-668, With Russian and French summaries. 9 refs.
Cole, D.M., Chamberlain, E.J.
32-3761
FROZEN FINES, FREEZE THAW CYCLES, ROADS, PAVEMENTS, STRESS STRAIN DIAGRAMS, MODELS.
Stress-deformation data for silt subgrade soil were obtained from in-situ tests and laboratory tests, for use in mechanistic models for design of pavements affected by frost action. Plate-bearing tests were run on bituminous concrete pavements constructed directly on a silt subgrade, applying repeated loads to the pavement surface while the silt was frozen, thawing, thawed, and fully recovered. Repeated-load laboratory triaxial tests were performed on the silt in the same conditions. Analysis of deflection data from the in-situ tests showed resiliant moduli of the silt as low as 2000 kPa for the critical thawing period, and 100,000 kPa or higher when fully recovered. Analysis of the laboratory tests, which gave moduli comparable to the latter values, showed that resilient modulus during recovery from the thaw-weakened condition can be modeled as a function of the changing moisture content.

MP 1107
SOME EXPERIENCES WITH TUNNEL ENTRANCES IN PERMAFROST.
Linell, K.A., et al, International Conference on Permafrost, 3rd, Edmonton, Alberta, Canada, July 10-13, 1978. Proceedings. Vol.1, Ottawa, National Research Council of Canada, 1978, p.813-819, With Russian and French summaries. 9 refs.
Lobacz, E.F.
32-3783
TUNNELS, PERMAFROST CONTROL, COOLING SYSTEMS.
Tunnels and shafts in permafrost encounter special portal problems because of instability of surface materials during thaw, tendency for ice formation within the tunnel from annual thaw zone seepage, and necessity for control of air temperatures within the tunnel during summer In constructing a tunnel in permafrost at Fox, Alaska, these problems were successfully solved The unstable ground slope at the tunnel entrance was stabilized by use of a blanket of clean natural gravel Refrigerant pipes imbedded in the backfill above the portals were used with a mechanical refrigeration system to insure a frozen zone around the tunnel where seepage would otherwise enter in summer. An insulated bulkhead containing doors permitted exclusion of warm summer air Entrance to a vertical shaft connecting to the rear of the tunnel was kept shaded in order to minimize seepage entrance in summer

MP 1108
CONSTRUCTION ON PERMAFROST AT LONGYEARBYEN ON SPITSBERGEN.
Tobiasson, W., International Conference on Permafrost, 3rd, Edmonton, Alberta, Canada, July 10-13, 1978 Proceedings. Vol.1, Ottawa, National Research Council of Canada, 1978, p 884-890, With Russian and French summaries. 6 refs.
32-3794
ROADS, FLOOD CONTROL, BUILDINGS, PERMAFROST BENEATH ROADS, FOUNDATIONS, PAD FOUNDATIONS, PERMAFROST DEGRADATION

Facilities at Longyearbyen were designed and are being operated with an appreciation for the importance of preserving permafrost. Portions of the network of gravel roads and paved runway were constructed on ice-rich permafrost. Ditches, culverts and bridges have been sized to accommodate large peak flows since flash floods have occurred. Some difficulties have been experienced with progressive degradation of permafrost by surface and groundwater. Damming a low area and pumping out brackish water has created a year-round water supply lake. The post and pad foundation concept used extensively has proved quite successful. The hangar is an impressive use of an elevated floor above permafrost. Older buildings have been stabilized by adding slag insulation above supporting soils and installing open skirting below the first floor. Water lines and other utilities are supported on timber bents anchored in permafrost.

MP 1109
DETAILS BEHIND A TYPICAL ALASKAN PILE FOUNDATION.
Tobiasson, W., et al. International Conference on Permafrost, 3rd, Edmonton, Alberta, Canada, July 10-13, 1978. Proceedings. Vol.1, Ottawa, National Research Council of Canada, 1978, p.891-897. With Russian and French summaries. 7 refs.
Johnson, P.
32-3795
BUILDINGS, FOUNDATIONS, PERMAFROST BENEATH STRUCTURES.
When a warehouse at Barter Island burned down, a replacement was urgently needed. The new foundation consists of forty-five steel pipe piles, 25 m in diameter, set in 4.6 to 5.8 m deep holes made with a 46 m diameter auger. The annulus was backfilled with a sand-water slurry. Slurry freezeback was closely monitored using thermocouples. As freezeback was rapid, the contractor was allowed to set steel beams on a pile five days after it was installed and pour concrete ten days after the last pile was set. Groundwater problems during July required casing of augered holes with 51 m diameter pipe to a depth of 1 m. Mechanical difficulties and lack of a crane slowed pile installation, but contractor resourcefulness got the job done. Subsequent elevation surveys and thermocouple measurements indicate that the foundation is solidly frozen and stable.

MP 1110
LAND APPLICATION OF WASTEWATER IN PERMAFROST AREAS.
Sletten, R.S., International Conference on Permafrost, 3rd, Edmonton, Alberta, Canada, July 10-13, 1978. Proceedings. Vol.1, Ottawa, National Research Council of Canada, 1978, p.911-917. With Russian and French summaries. 14 refs.
32-3798
WASTES, WASTE TREATMENT, WATER TREATMENT, IRRIGATION.
Land application of wastewater can serve as a high performance treatment system, as a final disposal step for treated effluents, and as a polishing step for partially treated effluents. Experimental studies conducted near Fairbanks, Alaska, during 1974-76 investigated both high (5.5 to 152 meters/year) and low rate (0.6 to 5.5 m/yr) systems for the purpose of polishing aerated lagoon effluent to meet secondary treatment criteria. Results from the slow rate system indicate that drinking water quality can be achieved. However, even though nitrogen removal is not as great, the high rate (rapid infiltration) system is considered to be more feasible for cold climate conditions because the need for winter storage is less, the system does not rely on vegetative uptake, and the free-draining, coarse-textured soils necessary for such systems can be found in alluvial valleys and coastal areas where many Arctic communities are located. For most wastewater constituents, high rate systems are capable of sustained, effective performance in extreme climates.

MP 1111
RADAR ANISOTROPY OF SEA ICE DUE TO PREFERRED AZIMUTHAL ORIENTATION OF THE HORIZONTAL C-AXES OF ICE CRYSTALS.
Kovacs, A., et al. Mar. 1978. No.38, p.171-201. 32 refs.
Morey, R.M.
32-3878
ICE CRYSTAL STRUCTURE, SEA ICE, OCEAN CURRENTS, RADAR ECHOES, ANISOTROPY.
Results of impulse radar, ice crystal c-axis and sub-ice current measurements on the fast-ice near Narwhal Island, Alaska, are presented. The crystal structure of the ice was found to have a horizontal crystal c-axis with a preferred azimuthal orientation. This orientation was found to align with the direction of the current at the ice water interface. Impulse radar reflection measurements revealed that the preferred orientation of the sea ice crystal structure behaved as a microwave polarizer. It was observed that when the antenna E-field was oriented parallel with the c-axis of the crystal platelets a strong reflection of the radar signal from the bottom of the ice was obtained. However, when the antenna E-field was oriented perpendicular to the c-axis, no bottom reflection was detected. The results of this study fully support earlier reports of sea ice inhomogeneity and anisotropy in reference to both structure and electromagnetic energy transmission.

MP 1112
LAND TREATMENT MODULE OF THE CAPDET PROGRAM.
Merry, C.J., et al. Symposium on Military Applications of Environmental Research and Engineering, 8th, Dec. 7-8, 1977. Edgewood, Maryland, 1977, 4p.
Spaine, P.A.
32-3941
WASTE TREATMENT, WATER TREATMENT, COMPUTER PROGRAMS.

MP 1113
PRELIMINARY ANALYSIS OF WATER EQUIVALENT/SNOW CHARACTERISTICS USING LANDSAT DIGITAL PROCESSING TECHNIQUES.
Merry, C.J., et al. Eastern Snow Conference, Feb. 3-4, 1977, Belleville, Ontario, Canada. Proceedings, 1977, 16 leaves, 20 refs.
McKim, H.L., Cooper, S., Ungar, S.G.
32-3942
REMOTE SENSING, DATA PROCESSING, SNOW WATER EQUIVALENT, SNOW DEPTH.
The primary emphases of this analysis were to evaluate the accuracy of mapping the areal extent of snow and to determine the relationship between the water equivalent of the snowpack and the radiance obtained from the LANDSAT digital data. The test area selected for this task was the Dickey-Lincoln School Lakes Project located above the confluence of the St. John and Allagash Rivers in northern Maine. The computer algorithm utilized in this study uses two features - "color" and "albedo" - of the LANDSAT digital data to classify the multispectral data into land and water categories. Three snow courses (Allagash B, Beech Ridge and Ninemile B) yielding snow depth and water equivalent data were located. This task was accomplished using computer-generated gray scale printouts (scale 1:24,000) and topographic maps. The preliminary results indicated that the snow radiance values remained approximately the same for a similar water equivalent value of 9.5 inches. Extrapolation of these radiance values for the entire watershed can be used to map the areal extent of snow cover/vegetation with a water equivalent value of 9.5 inches which enables computation of potential water runoff.

MP 1114
USE OF THE LANDSAT DATA COLLECTION SYSTEM AND IMAGERY IN RESERVOIR MANAGEMENT AND OPERATION.
Cooper, S., et al. Waltham, Massachusetts, U.S. Army Corps of Engineers, 1977, c150p., Numerous refs.
Buckelew, T.D., McKim, H.L., Merry, C.J.
32-3943
WATERSHEDS, REMOTE SENSING, SPACEBORNE PHOTOGRAPHY, COMPUTER APPLICATIONS, SNOW WATER EQUIVALENT.
The New England Division Corps of Engineers demonstrated the use of the data collection and imagery systems in watershed management. A surplus antenna pedestal was refurbished and interfaced with a computer to provide an automatic ground receiver station which operated nearly continuously for over 18 months. Adequate reliability for operational use was proven, and daily procedures were compressed to one half hour of operator time per day. Comparisons of costs and operation constraints were drawn among Landsat DCS, GOES DCS, and ground based radio. Computer compatible tapes of Landsat imagery were analyzed to evaluate the mapping accuracy of the area of snow to determine a relationship between the water equivalent of a snowpack and the radiance recorded in Landsat digital data, and to delineate wetlands and flood areas in New England. Sensor interfaces were developed and evaluated for the collection of real time environmental data via the Landsat DCS.

MP 1115
ECOLOGICAL BASELINE INVESTIGATIONS ALONG THE YUKON RIVER-PRUDHOE BAY HAUL ROAD, ALASKA.
Brown, J., ed. Hanover, New Hampshire, U.S. Army Cold Regions Research and Engineering Laboratory, 1978, 131p., Progress report to the Department of Energy. For individual reports see 32-3889 through 32-3896.
32-3888
ROADS, ENVIRONMENTS, VEGETATION, PLANTS (BOTANY), MAPPING.

MP 1116
DISTRIBUTION AND PROPERTIES OF ROAD DUST AND ITS POTENTIAL IMPACT ON TUNDRA ALONG THE NORTHERN PORTION OF THE YUKON RIVER-PRUDHOE BAY HAUL ROAD. CHEMICAL COMPOSITION OF DUST AND VEGETATION.
Iskandar, I.K., et al. Ecological baseline investigations along the Yukon River-Prudhoe Bay Haul Road, Alaska, edited by J. Brown. MP 1115, Hanover, New Hampshire, U.S. Army Cold Regions Research and Engineering Laboratory, 1978, p.110-111, 2 refs.
Quarry, S.T., Brown, J.
32-3896
ROADS, DUST, TUNDRA VEGETATION, CHEMICAL ANALYSIS, ION DENSITY (CONCENTRATION).

MP 1117
OBTAINING FRESH WATER FROM ICEBERGS.
Mellor, M., 1977, Vol.31, p.193, In Russian.
32-3932
WATER SUPPLY, ICEBERGS, ECONOMIC ANALYSIS.
Conclusions of two conferences on the towing and utilization of icebergs, one held in Paris, in June, 1977, the other at the University of Iowa in Oct., 1977, are reviewed. There is keen interest in water supply from icebergs, but technical problems remain. Rough estimates indicate that obtaining water from icebergs may be economically useful for rich countries with a fresh-water shortage.

MP 1118
SOME CHARACTERISTICS OF GROUNDED FLOEBERGS NEAR PRUDHOE BAY, ALASKA.
Kovacs, A., et al, Sep. 1976, 29(3), p.169-172, 10 refs.
For another version of this paper see 32-1083.
Gow, A.J.
32-1082
SEA ICE, SOUNDING, ICE BOTTOM SURFACE, ACOUSTIC MEASURING INSTRUMENTS, ICE STRUCTURE, PRESSURE RIDGES.

MP 1119
ARCTIC AND SUBARCTIC ENVIRONMENTAL ANALYSIS.
Anderson, D.M., et al, Dec. 1972, 13(8), p.28-30.
Haugen, R.K., Gatto, L.W., Slaughter, C.W., McKim, H.L., Marlar, T.L.
27-2043
REMOTE SENSING, TERRAIN IDENTIFICATION, ERTS IMAGERY.
The authors indicate that data from the Earth Resources Technology Satellite, ERTS-1, will provide greater opportunity to study relationships between snow pack and river ice, surface circulation and coastal sedimentation processes, and permafrost-vegetative relationships. An example of ERTS-1 imagery of a 115 square mile area 250 miles NW of Fairbanks, Alaska is shown with detailed identification of 59 cloud and terrain features.

MP 1120
MESOSCALE DEFORMATION OF SEA ICE FROM SATELLITE IMAGERY.
Anderson, D.M., et al, Oct. 25, 1973, NASA-CR-135741, 2p., N75-33307.
Crowder, W.K., McKim, H.L., Hibler, W.D., III.
29-141
SEA ICE, ICE MECHANICS, REMOTE SENSING, ERTS IMAGERY.

MP 1121
ICE AND SNOW AT HIGH ALTITUDES.
Mellor, M., Symposium on High Altitude Geocecology, Denver, Colorado, Feb. 20-25, 1977. American Association for the Advancement of Science, 1977, 10p.
32-4179
SNOW PHYSICS, SNOW MECHANICS, ICE PHYSICS

MP 1122
OPPORTUNITIES FOR PERMAFROST-RELATED RESEARCH ASSOCIATED WITH THE TRANS-ALASKA PIPELINE SYSTEM.
National Research Council. Polar Research Board. Committee on Permafrost, Washington, D.C., National Academy of Sciences, 1975, 37p., Report of Workshop, March 19-22, 1975, Scottsdale, Arizona
32-4221
MEETINGS, RESEARCH PROJECTS, PERMAFROST, PIPELINES

MP 1123
EFFECTS OF HOVERCRAFT, WHEELED AND TRACKED VEHICLE TRAFFIC ON TUNDRA.
Abele, G., Mar. 1976, No.116, Muskeg Research Conference, 16th, Oct. 7, 1976. Proceedings, p.186-215, 16 refs.
31-1510
AIR CUSHION VEHICLES, TRACKED VFHICLES, VEHICLE WHEELS, TUNDRA VEGETATION, DAMAGE.
In support of the Advanced Research Projects Agency (ARPA) Arctic Surface Effects Vehicle (ASEV) Program, traffic tests were conducted during the summer of 1971 near Barrow, Alaska, on various types of tundra terrains using an SK-5 Air Cushion Vehicle. The main objectives of the study were to investigate the effects of air cushion vehicle operations and traffic on tundra, specifically, the extent and pattern of erosion, the degree of damage, initial and permanent, to the vegetation, the subsequent effect on the soil thermal regime due to any surface disturbance by the ACV, and to compare the general ecological impact of ACV traffic with that of other ground vehicles

MP 1124
DIFFICULTIES OF MEASURING THE WATER SATURATION AND POROSITY OF SNOW.
Colbeck, S.C., 1976, 20(82), p.189-201, 26 refs.
32-4457
WET SNOW, SNOW WATER CONTENT, POROSITY, SATURATION, MEASURING INSTRUMENTS, ACCURACY, REMOTE SENSING.
Liquid saturation and porosity control most of the important material properties of wet snow, hence accurate measurements of these two parameters are of the utmost importance for both field research and glaciological applications. Nevertheless, most of the instruments in use are not capable of making accurate determinations of saturation. An error analysis shows that only direct measurements of the liquid volume can provide accurate values of water saturation, hence the melting calorimeter is inherently inaccurate While centrifuges extract some of the liquid for direct measurement, there is always some residual liquid left, depending on the grain size and structural parameters of the ice matrix Therefore, some uncertainty exists over the interpretation of the data obtained from centrifuges. High-frequency capacitance probes can be used either *in situ* or on the surface and are very sensitive to the volume of liquid present. Capacitance probes are by far the best of the available devices

MP 1125
1977 TUNDRA FIRE IN THE KOKOLIK RIVER AREA OF ALASKA.
Hall, D.K., et al, Mar. 1978, 31(1), p.54-58, ADA-062 439, 10 refs.
Brown, J., Johnson, L.A.
32-4577
TUNDRA VEGETATION, REMOTE SENSING, SPACEBORNE PHOTOGRAPHY, THAW DEPTH, FIRES.
The authors describe a lightning-set fire on the north coast of Alaska southwest of Barrow in July-August, 1977 Ground and satellite observations were made to determine the effects of the fire on the tundra vegetation and the thaw depth of the permafrost. The study indicates that natural drainages form effective fire breaks in the region and that fire intensity is related to vegetation type and the moisture present in the soil.

MP 1126
RADAR PROFILE OF A MULTI-YEAR PRESSURE RIDGE FRAGMENT.
Kovacs, A., Mar. 1978, 31(1), p.59-62, 9 refs.
32-4578
SEA ICE, PRESSURE RIDGES, RADAR ECHOES, ICE COVER THICKNESS.
The usefulness of radar profiling pressure ridges of multi-year ice is described. Radar echoes provide thickness measurements of ridge keels and sails and help to define the most difficult of all Arctic obstacles. The author warns, however, that the radar technique is still in its infancy and all but excludes profiling the thickness of first-year ice pressure ridges.

MP 1127
EFFECT OF TEMPERATURE AND STRAIN RATE ON THE STRENGTH OF POLYCRYSTALLINE ICE.
Haynes, F.D., Oct. 1977, No.121, p.107-111, 8 refs.
32-4701
ICE CRYSTALS, ICE STRENGTH, TEMPERATURE EFFECTS, STRAIN TESTS, SNOW ICE
The focus of this paper is on the results of laboratory tests on polycrystalline, isotropic snow ice Test temperatures ranged from 0C to -56C, and strain rates ranged from 0 001/sec to 0 1/sec Tests in both uniaxial compression and uniaxial tension were made on dumbbell shaped specimens

MP 1128
ICEBERG THICKNESS AND CRACK DETECTION.
Kovacs, A., International Conference and Workshops on Iceberg Utilization for Fresh Water Production, Weather Modification, and Other Applications, 1st, Iowa State University, Ames, October 2-6, 1977. Proceedings. Edited by A.A. Husseiny, New York, Pergamon Press, 1978, p.131-145, 18 refs.
32-4718
ICEBERGS, ICE COVER THICKNESS, RADAR ECHOES, ICE ISLANDS, CREVASSES, ICE CRACKS, ANTARCTICA—MCMURDO SOUND.
Results obtained with an impulse radar system used to profile the thickness of and detect cracks in a tabular iceberg in McMurdo Sound, Antarctica, and an ice island in the Beaufort Sea near Flaxman Island, Alaska, are presented. Graphic records are shown of the radar impulse travel time which clearly reveal, for the first time, the bottom relief of each ice formation Also detected in the antarctic iceberg was an echo signature from an infiltration-brine layer. The impulse radar signature of a 3-m wide crevasse in the McMurdo Ice Shelf is also shown. The time of flight of the radar impulse in the ice island is compared with a 24.05-m drill hole measurement of the ice thickness. The effective velocity of the radar impulse in the ice island was found to be 0 16m/ns and the effective dielectric constant of the ice to be 3.5 The findings show that tabular icebergs are flawed by cracks or crevasses which could be expected to propagate through the ice when an iceberg reaches the edge of the pack where it is subject to stresses induced by sea swell and waves (Auth.)

MP 1129
CATALOG OF SNOW RESEARCH PROJECTS.
Hanover, N.H., U.S. Army Cold Regions Research and Engineering Laboratory, Oct. 1975, 103p
Dumont, N., ed.
33-66
SNOW SURVEYS, RESEARCH PROJECTS.

MP 1130
SHALLOW SNOW PERFORMANCE OF WHEELED VEHICLES.
Harrison, W.L., International Conference of the International Society for Terrain-Vehicle Systems, 5th, Detroit, Mich., June 2-6, 1975, Proceedings. Vol.2, Hoboken, N.J., (1976), p.589-614, 14 refs.
33-440
SNOW COMPRESSION, TRACTION, LOADS (FORCES), SNOW MECHANICS, RUBBER SNOW FRICTION, SNOW COMPACTION, ANALYSIS (MATHEMATICS), VEHICLES.

MP 1131
MATHEMATICAL MODEL TO PREDICT FROST HEAVE.
Berg, R.L., et al, International Symposium on Frost Action in Soils, Luleå, Sweden, Feb. 1977. Proceedings, Vol.2, University of Luleå, 1977, p.92-109, 14 refs.
Gaitner, K.E., Guymon, G.L.
33-345
MATHEMATICAL MODELS, SOIL WATER MIGRATION, HEAT TRANSFER, FROST HEAVE, FROST PENETRATION.
A mathematical model of coupled heat and moisture flow in soils has been developed The model includes algorithms for phase change of soil moisture and frost heave, and several types of boundary and initial conditions are permitted The finite element method of weighted residuals (Galerkin procedure) was chosen to simulate the spatial regime and the Crank-Nicolson method was used for the time domain portion of the model Comparison of simulated and experimental data illustrates the importance of unsaturated hydraulic conductivity It is one parameter which is difficult to measure and for which only a few laboratory test results are available Therefore, unsaturated hydraulic conductivities calculated in the computer model may be a significant source of error in calculations of frost heave

MP 1132
SEA ICE PRESSURE RIDGES IN THE BEAUFORT SEA.
Wright, B D , et al, IAHR Symposium on Ice Problems, Luleå, Sweden, Aug 7-9, 1978 Proceedings, Part 1, International Association for Hydraulic Research, 1978, p.249-271, 10 refs.
Hnatiuk, J., Kovacs, A.
33-375
SEA ICE, PRESSURE RIDGES, ICE MODELS.
The ice cover in the Beaufort Sea is characterized by extreme irregularities in thickness which are produced by the motion and resulting deformation of the sea ice Pressure ridges, which are an integral part of this irregular and formidable ice cover, are recognized as the largest and most hazardous ice formations. Here, a number of cross-sectional profiles of first and multi-year pressure ridges in the Beaufort Sea are presented, which include both free-floating and grounded ice forms The cross-sections of these multi-year ridges suggest that they can be adequately described by one ridge model with a constant sail to keel ratio and geometry It is shown that the ice comprising multi-year ridges is solid, with the interblock voids existing at the time of their formation being completely filled with ice. Several first-year pressure ridge profiles are also discussed, which indicate that these ridges cannot be represented by any one geometric model as their sail to keel ratios and geometries are quite variable.

MP 1133
ICE AND NAVIGATION RELATED SEDIMENTATION.
Wuebben, J.L., et al, IAHR Symposium on Ice Problems, Luleå, Sweden, Aug. 7-9, 1978. Proceedings, Part 1, International Association for Hydraulic Research, 1978, p.393-403, 5 refs.
Alger, G.R., Hodek, R.J.
33-383
ICE COVER EFFECT, ICE NAVIGATION, SEDIMENT TRANSPORT.
This paper examines the hydrodynamics of vessel passage through a restricted channel and the resulting potential for sediment translocation Examples of field measurements are presented which show a complex pattern of changes in water current magnitude and direction. The construction of the channel by a ship creates a drop in the water surface that travels with the ship The application of the concepts of effective stress and upward seepage forces to the riverbed material predicts that the potential for sediment translocation increases upon the passage of this moving trough. Three modes of granular bottom sediment transport were observed: bed load, saltation, and a process referred to as explosive liquefaction.

MP 1134
ARCHING OF MODEL ICE FLOES AT BRIDGE PIERS.
Calkins, D.J., IAHR Symposium on Ice Problems, Luleå, Sweden, Aug. 7-9, 1978. Proceedings, Part 1, International Association for Hydraulic Research, 1978, p.495-507, 7 refs.
33-391
RIVER ICE, ICE FLOES, BRIDGES, PIERS, ICE PRESSURE, ICE MODELS, ICE DEFORMATION.
A model study of the formation of ice arching at the upstream faces of rounded bridge piers was conducted in a hydraulic flume Polyethylene plastic was used to simulate square ice floes of two sizes, 37 mm and 74 mm A power function relating the upstream surface ice concentration to a size ratio (characteristic block size over pier span opening) distinguishes between the arching and non-arching conditions at velocities below the critical value for underturning of individual ice floes.

MP 1135
FRAZIL ICE FORMATION IN TURBULENT FLOW.
Müller, A., et al, IAHR Symposium on Ice Problems, Luleå, Sweden, Aug. 7-9, 1978 Proceedings, Part 2, International Association for Hydraulic Research, 1978, p.219-234, 9 refs.
Calkins, D.J.
33-409
FRAZIL ICE, ICE FORMATION, TURBULENT FLOW, SUPERCOOLED WATER, ICE NUCLEI.
To study ice nucleation and heat transfer, frazil ice was produced experimentally under controlled conditions Turbulence was generated by a moving grid in a turbulence jar, where water could be cooled below the freezing point. Frazil was observed by means of a schlieren system and the number of ice particles was counted on photographs. No frazil ice formed, regardless of turbulence and foreign material, unless the water was seeded with ice nuclei The number of particles grew during the experiment, the growth rate increased with greater supercooling and higher velocity of the grid This indicates a multiplication process induced by secondary nucleation The heat transfer per particle normalized with supercooling, and the size of the particles was constant in all experiments within the accuracy of measurement From these observations, it can be concluded that the total ice production is predictable if the heat transfer per particle can be estimated from turbulence data and if the number of particles can be calculated A nucleation theory is, however, not available and is regarded as the crucial question

MP 1136
RIGHTING MOMENT IN A RECTANGULAR ICE BOOM TIMBER OR PONTOON.
Perham, R E., IAHR Symposium on Ice Problems, Luleå, Sweden, Aug. 7-9, 1978 Proceedings, Part 2, International Association for Hydraulic Research, 1978, p.273-289, 5 refs.
33-413
ICE BOOMS, FLOATING STRUCTURES.
The ability of an ice boom timber to restrain ice floes is governed by its capacity to float and to resist being overturned Six mathematical equations that describe this capacity for a rectangular-shaped timber have been worked out and are presented here. The limits of each equation are also given They are called righting moment equations, and from them dimensionless values of righting moment may be calculated The equations have been evaluated for some general conditions, and for a few specific cases involving water and wood, and for one case concerned with designing a steel pontoon boom The calculations were done by a computer program which is not included. The

data provided include three graphs and two tables of dimensionless values. All in all, the information should be very useful in evaluating new designs of ice boom timbers and pontoons.

MP 1137
ENTRAINMENT OF ICE FLOES INTO A SUBMERGED OUTLET.
Stewart, D.M., et al, IAHR Symposium on Ice Problems, Luleå, Sweden, Aug. 7-9, 1978. Proceedings, Part 2, International Association for Hydraulic Research, 1978, p.291-299, 2 refs.
Ashton, G.D.
33-414
FLOATING ICE, WATER INTAKES, WATER FLOW.
Results of a series of laboratory experiments in a flume to determine the conditions under which floating ice floes are entrained into a submerged outlet are reported Entrainment is found to occur when a Froude number based on outlet velocity and submergence depth is exceeded and that critical Froude number is a function of the ratio of outlet height to upstream flow depth. The critical Froude number is also shown to asymptotically approach the Froude number corresponding to equilibrium accumulation thicknesses of ice floes at a surface obstruction as the outlet height approaches the flow depth. Interpretation and application to design of submerged outlets is discussed.

MP 1138
ICE ARCHING AND THE DRIFT OF PACK ICE THROUGH CHANNELS.
Sodhi, D.S., et al, IAHR Symposium on Ice Problems, Luleå, Sweden, Aug. 7-9, 1978. Proceedings, Part 2, International Association for Hydraulic Research, 1978, p.415-432, 25 refs.
Weeks, W.F.
33-423
SEA ICE, DRIFT, WIND VELOCITY, CHANNELS (WATERWAYS), ICE MODELS.
Models originally developed to describe the arching and the movement of granular materials through hoppers or chutes are applied to arching and drift of pack ice in straits and gulfs having lengths of 50 to 500 km. Verification of the usefulness of the models is attempted by making comparisons with ice deformation patterns as observed via satellite imagery in the Bering Strait region and in Amundsen Gulf The results are encouraging in that there is good correspondence between observed arching and lead patterns and those predicted by theory. In addition, values determined via the model for the angle of internal friction and the cohesive strength per unit thickness are similar to values obtained by other approaches It is estimated that if the wind velocity parallel to the Bering Strait exceeds 6 m/s, there will be ice flow through the strait. A one-dimensional formulation is presented, governing the ice pressure in a straight channel when the ice is stationary due to an ice arch or a boom.

MP 1139
RADAR ANISOTROPY OF SEA ICE DUE TO PREFERRED AZIMUTHAL ORIENTATION OF HORIZONTAL *C* AXES OF ICE CRYSTALS.
Kovacs, A., et al, Dec. 20, 1978, 83(C12), p.6037-6046, 36 refs.
Morey, R.M.
33-2286
SEA ICE, RADAR ECHOES, ANISOTROPY, ICE CRYSTAL STRUCTURE, ELECTROMAGNETIC PROPERTIES, OCEAN CURRENTS
Results of impulse radar, ice crystal *c* axis, and subice current measurements on the fast ice near Narwhal Island, Alaska, are presented. The crystal structure of the ice was found to have a horizontal crystal *c* axis with a preferred azimuthal orientation. This orientation was found to align with the direction of the current at the ice-water interface. Impulse radar reflection measurements revealed that the preferred orientation of the sea ice crystal structure behaved as a microwave polarizer It was observed that when the antenna *E* field was oriented parallel with the *c* axis of the crystal platelets, a strong reflection of the radar signal from the bottom of the ice was obtained. However, when the antenna *E* field was oriented perpendicular to the *c* axis, no bottom reflection was detected The results of this study fully support earlier reports of sea ice inhomogeneity and anisotropy in reference to both structure and electromagnetic energy transmission

MP 1140
REPORT OF PANEL ON TESTING IN ICE.
Frankenstein, G.E., et al, International Tank Towing Conference, 15th, The Hague, September 1978. Proceedings—Part 1, M W C. Oosterveld, editor, Wageningen, Netherlands Ship Model Basin, 1978, p.157-179, 34 refs.
33-543
MEETINGS, ICE NAVIGATION, ICE CONDITIONS, ICE MECHANICS, IMPACT TESTS, MECHANICAL TESTS, PLASTICITY TESTS

MP 1141
ICE RELEASING BLOCK-COPOLYMER COATINGS.
Jellinek, H.H.G., et al, 1978, Vol.256, p.544-551, In English with German summary. 7 refs.
Kachi, H., Kittaka, S., Lee, M., Yokota, R.
33-545
PROTECTIVE COATINGS, POLYMERS, ICE REMOVAL, CHEMICAL ICE PREVENTION.

MP 1142
UPDATE ON SNOW LOAD RESEARCH AT CRREL.
Tobiasson, W., et al, 1977, 34th, p.9-13, 20 refs.
Redfield, R.
33-624
SNOW LOADS, RESEARCH PROJECTS, SNOW DENSITY.

MP 1143
METHODOLOGY USED IN GENERATION OF SNOW LOAD CASE HISTORIES.
McLaughlin, D., et al, 1977, 34th, p.163-174.
Duggan, G.
33-631
SNOW LOADS, ROOFS, DATA PROCESSING.

MP 1144
EFFECT OF WASTE WATER REUSE IN COLD REGIONS ON LAND TREATMENT SYSTEMS.
Iskandar, I.K., July-Sep. 1978, 7(3), p.361-368, 26 refs.
33-557
WATER TREATMENT, WASTE DISPOSAL, COLD WEATHER TESTS, SOIL CHEMISTRY.
The effect on ground water quality and soils and vegetation of treatment and disposal of municipal/industrial waste water on land in cold regions was investigated using six outdoor test cells. Winter application of waste water was feasible even at very cold air temperatures (<0 0C) at the New Hampshire test site High NO3-N concentrations were observed in all treatments (5-15cm/week) in both soils in early summer. This was explained as leaching of NH4-H stored over the winter months after its oxidation to NO3 in early spring. The principal mechanism for nitrogen removal was found to be plant uptake, which was seasonally dependent Application of 15 cm of secondary effluent per week to a sandy loam soil was not feasible because of the presence of >10mg/liter NO3-N in the leachate for >9 mo/year Application of salts for road deicing during winter resulted in relatively higher concentrations of salts and Cl in the ground for a short period of time

MP 1145
STATE OF KNOWLEDGE ON LAND TREATMENT OF WASTEWATER.
International Symposium on the State of Knowledge in Land Treatment of Wastewater, Aug. 20-25, 1978, Hanover, New Hampshire, Hanover, U.S. Army Cold Regions Research and Engineering Laboratory, 1978, 2 vols., For selected papers see 33-651 through 33-661.
33-650
MEETINGS, WASTE TREATMENT, WATER TREATMENT, AGRICULTURE, FOREST LAND, MATHEMATICAL MODELS, LAND DEVELOPMENT.
The objectives of this Symposium are to summarize the state of knowledge of the practical aspects of the treatment of wastewater by land application and to identify the suitable approaches for the design of such land treatment systems. The topics included are: site selection considerations, case studies of national and international concern, health effects of land treatment systems, pretreatment considerations, uses of wastewaters in agricultural and forest systems, monitoring, modeling and design criteria The Proceedings are published in two volumes. Volume 1 contains the invited papers presented and discussed at the conference Volume 2 contains shorter papers about on-going research that were selected from the responses received following a call for abstracts

MP 1146
USE OF REMOTE SENSING TECHNIQUES AND OTHER INFORMATION SOURCES IN REGIONAL SITE SELECTION OF POTENTIAL LAND TREATMENT AREAS.
Merry, C J., International Symposium on the State of Knowledge in Land Treatment of Wastewater, Aug. 20-25, 1978, Hanover, New Hampshire. Proceedings, Vol.1, Hanover, U.S. Army Cold Regions Research and Engineering Laboratory, 1978, p 107-119, 27 refs.
33-651
SITE SURVEYS, WATER TREATMENT, WASTE TREATMENT, REMOTE SENSING, SPACEBORNE PHOTOGRAPHY
Landsat, Skylab S190A Multispectral Photographic Camera, and Skylab S190B Earth Terrain Camera satellite data products, enlarged to scales of 1:500,000 and 1:250,000, were used to prepare land use maps for regional site selection of potential land treatment areas Interpretation of tonal and textural characteristics on the photography corresponded to vegetation, urban and agricultural land use categories Color and color infrared transparencies augmented the land use mapping, which was accomplished on black and white photographic prints. The three systems are compared in terms of areal coverage, resolution, and time of product preparation.

MP 1147
EVALUATION OF THE MOVING BOUNDARY THEORY IN DARCY'S FLOW THROUGH POROUS MEDIA.
Nakano, Y., International Symposium on the State of Knowledge in Land Treatment of Wastewater, Aug. 20-25, 1978, Hanover, New Hampshire. Proceedings, Vol.1, Hanover, U.S. Army Cold Regions Research and Engineering Laboratory, 1978, p.142-151, 22 refs.
33-652
BOUNDARY VALUE PROBLEMS, SOIL WATER MIGRATION, POROUS MATERIALS, ANALYSIS (MATHEMATICS), THEORIES.
Traditionally in hydrology and soil physics, neither the water table nor the wetting front in Darcy's flow were believed to be singular surfaces Recently, a new and conflicting theory has been advanced, using two different approaches. It has been shown, based upon continuum physics, that across both the water table and the wetting front local acceleration generally suffers a non-zero jump, and these two boundaries can be interpreted as acceleration waves This interpretation was found consistent with reported regularity results obtained from a purely mathematical viewpoint.

MP 1148
EVALUATION OF N MODELS FOR PREDICTION OF NO3-N IN PERCOLATE WATER IN LAND TREATMENT.
Iskandar, I.K., et al, International Symposium on the State of Knowledge in Land Treatment of Wastewater, Aug. 20-25, 1978, Hanover, New Hampshire. Proceedings, Vol.1, Hanover, U.S. Army Cold Regions Research and Engineering Laboratory, 1978, p.163-169, 51 refs.
Selim, H.M.
33-653
WATER TREATMENT, SOIL CHEMISTRY, SEEPAGE, MATHEMATICAL MODELS.
Nitrogen simulation models developed to describe one or more processes in agricultural soils can be adopted for land treatment The most important processes in the simulation of N transformations for prediction of N in percolate water in land treatment are nitrification, denitrification, plant uptake and exchange of NH4 with the soil The N model must be incorporated into a moisture flow model It was concluded that the Michaelis-Menten type model is the most appropriate, although the first order kinetic may be used to describe the nitrification process Modeling the denitrification process in slow infiltration must include biodegradable carbon and dissolved oxygen as limiting factors Although several large models are available to simulate and predict N in leachate in land treatment, a need for a simplified model that can be tested in the field is apparent.

MP 1149
NITROGEN BEHAVIOR IN LAND TREATMENT OF WASTEWATER: A SIMPLIFIED MODEL.
Selim, H M , et al, International Symposium on the State of Knowledge in Land Treatment of Wastewater, Aug. 20-25, 1978, Hanover, New Hampshire Proceedings, Vol.1, Hanover, U S Army Cold Regions Research and Engineering Laboratory, 1978, p.171-179, 15 refs.
Iskandar, I.K.
33-654
WASTE TREATMENT, WATER TREATMENT, SOIL CHEMISTRY, SEEPAGE, MATHEMATICAL MODELS.
A simplified mathematical model was developed to describe transformations and transport of nitrogen under transient soil water flow conditions Kinetic reactions were assumed to govern the nitrification and denitrification processes. A macroscopic approach was used to incorporate plant uptake of water as well as NO3-N and NH4-N from the soil solution The sensitivity of the model to changes in rate of N transformation, N uptake by plants, and schedule and amounts of N application were also investigated The model can be used as a tool to predict the fate of nitrogen in land treatment systems. The model is flexible and can be adapted to incorporate various nitrogen transformation mechanisms as well as layerings in the soil profile

MP 1150
OVERVIEW OF EXISTING LAND TREATMENT SYSTEMS.
Iskandar, I.K., International Symposium on the State of Knowledge in Land Treatment of Wastewater, Aug. 20-25, 1978, Hanover, New Hampshire. Proceedings, Vol 1, Hanover, U.S. Army Cold Regions Research and Engineering Laboratory, 1978, p 193-200, 34 refs.
33-655
WASTE TREATMENT, WATER TREATMENT, SOIL CHEMISTRY, HISTORY
This paper reviews existing systems of land application of wastewater Particular emphasis is placed upon the historical

philosophy of the utilization of the natural soil-plant system for purifying wastewater, reasons for the success or failure of the older systems, and experience gained from their design, construction and operation.

MP 1151
UPTAKE OF NUTRIENTS BY PLANTS IRRIGATED WITH MUNICIPAL WASTEWATER EFFLUENT.
Clapp, C.E., et al, International Symposium on the State of Knowledge in Land Treatment of Wastewater, Aug. 20-25, 1978, Hanover, New Hampshire. Proceedings, Vol.1, Hanover, U.S. Army Cold Regions Research and Engineering Laboratory, 1978, p 395-404, 21 refs.
Palazzo, A.J., Larson, W.E., Marten, G.C., Linden, D.R.
33-656
NUTRIENT CYCLE, IRRIGATION, WASTES, WATER TREATMENT, SOIL CHEMISTRY.
We present comparisons of plant nutrient uptake by corn and forage grasses when these crops were irrigated with secondary municipal wastewater effluent or treated with inorganic fertilizer Characteristic analyses of effluent from various locations are given for the macro plant nutrients as well as for quality indicators. The importance of the presence of varying amounts of N, P, and K in effluent studies is discussed. Micro elements in effluent are considered for their use to meet nutrient requirements of these crops as well as for their potential for environmental contamination.

MP 1152
PERFORMANCE OF OVERLAND FLOW LAND TREATMENT IN COLD CLIMATES.
Jenkins, T.F., et al, International Symposium on the State of Knowledge in Land Treatment of Wastewater, Aug. 20-25, 1978, Hanover, New Hampshire. Proceedings, Vol.2, Hanover, U.S. Army Cold Regions Research and Engineering Laboratory, 1978, p.61-70, 15 refs.
Martel, C.J, Gaskin, D.A., Fisk, D.J., McKim, H.L.
33-657
WATER TREATMENT, WASTE TREATMENT, SOIL CHEMISTRY, COLD WEATHER PERFORMANCE.
The objective of this study was to evaluate the performance of overland flow systems, especially during the winter months. Operation of the CRREL overland flow facility began in May 1977 and continued through the winter of 1977-78 The results of this study indicated that satisfactory BOD removal did not occur at soil temperatures below 4C Based on this criterion, 105 days of storage would be needed at the CRREL site. This is 30 days less than the storage needs predicted by the EPA-1 computer program

MP 1153
GROWTH AND NUTRIENT UPTAKE OF FORAGE GRASSES WHEN RECEIVING VARIOUS APPLICATION RATES OF WASTEWATER.
Palazzo, A J, et al, Inter..tional Symposium on the State of Knowledge in Land Treatment of Wastewater, Aug. 20-25, 1978, Hanover, New Hampshire Proceedings, Vol.2, Hanover, U.S. Army Cold Regions Research and Engineering Laboratory, 1978, p.157-163, 10 refs.
McKim, H.L.
33-658
NUTRIENT CYCLE, SOIL CHEMISTRY, WASTE TREATMENT, GRASSES.
This study reports on the growth and nutrient removal of forage grasses receiving three years of wastewater applications. The forages received wastewater at various application rates and schedules and were grown in either a Windsor sandy loam or a Charlton silt loam soil Plant and soil analyses were performed on representative samples during the study

MP 1154
MICROBIOLOGICAL AEROSOLS FROM A FIELD SOURCE DURING SPRINKLER IRRIGATION WITH WASTEWATER.
Bausum, H.T., et al, International Symposium on the State of Knowledge in Land Treatment of Wastewater, Aug. 20-25, 1978, Hanover, New Hampshire. Proceedings, Vol.2, Hanover, U S. Army Cold Regions Research and Engineering Laboratory, 1978, p.273-280, 14 refs.
Brockett, B.E., Schumacher, P W., Schaub, S.A., McKim, H.L., Bates, R.E.
33-659
WASTE TREATMENT, WATER TREATMENT, IRRIGATION, AEROSOLS.
Measurements were made of the strength and dispersion of bacterial aerosols resulting from land application of chlorinated, ponded wastewater by spray irrigation An approximately square 2 1 hectare area was covered by 96 impact sprinklers, thus creating a multi-point or field aerosol source Viable-type and large volume electrostatic precipitator air samplers were deployed upwind and on 3 m centers in each of three downwind transects In four runs, water to be sprayed was seeded with fluorescent dye to characterize the aerosol cloud without the effect of biological decay During aerosol studies, continuous on-site meteorological measurements were made, and wastewater chemical parameters were monitored

MP 1155
COMPUTER PROCEDURE FOR COMPARISON OF LAND TREATMENT AND CONVENTIONAL TREATMENT: PRELIMINARY DESIGNS, COST ANALYSIS AND EFFLUENT QUALITY PREDICTIONS.
Spaine, P.A , et al, International Symposium on the State of Knowledge in Land Treatment of Wastewater, Aug. 20-25, 1978, Hanover, New Hampshire. Proceedings, Vol.2, Hanover, U.S. Army Cold Regions Research and Engineering Laboratory, 1978, p.335-340, 4 refs.
Merry, C.J.
33-660
WASTE TREATMENT, WATER TREATMENT, COMPUTER PROGRAMS.
During 1972 a manual for the design of wastewater treatment facilities was developed by the U S Army Engineer Waterways Experiment Station. To complement the design manual and assist the field design engineer, the computer model CAPDET (Computer Assisted Procedure for the Design and Evaluation of Wastewater Treatment Systems) was developed. In response to field users' request, a land treatment module was developed and implemented into CAPDET. The CAPDET program provides planning level design and cost evaluations for any wastewater treatment system

MP 1156
SIMULATION OF THE MOVEMENT OF CONSERVATIVE CHEMICALS IN SOIL SOLUTION.
Nakano, Y , et al, International Symposium on the State of Knowledge in Land Treatment of Wastewater, Aug. 20-25, 1978, Hanover, New Hampshire. Proceedings, Vol 2, Hanover, U.S. Army Cold Regions Research and Engineering Laboratory, 1978, p.371-380, 14 refs.
Iskandar, I.K.
33-661
SOIL WATER MIGRATION, SOIL CHEMISTRY, MATHEMATICAL MODELS.
A numerical method is introduced to simulate the movement of conservative chemicals in soil by water. The method is essentially based upon a finite element aproximation to the equation of continuity, and each element constitutes a complete mixing cell The number of cells represents a degree of mixing. The theoretical justification of the method is presented and the accuracy of the method is examined, using experimental data obtained from a large lysimeter It is found that the method can simulate the general trend of the movement of chemicals reasonably well, but fails to simulate the high frequency of variations that occur near the soil surface

MP 1157
TECHNIQUE FOR MEASURING RADIAL DEFORMATION DURING REPEATED LOAD TRIAXIAL TESTING.
Cole, D.M., Aug. 1978, 15(3), p.426-429, In English with French summary. 3 refs.
33-638
ELECTRICAL MEASUREMENT, DYNAMIC LOADS, DEFORMATION.
A system of non-contacting displacement transducers has been used to record radial deformation in repeated load triaxial tests Operating principle, system capabilities, and installation technique are discussed Results of tests on clay and silt subgrade materials are presented and Poisson's ratio is calculated directly from test data.

MP 1158
REPETITIVE LOADING TESTS ON MEMBRANE ENVELOPED ROAD SECTIONS DURING FREEZE-THAW CYCLES.
Smith, N , et al, Oct 1978, 104(GT10), p.1277-1288, 15 refs. For other versions of this paper see 32-562 (MP 962) and/or 32-4407 (CR 78-12, ADA-056 744).
Eaton, R.A., Stubstad, J.
33-645
FREEZE THAW TESTS, ROADS, SUBGRADE PREPARATION, PROTECTIVE COATINGS, DYNAMIC LOADS.
Road test sections of impermeable membrane-enveloped silt and clay soils overlain with asphalt cement concrete were subjected to repetitive dynamic plate-bearing loadings to determine strength variations of the pavement systems during freeze-thaw cycles The modulus values of the asphalt cement concrete vary inversely with its temperature by an order of magnitude in the temperature range of 110F to 30F The resilient stiffness of the pavement system varied in the same manner by nearly a factor of eight Despite the wide strength variations of the sections during freeze-thaw cycles, membrane enveloped fine-grained soils can be utilized instead of granular materials as base and subbase layers in flexible pavements in cold regions where moisture migration is a major concern Without the membrane protection such fine-grained soils that experience frost heaving suffer severe bearing strength loss during thawing

MP 1159
PHYSICAL MEASUREMENTS OF RIVER ICE JAMS.
Calkins, D.J., Aug. 1978, 14(4), p.693-695, 5 refs.
33-641
RIVER ICE, ICE JAMS, MEASUREMENT, ICE COVER THICKNESS.
River ice jam measurements have always been relatively difficult to obtain because of the uncertain stability of the floating ice mass. But recently two ice jams resolidified for about 3 weeks, allowing the ice thickness to be measured at several cross sections along their longitudinal profiles The size distribution of surface ice floes in one of the jams was also evaluated from low-level aerial photography. The ice jams were found to be thickest at the downstream end, of the order of 4-5 times the thickness of the ice cover before breakup, and decreased almost linearly in thickness upstream The largest surface ice floes measured in one ice jam ranged from 0 27 to 0.05 of the river's average width (45m) The largest floes were at the downstream end, and floe size decreased progressively with distance upstream.

MP 1160
COMPUTER SIMULATION OF BUBBLER-INDUCED MELTING OF ICE COVERS USING EXPERIMENTAL HEAT TRANSFER RESULTS.
Keribar, R., et al, Sep. 1978, 5(3), p 362-366, In English with French summary. 9 refs.
Tankin, R.S., Ashton, G.D.
33-1243
ICE MELTING, ARTIFICIAL MELTING, BUBBLING, COMPUTERIZED SIMULATION
Results of laboratory experiments conducted to determine bubbler-induced heat transfer coefficients are reported Implications and validity of results are discussed As a second step, a procedure for computer-simulating the behavior of an ice sheet whose thickness is controlled by a bubbler system operating intermittently over a long period of time is developed. The simulation uses experimentally determined bubbler heat transfer coefficients, weather data, site characteristics, and desired performance as input data, and a finite difference method to solve the equations governing the ice thickness and temperature profile Through an example simulation, the usefulness of the procedure in predicting ice thickness and temperature profile histories, and the effectiveness or suitability of a given bubbler system are demonstrated.

MP 1161
DECAY PATTERNS OF LAND-FAST SEA ICE IN CANADA AND ALASKA.
Bilello, M.A., Symposium on Sea Ice Processes and Models, Sep. 6-9, 1977. Proceedings, Vol 2, Seattle, University of Washington, 1977, p.1-10, 11 refs.
33-1392
SEA ICE, FAST ICE, ICE COVER THICKNESS, ICE DETERIORATION, METEOROLOGICAL FACTORS.
Weekly measurements of the thickness of land-fast sea ice made over a period of 10 to 15 years at a number of coastal locations in Canada and Alaska were analyzed. That portion of the data relating to maximum ice thickness and decay (i e , the decrease in ice thickness) are presented and examined. Many meteorological and marine factors affect the decay process This study investigates the effects of two important weather elements· air temperature and solar radiation. Complete and reliable air temperature data for each station made it possible to analyze the relationship between accumulated thawing degree-days (ATDD) and sea ice ablation The relationship between ice decrease and daily accumulated solar radiation was investigated, the results were comparable to those derived when ATDD was used as the dependent variable Other factors affecting ice ablation and breakup, such as snow-ice formation, snow cover depth, and wind, are also discussed in the study.

MP 1162
NEARSHORE ICE MOTION NEAR PRUDHOE BAY, ALASKA.
Tucker, W.B., et al, Symposium on Sea Ice Processes and Models, Sep. 6-9, 1977. Proceedings, Vol 2, Seattle, University of Washington, 1977, p 23-31, 7 refs.
Weeks, W.F., Kovacs, A., Gow, A.J.
33-1394
SEA ICE, DRIFT, ICE TEMPERATURE, THERMAL EXPANSION.
Shorefast and nearshore pack ice motions in the vicinity of Prudhoe Bay, Alaska, have been monitored for the spring seasons (March-June) of 1976 and 1977 From the base camp on Narwhal Island, a barrier island 25 km northeast of Prudhoe Bay, a ranging laser was used to measure distances to targets located on the fast ice within a 7 km radius of the island To assess pack ice motions, a radar transponder system with tracking stations located on Narwhal and Cross Islands was used to monitor the positions of transponders placed on the pack ice as far as 37 km northeast of the islands These results suggest that gyre movement or slippage of the nearshore pack ice in this area apparently does not begin until early to mid-summer The pack ice in this area responds slowly, and only weakly to local winds The mesoscale displacements that occurred took place only after several days of consistent offshore winds

This indicates that a significant shoreward stress originating in the more distant pack heavily influences the dynamics of this nearshore area.

MP 1163
CHARACTERIZATION OF THE SURFACE ROUGHNESS AND FLOE GEOMETRY OF THE SEA ICE OVER THE CONTINENTAL SHELVES OF THE BEAUFORT AND CHUKCHI SEAS.
Weeks, W.F., et al, Symposium on Sea Ice Processes and Models, Sep. 6-9, 1977 Proceedings, Vol.2, Seattle, University of Washington, 1977, p.32-41, 9 refs.
Tucker, W.B., Frank, M., Fungcharoen, S.
33-1395
SEA ICE DISTRIBUTION, SURFACE ROUGHNESS, SIDE LOOKING RADAR, PRESSURE RIDGES.
This paper reports on observations primarily made during the late winter and early spring of 1976 when the ice cover was at its maximum extent, and very few leads were observed. The primary sensors used were a laser profilometer and an X-band side-looking airborne radar (SLAR) system The heaviest ridging was found at Barter Island and there was a general decrease in the number of ridges as one moved west into the Chukchi Sea There was no strong variation in the mean ridge height along the coast There was no systematic areal variation in mean ridge height normal to the coast There was also no correlation between mean ridge height and the number of ridges per km as has been reported by previous investigators An analysis was also made of the probability of encountering very large ridges SLAR imagery gives the size distribution of multiyear ice floes within the nearshore ice pack, and the variation in the areal percentage of deformed ice as a function of distance from the coast This latter parameter showed a steady decrease as the distance north of the coast increases

MP 1164
MODELING PACK ICE AS A VISCOUS-PLASTIC CONTINUUM: SOME PRELIMINARY RESULTS.
Hibler, W.D., III, Symposium on Sea Ice Processes and Models, Sep. 6-9, 1977. Proceedings, Vol.2, Seattle, University of Washington, 1977, p.46-55, 21 refs.
33-1397
PACK ICE, VISCOUS FLOW, PLASTIC FLOW, ICE DEFORMATION, ICE MODELS, MATHEMATICAL MODELS.
A dynamic-thermodynamic model of pack ice is presented, which treats the ice as a nonlinear viscous continuum characterized by both bulk and shear viscosities and a pressure term with the viscosities being functions of the deformation rate and the pressure The pressure is parameterized as a function of the compactness and mean thickness of the ice This formulation allows the viscous continuum approach to be retained while allowing the system to deform in a plastic manner The model is formulated in a fixed Eulerian grid, and the dynamical equations are coupled to continuity equations for compactness and mean ice thickness which include thermodynamic source and sink terms In the numerical scheme the dynamical equations of motion, in finite difference form, are integrated implicitly and the ice thickness equations are integrated explicitly. The model is applied to the Arctic Basin and integrated at one-day steps for up to eight years in order to obtain steady state results for both ice thickness and drift Two cases are examined.

MP 1165
FINITE ELEMENT FORMULATION OF A SEA ICE DRIFT MODEL.
Sodhi, D.S., et al, Symposium on Sea Ice Processes and Models, Sep. 6-9, 1977. Proceedings, Vol 2, Seattle, University of Washington, 1977, p.67-76, 10 refs.
Hibler, W.D., III.
33-1399
SEA ICE, DRIFT, MATHEMATICAL MODFLS
The complete boundary value problem of a linear viscous sea ice drift model is presented, using the finite element method, and the formulation includes the inertial force term in the governing equation of motion The results of the computations of the steady-state ice velocities in the Arctic Ocean are presented, using mean seasonal geostrophic wind data and available current information The effect of varying boundary conditions and the viscosity parameters is examined On a much smaller scale, this model has been applied to the study of non-steady drift of pack ice through the Strait of Belle Isle (between Newfoundland and Labrador) where strong tidal streams and ocean currents move the pack ice back and forth Using idealized sinusoidal variations of the tidal streams, it is found that the time lag between the water and the ice velocities is related to the viscosity parameters, which indicates that the ice is not drifting freely, and the boundaries affect the time constant of the simplified first order model of the ice drift through the Strait

MP 1166
INVESTIGATION OF A VLF AIRBORNE RESISTIVITY SURVEY CONDUCTED IN NORTHERN MAINE.
Arcone, S.A., Dec. 1978, 43(7), p.1399-1417, 26 refs.
33-1573
ELECTRICAL RESISTIVITY, AERIAL SURVEYS, VERY LOW FREQUENCIES, TOPOGRAPHIC EFFECTS, ELECTRIC FIELDS.
Airborne wavetilt resistivity surveys and profiles at VLF have been analyzed for the effects of topography, altitude, and wavetilt phase and amplitude. Topographic relief is known to affect at least one electric field component, flight altitude often varies over relief, and phase depends on the earth's resistivity stratification and the relative strength of displacement to conduction current. A mountainous area in northern Maine of predominantly slate, but containing an igneous stock, was surveyed at 150 m mean flight altitude The 150-m survey was repeated at 300 m and two of the 150-m flight lines were repeated at a total of three other altitudes. A comparison of the 150-m survey with the topography and with the 300-m survey revealed that although most of the resistivity information of the 150-m survey was retained at 300 m, serious differences arose due to topographic influences. Profiles of the individual electric field components at the various altitudes then revealed that topography was distorting resistivity values through its effect upon only the vertical component of the electric field The separate influences of phase and amplitude were analyzed using the results of a ground survey of the total, complex surface impedance The phase of the tilt proved to be important in the airborne differentiation of the rock types.

MP 1167
USE OF REMOTE SENSING TO QUANTIFY CONSTRUCTION MATERIAL AND TO DEFINE GEOLOGIC LINEAMENTS, DICKEY-LINCOLN SCHOOL LAKES PROJECT, MAINE.
McKim, H.L., et al, International Symposium on Remote Sensing of Environment, 12th, Manila. Proceedings, 1978, 9 leaves, 7 refs.
Merry, C.J , Blackey, E A.
33-1584
REMOTE SENSING, CONSTRUCTION MATERIALS, GEOLOGIC STRUCTURES.
Fourteen surficial geology units were delineated in a 2850 sq km area in northern Maine These units included alluvial fan, alluvial terrace, esker, floodplain, glacial moraine, kame, kame terrace, outwash, outwash terrace, bedrock, till, till over bedrock, wet outwash and wet till. The surficial geology units were field checked and then updated from the field reconaissance. The depths of the surficial geology units were estimated utilizing borehole data, field measurements and seismometer data The areal extent of each surficial geology unit was quantified, using a planimetric color densitometer The volumes of construction material were computed based upon these areal determinations and estimated depths The volume estimates, compared with the estimates of required construction material, showed that more material could be found within the prescribed area around the dam and dike sites than was required for construction. It is believed that the east- and northeast-trending lineaments in this area are thrust faults dipping 45 deg to the northeast The north-trending and N60W lineaments are probably strike-slip normal and reverse faults dipping 80 deg to nearly vertical Future movement along these faults should be negligible.

MP 1168
CREEP RUPTURE AT DEPTH IN A COLD ICE SHEET.
Colbeck, S C., et al, Oct 26, 1978, 275(5682), p 733, 13 refs.
St. Lawrence, W.F., Gow, A.J.
33-1616
ICE SHEETS, ICE CREEP, FRACTURING, SEISMIC SURVEYS.
Experimental evidence has not supported the hypothesis that tectonic processes operating within glaciers and ice sheets are analogous to those in the Earth However, evidence of the existence of discrete shear planes within the antarctic ice sheet (31-1071 or F-17742) and evidence described here relating to the Greenland ice sheet indicate that faulting takes place at depth in cold ice sheets The evidence suggests reconsideration of the concept of correspondence between flow and rupture at depth in the Earth and in cold ice sheets, as suggested earlier Direct investigations at depth in ice sheets are made with relative ease as compared to the nearly impossible task of direct measurements in the Earth's mantle

MP 1169
EFFECT OF INUNDATION ON VEGETATION AT SELECTED NEW ENGLAND FLOOD CONTROL RESERVOIRS.
McKim, H.L., et al, Symposium on Remote Sensing for Vegetation Damage Assessment, Februar, 1978 Proceedings, 1978, 13p , 13 refs.
Gatto, L.W., Merry, C.J., Cooper, S.
33-1519
REMOTE SENSING, INFRARED PHOTOGRAPHY, VEGETATION PATTERNS, DAMAGE, FLOODING.
The effect of inundation on vegetation caused by the regulation and impoundment of water at six New England flood control reservoirs during a June-July 1973 flood was assessed from color infrared photography and corroborative ground surveys. Percent of damaged trees was assessed on a pattern recognition and coloration basis. Correlative ground truth data showed that the deciduous trees, particularly silver maple and red oak, were least affected and that coniferous trees, especially white pine, were most affected by siltation and inundation Much of the understory vegetation, i e , American and Eastern hop hornbeam, lost all leaves after inundation, but new buds and shoots appeared by late September 1973 A critical relationship, determined from ground transect profiles showing the relationship between species susceptibility and inundation time was that trees completely covered by flood waters for more than 90 hours showed the most apparent damage

MP 1170
INVESTIGATION OF ICE CLOGGED CHANNELS IN THE ST. MARYS RIVER.
Mellor, M., et al, Mar. 1978, USCG-D-22-78, 73p., ADA-058 015.
Vance, G.P., Wuebben, J.L , Frankenstein, G.E
33-1748
ICE BREAKING, ICE JAMS, CHANNELS (WATERWAYS), COST ANALYSIS.
This study addresses itself to the problem of removing brash ice from Frechette Point to Six-Mile Point of the Little Rapids Cut of the St. Marys River system The area and river system are described and estimates are made for partially clearing a channel 250 ft wide Rough costs, based on dollars per horsepower, indicate that it would cost between 1 and 2 million dollars per clear channel mile per year

MP 1171
DIELECTRIC PROPERTIES OF DISLOCATION-FREE ICE.
Itagaki, K., 1978, 21(85), p.207-217, In English with French and German summaries. 20 refs.
33-1867
ICE CRYSTALS, HOARFROST, DISLOCATIONS (MATERIALS), ICE ELECTRICAL PROPERTIES.
Dielectric properties of dislocation-free hoar-frost ice crystals were measured in the audio-frequency range Anomalously small relaxation strength was found in the dislocation-free area of the crystal samples, while dislocations deliberately introduced by scratching the samples drastically modified the relaxation strength Since measurements made in the area of high dislocation density indicated normal behavior, electrically charged dislocations are considered to be the source of the normally observed dielectric relaxation

MP 1172
REGELATION AND THE DEFORMATION OF WET SNOW.
Colbeck, S.C., et al, 1978, 21(85), p.639-650, In English with French and German summaries 17 refs.
Parssinen, N.
33-1901
WET SNOW, REGELATION, SNOW DEFORMATION, MODELS.
The thermodynamics of phase equilibrium control the temperature distribution around the ice particles in wet snow When the snow is stressed, pressure melting occurs at the interparticle contacts and the snow densifies Densification is described by a physical model which simulates the heat flow, meltwater flow, and particle geometry. The effects of ionic impurities, liquid saturation, and particle size are demonstrated Typical values of the temperature difference, inter-particle film size, and density are calculated as functions of time The calculated rates of compaction are too large, hence, at some later time, the effects of simultaneous grain growth must be added to the model

MP 1173
FUNDAMENTALS OF ICE LENS FORMATION.
Takagi, S., 1978, 74(174), p 235-242, 27 refs. See also 32-3470 and 32-4368.
33-2083
ICE LENSES, ICE FORMATION, SOIL WATER, SOIL FREEZING, HEAT TRANSFER, FROST HEAVE, ANALYSIS (MATHEMATICS).
A new concept of the freezing of water, called segregation freezing, is proposed to explain the creation of the suction force that draws pore water up to the interface of a growing ice lens The temperature of segregation freezing is shown to be lower than that of normal freezing (in situ freezing) This difference determines the pressure that the ice lens exerts while growing and carrying the overlying weight On the assumption that the soil structure is rigid, equations governing the simultaneous flow of heat and water are formulated and solved for the limit of time t to 0 with the combination of analytical and numerical methods Numerical computation of the solution yields a result that is reasonable, compared with experience in laboratory and nature

MP 1174
ISUA, GREENLAND: GLACIER FREEZING STUDY.
Ashton, G D., 1978, 74(174), p.256-264, 9 refs.
33-2086
GLACIER FLOW, CREEP, ICE REFRIGERATION, MINING, DRILLING, ANALYSIS (MATHEMATICS), ICE TEMPERATURE.

A scheme for cooling the lower portion of the edge of the Greenland ice sheet, which abuts a potential mining operation is examined. At the mine site, the ore body is overlain with ice. Once the overburden is removed, however, the adjacent ice is expected to flow toward the pit. One possible means of slowing this movement is to cool the ice below its present temperature to achieve a reduction in the creep rate and a retardiation of basal slip. The present study examines analytically the magnitude of cooling which may be accomplished by drilling a series of vertical holes about the periphery of the mine site. Refrigeration is accomplished by pumping a coolant downhole in a central pipe, then uphole in an annulus between the pipe and hole wall, and then through a thin walled pipe exposed to the cold surface climate above the ice sheet. Results of example calculations for various particular combinations of the free parameters are examined and include cooling requirements, hold spacing, pump requirements, and other parameters. Over a period of operation on the order of a year of more, it appears possible to cool a substantial part of the lower area of the glacier on the order of -1 to -2C, using a hole spacing that is considered reasonable. The results of the study are to be used as input to a detailed glacier flow study.

MP 1175
REMOTE DETECTION OF MASSIVE ICE IN PERMAFROST ALONG THE ALYESKA PIPELINE AND THE PUMP STATION FEEDER GAS PIPELINE.
Kovacs, A., et al, ASCE Pipeline Division Specialty Conference, New Orleans, Louisiana, Jan. 15-17, 1979. Proceedings. Pipelines in adverse environments; a state of the art, Vol.1, New York, N.Y., American Society of Civil Engineers, 1979, p.268-279, 10 refs.
Morey, R.M.
33-2077
PERMAFROST STRUCTURE, PERMAFROST PHYSICS, ICE DETECTION, SUBSURFACE INVESTIGATIONS, REMOTE SENSING, RADAR ECHOES, GROUND ICE, ICE FORMATION, SOUNDING, REFLECTIVITY, PIPELINES.
Field soundings using an impulse radar system were carried out during May 1976 along a section of the Alyeska Pipeline near Pump Station 3 and the pump station feeder gas pipeline trench near the Happy Valley Camp, Alaska. The radar system, operating on the ground, provided a continuous profile of the near-surface geological structure of the permafrost. A unique dual antenna configuration produced two profiles, a vertical profile and an offset profile, from which the velocity of the radar signal at any point along the traverse could be calculated and from which a representative depth scale for the subsurface profile was determined. The profile results proved useful in identifying regions of massive ice in the permafrost. Logs from holes drilled for the oil pipeline's Vertical Support Members are compared with the radar profile data. This comparison shows that the radar detected the top and bottom of massive ice to a depth of approximately 30 ft.

MP 1176
RESILIENT RESPONSE OF TWO FROZEN AND THAWED SOILS.
Chamberlain, E.J., et al, Feb. 1979, 5(GT2), p.257-271, 13 refs.
Cole, D.M., Johnson, T.C.
33-2178
SUBGRADE SOILS, SEASONAL FREEZE THAW, SOIL MECHANICS, STRESSES, LOW TEMPERATURE TESTS.
Values of resilient modulus and Poisson's ratio were determined for silt and clay subgrade materials subjected to seasonal freezing and thawing. A new technique employing noncontacting variable impendance transducers was employed to obtain radial strain data for calculation of Poisson's ratio. The data were analyzed using multiple linear regression and analysis of variance techniques to obtain empirical relationships between the resilient moduli and Poisson's ratio parameters and stress and material property variables. Resilient modulus data ranged from over 6,000,000 psi for the frozen condition to less than 600 psi for the thawed condition. Poisson's ratio ranged from 0.07 to 0.61, the majority of the values falling between 0.03 and 0.50.

MP 1177
OXYGEN ISOTOPE INVESTIGATION OF THE ORIGIN OF THE BASAL ZONE OF THE MATANUSKA GLACIER, ALASKA.
Lawson, D.E., et al, 1978, Vol.86, p.673-685, 34 refs.
Kulla, J.B.
33-2287
GLACIER ICE, ICE STRUCTURE, OXYGEN ISOTOPES, THERMODYNAMIC PROPERTIES.
An analysis of the oxygen isotope content of ice of the englacial and basal zones of the Matanuska Glacier at its terminus reveals the origin of the ice and entrained debris. The decrease with depth in the change of O18 values of ice of the diffused facies of the englacial zone and the dispersed facies of the basal zone is consistent with previous studies and indicates this ice originates in the accumulation area. Characteristics of the ice and debris of the dispersed facies indicate a subglacial source for most of the debris. The sharp increase of more than 4 per mill in the change of O18 values of ice of the lower, stratified facies of the basal zone and its young radiocarbon age indicate this facies formed by subglacial freezing of isotopically enriched meltwater, probably surface-derived, to the glacier sole. The bubble-poor, fine-grained ice, thickness, stratification, rounded pebbles, and undisturbed sedimentary structures in this facies support this conclusion. The location, extent, and rates of subglacial ice formation and sediment entrainment vary. The Matanuska Glacier is therefore thermally complex, with zones of ice at the glacier sole that are at or below the pressure-melting point.

MP 1178
RIVER ICE.
Ashton, G.D., Jan./Feb. 1979, 67(1), p.38-45, 21 refs.
33-2288
RIVER ICE, ICE FORMATION, ICE JAMS, ICE GROWTH, THERMAL POLLUTION, TEMPERATURE EFFECTS.

MP 1179
MEASUREMENT OF MESOSCALE DEFORMATION OF BEAUFORT SEA ICE (AIDJEX-1971).
Hibler, W.D., III, et al, 1978, Vol.43-44, p.148-172, TT-75-52082, For Russian version see 29-2023. 21 refs.
Weeks, W.F., Ackley, S.F., Kovacs, A., Campbell, W.J.
33-2376
PACK ICE, ICE DEFORMATION, DRIFT, AERIAL SURVEYS, ICE REPORTING.

MP 1180
ORIGIN AND PALEOCLIMATIC SIGNIFICANCE OF LARGE-SCALE PATTERNED GROUND IN THE DONNELLY DOME AREA, ALASKA.
Péwé, T.L., et al, 1969, No.103, 87p., Bibliography p.79-84. In English with French, German, and Russian summaries.
Church, R.E., Andresen, M.J.
25-3645
PATTERNED GROUND, SEDIMENTS, PERIGLACIAL PROCESSES, ICE WEDGES, PERMAFROST, UNITED STATES—ALASKA—DONNELLY DOME.

MP 1181
HYDRAULIC TRANSIENTS: A SEISMIC SOURCE IN VOLCANOES AND GLACIERS.
St. Lawrence, W.F., et al, Feb. 16, 1979, 203(4381), p.654-656, 10 refs.
Qamar, A.
33-2727
WAVE PROPAGATION, GLACIERS, VOLCANOES, EARTHQUAKES.
A source for certain low-frequency seismic waves is postulated in terms of the water hammer effect. The time-dependent displacement of a water-filled subglacial conduit is analyzed to demonstrate the nature of the source. Preliminary energy calculations and the observation of hydraulically generated seismic radiation from a dam indicate the plausibility of the proposed source.

MP 1182
TERMINAL BALLISTICS IN COLD REGIONS MATERIALS.
Aitken, G.W., International Symposium on Ballistics, 4th. Proceedings, Monterey, California, U.S. Naval Postgraduate School, 1978, 6p., 11 refs.
33-2729
PROJECTILE PENETRATION, PENETRATION TESTS, FROZEN GROUND, SNOW COVER.
In a winter environment, snow and frozen soil may be the most readily available materials for use in field fortifications. Design of effective fortifications requires detailed knowledge of the response of these materials to impact from projectiles and projectile fragments. Data for small arms projectile and simulated projectile fragment penetration into snow and frozen soil are presented. Results of penetration predictions made using both closed form and empirical solutions are compared with test results, and the prediction techniques themselves are discussed. Basic agreement between predicted and measured penetrations was obtained for the simulated projectile fragments, which tended to remain stable in the target materials. Penetration of 7.62 mm small arms projectiles into frozen soil targets is also predictable at velocities below about 600 m/s, above which they tend to become unstable and tumble in the target. In the case of the empirical solution, the results presented serve to extend its range of applicability to projectiles weighing less than 0.9 kg.

MP 1183
INTRODUCTION TO THE WORKSHOP ON ECOLOGICAL EFFECTS OF HYDROCARBON SPILLS IN ALASKA.
Atlas, R.M., et al, Sep. 1978, 31(3), p.155-157.
Brown, J.
33-2786
MEETINGS, OIL SPILLS, RESEARCH PROJECTS.

MP 1184
EFFECTS OF CRUDE AND DIESEL OIL SPILL ON PLANT COMMUNITIES AT PRUDEHOE BAY, ALASKA, AND THE DERIVATION OF OIL SPILL SENSITIVITY MAPS.
Walker, D.A., et al, Sep. 1978, 31(3), p.242-259, In English with French summary. 29 refs.
Webber, P.J., Everett, K.R., Brown, J.
33-2793
OIL SPILLS, ENVIRONMENTAL IMPACT, TUNDRA VEGETATION, INDEXES (RATIOS), MAPS.
Crude oil was spilled on six of the major Prudhoe Bay plant communities at an intensity of 12 liters/sq m. The communities occurred along a topographic-moisture gradient. The reaction of the major species of the various communities was recorded one year following the spills. Sedges and willows showed substantial recovery from crude oil spills. Mosses, lichens, and most dicotyledons showed little or no recovery. On a very wet plot with standing water, the vegetation showed very poor recovery. *Dryas integrifolia* M. Vahl, the most important vascular species on dry sites, was killed. Identical experiments using diesel oil rather than crude oil showed all species except an aquatic moss to be killed. A sensitivity index for the communities was calculated on the basis of the percentage cover of the resistant species divided by the original total plant cover of the community. With this information an oil spill sensitivity map for an area of Prudhoe Bay was constructed using a vegetation map as a base. Using the crude oil data from Prudhoe Bay together with some from the literature, a predictive sensitivity map was also constructed for an accidental crude oil spill at nearby Franklin Bluffs. In this example all the community types are considered to have moderate to excellent recovery potential.

MP 1185
PHYSICAL, CHEMICAL AND BIOLOGICAL EFFECTS OF CRUDE OIL SPILLS ON BLACK SPRUCE FOREST, INTERIOR ALASKA.
Jenkins, T.F., et al, Sep. 1978, 31(3), p.305-323, 36 refs.
Johnson, L.A., Collins, C.M., McFadden, T.
33-2797
OIL SPILLS, ENVIRONMENTAL IMPACT, FOREST TUNDRA, VEGETATION, DAMAGE.

MP 1186
FATE OF CRUDE AND REFINED OILS IN NORTH SLOPE SOILS.
Sexstone, A., et al, Sep. 1978, 31(3), p.339-347, In English with French summary. 6 refs.
Everett, K.R., Jenkins, T.F., Atlas, R.M.
33-2799
OIL SPILLS, TUNDRA SOILS, HYDROCARBONS, MICROBIOLOGY.
Prudhoe Bay crude oil and refined diesel fuel were applied to five topographically distinct tundra soils at Prudhoe Bay, Alaska. The penetration of hydrocarbons into the soil column depended on soil moisture and drainage characteristics. Biodegradation, shown by changes in the pristane to heptadecane and resolvable to total gas chromatographic area ratios, appeared to be greatly restricted in drier tundra soils during one year exposure. Some light hydrocarbons were recovered from soils one year after spillages. Hydrocarbons were still present in soils at Fish Creek, Alaska, contaminated by refined oil spillages 28 years earlier, attesting to the persistence of hydrocarbons in North Slope soils.

MP 1187
STUDY OF SEVERAL PRESSURE RIDGES AND ICE ISLANDS IN THE CANADIAN BEAUFORT SEA.
Hnatiuk, J., et al, 1978, 20(84), p.519-532, In English with French and German summaries. 3 refs.
Kovacs, A., Mellor, M.
33-2885
PRESSURE RIDGES, ICE ISLANDS, ICE COVER THICKNESS, PROFILES.
The environmental conditions in the southern Beaufort Sea are described, with special emphasis on pressure ridges and ice islands. Techniques for determining the geometric configurations and the physical and mechanical properties of sea-ice structures and ice islands are described. Profiles of pressure ridges were determined by surface surveys, drill-hole probes and side-looking sonar scanning. Multi-year pressure ridges with thicknesses up to 20 m and widths up to 120 m were examined in detail. The first-year ridge of 22 m thickness and 100 m width was studied. Results are given for several multi-year and the first-year ridges. Information obtained from dives under the ice is also given. Corresponding data are given for grounded ice islands, with emphasis on contact between the ice and sea bed. A 20 m thick ice-island fragment grounded in 15 m of water was one of several investigated. Measurements of temperature, salinity, tensile strength, and compressive strength are given for ice taken from old pressure ridges, and factors influencing the interpretation of test data are discussed.

MP 1188
FULL-DEPTH PAVEMENT CONSIDERATIONS IN SEASONAL FROST AREAS.
Eaton, R.A., et al, Feb. 1979, 24p., 8 refs. Paper presented at the annual meeting of the Association of Asphalt Paving Technologists, Denver, Colorado, Feb. 15-17, 1979.
Joubert, R.H.
33-2904
BITUMINOUS CONCRETES, SEASONAL FREEZE THAW, FROST RESISTANCE, FROST PENETRATION, SUBGRADE PREPARATION, FROST HEAVE.
Two full-depth pavement sections were built on highly frost-susceptible subgrades that had been properly prepared Suitable structural and service performances were achieved in spite of substantial, though uniform, frost heaves A full-depth pavement built on a local municipal street has not approached structural failure However, poor service performance caused by differential heaves and severe differences at surface castings has resulted. This paper reports on these studies and attempts to underscore the importance of proper design and construction of pavements on highly frost-susceptible soils Particular emphasis is placed on the quality of subgrade preparation. Finally, the incorporation of transition sections at surface castings is considered necessary to diminish differential heave at the castings

MP 1189
DESIGN OF AIRFIELD PAVEMENTS FOR SEASONAL FROST AND PERMAFROST CONDITIONS.
Berg, R.L , et al, Oct. 1978, 18p., Presented at the U.S Air Force Worldwide Pavements Conference, Panama City Beach, Florida, Oct. 24-26, 1978.
Johnson, T.C.
33-2905
AIRPORTS, BITUMINOUS CONCRETES, SUBGRADE PREPARATION, SEASONAL FREEZE THAW, FROST PENETRATION, FROST HEAVE.

MP 1190
SINTERING AND COMPACTION OF SNOW CONTAINING LIQUID WATER.
Colbeck, S.C., et al, Jan. 1978, 39(1), p.13-32, Refs. p.31-32.
33-2982
SNOW COMPACTION, SNOW MECHANICS, FIRNIFICATION, ICE DENSITY, SALINITY, MELTWATER, WET SNOW.

MP 1191
ELEMENTAL ANALYSES OF ICE CRYSTAL NUCLEI AND AEROSOLS.
Kumai, M., International Conference on Atmospheric Aerosols, Condensation and Ice Nuclei, 9th, Galway, Ireland, Sep. 21-27, 1977. Proceedings, Galway, Ireland, University College, 1977, 5p., 11 refs.
33-2962
ICE NUCLEI, AEROSOLS, ELECTRON MICROSCOPY, X RAY ANALYSIS.
Ice crystal nuclei and aerosols in Fairbanks, Alaska were studied using a scanning electron microscope and energy-dispersive X-ray analyzer It is thought that the origins of the ice nuclei and aerosols are mainly solid combustion by products from local electric power plants and other combustion sources

MP 1192
ICE FOG SUPPRESSION USING THIN CHEMICAL FILMS.
McFadden, T , et al, Jan. 1979, EPA-600/3-79-007, 44p., 20 refs.
Collins, C.M.
33-2959
ICE FOG, FOG DISPERSAL, CHEMICAL REACTIONS.
Ice fog suppression experiments on the Fort Wainwright Power Plant cooling pond were conducted during the winter of 1974-76 Hexadecanol was added to the pond and dramatically improved visibility by reducing fog generated from water vapor released by the pond at -14C Although this temperature was not low enough to create ice fog, the cold vapor fog created was equally as devastating to visibility in the vicinity of the pond During the winter of 1975-76, suppression tests were continued using films of hexadecanol, mixes of hexadecanol and octadecanol, and ethylene glycol monobutyl ether (EGME) Suppression effectiveness at colder temperatures was studied and limits to the techniques were probed. A reinforcing grid was constructed that prevented breakup of the film by wind and water currents. Lifetime tests indicated that EGME degrades much more slowly than either hexadecanol or the hexadecanol-octadecanol mix All the films were found to be very effective fog reducers at warmer temperatures but still allowed 20% to 40% of normal evaporation to occur The vapor thus produced was sufficient to create some ice fog at lower temperatures, but this ice fog occurred less frequently and was more quickly dispersed than the thick fog that was present before application of the films

MP 1193
PROCEEDINGS.
Colloquium on Planetary Water and Polar Processes, 2nd, Hanover, N.H., Oct. 16-18, 1978, Hanover, N.H., U.S. Army Cold Regions Research and Engineering Laboratory, 1978, 209p., For selected papers see 33-3058 through 33-3080.
33-3057
MEETINGS, MARS (PLANET), PLANETARY ENVIRONMENTS, PERMAFROST HYDROLOGY, GEOLOGIC STRUCTURES, WATER.

MP 1194
DEVELOPMENT OF A SIMPLIFIED METHOD FOR FIELD MONITORING OF SOIL MOISTURE.
Walsh, J.E., et al, Colloquium on Planetary Water and Polar Processes, 2nd, Oct. 1978. Proceedings, Hanover, N.H , U.S. Army Cold Regions Research and Engineering Laboratory, 1978, p.40-44, Includes comments. 3 refs.
McQueeney, D., Layman, R.W , McKim, H.L.
33-3059
SOIL WATER, MEASURING INSTRUMENTS, ELECTRIC EQUIPMENT.

MP 1195
VIKING GCMS ANALYSIS OF WATER IN THE MARTIAN REGOLITH.
Anderson, D.M., et al, Colloquium on Planetary Water and Polar Processes, 2nd, Oct. 1978. Proceedings, Hanover, N.H., U.S. Army Cold Regions Research and Engineering Laboratory, 1978, p.55-61, Includes comments. 7 refs.
Tice, A.R.
33-3060
GROUND WATER, MARS (PLANET), SOIL TESTS, GAS INCLUSIONS.

MP 1197
ICE BLOCKAGE OF WATER INTAKES.
Carey, K.L., Mar. 1979, NUREG/CR-0548, 27p., 19 refs.
33-3113
WATER INTAKES, FRAZIL ICE, BOTTOM ICE, ICE COVER.
Ice blockage of water intake structures can pose serious threats to the availability of cooling water at thermal power plants. Ice blockage difficulties are described as they may occur in rivers, lakes, reservoirs, and estuaries, and as they may affect intakes either at the surface or submerged. Characteristics of both surface sheet ice and frazil ice are examined formational processes, sizes, thicknesses, movement or mobility, and modes of blockage or adhesion. Case histories of incidents of ice blockage of intakes are given. Solving ice blockage problems, either through original design, post-construction modification, or revised operational techniques is discussed.

MP 1198
EFFECT OF THE OCEANIC BOUNDARY LAYER ON THE MEAN DRIFT OF PACK ICE: APPLICATION OF A SIMPLE MODEL.
McPhee, M.G., Mar 1979, 9(2), p.388-400, 14 refs. For this paper from another source, see 32-4551.
33-3216
PACK ICE, DRIFT, BOUNDARY VALUE PROBLEMS, MATHEMATICAL MODELS, ICE WATER INTERFACE.
Smoothed records of ice drift, surface wind and upper ocean currents at four manned stations of the 1975-76 AIDJEX experiment in the central Arctic have been analyzed to provide a statistical relationship between stress at the ice-ocean interface and ice-drift velocity during a 60-day period when the ice was too weak to support internal forces Essential features of the model are dynamic scaling for velocity, kinematic stress and length, with exponential attenuation of a linear dimensionsless eddy viscosity. Currents measured 2 m below the ice confirmed the shape of the stress vs ice speed curve and provided an estimate of the angle between surface stress and velocity The model was used to qualitatively estimate the effect of a pycnocline at 25 m on surface characteristics. The observed behavior when stratification at that level was most pronounced tended toward slightly higher drag at higher speeds, which is qualitatively consistent with the model results

MP 1199
CURRENT RESEARCH ON SNOW AND ICE REMOVAL IN THE UNITED STATES.
Minsk, L.D., Sep. 1978, 20(3), p.21-22.
33-3272
SNOW REMOVAL, ICE REMOVAL, ICE CONTROL, CHEMICAL ICE PREVENTION, ICE PREVENTION.

MP 1200
DYNAMICS OF NEAR-SHORE ICE.
Kovacs, A., et al, Environmental assessment of the Alaskan continental shelf, Vol.3. Principal investigators' quarterly reports for the period July-September 1977, Boulder, Colorado, Environmental Research Laboratories, 1977, p.503-510, PB-279 913
Weeks, W.F.
33-3323
PACK ICE, DRIFT, RADAR ECHOES, ICE COVER THICKNESS, ICE DEFORMATION, DATA PROCESSING.

MP 1201
DELINEATION AND ENGINEERING CHARACTERISTICS OF PERMAFROST BENEATH THE BEAUFORT SEA.
Sellmann, P.V., et al, Environmental assessment of the Alaskan continental shelf, Vol 3. Principal investigators' quarterly reports for the period July-September 1977, Boulder, Colorado, Environmental Research Laboratories, 1977, p.518-521, PB-279 913.
Brown, J., Blouir, S.E., Chamberlain, E J., Iskandar, I.K., Ueda, H.T.
33-3324
SUBSEA PERMAFROST, DRILL CORE ANALYSIS.

MP 1202
ULTRASONIC MEASUREMENTS ON DEEP ICE CORES FROM ANTARCTICA.
Gow, A.J., et al, Oct. 1978, 13(4), p.48-50, 3 refs.
Kohnen, H.
33-3350
ICE CORES, ULTRASONIC TESTS, ICE CRYSTAL STRUCTURE, ANTARCTICA—BYRD STATION.
This report discusses some results of recent measurements of ultrasonic velocities performed on ice cores collected in 1968 at Byrd Station The analytical technique is described It is concluded that measurement of ultrasonic velocities of cores from deep drill holes enables monitoring of the relation characteristics of the cores and determination of the gross trends of c-axis orientation in the ice sheet. Supplemented by optical thin section, studies can verify the exact nature of the fabric at any given depth and any inclination of the fabric symmetry axis with respect to the direction of propagation of P-wave velocity.

MP 1203
SEA ICE AND ICE ALGAE RELATIONSHIPS IN THE WEDDELL SEA.
Ackley, S.F., et al, Oct. 1978, 13(4), p.70-71, 7 refs.
Taguchi, S., Buck, K.R.
33-3363
SEA ICE, PACK ICE, ALGAE, CRYOBIOLOGY, ICE BREAKUP, CHEMICAL COMPOSITION, WEDDELL SEA.
Analysis of data obtained during a 1977 cruise in the Weddell Sea indicates that the ice algal community found during that cruise is distinct from others that have been described (for example, the bottom epontic community in the land-fast ice in McMurdo Sound, the surface communities off Fast Antarctica, and the bottom communities in Arctic Pack ice) Unlike these other communities, the Weddell pack algae is dominantly an interior one, existing not at the surface or bottom but at mid-depth (65 to 215 m) within the ice The formation of this community is dependent on the unique thermal and physical setting for Weddell sea pack ice Brine drainage processes are initiated by summer warming, but are not carried through to completion as in the Arctic. This process causes a redistribution of salinity, maximizing in the mid-depth regions of the ice and apparently leading to algae production because of the relatively higher nutrient levels at these mid-depths A qualitative model indicating the relationship between the thermally induced brine migration and subsequent algae growth is given.

MP 1204
ENVIRONMENTAL ATLAS OF ALASKA.
Hartman, C.W , et al, Fairbanks, University of Alaska, 1978, 95p., 2nd ed. For 1st ed see 24 4007 44 refs.
Johnson, P.R.
33-3460
SEA WATER, RIVERS, CLIMATE, INDEXES (RATIOS), PHYSICAL PROPERTIES, UNITED STATES—ALASKA.

MP 1205
DYNAMICS OF NEAR-SHORE ICE.
Kovacs, A., et al, Environmental assessment of the Alaskan continental shelf, Vol.11, Hazards. Principal investigators' annual reports for the year ending March 1978. Boulder, Colorado, Outer Continental Shelf Environmental Assessment Program, 1978, p.11-22.
Weeks, W.F.
33-3591
SEA ICE, DRIFT, ICE COVER THICKNESS, RADAR ECHOES, ICE STRUCTURE, PRESSURE RIDGES.

MP 1206
DELINEATION AND ENGINEERING CHARACTERISTICS OF PERMAFROST BENEATH THE BEAUFORT SEA.
Sellmann, P.V., et al, Environmental assessment of the Alaskan continental shelf, Vol.11, Hazards. Principal investigators' annual reports for the year ending March 1978. Boulder, Colorado, Outer Continental Shelf Environmental Assessment Program, 1978, p.50-74.
Chamberlain, E.J.
33-3593
SUBSEA PERMAFROST, BOTTOM SEDIMENT, BOREHOLES, TEMPERATURE MEASUREMENT.
Observations include determinations of subsea sediment temperature, type, ice content, and chemical composition These data, coupled with geophysical studies and results from other Beaufort Sea geological studies, are being used jointly to ascertain subsea permafrost distribution This report includes a summary of the spring 1977 field program and a general summation of the results from two years of field study in the Prudhoe Bay area. The 1977 field study produced six additional drilled and sampled holes plus 27 probe sites which yielded both material property and temperature data The field observations and the results of laboratory analyses of the samples help to demonstrate the complex nature of subsea permafrost

MP 1207
MECHANICAL PROPERTIES OF POLYCRYSTALLINE ICE: AN ASSESSMENT OF CURRENT KNOWLEDGE AND PRIORITIES FOR RESEARCH.
Hooke, R.L., et al, (1979), 16p , Report of the International Commission on Snow and Ice/National Science Foundation working group on ice mechanics.
Mellor, M., Jones, S.J., Martin, R.T., Meier, M.F., Weertman, J.
33-3545
ICE MECHANICS, ICE CRYSTALS, ICE CREEP, ICE DEFORMATION, STRAIN TESTS, STRESS STRAIN DIAGRAMS, ICE STRENGTH

MP 1209
PROJECTED THERMAL AND LOAD-ASSOCIATED DISTRESS IN PAVEMENTS INCORPORATING DIFFERENT GRADES OF ASPHALT CEMENT.
Johnson, T.C., et al, 1979, Vol.48, p.403-437, 35 refs.
Shahin, M.Y., Demtosey, B.J., Ingersoll, J.
33-3865
BITUMINOUS CONCRETES, BITUMENS, LOW TEMPERATURE TESTS, FROST HEAVE, CRACKING (FRACTURING), THERMAL STRESSES, TEMPERATURE EFFECTS.

MP 1210
PHASE COMPOSITION MEASUREMENTS ON SOILS AT VERY HIGH WATER CONTENTS BY PULSED NUCLEAR MAGNETIC RESONANCE TECHNIQUE.
Tice, A.R., et al, 1978, No.675, p.11-14, 22 refs
Burrous, C.M., Anderson, D.M.
33-3863
FROZEN GROUND PHYSICS, UNFROZEN WATER CONTENT, NUCLEAR MAGNETIC RESONANCE, SOIL CHEMISTRY, SALINE SOILS.
A simple, rapid method of determining the unfrozen water content of frozen soils is described in detail The method uses the first pulse amplitude of a pulsed nuclear magnetic resonance analyzer. Phase composition curves were obtained for four soils at very high total water contents. Three of the soils (Manchester fine sand, Fairbanks silt, and Goodrich clay) had been previously examined by another method (isothermal calorimeter). The fourth (Kotzebue silt) is a naturally saline soil found in low-lying coastal regions of Alaska. This soil was tested both in its natural state and with the soluble salts removed The phase composition curves obtained by the nuclear magnetic resonance method are consistent with those obtained by using the isothermal calorimeter, but the nuclear magnetic resonance method saved time, requiring only 48h. It also provides a high degree of reproducibility and can be used over a wide range of temperatures As expected, the unfrozen water content of the saline soil was much higher in its natural state than after removal of the soluble salts In addition, the unfrozen water content of all four soils appears to increase somewhat as the total water content of the sample is increased.

MP 1211
PERMAFROST BENEATH THE BEAUFORT SEA, NEAR PRUDHOE BAY, ALASKA.
Sellmann, P.V., et al, Offshore Technology Conference, 11th Proceedings, Houston, Texas, 1979, p.1481-1493, 34 refs.
Chamberlain, E.J.
33-3864
SUBSEA PERMAFROST, DRILL CORE ANALYSIS, PENETRATION TESTS, PERMAFROST DEPTH.
The occurrence and properties of subsea permafrost near Prudhoe Bay, Alaska, were investigated by drilling and probing Nine holes were drilled and 27 sites were probed with a cone penetrometer. The deepest drill hole was 65.1m below the seabed, while a depth of 14.1 m was reached with the cone penetrometer. Engineering and chemical properties were determined from core samples and point penetration resistance data were obtained with the penetrometer Thermal profiles were acquired at both the drill and probe sites

MP 1212
COMPARATIVE TESTING SYSTEM OF THE APPLICABILITY FOR VARIOUS THERMAL SCANNING SYSTEMS FOR DETECTING HEAT LOSSES IN BUILDINGS.
Grot, R.A , et al, Infrared Information Exchange, 4th. Proceedings, St. Louis, Missouri, 1978, p.B71-B90, 18 refs.
Munis, R.H., Marshall, S.J., Gorex, A.
33-3735
BUILDINGS, HEAT LOSS, TEMPERATURE MEASUREMENT, TESTS.
A two-stage program for determining the applicability of various remote thermal scanning systems for detecting heat losses in buildings is described The types of instruments tested are high resolution thermal imaging systems, low resolution thermal imaging systems, thermal line scanners and point radiometers. The first phase of this project consisted of inserting known building defects into a specially designed room at the USA Cold Regions Research and Engineering Laboratory and having a representative of the manufacturer of each type of equipment inspect the room at three temperature differences across the room envelope The second phase of this project will consist of a field evaluation of these same instruments in approximately 10 cities, in cooperation with a weatherization program for low-income housing sponsored by the Community Services Administration and directed by the National Bureau of Standards The goal of the second phase is to determine the cost effectiveness of various remote thermal scanning services

MP 1213
DETECTING WET ROOF INSULATION WITH A HAND-HELD INFRARED CAMERA.
Korhonen, C., et al, Infrared Information Exchange, 4th. Proceedings, St. Louis, Missouri, 978, p.A9-A15, 5 refs
Tobiasson, W.
33-3736
INFRARED PHOTOGRAPHY, ROOFS, MOISTURE, DETECTION.
Since 1975, CRREL has used hand-held infrared scanners for detecting wet insulation under built-up roof membranes Thermocouples installed on roofs have shown that temperature differences between areas of wet and dry insulation may exist during both the day and night. The optimum time to detect these differences with an infrared camera is at night when solar interference is eliminated Surveys have been conducted successfully in many locations from Alabama to Alaska during both warm and cold weather Three-inch diameter core samples of the roof membrane and insulation have been obtained to verify infrared findings This paper briefly overviews the technique used to survey roofs for moisture and then presents results of a controlled experiment at Pease AFB, New Hampshire, to show the correlation between thermal images and temperature differences observed thermoelectrically in wet and dry portions of a roof Measurements of the thermal resistance of the wet and dry areas complete the physical picture

MP 1214
REMOTE DETECTION OF WATER UNDER ICE-COVERED LAKES ON THE NORTH SLOPE OF ALASKA.
Kovacs, A , Dec 1978, 31(4), p.448-458, 9 refs
33-3773
REMOTE SENSING, LAKE WATER, LAKE ICE, RADAR ECHOES, ICE COVER THICKNESS, WATER SUPPLY.
Results from using an impulse radar sounding system on the North Slope of Alaska to detect the existence of water under lake ice are presented It was found that both lake ice thickness and depth of water under the ice could be determined when the radar antenna was either on the ice surface or airborne in a helicopter The findings also revealed that the impulse radar sounding system could detect where lake ice was bottom-fast and where water existed under the ice cover

MP 1215
GEOBOTANICAL STUDIES ON THE TAKU GLACIER ANOMALY.
Heusser, C.J., et al, Apr 1954 44(2), p.224-239, AD-030 651, 21 refs. Same as SIP-10697 Also issued as Report No 7, Contract n9onr83001
Schuster, R.L., Gilkey, A.K.
33-3769
GLACIER FLOW, VEGETATION PATTERNS, GEOBOTANICAL INTERPRETATION, UNITED STATES—ALASKA—TAKU GLACIER.

MP 1216
RIVER ICE.
Ashton, G.D., Annual review of fluid mechanics, Vol.10, edited by M. Van Dyke, J.V Wehausen, and J.L. Lumley, Palo Alto, California, Annual Reviews, 1978, p.369-392, 85 refs.
33-3953
RIVER ICE, ICE MECHANICS, ICE PRESSURE, FLUID MECHANICS.
The emphasis is on the fluid mechanical aspects of river ice including the areas of formation, evolution, and breakup of ice covers, hydraulics associated with the presence of ice, thermal effects and interactions with ice, and forces due to ice River ice processes may be summarized as a series of steady states that exist between short periods of intense activity and change

MP 1217
DETERMINING SUBSEA PERMAFROST CHARACTERISTICS WITH A CONE PENETROMETER—PRUDHOE BAY, ALASKA.
Blouin, S.E., et al June 1979, 1(1), p.3-16, 10 refs.
Chamberlain, E.J., Sellmann, P.V., Garfield, D.E.
33-4236
SUBSEA PERMAFROST, PENETRATION TESTS, PERMAFROST DISTRIBUTION, PENETROMETERS, UNITED STATES—ALASKA—PRUDHOE BAY.

MP 1218
RELATIONSHIPS BETWEEN JANUARY TEMPERATURES AND THE WINTER REGIME IN GERMANY.
Bilello, M.A., et al, June 1979, 1(1), p.17-27, 12 refs.
Appel, G.C.
33-4237
WEATHER FORECASTING, FROST FORECASTING, SNOW ACCUMULATION, SEASONAL FREEZE THAW, METEOROLOGICAL DATA, METEOROLOGICAL CHARTS

MP 1219
WATER FLOW THROUGH HETEROGENEOUS SNOW.
Colbeck, S.C , June 1979, 1(1), p.37-45, 19 refs.
33-4239
MELTWATER, SNOW COVER STRUCTURE, WATER FLOW, SNOW STRATIGRAPHY, CAPILLARITY, SURFACE WATERS
An earlier gravity flow theory (Colbeck 1971) treated snow as a homogeneous and uniform medium The theory is expanded here to include the effects of ice layers and flow channels Two examples are constructed and compared with observed runoff In this particular situation, the results suggest that most of the water moves down flow channels

MP 1220
FREEZING AND THAWING TESTS OF LIQUID DEICING CHEMICALS ON SELECTED PAVEMENT MATERIALS.
Minsk, L.D., June 1979, 1(1), p.51-58, 8 refs.
33-4241
CONCRETE PAVEMENTS, ICE REMOVAL, ANTIFREEZES, TESTS
The extent of deterioration of portland cement concrete and several types of asphaltic concrete subjected to organic deicing chemicals was determined over 60 freeze-thawing cycles Proprietary solutions containing urea, ethylene glycol, and formamide affected the surface of old air-entrained concrete only slightly (rating of 1 on a scale of 0 to 5 for increasing degradation) Asphaltic concrete specimens were not significantly affected Abrasion tests were made on air-entrained concrete specimens exposed to ethylene glycol solution during freezing and thawing. material loss was very low nearly the same as with distilled water control

MP 1221
ELECTRICAL GROUND IMPEDANCE MEASUREMENTS IN THE UNITED STATES BETWEEN 200 AND 415 KHZ.
Arcone, S.A., et al, Dec. 1978, FAA-RD-78-103, 92p., ADA-068 088.
Delaney, A.J.
33-4413
RADIO WAVES, ELECTRICAL RESISTIVITY, MAPPING.
The objectives of the work described in this report were to use and evaluate new radiowave methods of measuring earth resistivity in the LF and VLF bands and to develop estimated effective ground resistivity maps in this same band for the United States, including Alaska Both airborne and ground methods were investigated by using the wavetilt and surface impedance techniques It is concluded from the VLF study that over much of the central United States VLF airborne resistivity might well approximate LF ground resistivity The ground methods discussion concerns the surface impedance method in the LF band It is concluded from the LF studies that the present conductivity map is fairly accurate for BCB purposes but inapplicable to LF purposes

MP 1222
CASE STUDY: FRESH WATER SUPPLY FOR POINT HOPE, ALASKA.
McFadden, T., et al, Conference on Applied Techniques for Cold Environments, Anchorage, Alaska, May 17-19, 1978. Proceedings, Vol 2, New York, American Society of Civil Engineers, 1979, p.1029-1040, 10 refs.
Collins, C.M.
33-4458
WATER SUPPLY, PERMAFROST HYDROLOGY, SNOWMELT, ICE MELTING, LAKE WATER, UNITED STATES—ALASKA—POINT HOPE.

MP 1223
SNOW AND ICE ROADS IN THE ARCTIC.
Johnson, P.R., Conference on Applied Techniques for Cold Environments, Anchorage, Alaska, May 17-19, 1978. Proceedings, Vol.2, New York, American Society of Civil Engineers, 1979, p.1063-1071, 6 refs.
33-4461
SNOW ROADS, ICE ROADS, AIRPORTS, COLD WEATHER CONSTRUCTION, ENVIRONMENTAL PROTECTION, ARCTIC VEGETATION, CONSTRUCTION MATERIALS.

MP 1224
REMOTE DETECTION OF A FRESHWATER POOL OFF THE SAGAVANIRKTOK RIVER DELTA, ALASKA.
Kovacs, A., et al, June 1979, 32(2), p.161-164, 4 refs.
Morey, R.M.
33-4511
RADAR ECHOES, GROUND ICE, GROUND WATER

MP 1225
EFFECT OF FREEZING AND THAWING ON THE PERMEABILITY AND STRUCTURE OF SOIL.
Chamberlain, E.J., et al, 1979, Vol.13, p 73-92, For another version and abstract see 32-3469. 11 refs.
Gow, A.J.
33-4545
FREEZE THAW CYCLES, SOIL WATER MIGRATION, PERMEABILITY, SOIL STRUCTURE, SOIL PHYSICS, SOIL TEXTURE, PARTICLE SIZE DISTRIBUTION, FINES.

MP 1226
EFFECT OF FREEZE-THAW CYCLES ON RESILIENT PROPERTIES OF FINE-GRAINED SOILS.
Johnson, T.C., et al, 1979, Vol.13, p 247-276, For another version and abstract see 32-3502 20 refs.
Cole, D.M., Chamberlain, E.J
33-4549
FROZEN GROUND MECHANICS, FREEZE THAW CYCLES, PAVEMENT BASES, BEARING TESTS, SHEAR STRESS, SUBGRADE SOILS, LOADS (FORCES), SOIL TEMPERATURE, MODELS.

MP 1227
THERMAL AND RHEOLOGICAL COMPUTATIONS FOR ARTIFICIALLY FROZEN GROUND CONSTRUCTION.
Sanger, F.J., et al, 1979, Vol.13, p.311-337, 32 refs. For another version and abstract see 33-4283.
Sayles, F.H.
33-4550
SOIL FREEZING, ARTIFICIAL FREEZING, FROZEN GROUND MECHANICS, FROZEN GROUND THERMODYNAMICS, CREEP PROPERTIES, RHEOLOGY, THERMAL PROPERTIES, FROST HEAVE, ANALYSIS (MATHEMATICS), CONSTRUCTION.

MP 1228
LAND APPLICATION OF WASTEWATER: EFFECT ON SOIL AND PLANT POTASSIUM.
Palazzo, A.J., et al, July-Sep. 1979, 8(3), p 309-312, 19 refs.
Jenkins, T.F.
33-4584
WASTE TREATMENT, WASTE DISPOSAL, GRASSES, SOIL CHEMISTRY, IRRIGATION.

MP 1229
MULTI YEAR PRESSURE RIDGES IN THE CANADIAN BEAUFORT SEA.
Wright, B., et al, International Conference on Port and Ocean Engineering Under Arctic Conditions, 5th, Trondheim, Norway, Aug. 13-18, 1979. Proceedings, Vol.1, Trondheim, University, 1979, p.107-126, 17 refs.
Hnatiuk, J., Kovacs, A.
33-4609
SEA ICE, PRESSURE RIDGES, ICE STRUCTURE, MODELS.

The findings of a field study designed to generate fundamental data on multi-year pressure ridges in the near shore zone of the Canadian Beaufort Sea are presented. The study investigated the geometry of eleven floating multi-year ridges or ridge fragments and the sail height and keel depth of four additional multi-year ridge fragments. The cross-sections of multi-year ridges with total thicknesses varying between 9.6 and 41.8 m were examined, and the results suggest that they can be adequately represented by one ridge model with a constant sail to keel ratio and geometry. It is also shown that the ice comprising multi-year ridges is solid with the interblock voids existing at the time of their formation being completely filled with ice. The data obtained from this study are being applied to engineering design of exploration and production [illegible] for the Beaufort Sea. In the shallow waters [illegible] exploratory drilling from artificial islands has been [illegible] since 1973, and since 1976, the exploration [illegible] into the deeper waters of the Beaufort Sea [illegible] ramps.

MP 1230
ICE PILE-UP AND RIDE-UP IN ARCTIC AND SUBARCTIC BEACHES.
Kovacs, A., et al, International Conference on Port and Ocean Engineering Under Arctic Conditions, 5th, Trondheim, Norway, Aug. 13-18, 1979. Proceedings, Vol.1, Trondheim, University, 1979, p.127-146, 22 refs.
Sodhi, D.S.
33-4610
SEA ICE, SHORES, PRESSURE RIDGES, ICE PUSH.
Information on shore ice pile-up and ride-up in arctic and subarctic waters is presented. Cross-sectional profiles of several ice pile-ups and ride-ups are presented from which models and theoretical analyses were made. The expressions derived give the force required to overcome gravitational potential and friction occurring during ice-piling and ride-up. It was estimated that the distribution force required during ice-piling or ride-up was of the order of 10 to 350 kPa (about 1.5 to 50 psi). Field observations revealed that shore ice pile-up or ride-up appears to occur within a period of less than 30 minutes at any time of year, but most often in the spring and fall. Pile-up seldom occurs more than 10 m inland from the shore, but ride-up frequently extends 50 m or more inland, regardless of ice thickness. While steeply sloping shores do not favor ice ride-up, sea ice has mounted the steep, 9-m-high bluff at Barrow, Alaska, destroying structures and taking lives.

MP 1231
TEMPERATURE EFFECT ON THE UNIAXIAL STRENGTH OF ICE.
Haynes, F.D., International Conference on Port and Ocean Engineering Under Arctic Conditions, 5th, Trondheim, Norway, Aug. 13-18, 1979. Proceedings, Vol.1, Trondheim, University, 1979, p 667-681, 17 refs.
33-4632
ICE STRENGTH, COMPRESSIVE STRENGTH, TENSILE PROPERTIES.
The effect of temperature on the uniaxial strength of fine-grained, polycrystalline ice was investigated. Dumbbell-shaped specimens were loaded in uniaxial compression and uniaxial tension. Two machine speeds, 0.847 mm/s and 84.7 mm/s, were used for the tests, and the test temperatures ranged from -0.1 to -54C. The uniaxial compressive strength is very sensitive to temperature, generally increasing as the temperature decreased from -0.1C to -54C, with the greatest increase between -0.1C and -3C. The tensile strength is not very sensitive to temperature, but did continue to increase with decreasing temperature. Tensile strength also increased the most between -0.1C and -3C. An initial tangent modulus and a 50% stress modulus were found for each compression test. The initial tangent modulus increased about two times as the temperature decreased from -0.1C to -54C. The 50% stress modulus also increased with decreasing temperature. A secant modulus was found for the tensile tests and it tended to decrease with decreasing temperature. The specific energy required to cause failure was also found for the compression and tension tests.

MP 1232
BUCKLING ANALYSIS OF WEDGE-SHAPED FLOATING ICE SHEETS.
Sodhi, D.S., International Conference on Port and Ocean Engineering Under Arctic Conditions, 5th, Trondheim, Norway, Aug 13-18, 1979. Proceedings, Vol.1, Trondheim, University, 1979, p.797-810, 7 refs.
33-4641
SEA ICE, FLOATING ICE, ICE LOADS, ICE PRESSURE.
A buckling analysis for semi-infinite wedge-shaped floating ice sheets is presented, considering a radial stress field for the in-plane stresses. The buckling load and buckling pressure are computed for varying ice sheet geometry and boundary conditions. The results of this analysis are close to those of earlier analyses for semi-infinite ice sheets and tapered beams.

MP 1233
SNOW ACCUMULATION, DISTRIBUTION, MELT, AND RUNOFF.
Colbeck, S.C., et al, May 22, 1979, 60(21), p.465-468, 29 refs.
33-4547
SNOW ACCUMULATION, SNOW COVER DISTRIBUTION, SNOWMELT, RUNOFF, HEAT TRANSFER, SNOW SURVEYS, REMOTE SENSING, HYDROLOGY.

MP 1234
COMPACTION OF WET SNOW ON HIGHWAYS.
Colbeck, S.C., 1979, No 185, International Symposium on Snow Removal and Ice Control Research, 2nd, Hanover, N.H., May 15-19, 1978. Proceedings, p.14-17 7 refs.
34-52
WET SNOW, SNOW COMPACTION, SNOW REMOVAL, SALINITY.
The compressibility of wet snow decreases with decreasing liquid water content but increases with decreasing salinity. Also, the tendency for snow splashing on highways increases with decreasing salinity. These opposite effects are complicated by the fact that liquid water content and salinity are not necessarily independent. The amount of liquid present can be controlled somewhat by the road grade, and salinity is generally determined by how much salt is applied to the road surface. For different situations it may be desirable to regulate salt applications in order to achieve a maximum amount of splashing with a minimum of compaction of wet snow into ice. Here we provide a qualitative review of wet snow and suggest how an understanding of wet snow's behavior on a road surface might increase our ability to deal with snow removal problems.

MP 1235
NUMERICAL SIMULATION OF ATMOSPHERIC ICE ACCRETION.
Ackley, S.F., et al, 1979, No.185, International Symposium on Snow Removal and Ice Control Research, 2nd, Hanover, N.H., May 15-19, 1978. Proceedings, p 44-52, 7 refs.
Templeton, M.K.
34-57
ICE ACCRETION, MATHEMATICAL MODELS, ENVIRONMENT SIMULATION, DROPS (LIQUIDS), PARTICLE SIZE DISTRIBUTION, TIME FACTOR.
Time dependence enters into calculations of ice accretion on objects primarily through terms dependent on the initial conditions and size and geometry of the object. A numerical technique to include the time-dependence is described here as well as simulation of complex situations where the conditions vary, for example, along a helicopter rotor blade. Some results of varying droplet sizes, velocity, and droplet distributions are presented. These indicate the general dependence of ice accretion on these parameters as well as illustrate the utility of numerical techniques in seeing how these effects can influence the rates of ice accretion for particular initial conditions.

MP 1236
LABORATORY EXPERIMENTS ON ICING OF ROTATING BLADES.
Ackley, S.F., et al, 1979, No.185, International Symposium on Snow Removal and Ice Control Research, 2nd, Hanover, N.H., May 15-19, 1978. Proceedings, p.85-92, 7 refs.
Lemieux, G., Itagaki, K., O'Keefe, J.
34-65
LABORATORY TECHNIQUES, ICE ACCRETION, HELICOPTERS, ICE COVER THICKNESS, TEMPERATURE EFFECTS
Experiments have been conducted to provide a basis for a computer model that simulates atmospheric ice accretion on a rotating blade. A comparison of the computer model simulation and experimental results reveals that general agreement exists within the temperature range 0 C to -25 C and the velocity range 0 to 60 m/s. Beyond 60 m/s the computer simulation over-predicts the thickness of the ice accretion at the leading edge. Below -25 C the simulation and experimental results disagree in that the simulation significantly overpredicts the thickness of the accretion at the leading edge.

MP 1237
SYSTEMS STUDY OF SNOW REMOVAL.
Minsk, L.D., 1979, No.185, International Symposium on Snow Removal and Ice Control Research, 2nd, Hanover, N.H., May 15-19, 1978. Proceedings, p 220-225, 4 refs
34-84
SNOW REMOVAL, SYSTEMS ANALYSIS
The framework for a systems analysis of snow removal and ice control on roads is presented. Definition of the operating conditions, the principal ones of which are climate and traffic, as well as the system itself, the road net, is required. Equipment factors involved in performing the basic functions of clearing, spreading, loading, and hauling are analyzed.

MP 1238
COMPUTER SIMULATION OF URBAN SNOW REMOVAL.
Tucker, W.B., et al, 1979, No.185, International Symposium on Snow Removal and Ice Control Research, 2nd, Hanover, N H., May 15-19, 1978. Proceedings p.293-302, 11 refs.
Clohan, G.M.
34-95
SNOW REMOVAL, COMPUTERIZED SIMULATION, ENVIRONMENT SIMULATION.
A general computer model to simulate urban snow removal has been developed. One part of the package includes several programs which assist in the routing of snow removal vehicles using computer graphics The primary element, however, is a program which, once specific vehicle routes are input, allows the simulation of any particular snow removal scenario Parameters that can be varied include both truck and snowstorm characteristics This simulation program is tested using truck routes and storm data from Newington, Connecticut. Results indicate that the simulation predicts plowing times quite reasonably.

MP 1239
ULTRASONIC VELOCITY INVESTIGATIONS OF CRYSTAL ANISOTROPY IN DEEP ICE CORES FROM ANTARCTICA.
Kohnen, H., et al, Aug. 20, 1979, 84(C8), p.4865-4874, 22 refs.
Gow, A.J.
34-410
ICE CORES, ICE CRYSTAL STRUCTURE, ICE ACOUSTICS, ICE SHEETS, ANISOTROPY, WAVE PROPAGATION, ULTRASONIC TESTS, GLACIER FLOW, ICE CRYSTAL SIZE, SHEAR PROPERTIES, ANTARCTICA—BYRD STATION, ANTARCTICA—LITTLE AMERICA STATION.
For the same paper from another source and abstract see 33-4204 or F-21944.

MP 1240
SEA ICE RIDGING OVER THE ALASKAN CONTINENTAL SHELF.
Tucker, W.B., et al, Aug. 20, 1979, 84(C8), p.4885-4897, 24 refs. For the same paper from another source and abstract see 33-4223.
Weeks, W.F., Frank, M.
34-411
SEA ICE DISTRIBUTION, PRESSURE RIDGES, ICE DEFORMATION, SURFACE ROUGHNESS, PROFILES, LASERS, MATHEMATICAL MODELS, STATISTICAL ANALYSIS, REMOTE SENSING, FORECASTING.

MP 1241
SOME RESULTS FROM A LINEAR-VISCOUS MODEL OF THE ARCTIC ICE COVER.
Hibler, W.D., III, et al, 1979, 22(87), p.293-304, 12 refs.
Tucker, W.B.
34-544
ICE PHYSICS, DRIFT STATIONS, ICE MODELS, SEA ICE, VISCOSITY, OCEAN CURRENTS, STRESSES.

MP 1242
STANDING CROP OF ALGAE IN THE SEA ICE OF THE WEDDELL SEA REGION.
Ackley, S.F., et al, Mar. 1979, 26(3A), p.269-281, 19 refs.
Buck, K.R., Taguchi, S.
33-4674
SEA ICE, ALGAE, CRYOBIOLOGY, WEDDELL SEA.
Physical and biological measurements were made of sea ice cores taken from 69 to 78 S in the Weddell Sea Fluorescence measurements indicated an algal community that was strongly associated with salinity maxima within the ice Maximum concentrations of chlorophyll a ranged from 0 31 to 4 54 mg cu m. Comparisons with standing crops in the water column indicate that the standing crop within the ice can represent a minor but significant fraction of the total standing crop for the region The sea ice algal community is apparently distinct from others that have been described for land-fast ice in McMurdo Sound, sea ice in the Arctic, and pack ice off East Antarctica. The highest concentrations of biological material are found in the bottom or top samples from those regions, whereas the Weddell Sea maxima are concentrated at intermediate depths (0 65 to 2 15m) within the ice A qualitative model indicating the relationship between thermally induced brine migration and subsequent algal growth is presented. (Auth mod)

MP 1243
FORMATION OF ICE RIPPLES ON THE UNDERSIDE OF RIVER ICE COVERS.
Ashton, G.D., Iowa City, University of Iowa, 1971, 157p., University Microfilms order No.71-30,392, Ph.D. thesis. For abstract see Dissertation abstracts international, Sec. B, Nov. 1971, p.2762.
34-600
RIVER ICE, ICE BOTTOM SURFACE, ICE WATER INTERFACE, TURBULENT FLOW, HEAT TRANSFER, THERMAL CONDUCTIVITY, WATER FLOW, VELOCITY.

MP 1244
RESEARCH ACTIVITIES OF U.S. ARMY COLD REGIONS RESEARCH AND ENGINEERING LABORATORY.
Buzzell, T.D., Mar. 1975, IWR-62, Environmental Standards for Northern Regions: a symposium, June 1974, Anchorage, Alaska. p.9-12.
34-631
LABORATORIES, RESEARCH PROJECTS.

MP 1245
20-YR CYCLIC IN GREENLAND ICE CORE RECORDS.
Hibler, W.D., III, et al, Aug. 9, 1979, 280(5722), p.481-483, 26 refs.
Johnsen, S.J.
34-737
ICE CORES, DEEP CORE ANALYSIS, ISOTOPE ANALYSIS, PERIODIC VARIATIONS.
Oxygen isotope analysis of Greenland ice cores is made and the methods of analysis are described. Cyclic variations of about 20 yr seem to coincide with climatic oscillations and the Sun's motion about the center of mass of the Solar System These periodic variations are compared with the oxygen isotope record in the ice cores.

MP 1246
PHENOMENOLOGICAL DESCRIPTION OF THE ACOUSTIC EMISSION RESPONSE IN SEVERAL POLYCRYSTALLINE MATERIALS.
St. Lawrence, W.F., July 1979, 7(4), p.223-228, 11 refs.
34-747
SNOW DEFORMATION, SNOW COVER STRUCTURE, SNOW ACOUSTICS, ACOUSTIC MEASUREMENT, MODELS.
The pattern of acoustic emission response in snow subjected to constant deformation rates is examined. The structural character of snow is discussed, and an equation that describes the pattern of the acoustic emission response is derived Comparison between the predicted acoustic response and experimental data is made and the agreement is shown to be excellent The acoustic emission response for 7075-T6 aluminum and iron-3% silicon subjected to constant rates of deformation is also considered The acoustic emission equation derived for snow represents the response in these materials. It is suggested that the internal fracture concept used to develop the model for snow may also apply to other densely packed polycrystalline materials.

MP 1247
DYNAMIC THERMODYNAMIC SEA ICE MODEL.
Hibler, W.D., III, July 1979, 9(4), p.815 846, 51 refs.
34-741
SEA ICE, THERMODYNAMICS, HEAT TRANSFER, ICE COVER THICKNESS, MATHEMATICAL MODELS.
A numerical model for the simulation of sea ice circulation and thickness over a seasonal cycle is presented. This model is used to investigate the effects of ice dynamics on arctic ice thickness and air-sea heat flux characteristics by carrying out several numerical simulations over the entire Arctic Ocean region The essential idea in the model is to couple the dynamics with the ice thickness characteristics by allowing the ice interaction to become stronger as the ice becomes thicker and/or contains a lower areal percentage of thin ice. The dynamics, in turn, causes high oceanic heat losses in regions of ice divergence and reduced heat losses in regions of convergence. To model these effects consistently, the ice is considered to interact in a plastic manner with the plastic strength chosen to depend on the ice thickness and concentration The thickness and concentration, in turn, evolve according to continuity equations which include changes in ice mass and percent of open water due to advection, ice deformation and thermodynamic effects

MP 1248
STEADY IN-PLANE DEFORMATION OF NON-COAXIAL PLASTIC SOIL.
Takagi, S., 1979, Vol.17, p.1049-1072, 27 refs
34-860
SOIL CREEP, PLASTIC PROPERTIES, THEORIES, BOUNDARY VALUE PROBLEMS, ANALYSIS (MATHEMATICS).
Presented in this paper is the theory of the steady in-plane deformation, obeying the Coulomb yield criterion, of plastic soils whose strain rate and stress principal directions are noncoaxial The constitutive equations including an unknown noncoaxial angle are derived by use of the geometry of the Mohr circle and the theory of characteristic lines. A boundary value problem is solved by assigning to the non coaxial angle a set of such values that enable us to accommodate the presupposed type of flow satisfying the given boundary conditions in a given domain The plastic material regulated by the Coulomb yield criterion in in-plane deformation is, therefore, a singular material whose constitutive equations are not constant with material but are variable with flow conditions.

MP 1249
SAFE ICE LOADS COMPUTED WITH A POCKET CALCULATOR.
Nevel, D.E., May 1979, No.123, p.205-223, 3 refs.
34-932
ICE STRENGTH, LOADS (FORCES), COMPUTER APPLICATIONS.
This report provides a program for calculating the deflection and stresses of a floating ice sheet using a pocket calculator. The program user must select appropriate values for the ice mechanical properties in order to compute reliable deflection and stresses. Engineering judgement must be used to select the allowable ice strength and when dealing with non-ideal situations

MP 1250
PROBLEMS OF OFFSHORE OIL DRILLING IN THE BEAUFORT SEA.
Weller, G., et Winter 1978, 10(4), p.4-11, 5 refs.
Weeks, W.F.
34-942
ICE STRUCTURE, OFFSHORE DRILLING, FLOATING ICE, GROUNDED ICE, SEA ICE DISTRIBUTION, SUBSEA PERMAFROST.

MP 1251
COLD REGIONS RESEARCH AND ENGINEERING LABORATORY.
Freitag, D.R., Fall 1977, 10(3), p.4-6.
34-869
LABORATORIES, U.S. ARMY CRREL.

MP 1252
RECENT ICE OBSERVATIONS IN THE ALASKAN BEAUFORT SEA FEDERAL-STATE LEASE AREA.
Kovacs, A , Fall 1978, 10(3), p.7-12.
34-870
SEA ICE, FAST ICE, RADAR ECHOES, PRESSURE RIDGES, SEISMIC SURVEYS.

MP 1253
DESIGN AND CONSTRUCTION OF TEMPORARY AIRFIELDS IN THE NATIONAL PETROLEUM RESERVE-ALASKA.
Crory, F E., Fall 1978, 10(3), p 13-15, 1 ref.
34-871
AIRCRAFT LANDING AREAS, SUBGRADE PREPARATION, INSULATION.

MP 1254
HUMAN-INDUCED THERMOKARST AT OLD DRILL SITES IN NORTHERN ALASKA.
Lawson, D.E., et al, Fall 1978, 10(3), p.16-23, 16 refs.
Brown, J
34-872
TUNDRA, SOIL EROSION, THERMOKARST, HUMAN FACTORS, ACTIVE LAYER, SUBSIDENCE.

MP 1255
OVERCONSOLIDATED SEDIMENTS IN THE BEAUFORT SEA.
Chamberlain, E.J., Fall 1978, 10(3), p 24-29, 15 refs.
34-873
BOTTOM SEDIMENT, THAW CONSOLIDATION, CLAY SOILS, FREEZE THAW CYCLES.

MP 1256
WASTE HEAT RECOVERY FOR HEATING PURPOSES.
Phetteplace, G , Fall 1978, 10(3), p.30-33.
34-874
HEAT RECOVERY, HEATING, PUMPS.

MP 1257
MIZEX 84 MESOSCALE SEA ICE DYNAMICS: POST OPERATIONS REPORT.
Hibler, W D , III, et al, Oct 1984, SR 84-29, MIZEX, a program for mesoscale air-ice-ocean interaction experiments in Arctic marginal ice zones. 5, MIZEX 84 summer experiment FI preliminary reports. Edited by O M Johannessen and D A Horn, p.66-69, ADA-148 986
Leppäranta, M., Decato, S , Alverson, K
46-4695
ICE MECHANICS, SEA ICE, ICE CONDITIONS, DRIFT STATIONS, ICE EDGE, MEASURING INSTRUMENTS

MP 1258
ANISOTROPIC PROPERTIES OF SEA ICE IN THE 50- TO 150-MHZ RANGE.
Kovacs, A., et al, Sep. 20, 1979, 84(C9), p.5749-5759, 4 refs.
Morey, R.M.
34-963
SEA ICE, RADAR ECHOES, ICE CRYSTAL STRUCTURE, OCEAN CURRENTS, DIELECTRIC PROPERTIES, ANISOTROPY.
Results of impulse radar studies of sea ice near Prudhoe Bay, Alaska, show that where there is a preferred current direction under the ice cover, the crystal structure of the ice becomes highly ordered. This includes a crystal structure with a preferred horizontal c axis that is oriented parallel with the local current. The radar studies show that this structure behaves as an anisotropic dielectric. The result is that when electromagnetic energy is radiated from a dipole antenna in which the E field is oriented perpendicular to the c axis azimuth, no bottom reflection is detected. It was also found that the frequency dispersion of anisotropic sea ice varies in the horizontal plane. This is demonstrated by the center frequency of the reflected signal spectrum, which is maximum in the preferred c axis direction and minimum perpendicular to it. In addition, it was found that the frequency dispersion is related to the average bulk brine volume of the ice but that the bulk dielectric constant of the ice, as determined from impulse travel time, shows little correlation with the coefficient of anisotropy.

MP 1259
ANALYSIS OF COUPLED HEAT AND MOISTURE FLOW IN AN UNSATURATED SOIL.
O'Neill, K., Jan. 1979, SR 79-36, Meeting on Modeling of Snow Cover Runoff, 26-28 September 1978, Hanover, New Hampshire. Proceedings, edited by S.C. Colbeck and M. Ray, p.304-309, ADA-167 767, 25 refs.
34-1027
SOIL WATER MIGRATION, HEAT TRANSFER.
This paper presents a set of partial differential equations that describes the concurrent one-dimensional flow of liquid and heat in unfrozen unsaturated soils. A Galerkin finite element method based on hermite polynomials was used to solve the equations numerically. To verify both the theory and the solution method, laboratory measurements were made on a horizontal soil column. The results furnished essential transport coefficient values, as well as data records over space and time for infiltrations of cold water that produced steep, interacting temperature and moisture content gradients. Comparison of measured and predicted values showed very good agreement in both the moisture and temperature domains. Contrary to the usual assumption in soil studies, liquid convection played a large role in the heat transfer. A simple geometric mean formula represented the soil thermal conductivity quite adequately.

MP 1260
SURFACE-BASED SCATTEROMETER RESULTS OF ARCTIC SEA ICE.
Onstott, R.G., et al, July 1979, GE-17(3), p.78-85, 16 refs.
Moore, R.K., Weeks, W.F.
34-1167
SEA ICE, RADAR ECHOES, BACKSCATTERING, PRESSURE RIDGES, ICE COVER THICKNESS.
Radar backscatter measurements were made of shorefast sea ice near Point Barrow, AK, in May 1977, with a surface-based FM-CW scatterometer that swept from 1-2 GHz and from 8.5-17.5 GHz. The 1-2 GHz measurements showed that thick first-year and multiyear ice cannot be distinguished at 10-70 deg incidence angles, but that undeformed sea ice can be discriminated from pressure ridges and lake ice. Results also indicate that frequencies between 8-18 GHz have the ability to discriminate between thick first-year, multiyear, and lake ice. Cross polarization was found to be a better discriminator than like polarization. In addition, at these latter frequencies the differential scattering was found to have an approximately linearly increasing frequency response.

MP 1261
FOCUS ON U.S. SNOW RESEARCH.
Colbeck, S.C., Aug. 1979, GD-6, p.41-52, 34 refs.
34-1411
SNOW SURVEYS, RESEARCH PROJECTS, IMPACT, AGRICULTURE, WATER RESERVES.

MP 1262
SNOW AND THE ORGANIZATION OF SNOW RESEARCH IN THE UNITED STATES.
Colbeck, S.C., Aug. 1979, GD-6, p.55-58, 1 ref
34-1412
SNOW SURVEYS, RESEARCH PROJECTS.

MP 1263
VISUAL OBSERVATIONS OF FLOATING ICE FROM SKYLAB.
Campbell, W.J., et al, 1977, NASA-SP-380, Skylab explores the earth, prepared by NASA Lyndon B. Johnson Space Center, p.353-379, N77-28548, 2 refs.
Ramseier, R.O., Weeks, W.F., Wayneberg, J.A.
34-1493
SPACEBORNE PHOTOGRAPHY, LAKE ICE, SEA ICE, RIVER ICE.

MP 1264
ANALYSIS OF FLEXIBLE PAVEMENT RESILIENT SURFACE DEFORMATIONS USING THE CHEVRON LAYERED ELASTIC ANALYSIS COMPUTER PROGRAM.
Smith, N., et al, 1975, 3 leaves, Presented at the Symposium on Nondestructive Test and Evaluation of Airport Pavement, U.S. Army Waterways Experiment Station, Vicksburg, Mississippi, November 18-20, 1975. 9 refs.
Groves, J.A.
34-1501
PAVEMENTS, ELASTIC PROPERTIES, COMPUTER APPLICATIONS.

MP 1265
NONCORROSIVE METHODS OF ICE CONTROL.
Minsk, L.D., Public works and public utilities: report from a workshop considering problems identified by the Intergovernmental Science, Engineering, and Technology Advisory Panel, September 5-7, 1979, College Park, Maryland, Washington, D.C., American Association for the Advancement of Science, 1979, p.133-162, 33 refs.
34-1586
ROADS, ICE CONTROL, CHEMICAL ICE PREVENTION, ENVIRONMENTAL IMPACT, SALTING.

MP 1266
GEOPHYSICS IN THE STUDY OF PERMAFROST.
Scott, W.J., et al, International Conference on Permafrost, 3rd, Edmonton, Alberta, July 10-13, 1978. Proceedings, Vol.2, Ottawa, National Research Council of Canada, 1979, p.93-115, Refs. p.110-115.
Sellmann, P.V., Hunter, J.A.
34-1682
PERMAFROST PHYSICS, GEOPHYSICAL SURVEYS, SEISMIC SURVEYS, SOIL TEMPERATURE, ELECTRICAL RESISTIVITY, ACTIVE LAYER, ELECTROMAGNETIC PROSPECTING

MP 1267
GRAIN CLUSTERS IN WET SNOW.
Colbeck, S.C., Dec. 1979, 72(3), p.371-384, 19 refs
34-1698
WET SNOW, SNOW CRYSTAL STRUCTURE, GRAIN SIZE, BOUNDARY VALUE PROBLEMS, SNOW PHYSICS.
The grain boundaries in snow are generally unstable when the pore space is filled with liquid water (i.e., liquid-saturated snow). Thus, when unstressed snow is saturated with the melt, the ice particles in snow are cohesionless spheres. This leads to very low strengths and to rapid grain growth due to heat flow among particles of different sizes. The grain boundaries in highly unsaturated snow (up to about 7% liquid by volume) with small applied loads are stable, and the grains must be arranged in clusters to achieve local force equilibrium. Two grains bond together with geometrical constraints on the radii of the phase boundaries. Three grains join at a liquid vein whose size is determined by grain size and capillary pressure (i.e., liquid "tension"). Slow grain growth occurs by sublimation, vapor diffusion, and condensation, and intergrain strength is relatively high. Once grain clusters are formed, equilibrium imposes constraints on the curvature of the phase boundaries which limit change in the capillary pressure.

MP 1268
FEASIBILITY STUDY OF LAND TREATMENT OF WASTEWATER AT A SUBARCTIC ALASKAN LOCATION.
Sletten, R.S., et al, Cornell Agricultural Waste Management Conference, 8th, Rochester, N.Y., 1976. Proceedings. Land as a waste management alternative, edited by R.C. Loehr, Ann Arbor, Mich., Ann Arbor Science, 1977, p.533-547. For another version see 31-1949. 10 refs.
Uiga, A.
34-1749
WASTE TREATMENT, WATER POLLUTION, LAND RECLAMATION, SUBPOLAR REGIONS, SUBARCTIC LANDSCAPES, TESTS, UNITED STATES—ALASKA.

MP 1269
APPLICATION OF RECENT RESULTS IN FUNCTIONAL ANALYSIS TO THE PROBLEM OF WATER TABLES.
Nekano, Y., Dec. 1979, Vol.2, p.185-190, 7 refs.
34-1845
WATER TABLE, BOUNDARY VALUE PROBLEMS, ANALYSIS (MATHEMATICS).
The traditional viewpoint in hydrology and soil physics purports that water tables appearing in porous media described by Darcy's law and the extended Darcy's law are not singular surfaces. Several particular solutions in which singularities occur are presented as counter-examples to the traditional viewpoint and as evidence supporting the new theory that water tables are generally singular surfaces.

MP 1270
INCREASED MERCURY CONTAMINATION OF DISTILLED AND NATURAL WATER SAMPLES CAUSED BY OXIDIZING PRESERVATIVES.
Cragin, J.H., 1979, Vol.110, p.313-319, 18 refs.
34-2004
WATER CHEMISTRY, GASES, VAPOR TRANSFER, POLLUTION, LABORATORIES.
The passage of mercury vapor from ambient air through the walls of conventional polyethylene (CPE), linear polyethylene (LPE), and Teflon (FEP) containers can seriously contaminate solutions of distilled and natural water stored in these containers. The rate of mercury contamination is dramatically increased when the sample solution contains oxidizing agents such as nitric acid or potassium permanganate, which are commonly used as preservatives to prevent loss of mercury (II) ion. The rate of contamination also depends on container material and decreases in the order CPE> LPE> FEP> glass. Freezing the samples in plastic containers is an effective way to prevent mercury contamination. When freezing is not practical, storage in glass containers minimizes sample contamination from ambient mercury vapor.

MP 1271
CORRELATION AND QUANTIFICATION OF AIRBORNE SPECTROMETER DATA TO TURBIDITY MEASUREMENTS AT LAKE POWELL, UTAH.
Merry, C.J., International Symposium on Remote Sensing of Environment, 13th, Ann Arbor, Michigan, April 23-27, 1979. Proceedings, Environmental Research Institute of Michigan, 1979, p.1309-1316, 7 refs.
34-2043
LAKE WATER, TURBIDITY, SUSPENDED SEDIMENTS, LIGHT TRANSMISSION, AERIAL SURVEYS, SPECTROSCOPY.
A water sampling program was accomplished at Lake Powell, Utah, during June 1975 for correlation to multispectral data obtained with a 500-channel airborne spectroradiometer. Field measurements were taken of percentage of light transmittance, surface temperature, pH and Secchi disk depth. Percentage of light transmittance was also measured in the laboratory for the water samples. Analyses of electron micrographs and suspended sediment concentration data for four water samples located at Hite Bridge, Mile 168, Mile 150 and Bullfrog Bay indicated differences in the composition and concentration of the particulate matter. Airborne spectroradiometer multispectral data were analyzed for the four sampling locations. The results showed that: (a) as the percentage of light transmittance of the water samples decreased, the reflected radiance increased, and (b) as the suspended sediment concentration (mg/l) increased, the reflected radiance increased in the 1-50 mg/l range. In conclusion, valuable qualitative information was obtained on surface turbidity for the Lake Powell water spectra. Also, the reflected radiance measured at a wavelength of 0.58 micron was directly correlated to the suspended sediment concentration.

MP 1272
ON THE ORIGIN OF STRATIFIED DEBRIS IN ICE CORES FROM THE BOTTOM OF THE ANTARCTIC ICE SHEET.
Gow, A.J., et al, 1979, 23(89), p.185-192, In English with French and German summaries. 11 refs
Epstein, S., Sheehy, W.
34-2231
ICE CORES, DRILL CORE ANALYSIS, SEDIMENTATION, STRATIFICATION, FREEZE THAW CYCLES.
Cores from the bottom 4.83 m of the antarctic ice sheet at Byrd Station contain abundant stratified debris ranging from silt-sized particles to cobbles. The nature and disposition of the debris, together with measurements of the physical properties of the inclosing ice, indicate that this zone of dirt-laden ice originated by "freezing-in" at the base of the ice sheet. The transition from air-rich glacial ice to ice practically devoid of air coincided precisely with the first appearance of debris in the ice at 4.83 m above the bed. Stable-isotope studies made in conjunction with gas-content measurements also confirm the idea of incorporation of basal ice may well constitute the most diagnostic test for discriminating between debris incorporated in a melt-refreeze process and debris entrapped by purely mechanical means, e.g. shearing. We conclude from our observations on bottom cores from Byrd Station that "freezing-in" of

basal debris is the major mechanism by which sediment is incorporated into polar ice sheets. (Auth)

MP 1273
SUBARCTIC WATERSHED RESEARCH IN THE SOVIET UNION.
Slaughter, C.W., et al, 1978, 2(13), p.305-313, For another version of this report see 32-1318 (CRREL SR 77-15). 6 refs.
Bilello, M.A.
34-2390
WATER BALANCE, STATIONS, RESEARCH PROJECTS, INTERNATIONAL COOPERATION, USSR—MAGADAN.

MP 1274
DRAINAGE NETWORK ANALYSIS OF A SUBARCTIC WATERSHED.
Bredthauer, S.R., et al, Aug. 1979, 79-6, Alaska Science Conference, 29th, Fairbanks, Aug. 15-17, 1979. Proceedings (Alaska fisheries: 200 years and 200 miles of change), edited by B.R. Melteff, p.349-359, 8 refs.
Hoch, D.
34-2434
WATERSHEDS, DRAINAGE, STREAM FLOW.
A drainage network map of the Caribou-Poker Creek Research Watershed, near Fairbanks, Alaska, has been used to conduct a Strahler stream order analysis and an analysis of length distributions of source and tributary-source links in a subarctic watershed. The basins have very low drainage densities, ranging from 1.35 km/sq km to 5.34 km/sq km. Bifurcation ratios were higher than those found in watersheds in the continental U.S. Statistical analysis indicates that source and tributary-source links in a subarctic watershed belong to different length populations, the same as found in other regions of the world. Additional analysis indicates that exterior links originating on permafrost slopes tend to be shorter than those originating on non-permafrost (well-drained) slopes.

MP 1275
HIGH-FORCE TOWING.
Mellor, M., Feb. 1980, 1(3/4), p.231-240, 5 refs.
34-2445
ICEBERG TOWING, LOADS (FORCES).
Required force levels for iceberg towing at 1 knot could be at least 50 tons for protection of structures and drillships in northern waters, and around 1000 tons for iceberg exports from the Antarctic. Corresponding values of effective ("towrope") power are only 307 hp and 6140 hp, respectively. A conventional-hull supertug capable of 1000 tons thrust would probably have T/P=10 lbf/hp, p=200,000 hp, and a propulsive efficiency of about 3%. The most practical expedient for antarctic towing seems to be use of multiple conventional tugs, with fewer tugs or higher speeds as the iceberg reduces its size and streamlines itself. The practical difficulty of towing antarctic icebergs may have been underestimated, and it might be worth reconsidering preliminary shaping of the iceberg to reduce the drag. (Auth.)

MP 1276
COMPARISON OF THE PEBBLE ORIENTATION IN ICE AND DEPOSITS OF THE MATANUSKA GLACIER, ALASKA.
Lawson, D.E., Nov. 1979, 87(6), p.629-645, 21 refs.
34-2502
GLACIAL DEPOSITS, ICE STRUCTURE, SEDIMENT TRANSPORT.
Depositional processes and their sediment source determine the orientation of pebbles in the deposits of the Matanuska Glacier and the relationship of this orientation to the direction of ice flow. Pebble fabrics in ice-derived deposits differ from those in resedimented deposits: fabric in deposits from sediment flow, ablation of exposed basal zone ice, and the slumping and spalling of ice-cored slopes does not correspond to the ice flow direction, but is developed by these depositional processes Pebbles in basal ice and melt-out till show a unimodal distribution of orientations, with individual observations only slightly dispersed about the mean axis Pebble fabrics in other deposits are polymodal, with a significantly larger amount of dispersion about the mean axis The regional pattern of mean axes of basal zone ice and melt-out till pebble fabrics approximates the local and regional trends of ice flow, but pebble imbrication in ice and sediment does not necessarily indicate the direction from which the glacier flowed. A small number of measurements of pebble orientations at many sites and the analysis of these data by the eigenvalue method appear to be suitable techniques for examining the pebble fabric of glacial deposits, but additional sedimentological data are needed to define the origins of these deposits.

MP 1277
CRYSTAL ALIGNMENTS IN THE FAST ICE OF ARCTIC ALASKA.
Weeks, W.F., et al, Feb 20, 1980, 85(C2), p.1137-1146, For this paper in another form see 34-1379 (CR 79-22, ADA-077 188). 8 refs.
Gow, A.J.
34-2671
SEA ICE, ICE PHYSICS, ICE CRYSTAL STRUCTURE, OCEAN CURRENTS.
Field observations at 60 sites located in the fast or near-fast ice along a 1200-km stretch of the north coast of Alaska between the Bering Strait and Barter Island have shown that 95% of the ice samples exhibit striking *c* axis alignments within the horizontal plane. In all cases the degree of preferred orientation increased with depth in the ice. Representative standard deviations around a mean direction in the horizontal plane are commonly less than 10 deg for samples collected near the bottom of the ice The general patterns of the alignments support the correlation between the preferred *c* axis direction and the current direction at the ice/water interface suggested by Weeks and Gow (1978) A comparison between *c* axis alignments and instantaneous current measurements made at 42 locations shows that the most frequent current direction coincides with mean *c* axis direction. The *c* axis alignments are believed to be the result of geometric selection, with the most favored orientation being that in which the current flows normal to the (0001) plates of ice that comprise the dendritic sea ice/seawater interface.

MP 1278
TRAVELING WAVE SOLUTIONS OF SATURATED-UNSATURATED FLOW THROUGH POROUS MEDIA.
Nakano, Y., Feb. 16, 1980, 16(1), p.117-122, 9 refs.
34-2672
WAVE PROPAGATION, WATER FLOW.
Traveling wave solutions to the problem of saturated-unsaturated flow of water through a uniform porous medium are derived, and the regularity properties of the solutions are studied It is found that a singularity occurs in the higher-order derivatives of flux with respect to the space coordinate in the solutions at water tables and that the water tables can be generally interpreted as propagating acceleration waves of the *n*th order, where *n* is a positive integer

MP 1279
PILOT SCALE STUDY OF OVERLAND FLOW LAND TREATMENT IN COLD CLIMATES.
Jenkins, T.F., et al, 1979, 11(4/5), p.207-214, 11 refs.
Martel, C.J.
34-2673
WASTE TREATMENT, WATER CHEMISTRY, IRRIGATION, COLD WEATHER TESTS.
Primary and secondary wastewaters were applied to separate sections of an overland flow site. The dimensions of each section were 3 m in width by 30 m in length and the system was graded to a five percent slope. The site was planted with orchard grass and tall fescue A one-year acclimation period was allowed to obtain a good cover. Wastewater was applied to the site for one month before onset of the study to establish a high level of microbial activity. Applied wastewater as well as surface and subsurface flows were monitored for NO-3, NH+4, TKN, BOD, suspended solids, pH, conductivity, and total phosphorus The results indicate excellent warm weather performance for removal of oxygen demanding substances, suspended matter and nitrogen. Treatment efficiency of suspended solids remained high throughout the winter while treatment of BOD declined to unacceptable levels at soil temperatures below 4C. Nitrogen treatment declined rapidly below 14C. The form of nitrogen applied to overland flow was found to affect performance with nitrate being the less desirable form Phosphorus treatment by overland flow was found to be about 80% in the summer months, declining to nil during the winter.

MP 1280
LOW-FREQUENCY SURFACE IMPEDANCE MEASUREMENTS AT SOME GLACIAL AREAS IN THE UNITED STATES.
Arcone, S.A., et al, Jan.-Feb 1980, 15(1), p.1-9, 14 refs.
Delaney, A.J.
34-2674
RADIO WAVES, WAVE PROPAGATION, RADIO COMMUNICATION.
Measurements of apparent resistivity and phase derived from the complex surface impedance of radio waves propagating in the ground wave mode at frequencies in the radio navigational aid band (between 257 and 382 kHz) are presented Areas encompassing between 400 and 800 sq km that covered a variety of glacial sediments, land forms, and some crystalline bedrock types were surveyed. The degree of dispersion found in resistivity values reflects the dispersion in grain size, while the average resistivity increases with mean grain size Dielectric properties are suggested as one cause of the low phases observed over crystalline bedrock The combination of apparent resistivity and phase data implies that the resistivity measurements are consistent in about 50% of the areas with previous measurements of field strength attenuation performed in the AM broadcast band

MP 1281
MARGIN OF THE GREENLAND ICE SHEET AT ISUA.
Colbeck, S.C., et al, 1979, 24(90), p.155-165, In English with French and German summaries. 7 refs
Gow, A.J.
34-2824
ICE SHEETS, ICE EDGE, DRILL CORE ANALYSIS, ICE STRUCTURE.
Field studies at a particular place at the margin of the Greenland ice sheet have provided information about the ice sheet Ice temperatures were measured in five drill holes, two of which reached the unfrozen area of basal melting Surface water entered these two bore holes, reaching the base in one, but remaining 59 m above the base in the other. The existence of this water conduit or fracture at 240 m depth, the calculated temperature profiles, and the local bedrock configuration suggest an area of stationary ice overridden by the ice sheet. This situation suggests creep rupture at depth in the ice sheet Ice-fabric analysis made above 240 m depth shows patterns similar to fabrics elsewhere near the margin in zones of low deviatoric stress. Unfortunately, no cores were obtained below that depth where stationary ice may exist.

MP 1282
RELATIONSHIP OF ULTRASONIC VELOCITIES TO C-AXIS FABRICS AND RELAXATION CHARACTERISTICS OF ICE CORES FROM BYRD STATION, ANTARCTICA.
Gow, A.J., et al, 1979, 24(90), p.147-153, In English with French and German summaries. 12 refs.
Kohnen, H.
34-2823
ICE SHEETS, ICE MECHANICS, DRILL CORE ANALYSIS, RELAXATION (MECHANICS), ULTRASONIC TESTS, ANTARCTICA—BYRD STATION.
Deep cores from Byrd Station were used to calibrate an ultrasonic technique of evaluating crystal anisotropy in the antarctic ice sheet Velocities measured parallel and perpendicular to the vertical axis of the cores yielded data in excellent agreement with the observed c-axis fabric profile and with the *in-situ* P-wave velocity profile measured parallel to the bore-hole axis by Bentley Velocity differences in excess of 140 m/s for cores from below 1,300 m attest to the tight clustering of *c* axes of crystals about the vertical, especially in the zone 1,300-1,800 m A small but significant decline in vertical velocity with ageing of the core, as deduced from Bentley's down-hole data, is attributed to the formation of oriented cracks that occur in the ice cores as they relax from environmental stresses This investigation of cores from the 2,164 m thick ice sheet at Byrd Station establishes the ultrasonic technique as a viable method of monitoring relaxation characteristics of drilled cores and for determining the gross trends of *c* axis orientation in ice sheets. The Byrd Station data, in conjunction with Barkov's investigation of deep cores from Vostok, East Antarctica, also indicate that crystal anisotropy in the antarctic ice sheet is dominated by a clustering of c-axis about a vertical symmetry axis. (Auth.)

MP 1283
ANALYSIS OF CIRCULATION PATTERNS IN GRAYS HARBOR, WASHINGTON, USING REMOTE SENSING TECHNIQUES.
Gatto, L.W., 1980, Vol.3, p 289-323, 45 refs.
34-2675
REMOTE SENSING, TIDAL CURRENTS, WATER FLOW.
The objective of this investigation was to analyze surface circulation patterns in Grays Harbor, Washington, during flood and ebb tide, using National Aeronautics and Space Administration (NASA) aerial photographs and thermal-IR imagery and low altitude aerial photographs of uranine dye drogues The application of LANDSAT-1 and passive microwave imagery was evaluated but did not prove useful. Water temperature, salinity, and suspended sediment data and the results of hydraulic model studies were used to verify and supplement interpretations from the photographs and imagery. The use of remote sensing techniques in conjunction with ground truth data and hydraulic model results, when available, provides a more complete perspective of estuarine processes than is available by using conventional shipboard surveys alone.

MP 1284
IMAGING RADAR OBSERVATIONS OF FROZEN ARCTIC LAKES.
Elachi, C., et al, 1976, 5(3), p 169-175, 14 refs.
Bryan, M.L., Weeks, W.F.
34-2580
RADAR ECHOES, FROZEN LAKES, BACKSCATTERING, REMOTE SENSING, BUBBLES, ICE WATER INTERFACE, ICE SOLID INTERFACE
L-band radar images of a number of ice-covered lakes located approx 48 km northwest of Bethel, Alaska, show large differences in radar backscatter with lakes showing homogeneous low-returns, homogeneous high-returns and/or low-returns around the lake borders and high-returns from the central areas The patterns of the returns suggest that a low-return indicates that the lake is frozen completely to its bottom, while a high-return indicates the presence of fresh-water between the ice cover and the lake bed This interpretation is in good agreement with the limited information available on lake depths in the study area and recent X-band radar observations of North Slope lakes by Sellman, Weeks and Campbell, who suggested such an interpretation. These effects are, however, more striking in the L-band than in the X-band imagery. This can be explained by the fact that volume inhomogeneities, such as air bubbles, will cause more scattering and conductivity losses and thus more attenuation at the shorter wavelengths (X-band, 3 cm)

MP 1285
WATER MOVEMENT IN A LAND TREATMENT SYSTEM OF WASTEWATER BY OVERLAND FLOW.
Nakano, Y., et al, 1979, 11(4/5), p.185-206, 15 refs.
Khalid, R.A., Patrick, W.H., Jr.
34-3949
WATER FLOW, WASTE TREATMENT, WATER TREATMENT, SOIL WATER, SATURATION, SEEPAGE, SLOPE ORIENTATION, EXPERIMENTATION.
Water movement in an overland-flow land treatment system was studied experimentally and theoretically. A small-scale physical model was used to obtain experimental data. The theoretical analysis was based upon the shallow water equation for overland flow and the Darcy-Richards law for soil water flow. It was found that the water movement in the system was primarily controlled by the application rate, the friction slope, the slope angle, the hydraulic characteristics of soils, and the evapotranspiration. An approximate analytical solution to steady flow in the system was obtained. It was found that the rate of soil water flow was mainly determined by the saturated conductivity of soils and in less extent by the friction slope and the slope angle in the steady condition. A finite difference solution to non-steady flow was found satisfactory in simulating the experimental data.

MP 1286
MASS-BALANCE ASPECTS OF WEDDELL SEA PACK-ICE.
Ackley, S.F., 1979, 24(90), p.391-405, In English with French and German summaries. 20 refs.
34-2840
SEA ICE DISTRIBUTION, MASS BALANCE, ICE DEFORMATION, SALINITY, WEDDELL SEA.
The Weddell Sea pack ice undergoes several unique advance-retreat characteristics related to the clockwise transport in the Weddell Gyre, the physical setting for the pack ice, and the free boundary with the oceans to the north. From satellite-derived ice charts, the annual cycle of the pack ice advance and retreat is depicted. The Weddell pack advance is characterized by a strong east-moving component as well as the north advance seen in other regions such as East Antarctica. Physical characteristics of the pack ice at the summer minimum ice edge are presented. Indications are that deformation is a significant component of the ice accumulation, deformed ice accounting for c 15 to 20% of the area covered in the year-round pack. Ablation characteristics are inferred from observations made during field work and from satellite imagery. These observations indicate that surface-melt ablation typically seen on Arctic pack is not seen on the Weddell pack inside the summer edge. Using the physical-property data and transport inferred from ship and iceberg drifts, a new annual ice accumulation >3 m is inferred over the continental shelf in the South compared to <2 m previously estimated. The implication is that salt flux into the ocean over the shelf may be significantly larger, thereby increasing the production of Western Shelf Water, a component of Antarctic Bottom Water. (Auth.)

MP 1287
DELINEATION AND ENGINEERING CHARACTERISTICS OF PERMAFROST BENEATH THE BEAUFORT SEA.
Sellmann, P.V., et al, Environmental assessment of the Alaskan continental shelf, Vol. 9, Hazards. Principal investigators' annual reports for the year ending March 1979, Boulder, Colorado, Outer Continental Shelf Environmental Assessment Program, Oct. 1979, p.93-115, 19 refs.
Chamberlain, E.J., Arcone, S.A., Blouin, S.E., Delaney, A.J., Neave, K.G.
34-3056
SUBSEA PERMAFROST, PERMAFROST DISTRIBUTION, BOTTOM SEDIMENT, BOREHOLES, TEMPERATURE MEASUREMENT, ENGINEERING GEOLOGY, SEISMIC SURVEYS, OFFSHORE DRILLING, SEASONAL FREEZE THAW, BEAUFORT SEA
The objective of CRREL's subsea permafrost program is to obtain information on the distribution and properties of permafrost beneath the Beaufort Sea. We are currently acquiring information on the distribution of ice-bonded permafrost from analysis of the velocity structure of commercial seismic records. This report summarizes the results of all studies to date, including engineering property analysis and preliminary interpretation of seismic data. Emphasis is placed on results that are relevant to offshore development of this region. Discussion of the CRREL drilling and laboratory program represents the most current interpretation of these data.

MP 1288
BURIED VALLEYS AS A POSSIBLE DETERMINANT OF THE DISTRIBUTION OF DEEPLY BURIED PERMAFROST ON THE CONTINENTAL SHELF OF THE BEAUFORT SEA.
Hopkins, D.M., et al, Environmental assessment of the Alaskan continental shelf, Vol. 9, Hazards. Principal investigators' annual reports for the year ending March 1979, Boulder, Colorado, Outer Continental Shelf Environmental Assessment Program, Oct. 1979, p.135-141, 15 refs.
Sellmann, P.V., Chamberlain, E.J., Lewellen, R.I., Robinson, S.W.
34-3057
SUBSEA PERMAFROST, PERMAFROST DISTRIBUTION, BOREHOLES, BOTTOM SEDIMENT, RIVER BASINS, VALLEYS, BEAUFORT SEA.

MP 1289
OIL POOLING UNDER SEA ICE.
Kovacs, A., Environmental assessment of the Alaskan continental shelf, Vol.8, Transport. Principal investigators' annual reports for the year ending March 1979, Boulder, Colorado, Outer Continental Shelf Environmental Assessment Program, Oct. 1979, p.310-323, 3 refs.
34-3053
OIL SPILLS, SEA ICE, ICE ELECTRICAL PROPERTIES, BOTTOM ICE, FAST ICE, SUBGLACIAL OBSERVATIONS, OCEAN CURRENTS, ANISOTROPY, REMOTE SENSING, ECHO SOUNDING, ELECTROMAGNETIC PROPERTIES.
The object of the CRREL study is to (a) determine the cause of the significant relief which exists under the fast ice, (b) measure the variations in the relief under fast ice, using electromagnetic echo sounding, (c) determine if the under-ice relief is a series of individual pockets or consists of long rills, (d) estimate the quantity of oil which could pool up in the under-ice depressions should oil be released under the ice cover (e) use impulse radar to study the electromagnetic properties and anisotropy of sea ice. Initial results from using a polarized radar antenna in the air from the NOAA helicopter indicate that the c-axis anisotropy can be determined from the air. Because th anisotropy is related to current direction, it should be possible to measure, from an airborne platform, the current direction at the ice/water interface.

MP 1291
DYNAMICS OF NEAR-SHORE ICE.
Kovacs, A., et al, Environmental assessment of the Alaskan continental shelf, Vol. 7, Transport. Principal investigators' annual reports for the year ending March 1979, Boulder, Colorado, Outer Continental Shelf Environmental Assessment Program, Oct. 1979, p.181-207, 2 refs.
Weeks, W.F.
34-3051
ICE MECHANICS, SEA ICE, ICE COVER THICKNESS, ICE STRUCTURE, ICE CRYSTALS, PRESSURE RIDGES, REMOTE SENSING, FAST ICE, PACK ICE.

MP 1292
INTERNATIONAL WORKSHOP ON THE SEASONAL SEA ICE ZONE, MONTEREY, CALIFORNIA, FEB. 26-MAR.1, 1979.
Andersen, B.G., ed, Apr. 1980, Vol.2, 357p., For individual papers see 34-3625 through 34-3632 or B-23446, F-23442 through F-23445, and F-23447.
Weeks, W.F., ed, Newton, J.L., ed.
34-3624
MEETINGS, SEA ICE, PACK ICE, ICE PILEUP, ACOUSTICS, CLIMATOLOGY, ECOLOGY, OCEANOGRAPHY.
This volume comprises a series of state-of-the-art papers by individual authors, followed by disciplinary panel statements offering research suggestions and identifying particular problems with the discipline under consideration. Several interdisciplinary panel reports are included—air-sea-ice interactions, biological interactions, engineering interactions, and acoustic interactions.

MP 1293
OVERVIEW [INTERNATIONAL WORKSHOP ON THE SEASONAL SEA ICE ZONE].
Weeks, W.F., Apr. 1980, Vol 2, p 1-35, 2 refs.
34-3625
SEA ICE DISTRIBUTION, SEASONAL VARIATIONS, MEETINGS, MODELS, AIR WATER INTERACTIONS, ICE WATER INTERFACE, METEOROLOGY, ENGINEERING, OCEANOGRAPHY, OFFSHORE DRILLING
This overview is an attempt to summarize the principal conclusions that can be drawn from the workshop. The article is divided into three sections: disciplinary studies (ice, oceanography, meteorology and climatology, biological regimes, hydroacoustics, coastal processes), interdisciplinary studies, and engineering aspects of offshore resource exploration in the polar regions. Modeling of a wide variety of processes is discussed.

MP 1294
PHYSICAL OCEANOGRAPHY OF THE SEASONAL SEA ICE ZONE.
McPhee, M.G., Apr. 1980, Vol.2, p.93-132, Refs. p.116-118. Includes disciplinary panel statement, p.119-132.
34-3627
POLYNYAS, OCEANOGRAPHY, SEA ICE, ICE WATER INTERFACE, SEASONAL VARIATIONS, SALINITY, ICE EDGE.
This literature review is divided into four parts. The first deals with the role of continental shelves at the margins of polar oceans in maintaining water masses; the second emphasizes how the ocean might affect the advance and retreat of ice not contained by land; the third describes some special conditions found in the shear zone, and the fourth is a brief look at experimental techniques and instruments.

MP 1295
SHORE ICE PILE-UP AND RIDE-UP: FIELD OBSERVATIONS, MODELS, THEORETICAL ANALYSES.
Kovacs, A., et al, Apr. 1980, Vol.2, p.209-298, Refs. p.282-288. Includes disciplinary panel statement.
Sodhi, D.S.
34-3631
SHORES, COASTAL TOPOGRAPHIC FEATURES, ICE PILEUP, SEA ICE, FAST ICE, PRESSURE RIDGES, MATHEMATICAL MODELS.

MP 1296
NUMERICAL MODELING OF SEA ICE IN THE SEASONAL SEA ICE ZONE.
Hibler, W.D., III, Apr. 1980, Vol.2, p.299-356, Refs. p.317-320. Includes disciplinary panel statement.
34-3632
SEA ICE, SEASONAL VARIATIONS, COMPUTERIZED SIMULATION, ICE MODELS, MATHEMATICAL MODELS.
Various approaches to modelling sea ice have been tried by investigators, the author discusses the suitability of different types of simulations for particular research goals. Empirical studies are also reviewed. Literature covered relates to ice in both arctic and antarctic regions.

MP 1297
DYNAMICS OF SNOW AND ICE MASSES.
Colbeck, S.C., ed, New York, Academic Press, 1980, 468p., Numerous refs. passim., Numerous refs. For individual papers see 34-3656 through 34-3662 or F-23452 through F-23455.
34-3655
ICE SHEETS, ICE SHELVES, GLACIERS, SEA ICE, ICEBERGS, AVALANCHES, SNOW, ICE.
This book reviews the dynamical aspects of snow and ice masses on the geophysical scale. It is divided into seven chapters, each of which describes the basic features of a particular snow or ice mass. In each chapter a conceptual framework is established on a physical basis, and a mathematical description is provided with as many references to the technical literature as space allows. No attempt is made to address particular applications of the information, but the physical and mathematical descriptions of the properties and processes provide for both an understanding of snow and ice masses and a basis through which particular problems can be addressed.

MP 1298
SEA ICE GROWTH, DRIFT, AND DECAY.
Hibler, W.D., III, Dynamics of snow and ice masses, edited by S.C. Colbeck, New York, Academic Press, 1980, p.141-209, Refs. p.205-209.
34-3658
DRIFT, SEA ICE, THICKNESS, ICE COVER THICKNESS, ICE SURFACE, ICE FORMATION, MODELS, ICE STRENGTH, SIMULATION.
This review of the dynamics of sea ice is organized into the following sections: general characteristics of sea ice, physics of sea ice growth, drift and decay (ice thickness distribution, thermal processes and ice drift and deformation), and numerical simulation of sea ice growth, drift and decay.

MP 1299
FRESHWATER ICE GROWTH, MOTION, AND DECAY.
Ashton, G.D., Dynamics of snow and ice masses, edited by S.C. Colbeck, New York, Academic Press, 1980, p.261-304, Refs. p.302-304.
34-3660
LAKE ICE, RIVER ICE, FRAZIL ICE, RIVERS, ICE JAMS, ICE BREAKUP, ICE MELTING, ICE FLOES, ICE FORMATION.

MP 1300
SOME PROMISING TRENDS IN ICE MECHANICS.
Assur, A., Symposium on Physics and Mechanics of Ice, Copenhagen, Aug 6-10, 1979. Proceedings. Edited by P. Tryde, Berlin, Springer-Verlag, 1980, p.1-15, 12 refs.
34-3728
ICE MECHANICS, ICE CREEP, ICE SHEETS, STRESSES, LOADS (FORCES), ICE MODELS, RHEOLOGY, ICE COVER THICKNESS, SEA ICE, ANALYSIS (MATHEMATICS).
Ice sheets are inhomogeneous; properties vary strongly with depth. Theoretical treatment of plates with properties varying perpendicular to the plate has now been satisfactorily developed for floating ice sheets. However, other problems are still waiting for solutions. The use of model ice is developing rapidly Some suggestions of how to analyze such ice are made. Breakthrough-loads on ice sheets diminish with duration of loading, but no satisfactory solution is available based upon classical procedures of applied mechanics.

MP 1301
EXPERIENCE GAINED BY USE OF EXTENSIVE ICE LABORATORY FACILITIES IN SOLVING ICE PROBLEMS.
Frankenstein, G.E., Symposium on Physics and Mechanics of Ice, Copenhagen, Aug. 6-10, 1979. Proceedings. Edited by P. Tryde, Berlin, Springer-Verlag, 1980, p.93-103, 12 refs.
34-3735
ICE MECHANICS, ICE NAVIGATION, ICE CONDITIONS, OFFSHORE STRUCTURES, ICE LOADS, FLOATING ICE, ICING, ICE PILEUP, FLOODING, LABORATORY TECHNIQUES.
The discovery of offshore oil in ice-infested waters has caused major concern to the design engineers Some of the problems associated with offshore structures are ice forces, ic ng, and pile-up. Laboratory facilities have and will continue to solve many of the ice problems. The ice problem at navigation locks, for example, has been solved primarily due to laboratory studies Also, the results of ice forces due to ice uplift have been virtually eliminated by controlled studies. Laboratories are becoming larger and more sophisticated. This should result in an increase in laboratory studies and a decrease in field studies. Solutions will come faster because conditions can be precisely controlled

MP 1302
MECHANICAL PROPERTIES OF POLYCRYSTALLINE ICE.
Mellor, M., Symposium on Physics and Mechanics of Ice, Copenhagen, Aug. 6-10, 1979. Proceedings. Edited by P. Tryde. Berlin, Springer-Verlag, 1980, p.217-245.
34-3744
ICE CRYSTALS, ICE MECHANICS, ICE ELASTICITY, ICE CREEP, ICE STRENGTH, ICE CRACKS, VISCOELASTICITY, STRESS STRAIN DIAGRAMS, BRITTLENESS, TEMPERATURE EFFECTS.

MP 1303
BENDING AND BUCKLING OF A WEDGE ON AN ELASTIC FOUNDATION.
Nevel, D.E., Symposium on Physics and Mechanics of Ice, Copenhagen, Aug. 6-10, 1979. Proceedings. Edited by P. Tryde, Berlin, Springer-Verlag, 1980, p.278-288, 5 refs.
34-3747
ICE WEDGES, FOUNDATIONS, ELASTIC PROPERTIES, ICE CRACKS, FLEXURAL STRENGTH, LOADS (FORCES), ICE DEFORMATION, ANALYSIS (MATHEMATICS).
When an ice sheet begins to slide up a sloping structure, the ice cracks radially form the structure creating wedges Beam theory is used to analyze these wedges under the influence of both horizontal and vertical forces Buckling and bending of these wedges are considered

MP 1304
ICE FORCES ON THE YUKON RIVER BRIDGE —1978 BREAKUP.
Johnson, P.R., et al, Feb. 1979, FHWA-RD-79-82, 40p , PB80-144 553, 19 refs.
McFadden, T.
34-3725
PIERS, BRIDGES, ICE LOADS, ICE PRESSURE, ICE MECHANICS, ICE STRENGTH, IMPACT STRENGTH, ICE BREAKUP, RIVER ICE.

MP 1305
THE ICEBERG COMETH.
Weeks, W.F., et al, Aug.-Sep. 1979, 81(8), p 66-75, 6 refs.
Mellor, M.
34-3793
ICEBERG TOWING.
The potential of towing icebergs to arid regions in the Southern Hemisphere is reviewed Formidable technical problems exist; some proposed solutions are listed. However, very little has been done to test the technology proposed. Towing, insulation, routes, and other aspects of iceberg-towing technology should be investigated by a trial tow to Western Australia, the area most favorably located for southern iceberg delivery

MP 1306
PRESSURE WAVES IN SNOW.
Brown, R.L., 1980, 25(91), p.99-107, 9 refs., In English with French and German summaries.
34-3802
SHOCK WAVES, SNOW DENSITY, LOADS (FORCES), SNOW STRENGTH, SHEAR STRESS, SNOW COMPRESSION, ANALYSIS (MATHEMATICS).
A dynamic constitutive law is used to study the response of medium-density snow to shock waves The results show good correlation between theory and experiment, except for low-intensity shocks which produce small permanent density changes In this case the validity of the data is questioned, although further experimental work is needed to settle this question. The results of this work also partially explain why snow is so effective in absorbing energy associated with stress waves. This is felt to be due to the work-hardening characteristics of snow

MP 1307
APPLICATION OF RECENT RESULTS IN FUNCTIONAL ANALYSIS TO THE PROBLEM OF WETTING FRONTS.
Nakano, Y., Apr. 1980, 16(2), p.314-318, 16 refs
34-3948
SOIL WATER MIGRATION, SOIL PHYSICS, BOUNDARY VALUE PROBLEMS, SEEPAGE, POROUS MATERIALS, WETTABILITY, ANALYSIS (MATHEMATICS).
Traditionally, in hydrology and soil physics, wetting fronts appearing in porous media described by Darcy's law have not generally been considered to be singular surfaces Some recent results from functional analysis are presented as evidence supporting the viewpoint that wetting fronts with a finite propagating speed generally are singular surfaces.

MP 1308
TIME-PRIORITY STUDIES OF DEEP ICE CORES.
Gow, A.J., May 1980, GD-8, p 91-102, 18 refs
34-4030
ICE CORES, DRILL CORE ANALYSIS, ANTARCTICA—BYRD STATION.
Both the Greenland and Antarctic ice sheets have been successfully core-drilled to bedrock, 1390 m at Camp Century, Greenland in 1966 and 2164 m at Byrd Station, Antarctica in 1968 Core and borehole studies at both sites have revealed a wealth of interesting results, especially at Byrd Station where extensive studies of cores were begun as soon as they were pulled out of the drill hole. Continuing investigations of these Byrd Station drill cores, including recent observations of apparent widespread recrystallization in certain sections of ice core, further confirm the importance of initiating as many studies as possible at the drill site Any list of the studies that should be conducted on deep ice cores must recognize two kinds of research 1) those studies of a time-priority nature that must be initiated as soon as cores are pulled to the surface and, 2) other essential studies in which relaxation of the ice is not a factor. These latter studies can generally be deferred until cores are transported to more permanent storage facilities outside Antarctica (Auth mod)

MP 1309
SMALL-SCALE TESTING OF SOILS FOR FROST ACTION.
Sayward, J.M., 1979, 2(4), p.223-231, 18 refs
34-3990
FROST ACTION, FROST HEAVE, ICE NEEDLES, SOIL WATER MIGRATION, SOIL TESTS.
A method is described for convenient study of frost action including soil heaving and needle ice formation The apparatus is simple and small and the procedure requires only 25 cu cm soil specimens The method could be useful for screening either large numbers or limited quantities of soils or soil additives for frost susceptibility The method described was used to perform a limited number of tests with several soils The tests obtained action in the form of soil heave, ice heave, or ice needles, yielding maximum heights up to three to six times the initial 40-mm soil depth Maximum growth rates were up to 1 to 3 mm hr for soil heaves and 3 to 7 or more mm h for ice heaves and ice needles Initial trials showed that thickener additives and possibly other treatments can restrict frost action

MP 1310
FATE AND EFFECTS OF CRUDE OIL SPILLED ON SUBARCTIC PERMAFROST TERRAIN IN INTERIOR ALASKA.
Johnson, L.A., et al, Mar 1980, EPA-600/3-80-040, 128p., Refs, p.78-83
Sparrow, E B, Jenkins, T F, Collins, C M, Davenport, C.V., McFadden, T.
34-4079
OIL SPILLS, PERMAFROST THERMAL PROPERTIES, ENVIRONMENTAL IMPACT, THERMAL REGIME, SUBARCTIC REGIONS, SEASONAL VARIATIONS, EXPERIMENTATION.
This study was conducted to determine both the short- and long-term effects of spills of hot Prudhoe Bay crude oil on permafrost terrain in subarctic interior Alaska. Two experimental oil spills of 7570 liters (2000 gallons) each on 500 sq m test plots were made at a forest site underlain by permafrost near Fairbanks, Alaska. The oil spills, one in winter and one in summer, were conducted to evaluate their effect during these two seasonal extremes. Oil movement, thermal regime, botanical effects, microbiological responses, permafrost impact, and composition of the oil in the soil were monitored for two years.

MP 1311
FREE CONVECTION HEAT TRANSFER CHARACTERISTICS IN A MELT WATER LAYER.
Yen, Y.-C., Aug. 1980, 102(3), p.550-556, 17 refs.
35-103
MELTWATER, HEAT TRANSFER, CONVECTION, ICE WATER INTERFACE, WATER TEMPERATURE, TEMPERATURE EFFECTS, ICE MELTING, ANALYSIS (MATHEMATICS).
An experimental study was conducted on the formation of a water layer containing a maximum density, its effect on the onset of convection, and the heat transfer characteristics of such a system This water layer was formed by one-dimensional melting (either from below or above) of a cylinder of bubble-free ice The layer depth at the onset of convection was determined by locating the inflection point on the water layer depth versus time curve, and was compared with layer depth calculated from a linear stability analysis of an identical problem. The results were compared with the analytical work of Veronis and were found to be in excellent agreement. Formation of a constant temperature layer was observed by measuring the water temperature distribution as melting progressed. The constant temperature was found to depend on T(h) (warm plate temperature) for melting from below, but had a weaker dependence for melting from above. The heat flux to the melting surface increased linearly with T(h) for melting from below, but had a weaker dependence for melting from above. Non-dimensional mean temperature profiles of the water layer were found to be in good agreement with those by Adrian for melting from above. In the case of melting from below, the mean temperature profile also fell into a single line with a somewhat higher value in the convection layer.

MP 1312
SNOW STUDIES ASSOCIATED WITH THE SIDEWAYS MOVE OF DYE-3.
Tobiasson, W., Eastern Snow Conference, 36th. Proceedings, Alexandria Bay, New York, 1979, p.117-124, 4 refs.
34-4210
SNOW STRENGTH, BEARING STRENGTH, FOUNDATIONS, STRESSES, SNOW COVER STABILITY, SNOW SURVEYS.
In 1977, DEW Line station DYE-3 on the Greenland Ice Cap was moved sideways 210 ft (64 m) onto a new undistorted foundation When this life extension concept was proposed, abrupt failure of the supporting snow was a major concern. Snow samples were obtained and strength tested at CRREL to determine the chance of an abrupt failure of the supporting snow Model studies were also performed to determine the bearing capacity of the snow, and predictions were made of foundation settlement during the move. The results indicated that the move could be accomplished safely.

MP 1313
REMOVAL OF VOLATILE TRACE ORGANICS FROM WASTEWATER BY OVERLAND FLOW LAND TREATMENT.
Jenkins, T.F., et al, 1980, A15(3), p.211-224, 14 refs.
Leggett, D.C., Martel, C.J.
34-4200
WASTE TREATMENT, WATER TREATMENT, WASTE DISPOSAL.
A prototype overland flow land treatment system was studied to determine its effectiveness in reducing the levels of volatile trace organics in municipal wastewater. Chlorinated primary wastewater water collected from the surface at various points downslope and runoff were analyzed by GC/MS, using a purge and trap sampler Results indicated that efficient removal of a number of volatile substances including chloroform and toluene can be achieved by this method of treatment Loss of these substances was found to follow first order kinetics The observed behavior is consistent with a volatilization process

MP 1314
WORKSHOP ON ENVIRONMENTAL PROTECTION OF PERMAFROST TERRAIN.
Brown, J., et al, Summer 1980, 12(2), p.30-36, 8 refs.
Hemming, J.E.
34-4198
PERMAFROST PRESERVATION, ENVIRONMENTAL PROTECTION, MEETINGS, THERMAL EFFECTS, SOIL EROSION, ROUTE SURVEYS, SITE SURVEYS, DESIGN CRITERIA.

MP 1315
BREAK-UP OF THE YUKON RIVER AT THE HAUL ROAD BRIDGE: 1979.
Stephens, C.A., et al, Fairbanks, University of Alaska, Sep. 1979, 22p. + Figs., 5 refs. Report of field activities.
Hanscom, J.T., Osterkamp, T.E.
34-4193
RIVER ICE, ICE BREAKUP, ICE COVER THICKNESS, ICE FLOES, ICE ELECTRICAL PROPERTIES, WATER TEMPERATURE, ELECTRICAL RESISTIVITY, VELOCITY, UNITED STATES—ALASKA—YUKON RIVER.

MP 1316
MATERIALS AVAILABILITY STUDY OF THE DICKEY-LINCOLN DAM SITE.
Merry, C.J., et al, Case studies of applied advanced data collection and management, American Society of Civil Engineers, 1980, p.158-170, Also presented at the 12th International Symposium on Remote Sensing of Environment, Manila, Philippines, April 20-26, 1978.
McKim, H.L., Blackey, E.A.
35-153
EARTH DAMS, SITE SURVEYS, GEOLOGIC STRUCTURES, REMOTE SENSING, CONSTRUCTION MATERIALS, LAKES, TOPOGRAPHIC FEATURES, MAPPING.

MP 1317
BREAK-UP DATES FOR THE YUKON RIVER; PT.1. RAMPART TO WHITEHORSE, 1896-1978.
Stephens, C.A., et al, Fairbanks, University of Alaska, Geophysical Institute, Apr. 1979, c50 leaves, 10 refs.
Fountain, A.G., Osterkamp, T.E.
35-133
ICE BREAKUP, ICE DETERIORATION, ICE CONDITIONS, ICE NAVIGATION, STATISTICAL ANALYSIS, UNITED STATES—ALASKA—YUKON RIVER.

MP 1318
BREAK-UP DATES FOR THE YUKON RIVER; PT.2. ALAKANUK TO TANANA, 1883-1978.
Stephens, C.A., et al, Fairbanks, University of Alaska, Geophysical Institute, May 1979, c50 leaves, 8 refs.
Fountain, A.G., Osterkamp, T.E.
35-134
RIVER ICE, ICE BREAKUP, STATISTICAL ANALYSIS, ICE NAVIGATION, ICE CONDITIONS, UNITED STATES—ALASKA—YUKON RIVER.

MP 1319
ICE SHEET INTERNAL RADIO-ECHO REFLECTIONS AND ASSOCIATED PHYSICAL PROPERTY CHANGES WITH DEPTH.
Ackley, S.F., et al, Sep. 10, 1979, 84(B10), p.5675-5680, 13 refs.
Keliher, T.E.
34-999
ICE SHEETS, ICE CORES, RADIO ECHO SOUNDINGS, ICE PHYSICS, ANTARCTICA—FOLGER, CAPE.
In this paper, the measured physical properties of core to bedrock taken at Cape Folger, East Antarctica, are used to compute a depth-reflection coefficient profile for comparison with the observed radio-echo reflections. The measurements available on physical properties are density variations, bubble size and shape changes, and crystal fabric variations. In calculations to differentiate the effects of the physical properties, it appears that density variations account for the primary contributions to the calculated dielectric property changes corresponding to the highest observed reflection coefficients. However, bubble changes alone can also account for reasonable, though lower, reflection coefficients at the depths corresponding to observed reflections. Crystal fabric variations correspond poorly with the reflection locations. The close correspondence between the depths of the bubble shape changes (which are definitely deformational features) and the depths of the density variations, and between both of these and the radio-echo layers, indicates that deformational events in the ice sheet's history are represented by the variations in physical properties and associated radio-echo records. (Auth. mod)

MP 1320
"PACK ICE AND ICEBERGS"—REPORT TO POAC 79 ON PROBLEMS OF THE SEASONAL SEA ICE ZONE: AN OVERVIEW.
Weeks, W.F., et al, International Conference on Port and Ocean Engineering Under Arctic Conditions, 5th, Trondheim, Norway, Aug 13-18, 1979 Proceedings, Vol.3, Trondheim, University, 1979, p 320 337
Denner, W.W., Paquette, R G.
35-178
PACK ICE, ICEBERGS, SEA ICE DISTRIBUTION, ICE CONDITIONS, ICE PHYSICS, REMOTE SENSING, RESEARCH PROJECTS, SEASONAL VARIATIONS, SEA WATER.
This paper reports the results of the Seasonal Sea Ice Zone (SSIZ) Workshop, held February 26, 1979 in Monterey, California. The purpose of the workshop was to summarize the existing knowledge of the SSIZ, to identify significant problem areas, and discuss approaches to finding solutions. The purpose of the report is to make the participants of POAC 79 aware of the important research problems of the SSIZ identified at the Workshop.

MP 1321
PROCEEDINGS OF THE SPECIALTY CONFERENCE ON COMPUTER AND PHYSICAL MODELING IN HYDRAULIC ENGINEERING.
Ashton, G.D., ed, New York, American Society of Civil Engineers, 1980, 492p., Refs. passim. For selected paper see 34-4161.
35-255
HYDRAULICS, ENGINEERING, COMPUTER APPLICATIONS, ICE PHYSICS, MODELS.

MP 1322
REVIEW OF BUCKLING ANALYSES OF ICE SHEETS.
Sodhi, D.S., et al, June 1980, SR 80-26, p.131-146, ADA-089 674, 14 refs.
Nevel, D.E.
35-511
ICE SHEETS, ICE LOADS, ICE PRESSURE, ICE STRENGTH, ANALYSIS (MATHEMATICS), PLATES.
A review of the buckling analyses of floating ice sheets is presented. The theory used is that of a beam or plate on an elastic foundation. For beams, the results for all possible boundary conditions are presented and discussed. For plates, results of numerical solutions for a semi-infinite plate loaded over part of its boundary are presented and discussed. One solution is presented for an infinite plate loaded radially at a hole in the plate. In addition, results for wedge-shaped beams and plates are presented and discussed. Wedge-shaped ice sheets frequently occur due to previous cracking in the ice.

MP 1323
INVESTIGATIONS OF SEA ICE ANISOTROPY, ELECTROMAGNETIC PROPERTIES, STRENGTH AND UNDER-ICE CURRENT ORIENTATION.
Kovacs, A., et al, May 1980, No.80-5, p.109-153, 16 refs.
Morey, R.M.
35-550
SEA ICE, ANISOTROPY, ELECTROMAGNETIC PROPERTIES, ICE STRENGTH, OCEAN CURRENTS, SUBGLACIAL OBSERVATIONS, REMOTE SENSING, ICE PHYSICS, ICE COVER THICKNESS, ICE WATER INTERFACE, ICE CRYSTAL STRUCTURE.

MP 1324
HF TO VHF RADIO FREQUENCY POLARIZATION STUDIES IN SEA ICE AT PT. BARROW, ALASKA.
Arcone, S.A., et al, May 1980, No.80-5, p.225-245, 8 refs.
Delaney, A.J.
35-553
SEA ICE, FAST ICE, POLARIZATION (WAVES), ANISOTROPY, ICE OPTICS, ICE COVER THICKNESS, ELECTROMAGNETIC PROPERTIES.
The frequency dependence of the polarization-rotation properties of fast ice upon radiowaves in the HF-VHF range were studied at Pt. Barrow, Alaska, in the early spring of 1979. Five sites were investigated at frequencies between 10 and 173 MHz and at each site cores were taken and then physical properties measured. The polarization was studied with a pair of crossed dipole antennas, one a transmitter, the other a receiver, both of which were rotated simultaneously as a fixed unit. This procedure was designed to produce a four-lobe clover leaf pattern with maximum coupling occurring when the antennas were aligned at 45 deg to the c-axis direction. The results showed strongest polarization between about 35 and 65 MHz. Above this band the high dc conductivity of the sea ice which was measured accounts for the lack of cross coupling, but it is not yet understood why the data was so erratic below this band. Experimental difficulties are also discussed.

MP 1325
MODELING OF ANISOTROPIC ELECTROMAGNETIC REFLECTION FROM SEA ICE.
Golden, K.M., et al, May 1980, No.80-5, p.247-294, 21 refs.
Ackley, S.F.
35-554
SEA ICE, BRINES, ANISOTROPY, ELECTROMAGNETIC PROPERTIES, ICE OPTICS, ICE WATER INTERFACE, DIELECTRIC PROPERTIES, ICE STRUCTURE, POLARIZATION (WAVES), MATHEMATICAL MODELS
The contribution of brine layers to observed reflective anisotropy of sea ice at 100 MHz is quantitatively assessed. The sea ice is considered to be a stratified, inhomogeneous, anisotropic dielectric consisting of pure ice containing ordered arrays of conducting inclusions (brine layers). Below the transition zone, the ice is assumed to have constant azimuthal c-axis orientation within the horizontal plane, so the orientation of brine layers is uniform. The brine layers are also assumed to become increasingly well-defined with depth, since adjacent brine inclusions tend to fuse together with increasing temperature. A theoretical explanation for observed reflective anisotropy is proposed in terms of anisotropic electric flux penetration into brine layers. Penetration anisotropy and brine layer geometry are linked to anisotropy in the complex dielectric constant of sea ice. Subsequently, a numerical method of approximating the reflected power of a plane wave pulse incident on a slab of sea ice is presented and used to show the contribution of the above effects to the observed reflective anisotropy.

MP 1326
POINT SOURCE BUBBLER SYSTEMS TO SUPPRESS ICE.
Ashton, G.D., Nov. 1979, 1(2), p.93-100, For another version see 33-4224. 8 refs.
35-695
ICE REMOVAL, BUBBLING, ICE MELTING, HEAT TRANSFER, ICE COVER THICKNESS, AIR TEMPERATURE, WATER TEMPERATURE, MATHEMATICAL MODELS.
An analysis of a point source bubbler system used to induce local melting of an ice cover is presented. The analysis uses empirical results of bubbler plume experiments and impingement heat transfer results to determine the rate of melting at the underside of an ice cover. Through a simple energy budget analysis of the ice cover, the melting of the ice cover and resulting extent of open water are determined as a function of air temperatures, depth and air discharge of the source, and water temperature. The analysis leads to a numerical simulation and an example simulation is presented.

MP 1327
PREPARATION OF POLYCRYSTALLINE ICE SPECIMENS FOR LABORATORY EXPERIMENTS.
Cole, D.M., Nov. 1979, 1(2), p.153-159, 10 refs.
35-700
ICE CRYSTALS, ICE SAMPLING, ICE STRUCTURE, LABORATORY TECHNIQUES, ICE MECHANICS, POROSITY, BUBBLES.

MP 1328
MECHANICAL PROPERTIES OF POLYCRYSTALLINE ICE: AN ASSESSMENT OF CURRENT KNOWLEDGE AND PRIORITIES FOR RESEARCH.
Hooke, R.L., et al, Aug. 1980, 3(4), p.263-275, For another version see 33-3545.
Mellor, M.
35-744
ICE CRYSTALS, ICE MECHANICS, ICE CREEP, ICE DEFORMATION, STRAIN TESTS, STRESS STRAIN DIAGRAMS, ICE STRENGTH.

MP 1329
SHIP RESISTANCE IN THICK BRASH ICE.
Mellor, M., Aug. 1980, 3(4), p.305-321, 8 refs.
35-748
ICE MECHANICS, ICE PRESSURE, SHIPS, IMPACT STRENGTH, ICE FRICTION, METAL ICE FRICTION, STRESSES, ICE NAVIGATION.

MP 1330
LOW TEMPERATURE PHASE CHANGES IN MONTMORILLONITE AND NONTRONITE AT HIGH WATER CONTENTS AND HIGH SALT CONTENTS.
Anderson, D.M., et al, May 1980, 3(2/3), p.139-144, 8 refs.
Tice, A.R.
35-728
UNFROZEN WATER CONTENT, SALINITY, TEMPERATURE EFFECTS, PHASE TRANSFORMATIONS, SOIL FREEZING, CLAYS, IONS, LOW TEMPERATURE TESTS.
Prior work has revealed the existence of one or more low temperature phase changes in clay water systems in the temperature range -20C to about -50C. The number and the temperatures at which these phase changes appear seems to be associated with the type of exchangable ion(s) and the number and nature of individual water domains present. In this paper, we report the results of low temperature differential calorimetry on montmorillonite and montronite clays at high water and high salt contents. The presence of electrolytes at high concentration is shown to have a very marked effect. The low temperature phase changes are completely absent at high electrolyte concentrations in these clay water systems. The presence of electrolytes also was observed to have a distinctive effect on the shape of the initial freezing peak associated with ice segregation.

MP 1331
FROST HEAVE IN AN INSTRUMENTED SOIL COLUMN.
Berg, R.L., et al, May 1980, 3(2/3), p.211-221, 4 refs.
Ingersoll, J., Guymon, G.L.
35-737
FROST HEAVE, SOIL WATER, UNFROZEN WATER CONTENT, SOIL FREEZING, FROST PENETRATION, ICE FORMATION, TENSILE PROPERTIES, MEASURING INSTRUMENTS, TESTS.

MP 1332
SUMMARY OF THE ADSORPTION FORCE THEORY OF FROST HEAVING.
Takagi, S., May 1980, 3(2/3), p.233-236, 5 refs.
35-739
FROST HEAVE, ADSORPTION, SOIL PRESSURE, SOIL WATER MIGRATION, FREEZING POINTS, WATER FILMS, THEROIES.

MP 1333
ONE-DIMENSIONAL FROST HEAVE MODEL BASED UPON SIMULTANEOUS HEAT AND WATER FLUX.
Guymon, G.L., et al, May 1980, 3(2/3), p.253-262, 23 refs.
Hromadka, T.V., II, Berg, R.L.
35-742
FROST HEAVE, HEAT TRANSFER, SOIL WATER MIGRATION, SOIL FREEZING, MATHEMATICAL MODELS, HEAT FLUX.

MP 1334
ADSORPTION FORCE THEORY OF FROST HEAVING.
Takagi, S., May 1980, 3(1), p.57-81, Refs. p.73-76.
35-819
FROST HEAVE, ADSORPTION, SOIL WATER MIGRATION, SOIL FREEZING, HEAT TRANSFER, STRESSES, WATER FILMS, THEORIES, ANALYSIS (MATHEMATICS).

MP 1335
MODELING OF ICE IN RIVERS.
Ashton, G.D., Modeling of rivers. Edited by H.W. Shen, New York, John Wiley and Sons, 1979, p.14/1-14/26, Refs. p.14/22-14/26.
35-1127
RIVER ICE, ICE FORMATION, ICE BREAKUP, ICE LOADS, ICE JAMS, FRAZIL ICE, ICE FLOES, MODELS.

MP 1336
SEA ICE ON BOTTOM OF ROSS ICE SHELF.
Zotikov, I.A., et al, Oct 1979, 14(5), p.65-66, 6 refs.
Zagorodnov, V.S., Raĭkovskiĭ, IU.V.
35-652
SEA ICE, ICE STRUCTURE, BOTTOM ICE, ANTARCTICA—ROSS ICE SHELF.
The authors describ the structure of the ice of Ross Ice Shelf as it appeared in a J-9 core. Comments are given on an unusual boundary layer showing in the core and conclusions and estimates on growth rate are made

MP 1337
CORE DRILLING THROUGH ROSS ICE SHELF.
Zotikov, I.A., et al, Oct. 1979, 14(5), p.63-64, 2 refs
Zagorodnov, V.S., Raĭkovskiĭ, IU.V.
35-651
ICE SHELVES, ICE CORING DRILLS, DRILLING, ANTARCTICA—ROSS ICE SHELF.
The ice drill and ice drilling methods and fluids used to pull a core from the Ross Ice Shelf are described and a brief analysis of the core is made

MP 1338
SUBSURFACE MEASUREMENTS OF MCMURDO ICE SHELF.
Gow, A.J., et al, Oct. 1979, 14(5), p.79-80, 2 refs.
Kovacs, A
35-659
ICE CORES, BRINES, ICE COMPOSITION, ANTARCTICA—MCMURDO SOUND
Study of brine content of sea ice at McMurdo and its physical and chemical relationships to the ice and sea water was continued Another continuing study concerns radar profiling up glacier from the exposed contact point of sea ice with the ice of Koettlitz Glacier.

MP 1339
DRIFTING BUOY MEASUREMENTS ON WEDDELL SEA PACK ICE.
Ackley, S.F., Oct. 1979, 14(5), p.106-108, 7 refs
35-676
SEA ICE, DRIFT, TEMPERATURE MEASUREMENT.
The observational techniques of placing the buoys in the Wedd ll Sea are described, the drift record and the temperature measurement record are shown, and a preliminary assessment and interpretation of the data received is given.

MP 1340
TURBULENT HEAT FLUX FROM ARCTIC LEADS.
Andreas, E.L., et al, Aug. 1979, 17(1), p.57-91, 50 refs.
Paulson, C.A., Williams, R.M., Lindsay, R.W., Businger, J.A.
35-159
SEA ICE, HEAT TRANSFER, POLYNYAS, TURBULENT EXCHANGE.

MP 1341
PARTICULAR SOLUTIONS TO THE PROBLEM OF HORIZONTAL FLOW OF WATER AND AIR THROUGH POROUS MEDIA NEAR A WETTING FRONT.
Nakano, Y., June 1980, Vol.3, p.81-85, 9 refs.
35-844
POROUS MATERIALS, WATER FLOW, AIR FLOW, BOUNDARY VALUE PROBLEMS, WETTABILITY, SOIL WATER MIGRATION, INFILTRATION, ANALYSIS (MATHEMATICS).

MP 1342
PARTICULAR SOLUTIONS TO THE PROBLEM OF VERTICAL FLOW OF WATER AND AIR THROUGH POROUS MEDIA NEAR A WATER TABLE.
Nakano, Y., Sep. 1980, Vol.3, p.124-133, 12 refs.
35-845
POROUS MATERIALS, ANALYSIS (MATHEMATICS), WATER FLOW, AIR FLOW, WATER TABLE, BOUNDARY VALUE PROBLEMS, SOIL WATER MIGRATION, INFILTRATION.

MP 1343
THEORY AND NUMERICAL ANALYSIS OF MOVING BOUNDARY PROBLEMS IN THE HYDRO-DYNAMICS OF POROUS MEDIA.
Nakano, Y., Feb. 1978, 14(1), p.125-134, 14 refs.
35-843
POROUS MATERIALS, HYDRODYNAMICS, BOUNDARY VALUE PROBLEMS, SOIL WATER MIGRATION, WATER FLOW, ANALYSIS (MATHEMATICS), THEORIES.

MP 1344
DELINEATION AND ENGINEERING CHARACTERISTICS OF PERMAFROST BENEATH THE BEAUFORT SEA.
Sellmann, P V., et al, Environmental assessment of the Alaskan continental shelf. Vol.2. Principal investigators' reports April-December 1979. Boulder, Colorado, Outer Continental Shelf Environmental Assessment Program, March 1980, p 103-110.
Chamberlain, E.J.
35-1153
SUBSEA PERMAFROST, PERMAFROST DISTRIBUTION, DRILL CORE ANALYSIS, SEISMIC SURVEYS, BOTTOM SEDIMENTS, ENGINEERING, MAPPING.

MP 1345
SOVIET CONSTRUCTION UNDER DIFFICULT CLIMATIC CONDITIONS.
Assur, A., Soviet housing and urban design. Edited by S.A. Grant. U.S. Dept. of Housing and Urban Development, Sep. 1980, p.47-53.
35-1397
COLD WEATHER CONSTRUCTION, PERMAFROST BENEATH STRUCTURES, PREFABRICATION, STANDARDS, HOUSES.

MP 1346
PERMAFROST BENEATH THE BEAUFORT SEA: NEAR PRUDHOE BAY, ALASKA.
Sellmann, P V., et al, Mar. 1980, 102(1), p 35-48, For the same paper from another source see 33-3864. 34 refs.
Chamberlain, E.J.
35-1105
SUBSEA PERMAFROST, OFFSHORE DRILLING, PROBES, PENETRATION TESTS, BOTTOM SEDIMENT, OCEAN BOTTOM.

MP 1347
IMPACT FUSE PERFORMANCE IN SNOW (INITIAL EVALUATION OF A NEW TEST TECHNIQUE).
Aitken, G.W., et al, Army Science Conference, 12th, West Point, N.Y., U.S. Military Academy, June 17-20, 1980. Proceedings, Vol.1, Washington, D C., Department of the Army, July 21, 1980, p.31-45, ADA-090 350, 8 refs.
Richmond, P.W., Albert, D.G.
35-1584
SNOW COVER, SNOW LOADS, EXPLOSION EFFECTS, IMPACT STRENGTH, PROJECTILE PENETRATION, VELOCITY, TESTS.

MP 1348
EVALUATION OF ICE-COVERED WATER CROSSINGS.
Dean, A.M., Jr., Army Science Conference, 12th, West Point, N.Y., U.S. Military Academy, June 17-20, 1980. Proceedings, Vol.1, Washington, D.C., Department of the Army, July 21, 1980, p.443-453, ADA-090 350, 11 refs.
35-1587
ICE CROSSINGS, ICE COVER STRENGTH, BEARING STRENGTH, FLOATING ICE, ICE COVER THICKNESS, MEASURING INSTRUMENTS.

MP 1349
LIQUID DISTRIBUTION AND THE DIELECTRIC CONSTANT OF WET SNOW.
Colbeck, S.C., Workshop on the Microwave Remote Sensing of Snowpack Properties, Fort Collins, Colorado, May 20-22, 1980. Proceedings. Edited by A. Rango. NASA conference publication 2153, Washington, D.C., NASA, Scientific and Technical Information Office, Oct. 1980, p 21-39, 15 refs.
35-1735
WET SNOW, DIELECTRIC PROPERTIES, PERMEABILITY, LIQUID SOLID INTERFACES, SNOW WATER CONTENT, SNOW ELECTRICAL PROPERTIES, SNOW DENSITY, SNOW COVER STRUCTURE, WATER FLOW, POROSITY, ANALYSIS (MATHEMATICS).
The mixing theory of Polder and Van Santen is revised for application to three cases of wet snow. The dielectric constant is calculated for a range of liquid contents and porosities These calculated values compare favorably with experimental data for the two cases in which data are available. The application to a snow cover with a heterogeneous distribution of liquid is discussed The possibility of applying this theory to calculate the imaginary part of the dielectric constant must be explored further.

MP 1350
ROAD AND ITS ENVIRONMENT.
Brown, J., Sep. 1980, CR 80-19, p.3-52, ADA-094 497.
35-1769
ROADS, CONSTRUCTION, ENVIRONMENTS, PIPELINES, PERMAFROST, CLIMATE, VEGETATION, GEOLOGY, GROUND ICE, UNITED STATES—ALASKA.

MP 1351
ROAD PERFORMANCE AND ASSOCIATED INVESTIGATIONS.
Berg, R L , Sep 1980, CR 80-19, p.53-100, ADA-094 497.
35-1770
ROADBEDS, CONSTRUCTION, PERMAFROST BENEATH ROADS, ENGINEERING, SEASONAL FREEZE THAW, THAW DEPTH, ROAD MAINTENANCE, DRAINAGE, PIPELINES, ACTIVE LAYER.

MP 1352
DISTRIBUTION AND PROPERTIES OF ROAD DUST ALONG THE NORTHERN PORTION OF THE HAUL ROAD.
Everett, K.R , Sep. 1980, CR 80-19, p 101-128, ADA-094 497.
35-1771
DUST, SEASONAL VARIATIONS, ROADS, TUNDRA, VEGETATION, ENVIRONMENTAL IMPACT, WIND FACTORS

MP 1353
REVEGETATION AND RESTORATION INVESTIGATIONS.
Johnson, L A , Sep 1980, CR 80-19, p 129-150, ADA-094 497.
35-1772
REVEGETATION, ROADS, CONSTRUCTION, SOIL EROSION, PIPELINES.

MP 1354
ANALYSIS OF NON-STEADY PLASTIC SHOCK WAVES IN SNOW.
Brown, R.L , 1980, 25(92), p.279-287, 9 refs.
35-1822
SNOW MECHANICS, SHOCK WAVES, WAVE PROPAGATION, AVALANCHE TRIGGERING, EXPLOSION EFFECTS, SNOW DENSITY, PLASTIC PROPERTIES, ATTENUATION, PRESSURE, STRESSES

MP 1355
ARCTIC ECOSYSTEM: THE COASTAL TUNDRA AT BARROW, ALASKA.
Brown, J., ed, US/IBP synthesis series, No.12, Stroudsburg, Pa., Dowden, Hutchinson and Ross, Inc., 1980, 571p., Refs. p.483-544. For individual chapters see 35-1930 through 35-1941.
Miller, P.C., ed, Tieszen, L.L., ed, Bunnell, F.L., ed.
35-1929
TUNDRA, ECOSYSTEMS, BIOMASS, NUTRIENT CYCLE, SOIL MICROBIOLOGY, ORGANIC SOILS, ANIMALS, CLIMATIC FACTORS, VEGETATION, UNITED STATES—ALASKA—BARROW.

MP 1356
COASTAL TUNDRA AT BARROW.
Brown, J., et al, Arctic ecosystem: the coastal tundra at Barrow, Alaska. Edited by J. Brown, P.C. Miller, L.L. Tieszen and F.L. Bunnell. Stroudsburg, Pa., Dowden, Hutchinson and Ross., Inc., 1980, p.1-29.
Everett, K.R., Webber, P.J., MacLean, S.F., Jr., Murray, D.F.
35-1930
TUNDRA, ECOSYSTEMS, ORGANIC SOILS, VEGETATION, CLIMATE, POLYGONAL TOPOGRAPHY, LAKES, ENVIRONMENTS.

MP 1357
ICE FOG SUPPRESSION IN ARCTIC COMMUNITIES.
McFadden, T., U.S. Army Cold Regions Research and Engineering Laboratory, SR 80-40, Building under cold climates and on permafrost, collection of papers from a U.S.-Soviet joint seminar, Leningrad, USSR, Dec. 1980, p.54-65, 18 refs.
35-1971
ICE FOG, FOG DISPERSAL, CHEMICAL ICE PREVENTION, VISIBILITY, TEMPERATURE EFFECTS, FILMS, AIR TEMPERATURE.

MP 1358
DESIGN OF FOUNDATIONS IN AREAS OF SIGNIFICANT FROST PENETRATION.
Linell, K.A., et al, U.S. Army Cold Regions Research and Engineering Laboratory, SR 80-40, Building under cold climates and on permafrost; collection of papers from a U.S.-Soviet joint seminar, Leningrad, USSR, Dec. 1980, p.118-184, 48 refs.
Lobacz, E.F., Stevens, H.W.
35-1975
PERMAFROST BENEATH STRUCTURES, FOUNDATIONS, FREEZE THAW CYCLES, PERMAFROST HYDROLOGY, PERMAFROST DISTRIBUTION, FROZEN GROUND STRENGTH, FROST PENETRATION, SOIL MECHANICS, HEAT TRANSFER, SLOPE PROTECTION, DESIGN.

MP 1359
REGULATED SET CONCRETE FOR COLD WEATHER CONSTRUCTION.
Sayles, F.H., et al, U.S. Army Cold Regions Research and Engineering Laboratory, SR 80-40, Building under cold climates and on permafrost, collection of papers from U.S.-Soviet joint seminar, Leningrad, USSR, Dec. 1980, p.291-314, 8 refs.
Houston, B.J.
35-1983
COLD WEATHER CONSTRUCTION, WINTER CONCRETING, CONCRETE STRENGTH, CONCRETE HEATING, COMPRESSIVE PROPERTIES, CEMENTS, CONCRETE CURRING, CONCRETE FREEZING, COUNTERMEASURES, TEMPERATURE EFFECTS

MP 1360
EXCAVATION OF FROZEN MATERIALS.
Moore, H.E., et al, U.S. Army Cold Regions Research and Engineering Laboratory, SR 80-40, Building under cold climates and on permafrost; collection of papers from U.S.-Soviet joint seminar, Leningrad USSR, Dec. 1980, p.323-345, 14 refs.
Sayles, F.H.
35-1985
COLD WEATHER CONSTRUCTION, EXCAVATION, FROZEN GROUND STRENGTH, EARTHWORK, CONSTRUCTION EQUIPMENT, MAINTENANCE, COLD WEATHER OPERATION, COLD WEATHER SURVIVAL, TEMPERATURE EFFECTS, FLOOD CONTROL

MP 1361
MOISTURE GAIN AND ITS THERMAL CONSEQUENCE FOR COMMON ROOF INSULATIONS
Tobias, W., et al, Conference on Roofing Technology, St. [illegible] 19-20, 1979, Proceedings, [1980], p.4-16, 19 •
Ricard,
35-2053
ROOFS, THERMAL INSULATION, MOISTURE TRANSFER, WETTABILITY, THERMAL CONDUCTIVITY, TESTS.
This paper describes a method for determining the rate of moisture gain and the decay in thermal resistance caused by moisture in common roof insulations. Information on the rate of moisture gain for various insulations is tabulated (Table III) and graphed (Figures 4 and 5) The rate of moisture gain varies significantly with insulation type and wetting test boundary conditions. Graphs are presented to define the decay in thermal resistance of insulation samples at increasing moisture contents (Figures 6-11). Moisture significantly reduces the thermal resistance of most roof insulations

MP 1362
REMOVAL OF ORGANICS BY OVERLAND FLOW.
Martel, C.J., et al, Proceedings of the National Seminar on Overland Flow Technology for Municipal Wastewater, Dallas, Texas, Sep. 16-18, 1980, [1980], 9p., 11 refs.
Bouzoun, J.R., Jenkins, T.F.
35-2052
WASTE TREATMENT, WATER TREATMENT, FLOODING, SEDIMENTATION, SEEPAGE, SOIL TEMPERATURE, SOIL CHEMISTRY, SLOPE ORIENTATION, LAND RECLAMATION.

MP 1363
WASTE HEAT UTILIZATION THROUGH SOIL HEATING.
McFadden, T, et al, Oct 1980, EPS 3-WP-80-5, Symposium on Utilities Delivery in Northern Regions, 2nd, 1979. Proceedings, p.105-120, 13 refs.
Buska, J.
35-2112
WASTE DISPOSAL, HEAT SOURCES, HEAT RECOVERY, SOIL TEMPERATURE, HEATING, COOLING SYSTEMS, AGRICULTURE.

MP 1364
NONSTEADY ICE DRIFT IN THE STRAIT OF BELLE ISLE.
Sodhi, D.S., et al, Sea ice processes and models. Edited by R.S. Pritchard, Seattle, University of Washington Press, 1980, p.177-186, 9 refs.
Hibler, W.D., III.
35-2168
SEA ICE, DRIFT, ICE WATER INTERFACE, BOUNDARY LAYER, MATHEMATICAL MODELS, VISCOUS FLOW.
The finite-element formulation of a linear viscous sea ice model has been presented. The temporal ice acceleration term is included in the momentum equations in order to compute nonsteady ice drift rates This model is applied to the Strait of Belle Isle, where strong tidal streams move the pack ice back and forth. Using idealized sinusoidal variations of the tidal streams, it is found that the time lag between the water and the ice velocities is dependent upon the viscosity parameters. These results indicate that the ice is not drifting freely and the boundary layer near the shore affects the ice movement in the Strait. The viscosity parameters used in this study ar [illegible]mall in order to simulate a reasonable time lag between the ice and water velocities. The high shearing near the shores necessitates low viscosities proper simulation of the flow of pack ice in the Strait

MP 1365
ICEBERG WATER: AN ASSESSMENT.
Weeks, W.F., 1980, Vol.1, p.5-10, 27 refs.
35-2197
ICEBERGS, WATER SUPPLY, ICEBERG TOWING.
This review of the idea of using icebergs as a source of fresh water starts with a historical survey covering the period up to April 1980 and stresses how the approach to the subject has changed with time Both the progress that has been made and the problems that have either just surfaced or never been adequately addressed are discussed. It is concluded that successful tows to Australia, clearly the most easily-reached potential delivery site, are possible if icebergs can retain their structural integrity during tows in high seas and if schemes can be developed for docking and processing Tows to sites in the northern hemisphere such as Saudi Arabia and California are significantly more difficult and will remain so until an effective and operationally-realistic method is developed for isolating the iceberg from the warm sea-water that will be encountered during part of the tow. Whatever the ultimate resolution of the iceberg-water proposal may be, research stimulated by this idea has already resulted in a major improvement in our knowledge of the life and time of real icebergs in real oceans. (Auth.)

MP 1366
ACOUSTIC EMISSION RESPONSE OF SNOW.
St. Lawrence, W.F., 1980, 26(94), p.209-216, 10 refs., In English with French and German summaries.
35-2363
SNOW ACOUSTICS, AVALANCHE TRIGGERING, AVALANCHE FORMATION, STRESS STRAIN DIAGRAMS, RHEOLOGY, ULTRASONIC TESTS, MATHEMATICAL MODELS.
In this work a model of the ultrasonic acoustic emission response in snow is developed The model derived considers the acoustic emission response in snow as a function of stress and strain. It is suggested that the acoustic emission activity in snow is a quantitative indication of the creep rupture taking place in the material The governing differential equation is developed; an example is then presented that considers the applicability of this equation to the release of certain types of avalanche

MP 1367
PROPAGATION OF STRESS WAVES IN ALPINE SNOW.
Brown, R.L., 1980, 26(94), p.235-243, 8 refs., In English with French and German summaries.
35-2366
STRESSES, SHOCK WAVES, SNOW DENSITY, WAVE PROPAGATION, SNOW PHYSICS, PRESSURE, ANALYSIS (MATHEMATICS), ALPINE LANDSCAPES.
The propagation of pressure waves in low-density snow is investigated analytically to determine the variation of wave pressure and wave speed with density and frequency The results show that, for pressure waves that produce finite volumetric deformations, both pressure jump across the wave and wave-speed increase with initial density and final density The pressure jump was also found to increase with the wave frequency if other parameters were held constant, although the dependence on frequency is not as strong as the dependence on the initial and final densities. The relationship between pressure jump and frequency implies that high-frequency waves would tend to dissipate more quickly than lower-frequency waves, although like pressure, the attenuation rate would not be strongly frequency dependent.

MP 1368
THERMODYNAMICS OF SNOW METAMORPHISM DUE TO VARIATIONS IN CURVATURE.
Colbeck, S.C., 1980, 26(94), p.291-301, 28 refs., In English with French and German summaries.
35-2372
METAMORPHISM (SNOW), THERMODYNAMICS, SNOW THERMAL PROPERTIES, HEAT TRANSFER, VAPOR DIFFUSION, TEMPERATURE GRADIENTS, ANALYSIS (MATHEMATICS), WET SNOW.
In the absence of imposed temperature gradients, the metamorphism of dry snow is dominated by the slow process of vapor diffusion between surfaces of different radii of curvature This process is so slow in a seasonal snow cover (where temperatures normally change on the scale of hours or days) that vapor migration is usually dominated by the imposed temperature gradient Thus radius of curvature contributes to but does not control metamorphism except for short periods in very fresh snow As opposed to dry snow, liquid-saturated snow (i.e. pore space filled by the melt) is metamorphosed by heat flow arising from relatively large temperature differences among the particles Grain growth in liquid-saturated snow is rapid because of the large temperature differences at nearly constant liquid pressure In wet snow with low liquid content (2-5% by volume), grain growth is dominated by vapor diffusion (as in dry snow) so grain growth is much slower than under conditions of liquid saturation

MP 1369
STUDY OF OCEANIC BOUNDARY-LAYER CHARACTERISTICS INCLUDING INERTIAL OSCILLATION AT THREE DRIFTING STATIONS IN THE ARCTIC OCEAN.
McPhee, M.G., June 1980, 10(6), p.870-884, 22 refs.
35-1059
BOUNDARY LAYER, DRIFT, PACK ICE, OCEAN CURRENTS, OSCILLATIONS, WIND FACTORS, DRIFT STATIONS.

MP 1370
CONSTITUTIVE RELATION FOR THE DEFORMATION OF SNOW.
St. Lawrence, W.F., et al, Jan. 1981, 4(1), p.3-14, 16 refs.
Lang, T.E
35-2414
SNOW DEFORMATION, SNOW COVER STRUCTURE, STRESS STRAIN DIAGRAMS, SNOW COMPRESSION, VELOCITY, SNOW ACOUSTICS, ANALYSIS (MATHEMATICS)
In this paper a constitutive equation which describes the uniaxial deformation of snow is developed The basic

assumption underlying this work is that the stress-strain response can be derived by considering the structure of the material. The equation which describes the plastic portion of the deformation is developed by considering the relationship between three fundamental variables: the mean spacing between ice grains, the relatative velocity between grains, and the fraction of the total number of grains which participate in the deformation process. The mean distance between ice grains is determined by a stereological investigation of the snow structure, and the velocity component is found by empirically characterizing the relaxation of the snow. To determine the mobility of the ice grains acoustic emission data are used. An equation describing the pattern of acoustic emissions for constant rates of deformation is derived and applied to a number of tests. Combining the above variables produces a compressive and tensile constitutive equation which reflects the behavior of the snow under both uniaxial deformations.

MP 1371
CYCLIC LOADING AND FATIGUE IN ICE.
Mellor, M., et al, Jan. 1981, 4(1), p.41-53, 4 refs.
Cole, D.M.
35-2417
ICE CRYSTALS, DYNAMIC LOADS, ICE STRENGTH, STRESS STRAIN DIAGRAMS, FATIGUE (MATERIALS), ICE CREEP, TIME FACTOR.
Isotropic polycrystalline ice was subjected to cyclic loading in unfaxial compression at -5C, with stress limits 0-2 and 0-3 MPa, and frequencies in the range 0.043 to 0.5 Hz. Stress-strain records showed hysteresis loops progressing along the strain axis at non-uniform rates. The effective secant modulus, which was about half the true Young's modulus, decreased during the course of a test. The elastic strain amplitude and the energy dissipated during a loading cycle both increased with increase of time and plastic strain. Strain-time records gave mean curves which were identical in form to classical constant stress creep curves, with a small cyclic alternation of recoverable strain about the mean curve. The results of the tests suggest that maximum resistance under compressive cyclic loading occurs at an axial plastic strain of about 1%, which is essentially the same as the failure strain for ductile yielding under constant stress and under constant strain-rate.

MP 1372
COLD REGIONS SCIENCE AND TECHNOLOGY BIBLIOGRAPHY.
Cummings, N.H., Jan. 1981, 4(1), p.73-75.
35-2420
BIBLIOGRAPHIES, GLACIOLOGY, PERMAFROST, HYDROLOGY, ENGINEERING GEOLOGY, METEOROLOGY.

MP 1373
COLD CLIMATE UTILITIES DELIVERY DESIGN MANUAL.
Smith, D.W., et al, 1979, EPS 3-WP-79-2, c300 leaves, Numerous refs. passim.
Reed, S.C.
33-4406
MANUALS, UTILITIES, NATURAL RESOURCES, WATER SUPPLY, WASTE DISPOSAL, WATER TREATMENT, WATER PIPELINES, PIPELINE FREEZING, THERMAL INSULATION.

MP 1374
PROCEEDINGS 1972 TUNDRA BIOME SYMPOSIUM.
International Biological Programme. Tundra Biome, 1972, 211p., For selected papers see 31-2031 through 31-2049. Symposium held at Lake Wilderness Center, University of Washington 3-5 April, 1972.
Brown, J., coord, Bowen, S., ed.
31-2030
TUNDRA VEGETATION, TUNDRA SOILS, SOIL CHEMISTRY, DECOMPOSITION.

MP 1375
CO2 EXCHANGE IN THE ALASKAN ARCTIC TUNDRA: METEOROLOGICAL ASSESSMENT BY THE AERODYNAMIC METHOD.
Coyne, P.I., et al, 1972 Tundra Biome Symposium, Lake Wilderness Center, Univ. of Washington, July 1972. Proceedings, 1972, p.36-39, 4 refs.
Kelley, J.J.
31-2036
TUNDRA VEGETATION, TURBULENT EXCHANGE, CARBON DIOXIDE.

MP 1376
COMPARATIVE INVESTIGATION OF PERIODIC TRENDS IN CARBOHYDRATE AND LIPID LEVELS IN ARCTIC AND ALPINE PLANTS.
McCown, B.H., et al, 1972 Tundra Biome Symposium, Lake Wilderness Center, Univ. of Washington, July 1972. Proceedings, 1972, p.40-45, 3 refs.
Tieszen, L.L.
31-2037
ARCTIC LANDSCAPES, CELL MORPHOLOGY, LIPIDS, CARBOHYDRATES.

MP 1377
DELINEATION AND ENGINEERING CHARACTERISTICS OF PERMAFROST BENEATH THE BEAUFORT SEA.
Sellmann, P.V., et al, Environmental assessment of the Alaskan continental shelf. Vol. 12. Geology. Principal investigators' reports for the year ending March 1976, Boulder, Colorado, Environmental Research Laboratories, 1976, p.391-408, Includes preliminary bibliography of Soviet literature on subsea permafrost, p.404-408.
Berg, R.L., Brown, J., Blouin, S.E., Chamberlain, E.J., Iskandar, A., Ueda, H.T.
31-361
RESEARCH PROJECTS, OFFSHORE DRILLING, SUBSEA PERMAFROST, BEAUFORT SEA.

MP 1378
ANTARCTIC SEA ICE DYNAMICS AND ITS POSSIBLE CLIMATIC EFFECTS.
Ackley, S.F., et al, Sep. 1976, No.33, p.53-76, 20 refs.
Keliher, T.E.
31-448
SEA ICE, ICE COVER EFFECT, CLIMATE, SPACEBORNE PHOTOGRAPHY, PHOTOINTERPRETATION, HEAT LOSS, MICROWAVES.
Ice extent charts prepared from satellite images by the U.S. Naval Fleet Weather Facility and passive microwave emission data from the Nimbus V satellite were examined for the winters of 1973 and 1974 to determine the variation between the two years of the heat loss by the atmosphere because of variations in sea ice extent and concentration. The microwave data indicate that most of the area within the ice edge is less than 80% ice covered even during the coldest part of the year, probably because of ocean currents, waves, and swell, and convergence and divergence in the atmospheric forcing fields. Since the winter heat and moisture transports from open water are about two orders of magnitude larger than from an equal area of sea ice, even small areas of open water within the ice edge can greatly affect the energy exchange. These new data are compared with the assumption of 100% ice cover within the ice edge and with previously assumed mean values for the total area covered by ice in calculating the heat lost by the atmosphere during the winter period in high southern latitudes. A rapid decrease in sea ice extent observed during the winter of 1973 is correlated with a nearly real-time adjustment by the atmosphere to the change in the heat loss caused by the removal of the ice. This example indicates that sea ice dynamics is influential not only in long-term climate, but in synoptic-scale weather patterns as well.

MP 1379
MISGIVINGS ON ISOSTATIC IMBALANCE AS A MECHANISM FOR SEA ICE CRACKING.
Ackley, S.F., et al, Sep. 1976, No.33, p.85-94, 12 refs.
Hibler, W.D., III, Kugzruk, F.K.
31-450
SEA ICE, ICE CRACKS, ISOSTASY, ICE PHYSICS, ICE DENSITY.
In the AIDJEX ice pack model the formation mechanisms for ice cracks are ignored because of the many processes by which cracks may form. The authors question this concept and particularly the mechanism of isostatic imbalance. They cite the Young's modulus used in the AIDJEX model as being not representative of sea ice and that beam experiments in static tests lead them to question the validity of a purely elastic analysis.

MP 1380
DYNAMICS OF NEAR-SHORE ICE.
Weeks, W.F., et al, Environmental assessment of the Alaskan continental shelf; Vol. 14, Ice. Principal Investigators' reports for the year ending March 1976, Boulder, Colorado, Environmental Research Laboratories, 1976, p.9-34, 16 refs. Includes appendix No. 1 by A. Kovacs and A.J. Gow, Some characteristics of grounded floebergs near Prudhoe Bay, Alaska.
Kovacs, A., Gow, A.J.
31-628
FAST ICE, ICE MECHANICS, ICE FLOES, ICE ISLANDS, SEA ICE, DRIFT, RADAR ECHOES, BOTTOM ICE, ICEBERGS, BOTTOM TOPOGRAPHY, UNITED STATES—ALASKA—PRUDHOE BAY.

MP 1381
INVESTIGATION OF ICE ISLANDS IN BABBAGE BIGHT.
Kovacs, A., et al, Creare, Inc. Technical note 118, Hanover, New Hampshire, Creare, Inc., 1971, 46 leaves, 24 refs
Mellor, M.
31-820
SEA ICE, ICE ISLANDS, ICE STRUCTURE, SUBGLACIAL OBSERVATIONS, ICE DENSITY, GROUNDED ICE.

MP 1382
RHEOLOGICAL IMPLICATIONS OF THE INTERNAL STRUCTURE AND CRYSTAL FABRICS OF THE WEST ANTARCTIC ICE SHEET AS REVEALED BY DEEP CORE DRILLING AT BYRD STATION.
Gow, A.J., et al, Dec. 1976, 87(12), p.1665-1677, 51 refs.
Williamson, T.
31-1071
ICE SHEETS, ICE CRYSTAL STRUCTURE, RHEOLOGY, ICE DEFORMATION, ANTARCTICA—BYRD STATION.
Crystalline textures and fabrics of ice cores from the 2,164-m-thick ice sheet at Byrd Station, reveal the existence of an anisotropic ice sheet. A gradual but persistent increase in the c-axis preferred orientation of the ice crystals was observed between the surface and a depth of 1,200 m. This progressive growth of an oriented crystal fabric is accompanied by a twentyfold increase in crystal size between 56 and 500 m, followed by virtually no change in crystal size between 600 and 1,200 m depth. A broad vertical clustering of c axes develops by 1,200 m. Between 1,200 and 1,300 m, the structure transforms into a fine-grained mosaic of crystals with their basal glide planes now oriented substantially within the horizontal. This highly oriented fine-grained structure, which persists to 1,800 m depth, is compatible only with a strong horizontal shear deformation in this part of the ice sheet. Rapid transformation from single- to multiple-maximum fabrics occurs below 1,800 m. This transformation, accompanied also by the growth of very large crystals, is attributed to the overriding effect of relatively high temperatures in the bottom layers of old ice at Byrd Station rather than to a significant decrease in stress. The zone of single-maximum fabrics between 1,200 and 1,800 m also contains numerous layers of volcanic dust which appear to be actively associated with shearing in the ice sheet. Some slipping of ice along the bed rock seems likely at Byrd Station. The textures and fabrics of the ice indicate that plastic deformation (intracrystalline glide) in the zone of strong single-maximum fabrics and movement of ice along discrete shear planes situated well above bed rock are also major contributors to the flow of the ice sheet. (Auth. mod.)

MP 1383
ECOLOGICAL AND ENVIRONMENTAL CONSEQUENCES OF OFF-ROAD TRAFFIC IN NORTHERN REGIONS.
Brown, J., Surface Protection Seminar, Anchorage, Alaska, Jan. 19-22, 1976. Proceedings. Edited by M.N. Evans, Anchorage, Alaska, Bureau of Land Management, Aug. 1976, p.40-53, 19 refs.
31-1088
PERMAFROST PRESERVATION, ARCTIC LANDSCAPES, TUNDRA, ALL TERRAIN VEHICLES, PROTECTION, ENVIRONMENTAL IMPACT, REVEGETATION, HUMAN FACTORS, THAW DEPTH, SOIL TRAFFICABILITY, VEGETATION PROTECTION, DAMAGE, GROUND THAWING.
The consequences of off-road activities depend on when the activity occurs (summer vs. winter), the degree of impact, the nature and response of the underlying permafrost to the surface modification, and the rate at which the damaged environment will recover. Regulations based on a knowledge of the environmental variables and how they react to impact are required to minimize impact in these areas which are sensitive to human and natural perturbations. We should not underestimate the requirement for good environmental information and adequate resource mapping as first, necessary steps.

MP 1384
VEHICLE FOR THE FUTURE.
Slaughter, C.W., Surface Protection Seminar, Anchorage, Alaska, Jan. 19-22, 1976. Proceedings. Edited by M.N Evans, Anchorage, Alaska, Bureau of Land Management, Aug. 1976, p.272-279, 5 refs.
31-1111
AIR CUSHION VEHICLES, ARCTIC LANDSCAPES, DAMAGE, ENVIRONMENTAL IMPACT, GROUND THAWING.
The U.S Army Cold Regions Research and Engineering Laboratory (USACRREL) has evaluated effects of air-cushion vehicles (ACV's) on surfaces on Alaska's Arctic Slope. Most ACV surface impact was from abrasion by the vehicle skirts rather than air flow, which merely removed loose litter. Vehicle speed and surface micro-relief both affected surface damage. The ACV damaged the surface less than other vehicles tested and caused less accelerated soil thaw, trails over which the ACV passed recovered faster. Size, payload, cost, terrain characteristics, and availability are among the conditions that determine the kind of vehicle needed for a particular job. No single vehicle, now or in the future, can fill all the necessary and desirable requirements and cause little surface damage. Other aspects of off-road travel, such as route selection, trail improvement and protection, operator sensitivity, and access priorities also affect surface damage. More important than vehicle design and selection are the management decisions to be made concerning regulation of off-road travel.

MP 1385
CHEMISTRY OF INTERSTITIAL WATER FROM SUBSEA PERMAFROST, PRUDHOE BAY, ALASKA.
Iskandar, I.K., et al, International Conference on Permafrost, 3rd, Edmonton, Alberta, Canada, July 10-13, 1978. Proceedings. Vol.1, Ottawa, National Research Council of Canada, 1978, p.92-98, With Russian and French summaries. 20 refs.
Osterkamp, T.E., Harrison, W.D.
32-3676
WATER CHEMISTRY, SUBSEA PERMAFROST, INTERSTITIAL WATER.

MP 1386
ANTARCTIC SOIL STUDIES USING A SCANNING ELECTRON MICROSCOPE.
Kumai, M., et al, International Conference on Permafrost, 3rd, Edmonton, Alberta, Canada, July 10-13, 1978. Proceedings. Vol.1, Ottawa, National Research Council of Canada, 1978, p.106-112, With Russian and French summaries. 12 refs.
Anderson, D.M., Ugolini, F.C.
32-3678
ELECTRON MICROSCOPY, CRYOGENIC SOILS, MORAINES, SOIL COMPOSITION, GRAIN SIZE, WEATHERING, ANTARCTICA—VICTORIA LAND.
The textures of moraine soils from southern Victoria Land were investigated, using a scanning electron microscope fitted with an energy dispersive X-ray analyzer. Electron micrographs of soil grains from lower Wright Valley showed sharp edges and smooth surfaces, indicating a low degree of mechanical and chemical weathering. The soil grains were 11% quartz and 4% magnetite Chlorides were found on 7% of the soil grains By contrast, electron micrographs of soil grains from the Beacon Valley showed rounded grains indicating a high degree of mechanical and chemical weathering The soil grains were 20% quartz. Rhombohedral crystals CaSO4 were found on 60% of the soil grains Chlorides were found on 30% of the soil grains. Because of the high degree of weathering, it was concluded that the moraine soils from the Beacon Valley are much older than those of the lower Wright Valley.

MP 1387
COST OF LAND TREATMENT SYSTEMS.
Reed, S.C., et al, Sep. 1979, EPA-430/9-75-003, 135p., 45 refs.
Crites, R.W., Thomas, R.E., Hais, A.B.
35-2464
SEEPAGE, WASTE TREATMENT, SEWAGE TREATMENT, WATER TREATMENT, COST ANALYSIS, FLOW RATE, SURFACE DRAINAGE, LAND RECLAMATION.
Cost information for planning is presented for the major land treatment concepts including slow rate, rapid infiltration and overland flow. Cost categories include land, preapplication treatment, transmission, storage, land application, and recovery of renovated water.

MP 1388
MEASURING BUILDING R-VALUES FOR LARGE AREAS.
Flanders, S.N., et al, 1981, Vol.254, p.137-138.
Marshall, S.J.
35-2463
BUILDINGS, WALLS, THERMAL REGIME, HEAT FLUX, SURFACE TEMPERATURE, TEMPERATURE MEASUREMENT
A method is being developed for measuring the R-values of large areas of building envelopes. This is a summary of progress to date. Temperature extremes on the building surface are located with an infrared videocamera, the R-values at those locations determined with contact thermal sensors and R-values interpolated for all other locations from the thermograms

MP 1389
HEALTH ASPECTS OF LAND TREATMENT.
Reed, S.C., Cincinnati, Oh., U.S. Environmental Protection Agency, 1979, 43p., Prepared for Seminar on Land Treatment of Municipal Wastewater Effluents, June 1979. 52 refs.
35-2493
WASTE TREATMENT, POLLUTION, HEALTH, WATER TREATMENT, LAND RESTORATION.

MP 1390
HAND-HELD INFRARED SYSTEMS FOR DETECTING ROOF MOISTURE.
Tobiasson, W., et al, Symposium on Roofing Technology, Gaithersburg, Md., Sep 21-23, 1977. Proceedings, (1977), p.261-271, 4 refs.
Korhonen, C., Van den Berg, A.
35-2494
ROOFS, MOISTURE DETECTION, MOISTURE METERS, INFRARED RECONNAISSANCE, THERMAL INSULATION.

MP 1391
LANDSAT DIGITAL ANALYSIS OF THE INITIAL RECOVERY OF BURNED TUNDRA AT KOKOLIK RIVER, ALASKA.
Hall, D.K., et al, 1980, No.10, p.263-272, 8 refs.
Ormsby, J.P., Johnson, L.A., Brown, J.
35-2462
TUNDRA, FIRES, ENVIRONMENTAL IMPACT, REMOTE SENSING, ANALYSIS (MATHEMATICS), LANDSAT, REVEGETATION.

MP 1392
LAND DISPOSAL: STATE OF THE ART.
Reed, S C., National Symposium on Ultimate Disposal of Wastewaters and Their Residuals, Durham, N.C., April 26-27, 1973. Proceedings. Edited by F.E. McJunkin and P.A. Vesilind, Raleigh, North Carolina State University, 1973, p.229-261, 42 refs.
35-2469
WASTE DISPOSAL, WATER TREATMENT, ENVIRONMENTAL PROTECTION, SEEPAGE, CLIMATIC FACTORS, FLOW RATE, VEGETATION, AEROSOLS, HEALTH.

MP 1393
WINDOW PERFORMANCE IN EXTREME COLD.
Flanders, S.N , et al, Specialty Conference on the Northern Community, Seattle, Wa., Apr. 8-10, 1981. Proceedings. Edited by T.S. Vinson, New York, American Society of Civil Engineers, 1981, p.396-408, 2 refs.
Buska, J., Barrett, S.
35-2514
WINDOWS, COLD WEATHER CONSTRUCTION, WEATHERPROOFING, MOISTURE, CLIMATIC FACTORS, COUNTERMEASURES.
Extreme cold causes heavy buildup of frost, ice and condensation on many windows. It also increases the incentive for improving the airtightness of windows in Alaska to avoid moisture accumulation in homes and barracks. We base our conclusions on a two-year study of Alaskan military bases that included recording humidity and temperature data, observing moisture accumulation on windows and measuring airtightness with a fan pressurization device Our study shows that tightening Alaskan windows to permit only 30% of the air leakage allowed to current American standards for window airtightness is economically attractive.

MP 1394
AQUACULTURE FOR WASTEWATER TREATMENT IN COLD CLIMATES.
Reed, S.C., et al, Specialty Conference on the Northern Community, Seattle, Wa., Apr. 8-10, 1981. Proceedings. Edited by T.S. Vinson, New York, American Society of Civil Engineers, 1981, p.482-492, 12 refs.
Bouzoun, J.R.
35-2519
WASTE TREATMENT, WATER TREATMENT, PLANTS (BOTANY).
Aquaculture systems for wastewater treatment often include plants, finned fish, animals and microorganisms in various combinations in aquatic settings such as ponds, marshes, bogs and other forms of wetlands Natural settings have often been used in the past but there is a trend toward constructed systems which permit more reliable management at higher rates of treatment. This paper evaluates the potential for application of aquaculture concepts for wastewater treatment in cold climates Constructed wetlands and the enclosed high rate processes offer the most promise of the concepts considered. Systems based on plants are more efficient, require less area and are easier to control than concepts involving higher forms of animals

MP 1395
WINTER AIR POLLUTION AT FAIRBANKS, ALASKA.
Coutts, H.J., et al, Specialty Conference on the Northern Community, Seattle, Wa., Apr. 8-10, 1981. Proceedings. Edited by T.S. Vinson, New York, American Society of Civil Engineers, 1981, p.512-528, 16 refs.
Jenkins, T.F.
35-2522
AIR POLLUTION, CHEMICAL ANALYSIS, ENVIRONMENTAL IMPACT, MOTOR VEHICLES, HUMAN FACTORS, STANDARDS.
Air quality measurements were made for both gases and particulates at several locations near Fairbanks, Alaska, during winter. The results indicated that carbon monoxide levels downtown frequently exceeded air quality standards and were significantly elevated at more rural locations up to 22 km from the downtown area High levels were found to be associated with temperature inversions Nitric oxide levels were measured and found to range from less than 50 to over 500 parts per billion (ppb) downtown Levels of 1 to 68 ppb were measured in a more rural location The major source of both CO and NO at Fairbanks was found to be auto exhaust Levels of particulate lead in the downtown area were found to exceed Federal Standard for all 4 winter months Lead levels at the more rural site were only about one-tenth those of downtown and did not exceed standards

MP 1396
ICE FORCE MEASUREMENT ON THE YUKON RIVER BRIDGE.
McFadden, T., et al, Specialty Conference on the Northern Community, Seattle, Wa., Apr 8-10, 1981. Proceedings. Edited by T.S. Vinson, New York, American Society of Civil Engineers, 1981, p.749-777, 11 refs.
Haynes, D., Burdick, J., Zarling, J.
35-2536
ICE BREAKUP, ICE PRESSURE, ICE LOADS, IMPACT STRENGTH, BRIDGES, ICE COVER STRENGTH, LOADS (FORCES), ICE COVER THICKNESS, RADAR ECHOES.
The Alaska Projects Office of Cold Regions Research and Engineering Laboratory has been studying the forces imposed on the Yukon River bridge by ice during breakup. The study involved four consecutive breakups from 1977 thru 1980. Forces have been measured using load cells mounted on the front of the number 5 pier to intercept the ice as it strikes the pier Accelerometers mounted on piers number 4 and 5 were used to measure the response of the pier to the ice impacts Calibration procedures were employed to determine a transfer function which relates the accelerations to the applied forces. Ice thicknesses were measured using short pulse radar techniques River ice damaged or destroyed the first generation load cell designs, but some useful data was obtained before failure. Radar techniques show some promise for the measurement of ice thicknesses during breakup

MP 1397
ANALYSIS OF VELOCITY PROFILES UNDER ICE IN SHALLOW STREAMS.
Calkins, D.J., et al, Workshop on Hydraulic Resistance of River Ice, Burlington, Ontario, Sep. 23-24, 1980. Proceedings Edited by G Tsang and S Beltaos, Burlington, Ontario, National Water Research Institute, 1981, p.94-111, 6 refs.
Deck, D.S , Martinson, C.R.
35-2545
STREAM FLOW, ICE COVER EFFECT, FLOW RATE, SHEAR STRESS, SURFACE ROUGHNESS, ICE BOTTOM SURFACE, PROFILES.

MP 1398
HARNESSING FRAZIL ICE.
Perham, R.E., Workshop on Hydraulic Resistance of River Ice, Burlington, Ontario, Sep. 23-24, 1980. Proceedings. Edited by G. Tsang and S Beltaos. Burlington, Ontario, National Water Research Institute, 1981, p 227-237.
35-2554
FRAZIL ICE, ICE CONTROL, RIVER ICE, RIVER FLOW, FLOW RATE, HYDRODYNAMICS, ICE FORMATION.
The techniques for analyzing velocity profiles should be carefully considered in shallow streams where the flow depth is less than 1 m. The two procedures, a) mean and maximum velocity determinations and b) intercept evaluation of log (depth)-velocity plots, yield different results for the various resistance coefficients and shear stress values The mean-max-velocity method generally predicts higher values than the other and is recommended for shallow streams The minimum distance from a boundary to the position of maximum velocity for a good velocity profile appears to be roughly 15 to 20 cm with a 5 cm diameter sensor

MP 1399
LAND TREATMENT OF WASTEWATERS FOR RURAL COMMUNITIES.
Reed, S.C., et al, Rural Environmental Engineering Conference, Warren Vt., Sept. 26-28, 1973. Proceedings. Water pollution control in low density areas. Edited by W.J Jewell, Hanover, N H , University Press of New England, 1975, p.23-39, 7 refs
Buzzell, T.D.
35-2568
WASTE TREATMENT, WATER POLLUTION, SEEPAGE, SURFACE DRAINAGE, IRRIGATION, DESIGN CRITERIA, COST ANALYSIS

MP 1400
RATIONAL DESIGN OF OVERLAND FLOW SYSTEMS.
Martel, C.J , et al, National Conference on Environmental Engineering, New York, July 8-10, 1980. Proceedings, New York, American Society of Civil Engineers, 1980, p.114-121, 9 refs.
Adrian, D.D., Jenkins, T.F., Peters, R E.
35-2571
WASTE TREATMENT, WATER TREATMENT, FLOODING, HYDRAULICS, GRASSES, SLOPES, RUNOFF, SEEPAGE, TIME FACTOR, DESIGN.

MP 1401
ENERGY AND COSTS FOR AGRICULTURAL REUSE OF WASTEWATER.
Sletten, R.S., et al, National Conference on Environmental Engineering, New York, July 8-10, 1980. Proceedings, New York, American Society of Civil Engineers, 1980, p.339-346, 9 refs.
Reed, S.C., Middlebrooks, E.J.
35-2572
WATER TREATMENT, WASTE TREATMENT, LAND RECLAMATION, SEEPAGE, AGRICULTURE, FLOODING, SANITARY ENGINEERING, COST ANALYSIS.

MP 1402
FORAGE GRASS GROWTH ON OVERLAND FLOW SYSTEMS.
Palazzo, A.J., et al, National Conference on Environmental Engineering, New York, July 8-10, 1980. Proceedings, New York, American Society of Civil Engineers, 1980, p.347-354, 16 refs.
Martel, C.J., Jenkins, T.F.
35-2573
WASTE TREATMENT, WATER TREATMENT, FLOODING, IRRIGATION, GRASSES, CHEMICAL COMPOSITION, LAND RECLAMATION, SLOPES, SANITARY ENGINEERING.

MP 1403
SPRAY APPLICATION OF WASTEWATER EFFLUENT IN A COLD CLIMATE: PERFORMANCE EVALUATION OF A FULL-SCALE PLANT.
Cassell, E.A., et al, National Conference on Environmental Engineering, New York, July 8-10, 1980. Proceedings, New York, American Society of Civil Engineers, 1980, p.620-626, 7 refs.
Meals, D.W., Bouzoun, J.R., Martel, C.J., Bronson, W.A.
35-2574
WASTE TREATMENT, WATER TREATMENT, CHEMICAL COMPOSITION, LAND RECLAMATION, COLD WEATHER PERFORMANCE, HYDROLOGY, SEASONAL VARIATIONS.

MP 1404
HEALTH ASPECTS OF WATER REUSE IN CALIFORNIA.
Reed, S.C., Apr. 1979, 105(EE2), p.434-435, Discussion of a paper by J. Crook, Ibid., Aug. 1978, Proc. paper No. 13928.
35-2580
WASTE TREATMENT, WATER TREATMENT, WATER POLLUTION, BACTERIA, HEALTH, AEROSOLS, LAND RECLAMATION.

MP 1405
TUNDRA AND ANALOGOUS SOILS.
Everett, K.R., et al, Tundra ecosystems: a comparative analysis. Edited by L.C. Bliss, et al. International Biological Programme 25, Cambridge University, 1981, p.139-179, Refs. p.176-179.
Vasil'evskaia, V.D., Brown, J., Walker, B.D.
35-2705
TUNDRA, SOIL FORMATION, GEOMORPHOLOGY, PERMAFROST, SEASONAL FREEZE THAW, VEGETATION, CLIMATIC FACTORS, ECOSYSTEMS, SOIL COMPOSITION, SOUTH SHETLAND ISLANDS, MACQUARIE ISLAND, SOUTH GEORGIA.
Properties of Arctic, sub-Arctic, sub-Antarctic, mountain and maritime tundra soils are described. Climate, seasonal freeze thaw regime of tundra soils, soil composition, geomorphology and vegetation are discussed. Data on soil profiles for the South Shetland Is., Macquarie I. and South Georgia are tabulated.

MP 1406
MUNICIPAL SLUDGE MANAGEMENT: ENVIRONMENTAL FACTORS.
Reed, S.C., ed, Oct. 1977, EPA 430/9-77-004, Var. p., 6 refs.
35-2715
SLUDGES, WASTE DISPOSAL, WASTE TREATMENT, WATER TREATMENT, LAND RECLAMATION, ENVIRONMENTAL PROTECTION, BACTERIA, LEGISLATION, AGRICULTURE.

MP 1407
USE OF PILING IN FROZEN GROUND.
Crory, F.E., American Society of Civil Engineers National Convention, Session No.3, Portland, Oregon, Apr. 14-18, 1980. Cold regions engineering, Portland, Oregon, 1980, 21 p., 24 refs.
35-2711
PILE DRIVING, FOUNDATIONS, FROZEN GROUND STRENGTH, COLD WEATHER CONSTRUCTION, PERMAFROST DEPTH, PILE LOAD TESTS, BEARING STRENGTH, FROST HEAVE, HEAT TRANSFER.

MP 1408
ROOFS IN COLD REGIONS.
Tobiasson, W., American Society of Civil Engineers. National Convention, Session No.3, Portland, Oregon, Apr. 14-18, 1980. Cold regions engineering, Portland, Oregon, 1980, 21p., 10 refs.
35-2713
ROOFS, WATERPROOFING, COLD WEATHER CONSTRUCTION, INSULATION, MOISTURE, CLIMATIC FACTORS.

MP 1409
ANALYSIS OF WATER IN THE MARTIAN REGOLITH.
Anderson, D.M., et al, 1979, Vol.14, p.33-38, 9 refs.
Tice, A.R.
35-2756
MARS (PLANET), SOIL WATER, ADSORPTION, WATER VAPOR, THERMODYNAMICS, SOIL MICROBIOLOGY, TEMPERATURE EFFECTS.
One of the scientific objectives of the Viking Mission to Mars was to accomplish an analysis of water in the Martian regolith. The analytical scheme originally envisioned was severely compromised in the latter stages of the Lander instrument package design. The presence of a duricrust at one of the Lander sites is taken as possible evidence for the presence of hygroscopic minerals on Mars. The demonstrated presence of atmospheric water vapor and thermodynamic calculations lead to the belief that adsorbed water could provide a relatively favorable environment for endolithic organisms on Mars similar to types recently discovered in the dry antarctic deserts.

MP 1410
ESTIMATION OF HEAT AND MASS FLUXES OVER ARCTIC LEADS.
Andreas, E.L., Dec. 1980, 108(12), p.2057-2063, 26 refs.
35-2754
POLYNYAS, SEA ICE, HEAT TRANSFER, MASS TRANSFER, TURBULENT EXCHANGE, HEAT FLUX, ANALYSIS (MATHEMATICS).
Recent work on the turbulent transfer of scalar quantities following a step increase in the surface value of the scalar is directly applicable to the problem of estimating heat and mass transfer from Arctic leads in winter. With the transfer relations, turbulent fluxes can be computed from standard meteorological observables; and from the Nusselt number equality, partitioning of the turbulent fluxes can be evaluated—in particular, the partitioning of the heat flux between sensible and latent components.

MP 1411
PILES IN PERMAFROST FOR BRIDGE FOUNDATIONS.
Crory, F.E., et al, ASCE Structural Engineering Conference, Seattle, Washington, May 8-12, 1967. Conference preprint 522, [1967], 41p., 6 refs.
Matlock, C.S.
35-2753
PERMAFROST BENEATH RIVERS, PILE DRIVING, FOUNDATIONS, BRIDGES, PERMAFROST PRESERVATION, BEARING STRENGTH, SETTLEMENT (STRUCTURAL), SOIL TEMPERATURE, DESIGN CRITERIA, FROST HEAVE, COUNTERMEASURES, STREAMS.
This cooperative research study has focused considerable attention on the ground temperatures existing beneath and adjacent to streams in permafrost areas. An appreciation of the changes in the thaw area beneath the stream, both at the time of construction and for the life of the structure, is essential to proper siting of the bridge foundation. Location of abutments and piers outside of the potential thaw zone of the stream, or penetration at the most advantageous points to depths sufficient to achieve the required bearing capacity, is essential. The design of piles based on depth of embedment, adfree strength or dynamic driving formulas in frozen soils is of little value if the permafrost condition is later destroyed. Emphasis must be placed on retaining the original permafrost conditions and providing for frost action.

MP 1412
UNFROZEN WATER CONTENTS OF SUBMARINE PERMAFROST DETERMINED BY NUCLEAR MAGNETIC RESONANCE.
Tice, A.R., et al, International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.400-412, 10 refs.
Anderson, D.M., Sterrett, K.F.
36-32
SUBSEA PERMAFROST, UNFROZEN WATER CONTENT, MELTING POINTS, NUCLEAR MAGNETIC RESONANCE, TEMPERATURE EFFECTS, TEMPERATURE MEASUREMENT, DRILL CORE ANALYSIS.
Prior work resulted in the development of techniques to measure the unfrozen water contents in frozen soils by nuclear magnetic resonance (NMR). It has been demonstrated that NMR is a promising new method for the determination of phase composition (the measurement of unfrozen water content as a function of temperature) which circumvents many of the limitations inherent in the adiabatic and isothermal calorimetric techniques. The NMR technique makes it possible, in a non-destructive, non-intrusive way, to explore hysteresis by determining both cooling and warming curves. Corrections are made for dissolved paramagnetic impurities which have the effect of increasing the signal intensity at decreasing temperatures. The results demonstrate that NMR techniques can be effectively utilized both at and below the melting point of ice in frozen soils and that accurate melting points (freezing point depressions) can be determined.

MP 1413
COST-EFFECTIVE USE OF MUNICIPAL WASTEWATER TREATMENT PONDS.
Reed, S.C., et al, Session on Appropriate Technology in Water Supply and Waste Disposal at the ASCE National Convention, Chicago, Illinois, Oct. 16-20, 1978. ASCE preprint 3435, New York, American Society of Civil Engineers, 1979, p.177-200, 23 refs.
Hais, A.B.
35-2751
WASTE TREATMENT, WATER TREATMENT, PONDS, COST ANALYSIS, STATISTICAL ANALYSIS, DESIGN.
Treatment ponds are a cost-effective alternative for municipal wastewater treatment. When compared to other secondary treatment alternatives, ponds are generally the least costly, require less energy and less skilled operational attention. They can be designed to consistently meet BOD removal requirements and can achieve significant reductions in nutrients, bacteria, and viruses.

MP 1414
LAND TREATMENT SYSTEMS AND THE ENVIRONMENT.
McKim, H.L., et al, Session on Appropriate Technology in Water Supply and Waste Disposal at the ASCE National Convention, Chicago, Illinois, Oct. 16-20,-1978. ASCE preprint 3453, New York, American Society of Civil Engineers, 1979, p.201-225, 47 refs.
Bouzoun, J.R., Martel, C.J., Palazzo, A.J., Urban, N.W.
35-2752
WASTE DISPOSAL, WATER TREATMENT, LAND RECLAMATION, SEEPAGE, FLOODING, WASTE TREATMENT, ENVIRONMENTAL PROTECTION.

MP 1415
SELECTED DESIGN PARAMETERS OF EXISTING SYSTEMS FOR LAND APPLICATION OF LIQUID WASTE—A COMPUTER FILE.
Iskandar, I.K., Annual Conference of Applied Research and Practice on Municipal and Industrial Waste, 2nd, Madison, Wisconsin, Sep. 17-21, 1979. Proceedings, 1979, p.65-88, 5 refs.
35-2757
WASTE TREATMENT, WATER TREATMENT, LAND RECLAMATION, COMPUTER PROGRAMS, DESIGN.
Due to increasing interest in renovating wastewater by application on land, a computer file was established to store and retrieve information on design parameters, performance characteristics and published information on existing land application systems. The purpose of establishing this file was to provide assistance to design engineers during the planning of new land treatment systems. Currently there are about 350 domestic and 75 foreign systems on file. Two hypothetical examples are included for illustration.

MP 1416
POTHOLE PRIMER; A PUBLIC ADMINISTRATOR'S GUIDE TO UNDERSTANDING AND MANAGING THE POTHOLE PROBLEM.
Eaton, R.A., coord, Hanover, N.H., U.S. Army CRREL, [1981], 24p., 9 refs. Preliminary draft for presentation at the 11th Annual New England Asphalt Paving Conference, University of New Hampshire, Durham, N.H., 17 March 1981.
Bilello, M.A.
35-2758
ROAD MAINTENANCE, PAVEMENTS, DAMAGE, FROST ACTION, MUNICIPAL ENGINEERING, SAFETY, FATIGUE (MATERIALS), DRAINAGE, CRACKING (FRACTURING).

MP 1417
LAND TREATMENT: PRESENT STATUS, FUTURE PROSPECTS.
Pound, C.E., et al, June 1978, 48(6), p.98-102, Also in: Articles on water and waste treatment, pollution control and related subjects. Reprinted from Civil engineering, Sep. 1977 through Sep. 1978, [1979], p.76-80.
Crites, R.W., Reed, S.C.
35-2760
LAND RECLAMATION, SEWAGE TREATMENT, WASTE TREATMENT, WATER TREATMENT, LEGISLATION, WATER POLLUTION, COST ANALYSIS.

MP 1418
EPA POLICY ON LAND TREATMENT AND THE CLEAN WATER ACT OF 1977.
Thomas, R.E., et al, Mar. 1980, 52(3), p.452-460, 10 refs.
Reed, S.C.
35-2759
WASTE TREATMENT, WATER TREATMENT, LAND RECLAMATION, LEGISLATION, WATER POLLUTION, DESIGN.

MP 1419
TRAVELING WAVE SOLUTION TO THE PROBLEM OF SIMULTANEOUS FLOW OF WATER AND AIR THROUGH HOMOGENEOUS POROUS MEDIA.
Nakano, Y, Feb. 1981, 17(1), p.57-64, 16 refs.
35-2796
POROUS MATERIALS, WATER FLOW, AIR FLOW, WAVE PROPAGATION, HYDRAULICS, BOUNDARY LAYER, WETTABILITY, ANALYSIS (MATHEMATICS).
A traveling wave solution was derived for the problem of simultaneous flow of water and air through homogeneous porous media. The properties of the solution generally depend upon the hydraulic characteristics of a given problem. The properties of the solution are presented for a specific case in which the hydraulic characteristics are given in specific functional forms For this specific case a singularity occurs in the solution of both a saturated-unsaturated boundary and a wetting front. Some applications of the solution are discussed.

MP 1420
INTERNATIONAL AND NATIONAL DEVELOPMENTS IN LAND TREATMENT OF WASTEWATER.
McKim, H L., et al, Technology Transfer Seminar on Effluent Irrigation under Prairie Conditions, Regina, Saskatchewan, Jan. 24-25, 1979. Papers, Canada, Environmental Protection Service, [1979], 28p., 58 refs.
Jenkins, T.F., Martel, C.J., Palazzo, A.J.
35-2794
WASTE TREATMENT, WATER TREATMENT, LAND RECLAMATION, PONDS, IRRIGATION, INTERNATIONAL COOPERATION.

MP 1421
TOXIC VOLATILE ORGANICS REMOVAL BY OVERLAND FLOW LAND TREATMENT.
Jenkins, T F, et al, Water Pollution Control Federation. Annual Conference, 53rd, Las Vegas, Nev., Sep. 28-Oct. 3, 1980. Proceedings of the research symposia [Preprints], Washington, D.C., Water Pollution Control Federation, [1981], 14p., 27 refs.
Leggett, D C, Martel, C J, Peters, R.E., Lee, C R
35-2894
WASTE TREATMENT, WATER TREATMENT, SURFACE WATERS, FLOODING.

MP 1422
AQUACULTURE SYSTEMS FOR WASTEWATER TREATMENT: AN ENGINEERING ASSESSMENT.
Reed, S.C., et al, June 1980, 430/9-80-007, 127p., Refs. passim. For selected papers see 35-2860 and 35-2861.
Bastian, R.K.
35-2859
WASTE TREATMENT, WATER TREATMENT, SANITARY ENGINEERING, PONDS, COLD WEATHER PERFORMANCE.

MP 1423
ENGINEERING ASSESSMENT OF AQUACULTURE SYSTEMS FOR WASTEWATER TREATMENT: AN OVERVIEW.
Reed, S.C., et al, June 1980, 430/9-80-007, p.1-12.
Bastian, R.K., Jewell, W.
35-2860
WASTE TREATMENT, WATER TREATMENT, SANITARY ENGINEERING, PONDS.

MP 1424
MODELING A VARIABLE THICKNESS SEA ICE COVER.
Hibler, W.D., III, Dec. 1980, 108(12), p.1943-1973, 62 refs.
35-3514
SEA ICE, ICE COVER THICKNESS, SEASONAL VARIATIONS, DRIFT, THERMODYNAMICS, MODELS, LATENT HEAT, POLYNYAS, MASS BALANCE, ICE EDGE, ANALYSIS (MATHEMATICS).

MP 1425
SEASONAL GROWTH AND ACCUMULATION OF NITROGEN, PHOSPHORUS, AND POTASSIUM BY ORCHARDGRASS IRRIGATED WITH MUNICIPAL WASTE WATER.
Palazzo, A.J., Jan.-Mar. 1981, 10(1), p.64-68, 23 refs.
35-3515
WASTE TREATMENT, WATER TREATMENT, IRRIGATION, LAND RECLAMATION, VEGETATION, GROWTH, SEASONAL VARIATIONS, GRASSES, NUTRIENT CYCLE.
A 2-year field study was performed to determine the seasonal growth and nutrient accumulation of a forage grass receiving 7 5 cm/week of domestic primary-treated waste water The average N and P concentrations in the waste water were 31 5 and 6 1 mg/liter, respectively An established sward of 'Pennlate' orchardgrass (*Dactylis glomerata* L.) was managed on an annual three-cutting system. Grass samples were taken periodically during the growing season to determine plant dry matter accumulation and uptake of N, P, and K.

MP 1426
REVIEW OF SEA-ICE WEATHER RELATIONSHIPS IN THE SOUTHERN HEMISPHERE.
Ackley, S.F, 1981, No.131, Sea level, ice and climatic change. proceedings of the symposium held 7-8 Dec. 1979, edited by I. Allison, p.127-159, Refs. p.157-159.
35-3026
SEA ICE DISTRIBUTION, WEATHER, WIND (METEOROLOGY), OCEAN CURRENTS, ANTARCTICA.
Within the last decade data on sea ice from satellite coverage have become available for the Southern Hemisphere. The data record is reviewed with some consideration given to the different mechanisms of ice advection by wind forcing, thermodynamic growth, and ocean mixing These mechanisms control the ice edge around Antarctica and lead to the characteristic advance-retreat relationships for the Weddell Sea, East Antarctica, and the Ross Sea Recent statistical and function (EOF) analyses have shown two primary areas of higher annual variation of sea ice conditions which are presumed to be of dynamic (winds and currents) rather than thermodynamic (temperature) origin. It is postulated that atmospheric forcing of the sea ice system causes changes in air-sea energy transfers that then drive the atmosphere to its own anomaly condition. Further correlations that may define the mechanism of sea ice response to the forcing fields and supply stronger evidence of weather and climate responses to ice variations, may be available by analysis of the Global Weather Experiment drifting buoy data obtained during 1979 (Auth mod)

MP 1427
SEA-ICE ATMOSPHERE INTERACTIONS IN THE WEDDELL SEA USING DRIFTING BUOYS.
Ackley, S.F, 1981, No.131, Sea level, ice and climatic change proceedings of the symposium held 7-8 Dec 1979, edited by I. Allison, p.177-191, 23 refs
35-3029
SEA ICE, ATMOSPHERIC CIRCULATION, PACK ICE, ATMOSPHERIC PRESSURE, DRIFT, AIR TEMPERATURE, WIND FACTORS, WEDDELL SEA.
Air-dropped data buoys were placed on the Weddell Sea pack ice during December 1978 These buoys transmit information via the NIMBUS satellite giving data on their position, surface pressure, and surface temperature The velocities of four buoys during fall showed values up to 40 cm/s (35 km/day). The highest sustained velocities appear to coincide with sudden drops in air temperature. Schwerdtfeger (1979) has postulated a model of winds in the western Weddell Sea dominated by thermal rather than pressure gradient forces due to the damming of cold air from continental barrier and katabatic winds against the mountains of the Antarctic Peninsula. This model is examined to explain the drift rates associated with cold air outbreaks. (Auth)

MP 1428
DELINEATION AND ENGINEERING CHARACTERISTICS OF PERMAFROST BENEATH THE BEAUFORT SEA.
Sellmann, P.V., et al, Environmental assessment of the Alaskan continental shelf, Vol.4. Hazards. Principal investigators' annual reports for the year ending March 1980, Rockville, Md., U.S. National Oceanic and Atmospheric Administration, 1981, p.125-157, 14 refs.
Chamberlain, E.J., Delaney, A.J., Neave, K G.
35-3256
SUBSEA PERMAFROST, PERMAFROST DISTRIBUTION, BOTTOM SEDIMENT, DRILL CORE ANALYSIS, MAPPING, ENGINEERING, SEISMIC REFRACTION, WAVE PROPAGATION

MP 1429
LAKE CHAMPLAIN ICE FORMATION AND ICE FREE DATES AND PREDICTIONS FROM METEOROLOGICAL INDICATORS.
Bates, R.E., Eastern Snow Conference, 37th. Proceedings, Peterborough, Ontario, Canada, 1980, p.125-143, 10 refs. For another version of this paper see 34-1745.
35-3153
LAKE ICE, ICE FORMATION, ICE GROWTH, FREEZEUP, ICE BREAKUP, WEATHER FORECASTING, ICE FORECASTING, WATER TEMPERATURE, WIND VELOCITY, LANDSAT, NAVIGATION.
A 19-year record of annual closing and opening dates of the Lake Champlain ferry season was found to accurately approximate the freeze-over and breakup dates for the ferry crossing area between Gordon Landing, Vermont, and Cumberland Head, N Y These lake navigation records, when compared statistically with the lake's wintertime thermal structure and climatological data for the same years of at nearby Lake Champlain locations, allowed accurate predictions of ice formation From nearby air temperature records, cumulative freezing degree-day (C) curves were plotted for each year of record and ice formation dates and standard deviations were predicted with considerable accuracy Several methods of predicting ice formation on Lake Champlain were attempted The most accurate approach used a combination of water temperatures and freezing degree-days A method of predicting ice growth rates is shown and the influence of wind speed on ice cover formation and prediction on a large body of water such as this is also discussed.

MP 1430
NEW 2 AND 3 INCH DIAMETER CRREL SNOW SAMPLERS.
Bates, R.E., et al, Eastern Snow Conference, 37th. Proceedings, Peterborough, Ontario, Canada, 1980, p 199-200, 1 ref. Extended abstract
Rand, J H, Redfield, R
35-3163
SNOW SAMPLERS, ROOFS, SNOW LOADS, SNOW WATER EQUIVALENT, ICE LENSES

MP 1431
SEA ICE STUDIES IN THE WEDDELL SEA ABOARD USCGC POLAR SEA.
Ackley, S.F., et al, 1980, 15(5), p.84-96, 7 refs
Gow, A.J., Buck, K.R., Golden, K M
35-3188
SEA ICE, DRIFT, BIOMASS, WEDDELL SEA.
The purpose of this study was to investigate several characteristics of Weddell Sea pack ice that may affect the relative roles of dynamics and thermodynamics of pack ice development in this region The physical and structural properties of the pack ice were surveyed using core samples Significant amounts of frazil ice were found. If this formation of frazil ice is as widespread as suspected, then the role of deformation (the opening and closing of leads and polynyas) may have a greater role in the formation of Weddell Sea pack ice than similar processes do in the arctic pack Four data buoys were deployed The initial locations are shown, and the studies for which the buoy data will be used are discussed Observations during the cruise confirmed the ubiquitous presence of algae in nearly all forms of ice sampled and point to close links between pack ice formation and enhanced algal production

MP 1432
ABIOTIC COMPONENTS; INTRODUCTION.
Brown, J., Tundra ecosystems: a comparative analysis. Edited by L.C. Bliss, O.W. Heal and J.J. Moore. International biological programme, No.25. Cambridge University Press, 1981, p.79.
35-3377
ECOSYSTEMS, HYDROLOGY, CLIMATIC FACTORS, SOILS, SITE SURVEYS.

MP 1433
ANALYSIS OF PROCESSES OF PRIMARY PRODUCTION IN TUNDRA GROWTH FORMS.
Tieszen, L.L., et al, Tundra ecosystems: a comparative analysis. Edited by L.C. Bliss, O.W. Heal and J.J. Moore. International biological programme, No.25, Cambridge University Press, 1981, p.285-356, Refs. p.348-356.
35-3384
TUNDRA, BIOMASS, GROWTH, NUTRIENT CYCLE, WATER RESERVES, CLIMATIC FACTORS, SEASONAL VARIATIONS, SOIL TEMPERATURE, PHOTOSYNTHESIS.

MP 1434
POINT BARROW, ALASKA, USA.
Brown, J., Tundra ecosystems: a comparative analysis. Edited by L.C. Bliss, O.W. Heal and J.J. Moore. International biological programme, No.25, Cambridge University Press, 1981, p.775-776, 1 ref.
35-3400
TUNDRA, ECOSYSTEMS, VEGETATION, METEOROLOGICAL DATA, ANIMALS, ORGANIC SOILS, DECOMPOSITION, GEOMORPHOLOGY, UNITED STATES—ALASKA—BARROW.

MP 1435
HEAT TRANSFER IN COLD CLIMATES.
Lunardini, V.J., New York, Van Nostrand Reinhold Co., 1981, 731p., 35 refs.
35-3429
HEAT TRANSFER, MASS TRANSFER, PERMAFROST PHYSICS, TEMPERATURE EFFECTS, PHASE TRANSFORMATIONS, SOIL PHYSICS, STEFAN PROBLEM, GROUND ICE, SNOW PHYSICS, SOIL WATER, COLD WEATHER SURVIVAL, SOLAR RADIATION.

MP 1436
INVESTIGATION OF THE ACOUSTIC EMISSION AND DEFORMATION RESPONSE OF FINITE ICE PLATES.
Xirouchakis, P.C., et al, Offshore Technology Conference, 13th, Houston, Texas, May 4-7, 1981. Proceedings, Vol.3, 1981, p.123-133, 34 refs.
St. Lawrence, W.F.
35-3448
ICE CRACKS, ICE ELASTICITY, PLATES, ACOUSTIC MEASUREMENT, VISCOELASTICITY, CRACKING (FRACTURING), ICE CRYSTALS, FLEXURAL STRENGTH.
A procedure is described for monitoring the microfracturing of ice plates subjected to constant loads. Sample time records of fresh water ice plate deflections as well as corresponding total acoustic emission activities are presented The linear elastic as well as viscoelastic response for a simply supported rectangular ice plate is given In the present investigation acoustic emission methods are used to study the microfracturing activity in polycrystalline ice subjected to flexural loads. The relationship between acoustic emissions and the time dependent inelastic flexural deformation in ice is studied Furthermore, the influence of the magnitude of the applied load and the rate of deformation on cracking activity is explored.

MP 1437
SOME APPROACHES TO MODELING PHASE CHANGE IN FREEZING SOILS.
Hromadka, T.V., II, et al, Apr. 1981, 4(2), p.137-145, 11 refs.
Guymon, G.L., Berg, R.L.
35-3670
SOIL FREEZING, PHASE TRANSFORMATIONS, THERMAL REGIME, UNFROZEN WATER CONTENT, SOIL WATER, MATHEMATICAL MODELS.
Phase change effects associated with freezing soils dominate the thermal state of the soil regime. Furthermore, freezing of soil water influences the soil moisture regime by providing a moisture sink which tends to draw mobile soil moisture to freezing fronts. Consequently, it is critical to general purpose models that soil water phase change effects and the interrelated problem of estimating the moisture sink effects (i.e., conversion of liquid water to ice) be accurately modeled. The choice of such a model will not only influence the precision of simulated temperatures and water contents in a freezing soil, but will also have a significant impact on computational efficiency. A review of several current models that assume unfrozen water content is functionally related to subfreezing temperatures indicates that within a freezing soil the soil water flow model and heat transport model parameters are restricted in spatial gradients according to the spatial gradient of modeled unfrozen water content. A freezing soil model based on the concept of isothermal phase change of soil water is proposed as an alternative approach.

MP 1438
CYLINDRICAL PHASE CHANGE APPROXIMATION WITH EFFECTIVE THERMAL DIFFUSIVITY.
Lunardini, V.J., Apr. 1981, 4(2), p.147-154, 13 refs.
35-3671
PHASE TRANSFORMATIONS, FREEZE THAW CYCLES, THERMAL DIFFUSION, PERMAFROST HEAT BALANCE, LATENT HEAT, PIPES (TUBES), ANALYSIS (MATHEMATICS).
No exact, general, solution exists for phase change in a cylindrical geometry. In fact, even approximate solutions are rare and limited in applicability. The use of the effective thermal diffusivity concept has allowed a closed form approximate solution to be generated for phase change around a circular cylinder in an indefinite medium. The effective diffusivity method permits solutions to be found for phase change problems merely by solving the usually linear, zero latent heat problem analogous to the phase change problem. Phase change problems are often intractable with the usual mathematical methods. The cylindrical formulae given here are shown to be of acceptable accuracy, for most engineering purposes, over a wide range of parameters No other simple, closed form, approximation is known for the cylindrical system. Although the accuracy of the effective diffusivity method has been demonstrated for the cylindrical geometry, application to other geometries must be verified.

MP 1439
COASTAL-INLAND DISTRIBUTIONS OF SUMMER AIR TEMPERATURE AND PRECIPITATION IN NORTHERN ALASKA.
Haugen, R.K., et al, Nov. 1980, 12(4), p.403-412, 22 refs.
35-3196
TUNDRA, PRECIPITATION (METEOROLOGY), AIR TEMPERATURE, SHORES, LONG RANGE FORECASTING, WIND FACTORS, UNITED STATES—ALASKA—NORTH SLOPE.
Using data from summer air temperature stations from the inland tundra to the immediate coastal area, regression analyses of the air temperature data from 1975 to 1978 were used to predict temperature values across the Alaskan Arctic Coastal Plain based upon latitude and longitude. This provides the best approximation of average values based on existing data. Mean monthly temperature, mean daily range of temperature, and thawing-degree days all increase with distance from the coast. The estimated July normal for Atkasook, 48 km south of the coast, is 8.7 C, while the established 30-yr normal for Barrow, on the coast, is 3.7 C. The July average temperature 6 km due south of the open water of Prudhoe Bay is 2 C higher than on the immediate coast. Within the area under the dominant influence of the sea breeze, regression analyses suggest a more precise relationship between air temperature and distance along the prevailing wind vector (N75 E) than between temperature and distance due north to the sea.

MP 1440
MODELING NITROGEN TRANSPORT AND TRANSFORMATIONS IN SOILS: 1. THEORETICAL CONSIDERATIONS.
Selim, H.M., et al, Apr. 1981, 131(4), p.233-241, 24 refs. For Pt. 2 see 34-4080.
Iskandar, I.K.
35-4081
SOIL CHEMISTRY, NUTRIENT CYCLE, TRANSFORMATIONS, SOIL WATER, WATER FLOW, WASTE TREATMENT, WATER TREATMENT, MATHEMATICAL MODELS.
A numerical model was developed to simulate water and nitrogen transport and transformations through water-unsaturated, multilayered soil profiles The nitrogen transformation processes considered were nitrification, denitrification, immobilization, mineralization, and ionic exchange of ammonium. Plant uptakes of water and nitrogen were also included An explicit-implicit finite difference approximation method was used to solve the nitrogen transport and transformation equations simultaneously with the water flow equation. Model evaluation and sensitivity analysis for a wide range of values for the rate of nitrification, distribution coefficient for ammonium exchange, and rate of N uptake were investigated. (Auth.)

MP 1441
MODELING NITROGEN TRANSPORT AND TRANSFORMATIONS IN SOILS: 2. VALIDATION.
Iskandar, I.K., et al, May 1981, 131(5), p.303-312, 12 refs. For Pt. 1 see 35-4081.
Selim, H.M.
35-4080
SOIL CHEMISTRY, NUTRIENT CYCLE, TRANSFORMATIONS, WASTE TREATMENT, WATER TREATMENT, IONS, MODELS.
The nitrogen model described in Part 1 was evaluated using experimental data from a greenhouse lysimeter study for two soils, Windsor sandy loam and Charlton silt loam. Secondary treated waste water was applied to each soil at the rate of 3.8 centimeters twice weekly for 25 weeks. Furthermore, (15) N-enriched NH4 cation-N was applied, at the beginning of the experiment, in one waste water application. A mixture of grasses was grown on each lysimeter and was harvested every 2 to 4 weeks. Solution samples were collected and analyzed for N,and the soil water pressure head was monitored frequently at different soil depths. Model predictions agreed well with pressure head data with depth and time, as well as gravimetrically determined soil water content with depth for the two soils. (Auth. mod.)

MP 1442
ICE DISTRIBUTION AND WINTER SURFACE CIRCULATION PATTERNS, KACHEMAK BAY, ALASKA.
Gatto, L.W., International Geoscience and Remote Sensing Symposium (IGARSS'81), Washington, D.C., June 8-10, 1981. Digest, Vol.2, New York, Institute of Electrical and Electronics Engineers, 1981, p.995-1001, 6 refs.
35-3591
SEA ICE DISTRIBUTION, OCEAN CURRENTS, REMOTE SENSING, WIND FACTORS, LANDSAT, WINTER, SEASONAL VARIATIONS, UNITED STATES—ALASKA—KACHEMAK BAY.

MP 1443
INLET CURRENT MEASURED WITH SEASAT-1 SYNTHETIC APERTURE RADAR.
Shemdin, O.H., et al, Oct. 1980, 48(4), p.35-37, 4 refs.
Jain, A., Hsiao, S.V., Gatto, L.W.
35-3704
WATER INTAKES, WATER FLOW, RADAR ECHOES, MICROWAVES, VELOCITY.

MP 1444
EFFECTIVENESS OF LAND APPLICATION FOR PHOSPHORUS REMOVAL FROM MUNICIPAL WASTE WATER AT MANTECA, CALIFORNIA.
Iskandar, I.K., et al, Oct.-Dec. 1980, 9(4), p.616-621, 18 refs.
Syers, J.K.
35-3705
SOIL CHEMISTRY, WASTE DISPOSAL, WATER TREATMENT, IRRIGATION, WASTE TREATMENT.
The concentrations of dissolved inorganic phosphate (DIP) in soil solution collected at 0.8 and 1.6 m in soils which had received municipal waste water for 4 and 13 years ranged from 7.3 to 13.9 microgram P/ml. In some cases, these concentrations were higher than that in the added waste water. Sorption studies indicated that the ability of soils from the control site to remove added P from solution was low. Waste water addition caused a substantial decrease in the P sorption capacity of surface soils and a marked change in isotherm shape from a curvilinear to an essentially linear isotherm Sorption capacity generally increased down the profile to 60 cm on the treated sites Only a small proportion of the total P accumulated from waste water addition was in the organic form Large amounts of P were extractable by 0.01 M CaCl2, particularly in the upper 45 cm of the profiles receiving waste water. Although lack of crop removal of P and a high infiltration rate may be partly responsible for the poor performance of the Manteca system in terms of P removal from waste water, the very low P sorption capacity of the soil is regarded as the major factor.

MP 1445
MODELING HYDROLOGIC IMPACTS OF WINTER NAVIGATION.
Daly, S.F., et al, Specialty Conference Water Forum '81, San Francisco, Aug. 10-14, 1981. Proceedings. Vol.2, New York, American Society of Civil Engineers, 1981, p.1073-1080, 12 refs.
Weiser, J.R.
35-4166
ICE NAVIGATION, ICE LOADS, ICE BOOMS, ICE CONTROL, ICE JAMS, RIVER ICE, LAKE ICE, WATER LEVEL, WATER FLOW, MODELS.
This paper reports on a study undertaken to determine the hydrologic and hydraulic impacts of a proposed winter navigation demonstration program on the St Lawrence River The study assessed the impacts of modifying currently operational ice control booms on the levels and flows of Lake Ontario and the St Lawrence River at several locations to control ice jamming and subsequent adverse effects on the Moses-Saunders Power Dam. The study assumed that an ice control boom would be modified to allow vessel transits for winter navigation A one-dimensional hydraulic transient model that simulated water profiles and flows in the St Lawrence River under both open water and ice covered conditions was utilized to determine the impacts of the increased ice cover thickness downstream caused by this modification. (Auth. mod.)

MP 1446
SNOW REMOVAL EQUIPMENT.
Minsk, L.D., Handbook of snow: principles, processes, management and use. Edited by D.M. Gray and D.H. Male, Toronto, Pergamon Press, 1981, p.648-670, 11 refs.
35-3762
SNOW REMOVAL, EQUIPMENT, ROAD MAINTENANCE, WINTER MAINTENANCE.

MP 1447
APPLICATION OF REMOVAL AND CONTROL METHODS. SECTION 1: RAILWAYS; SECTION 2: HIGHWAYS; SECTION 3: AIRPORTS.
Minsk, L.D., et al, Handbook of snow: principles, processes, management and use. Edited by D.M. Gray and D.H. Male, Toronto, Pergamon Press, 1981, p.671-706, 24 refs.
Brohm, D R., Cohen, S., Hawkins, L.M.E.
35-3763
SNOW REMOVAL, ICE CONTROL, WINTER MAINTENANCE, ROAD MAINTENANCE, RAILROADS, AIRPORTS, BRIDGES, EQUIPMENT, WHITEOUT, SNOW FENCES, SANDING.

MP 1448
ICE CONTROL AT NAVIGATION LOCKS.
Hanamoto, B., Specialty Conference Water Forum '81, San Francisco, Aug. 10-14, 1981. Proceedings. Vol.2. New York, American Society of Civil Engineers, 1981, p.1088-1095.
35-4168
ICE CONTROL, ICE NAVIGATION, LOCKS (WATERWAYS), BUBBLING, TESTS.
A method for controlling ice at navigation locks is presented. A high-flow air screen placed across the entrance of a lock holds back ice floating downstream or pushed head of traffic. The analysis is based on low-flow bubbler systems. The applicability of this analysis to high-flow systems is examined by conducting laboratory tests. (Auth.)

MP 1449
ICE CONTROL ARRANGEMENT FOR WINTER NAVIGATION.
Perham, R.E., Specialty Conference Water Forum '81, San Francisco, Aug. 10-14, 1981. Proceedings. Vol.2, New York, American Society of Civil Engineers, 1981, p 1096-1103, 9 refs.
35-4169
ICE NAVIGATION, ICE CONTROL, RIVER ICE, ICE JAMS, ICE BOOMS, WATER LEVEL.
This paper presents a four-year summary of the main effects of the booms on ice and ship interaction and vice-versa. Throughout the four winter seasons, relatively small quantities of ice were lost over and between the booms Ships usually slid through without influencing the boom force levels, although, at times, the changes they wrought could be large. One boom needed strengthening and artificial islands were added for ice stability upstream. These devices and frequent icebreaker operations were able to compensate for the ice movement caused by winter navigation in this area

MP 1450
KINETIC NATURE OF THE LONG TERM STRENGTH OF FROZEN SOILS.
Fish, A.M., International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980 Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.95-108, 23 refs.
36-8
FROZEN GROUND STRENGTH, SOIL CREEP, STRESSES, SOIL TEXTURE, TRIAXIAL TESTS, RHEOLOGY, TEMPERATURE EFFECTS, ANALYSIS (MATHEMATICS).
Temperature dependencies of the failure activation energy of frozen soils in the temperature range from -0 55 to -20C were studied The analysis was based upon experimental data on the long-term failure of six frozen soils Manchester and Ottawa sands, Suffield and Bat-Bayoss clays, Hanover silt and Kelovey sandy loam The failure activation energy was expressed as a function of the rheological parameters of the long-term strength equation in the form of the sum of two components an initial value that is independent of failure stress and a stress-dependent increment of the activation energy The analysis showed that the initial value of the failure activation energy varied between the limits of 10 4 and 19 4 kcal/mole, the variation of stress-dependent increments was between 0 3 and 6 6 kcal mole, and the sum varied from 12 9 to 19.7 kcal mole The smaller initial and sum values of the activation energy refer to the clay soils and the greater values to the sandy soils

MP 1451
STRENGTH OF FROZEN SILT AS A FUNCTION OF ICE CONTENT AND DRY UNIT WEIGHT.
Sayles, F.H., et al, International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.109-119, 12 refs
Carbee, D.L.
36-9
FROZEN GROUND STRENGTH, GROUND WATER, WATER CONTENT, STRESS STRAIN DIAGRAMS, COMPRESSIVE PROPERTIES, GROUND ICE, LOADS (FORCES), GRAIN SIZE.
A total of 45 unconfined compression tests were conducted on frozen specimens of remolded, saturated Fairbanks silt at dry unit weights ranging from 993 to 1490 kilograms per cubic meter with total water contents ranging from 0.28 to 0 58. The rate of strain was 0 005/s. Using the criterion that the ice matrix in the soil fractures at the first point of significant yield shown in the stress-strain curve, which occurs at less than 0 01 strain in this study, the "ice matrix strength" is shown to be nearly proportional to the volumetric ice content of the soil for these tests. The strength at 0 2 strain appears to be nearly independent of the dry unit weight and water content of the soil.

MP 1452
OVERCONSOLIDATION EFFECTS OF GROUND FREEZING.
Chamberlain, E.J., International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.325-337, 10 refs.
36-27
SOIL FREEZING, CLAY SOILS, FREEZE THAW TESTS, FROZEN GROUND SETTLING, FROZEN GROUND STRENGTH, FROZEN GROUND MECHANICS, SOIL WATER MIGRATION, WATER CONTENT, STRESSES, DENSITY (MASS/VOLUME), SOIL STRUCTURE.
Settlement of clay soils after freezing and thawing is the result of the suction forces that draw pore water to the freezing front. These suction forces cause an increase in the effective stress on the clay beneath the freezing front, and thus cause an overconsolidation of the clay. As these suction forces often exceed 1 atmosphere, their direct measurement is not easy. The volume changes resulting from the freezing and thawing of clays are related to the plastic limit and have been observed in the laboratory to be as high as 25%. If provisions are not made to account for these volume changes in a ground freezing project, considerable damage to structures can occur from settlement and the resulting stresses.

MP 1453
STUDY OF THE CHOANOFLAGELLATES (ACANTHOECIDAE) FROM THE WEDDELL SEA, INCLUDING A DESCRIPTION OF *DIAPHANOECA MULTIANNULATA* N. SP.
Buck, K.R., Feb. 1981, 28(1), p.47-54, 20 refs.
36-454
SEA ICE, MICROBIOLOGY, MARINE BIOLOGY, ANTARCTICA—WEDDELL SEA.
Eight species of loricate choanoflagellates (Acanthoecidae) have been observed, by light and electron microscopy, in samples obtained from the Weddell Sea during the austral summer of 1977. The distribution of most species within the Weddell Sea was widespread. Habitats included the water column, the edge of (or ponds on) ice floes, and the interior of ice floes The distributional, environmental, habitat, and/or morphological range of all previously described species is expanded Methods of variation of transverse costal diameters between genera may be potentially useful to the understanding of taxonomy and phylogeny of this family. (Auth mod)

MP 1454
NUMERICAL SOLUTIONS FOR RIGID-ICE MODEL OF SECONDARY FROST HEAVE.
O'Neill, K., et al, International Symposium on Ground Freezing, 2nd, Trondheim, Norway, June 24-26, 1980. Preprints, Trondheim, University, Norwegian Institute of Technology, 1980, p.656-669, 10 refs.
Miller, R.D.
36-54
FROST HEAVE, GROUND ICE, SOIL FREEZING, ICE FORMATION, ICE LENSES, ANALYSIS (MATHEMATICS), TEMPERATURE EFFECTS.

MP 1455
ON THE ACOUSTIC EMISSION AND DEFORMATION RESPONSE OF FINITE ICE PLATES.
Xirouchakis, P.C., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, Québec, Canada, Université Laval, 1981, p.385-394, 15 refs.
St. Lawrence, W.F.
36-226
ICE ACOUSTICS, ICE CRACKS, FRACTURING, FLEXURAL STRENGTH, ICE LOADS, ICE CRYSTAL STRUCTURE, MICROSTRUCTURE, ICE DEFORMATION, STRESSES, STRAIN TESTS, ANALYSIS (MATHEMATICS).
In the present investigation acoustic emission methods are used to study the microfracturing activity in polycrystalline ice subjected to flexural loads Experimental results obtained in the laboratory indicate that the acoustic emissions recorded from ice are important in describing the deformation and fracture of ice.

MP 1456
DYNAMIC ICE-STRUCTURE INTERACTION ANALYSIS FOR NARROW VERTICAL STRUCTURES.
Eranti, E., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, Québec, Canada, Université Laval, 1981, p.472-479, 7 refs.
Haynes, F.D., Määttänen, M., Soong, T.T.
36-233
ICE SOLID INTERFACE, ICE MECHANICS, ICE LOADS, ICE PRESSURE, ICE STRUCTURE, DYNAMIC LOADS, PENETRATION TESTS, EXPERIMENTATION, FATIGUE (MATERIALS).
This paper describes a method of computing the ice force and response of the structure on the basis of information given for ice velocity and properties of ice and the structure. The method is a step-by-step procedure using mode shape analysis involving two basic phases During the first phase the structure penetrates into the ice sheet until a random loading rate dependent ice strength is reached The ice sheet then fails within an area with finite length. Both the penetration and the failed zone are assumed to depend linearly on force. The ice forces and structural responses have been computed for a test structure at the U.S. Army Cold Regions Research and Engineering Laboratory in Hanover, New Hampshire, and the results are found to be consistent with those actually measured in laboratory experiments.

MP 1457
SUMMER CONDITIONS IN THE PRUDHOE BAY AREA, 1953-75.
Cox, G.F.N., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, Québec, Canada, Université Laval, 1981, p.799-808, 9 refs.
Dihn, W.S.
36-262
SEA ICE DISTRIBUTION, ICE CONDITIONS, RADIOMETRY, SEASONAL VARIATIONS, PETROLEUM INDUSTRY, ICE BREAKUP, FREEZEUP.
Long-term, site-specific statistics on the summer ice conditions in the Harrison Bay-Camden Bay area are presented in probabilistic terms The statistics are based on twenty-three years of ice observations acquired by commercial ships and icebreakers, ice reconnaissance flights, and various satellites Data is given on breakup and freezeup dates, the first occurrence of open water, and the number of continuous and total open water days The impact of the summer ice conditions on petroleum activities in the study area are also briefly discussed

MP 1458
PRELIMINARY RESULTS OF ICE MODELING IN THE EAST GREENLAND AREA.
Tucker, W.B., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, Québec, Canada, Université Laval, 1981, p.867-878, 13 refs
Hibler, W.D., III
36-267
ICE MODELS, ICE PLASTICITY, STRESSES, DRIFT, THERMODYNAMICS, SEA ICE, BUOYANCY, VISCOSITY.
A sea ice model which employs a viscous-plastic constitutive law has been applied to the East Greenland area The model is run on a 40-km spatial scale at 1 4 day time steps for a 60-day period, using forcing data beginning 1 October 1979. Preliminary results verify that the model predicts reasonable thicknesses and velocities well within the ice margin Separate simulations show that thermodynamics only and free drift with thermodynamics produce inadequate results In particular, the free drift simulation produces unrealistic ice trajectories with excessive drift toward the coast and unreasonable nearshore thicknesses The net results of these simulations tend to verify that internal

ice stress, thermodynamics, and ice import must be considered to properly model this region.

MP 1459
POOLING OF OIL UNDER SEA ICE.
Kovacs, A., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, Québec, Canada, Université Laval, 1981, p.912-922, 15 refs.
Morey, R.M., Cundy, D.F., Dicoff, G.
36-271
OIL SPILLS, SEA ICE, ICE BOTTOM SURFACE, ICE COVER THICKNESS, PROFILES, RADAR ECHOES, ECHO SOUNDING, WATER POLLUTION, ENVIRONMENTAL IMPACT.
Ice thickness profiles were constructed for six fast ice locations in the vicinity of Prudhoe Bay, Alaska, using a radar echo sounding system. The sounding data revealed in detail the undulating relief of the bottom of the sea ice in which oil could pool up if released under the ice. In general, ice bottom morphology was found to reflect variation of the surface snow cover thickness and ice deformation. However, at several sites the ice bottom relief could not be correlated with these factors. Slush ice accumulations of up to 0.5 m were apparently the cause of this bottom roughness. Estimates of the volume of oil that could pool up in the ice bottom relief range from 20,000 to 60,000 cu m/sq km. For undeformed fast ice with no bottom slush ice growth, the potential pooling capacity varied from about 10,000 to 35,000 cu m/sq km. The effect of slush ice relief and structure on potential under-ice oil pooling is for the most part unknown.

MP 1460
SEA ICE PILING AT FAIRWAY ROCK, BERING STRAIT, ALASKA: OBSERVATIONS AND THEORETICAL ANALYSIS.
Kovacs, A., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, Québec, Canada, Université Laval, 1981, p.985-1000, 15 refs.
Sodhi, D.S.
36-276
SEA ICE, ICE PILEUP, ICE CONDITIONS, ICE FORMATION, PRESSURE RIDGES, REMOTE SENSING, LANDSAT, GROUNDED ICE, FLEXURAL STRENGTH, FLOATING ICE, ANALYSIS (MATHEMATICS), OFFSHORE STRUCTURES.
Information on sea ice conditions in the Bering Strait and the icefoot formation around Fairway Rock, located in the strait, is presented. Cross-sectional profiles of Fairway Rock and the relief of the icefoot are given along with theoretical analyses of the possible forces active during icefoot formation. It is shown that the ice cover most likely fails in flexure as opposed to crushing or buckling, as the former requires less force. Field observations reveal that the Fairway Rock icefoot is massive, with ridges up to 15 m high, a seaward face only 20 deg from vertical, and interior ridge slopes averaging 33 deg. The icefoot is believed to be grounded, and its width ranges from less than 10 to over 100 meters.

MP 1461
PLANETARY AND EXTRAPLANETARY EVENT RECORDS IN POLAR ICE CAPS.
Zeller, E.J., et al, Colloquium on Planetary Water, 3rd, Niagara Falls, New York, Oct 27-29, 1980. Proceedings, Buffalo, N.Y., State University of New York, [1980], p.18-27, 6 refs.
Parker, B.C., Gow, A.J.
36-565
ICE SHEETS, LAND ICE, GLACIER MASS BALANCE, PLANETARY ENVIRONMENTS, ATMOSPHERIC COMPOSITION, VOLCANIC ASH.
A curve of nitrate-N concentration, plotted from 1653 individual analyses from a 108 meter firn core drilled at South Pole Station in 1978-79, is presented. The most prominent feature of the background curve is the sharp drop in nitrate between 1650 and 1720, a period of unusually low solar activity. It is suggested that a comparison of this data with those of polar caps of other planets would make it possible to identify solar system-wide effects.

MP 1462
DISTINGUISHING CHARACTERISTICS OF DIAMICTONS AT THE MARGIN OF THE MATANUSKA GLACIER, ALASKA.
Lawson, D.E., 1981, Vol.2, p.78-84, 34 refs.
36-636
GLACIAL DEPOSITS, SUBGLACIAL DRAINAGE, MORAINES, SEDIMENT TRANSPORT.
The origins of diamictons deposited at the Matanuska Glacier are identified in stratigraphic sequences mainly by the presence or absence of a pebble fabric, internal structure, and variation in gravel-size clast distribution. These properties correlate with major differences in depositional mechanisms and source material. Melt-out till mostly inherits fabric, internal structure, and grain-size distribution from its debris-laden basal ice source. Sediment flow deposits and ice-slope colluvium (deposited by ablational slope processes) have properties developed by resedimentation mechanisms. Melt-out till ranges from structureless to stratified with interspersed lenses and discontinuous laminae, and generally possesses a well-defined pebble fabric.

MP 1463
ECOLOGICAL IMPACT OF WHEELED, TRACKED, AND AIR CUSHION VEHICLE TRAFFIC ON TUNDRA.
Abele, G., International Society for Terrain-Vehicle Systems International Conference, 7th, Calgary, Alberta, Aug. 16-20, 1981. Proceedings, Hanover, N.H., ISTVS, 1981, p.11-37, 19 refs.
36-760
TUNDRA, DAMAGE, ALL TERRAIN VEHICLES, TRACKED VEHICLES, ENVIRONMENTAL IMPACT, VEHICLE WHEELS, PLANT ECOLOGY.
Traffic tests were conducted on Alaskan tundra near Barrow in 1971. The impact of an air cushion vehicle is significantly less than that of a tracked or wheeled vehicle and is limited to whatever damage is done to the vegetation by skirt contact, the effects of cushion pressure and cushion air flow are insignificant. The impact of wheeled and tracked vehicles is influenced primarily by the type and geometry of tires or tracks, ground contact pressure, and the number of traffic passes.

MP 1464
SUBSEA TRENCHING IN THE ARCTIC.
Mellor, M., International Society for Terrain-Vehicle Systems. International Conference, 7th, Calgary, Alberta, Aug. 16-20, 1981. Proceedings, Hanover, N.H., ISTVS, 1981, p.843-882, Refs. p.873-875.
36-768
TRENCHING, OCEAN BOTTOM, BOTTOM SEDIMENT, PIPELINES, ICE SCORING, PRESSURE RIDGES, ICEBERGS.
Environmental conditions are described for the continental shelf of the western Arctic, and for the shelf of Labrador and Newfoundland. Special emphasis is given to the gouging of bottom sediments by ice pressure ridges and icebergs, and an approach to systematic risk analysis is outlined. Protection of subsea pipelines and cables by trenching and direct embedment is discussed, touching on burial depth, degree of protection, and environmental impact. Conventional land techniques can be adapted for trenching across the beach and through the shallows, but in deeper water special equipment is required.

MP 1465
MORPHOLOGICAL INVESTIGATIONS OF FIRST-YEAR SEA ICE PRESSURE RIDGE SAILS.
Tucker, W.B., et al, 1981, Vol.5, p.1-12, 16 refs.
Govoni, J.W.
36-811
PRESSURE RIDGES, SEA ICE, ICE STRUCTURE, ICE COVER THICKNESS, OFFSHORE STRUCTURES, ICE PRESSURE, ICE STRENGTH.

MP 1466
COLD WEATHER CONSTRUCTION MATERIALS; PART 2—REGULATED-SET CEMENT FOR COLD WEATHER CONCRETING, FIELD VALIDATION OF LABORATORY TESTS.
Houston, B.J., et al, Sep. 1981, C-75-11, 33p.
Hoff, G.C.
36-1028
CONSTRUCTION MATERIALS, WINTER CONCRETING, CONCRETE STRENGTH, CEMENTS, CONCRETE PLACING, CONCRETE AGGREGATES, TEMPERATURE EFFECTS, TESTS.

MP 1467
SURFACE DISTURBANCE AND PROTECTION DURING ECONOMIC DEVELOPMENT OF THE NORTH.
Brown, J., et al, Novosibirsk, Nauka, 1981, 88p., In Russian with English table of contents enclosed. Refs. p.59-80.
Grave, N.A.
36-1009
PERMAFROST PRESERVATION, HUMAN FACTORS, DAMAGE, OIL SPILLS, PERMAFROST DISTRIBUTION.

MP 1468
SEA ICE: THE POTENTIAL OF REMOTE SENSING.
Weeks, W.F., Fall 1981, 24(3), p.39-48.
36-1047
SEA ICE, LAKE ICE, ICE PHYSICS, REMOTE SENSING, SPACEBORNE PHOTOGRAPHY.

MP 1469
MODELING OF ANISOTROPIC ELECTROMAGNETIC REFLECTIONS FROM SEA ICE.
Golden, K.M., et al, Sep 20, 1981, 86(C9), p.8107-8116, 17 refs.
Ackley, S.F.
36-1089
SEA ICE, ICE SALINITY, ELECTROMAGNETIC PROPERTIES, ANISOTROPY.
The contribution of brine layers to observed reflective anisotropy of sea ice at 2100 MHz is quantitatively assessed, and a theoretical explanation for observed reflective anisotropy is proposed in terms of anisotropic electric flux penetration into the brine layers. The sea ice is assumed to be a stratified dielectric consisting of prue ice containing ellipsoidal conducting inclusions (brine layers) uniformly aligned with their long axes perpendicular to the preferred crystallographic c axis direction. The asymmetrical geometry of the brine layers is shown to produce an anisotropy in the complex dielectric constant of sea ice. The contribution of these layers to the reflective anisotropy is examined with a numerical method of approximating the reflected power of a radar pulse incident on a slab of sea ice. (Auth mod.)

MP 1470
INTEGRAL TRANSFORM METHOD FOR THE LINEARIZED BOUSSINESQ GROUNDWATER FLOW EQUATION.
Daly, C.J., et al, Aug. 1981, 17(4), p.875-884, 10 refs.
Morel-Seytoux, H.J.
36-1123
GROUND WATER, WATER FLOW, MATHEMATICAL MODELS, SOIL WATER.
An analytical procedure is developed for the determination of potentiometric head in nonhomogeneous aquifers. Both steady and unsteady flow conditions are considered. The analytical procedure is based upon the use of orthogonal functions. It consists essentially of assuming an appropriate orthogonal series for both the aquifer properties and the unknown potentiometric head. The technique is applied to several one- and two-dimensional flow problems where conditions are described by the linearized Boussinesq equation. The result of the analysis is the expression of potentiometric heads in analytic form. Subsequent use of Darcy's law yields accurate, analytic equations for the associated velocity fields. Such representations of the flow field are a potential benefit for prediction of mass transport in groundwater since velocity is known as a continuous function of space and time. Other useful features of the orthogonal series approach include its straightforward application. The approach is also shown to eliminate the introduction of discretization errors associated with the use of node systems which are required by many alternative numerical methods.

MP 1471
WATERSHED MODELING IN COLD REGIONS: AN APPLICATION TO THE SLEEPERS RIVER RESEARCH WATERSHED IN NORTHEASTERN VERMONT.
Stokely, J.L., Hanover, N.H., Dartmouth College, June 1980, 241p., M.E. thesis. Refs. p.175-192.
36-1275
WATERSHEDS, SNOWMELT, RUNOFF, FROZEN GROUND, SOIL WATER, STREAM FLOW, SNOW ACCUMULATION, ABLATION, MODELS, COMPUTER APPLICATION, HYDROLOGY, FLOODS.

MP 1472
DISTORTION OF MODEL SUBSURFACE RADAR PULSES IN COMPLEX DIELECTRICS.
Arcone, S.A., Sep.-Oct. 1981, 16(5), p.855-864, 19 refs.
36-1864
SEA ICE, GROUND ICE, ICE ELECTRICAL PROPERTIES, RADAR ECHOES, SUBSURFACE INVESTIGATIONS, WAVE PROPAGATION, ELECTRIC FIELDS, MATHEMATICAL MODELS, DIELECTRIC PROPERTIES.
The propagation of subsurface radar pulses in complex dielectric media is studied numerically. The model waveform is a 10-ns sinusoidal cycle, and the media properties are similar to those of moist ground or sea ice. When the real part of the dielectric permittivity is frequency independent and the imaginary part is dominated by the dc resistivity, amplitudes of the positive and negative half cycles unbalance, and the sinusoidal zero crossing is delayed from its normal position. In these cases, if reflector depth is known, the dielectric constant can be measured from the time delay of the leading edge of the signal, and the dc resistivity can be estimated from a comparison of the input and output pulse power spectra. When dielectric permittivity is frequency dependent through a simple relaxation process, waveform distortion depends on relaxation frequency. In addition, if reflector depth is known, the dielectric relaxation parameters may be estimated when the medium relaxation frequency lies above and below the major portion of the pulse bandwidth, respectively.

MP 1473
SNOW MEASUREMENTS IN RELATION TO VEHICLE PERFORMANCE.
Harrison, W.L., July, 1981, No.81-16, p.13-24, ADA-106 972, 2 refs.
36-1392
SNOW COMPRESSION, VEHICLES, TRACTION, SNOW DEPTH, SNOW DRIFT, SNOW CRYSTAL STRUCTURE, SNOW DENSITY, SNOW COVER EFFECT.

MP 1474
APPLICATION OF ENERGETICS TO VEHICLE TRAFFICABILITY PROBLEMS.
Brown, R.L., July, 1981, No.81-16, p.25-38, ADA-106 972, 8 refs.
36-1393
SNOW COVER EFFECT, TRACTION, VEHICLES, TRAFFICABILITY, SNOW DENSITY, SNOW COMPACTION.

MP 1475
PREDICTION METHODS.
Harrison, W.L., July, 1981, No.81-16, p.39-46, ADA-106 972.
36-1394
SNOW COVER EFFECT, TRACTION, VEHICLES, TRAFFICABILITY, SNOW STRENGTH, FORECASTING, MATHEMATICAL MODELS, SNOW DEPTH, VEHICLE WHEELS, TRACKED VEHICLES.

MP 1476
FIELD INVESTIGATIONS.
Harrison, W.L., July, 1981, No.81-16, p.47-48, ADA-106 972.
36-1395
SNOW COVER EFFECT, TRACTION, VEHICLES, TRAFFICABILITY, TESTS.

MP 1477
ANALYSIS OF VEHICLE TESTS AND PERFORMANCE PREDICTIONS.
Berger, R.H., et al, July, 1981, No.81-16, p 51-67, ADA-106 972.
Brown, R.L., Harrison, W.L., Irwin, G.S.
36-1396
SNOW STRENGTH, VEHICLES, TRACTION, SHEAR STRESS, LOADS (FORCES), SNOW COMPACTION, TESTS, SNOW DEPTH, FORECASTING, ANALYSIS (MATHEMATICS).

MP 1478
SHALLOW SNOW TEST RESULTS.
Harrison, W.L., July, 1981, No.81-16, p.69-71, ADA-106 972.
36-1397
SNOW DEPTH, SNOW COVER EFFECT, VEHICLES, TRACTION, TRAFFICABILITY, SHEAR STRESS, TESTS.

MP 1479
OBSERVATIONS OF CONDENSATE PROFILES OVER ARCTIC LEADS WITH A HOT-FILM ANEMOMETER.
Andreas, E.L., et al, 1981, Vol.107, p.437-460, Refs. p.457-460.
Williams, R.M., Paulson, C.A.
36-1199
POLYNYAS, PACK ICE, PROFILES, DROPS (LIQUIDS), TURBULENT EXCHANGE, WATER TEMPERATURE, TEMPERATURE GRADIENTS, CONDENSATION, ANEMOMETERS. ANALYSIS (MATHEMATICS).

MP 1480
THERMAL ENERGY AND THE ENVIRONMENT.
Crosby, R.L., et al, Hanover, N.H., U.S. Army Cold Regions Research and Engineering Laboratory, Nov. 1975, 3p. + 2p. figs., Presented at Energy and Environment Conference, Dallas, Texas.
Aamot, H.W.C., Wright, E.A.
36-1422
HEAT SOURCES, HEAT LOSS, THERMAL EFFECTS, THERMAL POLLUTION, ENVIRONMENTAL IMPACT, COLD WEATHER CONSTRUCTION, POLAR REGIONS.

MP 1481
INLET CURRENT MEASURED WITH SEASAT-1 SYNTHETIC APERTURE RADAR.
Shemdin, O.H., et al, Oct 1980, 48(4), p.35-37, 4 refs
Jain, A., Hsiao, S.V., Gatto, L.W.
36-1430
WATER INTAKES, OCEAN CURRENTS, REMOTE SENSING, AIRBORNE RADAR, MICROWAVES.

MP 1482
COMPARISON OF THERMAL OBSERVATIONS OF MOUNT ST. HELENS BEFORE AND DURING THE FIRST WEEK OF THE INITIAL 1980 ERUPTION.
St. Lawrence, W.F., et al, Sep. 26, 1980, Vol.209, p.1526-1527, 11 refs.
Qamar, A., Moore, J., Kendrick, G.
36-1549
THERMAL REGIME, VOLCANOES, TEMPERATURE MEASUREMENT, INFRARED RECONNAISSANCE, MOUNTAINS, VOLCANIC ASH, UNITED STATES—WASHINGTON—MOUNT SAINT HELENS.

MP 1483
RESULTS FROM A MATHEMATICAL MODEL OF FROST HEAVE.
Guymon, G.L., et al, 1981, No.809, p.2-6, 13 refs.
Berg, R.L., Johnson, T.C., Hromadka, T.V., II.
36-1729
FROST HEAVE, HEAT TRANSFER, SOIL WATER MIGRATION, FROST PENETRATION, TEMPERATURE EFFECTS, MATHEMATICAL MODELS.
A one-dimensional model for simulation of frost heave in a vertical soil column is presented. The model is based on simultaneous computation of heat and moisture transport in a freezing or thawing soil. Thermal processes at the freezing front are approximated by a lumped isothermal approach. The model accurately simulates frost heave, soil pore-water pressures, and temperatures when compared with a laboratory freezing column; however, to achieve adequate correlation certain model parameters must be determined by calibration. Because the model, like the frost-heave process itself, is highly sensitive to environmental and soil parameters that are variable in both time and space, purely deterministic simulations will not provide sufficiently accurate predictions. Consequently, further development of the model is required in order to include a statistical-probabilistic approach for estimating frost heave within specified confidence limits.

MP 1484
EFFECT OF FREEZING AND THAWING ON RESILIENT MODULUS OF A GRANULAR SOIL EXHIBITING NONLINEAR BEHAVIOR.
Cole, D.M., et al, 1981, No 809, p.19-26, 15 refs.
Irwin, L.H., Johnson, T.C.
36-1732
FREEZE THAW CYCLES, SUBGRADE SOILS, SOIL STRENGTH, SOIL FREEZING, GROUND THAWING, ELASTIC PROPERTIES, STRESSES, DENSITY (MASS/VOLUME), SOIL TEMPERATURE.
Freeze-thaw cycles experienced in areas of seasonal frost can cause wide variations in the supporting capacity of subgrade materials. The U.S. Army Cold Regions Research and Engineering Laboratory is currently engaged in a program to assess these variations in a number of soils used in roadway and airfield construction. The complete testing and analysis procedure for one of these test soils is presented.

MP 1485
SIMULATING FROST ACTION BY USING AN INSTRUMENTED SOIL COLUMN.
Ingersoll, J., et al, 1981, No.809, p 34-42, 6 refs.
Berg, R.L.
36-1734
FROST ACTION, FROZEN GROUND MECHANICS, FREEZE THAW TESTS, SOIL WATER, SOIL TEMPERATURE, WATER CONTENT, MATHEMATICAL MODELS.
The use of an instrumented soil column in tests to develop a mathematical model of the frost-heave process is described. Tensiometers, heat-flow meters, thermocouples, and electrical resistivity gages were installed throughout a soil column filled with Fairbanks silt, Chena Hot Springs silt, or West Lebanon gravel. The column was 100 cm long and about 14 cm in diameter. An open system was used and absorption was monitored during the freezing process. Tests were conducted by using a constant rate of frost penetration, a constant heat-flow rate, or three sequentially lower temperature step changes at the soil surface. The soil column has provided critical data for verification of a one-dimensional mathematical model for estimating frost heave. As more soils are tested, this equipment will assist in improving and developing algorithms for the mathematical model and the most critical parameters that affect frost heave in a given soil-e.g., surcharge, free water level, and hydraulic conductivity. A procedure is also presented for determining the saturated and unsaturated hydraulic conductivity and moisture-retention characteristics of a soil.

MP 1486
COMPARATIVE EVALUATION OF FROST-SUSCEPTIBILITY TESTS.
Chamberlain, E.J., 1981, No.809, p.42-52, 89 refs.
36-1735
SOIL FREEZING, SOIL WATER, FROST RESISTANCE, FROST HEAVE, GROUND ICE, FREEZE THAW TESTS, FROST ACTION, GRAIN SIZE, PARTICLE SIZE DISTRIBUTION.
Methods of determining the frost susceptibility of soils are identified and presented. More than 100 criteria were found, the most common were based on particle-size characteristics. These particle size criteria are frequently augmented by information such as grain-size distribution, uniformity coefficients, and Atterberg limits. Other types of information, such as permeability, mineralogy, and soil classification, have also been required. More complex methods that require tests based on pore-size distribution, moisture tension, hydraulic conductivity, heave stress, and frost heave have also been proposed. However, none has proved to be a universal test for determining the frost susceptibility of soils. Based on this survey, four methods are proposed for further study: the U.S. Army Corps of Engineers Frost-Susceptibility Classification Systems, the moisture-tension/hydraulic-conductivity test, a new frost-heave test, and the California bearing ratio after-thaw test.

MP 1487
SIMULATION OF THE ENRICHMENT OF ATMOSPHERIC POLLUTANTS IN SNOW COVER RUNOFF.
Colbeck, S.C., Oct. 1981, 17(5), p.1383-1388, 17 refs.
36-1887
AIR POLLUTION, SNOW IMPURITIES, RUNOFF, MELTWATER, WATER POLLUTION, SNOW MELTING, FREEZE THAW CYCLES, SOLUBILITY, SNOW DEPTH.
The soluble impurities contained in a snow cover can be concentrated as much as five fold in the first fractions of snowmelt runoff. In addition, daily impurity surges are possible. Melt-freeze cycles concentrate the impurities in the lower portion of the snow cover, hence preparing the impurities for rapid removal. Environmental damage can occur due to the concentration and rapid release of atmospheric pollutants from the snow, especially in areas of 'acid precipitation'. The enrichment of the soluble impurities is explained and the results of laboratory experiments are given.

MP 1488
TESTS OF FRAZIL COLLECTOR LINES TO ASSIST ICE COVER FORMATION.
Perham, R.E., Dec. 1981, 8(4), p.442-448, With French summary. 1 ref.
36-1866
FRAZIL ICE, ICE FORMATION, ICE ACCRETION, ICE GROWTH, WATER FLOW, ICE COVER STRENGTH, RIVER ICE, NUCLEATING AGENTS, ICE BOOMS.
A preliminary investigation was made of the effect of frazil ice on arrays of lines positioned in flowing water under winter conditions. It was found that the lines would provide a stable basis for forming an ice cover on many stream reaches that would normally remain open because of high velocity and shallow depths. Tests were conducted in a refrigerated flume and in small mountain rivers. Flume depths varied from 2-22 cm and river depths varied from 33-50 cm. Average flow velocities had a range of 0.08-0.04 m/s in the flume and a range of 0.6-0.8 m/s in the rivers. Frazil ice would grow on a line quite rapidly achieving a diameter of 32 mm in 15 min, on a 3.2 mm dia line in the flume. In the river, overnight accumulations reached 20 cm in depth. A few drag force measurements were made which yielded an average shear drag coefficient of 0.16. The results suggest methods of increasing our control over ice.

MP 1489
ONE-DIMENSIONAL TRANSPORT FROM A HIGHLY CONCENTRATED, TRANSFER TYPE SOURCE.
O'Neal, K., 1982, 25(1), p.27-36, With French, German and Russian summaries. 27 refs.
36-1863
HEAT TRANSFER, MASS TRANSFER, FLOW RATE, ANALYSIS (MATHEMATICS).
In both heat and mass transfer, situations arise in which an entity considered as a source/sink has strength which can only be expressed in terms of an unknown rate of source-flow field transfer. This occurs when transfer between the source and medium is driven by a dependent variable difference which is unknown, because the responding medium value is unknown. Manifold mathematical complexities arise when in addition the source is highly concentrated spatially relative to the size of the overall domain. A 1-dim convective-diffusive transport equation suitable for this cause may be solved by simultaneous use of the Fourier transform and its inverse in the same equation, together with other transformation and manipulation. From the solution obtained for the case of constant source intensity, one may construct a general expression for the solution when source intensity varies arbitrarily in time. Explicit expressions are obtained for solution of the fundamental case of temporally sinusoidal source intensity.

MP 1490
SMALL CALIBER PROJECTILE PENETRATION IN FROZEN SOIL.
Richmond, P.W., July 1980, 4(3), p.801-823, 11 refs.
36-1820
PROJECTILE PENETRATION, FROZEN GROUND STRENGTH, IMPACT STRENGTH.

MP 1491
REMOTE SENSING OF WATER QUALITY USING AN AIRBORNE SPECTRORADIOMETER.
McKim, H.L., et al, International Symposium on Remote Sensing of the Environment, 14th, San Jose, Costa Rica, Apr. 23-30, 1980. Proceedings, [1980], p.1353-1362, 6 refs.
Merry, C.J., Layman, R.W.
36-1886
WATER CHEMISTRY, REMOTE SENSING, SUSPENDED SEDIMENTS, SPECTROSCOPY, RADIOMETRY, AIRBORNE EQUIPMENT.
An airborne spectroradiometer with 500 parallel channels has been used to monitor water quality in various water environments. Field experiments were run to test and evaluate the instrument's response to various amounts of suspended materials in water. Procedures were evaluated in the laboratory to separate the various components from the total reflected radiance and to correlate the spectral distribution of the subsurface reflectance to the organic/inorganic materials in the water. It was concluded that qualitative and quantitative measurement of turbidity within a water body is possible using the airborne spectroradiometer. The accuracy of the quantitative measurement is still under investigation, but suspended sediment concentration of less than 5 ppm can be detected. Organic and inorganic constituents can be qualitatively differentiated

MP 1492
FULL-DEPTH AND GRANULAR BASE COURSE DESIGN FOR FROST AREAS.
Eaton, R.A., et al, Jan. 1982, 108(TE1), p.27-39, 13 refs.
Payne, J.O., Jr.
36-2081
FROST PENETRATION, SUBGRADE SOILS, PAVEMENTS, BEARING STRENGTH, FREEZE THAW CYCLES, FROST HEAVE, SOIL STRENGTH, SOIL WATER, FREEZING INDEXES, DESIGN CRITERIA, DYNAMIC LOADS, DEFORMATION.
When properly designed and constructed, the Asphalt Institute full-depth pavement concept can be a viable design alternative for seasonal frost areas. The Corps of Engineers reduced subgrade strength frost design proved to be an upper bound or conservative design under these test conditions. For each design, two different thicknesses were studied in test sections placed over 12 in. of prepared subgrade and tested under light traffic conditions in Hanover, New Hampshire. After design traffic loading was exceeded, pavement failure occurred as expected in the thinner full-depth section. The thinner reduced subgrade strength section was still in good condition after experiencing twice its design loading. Frost penetrations, pavement n-factors (surface transfer coefficients), Benkelman Beam deflections, and the spring subgrade moisture contents are also compared for the two designs

MP 1493
CONTINUOUSLY DEFORMING FINITE ELEMENTS FOR THE SOLUTION OF PARABOLIC PROBLEMS, WITH AND WITHOUT PHASE CHANGE.
Lynch, D.R., et al, 1981, Vol.17, p.81-96, 27 refs.
O'Neill, K.
36-2159
FREEZE THAW CYCLES, STEFAN PROBLEM, LIQUID SOLID INTERFACES, LATENT HEAT, BOUNDARY VALUE PROBLEMS, PHASE TRANSFORMATIONS, HEAT TRANSFER, TEMPERATURE EFFECTS, ANALYSIS (MATHEMATICS).

MP 1494
APPROXIMATE SOLUTION TO NEUMANN PROBLEM FOR SOIL SYSTEMS.
Lunardini, V.J., et al, Mar. 1981, 103(1), p.76-81, 12 refs.
Varotta, R.
36-2256
SOIL TEMPERATURE, HEAT BALANCE, FREEZE THAW CYCLES, BOUNDARY LAYER, PHASE TRANSFORMATIONS, THERMAL PROPERTIES, TEMPERATURE EFFECTS, ANALYSIS (MATHEMATICS).
An approximate solution to the Neumann problem has been obtained by using the heat balance integral method The accuracy of the solution is shown to be very good for all practical soil system cases The thermal properties of soil systems are also expressed in terms of only the liquid volumetric fraction and combine with the approximate solution to give a rapid, accurate solution for freeze thaw problems without using graphs, tables, or transcendental equations. A simple relation is also given for the analogous problem in cylindrical coordinates, but its range of validity is somewhat limited

MP 1495
ACOUSTIC EMISSIONS DURING CREEP OF FROZEN SOILS.
Fish, A.M., et al, 1982, No.750, p.194-206, 18 refs.
Sayles, F.H.
36-2402
FROZEN GROUND PHYSICS, FROZEN GROUND STRENGTH, SOIL CREEP, ACOUSTICS, RHEOLOGY, STRESSES, COMPRESSIVE PROPERTIES, SOIL FREEZING, DEFORMATION.
Deformation, time-dependent failure, and acoustic emissions during unconfined compression tests of frozen Fairbanks silt were studied. Acoustic emissions (AE) are detected when the applied stress exceeds a threshold level. This threshold stress is related to the limit of long-term strength of the frozen soil. Under stress exceeding the limit of the long-term strength, the accumulation of acoustic emissions with time can be correlated with creep deformation, that is, plots of the cumulative number of acoustic pulses versus time have shapes similar to those of creep curves with primary, secondary, and tertiary stages. Such correspondence made it possible to describe both phenomena from the viewpoint of the unified kinetic theory of strength. Experimental data are presented, and unified constitutive equations describing deformations, time-dependent failure, and the accumulation of the acoustic emissions during short-term creep of frozen soils are derived. The time to incipient failure, when the AE rate reaches a minimum, is considered to be the most important characteristic of a creep process. It is shown that this time can be predicted theoretically if the parameters of the AE process and the stress state of the frozen soil are known.

MP 1496
PHASE CHANGE AROUND INSULATED BURIED PIPES: QUASI-STEADY METHOD.
Lunardini, V.J., Sep. 1981, Vol.103, p.201-207, 13 refs.
36-2401
FREEZE THAW TESTS, UNDERGROUND PIPELINES, HEAT TRANSFER, STEFAN PROBLEM, PHASE TRANSFORMATIONS, PIPELINE INSULATION, THERMAL INSULATION, ANALYSIS (MATHEMATICS).
The heat transfer problem for cylinders embedded in a medium with variable thermal properties cannot be solved exactly if phase change occurs. Approximate solutions have been found using the quasi-steady method. The temperature field, phase change location, and pipe surface heat transfer can be estimated using graphs presented for parametric ranges of temperature, thermal properties, burial depth, and insulation thickness The accuracy of the graphs increases as the Stefan number decreases and they should be of particular value for insulated hot pipes or refrigerated gas lines.

MP 1497
HIGHLY EFFICIENT, OSCILLATION FREE SOLUTION OF THE TRANSPORT EQUATION OVER LONG TIMES AND LARGE SPACES.
O'Neill, K., Dec. 1981, 17(6), p.1665-1675, 28 refs
36-2428
SOLUTIONS, FLUID FLOW, DIFFUSION, CONVECTION, TIME FACTOR, ANALYSIS (MATHEMATICS).

MP 1498
VENTING OF BUILT-UP ROOFING SYSTEMS.
Tobiasson, W., Conference on Roofing Technology, 6th, Gaithersburg, MD, Apr. 30-May 1, 1981. Proceedings, 1981, p.16-21, 12 refs.
38-3981
ROOFS, VENTILATION, THERMAL INSULATION, MOISTURE, DRYING, DRAINS, VAPOR BARRIERS.
Table I summarizes the information presented in this paper The following rules of thumb are offered. 1. Bituminous built-up membranes should be vented during construction to allow excess moisture to dissipate. 2. Do not rely on venting above wet-applied decks or wet-applied insulations to dry them 3 Allow wet-applied decks and wet-applied insulations to dry into the space below 4. To make roofing systems less vulnerable to moisture problems avoid using moisture-sensitive materials for the bottom ply of a membrane 5 There is no reason to vent the insulation of a roof lacking a vapor retarder. In fact, venting such roofs may do more thermal and moisture harm than good 6 When a vapor retarder is required, focus money and efforts that might be spent on vents to improving the quality of the vapor retarder 7 Do not expect to be able to encapsulate insulation in a vapor tight, pressurizable envelope Consequently, do not worry too much about creating excess pressures within the roofing system (except within the membrane itself) 8 Do not expect to be able to dry out wet insulation in compact roofs by venting 9 Some drying of wet fibrous glass insulation is possible by draining away water

MP 1499
CRREL FROST HEAVE TEST, USA.
Chamberlain, E.J., et al, Nov. 1981, No.22, p.55-62, 7 refs.
Carbee, D.L.
36-2480
FROST RESISTANCE, SOIL FREEZING, FROST HEAVE, MEASURING INSTRUMENTS, TEMPERATURE EFFECTS, TESTS.
The CRREL frost heave test for determining the frost susceptibility of soils and granular base materials is described. The CRREL test is conducted with a constant rate of frost penetration of 1 3 cm/day with water freely avaible. The frost susceptibility classification system is based on the average rate of heave for 12 days. A summary of nearly 400 tests is given to show the wide range of results for similar materials A summary of the U.S. Army Corps of Engineers Frost Design Classification System is also given to show for what materials the frost heave test is required.

MP 1500
OVERVIEW OF SEASONAL SNOW METAMORPHISM.
Colbeck, S.C., Feb. 1982, 20(1), p.45-61, 43 refs., Presented at the U.S.-Canadian Workshop on the Properties of Snow, Snowbird, Utah, April 8-10, 1981.
36-2533
SNOW PHYSICS, METAMORPHISM (SNOW), SNOW COVER STRUCTURE, SNOW WATER CONTENT.
The grains in seasonal snow undergo rapid and radical transformations in size, shape, and cohesion. These grain characteristics affect all of the basis properties of snow. Snow is characterized as either wet or dry depending on the presence of liquid water. Wet snow is markedly different at low and high liquid contents. Dry snow is characterized as either an equilibrium form or a kinetic growth form; that is, it is either well rounded or faceted. Of course, many snow grains display either transitional features between two of these categories or features which arise from other processes. Snow is classified depending on the dominant processes of its metamorphism

MP 1501
PREDICTION OF ICE GROWTH AND CIRCULATION IN KACHEMAK BAY, BRADLEY LAKE HYDROELECTRIC PROJECT.
Daly, S.F., Bradley Lake Hydroelectric Project, Alaska; environmental impact statement—Appendixes. Anchorage, U.S. Army Corps of Engineers, March 1982, p.(C)1-(C)9.
36-2575
ICE GROWTH, OCEAN CURRENTS, SEA ICE DISTRIBUTION, ENVIRONMENTAL IMPACT, ELECTRIC POWER, SUSPENDED SEDIMENTS, UNITED STATES—ALASKA—KACHEMAK BAY.

MP 1502
HISTORICAL SHORELINE CHANGES ALONG THE OUTER COAST OF CAPE COD.
Gatto, L.W., Environmental geologic guide to Cape Cod National Seashore. Edited by S.P. Leatherman, Amherst, University of Massachusetts, 1979, p.69-90, 9 refs.
36-2573
SHORELINE MODIFICATION, SHORE EROSION, PHOTOINTERPRETATION, WATER LEVEL, AERIAL SURVEYS, HISTORY.
The objectives of this investigation were to analyze past patterns of shoreline change, estimate the amounts of change in the positions of the high water line and sea cliff break and base, and estimate rates of accretion and erosion Distances from selected reference points to the high water line, cliff break, and cliff base were measured using photointerpretation techniques on black and white 9 x 9 in aerial photographs acquired in 1938, 1952, 1971 and 1974. The amounts and rates of change are calculated for the intervals between the dates of photo acquisition and for the total period from 1938 to 1974

MP 1503
HISTORICAL SHORELINE CHANGES AS DETERMINED FROM AERIAL PHOTOINTERPRETATION.
Gatto, L.W., Remote Sensing Symposium, Reston, Va, Oct 29-31, 1979. Proceedings. U.S. Army Corps of Engineers, [1980], p.167-170.
36-2577
SHORELINE MODIFICATION, SHORE EROSION, PHOTOINTERPRETATION, AERIAL SURVEYS, PHOTOGRAMMETRY.
The protection and preservation of shorelines and coastal areas along oceans, lakes, reservoirs and rivers have become increasingly important with more intensive use and development of these areas by the growing population Shoreline erosion and subsequent shoreline recession are of primary concern since they cause property loss, changes in shoreline habitats and degraded water quality. USACRREL has been investigating many of the complex erosion processes, site specific rates of erosion and problems caused by shoreline erosion As an integral part of these comprehensive investi-

gations, historical and recent aerial photographs have been used to document historical shoreline characteristics and conditions, to determine past patterns of regional shoreline changes, to monitor the areal extent of shoreline erosion, and to estimate the historical rates of change in shoreline positions.

MP 1504
POTHOLES: THE PROBLEM AND SOLUTIONS.
Eaton, R.A., Apr. 1982, 74(479), p.160-162.
36-3938
PAVEMENTS, DAMAGE, ROAD MAINTENANCE, FREEZE THAW CYCLES, DRAINAGE, FROST HEAVE, FATIGUE (MATERIALS), PRECIPITATION (METEOROLOGY), CRACKS.

MP 1505
ROOF MOISTURE SURVEYS.
Tobiasson, W., Apr. 1982, 47(479), p.163-166, 4 refs.
36-4011
ROOFS, WATERPROOFING, MOISTURE DETECTION, DRAINAGE, INFRARED PHOTOGRAPHY, LEAKAGE.

MP 1506
OVERLAND FLOW: AN ALTERNATIVE FOR WASTEWATER TREATMENT.
Martel, C.J., et al, Apr. 1982, 47(479), p.181-184, 6 refs.
Lee, C.R.
36-4010
WASTE TREATMENT, WATER TREATMENT, RUNOFF, LAND RECLAMATION, SLOPE ORIENTATION.

MP 1507
PHASE CHANGE AROUND A CIRCULAR CYLINDER.
Lunardini, V.J., Aug. 1981, 103(3), p.598-600, 14 refs.
36-2619
PHASE TRANSFORMATIONS, PIPES (TUBES), HEAT TRANSFER, FREEZE THAW CYCLES, FROZEN GROUND PHYSICS, BOUNDARY LAYER, HEAT BALANCE, ANALYSIS (MATHEMATICS).

MP 1508
MAINTAINING BUILDINGS IN THE ARCTIC.
Tobiasson, W., et al, July-Aug. 1977, 5(4), p.244-251, In English and French.
Flanders, S.N., Korhonen, C.
36-2638
THERMAL INSULATION, BUILDINGS, HEAT TRANSFER, MOISTURE TRANSFER, MAINTENANCE, UREA, LEAKAGE, INFRARED PHOTOGRAPHY, UNITED STATES—ALASKA.
Close interest in the work of CIB working commission W 40 on heat and moisture transfer has prompted the authors, who are scientists working with the US Army Cold Regions Research and Engineering Laboratory, to send us these two summaries of remedial work on houses in Alaska. The first indicates the scope for simple injection of urea formaldehyde foam to improve thermal insulation of old wood-frame buildings; the second shows how infra-red photography can cut the cost of repairs to leaking roofs.

MP 1509
CAN WET ROOF INSULATION BE DRIED OUT.
Tobiasson, W., et al, Thermal insulation materials and systems for energy conservation in the '80s, edited by F.A. Govan, D.M. Greason and J.D. McAllister, Philadelphia, American Society for Testing and Materials, 1983, p.626-639, ASTM STP 789, 11 refs.
Korhonen, C., Coutermarsh, B.A., Greatorex, A.
38-3980
ROOFS, THERMAL INSULATION, MOISTURE, DRYING, VENTILATION, VAPOR BARRIERS.
Nondestructive techniques are being widely used to locate wet insulation in compact roofing systems. Now that wet insulation can be found, breather vents and so-called "breathable" membranes are being promoted to dry out wet insulation, thereby recovering its thermal effectiveness. Our exposure tests in New Hampshire indicate that the above venting methods are all rather ineffective in drying sealed specimens of perlite and fibrous glass roof insulation. It would take many decades to dry our specimens at the rates we measured over the past two years. Cross-ventilation within the insulation increased the rate of drying. For perlite insulation, the faster rate would still result in a drying time measured in decades. For fibrous glass insulation the drying time was reduced to 13 years. We have succeeded in drying fibrous glass insulation in a roof by removing the water with a vacuum cleaner.

MP 1510
SNOW COVER MAPPING IN NORTHERN MAINE USING LANDSAT DIGITAL PROCESSING TECHNIQUES.
Merry, C.J., et al, Satellite hydrology. Annual William T. Pecora Memorial Symposium, 5th, American Water Resources Association, June 1979, p.197-198, Summary only.
McKim, H.L., Bates, R.E., Ungar, S.G., Cooper, S., Power, J.M.
36-2843
VEGETATION, SNOW COVER DISTRIBUTION, SNOW WATER EQUIVALENT, SNOW DEPTH, MAPPING, LANDSAT.

MP 1511
VEGETATION SELECTION AND MANAGEMENT FOR OVERLAND FLOW SYSTEMS.
Palazzo, A.J., et al, Land treatment of municipal wastewater. Edited by F.M. D'Itri, Sevenoaks, England, Butterworths, 1982, p.135-154, 19 refs.
Jenkins, T.F., Martel, C.J.
36-2749
WASTE TREATMENT, WATER TREATMENT, LAND RECLAMATION, VEGETATION, GROWTH, NUTRIENT CYCLE, AGRICULTURE.

MP 1512
CONFIGURATION OF ICE IN FROZEN MEDIA.
Colbeck, S.C., Feb. 1982, 133(2), p.116-123, 9 refs.
36-2865
ICE CRYSTAL STRUCTURE, ICE CRYSTAL GROWTH, GROUND ICE, SANDS, ICE AIR INTERFACE, POROSITY, WATER CONTENT, HEAT TRANSFER, MASS FLOW, EXPERIMENTATION.
The configuration and fabrics of ice in frozen glass beads and sands with a low initial water content were observed. As suggested by Miller, the air-ice interface is convex, and pores seem to fill unstably. This produces an uneven ice distribution when the water supply is limited. Many different ice shapes and crystal distributions were observed, indicating a mixture of kinetic crystal growth processes and equilibrium constraints. Ice dendrites arose from rapid growth. Both single and multicrystalline structures were found. Clearly, a wide variety of situations is possible, depending on growth rates, nucleation sites, and local paths of heat and mass flow.

MP 1513
SOME FIELD STUDIES OF THE CORRELATION BETWEEN ELECTROMAGNETIC AND DIRECT CURRENT MEASUREMENTS OF GROUND RESISTIVITY.
Arcone, S.A., 1982, No.741, p.92-110, 11 refs.
36-2748
SOIL PHYSICS, ELECTRICAL RESISTIVITY, ELECTROMAGNETIC PROSPECTING, PERMAFROST PHYSICS, MAGNETIC SURVEYS, ELECTRIC FIELDS, GROUND ICE.
Electromagnetic (em) and direct-current (d-c) methods of measuring ground resistivity have been compared at permafrost and nonpermafrost sites. The em methods utilized the principles of magnetic induction and plane wave surface impedance. Layered ground models were derived from the d-c sounding data, and the theoretical values of the em methods for these models were compared with the em field results. Both em methods correlated well with the d-c data in the two cases of simple, multilayered ground of large extent. In several cases of resistive inhomogeneities, the magnetic induction data correlated well with the d-c data. In one case of a resistive inhomogeneity, the surface impedance responded well only qualitatively and may have given some false indications of resistive substructure. It appears that in all cases where the volume of exploration was comparable, there was reasonable correlation. It is estimated that the standard data analysis procedure which assumes layering of infinite extent will apply well for the surface impedance method when disturbances in the local layering are greater than a skin depth away from the point of measurement, and for the magnetic induction method when disturbances in the layering are at a distance from the interloop axis that is greater than the interloop separation.

MP 1514
MULTI-YEAR PRESSURE RIDGES IN THE CANADIAN BEAUFORT SEA.
Wright, B., et al, Oct. 1981, 5(2 3), p.125-145. For another source of the article and abstract see 33-4609 (MP 1229). 16 refs.
Hnatiuk, J., Kovacs, A.
36-3745
SEA ICE, PRESSURE RIDGES, ICE STRUCTURE, MODELS.

MP 1515
DESIGN AND USE OF THE CRREL INSTRUMENTED VEHICLE FOR COLD REGIONS MOBILITY MEASUREMENTS.
Blaisdell, G.L., 1982, No.820217, International Congress and Exposition, Detroit, Michigan, Feb.22-26, 1982, 11p., 2 refs.
36-2755
TRACTION, COLD WEATHER OPERATION, TIRES, SURFACE PROPERTIES, RUBBER SNOW FRICTION, INTERFACES, VEHICLES, TESTS, COMPUTER APPLICATIONS.
The U.S. Army Cold Regions Research and Engineering Laboratory has recently acquired an instrumented vehicle for the measurement of forces at the tire/surface material interface. The CRREL instrumented vehicle (CIV) is equipped with moment-compensated triaxial load cells mounted in the front wheel assemblies. Forces are measured in the vertical, longitudinal (in the direction of motion) and side directions. In addition, accurate wheel and vehicle speeds and rear axle torque and speed are measured. Modifications to the vehicle to facilitate the performance of traction and motion resistance tests include four lock-out type hubs to allow front-, rear- or four-wheel drive and a dual brake system for front-, rear- or four-wheel braking. A minicomputer-based data acquisition system is installed in the vehicle to control data collection and for data processing, analysis, and display. Discussion of the vehicle includes its operation and use for the evaluation of the tire performance and surface material properties of motion resistance and traction.

MP 1516
MEASUREMENT OF SNOW SURFACES AND TIRE PERFORMANCE EVALUATION.
Blaisdell, G.L., et al, 1982, No.820346, International Congress and Exposition, Detroit, Michigan, Feb. 22-26, 1981, 7p., 8 refs.
Harrison, W.L.
36-2756
RUBBER SNOW FRICTION, SNOW SURFACE, TRACTION, VEHICLES, ANALYSIS (MATHEMATICS).
Research on vehicle mobility in snow has recently become significantly updated by the use of instrumented vehicles. Utilizing triaxial load cells in the front wheel assemblies, the vehicles are capable of measuring the traction and motion resistance forces located at the tire/snow interface. Based on these measured quantities, snow surface characterization parameters are developed. Also, using an energetics approach, a tire performance parameter is developed which offers a measure of the slip-shear energy expended by a tire moving a unit distance. This paper presents the methods, equipment and philosophy followed by the authors in evaluating tire performance in a shallow snow cover. Definitions of terms are contained in the Appendix.

MP 1517
ON THE DIFFERENCES IN ABLATION SEASONS OF ARCTIC AND ANTARCTIC SEA ICE.
Andreas, E.L., et al, Feb. 1982, 39(2), p.440-447, 41 refs.
Ackley, S.F.
36-2836
SEA ICE, ICE MELTING, ABLATION, METEOROLOGICAL FACTORS.
Arctic sea ice is freckled with melt ponds during the ablation season, Antarctic sea ice has few, if any. On the basis of a simple surface heat budget, the authors investigate the meteorological conditions necessary for the onset of surface melting in an attempt to explain these observations. The low relative humidity associated with the relatively dry winds off the continent and an effective radiation parameter smaller than that characteristic of the Arctic are primarily responsible for the absence of melt features in the Antarctic. Together these require a surface-layer air temperature above 0C before Antarctic sea ice can melt. A ratio of the bulk transfer coefficients less than 1 also contributes to the dissimilarity in Arctic and Antarctic ablation seasons. The effects of wind speed and of the sea-ice roughness on the absolute values of bulk transfer coefficients seem to moderate regional differences, but final assessment of this hypothesis awaits better data, especially from the Antarctic. (Auth.)

MP 1518
SEDIMENT LOAD AND CHANNEL CHARACTERISTICS IN SUBARCTIC UPLAND CATCHMENTS.
Slaughter, C.W., et al, 1981, 20(1), p.39-48, 12 refs.
Collins, C.M.
36-2830
DISCONTINUOUS PERMAFROST, CHANNELS (WATERWAYS), GEOMORPHOLOGY, SEDIMENT TRANSPORT, HYDROLOGY, DRAINAGE, SUSPENDED SEDIMENTS, WATERSHEDS, STATISTICAL ANALYSIS
Sediment load in low-order streams of the unglaciated Yukon-Tanana Uplands of central Alaska may be related to drainage basin characteristics and to stream channel morphology. This has been investigated by analysis of selected physical hydrological and water quality data for the 104 sq km Caribou-Poker Creeks Research Watershed, located at 65 deg. 09 min N, 147 deg. 30 min W in a region of rolling to steep uplands and discontinuous permafrost. Channel morphology

data are available for first-, second- and third-order streams. Sediment load for selected points was determined over 45 weeks during summer of 1978 and 1979. Consistent differences in sediment yield, hydrologic regime and channel morphology have been determined between permafrost and non-permafrost drainages.

MP 1519
ROLE OF RESEARCH IN DEVELOPING SURFACE PROTECTION MEASURES FOR THE ARCTIC SLOPE OF ALASKA.
Johnson, P.R., Symposium: Surface Protection through Prevention of Damage (Surface Management); Focus: The Arctic Slope, Anchorage, Alaska, May 17-20, 1977. Proceedings. Edited by M.N. Evans. Anchorage, Alaska State Office, Bureau of Land Management, Mar. 1978, p.202-205.
36-2855
SNOW ACCUMULATION, ENVIRONMENTAL PROTECTION, SNOW ROADS, ICE ROADS, SNOWDRIFTS, WIND FACTORS, SNOW FENCES, UNITED STATES—ALASKA—NORTH SLOPE.
The U.S. Army Cold Regions Research and Engineering Laboratory (USA CRREL) has long conducted research in snow, ice, and permafrost. It also translates foreign language engin ..ring papers and publishes research reports, monographs, and bibliographies. Snow and ice roads and construction pads have been used, primarily on the Arctic Slope, during the last few winters. Some have been successful but problems exist which will require further experience and research to solve. One problem is that of snow supply. Snowfall on the Arctic Slope is limited, particularly early in the season when it is most desired. Few good data are available on total quantities and the time pattern of snowfall but Wyoming Snow Gages, now being installed by a number of government agencies and private organizations, are beginning to provide some data which can be used with some confidence. The snow which falls is often blown off by the strong winds which are common in the area so it is not available where it is needed. Research is under way on equipment and techniques for collecting snow and inducing drifting.

MP 1520
GROUND PRESSURES EXERTED BY UNDERGROUND EXPLOSIONS.
Johnson, P.R., Symposium: Surface Protection through Prevention of Damage (Surface Management); Focus: The Arctic Slope, Anchorage, Alaska, May 17-20, 1977. Proceedings. Edited by M.N. Evans, Anchorage, Alaska State Office, Bureau of Land Management, Mar. 1978, p.284-290, 3 refs.
36-2857
FROZEN GROUND STRENGTH, ENVIRONMENTAL PROTECTION, SOIL PRESSURE, EXPLOSION EFFECTS, SHOCK WAVES, WAVE PROPAGATION, ENVIRONMENTAL IMPACT, BLASTING, MARINE BIOLOGY, UNITED STATES—ALASKA—NORTH SLOPE.
Peak shock pressures in frozen soil resulting from underground explosions of moderate size and their effect on fish populations are examined, based on current knowledge of shock pressure patterns and the sensitivity of fish eggs and young and adult fish to such pressures. The peak shock pressures attenuate rapidly with distance from explosion and it appears that moderate-sized explosions, such as those from standard seismic shots, can be fired within a few hundred feet of water bodies without exceeding allowable peak shock pressures in the water bodies. Experimental studies should be carried out to confirm the pattern of peak shock pressure attenuation and examine the effectiveness of shock transmission between frozen ground and the water bodies.

MP 1521
USING SEA ICE TO MEASURE VERTICAL HEAT FLUX IN THE OCEAN.
McPhee, M.G., et al, Mar. 20, 1982, 87(C3), p.2071-2074, 8 refs.
Untersteiner, N.
36-2868
SEA ICE, ICE SALINITY, HEAT FLUX, SEA WATER, TEMPERATURE GRADIENTS, ICE GROWTH, DRIFTING STATIONS, WATER TEMPERATURE, SALINITY.
Results of an experiment performed at drifting ice station FRAM I in the Arctic Ocean northwest of Spitzbergen during March-May 1979 indicate that sensible heat flux from the ocean to the ice cover was less than 2 W/sq m. The estimate is based on measurements of temperature gradient, growth rate, and salinity of young sea ice. Uncertainty in the magnitude of the heat flux results more from evidence of horizontal inhomogeneity in the growing ice sheet than from measurement errors.

MP 1522
APPROACH ROADS, GREENLAND 1955 PROGRAM.
U.S. Arctic Construction and Frost Effects Laboratory, June 1959, No.3-505, 100p., For preliminary version see ACFEL TR 60, or 25-2537.
36-2877
PERMAFROST BENEATH ROADS, PERMAFROST THERMAL PROPERTIES, GLACIER FLOW, GLACIER MELTING, ROADS, MAINTENANCE, THAW DEPTH, MELTWATER, ICE TEMPERATURE, ROADBEDS, CONSTRUCTION, GRAVEL, EQUIPMENT, GREENLAND—CAMP TUTO.

MP 1523
BASELINE DATA ON TIDAL FLUSHING IN COOK INLET, ALASKA.
Gatto, L.W., Preliminary analysis report, SR/T contract No.160-75-89-02-10, June 1973, 11p., Unpublished manuscript. 9 refs.
36-2878
TIDAL CURRENTS, SUSPENDED SEDIMENTS, OCEAN CURRENTS, WATER POLLUTION, SEDIMENT TRANSPORT, SEDIMENTATION, REMOTE SENSING, SEASONAL VARIATIONS, UNITED STATES—ALASKA—COOK INLET.

MP 1524
ACOUSTIC EMISSIONS FROM POLYCRYSTALLINE ICE.
St. Lawrence, W.F., et al, Mar. 1982, 5(3), p.183-199, 18 refs.
Cole, D.M.
36-2870
ICE CRYSTAL STRUCTURE, ICE ACOUSTICS, DYNAMIC LOADS, STRESSES, STRAINS, FRACTURING, AIR TEMPERATURE, MATHEMATICAL MODELS, MECHANICAL TESTS.
The acoustic emission response from fine-grained polycrystalline ice subjected to constant compressive loads was examined. A number of tests were conducted with the nominal stress ranging from 0.8 to 3.67 MPa at a temperature of -5C. The acoustic emission response was recorded and the data are presented with respect to time and strain. The source of acoustic emissions in ice is considered in terms of the formation of both microfractures and visible fractures that develop without catastrophic failure of the ice. A model to describe the acoustic emission response is developed.

MP 1525
DEFORMATION AND FAILURE OF ICE UNDER CONSTANT STRESS OR CONSTANT STRAIN-RATE.
Mellor, M., et al, Mar. 1982, 5(3), p.201-219, 8 refs.
Cole, D.M.
36-2871
ICE DEFORMATION, STRESS STRAIN DIAGRAMS, ICE MECHANICS, AIR TEMPERATURE, TESTS, ISOTOPES.
Fine-grained isotopic ice was tested in uniaxial compression at -5C. Tests were made under: 1. Constant strain rate, and 2. Constant stress, with total axial strains up to about 7%. Direct comparison of the results for constant stress and constant strain rate suggests that the two tests give much the same information when interpreted suitably. Detailed comparisons and interpretations of the data will be given in a subsequent paper.

MP 1526
ON MODELING MESOSCALE ICE DYNAMICS USING A VISCOUS PLASTIC CONSTITUTIVE LAW.
Hibler, W.D., III, et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, Vol.3, Québec, Canada, Université Laval, 1981, p.1317-1329, 9 refs. Includes discussion and authors' reply.
Udin, I., Ullerstig, A.
36-2982
ICE MECHANICS, VISCOSITY, ICE PLASTICITY, RHEOLOGY, MATHEMATICAL MODELS, PLASTIC FLOW, ICE COVER THICKNESS, VELOCITY, ICE STRENGTH.
The behavior of an ice dynamics model employing a viscous plastic rheology is investigated. Time and space scales of the order of 3 hours and 20 km are emphasized. However, whenever possible the results are presented in a nondimensional form. Numerical parameter variations examined include the effect of the "rigid" creep rate on numerical convergence rate, the effects of ice strength on the numerical adjustment time needed to fully attain ideal plastic flow, and the effect of grid size on the behavior of simulated ice dynamics. Based on the results of these studies a viable numerical procedure for simulating mesoscale plastic flow is proposed.

MP 1527
SEA ICE RUBBLE FORMATIONS OFF THE NORTHEAST BERING SEA AND NORTON SOUND COASTS OF ALASKA.
Kovacs, A., International Conference on Port and Ocean Engineering under Arctic Conditions, 6th, Québec, Canada, July 27-31, 1981. Proceedings, Vol.3, Québec, Canada, Université Laval, 1981, p.1348-1363, 21 refs.
36-2984
SEA ICE, PRESSURE RIDGES, ICE SURFACE, ICE FORMATION, GROUNDED ICE, PHOTOGRAPHY, AERIAL SURVEYS, UNITED STATES—ALASKA—NORTON SOUND, BERING SEA.

MP 1528
RIVER ICE SUPPRESSION BY SIDE CHANNEL DISCHARGE OF WARM WATER.
Ashton, G.D., IAHR International Symposium on Ice, Québec, Canada, July 27-31, 1981. Proceedings, Vol.1, Québec, Canada, Université Laval, 1982, p.65-80, 3 refs. Includes discussions and replies.
36-3023
RIVER ICE, ICE CONDITIONS, ICE PREVENTION, CHANNELS (WATERWAYS), WATER TEMPERATURE, RIVER FLOW, ICE EDGE, AIR TEMPERATURE, ICE MELTING.
Results are presented of a field study of the ice suppression caused by discharge of warm water at the side of the Mississippi River near Bettendorf, Iowa. Included in the results are measurements of lateral and longitudinal open water extents and lateral, longitudinal, and vertical water temperature profiles. Successive measurements were made on both very cold (-20C) and warm days (0C air temperature). The manner by which the ice cover extends during a change from warm to cold weather is described.

MP 1529
PERFORMANCE OF A POINT SOURCE BUBBLER UNDER THICK ICE.
Haynes, F.D., et al, IAHR International Symposium on Ice, Québec, Canada, July 27-31, 1981. Proceedings, Vol.1, Québec, Canada, Université Laval, 1982, p.111-124, 10 refs. Includes discussions and replies.
Ashton, G.D., Johnson, P.R.
36-3026
ICE COVER THICKNESS, BUBBLING, ICE PREVENTION, ICE MELTING, STRUCTURES, DAMAGE, TESTS, AIR TEMPERATURE, ANALYSIS (MATHEMATICS).
Air bubbler systems are used to suppress ice formation and prevent ice damage to structures. Injection of air into the slightly more dense, warm water at the bottom of a body of fresh water raises the warm water to the surface. A bubbler system provides a simple and inexpensive means of suppressing ice if the body of water has the necessary thermal reserve. A study was conducted with a point source bubbler to examine its performance when installed under an existing layer of thick lake ice.

MP 1530
PORT HURON ICE CONTROL MODEL STUDIES.
Calkins, D.J., et al, IAHR International Symposium on Ice, Québec, Canada, July 27-31, 1981. Proceedings, Vol.1, Québec, Canada, Université Laval, 1982, p.361-373, 6 refs. Includes discussion and authors' reply.
Sodhi, D.S., Deck, D.S.
36-3044
RIVER ICE, ICE CONTROL, ICE JAMS, FLOODS, ICE MECHANICS, LAKE ICE, ICE LOADS, LOADS (FORCES), ICE FLOES, WIND PRESSURE, STRUCTURES, MODELS, UNITED STATES—SAINT CLAIR RIVER.
The Corps of Engineers, in its study of year-round navigation on the Great Lakes, recognized the problem of ice discharge into St. Clair River from Lake Huron. This study deals with the determination of force levels on, and the amount of ice discharge through the opening in, an ice control structure, using natural and synthetic ice floes.

MP 1531
FORCE DISTRIBUTION IN A FRAGMENTED ICE COVER.
Daly, S.F., et al, IAHR International Symposium on Ice, Québec, Canada, July 27-31, 1981. Proceedings, Vol.1, Québec, Canada, Université Laval, 1982, p.374-387, 2 refs. Includes discussions and authors' replies.
Stewart, D.M.
36-3045
FLOATING ICE, ICE FLOES, LOADS (FORCES), ICE BOOMS, SHEAR STRESS, CHANNELS (WATERWAYS), EXPERIMENTATION.

MP 1532
GLACIER MECHANICS.
Mellor, M., IAHR International Symposium on Ice, Québec, Canada, July 27-31, 1981. Proceedings, Vol.2, Québec, Canada, Université Laval, 1982, p.455-474, Includes discussion.
36-3051
GLACIER FLOW, ICE CREEP, ICE MECHANICS, STRESS STRAIN DIAGRAMS, RHEOLOGY, ENGINEERING.

MP 1533
FIELD INVESTIGATIONS OF A HANGING ICE DAM.
Beltaos, S., et al, IAHR International Symposium on Ice, Québec, Canada, July 27-31, 1981 Proceedings, Vol.2, Québec, Canada, Université Laval, 1982, p.475-488, 19 refs. Includes discussions and replies.
Dean, A.M., Jr.
36-3052
RIVER ICE, ICE DAMS, ICE BREAKUP, FRAZIL ICE, SHEAR STRENGTH, UNDERWATER ICE, SLUSH, BEARING STRENGTH, ICE JAMS, DAMAGE, FLOW RATE, POROSITY.
A hanging ice dam that forms annually in the lower Smoky River, Alberta, has been the object of continued investigation during the period 1975-1979. The study aims at documenting physical dimensions and material properties of the dam; elucidating the mechanisms of its formation and removal; and assessing its effects on the progress of breakup in the river. This paper presents a summary of the results obtained to date.

MP 1534
PROBABILISTIC-DETERMINISTIC ANALYSIS OF ONE-DIMENSIONAL ICE SEGREGATION IN A FREEZING SOIL COLUMN.
Guymon, G.L., et al, Nov. 1981, 5(2), p.127-140, 14 refs.
Harr, M.E., Berg, R.L., Hromadka, T.V., II.
36-3231
FROST HEAVE, SOIL FREEZING, HEAT TRANSFER, SOIL WATER MIGRATION, ICE FORMATION, WATER CONTENT, MATHEMATICAL MODELS.
A deterministic model of frost heave based upon simultaneous analysis of coupled heat and moisture transport is cascaded with a probabilistic model of parameter variations. The multiparameter, deterministic model is based upon submodels of moisture transport, heat transport, and lumped isothermal freezing processes. The probabilistic model is based upon Rosenblueth's method which only requires knowledge of parameter means and their coefficients of variation.

MP 1535
APPLICATION OF A NUMERICAL SEA ICE MODEL TO THE EAST GREENLAND AREA.
Tucker, W.B., Monterey, California, Naval Postgraduate School, Dec. 1981, 109p., M.S. thesis. Refs. p.104-106.
36-3254
SEA ICE DISTRIBUTION, DRIFT, ICE GROWTH, THERMODYNAMICS, MATHEMATICAL MODELS, GREENLAND.
A dynamic-thermodynamic sea ice model which employs a viscous-plastic constitutive law has been applied to the East Greenland area. The model is run on a 40-km spatial scale at 1/4-day time steps for a 60-day period with forcing data beginning on Oct 1, 1979 Results tend to verify that the model predicts reasonable thicknesses and velocities within the ice margin Thermodynamic ice growth produces excessive ice extent, however, probably due to inadequate parameterization of oceanic heat flux.

MP 1536
WEDDELL-SCOTIA SEA MARGINAL ICE ZONE OBSERVATIONS FROM SPACE, OCTOBER 1984.
Crasey, F.D., et al, Mar. 15, 1986, 91(C3), p.3920-3924, 12 refs.
41-93
SEA ICE, ICE EDGE, REMOTE SENSING, ANTARCTICA WEDDELL SEA, SCOTIA SEA.
Imagery from the shuttle imaging radar-B experiment as well as other satellite and meteorological data are examined to learn more about the open sea ice margin of the Weddell-Scotia Seas region At the ice edge, the ice forms into bandlike aggregates of small ice floes similar to those observed in the Bering Sea The radar backscatter characteristics of these bands suggest that their upper surface is wet Further into the pack, the radar imagery shows a transition to large floes In the open sea, large icebergs and long surface gravity waves are discernable in the radar images (Auth)

MP 1537
ICE CRYSTAL MORPHOLOGY AND GROWTH RATES AT LOW SUPERSATURATIONS AND HIGH TEMPERATURES.
Colbeck, S.C., May 1983, 54(5), p.2677-2682, 17 refs.
37-3607
ICE CRYSTAL STRUCTURE, ICE CRYSTAL GROWTH, SUPERSATURATION, TEMPERATURE EFFECTS, VAPOR DIFFUSION, DENSITY (MASS/VOLUME), MATHEMATICAL MODELS.
At an excess vapor density (supersaturation of about 1/10,000) adjacent to the ice crystal surface of 50-60 billionth g/cc, there is a transition between the highly faceted kinetic growth form and the rounded equilibrium form at temperatures above -6C. At lower temperatures there is a transition in the equilibrium form to hexagonal prisms because of a reduction in the disordered surface layer. The growth rate of ice crystals from the vapor is analyzed by a simple model which accounts for vapor flow and surface processes separately The conditions for highly temperature sensitive growth are identified from the model.

MP 1538
ICE PILE-UP AND RIDE-UP ON ARCTIC AND SUBARCTIC BEACHES.
Kovacs, A., et al, Oct. 1981, 5(2/3), p.247-273, For another source of the article and abstract see 33-4610 (MP 1230). 22 refs.
Sodhi, D.S.
36-3746
SEA ICE, PRESSURE RIDGES, ICE PUSH.

MP 1539
FORMATION OF ICE CRYSTALS AND DISSIPATION OF SUPERCOOLED FOG BY ARTIFICIAL NUCLEATION, AND VARIATIONS OF CRYSTAL HABIT AT EARLY GROWTH STAGES.
Kumai, M., Apr. 1982, 21(4), p.579-587, 14 refs.
36-3898
FOG DISPERSAL, ICE CRYSTAL NUCLEI, ARTIFICIAL NUCLEATION, SUPERCOOLED FOG, MICROSTRUCTURE, ELECTRON MICROSCOPY, PLATES, ICE FORMATION, WATER VAPOR, TEMPERATURE EFFECTS.
The early stages of ice crystal formation in supercooled fogs were studied in detail by electron microscopy, and ice nucleation experiments using liquid propane seeding were conducted in a thermostatically controlled coldroom. Ice crystals, formed by rapid cooling created by the evaporation of liquid propane from a fine nozzle at temperatures from -0.1 to -40C, were collected and replicated on filmed grids for electron microscope examinations. Most of the ice crystals formed immediately after the liquid propane seedings were spherical (although approx 20% were hexagonal) with diameters ranging from 0.3 to 3 micrometer and with a mean diameter of 1.5 micrometer Electron microscopy revealed a grain boundary in some of the ice crystals.

MP 1540
RESISTANCE COEFFICIENTS FROM VELOCITY PROFILES IN ICE-COVERED SHALLOW STREAMS.
Calkins, D.J., et al, June 1982, 9(2), p.236-247, With French summary. 7 refs.
Deck, D.S., Martinson, C.R.
36-3929
ICE COVER STRENGTH, STREAM FLOW, VELOCITY, SHEAR STRESS, ANALYSIS (MATHEMATICS).

MP 1541
NITROGENOUS CHEMICAL COMPOSITION OF ANTARCTIC ICE AND SNOW.
Parker, B.C., et al, 1981, 16(5), p.79-81, 10 refs.
Zeller, E.J., Gow, A.J.
36-3979
ICE COMPOSITION, SNOW COMPOSITION, FIRN, CHEMICAL ANALYSIS, ANTARCTICA—AMUNDSEN-SCOTT STATION, ANTARCTICA—VOSTOK STATION.
This report emphasizes nitrate ion (NO_3^-) concentrations in antarctic snow and firn from pits and cores Chemical analyses conducted or planned on antarctic snow, firn, and ice are outlined Computer curves compare the variation in NO_3^- over the past 1,000 yr in firn cores from South Pole Station and Vostok and present the NO_3^- concentration record for the entire Vostok core over the past 3,000 yr South Pole firn core dates have been calculated using data which date back to 1750 Fourier analysis of the NO_3^- data from both South Pole and Vostok cores reveals strong periodicities in the NO_3^- concentration occurring at approx 11-, 22-, and 66 yr intervals Data have previously been reported supporting the hypothesis that the 11 yr fluctuations in NO_3^- either coincide with the solar activity max or the auroral max A table lists 14 potential sources of mechanisms for NO_3^- in antarctic snow or firn Solar-mediated phenomena appear to be the more likely sources The results of NO_3^- sampling in a 10-m-deep snow pit are discussed

MP 1542
PHYSICAL AND STRUCTURAL CHARACTERISTICS OF SEA ICE IN MCMURDO SOUND.
Gow, A.J., et al, 1981, 16(5), p.94-95, 5 refs.
Weeks, W.F., Govoni, J.W., Ackley, S.F.
36-3988
SEA ICE, ICE STRUCTURE, PHYSICAL PROPERTIES, CALVING, ANTARCTICA—MCMURDO SOUND.
This season's study of the physical and structural properties of sea ice in McMurdo Sound was restricted to sea ice that had formed since Apr. 1980 Multiyear ice was observed and sampled at only one location, near Cape Chocolate on the western edge of McMurdo Sound. The locations of the sample sites are shown. The sampling program included an over-ice traverse of the bay-fast ice in McMurdo Sound. Extensive recent calving of the Koettlitz Glacier ice tongue was observed in the vicinity of the Dailey Is. Preliminary investigations of the crystal structure of samples from 28 locations revealed widespread formation of congelation ice but only minimal amounts of frazil ice. Formation of a sub-ice platelet layer with individual plates measuring up to several cm in length was observed at the majority of sampling sites. Petrographic studies revealed crystalline structures and c-axis orientations that exhibited much in common with shore-fast ice of the arctic coast of Alaska.

MP 1543
HIGH-RESOLUTION IMPULSE RADAR MEASUREMENTS FOR DETECTING SEA ICE AND CURRENT ALINEMENT UNDER THE ROSS ICE SHELF.
Morey, R.M., et al, 1981, 16(5), p.96-97, 5 refs.
Kovacs, A.
36-3989
SEA ICE, RADAR ECHOES, ICE SHELVES, ANTARCTICA—ROSS ICE SHELF.
The objectives of the Jan. 1981 field season were (1) to evaluate the feasibility of using a high-resolution impulse radar profiling system to detect the existence of sea ice which coring had revealed on the bottom of the Ross Ice Shelf at J-9, and 2) if successful in that effort, to try to detect the preferred horizontal C-axis azimuthal direction of the sea ice crystals using the voltage amplitude of the radar reflection. The instrumentation used is described. A table lists the radar parameters used for calculating the maximum radar range, and the maximum radar range for the two antennas used is plotted. The results obtained with the radar system were inconclusive, and several possible explanations are outlined. Brine infiltration into the McMurdo Ice Shelf was also investigated.

MP 1544
ROLE OF PLASTIC ICE INTERACTION IN MARGINAL ICE ZONE DYNAMICS.
Leppäranta, M., et al, Nov. 20, 1985, 90(C6), p.11,899-11,909, 17 refs.
Hibler, W.D., III.
40-4615
ICE EDGE, SEA ICE, ICE COVER THICKNESS, PLASTIC FLOW, WIND DIRECTION, WIND VELOCITY, ICE MODELS.
Under appropriate conditions, the nonlinear nature of plastic ice interaction together with a nonlinear coupling between ice thickness characteristics and ice rheology can substantially modify the character of marginal ice zone dynamics. This paper examines the steady state ramifications of these nonlinearities by using a one-dimensional simplification of a two-level viscous plastic sea ice model A series of idealized small-scale simulations (4-km resolution) is carried out with the model formulated in a moving Lagrangian grid in order to remove diffusion effects. Analytic solutions for the equilibrium plastic adjustment case are also constructed. The results show that if the ice thickness distribution is allowed to equilibrate in response to a constant wind field, the thickness strength coupling will yield a sharp ice edge, with the compactness dropping rapidly to zero near the ice margin (Auth mod)

MP 1545
GEOMETRY AND PERMITTIVITY OF SNOW AT HIGH FREQUENCIES.
Colbeck, S.C., June 1982, 53(6), p.4495-4500, 37 refs.
36-3921
SNOW ELECTRICAL PROPERTIES, SNOW DENSITY, POROSITY, SNOW CRYSTAL STRUCTURE, SNOW PHYSICS, TEMPERATURE GRADIENTS, LIQUID PHASES, WET SNOW, DIELECTRIC PROPERTIES.
The geometry and proximity of dry snow varies widely depending on the history of conditions The permittivity of dry snow increases with increasing ice content but is not greatly affected by the shapes of the ice particles In wet snow the permittivity increases with liquid content and the geometry is very important However, the liquid's layer has little effect on permittivity The permittivity is described using Polder and van Santen's mixing formulae and approximations of the geometries at high and low liquid contents It is shown that the common assumption of liquid shells over ice spheres is both physically incorrect and leads to large errors

MP 1546
ENVIRONMENTAL AND SOCIETAL CONSEQUENCES OF A POSSIBLE CO2-INDUCED CLIMATE CHANGE: VOLUME 2, PART 3—INFLUENCE OF SHORT-TERM CLIMATE FLUCTUATIONS ON PERMAFROST TERRAIN.
Brown, J., et al, May 1982, Vol.2, 30p., Refs. p.25-28.
Andrews, J.T.
36-4051
PERMAFROST DEPTH, VEGETATION, CARBON DIOXIDE, CLIMATIC CHANGES, GROUND THAWING, SOIL TEMPERATURE.

MP 1547
DIELECTRIC PROPERTIES OF THAWED ACTIVE LAYERS OVERLYING PERMAFROST USING RADAR AT VHF.
Arcone, S.A., et al, May-June 1982, 17(3), p.618-626, 17 refs.
Delaney, A.J.
37-3
DIELECTRIC PROPERTIES, ACTIVE LAYER, GROUND THAWING, PERMAFROST BASES, RADAR ECHOES.
Field measurements of the dielectric constant of thawed active layers of up to 1 m in depth at four sites in Alaska have been made using short-pulse ground radar whose returns were received in the near-field radiation zone. Three sites consisted of saturated silts with varying amounts of organic material, and the fourth site was a moist sand. The reflector returning the radar signals was the active layer/permafrost interface. Analysis of the waveforms showed that all the materials were nondispersive over the radar pulse bandwidth (75-225 MHz), and this was confirmed by time domain reflectometry (TDR) studies of field samples. The average dielectric constants were between 23 and 34 for the silts, which averaged between 45 and 50% water by volume, while the sandy site gave an average value of about 12 for a probable water content of about 23% by volume. These values are very similar to the laboratory work of others and were also confirmed by TDR. The high dielectric constants of the saturated materials allowed accurate profiling of active layer depth, and an example is presented. More detail would probably be achieved with a higher-frequency radar.

MP 1548
PHYSICAL AND STRUCTURAL CHARACTERISTICS OF ANTARCTIC SEA ICE.
Gow, A.J., et al, 1982, Vol.3, International Symposium on Antarctic Glaciology, 3rd, Columbus, Ohio, Sep. 7-12, 1981, p.113-117, 8 refs.
Ackley, S.F., Weeks, W.F., Govoni, J.W.
37-257
ICE FLOES, PACK ICE, FRAZIL ICE, ANTARCTICA—WEDDELL SEA.
Observations during February and March 1980 of structures in 66 separate floes in Weddell Sea pack ice show widespread occurrence of frazil ice in amounts not previously reported in sea ice of comparable age and thickness in the Arctic. It is estimated that as much as 50% of the total ice production in the Weddell Sea is generated as frazil. Average floe salinities also appear higher than those of their Arctic counterparts. Comparative studies of fast ice at 28 locations in McMurdo Sound show this ice to be composed almost entirely of congelation ice that exhibits crystalline textures and orientations that are similar to those observed in Arctic fast ice. However, average fast-ice salinities in McMurdo Sound are higher than those reported for Arctic fast ice of comparable age and thickness. (Auth.)

MP 1549
ON MODELING THE WEDDELL SEA PACK ICE.
Hibler, W.D., III, et al, 1982, Vol.3, International Symposium on Antarctic Glaciology, 3rd, Columbus, Ohio, Sep. 7-12, 1981, p.125-130, 23 refs.
Ackley, S.F.
37-259
SEA ICE, PACK ICE, THERMODYNAMIC PROPERTIES, ICE MODELS, ANTARCTICA—WEDDELL SEA.
Some results from a dynamic-thermodynamic simulation of the seasonal cycle of the Weddell Sea pack ice are described. The model used for the study is similar to that developed for a numerical investigation of the Arctic ice cover. It employs a plastic ice rheology coupled to a two-level ice thickness distribution. The thickness characteristics evolve in response to ice dynamics, and to ice growth and decay rates dictated by surface heat calculations and by heat storage in a fixed depth oceanic boundary layer. Observed time-varying wind, temperature, and humidity fields are used together with empirical radiation fields and fixed ocean currents to drive the model. Employing these fields, the model is integrated over two seasonal cycles. Overall, the results suggest that (1) ice dynamics are essential in describing the seasonal cycle, and (2) a feedback between the atmospheric temperature and the presence of ice may be a major cause of the rapid decay of the Antarctic ice cover during the spring-summer period. (Auth. mod.)

MP 1550
BRINE ZONE IN THE MCMURDO ICE SHELF, ANTARCTICA.
Kovacs, A., et al, 1982, Vol.3, International Symposium on Antarctic Glaciology, 3rd, Columbus, Ohio, Sep. 7-12, 1981, p.166-171, 21 refs.
Gow, A.J., Cragin, J.H.
37-266
ICE SHELVES, BRINES, MIGRATION, ANTARCTICA—MCMURDO ICE SHELF.
Infiltration of brine into the McMurdo Ice Shelf is dominated by wave-like intrusions of sea-water triggered by periodic break-outs of the ice front. Observations of a brine step 4.4 m in height in the McMurdo Ice Shelf show that it has migrated about 1.2 km in four years. The inland boundary of the brine percolation is probably controlled largely by the depth at which brine encounters the firn/ice transition (43 m). However, this boundary is not fixed by permeability considerations alone, since measurable movement of brine is still occurring at the inland boundary. Freeze-fractionation of the sea-water as it migrates through the ice shelf precipitates virtually all sodium sulfate, and preferentially concomitant removal of water by freezing in the pore spaces of the infiltrated firn produces residual brines approximately seven times more concentrated than the original sea-water. (Auth. mod.)

MP 1551
NITRATE FLUCTUATIONS IN ANTARCTIC SNOW AND FIRN: POTENTIAL SOURCES AND MECHANISMS OF FORMATION.
Parker, B.C., et al, 1982, Vol.3, International Symposium on Antarctic Glaciology, 3rd, Columbus, Ohio, Sep. 7-12, 1981, p.243-248, 33 refs.
Zeller, E.J., Gow, A.J.
37-280
SNOW COMPOSITION, SNOW IMPURITIES, PERIODIC VARIATIONS, NITRATE DEPOSITS, ANTARCTICA—EAST ANTARCTICA.
Data are summarized on in situ nitrate ion concentrations in snow pits and firn cores over the last 3,250 a. Nitrate fluctuations show seasonal, 11 and 22 a periodicities, and long-term changes both at South Pole station and Vostok. High nitrate levels conform to winter darkness and solar activity peaks. Long-term lows and highs conform to solar activity minima and maxima. The data available support the hypothesis that nitrate is fixed in the upper atmosphere by some solar-mediated phenomenon causing a periodicity in East Antarctica snow. Background levels and non-periodic spikes in nitrate come from other sources. (Auth.)

MP 1552
SOME RECENT TRENDS IN THE PHYSICAL AND CHEMICAL CHARACTERIZATION AND MAPPING OF TUNDRA SOILS, ARCTIC SLOPE OF ALASKA.
Everett, K.R., et al, May 1982, 133(5), p.264-280, Refs. p.278-280.
Brown, J.
37-174
TUNDRA, SOIL SURVEYS, PERMAFROST PHYSICS, SLOPE ORIENTATION, SOIL CHEMISTRY, SOIL WATER, SOIL STRUCTURE, SOIL CLASSIFICATION, DISTRIBUTION, MAPPING, UNITED STATES—ALASKA—NORTH SLOPE

MP 1553
DEFORMATION AND FAILURE OF FROZEN SOILS AND ICE AT CONSTANT AND STEADILY INCREASING STRESSES.
Fish, A.M., Canadian Permafrost Conference, 4th, Calgary, Alberta, Mar. 2-6, 1981. Proceedings, Ottawa, National Research Council of Canada, 1982, p.419-428, With French summary. 16 refs.
37-385
PERMAFROST PHYSICS, FROZEN GROUND STRENGTH, FROZEN GROUND COMPRESSION, FROZEN GROUND MECHANICS, SOIL CREEP, ICE DEFORMATION, ICE STRENGTH, STRESSES, ICE CREEP, ANALYSIS (MATHEMATICS), EXPERIMENTATION
Experimental and theoretical studies were made of the deformation and time-dependent failure of ice. Uniaxial compression tests were performed in the laboratory at constant and steadily increasing stresses. Strength criteria and unified constitutive equations describing all three stages of creep at constant stress are presented. It is shown that regardless of the stress regime (constant stress or step loading) the equations describe deformation and time-dependent failure by five parameters. The form of the constitutive equations, which can be applied also to describe the mechanical properties of frozen and unfrozen soils, make it possible to obtain analytical solutions of the practical problems and to determine the creep parameters of frozen and unfrozen soils and ice *in situ*.

MP 1554
THEORY OF THERMAL CONTROL AND PREVENTION OF ICE IN RIVERS AND LAKES.
Ashton, G.D., 1982, Vol.13, p.131-185, 38 refs.
37-684
ICE CONTROL, RIVER ICE, LAKE ICE, THERMAL REGIME, HEAT TRANSFER, WATER FLOW, WATER TEMPERATURE, BUBBLING, ICE FORMATION, ICE GROWTH, ICE MELTING, ANALYSIS (MATHEMATICS).
The thermal control of ice in rivers and lakes is accomplished in most cases by modifying the energy budget of the ice cover. In most cases the modification is to increase the flow of heat to the underside of the ice cover, either by directing against it a flow of warm water obtained from other parts of the water body, as in the case of air bubbler systems, or by increasing the temperature of the existing flow of water, as in the case of rivers.

MP 1555
IN-SITU MEASUREMENTS OF THE MECHANICAL PROPERTIES OF ICE.
Tatinclaux, J.C., International Conference on Marine Research, Ship Technology and Ocean Engineering, Hamburg, Sep. 29-30, 1982. Proceedings. Intermaritec '82, Hamburg, 1982, p.326-334, 7 refs.
37-607
ICE MECHANICS, ICE COVER STRENGTH, ICE ELASTICITY, FLEXURAL STRENGTH, FLOATING ICE, ANALYSIS (MATHEMATICS).
Two methods for in-situ determination of the bending strength and elastic modulus of ice are presented. The first method requires failure tests of a series of cantilever beams of various length over thickness ratios, while the second method is based on failure testing of a free-floating beam of length at least three times the ice characteristic length. Both methods avoid the need for measuring beam deflection in order to determine the elastic modulus. The analytical background of the methods is presented, and their advantages and disadvantages as compared to conventional methods are discussed together with their likely application to field or laboratory use.

MP 1556
STANDARDIZED TESTING METHODS FOR MEASURING MECHANICAL PROPERTIES OF ICE.
Schwarz, J., et al, July 1981, 4(3), p.245-254, 18 refs.
Frederking, R., Gavrilo, V.P., Petrov, I.G., Hirayama, K., Mellor, M., Tryde, P., Vaudrey, K.D.
37-872
ICE MECHANICS, COMPRESSIVE PROPERTIES, TENSILE PROPERTIES, ICE ELASTICITY, STANDARDS, LOADS (FORCES), TESTS.
The results of nominally similar tests vary greatly due to the fact that almost every ice research group uses different testing methods. This is of course a hindrance to the Ice Engineering field. In order to improve the quality, comparability and usefulness of the test data resulting from mechanical property investigations, the IAHR Section on Ice Problems considers it necessary to standardize ice testing methods. Herewith the Working Group of the IAHR Section on Ice Problems proposes its recommendation for "Standardized Testing Methods for Measuring Mechanical Properties of Ice." It should be noted that the suggested recommendations remain open to revision as the development of ice testing methods progresses.

MP 1557
FROST SUSCEPTIBILITY OF SOIL; REVIEW OF INDEX TESTS.
Chamberlain, E.J., Aug. 1982, FHWA/RD-82/081, 110p., Refs. p.83-88.
37-973
FROST HEAVE, SOIL MECHANICS, SOIL FREEZING, ICE WATER INTERFACE, ICE SOLID INTERFACE, TESTS, CLASSIFICATIONS, TEMPERATURE GRADIENTS, SOIL WATER, PARTICLE SIZE DISTRIBUTION, GRAIN SIZE.
Methods of determining the frost susceptibility of soils are identified and presented in this report. More than one hundred criteria were found, the most common based on particle size characteristics. These particle size criteria are frequently augmented by information such as grain size distribution, uniformity coefficients and Atterberg limits. Information on permeability, mineralogy and soil classification has also been used. More complex methods requiring pore size distribution, moisture-tension, hydraulic-conductivity, heave-stress, and frost-heave tests have also been proposed. However, none has proven to be the universal test for determining the frost susceptibility of soils. Based on this survey, four methods are proposed for further study. They are the U.S. Army Corps of Engineers Frost Susceptibility Classification System, the moisture-tension hydraulic-conductivity test, a new frost-heave test, and the CBR-after-thaw test.

MP 1558
DESIGNING WITH WOOD FOR A LIGHT-WEIGHT AIR-TRANSPORTABLE ARCTIC SHELTER: HOW THE MATERIALS WERE TESTED AND CHOSEN FOR DESIGN.
Flanders, S.N., et al, Structural use of wood in adverse environments. Edited by R.W. Meyer and R.M. Kellogg. New York, Van Nostrand Reinhold Co., 1982, p.385-397.
Tobiasson, W.
37-1030
PORTABLE SHELTERS, WOODEN STRUCTURES, MILITARY TRANSPORTATION, COLD WEATHER TESTS, LOADS (FORCES), AIRPLANES, DESIGN, CONSTRUCTION MATERIALS.
Construction of a prototype shelter particularly suited to accommodate a party of four to six in the extreme cold at remote locations has been completed recently. To facilitate transportation, the shelter doubles as an ISO shipping container and self-loads onto military aircraft. These modes endure severe loads. Wood was chosen as a suitable material for use in the cold. The requirement for light weight necessitated that the wood be used close to its strength limits. The limits for bonding wood and employing composite panels were tested and compared with calculated values Urethane-based adhesive was chosen to bound high-density overlay (HDO) plywood and redwood sections together. Fiberglass-reinforced plastic (FRP) mat was chosen as a material to strengthen webs against shear

MP 1559
SYNOPTIC WEATHER CONDITIONS DURING SELECTED SNOWFALL EVENTS BETWEEN DECEMBER 1981 AND FEBRUARY 1982.
Bilello, M.A., May 1982, 82-8, p.9-42.
37-1095
SYNOPTIC METEOROLOGY, SNOWFALL, SNOWSTORMS, WEATHER OBSERVATIONS, STATISTICAL ANALYSIS

MP 1560
METEOROLOGY.
Bates, R.E., May 1982, 82-8, p.43-180.
37-1096
METEOROLOGICAL DATA, SNOWSTORMS, SNOWFALL, STATISTICAL ANALYSIS, SNOW DEPTH, SNOW WATER EQUIVALENT, SNOW TEMPERATURE.

MP 1561
SNOW CRYSTAL HABIT.
Koh, G., et al, May 1982, 82-8, p.181-216, 5 refs.
O'Brien, H.W.
37-1097
SNOWFLAKES, SNOW CRYSTAL STRUCTURE, SNOW OPTICS, SNOWFALL, PARTICLE SIZE DISTRIBUTION, SPECTRA.

MP 1562
AIRBORNE SNOW AND FOG DISTRIBUTIONS.
Berger, R.H., May 1982, 82-8, p.217-223.
37-1098
SNOWFLAKES, SNOWSTORMS, SNOW CRYSTAL STRUCTURE, FOG, UNFROZEN WATER CONTENT, PARTICLE SIZE DISTRIBUTION, CLASSIFICATIONS.

MP 1563
MEASUREMENTS OF AIRBORNE-SNOW CONCENTRATION.
Lacombe, J., May 1982, 82-8, p.225-281, 2 refs.
37-1099
SNOWFALL, SNOWFLAKES, COMPUTER APPLICATIONS, MEASUREMENT.

MP 1564
SNOW COVER CHARACTERIZATION.
O'Brien, H.W., et al, May 1982, 82-8, p.559-577, 7 refs.
Bates, R.E.
37-1106
SNOW COVER, SNOWFALL, SNOW DEPTH, SNOW HARDNESS, SNOW DENSITY, SNOW TEMPERATURE, UNFROZEN WATER CONTENT.

MP 1565
PERMEABILITY OF A MELTING SNOW COVER.
Colbeck, S.C., et al, Aug. 1982, 18(4), p 904-908, 16 refs.
Anderson, E.A.
37-1226
SNOW MELTING, SNOW PERMEABILITY, MELTWATER, SNOW DENSITY, SNOW COVER, SATURATION, RUNOFF.
Data from snow lysimeters in California and Vermont are used to find the saturated permeability of a melting snow cover in the range of 10-40x10/(10 sq m) depending on snow density. The unsaturated permeability increases as about the third power of liquid saturation. The gravity flow theory is shown to be an accurate representation of meltwater drainage from snow covers in .wo diverse areas even though the snow covers are treated as homogeneous units. The variation of saturated permeability with snow density occurs about as predicted by Shimizu's formula for dry snow, although ice layers decrease the permeability somewhat.

MP 1566
PHYSICAL ASPECTS OF WATER FLOW THROUGH SNOW.
Colbeck, S.C., Advances in hydroscience. Volume 11. Edited by V.T. Chow., New York, Academic Press, 1978, p.165-206, Refs. p.204-206.
37-1280
WET SNOW, SNOW HYDROLOGY, WATER FLOW, SNOW PERMEABILITY, SNOW COVER STRUCTURE, POROUS MATERIALS, THERMODYNAMICS, RAIN, MATHEMATICAL MODELS.

MP 1567
SENSITIVITY OF A FROST HEAVE MODEL TO THE METHOD OF NUMERICAL SIMULATION.
Hromadka, T V., II, et al, Aug. 1982, 6(1), p.1-10, 10 refs.
Guymon, G.L., Berg, R.L.
37-1329
FROST HEAVE, SOIL FREEZING, HEAT TRANSFER, MATHEMATICAL MODELS, ANALYSIS (MATHEMATICS).
A unifying numerical method is developed for solution of frost heave in a vertical freezing column of soil. Within one general computer code a single unifying parameter can be preselected to employ the commonly used Galerkin finite elements, subdomain weighted residual, or finite difference methods as well as several other methods developed from the Alternation Theorem. Comparing results from the various numerical techniques in the computation of frost heave to measured frost heave in a laboratory column indicates there is little advantage of the numerical technique over another.

MP 1568
DETERMINATION OF THE FLEXURAL STRENGTH AND ELASTIC MODULUS OF ICE FROM *IN SITU* CANTILEVER-BEAM TESTS.
Tatinclaux, J.C., et al, Aug. 1982, 6(1), p.37-47, 4 refs.
Hirayama, K.
37-1333
ICE COVER STRENGTH, FLEXURAL STRENGTH, ICE ELASTICITY, ICE PHYSICS, LOADS (FORCES), ICE SHEETS, ANALYSIS (MATHEMATICS).
From the theory of cantilever beams on an elastic foundation, it is shown that the strength index and modulus index of ice can be determined from measurements of either the failure load or the tip deflection, or both, of in situ cantilever beams tested over a wide enough range of ratio of beam length to beam thickness Four methods are proposed, two of which do not require the measurement of beam deflection during beam loading, an often difficult task to perform with sufficient reliability, especially in the field

MP 1569
ICE DISTRIBUTION AND WINTER SURFACE CIRCULATION PATTERNS, KACHEMAK BAY, ALASKA.
Gatto, L.W., 1982, No.12, p.421-435, For more detailed article see 36-2432. 14 refs.
37-1440
SEA ICE DISTRIBUTION, ICE CONDITIONS, OCEAN CURRENTS, SUSPENDED SEDIMENTS, OCEANOGRAPHY, REMOTE SENSING, UNITED STATES—ALASKA—KACHEMAK BAY

MP 1570
DETERMINING THE CHARACTERISTIC LENGTH OF MODEL ICE SHEETS.
Sodhi, D.S., et al, Nov. 1982, 6(2), p.99-104, 6 refs
Kato, K., Haynes, F.D., Hirayama, K.
37-1582
FLOATING ICE, ICE STRENGTH, ICE SHEETS, LOADS (FORCES), FLEXURAL STRENGTH, ICE ELASTICITY, STRESSES, ICE CREEP, ICE MODELS.
For determining the characteristic length of a floating ice sheet, a vertical load is applied to the ice sheet either by placing dead weights in discrete increments or with a screw drive apparatus in series with a load cell, and the deflection of the ice sheet is monitored at the point of loading or near it For a model ice sheet exhibiting creep behavior, the experimental results with the screw apparatus show that the slope of the load-deflection curve decreases as the load increases, and one is not able to choose a unique value of the slope for the computation of characteristic length This is attributed to relaxation of stress in ice.

MP 1571
FIRN QUAKE (A RARE AND POORLY EXPLAINED PHENOMENON).
DenHartog, S.L., Nov. 1982, 6(2), p.173-174, 7 refs.
37-1589
FIRN, SNOW DEFORMATION, SNOW SURFACE, CRACKS.
A firn quake is a sudden collapse of a snow surface with a noise of increasing intensity. This description applies to firn quakes on large ice sheets, shuch as cover Greenland and Antarctica. There are many unknowns about firn quake phenomena.

MP 1572
ELECTRICAL PROPERTIES OF FROZEN GROUND AT VHF NEAR POINT BARROW, ALASKA.
Arcone, S.A., et al, Oct. 1982, GE-20(4), p.485-492, 16 refs.
Delaney, A.J.
37-1685
FROZEN GROUND PHYSICS, ELECTRICAL PROPERTIES, RADIO WAVES, GROUND ICE, MODELS, ORGANIC SOILS, SOIL WATER.
Electrical properties of frozen ground were measured using radio frequency interferometry (RFI) in the very high frequency (VHF) radiowave band. Ice-rich organic silts and sandy gravel of variable ice content were investigated during early April of both 1979 and 1980. Frequencies between 10 and 150 MHz were used but best results were obtained at VHF between 10 and 100 MHz.

MP 1573
STATE OF THE ART OF SHIP MODEL TESTING IN ICE.
Vance, G.P., American Towing Tank Conference, General Meeting, 19th, Ann Arbor, Michigan, July 9-11, 1980 Proceedings, Vol.2. Edited by S.B. Cohen, Ann Arbor, Science Publishers, [1981], p.693-706, 5 refs.
37-1692
ICE LOADS, ICE PRESSURE, SHIPS, STRENGTH, MODELS, LOADS (FORCES), TESTS, SNOW COVER EFFECT.

MP 1574
UNIFORM SNOW LOADS ON STRUCTURES.
O'Rourke, M.J., et al, Dec. 1982, 108(ST12), p.2781-2798, 12 refs.
Redfield, R., Von Bradsky, P.
37-1756
SNOW LOADS, ROOFS, STRUCTURES, SLOPE ORIENTATION, EXPOSURE, SNOW ACCUMULATION, THERMAL EFFECTS, SURFACE PROPERTIES.
Data on ground and roof snow loads for 199 structures are analyzed. Relationship between ground-to-roof conversion factor for uniform roof loads and parameters such as roof slope, exposure and thermal characteristics are investigated The conversion factor was found to be most strongly influenced by exposure

MP 1575
APPLICATION OF HEC-2 FOR ICE-COVERED WATERWAYS.
Calkins, D.J., et al, Nov. 1982, 108(TC2), p 241-248, 5 refs.
Hayes, R., Daly, S.F., Montalvo, A.
37-2018
CHANNELS (WATERWAYS), WATER FLOW, ICE COVER EFFECT, FLOATING ICE, FLOW RATE, RIVER FLOW, COMPUTER PROGRAMS.
HEC-2, the widely known open channel flow water surface profile computer program developed by the U.S Army Corps of Engineers' Hydrologic Engineering Center, has been recently updated for the U S Army Cold Regions Research and Engineering Laboratory to account for the presence of a floating ice cover It has been shown by many writers that at uniform flow the normal flow depth can be increased by as much as 30% by a floating ice cover. HEC-2 with the ice cover option will allow the Corps of Engineers and other users of the program to evaluate effectively the effect of an ice cover on the flow depth, flow velocity, unit discharge, etc , in a river system. This paper presents an overview of the modifications to the uniform flow equation, the required input data, and an analysis

MP 1576
SOURCE MECHANISM OF VOLCANIC TREMOR.
Ferrick, M.G., et al, Oct. 10, 1982, 87(B10), p.8675-8683, 27 refs.
Qamar, A., St. Lawrence, W.F.
37-2111
EARTHQUAKES, VOLCANOES, FLUID DYNAMICS, FLUID FLOW, UNITED STATES—OREGON—HOOD, MOUNT.
Low-frequency (<10 Hz) volcanic earthquakes originate at a wide range of depths and occur before, during, and after magmatic eruptions The characteristics of these earthquakes suggest that they are not typical tectonic events Physically analogous processes occur in hydraulic fracturing of rock formations, low-frequency icequakes in temperate

glaciers, and autoresonance in hydroelectric power stations. We propose that unsteady fluid flow in volcanic conduits is the common source mechanism of low-frequency volcanic earthquakes (tremor). The fluid dynamic source mechanism explains low-frequency earthquakes of arbitrary duration, magnitude, and depth of origin, as unsteady flow is independent of physical properties of the fluid and conduit. Fluid transients occur in both low-viscosity gases and high-viscosity liquids. A fluid transient analysis can be formulated as generally as is warranted by knowledge of the composition and physical properties of the fluid, material properties, geometry and roughness of the conduit, and boundary conditions. (Auth. mod.)

MP 1577

COMMENT ON 'WATER DRAG COEFFICIENT OF FIRST-YEAR SEA ICE' BY M.P. LANGLEBEN.

Andreas, E.L., et al, Jan. 20, 1983, 88(C1), p.779-782, Includes the comment by Andreas and the reply by Langleben. For the article being discussed see 36-2494. 11 refs.

Langleben, M.P.

37-2110

SEA ICE, SURFACE ROUGHNESS, FRICTION, ANALYSIS (MATHEMATICS).

MP 1578

MICROBIOLOGICAL AEROSOLS FROM A FIELD-SOURCE WASTEWATER IRRIGATION SYSTEM.

Bausum, H.T., et al, Jan. 1983, 55(1), p.65-75, 20 refs. Schaub, S.A., Bates, R.E., McKim, H.L., Schumacher, P.W., Brockett, B.E.

37-2176

WASTE TREATMENT, WATER TREATMENT, BACTERIA, AEROSOLS, IRRIGATION, MICROBIOLOGY.

MP 1579

ON MODELING SEASONAL AND INTERANNUAL FLUCTUATIONS OF ARCTIC SEA ICE.

Hibler, W.D., III, et al, Dec. 1982, 12(12), p.1514-1523, 20 refs.

Walsh, J.E.

37-2362

SEA ICE DISTRIBUTION, PERIODIC VARIATIONS, ICE MODELS.

Some results from a series of three-year aperiodic simulations of the Northern Hemisphere sea ice cover are reported. The simulations employ the dynamic-thermodynamic sea ice model developed by Hibler (1979) and use a one-day timestep on a 35 x 31 grid with a resolution of 222 km. Atmospheric data from the years 1973-75 are used to drive the simulations The simulations yield a seasonal cycle with excessive amounts of ice in the North Atlantic during winter and with somewhat excessive amounts of open water in the central Arctic during summer. Despite the seasonal bias, the simulated and observed interannual fluctuations are similar in magnitude and are positively correlated The correlations with observed data are noticeably smaller when dynamical processes are omitted from the model. The simulated outflow of ice through the Greenland-Spitsbergen passage undergoes large fluctuations both seasonally and on an interannual basis The outflow correlates highly with the simulated fluctuations of ice coverage in the North Atlantic sector and positively with the observed fluctuations of ice coverage in the same sector.

MP 1580

ADHESION OF ICE TO POLYMERS AND OTHER SURFACES.

Itagaki, K., Physicochemical aspects of polymer surfaces, Vol 1 Edited by K L Mittal, Plenum Publishing Corporation, Mar. 1983, p 241-252, 15 refs.

37-2274

ICE ADHESION, ICE SOLID INTERFACE, ICE STRENGTH, POLYMERS, PROTECTIVE COATINGS.

A set of simple experiments indicated that water drops can penetrate through a grease layer and make "real" contact with the substrate, then spread over the surface, depending on the surface energy of the substrate, increasing the "real" contact rea. Furthermore the ice/substrate bond is stronger than ice itself. The complex problem of ice adhesion may be explainable by combination of these findings in that the "real" contact area multiplied by the strength of ice within the area constitute the apparent adhesive strength. Conceivable effects of various factors are discussed

MP 1581

PROCEEDINGS.

International Offshore Mechanics and Arctic Engineering Symposium, 2nd, Houston, Texas, Jan. 30-Feb. 3, 1983, New York, N.Y, American Society of Mechanical Engineers, 1983, 813p., Refs. passim For selected papers see 37-2389 through 37-2406

Chung, J.S., ed, Lunardini, V J., ed.

37-2388

OFFSHORE DRILLING, OFFSHORE STRUCTURES, ICE CONDITIONS, DRIFT, PERMAFROST, ARTIFICIAL ISLANDS, ICE LOADS, COMPUTER APPLICATIONS, ICE PHYSICS, SEA ICE.

MP 1582

EFFECT OF STRESS APPLICATION RATE ON THE CREEP BEHAVIOR OF POLYCRYSTALLINE ICE.

Cole, D.M., International Offshore Mechanics and Arctic Engineering Symposium, 2nd, Houston, Texas, Jan. 30-Feb. 3, 1983. Proceedings. Edited by J.S. Chung and V.J. Lunardini, New York, N.Y., American Society of Mechanical Engineers, 1983, p.614-621, 14 refs.

37-2392

ICE CREEP, ICE CRYSTAL STRUCTURE, ICE ACOUSTICS, STRESS STRAIN DIAGRAMS, MICROSTRUCTURE, ICE CRACKS, RHEOLOGY, CRACKING (FRACTURING), TIME FACTOR.

This work examines the effect of the rate of stress application on the creep behavior of polycrystalline ice. Stress rates from 1/1000 to 1 84 MPa/s were used to achieve a creep stress of 3 6 MPa at test temperatures of -5 to -10C. The treatment emphasizes the effect of stress application rate on primary creep behavior and the accompanying microfracturing activity. Acoustic emission measurements taken in all tests indicate the onset and rate peak of the microfracturing activity.

MP 1583

FREEZING OF SEMI-INFINITE MEDIUM WITH INITIAL TEMPERATURE GRADIENT.

Lunardini, V.J., International Offshore Mechanics and Arctic Engineering Symposium, 2nd, Houston, Texas, Jan. 30-Feb. 3, 1983. Proceedings. Edited by J.S. Chung and V.J. Lunardini, New York, N.Y., American Society of Mechanical Engineers, 1983, p.649-652, 11 refs.

37-2397

SOIL FREEZING, HEAT TRANSFER, TEMPERATURE GRADIENTS, STEFAN PROBLEM, GEOTHERMY, HEAT BALANCE, ANALYSIS (MATHEMATICS), THERMAL CONDUCTIVITY.

Exact solutions to problems of conductive heat transfer with solidification are rare due to the non-linearity of the equations. The heat balance integral technique is used to obtain an approximate solution to the freezing of a semi-infinite region with a linear, initial temperature distribution. The results indicate that the constant temperature Neumann solution is acceptable for soil systems with a geothermal gradient unless extremely long freezing times are considered The heat balance integral will yield good solutions, with simple numerical work, even for non-constant initial temperatures.

MP 1584

SIMPLE FIXED MESH FINITE ELEMENT SOLUTION OF TWO-DIMENSIONAL PHASE CHANGE PROBLEMS.

O'Neill, K., International Offshore Mechanics and Arctic Engineering Symposium, 2nd, Houston, Texas, Jan. 30-Feb. 3, 1983. Proceedings. Edited by J.S. Chung and V.J Lunardini, New York, N.Y., American Society of Mechanical Engineers, 1983, p.653-658, 24 refs.

37-2398

FREEZE THAW CYCLES, HEAT TRANSFER, PHASE TRANSFORMATIONS, LATENT HEAT, THERMAL CONDUCTIVITY, MATHEMATICAL MODELS, ENTHALPY.

An algorithm has been developed for two-dimensional freezing and thawing problems, which may also be useful for some other phase change problems It is designed to be implemented simply in standard finite element heat conduction computer codes which use linear interpolation within elements. Substances with discrete phase change temperatures such as water suffer a step change in enthalpy across a phase change isotherm, and hence feature a theoretically infinite heat capacity there. The algorithm handles this potentially troublesome phenomenon in a natural way through usual finite element procedures, using simple closed form expressions.

MP 1585

ICE DYNAMICS IN THE CANADIAN ARCHIPELAGO AND ADJACENT ARCTIC BASIN AS DETERMINED BY ERTS-1 OBSERVATIONS.

Ramseier, R.O., et al, Canada's continental margins and offshore petroleum exploration. Edited by C.J. Yorath, E.R. Parker and D.J Glass, Calgary, Alberta, Canadian Society of Petroleum Geologists, May 1975, p.853-877, 13 refs.

Campbell, W.J., Weeks, W.F., Drapier-Arsenault, L., Wilson, K.L.

37-2463

ICE MECHANICS, SEA ICE DISTRIBUTION, DRIFT, ICE CONDITIONS, REMOTE SENSING, ICE BREAKUP, FREEZEUP, ERTS IMAGERY.

ERTS-1 "Quicklook" imagery for the period March to November 1973 has been utilized to study sea ice in the Canadian archipelago and in the adjacent Arctic basin The imagery, which provides extensive coverage of the area of interest, contains detailed information on variations in sea ice dynamics and ice morphology on a time scale ranging from several days to seasons Because of the sidelap of the ERTS-1 orbits over the study area, recognizable ice floes could be tracked on repetitive daily images for time periods as long as 6 days. Information on ice drift velocity, compactness, floe size, fast ice and ice melt patterns, and dates of breakup and freezeup were obtained.

MP 1586

SIMULATION OF THE ENRICHMENT OF ATMOSPHERIC POLLUTANTS IN SNOW COVER RUNOFF.

Colbeck, S.C., 1981, 38th, p.1-10, 16 refs. For another version see 36-1887.

37-2768

SNOW COMPOSITION, SNOW IMPURITIES, AIR POLLUTION, RUNOFF, MELTWATER, ENVIRONMENTAL IMPACT, SNOW CRYSTAL NUCLEI, EXPERIMENTATION, SNOW COVER.

The soluble impurities contained in a snow cover can be concentrated as much as five fold in the first fractions of snow melt runoff In addition, daily impurity surges are possible. Melt-freeze cycles concentrate the impurities in the lower portion of the snow cover hence prepare the impurities for rapid removal. Environmental damage can occur due to the concentration and rapid release of atmospheric pollutants from the snow, especially in areas of "acid precipitation." The enrichment of the soluble impurities is explained and the results of laboratory experiments are given.

MP 1587

STRESS/STRAIN/TIME RELATIONS FOR ICE UNDER UNIAXIAL COMPRESSION.

Mellor, M., et al, Feb. 1983, 6(3), p.207-230, 9 refs.

Cole, D.M.

37-2878

ICE CREEP, ICE MECHANICS, STRESS STRAIN DIAGRAMS, LOADS (FORCES), COMPRESSIVE PROPERTIES, STATIC LOADS, TIME FACTOR, ANALYSIS (MATHEMATICS), TESTS, RHEOLOGY.

Results of mechanical tests involving uniaxial compression of isotropic ice at -5C were analysed and interpreted Constant load (CL) creep tests were made for applied stresses in the range 0.8 to 3.8 MPa, and "strength" tests under constant displacement rate (CD) were made for applied strain rates in the range 1/10,000,000 to 1/1,000 1/s. Results from CL tests and CD tests corresponded closely, giving much the same information about failure strains, strength, creep rates, time to failure, stress/strain-rate relations, etc.

MP 1588

PHYSICS OF MATHEMATICAL FROST HEAVE MODELS: A REVIEW.

O'Neill, K., Feb. 1983, 6(3), p 275-291, Refs. p.289-291.

37-2883

FROST HEAVE, FROZEN GROUND PHYSICS, THERMODYNAMICS, PHYSICAL PROPERTIES, STRESSES, MATHEMATICAL MODELS, GROUND ICE

This paper is concerned with the physical and thermodynamical bases of frost heave modeling An attempt is made to isolate and illuminate issues which all such models must address, at least by implication. Although numerous relevant publications are surveyed, emphasis is less on an enumeration of items in the literature, and more on the concepts themselves, and on their alternative mathematical expressions, approximations, and manners of applications Ultimately a selection of specific mathematical models is discussed, in light of the points raised in the general discussion

MP 1589

PRELIMINARY INVESTIGATION OF THE ACOUSTIC EMISSION AND DEFORMATION RESPONSE OF FINITE ICE PLATES.

Xirouchakis, P C , et al, Jan. 1982, No.134, p.129-139, 10 refs.

St. Lawrence, W.F.

37-2905

ICE ACOUSTICS, ICE DEFORMATION, LOADS (FORCES), FRACTURING, PLATES, ICE CRACKS, ELASTIC WAVES, VISCOELASTICITY, GRAIN SIZE, EXPERIMENTATION.

A procedure is described for monitoring the microfracturing activity in ice plates subjected to constant loads Sample time records of fresh water ice plate deflections as well as corresponding total acoustic emission activities are presented The linear elastic as well as visco-elastic response for a simple supported rectangular ice plate is obtained Suggested future work using the above procedure is discussed

MP 1590

MODELING PRESSURE RIDGE BUILDUP ON THE GEOPHYSICAL SCALE.

Hibler, W.D., III, Jan. 1982, No 134, p.141-155, 8 refs.

37-2906

PRESSURE RIDGES, ICE COVER THICKNESS, ICE PILEUP, ICE STRENGTH, ICE PHYSICS, SEA ICE DISTRIBUTION, SURFACE ROUGHNESS, STRESSES, ICE MODELS, PACK ICE.

In large scale sea ice models ridging is modeled by redistributing thin ice into thicker categories The way in which this redistribution is carried out can significantly affect the geophysical stresses in pack ice This paper compares ice strength characteristics of several different redistributors and discusses the relationship of these redistributors with observed

ridge morphological data. In addition, simulated Arctic Basin ridge buildup results using one of these redistributors are presented and compared to roughness observations reported in the literature

MP 1591
FIELD METHODS AND PRELIMINARY RESULTS FROM SUBSEA PERMAFROST INVESTIGATIONS IN THE BEAUFORT SEA, ALASKA.
Sellmann, P.V., et al, June 1979, No.124, p 207-213, 6 refs.
Chamberlain, E.J., Blouin, S.E., Iskandar, I.K., Lewellen, R.I.
37-2962
SUBSEA PERMAFROST, PERMAFROST THERMAL PROPERTIES, PENETRATION TESTS, GEOPHYSICAL SURVEYS, TEMPERATURE GRADIENTS, GROUND WATER, WATER CHEMISTRY, ENGINEERING, BEAUFORT SEA.

MP 1592
NUMERICAL SIMULATION OF THE WEDDELL SEA PACK ICE.
Hibler, W.D., III, et al, Mar. 30, 1983, 88(C5), p.2873-2887, 29 refs.
Ackley, S.F.
37-2983
SEA ICE, ICE MECHANICS, DRIFT, ICE MODELS, ICE COVER THICKNESS, ANTARCTICA—WEDDELL SEA.
The simulations employ a dynamic thermodynamic model developed in 1979 and use a 1-day time step on an 18 x 15 grid with a resolution of 122 km Daily atmospheric data from 1979 are used to drive the simulations, which yield a seasonal cycle of ice with maximum extents close to that observed. The advance of the ice is primarily thermodynamic in nature, while the rapid decay depends critically on the presence of both leads and lateral ice advection The average fraction of open water is substantial and varies from 10% in September to 35% in March. These values are in general agreement with estimates from satellite microwave data. Mean ice thicknesses are consistent with observations and vary from about 3 m in the perennial ice in the western Weddell to 1 m in first-year ice in the eastern Weddell. Simulated ice drift results yield mean drift rates of about 5 km/day, in good agreement with buoy drift observations with slightly inadequate northward transport in the western Weddell Near the ice edge the drift rates are relatively insensitive to the ice strength Near the coast, however, lower strengths are found to yield a decrease in northward drift rates. (Auth. mod.)

MP 1593
APPROXIMATE PHASE CHANGE SOLUTIONS FOR INSULATED BURIED CYLINDERS.
Lunardini, V J, Feb. 1983, 105(1), p.25-32, 14 refs.
37-3169
FREEZE THAW CYCLES, UNDERGROUND PIPELINES, HEAT TRANSFER, PIPES (TUBES), PHASE TRANSFORMATIONS, THERMAL PROPERTIES, THERMAL INSULATION, TEMPERATURE EFFECTS, ANALYSIS (MATHEMATICS).
The conduction problem for cylinders embedded in a medium with variable thermal properties cannot be solved exactly if phase change occurs. New, approximate solutions have been found using the quasi-steady method. These solutions consider heat flow from the entire pipe surface, rather than from a single point, as has been assumed in the past. The temperature field, phase change location, and pipe surface heat transfer can be evaluated using graphs presented for parametric range of temperature, thermal properties, burial depth, and insulation thickness

MP 1594
COMPARISON OF UNFROZEN WATER CONTENTS MEASURED BY DSC AND NMR.
Oliphant, J L., et al, International Symposium on Ground Freezing, 3rd, Hanover, N.H., June 22-24, 1982. Proceedings, [1982], p.115-121, 15 refs.
Tice, A.R.
37-3069
UNFROZEN WATER CONTENT, FROZEN GROUND STRENGTH, SPECIFIC HEAT, SOIL FREEZING, TEMPERATURE EFFECTS, CALORIMETRY.
Unfrozen water contents of various sands, silts and clay under partially frozen conditions have been measured using Nuclear Magnetic Resonance (NMR) Apparent specific heats for many of these soils have been measured as a function of temperature using Differential Scanning Calorimetry (DSC) Unfrozen water contents have been calculated from the DSC data and compared with those directly measured with NMR.

MP 1595
FREEZING OF SOIL WITH SURFACE CONVECTION.
Lunardini, V.J., International Symposium on Ground Freezing, 3rd, Hanover, N.H., June 22-24, 1982. Proceedings, [1982], p.205-212, 17 refs.
37-3079
PERMAFROST PHYSICS, PHASE TRANSFORMATIONS, FROZEN GROUND STRENGTH, SOIL FREEZING, SURFACE PROPERTIES, HEAT TRANSFER, ARTIFICIAL FREEZING, FROZEN GROUND TEMPERATURE, LATENT HEAT, SURFACE TEMPERATURE, TIME FACTOR, CONVECTION, ANALYSIS (MATHEMATICS), STORAGE.
Phase change phenomena arise frequently in applications such as thermal design in permafrost regions, thermal storage of latent heat for solar systems, and the heat treatment of metals These are problems of conductive heat transfer with solidification phase change Exact solutions are sought for geometries and boundary conditions which are simple and yet representative of practical systems

MP 1596
INITIAL STAGE OF THE FORMATION OF SOIL-LADEN ICE LENSES.
Takagi, S., International Symposium on Ground Freezing, 3rd, Hanover, N H, June 22-24, 1982 Proceedings, [1982], p.223-232, 8 refs.
37-3081
GROUND ICE, FROZEN GROUND STRENGTH, ICE LENSES, SOIL FREEZING, ICE FORMATION, ARTIFICIAL FREEZING, FROST HEAVE, THERMAL CONDUCTIVITY, STEFAN PROBLEM, ANALYSIS (MATHEMATICS), FROST ACTION, SOIL WATER.
O'Neill and Miller's equations for frost heave in saturated soil/water system, presented in the 2nd I S G.F.at Trondheim, reduce to heat conduction equations on introduction of two simplifying assumptions. The reduced equations are solved by use of the recently developed analytical method that can solve the Stefan problem with arbitrary initial and boundary conditions.

MP 1597
FREEZING AND THAWING: HEAT BALANCE INTEGRAL APPROXIMATIONS.
Lunardini, V.J., Mar. 1983, 105(1), p.30-37, 17 refs.
37-3205
FREEZE THAW CYCLES, PERMAFROST THERMAL PROPERTIES, HEAT BALANCE, STEFAN PROBLEM, SOIL FREEZING, GROUND THAWING, LATENT HEAT, SURFACE PROPERTIES, HEAT TRANSFER, PHASE TRANSFORMATIONS, CONVECTION, ANALYSIS (MATHEMATICS).
The study of conductive heat transfer with phase change —often called the Stefan problem—includes some of the most intractable mathematical areas of heat transfer. Exact solutions are extremely limited and approximate methods are widely used This paper discusses the heat balance integral approximation using the collocation method The method is applied to some standard problems of phase change —Neumann's problem—and a new solution is presented for the case of a semi-infinite body with surface convection Numerical results are given for soil systems and also for materials of interest in latent heat thermal storage

MP 1598
APPROXIMATE SOLUTION TO CONDUCTION FREEZING WITH DENSITY VARIATION.
Lunardini, V.J, Mar 1983, 105(1), p 43-45, 5 refs
37-3207
HEAT TRANSFER, FREEZE THAW CYCLES, PERMAFROST THERMAL PROPERTIES, DENSITY (MASS/VOLUME), WATER, PHASE TRANSFORMATIONS, LATENT HEAT, ANALYSIS (MATHEMATICS).

MP 1599
DYNAMICS OF NEAR-SHORE ICE.
Kovacs, A., et al, Environmental assessment of the Alaskan continental shelf, Vol 7, Hazards. Principal investigators' annual reports for the year ending March 1981. Boulder, Colorado, Outer Continental Shelf Environmental Assessment Program, [1981], p.125-135.
Weeks, W.F.
37-3247
SEA ICE DISTRIBUTION, ICE MECHANICS, DRIFT, PRESSURE RIDGES, ICE PILEUP, ICE SCORING.
Research Unit No 88 investigates sea ice and ice induced gouges in the sea floor along the coasts of the Beaufort, Chukchi, and Bering Seas. New results reported during FY81 include further documentation of coastal ice pileup and over-ride events, studies of the block size distributions in first-year pressure ridges, investigations of additional laser profilometer observations on pressure ridges, radar studies of near-shore lakes on the North Slope that may serve as year-round sources of fresh water, and the preparation of a review paper on the physical environment of arctic Alaska as it relates to petroleum exploration and production.

MP 1600
DELINEATION AND ENGINEERING CHARACTERISTICS OF PERMAFROST BENEATH THE BEAUFORT SEA.
Sellmann, P.V., et al, Environmental assessment of the Alaskan continental shelf, Vol.7, Hazards. Principal investigators' annual reports for the year ending March 1981, Boulder, Colorado, Outer Continental Shelf Environmental Assessment Program, [1981], p.137-156, 4 refs.
Neave, K.G., Chamberlain, E.J., Delaney, A.J.
37-3248
SUBSEA PERMAFROST, PERMAFROST DISTRIBUTION, SEISMIC VELOCITY, ENGINEERING, SEISMIC SURVEYS, NATURAL GAS, BEAUFORT SEA.
Velocity data derived from the study of industry seismic records from lease area No.71 indicate that bonded permafrost is common Its distribution will likely be as variable as it is to the east near Prudhoe Bay. Bonded permafrost should extend many kilometers offshore of the islands in the eastern part of the lease area.

MP 1601
TRANSPORT OF WATER IN FROZEN SOIL. 2. EFFECTS OF ICE ON THE TRANSPORT OF WATER UNDER ISOTHERMAL CONDITIONS.
Nakano, Y., et al, Mar. 1983, 6(1), p.15-26, 16 refs.
Tice, A.R , Oliphant, J.L., Jenkins, T F
37-3558
SOIL WATER MIGRATION, FROZEN GROUND PHYSICS, GROUND ICE, SOIL FREEZING, WATER TRANSPORT, TEMPERATURE EFFECTS, ANALYSIS (MATHEMATICS).
Effects of ice on the transport of water in frozen soil were investigated under isothermal conditions. Based on the experimental results obtained using a marine-deposited clay at -1 0C, the presence of ice is shown to significantly affect the transport of water under certain circumstances. A theoretical analysis of the experimental results and a discussion of a possible mechanism for water transport in frozen soil are presented.

MP 1602
ICE ENGINEERING.
O'Steen, D.A., Spring 1980, 12(2), p.41-47.
37-3551
DOCKS, ICE LOADS, PILE STRUCTURES, PILE EXTRACTION, ENGINEERING, OFFSHORE STRUCTURES, WATER LEVEL, PIERS, TESTS.

MP 1603
THEORY OF METAMORPHISM OF DRY SNOW.
Colbeck, S.C., June 20, 1983, 88(C9), p.5475-5482, 16 refs.
37-3571
METAMORPHISM (SNOW), SNOW CRYSTAL GROWTH, TEMPERATURE GRADIENTS, VAPOR DIFFUSION, ICE CRYSTAL GROWTH, TEMPERATURE EFFECTS, ANALYSIS (MATHEMATICS), THEORIES.
The growth of ice particles in dry seasonal snow is caused by vapor diffusion among particles due to temperature gradients imposed on the snow cover The diffusion is calculated by using the potential field solutions for electrostatically charged particles The stereography of snow is represented by using a log-normal distribution function for a geometric enhancement factor defined here Reasonable crystal growth rates and supersaturations are found.

MP 1604
RECENT ADVANCES IN UNDERSTANDING THE STRUCTURE, PROPERTIES, AND BEHAVIOR OF SEA ICE IN THE COASTAL ZONES OF THE POLAR OCEANS.
Weeks, W F., et al, International Conference on Port and Ocean Engineering under Arctic conditions, 7th, Helsinki, Finland, April 5-9, 1983 Proceedings, Espoo, Finland, Valtion teknillinen tutkimuskeskus, 1983, p 25-41, 32 refs.
Ackley, S.F.
37-3714
SEA ICE, ICE STRENGTH, PRESSURE RIDGES, ICE CRYSTAL STRUCTURE, ICE WATER INTERFACE, FRAZIL ICE, ICE COVER THICKNESS, ICE FLOES, COMPRESSIVE PROPERTIES, STRAINS, GAS INCLUSIONS, BRINES, WEDDELL SEA
A review is given of recent field and laboratory studies that have 1) revealed vast areas of first-year sea ice that show strong directional c-axis alignments in the horizontal plane with the alignment directed parallel to the current direction at the ice-water interface at the time the ice formed 2) Discovered unexpected large amounts of frazil ice in the Weddell Sea pack with the largest amounts of frazil occurring in the thickest floes 3) Determined the strength

of multiyear pressure ridges to be comparable to that of first-year sea ice in the hard-fail direction. 4) Developed a rapid method of determining the relative volume of gas in sea ice.

MP 1605
PROTECTION OF OFFSHORE ARCTIC STRUCTURES BY EXPLOSIVES.
Mellor, M., International Conference on Port and Ocean Engineering under Arctic conditions, 7th, Helsinki, Finland, April 5-9, 1983. Proceedings, Espoo, Finland, Valtion teknillinen tutkimuskeskus, 1983, p.310-322, 12 refs.
37-3740
ICE BLASTING, OFFSHORE STRUCTURES, ICE LOADS, ICE BREAKING, PROTECTION, ICE COVER THICKNESS, IMPACT STRENGTH, ICE MECHANICS, FLOATING STRUCTURES, ENVIRONMENTAL PROTECTION, DESIGN.
New design curves for ice blasting relate crater radius with charge weight, charge depth, and ice thickness Single-charge data can be used to design charge patterns for breaking ice in long channels or over broad areas. When charges are optimized to give maximum energetic efficiency, the specific energy is comparable to that for an ice-breaking ship, and significantly lower than the best attainable specific energy for ice-cutting machines Shock attenuation curves for underwater explosions permit the calculation of safe distances for structures, fish and divers.

MP 1606
ICE FORCES ON MODEL MARINE STRUCTURES.
Haynes, F.D., et al, International Conference on Port and Ocean Engineering under Arctic conditions, 7th, Helsinki, Finland, April 5-9, 1983. Proceedings, Espoo, Finland, Valtion teknillinen tutkimuskeskus, 1983, p.778-787, 7 refs.
Sodhi, D.S.
37-3776
ICE PRESSURE, OFFSHORE STRUCTURES, ICE SOLID INTERFACE, FLEXURAL STRENGTH, ICE COVER THICKNESS, ICE COVER STRENGTH, ICE ELASTICITY, VELOCITY, EXPERIMENTATION.
Small-scale laboratory experiments were conducted on model marine structures in the CRREL test basin. The experiments were performed by pushing model ice sheets against structures and monitoring the ice forces during the ice-structure interaction The parameters, varied during the test program, were the geometry of the marine structure and the velocity, thickness, and flexural strength of the ice The results are presented in the form of ice forces on sloping and vertical structures with different geometries

MP 1607
DYNAMIC BUCKLING OF FLOATING ICE SHEETS.
Sodhi, D.S., International Conference on Port and Ocean Engineering under Arctic conditions, 7th, Helsinki, Finland, April 5-9, 1983. Proceedings, Espoo, Finland, Valtion teknillinen tutkimuskeskus, 1983, p.822-833, 6 refs.
37-3780
FLOATING ICE, ICE PRESSURE, ICE LOADS, DYNAMIC LOADS, ICE ADHESION, ICE SHEETS, VELOCITY.
Experimental and analytical studies have been conducted to investigate the effect of ice velocity on the buckling loads of floating ice sheets An analysis of dynamic buckling of a floating ice beam has been conducted for the case when one end of the beam moves at a constant velocity suddenly from rest Good agreement has been obtained between the results of analytical and experimental studies on the dynamic buckling of floating ice beams.

MP 1608
OBSERVATIONS OF PACK ICE PROPERTIES IN THE WEDDELL SEA.
Ackley, S.F., et al, 1982, 17(5), p.105-106, 4 refs.
Smith, S.J., Clarke, D.B.
37-3962
PACK ICE, ICE CONDITIONS, SEA ICE DISTRIBUTION, WEDDELL SEA.
Observations of pack ice in the Weddell Sea during the Weddell Polynya expedition (WEPOLEX-81) culminated in a daily map of ice conditions and a narrative observation log The narrative log contains information on ice concentration, ridging, amounts of thin ice and open water, and unusual ice features. On the basis of observations, the pack ice zone has been divided into three regions: ice edge region (within 0 to 60 naut mi. of the northern limit of pack ice), ice edge-pack ice transition zone (within 60 to 160 naut mi of the outer limit of pack ice), and deep pack (at distances greater than 160 naut. mi. from the outer limit) In most satellite microwave images the ice edge-pack ice transition zone appears as an area of lesser concentration Observations did not confirm this Also unexpected was the observation that noticeable swell propagation occurred at great distances from the outer pack limit

MP 1609
PHYSICAL, CHEMICAL AND BIOLOGICAL PROPERTIES OF WINTER SEA ICE IN THE WEDDELL SEA.
Clarke, D.B., et al, 1982, 17(5), p.107-109, 11 refs.
Ackley, S.F.
37-3963
SEA ICE, ICE COMPOSITION, ICE STRUCTURE, ALGAE, WEDDELL SEA.
Twenty of 27 ice cores and 13 surface ice samples taken between 59 deg 21 min S and 62 deg S have been analyzed for ice structure, salinity, nutrients, fluorescence, chlorophyll a, phaeo-pigment, diatom species enumeration, and bacteria. The primary physical feature is the dominance of frazil ice structure as opposed to congelation ice. The salinity range is 2.4 to 13.7% with the higher salinities within the upper 15 cm. Chemical analysis of nutrients in the cores indicates that they do not follow a dilution curve Silicate, phosphate, and nitrate are found in higher concentrations in the adjacent surface than in the ice cores. Nitrite levels, however, are two to five times higher in the surface layer of the ice cores than in the adjacent surface water Chlorophyll a followed a pattern similar to that of nitrite. Phaeo-pigment ranged from 0 04 to 4.02 mg/cu m Meltwater fluorescence appears to scale with salinity. Diatoms are present at all sample levels in the ice cores, but in varying concentration and condition. Active growth occurs in the surface layers.

MP 1610
ATMOSPHERIC BOUNDARY LAYER MEASUREMENTS IN THE WEDDELL SEA.
Andreas, E.L., 1982, 17(5), p.113-115, 4 refs.
37-3965
ICE CONDITIONS, SEA ICE, WEDDELL SEA.
There was a very intensive atmospheric boundary layer sampling program carried out on the *Mikhail Somov* during the joint U.S.-U.S.S.R. Weddell Polynya Expedition. This program included upper-air soundings with two different radiosonde systems; surface-layer profiling with a boom instrumented at three levels, spectral measurements of surface-layer turbulence with fast responding velocity, temperature, and humidity sensors, and routine meteorological observations This paper describes the instrumentation used for the measurements and presents some of the surface-layer temperature and dew-point profiles.

MP 1611
ARCTIC AND SUBARCTIC ENVIRONMENTAL ANALYSES UTILIZING ERTS-1 IMAGERY.
Anderson, D.M., et al, Aug. 23, 1973, NASA-CR-135523, 5p.
McKim, H.L., Haugen, R.K., Gatto, L.W., Slaughter, C.W., Marlar, T.
28-2984
REMOTE SENSING, ENVIRONMENTS, ERTS IMAGERY.

MP 1612
HEAT AND MOISTURE FLOW IN FREEZING AND THAWING SOILS—A FIELD STUDY.
Berg, R.L., Conference on soil-water problems in cold regions, Calgary, Alberta, Canada, May 6-7, 1975, Proceedings, 1975, p.148-160, 14 refs.
30-3338
ROADS, FROST HEAVE, FROZEN GROUND MECHANICS, MEASURING INSTRUMENTS, MATHEMATICAL MODELS.
The USACRREL Pavements Research Group has recently initiated a project to more adequately model the mechanism of frost heaving in soil-water systems. The project has three primary objectives 1 Develop mathematical models incorporating heat flow, moisture flow and processes in the freezing zone, 2. Develop the necessary laboratory equipment and procedures to evaluate the required factors and to refine the mathematical models, 3 Develop adequate instrumentation and optimize locations of sensors for full scale field tests, install this instrumentation in test sections and obtain . ata necessary to validate the mathematical models

MP 1613
STUDY OF CLIMATIC ELEMENTS OCCURRING CONCURRENTLY.
Bilello, M.A., International Geographical Congress, 23rd, Moscow, July-Aug. 1976, Proceedings. Vol.2, Moscow, 1976, p 23-30, In English.
31-1536
CLIMATOLOGY, LONG RANGE FORECASTING, CLIMATIC CHANGES.

MP 1614
USE OF COMPRESSED AIR FOR SUPERCOOLED FOG DISPERSAL.
Weinstein, A I., et al, Nov 1976, 15(11), p 1226-1231, For another version of this paper see 31-1494. 8 refs
Hicks, J.R.
31-1600
SUPERCOOLED FOG, FOG DISPERSAL, WEATHER MODIFICATION, ICE CRYSTAL FORMATION, COMPRESSED AIR.
Experiments have been performed under controlled and free environment conditions to determine the technical feasibility of using the cooling resultin from the adiabatic expansion of compressed air to initiate ice crystal production in a supercooled fog. These experiments have shown that for most supercooled temperatures, approximately 1000 cc of air when compressed to 60 psig and released through a supersonic nozzle will produce the same number of ice crystals as does the evaporation of 1 cc of liquid propane. It is estimated that a compressed air supercooled fog dispersal system would consume approximately 6% of the hydrocarbon fuel presently consumed by operational systems using liquid propane spray.

MP 1615
APPLICATION OF ICE ENGINEERING AND RESEARCH TO GREAT LAKES PROBLEMS.
Freitag, D.R., Federal Conference on the Great Lakes, 1st, Ann Arbor, Mich., Dec. 13-15, 1972. Proceedings. (Washington?), Environmental Protection Agency, (1972?), p.131-138.
31-1736
ICE BOOMS, ICE COMPRESSION, PILES, ICE CONTROL, ICE DISTRIBUTION, FREEZING POINTS, ENGINEERING, RESEARCH PROJECTS, UNITED STATES—GREAT LAKES.

MP 1616
SOME ELEMENTS OF ICEBERG TECHNOLOGY.
Weeks, W.F., et al, International Conference and Workshops on Iceberg Utilization for Fresh Water Production, Weather Modification, and Other Applications, 1st, Iowa State University, Ames, October 2-6, 1977. Proceedings. Edited by A.A. Husseiny, New York, Pergamon Press, 1978, p.45-98, 51 refs.
Mellor, M.
32-4714
ICEBERGS, ICE MECHANICS, ICE PHYSICS, ICE SHELVES, WATER SUPPLY, ICEBERG TOWING.
Many of the technical questions relating to iceberg transport are given brief, but quantitative, consideration These include iceberg genesis and properties, the mechanical stability of icebergs at sea, towing forces and tug characteristics, drag coefficients, ablation rates, and handling and processing the iceberg at both the pick-up site and at the final destination. In particular, the paper attempts to make technical information on glaciological and ice engineering aspects of the problem more readily available to the interested planner or engineer. (Auth.)

MP 1617
ICE AND SHIP EFFECTS ON THE ST. MARYS RIVER ICE BOOMS.
Perham, R.E., June 1978, 5(2), p.222-230, 7 refs. See also 31-3424.
33-281
ICE BOOMS, ICE PRESSURE, ICE CONTROL, IMPACT STRENGTH, ICE LOADS, LOADS (FORCES), ICE NAVIGATION, RIVER ICE.

MP 1618
NUMERICAL SIMULATION OF AIR BUBBLER SYSTEMS.
Ashton, G.D., June 1978, 5(2), p.231-238, 8 refs. See also 31-3438.
33-282
BUBBLING, ICE PREVENTION, ICE CONTROL, HEAT TRANSFER, MECHANICAL ICE PREVENTION, ANALYSIS (MATHEMATICS), EQUIPMENT.

MP 1619
DYNAMICS OF NEAR-SHORE ICE.
Kovacs, A., et al, Environmental assessment of the Alaskan continental shelf, Vol 2 Principal investigators' reports July-Sep. 1978. Boulder, Colorado, Environmental Research Laboratories, 1978, p.230-233.
Weeks, W.F.
33-3095
SEA ICE, FAST ICE.
The authors report briefly on a new ice pile-up southeast of Pt Barrow and the status of various reports connected with their current studies

MP 1620
ANISOTROPIC PROPERTIES OF SEA ICE IN THE 50-150 MHZ RANGE.
Kovacs, A., et al, Environmental assessment of the Alaskan continental shelf, Vol. 8, Transport. Principal investigators' annual reports for the year ending March 1979, Boulder, Colorado, Outer Continental Shelf Environmental Assessment Program, Oct. 1979, p.324-353, For another source see 34-963. 4 refs.
Morey, R.M
34-3054
SEA ICE, ICE ELECTRICAL PROPERTIES, ANISOTROPY, ICE CRYSTAL STRUCTURE, ELECTROMAGNETIC PROPERTIES, OCEAN CURRENTS, REMOTE SENSING.
Results of impulse radar studies of sea ice near Prudhoe Bay, Alaska, show that where there is a preferred current direction under the ice cover the crystal structure of the ice becomes highly ordered. This includes a crystal structure

with a preferred horizontal c-axis that is oriented parallel with the local current. The radar studies show that this structure behaves as an anisotropic dielectric. The result is that when electromagnetic energy is radiated from a dipole antenna in which the E-field is oriented perpendicular with the c-axis azimuth, no bottom reflection is detected. It was also found that the frequency dispersion of anisotropic sea ice varies in the horizontal plane and is related to the average bulk brine volume of the ice. The bulk dielectric constant of the ice, as determined from impulse travel time, shows little correlation with the coefficient of anisotropy.

MP 1621
SOUTH POLE ICE CORE DRILLING, 1981-1982.
Kuivinen, K.C., et al, 1982, 17(5), p.89-91, 7 refs.
Koci, B.R., Holdsworth, G.W., Gow, A.J.
37-3955
DRILLING, ICE CORING DRILLS, ICE CORES, ANTARCTICA—AMUNDSEN-SCOTT STATION.
A cooperative ice core drilling, core processing, and stratigraphic logging program was conducted at Amundsen-Scott Station during the 1981-82 season by investigators from the Polar Ice Coring Office (PICO), the National Hydrology Research Institute/Environment Canada (NHRI), and the U.S Army Cold Regions Research and Engineering Laboratory (CRREL) A 202.4-m ice core was collected, logged and packaged in the field, and then shipped to the CRREL ice core storage facility, where it will be made available to the NSF-sponsored glaciologists for further analysis In addition to work with the ice core, PICO team members collected three gas samples for the Physics Inst , Univ. of Bern, Switzerland and prepared the Gearhardt-Owen logging winch for use by Univ. of Wisconsin-Madison geophysicists in their sonic logging of the 900-m borehole at Dome C.

MP 1622
CONTINUUM SEA ICE MODEL FOR A GLOBAL CLIMATE MODEL.
Ling, C.H., et al, Sea ice processes and models. Edited by R.S. Pritchard, Seattle, University of Washington Press, 1980, p.187-196, 20 refs.
Rasmussen, L.A., Campbell, W.J.
35-2169
SEA ICE, DRIFT, ICE CONDITIONS, MATHEMATICAL MODELS, REMOTE SENSING, ICE MELTING, FREEZING, MICROWAVES, CLIMATE, MAPPING, RADIOMETRY, WEDDELL SEA.
The model developed by Campbell (1965) has been extended to a time-dependent, quasi-steady-state model that uses both the equation of continuity and the equation of momentum It also incorporates an equation of state that relates the pressure of ice to its convergence. The constitutive equation is of a fluid type The freezing and melting of sea ice is parameterized in terms of ice thickness, location, and season. For the 1974 austral winter twice-daily surface wind stress fields were generated from synoptic pressure data For every third day of this period the boundaries and concentration of the Antarctic sea ice were mapped using ESMR (Electronically Scanning Microwave Radiometer) images acquired by the Nimbus-5 satellite. These data are used both as initial conditions and to compare the model results for various time periods.

MP 1623
REVIEW OF ELECTRICAL RESISTIVITY OF FROZEN GROUND AND SOME ELECTROMAGNETIC METHODS FOR ITS MEASUREMENT.
Arcone, S.A., 1979, 18(5), p.32-37, 16 refs.
33-4231
FROZEN GROUND PHYSICS, ELECTRICAL RESISTIVITY, ELECTROMAGNETIC PROSPECTING, GEOPHYSICAL SURVEYS, RADIO WAVES, SOIL MOISTURE CONTENT, SOIL TEMPERATURE, GRAIN SIZE, AIRBORNE RADAR, MEASURING INSTRUMENTS.
Results of extensive studies of earth resistivities of low temperature soils are presented. Ground measurements of the electromagnetic field components of radio waves propagated at low frequencies from distant transmitters and of the inductive coupling between two loop antennas are described. Results of measurements by these methods are compared with each other and with actual findings from excavations and borings at permafrost sites The measurements are shown to provide data on locations of lens ice, indicate zones of thawing, give indications which permit estimating resistivities of layers and permit construction of a map of Alaska identifying major resistivity zones Airborne evaluation of remotely propagated waves permits construction of resistivity contour maps Reasons for variations in resistivity among various categories of frozen soils are discussed

MP 1624
THERMAL AND RHEOLOGICAL COMPUTATIONS FOR ARTIFICIALLY FROZEN GROUND CONSTRUCTION.
Sanger, F.J., et al, International Symposium on Ground Freezing, 1st, Bochum, Mar. 8-10, 1978, Vol.2. Edited by H.L. Jessberger, Bochum, Ruhr University, 1978, p.95-117, 32 refs.
Sayles, F.H.
33-4283
SOIL FREEZING, THERMAL PROPERTIES, ARTIFICIAL FREEZING, FROZEN GROUND MECHANICS, FROZEN GROUND THERMODYNAMICS, CREEP PROPERTIES, RHEOLOGY, CONSTRUCTION, ANALYSIS (MATHEMATICS), FROST HEAVE.

MP 1625
ON FORECASTING MESOSCALE ICE DYNAMICS AND BUILD-UP.
Hibler, W.D., III, et al, 1983, Vol.4, p.110-115, 10 refs.
Udin, I., Ullerstig, A.
37-4089
ICE PILEUP, ICE MECHANICS, ICE LOADS, ICE SOLID INTERFACE, WAVE PROPAGATION, OFFSHORE STRUCTURES, SHORES, ICE FORECASTING, SEA ICE, ICE COVER STRENGTH, ICE COVER THICKNESS, MATHEMATICAL MODELS.
Due to the nonlinear nature of the ice interaction, sea-ice build-up against coasts and structures is a complex process. This build-up significantly affects mesoscale (10 to 100 km) ice motions over typical forecast time scales of several days. To examine the ramifications of assuming a non-linear ice interaction in ice forecast models, we have carried out a series of idealized simulations employing a viscous plastic sea-ice rheology. These simulations employ constant wind fields at a grid resolution of 18.5 km and allow the ice to build up and strengthen With the plastic ice interaction the ice build-up is found to take place by means of a ridging front Depending on the nature of the strength-thickness coupling, this build-up is accompanied by kinematic wave propagation effects.

MP 1626
EXPERIMENTAL DETERMINATION OF THE BUCKLING LOADS OF FLOATING ICE SHEETS.
Sodhi, D.S., et al, 1983, Vol.4, p.260-265, 12 refs.
Haynes, F.D., Kato, K., Hirayama, K.
37-4114
FLOATING ICE, ICE LOADS, STRUCTURES, ICE SOLID INTERFACE, ICE SHEETS, ICE PRESSURE, EXPERIMENTATION, PHOTOGRAPHY.
Experiments were performed to determine the forces required to buckle a floating ice sheet pushing against structures of different widths The characteristic length of each ice sheet was determined to enable a comparison to be made between the theoretical and experimental results.

MP 1627
EXPERIMENTS ON ICE RIDE-UP AND PILE-UP.
Sodhi, D.S., et al, 1983, Vol.4, p.266-270, 48 refs.
Hirayama, K., Haynes, F.D., Kato, K.
37-4115
ICE PILEUP, FLOATING ICE, STRUCTURES, ICE SOLID INTERFACE, ICE OVERRIDE, SHORES, BEACHES, SLOPE ORIENTATION, EXPERIMENTATION.
Ice pile-up and ride-up are common occurrences along beaches in the sub-Arctic and Arctic An understanding of the factors which lead to pile-up is important for design of a defensive strategy to prevent damage to coastal installations Since ice action on a sloping beach is complex, an experimental model study was undertaken to determine the factors which promote ice pile-up. The factors varied in this study were the freeboard, slope, and roughness of the beach One experiment was performed to observe the effectiveness of a shore defense structure against ice ride-up

MP 1628
ROOF MOISTURE SURVEYS: CURRENT STATE OF THE TECHNOLOGY.
Tobiasson, W., 1983, Vol.3[illegible], p.24-31, 7 refs.
37-4035
ROOFS, MOISTURE DETECTION, INFRARED RECONNAISSANCE, MEASURING INSTRUMENTS
Moisture is the big enemy of compact roofing systems Nondestructive nuclear, capacitance and infrared methods can all find wet insulation in such roofs but a few core samples are needed for verification Nuclear and capacitance surveys generate quantitative results at grid points but examine only a small portion of the roof Quantitative results are not usually provided by infrared scanners but they can rapidly examine every square inch of the roof Being able to find wet areas when they are small is an important advantage.

MP 1629
TRANSPORT OF WATER IN FROZEN SOIL. 1. EXPERIMENTAL DETERMINATION OF SOIL-WATER DIFFUSIVITY UNDER ISOTHERMAL CONDITIONS.
Nakano, Y., et al, Dec. 1982, 5(4), p.221-226, For Part 2 of this study (MP 1601), see 37-3558. 13 refs.
Tice, A.R., Oliphant, J L., Jenkins, T.F.
37-4218
SOIL WATER MIGRATION, FROZEN GROUND PHYSICS, GROUND ICE, SOIL FREEZING.
A new experimental method for measuring the soil-water diffusivity of frozen soil under isothermal conditions is introduced The theoretical justification of the method is presented and the feasibility of the method is demonstrated by experiments conducted using marine deposited clay. The measured values of the soil-water diffusivity are found comparable to reported experimental data. (Auth.)

MP 1630
ACOUSTIC EMISSIONS IN THE INVESTIGATION OF AVALANCHES.
St. Lawrence, W.F., Canadian Geotechnical Conference, 29th, Vancouver, B.C., 1976. Proceedings, Canadian Geotechnical Society, 1977, p.VII/24-VII/33, In English with French summary. 4 refs.
33-1598
SNOW DEFORMATION, ULTRASONIC TESTS, AVALANCHE MECHANICS, SNOW ACOUSTICS, SNOW COVER STABILITY.

MP 1631
NOTES AND QUOTES FROM SNOW AND ICE OBSERVERS IN ALASKA.
Bilello, M.A., 1979, 47th, p.116-118.
38-104
SNOW SURVEYS, ICE SURVEYS, COST ANALYSIS, ORGANIZATIONS, UNITED STATES—ALASKA.

MP 1632
RELATIONSHIP BETWEEN THE ICE AND UNFROZEN WATER PHASES IN FROZEN SOILS AS DETERMINED BY PULSED NUCLEAR RESONANCE AND PHYSICAL DESORPTION DATA.
Tice, A.R., et al, 1983, 5(2), p.37-46, In Chinese with English summary. For another version see 37-48. 14 refs.
Oliphant, J.L., Zhu, Y , Nakano, Y., Jenkins, T.F.
38-180
UNFROZEN WATER CONTENT, SOIL WATER, ICE WATER INTERFACE, GROUND ICE, FROZEN GROUND TEMPERATURE, FROZEN GROUND PHYSICS, NUCLEAR MAGNETIC RESONANCE, CLAY SOILS.
An experiment is described that demonstrates the balance between the ice and the unfrozen water in a frozen soil as water is removed Nuclear magnetic resonance (NMR) is used to monitor the unfrozen water content as the soil is dehydrated by a molecular sieve material. Our results show that the unfrozen water content of a Morin clay soil remains constant until the total water content has been reduced to the point where no ice remains in the system.

MP 1633
MECHANISMS FOR ICE BONDING IN WET SNOW ACCRETIONS ON POWER LINES.
Colbeck, S.C., et al, June 1983, 83-17, p.25-30, 9 refs.
Ackley, S.F.
38-427
POWER LINE ICING, ICE ADHESION, WET SNOW, ICE FORMATION, SNOW ACCUMULATION, PHASE TRANSFORMATIONS, GRAIN SIZE, TEMPERATURE EFFECTS

MP 1634
HOW EFFECTIVE ARE ICEPHOBIC COATINGS.
Minsk, L.D., June 1983, 83-17, p 93-95, 2 refs
38-435
PROTECTIVE COATINGS, ICE CONTROL, ICE PREVENTION, ICING, SHEAR STRENGTH, ICE STRENGTH, SURFACE PROPERTIES, ICE ADHESION, COUNTERMEASURES, TESTS.
Much effort over many years has gone into the search for an effective, durable, easily applied and inexpensive material to eliminate the force of adhesion between ice and a substrate The objective of zero ice adhesion on an unheated surface which would either prevent the formation of ice or ensure self-shedding of very thin accretions has not yet been achieved Many commercially-available coatings do succeed in reducing the force of adhesion below 15 psi (103.4 kPa) and survive at least five freeze release cycles, two arbitrarily established criteria Exposure to rain erosion, however, increases the force of adhesion beyond this value for most materials As part of a continuing project at CRREL, a test procedure for measuring the shear strength of ice at failure has been developed and a large number of candidate materials have been tested

MP 1635
STUDIES OF HIGH-SPEED ROTOR ICING UNDER NATURAL CONDITIONS.
Itagaki, K., et al, June 1983, 83-17, p.117-123, 2 refs.
Lemieux, G.E., Bosworth, H.W., O'Keefe, J., Hogan, G.
38-438
AIRCRAFT ICING, FREEZING NUCLEI, PROPELLERS, HELICOPTERS, TESTS.
Icing on high-speed rotors was studied under natural conditions on the summit of Mt Washington Differences in the growth conditions from those of laboratory tests, such as rapidly variable water supplies and abundant freezing nuclei, seem to have contributed to raising the temperature of the wet growth regime and producing finer crystals than in laboratory experiments.

MP 1636
APPLICATION OF A BLOCK COPOLYMER SOLUTION TO ICE-PRONE STRUCTURES.
Hanamoto, B., June 1983, 83-17, p.155-158, 1 ref.
38-442
ICING, CHANNELS (WATERWAYS), LOCKS (WATERWAYS), PROTECTIVE COATINGS, ICE PREVENTION, POLYMERS, ICE NAVIGATION, ICE ADHESION, COUNTERMEASURES

MP 1637
FIELD MEASUREMENTS OF COMBINED ICING AND WIND LOADS ON WIRES.
Govoni, J.W., et al, June 1983, 83-17, p.205-215, 8 refs.
Ackley, S.F.
38-449
POWER LINE ICING, ICE ACCRETION, ICE LOADS, WIND PRESSURE, WIND DIRECTION, WIND VELOCITY, POWER LINE SUPPORTS.
Four winter field seasons of simulated power line icing data were obtained during the years 1977-1981. Measurements were obtained of the icing characteristics, loads on the wire, and wind conditions simultaneously. Loads were measured using a single-axis load cell in line with the wire during the first three seasons, and a tri-axial load cell (resolving three perpendicular force components) in the 1980-81 winter season. Winds were measured using a vaned pitot-static tube located near one end of the wire

MP 1638
LANDSAT DIGITAL ANALYSIS OF THE INITIAL RECOVERY OF THE KOKOLIK RIVER TUNDRA FIRE AREA, ALASKA.
Hall, D.K., et al, Dec. 1979, No.80602, 15p., 7 refs.
Ormsby, J.P., Johnson, L., Brown, J.
38-483
TUNDRA, FIRES, REVEGETATION, REMOTE SENSING, LANDSAT, UNITED STATES—ALASKA—KOKOLIK RIVER.

MP 1639
SURVEY OF METHODS FOR SOIL MOISTURE DETERMINATION.
Schmugge, T.J., et al, Nov. 1979, No.80658, 74p., Refs. p 45-60.
Jackson, T.J., McKim, H.L.
38-484
SOIL WATER, REMOTE SENSING, GRAVIMETRIC PROSPECTING, ELECTROMAGNETIC PROSPECTING, EVAPOTRANSPIRATION, VEGETATION FACTORS, PRECIPITATION (METEOROLOGY).

MP 1640
GUIDEBOOK TO PERMAFROST AND RELATED FEATURES ALONG THE ELLIOTT AND DALTON HIGHWAYS, FOX TO PRUDHOE BAY, ALASKA.
Brown, J., ed, International Conference on Permafrost, 4th, July 18-22, 1983, Fairbanks, University of Alaska, [1983], 230p., Guidebook No.4. Refs. p.213-225.
Kreig, R.A., ed.
38-521
PERMAFROST PHYSICS, MANUALS, ROADS, ECOLOGY, CLIMATOLOGY, HYDROLOGY, VEGETATION, GEOLOGY, GROUND ICE, UNITED STATES—ALASKA.

MP 1641
MEASUREMENT OF ICE FORCES ON STRUCTURES.
Sodhi, D.S., et al, Design for ice forces. Edited by S.R. Caldwell and R.D. Crissman, New York, N.Y., American Society of Civil Engineers, 1983, p.139-155, 27 refs.
Haynes, F.D.
38-598
ICE LOADS, ICE PRESSURE, OFFSHORE STRUCTURES, IMPACT STRENGTH, ICE STRENGTH, RIVER ICE, LAKE ICE, ICE MECHANICS, STRAINS, TIME FACTOR, MEASURING INSTRUMENTS.
Methodologies and techniques are discussed for measuring ice forces on fixed structures situated in rivers and lakes. The usual method of measuring ice forces is to place a load frame between the moving ice and the structure and to measure the reactive forces with load cells or strain gages. Another method is to measure the acceleration, displacement or strain at a few points on the test structure and relate the measurements to ice forces. The size and shape of the force measuring system depend upon the mode of ice failure, the distribution of the ice forces and the logistics associated with each site. The variations of ice force with respect to time are generally very high during crushing and impact, and the response of the force-measuring system should be sufficiently fast.

MP 1642
METHODS OF ICE CONTROL.
Frankenstein, G.E., et al, Design for ice forces. Edited by S.R. Caldwell and R.D. Crissman, New York, N.Y., American Society of Civil Engineers, 1983, p.204-215, 7 refs.
Hanamoto, B.
38-602
ICE LOADS, ICE CONTROL, ICE NAVIGATION, LOCKS (WATERWAYS), CHANNELS (WATERWAYS), ICEBREAKERS, CHEMICAL ICE PREVENTION, ICE REMOVAL, ELECTRICAL MEASUREMENT, AIR CUSHION VEHICLES, PROTECTIVE COATINGS.
Methods of ice control in navigable waters including locks are presented. Ice carried downstream by ship traffic causes operational problems in and around the lock areas as well as in restricted channels. The paper discusses chemical, electrical, and mechanical methods of ice control. The use of air cushion vehicles and ice breaking ships for ice control is also discussed.

MP 1643
ICE ACTION ON TWO CYLINDRICAL STRUCTURES.
Kato, K., et al, Offshore Technology Conference, 15th, Houston, Texas, May 2-5, 1983. Proceedings. Vol.1, 1983, p.159-166, 17 refs.
Sodhi, D.S.
38-641
ICE LOADS, STRUCTURES, ICE PRESSURE, ICE SOLID INTERFACE, EXPERIMENTATION, PIPES (TUBES).
Ice action on two cylindrical structures, located side by side, has been investigated in a small-scale experimental study to determine the interference effects on the ice forces generated during ice structure interaction The proximity of the two structures changes the mode of ice failure, the magnitude and direction of ice forces on the individual structure, and the dominant frequency of ice force variations. Interference effects were determined by comparing the experimental results of tests at different structure spacings

MP 1644
ICE JAMS IN SHALLOW RIVERS WITH FLOODPLAIN FLOW.
Calkins, D.J., Sep. 1983, 10(3), p.538-548, 14 refs.
38-776
ICE JAMS, RIVER ICE, RIVER FLOW, ICE CONDITIONS, ICE COVER THICKNESS, FLOATING ICE, HYDRAULICS, FLOODS, PLAINS, COMPUTER APPLICATIONS.
The equilibrium ice jam thickness given by Pariset et al, is modified to yield a clearer, consistent relationship between the flow hydraulics and thickness The modified equations are analyzed with respect to a floating ice jam in the main channel with flow also occurring in the floodplain. The final derivation allows the expected ice jam thickness to be computed, given the bed and ice cover thickness The analytical computation for the ice jam thicknesses is compared with prototype data on ice jam thicknesses from four shallow rivers which had significant floodplain flow with the ice jam event.

MP 1645
ASYMMETRIC PLANE FLOW WITH APPLICATION TO ICE JAMS.
Tatinclaux, J.C., et al, Nov. 1983, 109(11), p.1540-1556, 17 refs.
Gögüs, M.
38-1629
ICE JAMS, WATER FLOW, FLOW RATE, SHEAR STRESS, FRICTION, SURFACE ROUGHNESS, VELOCITY, ANALYSIS (MATHEMATICS), TURBULENT FLOW.
An available turbulence method is used to prove that in plane flows between two boundaries with asymmetric roughness the plane of maximum velocity is not the plane of zero shear stress By dividing the flow at the plane of zero shear stress, laboratory and field data on flows below simulated and actual ice jams are analyzed to derive equations for the boundaries friction factors in terms of mean flow velocity, depth of flow zone, and boundary roughness for smooth and fully rough boundaries These equations are applied to the calculations of ice jam characteristics For the jams studied, the present method gives a variation of about 10% in the jam characteristics with a method based on dividing the flow at the plane of maximum velocity.

MP 1646
OPTICAL ENGINEERING FOR COLD ENVIRONMENTS.
Aitken, G.W., ed, 1983, Vol.414, Meeting on Optical Engineering for Cold Environments, Arlington, VA, April 7-8, 1983. Proceedings, 225p., Refs. passim.
For selected papers see 38-1032 through 38-1057.
38-1031
COLD WEATHER PERFORMANCE, SPECTROSCOPY, LOW TEMPERATURE RESEARCH, REMOTE SENSING, WAVE PROPAGATION, MEASURING INSTRUMENTS, ENGINEERING, SNOWFALL.

MP 1647
TECHNIQUE FOR MEASURING THE MASS CONCENTRATION OF FALLING SNOW.
Lacombe, J., 1983, Vol.414, p.17-28, 14 refs.
38-1035
SNOWFALL, MEASURING INSTRUMENTS, PRECIPITATION GAGES, VELOCITY, ELECTROMAGNETIC PROPERTIES, ANALYSIS (MATHEMATICS).
A system has been developed by the U.S. Army Cold Regions Research and Engineering Laboratory to measure the mass concentration of falling snow crystals. It is known as ASCME (Airborne Snow Concentration Measuring Equipment) and is described in this paper. ASCME's general performance has been evaluated based on concurrent measurements of precipitation rate. A strong correlation between airborne-snow mass concentration and precipitation rate yields an estimate of particle fall velocity close to that observed by other researchers. Factors affecting system accuracy have been investigated and are discussed. Examples are given of the utilization of ASCME data in analyses of electromagnetic energy propagation in falling snow. (Auth.)

MP 1648
CHARACTERIZATION OF SNOW FOR EVALUATION OF ITS EFFECT ON ELECTROMAGNETIC WAVE PROPAGATION.
Berger, R.H , 1983, Vol.414, p 35-42, 9 refs.
38-1037
SNOWFALL, SNOWFLAKES, ELECTROMAGNETIC PROPERTIES, PARTICLE SIZE DISTRIBUTION, SPECTROSCOPY, MEASURING INSTRUMENTS, SNOW CRYSTALS, TURBULENT BOUNDARY LAYER.
Snow as an obscurant presents some interesting challenges to those attempting to characterize it. The wide range of particle sizes which can be present at any instant, and the intricate and varied particle geometry, which makes particle orientation an important consideration in snow characterization and extinction measurements, both call for the use of special measurement techniques. The application of particle size spectrometer probes to the measurement of distributions and area concentrations for snow crystals and flakes in the 12.5- to 6200-micron size range is described (Auth.)

MP 1649
PROGRESS IN METHODS OF MEASURING THE FREE WATER CONTENT OF SNOW.
Fisk, D.J., 1983, Vol.414, p 48-51, 3 refs.
38-1039
SNOW WATER CONTENT, SNOW ELECTRICAL PROPERTIES, MEASURING INSTRUMENTS, SNOW COVER EFFECT, ELECTROMAGNETIC PROPERTIES, SNOW MELTING, BACKSCATTERING, ABSORPTION, WAVE PROPAGATION, FREEZE THAW CYCLES.
Providing ground truth for the backscatter and absorption effects of a snow cover on electromagnetic waves has long been a problem One characteristic of the snow cover which has been particularly difficult to measure is its free, or liquid, water content—the fraction of the snow's volume which exists in the liquid state. Five methods which have been used for measuring this parameter are described and their merits and deficiencies are discussed. Two of the methods are calorimetric, measuring the free water content as a function of the heat added to or removed from a snow sample while completely melting or freezing it. The third uses the freezing point depression observed on adding a salt solution to a snow sample to calculate the snow's free water content. In the fourth procedure, a snow sample is completely dissolved in ethyl or methyl alcohol The corresponding decrease in temperature is inversely related to the free water content of the snow The final technique is electronic above a certain frequency, the electrical capacitance of snow is related to its density and free water content With accurate calibration, devices which measure snow capacitance are likely to be the simplest and fastest means of providing free water measurements (Auth.)

MP 1650
COMMENTS ON THE METAMORPHISM OF SNOW.
Colbeck, S C , 1983, Vol.414, p 149-151.
38-1051
METAMORPHISM (SNOW), SNOWFALL, SNOW CRYSTAL GROWTH, GRAIN SIZE, TEMPERATURE GRADIENTS, CLIMATIC FACTORS, WET SNOW.

Snow precipitation takes a variety of forms depending on the conditions in the atmosphere at the time of the snowfall. Regardless of what particular conditions prevail at that time, once the snow particles reach the ground they immediately begin changing. This is not surprising since the snow cover is at or close to its melting temperature, has a very large specific surface area, and has ever changing boundary conditions. Wet snow and dry snow are very different materials. They have different properties and even looked different. They both undergo metamorphism but by different processes. They are treated separately here. Dry snow is treated first because dry snowfall followed some time later by melting is the normal sequence of events. (Auth.)

MP 1651

LANDSAT-4 THEMATIC MAPPER (TM) FOR COLD ENVIRONMENTS.

Gervin, J.C., et al, 1983, Vol.414, p.179-186, 28 refs.
McKim, H.L., Salomonson, V.V.
38-1054

REMOTE SENSING, SPECTROSCOPY, SNOW COVER, ICE CONDITIONS, SNOW WATER CONTENT, TOPOGRAPHIC SURVEYS, LANDSAT, CLOUD COVER, MAPPING.

The TM aboard Landsat-4 launched on July 16, 1982, represents a major advance in Earth resources sensors. Its seven spectral bands record surface radiation in blue, green, red, near infrared, middle infrared and thermal wavelengths. The spatial resolution of approximately 30 meters represents a sevenfold increase over the previous Landsat sensor, the multispectral scanner subsystem (MSS). In addition, TM has greater radiometric sensitivity, distinguishing 256 quantization levels, compared with 64 for the MSS. These potential improvements have significant implications for satellite remote sensing in cold environments. The addition of the middle infrared bands will permit clouds to be distinguished from snow. It may also be possible to relate spectral response in this range to snow condition and hence water content. The thermal band responds to differences in surface temperature, which may be related to variations in soil moisture and drainage. These are important considerations for cold region construction. (Auth.)

MP 1652

EFFECT OF COLOR AND TEXTURE ON THE SURFACE TEMPERATURE OF ASPHALT CONCRETE PAVEMENTS.

Berg, R.L., et al, International Conference on Permafrost, 4th, Fairbanks, Alaska, July 17-22, 1983. Proceedings, Washington, D.C., National Academy Press, 1983, p.57-61, 11 refs
Esch, D.C.
38-1110

PERMAFROST BENEATH ROADS, PAVEMENTS. BITUMINOUS CONCRETES, SURFACE TEMPERATURE, WIND VELOCITY, PROTECTIVE COATINGS, TESTS.

During the fall of 1981 and the spring of 1982, eight test items were established on an asphalt pavement in Fairbanks, Alaska. The test items were two sections of untreated pavement, yellow-painted pavement, white-painted pavement, "standard" chip seal, fine-grained "standard" chip seal, chip seal with dark brown aggregate, and chip seal with white marble aggregate The test items were located on a main road. Surface temperatures were monitored hourly by thermocouples attached to an automatic data collection system. The ambient air temperature, wind speed and direction, amount of precipitation, and radiation balance were continuously recorded at an untrafficked pavement approximately 100 m from the test items. Incident and reflected shortwave radiation measurements were made nearly every weekday over each test item using a hand-held radiometer. N-factors, ratios of surface thawing indexes to air thawing indexes varied from about 1.2-1.3 for the white- and yellow-painted surfaces, respectively, to about 1.4-1.5 for the other surfaces

MP 1653

OBSERVATIONS ON ICE-CORED MOUNDS AT SUKAKPAK MOUNTAIN, SOUTH CENTRAL BROOKS RANGE, ALASKA.

Brown, J., et al, International Conference on Permafrost, 4th, Fairbanks, Alaska, July 17-22, 1983 Proceedings. Washington, D.C., National Academy Press, 1983, p.91-96.
Nelson, F., Brockett, B.E., Outcalt, S.I., Everett, K.R.
38-1116

FROST MOUNDS, TOPOGRAPHIC FEATURES, GROUND ICE, UNFROZEN WATER CONTENT, GEOMORPHOLOGY, PERMAFROST DISTRIBUTION, PERMAFROST HYDROLOGY, SLOPES, MOUNTAINS, UNITED STATES—ALASKA—SUKAKPAK MOUNTAIN.

Several hundred mounds occur on the lower slope of Sukakpak Mountain. The mean mound height is approximately 1 m and most are elliptical or circular in plan Clear, massive ice can be found within, below, and adjacent to some mounds Within and adjacent to one mound, free water under low pressure was observed in late winter Frozen sediments were found below the water lens Trees with smooth trunk curvature on top of the mounds suggest long period of stability Most mounds are found in active drainage channels that develop thick surface icings each winter As a tentative hypothesis, it is suggested that the mounds form by closed-system freezing at sites with higher moisture contents than their surroundings. The causes and frequency of occurrence and annual magnitude of this upheaving are under investigation.

MP 1654

RUNOFF FROM A SMALL SUBARCTIC WATERSHED, ALASKA.

Chacho, E.F., et al, International Conference on Permafrost, 4th, Fairbanks, Alaska, July 17-22, 1983. Proceedings, Washington, D.C., National Academy Press, 1983, p.115-120, 17 refs.
Bredthauer, S.
38-1120

PERMAFROST BENEATH RIVERS, RUNOFF, STREAM FLOW, WATERSHEDS, DISCONTINUOUS PERMAFROST, SNOWMELT, PRECIPITATION (METEOROLOGY), MOSSES, SLOPES, EVAPOTRANSPIRATION.

Precipitation-runoff ratios were measured on Glenn Creek, a small, second-order, subarctic stream located near Fairbanks, Alaska, in the Yukon, Tanana Upland physiographic province Glenn Creek drains a watershed of 2.25 sq km, of which 70% is underlain by permafrost. A Parshall flume was used to measure streamflow, and a pair of 1.22 m by 2.44 m lysimeters were used to measure precipitation and runoff from the moss-covered permafrost slope. The data from one summer season (1979) and one snowmelt season (1980) indicate the sloping surfaces of the watershed have a very fast response time, long recession, and subsurface runoff prior to complete saturation of the overlying organic material Glenn Creek streamflow is comparable to the lysimeter runoff with regard to response time and runoff recession, however the watershed precipitation-runoff ratio is much lower. This is attributed to longer travel distances in the watershed, which result in greater evapotranspiration losses, little contribution from the non-permafrost areas, and only partial areas of the watershed contributing to the streamflow.

MP 1655

FROST HEAVE OF SALINE SOILS.

Chamberlain, E.J., International Conference on Permafrost, 4th, Fairbanks, Alaska, July 17-22, 1983. Proceedings, Washington, D.C., National Academy Press, 1983, p.121-126, 8 refs.
38-1121

SALINE SOILS, FROST HEAVE, SOIL CHEMISTRY, SOIL FREEZING, ICE LENSES, BRINES, SHEAR STRESS, TESTS.

Theories of ice segregation and frost heave processes in saline soils are briefly examined and modified to explain observations made on clay and sand soils frozen under laboratory conditions Seawater was observed to reduce the rate of frost heave by more than 50% for both soil types and to dramatically reduce the size of ice lenses. The effect of seawater is to cause the formation of a thick active freezing zone with many ice lens growth sites, each with its own brine concentration Unbounded brine-rich soil zones between ice lenses are identified as potential zones of low shear strength

MP 1656

LONG-TERM ACTIVE LAYER EFFECTS OF CRUDE OIL SPILLED IN INTERIOR ALASKA.

Collins, C.M., International Conference on Permafrost, 4th, Fairbanks, Alaska, July 17-22, 1983. Proceedings, Washington, D.C., National Academy Press, 1983, p.175-179, 19 refs.
38-1131

OIL SPILLS, ACTIVE LAYER, ENVIRONMENTAL IMPACT, THAW DEPTH, ALBEDO, SEASONAL VARIATIONS, TEMPERATURE EFFECTS, UNITED STATES—ALASKA.

Two experimental oil spills of 7570 liters each were conducted at a black-spruce-forested site in February and July of 1976 The long-term effects of the spills on the active layer were directly related to the method of oil movement. The winter spill moved beneath the snow, within the surface moss layer, and the summer spill moved primarily below the moss, in the organic soil The summer spill affected an area nearly one and one-half times that of the winter spill Only 10% of the 303 sq m summer spill area had oil visible on the surface, while 40% of the 188 sq m winter spill had visible oil. Thaw depths in the summer spill area increased from 1977 to 1980 average thaw depth was 72 cm vs. 48 cm in the control and remained essentially the same in 1981 and 1982 Thaw depths in the winter spill area continued to increase until 1982 to an average of 92 cm. Summer temperatures 5 cm under the blackened moss are consistently higher than under the undisturbed surface Presumably the change in albedo due to the surface oil accounts for the increased thaw in the winter spill area

MP 1657

FIELD TESTS OF A FROST-HEAVE MODEL.

Guymon, G.L., et al, International Conference on Permafrost, 4th, Fairbanks, Alaska, July 17-22, 1983. Proceedings, Washington, D.C., National Academy Press, 1983, p.409-414, 9 refs.
Berg, R.L., Hromadka, T.V., II.
38-1175

FROST HEAVE, FROST PENETRATION, FREEZE THAW CYCLES, SOIL CREEP, SOIL TEMPERATURE, GROUND WATER, WATER PRESSURE, WATER LEVEL, MATHEMATICAL MODELS, ICE LENSES, ICE MELTING.

A one-dimensional mathematical model of frost heave based upon a nodal domain integration analog is compared to data collected from a Winchendon, Mass., field site. Air and soil temperatures, pore water pressures, and groundwater level data were collected on test sections containing six different soils during the winters of 1978-1979 and 1979-1980. The soil samples were evaluated in the laboratory to determine soil moisture characteristics, hydraulic conductivity as a function of pore water tensions, density, and other parameters. The parameters were used together with assumed thermal parameters in a one-dimensional model that calculates the distributions of temperature and moisture content as well as the amount of ice segregation (vertically lumped frost heave) and thaw consolidation Using measured air and soil surface temperatures as input data, the simulated frost heave and thaw consolidation agreed well with measured ground surface displacements that resulted from ice segregation or ice lens melting.

MP 1658

RELATIONSHIPS BETWEEN ESTIMATED MEAN ANNUAL AIR AND PERMAFROST TEMPERATURES IN NORTH-CENTRAL ALASKA.

Haugen, R.K., et al, International Conference on Permafrost, 4th, Fairbanks, Alaska, July 17-22, 1983. Proceedings, Washington, D.C., National Academy Press, 1983, p.462-467, 13 refs.
Outcalt, S.I., Harle, J.C.
38-1184

PERMAFROST THERMAL PROPERTIES, AIR TEMPERATURE, FROZEN GROUND TEMPERATURE, PERMAFROST DISTRIBUTION, SOIL TEMPERATURE, UNITED STATES—ALASKA.

Mean annual air temperatures (MAAT) are estimated for a transect from central to northern Alaska. The estimated MAAT are compared to mean annual ground temperatures (MAGT) representative of upper permafrost temperatures. The estimation of MAAT for the remote and topographically complex transect area was based on trend surface estimates of numerous short-term (1-7 years) temperature records obtained from climatic stations operated by research projects and longer records from existing National Weather Service stations. The standard error of the estimated MAAT falls within a degree (C) of observed MAAT for stations with long-term records. The MAGT are based on subsurface thermistor measurements made at construction sites and are therefore from disturbed terrain, but data were selected to minimize the effects of disturbance MAGT measurements ranged from -7.5 C, in the north to -0.7 C near Fairbanks. Predicted MAAT ranged from -11.5 C at Prudhoe Bay to -4.5 C in the Fairbanks area

MP 1659

COMPARISON OF TWO-DIMENSIONAL DOMAIN AND BOUNDARY INTEGRAL GEOTHERMAL MODELS WITH EMBANKMENT FREEZE-THAW FIELD DATA.

Hromadka, T.V., II, et al, International Conference on Permafrost, 4th, Fairbanks, Alaska, July 17-22, 1983. Proceedings. Washington, D.C., National Academy Press, 1983, p.509-513.
Guymon, G.L., Berg, R.L.
38-1192

EMBANKMENTS, FREEZE THAW CYCLES, THERMAL PROPERTIES, THAW DEPTH, FROST PENETRATION, PAVEMENTS, RUNWAYS, MATHEMATICAL MODELS, TEMPERATURE VARIATIONS, COMPUTERIZED SIMULATION.

The time- and position-dependent locations of the 0 C isotherm were calculated using two modelling strategies a domain method and a boundary integral method Simulations were made for the runway embankment at Deadhorse Airport near Prudhoe Bay, Alaska The same thermal properties, initial conditions, and boundary conditions were used in both models Sinusoidal surface temperature variations, dependent upon surface type and exposure, were used in the simulations rather than measured surface temperatures The positions of the 0 C isotherm determined by the boundary integral method near the time of maximum thaw penetration were essentially the same as those determined by the finite element method, and results from both models agreed closely, within a few centimeters over a total freezing depth of about 2.5 m, with the measured positions The largest differences between measured and computed positions occurred early in the freezing and thawing seasons The primary advantage of using the boundary integral method for problems specifically of the type considered herein is that it requires only a few nodal points, so computer simulations

can be completed rapidly on a micro computer. If the two-dimensional thermal regime is necessary, the finite element method is most suitable

MP 1660
RECOVERY AND ACTIVE LAYER CHANGES FOLLOWING A TUNDRA FIRE IN NORTHWESTERN ALASKA.
Johnson, L., et al, International Conference on Permafrost, 4th, Fairbanks, Alaska, July 17-22, 1983. Proceedings. Washington, D.C., National Academy Press, 1983, p.543-547.
Viereck, L.
38-1198
TUNDRA, FIRES, REVEGETATION, PERMAFROST, ACTIVE LAYER, THAW DEPTH, GROUND ICE, HUMMOCKS, SOIL TEMPERATURE.
An upland tundra fire, started by lightning, burned 48 sq km near the Kokolik River in northwestern Alaska during late July and early August 1977. Permanent plots were established to monitor recovery of severely, moderately, and lightly burned areas as well as unburned tundra. During the following 5 years the original permanent plots and other portions of the burn were observed annually. Vegetative recovery was most rapid and active layer effects were least on the moist sedge-shrub tundra. Recovery was slower on a high-centered polygonal area and on severely burned tussock tundra. By August 1979 the sedge-shrub vegetation had largely recovered while both the polygonal ground and the tussock tundra were still readily recognizable as burned areas. Accelerated hydraulic and thermal erosion had occurred on some slopes, resulting in exposures of massive bodies of ground ice. Active layer thicknesses averaged 27 cm in the unburned areas and 35 cm within severely burned areas in August 1977 and reached a maximum at all but one site in August 1979. Depth of thaw decreased between 1979 and 1982 in the sedge-shrub tundra and in the lightly burned shrub tundra and remained at the same increased level through 1982 at all other sites.

MP 1661
GROUND ICE IN PERENNIALLY FROZEN SEDIMENTS, NORTHERN ALASKA.
Lawson, D.E., International Conference on Permafrost, 4th, Fairbanks, Alaska, July 17-22, 1983. Proceedings, Washington, D.C., National Academy Press, 1983, p.695-700, 23 refs.
38-1225
GROUND ICE, PERMAFROST HYDROLOGY, PERMAFROST THERMAL PROPERTIES, SEDIMENTS, ICE VOLUME, GROUND THAWING, GRAIN SIZE, LANDFORMS, FREEZE THAW CYCLES, AERIAL SURVEYS.
The distribution and volume of ice in perennially frozen sediments beneath three unglaciated sites in northern Alaska vary with the grain size and depositional origins of the sediment, thermal history (permafrost aggradation and degradation), and age of the terrain and deposits. Substantial lateral variation in near-surface ice volume exists between and within each site, but reasonably consistent trends in ice content with depth were measured beneath individual landforms. Primary deposits, those deposited and frozen without postdepositional thermal or sedimentologic modification, contain the highest volume of ice at each locality. Sediments that have undergone thawing or resedimentation typically contain much less excess ice Thaw lake, slope, or fluvial processes modify ice contents and produce sedimentary sequences with a spatial distribution of ice determined by these depositional processes and the subsequent thermal history.

MP 1662
THAWING BENEATH INSULATED STRUCTURES ON PERMAFROST.
Lunardini, V.J., International Conference on Permafrost, 4th, Fairbanks, Alaska, July 17-22, 1983. Proceedings, Washington, D.C., National Academy Press, 1983, p.750-755, 20 refs.
38-1235
PERMAFROST BENEATH STRUCTURES, GROUND THAWING, THERMAL INSULATION, HEAT TRANSFER, PHASE TRANSFORMATIONS, DESIGN, ANALYSIS (MATHEMATICS).
The problem of thawing beneath heated structures on permafrost (or cooled structures in nonpermafrost zones) must be addressed if safe engineering designs are to be conceived In general there are no exact solutions to the problem of conduction heat transfer with phase change for practical geometries. The quasi-steady approximation is used to solve the phase-change problem for insulated geometries, including infinite strips, rectangular buildings, and circular storage tanks. Analytical solutions are presented and graphed for a range of parameters with practical importance

MP 1663
INVESTIGATION OF TRANSIENT PROCESSES IN AN ADVANCING ZONE OF FREEZING.
McGaw, R., et al, International Conference on Permafrost, 4th, Fairbanks, Alaska, July 17-22, 1983. Proceedings, Washington, D.C., National Academy Press, 1983, p.821-825, 9 refs.
Berg, R.L., Ingersoll, J.W.
38-1248
SOIL FREEZING, GROUND WATER, WATER PRESSURE, UNFROZEN WATER CONTENT, ICE LENSES, TEMPERATURE EFFECTS, TENSILE PROPERTIES, LIQUID PHASES, WATER TABLE, TESTS.
Studies have indicated a relation between subfreezing temperature in a fine-grained soil and pressure (moisture tension) in the film water adjacent to an ice lens. During the experiments reported here, concurrent measurements were obtained of temperature and pressure in the liquid water phase of a freezing silt soil. Freezing was from the top down utilizing an open system, with the water table held at the base of a specimen 30 cm long. The freezing front advanced into the specimen at a generally decreasing rate from 20 mm/day to 5 mm/day. The tests utilized a special tensiometer developed at CRREL that continues to measure moisture tension below a temperature of 0 C as long as continuity with the unfrozen water is maintained. Moisture tensions were registered continuously up to 75 kPa (0 75 atm), after which the tension remained constant or decreased slightly.

MP 1664
SOIL-WATER DIFFUSIVITY OF UNSATURATED FROZEN SOILS AT SUBZERO TEMPERATURES.
Nakano, Y., et al, International Conference on Permafrost, 4th, Fairbanks, Alaska, July 17-22, 1983. Proceedings, Washington, D.C., National Academy Press, 1983, p.889-893, 26 refs.
Tice, A.R., Oliphant, J.L., Jenkins, T.F.
38-1260
UNFROZEN WATER CONTENT, SOIL WATER, DIFFUSION, WATER TRANSPORT, TEMPERATURE EFFECTS, WATER CONTENT, GROUND ICE.
The soil-water diffusivities of soils containing no ice were determined at -1 C by an experimental method recently introduced. The theoretical basis of the method is presented. The measured diffusivities of three kinds of soils are found to have a common feature in that the diffusivity increases with increasing water content, attains a peak, and increases again as the water content increases. This common feature of the soils at the subzero temperature is discussed in comparison with unfrozen soils. The experimental data appear to indicate that the basic transport mechanism of water in soils containing no ice at the subzero temperature is essentially the same as that in unfrozen soils containing a small amount of water.

MP 1665
SEISMIC VELOCITIES AND SUBSEA PERMAFROST IN THE BEAUFORT SEA, ALASKA.
Neave, K.G., et al, International Conference on Permafrost, 4th, Fairbanks, Alaska, July 17-22, 1983. Proceedings, Washington, D.C., National Academy Press, 1983, p.894-898, 17 refs.
Sellmann, P.V.
38-1261
SUBSEA PERMAFROST, PERMAFROST DISTRIBUTION, SEISMIC REFRACTION, GROUND ICE, PERMAFROST DEPTH, SEISMIC VELOCITY, BEAUFORT SEA.
The distribution of high-velocity material was used as an indicator of ice-bonded permafrost. Observations from ice survey and marine seismic records, coupled with control from a small number of drill holes, suggest that ice-bonded permafrost is extremely widespread in the Beaufort Sea. Large areas of high-velocity material at shallow depths, 10-40 m below the seabed, were observed near Prudhoe and Harrison Bays. In some cases these zones extended up to 35 km from shore. It was also common to find that depths to the high-velocity material increased with distance from the shore Observed depths were as great as 150-230 m below the seabed

MP 1666
WATER MIGRATION DUE TO A TEMPERATURE GRADIENT IN FROZEN SOIL.
Oliphant, J.L., et al, International Conference on Permafrost, 4th, Fairbanks, Alaska, July 17-22, 1983. Proceedings, Washington, D.C., National Academy Press, 1983, p.951-956, 10 refs.
Tice, A.R., Nakano, Y.
38-1272
PERMAFROST HYDROLOGY, FROZEN GROUND PHYSICS, SOIL WATER MIGRATION, UNFROZEN WATER CONTENT, BOUNDARY LAYER, TEMPERATURE GRADIENTS, EXPERIMENTATION.
Closed soil columns at an initially uniform total water content were subjected to a nearly linear and constant temperature gradient along their length. At various times, the columns were sectioned and water content as a function of position was determined gravimetrically. Unfrozen water content vs. temperature curves were also determined with a nuclear magnetic resonance technique on separate samples of the same soil at the same dry density. It was found that the water migrated from the warm to the cold end and two zones developed in each of the tubes, one that contained only liquid water and the other containing ice and water. The boundary between the two zones also migrated toward the cold end as the experiment progressed, and the water content of the zone containing only water fell while that of the zone containing ice and water increased.

MP 1667
ATMOSPHERIC BOUNDARY-LAYER MODIFICATION, DRAG COEFFICIENT, AND SURFACE HEAT FLUX IN THE ANTARCTIC MARGINAL ICE ZONE.
Andreas, E.L., et al, Jan. 20, 1984, 89(C1), p.649-661, 71 refs.
Tucker, W.B., Ackley, S.F.
38-1819
BOUNDARY LAYER, METEOROLOGICAL INSTRUMENTS, HEAT FLUX, ICE EDGE.
During a traverse of the Antarctic marginal ice zone (MIZ) near the Greenwich Meridian in October 1981, we launched a series of radiosondes along a 150-km track starting at the ice edge. Since the the wind was from the north, off the ocean, these radiosonde profiles showed profound modification of the atmospheric boundary layer (ABL), as the increasing surface roughness decelerated the flow. The primary manifestation of this modification was a lifting of the inversion layer with increasing distance from the ice edge by the induced vertical velocity. But there was also a cooling of the stably stratified mixed layer below the inversion and a consequent flux of sensible heat to the surface that averaged over 200 W/sq m. The magnitude of this flux suggests that atmospheric heat transport plays a significant role in the destruction of ice in the Antarctic MIZ. Using the rising of the inversion and ABL similarity theory, we estimated the neutral stability drag coefficient across the MIZ increased from its open ocean value, .0012, at the ice edge to .004 at 80-90% ice concentration. We present an equation for this dependence of drag on ice concentration that should be useful for modeling the surface stress in marginal ice zones. (Auth.)

MP 1668
ANTARCTIC SEA ICE MICROWAVE SIGNATURES AND THEIR CORRELATION WITH *IN SITU* ICE OBSERVATIONS.
Comiso, J.C., et al, Jan. 20, 1984, 89(C1), p.662-672, 24 refs.
Ackley, S F., Gordon, A.L.
38-1820
SEA ICE DISTRIBUTION, MICROWAVES, REMOTE SENSING, SPACEBORNE PHOTOGRAPHY, ANTARCTICA—WEDDELL SEA.
The general characteristics and microwave radiative properties of sea ice in the Weddell Sea region during the onset of spring are studied by using the NIMBUS 7 Scanning Multichannel Microwave Radiometer (SMMR) and other satellite sensors in conjunction with *in situ* observations. The position of the ice edge, the gradient of ice concentration, and the width of the Marginal Ice Zone are inferred from the microwave data and are found to be consistent with ship observations especially at 18 GHz. The sensitivities of the various SMMR frequencies to surface and other effects are investigated by using multi-spectral cluster analysis. The results show considerable variability in emissivity, especially at 37 GHz, likely associated with varying degrees of surface wetness. Ice concentrations are derived by using two methods: one that assumes fixed emissivities for consolidated ice and an iterative procedure that accounts for the variable emissivities observed Use of the procedure that allows the emissivities to be variable gives ice concentrations that are more consistent with qualitative field observations (Auth)

MP 1669
POSSIBILITY OF ANOMALOUS RELAXATION DUE TO THE CHARGED DISLOCATION PROCESS.
Itagaki, K., Oct 13, 1983, 87(21), p 4261-4264, 12 refs.
38-1613
ICE PHYSICS, ICE ELECTRICAL PROPERTIES, ICE RELAXATION, CHARGE TRANSFER, ELECTRIC CHARGE, DIELECTRIC PROPERTIES, SPECTRA.
The possible contribution of electrically charged dislocations to dielectric relaxation and the consequent effects were examined and compared with experimental results A catastrophe caused by the positive feedback was found to be possible under normally attainable conditions

MP 1670
EFFECT OF X-RAY IRRADIATION ON INTERNAL FRICTION AND DIELECTRIC RELAXATION OF ICE.
Itagaki, K., et al, Oct. 13, 1983, 87(21), p.4314-4317, 5 refs.
Ackley, S.F., VanDevender, J.P.
38-1623
ICE PHYSICS, ICE ELECTRICAL PROPERTIES, ICE RELAXATION, INTERNAL FRICTION, X RAY DIFFRACTION, DIELECTRIC PROPERTIES, RADIATION.
Studies of X-ray irradiation effects on dielectric relaxation and internal friction of ice indicated that relaxation times were shortened in both cases, but the corresponding quantities (the imaginary part of the dielectric constant and loss tangent in internal friction) behave differently Of the two mechanisms discussed in an attempt to explain the results, a charged dislocation process seems to provide the better fit.

MP 1671
EFFECT OF STRESS APPLICATION RATE ON THE CREEP BEHAVIOR OF POLYCRYSTALLINE ICE.
Cole, D.M., Dec. 1983, 105(4), p.454-459, 14 refs.
38-2084
ICE CREEP, STRESSES, STRAINS, LOADS (FORCES), TEMPERATURE EFFECTS, ICE ACOUSTICS, RHEOLOGY, TESTS.
This work examines the effect of the rate of stress application on the creep behavior of polycrystalline ice. Stress rates from 1/1000 to 1.84 MPa/s were used to achieve a creep stress of 3.6 MPa at test temperatures of -5 and -10C. The treatment emphasizes the effect of stress application rate on primary behavior and the accompanying microfracturing activity. Acoustic emission measurements taken in all tests indicate the onset and rate peak of the microfracturing activity. The stress application rate has little effect on the minimum strain rate, the strain at which it occurs, or the characteristics of tertiary creep provided that the loading ramp ends prior to reaching the nominal failure strain of 1.0 percent. Primary creep behavior is significantly affected only at rates below about 1/100 MPa/s Results indicate that when the loading ramp continues through the failure strain, no minimum strain rate occurs, but rather the strain rate increases monotonically throughout the entire test.

MP 1672
IMPLICATIONS OF SURFACE ENERGY IN ICE ADHESION.
Itagaki, K., 1983, 16(1), p.41-48, 2 refs.
38-2090
ICE ADHESION, ICE SOLID INTERFACE, SURFACE PROPERTIES, ICE STRENGTH, STRESSES, COATINGS.

MP 1673
MARGINAL ICE ZONES: A DESCRIPTION OF AIR-ICE-OCEAN INTERACTIVE PROCESSES, MODELS AND PLANNED EXPERIMENTS.
Johannessen, O.M., et al, Arctic technology and policy. Edited by I. Dyer and C. Chryssostomidis. Washington, D.C., Hemisphere Publishing Co , 1984, p.133-146, Refs. p.139-140.
Hibler, W.D., III, Wadhams, P., Campbell, W.J., Hasselmann, K., Dyer, I.
38-1994
ICE CONDITIONS, ICE EDGE, ICE WATER INTERFACE, ICE AIR INTERFACE, ICE NAVIGATION, ICE MECHANICS, OCEANOGRAPHY, METEOROLOGY, AIR WATER INTERACTIONS, CLIMATE, ICE ACOUSTICS.
The marginal ice zones (MIZ) are regions where temperate and polar climate systems interact, resulting in strong horizontal and vertical gradients in the atmosphere and the ocean These gradients lead to mesoscale processes which affect the heat, salt, and momentum fluxes at the ice margin. It is therefore important to increase our understanding of these processes in order to model the air-ice-ocean system in the MIZ, and to build up a predictive capability of the ice margin. Parameterization of these processes is also necessary in large scale modeling of the sea ice influence on the global climate system This paper reviews our knowledge of physical processes occurring in the marginal ice zones, points out problem areas and describes Marginal Ice Zone Program (MIZEX) to be initiated in 1983

MP 1674
MECHANICAL PROPERTIES OF ICE IN THE ARCTIC SEAS.
Weeks, W.F., et al, Arctic technology and policy. Edited by I Dyer and C Chryssostomidis. Washington, D.C., Hemisphere Publishing Co, 1984, p 235-259, 109 refs.
Mellor, M.
38-1999
ICE MECHANICS, SEA ICE, ICE LOADS, ICEBERGS, ICE ISLANDS, ICE STRENGTH, STRESS STRAIN DIAGRAMS, ICE STRUCTURE, ICE COMPOSITION, SCANNING ELECTRON MICROSCOPY, ARCTIC OCEAN.
The mechanical properties are reviewed for the main types of ice in arctic seas (glacial (icebergs), shelf (ice islands), sea ice) and representative values are given. Each ice type possesses a characteristic range of structures and compositions that differentiate it from other varieties of ice and to a considerable extent, these produce large variations in mechanical properties. Factors affecting mechanical properties (temperature, brine and gas volume, crystal orientation and size, strain rate) are discussed, as are gaps, contradictions, and inadequacies in available data.

MP 1675
PROCEEDINGS.
International Offshore Mechanics and Arctic Engineering Symposium, 3rd, New Orleans, Louisiana, Feb. 12-17, 1984, New York, NY, American Society of Mechanical Engineers, 1984, 3 vols., Refs. passim. For selected papers see from Vol.1: 38-2979; from Vol.2: 38-2980; from Vol.3: 38-2017 through 38-2068. Lunardini, V.J., ed.
38-2016
PERMAFROST PHYSICS, FROZEN GROUND PHYSICS, SEA ICE, FROST HEAVE, ICE CONDITIONS, OFFSHORE STRUCTURES, ICE SOLID INTERFACE, HEAT TRANSFER, ENGINEERING, STEEL STRUCTURES.

MP 1676
DETERIORATION OF FLOATING ICE COVERS.
Ashton, G.D., International Offshore Mechanics and Arctic Engineering Symposium, 3rd, New Orleans, Louisiana, Feb. 12-17, 1984. Proceedings, Vol.3. Edited by V.J. Lunardini, New York, American Society of Mechanical Engineers, 1984, p.26-33, 18 refs.
38-2020
ICE DETERIORATION, FLOATING ICE, HEAT TRANSFER, ICE MELTING, ICE COVER STRENGTH, SOLAR RADIATION, ALBEDO, THERMAL REGIME.
The deterioration of floating ice covers is analyzed to determine under what conditions the ice cover loses strength due to internal melting. The analysis considers the interaction between sensible heat transfer and long wave radiation loss at the surface, the surface albedo, the short wave radiation penetration and absorption and the unsteady heat conduction within the ice. The thermal analysis then leads to a determination of the porosity of the ice that allows strength analysis to be made using beam-type analyses. The results provide criteria to determine when and how rapidly the ice cover loses strength and under what conditions it will regain the original strength associated with an ice cover of full integrity.

MP 1677
PERFORMANCE OF A THERMOSYPHON WITH AN INCLINED EVAPORATOR AND VERTICAL CONDENSER.
Zarling, J.P., et al, International Offshore Mechanics and Arctic Engineering Symposium, 3rd, New Orleans, Louisiana, Feb. 12-17, 1984. Proceedings, Vol.3. Edited by V.J. Lunardini, New York, American Society of Mechanical Engineers, 1984, p.64-68, 15 refs.
Haynes, F.D.
38-2026
COOLING, SOIL STABILIZATION, PIPELINE SUPPORTS, EQUIPMENT, AIR TEMPERATURE, WIND VELOCITY.
Thermosyphons are presently being installed at inclined angles for various subgrade cooling applications in the Arctic However, the thermal performance characteristics of a thermosyphon installed at these inclined angles is unknown The performance of a standard CO2 filled, two-phase thermosyphon was determined experimentally. Heat removal effectivenesses were measured over a wide range of inclined angles from the horizontal Empirical expressions were obtained for the heat removal rates as a function of wind speed and ambient air temperature

MP 1678
TWO-DIMENSIONAL MODEL OF COUPLED HEAT AND MOISTURE TRANSPORT IN FROST HEAVING SOILS.
Guymon, G.L., et al, International Offshore Mechanics and Arctic Engineering Symposium, 3rd, New Orleans, Louisiana, Feb. 12-17, 1984. Proceedings, Vol.3. Edited by V.J. Lunardini, New York, American Society of Mechanical Engineers, 1984, p.91-98, 30 refs.
Hromadka, T.V., II, Berg, R.L.
38-2030
FROST HEAVE, FROZEN GROUND PHYSICS, HEAT TRANSFER, GROUND ICE, MOISTURE TRANSFER, SOIL WATER MIGRATION, MATHEMATICAL MODELS, FREEZE THAW CYCLES, EMBANKMENTS, WATER PRESSURE, TEMPERATURE EFFECTS
A two-dimensional model of coupled heat and moisture flow in frost-heaving soils is developed based upon well known equations of heat and moisture flow in soils Numerical solution is by the nodal domain integration method which includes the integrated finite difference and the Galerkin finite element methods. Solution of the phase change process is approximated by an isothermal approach and phenomenological equations are assumed for processes occurring in freezing or thawing zones. The model has been verified against experimental one-dimensional freezing soil column data and experimental two-dimensional soil thawing tank data as well as two-dimensional soil seepage data. The model has been applied to several simple but useful field problems such as roadway embankment freezing and frost heaving.

MP 1679
SUMMARY OF THE STRENGTH AND MODULUS OF ICE SAMPLES FROM MULTI-YEAR PRESSURE RIDGES.
Cox, G.F.N., et al, International Offshore Mechanics and Arctic Engineering Symposium, 3rd, New Orleans, Louisiana, Feb. 12-17, 1984. Proceedings, Vol.3. Edited by V.J. Lunardini, New York, American Society of Mechanical Engineers, 1984, p.126-133, 14 refs.
Richter, J.A., Weeks, W.F., Mellor, M.
38-2035
PRESSURE RIDGES, ICE STRENGTH, COMPRESSIVE PROPERTIES, TEMPERATURE EFFECTS, STRAIN TESTS, ICE SAMPLING, MEASURING INSTRUMENTS, POROSITY, BEAUFORT SEA.
Over two hundred unconfined compression tests were performed on vertical ice samples obtained from ten multi-year pressure ridges in the Beaufort Sea. The tests were performed on a closed-loop electrohydraulic testing machine at two strain rates (1/100,000 and 1/1000/s) and two temperatures (-20 and -5C). This paper summarizes the sample preparation and testing techniques used in the investigation and presents data on the compressive strength and initial tangent modulus of the ice.

MP 1680
VARIATION OF ICE STRENGTH WITHIN AND BETWEEN MULTIYEAR PRESSURE RIDGES IN THE BEAUFORT SEA.
Weeks, W.F., International Offshore Mechanics and Arctic Engineering Symposium, 3rd, New Orleans, Louisiana, Feb. 12-17, 1984. Proceedings, Vol.3. Edited by V.J. Lunardini, New York, American Society of Mechanical Engineers, 1984, p.134-139, 6 refs.
38-2036
ICE STRENGTH, PRESSURE RIDGES, COMPRESSIVE PROPERTIES, ICE STRUCTURE, ICE COVER STRENGTH, STRAINS, TEMPERATURE EFFECTS, POROSITY, SEA ICE, BEAUFORT SEA.
A recent series of tests on the uniaxial compressive strength of ice samples taken from multiyear pressure ridges allows the testing of several hypotheses concerning the variation in strength within and between ridges. The data set consists of 218 strength tests performed at two temperatures (-5 and -20C) and two strain rates (1/1000 and 1/100,000/s) There was no significant difference between the strength of the ice from the ridge sails and the ice from the ridge keels when tested under identical conditions. As the total porosity of the ice from the sails is higher by 40% than the ice from the keels, the lack of a significant difference is believed to result from the large variations in the structure of the ice which occur randomly throughout the cores. A three-level analysis of variance model was used to study the variations in strength between 10 different ridges, between cores located side by side in a given ridge, and between samples from the same core. In all cases the main factor contributing to the observed variance was the differences within cores. This is not surprising considering the rather extreme local variability in the structure of ice in such ridges There was no reason at the 5% level of significance to doubt the hypothesis that the different cores at the same site and the different ridges have equal strength means

MP 1681
RELATIONSHIP BETWEEN CREEP AND STRENGTH BEHAVIOR OF ICE AT FAILURE.
Cole, D.M., Oct. 1983, 8(2), p.189-197, 4 refs
38-1513
ICE STRENGTH, ICE CREEP, ICE MECHANICS, STRESSES, STRAINS.
This work explores the correspondence between the results of creep and strength tests performed on isotropic polycrystalline ice A unique experimental procedure, termed a two-mode test in the present work, allows the testing of a single specimen under conditions of constant deformation rate up to failure and constant load thereafter Using this procedure, the prevailing values of stress, strain and strain rate can be compared at the failure point under the two test modes without the influence of specimen variation The effect of the stress path prior to failure on the creep behavior after failure can also be investigated Results indicate coincidence of the failure points from creep and strength tests in stress strain rate strain space Furthermore, it appears that within the range of variables tested, the creep behavior after the mode switch at failure is independent of the stress path experienced before failure (Auth.)

MP 1682
COMPARISON OF U.S.S.R. CODES AND U.S. ARMY MANUAL FOR DESIGN OF FOUNDATIONS ON PERMAFROST.
Fish, A.M., Aug. 1983, 8(1), p.3-24, 27 refs.
38-1495
PERMAFROST BENEATH STRUCTURES, FOUNDATIONS, BUILDING CODES, SOIL CLASSIFICATION, SETTLEMENT (STRUCTURAL), SOIL CREEP, SAFETY.
A comparative study was made of design criteria and analytical methods for footings and pile foundations on permafrost employed in U.S.S.R. Design Code SNiP II-8-76 (1977) and U.S. Army CRREL SR 80-34 developed in the early 1970s by the U.S. Army Corps of Engineers and published in 1980. The absence of adequate constitutive equations for frozen soils and of rigorous solutions of the boundary problems has made it necessary to incorporate (explicitly or implicitly) various safety factors in the foundation analyses From the review it is concluded that the principal difference between these practices is in the assessment and application of appropriate values of safety factors, which leads to a substantial discrepancy in the dimensions and costs of footings and pile foundations in permafrost. (Auth)

MP 1683
STRAIN MEASUREMENTS ON DUMBBELL SPECIMENS.
Mellor, M., Aug. 1983, 8(1), p.75-77, 3 refs.
38-1501
STRAIN TESTS, TENSILE PROPERTIES.

MP 1684
LAKE ICE DECAY.
Ashton, G.D., Aug. 1983, 8(1), p.83-86, 4 refs.
38-1503
LAKE ICE, ICE COVER THICKNESS, ICE MELTING.

MP 1685
PRELIMINARY EXAMINATION OF THE EFFECT OF STRUCTURE ON THE COMPRESSIVE STRENGTH OF ICE SAMPLES FROM MULTI-YEAR PRESSURE RIDGES.
Richter, J.A., et al, International Offshore Mechanics and Arctic Engineering Symposium, 3rd, New Orleans, Louisiana, Feb. 12-17, 1984. Proceedings, Vol.3. Edited by V.J. Lunardini, New York, American Society of Mechanical Engineers, 1984, p.140-144, 9 refs.
Cox, G.F.N.
38-2037
ICE STRENGTH, PRESSURE RIDGES, COMPRESSIVE PROPERTIES, STRAIN TESTS, ICE STRUCTURE, TEMPERATURE EFFECTS, SEA ICE, LOADS (FORCES), POROSITY.
A series of 222 uniaxial constant-strain-rate compression tests were performed on vertical multi-year pressure ridge sea ice samples. A preliminary analysis of the effect of structure on the compressive strength of the ice was performed on 78 of these tests Test parameters included a temperature of -5C (23F) and strain rates of 1 100,000 and 1/1000/s. Columnar ice loaded parallel to the elongated crystal axes and perpendicular to the crystal c-axis was consistently the strongest type of ice The strength of the columnar samples decreased significantly as the orientation of the elongated crystals approached the plane of maximum shear. Samples containing granular ice or a mixture of granular and columnar ice resulted in intermediate and low strength values. No clear relationship could be established between structure and strength for these ice types However, in general, their strength decreased with an increase in porosity

MP 1686
INFLUENCE OF GRAIN SIZE ON THE DUCTILITY OF ICE.
Cole, D.M., International Offshore Mechanics and Arctic Engineering Symposium, 3rd, New Orleans, Louisiana, Feb 12-17, 1984. Proceedings, Vol.3. Edited by V.J. Lunardini, New York, American Society of Mechanical Engineers, 1984, p.150-157, 21 refs.
38-2039
ICE CRACKS, ICE CREEP, ICE STRENGTH, GRAIN SIZE, POROSITY, COMPRESSIVE PROPERTIES, ICE CRYSTAL STRUCTURE, LOADS (FORCES), BRITTLENESS, TESTS
This paper presents observations made regarding the influence of grain size on the extent of internal cracking and creep behavior of polycrystalline ice The test material was initially isotropic, laboratory prepared polycrystalline ice Grain size ranged from 1.52 to 5.65 mm Specimens were tested under constant load in uniaxial compression with an initial stress of 2MPa and at a temperature of -5C Optical post-test analysis showed that the estimated crack density varied over nearly three orders of magnitude as the grain size increased by a factor of three The smallest-grained specimen exhibited no visible fractures The strain at the minimum creep rate decreased significantly as the grain size, and hence the fracturing activity increased These observations indicate that under the prevailing test conditions, the stated variations in grain size alone can initiate the ductile-to-brittle transition Discussion centers on a micro-mechanical explanation of the test results as well as the implications of the findings to areas of practical concern.

MP 1687
EXPERIMENTAL DETERMINATION OF BUCKLING LOADS OF CRACKED ICE SHEETS.
Sodhi, D.S., et al, International Offshore Mechanics and Arctic Engineering Symposium, 3rd, New Orleans, Louisiana, Feb. 12-17, 1984. Proceedings, Vol.3. Edited by V.J. Lunardini, New York, American Society of Mechanical Engineers, 1984, p.183-186, 13 refs.
Adley, M.D.
38-2044
FLOATING ICE, ICE CRACKS, ICE SHEETS, LOADS (FORCES), ICE SOLID INTERFACE, ICE LOADS, ICE DEFORMATION, EXPERIMENTATION.
An experimental study was undertaken to determine the buckling loads of cracked, floating ice sheets The configurations of the cracks considered in this study were symmetrical and unsymmetrical with respect to the structure and the direction of loading The results of this study are compared with those of a theoretical study using a finite element method. The comparison between the two results is good although there is some scatter in the experimental data.

MP 1688
SNOW PARTICLE MORPHOLOGY IN THE SEASONAL SNOW COVER.
Colbeck, S.C., June 1983, 64(6), p.602-609, 14 refs.
38-2095
SNOWFLAKES, SNOW MORPHOLOGY, SNOW CRYSTAL STRUCTURE, SNOW WATER CONTENT, SNOW COVER, FREEZE THAW CYCLES, PARTICLES, DEPTH HOAR, METEOROLOGICAL FACTORS.
Snow precipitation degenerates rapidly once it reaches the ground. A wide variety of particle types develop in seasonal snow covers, thus leading to a wide range of snow properties. The most common varieties of particles are shown here The physical processes responsible for the growth and development of these particles are described in general terms, although these processes are not understood as well as the processes of crystal growth in the atmosphere The heat and mass flows associated with the development of these crystals in the snow cover are complicated because of snow's complex geometry.

MP 1689
USE OF RADIO FREQUENCY SENSOR FOR SNOW/SOIL MOISTURE WATER CONTENT MEASUREMENT.
McKim, H.L., et al, Aug. 1983, SR 83-31, Snow symposium, 3rd, Hanover, NH, Aug. 9-10, 1983. Proceedings, Vol.1, p.33-42, ADB-079 265, 16 refs.
Pangburn, T., Walsh, J.E.
38-2122
SNOW WATER CONTENT, SOIL WATER, SNOW ELECTRICAL PROPERTIES, SOIL PHYSICS, UNFROZEN WATER CONTENT, MEASURING INSTRUMENTS, DIELECTRIC PROPERTIES, TESTS, TEMPERATURE EFFECTS
A solid-state, durable, inexpensive radio frequency sensor (RFS) has been developed and laboratory-tested The RFS uses a Wien bridge circuit to measure a change in soil impedance when changes in soil moisture occur Both electrical conductance and capacitance are measured at differing moisture contents The dielectric constant of the soil moisture is proportional to the measured capacitance and is approximately linear with respect to percent moisture Due to the simple readout system, the RFS has the potential to be interfaced to a data collection system for data acquisition from remote areas Preliminary tests on the temperature effect of the RFS accuracy have shown that volumetric water content can be obtained by the RFS over a wide range of temperatures In addition to the soil moisture measurement, preliminary tests on the measurement of the liquid water-content of snow have been made Comparison of the results with the calorimetric method indicate that the RF sensor can be used to measure snow water content Since the RFS is solid state, it can be placed in remote areas and can monitor volumetric soil water content to within 0.5% by volume

MP 1690
COMPARATIVE NEAR-MILLIMETER WAVE PROPAGATION PROPERTIES OF SNOW OR RAIN.
Nemarich, J., et al, Aug 1983, SR 83-31, Snow symposium, 3rd, Hanover, NH, Aug 9-10, 1983. Proceedings, Vol.1, p.115-129, ADB-079 265, 8 refs
Wellman, R.J., Gordon, B.E. Hutchins, D.R., McDaniel, J., Lacombe, J., Olsen, R.O
38-2129
SNOW PHYSICS, SNOW ACOUSTICS, SNOWFALL, WAVE PROPAGATION, ATTENUATION, BACKSCATTERING, RAIN, SNOW WATER CONTENT, ELECTROMAGNETIC PROPERTIES, SNOWFLAKES, FALLING BODIES, MODELS
Measurements are reported of attenuation and backscatter for rain and falling snow at near-millimeter wave frequencies of 96, 140, and 225 GHz. Comparisons are made between levels and frequency dependences of the attenuations for rain and snow. Backscatter coefficients as a function of time for several rain and snow events are presented The relationship of the attenuation data obtained to calculations for spherical and spheroidal particles is discussed It is shown that attenuation values calculated for an empirical distribution of ice spheres agree with measured values over a wavelength range from visible to 3.1 mm

MP 1691
HYDROLOGIC FORECASTING USING LANDSAT DATA.
Merry, C.J., et al, Aug. 1983, SR 83-31, Snow symposium, 3rd, Hanover, NH, Aug. 9-10, 1983. Proceedings, Vol.1, p.159-168, ADB-079 265, 12 refs.
Pangburn, T., McKim, H.L.
38-2132
SNOW WATER EQUIVALENT, REMOTE SENSING, HYDROLOGY, FORECASTING, LANDSAT, SNOW DEPTH.
Measurements of snow depth and its water equivalent were obtained at 11 snow courses in the Allagash, Maine, area in conjunction with acquisition of five Landsat-2 and -3 images during the 1977-78 and 1978-79 winters Digital imagery data acquired on 31 May 1978, when the land was snow-free, was used to classify land cover categories. Ground truth water equivalent measurements of snow were area-weighted using the land cover classification to derive regional mean water equivalent values for snow cover on each of the five Landsat scenes The 1 March 1978 snow measurement of 19.46 cm of water equivalent was used as an input value to the SSARR (Streamflow Synthesis and Reservoir Regulation) model. The SSARR prediction for the 1 March-31 May 1978 time period was within 78% of the measured runoff for the initial baseflow period and within 67% for the spring melt recession period. However, the timing of six observed runoff peaks was off by 2 to 9 days The magnitude of five of the predicted runoff peaks was within 75% of the recorded streamflow Additional work on calibrating the basin peak timing and melt rate factors is underway.

MP 1692
UTILIZATION OF THE SNOW FIELD TEST SERIES RESULTS FOR DEVELOPMENT OF A SNOW OBSCURATION PRIMER.
Ebersole, J.F., et al, Aug. 19[illegible] SR 83-31, Snow symposium, 3rd, Hanover, NH, Aug. 9-10, 1983. Proceedings, Vol.1, p.209-217, ADB-079 265, 21 refs.
Aitken, G.W.
38-2137
SNOW OPTICS, ATTENUATION, SNOWFALL, BLOWING SNOW, SNOW DENSITY, ICE CRYSTAL STRUCTURE, WAVE PROPAGATION, VISIBILITY, MILITARY OPERATION, NAVIGATION, SNOWDRIFTS, METEOROLOGICAL FACTORS.
The attenuation of electro-optical (EO), infrared (IR), and millimeter wave (MMW) energy through the atmosphere in conditions of low visibility due to the presence of falling or blowing snow can present serious problems for the effective use of surveillance and target acquisition systems. This paper discusses development of a snow obscuration primer for use by the Smoke and Aerosol Working Group (SAWG) of the Joint Technical Coordinating Group for Munitions Effectiveness (JTCG/ME). A key part of this primer is incorporation of test results obtained in the SNOW-ONE, -ONE-A, and -ONE-B field trials This includes measurements of falling and blowing snow obscuration effects on EO IR/MMW systems, both active and passive An important aspect of this work, reported in this paper, is the evolution of a basis for developing "rules-of-thumb" for operation in air-borne-snow environments

MP 1693
INCREASED HEAT FLOW DUE TO SNOW COMPACTION: THE SIMPLISTIC APPROACH.
Colbeck, S.C., Aug. 1983, SR 83-31, Snow symposium, 3rd, Hanover, NH, Aug. 9-10, 1983. Proceedings, Vol.1, p.227-229, ADB-079 265, Extended summary. 2 refs.
38-2138
SNOW COMPACTION, HEAT TRANSFER, SNOW HEAT FLUX, SNOW COVER STRUCTURE, SURFACE TEMPERATURE, MATHEMATICAL MODELS
When snow is compacted by foot or vehicle traffic, the compacted areas are visible on infrared images for some time A simple model is used to calculate the temperature difference between the compacted and uncompacted snows The results are given as temperature difference versus snow compaction

MP 1694
USE OF LANDSAT DATA FOR PREDICTING SNOWMELT RUNOFF IN THE UPPER SAINT JOHN RIVER BASIN.
Merry, C.J., et al, International Symposium on Remote Sensing of Environment, 17th, Ann Arbor, MI, May 9-13, 1983. Proceedings, Ann Arbor, Environmental Research Institute of Michigan, 1983, p.519-533, 16 refs.
Miller, M.S., Pangburn, T.
38-2166
RUNOFF FORECASTING, SNOWMELT, REMOTE SENSING, SNOW WATER EQUIVALENT, SNOW DEPTH, LANDSAT, REFLECTIVITY, FOREST LAND, MODELS, VEGETATION FACTORS, UNITED STATES—MAINE—ST. JOHN RIVER.
To test a hypothesis that Landsat reflected radiance values on a regional scale do change, histograms of the Landsat MSS band 7 reflected radiance values for a 300 x 300 pixel (420 sq km) area near Allagash, Maine, were evaluated to quantify the change. A statistical description (skewness and kurtosis) of the histogram for each scene was developed and then correlated with ground measurements of snow depth. A snow index based on skewness and modal population was found to correlate well with snow depth. Following these initial results, the Landsat data were reexamined and corrections were made for solar elevation and MSS sensor calibration. The reflected radiance from open areas showed a consistent increase in intensity with increasing snow depth. The forested land cover classes did not change with snow depth. The ground truth measurements of water equivalent were area-weighted by the May land cover classification to derive mean regional water equivalent values for each of the five Landsat winter scenes. The 1 March 1978 estimate of 7.66 inches for snow water equivalent was used as input to the SSARR model for prediction of runoff during the 1 March through 31 May 1978 time period.

MP 1695
EXTRACTION OF TOPOGRAPHY FROM SIDE-LOOKING SATELLITE SYSTEMS—A CASE STUDY WITH SPOT SIMULATION DATA.
Ungar, S.G., et al, International Symposium on Remote Sensing of Environment, 17th, Ann Arbor, MI, May 9-13, 1983. Proceedings, Ann Arbor, Environmental Research Institute of Michigan, 1983, p.535-550, 3 refs.
Irish, R., Merry, C.J., Strahler, A.H., McKim, H.L., Gauthier, B., Weill, G., Miller, M.S.
38-2167
TOPOGRAPHIC FEATURES, SIDE LOOKING RADAR, REMOTE SENSING, RADIOMETRY, COMPUTER APPLICATIONS, MAPPING.
A test site in the Cape Flattery area of northwest Washington state was selected for constructing a simulated data set to evaluate techniques for extracting topography from side-looking satellite systems. A negative transparency orthophotoquad was digitized at a spacing of 85 micron, resulting in an equivalent ground distance of 9.86 m between pixels and a radiometric resolution of 256 levels. A bilinear interpolation was performed on U.S. Geological Survey digital elevation model (DEM) data to generate elevation data at a 9.86 m resolution. The nominal orbital characteristics and geometry of the SPOT (Système Probatoire d'Observation de la Terre) satellite were convoluted with the data files to produce simulated panchromatic HRV (High Resolution Visible) digital stereo imagery for three different orbital paths. Techniques were developed for reconstructing topographic data. Essentially, these techniques coalign a nadir and off-nadir pass to calculate the stereo displacement for each pixel in the nadir view by correlating a small subarea to a corresponding subarea in the off-nadir pass. Preliminary analyses with the simulated HRV data and "test pattern" data verify the efficacy of this technique.

MP 1696
LIME STABILIZATION AND LAND DISPOSAL OF COLD REGION WASTEWATER LAGOON SLUDGE.
Schneiter, R.W., et al, 1982, 7(3), p.207-213, 30 refs.
Middlebrooks, E.J., Sletten, R.S.
38-2244
WASTE TREATMENT, WATER TREATMENT, LIMING, SLUDGES, RECLAMATION.
Effects of lime ($Ca(OH)_2$) stabilization upon the pathogenic population in accumulated solids associated with the operation of two aerated wastewater lagoons in Alaska and two facultative wastewater lagoons in northern Utah were evaluated. The subsequent drying, at a temperature of 12C, of the lime stabilized sludges on sand and soil beds was also investigated. The lime stabilization of the lagoon sludges was evaluated by dosing the sludges with lime and applying sludges to bench scale drying beds. Lime addition produced high fecal coliform reduction, and the limed sludges readily dewatered on both sand and soil beds.

MP 1697
CALCULATION OF ADVECTIVE MASS TRANSPORT IN HETEROGENEOUS MEDIA.
Daly, C.J., U.S. Army Research Office, Report No.83-1, Conference of Army Mathematicians, 28th, [1983]. Transactions, [1983], p.73-89, 12 refs.
38-2506
POROUS MATERIALS, MASS TRANSFER, GROUND WATER, FLUID DYNAMICS, ANALYSIS (MATHEMATICS).
A coupled analytical/numerical procedure for prediction of solute transport in heterogeneous media is described. The procedure consists of an analytic solution of the hydraulic equations, followed by a numerical solution for solute transport using the method of characteristics. The characteristics are determined by fourth-order Runge-Kutta and predictor-corrector algorithms. Accuracy of solute transport calculation is enhanced by the fact that fluid velocity can be directly obtained at a priori undetermined points in the flow field. The solute transport process is considered to be entirely advective, neglecting the effects of mechanical dispersion and molecular diffusion. Evidence is presented to demonstrate that purely advective processes in both heterogeneous and homogeneous media can produce large "apparent dispersion." Such dispersion is shown to be easily capable of overwhelming any reasonable estimates of dispersion or diffusion based upon laboratory analyses of homogeneous media. For groundwater contamination problems, it is concluded that precise definition of the spatial variability of hydraulic properties is crucial to the accurate determination of the trajectory of contaminated waters.

MP 1698
CHARACTERISTICS OF MULTI-YEAR PRESSURE RIDGES.
Kovacs, A., International Conference on Port and Ocean Engineering under Arctic Conditions, 7th, Helsinki, Finland, April 5-9, 1983. Proceedings, Vol.3, Espoo, Valtion teknillinen tutkimuskeskus, 1983, p.173-182, 13 refs.
38-2727
PRESSURE RIDGES, ICE FLOES, ICE FORMATION, OFFSHORE STRUCTURES, ICE PRESSURE, ICE STRENGTH, HUMMOCKS, COMPRESSIVE PROPERTIES, SEA ICE.
Multi-year pressure ridges and thick hummock floes are the most severe ice formations that offshore structures will probably have to resist in the Beaufort and Chukchi Seas. Multi-year hummock fields 30 m thick have been measured near Prudhoe Bay, Alaska. This paper presents information on 11 multi-year pressure ridges. The ridges were found to be voidless, and contained ice with a mean brine-free density of about 0.84 mg/cu m. The apparent unconfined compressive strength was about 7 to 8 MPa at -10 C. The strength increased with depth below sea level, and, as expected, varied inversely with ice porosity. The sail-height-to-keel-depth ratios of these ridges are compared with observations made in the Beaufort and Chukchi Seas to show that the multi-year ridges in these areas have a relatively constant sail-height-to-keel-depth ratio of about 1 to 3.3.

MP 1699
SEA ICE ON THE NORTON SOUND AND ADJACENT BERING SEA COAST.
Kovacs, A., International Conference on Port and Ocean Engineering under Arctic Conditions, 7th, Helsinki, Finland, April 5-9, 1983. Proceedings, Vol.4, Espoo, Valtion teknillinen tutkimuskeskus, 1983, p.654-666, 17 refs.
38-2757
ICE MECHANICS, SEA ICE DISTRIBUTION, ICE OVERRIDE, ICE PILEUP, SHORES, OFFSHORE STRUCTURES.
Recent observations and historical accounts of sea ice on the shores of Norton Sound and the adjacent Bering Sea are presented. The movement and accumulation of sea ice on the shore was found to be a common event, as were massive icings on island surfaces. Sea ice was found to have been pushed inland over 150 m and to have moved over 15 km inland during high storm seas.

MP 1700
OCEAN CIRCULATION: ITS EFFECT ON SEASONAL SEA-ICE SIMULATIONS.
Hibler, W.D., III, et al, May 4, 1984, 224(4648), p.489-492, 13 refs.
Bryan, K.
38-2846
SEA ICE, SEASONAL VARIATIONS, ICE WATER INTERFACE, ICE EDGE, MODELS, ENVIRONMENT SIMULATION, OCEAN CURRENTS.
A diagnostic ice-ocean model of the Arctic, Greenland, and Norwegian seas is constructed and used to examine the role of ocean circulation in seasonal sea-ice simulations. The model includes lateral ice motion and three-dimensional ocean circulation. The ocean portion of the model is weakly forced by observed temperature and salinity data. Simulation results show that including modeled ocean circulation in seasonal sea ice simulations substantially improves the predicted ice drift and ice margin location. Simulations that do not include lateral ocean movement predict a much less realistic ice edge.

MP 1701
SEA ICE STRUCTURE AND BIOLOGICAL ACTIVITY IN THE ANTARCTIC MARGINAL ICE ZONE.
Clarke, D.B., et al, Mar. 20, 1984, 89(C2), p.2087-2095, 30 refs.
Ackley, S.F.
38-2917
SEA ICE, ICE CORES, ICE COMPOSITION, ALGAE, CRYOBIOLOGY, FRAZIL ICE, ANTARCTICA—WEDDELL SEA.
Ice cores obtained during October-November 1981 from Weddell Sea pack ice were analyzed for physical, chemical, and biological parameters. Frazil ice, which is associated with dynamic, turbulent conditions in the water column, predominated (70%). Both floe thickness and salinity indicate ice which is less than 1 year old. Chemical analyses, particularly with regard to the nutrients, revealed a complex picture. Phosphate values are cattered relative to the dilution curve. Nitrate and silicate values are lower than expected from simple scaling with salinity and suggest diatom growth within the ice. Nitrite values are higher in the ice than in adjacent waters. Frazil ice formation which probably concentrates algal cells from the water column into ice floes, esults in higher initial chlorophyll a by subsequent reproduction within the ice. Ice core chlorophyll ranged from 0.09 to 3.8 mg/cu m, comparable to values previously reported for this area but significantly lower than values for Antarctic coastal fast ice. The dominance of frazil ice in the Weddell is one of the major differences between this are and others. Consequently, we believe that ice structural conditions significantly influence the biological communities in the ice. (Auth.)

MP 1702
FIXED MESH FINITE ELEMENT SOLUTION FOR CARTESIAN TWO-DIMENSIONAL PHASE CHANGE.
O'Neill, K., Dec. 1983, 105(4), p.436-441, 28 refs.
38-2081
FREEZE THAW CYCLES, HEAT TRANSFER, PHASE TRANSFORMATIONS, HEAT CAPACITY, TEMPERATURE EFFECTS.

MP 1703
LOW TEMPERATURE AUTOMOTIVE EMISSIONS.
Coutts, H.J., Nov. 1983, AK-RD-84-9, 2 vols.
38-3041
COLD WEATHER OPERATION, AIR POLLUTION, ENGINES, FUELS, VEHICLES, WINTER MAINTENANCE, TESTS.

MP 1704
FROST ACTION AND ITS CONTROL.
Berg, R.L., ed, New York, American Society of Civil Engineers, 1984, 145p., Refs. passim. For individual papers see 38-3082 through 38-3085.
Wright, E.A., ed.
38-3081
FROST ACTION, FROST HEAVE, FROST RESISTANCE, SOIL FREEZING, HEAT TRANSFER, SOIL STRENGTH, PERMAFROST BENEATH STRUCTURES, ICE LENSES, DESIGN, COUNTERMEASURES, FOUNDATIONS, ROADS.

MP 1705
DESIGNING FOR FROST HEAVE CONDITIONS.
Crory, F.E., et al, Frost action and its control. Edited by R.L. Berg and E.A. Wright, New York, American Society of Civil Engineers, 1984, p.22-44, 41 refs.
Isaacs, R.M., Penner, E., Sanger, F.J., Shook, J.F.
38-3083
FROST HEAVE, HEAT TRANSFER, FROST PENETRATION, SOIL FREEZING, FOUNDATIONS, ARTIFICIAL FREEZING, ROADBEDS, UNDERGROUND PIPELINES, COLD STORAGE, PAVEMENTS, DESIGN.

MP 1706
DESIGN IMPLICATIONS OF SUBSOIL THAWING.
Johnson, T.C., et al, Frost action and its control. Edited by R.L. Berg and E.A. Wright, New York, American Society of Civil Engineers, 1984, p.45-103, 136 refs.
McRoberts, E.C., Nixon, J.F.
38-3084
GROUND THAWING, PERMAFROST BENEATH STRUCTURES, FROZEN GROUND TEMPERATURE, FREEZE THAW CYCLES, THERMAL REGIME, FROST HEAVE, DESIGN, GEOTHERMY, SHEAR STRENGTH, SETTLEMENT (STRUCTURAL), SLOPE PROTECTION, COUNTERMEASURES, SOIL STABILIZATION.

MP 1707
SURVEY OF METHODS FOR CLASSIFYING FROST SUSCEPTIBILITY.
Chamberlain, E.J., et al, Frost action and its control. Edited by R.L. Berg and E.A. Wright, New York, American Society of Civil Engineers, 1984, p.104-141, 36 refs.
Gaskin, P.N., Esch, D., Berg, R.L.
38-3085
SOIL FREEZING, FROST RESISTANCE, FROST HEAVE, SOIL STRENGTH, ROADS, AIRPORTS, CLASSIFICATIONS, GRAIN SIZE, SEASONAL FREEZE THAW.

MP 1708
DEPENDENCE OF CRUSHING SPECIFIC ENERGY ON THE ASPECT RATIO AND THE STRUCTURE VELOCITY.
Sodhi, D.S., et al, Offshore Technology Conference, 16th, Houston, Texas, May 7-9, 1984. Proceedings. Vol.1, 1984, p.363-374, 18 refs.
Morris, C.E.
38-3229
ICE PRESSURE, OFFSHORE STRUCTURES, ICE CRACKS, ICE COVER THICKNESS, ICE STRENGTH, DYNAMIC LOADS, ICE SHEET, VELOCITY, EXPERIMENTATION, COMPRESSIVE PROPERTIES, SPECIFIC HEAT, ARTIFICIAL ICE.
An experimental study was undertaken to determine the dependence of crushing specific energy of urea ice on the aspect ratio (structure diameter/ice thickness) and the structure velocity. The experiments were conducted by pushing an instrumented, vertical, cylindrical structure into ice sheets at different velocities. Two parameters were varied during the experimental program: diameter (50 to 500 mm) and velocity (10 to 210 mm/s) The urea concentration was changed slightly from 0 84 to 0 93% by weight. The results are presented graphically to show the dependence of the ratio of specific energy to unconfined uniaxial compressive strength on the aspect ratio for different ratios of velocity to ice thickness.

MP 1709
COMPARISON OF AERIAL TO ON-THE-ROOF INFRARED MOISTURE SURVEYS.
Korhonen, C., et al, International Conference on Thermal Infrared Sensing for Diagnostics and Control (Thermosense 6), Oak Brook, IL, Oct. 2-5, 1983. Proceedings, Society of Photo-Optical Instrumentation Engineers. Proceedings, Vol.446, [1983], p.95-105, 6 refs.
Tobiasson, W., Greatorex, A.
38-3274
MOISTURE DETECTION, ROOFS, INFRARED PHOTOGRAPHY, TEMPERATURE MEASUREMENT, INSULATION.
Prior research by the Corps of Engineers has shown aerial thermography to be useful as a reconnaissance tool for finding wet roof insulation. This conclusion was based on findings from thermal line scanners flown at about 1000 feet in military fixed-wing aircraft and from hand-held thermal imagers flown at about 500 feet in military helicopters. During the spring of 1983 a comprehensive aerial to on-the-roof infrared comparison study was conducted on several roofs at Fort Devens, Massachusetts. These recent studies confirm our earlier opinion that oblique thermography is generally of reconnaissance value only However, "straight-down" thermography from either fixed-wing aircraft or from helicopters can be used to produce reasonably accurate maps of wet roof areas. The most accurate maps were produced by thermal imaging systems in a helicopter hovering as close as 200 feet above a roof This study suggests that some forms of airborne thermography can be of more value than just a reconnaissance tool in finding wet roof insulation Of course, a visual examination of each roof along with a few core samples are still needed before recommendations for maintenance and repair can be made

MP 1710
POTENTIAL RESPONSES OF PERMAFROST TO CLIMATIC WARMING.
Goodwin, C.W., et al, Potential effects of carbon dioxide-induced climatic changes in Alaska, The proceedings of a conference. Edited by J.H. McBeath. Fairbanks, University of Alaska, Mar 1984, p.92-105, 37 refs.
Brown, J., Outcalt, S I.
38-3881
PERMAFROST DISTRIBUTION, PERMAFROST THERMAL PROPERTIES, CLIMATIC CHANGES, ACTIVE LAYER, CARBON DIOXIDE, TUNDRA, THERMOKARST DEVELOPMENT, THAW DEPTH, STEFAN PROBLEM, HEAT TRANSFER, SOIL TEMPERATURE, SNOW DEPTH
Permafrost is generally divided into two zones from north to south, continuous and discontinuous At its southern limit, permafrost in Alaska exists in isolated masses under peat. In the northern portion of the continuous zone, permafrost occurs everywhere near the surface of the entire landscape with the exception of deep lakes and river channels The presumed warming of the ground in the discontinuous zone due to CO2-induced climatic change will result in an areal reduction of permafrost. In the colder areas, continuous-zone permafrost temperatures will rise and summer active-layer depths will increase, but the spatial extent of permafrost will only be marginally affected. In both cases, where there is ground ice, thermal erosion and thaw consolidation will produce thermokarst terrain.

MP 1711
MODELING RAPIDLY VARIED FLOW IN TAILWATERS.
Ferrick, M.G., et al, Feb. 1984, 20(2), p.271-289, 22 refs.
Bilmes, J., Long, S.E.
38-3317
RIVER FLOW, WAVE PROPAGATION, CHANNELS (WATERWAYS), DAMS, MATHEMATICAL MODELS, ELECTRIC POWER.
An understanding of the downstream propagation of sharp-fronted, large-amplitude waves of relatively short period is important for describing rapidly varying flows in tailwaters of hydroelectric plants and following the breach of a dam We developed a numerical model of these waves by first identifying the primary physical processes and then performing an analysis of the solution. A linear analysis of the dynamic open channel flow equations provides relationships describing flow wave advection, diffusion, and dispersion in rivers. A one-dimensional diffusion wave model modified for application to tailwaters simulates the important physical processes and is straightforward to apply.

MP 1712
ICE-RELATED FLOOD FREQUENCY ANALYSIS: APPLICATION OF ANALYTICAL ESTIMATES.
Gerard, R., et al, International Specialty Conference on Cold Regions Engineering, 3rd, Edmonton, Alberta, April 4-6, 1984. Proceedings, [Edmonton, University of Alberta, 1984], p.85-101, 12 refs.
Calkins, D.J.
38-3470
FLOOD FORECASTING, RIVER ICE, ICE JAMS, ICE CONDITIONS, ANALYSIS (MATHEMATICS).
In cold regions ice-related floods can make a significant, and often dominant, contribution to the flood population. They should therefore be considered in a flood frequency analysis. However, in many instances, historical data for this purpose is lacking. Resort must then be made to analytical estimates of ice-related flood stages. This paper describes the determination and application of such estimates for a site on the Missisquoi River near Richford, Vermont.

MP 1713
ST. LAWRENCE RIVER FREEZE-UP FORECAST.
Shen, H.T., et al, International Specialty Conference on Cold Regions Engineering, 3rd, Edmonton, Alberta, April 4-6, 1984. Proceedings, [Edmonton, University of Alberta, 1984], p.177-190, 13 refs.
Foltyn, E.P., Daly, S.F.
38-3476
RIVER ICE, FREEZEUP, ICE FORMATION, ANALYSIS (MATHEMATICS), FORECASTING, AIR TEMPERATURE, WATER TEMPERATURE, CANADA—SAINT LAWRENCE RIVER.
An important element of the ice management in northern rivers is forecasting water temperatures to predict the time of ice formation The freeze-up forecast provides needed information for planning flow regulations and scheduling of the close of a navigation season In this paper, the relationship between variations of air temperature and water temperature is analyzed An analytical expression for water temperature is obtained through the solution of a simplified convection-diffusion equation The air temperature is represented as a combination of a harmonic function and short term fluctuations The short term fluctuations are determined from National Weather Services forecasts

MP 1714
WATER SUPPLY AND WASTE DISPOSAL ON PERMANENT SNOW FIELDS.
Reed, S.C., et al, International Specialty Conference on Cold Regions Engineering, 3rd, Edmonton, Alberta, April 4-6, 1984. Proceedings, [Edmonton, University of Alberta, 1984], p.401-413, 13 refs
Bouzoun, J.R., Tobiasson, W.
38-3492
WATER SUPPLY, WASTE DISPOSAL, SNOW COVER, WATER TREATMENT, UTILITIES, SNOW MELTING, DESIGN, WATER CHEMISTRY.
This paper summarizes procedures and techniques for providing a water supply and for safe wastewater disposal at stations and camps on permanent snow fields These range from temporary and transient field operations to large scale, permanently occupied facilities

MP 1715
MODELING THE RESILIENT BEHAVIOR OF FROZEN SOILS USING UNFROZEN WATER CONTENT.
Cole, D.M., International Specialty Conference on Cold Regions Engineering, 3rd, Edmonton, Alberta, April 4-6, 1984. Proceedings, [Edmonton, University of Alberta, 1984], p.823-834, 14 refs.
38-3518
FROZEN GROUND MECHANICS, RHEOLOGY, UNFROZEN WATER CONTENT, ICE SOLID INTERFACE, SURFACE PROPERTIES, PARTICLES, FROZEN GROUND TEMPERATURE, ICE CRYSTAL STRUCTURE, MODELS, SALINITY.
A layer of unfrozen water exists between the soil particle surface and the solid ice phase in a frozen soil at temperatures of practical concern This layer owes its existence to the effect of field forces associated with the soil particle surfaces. Its thickness depends on factors such as temperature, solute concentration and specific surface area. Additional unfrozen water occurs within the polycrystalline pore ice as well. The thickness of the unfrozen water layer strongly affects the mechanical behavior of the soil-ice interface and, hence, the gross mechanical properties of the frozen soil The total unfrozen water content is particularly useful since it reflects the contributions from a number of sources to the unfrozen water layer thickness. As a consequence, the unfrozen water content provides an excellent means for temperature, salinity and specific surface area.

MP 1716
ICE RESISTANCE TESTS ON TWO MODELS OF THE WTGB ICEBREAKER.
Tatinclaux, J.C., et al, American Towing Tank Conference; General meeting, 20th, Hoboken, NJ, Aug. 2-4, 1983. Proceedings. Edited by D. Savitsky, J.F. Dalzell and M. Palazzo, [1984], p.627-638, 6 refs.
Humphreys, D.H.
38-3421
ICEBREAKERS, ICE MODELS, ICE BREAKING, ICE STRENGTH, ICE LOADS, STRENGTH, MODELS, TESTS.

MP 1717
PHYSICAL MECHANISM FOR ESTABLISHING ALGAL POPULATIONS IN FRAZIL ICE.
Garrison, D.L., et al, Nov. 24, 1983, 306(5941), p.363-365, 19 refs.
Ackley, S.F., Buck, K.R.
38-3424
ALGAE, FRAZIL ICE, MARINE BIOLOGY, ICE FORMATION, CRYOBIOLOGY, ANTARCTICA—WEDDELL SEA, ANTARCTICA—MCMURDO SOUND.
In polar regions ice algal communities are not only conspicuous but may also be important production sites and sources of seed populations for pelagic communities. Except for some studies near land-based stations, there are few long-term observations of ice algal populations, and few studies have considered how they form and develop Until now, neither the mechanism for harvesting nor the effects on the composition of the ice community has been clearly demonstrated In the Weddell Sea, we have sampled young sea ice discoloured by algae, and we present evidence that the algae were concentrated by a physical mechanism. We explain how such a process may accumulate planktonic forms in ice communities (Auth mod.)

MP 1718
WATER QUALITY MONITORING USING AN AIRBORNE SPECTRORADIOMETER.
McKim, H.L., et al, Mar. 1984, 50(3), p.353-360, 9 refs.
Merry, C.J., Layman, R.W.
38-3554
SUSPENDED SEDIMENTS, RADIOMETRY, SPECTRA, LAKE WATER, RESERVOIRS, RIVERS, AIRBORNE EQUIPMENT, SUNLIGHT.
An airborne 500-channel spectroradiometer developed and built by Chiu and Collins (1978) was tested to determine its usefulness to the U.S Army Corps of Engineers for monitoring the suspended load in lakes, reservoirs, and waterways Field and laboratory experiments were run to test and evaluate the radiometer's response to various levels of suspended organic and inorganic materials. A procedure to separate the sun glint, which is often a large percentage of the recorded signal, from the total signal was investigated. Results indicated that the accuracy of the airborne water turbidity measurements was sufficient to meet certain monitoring requirements of the Corps of Engineers

MP 1719
SELF-SHEDDING OF ACCRETED ICE FROM HIGH-SPEED ROTORS.
Itagaki, K., 1983, 83 WA HT-68, p.1-6, 16 refs.
38-3565
ICE REMOVAL, AIRCRAFT ICING, PROPELLERS, ICE ACCRETION, SUPERCOOLED FOG, ICE ADHESION, ICE SOLID INTERFACE, SURFACE ENERGY, ICE CRACKS, ICE COVER THICKNESS, HELICOPTERS, ANALYSIS (MATHEMATICS)

Ice accreted on high-speed rotors operating in supercooled fog can be thrown off by centrifugal force, causing severe unbalance and creating dangerous projectiles. A simple force balance analysis indicates that the strength of accreted ice (and its adhesive strength) can be obtained by measuring the thickness of the accretion, the location of the separation, and the density. Such an analysis was applied to field and laboratory observations of self-shedding events. The results agree reasonably well with other observations.

MP 1720
ASYMPTOTIC BEHAVIOUR OF SOLUTIONS TO THE PROBLEM OF WETTING FRONTS IN ONE-DIMENSIONAL, HORIZONTAL AND INFINITE POROUS MEDIA.
Nakano, Y., June 1983, 6(2), p.71-78, 26 refs.
38-3567
POROUS MATERIALS, SOIL WATER, DIFFUSION, WETTABILITY, ANALYSIS (MATHEMATICS), WATER CONTENT, EXPERIMENTATION.
The asymptotic behavior of solutions to the problem of wetting fronts is studied in one-dimensional, horizontal and infinite porous media with the soil-water diffusivity proportional to some power of the water content. The uniqueness of the similarity solution for the problem is studied and the properties of this solution are presented. It is shown that the similarity solution is an asymptotic solution of a wide class of initial value problems of wetting fronts in the media. The use of the similarity solution is discussed for the experimental determination of the soil-water diffusivity.

MP 1721
SIMILARITY SOLUTIONS TO THE SECOND BOUNDARY VALUE PROBLEM OF UNSATURATED FLOW THROUGH POROUS MEDIA.
Nakano, Y., Dec. 1983, 6(4), p.205-213, 26 refs.
38-3568
POROUS MATERIALS, WATER FLOW, BOUNDARY VALUE PROBLEMS, SOIL WATER, DIFFUSION, WATER CONTENT, ANALYSIS (MATHEMATICS).
Similarity solutions to the second boundary value problem of unsaturated flow are studied in one-dimensional, semi-infinite porous media with the soil-water diffusivity proportional to some power of the water content. The existence and uniqueness of two types of similarity solutions to the problem are investigated and the properties of these solutions are presented. It is shown that these two types of similarity solutions exist and that they may not be unique for every parameter range studied. The use of the similarity solutions is discussed for the experimental determination of soil-water diffusivity.

MP 1722
PILING IN FROZEN GROUND.
Crory, F.E., May 1982, 108(TC1), p.112-124, 30 refs.
36-3206
PILE STRUCTURES, FROZEN GROUND STRENGTH, PERMAFROST THERMAL PROPERTIES, FREEZE THAW CYCLES, COLD WEATHER CONSTRUCTION, LOADS (FORCES), FOUNDATIONS, FROST HEAVE, BEARING STRENGTH.

MP 1723
TEMPERATURE AND FLOW CONDITIONS DURING THE FORMATION OF RIVER ICE.
Ashton, G.D., et al, Symposium on Ice and its Action on Hydraulic Structures, Reykjavik, Iceland, Sept. 7-10, 1970. Papers and discussions, Reykjavik, Iceland, International Association for Hydraulic Research, 1970, 12p., In English with French summary. Session 2.4, 4 refs. Includes discussions.
Kennedy, J.F.
28-3971
RIVER ICE, ICE FORMATION, FLOW RATE, THERMAL REGIME, WATER TEMPERATURE

MP 1724
RESILIENT MODULUS AND POISSON'S RATIO FOR FROZEN AND THAWED SILT AND CLAY SUBGRADE MATERIALS.
Chamberlain, E.J., et al, Preprints of papers presented at a specialty session of the ASCE Fall Convention and Exhibit, San Francisco, California, Oct 17-21, 1977, American Society of Civil Engineers, 1977, p.229-281, 13 refs.
Cole, D.M., Johnson, T.C.
32-564
ROADS, SUBGRADE SOILS, SEASONAL FREEZE THAW, SOIL STRENGTH, LABORATORY TECHNIQUES

MP 1725
ELECTRON MICROSCOPE ANALYSIS OF AEROSOLS IN SNOW AND DEEP ICE CORES FROM GREENLAND.
Kumai, M., 1977, No.118, International Symposium on Isotopes and Impurities in Snow and Ice, Grenoble, Aug. 28-30, 1975, p.341-350, In English with French summary. 10 refs.
32-3852
ELECTRON MICROSCOPY, AEROSOLS, SNOW COVER, ICE CORES.

MP 1726
GENERAL REPORT SESSION 2: MECHANICAL PROPERTIES.
Ladanyi, B., et al, 1979, Vol.13, p.7-18, 5 refs.
Sayles, F.H.
36-1421
FROZEN GROUND MECHANICS, FROZEN GROUND STRENGTH, CONSTRUCTION MATERIALS, ARTIFICIAL FREEZING, ICE LENSES, GROUND ICE, TEMPERATURE GRADIENTS, DESIGN, PERMAFROST.

MP 1727
TEMPERATURE STRUCTURE AND INTERFACE MORPHOLOGY IN A MELTING ICE-WATER SYSTEM.
Yen, Y.-C., Frontiers in hydrology, Littleton, CO, Water Resources Publications, 1984, p.305-325, 22 refs.
38-3800
ICE MELTING, ICE WATER INTERFACE, MELTING POINTS, HEAT TRANSFER, TEMPERATURE DISTRIBUTION, WATER TEMPERATURE, BOUNDARY LAYER, CONVECTION, TURBULENT FLOW.
Nineteen tests were conducted with temperature measurements at various stages of melting experiments. Fourteen sets of photos were taken at various stages of the experiment for melting from above. Formation of concentric ridges was observed only for higher warmer boundary temperatures. However, there were more sharp-edged cavities at lower warm boundary temperatures as compared to those at warmer temperatures. The ice-water interface seemed to be much smoother at the junction of the cells in melting from below. These phenomena may be explained in that, in melting from above, the convective motions originate near the water-ice interface and therefore, may possess a greater intensity

MP 1728
EFFECTS OF VOLUME AVERAGING ON SPECTRA MEASURED WITH A LYMAN-ALPHA HYGROMETER.
Andreas, E.L., Apr. 1981, 20(4), p.467-475, 24 refs.
38-3865
HYGROMETERS, HUMIDITY, SPECTROSCOPY, MEASURING INSTRUMENTS, ANALYSIS (MATHEMATICS), VOLUME, ACCURACY.
Because the Lyman-alpha hygrometer averages turbulent fluctuations in humidity over a right circular cylinder, the spectral response of the instrument degrades at higher wavenumbers. This paper contains a derivation of the three-dimensional spectral averaging function and uses this function, with a new model for the scalar spectrum, to numerically evaluate how this spatial averaging affects measured humidity spectra and humidity variance dissipation rates. In general, hygrometer parameters can be chosen that allow spectral measurements to moderately high wavenumbers, but with the size of source and detector tubes currently in use, an accurate measurement of the humidity variance dissipation rate appears impossible

MP 1729
LOCATING WET CELLULAR PLASTIC INSULATION IN RECENTLY CONSTRUCTED ROOFS.
Korhonen, C., et al, 1983, Vol.371, p.168-173, 7 refs.
Tobiasson, W.
38-131
CELLULAR PLASTICS, ROOFS, INSULATION, MOISTURE DETECTION, WETTABILITY, TEMPERATURE MEASUREMENT.
Infrared scanners are quite successful in finding wet roof insulation, especially boards of rapidly absorbing insulations like perlite, wood fiber and fiberous glass. But wet areas develop more slowly and nonuniformly in the cellular plastic insulations, such as urethane, which are commonly used in new roofs. These differences can affect the outcome of an infrared survey of new roofs. To determine the feasibility of detecting incipient wet insulation, several recently constructed roofs were examined thermographically. It was usually more difficult to find moisture in new roofs containing cellular plastic insulations than in new roofs with more-absorbent insulations. This increased difficulty is due to the slower rate of wetting and to the nonuniform manner of wetting of some of the cellular plastics. Perlite, wood fiber and fiberous glass insulations tend to become uniformly wet throughout an entire board, whereas moisture initially concentrates at the perimeters of boards of some cellular plastic insulations. However, eight to ten months after construction, enough moisture can accumulate in most cellular plastic insulations to be visible to an infrared scanner. Since this moisture is concentrated in a small portion of each insulation board, much of it would probably be overlooked by a nuclear or capacitance grid survey

MP 1730
FOUNDATIONS IN PERMAFROST AND SEASONAL FROST; PROCEEDINGS.
Session on Foundations in Permafrost and Seasonal Frost, Denver, CO, Apr. 29, 1985, New York, American Society of Civil Engineers, 1985, 62p., Refs. passim. For individual papers see 39-3579 through 39-3582.
Wuori, A.F., ed, Sayles, F.H., ed.
39-3578
PERMAFROST BENEATH STRUCTURES, FOUNDATIONS, PILE STRUCTURES, RHEOLOGY, FROZEN GROUND MECHANICS, LOADS (FORCES), SEASONAL FREEZE THAW, MEETINGS, DESIGN, COLD WEATHER CONSTRUCTION, SNOW COVER EFFECT, GROUND ICE.

MP 1731
CREEP OF A STRIP FOOTING ON ICE-RICH PERMAFROST.
Sayles, F.H., Session on Foundations in Permafrost and Seasonal Frost, Denver, CO, Apr. 29, 1985. Proceedings. Edited by A. Wuori and F.H. Sayles, New York, American Society of Civil Engineers, 1985, p.29-51, 41 refs.
39-3581
PERMAFROST BENEATH STRUCTURES, CREEP, LOADS (FORCES), STRESSES, SETTLEMENT (STRUCTURAL), RHEOLOGY, STRAINS, TESTS, COMPRESSIVE PROPERTIES
Creep settlement tests were performed on a strip footing founded on the surface of ice-rich acolian silt permafrost. The tests consisted of applying four step loadings to a 10 in. (25.4 cm) wide concrete footing. The step loads produced constant stresses at the base of the footing of 28, 56, and 111 psi (0.193, 0.385, and 0.770 MPa) for test periods of 12000, 6000 and 3500 hours respectively. The testing was conducted at an ambient temperature of 28.4 F (-2.0 C) in the controlled environment of the USACRREL Permafrost Tunnel Facility which is located near Fox, Alaska. Settlement and settlement rates of the footing were measured. These measured values are compared with those computed by different proposed analytical methods that utilize results from unconfined compression creep tests performed on undisturbed soil taken from the testing site. Preliminary results indicate reasonable agreement between computed and measured values.

MP 1732
FROST HEAVE FORCES ON PILING.
Esch, D.C., et al, May 1985, 4(11), 2p.
Johnson, J.B.
40-508
FROST HEAVE, PILE EXTRACTION, PILE STRUCTURES, LOADS (FORCES), FROST PENETRATION, FROZEN GROUND MECHANICS, SOIL CREEP, SOIL PHYSICS, DESIGN, TESTS.

MP 1733
MEAN CHARACTERISTICS OF ASYMMETRIC FLOWS: APPLICATION TO FLOW BELOW ICE JAMS.
Gogus, M., et al, Sep. 1981, 8(3), p.342-350, With French summary. 13 refs.
Tatineaux, J.C.
36-1795
ICE JAMS, FLOATING ICE, WATER FLOW, SUBSURFACE INVESTIGATIONS, SURFACE ROUGHNESS, SHEAR STRESS, RIVER ICE, HYDRAULICS, ANALYSIS (MATHEMATICS), TESTS.

MP 1734
GROUND SNOW LOADS FOR STRUCTURAL DESIGN.
Ellingwood, B., et al, Apr 1983, 109(4), p.950-964, 13 refs
Redfield, R.
37-3700
SNOW LOADS, ROOFS, SNOW WATER EQUIVALENT, STANDARDS, STATISTICAL ANALYSIS, STRUCTURES, DESIGN

MP 1735
SEWAGE SLUDGE AIDS REVEGETATION.
Palazzo, A.J., et al, July-Aug 1982, 74(381), p.198-201
Gaskin, D.A., Wright, E.A
38-3797
SEWAGE DISPOSAL, SLUDGES, REVEGETATION, SOIL FORMATION, GRASSES, GROWTH

MP 1736
SOFT DRINK BUBBLES.
Cargin, J.H., Jan. 1983, Vol.60, p.71, 2 refs.
38-3798
ICE WATER INTERFACE, BUBBLES, ICE MELTING, AIR ENTRAINMENT, CARBON DIOXIDE, NUCLEATION, AIR WATER INTERACTIONS, SOLUBILITY.

MP 1737
COMPARISON OF DIFFERENT SEA LEVEL PRESSURE ANALYSIS FIELDS IN THE EAST GREENLAND SEA.
Tucker, W.B., June 1983, 13(6), p.1084-1088, 7 refs.
38-3799
ATMOSPHERIC PRESSURE, SEA LEVEL, SEA ICE, ICE MODELS, OCEANOGRAPHY, GREENLAND SEA.

MP 1738
OTTAUQUECHEE RIVER—ANALYSIS OF FREEZE-UP PROCESSES.
Calkins, D.J., et al, Workshop on Hydraulics of Ice-Covered Rivers, Edmonton, Alta., June 1 and 2, 1982. Proceedings, [1982], p.2-37, 3 refs.
Gooch, G.
38-4001
RIVER ICE, FREEZEUP, HEAT TRANSFER, ICE MECHANICS, FLOW RATE, METEOROLOGICAL FACTORS, ICE COVER THICKNESS, ICE VOLUME, TIME FACTOR, ANALYSIS (MATHEMATICS), DEGREE DAYS, UNITED STATES—VERMONT—OTTAUQUECHEE RIVER.
The results of three winters of freeze-up measurements on the Ottauquechee River have shown that the ice production heat transfer coefficient calculated from the ice volume measurements is somewhat related to the severity of the freeze-up meteorological conditions. A very intense cold period of -22 C for two days just as the river water temperature reached 0.0 C produced much higher ice volumes for the same river reach than two other freeze-up periods, which had average air temperatures of -7 C over 10 to 12 days. The intense cold period created higher ice discharges, which forced the leading edge to progress upstream at a faster rate than during other years. The lateral ice closure was found to be linearly related to the number of accumulated freezing degree-days. The data on lateral closure for this small river were also related to the freeze-up open channel flow velocity and, when combined with similar data from the Nelson River in Manitoba, produced a reasonable relationship. The slush ice also established an equilibrium flow area at several measured cross sections throughout the study reach.

MP 1739
FORCE MEASUREMENTS AND ANALYSIS OF RIVER ICE BREAK UP.
Deck, D.S., Workshop on Hydraulics of Ice-Covered Rivers, Edmonton, Alta., June 1 and 2, 1982. Proceedings, [1982], p.303-336, 19 refs.
38-4015
ICE LOADS, ICE PRESSURE, STRUCTURES, ICE BREAKUP, RIVER ICE, ICE CONTROL, ICE BOOMS, ICE FORECASTING, ICE MECHANICS, FLOATING ICE, COUNTERMEASURES, FRAZIL ICE, DESIGN.
Measurements were made near Oil City, Pennsylvania, during February 1981 to evaluate the performance of a flo[illegible]g ice control structure during an ice run on a shallow and steep stream, Oil Creek. The primary objective of the structure was to assist in forming an early, stable ice cover upstream of Oil City that would prevent prolonged frazil ice generation. The control structure was a double timber ice boom. This paper focuses on the forces exerted on the structure during ice breakup. The forces transmitted to the ice co[illegible] structure prior to breakup and during the ice run were monitored through a strain-gaged tension link, which had been incorporated into the design of the structure, and this ice force was recorded with respect to time.

MP 1740
FREEZING OF A SEMI-INFINITE MEDIUM WITH INITIAL TEMPERATURE GRADIENT.
Lunardini, V.J., Mar 1984, 106(1), p.103-106, Revision of 37-2397. 12 refs.
38-4127
SOIL FREEZING, STEFAN PROBLEM, HEAT TRANSFER, TEMPERATURE GRADIENTS, GEOTHERMY, HEAT BALANCE, THERMAL CONDUCTIVITY, ANALYSIS (MATHEMATICS).
Exact solutions to problems of conductive heat transfer with solidification are rare due to the nonlinearity of the equations. The heat balance integral technique is used to obtain an approximate solution to the freezing of a semi-infinite region with a linear, initial temperature distribution. The results indicate that the constant temperature Neumann solution is acceptable for soil systems with a geothermal gradient unless extremely long freezing times are considered. The heat balance integral will yield good solutions, with simple numerical work, even for nonconstant initial temperatures.

MP 1741
ICE ACTION ON TWO CYLINDRICAL STRUCTURES.
Kato, K., et al, Mar. 1984, 106(1), p.107-112, 17 refs. For another source see 38-641 (MP 1643).
Sodhi, D.S.
38-4128
ICE LOADS, OFFSHORE STRUCTURES, ICE PRESSURE, ICE SOLID INTERFACE, EXPERIMENTATION.
Ice action on two cylindrical structures, located side by side, has been investigated in a small-scale experimental study to determine the interference effects on the ice forces generated during ice structure interaction. The proximity of the two structures changes the mode of ice failure, the magnitude and direction of ice forces on the individual structure, and the dominant frequency of ice force variations. Interference effects were determined by comparing the experimental results of tests at different structure spacings.

MP 1742
THERMAL PATTERNS IN ICE UNDER DYNAMIC LOADING.
Fish, A.M., et al, 1983, Vol.430, p.240-243, 9 refs.
Marshall, S.J., Munis, R.H.
38-4120
ICE PHYSICS, DYNAMIC LOADS, HEAT TRANSFER, ICE SPECTROSCOPY, ICE THERMAL PROPERTIES, PLATES, TESTS.
Heat emission patterns in the infrared spectrum were discovered in ice subjected to cyclic loading. The ice plates used in the tests had a rectangular shape of 13 x 19 cm and a thickness of 2 cm. The plates were frozen to the platen of the testing apparatus to form a cantilever beam and were vibrated over a frequency range from 0.5 to 5 kHz at an ambient temperature of -4 C. The surface heat patterns were scanned by two thermal imaging systems with spectral band passes of 2-5.6 micron and 8-14 micron, and the heat patterns were recorded on Polaroid film and on videotape. The heat emission patterns first appeared at the fixed end of the ice plate and migrated gradually to the free end. The temperature difference between the ends was found to depend on the duration and frequency of excitation. The results of these tests indicate that vibrothermography can have wide areas of practical application in the study of the origin and growth of defects, recrystallization, fatigue, and failure processes in ice.

MP 1743
OFFSHORE OIL IN THE ALASKAN ARCTIC.
Weeks, W.F., et al, July 27, 1984, 225(4660), p.371-378, Numerous refs.
Weller, G.
38-4117
NATURAL RESOURCES, OFFSHORE DRILLING, OIL RECOVERY, SEA ICE, ICE LOADS, ICE SCORING.
Oil and gas deposits in the Alaskan Arctic are estimated to contain up to 40 percent of the remaining undiscovered crude oil and oil-equivalent natural gas within U.S. jurisdiction. Most (65 to 70 percent) of these estimated reserves are believed to occur offshore beneath the shallow, ice-covered seas of the Alaskan continental shelf. Offshore recovery operations for such areas are far from routine, with the primary problems associated with the presence of ice. Some problems that must be resolved if efficient, cost-effective, environmentally safe, year-round offshore production is to be achieved include the accurate estimation of ice forces on offshore structures, the proper placement of pipelines beneath ice-produced gouges in the sea floor, and the cleanup of oil spills in pack ice areas. (Auth.)

MP 1744
POTENTIAL USE OF SPOT HRV IMAGERY FOR ANALYSIS OF COASTAL SEDIMENT PLUMES.
Band, L.E., et al, 1984 SPOT Symposium. Proceedings. SPOT simulation applications handbook, American Society of Photogrammetry, 1984, p.199-204, 5 refs.
McKim, H.L., Merry, C.J.
40-3548
BOTTOM SEDIMENT, SEDIMENT TRANSPORT, REMOTE SENSING, WATER POLLUTION, SPECTROSCOPY, DISTRIBUTION.
Simulated SPOT (HVR) 20-m multispectral data were obtained on 7 July 1984 over the Hart-Miller Island diked spoil containment facility located in the upper Chesapeake Bay. Sediment plumes were clearly visible and indicated the sediment transport direction at the time the image was taken. The portion of the image along the bay side of the island had strong specular reflection. The image was preprocessed to remove the majority of the specular reflection. The Sobel operator was applied to the enhanced simulated SPOT image. A set of edge segments were generated that follow the boundaries of the major sediment plumes. The strength of the edges was quite variable, reflecting the varying diffusion of the plume border. The Sobel edge-enhanced image showed two sets of plumes. The edge intensity was generally stronger nearer the source. Profiles of pixel digital number were taken at two distances, normal to the long axes of two sediment source areas. The cross sections taken through the plumes were plotted.

MP 1745
EFFECTS OF PHASE III CONSTRUCTION OF THE CHENA FLOOD CONTROL PROJECT ON THE TANANA RIVER NEAR FAIRBANKS, ALASKA—A PRELIMINARY ANALYSIS.
Buska, J.S., et al, Overview of Tanana River monitoring and research studies near Fairbanks, Alaska. Prepared by U.S. Army Cold Regions Research and Engineering Laboratory, U.S. Army Corps of Engineers, Jan. 1984, 11p. + figs. [illegible]endix A.
Barrett, S., Chacho, E. [illegible]lins, C.M., Young, S.A.
38-4207
FLOOD CONTROL, COLD WEATHER CONSTRUCTION, SOIL EROSION, RIVER FLOW, BANKS (WATERWAYS), AERIAL SURVEYS, PHOTOGRAPHY, COUNTERMEASURES, UNITED STATES—ALASKA—TANANA RIVER.
The Alaska District, Corps of Engineers initiated a program called the Tanana River Monitoring and Research Program to determine if any adverse impacts are occurring or may occur as a result of Phase III construction of the Chena Flood Control Project. The results of the monitoring efforts and a preliminary analysis of the Phase III construction are presented in this report. Aerial photography and river cross-sections were used to document historical changes from 1961 to 1981. Riverbank erosion and channel changes before and after the Phase III construction are evaluated to determine the effects of the construction on the natural river process.

MP 1746
RELATIONSHIPS AMONG BANK RECESSION, VEGETATION, SOILS, SEDIMENTS AND PERMAFROST ON THE TANANA RIVER NEAR FAIRBANKS, ALASKA.
Gatto, L.W., Overview of Tanana River monitoring and research studies near Fairbanks, Alaska. Prepared by U.S. Army Cold Regions Research and Engineering Laboratory, U.S. Army Corps of Engineers, Jan. 1984, 59p., Appendix B. 30 refs.
38-4208
BANKS (WATERWAYS), SOIL EROSION, FLOOD CONTROL, VEGETATION, PERMAFROST BENEATH RIVERS, SEDIMENTS, UNITED STATES—ALASKA—TANANA RIVER.
The objective of this analysis was to determine if available data are useful in identifying the characteristics that contribute to erodibility of the banks along two reaches of the Tanana River. Existing data on bank vegetation, soils, sediments and permafrost were used. Because these data were general and not collected for the purpose of site-specific analysis, my analytical approach was simple and did not include any statistical tests. The data were visually compared to the locations and estimated amounts of historical recession to evaluate if any relationships were obvious.

MP 1747
BANK RECESSION AND CHANNEL CHANGES IN THE AREA NEAR THE NORTH POLE AND FLOODWAY SILL GROITS, TANANA RIVER, ALASKA.
Gatto, L.W., et al, Overview of Tanana River monitoring and research studies near Fairbanks, Alaska. Prepared by U.S. Army Cold Regions Research and Engineering Laboratory, U.S. Army Corps of Engineers, Jan. 1984, 98p., Appendix C. 5 refs.
Riley, K.W.
38-4209
BANKS (WATERWAYS), CHANNELS (WATERWAYS), SOIL EROSION, FLOOD CONTROL, PHOTOGRAPHY, AERIAL SURVEYS, UNITED STATES—ALASKA—TANANA RIVER.
Two diversion groins, one near North Pole, Alaska, and the other 7 miles upstream on the Tanana River near the floodway sill, were built in 1975 and 1979 along the flood control levee that protects Fairbanks from flooding of the Chena and Tanana rivers. A flood control plan includes construction of new groins wherever it appears likely that bank erosion may threaten the levee. The objectives of this analysis were to measure bank recession, to describe channel changes before and after construction of the two groins, and to evaluate relationships among erosion, channel changes and discharge. Data from this analysis and future evaluations will be used in selecting sites for future groins.

MP 1748
EROSION ANALYSIS OF THE NORTH BANK OF THE TANANA RIVER, FIRST DEFERRED CONSTRUCTION AREA.
Collins, C.M., Overview of Tanana River monitoring and research studies near Fairbanks, Alaska. Prepared by U.S. Army Cold Regions Research and Engineering Laboratory, U.S. Army Corps of Engineers, Jan. 1984, 8p. + figs., Appendix D. 1 ref.
38-4210
BANKS (WATERWAYS), SOIL EROSION, FLOOD CONTROL, PROTECTION, AERIAL SURVEYS, UNITED STATES ALASKA—TANANA RIVER.

MP 1749
ROLE OF SEA ICE DYNAMICS IN MODELING CO2 INCREASES.
Hibler, W.D., III, 1984, No.29, p.238-253, 21 refs.
38-4249
CLIMATIC CHANGES, SEA ICE DISTRIBUTION, ICE MECHANICS, ICE MODELS, ICE TEMPERATURE, DRIFT, THERMODYNAMICS, ALBEDO, SEA WATER.
Sensitivity simulations of a hierarchy of Antarctic sea ice models to atmospheric warming are carried out and analyzed The study includes models with only a thermodynamic ice cover, models with *in-situ* leads but no ice transport, and a fully coupled dynamic/thermodynamic model that includes transport, leads and strength-thickness coupling All models employ a 60-m-thick oceanic mixed layer, together with a spatially and temporally varying heat flux into the mixed layer from the deep ocean. The heat flux was generated interactively by using a fixed fraction of the ice growth and cooling rates from the full dynamic/thermodynamic model The same spatially and temporally varying heat flux fields were used in all sensitivity simulations. Models including full ice dynamics effects are found to be less sensitive to atmospheric warming than thermodynamics-only models, while models with specified lead fractions are more sensitive than thermodynamics-only models (Auth. mod.)

MP 1750
PROJECTILE AND FRAGMENT PENETRATION INTO ORDINARY SNOW.
Swinzow, G.K., Hanover, NH, U.S. Army Cold Regions Research and Engineering Laboratory, 1977, 30p., Unpublished manuscript. 10 refs.
38-4378
PROJECTILE PENETRATION, SNOW COVER EFFECT, MILITARY OPERATION, SNOW DENSITY, MILITARY ENGINEERING, PROTECTION, PENETRATION TESTS, PHOTOGRAPHY.
A soldier on the battlefield is told to "dig in" to protect himself against projectiles and fragments But in cold regions or seasons the ground may be hard, suitable only for deliberate field fortifications built using machines and explosives. However, a winter battlefield scenario often contains an excellent protective material: the snow cover Often neglected or considered a nuisance, snow can be an obstacle and a disadvantage for the ignorant and a decisive advantage for the properly trained and knowledgeable soldier. Construction of a protective structure made of ordinary snow requires an order of magnitude less effort in time, manpower and energy than is required to obtain the same amount of protection by using sand bags or by "digging in" We have found that small arms projectiles penetrate only 2 m into a snowpile and that protection against recoilless rifle ammunition (HEAT) of the shaped charge type requires less than 4 m of ordinary snow Our findings indicate that energy to penetration depth relations are complex and that point detonating fuzes may present greater difficulties in snow covered terrain

MP 1751
STUDY OF A GROUNDED FLOEBERG NEAR REINDEER ISLAND, ALASKA.
Kovacs, A., Hanover, NH, U.S. Army Cold Regions Research and Engineering Laboratory, July 1977, 9p., Unpublished technical report.
38-4377
GROUNDED ICE, ICE SCORING, ICE FLOES, ICE PILEUP PRESSURE RIDGES, DRIFT, UNITED STATES—ALASKA—PRUDHOE BAY.

MP 1752
SIMPLE BOOM ASSEMBLY FOR THE SHIPBOARD DEPLOYMENT OF AIR-SEA INTERACTION INSTRUMENTS.
Andreas, E.L., et al, 1984, 11(3), p 227-237, For another source see 38-868 or 13G-28929 21 refs.
Rand, J H., Ackley, S.F.
38-4422
MARINE METEOROLOGY, METEOROLOGICAL INSTRUMENTS, MEASURING INSTRUMENTS, BOOMS (EQUIPMENT), SHIPS, ANTARCTICA
We have developed a simple boom for use in measuring meteorological variables from a ship The main structural member of the boom, a triangular communications tower with rollers attached along its bottom side, is deployed horizontally from a long, flat deck, such as a helicopter deck, and will support a 100-kg payload at its outboard end The boom is easy to deploy, requires minimal ship modifications, and provides ready access to the instruments mounted on it And because it is designed for use with the ship crosswind, oceanographic work can go on at the same time as the air-sea interaction measurements We describe our use of the boom on the *Mikhail Somov* during a cruise into the Antarctic sea ice and present some representative measurements made with instruments mounted on it Theory, experiment, and our data all imply that instruments deployed windward from a rear helicopter deck can reach air undisturbed by the ship Such an instrument site has clear advantages over the more customary mast, bow, or buoy locations (Auth)

MP 1753
SOIL MICROBIOLOGY.
Bosatta, E., et al, Simulation of nitrogen behaviour of soil-plant systems. Edited by M.J. Frissel and J A. van Veen. Wageningen, the Netherlands, Pudoc, Centre for Documentation, 1981, p.38-44.
Iskandar, I.K., Juma, N.G., Kruh, G., Reuss, J.O., Tanji, K.K., Veen, J.A. van.
38-4435
SOIL MICROBIOLOGY, UREA, NUTRIENT CYCLE, MATHEMATICAL MODELS.

MP 1754
ATMOSPHERIC CONDITIONS AND CONCURRENT SNOW CRYSTAL OBSERVATIONS DURING SNOW-ONE-A.
Bilello, M.A., et al, Mar. 1983, No.83-04, Snow Symposium 2, Vol.1, p.3-18, ADB-073 046, 14 refs.
O'Brien, H.
38-4305
SNOWFALL, SNOW CRYSTAL STRUCTURE, SNOW OPTICS, SYNOPTIC METEOROLOGY, AIR MASSES, AIR TEMPERATURE, HUMIDITY, WEATHER OBSERVATIONS, FALLING BODIES.
A survey of the synoptic weather patterns and vertical profiles of temperature and humidity over northern Vermont was conducted during periods of snowfall between December 1981 and February 1982 The crystal habit of falling snow, discerned principally from on-site optical microscopy, was also observed during this period. This information was used to investigate the association between air mass characteristics and snow crystal types. The ultimate objective of the analysis is to link large-scale weather conditions with the observed physical features of falling frozen particles and with measurements recorded concurrently by electro-optical sensor systems.

MP 1755
NORTHWEST SNOWSTORM OF 15-16 DECEMBER 1981.
Bates, R E., Mar. 1983, No 83-04, Snow Symposium 2, Vol.1, p.19-34, ADB-073 046, 4 refs.
38-4306
SNOWSTORMS, SNOW DEPTH, SNOWFALL, SYNOPTIC METEOROLOGY, METEOROLOGICAL DATA.
This paper contains a detailed description of meteorological conditions (including upper air) of an intense Northeast snowstorm that occurred in mid-December 1981 The paper relates the on-site meteorology to the overall concurrent synoptic situation Consideration is given to air mass, hydrometeor intensity, visibility and crystal habit along the SNOW-ONE-A primary line-of-site

MP 1756
FALLING SNOW CHARACTERISTICS AND EXTINCTION.
Berger, R.H., Mar. 1983, No.83-04, Snow Symposium 2, Vol.1, p.61-69, ADB-073 046, 2 refs
38-4309
SNOWFALL, LIGHT TRANSMISSION, PARTICLE SIZE DISTRIBUTION, PRECIPITATION GAGES, LIGHT SCATTERING.
An examination of the literature shows that a single relationship between the extinction and the precipitation rate does not exist for snow as it does for rain This is due in part to the wide range of particle sizes and shapes which determine both the optical and mechanical properties of snow The extinction measurements and extensive snow characterization made during the SNOW-ONE and SNOW-ONE-A field experiments provide the data for an examination of the dependence of the extinction on various snow characteristics The correlations between the extinction and several snow characterization parameters are presented.

MP 1757
VISIBLE PROPAGATION IN FALLING SNOW AS A FUNCTION OF MASS CONCENTRATION AND CRYSTAL TYPE.
Lacombe, J., et al, Mar. 1983, No 83-04, Snow Symposium 2, Vol.1, p 103-111, ADB-073 046, 8 refs
Koh, G., Curcio, J A
38-4311
LIGHT TRANSMISSION, ATTENUATION, SNOWFALL, SNOW CRYSTAL STRUCTURE, SNOW OPTICS, OPTICAL PROPERTIES, DENSITY (MASS/VOLUME).
At SNOW-ONE-A mass concentration of falling snow was measured in conjunction with measurements of visible transmittance and observations of snow crystal type An examination of a significant portion of the resulting data base reveals that a general correlation exists between visible attenuation and snow concentration. The data also indicate that crystal habit is a major factor affecting the relationship between attenuation and concentration

MP 1758
FREE WATER MEASUREMENTS OF A SNOWPACK.
Fisk, D.J., Mar. 1983, No.83-04, Snow Symposium 2, Vol.1, p 173-176, ADB-073 046, 2 refs.
38-4317
SNOW WATER CONTENT, TEMPERATURE MEASUREMENT, UNFROZEN WATER CONTENT, SNOW MELTING, CALORIMETERS.
A review is given of methods (melting and freezing calorimetry) previously used for measuring the free water content of snow on the ground. Their merits and faults are described A new method, developed by the author, based on the temperature depression observed when a snow sample is completely dissolved in ethanol, is described and compared to the melting and freezing calorimetric methods.

MP 1759
PERFORMANCE AND OPTICAL SIGNATURE OF AN AN/VVS-1 LASER RANGEFINDER IN FALLING SNOW: PRELIMINARY TEST RESULTS.
Lacombe, J., Mar. 1983, No.83-04, Snow Symposium 2, Vol.1, p.253-266, ADB-073 046, 10 refs.
38-4324
SNOW OPTICS, SNOWFALL, LIGHT TRANSMISSION, ELECTROMAGNETIC PROPERTIES, BLOWING SNOW, PHOTOGRAPHY, LASERS, SNOWSTORMS, ATTENUATION, MEASURING INSTRUMENTS, VISIBILITY.
An AN/VVS-1 pulsed ruby laser rangefinder was operated during the February 9, 1982 snow storm at SNOW-ONE-A. The device's digital readout was monitored as the system ranged over known distances to several targets System performance has been evaluated relative to detailed measurements of airborne-snow concentration, precipitation rate and visible transmittance Observations of the rangefinder's optical signature have been made using a video camera and still photography This work was accomplished during both clear-air and light-snowfall conditions

MP 1760
CHEMICAL OBSCURANT TESTS DURING WINTER: ENVIRONMENTAL FATE.
Cragin, J.H , Mar. 1983, No.83-04, Snow Symposium 2, Vol.1, p.267-272, ADB-073 046, 3 refs.
38-4325
SNOW OPTICS, INFRARED RECONNAISSANCE, AEROSOLS, CHEMICAL ANALYSIS, POLLUTION, TEMPERATURE EFFECTS, SAMPLING, TESTS
Concentrations of orthophosphate, IR1 and IR2 obscurants were measured in surface snow samples after a wintertime test of white phosphorus (WP) smoke and the two infrared screeners Sample concentrations of IR1 and IR2 decreased exponentially downwind from the smoke release point Orthophosphate concentrations were all less than the analytical detection limit of 0 15 mg/L Quantities of smoke released pose no hazard to the public or environment Snow was found to provide a clean non-contaminating surface upon which to collect the deposited aerosol.

MP 1761
ON SMALL-SCALE HORIZONTAL VARIATIONS OF SALINITY IN FIRST-YEAR SEA ICE.
Tucker, W B , et al, July 20, 1984, 89(C4), p.6505-6514, 20 refs.
Gow, A J , Richter, J.A
38-4365
SEA ICE, ICE SALINITY, BRINES, VARIATIONS.
Measurements of salinity over horizontal distances of 38 to 76 cm in a thick first-year ice sheet have revealed significant differences A maximum salinity difference of 2 per mill was observed between ice core segments from the same depth The mean standard deviation for 10-cm thickness increments through the 2 0-m ice sheet was 0 39 per mill between the five closely spaced cores The most likely mechanisms for these significant differences in salinity over short distances is differential brine drainage in the ice sheet due to varying locations of brine drainage channels A simple one-dimensional model which assumes a normally distributed arrangement of brine drainage channels provides results consistent with the horizontal differences observed (Auth.)

MP 1762
WASTEN: A MODEL FOR NITROGEN BEHAVIOUR IN SOILS IRRIGATED WITH LIQUID WASTE.
Selim, H.M , et al, Simulation of nitrogen behaviour of soil-plant systems Edited by M.J Frissel and J A van Veen, Wageningen, Netherlands, Centre for Agricultural Publication, (1984), p 96-108, 19 refs
Iskandar, I.K.
39-234
WASTE TREATMENT, WATER TREATMENT, CHEMICAL ANALYSIS, LAND RECLAMATION, WASTE DISPOSAL, IRRIGATION, MATHEMATICAL MODELS, SOIL WATER, FORECASTING, COMPUTER APPLICATIONS.

MP 1763
ICE COVER MELTING IN A SHALLOW RIVER.
Calkins, D.J., June 1984, 11(2), p.255-265, With French summary. 9 refs.
38-4401
ICE MELTING, RIVER ICE, ICE JAMS, HEAT TRANSFER, FRAZIL ICE, WATER TEMPERATURE, RIVER FLOW, FREEZING POINTS, DIURNAL VARIATIONS, TEMPERATURE DISTRIBUTION.
The heat transfer coefficients computed from field data on both ice cover melting and water temperature attenuation are higher than the values one would compute based on extrapolation of previous laboratory flume data. The computed heat transfer coefficients were relatively consistent when calculated from the water temperature decay data. Consistent results were also obtained with one set of very detailed ice cover melting data. The diurnal fluctuation in water temperature from the freezing point to values of 0.4-0.6 C was associated with the incoming solar radiation and the open water surface area. The measured water temperature distribution beneath the ice cover at a particular cross section varied from 0.2 to 0 6 C due to the influence of frazil ice and flow distribution. In the open water reaches the water temperature was essentially fully mixed vertically but lateral variation across the river ranged from 0.1 to 0 3 C. The average daily melting of the ice cover often exceeded 5.0 cm and at some locations the rate was as high as 8 cm/d. The melt was not uniform across the section but was highly dependent upon the flow conditions, velocity, and depth. The ice cover melting for this year only occurred during the daylight hours as the air temperatures dropped below 0 C at night and the water temperature likewise decayed to its freezing point.

MP 1764
SURFACE ROUGHNESS OF ROSS SEA PACK ICE.
Govoni, J.W., et al, 1983, 18(5), p.123-124, 5 refs.
Ackley, S.F., Holt, E.T.
39-16
SEA ICE, PACK ICE, ICE SURFACE, MEASURING INSTRUMENTS, ANTARCTICA—ROSS SEA.
At the end of the 1980 austral winter, sea-ice surface roughness was assessed along selected tracks in the Ross Sea. The ice surveyed consisted mainly of first-year pack ice Surface profiles were made using a Spectra-Physics Geodolite 3A laser profilometer which was mounted vertically in the camera bay of a National Science Foundation LC-130 aircraft. The profilometer, recording equipment and measurement technique are described. For the data analyzed to date, the Ross Sea region appears in general to have much less ridging than either the Weddell Sea or the Arctic Basin. The open nature of the boundaries here leads to generally divergent conditions and diminishes the stress transmitted through the pack ice resulting in fewer high ridges. Near coastal boundaries, however, localized high stress may exist and ridging features develop accordingly.

MP 1765
TWO-DIMENSIONAL MODEL OF COUPLED HEAT AND MOISTURE TRANSPORT IN FROST-HEAVING SOILS.
Guymon, G.L., et al, Sep. 1984, 106(3), p.336-343, 30 refs.
Hromadka, T.V., II, Berg, R L
39-24
HEAT TRANSFER, MOISTURE TRANSFER, FROST HEAVE, SOIL FREEZING, MODELS.
The model is based upon well known equations of heat and moisture flow in soils. Numerical solution is by the nodal domain integration method which includes the integrated finite difference and the Galerkin finite element methods. Solution of the phase change process is approximated by an isothermal approach and phenomenological equations are assumed for processes occurring in freezing or thawing zones. The model has been verified against experimental one-dimensional freezing soil column data and experimental two-dimensional soil thawing tank data as well as two-dimensional soil seepage data The model has been applied to several simple but useful field problems such as roadway embankment freezing and frost heaving. (Auth.)

MP 1766
CREEP MODEL FOR CONSTANT STRESS AND CONSTANT STRAIN RATE.
Fish, A.M., Engineering Mechanics Division Specialty Conference, 5th, Laramie, WY, Aug. 1-3, 1984 Proceedings, Vol.2. Edited by A P. Boresi and K.P. Chong, New York, American Society of Civil Engineers, 1984, p.1009-1012, 5 refs.
39-110
RHEOLOGY, STRESS STRAIN DIAGRAMS, CREEP, STRESSES, STRAINS, TESTS, THERMODYNAMICS.

MP 1767
MODEL SIMULATION OF 20 YEARS OF NORTHERN HEMISPHERE SEA-ICE FLUCTUATIONS.
Walsh, J.E., et al, 1984, Vol.5, p.170-176, 20 refs.
Hibler, W.D., III, Ross, B.
39-193
SEA ICE DISTRIBUTION, ICE CONDITIONS, ICE MODELS, DRIFT, SURFACE TEMPERATURE, WIND FACTORS, PERIODIC VARIATIONS, SNOW COVER EFFECT, ICE COVER THICKNESS, CLIMATIC FACTORS.
A dynamic-thermodynamic sea-ice model (Hibler 1979) is used to simulate northern hemisphere sea ice for a 20-year period, 1961 to 1980. The model is driven by daily atmospheric grids of sea-level pressure (geostrophic wind) and by temperatures derived from the Russian surface temperature data set. Among the modifications to earlier formulations are the inclusion of snow cover and a multilevel ice-thickness distribution in the thermodynamic computations The time series of the simulated anomalies show relatively large amounts of ice during the early 1960s and middle 1970s, and relatively small amounts during the late 1960s and early 1970s The fluctuations of ice mass, both in the entire domain and in individual regions, are more persistent than are the fluctuations of ice-covered area The ice dynamics tend to introduce more high-frequency variability into the regional (and total) amounts of ice mass The simulated annual ice export from the Arctic basin into the East Greenland Sea varies interannually by factors of 3 to 4.

MP 1768
THERMAL EXPANSION OF SALINE ICE.
Cox, G.F.N., 1983, 29(103), p.425-432, With French and German summaries. 10 refs.
39-204
ICE SALINITY, SEA ICE, THERMAL EXPANSION, ANALYSIS (MATHEMATICS), BRINES, TEMPERATURE EFFECTS.
The coefficient of thermal expansion of NaCl ice and natural sea ice is theoretically shown to be equal to the coefficient of thermal expansion of pure ice.

MP 1769
SNOW CONCENTRATION AND EFFECTIVE AIR DENSITY DURING SNOW-FALLS.
Mellor, M., 1983, 29(103), p.505-507, With French and German summaries. 1 ref.
39-211
SNOWFALL, ATMOSPHERIC DENSITY, SNOW ACCUMULATION, DISTRIBUTION, VELOCITY.

MP 1770
OBSERVATIONS OF VOLCANIC TREMOR AT MOUNT ST. HELENS VOLCANO.
Fehler, M., Apr. 10, 1983, 88(B4), p.3476-3484, Comment by M.G. Ferrick and W.F. St. Lawrence. Ibid., July 10, 1984, 89(B7), p.6349-6350. 37 refs.
Ferrick, M.G., St. Lawrence, W.F.
39-325
VOLCANOES, ELASTIC WAVES, SPECTRA, SEISMOLOGY, WAVE PROPAGATION, SOIL MECHANICS, FLUID DYNAMICS, MOUNTAINS, THEORIES, UNITED STATES—WASHINGTON—SAINT HELENS, MOUNT.

MP 1771
THERMODYNAMIC MODEL OF CREEP AT CONSTANT STRESS AND CONSTANT STRAIN RATE.
Fish, A.M., July 1984, 9(2), p.143-161, For another source see 38-4470. Refs. p.159-161.
39-339
RHEOLOGY, THERMODYNAMICS, FROZEN GROUND MECHANICS, STRESS STRAIN DIAGRAMS, SOIL CREEP, VISCOUS FLOW, MATHEMATICAL MODELS, TESTS, LOADS (FORCES).
A thermodynamic model has been developed that describes the entire creep process, including primary, secondary, and tertiary creep, and failure for both constant stress (CS) tests and constant strain rate (CSR) tests, in the form of a unified constitutive equation and unified failure criteria Deformation and failure are considered as a single thermoactivated process in which the dominant role belongs to the change of entropy Families of creep curves, obtained from uniaxial compression CS and CSR tests of frozen soil, respectively (both presented in dimensionless coordinates), are plotted as straight lines and are superposed, confirming the unity of the deformation and failure process and the validity of the model. A method is developed for determining the parameters of the model, so that creep deformation and the stress-strain relationship of ductile materials such as soils can be predicted based upon information obtained from either type of test

MP 1772
METHOD OF DETECTING VOIDS IN RUBBLED ICE.
Tucker, W.B., et al, July 1984, 9(2), p.183-188, 9 refs.
Rand, J.H., Govoni, J.W.
39-343
PRESSURE RIDGES, ICE JAMS, ICE DETECTION, ICE PILEUP, SURFACE ROUGHNESS, POROSITY.

MP 1773
UNIAXIAL COMPRESSIVE STRENGTH OF FROZEN SILT UNDER CONSTANT DEFORMATION RATES.
Zhu, Y., et al, June 1984, 9(1), p.3-15, 8 refs.
Carbee, D.L.
39-327
FROZEN GROUND STRENGTH, STRESS STRAIN DIAGRAMS, COMPRESSIVE PROPERTIES, GROUND ICE, ICE CRYSTAL STRUCTURE, TESTS, STRAINS, VELOCITY, SOIL CREEP, RHEOLOGY, TEMPERATURE VARIATIONS, DENSITY (MASS/VOLUME).
Uniaxial compressive strength tests were conducted on remolded, saturated Fairbanks frozen silt under various constant machine speeds, temperatures and dry densities. Test results show that the peak strength of frozen silt is not sensitive to dry density (or water content) at 2 C, especially at relatively high strain rates, but is very sensitive to temperature and applied strain rate. However, the failure strain is not sensitive to temperature and strain rate within a wide range of strain, rate, but is very sensitive to dry density. It has been found that the initial yield strength consistently increases with decreasing dry unit weight. The initial yield strain is almost independent of dry density and temperature, but varies with strain rate. The initial tangent modulus of frozen silt is found to be nearly independent of strain rate, but the 50% strength modulus is closely related to strain rate. The test results indicate that there is a definite relationship between the two moduli.

MP 1774
FIELD DIELECTRIC MEASUREMENTS OF FROZEN SILT USING VHF PULSES.
Arcone, S.A., et al, June 1984, 9(1), p.29-37, 16 refs.
Delaney, A.J.
39-329
FROZEN GROUND PHYSICS, DIELECTRIC PROPERTIES, RADIO WAVES, PERMAFROST PHYSICS, GROUND ICE, TUNNELS, WAVE PROPAGATION, TRANSMISSION, ICE WEDGES, TESTS.

MP 1775
DIELECTRIC MEASUREMENTS OF FROZEN SILT USING TIME DOMAIN REFLECTOMETRY.
Delaney, A.J., et al, June 1984, 9(1), p.39-46.
Arcone, S.A.
39-330
FROZEN GROUND PHYSICS, DIELECTRIC PROPERTIES, GROUND ICE, REFLECTION, WATER CONTENT, TEMPERATURE EFFECTS, MEASURING INSTRUMENTS.

MP 1776
ELECTROMAGNETIC PROPERTIES OF SEA ICE.
Morey, R.M., et al, June 1984, 9(1), p 53-75, For another version see 38-4472 27 refs.
Kovacs, A., Cox, G.F.N.
39-332
ICE ELECTRICAL PROPERTIES, SEA ICE, ELECTROMAGNETIC PROPERTIES, ICE SPECTROSCOPY, ICE CRYSTAL STRUCTURE, MICROSTRUCTURE, BRINES, ANALYSIS (MATHEMATICS), DIELECTRIC PROPERTIES.
Investigations of the in situ complex dielectric constant of sea ice were made using time-domain spectroscopy. It was found that (1) for sea ice with a preferred horizontal c-axis alignment, the anisotropy or polarizing properties of the ice increased with depth, (2) brine inclusion conductivity increased with decreasing temperature down to about -8 C, at which point the conductivity decreased with decreasing temperature, (3) the DC conductivity of sea ice increased with increasing brine volume, (4) the real part of the complex dielectric constant is strongly dependent upon brine volume but less dependent upon the brine inclusion orientation, (5) the imaginary part of the complex dielectric constant was strongly dependent upon brine inclusion orientation but much less dependent upon brine volume

MP 1777
ELEMENTAL COMPOSITIONS AND CONCENTRATIONS OF MICROSPHERULES IN SNOW AND PACK ICE FROM THE WEDDELL SEA.
Kumai, M., et al, 1983, 18(5), p 128-131, 7 refs.
Ackley, S.F., Clarke, D.B.
39-307
PACK ICE, SNOW CRYSTALS, MICROELEMENT CONTENT, PARTICLES, ANTARCTICA—WEDDELL SEA.

This paper presents the results of an investigation of microspherules found in snow and pack ice from the Weddell Sea, Antarctica, collected during the U.S.-U.S.S.R. Weddell Polynya Expedition, 1981. Elemental composition, size, and concentration of microspherules were determined using a scanning electron microscope (SEM) and energy dispersive X-ray analysis (EDXA). Typical textures of microspherules are shown in this report and compared with those found in snow and ice-fog crystals sampled from the Northern Hemisphere. In this study, 23 microspherules were found in the snow sample from the Weddell Sea and 6 from the snow-ice sample. The concentration of microspherules in the snow samples is calculated to be approx 0.001 percent, three orders of magnitude smaller than that of the Northern Hemisphere. This indicates that the concentration of microspherules in the Antarctic may be three orders of magnitude smaller than the concentration found in the Northern Hemisphere. Silicon- and titanium-rich microspherules from the Weddell Sea were found in fly ash of terrestrial origin. The iron rich microspherules were tentatively identified to be of extraterrestrial origin.

MP 1778
LARGE-SCALE ICE/OCEAN MODEL FOR THE MARGINAL ICE ZONE.
Hibler, W.D., III, et al, Apr. 1984, No.84-07, MIZEX bulletin. 3. Modeling the marginal ice zone, p.1-7, ADA-145 351, 14 refs.
Bryan, K.
39-361
ICE MECHANICS, ICE WATER INTERFACE, SEA ICE DISTRIBUTION, OCEAN CURRENTS, DRIFT, ICE MODELS, SEASONAL VARIATIONS, WATER TEMPERATURE, SALINITY, WIND FACTORS, VELOCITY

MP 1779
EAST GREENLAND SEA ICE VARIABILITY IN LARGE-SCALE MODEL SIMULATIONS.
Walsh, J.E., et al, Apr. 1984, No.84-07, MIZEX bulletin. 3. Modeling the marginal ice zone, p.9-14, ADA-145 351, 11 refs.
Hibler, W.D., III.
39-362
ICE MECHANICS, SEA ICE, ICE MODELS, THERMODYNAMICS, ICE CONDITIONS, DRIFT, ICE COVER THICKNESS, WIND FACTORS, GREENLAND SEA.

MP 1780
ON THE DECAY AND RETREAT OF THE ICE COVER IN THE SUMMER MIZ.
Maykut, G.A., Apr. 1984, No.84-07, MIZEX bulletin. 3. Modeling the marginal ice zone, p.15-22, ADA-145 351, 15 refs.
39-363
SEA ICE DISTRIBUTION, ICE CONDITIONS, ICE MELTING, SOLAR RADIATION, ICE WATER INTERFACE, THERMODYNAMICS, ICE FLOES, HEAT FLUX, ICE MECHANICS, SEASONAL VARIATION, POLYNYAS

MP 1781
ON THE ROLE OF ICE INTERACTION IN MARGINAL ICE ZONE DYNAMICS.
Leppäranta, M., et al, Apr. 1984, No.84-07, MIZEX bulletin. 3. Modeling the marginal ice zone, p.23-29, ADA-145 351, 7 refs.
Hibler, W.D., III.
39-364
ICE MECHANICS, ICE WATER INTERFACE, ICE EDGE, ICE COVER THICKNESS, ICE CONDITIONS, ICE AIR INTERFACE, RHEOLOGY, WIND FACTORS, VISCOSITY, MATHEMATICAL MODELS.

MP 1782
ANALYSIS OF LINEAR SEA ICE MODELS WITH AN ICE MARGIN.
Leppäranta, M., Apr. 1984, No.84-07, MIZEX bulletin. 3. Modeling the marginal ice zone, p.31-36, ADA-145 351.
39-365
ICE MODELS, SEA ICE, RHEOLOGY, VISCOSITY, ICE EDGE, PACK ICE, ANALYSIS (MATHEMATICS), LOADS (FORCES)

MP 1783
SOME SIMPLE CONCEPTS ON WIND FORCING OVER THE MARGINAL ICE ZONE.
Tucker, W.B., Apr. 1984, No.84-07, MIZEX bulletin. 3. Modeling the marginal ice zone, p.43-48, ADA-145 351, 20 refs.
39-367
ICE MECHANICS, ICE EDGE, WIND PRESSURE, SHEAR PROPERTIES, ICE PACK, WIND DIRECTION, SURFACE ROUGHNESS.

MP 1784
VARIATION OF THE DRAG COEFFICIENT ACROSS THE ANTARCTIC MARGINAL ICE ZONE.
Andreas, E.L., et al, Apr. 1984, No.84-07, MIZEX bulletin. 3. Modeling the marginal ice zone, p.63-71, ADA-145 351, 40 refs.
Tucker, W.B., Ackley, S.F.
39-370
ICE CONDITIONS, SEA ICE DISTRIBUTION, ICE EDGE, ATMOSPHERIC CIRCULATION, ICE SURFACE, SURFACE ROUGHNESS, AIR TEMPERATURE, WIND DIRECTION, ICE MODELS, BOUNDARY LAYER, ANTARCTICA—WEDDELL SEA.
In Oct. 1981 the U.S.-USSR Weddell Polynya Expedition crossed the Antarctic marginal ice zone (MIZ) near the Greenwich Meridian on the *Michail Somov*. Five radiosondes, launched along a 150-km track starting at the ice edge, showed profound modification of the atmospheric boundary layer (ABL) as increasing surface roughness decelerated the flow. An equation is presented for the dependence of the drag coefficient on ice concentration that should be useful for modeling the surface stress in marginal ice zones. The sounding profiles and meteorological data provided a comprehensive look at how surface roughness and temperature changes in the MIZ can affect the ABL.

MP 1785
MECHANISM FOR FLOE CLUSTERING IN THE MARGINAL ICE ZONE.
Leppäranta, M., et al, Apr. 1984, No.84-07, MIZEX bulletin. 3. Modeling the marginal ice zone, p.73-76, ADA-145 351, 3 refs.
Hibler, W.D., III.
39-371
ICE FLOES, ICE CONDITIONS, SEA ICE DISTRIBUTION, ICE EDGE, DRIFT, ICE MECHANICS, ICE COVER THICKNESS.

MP 1786
RELATIVE ABUNDANCE OF DIATOMS IN WEDDELL SEA PACK ICE.
Clarke, D.B., et al, 1983, 18(5), p.181-182, 12 refs.
Ackley, S.F.
39-310
ALGAE, PACK ICE, FRAZIL ICE, CRYOBIOLOGY, ANTARCTICA—WEDDELL SEA.
Diatoms were found throughout the length of sea ice cores (average length, 75 cm) taken from the Weddell Sea during the Oct.-Nov. 1981 joint U.S.-U.S.S.R. study. As in previous studies it was found that the pennate forms were dominant. *Chaetoceros dichaeta* Ehrenberg was the only centric species which was "abundant" in the samples, and it has not previously been reported as abundant. Of the pennate species found in abundance, three have been found in abundance by other authors. These are *Nitzschia closterium* (Ehrenberg) W. Smith, *Nitzschia cylindrus* (Grunow) Hasle, and *Nitzschia subcurvata* Hasle. Also found to be numerically significant in the samples were *Nitzschia prolongatoides* Hasle, *Nitzschia turgiduloides* Hasle, *Tropidoneis glacialis* Heiden, and an unidentified *Navicula* species. The table lists the dominant species in each sample and their relative abundances. Five of these species have not previously been found in abundance in antarctic sea ice. Possible reasons for the variable species compositions in samples are discussed.

MP 1787
RESERVOIR BANK EROSION CAUSED BY ICE.
Gatto, L.W., Aug. 1984, 9(3), p.203-214, Refs. p.211-214.
39-397
ICE EROSION, BANKS (WATERWAYS), RESERVOIRS, ICE CONDITIONS, WATER LEVEL, BOTTOM SEDIMENT, SHORE EROSION.
The purpose of this study was to evaluate the documented and potential importance of ice erosion along reservoir banks. The evaluation is based on a literature review and on inferences drawn from field observations and experience. Very little is known about the amount of reservoir bank erosion caused by ice action, although considerable information exists on ice erosion processes along the shorelines and beaches of oceans, rivers and lakes. The importance of ice-related erosion along a reservoir bank would depend primarily on water level, but ice conditions and bank sediment characteristics would also be important. If the reservoir water level is at bank level, ice could directly erode a bank face. If the water is below the bank, ice would have no direct effect on it. However, ice could indirectly increase bank instability by disrupting and eroding nearshore and beach zones, which could lead to bank erosion.

MP 1788
PRELIMINARY INVESTIGATION OF THERMAL ICE PRESSURES.
Cox, G.F.N., Aug. 1984, 9(3), p.221-229, 16 refs.
39-399
ICE PRESSURE, ICE THERMAL PROPERTIES, STRESSES, RHEOLOGY, ICE TEMPERATURE, LAKE ICE, MATHEMATICAL MODELS, HYDRAULIC STRUCTURES.
Measured ice stress data are needed to verify and improve thermal ice thrust prediction models used in estimating ice forces on dams, bridge piers, locks and other hydraulic structures. During February and March, 1983, thermal ice pressures were measured in the ice on a small lake in central New Hampshire. Even though the ice sheet was relatively warm and only exhibited small changes in temperature, stresses up to 200 to 300 kPa were recorded with a newly designed biaxial ice-stress sensor. Ice stresses normal and parallel to the shore of the lake were similar. Given the rate of change of temperature of the ice, ice pressures were calculated for the measurement period using a uniaxial rheological model consisting of a spring and nonlinear dashpot connected in series. Calculated and measured stresses were in good agreement.

MP 1789
STATIC DETERMINATION OF YOUNG'S MODULUS IN SEA ICE.
Richter-Menge, J.A., Aug. 1984, 9(3), p.283-286, 3 refs.
39-406
ICE MECHANICS, SEA ICE, STRAINS, LOADS (FORCES), STRESSES, TENSILE PROPERTIES, TESTS.

MP 1790
EFFECTS OF MAGNETIC PARTICLES ON THE UNFROZEN WATER CONTENT OF FROZEN SOILS DETERMINED BY NUCLEAR MAGNETIC RESONANCE.
Tice, A.R., et al, July 1984, 138(1), p.63-73, 14 refs.
Oliphant, J.L.
39-455
UNFROZEN WATER CONTENT, FROZEN GROUND PHYSICS, NUCLEAR MAGNETIC RESONANCE, PARTICLES, MAGNETIC PROPERTIES, GROUND THAWING.
Small ferromagnetic particles in soils locally change the magnetic field of a nuclear magnetic resonance (NMR) analyzer. This causes a decrease in the NMR signal intensity when NMR is being used to measure unfrozen water contents in partially frozen soils or total water contents in thawed soils. We mixed Tuto clay, a soil containing no magnetic particles, with various small amounts of pure powdered magnetite, and determined the NMR signal intensity while the samples were both thawed and partially frozen. Then we derived an equation that correlates the thawed sample signal intensity with the weight percent of powdered magnetite added. The unfrozen water content of the partially frozen samples could be determined accurately for samples containing up to 0.2 to 0.3% magnetite. Several methods for demagnetizing soils containing large amounts of magnetic particles were tried, with the most effective found to be stirring a slurry of the soil over a powerful permanent magnet. Accurate unfrozen water contents could be determined for all the partially frozen samples if some form of demagnetizing procedure was used on those samples containing the most magnetic particles.

MP 1791
ICE DETERIORATION.
Ashton, G.D., GLERL contribution, No.428, Great Lakes Ice Research Workshop, Columbus, OH, Oct. 18-19, 1983. Proceedings. Edited by R.A. Assel and J.G. Lyon, Ann Arbor, MI, Great Lakes Environmental Research Laboratory, Sep. 1984, p.31-38, 10 refs.
39-481
ICE DETERIORATION, ICE MELTING, HEAT TRANSFER, ICE COVER STRENGTH, HEAT FLUX, BOUNDARY LAYER, ICE DENSITY, THERMAL CONDUCTIVITY, ICE PHYSICS, ALBEDO.

MP 1792
WATER SUPPLY AND WASTE DISPOSAL ON PERMANENT SNOWFIELDS.
Reed, S.C., et al, June 1985, 12(2), p.344-350, With French summary. 10 refs.
Bouzoun, J.R., Tobiasson, W.
39-4025
WATER SUPPLY, WASTE DISPOSAL, SNOW COVER EFFECT, WASTE TREATMENT, WATER CHEMISTRY, EQUIPMENT, ICE MELTING.
The snow and glacial ice on permanent snowfields must serve as both the water source and the receptacle for wastes for any human habitation. In addition, the snow also serves as the support media for any structural foundations and hence the thermal aspects of water supply and waste disposal can be critical. Most activity has occurred on the ice caps of Greenland and Antarctica and has ranged from small transient field parties to large permanent facilities in continuous use for over 25 years. Novel procedures to insure the reliable production of good quality water are described as well as the recommended criteria for water quantity depending on the size and duration of the activity. The various methods of wastewater disposal that have been used at temporary camps and permanent stations are described along with the results from studies that defined the fate of the wastewater following its discharge to the snow. Such definition is important to insure protection of the water supply as well as the thermal integrity of any structural foundation.

MP 1793
COLD FACTS OF ICE JAMS: CASE STUDIES OF MITIGATION METHODS.
Calkins, D.J , Natural Hazards Research and Applications Information Center special publication, No.11, Association of State Floodplain Managers Conference, 8th, Portland, ME, June 11-14, 1984. Proceedings. Managing high risk flood areas, 1985 and beyond, [1984], p.39-47, 10 refs.
40-4457
ICE JAMS, FLOODS, ICE CONTROL, ICE BREAKUP, ICE BOOMS, IMPACT STRENGTH, WATER LEVEL, ICE CONDITIONS.

MP 1794
POLARIZATION OF SKYLIGHT.
Bohren, C., Oct. 1984, 37(5), p.261-265.
39-563
LIGHT (VISIBLE RADIATION), POLARIZATION (WAVES), CLOUDS (METEOROLOGY), LIGHT SCATTERING, PHOTOGRAPHIC TECHNIQUES, ELECTROMAGNETIC PROPERTIES, OPTICAL FILTERS.

MP 1795
CONTROLLING RIVER ICE TO ALLEVIATE ICE JAM FLOODING.
Deck, D.S., Conference [on] Water for Resource Development, Coeur d'Alene, Idaho, Aug 14-17, 1984. Proceedings, 1984, p.524-528, 4 refs.
39-614
ICE JAMS, ICE CONTROL, RIVER ICE, FLOODING, ICE BOOMS, ICE BREAKUP, COUNTERMEASURES.
This paper addresses the author's involvement at two areas where ice jam flooding has caused severe economic hardship and loss of life An ice boom has been used to control the formation of river ice at Oil City, Pennsylvania, and a permanent ice control structure will be constructed on Cazenovia Creek in West Seneca, New York, to control the river ice during break-up.

MP 1796
SALMON RIVER ICE JAMS.
Cunningham, L L , et al, Conference [on] Water for Resource Development, Coeur d'Alene, Idaho, Aug. 14-17, 1984 Proceedings, 1984, p.529-533, 4 refs.
Calkins, D J.
39-615
ICE JAMS, RIVER ICE, FLOODING, ICE CONDITIONS, FREEZEUP, ICE COVER THICKNESS, ICE CONTROL, MODELS, UNITED STATES—IDAHO—SALMON RIVER.
A study was undertaken to document the ice conditions leading to the ice jam flooding along the Salmon River in the vicinity of Salmon, Idaho. This short paper documents the ice conditions on the river during the freeze-up period and the simple analytical model used to predict the advance of the ice cover leading edge Ice cover thickness in excess of 9 ft (3 m) were measured at cross sections where shoving had occurred The initiation of the ice cover for this reach of the river begins in a long, deep pool formed by an alluvial fan from Dump Creek that developed in the late 1800's By improving the flow conveyance through the alluvial fan and increasing the flow velocity in the backwater behind it, the initiation of the freeze-up ice cover could be delayed, thereby delaying the arrival of the leading edge at Salmon, Idaho, and reducing the potential for ice jam flooding

MP 1797
MODELING INTAKE PEFORMANCE UNDER FRAZIL ICE CONDITIONS.
Dean, A.M., Jr., Conference [on] Water for Resource Development, Coeur d'Alene, Idaho, Aug. 14-17, 1984. Proceedings, 1984, p.559-563, 5 refs.
39-616
WATER INTAKES, FRAZIL ICE, ICE CONDITIONS, WATER PIPES, ICING, MODELS, COUNTERMEASURES.
A water intake was modeled in a refrigerated flume in an active frazil icing environment in order to evaluate alternative modifications to the prototype structure. Conduit dimensions tested were 2.7-in round, 4.6 in round, 6-in square, 8-in square, and 12-in. square Entrance shapes tested were square, quarter-rounded, and elliptical Model flows varied from 50 gpm to 360 gpm, resulting in average model intake velocities of 0 8 fps to 2 8 fps Corresponding Froude prototype velocities varied from 0 3 fps to 2 0 fps The length scale varied from 1 6 5 to 1 16 Tests were run until a head was developed across the model intake which was equivalent to a 12 foot head on the prototype, or until the icing tendency of the structure was determined The icing mechanism observed in the model included stoppering of the intake with ice masses, restriction of the intake with multiparticle masses, and gradual accumulation of frazil ice particles on the intake

MP 1798
ICE JAMS IN SHALLOW RIVERS WITH FLOODPLAIN FLOW: DISCUSSION.
Beltaos, S , June 1984, 11(2), p.370-371, 3 refs. Reply by Calkins p.372. For paper being discussed see 38-776, MP 1644.
38-4402
ICE JAMS, RIVER ICE, ICE COVER THICKNESS, RIVER FLOW, FLOODS

MP 1799
SNOWPACK ESTIMATION IN THE ST. JOHN RIVER BASIN.
Power, J.M., et al, International Symposium on Remote Sensing of Environment, 14th, San Jose, Costa Rica, Apr. 23-30, 1980. Proceedings, [1980], p.467-486, 11 refs.
Merry, C J., Trivett, N.B A., Waterman, S.E.
39-601
SNOW COVER DISTRIBUTION, SNOW WATER EQUIVALENT, RIVER BASINS, REMOTE SENSING, SNOWMELT, VEGETATION FACTORS, LANDSAT, ACCURACY, COMPUTER APPLICATIONS, MODELS, MAPPING.
Two methods for computing basin areal average water equivalent of the snowpack based on point snow course measurements are discussed One involves the use of a square grid databank of elevations and vegetation types which are regressed against snow water equivalent The other method utilizes digital tapes of LANDSAT satellite imagery to delineate various vegetation categories throughout a basin. Snow-course values obtained within a given vegetation category are then distributed over the area within each basin which contains that category of vegetation Where possible, the methods were checked by deriving snowpack values for six basins in the Upper Saint John River basin for the spring of 1978 These values were then used as input to the SSARR model, and the resulting runoff hydrographs were compared to those obtained using the conventional "isoline mapping" method of distributing the snowcourse values. Lastly, a range of errors were introduced into the conventionally derived snowpack values, and the resulting range in errors of the runoff hydrographs were computed to determine the sensitivity of the SSARR model to errors in snowpack input.

MP 1800
COMMENTS ON "THEORY OF METAMORPHISM OF DRY SNOW" BY S.C. COLBECK.
Sommerfeld, R.A., June 20, 1984, 81(7), p 4963-4965, Includes reply by S.C. Colbeck. 9 refs. For the original article see 37-3571.
Colbeck, S C.
39-763
METAMORPHISM (SNOW), SNOW CRYSTAL GROWTH, ICE CRYSTAL GROWTH, TEMPERATURE GRADIENTS, VAPOR DIFFUSION, ANALYSIS (MATHEMATICS).

MP 1801
SNOW LOADS ON STRUCTURES.
O'Rourke, M J., Conference on Applied Techniques for Cold Environments, Anchorage, Alaska, May 17-19, 1978 Proceedings, Vol 1, New York, American Society of Civil Engineers, 1978, p.418-428, 15 refs
32-3629
SNOW LOADS, ROOFS, WIND VELOCITY.

MP 1802
APPLICATION OF THE ANDRADE EQUATION TO CREEP DATA FOR ICE AND FROZEN SOIL.
Ting, J.M , et al, June 1979, 1(1), p.29-36, 10 refs.
Martin, R.T.
33-4238
ICE STRENGTH, FROZEN GROUND MECHANICS, STRAINS, CREEP.

MP 1803
VOLUMETRIC CONSTITUTIVE LAW FOR SNOW BASED ON A NECK GROWTH MODEL.
Brown, R L , Jan. 1980, 51(1), p.161-165, 10 refs
34-2388
SNOW MECHANICS, SNOW DEFORMATION, SNOW CRYSTAL STRUCTURE, MODELS

MP 1804
TUSSOCK REPLACEMENT AS A MEANS OF STABILIZING FIRE BREAKS IN TUNDRA VEGETATION.
Patterson, W A , III, et al, June 1981, 34(2), p 188-189, 7 refs
Dennis, J.G
36-1325
TUNDRA, FIRES, COUNTERMEASURES, REVEGETATION, VEGETATION, THERMOKARST

MP 1805
CREEP BEHAVIOR OF FROZEN SILT UNDER CONSTANT UNIAXIAL STRESS.
Zhu, Y., et al, International Conference on Permafrost, 4th, Fairbanks, Alaska, July 17-22, 1983. Proceedings, Washington, D.C., National Academy Press, 1983, p.1507-1512, 10 refs.
Carbee, D.L.
38-1373
FROZEN GROUND STRENGTH, FROZEN GROUND MECHANICS, SOIL CREEP, COMPRESSIVE PROPERTIES, STRESS STRAIN DIAGRAMS, RHEOLOGY, TIME FACTOR.

MP 1806
MOBILIZATION, MOVEMENT AND DEPOSITION OF ACTIVE SUBAERIAL SEDIMENT FLOWS, MATANUSKA GLACIER, ALASKA.
Lawson, D.E., May 1982, 90(3), p.279-300, 50 refs.
39-765
SEDIMENT TRANSPORT, GLACIAL DEPOSITS, GLACIER ABLATION, GLACIER MELTING, GLACIAL GEOLOGY, GLACIER SURFACES, MELTWATER, UNITED STATES—ALASKA—MATANUSKA GLACIER.
Subaerial sediment flow is the predominant process depositing diamictons at the terminus of Matanuska Glacier. Flows originate where sediments overlie glacier ice. Ablation of ice exposed in slopes disaggregates the overlying sediment and mixes it with meltwater and debris released simultaneously. This material generally flows only after its strength is further reduced by excess pore pressures and seepage pressures generated by meltwater from thawing ice. Moving sediment flows show reasonably systematic changes in physical attributes such as dimensions, texture, flow rates, density and erosional action, and in grain support and transport mechanisms that can be related to changes in the water content of their matrix material At lowest water contents, flows support grains by their strength and move through shear in a thin zone at their base. Increased thicknesses of the zone in shear and deformation of other types accompany increased water contents, with grain interference and collisions, localized liquefaction and fluidization, transient turbulence, and bedload traction and saltation operating simultaneously in such moving flows At highest water contents, flows appear fully liquefied The fluidity of the sediment flow and the amount of water in the sediment flow channel determine the degree of preservation of the source flow's properties and the depositional morphology Because mobilization of a sediment flow destroys the glacial sedimentary properties of its sediment source and, further, because the mechanics of transport and deposition develop new "non-glacial" properties in this sediment, the diamicton deposited in the glacial environment by sediment flow should not be called till

MP 1807
CREEP BEHAVIOR OF FROZEN SILT UNDER CONSTANT UNIAXIAL STRESS.
Zhu, Y , et al, Mar 1984, 6(1), p.33-48, In Chinese with English summary 13 refs. For another source see 38-1373 (MP 1805).
Carbee, D.L.
39-932
SOIL CREEP, FROZEN GROUND MECHANICS, RHEOLOGY, STRESSES, FROZEN GROUND STRENGTH, COMPRESSIVE PROPERTIES, FROZEN GROUND TEMPERATURE, GRAIN SIZE, TESTS, TEMPERATURE EFFECTS.
A series of unconfined compression creep tests was conducted on saturated frozen Fairbanks silt at constant-stress and constant-temperature conditions The authors suggest that the creep of frozen soil be classified into two types short-term and long-term creep Different constitutive and strength-loss equations are presented for each type of creep On the basis of Assur's creep model (1980) and this criterion, a creep equation was derived that can describe the entire process of creep of frozen soil.

MP 1808
MECHANICAL PROPERTIES OF SEA ICE: A STATUS REPORT.
Weeks, W F , et al, 1984, 9(2), p.135-198, Refs. p.191-198
Cox, G.F.N.
39-971
ICE STRENGTH, ICE MECHANICS, DRIFT, SEA ICE, ICE CRYSTAL STRUCTURE, RHEOLOGY, COMPRESSIVE PROPERTIES, ICE SALINITY, PRESSURE RIDGES, ICE LOADS, ICE CONDITIONS, OFFSHORE STRUCTURES

MP 1809
ICE SEGREGATION AND FROST HEAVING.
National Research Council. Ad Hoc Study Group on Ice Segregation and Frost Heaving, Washington, D.C., National Academy Press, 1984, 72p.. Refs p.37-72
39-1042
FROST HEAVE, GROUND ICE, ICE LENSES, ICE FORMATION, COLD WEATHER CONSTRUCTION, SEASONAL FREEZE THAW, UNFROZEN WATER CONTENT, PHASE TRANSFORMATIONS, HEAT TRANSFER, MODELS.

MP 1810
TERTIARY CREEP MODEL FOR FROZEN SANDS (DISCUSSION).
Fish, A.M., et al, Sep. 1984, 110(9), p.1373-1378, 7 refs. For paper being discussed see 37-3969.
Assur, A.
39-1038
FROZEN GROUND MECHANICS, SOIL CREEP, SANDS, STRAINS, MATHEMATICAL MODELS.

MP 1811
MIZEX 83 MESOSCALE SEA ICE DYNAMICS: INITIAL ANALYSIS.
Hibler, W.D., III, et al, Sep. 1984, SR 84-28, p.19-28, ADA-148 255, 3 refs.
Leppäranta, M.
39-1126
ICE MECHANICS, SEA ICE, STRAINS, ICE CONDITIONS, ICE DEFORMATION, ICE FLOES, ICE EDGE.

MP 1812
ON THE RHEOLOGY OF A BROKEN ICE FIELD DUE TO FLOE COLLISION.
Shen, H., et al, Sep. 1984, SR 84-28, p.29-34, ADA-148 255, 6 refs.
Hibler, W.D., III, Leppäranta, M.
39-1127
ICE MECHANICS, RHEOLOGY, ICE FLOES, INTERFACES, STRESSES, ICE CREEP, ICE EDGE, MATHEMATICAL MODELS, VELOCITY.

MP 1813
ICE JAM RESEARCH NEEDS.
Gerard, R., Workshop on Hydraulics of River Ice, 3rd, Fredericton, New Brunswick, Canada, June 20-21, 1984. Proceedings Compiled by K.S. Davar and B.C. Burrell, Fredericton, University of New Brunswick, [1984], p.181-193, With French summary. Discussion p.192-193.
39-1463
ICE JAMS, FREEZEUP, ICE BREAKUP, ICE FORMATION, RIVER ICE, FRAZIL ICE, MODELS, CANADA—NORTHWEST TERRITORIES—MACKENZIE RIVER.
Suggestions developed by the NRCC Working Group on Ice Jams for high priority research needs for ice jams are given The suggestions concern ice jam formation, development and failure at freeze-up and break-up Related processes such as frazil formation, hanging dams and ice deterioration were excluded from consideration It is concluded that, despite significant progress in the past two decades, the work of developing a real understanding of ice jam fundamentals has really only just begun.

MP 1814
COMPUTER SIMULATION OF ICE COVER FORMATION IN THE UPPER ST. LAWRENCE RIVER.
Shen, H.T., et al, Workshop on Hydraulics of River Ice, 3rd, Fredericton, New Brunswick, Canada, June 20-21, 1984. Proceedings. Compiled by K.S. Davar and B.C. Burrell, Fredericton, University of New Brunswick, [1984], p.227-245, With French summary., Discussion p.245. 23 refs.
Yapa, P.D.
39-1466
ICE FORMATION, ICE COVER THICKNESS, RIVER ICE, RIVER FLOW, HEAT TRANSFER, ICE JAMS, HYDRAULICS, COMPUTERIZED SIMULATION, ANALYSIS (MATHEMATICS), CANADA—SAINT LAWRENCE RIVER
A computer model was developed for simulating the formation of ice cover in the Upper St Lawrence River The model included submodels for the river flow condition, the distribution of water temperature or frazil ice production, and the formation of an ice cover. Distributions of water temperature or ice production are determined by a Lagrangian solution of the equation for the transport of thermal energy subject to surface heat exchange. The formation of an ice cover and ice accumulations is formulated according to existing equilibrium ice jam theories The hydraulic condition in the river system is determined by an implicit numerical solution of unsteady continuity and momentum equations

MP 1815
NUMERICAL SIMULATION OF FREEZE-UP ON THE OTTAUQUECHEE RIVER.
Calkins, D.J., Workshop on Hydraulics of River Ice, 3rd, Fredericton, New Brunswick, Canada, June 20-21, 1984. Proceedings. Compiled by K.S. Davar and B.C. Burrell, Fredericton, University of New Brunswick, [1984], p.247-277, With French summary., Discussion p.275-277. 18 refs.
39-1467
FREEZEUP, RIVER ICE, RIVER FLOW, METEOROLOGICAL FACTORS, HYDRAULICS, ICE MECHANICS, MATHEMATICAL MODELS, WATER LEVEL, ICE EDGE, ICE COVER THICKNESS, ICE JAMS, HEAT TRANSFER, UNITED STATES—VERMONT—OTTAUQUECHEE RIVER.
A numerical model of the flow and ice conditions during freeze-up for the Ottauquechee River has been developed and calibrated with reasonable success A limited sensitivity analysis of the key ice hydraulic modeling coefficients and independent variables was undertaken to examine their effect on the rate of leading edge progression, ice thicknesses and water levels The criteria for advancement of the leading edge were based on both the entrainment velocity of incoming frazil slush at the leading edge and whether or not the flow condition was sub-critical just upstream of the leading edge The depositional mode of ice thickening accounted for over 50% of the total ice thickness in the steep reaches and over 80% in 1 km of the pool. The simulation suggests that the initial ice cover thickness during progression can be predicted using the equilibrium ice jam theory with a suitable cohesion coefficient The inflow ice discharge and ice generated within the reach modeled were important and have to be known with reasonable accuracy to get good simulations of the ice thicknesses, water levels and ice cover progression.

MP 1816
RISE PATTERN AND VELOCITY OF FRAZIL ICE.
Wuebben, J.L., Workshop on Hydraulics of River Ice, 3rd, Fredericton, New Brunswick, Canada, June 20-21, 1984. Proceedings Compiled by K S Davar and B C. Burrell, Fredericton, University of New Brunswick, [1984], p.297-316, With French summary., Discussion p.315-316 3 refs.
39-1469
FRAZIL ICE, RIVER ICE, ICE MECHANICS, VELOCITY, TESTS, ARTIFICIAL ICE.
The objective of this study was to examine the rise pattern and velocity of frazil ice In addition, discs made of other materials were employed both to facilitate this study and to aid in the development of artificial frazil for future transport studies. The rise velocity is a parameter important to the understanding of frazil entrainment, transport and deposition Laboratory tests were conducted in a large clear plastic cylinder at controlled temperatures The rise velocity of real frazil is compared with theory and given an indirect verification that the preferential crystal growth direction increases disc diameter while the thickness remains essentially constant The effective drag coefficients and rise pattern stability are discussed in terms of a Reynolds-Strouhal number relationship The results from real and artificial frazil experiments are compared, and criteria for frazil simulation are suggested

MP 1817
RADAR MEASUREMENTS OF BOREHOLE GEOMETRY ON THE GREENLAND AND ANTARCTIC ICE SHEETS.
Jezek, K C , Feb 1985, 50(2), p 242-251, 12 refs.
39-1749
GLACIER FLOW, RADAR ECHOES, BOREHOLES, ICE SHEETS, ICE MECHANICS, GLACIER OSCILLATION, GREENLAND, ANTARCTICA—DOME C.
A method for measuring the geometry of boreholes in glaciers has been developed and tested in Greenland and Antarctica Coordinates of points along the borehole are determined by lowering a passive radar target into the borehole and then tracking the target from three surface stations Comparison of geometry interpreted from radar data and from a conventional inclinometry experiment indicates that radar data can be used to estimate average borehole inclination and azimuth but cannot be used to measure details of the borehole geometry that are revealed by conventional inclinometry surveys Random error introduced by variations in the physical properties of the glacier and electrical noise in the radar unit limit measurement accuracy, but the accuracy can be improved by establishing additional surface radar stations around the borehole. These experiments demonstrate the utility of the radar method and suggest the possibility of deploying permanently installed radar targets in ice sheets to measure intraglacial movements (Auth)

MP 1818
WEST ANTARCTIC SEA ICE.
Ackley, S.F., Environment of West Antarctica: potential CO2-induced changes, report of a workshop, July 1983, Washington, D C., 1984, p.88-95, PB85-110 757, 14 refs.
39-1502
SEA ICE, ICE COVER EFFECT, CLIMATIC CHANGES, CARBON DIOXIDE, HEAT TRANSFER, ANTARCTICA—AMUNDSEN SEA, ANTARCTICA—ROSS SEA.
In constructing models for predicting antarctic sea ice effect on global climate, temperature and wind fields over and below the pack ice must be analyzed. These elements affect the maximum extent of the ice pack and the ice dynamics in the pack strongly modulates the CO2-induced temperature rises. These factors are discussed in text and diagrams

MP 1819
TRANSPORT OF WATER IN FROZEN SOIL: 5, METHOD FOR MEASURING THE VAPOR DIFFUSIVITY WHEN ICE IS ABSENT.
Nakano, Y., et al, Dec. 1984, Vol.7, p.172-179, 12 refs.
Tice, A.R., Jenkins, T.F.
39-1719
FROZEN GROUND, SOIL WATER MIGRATION, WATER TRANSPORT, VAPOR DIFFUSION, EXPERIMENTATION.
A new experimental method is introduced for determining the relative magnitudes of liquid and vapor diffusion by using a small amount of soluble chemical as a tracer The theoretical justification of the method is presented for the case where ice is absent The feasibility of the method is demonstrated by an experiment using marine-deposited clay.

MP 1820
LONG-TERM EFFECTS OF OFF-ROAD VEHICLE TRAFFIC ON TUNDRA TERRAIN.
Abele, G., et al, 1984, 21(3), p.283-294, 10 refs.
Brown, J., Brewer, M.C
39-1586
AIR CUSHION VEHICLES, TRACKED VEHICLES, TUNDRA, DAMAGE, ACTIVE LAYER, VEGETATION, PERMAFROST, ENVIRONMENTAL IMPACT, THAW DEPTH, TESTS.
Traffic tests were conducted at two sites in northern Alaska with an air cushion vehicle, two light tracked vehicles, and three types of wheeled Rolligon vehicles The traffic impact (surface depression, effect on thaw depth, damage to vegetation, traffic signature visibility) was monitored for periods of up to 10 years Data show the immediate and long-term effects from the various types of vehicles for up to 50 traffic passes and the rates of recovery of the active layer The air cushion vehicle produced the least impact Multiple passes with the Rolligons caused longer-lasting damage than the light tracked vehicles because of their higher ground contact pressure and wider area of disturbance Recovery occurs even if the initial depression of the tundra surface by a track or a wheel is quite deep (15 cm), as long as the organic mat is not sheared or destroyed

MP 1821
DISCUSSION: ELECTROMAGNETIC PROPERTIES OF SEA ICE BY R.M. MOREY, A. KOVACS AND G.F.N. COX.
Arcone, S A., Nov. 1984, 10(1), p.93-94, For paper being discussed see 39-332 (MP 1776). 1 ref.
39-1626
ICE ELECTRICAL PROPERTIES, ELECTROMAGNETIC PROPERTIES, SEA ICE, ICE RELAXATION.

MP 1822
AUTHORS' RESPONSE TO DISCUSSION ON: ELECTROMAGNETIC PROPERTIES OF SEA ICE.
Morey, R.M , et al, Nov. 1984, 10(1), p.95-97, For original paper see 39-332 (MP 1776), for discussion by S A. Arcone, see 39-1626 (MP 1821). 1 ref.
Kovacs, A., Cox, G.F N.
39-1627
ICE ELECTRICAL PROPERTIES, ELECTROMAGNETIC PROPERTIES, SEA ICE, ICE RELAXATION, ELECTRICAL RESISTIVITY

MP 1823
PROBABILITY MODELS FOR ANNUAL EXTREME WATER-EQUIVALENT GROUND SNOW.
Ellingwood, B , et al, June 1984, 112(6), p.1153-1159, 12 refs
Redfield, R.K
39-1740
SNOW WATER EQUIVALENT, SNOW LOADS, ROOFS, STATISTICAL ANALYSIS, DESIGN
A statistical analysis of annual extreme water equivalents of ground snow (reported as inches of water) measured up through the winter of 1979-80 at 76 weather stations in the northeast quadrant of the United States is presented

The analysis suggests that probability distributions with longer upper tails than the Type I distribution of extreme values are preferable for describing the annual extremes at a majority of sites Sampling errors and the selection of water-equivalents for planning and design purposes also are described.

MP 1824
ICE FLOW LEADING TO THE DEEP CORE HOLE AT DYE 3, GREENLAND.
Whillans, I.M., et al, 1984, Vol.5, p.185-190, 12 refs.
Jezek, K.C., Drew, A.R., Gundestrup, N.
39-196
ICE MECHANICS, RHEOLOGY, BOREHOLES, ICE BOTTOM SURFACE, RADIO ECHO SOUNDINGS, ICE COVER THICKNESS, VELOCITY, GREENLAND.

MP 1825
LABORATORY INVESTIGATION OF THE KINETIC FRICTION COEFFICIENT OF ICE.
Forland, K.A., et al, IAHR International Symposium on Ice, 7th, Hamburg, F.R.G., Aug 27-31, 1984. Proceedings, Vol.1, [1984], p.19-28, 11 refs
Tatinclaux, J.C.
39-1752
ICE FRICTION, ICE LOADS, ICE MECHANICS, ICE HARDNESS, ICE SOLID INTERFACE, SURFACE ROUGHNESS, EXPERIMENTATION, TEMPERATURE EFFECTS, SHEAR STRESS.
In the growing field of ice engineering there is a need to establish standardized model tests of structures for use in environments. This study was designed to investigate the relative influence of various parameters on the kinetic friction coefficient between ice and different surfaces and determine which of those variables would need future, in-depth investigation. Friction tests were performed with urea-doped, columnar ice, and the parameters of normal pressure, velocity, type of material, material roughness, ice hardness and test configuration were studied. Tests were conducted by pulling a loaded sample of ice over a sheet of material and by pulling a loaded sample of material over an ice sheet. An ambient temperature of -1.5C was maintained throughout the testing process, and the ice surface hardness was measured using a specially designed apparatus The experimental results of the friction tests revealed that the behavior of the friction coefficient with varying velocity was significantly influenced by the test configuration and material roughness. Its magnitude was also affected by varying normal pressure, ice hardness, surface roughness and type of material

MP 1826
FLEXURAL STRENGTHS OF FRESHWATER MODEL ICE.
Gow, A.J, IAHR International Symposium on Ice, 7th, Hamburg, F R G., Aug. 27-31, 1984. Proceedings, Vol.1, [1984], p.73-82, 4 refs.
39-1757
ICE STRENGTH, FLEXURAL STRENGTH, LAKE ICE, ICE CRYSTAL STRUCTURE, ICE TEMPERATURE, GRAIN SIZE, TESTS.
In this paper we present results of small beam tests performed on simulated lake ice corresponding in structure to the two major ice types, S1 and S2, encountered in lake ice covers. In these tests a combination of cantilever and simply supported beams was used to ascertain the dependence of flexural strength of the ice on its structure and temperature It was found that macrocrystalline (S1) ice and columnar (S2) ice exhibit significant differences in bending strength and that substantial stress concentrations exist at the fixed corners of cantilever beams Differences in response of S1 and S2 ice to bending forces clearly reflect variations in grain size, crystal orientation, temperature, and temperature gradient in the simulated ice, and these factors must be carefully considered when interpreting results of tests of the flexural strength of natural ice covers

MP 1827
ICEBREAKING BY GAS BLASTING.
Mellor, M., IAHR International Symposium on Ice, 7th, Hamburg, F.R.G., Aug. 27-31, 1984. Proceedings, Vol.1, [1984], p 93-102, 6 refs
39-1759
ICE BLASTING, ICE BREAKING, HIGH PRESSURE TESTS, ICE COVER THICKNESS, GASES, TESTS, ICE LOADS, HYDRAULIC STRUCTURES, EQUIPMENT.
Icebreaking tests utilizing high pressure air and CO(2), low pressure air, and fuel/oxidant combustion are reviewed and the results are interpreted Applying cube root energy scaling to test discharges of approximately 1 MJ, it appears that fracture craters up to about 5.8 m/MJ(1/3) in diameter can be formed by optimum underwater blasts Practical systems for clearing or displacing ice could be based on air guns developed for offshore seismic work, with gun pressure in the range 17-20 MPa and single-gun energy up to about 11 MJ A procedure for making preliminary design calculations and safety appraisals is outlined, and it is concluded that a working "Super-Bubbler" need not be very complex or expensive

MP 1828
QUIET FREEZING OF LAKES AND THE CONCEPT OF ORIENTATION TEXTURES IN LAKE ICE SHEETS.
Gow, A.J., IAHR International Symposium on Ice, 7th, Hamburg, F.R.G., Aug. 27-31, 1984. Proceedings, Vol.1, [1984], p.137-149, 6 refs.
39-1763
LAKE ICE, ICE CRYSTAL STRUCTURE, ICE NUCLEI, FREEZING, TURBULENCE, TESTS.
Several years' observations of the crystalline structure of ice sheets forming on a number of New England lakes indicate that just two major types of congelation ice are formed during quiet (non-turbulent) freezing of lake water These are. (i) ice sheets characterized by the growth of massive prismatic crystals exhibiting vertical or near-vertical c-axes probably equivalent to so-called S1 ice and (2) ice sheets composed predominantly of vertically elongated crystals exhibiting horizontally oriented c-axes, so-called columnar ice or S2 ice In this context of quiet freezing of lakes it was also determined that columnar textures are always associated with horizontal c-axis orientations of the crystals, whereas the development of c-axis vertical orientation is invariably linked with the growth of massive crystals. These observations have fostered the concept of orientation textures.

MP 1829
DYNAMICS OF FRAZIL ICE FORMATION.
Daly, S.F., et al, IAHR International Symposium on Ice, 7th, Hamburg, F.R.G , Aug. 27-31, 1984. Proceedings, Vol.1, [1984], p.161-172, 10 refs.
Stolzenbach, K.D.
39-1765
FRAZIL ICE, ICE CRYSTAL GROWTH, HEAT TRANSFER, MATHEMATICAL MODELS, MASS TRANSFER, SURFACE PROPERTIES, ICE CRYSTAL NUCLEI.
This paper applies quantitative approaches of large-scale industrial crystallization to the study of frazil ice The development of a crystal number continuity equation and a heat conservation equation can serve as a basis for predicting size distribution and concentration of frazil crystals The key parameters in these equations are the crystal growth rate and the rate of secondary nucleation The crystal growth rate is determined by the heat transfer rate from the crystals to the fluid, the intrinsic kinetics of the crystals, surface tension, and the mass transfer rates Available data indicate that the growth of the major axis of frazil crystals is controlled largely by heat transfer The heat transfer expression for disks suspended in turbulent flow is presented The rate of secondary nucleation can be expressed as the product of three functions, which relate the energy transferred to crystals by collision and the number of surviving crystals produced by the collision The secondary nucleation rate is found to be a function of the turbulent energy dissipation and a strongly nonlinear function of the form and magnitude of the crystal size distribution The number continuity and heat conservation equations are troublesome to solve simultaneously because they are nonlinear and dimensionally incompatible. However, the equations can be used in the development of models of frazil ice formation.

MP 1830
FIELD INVESTIGATION OF ST. LAWRENCE RIVER HANGING ICE DAMS.
Shen, H.T., et al, IAHR International Symposium on Ice, 7th, Hamburg, F.R G , Aug. 27-31, 1984. Proceedings, Vol.1, [1984], p 241-249, 12 refs.
Van DeValk, W.A.
39-1772
ICE DAMS, RIVER ICE, ICE SURVEYS, RIVER FLOW, CHANNELS (WATERWAYS), BOTTOM TOPOGRAPHY, CANADA—SAINT LAWRENCE RIVER.
A field survey of a hanging ice dam in the St Lawrence River is reported Cross section profiles of the dam, the channel geometry, and velocity profiles underneath the dam were measured Formation processes of hanging dams are discussed and supported by field observations.

MP 1831
METHODS OF ICE CONTROL FOR WINTER NAVIGATION IN INLAND WATERS.
Frankenstein, G.E , et al, IAHR International Symposium on Ice, 7th, Hamburg, F.R.G., Aug. 27-31, 1984 Proceedings, Vol.1, [1984], p.329-337, 11 refs.
Wortley, C A.
39-1780
ICE NAVIGATION, ICE CONTROL, RIVER ICE, PORTS, WINTER MAINTENANCE, ICE BREAKING, THERMAL EFFECTS, ICE REMOVAL, ICE BOOMS.
Successful methods of controlling ice in rivers and harbors where winter navigation is maintained are described. These methods are developed from field and laboratory research studies and from operating experiences The control of ice is achieved through layout and design of harbor facilities, management of traffic operations, and by using chemical, electrical, mechanical, and thermal methods including ice breaking, channel and flow modifications, air bubbling, warm water discharges, resistance heating, coatings, and control structures. The control methods used must be evaluated in terms of reliability, safety, energy consumption, and environmental impact for costs and effectiveness for both docks and harbors. Thermal methods and mechanical methods are most favored by these criteria.

MP 1832
ICE SHEET RETENTION STRUCTURES.
Perham, R.E., IAHR International Symposium on Ice, 7th, Hamburg, F.R.G., Aug. 27-31, 1984. Proceedings, Vol.1, [1984], p.339-348, 20 refs.
39-1781
ICE CONTROL, STRUCTURES, ICE SHEETS, ICE BOOMS, ICE FORMATION, ICE COVER, COUNTERMEASURES, WATER FLOW.
Ice sheets are formed and retained in several ways in nature, and an understanding of these factors is needed before most ice sheet retention structures can be successfully applied. Many retention structures float and are somewhat flexible, others are fixed and rigid or semirigid An example of the former is the Lake Erie boom and of the latter, the Montreal ice control structure Ice sheet retention technology is changing. The use of timber cribs is gradually but not totally giving way to sheet steel pilings and concrete cells New structures and applications are being tried, but with caution. Ice-hydraulic analyses are helpful in predicting the effects of structures and channel modifications on ice cover formation and retention Often, varying the flow rate in a particular system at the proper time will make the difference between whether a structure will or will not retain ice The structure, however, invariably adds reliability to the sheet ice retention process

MP 1833
ANALYSIS OF RAPIDLY VARYING FLOW IN ICE-COVERED RIVERS.
Ferrick, M.G , IAHR International Symposium on Ice, 7th, Hamburg, F.R.G., Aug. 27-31, 1984. Proceedings, Vol.1, [1984], p.359-368, 6 refs.
39-1783
RIVER FLOW, RIVER ICE, ICE COVER EFFECT, ICE BREAKUP, WATER WAVES, FRICTION, EXPERIMENTATION, ICE JAMS, ICEBOUND RIVERS.
Rapidly varying flow waves are a primary cause of ice cover breakup on rivers Due to the presence of ice and the difficulties involved in determining conditions in the field, analyses of river waves during breakup are subject to much uncertainty We conducted laboratory experiments to determine the effects of the ice cover upon these waves, and to identify the physical processes that produce these effects The dimensionless friction scaling parameter of the St Venant equations provides a quantitative estimate of the friction/inertia balance that dictates river wave behavior Knowledge of this balance is essential to interpretation and analysis of flow wave data. In this paper we apply the friction parameter in our interpretation of the laboratory data and address discrepancies between data and previous analyses of an ice jam release on the Athabasca River.

MP 1834
CRUSHING ICE FORCES ON CYLINDRICAL STRUCTURES.
Morris, C.E., et al, IAHR International Symposium on Ice, 7th, Hamburg, F.R.G., Aug. 27-31, 1984. Proceedings, Vol.2, [1984], p.1-9, 19 refs
Sodhi, D.S.
39-1787
ICE PRESSURE, STRUCTURES, ICE SOLID INTERFACE, COMPRESSIVE PROPERTIES, ICE COVER THICKNESS, PILES, ICE LOADS, ICE STRENGTH, VELOCITY, EXPERIMENTATION.
The parameters varied during the experimental program were structure diameter and velocity Maximum ice forces were normalized by the product of structure diameter, ice thickness and unconfined compressive strength of the ice The results show that ice forces depend significantly on aspect ratio and velocity-to-thickness ratio, and that variations in velocity-to-structure-diameter ratio does not influence the maximum normalized forces

MP 1835
CRYSTALLINE STRUCTURE OF UREA ICE SHEETS USED IN MODELING IN THE CRREL TEST BASIN.
Gow, A.J., IAHR International Symposium on Ice, 7th, Hamburg, F R G , Aug 27-31, 1984 Proceedings, Vol 2, [1984], p 241-253, 13 refs.
39-1807
ICE CRYSTAL STRUCTURE, UREA, ARTIFICIAL ICE, MICROSTRUCTURE, ICE MODELS, SEA ICE, ICE STRENGTH, ICE SHEETS, TESTS.
Standard petrographic techniques were used for studying microstructure in thin sections of urea ice sheets now being used extensively in the CRREL Test Basin for modeling sea ice Depending mainly on the seeding techniques employed and partly on the thermal condition in the column of urea-doped water two kinds of ice with radically different structural and mechanical properties have been identified In the one exhibiting vertical c-axis structure minimal urea is incorporated into the ice crystals, and ice sheets with this kind of structure tend to remain strong even after the temperature of the ice is raised close to its melting point Ice of the second type is characterized by a prepond-

erance of crystals exhibiting horizontal c-axes. This kind of ice, which is only produced when the test basin is seeded prior to freezing, also contains abundant inclusions of urea systematically incorporated into the crystals; the overall columnar structure of this ice closely resembles that of ordinary sea ice and optimum test conditions for modeling purposes are usually obtained with warm isothermal ice sheets of the latter type.

MP 1836
EVALUATION OF A BIAXIAL ICE STRESS SENSOR.
Cox, G.F.N., IAHR International Symposium on Ice, 7th, Hamburg, F.R.G., Aug. 27-31, 1984. Proceedings, Vol.2. (1984), p.349-361.
39-1816
ICE LOADS, STRESSES, MEASURING INSTRUMENTS, TESTS
Controlled laboratory tests were performed to evaluate the response of a cylindrical, biaxial ice stress sensor The tests demonstrate that the sensor has a low temperature sensitivity and is not significantly affected by differential thermal expansion between the ice and gauge Loading tests on fresh water and saline ice blocks containing the embedded sensor show that the sensor has a resolution of 20 kPa and an accuracy of better than 15% under a variety of uniaxial and biaxial loading conditions

MP 1837
STRUCTURE OF FIRST-YEAR PRESSURE RIDGE SAILS IN THE PRUDHOE BAY REGION.
Tucker, W.B., et al, Alaskan Beaufort Sea ecosystems and environments Edited by P.W. Barnes, D.M. Schell and E. Reimnitz, Orlando, FL, Academic Press, 1984, p.115-135, 25 refs.
Sodhi, D.S., Govoni, J.W.
39-1873
PRESSURE RIDGES, ICE STRUCTURE, SEA ICE, ICE COVER THICKNESS, ICE SHEETS, MODELS, ICE PILEUP, UNITED STATES—ALASKA—PRUDHOE BAY.

MP 1838
SOME PROBABILISTIC ASPECTS OF ICE GOUGING ON THE ALASKAN SHELF OF THE BEAUFORT SEA.
Weeks, W.F., et al, Alaskan Beaufort Sea. ecosystems and environments. Edited by P.W. Barnes, D.M Schell and E. Reimnitz, Orlando, FL, Academic Press, 1984, p 213-236, 23 refs.
Barnes, P.W., Rearic, D.M., Reimnitz, E.
39-1877
ICE SCORING, PRESSURE RIDGES, BOTTOM TOPOGRAPHY, OCEAN BOTTOM, STATISTICAL ANALYSIS, OFFSHORE STRUCTURES, DESIGN, BOTTOM SEDIMENT, PIPELINES, BEAUFORT SEA.

MP 1839
DETERMINING DISTRIBUTION PATTERNS OF ICE-BONDED PERMAFROST IN THE U.S. BEAUFORT SEA FROM SEISMIC DATA.
Neave, K.G., et al, Alaskan Beaufort Sea. ecosystems and environments. Edited by P.W. Barnes, D.M Schell and E. Reimnitz, Orlando, FL, Academic Press, 1984, p.237-258, 24 refs.
Sellmann, P.V.
39-1878
SUBSEA PERMAFROST, SEISMIC VELOCITY, PERMAFROST DISTRIBUTION, EXPLORATION, CRUDE OIL, SEISMIC REFRACTION, VELOCITY, TEMPERATURE DISTRIBUTION, DETECTION, BEAUFORT SEA.

MP 1840
USE OF SIMILARITY SOLUTIONS FOR THE PROBLEM OF A WETTING FRONT—A QUESTION OF UNIQUE REPRESENTATION.
Nakano, Y., Sep. 1982, Vol.5, p.156-166, 30 refs.
39-1937
SEEPAGE, WATER, POROUS MATERIALS, SOIL PHYSICS, SOIL WATER MIGRATION, FLOW RATE, ANALYSIS (MATHEMATICS).
The use of similarity solutions for the problem of horizontal infiltration of water into a semi-infinite, dry and homogeneous porous medium is studied based upon some recent results of functional analysis It is found that the so-called non-unique representation of reported experimental moisture profiles for this problem is not necessarily evidence against the validity of the extended Darcy's law for unsaturated flow through porous media

MP 1841
TRANSPORT OF WATER IN FROZEN SOIL: 3. EXPERIMENTS ON THE EFFECTS OF ICE CONTENT.
Nakano, Y., et al, Mar.1984, Vol.7, p.28-34, 5 refs.
Tice, A.R., Oliphant, J.L.
39-1945
WATER TRANSPORT, FROZEN GROUND, GROUND ICE, SOIL WATER MIGRATION, WATER VAPOR, WATER CONTENT, EXPERIMENTATION.
Effects of ice content on the transport of water in frozen soil are studied experimentally and theoretically under isothermal conditions A physical law, that the flux of water in unsaturated frozen soil is proportional to the gradient of total water content, is proposed. Theoretical justification is made by the use of the two-phase flow theory. The experimental results are shown to support the proposed physical law. The results of this study are presented in two parts The experimental aspects of the study are presented in this paper and the second paper contains the theoretical aspects of the study.

MP 1842
ROLE OF HEAT AND WATER TRANSPORT IN FROST HEAVING OF FINE-GRAINED POROUS MEDIA UNDER NEGLIGIBLE OVERBURDEN PRESSURE.
Nakano, Y., et al, June 1984, Vol.7, p.93-102, 18 refs.
Horiguchi, K.
39-1936
FROST HEAVE, HEAT TRANSFER, WATER TRANSPORT, SOIL WATER MIGRATION, POROUS MATERIALS, WATER INTAKES, GRAIN SIZE, FINES.
An equation accurately describing the rate of frost heave is derived by using the mixture theory of continuum mechanics It is shown that the rate of frost heave is determined mainly by the rate of heat removal and the rate of water intake When the phase equilibrium holds in the system, the relation between the rate of heat removal and the rate of water intake is shown to depend mainly on the phase composition data of a given medium. By studying reported experimental data, it is found that the phase equilibrium may hold until the rate of heat removal reaches a certain critical value. When the rate of heat removal exceeds this critical value, the phase equilibrium may possibly be disrupted for some media.

MP 1843
TRANSPORT OF WATER IN FROZEN SOIL: 4. ANALYSIS OF EXPERIMENTAL RESULTS ON THE EFFECTS OF ICE CONTENT.
Nakano, Y., et al, June 1984, Vol.7, p.58-66, 19 refs.
Tice, A.R , Oliphant, J.L.
39-1946
WATER TRANSPORT, FROZEN GROUND, GROUND ICE, SOIL WATER MIGRATION, DIFFUSION, ANALYSIS (MATHEMATICS)
Effects of ice content on the transport of water in frozen soil are studied experimentally and theoretically under isothermal conditions A physical law, that the flux of water in unsaturated frozen soil is proportional to the gradient of total water content is proposed Theoretical justification is made by the use of the two-phase flow theory The experimental results are shown to support the proposed physical law The results of this study are presented in two parts and this is the second paper describing the theoretical aspects of the study.

MP 1844
RHEOLOGY OF GLACIER ICE.
Jezek, K.C., et al, Mar. 15, 1985, 227(4692), p.1335-1337, 13 refs.
Alley, R.B , Thomas, R.H.
39-1942
GLACIER ICE, RHEOLOGY, ICE SHELVES, STRAINS, ICE MECHANICS, ANTARCTICA—ROSS ICE SHELF.
A new method for calculating the stress field in bounded ice shelves is used to compare strain rate and deviatoric stress on the Ross Ice Shelf, Antarctica The analysis shows that strain rate (per second) increases as the third power of deviatoric stress (in newtons per square meter), with a constant of proportionality equal to 2.3 x 10 to the -25th power (Auth.)

MP 1845
SITE-SPECIFIC AND SYNOPTIC METEOROLOGY.
Bates, R.E., June 1983, SR 83-16, SNOW-ONE-B data report, p.13-80, ADB-088 224.
39-1952
SYNOPTIC METEOROLOGY, SNOWFALL, METEOROLOGICAL DATA, SNOW COVER, SNOW CRYSTAL STRUCTURE, WIND VELOCITY, AIR MASSES, STATISTICAL ANALYSIS.

MP 1846
ATMOSPHERIC TURBULENCE MEASUREMENTS AT SNOW-ONE-B.
Andreas, E.L , June 1983, SR 83-16, SNOW-ONE-B data report, p 81-87, ADB-088 224.
39-1953
ATMOSPHERIC CIRCULATION, SNOWFALL, SPECTRA, REFRACTION, TURBULENCE, ELECTROMAGNETIC PROPERTIES, MEASURING INSTRUMENTS.

MP 1847
SNOW CHARACTERIZATION AT SNOW-ONE-B.
Berger, R.H., et al, June 1983, SR 83-16, SNOW-ONE-B data report, p.155-195, ADB-088 224, 2 refs.
Fisk, D., Koh, G., Lacombe, J.
39-1955
ICE CRYSTAL STRUCTURE, SNOW CRYSTAL STRUCTURE, SNOW CRYSTAL GROWTH, SNOW COVER DISTRIBUTION, PARTICLE SIZE DISTRIBUTION, SNOWFALL, TEMPERATURE EFFECTS, HUMIDITY, STATISTICAL ANALYSIS.

MP 1848
SUMMARY OF THE STRENGTH AND MODULUS OF ICE SAMPLES FROM MULTI-YEAR PRESSURE RIDGES.
Cox, G.F.N , et al, Mar. 1985, 107(1), p.93-98, 14 refs.
For another source see 38-2035.
Richter, J.A., Weeks, W.F., Mellor, M.
39-2082
PRESSURE RIDGES, ICE STRENGTH, COMPRESSIVE PROPERTIES, STRAINS, TEMPERATURE EFFECTS, POROSITY, TESTS.
Over two hundred unconfined compression tests were performed on vertical ice samples obtained from 10 multi-year pressure ridges in the Beaufort Sea The tests were performed on a closed-loop electrohydraulic testing machine at two strain rates 1/100,000 and 1/1,000/s and two temperatures (-20 and -5C) This paper summarizes the sample preparation and testing techniques used in the investigation and presents data on the compressive strength and initial tangent modulus of the ice

MP 1849
PRELIMINARY EXAMINATION OF THE EFFECT OF STRUCTURE ON THE COMPRESSIVE STRENGTH OF ICE SAMPLES FROM MULTI-YEAR PRESSURE RIDGES.
Richter, J A , et al, Mar. 1985, 107(1), p.99-102, 9 refs.
For another source see 38-2037 (MP 1685).
Cox, G.F.N.
39-2083
PRESSURE RIDGES, ICE CRYSTAL STRUCTURE, ICE STRENGTH, COMPRESSIVE PROPERTIES, STRAINS, SEA ICE, TEMPERATURE EFFECTS, POROSITY, TESTS.
A series of 222 uniaxial constant-strain-rate compression tests was performed on vertical multi-year pressure ridge sea ice samples A preliminary analysis of the effect of structure on the compressive strength of the ice was performed on 78 of these tests Test parameters included a temperature of -5C (23F) and strain rates of 1/100,000 and 1/1,000/s Columnar ice loaded parallel to the elongated crystal axes and perpendicular to the crystal c-axis was consistently the strongest type of ice The strength of the columnar samples decreased significantly as the orientation of the elongated crystals approached the plane of maximum shear Samples containing granular ice or a mixture of granular and columnar ice resulted in intermediate and low strength values No clear relationship could be established between structure and strength for these ice types However, in general, their strength decreased with an increase in porosity

MP 1850
DESIGN AND PERFORMANCE OF WATER-RETAINING EMBANKMENTS IN PERMAFROST.
Sayles, F.H., International Conference on Permafrost, 4th, Fairbanks, Alaska, July 17-22, 1983 Final proceedings, Washington, D.C., National Academy Press, 1984, p.31-42, Refs. p.40-42
39-2124
PERMAFROST BENEATH STRUCTURES, WATER RETENTION, DAMS, GROUND THAWING, FREEZE THAW CYCLES, EMBANKMENTS, MAINTENANCE, DESIGN, PERMAFROST THERMAL PROPERTIES, ARTIFICIAL FREEZING, SOIL FREEZING, COLD WEATHER CONSTRUCTION.
To date, the water-retaining structures constructed and maintained on permafrost in North America have been designed and built using a combination of soil mechanics principles for unfrozen soils and unproven permafrost theory In the USSR, at least five sizeable hydroelectric and water supply embankment dams as well as several small water supply embankment dams have been constructed and maintained on permafrost The larger dams are understood to have performed well, but the smaller dams have been a mix of successes and failures Specific criteria are still

lacking for design, operation, and post-construction monitoring of water-retaining embankments founded on permafrost The purpose of this presentation is to review the current practice, point out how it is deficient, and note what major problems need attention.

MP 1851
STATUS OF NUMERICAL MODELS FOR HEAT AND MASS TRANSFER IN FROST-SUSCEPTIBLE SOILS.
Berg, R.L., International Conference on Permafrost, 4th, Fairbanks, Alaska, July 17-22, 1983. Final proceedings, Washington, D.C., National Academy Press, 1984, p.67-71, Refs. p.69-71.
39-2130
PERMAFROST THERMAL PROPERTIES, FROST RESISTANCE, HEAT TRANSFER, MASS TRANSFER, THERMAL CONDUCTIVITY, FROST HEAVE, MATHEMATICAL MODELS, HYDRAULICS, LATENT HEAT, MOISTURE TRANSFER, BOUNDARY LAYER.

MP 1852
SUBSEA PERMAFROST DISTRIBUTION ON THE ALASKAN SHELF.
Sellmann, P.V., et al, International Conference on Permafrost, 4th, Fairbanks, Alaska, July 17-22, 1983. Final proceedings, Washington, D.C., National Academy Press, 1984, p.75-82, 30 refs.
Hopkins, D.M.
39-2131
SUBSEA PERMAFROST, PERMAFROST DISTRIBUTION, PERMAFROST THERMAL PROPERTIES, PERMAFROST DEPTH, OCEAN BOTTOM, WATER TEMPERATURE, SHORES, SEISMIC SURVEYS, BOTTOM SEDIMENT, CHUKCHI SEA, BEAUFORT SEA.

MP 1853
LABORATORY TESTS AND ANALYSIS OF THERMOSYPHONS WITH INCLINED EVAPORATOR SECTIONS.
Zarling, J.P., et al, International Offshore Mechanics and Arctic Engineering Symposium, 4th, Dallas, Texas, Feb. 17-21, 1985. Proceedings, Vol.2, New York, American Society of Mechanical Engineers, 1985, p.31-37, 16 refs.
Haynes, F.D.
39-2392
SUBGRADE SOILS, COOLING, EVAPORATION, HEAT TRANSFER, THERMAL CONDUCTIVITY, WIND TUNNELS, WIND VELOCITY, AIR TEMPERATURE, FOUNDATIONS, GRAVEL, ANALYSIS (MATHEMATICS).
Subgrade cooling methods in cold regions include the use of thermosyphons with inclined evaporator sections. This laboratory study was conducted to determine the thermal performance characteristics of a thermosyphon Evaporator inclination angles ranged from 0 to 12 deg from the horizontal. A standard full size thermosyphon, charged with carbon dioxide, was tested in CRREL's atmospheric wind tunnel. Empirical expressions are presented for heat removal rates as a function of wind speed and ambient air temperature for each of the inclined evaporator angles An approximate analytical method is also presented for foundation thermal design using thermosyphons under buildings with a slab-on-grade foundation Heat gains from the slab to the thermosyphon as well as the evaporator temperature are presented as functions of time.

MP 1854
FREEZING OF SOIL WITH PHASE CHANGE OCCURRING OVER A FINITE TEMPERATURE ZONE.
Lunardini, V.J., International Offshore Mechanics and Arctic Engineering Symposium, 4th, Dallas, Texas, Feb. 17-21, 1985 Proceedings, Vol.2, New York, American Society of Mechanical Engineers, 1985, p.38-46, 10 refs.
39-2393
SOIL FREEZING, PHASE TRANSFORMATIONS, TEMPERATURE DISTRIBUTION, ANALYSIS (MATHEMATICS), FREEZE THAW CYCLES, UNFROZEN WATER CONTENT, THERMAL CONDUCTIVITY.
While many materials undergo phase change at a fixed temperature, soil systems exhibit a definite zone of phase change The variation of unfrozen water with temperature causes the soil to freeze or thaw over a finite temperature range Exact and approximate solutions are given for conduction phase change of plane layers of soil with water contents that vary linearly, quadratically, and exponentially with temperature The temperature and phase change depths are found to vary significantly from those of the constant temperature or Neumann problem

MP 1855
DETERMINING THE CHARACTERISTIC LENGTH OF FLOATING ICE SHEETS BY MOVING LOADS.
Sodhi, D.S., et al, International Offshore Mechanics and Arctic Engineering Symposium, 4th, Dallas, Texas, Feb. 17-21, 1985. Proceedings, Vol.2, New York, American Society of Mechanical Engineers, 1985, p.155-159, 6 refs.
Martinson, C.R., Tucker, W.B.
39-2408
FLOATING ICE, ICE SHEETS, ICE COVER THICKNESS, DYNAMIC LOADS, ICE DEFORMATION, VELOCITY, TESTS.
To determine the characteristic length of a floating ice sheet, the deflection of the ice sheet must be measured in response to a known load Deflection measurements with a deflectometer require reference to a fixed datum. A simple deflection measuring technique is described here that is based on integration of the response of a sensitive slope transducer to a moving load at constant speed. This procedure does not require reference to a fixed datum, instead the gravitational field acts as the datum The characteristic lengths obtained from the slope-integration method compare very favorably with those obtained from direct measurement of deflections.

MP 1856
TENSILE STRENGTH OF MULTI-YEAR PRESSURE RIDGE SEA ICE SAMPLES.
Cox, G.F.N., et al, International Offshore Mechanics and Arctic Engineering Symposium, 4th, Dallas, Texas, Feb. 17-21, 1985. Proceedings, Vol.2, New York, American Society of Mechanical Engineers, 1985, p.186-193, 20 refs.
Richter-Menge, J.A.
39-2412
PRESSURE RIDGES, ICE STRENGTH, TENSILE PROPERTIES, SEA ICE, STRESS STRAIN DIAGRAMS, TESTS.
Thirty-six constant strain-rate uniaxial tension tests were performed on vertically oriented multi-year pressure ridge samples from the Beaufort Sea. The tests were performed on a closed-loop electro-hydraulic testing machine at two strain rates (1/100000 and 1/1000/s) and two temperatures (-20 and -5C) This paper summarizes the sample preparation and testing techniques used in the investigation and presents data on the tensile strength, initial tangent modulus, and failure strain of the ice.

MP 1857
STRUCTURE, SALINITY AND DENSITY OF MULTI-YEAR SEA ICE PRESSURE RIDGES.
Richter-Menge, J A , et al, International Offshore Mechanics and Arctic Engineering Symposium, 4th, Dallas, Texas, Feb. 17-21, 1985. Proceedings, Vol.2, New York, American Society of Mechanical Engineers, 1985, p.194-198, 11 refs.
Cox, G.F.N.
39-2413
PRESSURE RIDGES, ICE STRUCTURE, ICE SALINITY, ICE DENSITY, SEA ICE, ICE LOADS, PROFILES, BEAUFORT SEA.
Data are presented on the variation of ice structure, salinity, and density in multi-year pressure ridges from the Beaufort Sea. Two continuous multi-year pressure ridge cores are examined as well as ice sample data from numerous other pressure ridges The results suggest that the large scale properties of multi-year pressure ridges are not isotropic, and that the use of anisotropic ridge models may result in lower design ridge ice loads

MP 1858
GRAIN SIZE AND THE COMPRESSIVE STRENGTH OF ICE.
Cole, D.M , International Offshore Mechanics and Arctic Engineering Symposium, 4th, Dallas, Texas, Feb. 17-21, 1985. Proceedings, Vol.2, New York, American Society of Mechanical Engineers, 1985, p 220-226, 15 refs.
39-2416
ICE STRENGTH, COMPRESSIVE PROPERTIES, GRAIN SIZE, STRESS STRAIN DIAGRAMS, TESTS.
This work presents the results of uniaxial compression tests on freshwater polycrystalline ice Grain size of the test material ranged from 1 5 to 5 mm, strain rate ranged from 1/1,000,000 to 1/100/s and the temperature was -5 C The grain size effect emerged clearly as the strain rate increased to 1/100,000/s and persisted to the highest applied strain rates On average, the stated increase in grain size brought about a decrease in peak stress of approximately 31% The occurrence of the grain size effect coincided with the onset of visible cracking The strength of the material increased to a maximum at a strain rate of 1 1,000/s, and then dropped somewhat as the strain rate increased further to 1 100 s Strain at peak stress generally tended to decrease with both increasing grain size and increasing strain rate The results are discussed in terms of the deformational mechanisms which lead to the observed behavior

MP 1859
IN-ICE CALIBRATION TESTS FOR AN ELONGATED, UNIAXIAL BRASS ICE STRESS SENSOR.
Johnson, J.B., International Offshore Mechanics and Arctic Engineering Symposium, 4th, Dallas, Texas, Feb. 17-21, 1985. Proceedings, Vol.2, New York, American Society of Mechanical Engineers, 1985, p.244-249, 8 refs.
39-2420
ICE LOADS, STRESSES, MEASURING INSTRUMENTS, LOADS (FORCES), DESIGN, TESTS.
An elongated, uniaxial brass ice stress sensor has been developed by the University of Alaska and used in several field experiments. Laboratory calibration tests have been conducted, in a 60 x 29 5 x 8 5 in (1524 x 750 x 216 mm) ice block into which the sensor was frozen, to determine the sensor's response characteristics. Test results indicate that the sensor acts as a stress concentrator with a stress concentration factor of 2 4 and transverse sensitivity of -1 3 at stresses below 30 lbf/sq in (207 kPa) At stresses greater than 30 lbf/sq in the stress concentration factor increased and the sensor exhibited a time delay response to load Differences of 22% were measured between the measured sensor stress immediately after a constant ice load was applied and the asymptotic stress limit Interpretation of measured sensor stresses can be considered reliable at ambient ice stress levels below 30 lbf/sq in

MP 1860
CALIBRATING CYLINDRICAL HOT-FILM ANEMOMETER SENSORS.
Andreas, E.L., et al, June 1986, 3(2), p.283-298, Refs. p.298.
Murphy, B.
40-4484
ANEMOMETERS.
We report the results of 82 separate calibrations of cylindrical, platinum hot-film anemometer sensors in air. The calibrations for each sensor involved a determination of its temperature-resistance characteristics, a study of its heat transfer in forced convection, and an investigation of its yaw response. The convective heat transfer relation that we derive predicts the Nusselt number of the sensor as a linear function of R exp. 0 40, where R is the Reynolds number based on sensor diameter (1<R<43) For the 53 micrometer diameter sensors that we used, this heat transfer relation applies to wind speeds typical of the atmospheric surface layer, 1 to 20 m/s. From the heat transfer relation we also devise a method for determining hot-film operating characteristics at temperatures other than the calibration temperature Hinze's relation is the best model for the yaw response of these sensors, being valid over virtually the entire range of yaw angles, 0 to 90 deg Although the yaw parameter k does depend on the flow velocity, that dependence is so weak in the atmospheric surface layer that k can be assumed constant at 0 3.

MP 1861
TECHNIQUE FOR OBSERVING FREEZING FRONTS.
Colbeck, S.C , Jan. 1985, 139(1), p.13-20, 8 refs.
39-2563
ICE WATER INTERFACE, FREEZING, ICE FORMATION, SOIL FREEZING, ICE LENSES, TESTS.
On the basis of observations of freezing fronts and liquid inclusions in liquid-saturated glass beads, a simple technique is described for making these direct observations The ice-water interface at the freezing front was concave when viewed from the ice side, because the glass beads were preferentially wetted by the liquid The size and number of liquid inclusions decreased with distance behind the freezing front. More liquid is trapped by smaller glass beads The liquid inclusions are probably enriched in soluble impurities No tendency for pressure buildup or ice lense formation was observed, perhaps because large particles were used It is very important to extend these observations to other conditions, especially to smaller particle sizes

MP 1862
GRAIN GROWTH AND THE CREEP BEHAVIOR OF ICE.
Cole, D M , Feb. 1985, 10(2), p 187-189, 4 refs.
39-2560
ICE CREEP, ICE CRACKS, ICE FORMATION, GRAIN SIZE, RHEOLOGY, ICE GROWTH, STRAINS, TESTS.

MP 1863
THERMAL (2-5.6 MICRON) EMITTANCE OF DIATHERMANOUS MATERIALS AS A FUNCTION OF OPTICAL DEPTH, CRITICAL ANGLE AND TEMPERATURE.
Munis, R.H., et al, Society of Photo-Optical Instrumentation Engineers. Proceedings, Vol.510. Infrared technology X, Bellingham, WA, 1984, p.209-220, 11 refs.
Marshall, S.J.
39-2842
TEMPERATURE MEASUREMENT, MATERIALS, INFRARED PHOTOGRAPHY, THERMAL RADIATION, OPTICAL PROPERTIES, SPECTRA, REFLECTIVITY, TEMPERATURE EFFECTS, MATHEMATICAL MODELS.
Thermal measurements of the normal emittance of several diathermanous materials were made at 15 2 C, 4 9 C and -5.6 C. Calculations of the total hemispherical emittance were made from normal emittance and plotted against the optical depth. A comparison of these data with a model proposed by Gardon indicates that at near-ambient temperatures they agree very closely. It has been observed that normal emittance is greater than hemispherical emittance by approx. 5% for both weakly and strongly absorbing materials. This is attributable to phase differences in the multiply reflected internal radiation attempting to exit the specimen throughout steradians. Other radiation properties of the materials, i.e. diffuse transmittance, absorption coefficient, and absorption index were calculated.

MP 1864
ATTENUATION AND BACKSCATTER FOR SNOW AND SLEET AT 96, 140, AND 225 GHZ.
Nemarich, J., et al, Dec. 1984, SR 84-35, Snow Symposium, 4th, Hanover, NH, Aug. 14-16, 1984. Proceedings, Vol.1, p.41-52, ADB-090 935, 3 refs.
Wellman, R.J., Gordon, B.E., Hutchins, D.R., Turner, G.A., Lacombe, J.
39-2947
ATTENUATION, SNOWFLAKES, BACKSCATTERING, ICE CRYSTALS, WAVE PROPAGATION, SNOWFALL, RAIN, TRANSMISSION, METEOROLOGICAL FACTORS.
Measurements are reported for attenuation and backscatter at 96, 140, and 225 GHz for falling snow and for mixed snow, sleet, and rain The measurements were made with the Harry Diamond Laboratories Near-Millimeter Wave Mobile Measurement Facility at the SNOW-TWO Test at Grayling, MI, during the winter of 1983-1984. The dependence of the attenuation and backscatter levels on frequency, snow mass concentration, and ground-level air temperature are discussed. Measurements dade at 96 GHz with various combinations of transmitter and receiver polarizations showed no polarization-related effects on the attenuation or backscatter levels.

MP 1865
CATALOG OF SMOKE/OBSCURANT CHARACTERIZATION INSTRUMENTS.
O'Brien, H.W., et al, Dec. 1984, SR 84-35, Snow Symposium, 4th, Hanover, NH, Aug. 14-16, 1984. Proceedings, Vol.1, p.77-82, ADB-090 935.
Bowen, S.L.
39-2950
WAVE PROPAGATION, TRANSMISSION, AIR POLLUTION, ELECTRICAL MEASUREMENT, ATTENUATION, OPTICAL PROPERTIES, SNOWFLAKES, AEROSOLS, DUST, MEASURING INSTRUMENTS, RADIOMETRY, BACKSCATTERING.
The requirement for improved quantification of obscuration parameters is generally recognized by those who attempt to measure, evaluate or predict electro-optical system performance during periods of adverse transmission conditions A broad spectrum of measurement devices, ranging from simple to extremely sophisticated, are presently in use for making obscurant measurements. To minimize duplication of effort and to help disseminate information on the current status of instrumentation, the Project Manager for Smoke/Obscurants tasked the U S. Army Cold Regions Research and Engineering Laboratory with initiating a catalog of instrumentation currently used by government agencies and their contractors to make obscuration measurements

MP 1866
PERFORMANCE OF MICROPROCESSOR-CONTROLLED SNOW CRYSTAL REPLICATOR.
Koh, G., Dec. 1984, SR 84-35, Snow Symposium, 4th, Hanover, NH, Aug. 14-16, 1984. Proceedings, Vol.1, p.107-111, ADB-090 935, 4 refs.
39-2954
SNOW CRYSTAL STRUCTURE, SNOWFALL, TRANSMISSION, ELECTROMAGNETIC PROPERTIES, SNOWFLAKES, ICE CRYSTAL REPLICAS, ARTIFICIAL SNOW.
Changes in snow crystal characteristics during snowstorms are frequently observed A continuous record of these changes is required to study the effect of airborne snow on the transmission properties of electromagnetic energy A continuous snow crystal replicator suitable for this task has been developed and was field- tested at the SNOW II exercise. This replicator, which employs a Formvar technique for snow crystal replication developed by Schaefer (1956) possesses electronic and mechanical features previously unavailable in other replicators and represents a significant improvement in Formvar replication technique. A microprocessor controls the operation of the replicator, resulting in improved quality of snow crystal replicas as well as a decrease in data reduction time This is accomplished by 1) regulating the temperature of a heater bar designed to reduce blushing (condensed moisture on the film which obscures the detailed structures of replicated crystals), 2) ensuring uniform thickness of the Formvar coating by adjusting the flow rate according to film speed, 3) encoding time on the film, and 4) monitoring motion of the film to ensure proper operation of the replicator A description of this instrument is presented and details of its operation at SNOW II are discussed.

MP 1867
NEW METHOD FOR MEASURING THE SNOW-SURFACE TEMPERATURE.
Andreas, E.L., Dec. 1984, SR 84-35, Snow Symposium, 4th, Hanover, NH, Aug. 14-16, 1984. Proceedings, Vol.1, p.161-169, ADB-090 935, 5 refs.
39-2959
SNOW SURFACE TEMPERATURE, HUMIDITY, HYGROMETERS, DEW POINT, SURFACE ROUGHNESS, METEOROLOGICAL DATA, THERMISTORS, ANALYSIS (MATHEMATICS).
Because of the tenuousness of a snow cover, measuring its surface temperature is not easy. The surface is ill-defined and easily disturbed, invasive transducers commonly used for other surfaces may thus be inappropriate for snow A hygrometric method is described for measuring the snow-surface temperature, the advantages are that it is non-invasive and non-radiative and that it depends only weakly on the surface structure. The key assumption is that air at a snow surface is in saturation with the snow, the dew-point temperature of the air is thus T(s), the surface temperature Consequently, under the right conditions, by measuring the dew-point temperature 10 cm above the surface, we, in effect, measure the surface temperature

MP 1868
OVERVIEW OF METEOROLOGICAL AND SNOW COVER CHARACTERIZATION AT SNOW-TWO.
Bates, R.E., et al, Dec. 1984, SR 84-35, Snow Symposium, 4th, Hanover, NH, Aug. 14-16, 1984 Proceedings, Vol.1, p.171-191, ADB-090 935, 6 refs.
O'Brien, H.W.
39-2960
SNOW COVER DISTRIBUTION, SNOW PHYSICS, METEOROLOGICAL DATA, MILITARY OPERATION, SNOW DEPTH, SNOW DENSITY, UNFROZEN WATER CONTENT, TEMPERATURE DISTRIBUTION, GRAIN SIZE, TESTS.
The performance of military airborne down-look systems, regardless of wavelength, depends upon the recognition of differences between target and background features as viewed through an intervening medium. In cold regions the background may consist partially or entirely of snow cover during winter months Prediction or evaluation of system performance under such conditions requires detailed characterization of snow cover, meteorological situation and, in some cases, subsurface features such as soil This paper presents a brief overview of meteorological and snow cover background measurements made at Camp Grayling, Michigan, during SNOW-TWO Eight independent system tests were supported, each of which required meteorological and/or snow-cover "ground-truth" characterization Support was provided at four meteorological sites and seven snow cover characterization locations Methodology is described briefly and a listing given of available data taken by CRREL in support of these tests

MP 1869
APPROACH TO SNOW PROPAGATION MODELING.
Koh, G , Dec 1984, SR 84-35, Snow Symposium, 4th, Hanover, NH, Aug. 14-16, 1984 Proceedings, Vol 1, p.247-259, ADB-090 935, 9 refs
39-2965
SNOWFALL, TRANSMISSIVITY, ATTENUATION, SNOW CRYSTAL STRUCTURE, SOLAR RADIATION, PARTICLE SIZE DISTRIBUTION, ELECTROMAGNETIC PROPERTIES, MATHEMATICAL MODELS, FALLING BODIES, INFRARED RADIATION, RADIATION ABSORPTION.
The attenuation of electromagnetic energy transmitted through falling snow can be determined if sufficient information regarding the physical and optical properties of airborne snow is known Due to the complex and dynamic nature of falling snow the necessary parameters to predict transmission are often difficult to measure Therefore it is necessary to carefully evaluate all the snow properties that are measurable in order to identify some ideal set of snow parameters that can be used to adequately model transmission through falling snow A basic quantitative measurement of falling snow that can be continuously monitored is the mass concentration Thus an approach to modeling transmittance through airborne snow using mass concentration as one of the inputs should be thoroughly investigated This paper explores a potential method of predicting transmittance based on mass concentration measurement, taking into consideration the size and shape of the snow crystals Although the paper focuses on visible radiation the concepts discussed are also applicable to infrared radiation

MP 1870
FORWARD-SCATTERING CORRECTED EXTINCTION BY NONSPHERICAL PARTICLES.
Bohren, C.F., et al, Dec. 1984, SR 84-35, Snow Symposium, 4th, Hanover, NH, Aug. 14-16, 1984. Proceedings, Vol.1, p.261-271, ADB-090 935, 16 refs.
Koh, G.
39-2966
SNOW CRYSTAL STRUCTURE, LIGHT SCATTERING, SNOWFLAKES, WAVE PROPAGATION, PARTICLES, ANALYSIS (MATHEMATICS).
Measured extinction of light by particles, especially those much larger than the wavelength of the light illuminating them, must be corrected for forward scattered light collected by the detector Near-forward scattering by arbitrary nonspherical particles is, according to Fraunhofer diffraction theory, more sharply peaked than that by spheres of equal projected area The difference between scattering by a nonspherical particle and that by an equal-area sphere is greater the more diffusely the particle's projected area is distributed about its centroid Snowflakes are an example of large atmospheric particles that are often highly nonspherical. Calculations of the forward-scattering correction to extinction by ice needles have been made under the assumption that they can be approximated as randomly oriented prolate spheroids (aspect ratio 10-1) The correction factor can be as much as 20% less than that for equal-area spheres depending on the detector's acceptance angle and the wavelength Randomly oriented oblate spheroids scatter more nearly like equal-area spheres

MP 1871
DISCRETE REFLECTIONS FROM THIN LAYERS OF SNOW AND ICE.
Jezek, K.C., et al, Dec. 1984, SR 84-35, Snow Symposium, 4th, Hanover, NH, Aug. 14-16, 1984. Proceedings, Vol.1, p.323-331, ADB-090 935, 11 refs.
Clay, C.S.
39-2971
REMOTE SENSING, SNOW PHYSICS, ICE PHYSICS, REFLECTION, RADAR ECHOES, WAVE PROPAGATION, SNOW ACOUSTICS, ICE ACOUSTICS, ELECTROMAGNETIC PROPERTIES.
A new approach was developed for computing the impulse response of a layered material Our approach is different from other formulations in that we rely on a simple algorithm for polynomial division rather than the usual and more cumbersome matrix schemes Our model is strictly valid for normally incident plane waves and does not allow for dispersion in a lossy material but we can account for geometrical spreading and believe the technique can be adapted for oblique incidence The advantages of our technique are simplicity and the impulse nature of the solution Consequently, we can compute the band limited response of the layered material through a straightforward convolution of the impulse response with any desired source function In this paper, we outline the method and discuss examples of radar waves reflected from layers of snow and ice We suggest the method may be a convenient tool for modelers studying acoustic and electromagnetic reflections from snow and ice cover

MP 1872
EXPLOSIVE OBSCURATION SUB-TEST RESULTS AT THE SNOW-TWO FIELD EXPERIMENT.
Ebersole, J.F., et al, Dec. 1984, SR 84-35, Snow Symposium, 4th, Hanover, NH, Aug. 14-16, 1984. Proceedings, Vol 1, p.347-354, ADB-090 935
Williams, R.R., Bates, R.E.
39-2973
TRANSMISSIVITY, EXPLOSIVES, SNOW COVER, ICE COVER, VISIBILITY, ATTENUATION, TIME FACTOR, EXPLOSION EFFECTS, SANDS, TESTS.
A series of explosive obscuration trials was conducted in January 1984 as a sub-test to the SNOW TWO field experiment conducted in Grayling, MI In this paper, a discussion is presented of the time space-dependent obscuration effects produced by explosives detonated on snow ice ground cover In addition, time space dependent thermal signatures of the resulting craters are presented

MP 1873
SNOW CHEMISTRY OF OBSCURANTS RELEASED DURING SNOW-TWO/SMOKE WEEK VI.
Cragin, J H., Dec 1984, SR 84-35, Snow Symposium, 4th, Hanover, NH, Aug. 14-16, 1984 Proceedings, Vol 1, p 409-416, ADB-090 935
39-2980
SMOKE GENERATORS, SNOW COMPOSITION, CHEMICAL ANALYSIS, SNOWFALL, INFRARED RADIATION, VISIBILITY, PARTICLE SIZE DISTRIBUTION, AEROSOLS

MP 1874
SNOW AND ICE PREVENTION IN THE UNITED STATES.
Minsk, L.D., 1986, 28(1), p.37-42, In Italian with French, German and English summaries.
40-4443
SNOW REMOVAL, ICE REMOVAL, ICE CONTROL, ROAD MAINTENANCE, WINTER MAINTENANCE, COUNTERMEASURES, SNOW ACCUMULATION, CHEMICAL ICE PREVENTION, UNITED STATES.

MP 1875
ANALYSIS OF RIVER WAVE TYPES.
Ferrick, M.G., Feb. 1985, 21(2), p.209-220, 20 refs.
39-3098
WAVE PROPAGATION, RIVER FLOW, ICE JAMS, DAMS, ELECTRIC POWER, FLOODS, RAIN, MATHEMATICAL MODELS.
In this paper we consider long-period, shallow-water waves in rivers that are a consequence of unsteady flow River waves result from hydroelectric power generation or flow control at a dam, the breach of a dam, the formation or release of an ice jam, and rainfall-runoff processes. The Saint-Venant equations are generally used to describe river waves. This paper is an investigation into areas which are fundamental to river wave modeling The analysis is based on the concept that river wave behavior is determined by the balance between friction and inertia The Saint-Venant equations are combined to form a system equation that is written in dimensionless form. The dominant terms of the system equation change with the relative magnitudes of a group of dimensionless scaling parameters that quantify the friction-inertia balance These scaling parameters are continuous, indicating that the various river wave types and the transitions between them form a spectrum

MP 1876
EFFECT OF ICE COVER ON HYDROPOWER PRODUCTION.
Yapa, P.D., et al, Sep. 1984, 110(3), p 231-234, 7 refs.
Shen, H.T.
39-3096
ICE COVER EFFECT, RIVER FLOW, RIVER ICE, WATER LEVEL, DAMS, ICE CONDITIONS, ELECTRIC POWER, ICE SURFACE, ICE COVER STRENGTH, SURFACE ROUGHNESS.

MP 1877
EFFECT OF SAMPLE ORIENTATION ON THE COMPRESSIVE STRENGTH OF MULTI-YEAR PRESSURE RIDGE ICE SAMPLES.
Richter-Menge, J.A., et al, Conference Arctic '85. Proceedings. Civil engineering in the Arctic offshore. Edited by F.L. Bennett and J.L. Machemehl, New York, American Society of Civil Engineers, 1985, p.465-475, 13 refs.
Cox, G.F.N.
39-3196
PRESSURE RIDGES, COMPRESSIVE PROPERTIES, ICE STRENGTH, IMPACT STRENGTH, STRAINS, POROSITY, ICE SAMPLING, BEAUFORT SEA.
Matched pairs of horizontal and vertical sea ice samples were taken from a multi-year pressure ridge in the Beaufort Sea Each pair was tested in uniaxial constant strain-rate compression to evaluate the effect of sample orientation on the compressive strength The results indicate that sample orientation must be considered in the interpretation of ridge compressive strength data

MP 1878
TRIAXIAL COMPRESSION TESTING OF ICE.
Cox, G.F.N., et al, Conference Arctic '85 Proceedings. Civil engineering in the Arctic offshore. Edited by F.L. Bennett and J.L. Machemehl, New York, American Society of Civil Engineers, 1985, p.476-488, 11 refs.
Richter-Menge, J.A.
39-3197
ICE STRENGTH, COMPRESSIVE PROPERTIES, STRESS, STRAIN DIAGRAMS, TESTS, MEASURING INSTRUMENTS
Procedures have been refined for performing constant-strain rate triaxial tests on ice samples The equipment is designed such that the confining pressure axial stress ratio remains constant Sample axial displacements are measured inside the cell on the sample and outside the cell between the cell and the loading piston In addition to reviewing the development of the equipment and testing procedures, data are presented to illustrate the problems of using outside displacement measurements In general, direct axial displacement measurements on the sample are essential to obtain accurate test strain rates and ice moduli This is particularly true for brittle ice at low temperatures, high strain rates, and high confining pressures

MP 1879
SHEAR STRENGTH IN THE ZONE OF FREEZING IN SALINE SOILS.
Chamberlain, E.J., Conference Arctic '85. Proceedings Civil engineering in the Arctic offshore. Edited by F.L. Bennett and J L. Machemehl, New York, American Society of Civil Engineers, 1985, p.566-574, 4 refs.
39-3205
FROZEN GROUND STRENGTH, SALINE SOILS, SHEAR STRENGTH, DEFORMATION, SOIL FREEZING, CLAY SOILS, SANDS, SEA WATER, TEMPERATURE EFFECTS, TESTS.
Laboratory direct shear strength tests were conducted on sand and clay soil samples as they were freezing. Samples prepared with seawater and distilled water were tested in a modified direct shear box at shear plane temperatures ranging from 0 C to -5 C. The shear strengths of the freezing saline clay and sand samples were observed to be significantly less than shear strengths of the fresh water samples. For the clay samples, these shear strength differences could be accounted for principally by the 1.8 C freezing point depression caused by the salts in the sea water, the two shear strength curves nearly paralleling and overlapping each other when plotted versus temperature below freezing In a similar plot for the sands, the two curves diverge considerably from a common strength at 0 C. It is shown that the shear strength reduction of the saline clay soil is principally the result of increased unfrozen water content It is postulated that knowledge of unfrozen water content relationships for frozen saline soils will probably allow better predictive capabilities for the shear strength in the freezing zone.

MP 1880
EXPLORATION OF A RIGID ICE MODEL OF FROST HEAVE.
O'Neill, K., et al, Mar. 1985, 21(3), p.281-296, 29 refs.
Miller, R.D.
39-3276
FROST HEAVE, GROUND ICE, ICE MODELS, ICE LENSES, FREEZING RATE, ICE GROWTH, MATHEMATICAL MODELS, FROZEN GROUND THERMODYNAMICS.
A numerical model is explored which simulates frost heave in saturated, granular, air-free, solute-free soil It is based on equations developed from fundamental thermomechanical considerations and previous laboratory investigations Although adequate data are lacking for strict experimental verification of the model, we note that simulations produce an overall course of events together with significant specific features which are familiar from laboratory experience. Simulated heave histories show proper sensitivities in the shapes and orders of magnitude of output responses and in the relations between crucial factors such as heave rate, freezing rate, and overburden.

MP 1881
SIMILARITY SOLUTIONS OF THE CAUCHY PROBLEM OF HORIZONTAL FLOW OF WATER THROUGH POROUS MEDIA FOR EXPERIMENTAL DETERMINATION OF DIFFUSIVITY.
Nakano, Y., Mar. 1985, 8(1), p.26-31, 23 refs.
39-3379
POROUS MATERIALS, WATER FLOW, DIFFUSION, WATER CONTENT, MATHEMATICAL MODELS, EXPERIMENTATION.
An experimental method for determining diffusivity is studied by using similarity solutions of the Cauchy problem of horizontal flow of water through homogeneous porous media The theoretical justification of the method is presented by applying a mathematical theorem recently derived by Van Duyn Some important aspects of data analysis are discussed by using actual experimental data

MP 1882
NUMERICAL SIMULATION OF NORTHERN HEMISPHERE SEA ICE VARIABILITY, 1951-1980.
Walsh, J.E., et al, May 20, 1985, 90(C3), p 4847-4865, 36 refs.
Hibler, W.D., III, Ross, B.
39-3431
SEA ICE, ENVIRONMENT SIMULATION, SEASONAL VARIATIONS, ICE MODELS, DRIFT, ICE COVER THICKNESS.
The model is run with a daily time step and is forced by interannually varying fields of geostrophic wind and temperature-derived thermodynamic fluxes The results include documentation of the sensitivities to the source of the thermodynamic forcing data and to the number of thickness levels in the thermodynamic formulation The fields of ice velocity and thickness show strong seasonal as well as interannual variability The Pacific gyre is found to be well-developed in spring and autumn but less so in winter and summer The simulated velocities show no bias but considerable scatter relative to the drift of the Arctic buoys in 1979 and 1980 An analysis of the regional mass budgets shows that the normal seasonal cycle is controlled primarily by the thermodynamic processes but that the thickness anomalies in much of the Arctic are attributable primarily to dynamic processes during winter, spring, and autumn Thermodynamic processes contribute more strongly to summer anomalies near the ice edge The tendency for ice anomalies to be advected by the pattern of mean drift is apparent in multiseason lag correlations involving subregions of the Arctic Basin and the peripheral seas (Auth. mod.)

MP 1883
GROWTH AND MECHANICAL PROPERTIES OF RIVER AND LAKE ICE.
Ramseier, R O., Quebec, P.Q., Université Laval, Feb. 1972, 243p., Ph.D. thesis Corrected Oct. 1975. 119 refs.
39-3387
ICE MECHANICS, RIVER ICE, LAKE ICE, ICE GROWTH, ICE CRYSTAL STRUCTURE, ICE PHYSICS, SNOW ICE, TEMPERATURE EFFECTS, METEOROLOGICAL FACTORS, GRAIN SIZE, ICE CREEP, EXPERIMENTATION.

MP 1884
SCIENCE PROGRAM FOR AN IMAGING RADAR RECEIVING STATION IN ALASKA.
Weller, G, et al, Pasadena, CA, U.S. National Aeronautics and Space Administration, Dec. 1, 1983, 45p., 19 refs.
Carsey, F., Holt, B., Rothrock, D.A., Weeks, W.F.
39-3415
REMOTE SENSING, ICE CONDITIONS, STATIONS, RESEARCH PROJECTS, SEA ICE DISTRIBUTION, OCEANOGRAPHY, MARINE GEOLOGY, GLACIOLOGY, VEGETATION, UNITED STATES—ALASKA, ARCTIC OCEAN.
There would be broad scientific benefit in establishing in Alaska an imaging radar receiving station that would collect data from the European Space Agency's Remote Sensing Satellite, ERS-1; this station would acquire imagery of the ice cover from the American territorial waters of the Beaufort, Chukchi, and Bering Seas, this station, in conjunction with similar stations proposed for Kiruna, Sweden, and Prince Albert, Canada, would provide synoptic coverage of nearly the entire Arctic The value of such coverage to aspects of oceanography, geology, glaciology, and botany is considered.

MP 1885
CONTROLLING RIVER ICE TO ALLEVIATE ICE JAM FLOODING.
Deck, D.S., IAHR International Symposium on Ice, 7th, Hamburg, F.R.G., Aug. 27-31, 1984 Proceedings, Vol.3, [1984], p.69-76, 4 refs.
39-3471
ICE CONTROL, RIVER ICE, ICE JAMS, FLOODS, ICE BOOMS, ICE BREAKUP, ICE COVER THICKNESS, MODELS, COUNTERMEASURES.
Many communities affected by ice jam flooding have accepted the event as unpreventable Others have approached their problem as one of open channel flow and implemented standard projects such as channel modifications or dikes to combat their flooding We feel that the best approach is to control the river ice before it poses a problem, by controlling either freeze-up or break-up This paper addresses our involvement at two areas where ice jam flooding has caused severe economic hardship and loss of life. An ice boom has been used to control the formation of river ice at Oil City, Pennsylvania, and a permanent ice control structure will be constructed on Cazenovia Creek in West Seneca, New York, to control the river ice during breakup.

MP 1886
4TH REPORT OF WORKING GROUP ON TESTING METHODS IN ICE.
Earle, E N., et al, IAHR International Symposium on Ice, 7th, Hamburg, F R.G., Aug 27-31, 1984. Proceedings, Vol.4, [1984], p.1-41, Refs. passim.
Frederking, R., Gavrilo, V.P., Goodman, D.J., Häusler, F.U., Mellor, M., Petrov, I.G., Vaudrey, K.
39-3494
ICE PHYSICS, ICE STRENGTH, AIR ENTRAINMENT, ICE FRICTION, COMPRESSIVE PROPERTIES, FLEXURAL STRENGTH

MP 1887
FORCES ASSOCIATED WITH ICE PILE-UP AND RIDE-UP.
Sodhi, D.S., et al, IAHR International Symposium on Ice, 7th, Hamburg, F.R.G., Aug 27-31, 1984. Proceedings, Vol.4, [1984], p.239-262, Refs. p.257-262.
Kovacs, A
39-3500
ICE LOADS, ICE PILEUP, ICE OVERRIDE, FLOATING ICE, ICE MECHANICS, ICE PRESSURE, ICE SOLID INTERFACE, WIND FACTORS, OCEAN WAVES, ANALYSIS (MATHEMATICS), PRESSURE RIDGES.
A review of the literature on shore ice pile-up and ride-up observations is presented along with the average forces associated with the phenomena Besides wind/water driving forces, it is postulated that storm surges or waves may also carry the floating ice sheet farther inland, where damage to structures and human lives is possible A brief review is presented of the analytical and experimental work done to understand the behavior of ice sheets in relation to its

piling or riding up the beach A short summary of each model study that is reported in open literature is also given.

MP 1888
HEAT AND MOISTURE ADVECTION OVER ANTARCTIC SEA ICE.
Andreas, E.L., May 1985, 113(5), p.736-746, 27 refs.
39-3554
ICE EDGE, HEAT LOSS, SEA ICE DISTRIBUTION, PACK ICE, ANTARCTICA—WEDDELL SEA.

Surface-level meteorological observations and upper-air soundings in the Weddell Sea provide the first *in situ* look at conditions over the deep antarctic ice pack in the spring. The surface-level temperature and humidity were relatively high, and both were positively correlated with the northerly component of the 850 mb wind vector as far as 600 km from the ice edge. Since even at its maximum extent, at least 60% of the antarctic ice pack is within 600 km of the open ocean, long-range atmospheric transport of heat and moisture from the ocean must play a key part in antarctic sea ice heat and mass budgets From one case study, the magnitude of the ocean's role is inferred at this time of year the total turbulent surface heat loss can be greater under southerly winds than under northerly ones. (Auth.)

MP 1889
ENERGY EXCHANGE OVER ANTARCTIC SEA ICE IN THE SPRING.
Andreas, E.L., et al, July 20, 1985, 90(C4), p.7199-7212, Refs. p.7211-7212.
Makshtas, A.P.
39-3640
SEA ICE, ABLATION, RADIATION BALANCE, HEAT FLUX.

In October and November of 1981, during the U S -USSR Weddell Polynya Expedition, we made the first measurements ever of the turbulent and radiative fluxes over the interior pack ice of the southern ocean The daily averaged, surface-averaged sum of these fluxes--the so-called balance, which comprises the conductive, heat storage, and phase-change terms—was positive for all but one day during the cruise, the ablation season had begun. Variability in the sum of the turbulent fluxes produced most of the variability in the balance These turbulent fluxes generally correlated with the geostrophic wind—a northerly wind (in off the ocean) transferring heat to the surface, and a southerly wind removing it. (Auth)

MP 1890
USE OF REMOTE SENSING FOR THE U.S. ARMY CORPS OF ENGINEERS DREDGING PROGRAM.
McKim, H.L., et al, International Symposium on Remote Sensing of Environment, 18th, Paris, France, Oct. 1-5, 1984. Proceedings, Ann Arbor, Environmental Research Institute of Michigan, [1985], p.1141-1150, Refs. p.1147-1149.
Klemas, V., Gatto, L.W , Merry, C J.
39-3707
REMOTE SENSING, DREDGING, SEDIMENT TRANSPORT, CHANNELS (WATERWAYS), SUSPENDED SEDIMENTS, ENVIRONMENTAL IMPACT.

The objectives of this study were to review the uses of existing remote sensing techniques for providing data in the Corps of Engineers dredging program, to define promising new techniques for monitoring dredging operations, and to recommend those techniques that should be used now and those to be developed for future use The uses for which remote sensing techniques were evaluated include channel surveys and engineering considerations, monitoring of sediment drift and dispersion during dredging operations, monitoring of water quality and suspended sediment concentration, disposal site selection and monitoring of environmental effects at disposal sites, and long-range dredged material disposal management strategies

MP 1891
FULL-CYCLE HEATING AND COOLING PROBE METHOD FOR MEASURING THERMAL CONDUCTIVITY.
McGaw, R., [1984], No.84-WA/HT-109, 8p , 32 refs.
39-3902
THERMAL CONDUCTIVITY, COOLING, HEATING, THERMAL DIFFUSION, ANALYSIS (MATHEMATICS), TESTS.

A modification of the traditional probe test procedure is described which incorporates the cooling stage that succeeds each heating stage. The improved procedure enables a second value of thermal conductivity to be determined for each test. A comparison between the two values gives a measure of the experimental error for the test, and provides a means by which physical changes within the test specimen may be detected If the ambient test temperature of the specimen has altered during a test, the effect on the test values may also be determined through a comparison of the heating-stage and cooling-stage temperatures

MP 1892
AUTOMATED SOILS FREEZING TEST.
Chamberlain, E.J., National Conference on Microcomputers in Civil Engineering, 2nd, Orlando, Florida, Oct. 30-Nov. 1, 1984. Proceedings. Edited by W.E. Carroll, [1985], 5p., 2 refs.
39-3903
SOIL FREEZING, FREEZE THAW CYCLES, FROST HEAVE, FREEZE THAW TESTS, THERMOCOUPLES, COMPUTER PROGRAMS.

An inexpensive data acquisition/control system is used to control the freeze-thaw cycling and data logging in a new laboratory freezing test. The test imposes two freeze-thaw cycles on four soil samples. The data logger is set up with 3-10 channel multiplexer cards for analog measurement and actuator control Two of the multiplexer cards are configured for a total of 36 single-ended thermocouple measurements which are accurate to plus or minus 0 1 C The third multiplexer card is configured with two actuator switches to control the temperatures of two refrigerated circulating baths and with five double-ended channels to read the output of four linear motion DC transformers and one power supply The data acquisition/control unit is controlled using a HP41CX hand-held calculator and the HP-IL serial interface loop. A thermal printer, tape cassette deck and x-y plotter are used to print out, store and plot the test data. The calculator is programmed with over 30 programs and subroutines to control the temperature, and to reduce, print out, store and plot the test data

MP 1893
2-D TRANSIENT FREEZING IN A PIPE WITH TURBULENT FLOW, USING A CONTINUALLY DEFORMING MESH WITH FINITE ELEMENTS.
Albert, M.R., et al, International Conference on Numerical Methods in Thermal Problems, 3rd, Seattle, WA, Aug 2-5, 1983. Proceedings. Edited by R.W. Lewis, J.A. Johnson and W.R. Smith, Swansea, U.K., Pineridge Press, 1983, p.102-112, 10 refs.
O'Neill, K.
39-3963
PIPELINE FREEZING, TURBULENT FLOW, HEAT FLUX, HEAT TRANSFER, ANALYSIS (MATHEMATICS), FLOW RATE.

MP 1894
SOLUTION OF 2-D AXISYMMETRIC PHASE CHANGE PROBLEMS ON A FIXED MESH, WITH ZERO WIDTH PHASE CHANGE ZONE.
O'Neill, K., International Conference on Numerical Methods in Thermal Problems, 3rd, Seattle, WA, Aug. 2-5, 1983. Proceedings. Edited by R.W. Lewis, J.A. Johnson and W.R. Smith, Swansea, U.K., Pineridge Press, 1983, p.134-146, 21 refs.
39-3965
THERMAL CONDUCTIVITY, ENTHALPY, ARTIFICIAL FREEZING, HEAT CAPACITY, PHASE TRANSFORMATIONS, SOIL FREEZING, BOUNDARY LAYER, ANALYSIS (MATHEMATICS).

A new method is presented for solving two-dimensional axisymmetric heat conduction problems with phase change. A strict discontinuity between phases is assumed, and no artificially smoothed enthalpy transition between phases need be introduced Step changes across phase boundaries in the sensible heat capacity and thermal conductivity are accommodated, when the phase change isotherm cuts arbitrarily across a fixed mesh of linear triangular finite elements Latent heat effects are accounted for through a Dirac delta function in the heat capacity This is absorbed mathematically and its effects distributed appropriately over discrete mesh entities in the course of ordinary Galerkin finite element procedures Computed results agree well with analytical solutions in the limited cases where they are available, and numerical results in more general cases behave quite reasonably

MP 1895
COMPUTATION OF POROUS MEDIA NATURAL CONVECTION FLOW AND PHASE CHANGE.
O'Neill, K , et al, International Conference on Finite Elements in Water Resources, 5th, Burlington, VT, June 1984. Proceedings. Edited by J.P Laible, C A Brebbia, W. Gray and G Pinder, Berlin, Springer-Verlag, 1984, p 213-229, 13 refs.
Albert, M.R.
39-3981
POROUS MATERIALS, FLUID FLOW, PHASE TRANSFORMATIONS, CONVECTION, HEAT TRANSFER, HEAT CAPACITY, BOUNDARY LAYER, COMPUTER APPLICATIONS, ANALYSIS (MATHEMATICS)

MP 1896
ROLE OF PHASE EQUILIBRIUM IN FROST HEAVE OF FINE-GRAINED SOIL UNDER NEGLIGIBLE OVERBURDEN PRESSURE.
Nakano, Y., et al, June 1985, 8(2), p.50-68, 17 refs.
Horiguchi, K.
40-33
FROST HEAVE, UNFROZEN WATER CONTENT, SOIL WATER, SUPERCOOLING, PRESSURE, PHASE TRANSFORMATIONS, SOIL FREEZING, ANALYSIS (MATHEMATICS).

The role of the phase equilibrium of water in frost heave was studied for two kinds of soil. The rate of frost heave and the rate of water intake were measured simultaneously under various rates of heat removal The experimental data revealed a trend common for both soils that the rate of water intake attains its maximum at a certain critical rate of heat removal The data were analyzed by using equations accurately describing the relation between these rates. The results of the analysis indicate a serious doubt about the validity of phase equilibrium in the system Alternatively, an assumption was introduced that supercooling occurred between a frost front and an unfrozen part of the soil It was shown that supercooling could explain the data well under certain conditions

MP 1897
EXPERIMENTAL STUDY ON FACTORS AFFECTING WATER MIGRATION IN FROZEN MORIN CLAY.
Xu, X., et al, Ground freezing. Proceedings of the 4th International Symposium on Ground Freezing, Sapporo, Japan, Aug. 5-7, 1985. Edited by S. Kinoshita and M. Fukuda Rotterdam, A.A. Balkema, 1985, p.123-128.
Oliphant, J.L., Tice, A.R.
40-213
FROZEN GROUND PHYSICS, SOIL WATER MIGRATION, CLAY SOILS, FROST HEAVE, DENSITY (MASS/VOLUME), SATURATION, SOIL FREEZING, TEMPERATURE GRADIENTS, TESTS.

The amount of water migration in an unsaturated frozen soil, morin clay, was determined in horizontally closed soil columns under linear temperature gradients. The temperature at the warm end of the soil column was below its freezing point at the initial water content in order to keep the soil specimen always in the frozen state during testing. The flux of water migration was calculated from the distribution curves of the total water content before and after testing Four factors affecting the flux, including temperature, temperature gradient, test duration and the dry density of the soil, were investigated. It was found that the flux is directly proportional to the temperature gradient, is inversely proportional to the square root of the test duration, decreases with the decrease in temperature in the power law form, and changes with the dry density The behavior of water migration in unsaturated, frozen morin clay is something like that in the unsaturated, unfrozen soils.

MP 1898
STRAIN RATE EFFECT ON THE TENSILE STRENGTH OF FROZEN SILT.
Zhu, Y., et al, Ground freezing. Proceedings of the 4th International Symposium on Ground Freezing, Sapporo, Japan, Aug. 5-7, 1985. Edited by S. Kinoshita and M. Fukuda, Rotterdam, A.A. Balkema, 1985, p.153-157, 9 refs.
Carbee, D.L.
40-217
FROZEN GROUND STRENGTH, PERMAFROST PHYSICS, STRAINS, TENSILE PROPERTIES, TEMPERATURE EFFECTS, DENSITY (MASS/VOLUME), TESTS.

Tension tests at constant rates were conducted on remolded saturated frozen Fairbanks silt with medium density at -5 C for various machine speeds It is found that the tensile strength depends strongly upon strain rate and the critical strain rate for ductile-brittle transition was about 1/100s The peak tensile strength considerably decreases with decreasing strain rate for ductile failure, while it slightly decreases with increasing strain rate in the brittle region The failure strain also varies with strain rate, but the initial tangent modulus is found not to be dependent upon strain rate

MP '899
KADLUK ICE STRESS MEASUREMENT PROGRAM.
Johnson, J.B., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 8th, Narssarssuaq, Greenland, Sep. 7-14, 1985 Proceedings, Vol.1, Hörsholm, Denmark, Danish Hydraulic Institute, 1985, p.88-100, 9 refs.
Cox, G F.N., Tucker, W.B.
40-268
ICE SHEETS, STRESSES, ICE LOADS, OFFSHORE STRUCTURES, ICE CONDITIONS, ICE PRESSURE, THERMAL EXPANSION

Cylindrical biaxial stress sensors were used to measure ice stress variations as a function of depth across an ice peninsula

on the shoreward side (south) of Kadluk Island. The stresses varied in a complex manner both laterally and with depth in the ice sheet. Average stresses were calculated and summed across the ice peninsula to determine the ice load acting on the structure. The maximum measured average stress and corresponding calculated structural load during the experiment were about 300 kPa and 150 MN respectively. All significant measured stresses were caused by thermal expansion of the ice sheet.

MP 1900
ICE ISLAND FRAGMENT IN STEFANSSON SOUND, ALASKA.
Kovacs, A., International Conference on Port and Ocean Engineering under Arctic Conditions, 8th, Narssarssuaq, Greenland, Sep. 7-14, 1985. Proceedings, Vol.1, Hörsholm, Denmark, Danish Hydraulic Institute, 1985, p.101-115, 9 refs.
40-269
ICE ISLANDS, ICE STRENGTH, ICE PHYSICS, GROUNDED ICE, CALVING, ICE COVER THICKNESS, ICE SALINITY, ICE DENSITY, ICE TEMPERATURE, STATISTICAL ANALYSIS.
A small ice island fragment was found in a unique location southwest of Cross Island, Alaska, in April 1983 Investigations were made to determine the thickness, salinity, density, internal temperature, and strength of the ice island ice Measurements were also made which revealed that the ice island was grounded. Side scan sonar, depth profiles and direct sounding measurements of the sea bottom revealed that the ice island had gouged into the seabed when it was driven into shallower waters. Implications of this ice feature to offshore petroleum development are discussed

MP 1901
APPARENT UNCONFINED COMPRESSIVE STRENGTH OF MULTI-YEAR SEA ICE.
Kovacs, A., International Conference on Port and Ocean Engineering under Arctic Conditions, 8th, Narssarssuaq, Greenland, Sep. 7-14, 1985. Proceedings, Vol.1, Hörsholm, Denmark, Danish Hydraulic Institute, 1985, p.116-127, 4 refs.
40-270
ICE STRENGTH, SEA ICE, ICE LOADS, COMPRESSIVE PROPERTIES, ICE TEMPERATURE, ICE DENSITY, BRINES, TESTS.
An axial double-ball load test system for determining the apparent unconfined compressive strength of multi-year sea ice was evaluated. The effects of loading ball size, ice temperature, and brine free density on the apparent unconfined compressive strength of the ice were investigated. Axial double-ball load test results are compared with those obtained from labor intensive conventional unconfined compression tests made on similar density ice The results from the two testing methods were found to agree very well, indicating that the axial double-ball load test may be used to provide a rapid method for determining an apparent unconfined compressive strength index for ice.

MP 1902
INVESTIGATION OF THE ELECTROMAGNETIC PROPERTIES OF MULTI-YEAR SEA ICE.
Morey, R.M., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 8th, Narssarssuaq, Greenland, Sep. 7-14, 1985. Proceedings, Vol.1, Hörsholm, Denmark, Danish Hydraulic Institute, 1985, p.151-167, 11 refs.
Kovacs, A.
40-273
ICE ELECTRICAL PROPERTIES, ELECTROMAGNETIC PROPERTIES, SEA ICE, ICE COVER THICKNESS, ICE BOTTOM SURFACE, REMOTE SENSING, PROFILES, ICE DETECTION, ICE STRUCTURE, ICE MODELS, BRINES, RADAR ECHOES.
Sounding of multi-year sea ice, using impulse radar operating in the 80- to 500-MHz frequency band, revealed that the bottom of this ice could not always be detected This paper discusses the results of a field program aimed at finding out why the bottom of thick multi-year sea ice could not be profiled and at determining the electromagnetic (EM) properties of multi-year sea ice It was found that the bottom of the ice could not be detected when the ice structure had a high brine content. Because of brine's high conductivity, its volume dominates the loss mechanism in first-year sea ice, and the same was found true for multi-year sea ice A two-phase dielectric mixing formula, used by the authors for describing the EM properties of first-year sea ice, was modified to include the effects of the gas pockets found in the multi-year sea ice This three-phase mixture model was found to estimate the EM properties of the multi-year ice studied over the frequency band of interest. The latter values were determined by 1) vertical sounding to a subsurface target of known depth and 2) cross-borehole transmission measurements

MP 1903
PHYSICAL PROPERTIES OF SEA ICE IN THE GREENLAND SEA.
Tucker, W.B., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 8th, Narssarssuaq, Greenland, Sep. 7-14, 1985. Proceedings, Vol.1, Hörsholm, Denmark, Danish Hydraulic Institute, 1985, p.177-188, 9 refs.
Gow, A.J., Weeks, W.F.
40-275
ICE PHYSICS, SEA ICE, PACK ICE, ICE SALINITY, ICE TEMPERATURE, ICE COVER THICKNESS, ICE CRYSTAL STRUCTURE, SNOW DEPTH, GREENLAND SEA.
The physical properties of sea ice in the Fram Strait region of the Greenland Sea were examined during June and July 1984 in conjunction with the MIZEX field program. The properties of the pack ice in the Fram Strait are believed to be representative of ice from many locations within the Arctic Basin since Fram Strait is the major ice outflow region for the Basin Most of the ice observed and sampled was multi-year The majority of the first-year ice appeared to have been deformed prior to entering Fram Strait. The properties measured at each sampling site included salinity, temperature, thickness, crystal structure and snow depth The measured salinities agreed well with those taken during summer at other locations in the Arctic. An important finding was that snow depths on multi-year ice were much larger than those on first-year ice. Finally, the crystal texture analysis indicated that about 75% of the ice consisted of congelation ice with typically columnar type crystal structure. The remaining 25% consisted of granular ice

MP 1904
NUMERICAL SIMULATION OF ICE GOUGE FORMATION AND INFILLING ON THE SHELF OF THE BEAUFORT SEA.
Weeks, W.F., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 8th, Narssarssuaq, Greenland, Sep. 7-14, 1985. Proceedings, Vol.1, Hörsholm, Denmark, Danish Hydraulic Institute, 1985, p.393-407, 12 refs.
Tucker, W.B., Niedoroda, A.W.
40-294
ICE SCORING, BOTTOM TOPOGRAPHY, BOTTOM SEDIMENT, OCEAN BOTTOM, SEDIMENT TRANSPORT, MODELS, DISTRIBUTION, COMPUTER APPLICATIONS, BEAUFORT SEA.
A simulation model for sea ice-induced gouges on the shelf of the Beaufort Sea is developed by assuming that annual occurrence of new gouges is given by a Poisson distribution, locations of the gouges are random, and distribution of gouge depths is specified by an exponential distribution. Once a gouge is formed it is subject to infilling by transport of sediment into the region and by local movement of sediment along the sea floor These processes are modeled by assuming a sediment input based on stratigraphic considerations and by calculating bedload transport using methods from sediment transport theory It is found that if currents are sufficient to transport sediment, rapid infilling of gouges occurs.

MP 1905
REVIEW OF EXPERIMENTAL STUDIES OF UPLIFTING FORCES EXERTED BY ADFROZEN ICE ON MARINA PILES.
Christensen, F.T., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 8th, Narssarssuaq, Greenland, Sep. 7-14, 1985. Proceedings, Vol.2, Hörsholm, Denmark, Danish Hydraulic Institute, 1985, p.529-542, 30 refs.
Zabilansky, L.J.
40-303
PILE EXTRACTION, ICE ADHESION, WATER LEVEL, SHEAR PROPERTIES, FLEXURAL STRENGTH, ICE COVER EFFECT, ICE SOLID INTERFACE, ICE LOADS, ICE PHYSICS, CONSTRUCTION MATERIALS.
Over the last decade the problem of pile jacking has been studied experimentally, both in the field and in laboratory studies. This paper reviews the findings of these studies and suggests subjects for further research

MP 1906
SHEET ICE FORCES ON A CONICAL STRUCTURE: AN EXPERIMENTAL STUDY.
Sodhi, D.S., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 8th, Narssarssuaq, Greenland, Sep 7-14, 1985 Proceedings, Vol.2, Hörsholm, Denmark Danish Hydraulic Institute, 1985, p.643-655, 11 refs.
Morris, C.E., Cox, G.F.N.
40-312
ICE PRESSURE, ICE SHEETS, OFFSHORE STRUCTURES, ICE LOADS, FLEXURAL STRENGTH, SURFACE PROPERTIES, ICE LOADS, FRICTION, EXPERIMENTATION
Small-scale experiments were performed to determine sheet ice forces on a conical structure The experiments were conducted with a 45 deg upward breaking conical structure which had diameters of 1 5 m at the waterline and 0 33 m at the top. The surface of the structure was initially smooth; later it was roughened to investigate the effect of surface friction on the ice load. The thickness and the flexural strength of ice sheets were varied, and the tests were conducted at three fixed velocities.

MP 1907
GRAIN SIZE AND THE COMPRESSIVE STRENGTH OF ICE.
Cole, D.M., Sep. 1985, 107(3), p.369-374, 15 refs.
40-363
ICE STRENGTH, ICE MECHANICS COMPRESSIVE PROPERTIES, GRAIN SIZE, LOADS (FORCES), ICE CRYSTAL STRUCTURE, STRESS STRAIN DIAGRAMS, ICE CRACKS, TEMPERATURE EFFECTS, FRACTURING.
This work presents the results of uniaxial compression tests on freshwater polycrystalline ice Grain size of the test material ranged from 1.5 to 5 mm, strain rate ranged from 1/1,000,000 to 1/100/s and the temperature was -5 C. The grain size effect emerged clearly as the strain rate increased to 1/100,000/s and persisted to the highest applied strain rates. On average, the stated increase in grain size brought about a decrease in peak stress of approximately 31 percent. The occurrence of the grain size effect coincided with the onset of visible cracking. The strength of the material increased to a maximum at a strain rate of 1/1,000/s, and then dropped somewhat as the strain rate increased further to 1/100/s. Strain at peak stress generally tended to decrease with both increasing grain size and increasing strain rate. The results are discussed in terms of the deformation mechanisms which lead to the observed behavior.

MP 1908
TENSILE STRENGTH OF MULTI-YEAR PRESSURE RIDGE SEA ICE SAMPLES.
Cox, G.F.N., et al, Sep. 1985, 107(3). p.375-380, 20 refs.
Richter-Menge, J.A.
40-364
PRESSURE RIDGES, ICE STRENGTH, TENSILE PROPERTIES, SEA ICE, STRAINS, TESTS.
Thirty-six constant strain-rate uniaxial tension tests were performed on vertically oriented multi-year pressure ridge samples from the Beaufort Sea The tests were performed on a closed-loop electro-hydraulic testing machine at two strain rates (1/10,000 and 1/1,000/s) and two temperatures (-20 and -5 C). This paper summarizes the sample preparation and testing techniques used in the investigation and presents data on the tensile strength, initial tangent modulus, and failure strain of the ice.

MP 1909
COMPARISON OF SPOT SIMULATOR DATA WITH LANDSAT MSS IMAGERY FOR DELINEATING WATER MASSES IN DELAWARE BAY, BROADKILL RIVER, AND ADJACENT WETLANDS.
Ackleson, S.G., et al, Aug. 1985, 60(8), p.1123-1129, 5 refs.
Klemas, V., McKim, H.L., Merry, C.J.
40-400
WATER RESERVES, REMOTE SENSING, HYDRODYNAMICS, RADIOMETRY, LANDSAT, WATER FLOW, DELAWARE BAY.
The radiometric and spatial qualities of SPOT simulator and Landsat-3 MSS data are compared as to their ability to distinguish different water masses within Delaware Bay and adjacent wetland areas. The SPOT simulator data contain a greater range of gray level values for all water areas than do the Landsat MSS data The greater spatial resolution of the SPOT simulator data provides information about small-scale hydrodynamics not available on the Landsat MSS data Both types of data show a plume of spectrally unique water flowing from Roosevelt Inlet into Delaware Bay The plume is most visible in SPOT simulator band 1 (500-590 nm) and Landsat MSS band 4 (500-600 nm) In both bands, the plume appears dark relative to the surrounding Delaware Bay water Recent hydrographic surveys characterize the plume as an ebb tidal feature with high concentrations of dissolved and particulate organic matter believed to originate from the adjacent Canary Creek Marsh and Great Marsh SPOT simulator data are found to delineate water masses with a high degree of separation Radiometrically degraded SPOT data produce similar results Landsat 3 MSS data, although useful for delineating water masses, do not produce good separation because of sensor noise

MP 1910
SIMULATED SEA ICE USED FOR CORRELATING THE ELECTRICAL PROPERTIES OF THE ICE WITH ITS STRUCTURAL AND SALINITY CHARACTERISTICS.
Gow, A.J., International Geoscience and Remote Sensing Symposium (IGARSS '85), Amherst, MA, Oct. 7-9, 1985. Digest, Vol. 1. New York, Institute of Electrical and Electronics Engineers, Inc., 1985, p.76-82.
40-409
ICE ELECTRICAL PROPERTIES, SEA ICE, ICE CRYSTAL STRUCTURE, ICE SALINITY, REMOTE SENSING, REFLECTIVITY, ICE COVER THICKNESS, ICE GROWTH, EXPERIMENTATION.

MP 1911
DIELECTRIC PROPERTIES AT 4.75 GHZ OF SALINE ICE SLABS.
Arcone, S.A., et al, International Geoscience and Remote Sensing Symposium (IGARSS '85), Amherst, MA, Oct. 7-9, 1985. Digest, Vol 1, New York, Institute of Electrical and Electronics Engineers, Inc., 1985, p.83-86, 10 refs.
McGrew, S.G.
40-410
ICE ELECTRICAL PROPERTIES, SEA ICE, ICE SALINITY, MICROWAVES, DIELECTRIC PROPERTIES, RADIOMETRY, BRINES, EXPERIMENTATION.
The complex relative dielectric permittivity of saline ice slabs removed from an artificially grown ice sheet has been measured at 4.75 GHz as a function of temperature. The frequency lies within the range used by other researchers who conducted radiometric tests concurrently on the same ice sheet. The slabs were placed between open waveguide radiators and dielectric properties calculated from the forward scattering coefficient. The results show both real (k') and imaginary (k'') parts to vary almost in direct proportion to the brine volume. However, the values for k'' show more variation, probably due to scattering.

MP 1912
LABORATORY STUDIES OF ACOUSTIC SCATTERING FROM THE UNDERSIDE OF SEA ICE.
Jezek, K.C., et al, International Geoscience and Remote Sensing Symposium (IGARSS '85), Amherst, MA, Oct. 7-9, 1985. Digest, Vol. 1. New York, Institute of Electrical and Electronics Engineers, Inc., 1985, p.87-91.
Gow, A.J., Stanton, T.K.
40-411
ICE ACOUSTICS, ICE BOTTOM SURFACE, SEA ICE, ATTENUATION, REMOTE SENSING, ACOUSTIC MEASUREMENT.
An analysis has shown that reflection coefficient for growing ice is about .06. This coefficient increases dramatically as the ice decays. At frequencies above 100 kHz, scattering is dominated by the dendrites at the base of the ice. Fluctuations in normal incidence echoes are significant above 300 kHz. Backscatter from the underside of sea ice does not change significantly as the ice grows out of the melt (0 to 10 cm thick). Attenuation is found to be far greater than the attenuation reported by Langleben who performed measurements horizontally and away from the dendritic layer (same acoustic frequencies).

MP 1913
100 MHZ DIELECTRIC CONSTANT MEASUREMENTS OF SNOW COVER: DEPENDENCE ON ENVIRONMENTAL AND SNOW PACK PARAMETERS.
Burns, B.A., et al, International Geoscience and Remote Sensing Symposium (IGARSS '85), Amherst, MA, Oct. 7-9, 1985. Digest, Vol 2, New York, Institute of Electrical and Electronics Engineers, Inc., 1985, p.829-834, 3 refs.
Larson, R.W., Onstott, R.G., Fisk, D.J.
40-420
SNOW COVER DISTRIBUTION, SNOW ELECTRICAL PROPERTIES, REMOTE SENSING, MICROWAVES, DIELECTRIC PROPERTIES, SNOW DEPTH, SNOW WATER CONTENT, SURFACE ROUGHNESS, SNOW TEMPERATURE, SNOW DENSITY
Snow cover of both land and ocean (sea ice) areas presents a challenge to remote sensing. On one hand, it acts as a mask over surfaces of interest and part of the remote sensing problem is then to determine whether the snow cover is transparent, opaque, or partially transparent resulting in an ambiguous signature. On the other hand, the properties of the snow cover itself may be of interest, such as depth, snow water equivalent and coverage. Microwave remote sensors in particular have potential to monitor these properties because of their capabilities to penetrate the surface, detect small wetness differences and operate in all weather conditions (Foster, et al., 1984). To realize this potential, it is necessary to understand how snow properties affect remote sensing signatures. Microwave signatures of snow are a function of dielectric constant as well as surface roughness and depth. A primary objective therefore is to determine the relationship between the dielectric constant and environmental parameters, including physical properties of the snow cover and local meteorological variables.

MP 1914
ICE CONDITIONS ON THE OHIO AND ILLINOIS RIVERS, 1972-1985.
Gatto, L.W., International Geoscience and Remote Sensing Symposium (IGARSS '85), Amherst, MA, Oct. 7-9, 1985. Digest, Vol. 2, New York, Institute of Electrical and Electronics Engineers, Inc., 1985, p.856-861, 3 refs.
40-424
RIVER ICE, ICE CONDITIONS, ICE FORECASTING, REMOTE SENSING, MAPPING, AERIAL SURVEYS, UNITED STATES—OHIO RIVER, UNITED STATES—ILLINOIS RIVER.

MP 1915
SHEET ICE FORCES ON A CONICAL STRUCTURE: AN EXPERIMENTAL STUDY.
Sodhi, D.S., et al, Arctic Energy Technologies Workshop, Morgantown, WV, Nov 14-15, 1984. Proceedings, U.S. Department of Energy, Morgantown Energy Technology Center, DOE/METC-85/6014, Apr. 1985, p.46-54, DE85003360, 11 refs.
Morris, C.E., Cox, G.F.N.
40-644
ICE PRESSURE, OFFSHORE STRUCTURES, ICE LOADS, FLEXURAL STRENGTH, ICE COVER THICKNESS, ICE FRICTION, ICE SHEETS, SURFACE PROPERTIES, ICE MECHANICS, VELOCITY.
Small-scale experiments were performed to determine sheet ice forces on a conical structure. The experiments were conducted with a 45 deg, upward-breaking conical structure which had diameters of 1.5 m at the waterline and 0.33 m at the top. The surface of the structure was initially smooth, later it was roughened to investigate the effect of surface friction on the ice load. The thickness and the flexural strength of ice sheets were varied, and the tests were conducted at three fixed velocities. The measured ice forces agree well with the forces predicted by plastic limit analysis. There is no effect of velocity on the ice forces for tests conducted for a low coefficient of friction (0.1), whereas some velocity effect on the horizontal ice forces is found for tests conducted with the rough surface having a coefficient of friction equal to 0.5. The horizontal ice forces are higher at lower velocities. The size of the broken ice pieces, determined from a power spectrum analysis of the horizontal ice force records, was found to be about one-third of the characteristic length.

MP 1916
MEASURING MULTI-YEAR SEA ICE THICKNESS USING IMPULSE RADAR.
Kovacs, A., et al, Arctic Energy Technologies Workshop, Morgantown, WV, Nov. 14-15, 1984. Proceedings, U.S. Department of Energy, Morgantown Energy Technology Center, DOE/METC-85/6014, Apr 1985, p.55-67, DE85003360, 6 refs.
Morey, R.M.
40-645
ICE COVER THICKNESS, REMOTE SENSING, ICE BOTTOM SURFACE, ICE STRUCTURE, RADAR ECHOES, SEA ICE, ICE DETECTION, BRINES, ICE ELECTRICAL PROPERTIES
Sounding of multi-year sea ice, using impulse radar operating in the 80- to 500-MHz frequency band, revealed that the bottom of this ice could not always be detected. It was found that the bottom of the ice could not be detected where the ice structure had a high brine content. Because of brine's high conductivity, brine volume dominates the loss mechanism in first year sea ice, and the same was found true for multi-year sea ice. Preliminary findings also indicate that a representative value for the apparent bulk dielectric constant of multi-year sea ice is 3.5. This represents an effective EM wavelet velocity of 0.16 m/ns which may be used to estimate multi-year sea ice thickness in cases where the ice bottom is detected in ice profile data.

MP 1917
PRELIMINARY SIMULATION STUDY OF SEA ICE INDUCED GOUGES IN THE SEA FLOOR.
Weeks, W.F., et al, Arctic Energy Technologies Workshop, Morgantown, WV, Nov 14-15, 1984. Proceedings, U.S. Department of Energy, Morgantown Energy Technology Center, DOE/METC-85/6014, Apr 1985, p.126-135, DE85003360, 16 refs.
Tucker, W.B., Niedoroda, A.W.
40-651
ICE SCORING, SEDIMENT TRANSPORT, OCEAN BOTTOM, BOTTOM TOPOGRAPHY, GRAIN SIZE, BOTTOM SEDIMENT, BEAUFORT SEA
A simulation model for sea ice-scoured gouges on the shelf of the Beaufort Sea is developed by assuming that the annual occurrence of new gouges is given by a Poisson distribution, the locations of the gouges are random, and the distribution of gouge depths is specified by an exponential distribution. Once a gouge is formed it is subject to infilling by transport of sediment into the region and by local movement of sediment along the sea floor. These processes are modeled by assuming a sediment input based on stratigraphic considerations and by calculating bed-load transport using methods from sediment transport theory. It is found that if currents are sufficient to transport sediment, rapid infilling of gouges occurs. In that these threshold currents are small for typical grain sizes on the Beaufort Shelf, this suggests that the gouging record commonly represents only a few tens of years.

MP 1918
MAPPING RESISTIVE SEABED FEATURES USING DC METHODS.
Sellmann, P.V., et al, Arctic Energy Technologies Workshop, Morgantown, WV, Nov. 14-15, 1984. Proceedings, U.S. Department of Energy, Morgantown Energy Technology Center, DOE/METC-85/6014, Apr. 1985, p.136-147, DE85003360, 6 refs.
Delaney, A.J., Arcone, S.A.
40-652
SUBSEA PERMAFROST, OCEAN BOTTOM, BOTTOM SEDIMENT, SOIL STRENGTH, ELECTRIC EQUIPMENT, MAPPING, MODELS.
Geophysical field observations of apparent resistivity using Wenner and dipole-dipole electrode arrays were made at several New England coastal sites. The objective was to assess the performance of these systems in detecting resistive seabed features as an indication of their potential for subsea permafrost mapping. Two sites on the Maine coast were used for observations on bedrock below a thin layer of sediments. A seaborne survey was then conducted in New Haven Harbor, Connecticut, at a site where the depth to bedrock below the seabed had been mapped by seismic methods and drilling several years earlier (U.S. Army Corps of Engineers 1981). The data gathered helped to define the range of apparent resistivity values expected in areas of subsea permafrost, the effect of water depth on the quality of a survey, and the vertical and lateral resolution capabilities of the arrays used. Good qualitative agreement between rock depth and resistivity was observed, even with rock depths up to 50 m below the seabed. Data were also collected in areas where seismic methods had been unable to extract subbottom information due to the gas content of local organic sediments.

MP 1919
RECONSIDERATION OF THE MASS BALANCE OF A PORTION OF THE ROSS ICE SHELF, ANTARCTICA.
Jezek, K.C., et al, 1984, 30(106), p.351-354, 6 refs., With French and German summaries.
Bentley, C.R.
39-3793
ICE SHELVES, GROUNDED ICE, MASS BALANCE, ANTARCTICA -ROSS ICE SHELF.
The identification of a small region of grounded ice in the north-western sector of the Ross Ice Shelf has forced a re-evaluation of the mass-balance calculations carried out by Thomas and Bentley (1978). Those authors concluded that the Ross Ice Shelf up-stream of Crary Ice Rise was thickening, but they did not take into account the effects on the velocity field of grounded ice which is located near the input gate to their volume element. Reasonable estimates of the degree to which the ice velocity just up-stream of the grounded ice is diminished indicate that it is no longer possible to conclude that the ice shelf is thickening using Thomas and Bentley's original flow band. Therefore, a new flow band was chosen which was grid east of Thomas and Bentley's band and unaffected by any nearby grounded areas. The mass balance in this flow band was found to be zero within experimental error a difference exceeding about 0.2 m a^{-1} in accumulation between the thickening and bottom freezing rates is unlikely. (Auth.)

MP 1920
PREFERENTIAL DETECTION OF SOUND BY PERSONS BURIED UNDER SNOW AVALANCHE DEBRIS AS COMPARED TO PERSONS ON THE OVERLYING SURFACE.
Johnson, J.B., International Snow Science Workshop, Aspen, CO, Oct 24-27, 1984. Proceedings, Aspen, CO, ISSW Workshop Committee, c1984, p.42-47, 8 refs.
40-801
RESCUE OPERATIONS, AVALANCHE DEPOSITS, DETECTION, SNOW ACOUSTICS, SNOW COVER EFFECT, SOUND WAVES, ATTENUATION
The preferential detection of sound by a person buried under snow can be explained by the strong attenuation of acoustic waves in snow and the resultant higher level of background acoustic noise that exists for persons above the snow surface as compared to an available buried victim. This noise masks sound transmitted to persons on the snow surface causing a reduction of hearing sensitivity as compared to the buried victim. Additionally, the coupling of sound of a buried individual is greater than for persons standing on the snow surface thereby increasing the relative awareness of sound.

MP 1921
NEW CLASSIFICATION SYSTEM FOR THE SEASONAL SNOW COVER.
Colbeck, S.C., International Snow Science Workshop, Aspen, CO, Oct. 24-27, 1984. Proceedings, Aspen, CO, ISSW Workshop Committee, [1984], p.179-181, 3 refs.
40-825
SNOW CRYSTAL STRUCTURE, METAMORPHISM (SNOW), SNOW WATER CONTENT, FREEZE THAW CYCLES, CLASSIFICATION, ICE CRYSTAL GROWTH, SNOW MELTING, SNOW COVER, GRAIN SIZE.
It is necessary to assign terms to snow crystals so that we can refer to them at any time. TCSI (1954) suggested five classes of snow crystals but many important types of crystals were not included. Sommerfeld (1969) and then Sommerfeld and LaChapelle (1970) suggested a classification based on processes because, if the processes could be correctly identified, information would be provided about both crystal shapes and metamorphic processes. Unfortunately, many of the names used—equitemperature, temperature gradient, and melt-freeze—can misrepresent the processes responsible for generating those shapes. Other terms are suggested here in hopes of correctly describing snow crystals. Only the major categories are dealt with here; a more detailed classification will be published later.

MP 1922
REVIEW OF ANALYTICAL METHODS FOR GROUND THERMAL REGIME CALCULATIONS.
Lunardini, V.J., Thermal design considerations in frozen ground engineering. Edited by T.G. Krzewinski and R.G. Tart, Jr., New York, NY, American Society of Civil Engineers, 1985, p.204-257, 33 refs.
40-630
PERMAFROST THERMAL PROPERTIES, FROZEN GROUND TEMPERATURE, THERMAL REGIME, HEAT TRANSFER, STRUCTURES, HEAT BALANCE, PHASE TRANSFORMATIONS, STEFAN PROBLEM, ANALYSIS (MATHEMATICS).

MP 1923
THAWING OF FROZEN CLAYS.
Anderson, D.M., et al, Freezing and thawing of soil-water systems. Edited by D.M. Anderson and P.J. Williams, New York, NY, American Society of Civil Engineers, 1985, p.1-9, 11 refs.
Tice, A.R.
40-612
GROUND THAWING, CLAYS, SOIL WATER MIGRATION, GROUND ICE, ICE NUCLEI, POROUS MATERIALS, LATENT HEAT, UNFROZEN WATER CONTENT, ICE CRYSTALS, TEMPERATURE EFFECTS, PHASE TRANSFORMATIONS.

MP 1924
PARTIAL VERIFICATION OF A THAW SETTLEMENT MODEL.
Guymon, G.L., et al, Freezing and thawing of soil-water systems. Edited by D.M. Anderson and P.J. Williams, New York, NY, American Society of Civil Engineers, 1985, p.18-25, 6 refs.
Berg, R.L., Ingersoll, J.
40-614
GROUND THAWING, SETTLEMENT (STRUCTURAL), HEAT TRANSFER, MOISTURE TRANSFER, FROST HEAVE, FREEZE THAW CYCLES, MODELS, THAW WEAKENING, TESTS.
Results from a one-dimensional model that estimates frost heave and thaw settlement are compared to laboratory soil column data. The model is based upon well known equations that describe heat and moisture flow in soils. Processes in freezing or thawing zones are approximated by a lumped isothermal heat budget approach as well as phenomenological equations that account for overburden effects and reduced fluid movement due to ice formation. Laboratory soil column data were obtained for one-dimensional freezing and then thawing of a silt soil. The model results accurately estimate temperature distributions and pore water pressures during thawing.

MP 1925
HYDRAULIC PROPERTIES OF SELECTED SOILS.
Ingersoll, J., et al, Freezing and thawing of soil-water systems. Edited by D.M. Anderson and P.J. Williams, New York, NY, American Society of Civil Engineers, 1985, p.26-35, 4 refs.
Berg, R.L.
40-615
SOIL WATER, FROST HEAVE, SETTLEMENT (STRUCTURAL), FREEZE THAW CYCLES, PAVEMENTS, TENSILE PROPERTIES, SOIL STRUCTURE, GRAIN SIZE, MATHEMATICAL MODELS.
The method and equipment used to coincidentally determine the hydraulic conductivity versus soil moisture tension and soil moisture tension versus moisture content relationships are described. Over 30 soils have been tested, including gravels, sands, silts and clays. Most of the work has been conducted at soil moisture tensions less than 100 kPa (1 bar), but a few moisture retention curves extend to about 12 bars of soil moisture suction. Results for one soil from each type are described and discussed in detail. Grain size distributions and the two hydraulic relationships are shown for each of the four soils. An equation suggested by Gardner is used to approximate both relationships. Coefficients for Gardner's equations for several different soils have been obtained and are tabulated.

MP 1926
MODEL FOR DIELECTRIC CONSTANTS OF FROZEN SOILS.
Oliphant, J.L., Freezing and thawing of soil-water systems. Edited by D.M. Anderson and P.J. Williams, New York, NY, American Society of Civil Engineers, 1985, p.46-57, 17 refs.
40-617
FROZEN GROUND PHYSICS, SOIL COMPOSITION, GROUND THAWING, UNFROZEN WATER CONTENT, DIELECTRIC PROPERTIES, TEMPERATURE EFFECTS, NUCLEAR MAGNETIC RESONANCE.
The dielectric constant of frozen soils is made up of contributions from each phase—mineral, ice, air and liquid water—in the soil. The apparent dielectric constants of three soils, a kaolinite, Morin clay and Palouse silt-loam, were measured under both thawed and frozen conditions at various temperatures and various water contents using time domain reflectometry (TDR). Nuclear magnetic resonance (NMR) was used to measure the unfrozen water contents of these soils at subfreezing temperatures. The NMR data were used to calculate the volume fractions of the ice and liquid water phases in the TDR experiments. It was found that a mixing model for the apparent dielectric constant of the soil samples assuming spherical air, ice and minderal inclusions in a water matrix was able to closely fit the TDR data. To obtain the best fit it was necessary to use an average dielectric constant for water somewhat less than that for bulk water. The mixing model can be used for the interpretation of TDR data obtained in the field. This allows for the measurement of unfrozen water contents using TDR at temperatures just below 0 C, where the liquid water phase makes up a significant portion of the TDR signal.

MP 1927
FROST HEAVE OF FULL-DEPTH ASPHALT CONCRETE PAVEMENTS.
Zomerman, I., et al, Freezing and thawing of soil-water systems. Edited by D.M. Anderson and P.J. Williams, New York, NY, American Society of Civil Engineers, 1985, p.66-76, 12 refs.
Berg, R.L.
40-619
FROST HEAVE, PAVEMENTS, BITUMINOUS CONCRETES, THAW WEAKENING, SOIL WATER, SOIL STRUCTURE, FROST PENETRATION, GRAIN SIZE, TESTS, HEAT TRANSFER, MOISTURE TRANSFER, FROST RESISTANCE.
During 1984 and early 1985 frost penetration, frost heave and thaw weakening were monitored on two full-depth test sections at CRREL. The subgrade soil beneath one test section was a lean clay and the subgrade soil beneath the second test section was Hanover silt. Laboratory frost susceptibility tests were conducted for each soil, as were moisture retention curves and curves relating moisture content and unsaturated hydraulic conductivity. Results from the laboratory tests were used with FROSTIB, a coupled heat and mass flow computer model, to simulate performance of the field test sections. FROSTIB had never been applied to a cohesive soil similar to the lean clay. Results from model simulations on both soils agreed well, i.e. within about 15% with field measurements of frost heave and frost penetration with time.

MP 1928
CREEP STRENGTH, STRAIN RATE, TEMPERATURE AND UNFROZEN WATER RELATIONSHIP IN FROZEN SOIL.
Fish, A.M., International Symposium on Ground Freezing, 4th, Sapporo, Japan, Aug. 5-7, 1985. Proceedings, Vol.2, [Rotterdam, A.A. Balkema, 1985], p.29-36, 32 refs.
40-661
FROZEN GROUND STRENGTH, SOIL CREEP, STRAINS, FROZEN GROUND TEMPERATURE, UNFROZEN WATER CONTENT, FROZEN GROUND PHYSICS, COMPRESSIVE PROPERTIES, TEMPERATURE EFFECTS, ANALYSIS (MATHEMATICS)
A relationship was developed between maximum (peak) strength, strain rate, strain, and temperature using data on uniaxial compression of remolded frozen Fairbanks silt obtained in the temperature range from -0.5 to -10 C at constant strain rates (CSR) that varied between 1/100 and 1/1,000,000/s. It is shown that three principal parameters of frozen soil define the magnitude of strength at a given strain rate, the instantaneous strength, the activation energy, and the strain hardening parameter all relate to each other. Their absolute values depend upon temperature and are linked with the simplest physical characteristics of soil and especially the ice and unfrozen water contents. The activation energy of frozen soil is presented as a sum of two components: activation energy of the soil skeleton and activation energy of the unfrozen water. The activation energy of frozen soil varied due to the changes of unfrozen water content between 16.6 and 13.2 kcal/mole.

MP 1929
PREDICTION OF UNFROZEN WATER CONTENTS IN FROZEN SOILS BY A TWO-POINT OR ONE-POINT METHOD.
Xu, X., et al, International Symposium on Ground Freezing, 4th, Sapporo, Japan, Aug. 5-7, 1985. Proceedings, Vol.2, [Rotterdam, A.A. Balkema, 1985], p.83-87, 5 refs.
Oliphant, J.L., Tice, A.R.
40-669
FROZEN GROUND, UNFROZEN WATER CONTENT, DENSITY (MASS/VOLUME), TEMPERATURE EFFECTS.
The unfrozen water content in frozen soils, with different initial water content, dry density and molality, was determined by the nuclear magnetic resonance technique. Results show that the unfrozen water content in frozen morin clay changes with the initial water content and the dry density only within a range of three percent of the dry soil weight, and increases with the increase in the molality linearly because of the linear freezing point depression. The curves of the unfrozen water content vs temperature are quite parallel with the change in the initial water content and rotate a little bit counterclockwise with the increase in the dry density. On the basis of the data mentioned above, a two-point method by the measurements of two freezing points at two different initial water contents, and a one-point method by the measurement of the unfrozen water content at -1 C if the initial water content and its freezing point are given, is presented. Errors of predicting the unfrozen water content are 1-3% on the average for the two-point method and 1% or so for the one-point method.

MP 1930
FROST JACKING FORCES ON H AND PIPE PILES EMBEDDED IN FAIRBANKS SILT.
Johnson, J.B., et al, International Symposium on Ground Freezing, 4th, Sapporo, Japan, Aug. 5-7, 1985. Proceedings, Vol.2, [Rotterdam, A.A. Balkema, 1985], p.125-133, 5 refs.
Esch, D.C.
40-676
FROST HEAVE, PILE EXTRACTION, PIPELINE SUPPORTS, SHEAR STRESS, PERMAFROST DISTRIBUTION, FOUNDATIONS, TEMPERATURE EFFECTS, FROZEN GROUND MECHANICS, FROST PENETRATION, COUNTERMEASURES.
The magnitude and variation of forces and shear stresses, caused by soil frost heaving, for a pipe pile and an H pile were determined as a function of depth along the upper 3 m of the piles for two consecutive winters. The maximum frost heaving forces on the H pile during each winter were 943 kN and 899 kN. The maximum frost heaving force on the pipe pile was 703 kN. Maximum local shear stresses for the H pile were 1 MPa and 903 kPa for the two winters. The maximum local shear stress for the pipe pile was 896 kPa. Maximum average shear stresses over the two winters were 324 kPa and 427 kPa for the H pile and 324 kPa for the pipe pile. Maximum heaving forces and shear stresses occurred during periods of maximum cold and soil surface heave magnitude. These were related to the depth of frost for most of the winter, the soil was frozen completely to the permafrost table.

MP 1931
SHEAR STRENGTH ANISOTROPY IN FROZEN SALINE AND FRESHWATER SOILS.
Chamberlain, E.J., International Symposium on Ground Freezing, 4th, Sapporo, Japan, Aug. 5-7, 1985. Proceedings, Vol.2, [Rotterdam, A.A. Balkema, 1985], p.189-194, 2 refs.
40-687
FROZEN GROUND STRENGTH, SHEAR STRENGTH, ANISOTROPY, SALINITY, CLAY SOILS, SANDS, TESTS.
The shear strength anisotropy of frozen freshwater and seawater clay and sand soils was investigated using the direct shear technique. Samples were sheared at angles of 0, 30, 60 and 90 degrees between the shear and freezing planes. Because of variations in sample density, there was considerable scatter in the data. This scatter and the relationship of the maximum shear strength to the angle between the shear and freezing planes were accounted for by conducting multiple linear regression analysis on empirical equations relating the test variables to the shear strength.

MP 1932
SOIL-WATER POTENTIAL AND UNFROZEN WATER CONTENT AND TEMPERATURE.
Xu, X., et al, 1985, 7(1), p.1-14, 8 refs., In Chinese with English summary.
Oliphant, J.L., Tice, A.R.
40-783
FROZEN GROUND TEMPERATURE, NUCLEAR MAGNETIC RESONANCE, UNFROZEN WATER CONTENT, SOIL WATER, SOIL STRUCTURE, WATER CONTENT, FREEZING POINTS, SOIL CHEMISTRY, SOIL TEMPERATURE, DENSITY (MASS/VOLUME).
Soil-water potential was determined by the extraction method and four factors affecting the soil-water potential, including water content, soil type, dry density and temperature, were investigated. The unfrozen water content of frozen soils was determined by the pulsed nuclear magnetic resonance technique and three factors affecting the unfrozen water content, including initial water content, dry density and salt concentration, were investigated. Results have shown that the soil-water potential in the unsaturated, unfrozen soils decreases both with the decrease in the water content and with the increase in the dispersion of the soil and increases with the increases in the dry density and temperature. The unfrozen water content of frozen soils changes slightly with the initial water content and the dry density within the range of 3% for the morin clay and increases sharply with the increase in the salt concentration.

MP 1933
EFFECTS OF SOLUBLE SALTS ON THE UNFROZEN WATER CONTENTS OF THE LANZHOU, PRC, SILT.
Tice, A.R., et al, June 1985, 7(2), p 99-109, In Chinese with English summary, 20 refs For English version see 39-2916.
Zhu, Y., Oliphant, J.L.
40-830
UNFROZEN WATER CONTENT, FROZEN GROUND PHYSICS, SALINE SOILS, ELECTRICAL RESISTIVITY, SOIL CHEMISTRY.
Phase composition curves are presented for a typical saline silt from Lanzhou and compared to some silts from Alaska The unfrozen water content of the Chinese silt is much higher than the Alaskan silts. This higher amount is due to the large amount of soluble salts present in the silts from China which are not present in the silts from interior Alaska When the salts are removed, the unfrozen water contents are then similar for the Chinese and Alaskan silts. We have introduced a technique for correcting the unfrozen water content of partially frozen soils due to high salt concentrations This correction is possible by calculating the modality of the unfrozen water at each temperature from a measurement of the electrical conductivity of the extract of a saturated paste

MP 1934
WATER MIGRATION IN UNSATURATED FROZEN MORIN CLAY UNDER LINEAR TEMPERATURE GRADIENTS.
Xu, X., et al, June 1985, 7(2), p.111-122, 14 refs, In Chinese with English summary.
Oliphant, J.L, Tice, A R.
40-831
SOIL WATER MIGRATION, CLAY SOILS, FROZEN GROUND PHYSICS, SATURATION, TEMPERATURE GRADIENTS.

MP 1935
PRESSURE RIDGE MORPHOLOGY AND PHYSICAL PROPERTIES OF SEA ICE IN THE GREENLAND SEA.
Tucker, W.B, et al, Arctic Oceanography Conference and Workshop, Hattiesburg, MS, June 11-14, 1985. Proceedings, U.S. Department of the Navy, 1985, p.214-223, 13 refs
Gow, A.J., Weeks, W.F
40-957
PRESSURE RIDGES, ICE STRUCTURE, ICE PHYSICS, SEA ICE, SALINITY, GROUNDED ICE, ICE CRYSTAL STRUCTURE, ICE FLOES, GREENLAND SEA.
Field investigations of pressure ridge sails have shown that ridge height is limited by the thickness of the ice that deformed Sail height and width can be conveniently expressed as functions of the thickness of the ice blocks contained in the ridge Surface dimensions of the blocks are also related to ice thickness Ridge height may be determined by the ability of the parent sheet to support the loading imposed by the ridge or by the type of failure occurring Some insight into the structure of ridge keels may result from detailed study of the sails The physical properties of sea ice in the Fram Strait region of the Greenland Sea were examined as part of the MIZEX field program in 1984 The properties measured at each sampling site included salinity, temperature, thickness, crystal structure and snow depth The measured salinities agreed well with those measured elsewhere in the Arctic during summer Crystal texture analysis indicated that about 75% of the ice consisted of columnar type crystal structure The remaining 25% consisted of granular ice

MP 1936
MECHANICAL PROPERTIES OF MULTI-YEAR PRESSURE RIDGE SAMPLES.
Richter-Menge, J.A, Arctic Oceanography Conference and Workshop, Hattiesburg, MS, June 11-14, 1985. Proceedings, U.S. Department of the Navy, 1985, p.244-251, 19 refs.
40-960
PRESSURE RIDGES, ICE MECHANICS, COMPRESSIVE PROPERTIES, TENSILE PROPERTIES, ICE DENSITY, MECHANICAL TESTS, SALINITY.
Over 500 laboratory tests have recently been completed on ice samples collected from multi-year pressure ridges in the Alaskan Beaufort Sea. Tests were performed in uniaxial constant-strain-rate compression and tension and in confined compression The tests were conducted at two temperatures, -5 and -20 C, and four strain rates ranging from 1/100 to 1/100,000/s This discussion summarizes the sample preparation and testing techniques used in the investigation and presents data on the compressive, tensile and confined compressive strength of multi-year ridge samples This information is necessary for designing arctic structures and vessels that must withstand the impact of a multi-year pressure ridge

MP 1937
EXPERIENCE WITH A BIAXIAL ICE STRESS SENSOR.
Cox, G.F.N., Arctic Oceanography Conference and Workshop, Hattiesburg, MS, June 11-14, 1985. Proceedings, U.S. Department of the Navy, 1985, p.252-258, 10 refs.
40-961
ICE PRESSURE, ICE STRENGTH, STRESSES, LOADS (FORCES), OFFSHORE STRUCTURES, ICE MECHANICS, ICE LOADS, TESTS, SEA ICE, ICE NAVIGATION.
A biaxial ice stress sensor has been developed to measure the magnitude and direction of the principal stresses in an ice sheet Controlled laboratory tests indicate that the sensor has a resolution of 20 kPa and an accuracy of better than 10% under a variety of loading conditions The sensor has been successfully used to measure thermal ice pressures in lakes and ice loads on a caisson-retained island in the Beaufort Sea.

MP 1938
NUMERICAL SIMULATION OF SEA ICE INDUCED GOUGES ON THE SHELVES OF THE POLAR OCEANS.
Weeks, W F, et al, Arctic Oceanography Conference and Workshop, Hattiesburg, MS, June 11-14, 1985 Proceedings, U S Department of the Navy, 1985, p 259-265, 16 refs.
Tucker, W.B.
40-962
ICE SCORING, COMPUTER PROGRAMS, MATHEMATICAL MODELS, ICE SHELVES, SEA ICE, SEDIMENT TRANSPORT, OCEAN BOTTOM, DISTRIBUTION, STATISTICAL ANALYSIS, STRATIGRAPHY, OCEAN CURRENTS
A simulation model for sea ice-induced gouges on the shelves of the polar seas is developed by assuming that the annual occurrence of new gouges is given by a Poisson distribution, the locations of the gouges are random, and the distribution of gouge depths is specified by an exponential distribution Once a gouge is formed it is infilled by assuming a sediment input based on stratigraphic considerations and by calculating bed-load transport using methods from sediment transport theory If currents are sufficient to transport sediment, rapid infilling of gouges occurs In that these threshold currents are small for typical grain sizes, this suggests that the gouging record commonly represents only a few tens of years

MP 1939
TEMPERATURE DEPENDENCE OF THE EQUILIBRIUM FORM OF ICE.
Colbeck, S C, Sep 1985, 72(3), p 726-732, 25 refs
40-981
ICE CRYSTAL GROWTH, ICE CRYSTAL STRUCTURE, SNOW CRYSTAL STRUCTURE, TEMPERATURE EFFECTS, PLATES, SURFACE ROUGHNESS, EXPERIMENTATION
Individual crystals are grown under controlled conditions at temperatures between -0 6 and -20 C at rates as low as 1 10,000 g/year and supersaturations as low as 6 5 x 1 10,000,000 The transition between the kinetic growth form and the equilibrium form is clearly distinguished at temperatures between -2 and -10 C where the equilibrium form is a well rounded plate with an aspect ratio of about 2 5 At temperatures below -11 C the equilibrium form is a hexagonal prism of about the same aspect ratio This transition coincides with the rapid increase in surface roughening on the prism faces at temperatures above -10 C The equilibrium form is a fully rounded particle just below 0 C although we had expected the fully rounded particle to prevail down to at least -5 C Furthermore, there are unresolved differences between these experimental results and observations of crystals from the seasonal snow cover where particles are fully rounded at slow growth rates and low temperatures.

MP 1940
ICE JAM FLOOD PREVENTION MEASURES: LAMOILLE RIVER AT HARDWICK, VERMONT, USA.
Calkins, D.J., International Conference on the Hydraulics of Floods and Flood control, 2nd, Cambridge, England, Sep 24-26, 1985 Proceedings, Cranfield, Bedford, England, BHRA, The Fluid Engineering Centre, 1985, p.149-168, 4 refs.
40-1012
ICE CONTROL, ICE JAMS, RIVER ICE, FLOODS, WATER LEVEL, TOPOGRAPHIC EFFECTS, COUNTERMEASURES.
Prevention of ice-induced flooding is very difficult, but the impact can be minimized if the winter ice regime can be altered The Lamoille River at Hardwick, Vermont, is a steep, shallow stream during non-ice periods. Under ice jam conditions stage increases of 1-2 m above the elevation of the floodplain have been measured Several experimental measures have been implemented to minimize the ice jam flood levels, their performance was evaluated for the winter of 1983-84.

MP 1941
GEOPHYSICAL SURVEY OF SUBGLACIAL GEOLOGY AROUND THE DEEP-DRILLING SITE AT DYE 3, GREENLAND.
Jezek, K.C., et al, 1985, No 33, p 105-110, 14 refs.
Roeloffs, E.A., Greischar, L L.
39-3575
GEOPHYSICAL SURVEYS, GLACIER BEDS, GLACIAL GEOLOGY, SUBGLACIAL OBSERVATIONS, BOREHOLES, TOPOGRAPHIC FEATURES, GEOMORPHOLOGY, RADAR ECHOES, TECTONICS, GREENLAND.

MP 1942
SIMPLE DESIGN PROCEDURE FOR HEAT TRANSMISSION SYSTEM PIPING.
Phetteplace, G, Intersociety Energy Conversion Engineering Conference, 19th, San Francisco, CA, Aug. 19-24, 1984 Proceedings Vol 3, American Nuclear Society, 1984, p.1748-1752, 4 refs.
40-1688
COST ANALYSIS, HEAT TRANSMISSION, PIPELINES, LOADS (FORCES), DESIGN, ANALYSIS (MATHEMATICS), HEATING, COOLING, HEAT LOSS
Piping systems represent the major portion of the total cost of most district heating applications and constitute a barrier to their widespread implementation This paper presents a methodology for least-cost design of these systems under realistic conditions of varying load Cost-effective design of piping for district heating and cooling applications requires careful consideration of the various components of the owning and operating costs These costs are included in the formulation of an optimization problem to determine the minimum cost design on a yearly cycle basis.

MP 1943
NITROGEN REMOVAL IN WASTEWATER STABILIZATION PONDS.
Reed, S.C., (1983), 13p. + figs., Presented at 56th Annual Conference of the Water Pollution Control Federation, Atlanta, Georgia, Oct 2-7, 1983 Unpublished manuscript 14 refs
40-1089
WASTE TREATMENT, WATER TREATMENT, WATER POLLUTION, PONDS, COUNTERMEASURES, DESIGN CRITERIA, LAND RECLAMATION, CHEMICAL ANALYSIS.
A rational procedure for estimating nitrogen removal in facultative wastewater stabilization ponds has been developed and validated The procedure, based on first order plug flow kinetics is dependent on pH, temperature and residence time The model was developed from extensive data obtained at four facultative ponds in various parts of the U S and was validated with independent data from five pond systems in the U S and Canada The procedure should be useful whenever system design criteria require nitrogen removal or nitrification It should be particularly helpful for the pond component of land treatment systems when nitrogen is the limiting design parameter

MP 1944
PROBLEMS WITH RAPID INFILTRATION—A POST MORTEM ANALYSIS.
Reed, S C, et al, (1984), 17p + figs, Presented at 57th Annual Conference of the Water Pollution Control Federation, New Orleans, LA, Oct 1-4, 1984 Unpublished manuscript 7 refs
Crites, R.W., Wallace, A T
40-1086
WATER TREATMENT, WASTE TREATMENT, SEEPAGE, GROUND WATER, DESIGN, COST ANALYSIS
Rapid infiltration is a reliable and cost effective technique for wastewater treatment Over 300 municipal systems are in successful use in the United States A few of the recently constructed systems have not satisfied all design

expectations, particularly with respect to the amount of wastewater that can infiltrate within the time allowed Correction of these problems often requires additional construction and increases costs but the cumulative effect is also to raise general concerns within the profession regarding the suitability and applicability of the basic concept. An analysis of the failures, and some of the problem systems was conducted and this paper will describe the results

MP 1945
WETLANDS FOR WASTEWATER TREATMENT IN COLD CLIMATES.
Reed, S.C., et al, [1984], 9p. + figs., Presented at Water Reuse Symposium, 3rd, San Diego, CA, Aug. 26-31, 1984. Unpublished manuscript. 13 refs.
Bastian, R., Black, S., Khettry, R.
40-1087
WASTE TREATMENT, WATER TREATMENT, COLD WEATHER PERFORMANCE, WATER LEVEL, GROUND WATER, VEGETATION FACTORS, SATURATION.

MP 1946
DESIGN, OPERATION AND MAINTENANCE OF LAND APPLICATION SYSTEMS FOR LOW COST WASTEWATER TREATMENT.
Reed, S.C., [1983], 26p. + figs., Presented at Workshop on Low Cost Wastewater Treatment, Clemson, SC, Apr. 19-21, 1983. Unpublished manuscript. 3 refs.
40-1088
WASTE TREATMENT, WATER TREATMENT, SEEPAGE, VEGETATION FACTORS, DESIGN CRITERIA, LAND RECLAMATION, SATURATION.

MP 1947
INCIDENTAL AGRICULTURE REUSE APPLICATION ASSOCIATED WITH LAND TREATMENT OF WASTEWATER—RESEARCH NEEDS.
Reed, S.C., Environmental Engineering Research Council Workshop—Water Conservation and Reuse in Industry and Agriculture. Research Needs, Kiawah Island, South Carolina, Mar. 3-6, 1982. Proceedings, New York, NY, American Society of Civil Engineers, [1982], p.91-123, 34 refs.
40-1091
WASTE TREATMENT, WATER TREATMENT, LAND RECLAMATION, SEEPAGE, AGRICULTURE, VEGETATION, IRRIGATION, DESIGN, WATER POLLUTION, COUNTERMEASURES.

MP 1948
ENGINEERING SYSTEMS.
Loehr, R., et al, Workshop on Utilization of Municipal Wastewater and Sludge on Land, 1983. Proceedings. Edited by A.L. Page, L. Gleason, III, J.E. Smith, Jr., I.K. Iskandar, and L.E. Sommers, Riverside, University of California, 1983, p.409-417, Includes discussions. Reed, S.C.
40-1[illegible]
WASTE TREATMENT, WATER TREATMENT, SLUDGES, LAND RECLAMATION, WATER POLLUTION, COUNTERMEASURES

MP 1949
MAINTAINING FROSTY FACILITIES.
Reed, S.C., et al, Feb. 1985, p.9-15, 6 refs.
Niedringhaus, L
40-1240
WASTE TREATMENT, WATER TREATMENT, COLD WEATHER OPERATION, MUNICIPAL ENGINEERING, MAINTENANCE, FLOW MEASUREMENT, SEDIMENTATION, DAMAGE, SLUDGES.

MP 1950
GROWTH AND FLOWERING OF COTTONGRASS TUSSOCKS ALONG A CLIMATIC TRANSECT IN NORTHCENTRAL ALASKA.
Haugen, R.K., et al, Arctic Workshop, 13th, Boulder, CO, Mar. 15-17, 1984. [Proceedings], Boulder, University of Colorado, Institute of Arctic and Alpine Research, 1984, p 10-11, 2 refs
Shaver, G.R., King, G G.
40-1107
HUMMOCKS, PLANT PHYSIOLOGY, GROWTH, CLIMATIC FACTORS, AIR TEMPERATURE, PRECIPITATION (METEOROLOGY), PIPELINES, ALTITUDE, UNITED STATES ALASKA.

MP 1951
DIELECTRIC STUDIES OF PERMAFROST USING CROSS-BOREHOLE VHF PULSE PROPAGATION.
Arcone, S.A., et al, May 1985, No.85-05, Workshop on Permafrost Geophysics, Golden, Colorado, Oct. 23-24, 1984. Proceedings, p.3-5, ADA-157 485, 1 ref.
Delaney, A.J.
40-1290
PERMAFROST PHYSICS, DIELECTRIC PROPERTIES, BOREHOLES, GROUND ICE, ELECTROMAGNETIC PROPERTIES, RADAR ECHOES, WAVE PROPAGATION, SOIL STRUCTURE, PERMAFROST THERMAL PROPERTIES.

MP 1952
IMPULSE RADAR SOUNDING OF FROZEN GROUND.
Kovacs, A., et al, May 1985, No.85-05, Workshop on Permafrost Geophysics, Golden, Colorado, Oct. 23-24, 1984. Proceedings, p.28-40, ADA-157 485, 1 ref.
Morey, R.M.
40-1295
FROZEN GROUND PHYSICS, RADAR ECHOES, GROUND ICE, ICE DETECTION, SOUNDING, PIPELINES, PINGOS, ELECTROMAGNETIC PROSPECTING, ICE VOLUME.

MP 1953
ANALYSIS OF WIDE-ANGLE REFLECTION AND REFRACTION MEASUREMENTS.
Morey, R.M., et al, May 1985, No.85-05, Workshop on Permafrost Geophysics, Golden, Colorado, Oct. 23-24, 1984. Proceedings, p.53-60, ADA-157 485, 6 refs.
Kovacs, A.
40-1299
RADAR ECHOES, SUBSURFACE INVESTIGATIONS, DIELECTRIC PROPERTIES, REFLECTION, REFRACTION, MATHEMATICAL MODELS, WAVE PROPAGATION

MP 1954
SOME ASPECTS OF INTERPRETING SEISMIC DATA FOR INFORMATION ON SHALLOW SUBSEA PERMAFROST.
Neave, K.G., et al, May 1985, No.85-05, Workshop on Permafrost Geophysics, Golden, Colorado, Oct 23-24, 1984 Proceedings, p.61-65, ADA-157 485, 6 refs.
Sellmann, P.V.
40-1300
SUBSEA PERMAFROST, SEISMIC SURVEYS, PERMAFROST DISTRIBUTION, SEISMIC REFRACTION, SEISMIC VELOCITY, PERMAFROST DEPTH.

MP 1955
GALVANIC METHODS FOR MAPPING RESISTIVE SEABED FEATURES.
Sellmann, P.V., et al, May 1985, No.85-05, Workshop on Permafrost Geophysics, Golden, Colorado, Oct. 23-24, 1984. Proceedings, p 91-92, ADA-157 485.
Delaney, A.J., Arcone, S.A.
40-1305
SUBSEA PERMAFROST, PERMAFROST PHYSICS, GROUND ICE, CABLES (ROPES), MAPPING, SEA WATER, SALINITY.

MP 1956
HEAT TRANSMISSION WITH STEAM AND HOT WATER.
Aamot, H W C., et al, Cogeneration district heating applications Edited by I Oliker, New York, American Society of Mechanical Engineers, 1978, p 17-23, Presented at the Winter Annual Meeting of the American Society of Mechanical Engineers, San Francisco, California, December 10-15, 1978. 6 refs
Phetteplace, G.
40-1267
HEAT TRANSMISSION, WATER PIPES, WATER TEMPERATURE, FLUID FLOW, HEAT FLUX, HEAT LOSS, FLOW RATE, METEOROLOGICAL FACTORS, PRESSURE, COMPUTER APPLICATIONS, DESIGN.
A methodology for design of heat transmission lines is presented It is based on finding the pipe diameter which yields the lowest total cost Cost factors considered are cost of energy lost in the form of heat, cost of energy to produce pumping work, and cost of capital to construct the system The methodology has been developed into a computer code which allows for rapid analysis of alternatives Results are presented, based on certain assumptions, for various parameters of interest

MP 1957
THEORY OF NATURAL CONVECTION IN SNOW.
Powers, D., et al, Oct. 20, 1985, 90(D6), p.10,641-10,649, 31 refs.
O'Neill, K., Colbeck, S.C.
40-1224
SNOW PHYSICS, CONVECTION, THERMAL CONDUCTIVITY, HEAT TRANSFER, MASS TRANSFER, PHASE TRANSFORMATIONS, POROUS MATERIALS, WATER VAPOR, LATENT HEAT, MATHEMATICAL MODELS, THEORIES.
Buoyancy-driven flows of air in snow are modeled including the effects of phase change and inclination Phase change between water vapor and ice is important because of latent heat terms in the energy equation. Upper boundaries of the snow are taken as either permeable or impermeable, with temperature or heat flux specified at the lower boundary When the ratio of thermal to mass diffusivity is greater than 1, phase change intensifies convection. When this ratio is less than 1, phase change damps convection The effects of permeable top and uniform heat flux bottom boundary conditions on heat transfer are quantified and described as linear functions of Ra/Ra(cr), where Ra is the Rayleigh number and cr refers to the critical value for the onset of Benard convection The slope of each function depends only on the thermal boundary condition at the lower boundary If a snow cover is inclined, Rayleigh convection occurs for any nonzero Rayleigh number Velocity profiles for flows in inclined layers with permeable tops are derived, and it is found that velocity is proportional to Ra sin phi, where phi is the angle of inclination from the horizontal. The numerical results for different boundary conditions compare reasonably well with experimental results from the literature

MP 1958
FORWARD-SCATTERING CORRECTED EXTINCTION BY NONSPHERICAL PARTICLES.
Bohren, C.F., et al, Apr. 1, 1985, 24(7), p.1023-1029, For another source see 39-2966. 16 refs.
Koh, G.
40-1223
SNOWFLAKES, LIGHT SCATTERING, SNOW CRYSTAL STRUCTURE, PARTICLES, ICE NEEDLES, ANALYSIS (MATHEMATICS).
Measured extinction of light by particles, especially those larger than the wavelength of the light illuminating them, must be corrected for forward-scattered light collected by the detector. Near-forward scattering by arbitrary nonspherical particles is, according to Fraunhofer diffraction theory, more sharply peaked than that by spheres of equal projected area The difference between scattering by a nonspherical particle and that by an equal-area sphere is greater the more diffusely the particle's projected area is distributed about its centroid. Snowflakes are an example of large atmospheric particles that are often highly nonspherical Calculations of the forward-scattering correction to extinction by ice needles have been made under the assumption that they can be approximated as randomly oriented prolate spheroids (aspect ratio 10 1) The correction factor can be as much as 20% less than that for equal-area spheres depending on the detector's acceptance angle and the wavelength. Randomly oriented oblate-spheroids scatter more nearly like equal-area spheres.

MP 1959
PEBBLE FABRIC IN AN ICE-RAFTED DIAMICTON.
Domack, E.W., et al, Sep. 1985, 93(5), p.577-591, Refs. p.589-591.
Lawson, D.E.
40-1222
ICE RAFTING, GLACIAL DEPOSITS, SEDIMENTATION, MORAINES, STRATIGRAPHY, FOSSILS, ORIGIN, GLACIER FLOW.
Pebble fabric studies on ice-rafted diamictons have been limited to general observations, with authors noting preferences toward vertical, random, or horizontal orientations To clarify such observations, pebble fabric data were collected from a fossiliferous diamicton of late Pleistocene age located on Whidbey Island, Washington The ice-rafted origin of this unit is supported by several independent characteristics including *in situ* macrofauna and microfauna, conformity with subaqueous lithofacies containing dropstones, lower bulk densities and higher void ratios than associated tills, soft sediment deformation structures suggestive of iceberg dumping, textural gradations, and facies relationships Analysis using the eigenvalue method indicates that ice-rafted fabrics are nearly random with little consistency of vector orientations between sites and without any relationship to the probable direction of glacial flow The weak fabric is mainly the product of settling through the water column and impact with, or penetration of, the bed Samples that possess a weak preferred long axis orientation with a low angle of dip, including those from laminated muds, can best be explained by the intermittent effects of bottom currents, a resistant substrate at the time of deposition and post-depositional flowage Comparisons of pebble fabrics from basal tills, recent sediment flow deposits and basal, debris-laden ice of an active glacier demonstrate that the ice-rafted fabrics are distinct from those of basal ice and till but are quite similar to those of sediment flow diamictons Ice-rafted diamictons appear, however, to contain a greater

number of elongate stones, with long axis plunge angles exceeding 45 deg, than other glacigenic diamictons

MP 1960
AUDIBILITY WITHIN AND OUTSIDE DEPOSITED SNOW.
Johnson, J.B., 1985, 31(108), p 136-142, 12 refs., In English with French and German summaries.
40-1320
SNOW COVER EFFECT, SNOW ACOUSTICS, SOUND TRANSMISSION, NOISE (SOUND).
Factors which control the audibility within and outside deposited snow are described and applied to explain the preferential detection of sound by persons buried under avalanche debris as compared to persons on the overlying snow surface. Strong attenuation of acoustic waves in snow and the small acoustic impedance differences between snow and air are responsible for the strong absorption and transmission-loss characteristics that are observed for snow. The absorption and transmission-loss characteristics are independent of the direction of propagation of acoustic signals through the snow. The preferential detection of sound by a person buried under snow can be explained by the relatively higher level of background acoustic noise that exists for persons above the snow surface as compared to an avalanche burial victim. This noise masks sound transmitted to persons on the snow surface, causing a reduction of hearing sensitivity as compared to the burial victim. Additionally, the listening concentration of a buried individual is generally greater than for persons working on the snow surface, increasing their subjective awareness of sound. (Auth.)

MP 1961
STATISTICAL RELATIONSHIPS BETWEEN COLD REGIONS SURFACE CONDITIONS AND CLIMATIC PARAMETERS.
Bilello, M.A., Conference on Probability and Statistics in Atmospheric Sciences, 9th, Virginia Beach, VA, Oct. 9-11, 1985. Proceedings, 1985, p.508-517, Reprint from preprint volume.
40-1420
SNOW PHYSICS, ICE PHYSICS, SURFACE PROPERTIES, CLIMATIC FACTORS, ICE COVER THICKNESS, SNOW DENSITY, DEGREE DAYS, FROST.

MP 1962
EMITTANCE: A LITTLE UNDERSTOOD IMAGE DECEPTION IN THERMAL IMAGING APPLICATIONS.
Munis, R.H., et al, Apr. 1985, Vol 549, p 72-78, 6 refs.
Marshall, S.J.
40-1423
THERMAL RADIATION, THERMAL PROPERTIES, MATERIALS, RADIOMETRY, TEMPERATURE MEASUREMENT.
Image contrast enhancement sometimes complicates image understanding. A scene that consists of slightly dissimilar target and background emittances may not be readily identifiable without image enhancement. Even if the emittance differential can be sharply contrasted, those image surface patterns that convey subsurface thermal information may not be visible because of the wide dynamic range that must be accommodated by the thermal imaging system. This paper describes how emittance complicates the interpretation of thermal images. High and low emittance values affect the logic required for understanding thermal scenes. Thermal scenes containing emittance differentials are easier to interpret if there is a large contrast between the object and the background.

MP 1963
THERMAL EMISSIVITY OF DIATHERMANOUS MATERIALS.
Munis, R.H., et al, Sep.-Oct. 1985, 24(5), p.872-878, 10 refs.
Marshall, S.J.
40-1422
RADIOMETRY, OPTICAL PROPERTIES, INFRARED PHOTOGRAPHY, TEMPERATURE MEASUREMENT, ABSORPTION, MATERIALS.
Thermal (2.0 to 5.6 micron) measurements of the normal emissivity of several diathermanous materials having slightly different refractive indices were made at 15.2 C, 4.9 C, and -5.6 C. Calculations of the total hemispherical emissivity were made from normal emissivity and plotted against the optical depth. A comparison of these data with a model proposed by R. Gardon [J. Am. Ceram. Soc. 39(8), 278 (1956)] indicates that at near-ambient temperatures they agree very closely. This comparison presumes that the narrow range of refractive indices about n=1.5 associated with these specimens would not preclude them from being treated as having a value of 1.5.

MP 1964
STRATEGIES FOR WINTER MAINTENANCE OF PAVEMENTS AND ROADWAYS.
Minsk, L.D., et al, 1984, Vol.431, p.155-167, 14 refs.
Eaton, R.A.
40-1427
WINTER MAINTENANCE, ROAD MAINTENANCE, SNOW REMOVAL, ICE REMOVAL, PAVEMENTS, FREEZE THAW CYCLES, CLIMATIC FACTORS, SNOW DEPTH, COST ANALYSIS.

MP 1965
STRUCTURE, SALINITY AND DENSITY OF MULTI-YEAR SEA ICE PRESSURE RIDGES.
Richter-Menge, J.A., et al, Dec. 1985, 107(4), p.493-497, For another source and abstract see 39-2413 (MP 1857). 11 refs.
Cox, G.F.N.
40-1444
PRESSURE RIDGES, ICE STRUCTURE, ICE SALINITY, ICE DENSITY, ICE PHYSICS, ICE LOADS, SEA ICE, BEAUFORT SEA

MP 1966
IN-ICE CALIBRATION TESTS FOR AN ELONGATE, UNIAXIAL BRASS ICE STRESS SENSOR.
Johnson, J.B., Dec. 1985, 107(4), p.506-510, For another source and abstract see 39-2420 (MP 1859). 8 refs.
40-1446
ICE COVER STRENGTH, ICE SOLID INTERFACE, ICE LOADS, STRESSES, MEASURING INSTRUMENTS, TESTS.

MP 1967
EXPERIMENTAL MEASUREMENT OF CHANNELING OF FLOW IN POROUS MEDIA.
Oliphant, J.L., et al, May 1985, 139(5), p.394-399, 10 refs.
Tice, A.R.
40-1481
SOIL WATER, WATER FLOW, POROUS MATERIALS, CHANNELS (WATERWAYS), HYDRAULICS, VISCOUS FLOW, LAMINAR FLOW, DIFFUSION.
By comparing experimental measurements of the hydraulic conductivity and the effective self-diffusivity of water in porous media, a channeling parameter, c, is defined. This parameter measures the degree of division of flow paths in the media, but does not depend on the tortuosity of the paths or surface effects on the viscosity of the water. Values of c are obtained for Na-saturated montmorillonites containing from 0.82 to 7.7 g of water per g of clay and for Fairbanks silt containing from 0.135 to 0.23 g of water per g of silt. Values for the montmorillonites remain relatively close to the theoretically predicted value of 1/3 at all water contents, indicating maximally divided flow paths. Values for the silt vary from 100 to over 2000, indicating highly channeled flow.

MP 1968
SOME RECENT DEVELOPMENTS IN VIBRATING WIRE ROCK MECHANICS INSTRUMENTATION.
Dutta, P.K., 1985, 12p., 20 refs. Presented at the 26th U.S. Symposium on Rock Mechanics, Rapid City, SD, June 26-28, 1985.
40-1490
ROCK MECHANICS, COLD WEATHER OPERATION, MEASURING INSTRUMENTS, VIBRATION, STRESSES, MODELS, ACCURACY.

MP 1969
BRITTLENESS OF REINFORCED CONCRETE STRUCTURES UNDER ARCTIC CONDITIONS.
Kivekäs, L., et al, 1985, No.369, 28 + 14p., In Finnish with English summary. 9 refs.
Korhonen, C.
40-1492
WINTER CONCRETING, CONCRETE STRUCTURES, LOADS (FORCES), REINFORCED CONCRETES, CONCRETE STRENGTH, BRITTLENESS, FRACTURING, IMPACT STRENGTH, TEMPERATURE EFFECTS
When plain reinforcing bars are tested under impact load according to the steel standards their failure becomes brittle already at the arctic temperature region. However, when reinforced concrete structures are loaded with an impact load, the reinforcing bars are subjected to loading conditions very different from the test with the plain rebars, and this has a significant effect on the transition temperature.

MP 1970
ION AND MOISTURE MIGRATION AND FROST HEAVE IN FREEZING MORIN CLAY.
Qiu, G., et al, Mar. 1986, 8(1), p.1014, 9 refs., In Chinese with English summary.
Chamberlain, E.J., Iskandar, I.K.
40-4634
FROST HEAVE, SOIL WATER MIGRATION, IONS, CLAY SOILS, SOIL CHEMISTRY, WATER CONTENT, FREEZING RATE, TESTS.
Sixteen specimens made of Morin Clay with a saturation percentage of 86% were subjected to freezing tests in open system fed by distilled water, NaCl solution, CaCl(2) solution and Na(2)SO(4) solution respectively. Before freezing test, specimens were homogeneous in water content but heterogeneous in chemical composition with a vertical concentration gradient. After freezing test, both water content and the dominant-anion content in frozen part of the soil samples increase, this means that not only moisture but also ions were migrating toward the freezing zone during tests.

MP 1971
TENSILE STRENGTH OF FROZEN SILT.
Zhu, Y., et al, Mar. 1986, 8(1), p.15-28, 9 refs., In Chinese with English summary.
Carbee, D.L.
40-4635
FROZEN GROUND STRENGTH, TENSILE PROPERTIES, STRAIN TESTS, SEDIMENTS, SOIL COMPACTION, DENSITY (MASS/VOLUME), TEMPERATURE EFFECTS.
Constant strain-rate tension tests were conducted on remolded saturated frozen Fairbanks silt at various temperatures, strain rates and densities. It is found that the critical strain rate of the ductile-brittle transition does not depend upon temperature, but varies with density. It has a value of 0.01/s for the silt with medium density and 0.0005/s for low density. The peak tensile strength considerably decreases with decreasing strain rate for ductile failure, while it slightly decreases with increasing strain rate for brittle fracture. The failure strain remains almost the same for temperatures lower than about -2C, but it varies with density and strain rate. The initial tangent modulus is found not to depend upon strain rate, but increases with decreasing temperature and density.

MP 1972
ICE BLOCK STABILITY.
Daly, S.F., Water for resource development, Proceedings of the ASCE Hydraulics Division Specialty Conference, edited by D.L. Schreiber, New York, American Society of Civil Engineers, 1984, p.544-548, 5 refs.
40-1548
RIVER ICE, ICE FLOES, ICE PRESSURE.
In this paper a simple formulation of the forces acting on an ice block in contact with an intact ice cover is presented. Underturning of the ice block is the assumed mechanism by which the block is swept under the ice cover. The data can be divided into two separate cases, a shallow water case and a deep water case. The conditions of instability for each case are determined empirically. The resultant prediction of the velocity at which the block is swept under the cover reproduces the data very well over the entire range of nondimensional ice block thicknesses. The "no-spill" condition used in earlier formulations is not required.

MP 1973
MATHEMATICAL MODELING OF RIVER ICE PROCESSES.
Shen, H.T., Water for resource development, Proceedings of the ASCE Hydraulics Division Specialty Conference, edited by D.L. Schreiber, New York, American Society of Civil Engineers, 1984, p.554-558, 16 refs.
40-1550
RIVER ICE, ICE FORMATION, ICE BREAKUP, ANALYSIS (MATHEMATICS)
Computer modeling of flow and ice conditions in a river is an important element in the planning of water resources projects in northern regions. In this paper, a brief review on the present knowledge of formulating river ice process is given.

MP 1974
MITIGATIVE AND REMEDIAL MEASURES FOR CHILLED PIPELINES IN DISCONTINUOUS PERMAFROST.
Sayles, F.H., Seminar on Pipelines and Frost Heave, Caen, Apr. 25-27, 1984. Proceedings English version. Edited by S.R. Dallmore and P.J. Williams. Ottawa, Carleton University, July 1984, p.61-62.
39-3049
DISCONTINUOUS PERMAFROST, FROST HEAVE, UNDERGROUND PIPELINES, SHEAR PROPERTIES, FROST ACTION, PERMAFROST BENEATH ROADS, FROST PENETRATION, DAMAGE, DESIGN CRITERIA.

MP 1975
USING LANDSAT DATA FOR SNOW COVER/-VEGETATION MAPPING.
Merry, C.J., et al, Annual Department of Defense Mapping, Charting, and Geodesy Conference, 9th, 1984. Report, Washington, D.C, Defense Mapping Agency, [1984], p.II(140)-II(144), 7 refs.
McKim, H.L.
40-1535
SNOW COVER DISTRIBUTION, REMOTE SENSING, VEGETATION, LANDSAT, MAPPING, SNOW DEPTH, SNOW WATER EQUIVALENT.

MP 1976
HEATING ENCLOSED WASTEWATER TREATMENT FACILITIES WITH HEAT PUMPS.
Martel, C.J., et al, Dec. 1982, EPS 3-WP-82-6, Symposium on Utilities Delivery in Cold Regions, 3rd, Edmonton, Alta., May 25-26, 1982. Proceedings. Compiled by D.W Smith, p.262-280, 13 refs.
Phetteplace, G.
42-1727
WASTE TREATMENT, WATER TREATMENT, HEATING, SANITARY ENGINEERING, UTILITIES, PUMPS, COST ANALYSIS, WINTER MAINTENANCE.

MP 1977
COMPARATIVE FIELD TESTING OF BURIED UTILITY LOCATORS.
Bigl, S.R., et al, Hanover, NH, U.S.A CRREL, [1984], 25p., Presented at the APWA Public Works Conference and Equipment Show, Edmonton, Alberta, May 13-15, 1984. Unpublished manuscript. 1 ref.
Phetteplace, G., Henry, K.S.
40-1683
UNDERGROUND FACILITIES, UTILITIES, MAGNETIC SURVEYS, MAINTENANCE, DETECTION, DAMAGE, TESTS, RADAR ECHOES.
Locating buried utilities for repair, servicing or prevention of damage is often necessary when excavation is to be conducted in a particular area The most widely used methods for detection of buried facilities are magnetic induction, magnetometry, and radiofrequency tracking Downward-looking radar units designed specifically for utility location are in the development stages Comparative field tests of eight locators were conducted at West Point and Newburgh, New York, over various types of buried utilities including iron and steel pipe, cable, vitreous tile pipe and plastic pipe.

MP 1978
HEAT RECOVERY FROM PRIMARY EFFLUENT USING HEAT PUMPS.
Phetteplace, G., et al, CLIMA 2000 Conference, Copenhagen, Aug. 1985. Proceedings, Vol.6, [1985], p.199-203, 1 ref.
Ueda, H.T., Martel, C J.
40-1682
HEAT RECOVERY, WASTE TREATMENT, WATER TREATMENT, SEWAGE, HEATING.

MP 1979
SIMPLIFIED DESIGN PROCEDURES FOR HEAT TRANSMISSION SYSTEM PIPING.
Phetteplace, G., CLIMA 2000 Conference, Copenhagen, Aug 1985 Proceeding, Vol 6, [1985], p 451-456, 5 refs.
40-1686
HEAT TRANSMISSION, UNDERGROUND PIPELINES, WATER PIPELINES, HEAT LOSS, DESIGN, COST ANALYSIS, ANALYSIS (MATHEMATICS).

MP 1980
ANALYSIS OF HEAT LOSSES FROM THE CENTRAL HEAT DISTRIBUTION SYSTEM AT FORT WAINWRIGHT.
Phetteplace, G., [1982], 20p., Unpublished manuscript; presented at the Symposium on Utilities Delivery in Cold Regions, Edmonton, Alberta, May 25-26, 1982. 5 refs.
40-1660
HEAT TRANSMISSION, HEAT LOSS, HEATING, HEAT SOURCES, DEGREE DAYS, TEMPERATURE EFFECTS, ANALYSIS (MATHEMATICS), UNITED STATES—ALASKA—FAIRBANKS

MP 1981
AIRBORNE-SNOW CONCENTRATION MEASURING EQUIPMENT.
Lacombe, J., June 1982, 82-17, Snow Symposium, 1st, Hanover, NH, Aug 1981 Proceedings, p 17-46, ADB-091 442, 12 refs
40-1929
SNOWFALL, SNOWFLAKES, FALLING BODIES, MEASURING INSTRUMENTS, VISIBILITY, AIRBORNE EQUIPMENT, ACCURACY, TRANSMISSION
A brief introduction to the function of the Airborne-Snow Concentration Measuring Equipment (ASCME) and its usefulness for characterizing the winter environment is given. The deficiencies of alternative systems are identified ASCME hardware and basic system operation are described in detail The governing design equation and choice of design parameters are discussed, along with estimates of system accuracy. Evidence of ASCME's satisfactory performance during its inaugural operation at SNOW-ONE is presented and design improvements to be incorporated and used during SNOW ONE-A are mentioned Snowfall rate and airborne-snow concentration data are also compared, showing a weak correlation between the two parameters at low concentration levels

MP 1982
SNOW AND FOG PARTICLE SIZE MEASUREMENTS.
Berger, R.H., June 1982, 82-17, Snow Symposium, 1st, Hanover, NH, Aug. 1981 Proceedings, p.47-58, ADB-091 442, 6 refs.
40-1930
SNOWFLAKES, FOG, PARTICLE SIZE DISTRIBUTION, ELECTROMAGNETIC PROSPECTING, TRANSMISSION, SNOW CRYSTAL STRUCTURE, LIGHT SCATTERING, INFRARED RADIATION, FALLING BODIES, DATA PROCESSING.
During the SNOW-ONE field measurements Knollenberg 2-D grey imaging probes were used to characterize airborne snow. This application of the probes presents problems due to the shape and orientation of the snow particles The techniques used to surmount these problems are described Results are presented in a comparison between the total snowflake area concentration and the transmittance in the visible and infrared.

MP 1983
METEOROLOGY AND OBSERVED SNOW CRYSTAL TYPES DURING THE SNOW-ONE EXPERIMENT.
Bilello, M A , June 1982, 82-17, Snow Symposium, 1st, Hanover, NH, Aug 1981 Proceedings, p 59-75, ADB-091 442, 8 refs.
40-1931
SNOW CRYSTAL STRUCTURE, SNOWFALL, METEOROLOGICAL FACTORS, SNOWFLAKES, FALLING BODIES, ELECTRICAL MEASUREMENT, OPTICAL PROPERTIES, SNOWSTORMS.
A survey of the surface pressure systems, weather fronts, and air masses that influenced northern Vermont during the periods of snowfall in January and February 1981 was conducted Vertical profiles of the temperature and moisture, and observations of the falling snow crystals made at the SNOW-ONE site were also retrieved for the same time period This information was used to conduct a study on associations between meteorological conditions and observed snow crystal characteristics. Examples of the results obtained from the various snowfall events that occurred during the field test period are presented This study was conducted with the ultimate objective of associating large-scale weather patterns with the on-site frozen particle characterization measurements, and the data obtained concurrently by the electro-optical sensor systems

MP 1984
METEOROLOGICAL MEASUREMENTS AT CAMP ETHAN ALLEN TRAINING CENTER, VERMONT.
Bates, R., June 1982, 82-17, Snow Symposium, 1st, Hanover, NH, Aug. 1981. Proceedings, p.77-112, ADB-091 442, 4 refs.
40-1932
METEOROLOGICAL INSTRUMENTS, SNOWFALL, PRECIPITATION GAGES, AIR TEMPERATURE, SNOWSTORMS, DEW POINT, HUMIDITY, WIND VELOCITY, WIND DIRECTION, SNOW WATER EQUIVALENT, VISIBILITY, SNOW DEPTH.
This paper contains a detailed description of the meteorological instruments used by CRREL at SNOW ONE, together with information on their performance and reliability Some of the data collected are discussed and analyzed Redfield (1981) presented a substantial amount of the meteorological data obtained by CRREL during SNOW-ONE, including the hourly summaries of observations recorded by a meteorological team from the Atmospheric Sciences Laboratory (ASL), Maynard, Massachusetts

MP 1985
GEOMETRY AND PERMITTIVITY OF SNOW.
Colbeck, S.C , June 1982, 82-17, Snow Symposium, 1st, Hanover, NH, Aug 1981 Proceedings, p.113-131, ADB-091 442, 37 refs.
40-1933
SNOW PHYSICS, ELECTROMAGNETIC PROPERTIES, SNOW ELECTRICAL PROPERTIES, SNOW CRYSTAL STRUCTURE, POROSITY, SNOW WATER CONTENT, UNFROZEN WATER CONTENT.
The geometry and porosity of dry snow varies widely depending on the history of conditions The permittivity of dry snow increases with increasing ice content but is not greatly affected by the shapes of the ice particles In wet snow the permittivity increases with liquid content and the geometry is very important However, the liquid-like layer has little effect on permittivity The permittivity is described using Polder and van Santen's mixing formulae and approximations of the geometries at high and low liquid contents. It is shown that the common assumption of liquid shells over ice spheres is both physically incorrect and leads to large errors

MP 1986
SNOW CALORIMETRIC MEASUREMENT AT SNOW-ONE.
Fisk, D., June 1982, 82-17, Snow Symposium, 1st, Hanover, NH, Aug 1981. Proceedings, p.133-138, ADB-091 442.
40-1934
SNOW THERMAL PROPERTIES, SNOW WATER CONTENT, UNFROZEN WATER CONTENT, CALORIMETERS, TEMPERATURE MEASUREMENT, SNOW MELTING, FREEZING, ACCURACY, TESTS.
Free water content of fallen snow was measured near the surface and with depth during the SNOW-ONE Field Experiment using both freezing and melting calorimetric methods The principles and procedures of each method are described. Test data are presented, possible sources of error are examined, and the problems and relative merits of each method are discussed Subsequent work and future plans are described.

MP 1987
PROBLEMS IN SNOW COVER CHARACTERIZATION.
O'Brien, H.W., June 1982, 82-17, Snow Symposium, 1st, Hanover, NH, Aug. 1981. Proceedings, p.139-147, ADB-091 442, 5 refs.
40-1935
SNOW OPTICS, SNOW PHYSICS, INFRARED SPECTROSCOPY, LIGHT TRANSMISSION, UNFROZEN WATER CONTENT, GRAIN SIZE, MILITARY OPERATION, REFLECTIVITY, WAVE PROPAGATION, SNOW COVER, SNOW DENSITY, SNOWFLAKES.
Comparison of spectral reflectance measurements of snow cover with theoretical predictions based on hypothetical snow grain size indicate that the appropriate dimensions for commensuration may be illusive indeed. Measurements of near-infrared reflectance of snow covers *in situ* are presented in illustration and some potential ramifications inferred

MP 1988
ACOUSTIC AND PRESSUREMETER METHODS FOR INVESTIGATION OF THE RHEOLOGICAL PROPERTIES OF ICE.
Fish, A.M , Hanover, NH, USA CRREL, 1978, 196p., Ph.D. thesis. Refs. p.181-196
40-1843
ICE CREEP, RHEOLOGY, ICE STRENGTH, ACOUSTIC MEASUREMENT, CRACKING (FRACTURING), COMPRESSIVE PROPERTIES, PRESSURE, ICE CRYSTAL STRUCTURE, ICE MECHANICS, TIME FACTOR, MEASURING INSTRUMENTS, SETTLEMENT (STRUCTURAL).
Theoretical and experiment studies of time-dependent deformation and failure of columnar-grained ice are presented Laboratory uniaxial compression tests at constant and steadily increasing stresses were accompanied by simultaneous recording of acoustic emissions Strength criteria and constitutive equations were established, describing grain disintegration, microcrack initiation and acoustic emission dynamics during creep, and their relationship to the rheological properties of ice The rheological properties of ice were studied under laboratory and field conditions using a pressuremeter, leading to the development of an *in situ* method for determining the mechanical properties of ice taking into account the time factor. The results of the studies were applied in analyses of settlements of foundations on high-ice-content soils and ground ice Based on the comparison of experimental data with calculated settlements, it is shown that the characteristics of ice used in the analysis can be determined either from laboratory tests or *in situ*, by means of a pressuremeter

MP 1989
VIBRATION ANALYSIS OF THE YAMACHICHE LIGHTPIER.
Haynes, F D , International Modal Analysis Conference, 4th, Los Angeles, CA, Feb 3-6, 1986, Proceedings, Vol.1, Schenectady, N Y , Union College, 1986, p 238-241, 11 refs
40-1881
PIERS, VIBRATION, ICE LOADS, SHEAR STRENGTH, MATHEMATICAL MODELS, COMPUTER APPLICATIONS.
To determine its dynamic characteristics, the Yamachiche lightpier located in Lac St Pierre, Quebec, was instrumented with geophones, accelerometers, and an inclinometer Fifteen breakable bolts with failure strengths from 45,000 to 450,000 N were used to apply a step unloading force on the pier The damping and stiffness were obtained from the data in the time domain The natural frequencies and mode shapes were obtained from the data transformed

into the frequency domain. A modal analysis computer program was used to verify the natural frequencies and mode shapes. A mathematical model was developed that includes translation, rotation, and shear beam deformation of the pier.

MP 1990
SOIL FREEZING RESPONSE: INFLUENCE OF TEST CONDITIONS.
McCabe, E.Y., et al, June 1985, 8(2), p.49-58, 22 refs.
Kettle, R.J.
40-1960
SOIL FREEZING, FROST HEAVE, SOIL COMPACTION, FROST RESISTANCE, SOIL PRESSURE, TEMPERATURE GRADIENTS, TESTS.
The response of soils to freezing has been assessed in terms of frost heave, and the heaving pressure developed when the specimen is restrained. As both techniques have been suggested for assessing frost susceptibility, it was considered essential to determine the influence of the test conditions on the soil response. This investigation was concerned with specimen preparation, specimen size, and freezing procedure. The test material consisted of an artificially produced matrix, into which controlled amounts of coarse aggregate could be blended. This reduced the likelihood of variation in the results because of random changes in the test materials. The results clearly demonstrated the sensitivity of both heave and heaving pressure to the test conditions. When modified or new test methods are being formulated, it is essential to consider the influence of such factors, particularly when making comparisons between different testing techniques Such modifications may also require changes in the particular criteria used to assess frost susceptibility

MP 1991
FIELD OBSERVATIONS OF ELECTROMAGNETIC PULSE PROPAGATION IN DIELECTRIC SLABS.
Arcone, S.A., Oct. 1984, 49(10), p.1763-1773, 15 refs.
40-1959
ELECTROMAGNETIC PROPERTIES, ICE COVER EFFECT, WAVE PROPAGATION, DIELECTRIC PROPERTIES, ICE SHEETS, PROFILES, VELOCITY, REFLECTION, REFRACTION.
The propagation of electromagnetic pulses in naturally occurring dielectric surface layers has been examined Pulse duration used in field experiments reported here has been on the order of nanoseconds with pulse bandwidths in the high VHF to low UHF band. The layers were sheets of fresh water ice and granite at thicknesses ranging between .4 and 4 m. Both transverse electric (TE) and transverse magnetic (TM) modes were attempted but only the TE propagation could be interpreted. Analog recordings of wide-angle reflection and refraction (WARR) profiles were taken and recorded in a continuous graphic display The displays allowed easy identification of phase fronts thereby facilitating study of the dispersion of the pulses The phase and group velocities of the wave-group packets agree well with the velocities predicted from dispersion curves derived from the modal waveguide equation. In one case the Airy phase of wave-packet propagation occurred The best measure of the dielectric constant of the layer was the frequency of the air wave

MP 1992
SHOPPER'S GUIDE TO ICE PENETRATION.
Mellor, M., Dec. 1984, SR 84-33, Workshop on Penetration Technology, Hanover, NH, June 12-13, 1984. Proceedings, p.1-35, ADB-093880, 11 refs.
40-1962
ICE DRILLS, ICE COVER THICKNESS, PENETRATION, ICE COVER STRENGTH, ROTARY DRILLS, PROJECTILE PENETRATION, HYDRAULIC JETS, PERCUSSION DRILLS, LASERS, THERMAL DRILLS, EXPLOSION EFFECTS, ANALYSIS (MATHEMATICS), ICE BLASTING.

MP 1993
SEA ICE CHARACTERISTICS AND ICE PENETRATION PROBABILITIES IN THE ARCTIC OCEAN.
Weeks, W.F., Dec. 1984, SR 84-33, Workshop on Penetration Technology, Hanover, NH, June 12-13, 1984. Proceedings, p.37-65, ADB-093880, 21 refs
40-1963
SEA ICE DISTRIBUTION, PENETRATION, PACK ICE, DRIFT, ICE COVER THICKNESS, ICE CRYSTAL STRUCTURE, ICE SALINITY, ICE TEMPERATURE, ICE DEFORMATION, ARCTIC OCEAN.

MP 1994
MODELING OF ARCTIC SEA ICE CHARACTERISTICS RELEVANT TO NAVAL OPERATIONS.
Hibler, W.D., III, et al, Dec. 1984, SR 84-33, Workshop on Penetration Technology, Hanover, NH, June 12-13, 1984. Proceedings, p.67-91, ADB-093880, 21 refs.
Weeks, W.F.
40-1964
ICE NAVIGATION, SEA ICE DISTRIBUTION, ICE MECHANICS, DRIFT, ICE COVER THICKNESS, SURFACE ROUGHNESS, ICE SURFACE, ICE ELECTRICAL PROPERTIES, ICE LOADS, ICE STRENGTH, MODELS, RHEOLOGY, VELOCITY.

MP 1995
PENETRATION OF SHAPED CHARGES INTO ICE.
Mellor, M., Dec. 1984, SR 84-33, Workshop on Penetration Technology, Hanover, NH, June 12-13, 1984. Proceedings, p.137-148, ADB-093 880, 7 refs.
40-1969
ICE COVER STRENGTH, MILITARY OPERATION, PENETRATION TESTS, EXPLOSIVES, ICE DEFORMATION.
Shaped charges fired from air into ice give holes of typical form for cohesive solids. There are only a few reported results from test shots in ice, but supplementary data can be obtained by adjusting the results from tests in ice-bonded soil in accordance with target density. Present indications are that charges with narrow angle cones (appr. 45 deg) can penetrate about 16 cone diameters, giving a hole diameter near mid-depth of about 1/3 of the cone diameter. Charges with wide-angle cones (60-90 deg) might penetrate about 12 cone diameters, giving a hole diameter near mid-depth of about 2/3 cone diameters Optimum standoff in air seems to be around 4 cone diameters. So far, we have no data for shaped charges fired into ice under water.

MP 1996
ICE PENETRATION TESTS.
Garcia, N.B., et al, Dec. 1984, SR 84-33, Workshop on Penetration Technology, Hanover, NH, June 12-13, 1984. Proceedings, p.209-240, ADB-093 880, 6 refs.
Farrell, D., Mellor, M.
40-1974
PENETRATION TESTS, ICE STRENGTH, GRAIN SIZE, FLEXURAL STRENGTH, BRITTLENESS, IMPACT STRENGTH, VELOCITY, ICE DENSITY, PROJECTILE PENETRATION, ICE TEMPERATURE.

MP 1997
MECHANICS OF ICE COVER BREAKTHROUGH.
Kerr, A.D , Dec. 1984, SR 84-33, Workshop on Penetration Technology, Hanover, NH, June 12-13, 1984 Proceedings, p.245-262, ADB-093 880, 12 refs.
40-1975
ICE COVER STRENGTH, ICE BREAKING, PENETRATION TESTS, IMPACT STRENGTH, LOADS (FORCES), FLOATING ICE, BEARING STRENGTH, TIME FACTOR, MILITARY OPERATION, ANALYSIS (MATHEMATICS).

MP 1998
SURFACING SUBMARINES THROUGH ICE.
Assur, A., Dec. 1984, SR 84-33, Workshop on Penetration Technology, Hanover, NH, June 12-13, 1984. Proceedings, p.309-318, ADB-093 880, 8 refs
40-1978
SUBMARINES, ICE COVER EFFECT, PENETRATION, ICE MECHANICS, ICE BREAKING, STRESSES, STRAINS, SEA ICE, ANALYSIS (MATHEMATICS), LOADS (FORCES).

MP 1999
ICE DRILLING AND CORING SYSTEMS—A RETROSPECTIVE VIEW.
Sellmann, P.V., et al, Dec. 1984, SR 84-33, Workshop on Penetration Technology, Hanover, NH, June 12-13, 1984. Proceedings, p.125-127, ADB-093 880
Rand, J.H
40-1966
ICE CORES, ICE DRILLS, ICE CORING DRILLS, EQUIPMENT, PENETRATION.

MP 2000
TECHNIQUES FOR MEASUREMENT OF SNOW AND ICE ON FRESHWATER.
Adams, W.P., et al, International Northern Research Basins Workshop/Symposium, 6th, Jan. 26-30, 1986. Proceedings, Vol.2, Houghton, Michigan Technological University, [1986], p.174-222, Refs. p.219-222.
Prowse, T.D., Bilello, M.A.
40-2138
ICE SURVEYS, SNOW SURVEYS, FLOATING ICE, LAKE ICE, RIVER ICE, ICE VOLUME, MEASUREMENT, FREEZEUP, ICE BREAKUP, ICE MECHANICS.
Information on routine snow and ice survey programs in Finland, Iceland, Norway, Sweden, Canada and the United States is juxtaposed in this paper. Standard methods of ice and snow measurement and practical alternative methods are described with information on reporting procedures and data storage In each case, points of contact are provided for those seeking data on floating snow and ice. The purpose of the paper is to improve the flow of information between those responsible for winter lake and river programs in circumpolar countries.

MP 2001
MODELING SEA-ICE DYNAMICS.
Hibler, W.D., III, 1985, Vol.28, Issues in atmospheric and oceanic modeling Pt. A. Climate dynamics. Edited by S. Manabe, p.549-579, 44 refs.
40-2217
ICE MECHANICS, SEA ICE DISTRIBUTION, ICE MODELS, DRIFT, ICE COVER THICKNESS, ICE COVER STRENGTH, FREEZE THAW CYCLES, RHEOLOGY, PLASTIC FLOW, ICE WATER INTERFACE, AIR WATER INTERACTIONS, SEASONAL VARIATIONS.

MP 2002
SURVEY OF AIRPORT PAVEMENT DISTRESS IN COLD REGIONS.
Vinson, T.S., et al, International Conference on Cold Regions Engineering, 4th, Anchorage, Alaska, Feb. 24-26, 1986. Proceedings. Edited by W.L. Ryan, New York, American Society of Civil Engineers, 1986, p.41-50, 5 refs.
Zomerman, I., Berg, R , Tomita, H.
40-2429
AIRPORTS, PAVEMENTS, FREEZE THAW CYCLES, CRACKING (FRACTURING), DAMAGE, CLIMATIC FACTORS, DESIGN.
In early fall 1984, USACRREL conducted a study of airport pavements in cold regions of the United States The most common pavement problems were associated with nontraffic related phenomena and include (1) pre-existing cracks reflecting through asphalt concrete overlays (in two years or less), (2) thermal cracking, and (3) longitudinal cracking (at a construction joint). Most of the airports experienced (1) water pumping up through cracks and joints in the pavements during spring thaw, or (2) additional roughness due to differential frost heave in the winter, or both problems Many airport managers reported that debris was generated at cracks during the winter and spring Several airports experienced problems with lighting in the winter and spring. Many pavement problems can be traced to the evolutionary history of general aviation airports and the lack of consideration for site drainage.

MP 2003
LESSONS LEARNED FROM EXAMINATION OF MEMBRANE ROOFS IN ALASKA.
Tobiasson, W., et al, International Conference on Cold Regions Engineering, 4th, Anchorage, Alaska, Feb. 24-26, 1986. Proceedings. Edited by W.L. Ryan, New York, American Society of Civil Engineers, 1986, p.277-290, 10 refs.
Osgood, S.
40-2449
ROOFS, MOISTURE DETECTION, FREEZE THAW CYCLES, DAMAGE, THERMAL EXPANSION, THERMAL EFFECTS.
During 1984 and 1985 airborne infrared roof moisture surveys were conducted of membrane roofs at army installations in Alaska. Many of these roofs were also visually inspected and cored to verify infrared findings Numerous areas of wet insulation were found but often they were small enough and the surrounding roofing system was in good enough condition to warrant removal and replacement of just the wet areas Essentially all moisture entered from the exterior through flaws in the membrane and flashings The lack of problems from internal moisture indicates that current vapor retarders, even though imperfect, are adequate Some "cold regions" appurtenances such as membrane control joints, and insulation breather vents appear to do more harm than good. The protected membrane (upside-down) roofing system is well suited to Alaska but some problems have occurred when the membrane lacks slope to drain Low-strength concrete pavers used for roof ballast have been deteriorated by freeze-thaw action

MP 2004
ICE COVER RESEARCH—PRESENT STATE AND FUTURE NEEDS.
Kerr, A.D , et al, International Conference on Cold Regions Engineering, 4th, Anchorage, Alaska, Feb. 24-26, 1986. Proceedings Edited by W.L. Ryan, New York, American Society of Civil Engineers, 1986, p.384-399, Refs. p.392-399
Frankenstein, G.E.
40-2458
ICE COVER STRENGTH, FLOATING ICE, ICE LOADS, ICE PRESSURE, OFFSHORE STRUCTURES, DYNAMIC LOADS, BEARING STRENGTH, ENGINEERING, ICE COVER THICKNESS, STRESSES.
Presentation reviews, at first, a number of problem areas in ice engineering, such as the determination of vertical and horizontal forces floating ice covers exert on fixed structures, the bearing capacity of ice covers subjected to loads of short or long duration, and the response of ice covers subjected to moving loads The analytical fundamentals are then briefly reviewed and their relationship to actual field conditions is discussed. The presentation concludes with a discussion of problems encountered in laboratory tests. Throughout the presentation areas that require further study and clarification are indicated.

MP 2005
UPPER DELAWARE RIVER ICE CONTROL—A CASE STUDY.
Zufelt, J.E., et al, International Conference on Cold Regions Engineering, 4th, Anchorage, Alaska, Feb. 24-26, 1986. Proceedings. Edited by W.L. Ryan, New York, American Society of Civil Engineers, 1986, p.760-770, 7 refs.
Doe, W.W., III.
40-2487
ICE CONTROL, RIVER ICE, ICE JAMS, ICE CONDITIONS, ICE BOOMS, DRIFT, ICE MECHANICS, FLOODING, COUNTERMEASURES.
The upper one-third of the Delaware River is characterized by a steep gradient with a general riffle/pool sequence. Due to seasonal low flows, a considerable volume of ice is generated and transported throughout the winter months During February 1981 a catastrophic breakup ice jam occurred along a reach of the Delaware River near Port Jervis, NY, causing $14 5 million in damages In February 1982 another breakup ice jam occurred at the same location, causing much concern but minimal flooding and damages These events prompted the Philadelphia District, U S Army Corps of Engineers, to conduct an investigation of the Upper Delaware River to determine if some form of ice control structure could be implemented in order to reduce ice jam-induced flooding This paper focuses on the field investigations and analyses performed by the U S Army Cold Regions Research and Engineering Laboratory for the Philadelphia District during the period 1983-1985. The study included both on site and remote monitoring of ice conditions and hydraulic analysis of several ice control structure alternatives

MP 2006
EXPERIMENTS ON THERMAL CONVECTION IN SNOW.
Powers, D., et al, 1985, Vol 6, Symposium on Snow and Ice Processes at the Earth's Surface, Sapporo, Japan, Sep. 2-7, 1984. Proceedings, p.43-47, 16 refs.
Colbeck, S C , O'Neill, K
40-2306
SNOW PHYSICS, CONVECTION, HEAT TRANSFER.
Thermal convection is observed in snow and in a compact of water-saturated glass beads While uncertainty in the permeability of the snow limits our ability to compare the observed and calculated onset of convection, agreement between the observed and calculated effects of convection on heat transfer in snow is good Experimental results with glass beads agree with both the calculated onset of and heat transfer by convection Attempts are made to assess the effects of convection on snow metamorphism While much is still uncertain about the significance of thermal convection in snow, it is clear that the phenomenon does occur.

MP 2007
MODELLING A SNOWDRIFT BY MEANS OF ACTIVATED CLAY PARTICLES.
Anno, Y , 1985, Vol 6, Symposium on Snow and Ice Processes at the Earth's Surface, Sapporo, Japan, Sep 2-7, 1984. Proceedings, p.48-52, 12 refs
40-2307
SNOWDRIFTS, SNOW MECHANICS, WATER CONTENT, MODELS, WIND VELOCITY, CLAY SOILS, SNOW FENCES.

MP 2008
ACIDITY OF SNOW AND ITS REDUCTION BY ALKALINE AEROSOLS.
Kumai, M , 1985, Vol.6, Symposium on Snow and Ice Processes at the Earth's Surface, Sapporo, Japan, Sep. 2-7, 1984. Proceedings, p.92-94, 9 refs.
40-2317
SNOW COMPOSITION, CHEMICAL PROPERTIES, AEROSOLS, COUNTERMEASURES, SCANNING ELECTRON MICROSCOPY, HYDROGEN ION CONCENTRATION.
Snow crystals scavenge aerosols in the atmosphere during the processes of growth and precipitation Several kinds of flyash are found in acid snow by scanning electron microscope examination Flyash particles from coal fired electric power plants in Fairbanks, Alaska, were found to be spherical or irregular in shape with a 0.2 to 50 micron diameter, and were rich in calcium, silicon, aluminum and iron The pH of 35 snow samples in Fairbanks ranged from 5 60 to 7 48 The acid snow was changed to alkaline snow by dry fallout of calcium-rich flyash from the electric power plants, which were using calcium-rich Alaskan coal

MP 2009
ICE ACCRETION UNDER NATURAL AND LABORATORY CONDITIONS.
Itagaki, K , et al, 1985, Vol.6, Symposium on Snow and Ice Processes at the Earth's Surface, Sapporo, Japan, Sep. 2-7, 1984. Proceedings, p.225-228, 13 refs.
Lemieux, G.E., Bosworth, H.W.
40-2351
AIRCRAFT ICING, ICE ACCRETION, WIND TUNNELS, UNFROZEN WATER CONTENT, TEMPERATURE FACTORS, HUMIDITY, PROPELLERS.
To compare results of icing studies conducted in wind tunnels with natural icing conditions, a series of rotor icing studies were made on top of Mt Washington, New Hampshire The results indicated that considerable differences exist between the two under conditions of similar liquid water content and temperature The wet-to-dry growth transition temperature, for instance, with comparable temperature and liquid water content, may be more than 10 C higher under natural conditions than in wind tunnel studies The possible cause of such discrepancies was found to be the vapor saturation existing in most laboratory experiments The transition temperature of ice accretion measured in natural fog on board an aircraft agreed better with the results of the Mt Washington study

MP 2010
MEASUREMENT OF ICING ON OFFSHORE STRUCTURES.
Minsk, L.D., International Workshop on Offshore Winds and Icing, Halifax, Nova Scotia, Oct. 7-11, 1985 Proceedings Edited by T.A. Agnew and V.R. Swail, Downsview, Ontario, Atmospheric Environment Service, 1985, p.287-292, 3 refs.
40-2509
ICING, OFFSHORE STRUCTURES, ICE ACCRETION, SEA SPRAY, SHIP ICING, SUPERSTRUCTURES, ICE DETECTION, PRECIPITATION (METEOROLOGY), LASERS.

MP 2011
WETTING OF POLYSTYRENE AND URETHANE ROOF INSULATIONS IN THE LABORATORY AND ON A PROTECTED MEMBRANE ROOF.
Tobiasson, W , et al, 1988, No.922, p 421-430, Revision of 40-2549. 13 refs
Greatorex, A., Van Pelt, D
42-2926
ROOFS, THERMAL INSULATION, POLYMERS, CELLULAR PLASTICS, MOISTURE, TEMPERATURE GRADIENTS, TESTS.
When subjected to a sustained temperature gradient in the presence of moisture in laboratory wetting tests, urethane and expanded polystyrene roof insulations accumulate enough moisture to reduce their insulating ability significantly Extruded polystyrene is quite resistant to moisture in such tests But the vapor drive is not as great in actual roofs, and it may reverse direction, thereby seasonally drying the insulation To determine how well the laboratory tests could predict the wetting rate of insulation in actual protected membrane roofs, extruded and expanded polystyrene and urethane insulations were installed in a protected membrane roof in Hanover, New Hampshire After three years of exposure, little moisture had accumulated in the extruded polystyrene and it still retained essentially all of its initial insulating ability Moisture progressively accumulated in 16-kg/cu m (1-lb cu ft) and 30 kg cu m (1 9-lb cu ft) expanded polystyrene insulations, and at the end of the test they retained only about 30 and 40% of their initial thermal resistance, respectively The urethane accumulated enough moisture to reduce its insulating ability to about 10% of its dry value The laboratory tests provided a valuable indication of the potential long-term moisture gain of these insulations when installed in protected membrane roofs in cold regions

MP 2012
MOBILITY OF WATER IN FROZEN SOILS.
Lunardini, V.J., et al, Army Science Conference, June 15-18, 1982. Proceedings, [1982], c15p., 32 refs.
Berg, R., McGaw, R., Jenkins, T.F., Nakano, Y., Oliphant, J L., O'Neill, K., Tice, A.R.
40-2543
FROZEN GROUND PHYSICS, SOIL WATER MIGRATION, THAW WEAKENING, FROST HEAVE, UNFROZEN WATER CONTENT, GROUND ICE, SOIL TEMPERATURE, MATHEMATICAL MODELS.

MP 2013
CONSTRAINTS AND APPROACHES IN HIGH LATITUDE NATURAL RESOURCE SAMPLING AND RESEARCH.
Slaughter, C.W., et al, Inventorying forest and other vegetation of the high latitude and high altitude regions; Proceedings of an international symposium, Fairbanks, AK, July 23-26, 1984. Edited by V.J. LaBau and C.L. Kerr, Bethesda, MD, Society of American Foresters, 1984, p.41-46, 37 refs.
Werner, R.A., Haugen, R.K.
40-1365
NATURAL RESOURCES, SNOW COVER EFFECT, PERMAFROST, METEOROLOGICAL FACTORS, REMOTE SENSING, SEASONAL VARIATIONS, AERIAL SURVEYS.

MP 2014
ICE PENETRATION TESTS.
Garcia, N B , et al, Nov 1985, 11(3), p.223-236, 6 refs.
Farrell, D., Mellor, M.
40-2611
ICE COVER STRENGTH, MILITARY RESEARCH, PROJECTILE PENETRATION, IMPACT STRENGTH, FLEXURAL STRENGTH, BRITTLENESS, PENETRATION TESTS.
Exploratory tests of ice penetration were made by driving small blunt cylinders into semi-infinite ice at normal incidence Three types of laboratory tests were made (1) drop-weight impact (impact speed 1 4-3 1 m/s), (2) high-speed ballistic penetration (impact speed 83-434 m/s), (3) deep penetration at low speed (0 42-4 23 m/s) Penetration by indenters and projectiles could be characterized by the energetics of the process, with little variation of specific energy as penetration speed changed by orders of magnitude For blunt penetrators entering ice at -5 C, specific energy was typically in the range 1 5-15 MJ/cu m Low speed tests provided data on penetration force (and energy) as a function of displacement The test results were compared with other published laboratory data, and with field tests results for bigger projectiles.

MP 2015
STATISTICS OF COARSENING IN WATER-SATURATED SNOW.
Colbeck, S.C., Mar. 1986, 34(3), p.347-352, With French and German summaries. 14 refs.
40-2659
SNOW WATER CONTENT, PARTICLE SIZE DISTRIBUTION, SLUSH, WET SNOW, SATURATION, STATISTICAL ANALYSIS
The particle size distributions in water-saturated snow are distinctly log-normal at all times The rate of increase of the average volume decreases somewhat with time. Both of these conclusions are contrary to the LSW theory, which should apply to this system Also, the particles are distinctly spheroidal probably prolate These discrepancies might be explained by extending the LSW theory to nonspherical particles with interparticle contacts When normalized to the mean the distribution is invariant with only the mean changing with time

MP 2016
SYSTEM FOR MOUNTING END CAPS ON ICE SPECIMENS.
Cole, D M , et al, 1985, 31(109), p 362-365, 3 refs , With French and German summaries
Gould, L.D., Burch, W B.
40-2694
ICE CORES, ICE SAMPLING, EQUIPMENT, FREEZING, WATER TEMPERATURE, COMPRESSIVE PROPERTIES.
This short note describes the equipment and procedures developed to mount end caps on ice-core specimens The system typically achieves end-plane parallelism within 0 5 micron/mm of specimen diameter (i e a total indicator run-out of 0 002 in for a 4 0 in diameter specimen) The essential elements of the system are a holder and an alignment fixture The holder firmly grips the ice core about its circumference by the compression of two series of O-rings The alignment fixture clamps the holder to align the ice core precisely with the end caps To bond the ice to the end cap we form a layer of 0 C water on the end cap, the water freezes immediately upon contact with the ice and forms a strong intimate bond To date, this system has been used to install phenolic end caps on 101 6 mm diameter cores and aluminum end caps on 76 2 mm diameter cores of saline ice A somewhat better tolerance was obtained with the aluminum caps, due primarily to the geometric stability of that material under the prevailing

conditions. These specimens have been successfully tested in uniaxial and triaxial compression, and with appropriate end caps the system should be suitable for preparing tension specimens as well.

MP 2017
DETERIORATED BUILDING PANELS AT SONDRESTROM, GREENLAND.
Korhonen, C., Spring 1985, 17(1), p.7-10, 4 refs.
40-1537
FROST ACTION, BUILDINGS, REINFORCED CONCRETES, THERMAL INSULATION, STRAINS, DAMAGE, WALLS, TEMPERATURE VARIATIONS, VAPOR PRESSURE, MOISTURE, GREENLAND.

MP 2018
CHARACTERISTIC FREQUENCY OF FORCE VARIATIONS IN CONTINUOUS CRUSHING OF SHEET ICE AGAINST RIGID CYLINDRICAL STRUCTURES.
Sodhi, D.S., et al, Feb. 1986, 12(1), p.1-12, 20 refs.
Morris, C.E.
40-2769
ICE LOADS, OFFSHORE STRUCTURES, ICE COVER STRENGTH, ICE SOLID INTERFACE, ICE PRESSURE, PILES, ICE BREAKING, VELOCITY, ICE COVER THICKNESS, TESTS, DAMAGE.
The ice forces generated during continuous crushing of an ice sheet against a cylindrical vertical structure vary with time, according to the resistance offered by ice as it fails and clears from the path of the structure. Small-scale experiments were performed to measure the ice forces by pushing rigid cylindrical structures of different diameters at different velocities through an ice sheet. The dominant frequency of ice force variations, defined as the characteristic frequency, was determined from the frequency spectra of the force records The characteristic frequency plot with respect to the velocity-to-thickness ratio reveals a linear relationship, which implies that the average length of the damage zone is proportional to the ice thickness On the basis of the data presented here, the average length of the damage zone is about one-third of the ice thickness

MP 2019
WAVELENGTH-DEPENDENT EXTINCTION BY FALLING SNOW.
Koh, G., Feb. 1986, 12(1), p.51-55, 9 refs.
40-2773
SNOWFALL, LIGHT TRANSMISSION, INFRARED RADIATION, LIGHT SCATTERING, VISIBILITY, WAVE PROPAGATION, PARTICLES.
Wavelength-dependent extinction in the visible and infrared regions of the electromagnetic spectrum has been observed during studies of transmission through falling snow. The wavelength dependence was particularly noticeable during periods of light snowfall. Particles comparable in size to the wavelengths were also present during these periods These particles were assumed to be water droplets, and their extinction cross-sections were determined from Mie scattering calculations The calculations suggest that these particles were responsible for the wavelength-dependent extinction observed during snowfall

MP 2020
ELECTROMAGNETIC MEASUREMENTS OF MULTI-YEAR SEA ICE USING IMPULSE RADAR.
Kovacs, A , et al, Feb. 1986, 12(1), p 67-93, 11 refs.
Morey, R.M.
40-2775
SEA ICE, ICE BOTTOM SURFACE, ELECTROMAGNETIC PROPERTIES, ICE STRUCTURE, BRINES, AIR ENTRAINMENT, RADIO ECHO SOUNDING, DIELECTRIC PROPERTIES, ICE PHYSICS, RADAR ECHOES
Sounding of multi-year sea ice, using impulse radar operating in the 80- to 500-MHz frequency band, has revealed that the bottom of this ice cannot always be detected. This paper discusses a field program aimed at finding out why this is so, and at determining the electromagnetic (EM) properties of multi year sea ice It was found that the bottom of the ice could not be detected when the ice structure had a high brine content Because of brine's high conductivity, brine volume dominates the loss mechanism in first-year sea ice, and the same was found true for multi-year ice A two-phase dielectric mixing formula, used by the authors to describe the EM properties of first-year sea ice, was modified to include the effects of the gas pockets found in the multi-year ice This three-phase mixture model was found to estimate the EM properties of the multiyear ice studied over the frequency band of interest.

MP 2021
THERMAL ANALYSIS OF A SHALLOW UTILIDOR.
Phetteplace, G., et al, [1986], 10p., 4 refs. Prepared for presentation at the 77th Annual Conference of the International District Heating and Cooling Association, June 8-12, 1986, Ashville, NC.
Richmond, P.W., Humiston, N.
40-3359
WASTE DISPOSAL, THERMAL PROPERTIES, UTILITIES, THERMAL CONDUCTIVITY, HEATING, WATER PIPELINES, AIR TEMPERATURE, DESIGN, COUNTERMEASURES, FREEZING.

MP 2022
AERIAL ROOF MOISTURE SURVEYS.
Tobiasson, W., Aug. 1985, 77(502), p.424-425.
40-2854
ROOFS, MOISTURE DETECTION, INFRARED PHOTOGRAPHY, PENETRATION, SURVEYS.

MP 2023
EVALUATING TRAFFICABILITY.
McKim, H.L., Aug. 1985, 77(502), p.474-475.
40-2855
TRAFFICABILITY, SOIL WATER, FROST PENETRATION, WATER CONTENT, TRACKED VEHICLES.

MP 2024
COLD FACTOR.
Abele, G., Aug. 1985, 77(502), p.480-481.
40-2857
COLD WEATHER CONSTRUCTION, COLD WEATHER OPERATION, MILITARY ENGINEERING, TEMPERATURE EFFECTS, WIND VELOCITY, SNOWFALL, TIME FACTOR, WIND CHILL, ENVIRONMENTS.

MP 2025
GEOTECHNICAL PROPERTIES AND FREEZE/THAW CONSOLIDATION BEHAVIOR OF SEDIMENT FROM THE BEAUFORT SEA, ALASKA.
Lee, H.J., et al, Oct. 1985, 85-612, 83p , 23 refs.
Winters, W.J., Chamberlain, E.J.
40-2868
BOTTOM SEDIMENT, FREEZE THAW CYCLES, SOIL COMPACTION, SUBSEA PERMAFROST, GROUND ICE, ICE SCORING, OCEAN BOTTOM, SEASONAL FREEZE THAW, OFFSHORE STRUCTURES.

MP 2026
SEA ICE MICROBIAL COMMUNITIES IN ANTARCTICA.
Garrison, D.L., et al, Apr. 1986, 36(4), p.243-250, 38 refs.
Sullivan, C.W , Ackley, S.F.
40-2922
SEA ICE, MICROBIOLOGY, BACTERIA, MARINE BIOLOGY, CRYOBIOLOGY, ANTARCTICA—MCMURDO SOUND, ANTARCTICA - WEDDELL SEA.
The role of sea ice community inhabitants as the sub-bottom element in the antarctic food web is reviewed Sea ice formation is described and the several denizens of this habitat are identified They serve as food for krill which have been found in brine channels in the ice of McMurdo Sound and the Weddell Sea Their behaviors, geographic distributions, and populations in antarctic waters are the objects of continuing long term studies

MP 2027
TOPICAL DATABASES: COLD REGIONS TECHNOLOGY ON-LINE.
Liston, N., et al, Jan 1986, p 12-15, Also presented at the Arctic Offshore Technology Conference and Exposition, Anchorage, Alaska, Sep 3-5, 1985 Proceedings.
Winiarski, M E.
40-2996
ICE SURVEYS, COMPUTER APPLICATIONS, SNOW SURVEYS, OFFSHORE STRUCTURES, OFFSHORE DRILLING, BIBLIOGRAPHIES, PERMAFROST, ORGANIZATIONS, ENGINEERING.

MP 2028
EFFECT OF FREEZING ON THE LEVEL OF CONTAMINANTS IN UNCONTROLLED HAZARDOUS WASTE SITES. PART 1. LITERATURE REVIEW AND CONCEPTS.
Iskandar, I.K., et al, Annual Research Symposium on Land Disposal of Hazardous Waste, 11th, Cincinnati, Ohio, Apr. 29-May 1, 1985. Proceedings, Cincinnati, OH, U.S. Environmental Protection Agency, [1985], p.122-129, 21 refs.
Houthoofd, J.M.
40-2952
WASTE TREATMENT, WASTE DISPOSAL, SOIL FREEZING, ARTIFICIAL FREEZING, ION DIFFUSION, FROST ACTION, SLUDGES, COUNTERMEASURES, SOIL POLLUTION, ENVIRONMENTAL PROTECTION.
A literature search indicated that natural freezing may have detrimental effects at uncontrolled hazardous waste sites in the cold-dominated areas because of frost action on buried materials and ion movement in soils Natural and artificial freezing, however, can be used beneficially to concentrate effluents, and to dewater sludges, contaminated sediment and soils The process of artificial ground freezing can also be used as an alternative to temporarily immobilize contaminant transport and potentially for decontamination of soils, sediments and sludges. A cost and economic analysis procedure was developed and used to evaluate ground freezing

MP 2029
POTENTIAL USE OF ARTIFICIAL GROUND FREEZING FOR CONTAMINANT IMMOBILIZATION.
Iskandar, I.K., et al, [1985], 10p., Reprinted from International Conference on New Frontiers for Hazardous Waste Management, Pittsburgh, PA, Sep. 15-18, 1985. Proceedings. 14 refs.
Jenkins, T.F.
40-2951
WASTE TREATMENT, ARTIFICIAL FREEZING, SOIL FREEZING, FREEZE THAW CYCLES, SOIL POLLUTION, COUNTERMEASURES, WASTE DISPOSAL, ENVIRONMENTAL PROTECTION.
This paper summarizes a preliminary investigation of the potential use of ground freezing technology for contaminant immobilization. Freezing and thawing were found to significantly decrease the volume of soil slurry and increase the permeability of soils Frozen metal-contaminated soils eliminated metal leaching to groundwater under the site Freezing and thawing soils contaminated with moderately volatile organics significantly reduced the soil concentrations of these organics Freezing the soil from the bottom apparently enhanced upward movement of the organics to the soil surface where losses occurred by volatilization The amount lost depended on the mobility of the specific volatile component and was as high as 90% for chloroform, benzene and toluene and as low as 45% for tetrachloroethylene Input to groundwater during freezing and thawing of these organics was much less than the unfrozen (control) treatment Artificial ground freezing for decontamination of soils and for immobilization of contaminants is now being tested on a larger scale

MP 2030
ECONOMICS OF GROUND FREEZING FOR MANAGEMENT OF UNCONTROLLED HAZARDOUS WASTE SITES.
Sullivan, J.M , Jr , et al, [1985], 15p., National Conference on Management of Uncontrolled Hazardous Waste Sites, 5th, Washington, D.C., Nov. 7-9, 1984. Proceedings. 26 refs.
Lynch, D.R., Iskandar, I K.
40-2950
WASTE TREATMENT, SOIL FREEZING, ARTIFICIAL FREEZING, WASTE DISPOSAL, SOIL WATER, THERMAL PROPERTIES, LATENT HEAT, ENVIRONMENT PROTECTION, REFRIGERATION
Ground freezing for hazardous waste containment is an alternative to the traditional and expensive slurry wall or grout curtain barrier technologies The parameters quantified in this analysis of it include thermal properties, refrigeration line spacing, equipment mobilization and freezing time constraints The economics of the process is discussed based on the Poetsch method for ground freezing Vertical drill holes with concentric refrigeration lines are spaced along the desired freezing line A header or manifold system provides coolant to an interior pipe, with the return line being the outer casing A self-contained refrigeration system pumps coolant around the freezing loop Temperature-measuring instrumentation is appropriately placed to monitor the progress of the freeze front.

MP 2031
PROCEEDINGS.
International Offshore Mechanics and Arctic Engineering Symposium, 5th, Tokyo, Apr. 13-18, 1986, New York, American Society of Mechanical Engineers, 1986, 4 vols , Refs. passim. For selected papers see 40-3104 through 40-3199.
Chung, J.S., ed.
40-3103
OFFSHORE STRUCTURES, OFFSHORE DRILLING, ICE LOADS, ICE CONDITIONS, ENGINEERING, MEETINGS, ICE MECHANICS, ICE SOLID INTERFACE, IMPACT STRENGTH, ICE STRENGTH.

MP 2032
ICE PROPERTIES IN A GROUNDED MAN-MADE ICE ISLAND.
Cox, G.F N , et al, International Offshore Mechanics and Arctic Engineering (OMAE) Symposium, 5th, Tokyo, Apr. 13-18, 1986. Proceedings, Vol.4, New York, American Society of Mechanical Engineers, 1986, p.135-142, 19 refs.
Utt, M.E.
40-3129
ICE ISLANDS, GROUNDED ICE, ICE SALINITY, ICE TEMPERATURE, ICE DENSITY, SHEAR STRENGTH, ICE LOADS, ARTIFICIAL ISLANDS, TESTS, OFFSHORE STRUCTURES.
Salinity, temperature, density, and shear strength tests were performed on the confined flooded ice in the 1976-77 East Harrison Bay grounded ice island. The constructed ice had a mean salinity of 13 8 ppt, a mean density of 877 kg/cu m, and a mean horizontal shear strength of 0.74 MPa The shearing resistance of the constructed ice and the sliding resistance of the island on the sea floor were sufficient to prevent the island from being pushed off location by ice movement

MP 2033
FREE AND FORCED CONVECTION HEAT TRANSFER IN WATER OVER A MELTING HORIZONTAL ICE SHEET.
Lunardini, V.J , International Offshore Mechanics and Arctic Engineering (OMAE) Symposium, 5th, Tokyo, Apr. 13-18, 1986. Proceedings, Vol.4, New York, American Society of Mechanical Engineers, 1986, p.227-236, 24 refs
40-3142
ICE MELTING, HEAT TRANSFER, WATER FLOW, ICE TEMPERATURE, ICE SHEETS, WATER TEMPERATURE, CONVECTION.
Experiments were conducted to study the melting of a horizontal ice sheet with a flow of water above it. The experiments were conducted in a refrigerated flume 35 m long with a cross section of 1 2 x 1 2 m. Water depth, temperature, and velocity were varied as well as the temperature and initial surface profile of the ice sheet. It was found that the heat transfer regimes consisted of forced turbulent flow at high Reynolds numbers with a transition to free convection heat transfer at lower Reynolds numbers There was no convincing evidence of a forced laminar regime

MP 2034
HEAT TRANSFER CHARACTERISTICS OF THERMOSYPHONS WITH INCLINED EVAPORATOR SECTIONS.
Haynes, F D., et al, International Offshore Mechanics and Arctic Engineering (OMAE) Symposium, 5th, Tokyo, Apr 13-18, 1986 Proceedings, Vol 4, New York, American Society of Mechanical Engineers, 1986, p.285-292, 21 refs.
Zarling, J.P.
40-3150
HEAT TRANSFER, EVAPORATION, PERMAFROST THERMAL PROPERTIES, THERMAL CONDUCTIVITY, PERMAFROST BENEATH STRUCTURES, FOUNDATIONS, WIND VELOCITY, AIR TEMPERATURE, TESTS, THAW DEPTH
Laboratory tests were conducted on two commercial full-size thermosyphons, one charged with carbon dioxide and one with ammonia The test variables were evaporator inclinational angle, wind speed and ambient air temperature Empirical expressions are presented for thermal conductance as a function of these test variables The laboratory test results were used in finite element simulations run on an IBM-PC microcomputer to study three design parameters influencing the thermal regime below slab-on-grade foundations in a permafrost location Insulation thickness, thermosyphon conductance and vertical placement were varied in these simulations The effect of these variables on the maximum depth of thaw are given

MP 2035
CONFINED COMPRESSIVE STRENGTH OF MULTI-YEAR PRESSURE RIDGE SEA ICE SAMPLES.
Cox, G.F N., et al, International Offshore Mechanics and Arctic Engineering (OMAE) Symposium, 5th, Tokyo, Apr. 13-18, 1986. Proceedings, Vol.4, New York, American Society of Mechanical Engineers, 1986, p.365-373, 17 refs.
Richter-Menge, J.A.
40-3162
PRESSURE RIDGES, ICE STRENGTH, COMPRESSIVE PROPERTIES, LOADS (FORCES), SEA ICE, STRAIN TESTS, TEMPERATURE EFFECTS, PRESSURE, STRESSES.
Fifty-five constant-strain-rate triaxial tests were performed on vertically oriented multi-year pressure ridge samples from the Beaufort Sea. The tests were performed on a closed-loop electrohydraulic testing machine at two nominal strain rates (1/100,000 and 1/1,000 per sec) and two temperatures (-20 and -5 C) In all of the tests the confining pressure was ramped in constant proportion to the applied axial stress. This paper summarizes the sample preparation and testing techniques used in this investigation and presents data on the confined compressive strength and failure strain of the ice. Uniaxial data are also included for comparison

MP 2036
SOME EFFECTS OF FRICTION ON ICE FORCES AGAINST VERTICAL STRUCTURES.
Kato, K., et al, International Offshore Mechanics and Arctic Engineering (OMAE) Symposium, 5th, Tokyo, Apr. 13-18, 1986. Proceedings, Vol.4, New York, American Society of Mechanical Engineers, 1986, p.528-533, 17 refs.
Sodhi, D.S., Haynes, D.
40-3184
ICE LOADS, ICE FRICTION, OFFSHORE STRUCTURES, ICE BREAKING, ICE SOLID INTERFACE, ICE CONDITIONS.
The contributions of frictional forces to the overall ice forces exerted against sloping structures have been studied before, but their effect on the ice forces against vertical structures has not yet been studied. In this paper, the influence of frictional resistance on the crushing and buckling failure loads of ice sheets against flat, vertical structures is discussed Small-scale experiments were conducted to compare experimental results to those from theoretical formulations The main conclusions of this study are: a) the crushing ice forces increase with increasing coefficient of friction between ice and structure, and b) the buckling failure loads also increase due to changes in boundary condition induced by increasing frictional resistance at the ice/structure interface

MP 2037
IMPACT ICE FORCE AND PRESSURE: AN EXPERIMENTAL STUDY WITH UREA ICE.
Sodhi, D.S , et al, International Offshore Mechanics and Arctic Engineering (OMAE) Symposium, 5th, Tokyo, Apr 13-18, 1986. Proceedings, Vol.4, New York, American Society of Mechanical Engineers, 1986, p.569-576, 10 refs.
Morris, C.E.
40-3190
ICE LOADS, ICE PRESSURE, OFFSHORE STRUCTURES, IMPACT STRENGTH, PILES, VELOCITY, UREA, EXPERIMENTATION, COMPRESSIVE PROPERTIES.
An experimental study was undertaken of the total force and local pressure generated during the impact of a vertical cylindrical structure against the edge of an ice sheet The test structure was an instrumented cylindrical pile that protruded under a massive ram suspended from two cranes in the form of a bifilar pendulum Measurements were made of impact velocity, total ice force, and pressure at a point on the pile The dependence of normalized maximum ice forces with respect to aspect ratio has the same trend as that for the crushing failure of an ice sheet against a vertical structure The results of this study indicate that the instantaneous maximum pressure can be an order of magnitude higher than the unconfined compressive strength of ice.

MP 2038
ICE FLOE DISTRIBUTION IN THE WAKE OF A SIMPLE WEDGE.
Tatinclaux, J C , International Offshore Mechanics and Arctic Engineering (OMAE) Symposium, 5th, Tokyo, Apr 13-18, 1986 Proceedings, Vol 4, New York, American Society of Mechanical Engineers, 1986, p.622-629, 6 refs
40-3198
ICE BREAKING, ICE WEDGES, ICE FLOES, SEA ICE DISTRIBUTION, ICEBREAKERS, ICE STRENGTH, ICE COVER THICKNESS, ICE MODELS, ICE CONDITIONS, TESTS.
Tests in level ice on an idealized icebreaker bow in the shape of a simple wedge were conducted and the floe size distribution in its wake was observed The ice floe length and ice floe area were found to follow log normal probability distributions defined by the length average and area average, and corresponding standard deviations

MP 2039
CONDENSATION CONTROL IN LOW-SLOPE ROOFS.
Tobiasson, W., Moisture Control in Buildings: Workshop proceedings, Sep. 25-26, 1984. Edited by E. Bales and H. Trechsel, Washington, D.C., Building Thermal Envelope Coordinating Council, [1985], p.47-59, 47 refs.
40-3204
ROOFS, CONDENSATION, MOISTURE, VAPOR TRANSFER, AIR FLOW, COUNTERMEASURES, BUILDINGS, DAMAGE, CONSTRUCTION MATERIALS, MAINTENANCE.
Excessive moisture can damage wood, metal, and concrete roof decks, cause bituminous membranes to wrinkle, shrink, split, delaminate and blister and significantly reduce the insulating ability of most roof insulations Low-sloped wood-frame roofs with below-deck insulation have encountered a significant number of condensation problems Few such problems occur for compact membrane roofs without intervening air spaces Air leakage control probably explains the difference However, serious condensation problems occur in some compact membrane roofs, particularly in cold regions For most roofs, upward vapor flow in cold weather is generally exceeded by downward vapor flow in warm weather Thus, the objective is to install "air-vapor retarders to reduce winter wetting to an acceptabl. level Ventilation of the space between the membrane and the retarder is also practiced.

MP 2040
ROOF MOISTURE SURVEYS: YESTERDAY, TODAY AND TOMORROW.
Tobiasson, W , et al, International Symposium on Roofing Technology, 1985 Proceedings A decade of change and future trends in roofing, Chicago, IL, National Roofing Contractors Association, [1985], p.438-443 + figs., 45 refs.
Korhonen, C.
40-3203
ROOFS, MOISTURE DETECTION, THERMAL INSULATION, CONDENSATION, MEASURING INSTRUMENTS.
Roof moisture surveys are conducted with nuclear meters, capacitance meters or infrared scanners. Nuclear meters and capacitance meters take readings at the spots on the roof with points spaced from 5 to 10 feet apart Nuclear meters sense the amount of hydrogen in the roofing system at each spot Since most dry roofs contain hydrocarbons, they do not give zero readings. When water also is present on the roof, nuclear readings increase since water is part hydrogen Capacitance meters create an alternating current electrical field in the roofing system below When there is water in the roof, its dielectric properties change and the reading on the capacitance meter increases Capacitance meters do not "see" deeply (a few inches at most) into the roofing system An infrared scanner senses the temperature of the surface of the roof Wet insulation changes the ability of the roofing system to store and conduct thermal energy, thereby causing changes in its surface temperature which the infrared scanner can detect Instead of a meter reading, the infrared results are presented as shades of brightness on a video monitor This qualitative visual image provides information about every square inch of the roof, but the information is more subjective than the numbers generated at grid points by nuclear or capacitance meters

MP 2041
VAPOR DRIVE MAPS OF THE U.S.A.
Tobiasson, W., et al, Hanover, NH, Cold Regions Research and Engineering Laboratory, [1986], 7p. + graphs, 9 refs. Presented at the ASHRAE/DOE/BTECC Conference "Thermal Performance of the Exterior Envelopes of Buildings III", Clearwater Beach, FL, Dec. 1985
Harrington, M.
40-3202
THERMAL INSULATION, CONDENSATION, MOISTURE, WATER VAPOR, MAPS, BUILDINGS, METEOROLOGICAL FACTORS, DESIGN CRITERIA, SEASONAL VARIATIONS
The thermal performance of most insulations used in building envelopes will be seriously degraded if the insulation becomes wet Problematic moisture can come from within the building envelope Guidance on when to use "air-retarders" needs improvement As a step in this direction, weather records have been analyzed and two series of maps have been made that relate the relative humidity within a building to the vapor pressure gradients across the building envelope Each map in the first series is for a specific ratio of cold weather wetting potential to warm weather drying potential Each map in the second series is for a specific cold weather wetting potential

MP 2042
HEAT FLOW SENSORS ON WALLS—WHAT CAN WE LEARN.
Flanders, S.N , 1985, No 885, p.140-149, 10 refs.
40-3226
THERMAL INSULATION, WALLS, HEAT TRANSFER, HEAT FLUX, HEAT LOSS, BUILDINGS, ACCURACY, THERMAL CONDUCTIVITY

This paper addresses the validity of employing heat flow sensors (HFSs) on the indoor surfaces of building walls to determine thermal characteristics. It also reports on the results obtained in the field. Some of the factors affecting HFS measurement accuracy (together with a likely percentage standard deviation attributable to that factor) are as follows: (a) the conductivities of HFS and its surroundings (3%), (b) convection mode changing over the sensor, causing a +21% bias (26%), (c) the mismatch of HFS absorptivity with the surroundings (6%), and (d) thermal contact of the HFS with the surface (1%) A propagation-of-errors analysis indicates that the resulting standard deviation of an HFS measurement would be approximately 10% of the mean of the measurements.

MP 2043
NEED FOR SNOW TIRE CHARACTERIZATION AND EVALUATION.
Yong, R.N., et al, Sep. 1985, No.SR 85-15, ISTVS Workshop on Measurement and Evaluation of Tire Performance under Winter Conditions, Alta, Utah, Apr. 11-14, 1983. Proceedings. Edited by G.L. Blaisdell and R.N. Yong, p.1-2, ADA-161 129.
Blaisdell, G.L.
40-3321
TIRES, COLD WEATHER PERFORMANCE, TRACKED VEHICLES, SNOW COVER EFFECT, TRACTION.

MP 2044
DESIGN AND USE OF THE CRREL INSTRUMENTED VEHICLE FOR COLD REGIONS MOBILITY MEASUREMENTS.
Blaisdell, G.L., Sep. 1985, No.SR 85-15, ISTVS Workshop on Measurement and Evaluation of Tire Performance under Winter Conditions, Alta, Utah, Apr. 11-14, 1983. Proceedings. Edited by G.L. Blaisdell and R.N. Yong, p.9-20, ADA-161 129, 2 refs.
40-3323
MOTOR VEHICLES, COLD WEATHER PERFORMANCE, TRACTION, VEHICLE WHEELS, RUBBER SNOW FRICTION, RUBBER ICE FRICTION, DESIGN, VELOCITY, LOADS (FORCES), MEASURING INSTRUMENTS.
The U.S. Army Cold Regions Research and Engineering Laboratory has recently acquired an instrumented vehicle for the measurement of forces at the tire/surface material interface. The CRREL instrumented vehicle (CIV) is equipped with moment-compensated triaxial load cells mounted in the front wheel assemblies. Forces are measured in the vertical, longitudinal (in the direction of motion) and side directions In addition, accurate wheel and vehicle speeds and rear axle torque and speed are measured Modifications to the vehicle (to facilitate the performance of traction and motion resistance tests) include four lock-out type hubs to allow front-, rear- or four-wheel drive and a dual brake system for front-, rear- or four-wheel braking A minicomputer-based data acquisition system is installed in the vehicle to control data collection and for data processing, analysis and display Discussion of the vehicle includes its operation and use for the evaluation of the tire performance and surface material properties of motion resistance and traction.

MP 2045
WINTER TIRE TESTS: 1980-81.
Blaisdell, G.L., et al, Sep. 1985, No SR 85-15, ISTVS Workshop on Measurement and Evaluation of Tire Performance under Winter Conditions, Alta, Utah, Apr. 11-14, 1983. Proceedings. Edited by G.L. Blaisdell and R.N. Yong, p.135-151, ADA-161 129, 2 refs.
Harrison, W.L.
40-3333
TIRES, ICE COVER EFFECT, SNOW COVER EFFECT, MOTOR VEHICLES, COLD WEATHER PERFORMANCE, SURFACE PROPERTIES, TESTS, ROAD ICING, TRACTION

MP 2046
FIELD DEMONSTRATION OF TRACTION TESTING PROCEDURES.
Blaisdell, G L , Sep. 1985, No SR 85-15, ISTVS Workshop on Measurement and Evaluation of Tire Performance under Winter Conditions, Alta, Utah, Apr. 11-14, 1983. Proceedings Edited by G L Blaisdell and R.N. Yong, p 176, ADA-161 129
40-3335
SNOW COVER EFFECT, TRACTION, MOTOR VEHICLES, TIRES, TESTS, MEASURING INSTRUMENTS.

MP 2047
PHYSICAL PROPERTIES OF THE SEA ICE COVER.
Weeks, W.F., Nordic seas. Edited by B.G. Hurdle, New York, Springer-Verlag, 1986, p.87-102, Refs. p.98-100.
40-3378
ICE STRUCTURE, ICE COMPOSITION, SEA ICE, ICE PHYSICS, ICE COVER THICKNESS, ICE FORMATION, SNOW COVER, ICE CRYSTAL STRUCTURE, ARCTIC OCEAN.

MP 2048
LARGE-SIZE COAXIAL WAVEGUIDE TIME DOMAIN REFLECTOMETRY UNIT FOR FIELD USE.
Delaney, A.J., et al, Sep 1984, GE-22(5), p 428-431, 10 refs.
Arcone, S.A.
40-3307
FROZEN GROUND PHYSICS, ICE ELECTRICAL PROPERTIES, DIELECTRIC PROPERTIES, GROUND THAWING, WAVE PROPAGATION, REFLECTION, MEASURING INSTRUMENTS.
A large-diameter open-ended coaxial waveguide has been interfaced with a commercially available time domain reflectometry (TDR) unit for field measurements of the dielectric properties of frozen and thawed soils and ice. A core barrel developed by the U S Army Cold Regions Research and Engineering Laboratory (CRREL) and modified for use in frozen soil was used to auger an annular slot around which the waveguide fits. Time domain traces of waveforms reflected from the sample-air interface and from a metal short are recorded in the field and later analyzed to give complex dielectric permittivity between 0 05 and 1 0 GHz.

MP 2049
REVERSED-PHASE HIGH-PERFORMANCE LIQUID CHROMATOGRAPHIC DETERMINATION OF NITROORGANICS IN MUNITIONS WASTEWATER.
Jenkins, T.F., et al, Jan. 1986, 58(1), p.170-175, 32 refs.
Leggett, D.C., Grant, C.L., Bauer, C.F.
40-3356
WASTE TREATMENT, WATER TREATMENT, WATER CHEMISTRY, DETECTION, WATER POLLUTION, GROUND WATER.
Concentrations of HMX, RDX, TNT, and 2,4-DNT are determined in munitions wastewater Aqueous samples are diluted with an equal volume of 76/24 (v/v) methanol-acetonitrile, filtered through a 0 4 micron polycarbonate membrane, and analyzed by reversed-phase HPLC using an LC-8 column with 50/38/12 (v/v/v) water-methanol-acetonitrile. The method provided linear calibration curves to at least several hundred micrograms per liter Detection limits were conservatively estimated to be 26, 22, 14, and 10 microgram/L for HMX, RDX, TNT, and 2,4-DNT, respectively, with corresponding standard deviations of 3.4, 3 3, 4 4, and 4 6 microgram/L up to concentrations of 250 microgram/L At higher concentrations, the percent relative standard deviation values were approximately 2% for HMX and RDX and 4% for TNT and DNT. A ruggedness test involving the major manipulative steps in the procedure indicated that consistent results required glass sample containers, preconditioning of filters, and careful maintenance of sample-to-organic solvent ratio The method was tested with munition wastewater from several Army ammunition plants and found to perform adequately for load and pack wastewaters, wastewater from HMX/RDX manufacture, and contaminated groundwater.

MP 2050
INTERLABORATORY EVALUATION OF HIGH-PERFORMANCE LIQUID CHROMATOGRAPHIC DETERMINATION OF NITROORGANICS IN MUNITION PLANT WASTEWATER.
Bauer, C.F., et al, Jan. 1986, 58(1), p.176-182, 11 refs.
Grant, C.L., Jenkins, T.F.
40-3357
WASTE TREATMENT, WATER TREATMENT, WATER POLLUTION, CHEMICAL ANALYSIS, WATER CHEMISTRY, COUNTERMEASURES, TESTS.
A reversed-phase HPLC method for the determination of nitroorganic compounds (DNT, TNT, RDX, HMX) in munitions wastewaters was evaluated in a collaborative study Nine laboratories analyzed four aqueous matrices, including groundwater and treated wastewater, which were spiked with the analytes at levels from 30 to 600 microgram/L Recoveries of analytes were similar regardless of matrix DNT and RDX being recovered quantitatively, and TNT and HMX showing losses of about 5% Intralaboratory precisions, based on the average of duplicate determinations, were less than 15 microgram/L, which corresponds to 9% relative standard deviation at the average concentration examined Interlaboratory precisions were at most 50% larger than intralaboratory values Valid statistical analysis required rejection of about 10% of the data set as outliers The rationale for applying a variety of statistical evaluations is discussed

MP 2051
MATHEMATICAL SIMULATION OF NITROGEN INTERACTIONS IN SOILS.
Selim, H.M , et al, June 1983, 25(3), p.241-248, 21 refs.
Mehran, M., Tanji, K.K., Iskandar, I.K.
40-3464
SOIL CHEMISTRY, GAS INCLUSIONS, WASTE DISPOSAL, GROUND WATER, NUTRIENT CYCLE, WATER FLOW, INTERFACES, MATHEMATICAL MODELS, CONVECTION, AGRICULTURE.
Four mathematical models were evaluated for their ability to describe the fate of nitrogen (N) in the soil environment. The first model is a general one which accounts for convective-dispersive N transport under transient water flow conditions with active N uptake by plants Model II considers N transport to be only of the convective type, whereas model III considers N uptake as a passive process In contrast, model IV considers N transport under conditions of steady water flow in the convective model (II) and the steady state model (IV) are inferior in describing N flow in the soil system as well as the convective dispersive transport mechanisms must be considered for reliable simulation of N behavior in the soil environment.

MP 2052
MEASUREMENT OF THE RESISTANCE OF IMPERFECTLY ELASTIC ROCK TO THE PROPAGATION OF TENSILE CRACKS.
Peck, L., et al, Aug. 10, 1985, 90(B9), p.7827-7836, 35 refs.
Nolen-Hoeksema, R.C., Barton, C.C., Gordon, R.B.
40-3466
ROCKS, CRACK PROPAGATION, ELASTIC PROPERTIES, TENSILE PROPERTIES, FRACTURING, STRENGTH, TESTS.
Laboratory tests confirm the accuracy of the compliance equations for wedge-loaded, linearly elastic, double cantilever beam test specimens used for the measurement of fracture energy G(I) but show that there are significant discrepancies with theory in tests on rock specimens of the same design. The dependence of the compliance on the length of the crack in the test specimen is not correctly predicted by theory for the experiments done on rock. The axial load applied to the arms of the double cantilever beam as a result of wedge loading reduces Young's modulus by as much as 44% and decreases the measured elastic anisotropy of specimens of granite The experiments show that useful measurements of G(I) can be made on rock provided that the Young's modulus used in the determination of G(I) is measured on the same specimen under the same conditions of loading as are used in the fracture experiments

MP 2053
ON ZERO-INERTIA AND KINEMATIC WAVES.
Katopodes, N.D., Nov. 1982, 108(HY11), p.1381-1387, 5 refs. Discussion by M G Ferrick, Journal of hydraulic engineering, Mar 1984, 110(3), p.352-357, 8 refs.
Ferrick, M.G.
40-3483
RIVER FLOW, WAVE PROPAGATION, WATER WAVES, CHANNELS (WATERWAYS), MATHEMATICAL MODELS

MP 2054
PROCEEDINGS.
Symposium on Applied Glaciology, 2nd, West Lebanon, N.H., Aug 23-27, 1982, 1983, Vol 4, 314p., Refs. passim. For individual papers see 37-4071 through 37-4120.
Colbeck, S.C., ed.
37-4070
GLACIOLOGY, PERMAFROST, ICE SURVEYS, SNOW SURVEYS, AVALANCHES, SEA ICE.

MP 2055
EQUATIONS FOR DETERMINING THE GAS AND BRINE VOLUMES IN SEA-ICE SAMPLES.
Cox, G.F.N., et al, 1983, 29(102), p.306-316, In English with French and German summaries. 13 refs.
Weeks, W.F.
38-1476
SEA ICE, BRINES, GAS INCLUSIONS, ICE DENSITY, MATHEMATICAL MODELS
Equations are developed that can be used to determine the amount of gas present in sea ice from measurements of the bulk ice density, salinity, and temperature in the temperature range of 2 to 30 C Conversely these relationships can be used to give the density of sea ice as a function of its temperature and salinity, considering both the presence of gas and of solid salts in the ice Equations are also given that allow the calculation of the gas and brine volumes in the ice at temperatures other than that at which the bulk density was determined (Auth)

MP 2056
SURFACE INTEGRAL METHOD FOR DETERMINING ICE LOADS ON OFFSHORE STRUCTURES FROM *IN SITU* MEASUREMENTS.
Johnson, J.B., 1983, Vol.4, p.124-128, 23 refs.
37-4091
ICE LOADS, OFFSHORE STRUCTURES, ICE SOLID INTERFACE, MATHEMATICAL MODELS, SHEAR STRESS, FLOATING ICE.

MP 2057
MEASUREMENTS OF RADAR WAVE SPEEDS IN POLAR GLACIERS USING A DOWN-HOLE RADAR TARGET TECHNIQUE.
Jezek, K.C., et al, Oct. 1983, 8(2), p.199-208, 17 refs
Roeloffs, E.A.
38-1514
RADAR ECHOES, WAVE PROPAGATION, GLACIER ICE, ELECTRICAL RESISTIVITY, ANTARCTICA—VICTORIA LAND, GREENLAND.
A new technique for measuring the speed of radar waves in polar ice sheets was developed to investigate a previously reported disagreement between the permittivities of laboratory and glacier ice. The technique involves lowering a cylindrical radar target to several carefully measured depths in a borehole and measuring the travel time of a radar wave transmitted from a surface radar unit to the target in the borehole The experiment was performed at Dome C, East Antarctica, and Dye-3, Greenland, and useable data were collected for target depths between 200 and 800m. After computing the range to the target along a straight ray path and after correcting the travel time for delays in in the radar receiver, the velocities determined from these experiments were found to be in good agreement with the velocities predicted by Robin's empirical formula. The apparent discrepancy between the permittivity of glacier ice, as measured using the radar wide-angle reflection method, and laboratory ice now seems to be due in large part to signal delay in the radar receiver that was ignored in earlier experiments (Auth)

MP 2058
RECENT CHANGES IN THE DYNAMIC CONDITION OF THE ROSS ICE SHELF, ANTARCTICA.
Jezek, K C, Jan 10, 1984, 89(B1), p.409-416, 9 refs.
38-1742
ICE SHELVES, FLOW RATE, RADAR ECHOES, ICE COVER THICKNESS, ANTARCTICA—ROSS ICE SHELF, ANTARCTICA—SIPLE COAST, ANTARCTICA—CRARY ICE RISE.
Variations in the amplitude of radar echoes from the bottom of the grid western half of the Ross Ice Shelf have been analyzed. Contrary to the results of a similar analysis performed for the grid eastern sector of the ice shelf, bands of low signal strength downstream from both Crary Ice Rise and the Siple Coast do not correlate with modern flow lines The difference in direction between the radar bands downstream of Crary Ice Rise and the present velocity vectors and the absence of of a comparable trend farther east suggest to us that the grounding line around Crary Ice Rise retreated within the last 1000 years This hypothesis is reinforced by the observation of several domes and hollows in ice thickness downstream of Crary Ice Rise which are similar to a hollow now located in the wake of the ice rise and a dome of its eastern flank. We interpret this as evidence for a rapid increase in flow around the ice rise which carried downstream the ice topography formed around the ice rise Similar but less detailed evidence found downstream of the Siple Coast suggests that there was a regional retreat of the West Antarctic grounding line (Auth)

MP 2059
MODIFIED THEORY OF BOTTOM CREVASSES USED AS A MEANS FOR MEASURING THE BUTTRESSING EFFECT OF ICE SHELVES ON INLAND ICE SHEETS.
Jezek, K.C, Mar 10, 1984, 89(B3), p 1925-1931, 20 refs.
38-2914
ICE SHELVES, CREVASSES, FLOATING ICE, ICE MECHANICS, ANTARCTICA—ROSS ICE SHELF.
Bottom crevasses are fractures that extend upward into floating ice shelves. They form when seawater penetrates the base of the ice shelf and ruptures the ice up to the level at which englacial stresses equal the stress of the seawater For a freely floating ice shelf, the penetrating level of closely spaced crevasses is estimated at about half the ice thickness h, for an isolated crevasse the level is about p/h 4 However, an analysis of the heights and locations of bottom crevasses in the Ross Ice Shelf shows that none of the crevasses approach the predicted limits, perhaps because the existing theory does not include the back stress which is present in bounded ice shelves By reformulating the theory to include a back stress term, back stress can be evaluated experimentally from radar measurements of crevasse height and ice thickness The magnitude of back stress (2 bars in the grid northwest corner of the ice shelf) suggests the ice shelf is playing an important role in buttressing the inland ice sheet (Auth)

MP 2060
WHAT BECOMES OF A WINTER SNOWFLAKE.
Colbeck, S.C, Dec 1985, 38(6), p.312-215.
40-3481
SNOWFLAKES, SNOW CRYSTAL STRUCTURE, SNOW CRYSTAL GROWTH, TEMPERATURE GRADIENTS, TEMPERATURE EFFECTS, VAPOR DIFFUSION.

MP 2061
SIZE AND SHAPE OF ICE FLOES IN THE BALTIC SEA IN SPRING.
Leppäranta, M., 1983, 19(2), p.127-136, 4 refs.
40-3462
ICE FLOES, SEA ICE DISTRIBUTION, REMOTE SENSING, ICE MELTING, AERIAL SURVEYS, SEASONAL VARIATIONS, PHOTOGRAPHY, BALTIC SEA.

MP 2062
ICE PROPERTIES IN THE GREENLAND AND BARENTS SEAS DURING SUMMER.
Overgaard, S., et al, 1983, 29(101), p 142-164, With French and German summaries 34 refs.
Wadhams, P., Leppäranta, M.
37-4260
SEA ICE DISTRIBUTION, ICE COVER STRENGTH, ICE COVER THICKNESS, ICE SALINITY, ICE TEMPERATURE, ICE DENSITY, ICE COMPOSITION, ICE ELECTRICAL PROPERTIES, IONS.

MP 2063
GROWTH MODEL FOR BLACK ICE, SNOW ICE AND SNOW THICKNESS IN SUBARCTIC BASINS.
Leppäranta, M., 1983, 14(2), p.59-70, 22 refs.
38-2109
ICE FORMATION, SNOW ICE, SNOW DEPTH, HEAT FLUX, SNOWFALL, SURFACE TEMPERATURE, MATHEMATICAL MODELS, SNOW DENSITY, METAMORPHISM (SNOW), ICE SHEETS.

MP 2064
BURIED SEED AND STANDING VEGETATION IN TWO ADJACENT TUNDRA HABITATS, NORTHERN ALASKA.
Roach, D A., 1981, Vol.60, p 359-364, For M.S thesis see 37-4301. 35 refs.
38-2466
TUNDRA, VEGETATION, GROWTH, SOIL WATER.

MP 2065
UNIFIED DEGREE-DAY METHOD FOR RIVER ICE COVER THICKNESS SIMULATION.
Shen, H.T., et al, Mar. 1985, 12(1), p.54-62, 16 refs.
Yapa, P.D.
39-2513
ICE COVER THICKNESS, RIVER ICE, DEGREE DAYS, ICE CONDITIONS, ICE BREAKUP, MATHEMATICAL MODELS, CANADA—SAINT LAWRENCE RIVER.

MP 2066
ISOTHERMAL COMPRESSIBILITY OF WATER MIXED WITH NA-SATURATED MONTMORILLONITE.
Oliphant, J.L, et al, Sep 1983, 95(1), p.45-50, 14 refs.
Low, P F.
40-3465
WATER CHEMISTRY, COMPRESSIVE PROPERTIES, CLAYS, FREEZE DRYING, THERMODYNAMICS, MINERALS, ANALYSIS (MATHEMATICS)

MP 2067
CLEAR IMPROVEMENT IN OBSCURATION.
Palmer, R.A., Aug 1985, 77(502), p.476-477.
40-2856
BLOWING SNOW, VISIBILITY, MILITARY OPERATION, FOG, DESIGN.

MP 2068
REPEATED LOAD TRIAXIAL TESTING OF FROZEN AND THAWED SOILS.
Cole, D M, et al, Dec 1985, 8(4), p 166-170, 4 refs
Durell, G., Chamberlain, E.J
40-3526
FROZEN GROUND STRENGTH, GROUND THAWING, STRESSES, LOADS (FORCES), THAW WEAKENING, SOIL STRENGTH, FREEZE THAW CYCLES, STRAIN TESTS, DEFORMATION, SOIL WATER, EQUIPMENT
This paper describes the equipment and methodology used to determine the resilient properties of granular soils that exhibit thaw-weakening behavior Such soils suffer a significant loss in stiffness as the result of freezing and thawing and subsequently experience an increase in stiffness during a recovery phase The recovery phase results from gradual desaturation of the thawed soil and is characterized by an increase in the soil moisture tension level. We have developed a means to simulate this freeze-thaw-recovery process in the laboratory that calls for testing specimens several times at soil moisture tension levels corresponding to field observations.

MP 2069
VERTICALLY STABLE BENCHMARKS: A SYNTHESIS OF EXISTING INFORMATION.
Gatto, L.W, U.S. Army Corps of Engineers Surveying Conference, Jacksonville, FL, Feb. 4-8, 1985. Proceedings, 1985, p.179-188, Refs. p.183-185.
40-3527
FROST ACTION, MEASURING INSTRUMENTS, PERMAFROST, BENCH MARKS, TOPOGRAPHIC SURVEYS, HYDROLOGY, STRUCTURES, DEFORMATION, DESIGN.
Techniques used for topographic, hydrographic and structural movement surveys are no more accurate than the benchmarks used as reference. In northern areas, frost action can cause substantial vertical movement of benchmarks Benchmarks can also subside or shift in wetland and coastal areas. Various benchmark designs and installation procedures reduce or eliminate movement, but information on the designs and procedures is widely scattered and not available to Corps of Engineers Districts in one report. This paper gives the preliminary results of a synthesis of existing information compiled from surveys of Crops of Engineers Districts and Divisions, U.S. and Canadian government agencies and private industry and from a literature review. A matrix for selecting benchmarks appropriate for various climatic and soil conditions will be prepared from the synthesized information This matrix and a description of the procedures required for installing various types of benchmarks will be available in September 1985.

MP 2070
COLD WEATHER O&M.
Reed, S.C., et al, 1985, 2(2), p.10-15, 6 refs.
Niedringhaus, L.
40-3528
WASTE TREATMENT, WATER TREATMENT, COLD WEATHER OPERATION, TEMPERATURE EFFECTS, VISCOSITY, LUBRICANTS.

MP 2071
USACRREL'S SNOW, ICE, AND FROZEN GROUND RESEARCH AT THE SLEEPERS RIVER RESEARCH WATERSHED.
Pangburn, T., et al, Eastern Snow Conference, Washington, D.C., June 7-8, 1984. Proceedings, (1984), p.229-240, 25 refs.
McKim, H.L.
40-4225
SNOW HYDROLOGY, ICE SURVEYS, FROZEN GROUND PHYSICS, SNOW WATER EQUIVALENT, RUNOFF FORECASTING, WATERSHEDS, MODELS, TEMPERATURE EFFECTS.
The Sleepers River Research Watershed in Danville, Vermont, has one of the longest historical data bases for a cold regions area NOAA/NWS have been conducting research in snow hydrology at the watershed for the past 24 years; CRREL has been involved for the past 6 years CRREL's major research involves 1) developing and testing a sensor that will measure the water equivalent of snow in near real time, and 2) modifying existing hydrologic models to accept remotely obtained data on snow, ice, and frozen ground

MP 2072
COMPUTATIONAL MECHANICS IN ARCTIC ENGINEERING.
Sodhi, D S, Computer Methods in Offshore Engineering Specialty Conference, Halifax, Nova Scotia, May 23, 1984. Proceedings, (1984), p.351-374, Refs. p.367-374.
40-3529
ICE MECHANICS, ICE SOLID INTERFACE, OFFSHORE STRUCTURES, ENGINEERING, ICE LOADS, IMPACT STRENGTH, COLD WEATHER CONSTRUCTION, COMPUTER APPLICATIONS, MATHEMATICAL MODELS, DRIFT, FLOATING ICE.
A review of numerical modeling in arctic engineering is presented and emphasis is given to the work which deals with computational mechanics For large-scale problems the dynamic model for sea ice and iceberg drift is discussed For medium-scale problems the bearing capacity of floating ice sheets and ice-structure interaction for bending, buckling and crushing failures of ice sheets are discussed A brief discussion is also presented on the impact ice forces and the kinematic model for ridge formation

MP 2073
TANK E/O SENSOR SYSTEM PERFORMANCE IN WINTER: AN OVERVIEW.
Lacombe, J., et al, Hanover, NH, U.S. Army Cold Regions Research and Engineering Laboratory, [1985], 26p., Presented at the Smoke/Obscurants Symposium, 9th, Adelphi, MD, April 23-25, 1985. 8 refs.
Redfield, R.K.
40-3530
MILITARY OPERATION, TANKS (COMBAT VEHICLES), COLD WEATHER OPERATION, METEOROLOGICAL FACTORS, LASERS, INSTRUMENTS, WINTER, VISIBILITY, OPTICAL PROPERTIES, ELECTRICAL PROPERTIES, SNOWFALL.
This paper describes the SNOW-III-WEST experiment and a related study conducted in the Federal Republic of Germany that was designed to increase the understanding of the effects of winter weather on the performance of electro-optical sensor systems in main battle tanks SNOW-III-WEST was conducted at Camp Grayling, Michigan, during December 1984 and January 1985. Its objectives were to document the performance of the M1 tank EO sensor suite in winter and gather data from threat vehicle EO sensors and M1 tank developmental sensors for use in developing system capability comparisons. To accomplish this, an M1 tank gunners primary sight (GPS) was positioned to view and range to vehicular targets at distances out to 1600 m. The GPS contains a day sight, night sight and laser rangefinder. Other U.S. and threat EO systems were co-located with the GPS. Day and night sight imagery through the device optics was recorded using video equipment while simultaneous target observations by the sight operator were documented. Detailed measurements were made to characterize important target scene and environmental factors These included meteorological, airborne-snow, scene illumination, and atmospheric transmission measurements, as well as inherent and apparent visible and infrared target/background signature measurements. PM Smoke's personnel response and evaluation system for target obscuration (PRESTO) was used to document the sight operator's target detection responses.

MP 2074
EFFECTS OF SNOW ON VEHICLE-GENERATED SEISMIC SIGNATURES.
Albert, D.G., Sensor Technology Symposium, 4th, Apr. 26-28, 1983. Report. Vol.1: Unclassified papers, U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS, Environmental Laboratory, July 1984, p.83-109, 9 refs.
40-3531
SNOW COVER EFFECT, MILITARY OPERATION, SEISMIC SURVEYS, ATTENUATION, ACOUSTICS, SEASONAL VARIATIONS, VEHICLES.
Vehicle-generated seismograms recorded under summer and winter conditions at Fort Devens, Massachusetts, are analyzed and compared. The data were recorded using three-component geophones located just beneath the ground surface and microphones mounted on tripods 0.3 m tall Winter data were recorded with a 0.7-m-thick snow cover present at the test site. The 14-track FM field tapes were digitized in the laboratory at a sampling rate of 500 Hz in preparation for filtering and spectral analysis. The filtering effect of the snow cover on the seismic data is striking. Because the acoustic-to-seismic coupled energy is attenuated by the snow, the appearance and frequency content of the recorded ground motion is changed dramatically Automatic vehicle classification algorithms will have to account for these effects if they are to operate successfully in the presence of snow

MP 2075
FROZEN PRECIPITATION AND CONCURRENTLY OBSERVED METEOROLOGICAL CONDITIONS.
Bilello, M.A., [1985], 11p., Presented at the 42nd Meeting of the Eastern Snow Conference, Montreal, Canada, June 1985. 8 refs.
40-3532
SNOWFALL, PRECIPITATION (METEOROLOGY), METEOROLOGICAL DATA, STATISTICAL ANALYSIS, FREEZING, AIR TEMPERATURE, HUMIDITY, WIND VELOCITY, FOG, VISIBILITY, DIURNAL VARIATIONS.
This study evaluates statistical data for two or more meteorological parameters, recorded concurrently during the winter The analysis considers only freezing forms of precipitation, placed into seven categories, and correlated with simultaneously observed atmospheric conditions, such as temperature, humidity and wind speed Computer tabulated data from 11 years of winter weather for München/Riem, West Germany, were obtained for the investigation Typical results are 1) the variations in absolute humidity values that can be expected during periods of fog or ground fog at different air temperatures, 2) the likelihood that freezing rain or freezing drizzle will occur least frequently between 1200 and 1700 hours, and 3) the diurnal and monthly air temperatures, relative humidity and examples of the unusual and interesting environmental knowledge that can be gained from available climatic records, similar investigations can be conducted for other sites that have long-term weather records in computer-based files

MP 2076
EVALUATION OF SEASONAL VARIATION IN RESILIENT MODULUS OF GRANULAR SOIL AFFECTING PAVEMENT PERFORMANCE.
Johnson, T.C., [1985], c21p., Presented at the 33rd Annual Conference on Soil Mechanics and Foundation Engineering, St. Paul, MN, Jan. 1985. 27 refs.
40-3533
PAVEMENTS, FREEZE THAW CYCLES, FROZEN GROUND MECHANICS, ROAD MAINTENANCE, SEASONAL VARIATIONS, LOADS (FORCES), DAMAGE, FORECASTING, TESTS, MOISTURE TRANSFER, SOIL STRUCTURE

MP 2077
MODEL OF 2-DIMENSIONAL FREEZING FRONT MOVEMENT USING THE COMPLEX VARIABLE BE METHOD.
Hromadka, T.V., II, et al, Oct. 1985, 1(2), 9p., 7 refs.
Berg, R.L.
40-3585
SOIL FREEZING, HEAT TRANSFER, FREEZE THAW CYCLES, BOUNDARY VALUE PROBLEMS, MATHEMATICAL MODELS, SOIL WATER, THERMAL REGIME, COMPUTER APPLICATIONS, LATENT HEAT, PHASE TRANSFORMATIONS, ROADS.
The Complex Variable Boundary Element Method or CVBEM is used to develop a computer model (CVBFR1) for estimating the location of the freezing front in soil-water phase change problems Because the numerical technique is a boundary integral approach, the control volume thermal regime is modeled with respect to the boundary values and, therefore, the CVBFR1 data entry requirements are significantly less than that ususally required of domain methods such as finite-differences or finite-elements Soil-water phase change along the freezing front is modeled as a simple balance between computed heat flux and the evolution of soil-water volumetric latent heat of fusion.

MP 2078
FRAZIL ICE.
Daly, S.F., Conference on Frontiers in Hydraulic Engineering, Cambridge, MA, Aug. 9-12, 1983. Proceedings. Edited by H.T. Shen, New York, American Society of Civil Engineers, 1983, p.218-223, 8 refs
40-3554
FRAZIL ICE, ICE CRYSTAL GROWTH, ICE STRUCTURE, RIVER ICE, NUCLEATION RATE, STREAMS, ANALYSIS (MATHEMATICS).
The study of crystal growth and its application to large scale industrial crystallization can provide many insights and quantitative approaches to the problem of frazil ice Number continuity and heat conservation equations are presented in which the key parameters are crystal growth and nucleation rates These parameters and frazil morphology are discussed The problems of applying these equations to natural waterbodies are discussed Further research needs are outlined.

MP 2079
UNSTEADY RIVER FLOW BENEATH AN ICE COVER.
Ferrick, M.G., et al, Conference on Frontiers in Hydraulic Engineering, Cambridge, MA, Aug. 9-12, 1983. Proceedings. Edited by H.T. Shen, New York, American Society of Civil Engineers, 1983, p.254-260, 9 refs
Lemieux, G.E.
40-3560
RIVER FLOW, ICE COVER EFFECT, RIVER ICE, ICE BREAKUP, FRAZIL ICE, FLOODING, ICE JAMS, WATER WAVES, ICE WATER INTERFACE.

MP 2080
FIRST-GENERATION MODEL OF ICE DETERIORATION.
Ashton, G.D., Conference on Frontiers in Hydraulic Engineering, Cambridge, MA, Aug. 9-12, 1983 Proceedings. Edited by H.T. Shen, New York, American Society of Civil Engineers, 1983, p.273-278, 12 refs
40-3563
ICE DETERIORATION, ICE MODELS, FLOATING ICE, ICE STRUCTURE, RIVER ICE, LAKE ICE, ICE COVER STRENGTH, ICE BREAKUP, HEAT TRANSFER, DIURNAL VARIATIONS.
The phenomenon of deterioration of ice, particularly of floating ice on rivers and lakes, is commonly observed during the spring period The result of the deterioration is a porous honeycomb like structure, generally of low strength, and the greatly reduced strength contributes to the timing of ice break-up as well as significantly reducing the load-carrying capacity of the ice cover A combined radiation-conduction heat transfer analysis is presented that predicts the diurnal strength variations associated with low surface albedo and internal melting The results are compared with field data

MP 2081
MODELING OF ICE DISCHARGE IN RIVER MODELS.
Calkins, D.J., Conference on Frontiers in Hydraulic Engineering, Cambridge, MA, Aug. 9-12, 1983. Proceedings. Edited by H.T. Shen, New York, American Society of Civil Engineers, 1983, p.285-290, 7 refs.
40-3565
RIVER FLOW, RIVER ICE, ICE MECHANICS, DRIFT, ICE MODELS, HEAT TRANSFER, EXPERIMENTATION, TEMPERATURE EFFECTS, HYDRAULICS, FREEZEUP.
A thermal modeling criterion for the ice discharge in refrigerated physical river models is presented along with laboratory results. Ice production was evaluated for freshwater and for 0.3% and 1% urea concentrations in water. Discharges of 0.0056 and 0.0094 cu m/s were run in the model river at air temperatures of 5, 10 and 15C Preliminary results show that as the concentration of urea in the water is increased, the model ice outflow increases The measured ice discharge at river outlet and the ice accumulation on the riverbed are both linearly related to the air-water temperature difference The ice accumulation rate on the riverbed was also found to be a linear function of time The freshwater flow had a greater bed accumulation rate than urea-doped solutions A slight increase in model ice production was noted for the higher water flow rates Proper scaling of the ice discharge through a model reach may require relaxing the heat transfer coefficient scaling law because sufficient ice cannot be generated in the river, and ice must be introduced at the inlet of the model By changing the urea concentration in the water or using a separate ice production flume, a wide range of values for the input of model ice discharge can be selected

MP 2082
DYNAMIC FRICTION OF BOBSLED RUNNERS ON ICE.
Huber, N.P., et al, Le sport. Enjeu technologique. Edited by A. Midol and T. Mathia, Dec. 4, 1985, 26p., 10 refs.
Itagaki, K., Kennedy, F.E., Jr.
40-3552
METAL ICE FRICTION, SLEDS, ICE SURFACE, ICE FRICTION, ICE DETERIORATION, DYNAMIC LOADS, MODELS, EXPERIMENTATION, STATISTICAL ANALYSIS.
The challenge we have been presented with, to perfect the runners of the U.S Bobsled Team's sled for the 1988 Winter Olympics in Calgary, requires an understanding of the experimentation performed by other researchers, the conclusions reached, and the limitations of their findings Most of the ice friction studies to date have been made under more or less idealized conditions. Thus, in the highly dynamic situation of a bobsled or a skier sliding on a rough ice surface, a variety of unknown and disregarded factors may contribute greatly to the friction phenomena. For instance, none of the previous studies addressed the mechanical destruction of the ice surface, though carving or melting a track in the ice could account for most of the frictional energy loss This paper describes the results of a preliminary study performed using a model sled

MP 2083
OHIO RIVER MAIN STEM STUDY: THE ROLE OF GEOGRAPHIC INFORMATION SYSTEMS AND REMOTE SENSING IN FLOOD DAMAGE ASSESSMENTS.
Edwardo, H.A., et al, International Symposium on Remote Sensing of Environment, 18th, Paris, France, Oct 1-5, 1984 Proceedings, Vol 1, [1984], p.265-281, 3 refs.
Merry, C.J., McKim, H.L
40-3551
REMOTE SENSING, RIVER FLOW, TOPOGRAPHIC FEATURES, FLOODS, DAMAGE, LANDFORMS, GEOGRAPHY, CLASSIFICATIONS, MAPPING, UNITED STATES OHIO RIVER.
The Pittsburgh District, Corps of Engineers, has conducted feasibility analyses of various procedures for performing flood damage assessments along the main stem of the Ohio River Procedures using traditional, although highly automated, techniques and those based on geographic information systems have been evaluated at a test site, the City of New Martinsville, Wetzel County, West Virginia The flood damage assessments of the test site developed from an automated, conventional structure-by-structure appraisal served as the ground truth data set

MP 2084
SPATIAL ANALYSIS IN RECREATION RESOURCE MANAGEMENT FOR THE BERLIN LAKE RESERVOIR PROJECT.
Edwardo, H.A., et al, 1984 SPOT Symposium. Proceedings. SPOT simulation applications handbook. American Society of Photogrammetry, 1984, p.209-219.
Merry, C.J., McKim, H.L.
40-3550
LANDFORMS, RESERVOIRS, REMOTE SENSING, TOPOGRAPHIC FEATURES, CLASSIFICATIONS, ENVIRONMENT SIMULATION, WATER CHEMISTRY, LAKE WATER, GEOGRAPHY.
The simulated SPOT data acquired from aircraft over the study site had several radiometric characteristics which would not be encountered in the nadir-looking satellite observations These differential scene brightness features were removed from the data. The corrected data were used in two studies to assess their information content for water quality assessment and land cover classification. Both studies indicate that the SPOT data are comparable to high altitude color-infrared aerial photography in digital form. The implication for land cover mapping is that techniques developed for LANDSAT MSS will need to be modified to allow for interactive user input and the use of textural and contextual features in automatic digital classification. The results of the water quality analysis point to the potential of the SPOT data for assessing the presence of materials in the light-interactive zone of the water column

MP 2085
WILDLIFE HABITAT MAPPING IN LAC QUI PARLE, MINNESOTA.
Merry, C.J., et al, 1984 SPOT Symposium. Proceedings. SPOT simulation application handbook. American Society of Photogrammetry, 1984, p.205-208.
Green, G., Anderson, S.
40-3549
VEGETATION, REMOTE SENSING, SPECTROSCOPY, PHOTOINTERPRETATION, MAPPING, CLASSIFICATIONS, AGRICULTURE, UNITED STATES—MINNESOTA—LAC QUI PARLE.
SPOT High Resolution Visible (HRV) simulated data were obtained over Lac qui Parle, Minnesota, to determine their usefulness for mapping wildlife habitat categories associated with Corps projects. Ground truth data were available from photointerpreted wildlife habitat unit maps and the agricultural crop inventory prepared for the summer of 1983. A geometric correction could not be applied to the data set, so only the spectral reflectance quality of the data was assessed. The sample size of 512 x 512 pixels was selected for the analyses. An unsupervised classification land cover map was generated with the Earth Resources Laboratory Application Software package. The classification was successful in discriminating wheat and alfalfa and other uniformly colored areas, but pasture and corn could not be separated. Also, we were not successful in separation of grasslands and legumes Our results indicated that the 20-m HRV data can be used to photointerpret wildlife habitat using the false color image, but a digital classification cannot be performed To obtain a habitat map using the HRV data would require a multitemporal analysis.

MP 2086
CRREL INVESTIGATIONS RELEVANT TO OFFSHORE PETROLEUM PRODUCTION IN ICE-COVERED WATERS.
Tucker, W.B., International Symposium on Remote Sensing of Environment. Second Thematic Conference "Remote Sensing for Exploration Geology," Fort Worth, Texas, Dec. 6-10, 1982, Proceedings. Vol.1, (1983), p.207-215, Refs. p.213-215.
40-3547
OFFSHORE STRUCTURES, ICE LOADS, SEA ICE DISTRIBUTION, REMOTE SENSING, DRIFT, ICE CONDITIONS, ICE CRYSTAL STRUCTURE, DESIGN, ICE MECHANICS, ICE STRENGTH.
The U S Army Cold Regions Research and Engineering Laboratory has studied the sea ice environment of the Beaufort Sea for many years Offshore development is now proceeding beyond the barrier islands and many of these studies have relevance to the planned activities Sea ice presents a formidable hazard to the design and construction of production platforms and sea floor pipelines CRREL investigations have addressed a number of the problems associated with these activities and remote sensing has played a major role in some of these studies Specific efforts at CRREL have addressed the measurement of ice motion, the distribution and morphology of pressure ridges and shore ice pile-ups, ice conditions and thickness, the determination of ice strength, ice crystal structure, and the modeling of ice dynamics and thermodynamics

MP 2087
ICE BANDS IN TURBULENT PIPE FLOW.
Ashton, G.D., 1984, 84-WA/HT-106, 7p., 10 refs.
40-3584
PIPELINE FREEZING, PIPE FLOW, ICE FORMATION, HEAT TRANSFER, ICE SURFACE, TURBULENT FLOW, HEAT FLUX, FLOW RATE, EXPERIMENTATION, SURFACE ROUGHNESS.
Results of experiments in two pipe sizes with annular freezing are reported. A wavy ice relief generally formed. The results are compared to a correlation previously proposed by Gilpin based on a thermal criterion and to a correlation developed by Ashton based on a kinematic criterion The results are discussed within the context of these criteria.

MP 2088
ICE ENGINEERING FACILITY.
Zabilansky, L.J., et al, (1983), 12p. + fig, Prepared for the International Institute of Ammonia Refrigeration, 5th annual meeting, Sarasota, FL, April 17-20, 1983.
Alexander, V.
40-3609
ICE SURVEYS, LABORATORIES, EQUIPMENT, ICE NAVIGATION, ICE FORMATION, ICE LOADS, ICE JAMS, ENGINEERING, ICING, FLOODS, HEAT RECOVERY.

MP 2089
DATA ACQUISITION IN USACRREL'S FLUME FACILITY.
Daly, S.F., et al, Specialty Conference on Hydraulics and Hydrology in the Small Computer Age, Lake Buena Vista, FL, Aug. 12-17, 1985. Proceedings, Vol.2. Edited by W.R. Waldrop, New York, American Society of Civil Engineers, 1985, p.1053-1058, 1 ref.
Wuebben, J.L., Zabilansky, L.J.
40-3610
LABORATORIES, COMPUTER APPLICATIONS, REFRIGERATION, ICE FORMATION, HYDRAULICS, SEDIMENT TRANSPORT, FRAZIL ICE, UNSTEADY FLOW, ICE COVER EFFECT, EQUIPMENT.
The refrigerated flume facility at the U.S. Army Cold Regions Research and Engineering Laboratory (USACRREL), Hanover, New Hampshire, consists of a tiltable flume that is 120 ft long, 4 ft wide and 2 ft deep (36 6 x 1 2 x 0 61 m), two constant-speed centrifugal pumps and associated piping, flow meters, heat transfer devices, automatic valves, etc. The flume is an experimental facility used to study the formation of frazil ice, temperature effects on sediment transport, unsteady flow under an ice cover, and other subjects relevant to cold regions hydraulics. A computerized data acquisition system has been developed that is based on a Hewlett-Packard 9845B desktop computer

MP 2090
CAZENOVIA CREEK MODEL DATA ACQUISITION SYSTEM.
Bennett, B.M., et al, Specialty Conference on Hydraulics and Hydrology in the Small Computer Age, Lake Buena Vista, FL, Aug. 12-17, 1985. Proceedings, Vol.2. Edited by W.R. Waldrop, New York, American Society of Civil Engineers, 1985, p.1424-1429, 4 refs.
Zabilansky, L.J.
40-3611
MODELS, ICE BREAKUP, COMPUTER APPLICATIONS, RIVER ICE, ICE CONTROL, ICE JAMS, TESTS, ENGINEERING, STRUCTURES, DESIGN, COUNTERMEASURES.
The Cazenovia Creek Model is a physical hydraulic model constructed in the 160-ft x 80-ft (48 8-m x 24 4 m) refrigerated research area of the Ice Engineering Facility at the U S Army Cold Regions Research and Engineering Laboratory located in Hanover, New Hampshire The purpose of the model is to reproduce river ice breakup phenomena for optimizing the design of an ice control structure The optimal design will delay or ultimately prevent the passage of ice floes, eliminating downstream ice jam flooding The performance of the ice control structure during a simulated breakup is monitored by using an interactive real-time data acquisition system The data acquisition system is governed by a Hewlett-Packard 9845A desktop computer and enables a rapid analysis of the work because of the real-time monitoring This paper discusses the model and its method of data collection

MP 2091
INSTRUMENTATION FOR AN UPLIFTING ICE FORCE MODEL.
Zabilansky, L.J., Specialty Conference on Hydraulics and Hydrology in the Small Computer Age, Lake Buena Vista, FL, Aug. 12-17, 1985. Proceedings, Vol 2. Edited by W.R. Waldrop, New York, American Society of Civil Engineers, 1985, p.1430-1435, 4 refs.
40-3612
MODELS, OFFSHORE STRUCTURES, COMPUTER APPLICATIONS, FREEZEUP, ICE PRESSURE, ICE LOADS, ENGINEERING, WATER LEVEL, PILE STRUCTURES.
Marine structures frozen into an ice cover are subjected to vertical forces as the ice sheet responds to changes in the water level. Pile-supported, light duty structures are especially vulnerable to the uplifting forces, which can extract the piles from the soil, destroying the structure's integrity. To evaluate the parameters that control the magnitude of the uplifting force a laboratory model study was conducted in a refrigerated test basin.

MP 2092
REAL-TIME MEASUREMENTS OF UPLIFTING ICE FORCES.
Zabilansky, L.J., 1985, Vol.31, p.253-259, 2 refs.
40-3638
ICE SOLID INTERFACE, PILE EXTRACTION, ICE LOADS, PILE LOAD TESTS, OFFSHORE STRUCTURES, DAMAGE, COUNTERMEASURES, COMPUTER APPLICATIONS.

MP 2093
BOUNDARY INTEGRAL EQUATION SOLUTION OF MOVING BOUNDARY PHASE CHANGE PROBLEMS.
O'Neill, K., 1983, Vol.19, p.1825-1850, 47 refs.
40-3660
SOIL FREEZING, ANALYSIS (MATHEMATICS), BOUNDARY VALUE PROBLEMS, PHASE TRANSFORMATIONS, CONVECTION, STEFAN PROBLEM, TEMPERATURE GRADIENTS, PIPES (TUBES).
Boundary integral equation methods are presented for the solution of some two-dimensional phase change problems. Convection may enter through boundary conditions, but cannot be considered within phase boundaries. A general formulation based on space-time Green's functions is developed using the complete heat equation, followed by a simpler formulation using the Laplace equation. The latter is pursued and applied in detail. An elementary, noniterative system is constructed, featuring linear interpolation over elements on a polygonal boundary Nodal values of the temperature gradient normal to a phase change boundary are produced directly in the numerical solution The system performs well against basic analytical solutions, using these values in the interphase jump condition, with the simplest formulation of the surface normal at boundary vertices. Because the discretized surface changes automatically to fit the scale of the problem, the method appears to offer many of the advantages of moving mesh finite element methods. However, it only requires the manipulation of a surface mesh and solution for surface variables In some applications, coarse meshes and very large time steps may be used, relative to those which would be required by fixed grid domain methods Computations are also compared to original lab data, describing two-dimensional soil freezing with a time-dependent boundary condition Agreement between simulated and measured histories is good

MP 2094
HELICOPTER SNOW OBSCURATION SUBTEST.
Ebersole, J.F., June 1984, SR 84-20, SNOW-TWO data report. Vol.2: System performance. Edited by R. Jordan, p.359-376, ADB-101 241.
40-3784
MILITARY OPERATION, HELICOPTERS, NAVIGATION, BLOWING SNOW, SNOW COVER EFFECT, PHOTOGRAPHY, AIR CUSHION VEHICLES, DETECTION, COUNTERMEASURES, TESTS.
Three sets of helicopter-downwash-produced snow obscuration trials were conducted (two sets on 8 December 1983, one set on 17 January 1984), for a total of 30 individual trials Both hovering and forward flight patterns were performed. In order to obtain an adequate data base which is relevant to Army scenarios, the planned flight altitudes chosen for the test were for representative flying at low-level or NOE (nap-of-earth) missions and landing In addition, some test flight trials were directed towards information on "masking" and "unmasking" below and above terrain features or tree tops Thus the altitudes for the test were primarily restricted to no higher than 50 feet above the surface for forward flights, and 150 feet for hovering Flights were made perpendicular to the main transmissometer line of sight, or in hovering, vertical take-off and landing modes

MP 2095
SNOW-COVER CHARACTERIZATION: SADARM SUPPORT.
O'Brien, H., et al, June 1984, SR 84-20, SNOW-TWO data report. Vol.2: System performance. Edited by R. Jordan, p.409-411, ADB-101 241.
Bates, R.
40-3787
SNOW OPTICS, SNOW ELECTRICAL PROPERTIES, MILITARY OPERATION, METEOROLOGICAL FACTORS, SNOW COVER EFFECT, DETECTION, SNOW DENSITY, SNOW WATER CONTENT, GRAIN SIZE, SNOW DEPTH.

MP 2096
FIELD SAMPLING OF SNOW FOR CHEMICAL OBSCURANTS AT SNOW-TWO/SMOKE WEEK VI.
Cragin, J.H., June 1984, SR 84-20, SNOW-TWO data report. Vol.2: System performance. Edited by R. Jordan, p.265-270, ADB-101 241, 3 refs.
40-3782
MILITARY OPERATION, SMOKE GENERATORS, SNOW COMPOSITION, SNOWFALL, SNOW SURFACE, VISIBILITY, CHEMICAL ANALYSIS, AIR POLLUTION, TESTS.

MP 2097
TERRAIN ANALYSIS FROM SPACE SHUTTLE PHOTOGRAPHS OF TIBET.
Kreig, R.A., et al, International Conference on Cold Regions Engineering, 4th, Anchorage, Alaska, Feb. 24-26, 1986. Proceedings. Edited by W.L. Ryan. New York, American Society of Civil Engineers, 1986, p.400-409, 14 refs.
Guodong, C., Brown, J.
40-2459
PERMAFROST DISTRIBUTION, ALPINE LANDSCAPES, REMOTE SENSING, TOPOGRAPHIC FEATURES, CONTINUOUS PERMAFROST, MAPPING, SPACEBORNE PHOTOGRAPHY, AERIAL SURVEYS, TIBET.

MP 2098
EFFECT AND DISPOSITION OF TNT IN A TERRESTRIAL PLANT.
Palazzo, A.J., et al, Jan.-Mar. 1986, 15(1), p.49-52, 24 refs.
Leggett, D.C.
40-3708
SOIL POLLUTION, PLANT PHYSIOLOGY, VEGETATION, MILITARY FACILITIES, ROOTS, DAMAGE, WASTE DISPOSAL, WATER TREATMENT.
Little is known about the response of terrestrial plants to 2,4,6-trinitrotoluene (TNT). To assess its effects, yellow nutsedge (*Cyperus esculentus* L.) was grown in hydroponic cultures containing TNT concentrations of 0, 10, and 20 mg/L. The deleterious effects of TNT were rapid and occurred at solution concentrations of 5 mg/L and higher. Root growth was most affected, followed by leaves and rhizomes. Root weights were reduced about 95% when grown in the presence of TNT. Plant yields were 54 to 74% lower than the control. The TNT and its metabolites, 4-amino-2,6-dinitrotoluene (4-ADNT), and 2-amino-4,6-dinitrotoluene (2-ADNT) were found throughout the plants. Solutions were continually monitored to ensure that no metabolites were present in solution. Since TNT was the only compound taken up, the metabolites must have formed within the plant. Levels of 4-ADNT exceeded those of 2-ADNT and TNT itself, ranging up to 2200 mg/kg in roots of plants grown in 20 mg/L of TNT. The greatest quantities of all three compounds were found in the rhizomes. Increasing solution TNT levels increased the concentrations and quantities of all three compounds in the plants.

MP 2099
METEOROLOGICAL VARIATION OF ATMOSPHERIC OPTICAL PROPERTIES IN AN ANTARCTIC STORM.
Egan, W.G., et al, Apr. 1, 1986, 25(7), p.1155-1165, 56 refs.
Hogan, A.W.
40-3771
REMOTE SENSING, BLOWING SNOW, ALBEDO, VISIBILITY, AEROSOLS, SOLAR RADIATION, ANTARCTICA—AMUNDSEN-SCOTT STATION.
Ground truth inputs obtained during an antarctic storm were applied to the Dave vector atmospheric model. The spectropolarimetric properties of upwelling atmospheric radiation are quantitatively related to the number of ice crystals in the optical path. At large scattering angles (smaller angles in the plane of vision), the ice crystal scattering produces strong polarization proportional to the concentration. However, at small scattering angles, the ice crystals cause generally small polarization, permitting the generally large polarization properties of the underlying terrestrial surface to be inferred. Ice crystals, by virtue of their edges, scatter differently than spheres and may have scattering cross sections many orders of magnitude greater than an equivalent area sphere. Polarization appears to be a useful adjunct in synoptic passive atmospheric remote sensing. (Auth.)

MP 2100
FINITE ELEMENT SIMULATION OF ICE CRYSTAL GROWTH IN SUBCOOLED SODIUM-CHLORIDE SOLUTIONS.
Sullivan, J.M., Jr., et al, International Conference on Numerical Methods in Engineering: Theory and Applications (NUMETA 85), Swansea, Wales, Jan. 7-11, 1985. Proceedings, Vol.1. Edited by J. Middleton and G.N. Pande, Rotterdam, A.A. Balkema, 1985, p.527-532, 12 refs.
Lynch, D.R., O'Neill, K.
40-3850
ICE CRYSTAL GROWTH, SOLUTIONS, TEMPERATURE EFFECTS, FREEZING, DENDRITIC ICE, ANALYSIS (MATHEMATICS).
A finite element solution for ice-crystal growth in subcooled sodium-chloride solution is presented. The freezing process for aqueous solutions requires simultaneous solution of the heat equation in the solid and a complete transport treatment in the liquid region. The moving ice surface in the simulations is continuously tracked via deformable grids. Heat and mass are conserved exactly in the simulations. Specifying the interface temperature based on the constitutional phase diagram is inadequate due to the disparate interfacial growth kinetics for the A-axis and C-axis of the ice crystal. Herein we apply radiation type boundary conditions on the ice interface which maintain temperature close to equilibrium along a fast-growth axis, but allow subcooled conditions to prevail along a slow-growth axis. This preliminary report concentrates on problem formulation and one-dimensional verification of the method against analytic solutions.

MP 2101
PERFORMANCE BASED TIRE SPECIFICATION SYSTEM FOR MILITARY WHEELED VEHICLES.
Blaisdell, G.L., U.S. Army Survivable Tire Symposium, Carson City, NV, Nov. 4-8, 1985. Proceedings, (1985), p.277-280, 2 refs.
40-3884
TIRES, MILITARY EQUIPMENT, VEHICLES, DESIGN.
Most military wheeled vehicles continue to utilize the NDCC tire, despite its extremely low tread life and relatively poor performance. Current tire technology has far surpassed that available when the NDCC tire was designed, yet the Army continues, on all but its newest vehicles, to apply this tire. With such a disparity between the NDCC tire and what is commercially available, and with the potential now to design a tire for numerous specific performance areas, how does the Army determine what tire it should use for a particular vehicle? In answering this question, a working group was formed, and a new tire specification was developed. This system is based not on specific design features in as much as is possible, but on critical areas of tire performance. This system takes into account the vehicle's mission profile and the necessity of certain minimum levels of performance for various conditions.

MP 2102
RADIAL TIRE DEMONSTRATION.
Liston, R.A., U.S. Army Survivable Tire Symposium, Carson City, NV, Nov. 4-7, 1985. Proceedings, (1985), p.281-285.
40-3866
TIRES, MILITARY EQUIPMENT, MILITARY TRANSPORTATION, VEHICLES.
A demonstration of the use of commercially available radial tires on the Army's 5 ton dump truck is currently in progress at Wildflecken, Germany. One construction company, Company C of the 54th Engineering Battalion, has approximately half of its trucks equipped with radial tires and half with the standard military tires. The purpose of the demonstration is to identify the improved off-road high way, and tread wear performance of the commercial radial tire compared to the bias ply, non-directional cross country tire that has been the US Army standard tire for some forty years. Some information relative to fuel usage and rolling resistance are provided.

MP 2103
TIME-LAPSE THERMOGRAPHY: A UNIQUE ELECTRONIC IMAGING APPLICATION.
Marshall, S.J., et al, International Electronic Imaging Exposition and Conference, Boston, MA, Sep. 11-13, 1984, (1984), p.84-88, 21 refs.
Munis, R.H.
40-4226
SURFACE TEMPERATURE, INFRARED PHOTOGRAPHY, ELECTRONIC EQUIPMENT, LASERS.
A new technique has been recently introduced that combines time-lapse video techniques with those of thermal imaging. As a result, dynamic thermal events can be recorded in fast or slow motion and played back at expanded or compressed rates compatible with digital enhancement and analysis techniques. The enhancement techniques are used to improve the capability for pattern recognition as well as for the rapid extraction of maximum, minimum and average surface temperatures. The equipment necessary to assemble and operate a typical time lapse thermal imaging system is described along with some examples of practical and research applications. The capabilities, limitations, and future possibilities are also discussed.

MP 2104
SIMPLE MODEL OF ICE SEGREGATION USING AN ANALYTIC FUNCTION TO MODEL HEAT AND SOIL-WATER FLOW.
Hromadka, T.V., II, et al, International Offshore Mechanics and Arctic Engineering Symposium, 3rd, New Orleans, Louisiana, Feb. 12-17, 1984. Proceedings, Vol.3. Edited by V.J. Lunardini, New York, American Society of Mechanical Engineers, 1984, p.99-104, 10 refs.
Guymon, G.L.
38-2031
FROST HEAVE, SOIL FREEZING, HEAT TRANSFER, MOISTURE TRANSFER, FREEZE THAW CYCLES, GROUND ICE, SOIL WATER MIGRATION, HYDRAULICS, WATER PRESSURE, MATHEMATICAL MODELS.

MP 2105
PROCEEDINGS.
International Offshore Mechanics and Arctic Engineering Symposium, 4th, Dallas, Texas, Feb. 17-21, 1985. New York, American Society of Mechanical Engineers, 1985, 2 vols., Refs. passim. For selected papers see 39-2382 through 39-2438.
Chung, J.S., ed, Lunardini, V.J., ed.
39-2381
OFFSHORE STRUCTURES, OFFSHORE DRILLING, ICE CONDITIONS, ICE LOADS, IMPACT STRENGTH, ENGINEERING, CONSTRUCTION MATERIALS, OCEANOGRAPHY, MEETINGS.

MP 2106
ICE GOUGE HAZARD ANALYSIS.
Lanan, G.A., et al, Offshore Technology Conference, 18th, Houston, Texas, May 5-8, 1986. Proceedings, Vol.4, 1986, p.57-66, 13 refs.
Niedoroda, A.W., Weeks, W.F.
40-3880
ICE SCORING, TRENCHING, OCEAN BOTTOM, PIPELINES, MARINE GEOLOGY.
Sea floor ice gouge depth distributions and pipeline trenching requirements are analyzed. An improved method is presented for parameterizing new ice gouge events based on a single record of existing sea floor ice gouges. Information on the gouge infilling process and the maximum observable gouge depth are used in this procedure.

MP 2107
RELIABLE, INEXPENSIVE RADIO TELEMETRY SYSTEM FOR THE TRANSFER OF METEOROLOGICAL AND ATMOSPHERIC DATA FROM MOUNTAIN-TOP SITES.
Govoni, J.W., et al, International Workshop on Atmospheric Icing of Structures, 3rd, Vancouver, B.C., May 6-8, 1986. Proceedings, Canadian Electrical Association, (1986), 6p., (4.2) 6 refs.
Rancourt, K.L., Oxton, A.
40-3967
POWER LINE ICING, ICING, RADIO COMMUNICATION, TELECOMMUNICATION, ICE ACCRETION, STRUCTURES, MOUNTAINS, METEOROLOGICAL DATA, WIND VELOCITY, WIND DIRECTION, PRECIPITATION (METEOROLOGY), COMPUTER APPLICATIONS.
A study to examine orographic effects on atmospheric icing intensity is being conducted on two remote mountaintops in the northeastern United States. The study involves the collection and transmission of meteorological data, including wind speed and direction, precipitation, humidity, temperature, and icing rate. Remote sites are located on Lowe Mountain and Cannon Mountain, both situated in the White Mountains of New Hampshire. State-of-the-art instrumentation, consisting of hot cross wire wind sensors, humidity probes, ice detectors and electronic rain gauges, is interfaced with on-site data loggers. The data are transmitted from these remote sites by a specially designed radio telemetry system, consisting of a Tucson Amateur Packet Radio Terminal Node Controller (TNC) and a Motorola radio link.

MP 2108
CONDUCTOR TWISTING RESISTANCE EFFECTS ON ICE BUILD-UP AND ICE SHEDDING.
Govoni, J.W., et al, International Workshop on Atmospheric Icing of Structures, 3rd, Vancouver, B.C., May 6-8, 1986. Proceedings, Canadian Electrical Association, (1986), 8p., figs., (5.8) 5 refs.
Ackley, S.F.
40-3983
POWER LINE ICING, ICE REMOVAL, ICE BREAKING, WIND VELOCITY, EXPERIMENTATION.
Two wires of similar diameter (about 1 cm) but with different twisting resistance or torsional rigidity were tested under

otherwise similar environmental ice conditions at the summit of Mt. Washington. It was found that the more rotationally rigid (stiffer) wire affected both the mode of ice buildup and showed some capability of deicing itself in moderate wind conditions. The lesser ice buildup on the stiffer wire is apparently related to the suppression of dynamic twisting oscillations in the wire, oscillations which were apparent in the softer wire. The softer wire showed heavier ice buildup with the wire at the center of a cylindrical accretion. The stiff wire showed less ice buildup on the windward side with the development of an elliptical accretion due to semi-static rotation of the wire. Deicing of the stiffer wire apparently took place by breaking of the ice after it slowly rotated into the wind by several possible mechanisms. The increased drag on the ice as it moved into the wind creates a bending moment which apparently exceeded the failure stress of the ice near where it was attached to the wire. The ice fails and drops off the wire and the cycle then repeats itself.

MP 2109
COMMUNICATION TOWER ICING IN THE NEW ENGLAND REGION.
Mulherin, N., et al, International Workshop on Atmospheric Icing of Structures, 3rd, Vancouver, B.C., May 6-8, 1986. Proceedings, Canadian Electrical Association, [1986], 7p., (6.9). 15 refs.
Ackley, S.F.
40-3991
ICING, TOWERS, HOARFROST, TRANSMISSION LINES, PRECIPITATION (METEOROLOGY), DAMAGE, COST ANALYSIS.
Rime icing and freezing precipitation are of concern to the radio and television broadcasting industry. This paper discusses the results of a study seeking to document the severity and extent of transmitter tower icing and related problems in the northeastern United States. Information was obtained via mail questionnaire and telephone interviews with eighty-five station owners and engineers concerning 118 different stations. Results show that television and FM broadcasters are seriously impacted, yet AM operators are, in general, only slightly affected by expected New England icing levels. Combined annual costs for icing protection and icing related repairs averaged $121, $402, and $3066 for AM, FM, and TV stations, respectively. None of the AM stations polled employ any icing protection measures, whereas all the TV stations do.

MP 2110
STRUCTURE OF ICE IN THE CENTRAL PART OF THE ROSS ICE SHELF, ANTARCTICA.
Zotikov, I.A., et al, 1985, No.54, p.39-44, 8 refs, In Russian with English summary.
Gow, A.J., Jacobs, S.S.
40-3903
ICE SHELVES, ICE COMPOSITION ICE CORES, ICE CRYSTALS, IMPURITIES, CLIMATIC CHANGES.
Studies of ice cores, obtained from a 416 m deep borehole in the Ross Ice Shelf in the vicinity of the J-9 station, revealed changes in ice crystal structure, inclusions and dimensions with depth. This variation is explained by climatic fluctuations

MF 2111
TOXIC ORGANICS REMOVAL KINETICS IN OVERLAND FLOW LAND TREATMENT.
Jenkins, T.F., et al, 1985, 19(6), p.707-718, 32 refs.
Leggett, D.C., Parker, L.V., Oliphant, J.L.
40-3900
WASTE TREATMENT, WATER TRFATMENT, WATER POLLUTION, LAND RECLAMATION, VEGETATION, EXPERIMENTATION, MODELS.
The efficiency in removing 12 trace organics from wastewater was studied on an outdoor, prototype overland flow land treatment system. More than 94% of each substance was removed at an application rate of 6 cm/h (0.12 cu m/h/m of width). The % removals declined as application rates were increased. Removal from solution was described by first-order kinetics. A model based on the two-film theory was developed using three properties of each substance (the Henry's constant, the octanol-water partition coefficient and the molecular weight) and two system parameters (average water depth and residence time). The dependence of the removal process on temperature was consistent with the known dependence of Henry's constant and diffusivity on temperature. The model was tested on a second overland flow system

MP 2112
WASTEWATER TREATMENT AND REUSE PROCESS FOR COLD REGIONS.
Bouzoun, J.R., Cold Regions Environmental Engineering Conference, Fairbanks, AK, May 18-23, 1983. Edited by T. Wilsworth and D.W. Smith, [1983], p.547-557, 11 refs.
40-3993
WASTE TREATMENT, WATER TREATMENT, SLUDGES, LAND RECLAMATION, DESIGN.

MP 2113
REVEGETATION ALONG PIPELINE RIGHTS-OF-WAY IN ALASKA.
Johnson, L., International Symposium on Environmental Concerns in Rights-of-Way Management, 3rd, San Diego, CA, Feb 15-18, 1982. Proceedings, State College, Mississippi State University, 1984, p.254-264, 12 refs.
40-3994
REVEGETATION, VEGETATION, PIPELINES, INTRODUCED PLANTS, GRASSES, UNITED STATES—ALASKA.
The Trans-Alaska Pipeline System for transporting crude oil from Prudhoe Bay to Valdez has recently been completed. The Alaskan Natural Gas Transportation System for transporting gas from Prudhoe Bay to the "Lower 48" is under construction. The rights-of-way of both these major pipelines traverse the arctic and subarctic climatic zones, where severe environmental conditions require specialized measures for revegetating disturbed terrain. On the oil pipeline right-of-way an aggressive grass seeding and fertilizing program was used for revegetation, while on the natural gas pipeline natural reinvasion will be encouraged. These different approaches reflect different management goals and changing technologies as revegetation research progresses in the far north. This paper presents some of the implications of these methods for long-term restoration of disturbed terrestrial areas.

MP 2114
COMBINED ICING AND WIND LOADS ON A SIMULATED POWER LINE TEST SPAN.
Govoni, J.W., et al, June 1987, No.3439, International Workshop on Atmospheric Icing of Structures, 2nd, Trondheim, Norway, June 19-21, 1984. Proceedings. Edited by M. Ervik, p.173-182, Includes discussion. 3 refs.
Ackley, S.F.
40-3995
POWER LINE ICING, ICE LOADS, ICE ACCRETION, WIND PRESSURE, UNFROZEN WATER CONTENT, SUPERCOOLED CLOUDS, WIND VELOCITY, TESTS.
During the winter of 1982-83 measurements of combined icing and wind loading, along with in-cloud liquid water content and droplet size, were obtained on a simulated power line test span at the 2000-meter summit of Mt. Washington, New Hampshire. Icing loads were measured using a triaxial load cell which resolves three perpendicular force components of the wire tension. Wind speeds were obtained from a vaned pitot-static tube located near one end of the test wire. Wind and gravity loading of the test span was obtained for winds up to 80 m/s. The in-line loading, a combination of wind and gravity loads, rang d up to 2300 N for ice accretions of up to 19 cm in diameter. Some indications were found that rougher rime ice accretions had higher drag than glaze accretions

MP 2115
MEASURED AND EXPECTED R-VALUES OF 19 BUILDING ENVELOPES.
Flanders, S.N., 1985, 91(2B), p.49-57, 3 refs.
40-3992
BUILDINGS, THERMAL INSULATION, HEAT TRANSFER, WALLS, HEAT FLUX, MANUALS, ROOFS, COLD WEATHER CONSTRUCTION
This paper compares *in situ* measurements of R-values R(e) with R-values obtained from handbook calculations for 19 Army buildings in Colorado, Washington, and Alaska. The R-values were measured with heat flux and temperature sensors, with data averaged and recorded for several days. The handbook calculations rely on borings in the construction, depth probes, boroscope inspection, and as-built drawings. A subjective measure of certainty about the construction reflects the quality of this information. Examination of selected study cases indicated that convection is a frequent heat transfer mechanism in fibrous insulation, in both walls and attics. Thermal bridges were also evident from the measurements. Air leakage and moisture were not significant causes of (delta)R. Measurements of R-values were found to be in good agreement with handbook values, where knowledge of the construction is good and where convection and thermal bridges are not major effects.

MP 2116
HYDROLOGIC ASPECTS OF ICE JAMS.
Calkins, D.J., Symposium. Cold Regions Hydrology, Fairbanks, Alaska, [1986]. Proceedings. Edited by D.L. Kane, Bethesda, MD, American Water Resources Association, 1986, p.603-609, 14 refs.
40-4097
ICE JAMS, HYDROLOGY, RIVER ICE, SNOWMELT, THERMAL ANALYSIS, RIVER FLOW.
The hydrologic aspects of ice jams have received very little attention. This paper examines hydrologic information that is important for analyzing ice jam flooding problems, such as flow measurements under the ice cover and winter stage rating curves, frequency analysis of winter flow records, watershed cooling and natural river thermal regimes, ice discharge and snowmelt runoff prediction. The significance of each of these areas is addressed and suggested research opportunities are examined. During the last 30 years, the major emphasis has been placed on understanding the hydraulics and mechanics of ice jams and determining their "flood" levels. However, a parameter that should be known with reasonable accuracy is the flow discharge at the ice jam location.

MP 2117
REMOTE SENSING OF THE ARCTIC SEAS.
Weeks, W.F., et al, 1986, 29(1), p.59-64, 7 refs.
Carsey, F.D.
40-4196
SEA ICE DISTRIBUTION, ICE CONDITIONS, REMOTE SENSING, MICROWAVES, ICE MECHANICS, ICE COVER THICKNESS, RADIATION BALANCE, AIR TEMPERATURE, ARCTIC OCEAN.

MP 2118
ORIENTATION TEXTURES IN ICE SHEETS OF QUIETLY FROZEN LAKES.
Gow, A.J., Feb.-Mar. 1986, 74(2), p.247-258, 19 refs.
40-4118
ICE CRYSTAL STRUCTURE, LAKE ICE.

MP 2119
ARCTIC ICE AND DRILLING STRUCTURES.
Sodhi, D.S., Apr. 1985, 107(4), p.63-69.
40-4162
OFFSHORE STRUCTURES, DRILLING, ICE LOADS.

MP 2120
ST. LAWRENCE RIVER FREEZE-UP FORECAST.
Foltyn, E.P., et al, July 1986, 112(4), p.467-481, 16
[illegible]n, H.T.
40-4246
ICEBOUND RIVERS, ICE FORECASTING, RIVER ICE, FREEZEUP, ICE FORMATION, LONG RANGE FORECASTING, ANALYSIS (MATHEMATICS), AIR TEMPERATURE, WATER TEMPERATURE, SAINT LAWRENCE RIVER.
In this study a method for making long-range forecasts of freeze-up dates in rivers is developed. The method requires the initial water temperature at an upstream station, the long-range air temperature forecast, the predicted mean flow velocity in the river reach, and water temperature response parameters. The water temperature response parameters can be either estimated from the surface heat exchange coefficient and the average flow depth or determined empirically from recorded air and water temperature data. The method is applied to the St. Lawrence River between Kingston, Ontario, and Massena, New York, and is shown to be capable of forecasting the freeze-up data

MP 2121
VARIATION OF ICE STRENGTH WITHIN AND BETWEEN MULTIYEAR PRESSURE RIDGES IN THE BEAUFORT SEA.
Weeks, W.F., June 1985, 107(2), p.167-172, 6 refs.
For another source see 38-2036 (MP 1680).
39-3284
ICE STRENGTH, PRESSURE RIDGES, COMPRESSIVE PROPERTIES, POROSITY, TESTS.
A recent series of tests on the uniaxial compressive strength of ice samples taken from multiyear pressure ridges allows the testing of several hypotheses concerning the variation in strength within and between ridges. The data set consists of 218 strength tests performed at two temperatures (-5 and -20 C) and two strain rates (.001 and .00005/s). There was no significant difference between the strength of the ice from the ridge sails and the ice from the ridge keels when tested under identical conditions. As the total porosity of the ice from the sails is higher by 40 percent than the ice from the keels, the lack of a significant difference is believed to result from the large variations in the structure of the ice which occur randomly throughout the cores. A three-level analysis of variance model was used to study the variations in strength between 10 different ridges, between cores located side by side in a given ridge, and between samples from the same core. In all cases the main factor contributing to the observed variance was the differences within cores. This is not surprising considering the rather extreme local variability in the structure of ice in such ridges. There was no reason at the 5 percent level of significance to doubt the hypothesis that the different cores at the same site and and the different ridges have equal strength means

MP 2122
DETERIORATION OF FLOATING ICE COVERS.
Ashton, G.D., June 1985, 107(2), p.177-182, 18 refs
For another source see 38-2020 (MP 1676).
39-3286
ICE DETERIORATION, FLOATING ICE, ICE COVER STRENGTH, ICE MELTING, HEAT TRANSFER, SOLAR RADIATION, ALBEDO, THERMAL REGIME, POROSITY.
The deterioration of floating ice covers is analyzed to determine under what conditions the ice cover loses strength due to internal melting. The analysis considers the interaction between sensible heat transfer and long wave radiation loss

at the surface, the surface albedo, the short wave radiation penetration and absorption and the unsteady heat conduction within the ice. The thermal analysis then leads to a determination of the porosity of the ice that allows strength analysis to be made using beam-type analyses The results provide criteria to determine when and how rapidly the ice cover loses strength and under what conditions it will regain the original strength associated with an ice cover of full integrity.

MP 2123
LABORATORY STUDY OF FLOW IN AN ICE-COVERED SAND BED CHANNEL.
Wuebben, J.L., IAHR Symposium on Ice, 8th, Iowa City, Aug. 18-22, 1986. Proceedings, Vol.1, (1986), p.3-14, 11 refs.
40-4529
CHANNELS (WATERWAYS), ICE COVER EFFECT, WATER FLOW, BOTTOM TOPOGRAPHY, SANDS, FLOW RATE, BOTTOM ICE, SEDIMENT TRANSPORT, TESTS, ANALYSIS (MATHEMATICS).
The objective of this study was to examine the effects of adding an ice cover to flow in a movable bed channel A series of five tests at four water discharges were conducted in a 36-m-long recirculating flume facility that is 1 2 m wide and 0 6 m deep. After uniform, equilibrium conditions were established for a flow of water with a free surface, essentially identical runs were repeated with the addition of smooth and rough ice covers. All tests were run at room temperature, approximately 19 C, with simulated ice covers. The sediment was a uniform, 0.45-mm-diameter quartz sand and bed forms were in the ripple and dune regimes The major variables examined in this paper include bed form height, wavelength, Manning's roughness and sediment discharge.

MP 2124
COMPARISON OF TWO CONSTITUTIVE THEORIES FOR COMPRESSIVE DEFORMATION OF COLUMNAR SEA ICE.
Brown, R.L., et al, IAHR Symposium on Ice, 8th, Iowa City, Aug. 18-22, 1986. Proceedings, Vol 1, (1986), p.241-252, 11 refs
Richter-Menge, J.A., Cox, G.F.N.
40-4549
ICE DEFORMATION, COMPRESSIVE PROPERTIES, ICE CRYSTAL STRUCTURE, SEA ICE, VISCOELASTIC MATERIALS, MODELS, STRESS STRAIN DIAGRAMS, ANALYSIS (MATHEMATICS).
Two constitutive formulations are used to represent the constitutive behavior of columnar sea ice under variable path compressive loadings The first is a single integral representation which has been successfully used to model viscoelastic materials. This representation is a convenient form for describing nonlinear rate dependent properties and is mathematically more tractable than multiple integral representations or nonlinear differential relations The second constitutive formulation is an elastic-viscoplastic relation which defines the instantaneous strain rate in terms of several microdynamical variables (compressive mobile dislocation density, tensile mobile dislocation density, and specific microcrack surface area).

MP 2125
FRACTURE TOUGHNESS OF MODEL ICE.
Dempsey, J.P., et al, IAHR Symposium on Ice, 8th, Iowa City, Aug. 18-22, 1986. Proceedings, Vol 1, (1986), p 365-376, 28 refs.
Bentley, D.L., Sodhi, D.S.
40-4558
ICE CRACKS, FRACTURING, ICE STRENGTH, TENSILE PROPERTIES, COMPRESSIVE PROPERTIES, STRESSES, STRAINS
A wedge-loaded TDCB (tapered double-cantilever-beam) test specimen was used to measure the fracture toughness of model ice. Crack path stability under tensile cracking conditions was ensured by way of the crack-parallel compressive stress provided by the displacement controlled wedge loading The TDCB specimen size and ice thickness were such that plane strain fracture toughness values were obtained The influence of crack tip acuity and loading rate were examined

MP 2126
LABORATORY AND FIELD STUDIES OF ICE FRICTION COEFFICIENT.
Tatinclaux, J.C., et al, IAHR Symposium on Ice, 8th, Iowa City, Aug. 18-22, 1986. Proceedings, Vol 1, (1986), p.389-400, 5 refs.
Forland, K.A., Murdey, D.
40-4560
ICE FRICTION, ICE CRYSTAL STRUCTURE, SURFACE ROUGHNESS, STEEL STRUCTURES, SHEAR STRENGTH, TESTS, AIR TEMPERATURE, PLATES, LABORATORY TECHNIQUES.
Results of laboratory and field tests on the dynamic friction factor between ice (freshwater, urea-doped, and granular or columnar sea ice) and bare or Inerta-coated steel plates of various roughness averages are presented Laboratory tests were made at three air temperatures, T = -15, -9, and -2 C, with either the ice sample towed over the test plate or a plate sample towed over the ice sheet All field tests were made at T = -2 C to 0 C The maximum test velocity was 30 cm/s, and the normal pressure was of the order of 10 kPa From the test results it is concluded that viscous shear in the meltwater layer between ice and test plate may dominate when the test plate is very smooth, as proposed by Oksanen in his analytical model, but when the material roughness increases, mechanical shear of the ice crystals dominates

MP 2127
FRAZIL ICE MEASUREMENTS IN CRREL'S FLUME FACILITY.
Daly, S.F., et al, IAHR Symposium on Ice, 8th, Iowa City, Aug. 18-22, 1986. Proceedings, Vol.1, (1986), p.427-438, 9 refs
Colbeck, S.C.
40-4563
FRAZIL ICE, PARTICLE SIZE DISTRIBUTION, ICE GROWTH, ICE CRYSTAL NUCLEI, ICE MECHANICS.
In a series of recent experiments the dynamic size distribution and concentration of frazil ice crystals were measured in the U S Army Cold Regions Research and Engineering Laboratory (CRREL) refrigerated flume facility These data were found using a crystal imaging system developed at CRREL The imaging system consists of a circular fiber-optic strobe light, a microscope, and either a high resolution television camera and monitor or a 35 mm camera The system can observe crystal sizes ranging from 30 micrometers to several millimeters This system was attached to a movable carriage mounted on the flume. A series of experiments were performed In each experiment, the size distribution of the frazil crystals was measured as it developed along the length of the flume. The slope of the flume and the bottom roughness of the flume were varied to provide a range of hydraulic conditions. Supercooling levels of 0.01 C to 0 04 C were achieved in the flume and held constant for several hours

MP 2128
PRELIMINARY STUDY OF A STRUCTURE TO FORM AN ICE COVER ON RIVER RAPIDS DURING WINTER.
Perham, R.E, IAHR Symposium on Ice, 8th, Iowa City, Aug 18-22, 1986. Proceedings, Vol.1, (1986), p.439-450, 9 refs.
40-4564
ICE GROWTH, ICE COVER, FRAZIL ICE, HYDRAULIC STRUCTURES, ICE DAMS, RIVER ICE, COUNTERMEASURES, FLOODING, TESTS, ICE BOOMS.
The concept of using a trash-rack-like fence across a river to form an overflow weir by accumulating frazil ice was studied The main purpose of the structure is to create an upstream pool on which a smooth ice cover can form Laboratory tests in a refrigerated flume provided structural stability guidance and some frazil accumulation experience, with the latter being somewhat inconclusive Field tests were conducted using a 19-m-long by 1 22-m-high fence boom across two approximately 17-m-wide rivers, one in New Hampshire and one in Vermont

MP 2129
SUB-ICE CHANNELS AND LONGITUDINAL FRAZIL BARS, ICE-COVERED TANANA RIVER, ALASKA.
Lawson, D.E., et al, IAHR Symposium on Ice, 8th, Iowa City, Aug. 18-22, 1986. Proceedings, Vol 1, (1986), p.465-474, 6 refs.
Chacho, E.F., Brockett, B.E.
40-4566
RIVER FLOW, SUBGLACIAL DRAINAGE, CHANNELS (WATERWAYS), FRAZIL ICE, RIVER ICE, ICEBOUND RIVERS, ICE BOTTOM SURFACE, SEDIMENT TRANSPORT, VELOCITY, UNITED STATES—ALASKA—TANANA RIVER.
Repetitive surveys and measurements from 1983 through 1986 of the ice-covered Tanana River near Fairbanks, Alaska, have shown that flow occurs in sub-ice channels that are separated by longitudinal bars composed of stratified, partly consolidated frazil ice of varying type and distribution In contrast to hanging dams, these frazil bars extend up- and downstream parallel to flow as well as from the base of the ice cover to the bed, and act as lateral walls for the sub-ice channels Individual sub-ice channels may branch and reunite, thus forming a braided pattern beneath the ice cover Longitudinal frazil bars apparently develop at locations characterized by lower velocities, such as where currents are diverted by irregularities in the bed or in the base of the ice cover.

MP 2130
FRAZIL ICE PEBBLES: FRAZIL ICE AGGREGATES IN THE TANANA RIVER NEAR FAIRBANKS, ALASKA.
Chacho, E F., et al, IAHR Symposium on Ice, 8th, Iowa City, Aug 18-22, 1986. Proceedings, Vol 1, (1986), p.475-483, 4 refs.
Lawson, D.E., Brockett, B.E.
40-4567
FRAZIL ICE, ICE MECHANICS, ICE GROWTH, AGGREGATES, GRAIN SIZE, ABRASION, UNITED STATES—ALASKA—TANANA RIVER.
A unique form of frazil ice aggregate, the frazil ice pebble, occurs in large quantities in the Tanana River near Fairbanks, Alaska. Frazil pebbles consist of a mixture of individual particles, including other aggregates, which are bound together to form a consolidated, compact mass that is similar in appearance to water-worn stream pebbles Frazil pebbles have been found incorporated into the ice cover, in transport beneath the ice cover and in frazil deposits They range in length from less than 5 mm to greater than 150 mm. Internally, grains composing the frazil pebbles do not possess a preferred C-axis orientation, but appear to show an alignment related to grain size and shape

MP 2131
POTENTIAL SOLUTION TO ICE JAM FLOODING: SALMON RIVER, IDAHO.
Earickson, J., et al, IAHR Symposium on Ice, 8th, Iowa City, Aug 18-22, 1986 Proceedings, Vol 2, (1986), p 15-25, 10 refs
Zufelt, J.E.
40-4581
ICE JAMS, FLOODING, WATER LEVEL, FLOOD CONTROL, FREEZEUP, RIVER ICE, ICE CONTROL, DESIGN, ICE BOOMS, UNITED STATES —IDAHO—SALMON RIVER
The uppermost 140 miles of the Salmon River generates great quantities of frazil ice throughout Idaho's cold winters. A freeze-up ice jam forms at a slackwater region 27 miles downstream of the city of Salmon, Idaho every winter, and often progresses upstream to the city As the ice jam moves through Salmon, the river level can rise 6 to 8 feet and cause extensive flooding Flooding has occurred at least 32 times since 1900, and the 1982 flood caused $1,000,000 in damages

MP 2132
DESIGN AND MODEL TESTING OF A RIVER ICE PROW.
Tatinclaux, J C., IAHR Symposium on Ice, 8th, Iowa City, Aug. 18-22, 1986 Proceedings, Vol.2, (1986), p.137-150, 16 refs.
40-4591
ICE NAVIGATION, RIVER ICE, ICE CONDITIONS, ICE BREAKING, DESIGN, DAMS, LOCKS (WATERWAYS), MODELS, TESTS
One of the tasks in the Corps of Engineers River Ice Management (RIM) program is to develop an ice prow capable of creating nearly ice-free channels in the vicinity of locks and dams on the Illinois and Ohio Rivers. Based on a literature survey the selected concept was that of a barge type attachment to be mounted ahead of a towboat The prow is equipped with ice knives, and has a gently sloping bottom equipped with deflector vanes The paper presents the results of model resistance tests which served to select the vane configuration and number of ice knives A prototype of the prow is under final design for construction, field testing and demonstration are scheduled for winter 1986-87

MP 2133
BUBBLERS AND PUMPS FOR MELTING ICE.
Ashton, G.D., IAHR Symposium on Ice, 8th, Iowa City, Aug. 18-22, 1986 Proceedings, Vol 2, (1986), p 223-234, 8 refs
40-4597
ICE MELTING, BUBBLING, WATER TEMPERATURE, PUMPS, WATER FLOW, HYDRAULIC JETS, ANALYSIS (MATHEMATICS).
Air bubbling systems and submerged pumps have both been used to induce a jet-like flow of warm water against the underside of ice sheets resulting in ice melting The mechanics of air bubbling systems for this purpose has been analyzed previously and analytical methods are available to evaluate their effectiveness A similar analysis of the melting caused by pump systems is presented A comparison of the effectiveness of bubblers and pumps is made in terms of power Finally the advantages and disadvantages of the two kinds of systems are contrasted

MP 2134
FLEXURAL AND BUCKLING FAILURE OF FLOATING ICE SHEETS AGAINST STRUCTURES.
Sodhi, D S, IAHR Symposium on Ice, 8th, Iowa City, Aug 18-22, 1986 Proceedings, Vol 2, (1986), p.339-359, Refs p 356-359
40-4604
FLOATING ICE, ICE STRENGTH, OFFSHORE STRUCTURES, FLEXURAL STRENGTH, ICE PRESSURE, ICE SOLID INTERFACE, ICE DEFORMATION, ICE SHEETS, STRESSES, ICE COVER THICKNESS, ICE ADHESION
This is a review of work on bending and buckling failure of floating ice sheets along with the forces generated during ice-structure interaction The focus is on the work published after 1980 Estimation of ice forces as a result of bending and buckling failure of an ice sheet can be made with a fair degree of confidence when the ice structure interaction leads to one of the two modes of failure The problem of multimodal failure of floating ice sheets needs further study

MP 2135
COLD CLIMATE UTILITIES MANUAL.
Smith, D.W., ed, Montreal, Canadian Society of Civil Engineering, 1986, var.p., Refs. passim.
Reed, S.C.
40-4633
COLD WEATHER CONSTRUCTION, COLD WEATHER OPERATION, ENGINEERING, UTILITIES, WATER TREATMENT, WASTE DISPOSAL, PIPELINES, HEAT LOSS, MANUALS, ENVIRONMENTAL PROTECTION.

MP 2136
SEA ICE PROPERTIES.
Tucker, W.B., et al, Oct. 1984, SR 84-29, MIZEX: a program for mesoscale air-ice-ocean interaction experiments in Arctic marginal ice zones. 5: MIZEX 84 summer experiment PI preliminary reports. Edited by O.M. Johannessen and D.A. Horn, p.82-83, ADA-148 986.
Gow, A.J., Weeks, W.F.
40-4700
ICE PHYSICS, SEA ICE, ICE CORES, ICE FLOES, ICE STRUCTURE, ICE SAMPLING, ABLATION, SNOW COVER EFFECT.

MP 2137
***IN-SITU* THERMOCONDUCTIVITY MEASUREMENTS.**
Faucher, M., 1986, SR 86-01, Technology transfer opportunities for the construction engineering community: materials and diagnostics, p.13-14, ADA-166 360.
40-4705
THERMAL CONDUCTIVITY, THERMISTORS, SOIL PHYSICS, CONSTRUCTION MATERIALS, MEASURING INSTRUMENTS.

MP 2138
ROOF BLISTER VALVE.
Korhonen, C., 1986, SR 86-01, Technology transfer opportunities for the construction engineering community: materials and diagnostics, p.29-31, ADA-166 360.
40-4706
ROOFS, LEAKAGE, DAMAGE, COUNTERMEASURES, WEATHERING.

MP 2139
AIRBORNE ROOF MOISTURE SURVEYS.
Tobiasson, W., 1986, SR 86-01, Technology transfer opportunities for the construction engineering community. materials and diagnostics, p.45-47, ADA-166 360.
40-4707
ROOFS, MOISTURE DETECTION, AIRBORNE EQUIPMENT, MAINTENANCE.

MP 2140
PROTECTED MEMBRANE ROOFING SYSTEMS.
Tobiasson, W , 1986, SR 86-01, Technology transfer opportunities for the construction engineering community: materials and diagnostics, p.49-50, ADA-166 360.
40-4708
ROOFS, INSULATION, PROTECTION, SOLAR RADIATION, DRAINAGE, DAMAGE

MP 2141
SCATTERING AT MM WAVELENGTHS FROM *IN SITU* SNOW.
Walsh, J., et al, Open Symposium on Wave Propagation: Remote Sensing and Communications, Durham, NH, July 28-Aug 1, 1986. [Proceedings]. Preprint volume. International Union of Radio Science, [1986], p.1.6.1-1.6.2.
Cook, R., Layman, R., Berger, R.H.
41-95
SNOW OPTICS, BACKSCATTERING, INFRARED RADIATION, WAVE PROPAGATION.

MP 2142
LARGE-SCALE ICE-OCEAN MODELING.
Hibler, W.D., III, June 1986, No.73, Canadian East Coast Workshop on Sea Ice, Bedfo. l, Quebec, Jan 7-9, 1986. Proceedings Compiled by G Symonds and I.K. Peterson, p.165-184, 11 refs.
41-148
ICE WATER INTERFACE, SEA ICE DISTRIBUTION, DRIFT, ICE EDGE, OCEAN CURRENTS, ANALYSIS (MATHEMATICS).
Utilizing results from diagnostic ice-ocean models of the Arctic, Greenland and Norwegian Seas, physical characteristics and problems related to large-scale ice-ocean modeling are examined In these models a 14-level baroclinic ocean model has been coupled to a two-thickness level dynamic-thermodynamic sea ice model utilizing a nonlinear plastic ice interaction Simulations of the ocean (for the Arctic Basin only) without the ice cover, and of the ice without the ocean model, are also done to examine certain physical problems.

MP 2143
COUPLED ICE-MIXED LAYER MODEL FOR THE GREENLAND SEA.
Houssais, M.N., June 1986, No.73, Canadian East Coast Workshop on Sea Ice, Bedford, Quebec, Jan. 7-9, 1986. Proceedings. Compiled by G. Symonds and I.K. Peterson, p.225-260. 29 refs.
41-150
ICE MODELS, ICE WATER INTERFACE, SEA ICE, THERMODYNAMICS, SEASONAL VARIATIONS, HEAT FLUX, CONVECTION, ICE MELTING, FREEZING, ANALYSIS (MATHEMATICS), GREENLAND SEA.
A thermodynamic coupled ice-mixed layer model, designed to study the seasonal cycle of the ice-ocean interactions in the Greenland Sea is presented. The sea-ice model assumes a constant ice thickness and considers only the variations of ice compactness under the effect of the atmospheric and oceanic heat fluxes. The mixed-layer model predicts the rate of penetrative convection within the water column as a result of both the surface buoyancy flux and the mechanical energy input The mixed layer is embedded in a three-dimensional primitive equations model which calculates the ocean velocity field and its contribution to the time evolution of the temperature-salinity distribution, and also, following Adamec et al. (1981), helps in describing the pycnocline characteristics at the mixed layer base. The model has been tested without advection or horizontal diffusion through a five-years simulation. The annual entrainment-retreat cycle of the mixed layer is well reproduced together with the advance-decay cycle of the ice cover. The horizontal distribution of the mixed layer depth is in agreement with our knowledge of the effect of an ice cover upon a mainly buoyancy driven oceanic convection.

MP 2144
RIVER AND LAKE ICE ENGINEERING.
Ashton, G.D , ed, Littleton, CO, Water Resources Publications, 1986, 485p , Refs. passim.
41-231
RIVER ICE, LAKE ICE, ENGINEERING, ICE PHYSICS, ICE MECHANICS, ICE MODELS, ICE CONTROL, ICEBREAKERS, REMOTE SENSING, THERMAL REGIME, HYDRAULICS, ICE NUCLEI.

MP 2145
SEA ICE AND THE FAIRWAY ROCK ICEFOOT.
Kovacs, A , et al, Fall 1985, 17(3), p.25-32, 18 refs.
Sodhi, D.S., Cox, G.F.N.
41-337
ICE LOADS, OFFSHORE STRUCTURES, DRIFT, OFFSHORE LANDFORMS, ICE PRESSURE, ICE MECHANICS, SEA ICE, ICE COVER THICKNESS, PRESSURE RIDGES, BERING STRAIT.
The information obtained in this study revealed that a massive icefoot appears to form around Fairway Rock each winter This icefoot is the result of ice impinging against the island, failing, and subsequently piling up, forming ridges up to 15 m high. The icefoot varies from less than 10 m to over 100 m wide The slope of the inner ridges averages 33 degrees while the slope of the outer face of the icefoot can exceed 70 degrees This is apparently the result of nongrounded ice rubble having slumped or been cleaved off. The instructive findings are, as anticipated, that ice rubble formation around a large structure placed in "deep" water will not extend appreciably beyond the width of the structure, and therefore will not add significantly to its effective diameter. In order for this to be so, the submarine slope needs to be relatively steep At Fairway Rock, it is reasonable to assume that the shallowest submarine slope was at or near the angle of repose of the rock talus.

MP 2146
THEORY OF MICROFRACTURE HEALING IN ICE.
Colbeck, S C , Jan 1986, 34(1), p.89-95, 12 refs., With French and German summaries.
41-261
ICE CRACKS, REGELATION.
The thermodynamics of air- and vapor-filled microfractures in ice is described Simple models of healing are constructed assuming the cracks are spheroidal The healing of air-filled cracks is rate limited by vapor diffusion through the air, while the healing of vapor-filled cracks is rate limited by heat flow through the ice Therefore vapor-filled cracks heal more rapidly Vapor-filled cracks of less than 5 mm radius and an initial aspect ratio of 1000 can heal to a 1/e decay diurnally Larger cracks weaken the most, heal more slowly, and are effective longer A temperature gradient imposed on the ice should accelerate healing, especially in a vapor-filled crack that is oriented perpendicular to the temperature gradient

MP 2147
MONITORING SEASONAL CHANGES IN SEA-FLOOR TEMPERATURE AND SALINITY.
Sellmann, P.V., et al, Gas Hydrates, Arctic/Offshore Research, and Deep Source Gas Contractors Review Meeting, Morgantown, WV, Mar. 25-26, 1986. Proceedings. Edited by C.A. Komar. Morgantown, WV, U.S. Dept of Energy, Morgantown Energy Technology Center, July 1986, p.110-114.
Reimnitz, E.
41-369
SUBSEA PERMAFROST, PERMAFROST THERMAL PROPERTIES, SEA WATER, WATER TEMPERATURE, WATER CHEMISTRY, SALINITY, SEASONAL VARIATIONS, MEASURING INSTRUMENTS, BEAUFORT SEA.

MP 2148
PROPOSED CODE PROVISIONS FOR DRIFTED SNOW LOADS.
O'Rourke, M., et al, Sep 1986, 112(9), p.2080-2092, 7 refs.
Tobiasson, W., Wood, E.
41-405
SNOW LOADS, ROOFS, SNOWDRIFTS, SNOW ACCUMULATION, STATISTICAL ANALYSIS, FORECASTING.
Current code provisions for drift snow loads on multilevel roofs are examined in light of recent research results from a statistical study of approximately 350 drift load case histories. New provisions are proposed in which the design drift load is a function of the length of the upper-level roof and the 50-yr mean recurrence interval ground snow load. It is felt that these new proposed provisions result in a design drift load with a mean recurrence interval of about 50 yrs.

MP 2149
CORPS OF ENGINEERS LAND TREATMENT RESEARCH AND DEVELOPMENT PROGRAM.
Iskandar, I.K , Technology Transfer Opportunities for the Construction Engineering Community [Conference]. Environment Session, Denver, CO, Feb. 25-27, 1986. Proceedings [1986], p.17-18.
41-406
WATER TREATMENT, LAND RECLAMATION, SOIL FREEZING, MUNICIPAL ENGINEERING.

MP 2150
HEAT DISTRIBUTION RESEARCH.
Phetteplace, G., Technology Transfer Opportunities for the Construction Engineering Community [Conference] Energy Session, Denver, CO, Feb. 25-27, 1986. Proceedings, [1986], p.2-3, 1 ref.
41-407
HEAT TRANSFER, FROZEN GROUND THERMODYNAMICS, WATER PIPES, HEAT LOSS, HEATING, SOIL TEMPERATURE, DISTRIBUTION, DESIGN.

MP 2151
WATER-SOURCE HEAT PUMPS.
Phetteplace, G , Technology Transfer Opportunities for the Construction Engineering Community [Conference]. Energy Session, Denver, Co, Feb. 25-27, 1986 Proceedings, [1986], p 14-15, 6 refs.
41-408
WATER PIPES, PUMPS, HEATING, HEAT TRANSFER, WATER TEMPERATURE, FREEZING POINTS

MP 2152
EFFECT OF COLD WEATHER ON PRODUCTIVITY.
Abele, G., Technology Transfer Opportunities for the Construction Engineering Community [Conference]. Construction seminar, Denver, CO., Feb. 25-27, 1986 Proceedings, [1986], p.61-66, 15 refs.
41-409
COLD WEATHER CONSTRUCTION, COLD WEATHER PERFORMANCE, COLD STRESS, COLD WEATHER TESTS, EQUIPMENT, SNOWFALL, WIND FACTORS, TEMPERATURE EFFECTS.

MP 2153
MEGASTRUCTURES FOR MOBILIZATION.
Flanders, S N , Technology Transfer Opportunities for the Construction Engineering Community [Conference] Mobilization Readiness and Logistics Session, Denver, CO, Feb 25-27, 1986. Proceedings. [1986], p.10-11
41-410
MILITARY FACILITIES, BUILDINGS, LOGISTICS, STRUCTURES, TIME FACTOR

MP 2154
GLACIERS AND SEDIMENT.
Bezinge, A., et al, June 1986, UAG-R (306), p.53-69, Refs. p.64-67.
Chacho, E.F., Lawson, D.E.
41-474
GLACIAL DEPOSITS, SEDIMENT TRANSPORT, GLACIAL HYDROLOGY, GLACIER SURGES, GLACIER OSCILLATION, UNITED STATES—ALASKA.

MP 2155
ICE PROBLEMS ASSOCIATED WITH RIVERS AND RESERVOIRS.
Benson, C., et al, June 1986, UAG-R (306), p.70-98, Refs. p.95-98.
Calkins, D.J., Chacho, E.F., Lawson, D.E.
41-475
ICE CONDITIONS, RIVER ICE, RESERVOIRS, LAKE ICE, ICE CONTROL, PONDS, WATER RESERVES, ICE FORECASTING, UNITED STATES—ALASKA.

MP 2156
PERMAFROST.
Benson, C., et al, June 1986, UAG-R (306), p.99-106, 19 refs.
Chacho, E.F., Kane, D.
41-476
PERMAFROST HYDROLOGY, RUNOFF, ENGINEERING, GLACIAL RIVERS, FROZEN GROUND, MOUNTAINS, UNITED STATES—ALASKA.

MP 2157
MICROSTRUCTURE AND THE RESISTANCE OF ROCK TO TENSILE FRACTURE.
Peck, L., et al, Nov. 1985, 90(B13), p.11,533-11,546, Refs. p.11,545-11,546.
Barton, C.C., Gordon, R.B.
41-496
MICROSTRUCTURE, ROCKS, TENSILE PROPERTIES, FRACTURING, GRAIN SIZE, MINERALOGY, SCANNING ELECTRON MICROSCOPY, TESTS, CRACKING (FRACTURING).
The resistance of rock to tensile fracture may be measured by its fracture energy G(I), which is found to range from 40 to 200 J/sq m in tests on nine types of sedimentary and crystalline rock. Differences in microstructure among the rocks tested are the principal cause of differences in the steady state value of G(I), in the distance that a crack must advance before steady state fracturing is attained, and in the amplitude of the fluctuation of G(I) that accompanies crack advance. When nearly continuous surfaces of weakness are present, as in the Salem limestone, G(I) is low and attains steady state after only a small amount of crack advance. When a preexisting, interconnected network of microcracks is exploited by the fracture process, G(I) is large, and steady state is attained only after extended crack propagation. The sensitivity of G(I) to crack speed and the presence of water is low under the test conditions used in all the rocks examined. However, the magnitude of G(I) measured in a given type of rock depends on the configuration of the test specimen and on components of stress near the crack tip that do not influence crack growth in linearly elastic materials. The conditions under which G(I) can be considered a material property are therefore restricted.

MP 2158
NATURAL CONVECTION IN SLOPING POROUS LAYERS.
Powers, D.J., et al, International Conference on Finite Elements in Water resources, 6th, Lisboa, Portugal, June 1986. Proceedings. Edited by A. Sá da Costa, et al, Berlin, Computational Mechanics Publication, [1986], p.697-710, 11 refs.
O'Neill, K.
41-608
POROUS MATERIALS, HEAT TRANSFER, CONVECTION, FLUID FLOW, HEATING, SLOPE ORIENTATION, ANALYSIS (MATHEMATICS), SATURATION.
2-D finite difference simulations of natural convection in a laterally confined, saturated porous medium show distinctive cell patterns and heat transfer characteristics when the medium is inclined relative to the horizontal. A perfectly horizontal layer heated from below exhibits the classical Benard type convection cells, while a vertical medium heated on one side forms a single Rayleigh cell. Progressing from the horizontal to the vertical one sees an evolution of cell forms, each typically featuring a pattern of cell types which alternate longitudinally along the slope. Benard cells rotating in harmony with the Rayleigh forces grow, eventually consuming their weakened counter-rotating neighbors. The latter gradually diminish to the status of transition cells between the dominant types which flank them. Identifiable transitions in flow configuration and cell morphology cause dramatic changes in the efficiency of transverse heat transfer through the layer. These changes have previously been interpreted only as scatter in experimental data.

MP 2159
MOVING BOUNDARY—MOVING MESH ANALYSIS OF PHASE CHANGE USING FINITE ELEMENTS WITH TRANSFINITE MAPPINGS.
Albert, M.R., et al, Apr. 1986, 23(4), p.591-607, 27 refs.
O'Neill, K.
41-607
BOUNDARY LAYER, PHASE TRANSFORMATIONS, FREEZING, ANALYSIS (MATHEMATICS), TEMPERATURE EFFECTS, LATENT HEAT, MODELS.
Two-dimensional heat conduction phase change problems are solved using a moving boundary-moving mesh approach. A transfinite mapping technique successfully controls interior mesh motion, and numerical results compare well with analytical solutions. Calculations also agree well with two-dimensional laboratory data for cases featuring time-dependent boundary conditions.

MP 2160
ICE FORCES ON BRIDGE PIERS.
Haynes, F.D., Research on transportation facilities in cold regions. Edited by O.B. Andersland and F.H. Sayles, New York, American Society of Civil Engineers, 1986, p.83-101, Refs. p.99-101.
41-645
ICE LOADS, PIERS, BRIDGES, ICE PHYSICS, ICE STRENGTH, ICE DEFORMATION, ICE CRACKS, DESIGN, IMPACT STRENGTH, MODELS.
The force that river ice exerts on bridge piers has been studied in the field and with models in the laboratory. Ice forces are a function of the strength, thickness, failure mode and velocity of the ice, the ice-structure interaction and the geometry of the structure. Results of field measurements on the Yukon and Ottauquechee Rivers are discussed. Results of laboratory tests on vertical structures and sloping structures are presented. Ice failure in crushing, bending (both up and down) and splitting has been observed in the laboratory and the ice forces associated with each mode are presented. A discussion of the measured ice forces with regard to the existing design codes is given.

MP 2161
USE OF TRANSFINITE MAPPINGS WITH FINITE ELEMENTS ON A MOVING MESH FOR TWO-DIMENSIONAL PHASE CHANGE.
Albert, M.R., et al, Adaptive computational methods for partial differential equations. Edited by I. Babuska, Philadelphia, Society for Industrial and Applied Mathematics, 1983, p.85-110, 15 refs.
O'Neill, K.
41-659
PHASE TRANSFORMATIONS, FREEZING, HEAT TRANSFER, STEFAN PROBLEM, BOUNDARY LAYER, COMPUTER APPLICATIONS, TEMPERATURE EFFECTS, ANALYSIS (MATHEMATICS), MODELS.
The transfinite mapping technique of automatic mesh generation is used with finite elements to solve for two-dimensional heat conduction phase change on a moving mesh. The governing equation is transformed to account for mesh motion, so that coefficients remain attached to moving nodes. The energy conserving attachment of mesh boundaries to phase boundaries avoids approximation across surfaces of discontinuity, and facilitates application of a physical jump condition there. That condition drives boundary motion, while evolution of the interior mesh is determined from boundar, node motion via the transfinite mappings. Analytical and computed solutions compare well for the problem of freezing in a corner. Some limitations of both the mapping scheme and this moving finite element system are identified. In conjunction with the latter, a Von Neumann type analysis of the governing equation is outlined, and approximate relations are developed between Stefan number and a numerical Peclet number based on mesh velocity.

MP 2162
TRANSIENT TWO-DIMENSIONAL PHASE CHANGE WITH CONVECTION, USING DEFORMING FINITE ELEMENTS.
Albert, M.R., et al, Computational techniques in heat transfer. Edited by R.W. Lewis, et al, Swansea, England, Pineridge Press, Ltd., 1985, p.229-243, 15 refs.
O'Neill, K.
41-657
HEAT TRANSFER, PHASE TRANSFORMATIONS, FREEZEUP, PIPES (TUBES), BOUNDARY LAYER, CONVECTION, FLOW RATE, ANALYSIS (MATHEMATICS).

MP 2163
SEA SPRAY ICING: A REVIEW OF CURRENT MODELS.
Ackley, S.F., U.S. Navy Symposium on Arctic/Cold Weather Operations of Surface Ships, Dec. 3-4, 1985. Proceedings, Washington, D.C., Dept. of the Navy, [1986], p.239-262, ADA-168 714, 11 refs.
41-936
SHIP ICING, SEA SPRAY, HEAT FLUX, ICE ACCRETION, FORECASTING, MATHEMATICAL MODELS, VELOCITY, BRINES, FOG, ICE COVER THICKNESS.

MP 2164
CLASSIFICATION OF SEASONAL SNOW COVER CRYSTALS.
Colbeck, S.C., Aug. 1986, 22(9), p.59S-70S, 34 refs.
41-1028
SNOW CRYSTAL STRUCTURE, METAMORPHISM (SNOW), SNOW WATER CONTENT, FREEZE THAW CYCLES, CLASSIFICATIONS, SEASONAL VARIATIONS.
Snow cover crystals must be classified in a physically meaningful way. Previous classification systems are not sufficiently detailed or not based on sufficient knowledge of the physical processes. A new system is proposed based on our current knowledge of the physical processes of metamorphism. As more information about snow metamorphism is developed, the labels attached to snow grains should evolve too. Two levels of classification are proposed here. For practical purposes only a few terms like rounded and faceted are necessary, but for a more complete description a more detailed system is also given. The most basic description given in the table could be useful to many practitioners, while the more complete description given in the appendix will be necessary for many purposes.

MP 2165
RESPONSE OF PERMAFROST TERRAIN TO DISTURBANCE: A SYNTHESIS OF OBSERVATIONS FROM NORTHERN ALASKA, U.S.A.
Lawson, D.E., Feb. 1986, 18(1), p.1-7, 12 refs.
41-1183
PERMAFROST PRESERVATION, DRILLING, ENVIRONMENTAL IMPACT, VEGETATION, GROUND ICE, THERMAL REGIME, GROUND THAWING, PERMAFROST THERMAL PROPERTIES, REVEGETATION, THAW DEPTH.
Former exploratory drilling sites in the National Petroleum Reserve—Alaska, are examples of the long-term physical modifications resulting from disturbance of perennially frozen terrain. Camp construction and drilling activities in the late 1940s/early 1950s resulted in disturbances which can be grouped by their first modification to the site and its thermal regime trampling of vegetation, killing the vegetative cover, removal of the vegetative mat, or removal of the vegetation and soil. Removal of the vegetation led to the most extensive modifications at all sites, but the subsequent response to disturbance between sites varied with primarily four factors (1) ground ice volume, (2) distribution and size of massive ground ice, (3) material properties during thaw, and (4) relief, including progressive changes during thaw subsidence. Variations in response time resulted from the influence of these factors on the type and activity of degradational processes that ensued. Physical stability is required for growth of vegetation and thermal equilibration, and has taken over 30 yr to attain in ice-rich, thaw-unstable areas. Ice-poor, thaw-stable materials in undrained or low relief areas required an estimated 5 to 10 yr for stability; thaw depth measurements suggest that certain of these areas have also equilibrated thermally.

MP 2166
NEW METHOD OF MEASURING THE SNOW-SURFACE TEMPERATURE.
Andreas, E.L., Apr. 1986, 12(2), p.139-156, 23 refs.
41-1285
SNOW TEMPERATURE, SURFACE TEMPERATURE, SNOW COVER, METEOROLOGICAL FACTORS, HYGROMETERS, DEW POINT, WATER VAPOR, SATURATION, VAPOR TRANSFER, LATENT HEAT, MEASURING INSTRUMENTS.
Because a snow cover is so tenuous, measuring its surface temperature is not easy. The surface is ill-defined and easily disturbed; in situ transducers commonly used for other surfaces are, thus, generally inappropriate for snow. We therefore describe a hygrometric method of measuring the snow-surface temperature. The advantages are that the method is non-invasive, that its accuracy depends only weakly on the surface structure, and that it is reliable even in bright sunlight. The key assumption is that the air at a snow surface is in saturation with the snow, the dew-point temperature of air right at the snow surface is thus the surface temperature. Consequently, under a fairly wide range of conditions we can, in effect, measure the surface temperature by measuring the dew-point temperature 10 cm above the surface. We develop a theoretical justification for the hygrometric measurement, discuss the meteorological parameters that affect the accuracy of the method, and compare hygrometer data with more traditional measurements.

MP 2167
ARCTIC THERMAL DESIGN.
Lunardini, V.J., May 1985, 107(5), p.70-75.
41-1327
PERMAFROST THERMAL PROPERTIES, ICE ACCRETION, THERMAL REGIME, POLAR REGIONS, FREEZE THAW CYCLES, ENGINEERING, ICING, PERMAFROST PRESERVATION, HOT OIL LINES.

MP 2168
ARMY RESEARCH COULD REDUCE DANGERS POSED BY SEA ICE.
Tucker, W.B., Mar. 1984, 25(3), p 20-24
41-1329
ICE STRENGTH, ICE PHYSICS, ICE CORES, SEA ICE, REMOTE SENSING, ICE CONDITIONS, ENGINEERING, OFFSHORE STRUCTURES, OFFSHORE DRILLING, PRESSURE RIDGES, ICE PILEUP, ICE OVERRIDE.

MP 2169
EFFECTS OF COLD ENVIRONMENT ON RAPID RUNWAY REPAIRS.
Abele, G., Army Science Conference, June 17-19, 1986. Proceedings, Vol.1, U.S. Department of Defense, [1986], p.1-9, 15 refs
41-1355
RUNWAYS, COLD WEATHER CONSTRUCTION, ROAD MAINTENANCE, MILITARY ENGINEERING, WIND FACTORS, TEMPERATURE EFFECTS, SNOWFALL.

MP 2170
REMOVAL OF TRACE-LEVEL ORGANICS BY SLOW-RATE LAND TREATMENT.
Parker, L.V , et al, Nov. 1986, 20(11), p.1417-1426, 36 refs.
Jenkins, T.F.
41-1349
WASTE TREATMENT, WATER TREATMENT, LAND RECLAMATION, SOIL POLLUTION, COUNTERMEASURES, DEGRADATION, CHEMICAL ANALYSIS.
A 2 yr study was performed on an outdoor, prototype, slow-rate system to determine the removal efficiency for 16 organic substances in wastewater. The 16 organics were chloroform, benzene, toluene, chlorobenzene, bromoform, m-dichlorobenzene, dibromochloromethane, penthane, hexane, nitrobenzene, m-nitrotoluene, diethylphthalate, PCB 1242, napthalene, phenanthrene and pentachlorophenol The initial concentration of each of these substances in the wastewater was approx 50 microgram/l. Initial removal was via volatilization during spray application. The final concentration of substances after spraying correlated well with their calculated liquid-phase transfer coefficients and the substances' initial concentration losses were up to 70% for the most volatile components

MP 2171
SUITABILITY OF POLYVINYL CHLORIDE WELL CASINGS FOR MONITORING MUNITIONS IN GROUND WATER.
Parker, L V , et al, Summer 1986, 6(3), p 92-98, 27 refs.
Jenkins, T.F.
41-1345
WELL CASINGS, GROUND WATER, SOLUTIONS, MONITORS, MATERIALS, DEGRADATION, SOIL MICROBIOLOGY
A number of samples of polyvinyl chloride (PVC) well casings used for ground water monitoring that varied in schedule, diameter, or manufacturer were placed in contact with low concentrations of aqueous solutions of TNT, RDX, HMX and 2,4-DNT for 80 days Analysis indicated that there was more loss of TNT and HMX with the PVC casing than with the glass controls, but that the amount lost was, for the most part, equivalent among different types A second experiment was performed to determine if these losses were due to sorption or if biodegradation was involved Several different ground water conditions were simulated by varying salinity, initial pH and dissolved oxygen content The only case where there was an increased loss of any substance due to the presence of PVC casing was with the TNT solution under nonsterile conditions The extent of loss was small, however, considering the length of the equilibration period This increased loss is thought to be associated with increased microbial degradation rather than sorption

MP 2172
IN-SITU ASSESSMENT OF TWO RETROFIT INSULATIONS.
Flanders, S.N., ASHRAE/DOE/BTECC Conference [on] Thermal Performance of the Exterior Envelopes of Buildings, 3rd, Clearwater Beach, FL, Dec. 2-5, 1985. Proceedings, Atlanta, GA, American Society of Heating, Refrigerating and Air-Conditioning Engineers, 1986, p.32-44, 6 refs.
41-1377
THERMAL INSULATION, WALLS, HEAT FLUX, HOUSES, MOISTURE METERS, CELLULAR MATERIALS, MEASURING INSTRUMENTS, RESINS.
Two retrofit wall insulations were the subject of in-situ R-value measurement and economic assessment of their success for energy conservation. Ft Lewis, Washington, installed cellulose fiber insulation in the walls of more than 1000 housing units where moisture potentially presented a problem Ft Monmouth, New Jersey, added an exterior expanded polystyrene foam insulation system to its many concrete masonry buildings These represent retrofit insulation methods that have yet to be applied to thousands of military frame and masonry buildings The R-value measurement included the use of thermography, heat flux transducers, thermocouples and data acquisition equipment Holes bored in walls gave independent confirmation of composition of the construction layers. Boroscope inspection of wall interiors and moisture meter readings of framing sought evidence of moisture and confirmation of voids in cellulose insulation Measurements of the same or similar buildings occurred approximately a year apart. The economic assessment employed Department of Army life-cycle cost criteria

MP 2173
ANALYSIS OF SELECTED ICE ACCRETION MEASUREMENTS ON A WIRE AT MT. WASHINGTON.
McComber, P., et al, Eastern Snow Conference, 42nd, 1985, [1985], p.34-43, 12 refs.
Govoni, J.W.
41-1482
POWER LINE ICING, ICE ACCRETION, ICE LOADS, TRANSMISSION LINES, WIND VELOCITY, MATHEMATICAL MODELS.
Although numerical models have been developed to predict the increase in load on transmission lines due to atmospheric icing, there are very few data available with which to verify them experimentally The accretion of ice on a wire is a complex three-dimensional phenomenon involving torsion of the wire under the accretion weight, vibration, and breaking of some of the ice. In particular, the Mt. Washington test site used for our experiments experiences strong winds that cause high loads, vibrations, and breaking of ice chunks Load measurements for a few wire-icing events are analyzed to determine the functional relationship between icing load and time, and how this compares with the predictions of some available numerical models Results indicate that loads for steady icing conditions tend to increase exponentially with time

MP 2174
HUDSON RIVER ICE MANAGEMENT.
Ferrick, M G , et al, Eastern Snow Conference, 42nd, 1985, [1985], p 96-110, 7 refs
Lemieux, G E , Gatto, L.W , Mulherin, N
41-1488
ICE JAMS, ICE BREAKUP, RIVER ICE, ICE CONDITIONS, ICE DAMS, ICE COVER EFFECT, RIVER FLOW, ICE COVER THICKNESS, FLOODING, COUNTERMEASURES, WATER WAVES.
An ice management strategy is being developed for a reach of the Hudson River that experienced ice jam flooding during the 1983-84 winter Preliminary field studies have focused on developing a technique to induce the breakup of an ice cover or ice jam by releasing water from an upstream dam During these studies, a series of abrupt releases generated long-period river waves of different magnitudes, durations and spacings that caused changes in river level, flow velocity, and integrity of the ice cover. By monitoring the river elevation and ice cover at several locations, we have found that each of these wave parameters affected the response of the ice cover The steepness of the wave front depends upon the initial river stage and the amplitude of the release, and is an important parameter affecting the stability of the ice cover The sequence of events leading to breakup of the relatively thin ice cover on the Hudson was identical to that reported for other rivers having different physical characteristics and much thicker ice These studies have revealed that pulsed releases of a practical magnitude were effective in removing the ice cover from the reach and provided basic data for analysis of river ice cover breakup

MP 2175
COMPUTER INTERFACING OF METEOROLOGICAL SENSORS IN A SEVERE WEATHER AND HIGH RFI ENVIRONMENT.
Rancourt, K , et al, Eastern Snow Conference, 42nd, 1985, [1985], p 205-211, 7 refs
Govoni, J.W., Oxton, A.
41-1496
METEOROLOGICAL INSTRUMENTS, COMPUTER APPLICATIONS, ICE DETECTION, ICE LOADS, POWER LINE ICING, PROTECTION, THERMISTORS, RADIO COMMUNICATION, TRANSMISSION LINES, WIND FACTORS.
Methods are delineated whereby the outputs of ten different sensors used in a study of wind and ice loading on a cable are protected from Radio Frequency Interference (RFI) and severe weather, and processed for logging on a computer. Twelve separate signals from two types of ice detector, two types of cable load cell (including one tri-axial load cell), a pitot-static anemometer, a wind vane and a thermistor are introduced into a Digital Equipment Corporation MINC-11/23 computer Four of these signals, which would otherwise be incompatible, are conditioned for acceptance by the computer. The signals represent high-speed, consecutive samplings of rapidly changing parameters at a sampling frequency controlled by an operator Sampled data are logged on a printout and are transferred to magnetic tape for off-site analyses. These methods operate successfully on the summit of Mount Washington, a location known for its harsh weather, in an environment with poor electrical ground and relatively high radio and television frequency interference.

MP 2176
METEOROLOGICAL AND SNOW COVER MEASUREMENTS AT GRAYLING, MICHIGAN.
Bates, R.E., et al, Eastern Snow Conference, 42nd, 1985, [1985], p.212-229, 5 refs.
O'Brien, H W
41-1497
ELECTRONIC EQUIPMENT, SNOW COVER EFFECT, SNOWFALL, SNOW PHYSICS, SNOW DEPTH.
U S Army Cold Regions Research and Engineering Laboratory is currently conducting research programs directed toward determining potential effects of airborne snow, snow cover and various meteorological parameters on electromagnetic systems These programs required extensive-meteorological and snow cover characterization during the winter of 1982-83 and 1983-84 at Camp Grayling, Michigan, which are summarized in this report The paper also gives a description and discusses the cold weather accuracy and reliability of the automatic recording systems and sensors employed at the snow experiments Descriptions are given of snow cover measurement techniques, sensors utilized and their accuracy for providing the physical properties of snow cover backgrounds

MP 2177
EVALUATION OF THE RHEOLOGICAL PROPERTIES OF COLUMNAR RIDGE SEA ICE.
Brown, R L , et al, International Conference on Ice Technology, 1st, Cambridge, MA, June 1986. Proceedings, Berlin, Springer, 1986, p.55-66, 14 refs.
Richter-Menge, J A., Cox, G F N.
41-1582
ICE CREEP, RHEOLOGY, SEA ICE, MICROSTRUCTURE, ICE STRENGTH, STRESS STRAIN DIAGRAMS, COMPRESSIVE PROPERTIES, POROSITY, GRAIN SIZE, PRESSURE RIDGES, ICE CRYSTAL STRUCTURE
The rheological properties of columnar multi-year ridge ice tested under uniaxial compression at -5C and -20C are analyzed in terms of the material microstructure. Microstructural parameters considered included porosity and grain size. Strain rates were varied from 1 100,000/sec to 1/100 sec. A single integral representation was used to model the uniaxial material constitutive equation Results show a definite effect of porosity and strain rate on the mechanical behavior However, grain size was not found to significantly affect properties, probably because the grain sizes tested for columnar sea ice were all quite large (d=10 to 40 mm) The rheological properties also showed some nonlinearities which have not been observed in nonsaline ice Finally, a viscoplastic representation is recommended as a formulation which might be better suited for characterizing the properties of sea ice

MP 2178
FIELD INVESTIGATION OF ST. LAWRENCE RIVER HANGING ICE DAMS, WINTER OF 1983-84.
Shen, H.T , et al, Aug 1984, DTSL55-84-C-C0085A, 85p , 20 refs.
Ruggles, R W , Batson, G B
41-1669
ICE DAMS, RIVER ICE, FRAZIL ICE, ICE COVER THICKNESS, RIVER FLOW, ICE JAMS, ICE FLOES, WATER TEMPERATURE

MP 2179
FRICTION OF SOLIDS ON ICE.
Huber, N.P., et al, [1986], No IRL 85/86-012, 4p., Abstract and illus.
Itagaki, K., Kennedy, F.E., Jr.
41-2134
ICE FRICTION, ICE SOLID INTERFACE, LUBRICANTS, LIQUID PHASES, ICE MELTING, PRESSURE, THEORIES.

MP 2180
AEROSOL EXCHANGE IN THE REMOTE TROPOSPHERE.
Hogan, A.W., July-Sep. 1986, 38B(3-4), p.197-213, 35 refs.
41-1751
ATMOSPHERIC CIRCULATION, ATMOSPHERIC COMPOSITION, AEROSOLS.
Parameters observed and reported here are primarily ozone mixing ratios, maximum and minimum ozone amounts noted near the ITCZ; antarctic aerosol concentrations and transport. Uniform aerosol concentrations were observed in the Antarctic troposphere, except in the vicinity of cirrus layers aloft, and in moist or cloudy layers near the surface Enhanced ozone mixing ratios occurred in troughs about the periphery of Antarctica, and in slightly turbulent layers near mountains Ozone and aerosol concentrations observed over a wide geographic area of Antarctica were stratified into two altitude classes, and the results mapped Ozone concentrations in the mid troposphere (550 to 400 mb levels) were small and nearly invariant over the interior of Antarctica Ozone concentrations in the upper tropospheric (400-300 mb) layers varied greatly, and became quite large over troughs and about the periphery of Antarctica, and in the vicinity of high mountains Ozone exchange appears quite vigorous in the upper troposphere and frequent aerosol exchange occurs in the lower troposphere, but the stability of the middle troposphere inhibits mixing among these levels Vertical profiles of aerosol concentration indicate an aerosol decrease of 25 particles/cu cm/Km in clear air over Antarctica Moist and/or cloudy air over and near the Ross and Weddell Seas is enhanced with aerosols relative to this dry profile. Moist layers over the interior of Antarctica are also enhanced in aerosol concentration in comparison with dry antarctic air (Auth. mod)

MP 2181
REGIONAL AND SEASONAL DISTRIBUTIONS OF LOW PRESSURE WEATHER SYSTEMS IN AND AROUND NORWEGIAN WATERS.
Bilello, M.A., International Conference on Polar Lows, Oslo, Norway, May 20-23, 1986. Proceedings. Edited by M. Lystad and O.G. Houmb, [1986], p.53-66, 5 refs.
41-1799
ATMOSPHERIC CIRCULATION, ATMOSPHERIC PRESSURE, SURFACE TEMPERATURE, WEATHER OBSERVATIONS, WIND (METEOROLOGY), OCEANS, METEOROLOGICAL CHARTS, SEASONAL VARIATIONS, NORWAY.
A North Polar region consisting of most of the Scandinavian countries and the major water bodies surrounding these nations was included in a study on the regional and seasonal distributions of low pressure surface weather systems The region was divided into six zones approximately similar in area, and surface weather maps for three random years were obtained for detailed analysis of daily occurrences of surface lows that passed through these zones. The survey included the lowest isobaric pressure that identified the low, the intensity of the pressure gradient, the zone (or zones) in which the low was located, the frontal system associated with the low and its direction of movement The results of this comprehensive data set were then summarized and seasonal and regional variations of these lows and their characteristics were obtained.

MP 2182
STRUCTURE AND DIELECTRIC PROPERTIES AT 4.8 AND 9.5 GHZ OF SALINE ICE.
Arcone, S.A., et al, Dec. 15, 1986, 91(C12), p.14,281-14,303, 35 refs.
Gow, A.J., McGrew, S.G.
41-1857
SALT ICE, SEA ICE, SIMULATION, ICE STRUCTURE, DIELECTRIC PROPERTIES
Saline ice slabs removed from ice sheets grown in an outdoor pool have been studied and related to the complex relative dielectric permittivity. The saline ice closely simulated Arctic sea ice in its structural and salinity characteristics which were regularly monitored in a number of ice sheets grown during the winters of 1983-1984 and 1984-1985 *In-situ* transmission measurements at similar frequencies were also made on the ice sheet itself using antennas located above and beneath the ice The slab measurements were made during warming from -28 C to -2 C on slabs grown during the winter of 1983-1984 (4 75 GHz) and during a warming and cooling cycle over a slightly larger temperature range on slabs grown during the winter, 1984-1985 (4 80 and 9.50 GHz) Results from the two winters are compared and the differences analyzed The *in-situ* measurements showed extremely high attenuation for the young (<12 cm) brine-rich ice. Good agreement was found between data for the more desalinated samples and theoretical values predicted by a previously proposed dielectric mixing model that was modified to account for the brine pocket geometry observed in thin sections, and also by including a bulk conductivity term to account for the observed loss (Auth. mod.)

MP 2183
OVERLAND FLOW WASTEWATER TREATMENT AT EASLEY, S.C.
Abernathy, A.R., et al, Apr. 1985, 57(4), p.291-299, 12 refs. Discussion by C.J. Martel and T.F. Jenkins, Ibid., Nov. 1986, 85(11), p.1078-1079, 6 refs.
41-1899
WASTE TREATMENT, WATER TREATMENT, LAND RECLAMATION, CHEMICAL ANALYSIS, DESIGN.

MP 2184
EVALUATION OF SPOT HRV SIMULATION DATA FOR CORPS OF ENGINEERS APPLICATIONS.
McKim, H.L., et al, 1985, 5(5), p.61-71, 8 refs.
Merry, C.J.
41-1917
REMOTE SENSING, SPECTROSCOPY, PHOTOINTERPRETATION, DATA PROCESSING, DREDGING, WATER RESERVES, ECOLOGY, BRIGHTNESS.
During the summer of 1983 three Corps of Engineers project sites were overflown as part of the SPOT (Système Probatoire d'Observation de la Terre) High Resolution Visible (HRV) simulation campaign The three sites were Chesapeake Bay, Maryland, Berlin Lake, Ohio, and Lac qui Parle, Minnesota. Multispectral imagery data at a 20-m resolution for three spectral bands (0 50-0.59 micron, 0 61-0 68 micron, 0 79-0.89 micron) were obtained for each of the sites The data were analyzed for use in dredging, recreation resource management, water quality, and wildlife habitat applications

MP 2185
FOLDING IN THE GREENLAND ICE SHEET.
Whillans, I M., et al, Jan. 10, 1987, 92(B1), p.485-493, 20 refs.
Jezek, K.C.
41-1976
ICE SHEETS, ICE DEFORMATION, ICE STRUCTURE, RADIO ECHO SOUNDINGS, GREENLAND—DYE 3.
The deformation of layering into folds is modeled for a linear viscous medium moving over a décollement Folds are generated by flow variations caused by relief on the décollement, variations in friction, or both. The model is applied to folds forming now in the Greenland ice sheet near Dye 3, for which more complete data are available than for analogous solid earth situations and for which the décollement is at or near the bed The folds (wavelength 4-8 km) are detected by radio reflection sounding Measured surface deformation and deformation rate are used with the radar results to test the theory Calculated fold amplitude is only 20% less than that measured, which indicates that the theory is substantially correct Inversion of the data to calculate basal drag and velocity variations is not helpful for near Dye 3 because many different basal boundary conditions can lead to the observed deformations

MP 2186
RETENTION AND RELEASE OF METALS BY SOILS—EVALUATION OF SEVERAL MODELS.
Amacher, M.C., et al, Sep. 1986, 38(1-4), p.131-154, 24 refs.
Kotuby-Amacher, J., Selim, H.M., Iskandar, I.K.
41-2138
SOIL COMPOSITION, SOIL CHEMISTRY, METALS, SOLUTIONS, MODELS
Several kinetic models, including irreversible and reversible 1st, 2nd, and *n*th order models, and several equilibrium models, including the linear, Langmuir, two-surface Langmuir, and Freundlich models, were evaluated for their ability to describe the retention/release of Cr, Cd, and Hg by various soils. The retention/release data were obtained using a batch exction method In general, no single-reaction kinetic model fit the data over the entire time and concentration ranges studied for any of the metals or soils The relationship between the amount of metal retained by the soil and the concentration of metal in solution was described by either the two-surface Langmuir or Freundlich models A significant fraction of the metals retained by the soil was not released to solution and was not exchangeable, indicating that some irreversible retention of the metals occurred The results suggest that a multi-reaction model consisting of irreversible and reversible kinetic models is needed to fit all the data

MP 2187
BULK TRANSFER COEFFICIENTS FOR HEAT AND MOMENTUM OVER LEADS AND POLYNYAS.
Andreas, E L., et al, Nov 1986, 16(11), p 1875-1883, 42 refs
Murphy, B.
41-2220
POLYNYAS, SEA ICE, HEAT TRANSFER, TURBULENT BOUNDARY LAYER, MATHEMATICAL MODELS
To develop a unified method for parameterizing the turbulent transfer from open water surrounded by pack ice, a reanalysis has been made of data reported in the literature on momentum and heat transfer over Arctic leads and polynyas. The neutral stability value of the 10-m drag coefficient, 1 49 X .001, is independent of wind speed and open-water fetch for winds from 1 to 10 m/s and fetches from 7 to 500 m. The neutral stability value of the 10-m transfer coefficient for sensible heat, CHN10, is parameterized with the nondimensional fetch. No compelling reason was found to believe that the bulk transfer coefficient for latent heat is different from CHN10 which implies that horizontal homogeneity may not be a severe constraint for evaluating scalar transfer coefficients The bulk transfer coefficients actually used in modeling turbulent transfer over leads and polynyas are derivable if the atmospheric stability is known. Lastly, a simple formula is developed for estimating one of the fetch factors from an easily obtainable bulk Richardson number (Auth mod.)

MP 2188
MICROWAVE DIELECTRIC, STRUCTURAL, AND SALINITY PROPERTIES OF SIMULATED SEA ICE.
Arcone, S.A., et al, Nov 1986, GE-24(6) (Special issue), International Geoscience and Remote Sensing Symposium (IGARSS '85), Amherst, MA, Oct. 7-9, 1985. [Proceedings], p 832-839, 15 refs.
Gow, A.J., McGrew, S.G.
41-2297
ICE CRYSTAL STRUCTURE, ICE ELECTRICAL PROPERTIES, MICROWAVES, SEA ICE, ICE SALINITY, DIELECTRIC PROPERTIES, ICE PHYSICS.
The crystalline structure, salinity characteristics, and microwave dielectric properties of artificially grown saline ice are presented The ice was grown in an outdoor pool containing salt water of 23-25 per mill salinity. The structure and salinity profiles of this ice sheet closely simulated those found in arctic first-year sea ice The complex relative dielectric permittivity of slabs removed from the ice sheet was measured at 4.75 GHz as a function of temperature. The slabs were placed between open-end waveguide radiators, and dielectric properties were calculated from the forward scattering coefficient The results show both the real and imaginary parts to vary almost in direct proportion to the brine volume with values for imaginary showing more variation, and are compared with the previous work of others on actual sea ice samples

MP 2189
PROCEEDINGS.
International Offshore Mechanics and Arctic Engineering Symposium, 6th, Houston, Texas, Mar. 1-6, 1987, New York, American Society of Mechanical Engineers, 1987, 4 vols., Refs. passim. For selected papers see 41-2395 through 41-2449.
Lunardini, V.J., ed, Sinha, N.K., ed, Wang, Y.S., ed, Goff, R.D., ed.
41-2394
OFFSHORE STRUCTURES, OFFSHORE DRILLING, ICE LOADS, ICE NAVIGATION, PERMAFROST PHYSICS, ICE CONDITIONS, ICE PHYSICS, ENGINEERING, MEETINGS, ICE SOLID INTERFACE.

MP 2190
HEAT TRANSFER CHARACTERISTICS OF A COMMERCIAL THERMOSYPHON WITH AN INCLINED EVAPORATOR SECTION.
Zarling, J.P., et al, International Offshore Mechanics and Arctic Engineering Symposium, 6th, Houston, Texas, Mar. 1-6, 1987. Proceedings, Vol.4, New York, American Society of Mechanical Engineers, 1987, p.79-84, 11 refs
Haynes, F.D.
41-2405
HEAT TRANSFER, PIPES (TUBES), SUBGRADES, AIR FLOW, EVAPORATION, WIND VELOCITY, WIND TUNNELS, TESTS
Laboratory tests have been conducted on a full-size commercial thermosyphon in an atmospheric wind tunnel located at the U S Army Cold Regions Research and Engineering Laboratory, Hanover, New Hampshire The test variables were evaporator angle, wind speed and heat transfer rate. The effects on thermosyphon performance of nearby walls oriented parallel, at 45 degrees and at right angles to the air flow direction were also studied Air speed was varied between 0 and 6 meters per second in ten increments Evaporator angles were varied from 0 to 6 degrees in 3-deg increments Heat transfer rates were varied between 600 and 1500 watts in two increments The air temperature for all tests was about -17 degrees Celsius Test results are presented showing thermal conductance of the thermosyphon as a function of wind speed, evaporator inclination angle and heat transfer rate Heat transfer conductances were determined to increase with increasing wind speed, increase with increasing inclination angle and generally decrease with increasing heat transfer rate

MP 2191
EXACT SOLUTION FOR MELTING OF FROZEN SOIL WITH THAW CONSOLIDATION.
Lunardini, V.J., International Offshore Mechanics and Arctic Engineering Symposium, 6th, Houston, Texas, Mar. 1-6, 1987. Proceedings, Vol.4, New York, American Society of Mechanical Engineers, 1987, p.97-102, 9 refs.
41-2408
THAW CONSOLIDATION, GROUND THAWING, THAWING RATE, STRAINS, STEFAN PROBLEM, ANALYSIS (MATHEMATICS).
The Neumann solution is applicable to the thawing of a soil for which the thaw strain is zero and the density ratio of the frozen and thawed media is one However, it is well known that the thaw strain for many soils is non-zero An exact solution of the problem is presented for the case of non-zero thaw strain and variable density ratio The thaw strain can have a significant effect upon the rate of thaw when compared to the Neumann solution In some cases the Neumann solution can overpredict the thaw depth by more than 50%

MP 2192
CONTRIBUTION OF SNOW TO ICE BRIDGES.
Coutermarsh, B.A., et al, International Offshore Mechanics and Arctic Engineering Symposium, 6th, Houston, Texas, Mar. 1-6, 1987. Proceedings, Vol 4, New York, American Society of Mechanical Engineers, 1987, p.133-137, 6 refs.
Phetteplace, G.
41-2414
ICE CROSSINGS, ICE COVER STRENGTH, SNOW (CONSTRUCTION MATERIAL), FREEZING, HEAT TRANSFER, BEARING STRENGTH, WATER, ICE COVER THICKNESS, SNOW DEPTH.
The role of snow in the construction of ice bridges is discussed It is shown that it has limited value as a structural reinforcement and then only by adding water and freezing the resulting slurry Equations are presented detailing the energy transfer during freezing of a water layer vs a water-snow slurry and the times involved with each Natural ice thickening is inhibited by the insulating property of the snow, but snow can be used effectively as either a leveling or wearing surface. The snow should be of uniform depth and not mounded or windrowed to avoid deflecting the ice away from the water surface. This would substantially weaken the carrying capacity of the ice bridge

MP 2193
CONFINED COMPRESSIVE STRENGTH OF HORIZONTAL FIRST-YEAR SEA ICE SAMPLES.
Richter-Menge, J.A., International Offshore Mechanics and Arctic Engineering Symposium, 6th, Houston, Texas, Mar. 1-6, 1987. Proceedings, Vol 4, New York, American Society of Mechanical Engineers, 1987, p.197-207, 30 refs.
41-2422
ICE STRENGTH, COMPRESSIVE PROPERTIES, SEA ICE, ICE CRYSTAL STRUCTURE, STRAINS, TESTS, TEMPERATURE EFFECTS.
A total of 110 first-year sea ice samples from Prudhoe Bay, Alaska, were tested in unconfined and confined constant strain rate compression All of the tests were performed in the laboratory on a closed-loop electrohydraulic testing machine at -10 C. The confined tests were performed in a conventional triaxial cell that maintained a constant ratio between the radial and axial stress to simulate true loading conditions Three strain rates (1/100, 1/1000, and 1/100,000/s) and three ratios between radial and axial stress (0.25, 0.50, and 0.75) were investigated This paper summarizes the field sampling and testing techniques and presents data on the effect of confinement on the compressive strength, initial tangent modulus, and failure strain of the ice.

MP 2194
DYNAMIC ANALYSIS OF FAILURE MODES ON ICE SHEETS ENCOUNTERING SLOPING STRUCTURES.
Sodhi, D.S., International Offshore Mechanics and Arctic Engineering Symposium, 6th, Houston, Texas, Mar. 1-6, 1987. Proceedings, Vol.4, New York, American Society of Mechanical Engineers, 1987, p.281-284, 6 refs
41-2433
ICE LOADS, DYNAMIC LOADS, OFFSHORE STRUCTURES, ICE SOLID INTERFACE, FLOATING ICE, ANALYSIS (MATHEMATICS), ICE COVER THICKNESS, VELOCITY, ICE SHEETS, SURFACE PROPERTIES, ICE DEFORMATION
The interaction of a sloping structure with a slowly moving ice sheet usually results in bending failure of the ice The resulting ice blocks are large in area in comparison to their thickness However, when the velocity of the moving ice increases, the failure mode changes from bending to shear or crushing, resulting in very small pieces This phenomenon has been observed both in the laboratory and in the field As yet, no theoretical treatment has been presented to explain this transition. In this paper, a theoretical formulation of the problem is presented in which the ice sheet is treated as an ice beam moving against a sloping structure The resulting differential equation was solved by the finite element method, and the solution is presented in non-dimensional form.

MP 2195
THEORY FOR THE SCALAR ROUGHNESS AND THE SCALAR TRANSFER COEFFICIENTS OVER SNOW AND SEA ICE.
Andreas, E L., Jan. 1987, 38(1-2), p.159-184, Refs. p.182-184.
41-2364
SNOW SURFACE, ICE SURFACE, ROUGHNESS COEFFICIENT, WIND VELOCITY, SNOW AIR INTERFACE, ICE AIR INTERFACE.
Although the bulk aerodynamic transfer coefficients for sensible *(CH)* and latent *(CE)* heat over snow and sea ice surfaces are necessary for accurately modeling the surface energy budget, they have been measured rarely. This paper, therefore, presents a theoretical model that predicts neutral-stability values of *CH* and *CE* as functions of the wind speed and a surface roughness parameter The crux of the model is establishing the interfacial sublayer profiles of the scalars, temperature and water vapor, over aerodynamically smooth and rough surfaces on the basis of a surface-renewal model in which turbulent eddies continually scour the surface, transferring scalar contaminants across the interface by molecular diffusion Matching these interfacial sublayer profiles with the semi-logarithmic inertial sublayer profiles yields the roughness lengths for temperature and water vapor. When coupled with a model for the drag coefficient over snow and sea ice based on actual measurements, these roughness lengths lead to the transfer coefficients *CE* is always a few percent larger than *CH* Both decrease monotonically with increasing wind speed for speeds above 1 m/s, and both increase at all wind speeds as the surface gets rougher Both, nevertheless, are almost always between 001 and 0015.

MP 2196
BANK CONDITIONS AND EROSION ALONG SELECTED RESERVOIRS.
Gatto, L.W., et al, 1987, 9(3), p.143-154, 36 refs.
Doe, W.W , III.
41-2495
SHORE EROSION, BANKS (WATERWAYS), FROST HEAVE, FROST WEATHERING, ICE SCORING, ICE RAFTING, ICE PUSH

MP 2197
MODELING THE ELECTROMAGNETIC PROPERTY TRENDS IN SEA ICE AND EXAMPLE IMPULSE RADAR AND FREQUENCY-DOMAIN ELECTROMAGNETIC ICE THICKNESS SOUNDING RESULTS.
Kovacs, A., et al, Oct. 1986, SR 86-30, Workshop on Ice Penetration Technology, 2nd, Monterey, CA, June 16-19, 1986. Proceedings, p 57-133, ADB-108 529, Refs. p.131-133
Morey, R.M., Cox, G.F.N., Valleau, N.C
41-2655
ICE COVER THICKNESS, ELECTROMAGNETIC PROPERTIES, REMOTE SENSING, SEA ICE, ICE MODELS, DIELECTRIC PROPERTIES, ELECTRICAL RESISTIVITY, BRINES, ICE PHYSICS, ANALYSIS (MATHEMATICS).
Two-phase dielectric mixing model results are presented showing the electromagnetic properties of sea ice versus depth The modeled data are compared with field measurements and show comparable results It is also shown how the model data can be used in support of impulse radar and airborne electromagnetic remote sensing of sea ice

MP 2198
VARIABILITY OF ARCTIC SEA ICE DRAFTS.
Tucker, W.B., et al, Oct 1986, SR 86-30, Workshop on Ice Penetration Technology, 2nd, Monterey, CA, June 16-19, 1986. Proceedings, p 237-256, ADB-108 529, 12 refs.
Hibler, W.D , III.
41-2662
ICE COVER STRENGTH, PENETRATION, ICE COVER THICKNESS, ECHO SOUNDING, SEA ICE DISTRIBUTION, ICE CONDITIONS, CLIMATIC FACTORS, AIRBORNE EQUIPMENT, SEASONAL VARIATIONS

MP 2199
ON THE PROFILE PROPERTIES OF UNDEFORMED FIRST-YEAR SEA ICE.
Cox, G F N , et al, Oct. 1986, SR 86-30, Workshop on Ice Penetration Technology, 2nd, Monterey, CA, June 16-19, 1986. Proceedings, p 257-330, ADB-108 529, Refs. p.325-330.
Weeks, W.F.
41-2663
ICE MECHANICS, ICE STRUCTURE, ICE COVER STRENGTH, ICE COMPOSITION, ICE DEFORMATION, ICE COVER THICKNESS, ICE TEMPERATURE, ICE SALINITY, ICE SHEETS, SEA ICE, DRIFT

MP 2200
COMPARISON OF THE COMPRESSIVE BEHAVIOR OF NATURALLY AND LABORATORY-GROWN SALINE ICE.
Richter-Menge, J.A , Oct. 1986, SR 86-30, Workshop on Ice Penetration Technology, 2nd, Monterey, CA, June 16-19, 1986. Proceedings, p.331-350, ADB-108 529, 23 refs.
41-2664
ICE SALINITY, COMPRESSIVE PROPERTIES, ICE STRENGTH, STRESSES, STRAINS, TEMPERATURE EFFECTS, TESTS, ICE CRYSTAL STRUCTURE, ICE MECHANICS, SEA ICE.
A series of unconfined and confined constant strain rate compression tests were performed on columnar, saline ice samples grown in the laboratory The tests were done at three temperatures (-3, -5 and -10 C) and two strain rates (2 1/50 and 1/1000 per s) The confined compression tests were conducted in a conventional triaxial cell designed to ramp the confining pressure in constant proportion to the axial stress being applied to the cylindrical sample. The ratio of the confining pressure to the axial stress in our tests was 0 25, 0.50 or 0.75. This paper summarizes the results of these tests and compares them to previously obtained first-year sea ice test data We also compare the crystal structure of the saline ice grown in the laboratory and naturally occurring first-year sea ice In general, the structural composition and mechanical behavior of the two ice types are similar, indicating that the results obtained from tests on columnar saline ice grown in the laboratory reflect the behavior of first-year sea ice.

MP 2201
SMALL-SCALE PROJECTILE PENETRATION IN SALINE ICE.
Cole, D M., et al, Oct. 1986, SR 86-30, Workshop on Ice Penetration Technology, 2nd, Monterey, CA, June 16-19, 1986 Proceedings, p.415-438, ADB-108 529, 1 ref.
Steves, H.K.
41-2668
PROJECTILE PENETRATION, ICE SALINITY, ICE DEFORMATION, ICE CRACKS, IMPACT STRENGTH, TESTS, FRACTURING, MILITARY OPERATION, MODELS.
This paper summarizes the results of a testing program to examine the deformation and fracture associated with projectile penetration in saline ice Projectiles 25 4 mm in diameter were fired into a naturally-grown saline ice sheet in a test pool at USA CRREL The tests employed three nose shapes full cone, truncated cone and full flat The impact velocities produced behavior ranging from slight penetration to perforation of the 210-280 mm thick ice sheet

MP 2202
PORTABLE HOT WATER ICE DRILL.
Tucker, W.B., et al, Oct. 1986, SR 86-30, Workshop on Ice Penetration Technology, 2nd, Monterey, CA, June 16-19, 1986 Proceedings, p.549-564, ADB-108 529, 4 refs.
Govoni, J W., Garfield, D.E., Farr, R.W.
41-2676
ICE DRILLS, THERMAL DRILLS, PENETRATION TESTS, ICE COVER THICKNESS, OFFSHORE DRILLING, WATER TEMPERATURE, OFFSHORE STRUCTURES, EQUIPMENT.

MP 2204
PHYSICAL PROPERTIES OF SEA ICE DISCHARGED FROM FRAM STRAIT.
Gow, A J , et al, Apr. 24, 1987, 236(4800), p.436-439, 11 refs.
Tucker, W.B.
41-2806
SEA ICE, ICE PHYSICS, ICE STRUCTURE, FRAM STRAIT.
It is estimated that 84 percent of the ice exiting the Arctic Basin through Fram Strait during June and July 1984 was multiyear ice and that a large percentage of this ice is ridged or otherwise deformed While freeboard and thickness data, together with salinity measurements on cores, usually sufficed to distinguish between first and multiyear floes, preliminary identification could usually be made on the basis of snow cover measurements with snow cover being much thicker on multiyear ice. Cores from the top half meter of multiyear floes were generally very much harder and more transparent than cores from first-year floes Age estimates of multiyear floes, based on petrographic and salinity characteristics of cores, did not exceed 4 to 5 years for any of the floes that were observed exiting Fram Strait

MP 2205
PROBLEMS AND OPPORTUNITIES WITH WINTER WASTEWATER TREATMENT.
Reed, S.C , Spring 1986, 18(1), p 16-20, 4 refs.
41-2965
WATER TREATMENT, WASTE TREATMENT, SLUDGES, FREEZING.

MP 2206
ICING AND WIND LOADING ON A SIMULATED POWER LINE.
Govoni, J.W., et al, Spring 1986, 18(1), p.23-27, 10 refs.
Ackley, S.F.
41-2967
POWER LINE ICING, ICE LOADS, WIND FACTORS, ICE ACCRETION, POWER LINE SUPPORTS.

MP 2207
ADVANCES IN ICE MECHANICS—1987.
International Symposium and Exhibit on Offshore Mechanics and Arctic Engineering, 6th, Houston, TX, Mar. 1-6, 1987, New York, American Society of Mechanical Engineers, 1987, 49p., Refs. passim For individual papers see 41-2930 through 41-2933
Chung, J.S., ed, Sodhi, D.S., ed.
41-2929
ICE MECHANICS, ICE LOADS, OFFSHORE STRUCTURES, ICE STRENGTH, MEETINGS, ICE PHYSICS, RHEOLOGY, ICE SOLID INTERFACE, DRIFT, SEA ICE.

MP 2208
ADVANCES IN SEA ICE MECHANICS IN THE USA.
Sodhi, D.S., et al, International Symposium and Exhibit on Offshore Mechanics and Arctic Engineering, 6th, Houston, TX, Mar. 1-6, 1987 (Proceedings.) Advances in ice mechanics—1987. Edited by J.S. Chung, D.S. Sodhi, New York, American Society of Mechanical Engineers. 1987, p.37-49, 105 refs.
Cox, G.F.N.
41-2933
ICE MECHANICS, ICE STRENGTH, SEA ICE, ICE LOADS, OFFSHORE STRUCTURES, ICE PHYSICS, ICE SOLID INTERFACE, DRIFT, COMPRESSIVE PROPERTIES, MODELS, PETROLEUM INDUSTRY.
A brief review of significant advances in the field of sea ice mechanics in the United States is presented in this paper. Emphasis is on ice forces on structures, as the subject relates to development of oil and gas resources in the southern Beaufort Sea. The main topics discussed here are mechanical properties, ice-structure interaction, modeling of sea ice drift, and oil industry research activities Significant advances in the determination of ice properties are the development of testing procedures to obtain consistent results. Using stiff testing machines, researchers have been able to identify the existence of tensile and compressive strengths on different parameters, e.g., strain rate, temperature, grain size, c-axis orientation, porosity, and state of stress (uniaxial or multiaxial) Now reliable data exist on the tensile and compressive strengths of first-year and multi-year sea ice.

MP 2209
***GROWTH, STRUCTURE*, AND PROPERTIES OF SEA ICE.**
Weeks, W.F., et al, NATO Advanced Study Institute on Air-Sea Interaction, Acquafredda di Maratea, Italy, Sep. 28-Oct. 10, 1981 Proceedings Geophysics of sea ice. Edited by N. Untersteiner. NATO ASI series, Series B: Physics, Vol.146, New York, Plenum Press, 1986, p.139-164, Refs. p.152-164. For another source see 37-2407.
Ackley, S.F.
41-2987
ICE CRYSTAL GROWTH, ICE CRYSTAL STRUCTURE, SEA ICE, ICE ELECTRICAL PROPERTIES, ICE MECHANICS, ICE THERMAL PROPERTIES, ICE PHYSICS, GRAIN SIZE, GAS INCLUSIONS, TEMPERATURE EFFECTS

MP 2210
MECHANICAL BEHAVIOR OF SEA ICE.
Mellor, M., NATO Advanced Study Institute on Air-Sea Interaction, Acquafredda di Maratea, Italy, Sep 28-Oct. 10, 1981. Proceedings. Geophysics of sea ice. Edited by N. Untersteiner NATO ASI series, Series B: Physics, Vol.146, New York, Plenum Press, 1986, p.165-281, Refs. p.275-281. For another source see 38-469.
41-2988
ICE MECHANICS, SEA ICE, ICE STRENGTH, ICE ELASTICITY, FLEXURAL STRENGTH, FRACTURING, RHEOLOGY, MECHANICAL PROPERTIES, STRESSES, STRAINS, ANALYSIS (MATHEMATICS).

MP 2211
ICE DYNAMICS.
Hibler, W.D., III, NATO Advanced Study Institute on Air-Sea Interaction, Acquafredda di Maratea, Italy, Sep. 28-Oct. 10, 1981. Proceedings. Geophysics of sea ice. Edited by N. Untersteiner. NATO ASI series, Series B: Physics, Vol.146, New York, Plenum Press, 1986, p.577-640, Refs. p.637-640. For another source see 39-896 or 14F-30815.
41-2995
ICE MECHANICS, RHEOLOGY, DRIFT, ICE AIR INTERFACE, THERMODYNAMICS, OCEANOGRAPHY, SEA ICE, ICE FORMATION, ICE AIR INTERFACE, ICE STRENGTH, ICE COVER THICKNESS, ICE MODELS, SEA WATER, ANTARCTICA—WEDDELL SEA.
Essential aspects of sea ice dynamics of the Arctic and Antarctic on the geophysical scale were reviewed and the role of ice dynamics in air-sea-ice interaction was discussed The review is divided into the following components a) a discussion of the momentum balance describing ice drift, b) an examination of the nature of sea ice rheology on the geophysical scale, c) an analysis of the relationship between ice strength and ice thickness characteristics, and d) a discussion of the role of ice dynamics in the atmosphere-ice-ocean system Because of the unique, highly nonlinear nature of sea-ice interaction, special attention is given to the ramifications of ice interaction on sea ice motion and deformation These ramifications are illustrated both by analytic solution and by numerical model results. In addition, the role of ice dynamics in the atmosphere-ice-ocean system is discussed in light of numerical modeling experiments, including a fully coupled ice-ocean model of the Arctic-Greenland-Norwegian seas

MP 2212
MEASUREMENTS OF REFRACTIVE INDEX SPECTRA OVER SNOW.
Andreas, E.L., Apr. 1986, Vol.642, p.248-260, 33 refs.
41-2984
REFRACTION, OPTICAL PHENOMENA, TURBULENCE, SNOW OPTICS, SNOW AIR INTERFACE.

MP 2213
TRANSPORT OF WATER IN FROZEN SOIL 6. EFFECTS OF TEMPERATURE.
Nakano, Y., et al, Mar. 1987, 10(1), p.44-50, 9 refs.
Tice, A.R.
41-3019
SOIL WATER MIGRATION, DIFFUSION, VAPOR DIFFUSION, UNFROZEN WATER CONTENT, FROZEN GROUND TEMPERATURE.

MP 2214
***IN-SITU* THERMAL CONDUCTIVITY MEASUREMENTS.**
Atkins, R.T., June 1983, FHWA-AK-RD-84-06, 38p., 3 refs.
41-4070
CONSTRUCTION MATERIALS, THERMAL CONDUCTIVITY, SOIL PHYSICS, THERMAL INSULATION, THERMISTORS.
This report describes a method for using commercially available thermistors to make *in-situ* thermal conductivity measurements with commonly available electronic equipment The emphasis is on use of a single thermistor to measure thermal conductivities of soils and building insulations Calibration techniques are explained and examples provided. Limitations on this technique are discussed, including material grain size, amount of material needed for a valid measurement, and temperature stability necessary Specific examples of the use of this technique are provided for both soil measurements and building material measurements Data analysis is discussed, including a statistical approach to finding the thermal conductivity in large volumes of material

MP 2215
INTERACTION OF GRAVEL FILLS, SURFACE DRAINAGE, AND CULVERTS WITH PERMAFROST TERRAIN.
Brown, J., et al, Jan. 1984, AK-RD-84-11, 35p., 24 refs.
Brockett, B.E., Howe, K.E.
41-4072
PERMAFROST BENEATH ROADS, CULVERTS, EMBANKMENTS, DRAINAGE, GRAVEL, THERMAL INSULATION, THAW DEPTH, GROUND THAWING, PERMAFROST THERMAL PROPERTIES.
During the summers of 1981 and 1982, the thaw *regime* of gravel roads and the performance of culverts were observed in the Prudhoe Bay and Kuparuk River oilfields northern Alaska. This relatively flat to gently rolling coastal plain is covered by shallow lakes, drained lake basins and interconnecting ice-wedge polygons Depth of seasonal thaw of the predominantly fine-grained soils is less than 50 cm The permafrost temperature is about -10 C A combination of visual frost tube readings and temperature measurements were obtained in the roadbed, in an area immediately adjacent to an insulated culvert, and in areas undisturbed by construction Gravel roads up to 2 m thick thaw completely and thaw penetrates into the consolidated active layer. Where depth of thaw exceeds the thickness of the active layer, ice-rich permafrost begins to thaw. Adjacent to the roads, newly formed surface troughs indicate melting of the underlying ice wedges Shallow impoundments form on the upslope sides of roads where culverts have not been adequately sited or installed. More standardized practices for culvert placement, installation, and maintenance are desirable to minimize disruption of natural drainage.

MP 2216
EFFECT OF OSCILLATORY LOADS ON THE BEARING CAPACITY OF FLOATING ICE COVERS.
Kerr, A.D., et al, Apr. 1987, 13(3), p.219-224, 9 refs.
Haynes, F.D.
41-3032
ICING, VEHICLES, STATIC LOADS, ICE LOADS, ICE COVER STRENGTH, BEARING STRENGTH, *OSCILLATIONS, TESTS.*
Parked vehicles with running engines, or motor driven machinery, subject an ice cover to a static load and to a relatively small oscillatory force, that is caused by the moving parts. Since for the driving frequencies in question the dominant feature is fatigue of the ice cover, while it is undergoing non-elastic time-dependent deflections, an experimental program was initiated to study this phenomenon by running a series of tests in one of the cold rooms at CRREL. An electronically driven shaker placed on the ice cover was used to simulate the dynamic case. A loading device of the same weight and base shape was used as a static control in the tests. Each test consisted of placing these two objects on an ice cover and recording how their vertical displacements vary with time, for a fixed driving frequency of the shaker. A comparison of these two curves established the effect of the oscillating force component. Eight tests were conducted. It was found that for urea ice covers and driving frequencies of 1, 10 and 30 Hz (60, 600, and 1800 rpm) the vibrating shaker increased the vertical downward displacements and substantially decreased the time to breakthrough.

MP 2217
ICE NUCLEATION ACTIVITY OF ANTARCTIC MARINE MICROORGANISMS.
Parker, L.V., et al, 1985, 20(5), p.126-128, 12 refs.
Sullivan, C.W., Forest, T.W., Ackley, S.F.
41-2955
SEA ICE, ALGAE, NUCLEATING AGENTS.
A brief review of recent research leads to the conclusion that scavenging is the mechanism by which microorganisms are incorporated in sea ice. Initial studies are presented of the relative ability of melted sea ice and pure cultures of ice algae and ice bacteria to nucleate water droplets Details of this process are expounded.

MP 2218
PRELIMINARY SIMULATION OF THE FORMATION AND INFILLING OF SEA ICE *GOUGES*.
Weeks, W.F., et al, Dec. 1986, No.49, Workshop on Ice Scour Research, Calgary, Alta., Feb. 5-6, 1985. Proceedings. Ice scour and seabed engineering. Edited by C.F.M. Lewis, et al, p.259-268, 6 refs.
Tucker, W.B., Niedoroda, A.
41-3118
SEA ICE, ICE SCORING, MARINE DEPOSITS, OCEAN BOTTOM, SEDIMENT TRANSPORT, DISTRIBUTION, MODELS, COMPUTER APPLICATIONS, STATISTICAL ANALYSIS, BEAUFORT SEA.

MP 2219
CORPS OF ENGINEERS ICE SOLUTIONS.
Frankenstein, G.E., Apr 1987, 28(3), p 5-7, 5 refs.
41-3140
LABORATORIES, ICE MECHANICS, MODELS, ICE PRESSURE, RIVER ICE, HYDRAULIC STRUCTURES, ICE JAMS, U S ARMY CRREL.

MP 2220
ON ESTIMATING ICE STRESS FROM MIZEX 83 ICE DEFORMATION AND CURRENT MEASUREMENTS.
Leppäranta, M., et al, Mar. 1986, SR 86-03, p.17-19, ADA-172 265, 4 refs.
Hibler, W.D., III, Johannessen, O.
41-3055
ICE DEFORMATION, ICE EDGE, ICE MECHANICS, OCEAN CURRENTS, OCEAN WAVES, WIND FACTORS, STRESSES, DRIFT.

MP 2221
CRYSTAL STRUCTURE OF FRAM STRAIT SEA ICE.
Gow, A.J., et al, Mar. 1986, SR 86-03, p 20-29, ADA-172 265, 8 refs.
Tucker, W.B., Weeks, W.F.
41-3056
ICE CRYSTAL STRUCTURE, SEA ICE, ICE COMPOSITION, FRAZIL ICE, ICE MELTING, SNOW ICE, FRAM STRAIT.

MP 2222
ACOUSTICAL REFLECTION AND SCATTERING FROM THE UNDERSIDE OF LABORATORY GROWN SEA ICE: MEASUREMENTS AND PREDICTIONS.
Stanton, T.K., et al, Nov. 1986, 80(5), p.1486-1494, 30 refs.
Jezek, K.C., Gow, A J
41-3068
ICE ACOUSTICS, SEA ICE, ICE BOTTOM SURFACE, ACOUSTIC MEASUREMENT, SOUND TRANSMISSION, SCATTERING.
Acoustical reflection and scattering properties of the underside of undeformed sea ice which was grown in an outdoor pond were studied Echo amplitude fluctuations of normal incidence sonar pings (100-800 kHz) were measured as the sonars moved horizontally under the ice and accumulated into echo amplitude histograms The Rice probability density function (PDF) was fit to the data and the resultant statistical parameter was combined with the Eckart acoustical scattering theory to estimate an rms roughness of the water/ice interface to be 0 3 mm Because the ice thin sections showed the ice to be porous and permeable at the interface with dendrites 0 5 mm thick, it appeared that the dendrites controlled the scattering The average reflection coefficient was of the order 0 05 The low reflection coefficient (low compared to the 0 35 value which is predicted from the bulk properties of sea ice) was attributed to the dendritic structure which was porous and permeable at the water/ice interface. From the data and modeling done, scattering, and, hence, echo fluctuations, for normal incidence sonars of various frequencies and beamwidths were also predicted

MP 2223
VERIFICATION TESTS FOR A STIFF INCLUSION STRESS SENSOR.
Cox, G.F.N., et al, Feb 1987, 24(1), p 81-88, 14 refs.
Johnson, J.B.
41-3301
ROCK MECHANICS, STRAIN MEASURING INSTRUMENTS, STRESSES, ICE MECHANICS, IMPURITIES.

MP 2224
CHEMICAL SOLUTIONS TO THE CHEMICAL PROBLEM.
Minsk, L.D., Canadian Building Congress, 4th, Oct. 6-8, 1985. Proceedings I earning from experience/avoiding failures, Ottawa, Ont., National Research Council, Canada, 1985, p 238-244, 9 refs., With French summary.
41-3194
PAVEMENTS, CORROSION, CONCRETE STRENGTH, ICE MELTING, SALTING, BRIDGES, ICE CONTROL, ROAD ICING, CHEMICAL ICE PREVENTION, ANTIFREEZES, SNOW REMOVAL, DAMAGE, ICE REMOVAL, TEMPERATURE EFFECTS.
The cheapest deicing chemical to procure--salt—is one of the most effective freezing point depressants, but it can also be one of the most costly where material degradation results from electrolytic corrosion Damage to pavements, primarily bridge decks and elevated highways, and the high cost of repair or rehabilitation, has spurred the search for effective but non-detrimental deicing chemicals The most promising material is calcium magnesium acetate (CMA) which tests made to date have shown to exhibit little or no corrosion potential, under generally-occurring conditions, and to have an acceptable melting action The nature of salt action on concrete and characteristics for a chemical to serve as an effective deicing agent are reviewed Also, candidate chemicals other than CMA are discussed Research to improve chemical control of snow and ice, both underway and proposed, is reviewed, and the outlook for reduced damage to structures is assessed

MP 2225
SPACEBORNE SAR AND SEA ICE: A STATUS REPORT.
Weeks, W F, July 1, 1983, No 83-11, NASA-CR-173186. Spaceborne Imaging Radar Symposium, Pasadena, CA, Jan. 17-20, 1983. Proceedings, p.113-115, N84-16412
41-3347
SEA ICE DISTRIBUTION, REMOTE SENSING, ICE CONDITIONS, ICE MECHANICS, ICE SURFACE, ICE COVER THICKNESS, SNOW TEMPERATURE, WIND DIRECTION.

MP 2226
REFERENCE GUIDE FOR BUILDING DIAGNOSTICS EQUIPMENT AND TECHNIQUES.
McKenna, C , et al, July 1986, DEB-TR-86-06, 148p , ADA-179 142, Refs. p.142-148
Munis, R H.
41-3359
BUILDINGS INDOOR CLIMATES, MANUALS, HEATING AIR LEAKAGE, VENTILATION, MEASURING INSTRUMENTS, ENGINEERING.

MP 2227
CLASSIFICATION AND LABORATORY TESTING OF ARTIFICIALLY FROZEN GROUND.
Sayles, F H., et al, Mar. 1987, 1(1), p 22-48, Refs. p 45-48.
41-2766
STRAIN TESTS, FROZEN GROUND STRENGTH, SOIL FREEZING, ARTIFICIAL FREEZING, SALINITY.
The proposed guidelines for classifying artificially frozen ground are based on the Unified Soil Classification System, with the addition of salinity evaluation For testing frozen soils in the laboratory, it is recommended that axial loading strain rates be 0 1 and 1%/min, constant stress loadings for creep testing be 70, 50, 30, and 10% of the strength values obtained from the constant strain rate test performed at 1%/min, temperatures of the tests be -2, -5, and -10 C, the test specimen shape and size be a right circular cylinder with height-to-diameter ratio of 2 or more and a diameter be at least 10 times that of the largest soil particle size, specimen end caps be lubricated where possible, and the test loading system have a stiffness at least five times that of the test specimen

MP 2228
SCIENTIFIC CHALLENGES AT THE POLES.
Welch, J.P., et al, May 1987, 28(5), p.23-26, 11 refs
Eppler, D.T., Lohanick, A.
41-3408
ARCTIC LANDSCAPES, RESEARCH PROJECTS, REMOTE SENSING, ICE SURFACE, SNOW SURFACE, MICROWAVES.

MP 2229
EFFECT OF SNOW ON VEHICLE-GENERATED SEISMIC SIGNATURES.
Albert, D.G., Apr. 1987, 81(4), p.881-887, 14 refs. For previous versions see 40-3531, 40-3544.
41-3887
SNOW COVER EFFECT, MILITARY OPERATION, SEISMOLOGY, ACOUSTICS, ATTENUATION, VEHICLES.

MP 2230
ANNEALING RECRYSTALLIZATION IN LABORATORY AND NATURALLY DEFORMED ICE.
Gow, A.J., et al, Mar. 1987, 48(3) Supplement, p.(C1)271-(C1)276, With French summary. 9 refs.
Sheehy, W.
41-3957
RECRYSTALLIZATION, ICE CRYSTAL STRUCTURE. ICE DEFORMATION, ICE STRENGTH, ICE CRYSTAL NUCLEI, ICE MELTING, PRESSURE.
Results are presented of annealing recrystallization in both naturally and laboratory deformed ice Thin section techniques were used to follow the progress of recrystallization which, in the case of highly compressed ice pellets annealed at -3 C, showed that as soon as any new crystal was nucleated in the deformed ice matrix it retained its lattice orientation over the duration of the recrystallization. Laboratory annealing at ambient pressures of highly deformed, strongly oriented crystal ice from cores deep in the Antarctic Ice Sheet resulted in growth of very large crystals exhibiting c-axis orientations very much degraded with respect to the original ice Textures and fabrics of the same ice annealed at 200 bars confining pressure closely resembled those observed in ice undergoing dynamic (annealing) recrystallization at 190-200 bars overburden pressure near the base of the ice sheet, which at this location in Antarctica was at pressure melting (Auth)

MP 2231
RESTRAINTS ON THIN SECTION ANALYSIS OF GRAIN GROWTH IN UNSTRAINED POLYCRYSTALLINE ICE.
Gow, A J, Mar 1987, 48(3) Supplement, p (C1)277-(C1)281, With French summary. 8 refs.
41-3958
ICE CRYSTAL GROWTH, ICE CRYSTAL STRUCTURE, GRAIN SIZE, AIR ENTRAINMENT, BUBBLES, TESTS
Tests were performed at -1 C evaluate the effects of a free surface and the thickness dimensions of thin sections on the growth of grains in fine-grained, pore-rich, strain free polycrystalline ice Results show that negligible growth of grains occurs when the mean size of grains is more than 1 5 to 2 times the section thickness Grain growth in thicker sections was significant for the fact that grain boundary migration, leading to 3-4 fold increases in average grain size, was virtually unaffected by the presence of large numbers of bubbles in the ice Nor was there any evidence to indicate any concentrating of bubbles along migrating boundaries Grain boundary grooving was a characteristic feature of most sections undergoing grain growth This implies actual migration of grooves during grain growth The fact that the total length of grooves decreased with increasing grain size also implies some process of groove consumption during grain growth Three dimensional grain growth measurements in bulk samples compared favorably with those obtained from sections two to three times thicker than the mean grain diameter (Auth)

MP 2232
CHEMICAL PROPERTIES OF SNOW IN THE NORTHEASTERN UNITED STATES.
Kumai, M., Mar. 1987, 48(3) Supplement, p.(C1)625-(C1)630, With French summary. 7 refs.
41-3959
SNOW COMPOSITION, CHEMICAL PROPERTIES, AEROSOLS, AIR POLLUTION, SCANNING ELECTRON MICROSCOPY, SNOWFALL, WIND DIRECTION, X RAY ANALYSIS, IONS, UNITED STATES—NEW HAMPSHIRE—HANOVER.
Samples of fresh snow from Hanover, N H , were found to be slightly acidic, with pH ranging from 3 56 to 5.63, and had electrolytic conductivities in the range 2 52 to 80 0 microS/cm Snowfalls accompanied by southerly winds from densely populated areas averaged about 3 times higher in hydrogen ion concentration and electrolytic conductivity than snowfalls accompanied by northerly winds from less populated areas Particles found in fresh snow examined with a scanning electron microscope and an energy dispersive X-ray analyzer were most frequently soil minerals, with some fly ash particles, and occasionally diatoms and pollen Sulfur-rich black particles were presumed to be from local oil-fired heating and electric power plants, while silicon-rich fly ash particles were assumed to have originated at distant coal-fired electric power plants.

MP 2233
LABORATORY INVESTIGATIONS OF LOW TEMPERATURE CRACKING SUSCEPTIBILITY OF ASPHALT CONCRETE.
Janoo, V.C., et al, Paving in Cold Areas Mini Workshop, 3rd, Ottawa, Ontario, July 20-22, 1987. Proceedings, Vol.1, Ottawa, Ministry of Transportation and Communications, July 1987, p 397-415, 8 refs., With Japanese summary.
Chamberlain, E.J.
41-4030
BITUMINOUS CONCRETES, LOW TEMPERATURE TESTS, CONCRETE STRENGTH, THERMAL STRESSES, CRACKING (FRACTURING), CEMENT ADMIXTURES, STRAINS, TEMPERATURE EFFECTS, RHEOLOGY, TESTS, TENSILE PROPERTIES.
A laboratory test program to study the behavior of asphalt concrete at low temperatures is underway at USA CRREL. The effects on strength and thermal stresses and strains, of temperature, temperature cycling, tensile creep, types of asphalt cement and later the influence of additives are included in this investigation The results from these tests will be used to evaluate, validate and modify two existing thermal cracking models After verification in the laboratory, the models will be tested in the field If either model is successful, it is expected that one will be incorporated in the overall Corps of Engineers design procedures for asphalt concrete pavements

MP 2234
STATEMENT OF RESEARCH NEEDS TO ADDRESS AIRPORT PAVEMENT DISTRESS.
Vinson, T.S , et al, Paving in Cold Areas Mini Workshop, 3rd, Ottawa, Ontario, July 20-22, 1987 Proceedings, Vol 2, Ottawa, Ministry of Transportation and Communications, July 1987, p 981-1012, 11 refs., With Japanese summary.
Berg, R L., Tomita, H.
41-4050
AIRPORTS, COLD WEATHER PERFORMANCE, PAVEMENTS, CRACKING (FRACTURING), FROST HEAVE, ICE COVER EFFECT, SNOW COVER EFFECT, THERMAL STRESSES, BEARING STRENGTH, FREEZE THAW CYCLES, DAMAGE, DRAINAGE.
In early fall 1984 the Federal Aviation Administration (FAA), funded the U S Army Cold Regions Research and Engineering Laboratory (USACRREL) to conduct a study of airport pavements in cold regions of the United States At USACRREL's request, the American Association of Airport Executives (AAAE) sent a questionnaire to over 325 general aviation airports in cold regions The results from over 200 responses were compiled and evaluated and over 20 airport managers were contacted for additional data Site visitations were made to 36 airports to obtain additional information The most common pavement problems identified in the study were associated with non-traffic-related phenomena and included (1) pre-existing cracks reflecting through asphalt concrete overlays (2) thermal cracking and (3) longitudinal cracking Most of the airports experienced (1) water pumping up through cracks and joints in the pavements during spring thaw, or (2) additional roughness due to differential frost heave in the winter, or both problems Many airport managers reported that debris was generated at cracks during the winter and spring Pavement problems can often be traced to the evolutionary history of general aviation airports and the lack of consideration for site drainage Based on the recognition of these problems, several future research programs are identified

MP 2235
SUMMARY OF PROPER COLD WEATHER PAVEMENT REPAIR METHODS.
Eaton, R.A., Paving in Cold Areas Mini Workshop, 3rd, Ottawa, Ontario, July 20-22, 1987. Proceedings, Vol.2, Ottawa, Ministry of Transportation and Communications, July 1987, p.1013-1027, 5 refs, With Japanese summary.
41-4051
PAVEMENTS, COLD WEATHER CONSTRUCTION, BITUMINOUS CONCRETES, DAMAGE, ROAD MAINTENANCE, FREEZE THAW CYCLES, DRAINAGE CONSTRUCTION MATERIALS, COMPACTION, EQUIPMENT, SEALING.
Currently available portable construction equipment can provide hot asphalt concrete on a year-round basis in cold regions This permits rapid and permanent repairs to pavements if potholes occur or utility cuts are made when the local hot asphalt concrete plants are closed for the winter

MP 2236
PORTABLE HOT-WATER ICE DRILL.
Tucker, W.B., et al, June 1987, 14(1), p.57-64, 5 refs. For another version see 41-2676.
Govoni, J.W.
41-4216
ICE DRILLS, THERMAL DRILLS, PENETRATION TESTS, ICE COVER THICKNESS, OFFSHORE DRILLING, WATER TEMPERATURE, OFFSHORE STRUCTURES, EQUIPMENT.
A portable hot-water drilling system has been developed for conducting detailed thickness surveys of multi-year sea ice. Primary components of the system are a propane-fired water heater and a twin-piston pump which is driven by a small gasoline engine When assembled, the system is mounted on a sled which can be moved across relatively smooth ice surfaces by two persons The system components easily fit inside a BELL 205 or 212 helicopter for movement to other locations. A field program in April and May 1986 proved the viability of the system for rapidly penetrating multi-year sea ice in relatively cold ambient temperatures The prototype drill penetrated ice at rates of 3 m/min A 43-cm-diameter ring can be quickly substituted for the normal drilling probe This ring is useful for making larger holes through the ice for the release or recovery of instruments Overall performance of the drilling system was highly satisfactory during the field investigations Future systems, however, will incorporate fuel oil burners and higher-pressure pumps to achieve higher penetration rates as well as to take advantage of more readily available fuel sources

MP 2237
RIVER WAVE RESPONSE TO THE FRICTION-INERTIA BALANCE.
Ferrick, M.G., et al, National Conference on Hydraulic Engineering, Williamsburg, VA, Aug. 3-7, 1987. Proceedings, New York, American Society of Civil Engineers, 1987, p.764-769, 2 refs.
Asce, M.
41-4222
RIVER FLOW, WATER WAVES, WAVE PROPAGATION, FRICTION, UNSTEADY FLOW, ICE JAMS, ICE BREAKUP, FLOODS, ANALYSIS (MATHEMATICS).
The changing character of the solution of the Saint-Venant equations for river flow problems with the dimensionless parameter F(I) reflects a changing balance between friction and inertia I linearize and place these equations in nondimensional form, and obtain solutions or consider the structure of the solution in different ranges of F(I) The solutions for inertia-dominated flow and for friction-dominated flow have similar form but represent fundamentally different physical processes In treating the transition between these extremes I identify and obtain expressions for the frictional attenuation of disturbances transmitted by dynamic waves

MP 2238
DIAGNOSTIC ICE-OCEAN MODEL.
Hibler, W.D., III, et al, July 1987, 17(7), p 987-1015, 36 refs.
Bryan, K
41-4208
OCEAN CURRENTS, SEA ICE, ICE WATER INTERFACE, MATHEMATICAL MODELS
A coupled ice-ocean model suitable for simulating ice-ocean circulation over a seasonal cycle is developed by coupling a dynamic thermodynamic sea ice model with a multilevel baroclinic ocean model This model is used to investigate the effect of ocean circulation on seasonal sea ice simulations by carrying out a simulation of the Arctic, Greenland and Norwegian seas The ocean model contains a linear term that damps the ocean's temperature and salinity towards climatology The damping term was chosen to have a three-year relaxation time, equivalent to the adjustment time of the pack ice. No damping, however, was applied to the uppermost layer of the ocean model, which is in direct contact with the moving pack ice This damping procedure allows seasonal and shorter time-scale variability to be simulated in the ocean, but does not allow the model to drift away from ocean climatology on longer time scales For the standard experiment, an initial integration of five years was performed at one-day time steps and a 1.45 deg by 1.45 deg resolution in order to obtain a cycle equilibrium. For comparison, a five-year simulation with an ice-only model, and shorter one-year sensitivity simulations without surface salt fluxes and without ocean currents, were also carried out. Input fields consisted of climatological surface air temperatures and mixing ratios, together with daily geostrophic winds from 1979 Operational features of the model are described and an analysis is given in terms of the advance and retreat of the ice edge, ice melt fluxes, heat transport and atmospheric heat balance. (Auth mod)

MP 2239
CHEMICAL FRACTIONATION OF BRINE IN THE MCMURDO ICE SHELF, ANTARCTICA.
Cragin, J.H., et al, 1986, 32(112), p 307-313, With French and German summaries, 21 refs For different source see 38-688 or 13F-28806
Gow, A.J, Kovacs, A.
41-4281
ICE CORES, ICE SALINITY, ICE COMPOSITION, ICE SHELVES, ICE PHYSICS, ANTARCTICA—MCMURDO SOUND.
During the austral summers of 1976-77 and 1978-79, several ice cores were taken from the McMurdo Ice Shelf brine zone to investigate its thermal, physical, and chemical properties Chemical analyses of brine samples from the youngest (uppermost) brine wave show that, except for the advancing front, it contains sea salts in normal sea-water proportions Further inland, deeper and older brine layers, though highly saline (S>200 per mill), are severely depleted in (SO4)2-/Na+ ratio being an order of magnitude less than that of normal sea-water Consideration of the solubility of alternative salts, together with analyses of Na+, K+, Ca2+, Mg2+, (SO4)2-, and Cl- concentrations, shows that the sulfate depletion is probably due to selective precipitation of mirabilite, Na2SO4 10H2O The location of the inland boundary of brine penetration is closely related to the depth at which the brine encounters the firn/ice transition However, a small but measurable migration of brine is still occurring in otherwise impermeable ice, this is attributed to eutectic dissolution of the ice by concentrated brine as it moves into deeper and warmer parts of the McMurdo Ice Shelf (Auth)

MP 2240
PHYSICAL PROPERTIES OF SUMMER SES ICE IN THE FRAM STRAIT.
Tucker, W.B, et al, June 30, 1987, 92(C7), p 6787-6803, 37 refs
Gow, A.J., Weeks, W.F.
41-4238
ICE PHYSICS, SEA ICE, ICE EDGE, SNOW COVER EFFECT, ICE COVER THICKNESS, ICE SALINITY, ICE CRYSTAL STRUCTURE, SEASONAL VARIATIONS, FRAM STRAIT.
The physical properties of sea ice in the Fram Strait region of the Greenland Sea were examined during June and July 1984 in conjunction with the Marginal Ice Zone Experiment field program Most of the ice sampled within Fram Strait during this period was multiyear Thicknesses and other properties indicated that none of the multiyear ice was older than 4 to 5 years Snow cover on the multiyear ice averaged 29 cm, while that on first-year ice averaged only 8 cm deep This difference may be related to enhanced sublimation of the snow on the thinner first-year ice The salinity profiles of first-year ice clearly show the effects of ongoing brine drainage in that profiles from cores drilled later in the experiment are substantially less saline than earlier cores Thin section examinations of crystal structure indicate that about 75% of the ice consisted of congelation ice with typically columnar type crystal structure The remaining 25% consisted of granular ice with only a few occurrences of snow ice The granular ice consisted primarily of frazil, found in small amounts at the top of floes but mainly observed in multiyear ridges The horizontally oriented crystal c axes showed various degrees of alignment ranging from no alignment to strong alignments in which the alignment direction changed with depth, implying a change in floe orientation with respect to the ocean current at the ice-water interface during ice growth Evidence of crystal retexturing was observed in the upper meter of nearly every multiyear core This retexturing, consisting of grain boundary smoothing and nearly complete obliteration of the ice platelet-brine layer substructure, is attributed to summer warming

MP 2241
MESOSCALE SEA ICE DEFORMATION IN THE EAST GREENLAND MARGINAL ICE ZONE.
Leppäranta, M., et al, June 30, 1987, 92(C7), p 7060-7070, 23 refs.
Hibler, W.D., III
41-4261
ICE MECHANICS, DRIFT, ICE FLOES, ICE CONDITIONS, MICROWAVES, OCEAN CURRENTS, ICE EDGE, ANALYSIS (MATHEMATICS)
In this paper, mesoscale (10 km) ice kinematics data obtained during the drift phase of the 1983 Marginal Ice Zone Experiment are analyzed The measurements were made with a microwave transponder system accurate to better than 1 m From the point of view of granular media theory, the ice pack was close to ideal Over the scale of the array the pack was quite regular, with floes of relatively uniform size closely packed together The main external driving force for the ice was the ocean current. Simultaneous current measurements were made at three of the strain array sites The ice behaved in a relatively rigid manner, with more shear than dilatation occurring Least squares fits of the strain rate tensor showed the deformation field to be quite homogeneous Superimposed on the rigid motion were smaller fluctuations with a spectrum falling off proportional to frequency to the power of -3/2 to -2 Close examination of individual strain lines showed rather discontinuous distance changes more representative of plastic slip rather than floe bumping Although a substantial signal at the inertial period was present in the absolute drift, no clear peaks at this period occurred in the spectra of the strain rate tensor invariants Analysis of the spatial variation of the underlying ocean currents revealed quite a different picture from that of the ice kinematics In particular, the current field exhibited a much greater spatial variability than the ice motion, with considerable variance at the inertial period Coherence between the ice and ocean differential velocity was small for all frequencies Overall, the rigid interactive character of the compact ice cover prevented most of the differential ocean currents from being transferred to the differential ice motion

MP 2242
ROLE OF FLOE COLLISIONS IN SEA ICE RHEOLOGY.
Shen, H.H., et al, June 30, 1987, 92(C7), p.7085-7096, 21 refs.
Hibler, W.D, III, Leppäranta, M.
41-4263
ICE MECHANICS, ICE FLOES, ICE EDGE, ICE DEFORMATION, STRESSES, RHEOLOGY, MATHEMATICAL MODELS, PACK ICE.
A collisional rheology for an idealized two-dimensional flow of a fragmented ice field is derived This fragmented ice field is modeled as an assembly of identical smooth disks Collisions between neighboring disks are caused by the mean deformation field These collisions transfer momentum which produces the internal stresses in the deforming ice field By equating the collisional energy losses to the deformational energy, a relationship between the stress and strain rate is quantified To demonstrate the essential idea, an analytical derivation is first given under quite restricted assumptions A Monte Carlo simulation is then developed to provide a more general approach for the analysis It is found that the collisional stresses are proportional to the square of disk diameter and the square of the deformation rate The magnitude of stresses is also found to increase rapidly as the collisional restitution of disks increases The collisional rheology yields zero tensile strength. The associated normal flow rule commonly used in the plastic rheology is not valid in the collisional rheology It is found that the collisional stresses are very small Consequently, the resulting stress divergence is estimated to be much lower than the air stress typically encountered in the marginal ice zone However, these collisional stresses become singular as the maximum compactness is reached, indicating that a different mechanism may exist in that extreme.

MP 2243
COLD REGIONS ROOF DESIGN.
Tobiasson, W., Aug 1987, No.516, p.457-458.
41-4277
ROOFS, WATERPROOFING, ICING, SNOW SLIDES, DESIGN, MOISTURE, COLD WEATHER CONSTRUCTION, WATERSHEDS, CONSTRUCTION MATERIALS, DRAINAGE, POLAR REGIONS.

MP 2244
CHANGES IN THE SALINITY AND POROSITY OF SEA-ICE SAMPLES DURING SHIPPING AND STORAGE.
Cox, G.F.N., et al, 1986, 32(112), p 371-375, 7 refs., With French and German summaries
Weeks, W.F
41-4291
ICE SALINITY, POROSITY, SEA ICE, TRANSPORTATION, STORAGE
A theoretical examination of salinity and porosity changes introduced in sea-ice samples by brine expulsion and gas entrapment caused by thermal cycling during shipping and storage shows that in extreme cases such effects can be significant, resulting in 15% reductions in porosity (n) More representative scenarios give porosity changes of less than 2% which, assuming that ice-property variations scale with n(1-2), result in property variations of less than 1%

MP 2245
METHOD OF MEASURING LIQUID WATER MASS FRACTION OF SNOW BY ALCOHOL SOLUTION.
Fisk, D.J., 1986, 32(112), p 538-541, 3 refs, With French and German summaries
41-4311
SNOW WATER CONTENT, UNFROZEN WATER CONTENT, TEMPERATURE MEASUREMENT, MEASURING INSTRUMENTS, THEORIES, HEAT TRANSFER
A method of making [illegible] measurements of the liquid water fraction of snow has been developed in which a snow sample is dissolved in methanol to produce a temperature depression The depression is linearly related to the liquid water content

of the snow sample. A single operator can perform four to five measurements per hour with a maximum absolute error of 1.0%.

MP 2246
VENTS AND VAPOR RETARDERS FOR ROOFS.
Tobiasson, W., U.S. Army Cold Regions Research and Engineering Laboratory, [1986], 11p., Paper presented at the Symposium on Air Infiltration, Ventilation and Moisture Transfer, Ft. Worth, TX, Dec. 1986. 22 refs.
41-4575
ROOFS, AIR LEAKAGE, MOISTURE, VENTILATION, INDOOR CLIMATES, HUMIDITY, WATER VAPOR, AIR TEMPERATURE, CONDENSATION, COUNTERMEASURES.

MP 2247
DEVIATION OF GUIDELINES FOR BLASTING FLOATING ICE.
Mellor, M., Feb. 1987, 13(2), p.193-206, 12 refs.
41-4495
ICE BLASTING, PROJECTILE PENETRATION, FLOATING ICE.

MP 2248
TRAILING-TIRE MOTION RESISTANCE IN SHALLOW SNOW.
Blaisdell, G.L., International Conference of ISTVS, 9th, Barcelona, Spain, Aug. 31-Sep. 4, 1987. Proceedings, Vol.1, Hanover, NH, International Society for Terrain Vehicle Systems (ISTVS), [1987], p.296-304, 6 refs.
42-2
SNOW STRENGTH, TRAFFICABILITY, VEHICLES, SNOW COVER, GROUND THAWING, TIRES, SNOW COMPACTION, VELOCITY, TESTS.
Considerable attention has been given to the subject of motion resistance of tires traveling in virgin snow. Trailing tires (those that follow in the rut of a preceding wheel) are generally assumed to provide negligible motion resistance. Levels of resistance for trailing tires were measured with the CRREL Instrumented Vehicle operating in two snow conditions. Using this vehicle, two methods of measuring trailing tire resistance have been explored. Good agreement was found between the methods. A very different balance of leading-tire to trailing-tire resistance was also found for the two snows. For both snows, it is seen that it is not appropriate to assume that trailing-tire resistance is negligible.

MP 2249
PNEUMATICALLY DE-ICED ICE DETECTOR—FINAL REPORT, PHASE 2, PART 1.
Franklin, C.H., et al, Ann Arbor, MI, Franklin Engineering Company, May 1986, 9p. + appends.
Rogrse, C.O., Vinton, C.S.
42-55
ICE DETECTION, ICE REMOVAL, EQUIPMENT, ICE FORMATION, MEASURING INSTRUMENTS, WIND FACTORS, ICE ACCRETION, LOADS (FORCES).

MP 2250
THEORY OF PARTICLE COARSENING WITH A LOG-NORMAL DISTRIBUTION.
Colbeck, S.C., July 1987, 35(7), p.1583-1588, With French and German summaries. 22 refs.
42-69
METALS, LOW TEMPERATURE TESTS.

MP 2251
CHEMICAL, PHYSICAL AND STRUCTURAL PROPERTIES OF ESTUARINE ICE IN GREAT BAY, NEW HAMPSHIRE.
Meese, D.A., et al, June 1987, 24(6), p.833-840, 5 refs.
Gow, A.J., Mayewski, P.A., Ficklin, W., Loder, T.C.
42-66
ICE PHYSICS, ICE COMPOSITION, ICE STRUCTURE, SEA ICE, ESTUARIES.

MP 2252
FLOATING DEBRIS CONTROL; A LITERATURE REVIEW.
Perham, R.E., June 1987, REMR-HY-2, 22p. + 41p. of append, 18 refs.
42-98
HYDRAULIC STRUCTURES, FLOOD CONTROL, WATER POLLUTION, DAMAGE, MAINTENANCE, EQUIPMENT, TESTS.
Floating debris can have an extremely harmful effect on certain hydraulic structures such as flood control works and navigation facilities and is consequently an important concern in maintenance and repair activities. This report assembles information found in published sources about equipment and methods used to control floating debris. Also included is an appendix on booms, their functions in the water transportation of pulpwood, and results of laboratory tests of various boom designs which was previously published by the Pulp and Paper Research Institute of Canada and which contains much useful information applicable to booms for control of floating debris.

MP 2253
VIBRATION ANALYSIS OF THE YAMACHICHE LIGHTPIER.
Haynes, F.D., Apr. 1986, 1(2), p.9-18, For another version see 40-1881. 14 refs.
42-100
PIERS, VIBRATION, ICE LOADS, SHEAR STRENGTH, MATHEMATICAL MODELS, COMPUTER APPLICATIONS.

MP 2254
SPECTRAL MEASUREMENTS IN A DISTURBED BOUNDARY LAYER OVER SNOW.
Andreas, E.L., Aug. 1, 1987, 44(15), p.1912-1939, 96 refs.
42-95
TURBULENT BOUNDARY LAYER, SNOW SURFACE, SNOW AIR INTERFACE, WIND VELOCITY, AIR TEMPERATURE, HUMIDITY.
Time series were measured of the turbulent fluctuations in longitudinal *(u)* and vertical *(w)* velocity and in temperature *(t)* and humidity *(q)* with fast-responding sensors in the near-neutrally stable surface layer over a snow-covered field. These series yielded individual spectra, *u-w, w-t, w-q,* and *t-q* cospectra, and phase and coherence spectra for nondimensional frequencies *(fz/U)* from roughly 0.001 to 10. This is, thus, one of the most extensive spectral sets ever collected over a snow-covered surface. With the exception of the *u-w* cospectra, all of the spectra and cospectra displayed the expected dependence on frequency in an inertial or inertial-convective subrange. At this complex site, turbulence alone determines the spectra and cospectra at high frequency, while at low frequency, the spectra and cospectra reflect a combination of topographically generated turbulence and, probably, internal waves. From the measured temperature and humidity spectra and the *t-q* cospectra, refractive index spectra for light of 0.55 micron and millimeter wavelengths were computed, the first such spectra obtained over snow. From the *u, t* and *q* spectra, the surface sensible *(Hs)* and latent *(Hl)* heat fluxes were estimated using the inertial-dissipation technique. Aspects of these computed and estimated values are discussed. (Auth. mod.)

MP 2255
OPTICAL PROPERTIES OF ICE AND SNOW IN THE POLAR OCEANS. 1. OBSERVATIONS.
Perovich, D.K., et al, 1986, Vol.637, Ocean optics 8. Edited by M.A. Blizard, p.232-241, 38 refs.
Maykut, G.A., Grenfell, T.C.
42-193
ICE OPTICS, SNOW OPTICS, SEA ICE, BRINES, ALBEDO, SCATTERING, ICE SPECTROSCOPY, ICE COVER EFFECT, TEMPERATURE EFFECTS.
Optically sea ice is a complex material with an intricate and highly variable structure which includes brine pockets, air bubbles, brine channels and internal platelet boundaries. Large variations in the optical properties of the surface layer can occur on horizontal scales of only a few meters, complicating efforts to quantify larger scale interactions between shortwave radiation and the ice-ocean system. Radiative transfer in sea ice is dominated at visible wavelengths by scattering rather than absorption. Because scattering in the ice is essentially independent of wavelength, spectral variations in the optical properties are primarily the result of differences in absorption. Observations show that albedos are particularly sensitive to the presence of liquid water in the surface layers, the effect being most pronounced at wavelengths above 600 nm. Albedos and extinction coefficients in the ice vary inversely with brine volume, and thus temperature. Below the eutectic point, precipitation of solid salts causes a sharp increase in scattering and corresponding increases in albedo and absorption. Biological activity in natural sea ice often affects light transmission and absorption, particularly in coastal regions and in the southern ocean. Phase function measurements indicate that the scattering distribution in sea ice is only weakly dependent on wavelength and brine volume.

MP 2256
OPTICAL PROPERTIES OF ICE AND SNOW IN THE POLAR OCEANS. 2. THEORETICAL CALCULATIONS.
Grenfell, T.C., et al, 1986, Vol.637, Ocean optics 8. Edited by M.A. Blizard, p.242-251, 25 refs.
Perovich, D.K.
42-194
ICE OPTICS, SNOW OPTICS, SEA ICE, ANALYSIS (MATHEMATICS), ALBEDO, SOLAR RADIATION, ICE MICROSTRUCTURE, BRINES, TEMPERATURE EFFECTS, GRAIN SIZE.
Radiative transfer models of sea ice applied to date range from a simple Bouguer-Lambert representation for net downwelling irradiance through 16 stream models which takes into account detailed variations in ice microstructure. Both sea ice and snow are strongly multiple scattering media with single scattering albedos well above 0.9 through the visible and into the near infrared. Parameter studies indicate that the optical properties of sea ice are controlled by the density of brine and vapor inclusions which in general undergo substantial seasonal changes. Melting and brine drainage are the principal causes of these variations. For ice below -5 C, temperature effects are relatively weak unless the T(ice) drops below the eutectic point. The optical properties of snow depend primarily on grain size, the bulk density, and the presence of impurities such as carbon soot. The theoretical models appear to be able to reproduce observations quite well and have revealed that soot or dust contamination of snow appears to be prevalent even in the Arctic.

MP 2257
OPTICAL CHARACTERIZATION OF SEA ICE STRUCTURE USING POLARIZED LIGHT TECHNIQUES.
Gow, A.J., 1986, Vol 637, Ocean optics 8. Edited by M.A. Blizard, p.264-271, 11 refs.
42-196
ICE OPTICS, RECRYSTALLIZATION, ICE STRUCTURE, SEA ICE, POLARIZATION (WAVES), ICE CRYSTAL STRUCTURE, BRINES, ICE CRYSTAL SIZE, LIGHT TRANSMISSION, REFLECTION, ICE SALINITY, ICE TEMPERATURE.
Optical properties of sea ice depend to a greater or lesser extent on its crystalline properties and on the size, shape, and distribution of brine inclusions systematically trapped in the ice crystals. The use of polarized light techniques was demonstrated to examine the internal structure of sea ice. Using both naturally occurring and laboratory simulated sea ice we show how the crystalline and salinity components originate including discussion of the mechanisms by which first-year ice desalinates and recrystallizes into multi-year ice exhibiting optical properties significantly different from those of first-year ice.

MP 2258
PARAMETERS AFFECTING THE KINETIC FRICTION OF ICE.
Akkok, M., et al, July 1987, 109(3), p.552-561, Includes discussion by K. Itagaki and authors' closure. 19 refs.
Ettles, C.M.M., Calabrese, S.J., Itagaki, K.
42-202
ICE FRICTION, ICE SOLID INTERFACE, TEMPERATURE EFFECTS.

MP 2259
OPTICAL SNOW PRECIPITATION GAUGE.
Koh, G., et al, Eastern Snow Conference, 43rd, 1986, 1987, p.26-31, 8 refs
Lacombe, J.
42-214
SNOWFALL, PRECIPITATION GAGES, SNOW OPTICS, MEASURING INSTRUMENTS, DISTRIBUTION.
The most common quantitative measurement of falling snow is the precipitation rate. The time resolution of conventional mechanical snow gauges is poor, and their accuracy in measuring light snowfall is severely limited. An optical device designed to give an accurate instantaneous measurement of rain rate has been modified to operate in falling snow. Snow rates are inferred from statistical averages of intensity fluctuations caused by snow particles as they fall through a beam of light. Test results show that the optical device is extremely sensitive to light snowfall and may be a significant improvement over mechanical techniques to measure snow precipitation rates.

MP 2260
ANALYSIS OF 112 YEARS OF ICE CONDITIONS OBSERVED ON THE OHIO RIVER AT CINCINNATI.
Daly, S.F., et al, Eastern Snow Conference, 43rd, 1986, 1987, p.70-79, 10 refs.
Bilello, M.A.
42-218
RIVER ICE, ICE CONDITIONS, HYDROLOGY, WATERSHEDS, STATISTICAL ANALYSIS, DEGREE DAYS, FREEZING, DAMS, LOCKS (WATERWAYS), UNITED STATES—OHIO RIVER.
Daily ice conditions observed on the Ohio River at Cincinnati for the winters of 1874-75 through 1985-86 were analyzed. The amount of ice on the river, except during particularly cold winters, has decreased since 1900. The decline has been especially significant starting around 1930. Investigation of the severity of each winter, using the number of freezing degree-days as an index, revealed no systematic temperature trends over the 112 years of record. Associations between number of days with river ice and concurrent accumulated freezing degree-days over 20- or 11-winter increments were investigated. The results showed that between the winters of 1934-35 and 1963-64 considerably more freezing degree-days were required to produce ice, but the trend has reversed slightly since then. This decreasing trend in observed ice has occurred during a period of basin development, as indicated by a sample population, the construction of large locks and dams, and an increase in navigation tonnage on the river. The increase in heated discharge into the river corresponding with basin development and the construction of large locks and dams have probably had the most significant impacts.

MP 2261
ALCOHOL CALORIMETRY FOR MEASURING THE LIQUID WATER FRACTION OF SNOW.
Fisk, D.J., Eastern Snow Conference, 43rd, 1986, 1987, p.163-166, 2 refs.
42-227
SNOW WATER CONTENT, TEMPERATURE MEASUREMENT, SNOW ICE INTERFACE, UNFROZEN WATER CONTENT, CALORIMETERS, LATENT HEAT, ICE VOLUME, SPECIFIC HEAT, MEASURING INSTRUMENTS.
Equipment and procedure have been devised for measuring the liquid water/ice ratio of snow. The measurement is based on the temperature depression observed on dissolving a 25 g snow sample at 0 C in 80 g methanol at 0 C. The masses of the sample and alcohol are held constant, and the heat of solution of 25 water in 80 g methanol at zero deg is constant, so the or / variable is the water/ice ratio in the sample. The solution process occurs quickly enough that it is essentially adiabatic. The latent heat of fusion of up to 8.3 g ice is supplied by the heat of solution of the water in the alcohol. The heat of fusion of any ice above 8 3 g is supplied by a decrease in the solution temperature. Since the total latent heat of fusion varies linearly with ice content, and the solution specific heat is virtually constant, the final solution temperature also varies linearly with sample ice content.

MP 2262
INTERCOMPARISON OF SNOW COVER LIQUID WATER MEASUREMENT TECHNIQUES.
Boyne, H.S., et al, Eastern Snow Conference, 43rd, 1986, 1987, p.167-172, 8 refs.
Fisk, D.J.
42-228
SNOW WATER CONTENT, SNOW COVER, UNFROZEN WATER CONTENT, TEMPERATURE MEASUREMENT, MELTWATER, TESTS.
The amount and distribution of liquid water is important for assessing the mechanical strength, meltwater generation and meltwater transmission in snow cover. It also has a profound effect on the performance of active and passive remote sensing systems operating the microwave and millimeter wave region of the electromagnetic spectrum. Recently, an alcohol calorimeter method of measuring liquid water has been reported which is simpler than the freezing calorimeter. It is of interest to intercompare the two methods to show equivalence and to assess the errors of each. The intercomparison was made in a laboratory cold room with homogeneous snow having a mass liquid water content from 0% to 15%. The intercomparison shows that the two methods are equivalent and that the experimental errors associated with the measurements are consistent with what is expected from an error analysis of each method.

MP 2263
PAVEMENT ICING DETECTOR—FINAL REPORT.
Goldstein, N., et al, Contract No.DACA33-86-G-0014, Burlington, MA, Spectral Sciences, Inc., Jan. 1987, 26p. + append., Prepared for USA CRREL. 8 refs.
Richtsmeier, S.C.
42-274
ROAD ICING, PAVEMENTS, ICE DETECTION, ICE FORMATION, MEASURING INSTRUMENTS, DESIGN, SAFETY, EXPERIMENTATION, NOISE (SOUND).

MP 2264
EXOTHERMIC CUTTING OF FROZEN MATERIALS.
Garfield, D.E., et al, Aug. 1987, 14(2), p.181-183, 2 refs.
Haynes, F.D.
42-288
ICE CUTTING, GROUND THAWING, ICE MELTING, GRAVEL, FROZEN GROUND, SANDS, EQUIPMENT, HEAT SOURCES.
A commercially available cutting torch which uses consumable steel cutting rods was evaluated for cutting ice, and frozen sand, gravel, and silt. This relatively simple, lightweight torch was envisioned to have potential applications for producing shallow small-diameter holes in frozen ground for anchors, grounding rods, guy wire stakes, etc Specific energies for cutting the frozen materials compared reasonably well with other thermal processes, but as expected, were much higher (i.e. less efficient) than mechanical cutting processes Major advantages of the torch include portability, short set-up time, and its ability to melt a variety of materials

MP 2265
SNOW METAMORPHISM AND CLASSIFICATION.
Colbeck, S.C., NATO Advanced Institute on Seasonal Snowcovers: Physics, Chemistry, Hydrology, Les Arcs, France, July 13-25, 1986. Proceedings. Edited by H.G. Jones and W.J. Orville-Thomas. Seasonal snowcovers: physics, chemistry, hydrology, Dordrecht, Holland, D. Reidel Publishing Co., 1987, p.1-35, Refs. p.29-35.
42-1148
METAMORPHISM (SNOW), ICE CRYSTAL GROWTH, WATER VAPOR, WATER FLOW, ISOTOPES, CLASSIFICATIONS.
The flow of water vapor in dry snow and crystal growth from the vapor are reviewed to provide a basis for understanding the metamorphism of dry snow. The movement of isotopes with the vapor is also described. The growth of grains in water-saturated snow is described in some detail because it is the best known example of metamorphism. Grain clusters and melt-freeze grains dominate wet snow at low liquid contents After the principles and observations are all described, a snow classification scheme is proposed

MP 2266
TECHNOLOGY AND COSTS OF WASTEWATER APPLICATION TO FOREST SYSTEMS.
Crites, R.W., et al, Institute of Forest Resources, Contribution No.56, Forest Land Applications Symposium, Seattle, WA, June 25-28, 1985. Proceedings. Edited by D.W. Cole, C.L. Henry and W.L. Nutter. Forest alternative for treatment and utilization of municipal and industrial wastes, Seattle, WA, University of Washington Press, 1986, p.349-355, 14 refs.
Reed, S.C.
42-1194
WASTE TREATMENT, FOREST LAND, WATER TREATMENT, LAND RECLAMATION, IRRIGATION, COST ANALYSIS, MAINTENANCE.
Land treatment of municipal wastewater on forest land has been practiced experimentally for over twenty years and on a full-scale basis for over ten. The technology of land application consists of sprinkler irrigation using solid-set (fixed) sprinklers. Most sprinkler systems have been installed in existing forests using either buried or aboveground laterals. Design guidance for sprinkler spacing and operating pressures for solid-set systems in forests is presented. Costs of installed forest land application systems are also given. Costs and design factors are reviewed for systems at Snoqualmie Pass, Washington; Wolfeboro, New Hampshire; Lake of the Pines, California; Clayton County, Georgia; and State College, Pennsylvania. Operation and maintenance costs are provided for systems at Clayton County, Georgia; West Dover, Vermont, and Kennett Square, Pennsylvania. Reduction of the cost of future systems can be accomplished by minimizing the amount of effluent storage provided. Most forest systems can operate with thirty days storage or less. New technology and new plantations can allow reductions in the cost of wastewater application. Potential revenue from tree harvest can also reduce overall costs.

MP 2267
FROST ACTION PREDICTIVE TECHNIQUES: AN OVERVIEW OF RESEARCH RESULTS.
Johnson, T.C., et al, 1986, No.1089, p.147-161, 30 refs.
Berg, R.L., DiMillio, A.
42-435
FROST ACTION, FROST HEAVE, THAW WEAKENING, FROST RESISTANCE, FREEZE THAW TESTS, SOIL FREEZING, TESTS, FREEZE THAW CYCLES, MODELS.
A 6-year research program has materially advanced the state of knowledge regarding frost heave and thaw weakening affecting roads and airfield pavements. The investigations included development and performance of laboratory tests, development of computer models, testing and data collection at field pavement test sites, and validation of the laboratory procedures and computer models against field data. Specific advances include development of a new freezing test to assess the frost susceptibility of soil, development and validation of a mathematical model serving to predict frost heave and thaw consolidation; development of a laboratory test procedure to determine the resilient modulus of frozen, thawed, and recovering granular soils, and conceptualization and testing of a technique for combining the frost heave and thaw consolidation model, the laboratory resilient modulus test, and a pavement response model to predict the nonlinear resilient modulus of granular soils and base course materials as variables in time and space

MP 2268
MILITARY SNOW REMOVAL PROBLEMS.
Minsk, L.D., Aug. 1987, 79(516), p.452-453.
42-673
SNOW REMOVAL, MILITARY OPERATION

MP 2269
BIT DESIGN IMPROVES AUGERS.
Sellmann, P.V., et al, Aug. 1987, 79(516), p.453-454
Brockett, B.E.
42-674
AUGERS, FROZEN GROUND.

MP 2270
GROUND FREEZING CONTROLS HAZARDOUS WASTE.
Iskandar, I.K., Aug. 1987, 79(516), p.455-456.
42-675
SOIL FREEZING, ARTIFICIAL FREEZING, WASTE DISPOSAL.

MP 2271
FROST JACKING FORCES ON H AND PIPE PILES EMBEDDED IN FAIRBANKS SILT.
Johnson, J.B., Mar. 1984, AK-RD-84-13, 42p. + appends., For another version see 40-676. 19 refs.
42-679
FROST HEAVE, PILE EXTRACTION, PERMAFROST DISTRIBUTION, THERMOPILES, ANALYSIS (MATHEMATICS), TEMPERATURE EFFECTS, FROZEN GROUND MECHANICS, COUNTERMEASURES, FROST PENETRATION.

MP 2272
BRITTLENESS OF REINFORCED CONCRETE STRUCTURES UNDER ARCTIC CONDITIONS.
Kivekäs, L., et al, 1985, No.4, p.111-121, 5 refs. For another version see 41-213 (CR 86-02).
Korhonen, C.
42-659
REINFORCED CONCRETES, CONCRETE STRENGTH, LOW TEMPERATURE TESTS, LOADS (FORCES), BRITTLENESS, CONCRETE STRUCTURES, IMPACT STRENGTH.
The behavior of reinforced and unreinforced concrete beams was studied under impact load at low temperatures, and the results were compared with the behavior of reinforcing steel in the Charpy-V impact-tests. Transition temperatures as high as -30 C were obtained in the Charpy-V test whereas at temperatures as low as -63 C no brittle failure occurred in the concrete beams, even in those beams where the rebars were intentionally notched The impact strength of unreinforced concrete increased considerably at lower temperatures.

MP 2273
RIVER ICE MAPPING WITH LANDSAT AND VIDEO IMAGERY.
Gatto, L.W., et al, William T. Pecora Memorial Symposium on Remote Sensing, 11th, Sioux Falls, SD, May 5-7, 1987. Proceedings, Silver Spring, MD, Institute of Electrical and Electronics Engineers, Computer Society Press, 1987, p.352-363, 10 refs.
Daly, S.F., Carey, K.L.
42-1526
RIVER ICE, ICE CONDITIONS, REMOTE SENSING, MAPPING, LANDSAT, AERIAL SURVEYS, PHOTOGRAPHY, ICE NAVIGATION.
As part of the Corps of Engineers River Ice Management Program, Landsat imagery and low-altitude video imagery were used to map ice conditions along the Ohio, Allegheny, Monongahela, Illinois, and Kankakee Rivers. The imagery was analyzed using photointerpretation techniques. Landsat imagery was used to map river ice from 1972 through 1984. The video imagery was used from 1984 to 1987. Ice conditions on these rivers can change rapidly, often daily, and the areal extent of ice is typically greatest from mid-Jan to mid-Feb. In spite of the small-scale and limited coverage of Landsat imagery, it is useful for analysis of general river ice conditions, especially during severe winters when ice becomes extensive Video imagery is an economical means of documenting river ice conditions, although cloud cover, inclement weather, and low ceilings restrict opportunities for more frequent coverage. It also can provide near-real-time data when extreme ice conditions cause navigation emergencies.

MP 2274
ARCTIC MARINE NAVIGATION AND ICE DYNAMICS—SUMMARY FINDINGS.
Weeks, W.F., Arctic marine technology—Airlie House Workshop, Warrenton, VA, Feb. 26-28, 1973. [Proceedings]. Washington, D.C., [1973], p.86-99.
42-733
ICE NAVIGATION, ICE MECHANICS, SHIPS, MARINE TRANSPORTATION, VEHICLES, ENVIRONMENTAL IMPACT, METEOROLOGY.

MP 2275
BASELINE ACIDITY OF PRECIPITATION AT THE SOUTH POLE DURING THE LAST TWO MILLENNIA.
Cragin, J.H., et al, Aug. 1987, 14(8), p.789-792, 38 refs.
Giovinetto, M.B., Gow, A.J.
42-902
ICE COMPOSITION, FIRN, CHEMICAL PROPERTIES, ANTARCTICA AMUNDSEN-SCOTT STATION.
Measurements of meltwater pH from annual layers of South Pole firn and ice samples ranging in age from 40 to 2000 years BP show that precipitation at this remote site has a higher natural acidity than that expected from atmospheric

equilibrium with CO2 The average pH of deaerated (CO2-free) samples was 5 64, while air-equilibrated samples averaged 5 37, a pH that is about a factor of two more acidic than the expected background pH of 5 65 The observed "excess" acidity can be accounted for by sulphur and nitrogen cation levels in the samples originating from non-anthropogenic H2SO4 and HNO3 Because of the presence of these naturally occurring acids in South Pole precipitation, a pH of 5.4 is considered a more representative baseline reference pH for acid precipitation studies. (Auth)

MP 2276
METEOROLOGICAL INSTRUMENTATION FOR CHARACTERIZING ATMOSPHERIC ICING.
Bates, R.E., et al, June 1987, No 3439, International Workshop (on) Atmospheric Icing of Structures, 2nd, Trondheim, Norway, June 19-21, 1984 Proceedings. Edited by M. Ervik, p.23-30, 4 refs., Includes discussion.
Govoni, J.W.
42-923
ICING, STRUCTURES, METEOROLOGICAL FACTORS, HOARFROST, GLAZE, FROST, MEASURING INSTRUMENTS, ICE DETECTION.
The accumulation of rime and glaze ice on structures depends on meteorological variables such as wind, precipitation rate, air temperature, fog density and atmospheric moisture content However, highly accurate measurements of meteorological variables during periods of icing (including wet snow) that occur in the cold regions of the world are for the most part unavailable due to instrumentation failure or geographic remoteness For the last 5 years, USACRREL has been modifying, testing, and utilizing state-of-the-art sensors and recording systems for measuring winter environmental conditions. This paper discusses meteorological sensors (including ice detectors) used in adverse cold environments, including the mountainous areas of the northeastern United States. One of the state-of-the-art site-specific sensor packages, the newly developed Environmental Instruments Model 200 Dual Processor Meteorological System has been thoroughly evaluated during periods of adverse weather and icing The system has no moving parts, but incorporates two static pair heated resistive sensing elements for measuring wind speed and direction, a platinum resistance thermometer for temperature, and a pressure transducer for atmospheric pressure. Results obtained and problem areas encountered using a number of different sensors in adverse weather conditions at both the CRREL snow-field experiment test sites and high elevation winter icing experiment sites are discussed

MP 2277
ICE DETECTOR MEASUREMENTS COMPARED TO METEOROLOGICAL PARAMETERS IN NATURAL ICING CONDITIONS.
Tucker, W.B., et al, June 1987, No 3439, International Workshop (on) Atmospheric Icing of Structures, 2nd, Trondheim, Norway, June 19-21, 1984 Proceedings. Edited by M. Ervik, p.31-37, 18 refs., Includes discussion.
Howe, J.B.
42-924
ICE DETECTION, ICING, ICE ACCRETION, STRUCTURES, AIR TEMPERATURE, WIND VELOCITY, UNFROZEN WATER CONTENT, CLOUD DROPLETS, MEASURING INSTRUMENTS.
Several seasons of icing data have been collected under natural icing conditions on the summit of Mt Washington, New Hampshire Two models of the Rosemount Ice Detector were evaluated in the context of providing icing intensity data under various conditions Average temperature, wind-speed, liquid water content and median droplet diameter were also recorded for each icing event, the latter two parameters being provided by rotating multicylinders A measure of icing rate has been calculated from the liquid water content and the wind speed, and has been compared to the ice detector cycling rates For detectors with long heat-on times the upper limit (maximum cycling rate) of the detector is easily reached under natural conditions The detector with long heat-on times also exhibits problems at higher temperatures At environmental temperatures near freezing, the probe takes considerable time to cool below freezing and begin to again accumulate ice Thus a maximum cycle rate is reached under these conditions which can be well below the actual icing rate Under prolonged icing conditions, ice accumulations on the unheated parts of the probe and support structure can interfere with the airflow past the probe, significantly changing the collection efficiency Under extreme conditions, this can result in a complete lack of cycling The problems associated with application of the ice detector cycling rates as a measure of accretion rates on more complex objects are also discussed In particular, the fact that the collection efficiency is so strongly dependent on the droplet size distribution may limit its usefulness

MP 2278
SELF-SHEDDING OF ACCRETED ICE FROM HIGH-SPEED ROTORS.
Itagaki, K., June 1987, No.3439, International Workshop (on) Atmospheric Icing of Structures, 2nd, Trondheim, Norway, June 19-21, 1984. Proceedings. Edited by M. Ervik, p.95-100, 18 refs., Includes discussion.
42-933
ICING, PROPELLERS, HELICOPTERS, ICE ACCRETION, SUPERCOOLED FOG, ICE REMOVAL, ICE ADHESION, TEMPERATURE EFFECTS, COUNTERMEASURES, ICE COVER THICKNESS, TENSILE PROPERTIES.
Ice accreted on high-speed rotors operating in supercooled fog can be thrown off by centrifugal force, creating severe unbalance and dangerous projectiles. A simple force balance analysis indicates that the strength of accreted ice and its adhesive strength can be obtained by measuring the thickness of the accretion, the location of the separation, the rotor speed and the density. Such an analysis was applied to field and laboratory observations of self-shedding events The results agree reasonably well with other observations

MP 2279
COMPUTER MODELING OF ATMOSPHERIC ICE ACCRETION AND AERODYNAMIC LOADING OF TRANSMISSION LINES.
Egelhofer, K.Z., et al, June 1987, No.3439, International Workshop (on) Atmospheric Icing of Structures, 2nd, Trondheim, Norway, June 19-21, 1984. Proceedings. Edited by M. Ervik, p.103-109, 12 refs., Includes discussion.
Ackley, S.F., Lynch, D.R.
42-934
ICE ACCRETION, POWER LINE ICING, TRANSMISSION LINES, WIND PRESSURE, ANALYSIS (MATHEMATICS), AIR FLOW, COMPUTER APPLICATIONS, ICE FORECASTING, MODELS, SUPERCOOLING.
A time-dependent computer model capable of predicting the accretion of rime ice on a wire free to rotate is described A finite element technique is used to obtain the air velocity field adjacent to the wire. A local collision efficiency is calculated for several radial sectors of the wire by tracking supercooled water droplets of various sizes until they collide with the wire The asymmetric buildup of ice causes the wire to rotate, changing the flow field around the wire and the rate of ice accretion The finite element technique is a very effective method of analyzing this problem because the ice accretion shape is not limited to a simple geometric shape The drag force is computed as a function of time to investigate the forces acting on the wire during an icing event Model results are presented including comparisons of icing simulations of wires of various rigidities and lengths

MP 2280
FOREST LAND TREATMENT WITH MUNICIPAL WASTEWATER IN NEW ENGLAND.
Reed, S.C., et al, Institute of Forest Resources, contribution No 56, Forest Land Applications Symposium, Seattle, WA, June 25-28, 1985. Proceedings Edited by D.W. Cole, C.L. Henry and W.L. Nutter. Forest alternative for treatment and utilization of municipal and industrial wastes, Seattle, WA, University of Washington Press, 1986, p.420-430, 12 refs.
Crites, R.W.
42-1195
WASTE TREATMENT, WATER TREATMENT, FOREST LAND, LAND RECLAMATION, DESIGN, WATER POLLUTION, COUNTERMEASURES.
An overview of several case studies of forest land treatment with municipal wastewater in New England is presented One of the earliest land treatment systems in this area in modern times was installed in 1971 by the state of New Hampshire at Sunapee State Park, in a mature forest of mixed hardwoods and conifers The system is in excellent condition, and continued operation is planned for the foreseeable future Municipal forest land treatment systems are also operating successfully at West Dover Vermont, Wolfeboro, New Hampshire and Greenville, Maine Design and operating information is provided for all 4 systems For West Dover the energy consumption is evaluated and the treatment performance is documented West Dover operates throughout most winters with minimal storage The improvements in water quality at several of these systems are also discussed and a method for estimating phosphorus removal is described

MP 2281
DETECTING UNDERGROUND OBJECTS/UTILITIES.
Hironaka, M.C., et al, Workshop (on) Facilitating Technology Advancement in the U.S. Construction Industry, Austin, TX, Oct. 28-29, 1987 Proceedings, (1987), p.36-43, 3 refs
Bigl, S.R.
42-967
UNDERGROUND FACILITIES, DETECTION, RADAR ECHOES, MEASURING INSTRUMENTS, PENETRATION TESTS
Hand-held detectors and ground penetrating radar systems have been field evaluated to determine their effectiveness in locating underground objects and utilities. The hand-held detectors are limited to locating either metallic or nonmetallic (by radio transmitter) lines and are best suited to tracing such lines To trace such lines, at least a vague idea of their location must be known or a point of physical access must be available Ground penetrating radar (GPR), on the other hand, has the capability to detect both metallic and nonmetallic objects without prior knowledge of their presence. However, as presently configured, GPRs have certain deficiencies that resulted in poor performance in field evaluation tests. The best system detected only 60% of the metallic and 36% of the nonmetallic objects that were present in our test site We therefore have development efforts underway or completed to improve the capabilities of GPRs These efforts include optimum GPR source signal, high-power focused antenna, and signal processing-image reconstruction software.

MP 2282
INFRARED TESTING FOR LEAKS IN NEW ROOFS.
Korhonen, C., Workshop (on) Facilitating Technology Advancement in the U.S. Construction Industry, Austin, TX, Oct. 28-29, 1987. Proceedings, (1987), p.49-54, 4 refs.
42-968
ROOFS, LEAKAGE, INFRARED RECONNAISSANCE, MOISTURE DETECTION, THERMAL INSULATION, TEMPERATURE VARIATIONS.
Newly constructed roofs can develop leaks as soon as they are built, but these leaks may not manifest themselves inside the building until after the warranty has expired High resolution infrared scanners can be used during the warranty period to locate the wet insulation resulting from these leaks. When combined with detailed visual examination, infrared surveys can help to determine who is responsible for the leak If the leak is the result of a design or workmanship error, then the building owner is saved the expense of pursuing remedial repairs on a new roof.

MP 2283
COMPARISON OF SNOW COVER LIQUID WATER MEASUREMENT TECHNIQUES.
Boyne, H.S., et al, Oct 1987, 23(10), p 1833-1836, 19 refs.
Fisk, D.J.
42-990
SNOW WATER CONTENT, UNFROZEN WATER CONTENT, SNOW MECHANICS, MELTWATER, MICROWAVES, REMOTE SENSING, TEMPERATURE MEASUREMENT, SEEPAGE.
The amount and distribution of liquid water are important for assessing the mechanical strength, meltwater generation, and meltwater transmission in snow Liquid water also has a profound effect on the performance of active and passive remote sensing systems operating in the microwave and millimeter wave region of the electromagnetic spectrum New methods of measuring liquid water have been reported which show considerable promise Our purpose is to address the question of measurement equivalence by comparing the three direct methods of freezing calorimetry, alcohol calorimetry, and dilution and by comparing the precision of a calibrated capacitance probe with one of the direct methods All comparisons were made in a laboratory cold room with snow having a mass liquid water content of 0-14 mkg per 100 mkg of snow The comparisons show that the methods are equivalent with an uncertainty of about 1 8 mkg per 100 mkg of snow However, the operational achievement of equivalence is strongly dependent on a variety of factors such as sample size, mixing of snow and working fluid, and operator skill

MP 2284
CLIMATOLOGY OF RIME ACCRETION IN THE GREEN AND WHITE MOUNTAINS.
Ryerson, C.C., Conference on Mountain Meteorology, 4th, Seattle, WA, Aug 25-28, 1987 (Proceedings). Boston, MA, American Meteorological Society, 1987, p 267-272, 9 refs
42-997
ICING, ICE ACCRETION, HOARFROST, MOUNTAINS, CLIMATOLOGY, STATISTICAL ANALYSIS

MP 2285
METEOROLOGICAL SYSTEM PERFORMANCE IN ICING CONDITIONS.
Bates, R.n., Electro-Optical Systems Atmospheric Effects Library Tactical Weather Intelligence (EOSAEL TWI) Conference, 7th, Las Cruces, NM, Dec 2-4, 1986 Proceedings, U.S. Army Atmospheric Sciences Laboratory, 1987, p 73-86, 5 refs
42-1037
ICE FORMATION, ICING, METEOROLOGICAL INSTRUMENTS, HOARFROST, MODELS, CLIMATIC FACTORS, AIR TEMPERATURE, FREEZE THAW CYCLES
Adverse weather that induces riming and glaze formations severely affects most conventional meteorological field sensors and frequently causes system failure Such conditions include temperatures near or just below freezing, frozen precipita-

tion and excessive humidity. These conditions usually accompany major synoptic events which in most cases go unrecorded because of 1) the remoteness of the high elevations where extreme icing and wind normally occur, and 2) the failure of the instrumentation required to characterize the adverse weather.

MP 2286
EXTINCTION COEFFICIENT FOR A DISTRIBUTION OF ICE FOG PARTICLES.
Jordan, R., Electro Optical Systems Atmospheric Effects Library/Tactical Weather Intelligence (EOSAEL/TWI) Conference, 7th, Las Cruces, NM, Dec. 2-4, 1986. Proceedings, U.S. Army Atmospheric Sciences Laboratory, 1987, p.527-539, 15 refs.
42-1035
ICE FOG, INFRARED RADIATION, ELECTROMAGNETIC PROPERTIES, ATTENUATION, PARTICLE SIZE DISTRIBUTION, MATHEMATICAL MODELS.
An approximation model is derived for the attenuation of visible and infrared radiation through ice fog. Assuming spherical particles and single scattering, a formula for estimating the extinction efficiency factor has been developed by combining the approaches of Hart-Montroll and Nussenzveig-Wiscombe. With the use of a Maxwell function to describe the size distribution of ice fog particles, a theoretical integration over the distribution is possible. The resulting extinction coefficient is a function of the mode radius of the distribution, the wavelength of the incident radiation, and the complex refractive index of ice. Its simple formulation provides an efficient means of scaling infrared to visible attenuation.

MP 2287
INTENSITY OF SNOWFALL AT THE SNOW EXPERIMENTS.
Bates, R.E., et al, Electro-Optical Systems Atmospheric Effects Library/Tactical Weather Intelligence (EOSAEL/TWI) Conference, 6th, Las Cruces, NM, Dec. 3-5, 1985. Proceedings, White Sands Missile Range, U.S. Army Atmospheric Sciences Laboratory, Feb. 1986, p.205-217, 7 refs.
King, G.G.
42-1062
SNOWFALL, SNOW WATER EQUIVALENT, MILITARY OPERATION, SNOW ACCUMULATION, VISIBILITY, SNOWSTORMS, REMOTE SENSING.
Snowfall intensities are currently classified by the National Weather Service Meteorological stations as "light, moderate and heavy" using visibility as a criterion. However, snowfall occurs with other obscurants, such as fog, making it extremely difficult to determine the actual snowfall intensity, therefore any criterion dependent on visibility alone should only be used as a guide. This paper presents a more quantitative method of determining snowfall using snow depth accumulation rate (cm/hr) and total hourly water equivalent (mm) as criteria. Intensive snowfall accumulation rates and water equivalent amounts were determined at the SNOW experiments at Fort Ethan Allen, Vermont, during the winters of 1980-81 and 1981-82, and at Camp Grayling, Michigan, during the winters of 1983-84 and 1984-85. These data are used to validate the preliminary snowfall intensity model.

MP 2288
PERSPECTIVES IN ICE TECHNOLOGY.
Ashton, G.D., (1986). 4p. Keynote address delivered at the International Conference on Ice Technology, MIT, June 10-12, 1986. (Unpublished manuscript.).
42-1372
ICE PHYSICS, RESEARCH PROJECTS, ENGINEERING, ICING, ICE COVER.

MP 2289
EFFECT OF ICE-FLOE SIZE ON PROPELLER TORQUE IN SHIP-MODEL TESTS.
Tatinclaux, J.C., American Towing Tank Conference, 21st, Washington, D.C., Aug. 5-7, 1986. Proceedings. Edited by R.F. Messalle. Washington, D.C., National Academy Press, 1987, p.291-298, 4 refs.
42-1352
ICE LOADS, PROPELLERS, ICE NAVIGATION, ICE FLOES, ICE CONDITIONS, ICE SOLID INTERFACE, VELOCITY, ICE DENSITY, FRICTION, TESTS.
Results of a laboratory study on ice-propeller interaction conducted with a model icebreaker are presented. The tests were made in ice-free water, precut channels with regularly shaped ice floes of different sizes, and brash-filled ice channels. The test results showed that the propeller torque and its standard deviation increased with both ice floe size and ship speed. The dominant frequency in the torque fluctuations was found to be either the propeller speed or the ratio of ship speed to floe width. The effect of ice ingestion on propeller thrust could not be determined because of malfunction of the thrust component of the propeller dynamometer. The results suggest that difference in ice density and in ice-hull friction coefficient between model tests and full scale trials may be at least partially responsible for the lack of agreement between torque and powering requirements predicted from model propulsion test results and those measured during full-scale trials.

MP 2290
CONFIDENCE IN HEAT FLUX TRANSDUCER MEASUREMENTS OF BUILDINGS.
Flanders, S.N., 1985, 91(1), p.515-531, 12 refs.
42-1375
HEAT TRANSFER, BUILDINGS, HEAT FLUX, TEMPERATURE MEASUREMENT, MEASURING INSTRUMENTS.
Confidence in the validity of heat flux transducer (HFT) measurements is sufficiently high that ASTM is preparing a standard practice for the use of HFTs on buildings. A key issue the standard practice will address is how to adjust the calibration of the HFT to the thermal environment of the measurement. Confidence in the use of HFTs is based in part on a propagation of error analysis of key thermal influences on the accuracy of measurement. The user can expect the HFT to render a standard deviation of 10% of the heat flux measured. Field measurements confirm this expectation. However, the variety of heat flux mechanisms inherent in building construction requires that the investigator choose the measuring situation carefully. Convection, even in "fully insulated" spaces, can cause unexpected lateral heat flux and results that are difficult to interpret. More work should be done with HFTs to investigate convection in walls and attics, as well as to investigate other lateral heat flux transfer mechanisms.

MP 2291
PREVIEW OF THE SNOW-III WEST DATA BASE.
Lacombe, J., July 1987, SR 87-12, Snow Symposium, 6th, Hanover, NH, Aug. 1986. Proceedings, p.3-11, ADB-115 486, 5 refs.
42-1404
SNOW PHYSICS, MILITARY OPERATION, LIGHT TRANSMISSION, INFRARED RECONNAISSANCE, VISIBILITY, METEOROLOGICAL FACTORS, DETECTION, SNOWFALL, PRECIPITATION GAGES.
Reduction of data recorded at the SNOW-III West field experiment is complete and a summary report is now being written. A preview of the organization and contents of the upcoming report is given in this paper.

MP 2292
SCAVENGING OF INFRARED SCREENER EA 5763 BY FALLING SNOW.
Cragin, J.H., et al, July 1987, SR 87-12, Snow Symposium, 6th, Hanover, NH, Aug. 1986. Proceedings, p.13-20, ADB-115 486, 4 refs.
Hewitt, A.D.
42-1405
SNOWFALL, INFRARED RADIATION, LIGHT SCATTERING, SNOW CRYSTALS, AEROSOLS, VISIBILITY, ICE CRYSTALS, PRECIPITATION (METEOROLOGY), WIND VELOCITY, TESTS, CLOUD DISSIPATION.
Field tests conducted with EA 5763 in Hanover, NH, Hollis, ME and E. Corinth, VT show that an order of magnitude more screener is removed and deposited at the surface within 30 m downwind during snowfall than under clear-air conditions. Relative amounts of screener deposited by diffusion gravitation under clear conditions were inversely proportional to the wind speed above a threshold value of about 1 m/s. A direct linear relationship exists between the mass precipitation rate and the fraction of smoke cloud scavenged by stellar, spatial dendritic, and clustered snow crystals. The scavenging efficiency does not appear to depend strongly on snow or ice crystal type although scatter in the data and the limited number (6) of tests may have masked any relationship. Snow is four to five times more efficient than raindrops in scavenging EA 5763 from smoke clouds.

MP 2293
HUMIDITY AND TEMPERATURE MEASUREMENTS OBTAINED FROM AN UNMANNED AERIAL VEHICLE.
Ballard, H., et al, July 1987, SR 87-12, Snow Symposium, 6th, Hanover, NH, Aug. 1986. Proceedings, p.35-45, ADB-115 486, 1 ref.
Izquierdo, M., McDonald, C., Smith, J., Cogan, J., Tibuni, F., Greeley, H.P.
42-1407
METEOROLOGICAL INSTRUMENTS, AIR TEMPERATURE, HUMIDITY, AIRPLANES, MEASURING INSTRUMENTS, TESTS, TEMPERATURE EFFECTS, ACCURACY.
A small, lightweight, low power consuming instrument designed to measure atmospheric temperature and relative humidity from an unmanned aerial vehicle (UAV) was flight tested. The measurements obtained from the UAV instrument were compared with those obtained from balloon borne instruments. The balloons were launched prior to and just after the UAV flights. Although the measurement accuracy of the UAV instrument could not be established during these tests, the temperature and relative humidity variations noted were consistent with those obtained from the balloon instruments. The temperature variations conformed to the expected lapse rates. Laboratory tests on the performance of the instrument package under varying, particularly cold, temperatures were conducted to determine the environmental effects on instrument sensitivity, accuracy and time constants. Results of these tests are presented.

MP 2294
ACOUSTIC-TO-SEISMIC COUPLING THROUGH A SNOW LAYER.
Peck, L., July 1987, SR 87-12, Snow Symposium, 6th, Hanover, NH, Aug. 1986. Proceedings, p.47-55, ADB-115 486.
42-1408
ACOUSTICS, SNOW COVER EFFECT, SEISMOLOGY, SOUND WAVES, SOIL MECHANICS, MILITARY OPERATION, FROST PENETRATION, EXPERIMENTATION.
The excitation of ground motion by airborne sound is termed acoustic-to-seismic coupling. The occurrence of acoustic-to-seismic coupling degrades the performance of a seismic sensor unless its contribution to the ground motion is compensated for, while it is the basis of aircraft detection and ranging by means of an acoustic/seismic sensor. The variation in acoustic-to-seismic coupling due to the winter environment must be known and understood so that the effects of the winter environment can be incorporated in the design and employment of sensor systems.

MP 2295
FORWARD SCATTER METER FOR MEASURING EXTINCTION IN ADVERSE WEATHER.
Koh, G., July 1987, SR 87-12, Snow Symposium, 6th, Hanover, NH, Aug. 1986. Proceedings, p.81-84, ADB-115 486, 2 refs.
42-1411
ATTENUATION, LIGHT SCATTERING, RADIATION, SNOWFALL, LIGHT TRANSMISSION, MEASURING INSTRUMENTS, RAIN, FOG.
The extinction coefficient is a measure of the attenuation of radiation as it propagates through the atmosphere. Techniques for measuring the extinction coefficient in optical wavelength regions are of interest, since many military devices detect visible and infrared radiation emitted or reflected by distant targets. Experimental results comparing extinction coefficients measured with a forward scatter meter and a transmissometer show that it is feasible to use a forward scatter meter to measure extinction in winter precipitation (snow, rain and fog).

MP 2296
SLANT PATH EXTINCTION AND VISIBILITY MEASUREMENTS FROM AN UNMANNED AERIAL VEHICLE.
Cogan, J., et al, July 1987, SR 87-12, Snow Symposium, 6th, Hanover, NH, Aug. 1986. Proceedings, p.115-126, ADB-115 486, 5 refs.
Greeley, H.P., Izquierdo, M., McDonald, C., Smith, J.
42-1414
INFRARED RADIATION, VISIBILITY, LIGHT TRANSMISSION, CLOUD COVER, TEMPERATURE EFFECTS, SOUNDING, COMPUTER APPLICATIONS.
The potential for using measurements of infrared radiation from the Earth's surface in the wavelength range of 8-14 micron to obtain an estimate of infrared extinction is examined. The system depends on the reduction of detected radiation with increasing distance from the observed objects. The effects of cloud cover and the temperature and emissivity dependence are considered. Limitations on the operational range are presented. This paper also presents a technique using a video image and computer processing to obtain a measure of visual range from the observed contrast differences in the image. A priori knowledge of scene contrast when visibility is known can be compared with the scene contrast obtained under arbitrary conditions to estimate visibility. A slightly different approach to obtain visual range views horizon and terrain simultaneously. A contrast measurement can then be used to determine visual range if the distance to the horizon is known.

MP 2297
WET PRECIPITATION IN SUBFREEZING AIR BELOW A CLOUD INFLUENCES RADAR BACKSCATTERING.
Colbeck, S.C., July 1987, SR 87-12, Snow Symposium, 6th, Hanover, NH, Aug. 1986. Proceedings, p.135-144, ADB-115 486, 8 refs.
42-1416
ICE CRYSTAL GROWTH, SUPERCOOLED CLOUDS, RADAR ECHOES, ANALYSIS (MATHEMATICS), BACKSCATTERING, TEMPERATURE EFFECTS, PRECIPITATION (METEOROLOGY), UNFROZEN WATER CONTENT.
Ice particles falling through supercooled clouds accrete water droplets fast enough to melt or a substantial temperature increase. During conditions of just wet growth of fair snow graupel particles, the temperature rise can reach several degrees. These wet ice particles would take hundreds of meters to refreeze after falling below the cloud. Thus wet ice particles can fall through subfreezing air below a supercooled cloud and enhance radar backscattering. While this effect is possible with clouds the liquid content of fogs is too low to produce more than a few tenths of a degree rise in the temperature of falling ice particles. Furthermore, only extensive clouds have a sufficient liquid water content to give a 1 degree temperature rise.

MP 2298
KADLUK ICE STRESS MEASUREMENT PROGRAM.
Cox, G.F.N., Technology assessment and research program for offshore minerals operations; 1986 report. Compiled and edited by J.B. Gregory and C.E. Smith, U.S. Dept. of Interior, Minerals Management Service, OCS study MMS 86-0083, [1987], p.100-107, 9 refs.
42-1494
ICE LOADS, ICE PRESSURE, OFFSHORE STRUCTURES, CAISSONS, STRESSES, ICE CONDITIONS, ICE TEMPERATURE, WIND FACTORS.

MP 2299
MECHANICAL PROPERTIES OF MULTI-YEAR PRESSURE RIDGE ICE.
Richter-Menge, J.A., Technology assessment and research program for offshore minerals operations; 1986 report. Compiled and edited by J.B. Gregory and C.E. Smith, U.S. Dept. of Interior, Minerals Management Service, OCS study MMS 86-0083, [1987], p.108-119, 19 refs.
42-1495
ICE MECHANICS, PRESSURE RIDGES, OFFSHORE STRUCTURES, ICE LOADS, ICE STRENGTH, IMPACT STRENGTH, ICE SALINITY, ICE DENSITY, STRAIN TESTS, ICE STRUCTURE, TEMPERATURE EFFECTS

MP 2300
OF: OVERLAND FLOW WASTEWATER TREATMENT AT EASLEY, S.C.
Martel, C.J., et al, Nov. 1986, p.1078-1079, Discussion of A.R. Abernathy's paper, 41-1899, and author's reply. 8 refs.
Jenkins, T.F., Abernathy, A.R.
42-1609
WASTE TREATMENT, WATER TREATMENT, LAND RECLAMATION, CHEMICAL ANALYSIS, DESIGN.

MP 2301
EFFECTS OF WATER AND ICE LAYERS ON THE SCATTERING PROPERTIES OF DIFFUSE REFLECTORS.
Jezek, K.C., et al, Dec. 1, 1987, 26(23), p 5143-5147, 7 refs.
Koh, G.
42-1651
ICE OPTICS, REFLECTIVITY, SCATTERING, DIFFUSION.

MP 2302
PROCEEDINGS.
International Symposium on Cold Regions Heat Transfer, Edmonton, Alta., June 4-6, 1987, New York, American Society of Mechanical Engineers, 1987, 270p., Refs. passim. For selected papers see 42-1689 through 42-1716.
Cheng, K.C., ed, Lunardini, V.J., ed, Seki, N., ed.
42-1688
HEAT TRANSFER, ICE FORMATION, ICE MELTING, SOIL FREEZING, ICING, FROST HEAVE, PHASE TRANSFORMATIONS, ICE WATER INTERFACE, SNOW MELTING, COLD WEATHER CONSTRUCTION, MATHEMATICAL MODELS.

MP 2303
EVOLUTION OF FRAZIL ICE IN RIVERS AND STREAMS: RESEARCH AND CONTROL.
Daly, S.F., International Symposium on Cold Regions Heat Transfer, Edmonton, Alta., June 4-6, 1987. Proceedings. Edited by K C Cheng, V J Lunardini and N. Seki, New York, American Society of Mechanical Engineers, 1987, p.11-16, 35 refs.
42-1690
FRAZIL ICE, ICE CONTROL, TURBULENT FLOW, ICE FORMATION, STREAMS, FREEZEUP, HEAT TRANSFER, ICE CRYSTALS, RIVER ICE, ICE PHYSICS, ICE MECHANICS.
This paper presents a selective overview of the research into frazil ice The development of theory, instrumentation, and control structures has not proceeded on parallel course for all stages of frazil evolution. The earliest, dynamic stage of frazil formation is probably the best described, yet there has as yet been no application of this theory to a practical situation A fundamental understanding of frazil formation could lead to means of disrupting the formation, such as by artificial seedings, modification of the fluid turbulence, etc The development of instrumentation, has increased our ability to view and sample frazil, but as yet has not provided much benefit for the design and siting of ice control structures. To date, the succes.ful use of ice control structures relies heavily on the insight of experienced field engineers. Theory or instrumentation has not made their job easier, but the potential is large A major task now is the synthesis of existing theory and instrumentation for application in ice control

MP 2304
SOME ANALYTICAL METHODS FOR CONDUCTION HEAT TRANSFER WITH FREEZING/THAWING.
Lunardini, V.J., International Symposium on Cold Regions Heat Transfer, Edmonton, Alta., June 4-6, 1987. Proceedings. Edited by K.C. Cheng, V.J. Lunardini and N. Seki, New York, American Society of Mechanical Engineers, 1987, p.55-64, Refs. p 61-64. Reprinted in Northern engineer,.Spring 1988, 20(1), p.15-25.
42-1695
HEAT TRANSFER, FREEZING, THAWING, HEAT BALANCE, PHASE TRANSFORMATIONS, SOIL FREEZING, PERMAFROST, FREEZE THAW CYCLES, ANALYSIS (MATHEMATICS).
One of the most difficult and yet most interesting areas of heat transfer is conduction (or convection) with freezing or thawing. The inherent non-linearity of the problem along with the unknown moving interface precludes exact solutions for most practical cases. This has spurred great effort to devise approximate solution methods which are accurate and of general application. Many of the known exact solutions are listed here along with a brief discussion of two approximate methods: the quasi-static and the heat balance integral. Space limitations rule out the inclusions of such useful variational methods as that of Biot or of a treatment in more detail.

MP 2305
MODELLING TRASH RACK FREEZEUP BY FRAZIL ICE.
Daly, S.F., International Symposium on Cold Regions Heat Transfer, Edmonton, Alta., June 4-6, 1987. Proceedings. Edited by K.C. Cheng, V.J. Lunardini and N. Seki, New York, American Society of Mechanical Engineers, 1987, p.101-106, 10 refs.
42-1700
FREEZEUP, FRAZIL ICE, ICE SOLID INTERFACE, ICE ADHESION, HEAT TRANSFER, ICE FORMATION, MATHEMATICAL MODELS, DRAINAGE.
The freezeup of trash racks by frazil ice occurs in a sequence that has not been quantitatively described. Because of the difficulty in observation and measurement, very little is quantitatively known about the concentration of frazil ice at the intake, the mechanism(s) of underwater ice adhesion, the deposition efficiency of frazil ice, the contribution of different heat transfer modes to the ice growth on the rack, and the relationship of the head loss through the rack to the flow velocity as a function of the mass of ice present. A comparison of the ice generation by conduction and convection with the mass of ice deposited on the rack from the flow indicates that deposition is the most significant mode of ice formation on the rack. Based on this, and other assumptions, a first generation mathematical model that describes the head loss through a trash rack during freezeup is developed. The mathematical model is developed for the case of a trash rack through which a constant discharge is maintained. The model is applied to laboratory data with good results The laboratory data were obtained by modelling a section of a trash rack in a flume located in a cold room. Frazil ice produced in the flume caused the rack to freeze up while a constant discharge was maintained. The mathematical model can be used to suggest means, both structural and operational, of extending the time until total freezeup of a trash rack occurs Improvements in the mathematical model are suggested.

MP 2306
ARCTIC RESEARCH OF THE UNITED STATES, VOL.1.
U.S. Interagency Arctic Research Policy Committee, Washington, D.C., Fall 1987, 121p.
Bowen, S.L., ed, Valliere, D.R, ed, Brown, J, ed
42-1746
RESEARCH PROJECTS, POLAR REGIONS, RESEARCH PROJECTS.
This new journal provides an overview of Federally funded research activities in Arctic regions and includes brief commentaries on specific programs being pursued by twelve departmental-level groups and thirteen sub-groups. The range of research topics includes minerals, geology, wildlife, land, parks, mines, atmosphere, oceans, biology, glaciology, earth sciences, sea ice, snow, ice, Arctic engineering, medicine, fisheries, weather forecasting, tsunamis, ice edge, remote sensing, space plasma physics, permafrost, hydrology, tundra ecosystems, health, human services, cultural dynamics, archeology, ice breaking, iceberg reconnaissance, Arctic pollution, marine transportation, environmental protection, international Arctic coordination, forestry, soil conservation. Reports of meetings of the various committees and commissions involved in Arctic research, the Arctic Research and Policy Act of 1984, and Executive Order 12501 establishing the Arctic Research Commission and the Interagency Arctic Research Policy Committee are included.

MP 2307
OBSERVATIONS OF JÖKULHLAUPS FROM ICE-DAMMED STRANDLINE LAKE, ALASKA: IMPLICATIONS FOR PALEOHYDROLOGY.
Sturm, M., et al, Binghamton Symposia in Geomorphology: International series, No.18, Catastrophic flooding. Edited by L. Mayer and D. Nash, London, Allen and Unwin, 1987, p.79-94, 14 refs.
Beget, J., Benson, C.
42-1613
FLOODING, ICE DAMS, GLACIAL LAKES, SUBGLACIAL DRAINAGE, GLACIAL HYDROLOGY, VOLUME, HYDROGRAPHY, PALEOCLIMATOLOGY, UNITED STATES—ALASKA—STRANDLINE LAKE.

MP 2308
DC RESISTIVITY MEASUREMENTS OF MODEL SALINE ICE SHEETS.
Arcone, S.A., Nov. 1987, GE-25(6), p.845-849, 16 refs.
42-1754
ICE ELECTRICAL PROPERTIES, ELECTRICAL RESISTIVITY, SALT ICE.

MP 2309
ENVIRONMENTAL FACTORS AND STANDARDS FOR ATMOSPHERIC OBSCURANTS, CLIMATE AND TERRAIN.
Opitz, B.K., et al, AirLand Battlefield Environment Executive Committee, Environmental Standards for Material Design Group, Oct. 1987, 137p., 7 refs. First edition. ALBE report 1, ESMDG pamphlet.
Miers, B.T., Shirkey, R.C., Bates, R.E., Robinson, J.H., West, H.W.
42-3145
MILITARY OPERATION, SNOW LOADS, ENVIRONMENTS, ICING, VISIBILITY, ICE FOG, SOUND WAVES, FREEZE THAW CYCLES, TOPOGRAPHIC FEATURES, CLIMATIC FACTORS, MILITARY FACILITIES.

MP 2310
HEAT LOSSES FROM THE CENTRAL HEAT DISTRIBUTION SYSTEM AT FORT WAINWRIGHT.
Phetteplace, G., Dec. 1982, EPS 3-WP-82-6, Symposium on Utilities Delivery in Cold Regions, 3rd, Edmonton, Alta., May 25-26, 1982. Proceedings. Compiled by D.W. Smith, p.308-328, 5 refs.
42-1728
HEAT LOSS, HEATING, UTILITIES, UNDERGROUND PIPELINES, AIR TEMPERATURE, TEMPERATURE EFFECTS, ANALYSIS (MATHEMATICS), COMPUTER PROGRAMS, SOIL TEMPERATURE, SEASONAL VARIATIONS.

MP 2311
STRAIN-RATE AND GRAIN-SIZE EFFECTS IN ICE.
Cole, D.M., 1987, 33(115), p.274-280, 22 refs.
42-1822
ICE DEFORMATION, ICE CRYSTAL STRUCTURE, STRAINS, GRAIN SIZE, TESTS, STRESS STRAIN DIAGRAMS.
This paper presents and discusses the results of constant deformation-rate tests on laboratory-prepared polycrystalline ice. Strain-rates ranged from 0 000,000,1 to 0.1/s, grain-size ranged from 1.5 to 5.8 mm, and the test temperature was -5 C. At strain-rates between 0 000,000,1 and 0.001/s, the stress-strain-rate relationship followed a power law with an exponent of n=4.3 calculated without regard to grain-size However, a reversal in the grain-size effect was observed below a transition point near 0.000,004/s the peak stress increased grain-size, while above the transition point the peak stress decreased with increasing grain-size. This latter trend persisted to the highest strain-rates observed. At strain-rates above 0 001/s the peak stress became independent of strain-rate. The unusual trends exhibited at the lower strain-rates are attributed to the influence of the grain-size on the balance of the operative deformation mechanisms Dynamic recrystallization appears to intervene in the case of the finer-grained material and serves to lower the peak stress At comparable strain-rates, however, the large-grained material still experiences internal micro-fracturing, and thin sections reveal extensive deformation in the grain-boundary regions that is quite unlike the appearance of the strain-induced boundary migration characteristic of the fine-grained material

MP 2312
AIRBORNE RIVER-ICE THICKNESS PROFILING WITH HELICOPTER-BORNE UHF SHORT-PULSE RADAR.
Arcone, S.A., et al, 1987, 33(115), p.330-340, 14 refs.
Delaney, A.J.
42-1830
RIVER ICE, ICE COVER THICKNESS, SCATTERING, REMOTE SENSING, PROFILES, EQUIPMENT, LAKE ICE, SURFACE ROUGHNESS, FRAZIL ICE.

The ice-thickness profiling performance of a helicopter-mounted short-pulse radar operating at approximate center frequencies of 600 and 900 MHz was assessed. The antenna packages were mounted 1.2 m off the skid of a small helicopter whose speed and altitude were varied from about 1.8 to 9 m/s and 3 to 12 m. Clutter from the helicopter offered minimal interference with the ice data. Data were acquired in Alaska over lakes (as a proving exercise) and two rivers, whose conditions varied from open water to over 1 5 m of solid ice with numerous frazil-ice formations. The most readily interpretable data were acquired when the ice or snow surface was smooth. Detailed surface investigations on the Tanana River revealed good correlations of echo delay with solid ice depth, but an insensitivity to frazil-ice depth due to its high water content On the Yukon River, coinciding temporally coherent surface and bottom reflections were associated with solid ice and smooth surfaces All cases of incoherent surface returns (scatter) occurred over ice rubble. Rough-surface scattering was always followed by the appearance of bottom scattering but, in many cases, including a hanging-wall formation of solid frazil ice, bottom scattering occurred beneath coherent, smooth-surface reflections Areas of incoherent bottom scattering investigated by drilling revealed highly variable ice conditions, including frazil ice The minimum ice thickness that could be resolved from the raw data was about 0 2 m with the 600 MHz antenna and less than 0 15 m with the 900 MHz antenna

MP 2313
RATING SYSTEM FOR UNSURFACED ROADS TO BE USED IN MAINTENANCE MANAGEMENT.
Eaton, R.A., et al, North American Conference on Managing Pavements, 2nd, Toronto, Ontario, Nov. 2-6, 1987. Proceedings, Vol.2, (1987), p.(2)51-(2)62, 24 refs.
Gerard, S., Dattilo, R.S.
42-1879
ROAD MAINTENANCE, PAVEMENTS, DRAINAGE, SURFACE PROPERTIES.
A system has been developed and field validated for rating unsurfaced roads. The number obtained for each road by using this system can be used to prioritize or compare road conditions to develop a maintenance program. This unsurfaced road rating system can be used by itself or to supplement current pavement management systems.

MP 2314
ICE THICKNESS DISTRIBUTION ACROSS THE ATLANTIC SECTOR OF THE ANTARCTIC OCEAN IN MIDWINTER.
Wadhams, P., et al, Dec. 15, 1987, 92(C13), p.14,535-14,552, 9 refs.
Lange, M.A., Ackley, S.F.
42-1905
ICE COVER THICKNESS, SEA ICE, ICE FLOES, PHOTOGRAPHY.
The entire width of the antarctic sea ice zone was traversed in the vicinity of 0 deg longitude from July 18 to Sep 10, 1986. Ice thicknesses were measured by direct drilling, by helicopter profiling using an Exstar 100-MHz impulse radar system and by aerial photography The results of the point measurements (drilling) are reported in this paper together with an indication of how the radar and photography data will be used to extend them so as to yield area-averaged ice thickness distributions. The main ice type across the entire width of the ice cover was consolidated pancake ice occurring in vast floes, this formed out of a 250-km-wide band at the advancing ice edge which comprised a concentrated field of individual pancakes in a matrix of frazil ice Preferred thicknesses of undeformed floes were 40-60 cm of ice covered with 5-15 cm of snow The individual pancakes attained almost all of this thickness before consolidation, subsequent congelation growth was slow, estimated at 0 4 cm/d. The floes contained much small-scale roughness on the upper and lower surfaces due to rafting of pancakes at the time of consolidation, but pressure ridging was modest except in the far south A few very thick (8-11 m) multiyear floes were observed embedded in the pack at latitudes beyond 66S (Auth)

MP 2315
FLEXURAL AND BUCKLING FAILURE OF FLOATING ICE SHEETS AGAINST STRUCTURES.
Sodhi, D.S., Sep. 1987, 87-17, Working group on ice forces. 3rd state-of-the-art report. Edited by T.J.O. Sanderson, p.53-73, ADA-191 067, Refs p 70-73 For another source see 40-4604.
43-443
FLOATING ICE, OFFSHORE STRUCTURES, ICE LOADS, FLEXURAL STRENGTH, ICE SHEETS, ICE SOLID INTERFACE, ICE PRESSURE, ICE DEFORMATION
This is a review of work on bending and buckling failure of floating ice sheets, along with the forces generated during ice/structure interaction The focus is on the work published after 1980 Estimation of ice forces as a result of bending and buckling failure of an ice sheet can be made with a fair degree of confidence when the ice/structure interaction leads to one of the two modes of failure The problem of multimodal failure of floating ice sheets needs further study.

MP 2316
HISTORY OF SNOW-COVER RESEARCH.
Colbeck, S.C., 1987, Special issue, p.60-65, 31 refs.
42-1959
SNOW COVER, SNOW HYDROLOGY, AVALANCHES, HISTORY.
The history of snow-cover research is divided into 4 distinct periods. Before 1900 there were systematic observations of snow but the tools were just being developed to begin serious research. From 1900 to 1936, many investigations were made because of the practical considerations of snow hydrology and snow avalanches Individuals began the assessment of snow water equivalent for forecasting run-off and the observation of snow structure and texture. Quantitative and physical investigations quickened after government-sponsored laboratories were established in 1936, the same year as the founding of the International Glaciological Society From 1936 through the 1960s, many detailed investigations were made into snow's physical properties and behavior Professional societies organized national and regional meetings, and published the results of snow research Many more laboratories became involved as knowledge about snow was developed and applied to run-off forecasting and avalanche defense Snow research surged again during the 1970s with the establishment of a new generation of snow scientists using more advanced theory, computers, and instrumentation As demands continue for solutions to snow problems with new emphasis on old themes, snow research generates knowledge about snow for a wide variety of applications

MP 2317
PROCEEDINGS, VOL.4.
International Conference on Offshore Mechanics and Arctic Engineering, 7th, Houston, TX, Feb. 7-12, 1988, New York, American Society of Mechanical Engineers, 1988, 348p., Refs. passim. For individual papers see 42-2077 through 42-2119.
Sodhi, D.S., ed, Luk, C H., ed, Sinha, N.K., ed.
42-2076
OFFSHORE STRUCTURES, ICE LOADS, ICE MECHANICS, ICE PHYSICS, ENGINEERING, MEETINGS, SEA ICE, ICE CONDITIONS, ICE-BREAKERS.

MP 2318
FLEXURE AND FRACTURE OF MACROCRYSTALLINE S1 TYPE FRESHWATER ICE.
Dempsey, J.P., et al, International Conference on Offshore Mechanics and Arctic Engineering, 7th, Houston, TX, Feb. 7-12, 1988. Proceedings, Vol.4. Edited by D.S. Sodhi, C.H. Luk and N.K Sinha, New York, American Society of Mechanical Engineers, 1988, p.39-46, 31 refs.
Nigam, D., Cole, D.M.
42-2082
ICE STRENGTH, FLEXURAL STRENGTH, FRACTURING, ICE CRYSTAL STRUCTURE, ICE LOADS, GRAIN SIZE, ICE CRACKS.
The four-point-bend loading configuration is used here to study the flexural strength and fracture toughness of macrocrystalline S1 type freshwater ice The emphasis in this investigation was to minimize testing errors, prepare geometrically similar specimens milled to good accuracy, and to use a mechanical and repeatable method of notch formation The question under study is Would a wide scatter in flexural strengths and fracture toughness results still occur in S1 ice if the inaccuracies in specimen preparation and variations in notch acuity were minimized, and if the specimen size were increased significantly? The basic tenet then is that any scatter would be predominantly due to crystal orientation effects, grain size effects, variations in the predominant c-axis orientations, as well as both specimen size and specimen geometry.

MP 2319
GROWTH OF EG/AD/S MODEL ICE IN A SMALL TANK.
Borland, S.L., International Conference on Offshore Mechanics and Arctic Engineering, 7th, Houston, TX, Feb. 7-12, 1988. Proceedings, Vol.4. Edited by D.S. Sodhi, C H Luk and N K Sinha, New York, American Society of Mechanical Engineers, 1988, p.47-53, 9 refs.
42-2083
ICE MODELS, ICE STRENGTH, FLEXURAL STRENGTH, ICE ELASTICITY, SOLUTIONS, FREEZING, ICE MECHANICS, TESTS, ICE GROWTH, ICE SHEETS, TANKS (CONTAINERS)
A new type of refrigerated model ice was tested for flexural strength and elasticity in a small basin This model ice, termed "EG/AD/S" ice by the developer, Timco of NRCC, is produced by freezing a solution of three chemicals ethylene glycol, aliphatic detergent, and sucrose A small-scale laboratory investigation was conducted to determine some of the mechanical properties of the EG/AD/S ice and to make modifications to the chemical formula as needed The results of these tests were found to compare well with Timco's results for EG/AD/S ice as well as with tests on urea ice grown in the same tank Described are some of the problems with this new ice, including excessive sudsing and bacterial blooms, and the techniques used to try to alleviate them Also discussed are several unique aspects of dealing with ice sheet growth and mechanical properties testing in a small tank.

MP 2320
HEAT TRANSFER PERFORMANCE OF COMMERCIAL THERMOSYPHONS WITH INCLINED EVAPORATOR SECTIONS.
Haynes, F.D., et al, International Conference on Offshore Mechanics and Arctic Engineering, 7th, Houston, TX, Feb. 7-12, 1988. Proceedings, Vol 4 Edited by D.S. Sodhi, C.H. Luk and N.K. Sinha, New York, American Society of Mechanical Engineers, 1988, p.275-280, 14 refs.
Zarling, J.P.
42-2110
PERMAFROST BENEATH STRUCTURES, HEAT TRANSFER, SUBGRADES, WIND TUNNELS, MEASURING INSTRUMENTS, WIND VELOCITY, TESTS, EVAPORATION, EQUIPMENT.
Laboratory tests have been conducted with two full-size, two-phase commercial thermosyphons in an atmospheric wind tunnel at the U.S. Army CRREL. The test variables were wind speed and evaporator inclination angle. The air speed ranged from 0 to 5.2 m/s. The evaporator angles were varied from 0 to 12 deg measured from the horizontal. The effect of nearby walls on thermosyphon performance was also investigated. Tests were conducted with walls oriented parallel, at 45 deg and at right angles to the air flow direction. The air temperature for all tests was about -18 C. Test results are presented with thermal conductance of the thermosyphon as a function of wind speed and evaporator inclination angle The heat transfer conductance was found to increase with increasing wind speed and increasing evaporator inclination angle.

MP 2321
ON THE APPLICATION OF THERMOSYPHONS IN COLD REGIONS.
Zarling, J.P., et al, International Conference on Offshore Mechanics and Arctic Engineering, 7th, Houston, TX, Feb. 7-12, 1988. Proceedings, Vol.4. Edited by D.S. Sodhi, C.H. Luk and N.K. Sinha, New York, American Society of Mechanical Engineers, 1988, p.281-286, 14 refs.
Haynes, F.D., Daly, S.F.
42-2111
LOW TEMPERATURE TESTS, HEAT TRANSFER, WIND VELOCITY, TEMPERATURE EFFECTS, EQUIPMENT, WATER FLOW, ICE GROWTH, MEASURING INSTRUMENTS.
The exposure of portable electronic data logging equipment to extreme low temperatures usually leads to system failure To overcome this difficulty at northern remote sites, the use of a thermosyphon to transfer energy stored in the ground to an insulated instrument shelter was tested. The results of the test showed that the thermosyphon maintained the instrument shelter well above the outdoor ambient air temperature during cold spells Laboratory tests were conducted with two-phase full-size thermosyphons to freeze water in a test basin The test variables were wind speed and water velocity A single-phase thermosyphon was also tested for growing ice The heat transfer conductances of the thermosyphons were estimated for various wind speeds The use of thermosyphons placed in rivers has been proposed to collect transported frazil ice to augment ice dam formation or prevent frazil ice from interacting with downstream hydraulic structures. Laboratory tests were conducted with model two-phase thermosyphons in a refrigerated flume to test this concept Frazil ice was generated upstream of a thermosyphon array placed across the flume perpendicular to the flow The ability to collect frazil was determined by measuring the head loss across the array with time. Comparisons were made with an array of solid aluminum rods with the same dimension as the model thermosyphons. The influence of wind was also investigated

MP 2322
POLAR COMMUNICATIONS: STATUS AND RECOMMENDATIONS. REPORT OF THE SCIENCE WORKING GROUP.
Rosenberg, T J , ed, Greenbelt, MD, U S. National Aeronautics and Space Administration, Dec 1987, 29p., 3 refs.
Jezek, K.C., ed.
42-2146
SPACECRAFT, TELECOMMUNICATION, DESIGN, POLAR REGIONS, GLACIOLOGY, OCEANOGRAPHY, METEOROLOGY, GEOPHYSICS.
This report summarizes the capabilities of existing communication links within the polar regions, as well as between the polar regions and the continental United States. The report places these capabilities in the context of the objectives of principal scientific disciplines active in polar research and, in particular, of how discipline scientists both utilize and are limited by present technologies. Based on an assessment of the scientific objectives potentially achievable with improved communication capabilities, the report concludes with a list of requirements on and recommendations for communication capabilities necessary to support polar science over the next ten years (Auth)

MP 2323
NEW APPROACH FOR SIZING RAPID INFILTRATION SYSTEMS.
Martel, C.J., Feb. 1988, 114(1), p.211-215, 13 refs.
42-2246
WASTE TREATMENT, WATER TREATMENT, SEEPAGE.

MP 2324
ON THE DETERMINATION OF THE AVERAGE YOUNG'S MODULUS FOR A FLOATING ICE COVER.
Kerr, A.D., et al, Feb. 1988, 15(1), p.39-43, 11 refs.
Haynes, F.D.
42-2287
FLOATING ICE, LOADS (FORCES), ICE ELASTICITY, ANALYSIS (MATHEMATICS), PRESSURE.
First, the meaning of Young's modulus for a floating ice cover is discussed. A method often used for determining the average modulus of the cover, E(av), consisting of loading an ice cover vertically with a rigid disc, is then presented and a possible shortcoming of the calculation method used is pointed out. It is related to the fact that the contact pressure distribution between disc and ice cover is generally not known. To clarify this issue, a comparative study was conducted to establish the effect of related pressure distributions on the calculated E(av)-value. It was found that the limiting cases—like the uniformly distributed pressure and the uniform line distribution along the disc boundary—yield E(av) that are close to each other. Also, for the range of parameters under consideration, the E(av) obtained using the solution for a concentrated force is close The paper concludes by showing how the generated graphs may be used to simplify the calculation of E(av) for an ice cover.

MP 2325
CRACK NUCLEATION IN POLYCRYSTALLINE ICE.
Cole, D.M., Feb. 1988, 15(1), p.79-87, 14 refs.
42-2292
ICE CRACKS, ICE CRYSTAL STRUCTURE, GRAIN SIZE, CRACK PROPAGATION, ANISOTROPY, TESTS, MODELS.
This paper examines in detail two likely mechanisms of microcrack formation in polycrystalline ice and pays special attention to the grain size dependencies of each mechanism Under consideration are the Zener-Stroh dislocation pileup mechanism and an elastic mechanism based on the anisotropy of the ice lattice. Calculations for the pileup mechanism indicate that although the dislocation velocity is relatively low, a critical-sized pileup can form under plausible test conditions Quantification of the elastic anisotropy mechanism indicates that it operates over approximately the same stress levels as the pileup mechanism and exhibits the same grain size dependency. The results of observations on the microcracking of laboratory-prepared freshwater ice having randomly oriented equiaxed grains are used to test the model predictions. The work gives detailed descriptions of the methods used to quantify each model

MP 2326
SNOW MASS CONCENTRATION AND PRECIPITATION RATE.
Koh, G., et al, Feb. 1988, 15(1), p 89-92, 7 refs.
Lacombe, J., Hutt, D.L.
42-2293
SNOW ACCUMULATION, PRECIPITATION GAGES, SNOWFALL, MEASURING INSTRUMENTS, VELOCITY

MP 2327
MEASURED INSULATION IMPROVEMENT POTENTIAL FOR TEN U.S. ARMY BUILDINGS.
Flanders, S.N., 1987, No.922, Thermal insulation. materials and systems A conference sponsored by ASTM Committee C-16 on Thermal Insulation, Dallas, TX, 2-6 Dec. 1984 (Proceedings). Edited by F.J. Powell and S.L. Matthews, p.202-220, 6 refs
42-2412
THERMAL INSULATION, BUILDINGS, HEAT TRANSFER, MILITARY FACILITIES, CONVECTION, HEAT FLUX, ACCURACY, ECONOMIC ANALYSIS, THERMAL CONDUCTIVITY
As-built drawings and handbook calculations of R values are often inadequate bases for investment decisions regarding improved insulation of U.S. Army buildings. Reported field and laboratory experience indicates that a technique employing surface-mounted heat flux sensors (HFSs) in conjunction with infrared thermography (IRT) can yield reliable estimates of R values This technique employs IRT to position HFSs and thermocouples at representative locations on walls and roofs or attics to acquire heat flow and temperature data for estimating R values This paper reports on the application of this technique at Ft. Carson, Colorado, and Ft. Richardson, Alaska, to 8 family housing units, a temporary office building, and a barracks Infrared thermography of these buildings detected few thermal anomalies, but measurement of several walls with HFSs and thermocouples (typically at 6 locations spaced vertically on each wall) revealed significant variation in estimated R values, this variation is attributable to convection, even within fully insulated walls This is significant for proper placement of sensors and indicates that installed fibrous insulation can lack the ability to quell convection. The insulating ability of walls containing poorly installed mineral fiber batt insulation was much worse than would be indicated by the design handbook values Some attic insulation performed exactly as expected; some was at least 40% worse than expected.

MP 2328
EVALUATION OF DISPOSABLE MEMBRANE FILTER UNITS FOR SORPTIVE LOSSES AND SAMPLE CONTAMINATION.
Walsh, M.E., et al, 1988, Vol.9, p.45-52, 13 refs.
Knapp, L.K., Jenkins, T.F.
42-2494
FILTERS, SAMPLING.

MP 2329
SHAPE OF CREEP CURVES IN FROZEN SOILS AND POLYCRYSTALLINE ICE.
Fish, A.M., Nov. 1987, 24(4), p.623-629, 12 refs.
42-2497
SOIL CREEP, ICE CREEP, FROZEN GROUND MECHANICS, ICE MECHANICS, RHEOLOGY, MATHEMATICAL MODELS, STRESSES, TEMPERATURE EFFECTS.
A new method was developed for determining creep parameters, particularly the time to failure, from a single linear plot in which an individual creep curve forms a straight line for primary and tertiary creep. Secondary creep is considered to be a principal point on this line that predetermines the onset of failure The times to failure can be predicted, even when creep tests are not complete, by extrapolating information obtained for primary creep Based upon T H. Jacka's test data, prediction of creep strain was evaluated using the constitutive equation of A M Fish for entire creep and compared with the modified Sinha equation of M F. Ashby and P Duval for attenuating creep as well as with models for primary and secondary creep It is shown that the shape of the creep curves, and thus the creep parameters, varies with stress, temperature, and other factors Hence, a family of creep curves cannot be described by a constitutive equation with a single set of creep parameters that do not take into account these variations without loss in the accuracy of the creep strain calculations

MP 2330
MODELING THE ELECTROMAGNETIC PROPERTY TRENDS IN SEA ICE; PART 1.
Kovacs, A., et al, Oct. 1987, 14(3), p.207-235, 33 refs.
Morey, R.M., Cox, G.F.N.
42-2559
ICE PHYSICS, ELECTROMAGNETIC PROPERTIES, SEA ICE, DIELECTRIC PROPERTIES, MATHEMATICAL MODELS, ELECTRICAL RESISTIVITY, ICE COVER THICKNESS, PRESSURE RIDGES, BRINES.

MP 2331
CAMP CENTURY SURVEY 1986.
Gundestrup, N S., et al, Oct 1987, 14(3), p.281-288, 24 refs.
Clausen H.B., Hansen, B.L., Rand, J.H.
42-2564
BOREHOLES, SURFACE MIGRATION, REMOTE SENSING, ICE MECHANICS, VELOCITY, TOPOGRAPHIC FEATURES, DRILLING, GREENLAND—CAMP CENTURY.
Directional surveys of the bore-hole at Camp Century, Greenland were made in 1966, 1967 and 1969. From these surveys a surface velocity of 5 5 m/yr in the direction 10 deg was computed The position of the 60 m meteorological tower near the bore-hole was measured in 1977 and 1986 with satellite navigation equipment These measurements show a surface velocity of 3 5 m/yr in the direction 235 deg. Measurement of the surface topography in 1986 shows the bore-hole is situated on a local sloping ice divide A differential magnetometer was used to locate the drill tower Hand augering verified the location and showed the drill tower was buried 6.5 to 7 m beneath the 1986 snow surface, as expected from the depth-age relation The casing was not identified Extension of the casing to the snow surface and resurvey of the bore-hole will provide urgently needed information on the variation of ice flow with depth

MP 2332
AIRBORNE ELECTROMAGNETIC SOUNDING OF SEA ICE THICKNESS AND SUB-ICE BATHYMETRY.
Kovacs, A., et al, Oct. 1987, 14(3), p.289-311, For another source see 42-2551 21 refs.
Valleau, N C., Holladay, J.S.
42-2565
ICE COVER THICKNESS, SUBGLACIAL OBSERVATIONS, ELECTROMAGNETIC PROSPECTING, AIRBORNE RADAR, SNOW COVER THICKNESS, ICE CONDITIONS, SOUNDING, SEA ICE, PROFILES, UNITED STATES—ALASKA PRUDHOE BAY
A study was made in May 1985 to determine the feasibility of using an airborne electromagnetic sounding system for profiling sea ice thickness and the sub ice water depth and conductivity The study was made in the area of Prudhoe Bay, Alaska The multifrequency airborne electromagnetic sounding system consisted of control and recording electronics and an antenna The electronics module was installed in a helicopter, and the 7 m long tubular antenna was towed beneath the helicopter at about 35 m above the ice surface. For this electromagnetic system, both first-year and second-year sea ice could be profiled, but the resolution of ice thickness decreased as the ice became rough. This decrease was associated with the large footprint of the system, which effectively smoothed out the sea ice relief Under-ice water depth was determined, as was seawater conductivity The results of the feasibility study were encouraging, and further system development is therefore warranted.

MP 2333
SINGLE-HORN REFLECTOMETRY FOR *IN SITU* DIELECTRIC MEASUREMENTS AT MICROWAVE FREQUENCIES.
Arcone, S.A., et al, Jan 1988, 26(1), p.89-92, 10 refs.
Larson, R.W.
42-2803
DIELECTRIC PROPERTIES, REFLECTIVITY, REMOTE SENSING, ICE PHYSICS.

MP 2334
LIQUID SAMPLER.
Rand, J.H., Aug. 31, 1982, 4 col., USP-4,346,612, 10 refs.
42-2607
UNFROZEN WATER CONTENT, FRAZIL ICE, SAMPLERS, MEASURING INSTRUMENTS, DESIGN.

MP 2335
COLLAPSIBLE RESTRAINT FOR MEASURING TAPES.
Ueda, H.T., Mar. 8, 1983, 12 col., USP-4,375,721, 19 refs.
42-2608
ICE COVER THICKNESS, MEASURING INSTRUMENTS, BOREHOLES, DESIGN.

MP 2336
ONSHORE ICE PILE-UP AND RIDE-UP: OBSERVATIONS AND THEORETICAL ASSESSMENT.
Kovacs, A., et al, Arctic coastal processes and slope protection design Edited by A T Chen and C B Leidersdorf, New York, American Society of Civil Engineers, 1988, p.108-142, Refs. p.138-142.
Sodhi, D.S.
42-2988
FAST ICE, ICE PILEUP, ICE OVERRIDE, ICE LOADS, OCEAN CURRENTS, WIND FACTORS, SEASONAL VARIATIONS, ICE SHEETS, PRESSURE RIDGES.
An overview of shore ice pile-up and ride-up observations is presented and the forces associated with ice rubble formation are discussed Historical and recent observations indicate that the onshore movement of ice is generally a spring or fall event associated with wind and/or water driving forces The occurrence of this phenomenon is relatively unpredictable and has resulted in the destruction of structures and loss of life The analytical and experimental work undertaken to date tends to show that low driving forces per unit width can cause shore ice pile-up or ride-up, but that high concentrated forces can occur during such events along local areas of resistance An analysis of the ice sheet failure process is given which indicates that the average ice rubble building force per unit width is a function of rubble height, to a power between 1 and 2, depending on the total ice sheet width undergoing failure

MP 2337
WETTING OF POLYSTYRENE AND URETHANE ROOF INSULATIONS IN THE LABORATORY AND ON A PROTECTED MEMBRANE ROOF.
Tobiasson, W., et al, Oct. 1987, 11(2), p.108-119, 13 refs. For another source see 42-2926
Greatorex, A., Van Pelt, D.
42-3182
ROOFS, INSULATION, CELLULAR PLASTICS.

MP 2338
***RADIOGLACIOLOGY* BY V.V. BOGORODSKII, ET AL.**
Jezek, K C., Jan 1988, 69(1), p 55-56, Book review For the book being reviewed see 40-1650.
42-3070
GLACIER ICE, AIRBORNE RADAR, RADAR ECHOES, GLACIOLOGY, PHOTOINTERPRETATION, GEOPHYSICAL SURVEYS, ICE PHYSICS.

MP 2339
KINETIC FRICTION OF SNOW.
Colbeck, S.C., 1988, 34(116), p.78-86, 18 refs.
42-3334
METAL SNOW FRICTION, WATER FILMS, SNOW COVER, SNOW MELTING, GRAIN SIZE, TEMPERATURE EFFECTS, VELOCITY, SHEAR STRENGTH, FRICTION, ANALYSIS (MATHEMATICS).
Three components of the kinetic friction of snow are described but only the lubricated component of friction is treated in detail. This component depends upon the thickness of water films which support a slider on snow grains over a small fraction of its area The thickness of the film decreases with ambient temperature in a manner which is sensitive to the thermal conductivity of the slider. The minimum value of friction at any temperature is reached at an intermediate value of speed because friction decreases as the slider first begins to move and the films form but then increases at higher speeds because of the shear resistance At sub-freezing temperatures a small area in the front part of the slider is dry and the friction is high. Once the water film is formed it increases in thickness towards an equilibrium value which can be very sensitive to slider properties, speed, and temperature. It appears that the mechanisms may be very different for hydrophobic and hydrophilic sliders From the equations derived here it is clear why friction decreases with repeated passes over the same snow.

MP 2340
WOOD-FRAME ROOFS AND MOISTURE.
Tobiasson, W., Mar. 1988, 3(3), p.33-37.
42-3397
ROOFS, MOISTURE, WOODEN STRUCTURES.

MP 2341
VIBRATION ANALYSIS OF A DEW LINE STATION.
Haynes, F.D., et al, International Modal Analysis Conference, Kissimmee, Florida, Feb. 1-4, 1988. Proceedings. Vol.2, Schenectady, Union College, 1988, p.1513-1518, 5 refs.
Tobiasson, W., Morse, J.S.
43-6
TELEMETERING EQUIPMENT, ANCHORS, VIBRATION, SNOW MECHANICS.

MP 2342
GLACIOLOGICAL INVESTIGATIONS USING THE SYNTHETIC APERTURE RADAR IMAGING SYSTEM.
Bindschadler, R.A., et al, 1987, Vol 9, Symposium on Remote Sensing in Glaciology, 2nd, Cambridge, Sep. 8-9 and 11-12, 1986. Proceedings, p.11-19, 19 refs
Jezek, K.C., Crawford, J.
41-4428
ICE SHEETS, REMOTE SENSING, GLACIOLOGY, AIRBORNE RADAR, ICE SURFACE, ICE CREEP, CREVASSES, ICEBERGS, LAKE ICE, RIVER ICE, LANDSAT, GREENLAND.
Numerous examples of synthetic aperture radar (SAR) imagery of ice sheets are shown and prominent features of glaciological importance which appear in the images are discussed. Features which can be identified include surface undulations, ice-flow lines, crevasses, icebergs, lakes, and streams (even lakes and streams which are inactive or covered by snow), and possibly, the extent of the ablation and wet snow zones SAR images presented here include both L-band data from the Seasat satellite and X-band data from an airborne radar These two data sets overlap at a part of eastern Greenland where a direct comparison can be made between two images Comparison is also made between SAR and Landsat images in western Greenland. It is concluded that SAR and Landsat are highly complementary instruments, Landsat images contain minimal distortion while SAR's all-weather, day/night capability plus its ability to penetrate snow provide glaciologists with an additional and very powerful tool for research.

MP 2343
RATIONAL DESIGN OF SLUDGE FREEZING BEDS.
Martel, C.J., 1988 Joint CSCE-ASCE National Conference on Environmental Engineering, Vancouver, B.C., July 13-15, 1988 Proceedings. Edited by S C Liptak, J.W. Atwater and D.S. Mavinic, Montreal, Quebec, Canadian Society for Civil Engineering, 1988, p.575-581, 6 refs.
42-3536
SLUDGES, WASTE TREATMENT, WATER TREATMENT, FREEZING, FREEZE THAW CYCLES, ICE CRYSTAL FORMATION, IMPURITIES.
A new unit operation for sludge dewatering called a freezing bed is described. This operation uses the natural seasonal temperature changes in cold regions to freeze and thaw the sludge. Equations for predicting the design depth of the bed are presented along with an example of how they can be used

MP 2344
ALASKA SAR FACILITY.
Weeks, W.F., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Institute, 1988, p.103-110, 16 refs.
42-3549
ICE WATER INTERFACE, REMOTE SENSING, DRIFT, AIRBORNE RADAR, ICE MECHANICS, SEA ICE
A short description is given of the general characteristics of the ice/ocean and applications demonstrations research programs that are anticipated as part of the Alaskan SAR Facility (ASF) program Also described are the characteristics of the three satellite SAR (Synthetic Aperture Radar) systems that will supply data to the ASF and the design and analysis capabilities of the different components of the ground station.

MP 2345
AIRBORNE MEASUREMENT OF SEA ICE THICKNESS AND SUBICE BATHYMETRY.
Kovacs, A., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Institute, 1988, p.111-120, 8 refs.
Valleau, N.C.
42-3550
ICE COVER THICKNESS, AIRBORNE EQUIPMENT, ELECTROMAGNETIC PROSPECTING, SOUNDING, SEA ICE, PROFILES.
A pilot study was made in May 1985 to determine the feasibility of using an airborne electromagnetic sounding system for profiling sea ice thickness and the subice water depth and conductivity. The study was made in the area of Prudhoe Bay, Alaska The multi-frequency airborne electromagnetic sounding system consisted of control and recording electronics and an antenna The electronics module was installed in a helicopter and the 7-m-long tubular antenna was towed, beneath a helicopter, at about 35 m above the ice surface Examples of the profiling results are presented, they indicate that, for the electromagnetic system used, both first-year and second-year sea ice could be profiled, but the resolution decreased as the ice became rough This decrease was associated with the large footprint of the system, which effectively smoothed out the sea ice relief Underice water depth was determined, as was seawater conductivity The results of the feasibility study were considered highly encouraging and further system development is therefore warranted

MP 2346
ELECTROMAGNETIC MEASUREMENTS OF A SECOND-YEAR SEA ICE FLOE.
Kovacs, A., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Institute, 1988, p.121-136, 7 refs
Morey, R.M.
42-3551
ICE FLOES, ELECTROMAGNETIC PROSPECTING, SEA ICE, ICE COVER THICKNESS, DIELECTRIC PROPERTIES, BRINES, ATTENUATION.
"Impulse" radar and ice property data were obtained on a second-year sea ice floe These data were used to develop a relationship for estimating the ice thickness from just the two-way time-of-flight of the impulse radar electromagnetic wavelet traveling from the surface to the ice "bottom" and back to the surface The relationship developed allows estimation of the thickness of sea ice from about 1 to 8 m, with or without a snow cover The data revealed that the apparent dielectric constant of sea ice decreased with increasing ice thickness until the thickness reached about 4 m For sea ice thicker than 4 m, the apparent dielectric constant became relatively constant With the use of a model for determining the electromagnetic properties of sea ice from its physical properties, as determined from ice cores, the electromagnetic properties were calculated versus depth The model results were then compared with the electromagnetic properties determined from field measurements The two results were in good agreement

MP 2347
EVALUATION OF AN OPERATIONAL ICE FORECASTING MODEL DURING SUMMER.
Tucker, W.B., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug 17-22, 1987 Proceedings, Vol 1. Edited by W.M Sackinger and M O Jeffries (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Institute, 1988, p.159-174, 10 refs.
Hibler, W.D., III.
42-3554
ICE FORECASTING, DRIFT, ICE CONDITIONS, ICE EDGE, SEASONAL VARIATIONS, MODELS, SEA ICE.
The Polar Ice Prediction System (PIPS) is an ice forecasting model run on a daily basis at the U S Navy's Fleet Numerical Oceanographic Center (FNOC). The model was originally developed by Hibler (1979) and subsequently modified by Preller (1985) to run on FNOC's Cyber 205 Atmospheric forcing fields are derived from the Naval Operational Global Atmospheric Prediction System (NOGAPS). PIPS is run on a 127-km resolution 47 x 25 grid, which covers the entire Arctic Basin and substantial parts of the Greenland and Norwegian Seas The system produces forecasts of ice drift, thickness, concentration and divergence at 24-hr intervals out to 144 hr (6 days). Although PIPS is run on a daily basis, the concentration field is initialized weekly using a digitized version of the concentration analysis field prepared by the Naval Polar Oceanography Center at Suitland, Maryland The system's ability to forecast ice drift, concentration and ice edge location was assessed for the period, from June 15 to October 15, 1986. The PIPS drift predictions were generally excessive, although the predicted drift directions were reasonable Mean concentration differences between the PIPS forecasts and the analyses were about 12% Although ice edge location was reasonably predicted in most cases, the model demonstrated a trend of rapid ice retreat in the Chukchi and East Siberian Seas that was unrealistic.

MP 2348
EXPERIMENTAL DETERMINATION OF THE FRACTURE TOUGHNESS OF UREA MODEL ICE.
Bentley, D.L., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol 1 Edited by W M Sackinger and M O Jeffries. (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Institute, 1988, p.289-297, 16 refs.
Sodhi, D.S., Dempsey, J P.
42-3565
ICE CRACKS, ICE MODELS, UREA, ICE SOLID INTERFACE, OFFSHORE STRUCTURES, LOADS (FORCES), FRACTURING, EXPERIMENTATION, ICE LOADS, ICE COVER THICKNESS, FLEXURAL STRENGTH.
The use of different types of model ice in examining ice/structure interactions requires a better understanding of the fracture behavior of these materials in order to accurately interpret the results of model tests There have been only a limited number of fracture tests performed on model ice A preliminary experimental study of the fracture toughness of the urea-doped model ice used in the test basin at CRREL has been completed. An "in-situ" wedge-loaded TDCB (tapered double-cantilever beam) specimen geometry was chosen An expression for the fracture toughness as a function of applied load, specimen geometry, and ice thickness was developed using a finite element program

MP 2349
COMPUTER-CONTROLLED DATA ACQUISITION SYSTEM FOR A HYDRAULIC FLUME.
Zabilansky, L J., International Instrumentation Symposium, 34th, Albuquerque, NM, May 2-6, 1988. Proceedings, Research Triangle Park, NC, Instrument Society of America, 1988, p.453-460, 2 refs
42-3608
CHANNELS (WATERWAYS), ICE FORMATION, FRAZIL ICE, ICE MECHANICS, TEMPERATURE EFFECTS, DATA PROCESSING, ICE ACCRETION, EXPERIMENTATION

MP 2350
COMPARISON OF EXTRACTION TECHNIQUES FOR MUNITIONS RESIDUES IN SOIL.
Jenkins, T.F., et al, May 1, 1987, 59(9), p.1326-1331, 23 refs.
Grant, C.L.
42-3737
SOIL POLLUTION, MILITARY OPERATION, SOIL COMPOSITION, CHEMICAL ANALYSIS, COUNTERMEASURES

MP 2351
DATA ACQUISITION FOR REFRIGERATED PHYSICAL MODEL.
Zufelt, J.E., National Conference on Microcomputers in Civil Engineering, 5th, Orlando, Fl., Nov. 1987. Proceedings. Edited by W.E. Carroll, [1987], p.338-341, 3 refs.
43-8
LOCKS (WATERWAYS), RIVERS, WINTER OPERATION, NAVIGATION, HYDRAULIC STRUCTURES, MODELS.

MP 2352
VENTS AND VAPOR RETARDERS FOR ROOFS.
Tobiasson, W., Nov. 1987, 40(11), p 80-90, 22 refs. For another source see 41-4575.
43-545
ROOFS, AIR LEAKAGE, MOISTURE, VENTILATION, INDOOR CLIMATES, WATER VAPOR, AIR TEMPERATURE, CONDENSATION, COUNTERMEASURES, HUMIDITY.

MP 2353
VERIFICATION TESTS OF THE SURFACE INTEGRAL METHOD FOR CALCULATING STRUCTURAL ICE LOADS.
Johnson, J.B., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings Vol.1. Edited by W.M. Sackinger and M.O. Jeffries (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Institute, 1988, p.449-456, 6 refs.
Sodhi, D.S.
42-3579
ICE LOADS, OFFSHORE STRUCTURES, STRESSES, ICE CRACKS, EXPERIMENTATION, MEASURING INSTRUMENTS, ACCURACY, ICE SHEETS.
Experiments were conducted to determine the accuracy of calculating ice loads on offshore structures using ice stress measurements and a surface integral method Biaxially-sensitive stress sensors were installed near an ice sheet edge and a flat plate instrumented indentor was pushed against the ice edge to simulate a distributed load on the boundary of a semi-infinite plate Two experiments were conducted The first determined the agreement between stress measurements and calculated results for the corresponding analytic solution and examined the accuracy of the surface integral method. The second examined the influence of cracks in the ice sheet on the accuracy of the surface integral method The measured ice stresses were of the same order but less than those calculated using theory The calculated indentor loads using the plane surface integration were within 8 to 30% of the measured loads. Calculated loads using a cylindrical integration surface were only within 40 to 50% of the measured loads due to stress sensor resolution limitations. The surface integral method is a viable way to calculate structural ice loads using in-situ stress measurements. Accuracy of the load calculations is limited by the fidelity of representing the stress along the surface of the integration using widely-spaced stress measurements

MP 2354
MUKLUK ICE STRESS MEASUREMENT PROGRAM.
Cox, G.F.N., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 9th, Fairbanks, AK, Aug. 17-22, 1987. Proceedings, Vol.1. Edited by W.M. Sackinger and M.O. Jeffries. (Port and ocean engineering under Arctic conditions), Fairbanks, University of Alaska, Geophysical Institute, 1988, p.457-463, 8 refs.
Johnson, J.B., Bosworth, H W , Vincent, T J
42-3580
ICE LOADS, ARTIFICIAL ISLANDS, STRESSES, TENSILE PROPERTIES, COMPRESSIVE PROPERTIES, GRAVEL, ICE MECHANICS, ICE STRENGTH, ICE SALINITY, SHEAR STRESS, BEAUFORT SEA.
During the spring of 1985, 23 biaxial ice stress sensors were deployed at seven sites around Mukluk, a man-made gravel island in Harrison Bay in the Beaufort Sea The maximum measured compressive and tensile stresses were 240 and 340 kPa, respectively However, stresses were usually less than 100 kPa and seldom exceeded 200 kPa There were no major storms, and net ice motions varied from 1 6 to 5 3 m during the measurement program. While significant warming of the ice sheet occurred during the latter part of the study, thermal ice stresses were much lower than those previously measured in Mackenzie Bay This may be due to the fact that the ice in Harrison Bay was more saline and had a lower modulus and yield strength than the ice in Mackenzie Bay.

MP 2355
FOX PERMAFROST TUNNEL: A LATE QUATERNARY GEOLOGIC RECORD IN CENTRAL ALASKA.
Hamilton, T.D., et al, June 1988, 100(6), p.948-969, 70 refs.
Craig, J.L., Sellmann, P.V.
42-3857
PERMAFROST, TUNNELS, GEOLOGIC STRUCTURES, QUATERNARY DEPOSITS.

MP 2356
DIELECTRIC PROPERTIES OF STRAINED ICE. 1: EFFECT OF PLASTIC STRAINING.
Itagaki, K., Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. [Proceedings], p.143-147, 5 refs, With French summary.
42-3792
ICE ELECTRICAL PROPERTIES, ICE RELAXATION, ICE PLASTICITY, DIELECTRIC PROPERTIES, STRAIN TESTS.
The effect of plastic straining on single crystals of ice was examined. As strain increased plastically, relaxation strength increased linearly as the relaxation time increased

MP 2357
DIELECTRIC PROPERTIES OF STRAINED ICE. 2: EFFECT OF SAMPLE PREPARATION METHOD.
Itagaki, K., et al, Mar. 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. [Proceedings], p.149-153, 5 refs., With French summary.
Lemieux, G.E.
42-3793
ICE ELECTRICAL PROPERTIES, ICE CRYSTAL STRUCTURE, ICE SAMPLING, DIELECTRIC PROPERTIES, STRAIN TESTS, FREEZING.
Since most commonly used sample preparation methods for ice dielectric studies involve rather heavy mechanical straining, the effects of straining were studied and compared with more strain-free sample preparation methods.

MP 2358
PRELIMINARY STUDY OF FRICTION BETWEEN ICE AND SLED RUNNERS.
Itagaki, K., et al, Mar 1987, 48(3 Suppl.), Symposium on the Physics and Chemistry of Ice, 7th, Grenoble, France, Sep. 1-5, 1986. [Proceedings], p.297-301, 5 refs., With French summary.
Lemieux, G.E., Huber, N.P.
42-3811
ICE FRICTION, SLEDS, WATER FILMS, ICE MELTING, TEMPERATURE EFFECTS, LUBRICANTS, MODELS.
The effects of runner material and surface conditions on the friction between runners and ice were studied by measuring the velocity of a free-sliding sled. Smooth runners showed lower friction at around -1 C than around -10 C as expected, but the friction of rough runners showed little temperature dependence.

MP 2359
ON THE MICROMETEOROLOGY OF SURFACE HOAR GROWTH ON SNOW IN MOUNTAINOUS AREA.
Colbeck, S.C., July 1988, 44(1-2), p.1-12, 16 refs.
42-3938
HOARFROST, SNOW SURFACE, SNOW AIR INTERFACE, TURBULENCE.

MP 2360
NATURAL GROUND TEMPERATURES IN UPLAND BEDROCK TERRAIN, INTERIOR ALASKA.
Collins, C.M., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p 56-60, 20 refs.
Haugen, R.K., Kreig, R.A.
42-3984
TAIGA, PERMAFROST THERMAL PROPERTIES, SOIL TEMPERATURE, DISCONTINUOUS PERMAFROST, SLOPE ORIENTATION, VEGETATION, ALTITUDE, TOPOGRAPHIC EFFECTS, UNITED STATES—ALASKA.
Surface and subsurface ground temperature measurements were made in drill holes representing a variety of permafrost/non-permafrost, slope exposure, elevation, vegetation, and soil conditions within the upland taiga of interior Alaska Algorithms representing equivalent latitude and air temperature/elevation relationships are developed to more precisely define permafrost/non-permafrost boundaries within this complex terrain.

MP 2361
MICROSTRUCTURE OF FROZEN SOILS EXAMINED BY SEM.
Kumai, M., International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.390-395, 8 refs.
42-4049
FROZEN GROUND PHYSICS, SOIL STRUCTURE, MICROSTRUCTURE, SCANNING ELECTRON MICROSCOPY, X RAY ANALYSIS, CLAY, POROSITY, ICE SUBLIMATION, CHEMICAL ANALYSIS, GRAIN SIZE.
Physical properties of bentonite, dickite and sand samples for freezing experiments were examined with a scanning electron microscope (SEM), and elemental compositions were measured with an energy dispersive x-ray (EDX) analyzer. Bentonite from Umiat, Alaska, is a typical cold-regions swelling clay with thin, crumpled and folded structures The soil samples with relatively high water contents were frozen, and the frozen characteristics were examined with the SEM equipped with a cold stage SEM images of frozen bentonite and dickite showed characteristic segregated ice and coagulated soil patterns formed during freezing processes and porous structures formed during the sublimation stage of ice in frozen soils. However, frozen sand showed no typical ice segregation and sand grain coagulation because of the large grain size The freeze sublimation process of frozen clay and silt increases the permeability to water vapor because of the porous structure formation.

MP 2362
METHOD FOR MEASURING THE RATE OF WATER TRANSPORT DUE TO TEMPERATURE GRADIENTS IN UNSATURATED FROZEN SOILS.
Nakano, Y., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol 1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.412-417, 7 refs.
Tice, A.R.
42-4053
TEMPERATURE GRADIENTS, FROZEN GROUND TEMPERATURE, SOIL WATER MIGRATION, SATURATION, WATER CONTENT, ANALYSIS (MATHEMATICS).
A new experimental method is introduced to determine the rate of water movement caused by temperature gradients in unsaturated frozen soils When a linear temperature distribution is imposed on a closed soil column with initially a uniform water content, a redistribution of water occurs in the column As time increases, the profile of water is stabilized to approach a stationary profile, which is used to calculate the rate of water movement due to temperature gradients The theoretical justification of the method is presented and the feasibility of the method is demonstrated by experiments with a marine-deposited clay.

MP 2363
MEASUREMENT OF THE UNFROZEN WATER CONTENT OF SOILS: A COMPARISON OF NMR AND TDR METHODS.
Smith, M.W , et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.473-477, 10 refs.
Tice, A.R.
42-4064
UNFROZEN WATER CONTENT, SOIL WATER, FROZEN GROUND, TEMPERATURE EFFECTS, DIELECTRIC PROPERTIES, EXPERIMENTATION, NUCLEAR MAGNETIC RESONANCE, REFLECTIVITY, WATER CONTENT.
A laboratory testing program was carried out to compare two independent methods for determining the unfrozen water content of soils With the TDR method, the unfrozen water content is inferred from a calibration curve of apparent dielectric constant versus volumetric water content, determined by experiment Previously, precise calibration of the TDR technique was hindered by the lack of a reference comparison method, which NMR now offers This has provided a much greater scope for calibration, including a wide range of soil types and temperature (unfrozen water content) The results of the testing program yielded a relationship between dielectric constant and volumetric unfrozen water content that is largely unaffected by soil type, although a subtle but apparent dependency on the texture of the soil was noted. It is suggested that this effect originates from the lower valued dielectric constant for adsorbed soil water. In spite of this, the general equation presented may be considered adequate for most practical purposes The standard error estimate is 0 015 cu cm/cu cm, although, if desirable, this may be reduced by calibrating for individual soils Brief guidelines on system and probe design are offered to help ensure that use of the TDR method will give results consistent with the relationship presented

MP 2364
BOREHOLE INVESTIGATIONS OF THE ELECTRICAL PROPERTIES OF FROZEN SILT.
Arcone, S.A., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.910-915, 16 refs.
Delaney, A.J.
42-4148
FROZEN GROUND PHYSICS, ELECTRICAL PROPERTIES, BOREHOLES, GROUND ICE, FROZEN GROUND TEMPERATURE, DIELECTRIC PROPERTIES, ATTENUATION, SEDIMENTS, WATER CONTENT.
The dielectric constant and attenuation rate of short radiowave pulses in frozen Fairbanks silt have been measured between boreholes 12 m deep and spaced between 4.4 and 17.6 m. The ranges for volumetric ice content and temperature were 44 to 79% and -6.0 (surface, early Apr.) to -0.7 C (bottom) respectively. The pulses lasted approximately 30 ns, had a power spectrum centered near 100 MHz, and were transmitted and received at the same depth. Dielectric constants were determined from the propagation time delay of the the leading edge and there was no significant dispersion. Attenuation rates (dB/m) were determined by comparing signal levels received between different borehole pairs and were adjusted for geometric spreading losses. Concurrent borehole dc resistivity measurements allowed estimates of the separate contributions of various loss mechanisms. The results show the dielectric constant to vary between 4.3 and 7.0 and to correlate well with the volumetric ice content, but not with temperature. Average attenuation rates at any particular depth varied between 1.4 and 4.0 dB/m. The lowest values occurred in the sections with the higher ice content. No more than 0.8 dB/m could be ascribed to conductive absorption losses, suggesting that scattering is an important loss mechanism.

MP 2365
SEASONAL VARIATIONS IN RESISTIVITY AND TEMPERATURE IN DISCONTINUOUS PERMAFROST.
Delaney, A.J., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.927-932, 16 refs.
Sellmann, P.V., Arcone, S.A.
42-4151
DISCONTINUOUS PERMAFROST, PERMAFROST THERMAL PROPERTIES, ELECTRICAL RESISTIVITY, FROZEN GROUND PHYSICS, BOREHOLES, SEDIMENTS, UNFROZEN WATER CONTENT, GRAIN SIZE, FROZEN GROUND TEMPERATURE.
Electrical resistivity and temperature were measured in two 12.2-m-deep boreholes in interior Alaska in perennially frozen ice-rich silt and in coarse-grained alluvium. Seasonal temperature and resistivity changes were most noticeable in the upper 6 m at both sites, with resistivity varying more than several thousand ohm-m during one year. Resistivity profiles were compared with lithology, temperature and moisture content. At the alluvium site resistivity and grain size strongly correlated. Values ranging over 10,000 ohm-m occurred with coarse-grained material and values an order of magnitude lower occurred in the fine-grained material section. At the ice-rich silt site, resistivity values were generally lower, but in agreement with values for the fine-grained part of the alluvial section. Lithologic variations in the discontinuous permafrost zone can be as important as the high permafrost temperatures and correspondingly large unfrozen water contents in accounting for significant seasonal resistivity changes in fine-grained sediment.

MP 2366
D.C. RESISTIVITY ALONG THE COAST AT PRUDHOE BAY, ALASKA.
Sellmann, P.V., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.988-993, 11 refs.
Delaney, A.J., Arcone, S.A.
42-4162
SUBSEA PERMAFROST, PERMAFROST DISTRIBUTION, TUNDRA, MODELS, PERMAFROST PHYSICS, SHORELINE MODIFICATION, ELECTRICAL RESISTIVITY, SOUNDING, SHORE EROSION, UNITED STATES—ALASKA—PRUDHOE BAY.
Electrical resistivity measurements, at three sites in Prudhoe Bay, Alaska, were made to provide an understanding of marine modification to coastal permafrost, and to evaluate D.C. resistivity techniques for coastal subsea permafrost studies. The measurements were made using Wenner electrical resistivity soundings. Profiles extended 2.8 km offshore and inland beyond the last signs of tundra modification by coastal processes. Offshore measurements were made with a floating cable, and inland measurements were made using driven electrodes. The observations indicate that the electrical properties of permafrost beneath the coastal bluff and adjacent tundra are rapidly modified by coastal erosion and periodic flooding during storms. Along one control line, apparent resistivity changes corresponded with the configuration of the top of ice-bonded permafrost observed by Baker (1987). Modeling supported by the control data permitted a close interpretation of the position of the top of ice-bounded subsea permafrost and provided a range of real resistivities for offshore materials.

MP 2367
FROST HEAVE FORCES ON H AND PIPE FOUNDATION PILES.
Buska, J.S., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1039-1044, 6 refs.
Johnson, J.B.
42-4173
FROST HEAVE, PILE EXTRACTION, PIPELINE SUPPORTS, SHEAR STRESS, LOADS (FORCES), ACTIVE LAYER, ADHESION, FOUNDATIONS, AIR TEMPERATURE, FROZEN GROUND TEMPERATURE, UNITED STATES—ALASKA—FAIRBANKS.
The magnitude and variation of forces and shear stresses, caused by frost heaving in Fairbanks silt and the adfreeze effects of a surface ice layer and a gravel layer, were determined as a function of depth along the upper 2.75 m of a pipe pile and an H pile for three consecutive winter seasons (1982-1985). The peak frost heaving forces on the H pile during each winter were 752, 790 and 802 kN. Peak frost heaving forces on the pipe pile of 1118 and 1115 kN were determined only for the second and third winter seasons. Maximum average shear stresses acting on the pipe pile were 627 and 972 kPa for the second and third winter seasons. The surficial ice layer may have contributed 15 to 20% of the peak forces measured on the piles. The gravel layer on the H pile contributed about 35% of the peak forces measured.

MP 2368
NEW FREEZING TEST FOR DETERMINING FROST SUSCEPTIBILITY.
Chamberlain, E.J., International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1045-1050, 6 refs.
42-4174
FROST RESISTANCE, SOIL FREEZING, PAVEMENTS, FROST HEAVE, ARTIFICIAL FREEZING, TESTS, FREEZE THAW CYCLES, TEMPERATURE CONTROL, EQUIPMENT.
A new freezing test for determining the frost susceptibility of soils used in pavement systems is designed to supplant the standard CRREL freezing test. This new test cuts the time required to determine frost susceptibility in half. It also allows for the determination of both the frost heave and thaw weakening susceptibilities and considers the effects of freeze-thaw cycling. The new freezing test also eliminates much of the variability in test results by completely automating the temperature control and the data observations.

MP 2369
USE OF GEOTEXTILES TO MITIGATE FROST HEAVE IN SOILS.
Henry, K., International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1096-1101, 14 refs.
42-4183
FROST HEAVE, FROZEN GROUND MECHANICS, MATERIALS, GRAIN SIZE, WATER TABLE, COUNTERMEASURES, SOIL WATER MIGRATION, CAPILLARITY, POROSITY.
One potential use of geotextiles is horizontal placement in soil above the water table to act as a capillary break or barrier to mitigate frost heave. A capillary break works because larger pore sizes and/or wetting angles of the material than surrounding soil result in lower unsaturated hydraulic conductivity and lowered height of capillary rise of water. This reduces frost heave by limiting the rate of upward water migration. Five series of open-system, unidirectional frost-heave tests were run in which 3 nonwoven polypropylene geotextiles were tested for their ability to mitigate frost heave. Certain fabrics were successful in reducing frost heave by as much as 85%. Test results also indicate that the optimum fabric thickness required to mitigate frost heave is a function of soil type as well as properties of the geotextile.

MP 2370
EFFECT OF VARIABLE THERMAL PROPERTIES ON FREEZING WITH AN UNFROZEN WATER CONTENT.
Lunardini, V.J., International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1127-1132, 17 refs.
42-4189
FREEZING POINTS, THERMAL CONDUCTIVITY, UNFROZEN WATER CONTENT, HEAT TRANSFER, PERMAFROST THERMAL PROPERTIES, PHASE TRANSFORMATIONS, TEMPERATURE EFFECTS, GROUND THAWING, ANALYSIS (MATHEMATICS).
While many materials undergo phase change at a fixed temperature, the variation of unfrozen water with temperature causes a soil system to freeze or thaw over a finite temperature range. Exact and approximate solutions are given for conduction phase change of plane layers of soil with unfrozen water contents that vary linearly and quadratically with temperature. The temperatures and phase change depths are found to vary significantly from those predicted for the constant temperature (Neumann) problem. The thermal conductivity and specific heat of the soil within the mushy zone varied as a function of unfrozen water content. The effect of specific heat is negligible and the effect of variable thermal conductivity can be accounted for by a proper choice of thermal properties used in the constant thermal property solution.

MP 2371
TRIAXIAL COMPRESSIVE STRENGTH OF FROZEN SOILS UNDER CONSTANT STRAIN RATES.
Zhu, Y., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1200-1205b, 10 refs.
Carbee, D.L.
42-4204
FROZEN GROUND STRENGTH, STRAIN TESTS, COMPRESSIVE PROPERTIES, FROZEN GROUND MECHANICS, STRESSES, SANDS, DEFORMATION, LOADS (FORCES), SHEAR STRENGTH.
Triaxial compressive strength tests were conducted on remolded, saturated Fairbanks silt and Northwest sand taken from Alaska under various constant strain rates ranging from 5.27/10,000,000 to 9.84/10,000/s and confining pressures up to 3.43 MPa at -2 C. The average dry density of the samples tested were 1.20 g/cu cm for silt and 1.52 g/cu cm for sand, respectively. It was found that, within the range of confining pressure employed, the maximum deviator stress for the silt did not vary.

MP 2372
DEVELOPING A THAWING MODEL FOR SLUDGE FREEZING BEDS.
Martel, C.J., International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.2. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.1426-1430, 7 refs.
42-4247
SLUDGES, THAW DEPTH, FREEZE THAW CYCLES, WASTE TREATMENT, WATER TREATMENT, MATHEMATICAL MODELS, FORECASTING, DRYING, FREEZING.
This paper presents the development of a model that can be used to predict the thawing design depth of a sludge freezing bed. A sludge freezing bed is a new unit operation for dewatering sludges from water and wastewater treatment plants. Preliminary results obtained from a pilot-scale freezing bed indicate that this model is valid.

MP 2373
OBSERVATIONS OF MOISTURE MIGRATION IN FROZEN SOILS DURING THAWING.
Cheng, G., et al, International Conference on Permafrost, 5th, Trondheim, Norway, Aug. 2-5, 1988. Proceedings, Vol.1. Edited by K. Senneset, Trondheim, Norway, Tapir Publishers, [1988], p.308-312, 14 refs.
Chamberlain, E.J.
42-4032
GROUND THAWING, SOIL WATER MIGRATION, FROZEN GROUND, WATER CONTENT, TESTS, ICE LENSES, FROST HEAVE, ICE FORMATION.
Open and closed system tests on prefrozen silt and clay were conducted to investigate moisture migration in frozen soils during thawing. In all tests, an increase in water content just below the thawing front was observed. In some cases, a thawing fringe, ice lenses and frost heave were recorded. Water migration into the frozen part of thawing soil was greatly reduced after a continuous ice lens had formed across a sample. A regelation mechanism for ice formation in frozen soil during thawing is suggested.

MP 2374
PATTERNS OF VEGETATION RECOVERY AFTER TUNDRA FIRES IN NORTHWESTERN ALASKA, U.S.A.
Racine, C., et al, Nov. 1987, 19(4), p.461-469, 17 refs.
Johnson, L.A., Viereck, L.A.
43-194
REVEGETATION, PLANT ECOLOGY, TUNDRA. FIRES.

MP 2375
MANAGEMENT OF NORTHERN GRAVEL SITES FOR SUCCESSFUL RECLAMATION: A REVIEW.
Johnson, L.A., Nov. 1987, 19(4), p.530-536, 29 refs.
43-203
REVEGETATION, GRAVEL.

MP 2376
EVALUATION OF THE X-RAY RADIOGRAPHY EFFICIENCY FOR HEAVING AND CONSOLIDATION OBSERVATION.
Akagawa, S., International Symposium on Ground Freezing, 5th, Nottingham, England, July 26-28, 1988. Proceedings. Ground freezing 88, Vol.1, Rotterdam, Netherlands, A.A. Balkema, 1988, p.23-28, 3 refs.
43-56
FROST HEAVE, SOIL FREEZING, CLAYS, STRAINS, FROZEN GROUND MECHANICS, FROZEN GROUND PHYSICS, X RAY ANALYSIS, TESTS, FROST RESISTANCE, ATTENUATION, COMPUTER APPLICATIONS
Two step freeze tests were conducted during which 136 radiographs were taken These were used to test the feasibility of utilizing X-rays as a nondestructive method for observing changes in a soil's physical and mechanical properties due to frost heave. The radiographs were analyzed using computer image processing techniques to measure the position of lead spheres embedded in the soil column and to examine the spatial distribution of intensity changes of the transmitted X-rays. An analysis of the attenuation properties of frozen soil is presented. A linear correlation between the soil's attenuation of X-rays and the amount of heave and consolidation is determined. This relationship is utilized to compute strain distribution profiles.

MP 2377
STATE OF THE ART: MECHANICAL PROPERTIES OF FROZEN SOIL.
Sayles, F.H., International Symposium on Ground Freezing, 5th, Nottingham, England, July 26-28, 1988. Proceedings. Ground freezing 88, Vol.1, Rotterdam, Netherlands, A.A. Balkema, 1988, p.143-165, Refs. p.160-165.
43-72
SOIL CREEP, FROZEN GROUND MECHANICS, FROZEN GROUND PHYSICS, STRESS STRAIN DIAGRAMS, FROZEN GROUND STRENGTH, ANALYSIS (MATHEMATICS), COMPRESSIVE PROPERTIES, RHEOLOGY.

MP 2378
FREEZING A TEMPORARY ROADWAY FOR TRANSPORT OF A 3000 TON DRAGLINE.
Maishman, D., et al, International Symposium on Ground Freezing, 5th, Nottingham, England, July 26-28, 1988. Proceedings. Ground freezing 88, Vol.1, Rotterdam, Netherlands, A.A. Balkema, 1988, p.357-365, 16 refs.
Powers, J.P., Lunardini, V.J.
43-97
SOIL FREEZING, ROADS, FROZEN GROUND STRENGTH, ARTIFICIAL FREEZING, SOIL STABILIZATION, MATHEMATICAL MODELS, DESIGN, TEMPERATURE EFFECTS, THERMAL CONDUCTIVITY.
This unusual ground freezing operation – probably the biggest ever accomplished in the United States—enabled a giant dragline 24 m wide to walk 700 m across the alluvial flood plain of the Green River in Kentucky in one day. The paper describes the environmental constraints that made the procedure necessary and the special pipelaying and ground insulation methods employed The thermal progress of the project is reviewed and appropriate design methods are elaborated.

MP 2379
ARCTIC RESEARCH OF THE UNITED STATES, VOL.2.
U.S. Interagency Arctic Research Policy Committee, Washington, D.C., Spring 1988, 76p., For selected papers see 42-4274 through 42-4276.
Brown, J., ed, Cate, D. ed, Bowen, S L ed, Valliere, D.R., ed.
42-4273
RESEARCH PROJECTS, POLAR REGIONS, DATA PROCESSING, MEETINGS
The articles in this first issue of 1988 are divided into three main sections The first focuses on non-Federal research in Alaska and selected Federal support activities involving data and information acquisition, storage and dissemination The second section presents reports on meetings and activities of international interest predominantly originating outside the U.S. The third section contains brief reports of other Arctic research activities, primarily in the U.S. Reports of meetings of the Arctic Research Commission and the Interagency Committee and notices of upcoming meetings are a regular feature of the journal.

MP 2380
ALASKA SAR FACILITY: AN UPDATE.
Weller, G., et al, Spring 1988, Vol.2, p.27-31, 5 refs.
Weeks, W.F.
42-4274
DATA PROCESSING, SEA ICE, RADAR ECHOES.

MP 2381
FRAZIL ICE IN RIVERS AND STREAMS.
Daly, S.F., Fall/winter 1987, 19(3-4), p.19-26, For another source see 42-1690. 34 refs.
42-4284
FRAZIL ICE, SUPERCOOLING, LABORATORY TECHNIQUES.

MP 2382
ON THE EFFECT OF THE 4 C DENSITY MAXIMUM ON MELTING HEAT TRANSFER.
Yen, Y.-C., International Symposium on Phase Change Heat Transfer, Chongqing, Sichuan, China, May 20-23, 1988. Proceedings. Advances in phase change heat transfer. Edited by M. Xin, Beijing, China, International Academic Publishers, 1988, p.362-367, 15 refs.
42-4309
HEAT TRANSFER, ICE MELTING, ICE WATER INTERFACE, DENSITY (MASS/VOLUME), CONVECTION, ANALYSIS (MATHEMATICS).
The effect of the 4 C density maximum on heat transfer in a water layer formed by melting ice has been investigated. The anomalous density maximum of water at about 4 C has been attributed to the occurrence of a constant temperature region within the layer and has resulted in variable critical Rayleigh numbers dependent on both the warm boundary temperature and the direction of melting

MP 2383
PHASE CHANGE HEAT TRANSFER PROGRAM FOR MICROCOMPUTERS.
Buzzell, G.M., et al, International Symposium on Phase Change Heat Transfer, Chongqing, Sichuan, China, May 20-23, 1988. Proceedings. Advances in phase change heat transfer. Edited by M. Xin, Beijing, China, International Academic Publishers, 1988, p.645-650, 22 refs.
Farag, I.H., Phetteplace, G.
42-4312
HEAT TRANSFER, PHASE TRANSFORMATIONS, COMPUTER PROGRAMS, ELECTRIC EQUIPMENT, FREEZE THAW CYCLES, MELTING, ANALYSIS (MATHEMATICS), FREEZING, LATENT HEAT.
The development of a microcomputer based finite element program featuring phase change (melting and freezing) simulation facilities is outlined A closed form Galerkin finite element method derived from a delta function formulation of the latent heat discontinuity in the heat capacity versus temperature function is used within phase change elements of the solution domain. Storage reduction data structures are implemented and compared on the basis of overall program execution time. Analytical solutions for melting and freezing are used to verify program accuracy and to explore other simulation parameters such as time step size, mesh density and start-up technique Several "life like" phase change simulations are compared to the results obtained from other numerical models, main frame and microcomputer performance based on execution time is tabulated for each of these cases.

MP 2384
APPROXIMATE ANALYTICAL SOLUTION OF A STEFAN'S PROBLEM IN A FINITE DOMAIN.
Takagi, S., June 1988, 46(2), p.245-266, 17 refs.
43-15
STEFAN PROBLEM.

MP 2385
MICROCOMPUTER-BASED IMAGE-PROCESSING SYSTEM.
Perovich, D.K., et al, 1988, 34(117), p.249-252, 14 refs
Hirai, A.
43-172
SEA ICE, ICE COVER, ICE STRUCTURE, COMPUTERS, SURFACE PROPERTIES, STATISTICAL ANALYSIS, SNOW COVER, MICROWAVES.
Inexpensive add-on boards are currently available that enable personal computers to be used as digital image-processing systems The capabilities of one such system are illustrated by two specific cases examining the surface characterization of a sea ice cover and the statistical description of sea-ice structure The unit discussed digitizes video input into a 512 x 512 array of pixels, assigning each a gray shade from 0 to 255 A key feature of the system is that the primitive commands of the board can be accessed through higher-level programming languages This allows users to customize easily the system for their own needs.

MP 2386
ATMOSPHERIC STABILITY FROM SCINTILLATION MEASUREMENTS.
Andreas, E.L., June 1, 1988, 27(11), p.2241-2246, 39 refs.
43-283
ATMOSPHERIC PHYSICS, OPTICAL PHENOMENA, TURBULENCE.

MP 2387
MEASUREMENT AND EVALUATION OF TIRE PERFORMANCE UNDER WINTER CONDITIONS.
Blaisdell, G.L., 1985, No.35, Vinterkunskap och vinterdata (konferens), Örnsköldsvik, Sweden, Mar. 26-28, 1985. (Winter Knowledge and Winter Data Conference, Örnsköldsvik, Sweden, Mar. 26-28, 1985), p.198-228, 8 refs.
43-374
COLD WEATHER OPERATION, TIRES, SNOW COVER EFFECT, ROADS, MODELS, TRAFFICABILITY, VEHICLES, TRACTION, SNOW COMPACTION, FORECASTING.
With the advent of sophisticated instrumented vehicles, the study of vehicle mobility on cold regions materials is seeing numerous changes This includes the development of new methods of measuring traditional mobility parameters, new insight into the mechanics of the tire-surface material interaction, and the generation of new predictive models This paper reviews (a) the techniques currently used in the United States for the measurement and analysis of vehicle mobility in snow which utilize instrumented vehicle technology, (b) the current state of prediction of wheeled vehicle mobility in snow and (c) suggests directions for future studies.

MP 2388
MODEL STUDY OF ICE FORCES ON A SINGLE PILE.
Zabilansky, L.J., IAHR Symposium on Ice, 8th, Iowa City, Aug. 18-22, 1986. Proceedings, Vol.3, (1986), p.77-87, 2 refs.
43-262
ICE LOADS, PILE STRUCTURES, OFFSHORE STRUCTURES, ICE PRESSURE, ICE SOLID INTERFACE, PILE EXTRACTION, TESTS, CONSTRUCTION MATERIALS, STRESSES.
Water level variations caused by wind, tides or seiche action during periods of open water seldom test the integrity of marine structures Yet these same variations combined with an ice sheet may severely damage or completely destroy the same structures Light-duty, pile-founded dock structures, typical of marinas, are especially susceptible to this type of environmental damage As a wave passes under the ice sheet, the piles impede the free-floating response of the ice sheet Subsequently the piles are subjected to an uplifting force equivalent to the hydrostatic force associated with the ice sheet deflection Over the course of a winter this repeated loading may incrementally extract the pile from its foundation This laboratory study used a two-step approach for investigating the uplifting ice force phenomenon First, a testing technique that reproduced the ice condition surrounding a prototype pile was developed In the second phase, the testing technique was used to evaluate methods of passively protecting the piles from induced uplift. Highlights of the tests are reported here, but a complete discussion of the test series, including observation and force records on the individual tests are reported by Zabilansky (1987)

MP 2389
STATIC AND DYNAMIC ICE LOADS ON THE YAMACHICHE BEND LIGHTPIER, 1984-86.
Frederking, R., et al, IAHR Symposium on Ice, 8th, Iowa City, Aug. 18-22, 1986. Proceedings, Vol.3, (1986), p.115-126, 14 refs
Haynes, F D., Hodgson, T P., Sayed, M
43-265
ICE LOADS, PIERS, STRESSES, STATIC LOADS, MEASURING INSTRUMENTS, DYNAMIC LOADS
Ice load measuring sensors were installed on the Yamachiche Bend lightpier in the St Lawrence River downstream from Montreal Panels consisting of steel plates supported on load cells are used to measure static loads while accelerometers are used to monitor dynamic loads Operation of the system over the winters of 1983-84 to 1985-86 is described and some preliminary estimates of the total ice forces on the pier are presented

MP 2390
FIELD TECHNIQUES FOR OBTAINING ENGINEERING CHARACTERISTICS OF FRAZIL ICE ACCUMULATIONS.
Dean, A.M., Jr., IAHR Symposium on Ice, 8th, Iowa City, Aug. 18-22, 1986. Proceedings, Vol.3, [1986], p.265-278, 9 refs.
43-273
FRAZIL ICE, ICE FORMATION, ICE PHYSICS, ICE NAVIGATION, CHANNELS (WATERWAYS), ICE JAMS, WATER FLOW, ICE STRENGTH, MEASURING INSTRUMENTS.
With the increased utilization of flood plains, navigation and power generation in northern climates, it becomes increasingly important to understand the engineering characteristics of frazil ice accumulations Frazil is generated and accumulates over large areas in waterways Navigation through such great amounts of frazil will be impeded Power generation suffers from the restricted flow caused by frazil accumulation. Having been generated in large quantities and attached as underhanging dams, frazil significantly increases flooding potentials through channel restrictions and an increase in the total ice volume in a waterway. Techniques for measuring the physical properties of frazil ice are presented These data will assist in predicting the flow patterns and the jamming potential in a waterway. The properties include porosity, density, vane shear strength, permeability and a measure of the structural strength (expressed through plate load bearing, dilatometer, and penetrometer or rammsonde data). Further characteristics include remote sensing of the accumulation and flow profiling beneath the accumulations. Examples of the acquired data are given

MP 2391
CONTROLLED RIVER ICE COVER BREAKUP; PART 1. HUDSON RIVER FIELD EXPERIMENTS.
Ferrick, M.G., et al, IAHR Symposium on Ice, 8th, Iowa City, Aug. 18-22, 1986. Proceedings, Vol.3, [1986], p.281-291, 5 refs.
Lemieux, G.E., Mulherin, N., Demont, W.
43-274
RIVER ICE, ICE BREAKUP, ICE JAMS, WATER FLOW, RIVER FLOW, DAMS, VELOCITY, ICE CONDITIONS, UNITED STATES—NEW YORK—HUDSON RIVER.
Field studies of a reach of the Hudson River have focused on developing a technique to induce the controlled breakup of an ice cover or ice jam by releasing water from an upstream dam A series of abrupt dam releases generated long-period river waves of different magnitudes, durations and spacings that caused changes in river stage, water surface slope, flow velocity, energy gradient of the flow, and integrity of the ice cover. We monitored river stage and ice cover response at several locations, and repeated the stage measurements with the same releases during open water conditions These studies have revealed that pulsed releases of a practical magnitude were effective in removing the ice cover from the reach, and they provide basic data for more general analysis of river ice cover breakup.

MP 2392
CONTROLLED RIVER ICE COVER BREAKUP; PART 2. THEORY AND NUMERICAL MODEL STUDIES.
Ferrick, M.G., et al, IAHR Symposium on Ice, 8th, Iowa City, Aug. 18-22, 1986. Proceedings, Vol.3, [1986], p.293-305, 5 refs
Lemieux, G E., Mulherin, N , Demont, W
43-275
RIVER ICE, ICE BREAKUP, HYDRODYNAMICS, ICE STRENGTH, MATHEMATICAL MODELS, THEORIES, DYNAMIC PROPERTIES, ICE JAMS.
We have formulated a theory of dynamic ice breakup that is based on the data and observations presented in part 1 of this paper and additional observations of breakup on other rivers The hydrodynamic forces that cause a dynamic breakup depend on the flow energy gradient, and resistance is a function of ice strength and ice cover support In this paper we focus on the factors that affect the energy gradient, and we treat ice strength and breakup empirically Data that directly test the theory and quantify the relationship between river waves and ice breakup observed in the field were obtained by adapting a numerical model to the Hudson River study reach The theory provides a basis for understanding the wide spectrum of observations of ice cover breakup and ice jam formation and release

MP 2393
ESTIMATING CN SQUARE OVER SNOW AND SEA ICE FROM METEOROLOGICAL DATA.
Andreas, E L , Apr 1988, 5A(4), p 481-495, 69 refs
42-3000
REFRACTION, ATMOSPHERIC PHYSICS, SNOW COVER EFFECT, ICE COVER EFFECT.

MP 2394
COMMENT ON "ATMOSPHERIC BOUNDARY LAYER MODIFICATION IN THE MARGINAL ICE ZONE" BY T.J. BENNETT, JR. AND K. HUNKINS.
Andreas, E.L., Apr. 15, 1987, 93(C4), p.3965-3969, Includes reply by Bennett and Hunkins. 19 refs. For the paper being critiqued see 41-1861 (I-34897) and for the Andreas et al paper which included the data used by Bennett and Hunkins, see 38-1819 (141-29231).
41-3064
SEA ICE, ICE EDGE, ICE AIR INTERFACE, MATHEMATICAL MODELS.
Andreas briefly commends Bennett and Hunkins for an important contribution to MIZ research but points out numerous serious shortcomings in their methods, data interpretations, misrepresentations, misuse of mathematical equations, and a generally careless approach in the use of his data In their reply, Bennett and Hunkins seem to agree that the criticism is justified

MP 2395
ON THE DESIGN OF POLYMERIC COMPOSITE STRUCTURES FOR COLD REGIONS APPLICATIONS.
Lord, H.W., et al, Sep. 1988, 7(5), p 435-458, 46 refs.
Dutta, P.K.
43-303
POLYMERS, CONSTRUCTION MATERIALS, DEGRADATION, FREEZE THAW CYCLES, TEMPERATURE EFFECTS, HUMIDITY.
This study focuses attention on low-temperature hygrothermal effects which influence the short- and long-term behavior and characterization of polymeric composite materials A review of the literature reveals a scarcity of low-temperature material performance data needed for design of composite materials for cold regions applications Four problem areas are identified (1) hygrothermal residual stresses, (2) material degradation due to low-temperature environmental cycling; (3) moisture effects on freeze-thaw cycling; and (4) long-term synergistic effects of combined loading history and environmental exposure on material durability A brief review of past work is presented and areas identified where more research is needed to develop the data base required for design of composite materials for cold environments

MP 2396
WMO SOLID PRECIPITATION MEASUREMENT INTERCOMPARISON AT SLEEPERS RIVER RESEARCH WATERSHED.
Bates, R.E., et al, 1987, 44th, p.1-7, 6 refs.
Pangburn, T., Greenan, H.
43-384
SNOWFALL, PRECIPITATION GAGES, MEASURING INSTRUMENTS, ACCURACY, WATERSHEDS, SNOWSTORMS.
The U S Army Cold Regions Research and Engineering Laboratory is a member of the World Meteorological Organization (WMO) group tasked with evaluation of solid precipitation measurement procedures and instrumentation The NOAA/CRREL Sleepers River Watershed in Danville, VT, was selected as the site for these tests in 1986, and precipitation gauges and supporting meteorological instrumentation were installed in the fall of 1986 This paper gives descriptions of the precipitation gauges evaluated and preliminary results obtained for a few snowstorms that occurred during the first winter of operation.

MP 2397
SOME OBSERVATIONS ON THE CHARACTER OF SNOW.
Townsend, R.A., et al, 1987, 44th, p.48-53, 19 refs.
Hogan, A W.
43-388
SNOW CRYSTAL GROWTH, SNOWFALL, ICE CRYSTAL STRUCTURE, ICE CRYSTAL GROWTH, PRECIPITATION (METEOROLOGY), TEMPERATURE EFFECTS, HUMIDITY.
Typical snowfalls in eastern Canada and the northeastern United States are associated with complex and deep weather systems Attempts to apply the ice crystal habit characterization of Nakaya, and Magono and Lee, to determine the temperature and humidity regimes where the snow originates often fail due to these complexities Precipitation in the polar regions occurs in and beneath well-stratified layers, which are much less complex and permit more direct comparison of snow crystal type to the temperature humidity regime Many of these precipitation events occur in conjunction with clouds that approximate the conditions at the leading edge of midlatitude warm fronts, although the cloud is only a few hundred meters above the surface It has been possible to calculate the growth rate of primary ice crystals in these conditions from fundamental concepts Additional cases have been observed where ice crystal optical phenomena have been quite precisely associated with ice crystal type and temperature-humidity regime Analysis of polar ice crystal falls indicates that there is sufficient and continuous production of small, plate-type crystals that can survive falls through layers below

MP 2398
FORECASTING OF SNOWMELT RUNOFF USING WATER TEMPERATURE DATA.
Pangburn, T., 1987, 44th, p.108-113, 7 refs.
43-394
RUNOFF FORECASTING, SNOWMELT, WATER TEMPERATURE, MELTWATER, STREAMS, MODELS.
For the 1986 snowmelt season at the W-3 subwatershed of the Sleepers River Research Watershed, a technique was developed to quantify the volume and timing of snowmelt runoff using stream water temperature. A method reported by Kobayashi (1985) for separation of the snowmelt hydrograph was tested. A method employing air temperature and solar radiation was developed which was used to calibrate the SSARR model Improvements in the predictive capabilities of SSARR were attained using this method

MP 2399
ICE JAMS AND AN ANALYSIS OF THE WINTER CLIMATE AT TWO SITES NEAR THE WHITE RIVER IN SOUTH DAKOTA.
Bilello, M.A., 1987, 44th, p.154-162, 10 refs.
43-398
ICE JAMS, CLIMATIC FACTORS, AIR TEMPERATURE, RIVER ICE, PRECIPITATION (METEOROLOGY), METEOROLOGICAL FACTORS, UNITED STATES—SOUTH DAKOTA—WHITE RIVER.
Weather records for stations in South Dakota for the winter months from 1921-1984 were examined to detect any long-term trends, and to determine possible relationships between climate and ice-jam occurrence on the White River. Analysis of the observed average monthly winter air temperatures at Kennebec, South Dakota, revealed warmer Decembers and Januaries occurring between 1930 and 1950 Five of the seven ice-jam winters that were studied in detail occurred after 1950, and during this period significantly lower temperatures were recorded in Jan. However, no consistent pattern between below-normal seasonal freezing temperatures, or above-normal precipitation amounts, and ice-jams was noted

MP 2400
STUDY OF DYNAMIC ICE BREAKUP ON THE CONNECTICUT RIVER NEAR WINDSOR, VERMONT.
Ferrick, M.G , et al, 1987, 44th, p.163-177, 8 refs.
Lemieux, G.E., Demont, W., Weyrick, P.B.
43-399
ICE BREAKUP, RIVER ICE, FLOODS, RIVER FLOW, ICE CONDITIONS, DAMAGE, BRIDGES, ICE CONTROL, STATISTICAL ANALYSIS, ICE JAMS, UNITED STATES—VERMONT—CONNECTICUT RIVER.
The Cornish-Windsor bridge is the longest covered bridge in the United States and has significant historical value At a large peak flow, dynamic ice breakup of the Connecticut River can threaten the bridge and cause flood damage in the town of Windsor, Vermont. Throughout the 1985-86 winter we regularly monitored ice conditions, including a midwinter dynamic ice breakup on 27 January, and conducted a series of controlled release tests over the operating range of the turbines at Wilder Dam upstream These observations were analyzed in light of more than 60 years of temperature and discharge records Our analysis indicates that river regulation presents alternatives for ice management that would minimize the probability of bridge damage and flooding during breakup The flow can be regulated early in the winter to promote the growth of a stable ice cover, minimizing the total ice production in the reach In the weeks prior to breakup, sustained releases and above freezing air temperatures cause melting, weakening and gradual breakup of the ice, greatly reducing the flooding potential Also it is possible to produce a controlled ice breakup at lower stage and discharge than now occurs during major natural events All of these ice control alternatives have associated power production costs

MP 2401
COMPARISON OF SNOWFALL AMOUNTS AND SNOW DEPTHS FOR LOCATIONS IN GERMANY AND THE NORTHEAST UNITED STATES.
Bates, R.E., et al, EOSAEL/TWI Conference, 8th, Las Cruces, New Mexico, Dec 1-3, 1987. Proceedings, Vol I, White Sands Missile Range, NM, U S. Army Atmospheric Sciences Laboratory, May 1988, p 107-117, 9 refs.
Bilello, M.A
43-602
SNOWFALL, SNOW DEPTH, SNOW ACCUMULATION, MILITARY OPERATION, CLIMATIC FACTORS, AIR TEMPERATURE, STATISTICAL ANALYSIS, UNITED STATES, GERMANY.
Winter field experiments associating snowfall intensity, crystal habit and snowcover backgrounds with the operational effectiveness of electromagnetic systems have been conducted at five locations in northeastern U S over the past 7 years The purpose of this report is to determine if climatic regimes (including snowfall and snow depths) similar to these five sites exist in critical military areas of central Europe, specifically in Germany This study compiles data on total seasonal

snowfall amounts, mean maximum snow depths, and average mid-winter air temperatures so that comparisons based on regional distributions could be made. Statistical relationships between these terrain features were used to make maps which show the regional distribution of these parameters for Germany and a large region of northeastern United States.

MP 2402
PREDICTION OF WINTER BATTLEFIELD WEATHER EFFECTS.
Ryerson, C.C., et al, EOSAEL/TWI Conference, 8th, Las Cruces, New Mexico, Dec. 1-3, 1987. Proceedings, Vol.2, White Sands Missile Range, NM, U.S. Army Atmospheric Sciences Laboratory, May 1988, p.357-362, 14 refs.
Bates, R.E.
43-603
MILITARY OPERATION, SNOWSTORMS, CLIMATIC FACTORS, AIRCRAFT ICING, WEATHER FORECASTING, SUPERCOOLED CLOUDS.
Battlefield weather forecasters ideally require similar, if not greater, amounts and qualities of data than peacetime forecasters. In conflicts the quality, type and amount of data available, however, will be inadequate and will be a function of battle zone size, location, season, time of day and elapsed time. The forecast problem is most difficult during winter operations when icing, snowfall, fog, or combinations thereof can result from subtle meso- and micro-scale changes in weather. This report reviews current weather forecast requirements for remote regions and suggests a conceptual approach for ideal forecast procedures when normal data flows are interrupted.

MP 2403
CONFINED COMPRESSIVE STRENGTH OF MULTI-YEAR PRESSURE RIDGE SEA ICE SAMPLES.
Cox, G.F.N., et al, Aug. 1988, Vol.110, p.295-301, For another source see 40-3162. 17 refs.
Richter-Menge, J.A.
43-921
PRESSURE RIDGES, COMPRESSIVE PROPERTIES, ICE STRENGTH, SEA ICE.

MP 2404
NUMERICAL SIMULATIONS OF THE PROFILE PROPERTIES OF UNDEFORMED FIRST-YEAR SEA ICE DURING THE GROWTH SEASON.
Cox, G.F.N., et al, Oct. 15, 1988, 93(C10), p.12,449-12,460, 31 refs.
Weeks, W.F.
43-721
SEA ICE, ICE GROWTH, ICE SALINITY, ICE COVER STRENGTH, ICE COVER THICKNESS, MODELS.
A simulation scheme is developed that estimates salinity profiles for first-year sea ice during the growth season as a function of the growth history of the ice. The model considers the dependence of the initial ice salinity on ice growth velocity and seawater salinity and also the subsequent drainage of brine from the ice. The equation for ice growth assumes a linear temperature profile within the ice and is driven by surface heat balance equations that are based on smoothed climatic data for the central Arctic Basin. The estimated salinity profiles are in good agreement with natural profiles. Although temperature and salinity profiles depend upon the time of the year when ice growth is initiated, the brine volume profiles which they specify are essentially a unique function of ice thickness; a conclusion that holds even when the insulative effects of snow are considered. The temperature and brine volume profiles are then utilized to calculate the ice strength and elastic modulus profiles, which in turn specify the composite mechanical properties of the ice sheets. Significant differences, which are largest for thin ice sheets, are observed between ice sheet properties as calculated using composite plate theory and properties calculated from uniform plate theory and average ice properties. These results provide a justification for the practice, common within the ice modeling community, of parameterizing the mechanical behavior of pack ice on the basis of the ice thickness distribution.

MP 2405
STRUCTURAL FIBER COMPOSITE MATERIALS FOR COLD REGIONS.
Dutta, P.K., Sep. 1988, 2(3), p.124-134, 9 refs.
43-873
CONSTRUCTION MATERIALS, LOW TEMPERATURE TESTS, COLD WEATHER PERFORMANCE, FREEZE THAW TESTS.

MP 2406
ICE REGIME RECONNAISSANCE, YUKON RIVER, YUKON.
Gerard, R., et al, International Specialty Conference on Cold Regions Engineering, 3rd, Edmonton, Alberta, Apr. 4-6, 1984. Proceedings, Vol.3. Edited by D.W. Smith, [Edmonton, University of Alberta, 1984], p.1059-1073, 8 refs.
Kent, T.D., Janowicz, R., Lyons, R.O.
43-670
RIVER ICE, ICE CONDITIONS, AERIAL SURVEYS, FREEZEUP, ICE BREAKUP, POLYNYAS, OFFSHORE LANDFORMS, CANADA—YUKON RIVER.
Aerial reconnaissance of the ice regime over some 800 km of the Yukon River, from Lake Laberge to the U.S.-Yukon border, was carried out over two years. The paper describes the nature and rate of freeze-up and break-up progression observed in the two years, and the number and distribution of polynyas in mid-winter. The latter were found to be closely related to the presence of islands. Freeze-up progressed reasonably steadily over the whole reach after initial lodgement occurred some 700 km downstream of Lake Laberge. Break-up had a totally different character in the two halves of the reach: downstream it was rapid and dynamic; upstream it was slow and thermal. It is concluded that field observations are still essential to develop an understanding of the ice regime of a river reach.

MP 2407
ICE FORCES ON INCLINED MODEL BRIDGE PIERS.
Haynes, F.D., et al, International Specialty Conference on Cold Regions Engineering, 3rd, Edmonton, Alberta, Apr. 4-6, 1984. Proceedings, Vol.3. Edited by D.W. Smith, [Edmonton, University of Alberta, 1984], p.1167-1173, 4 refs.
Sodhi, D.S.
43-677
ICE LOADS, PIERS, BRIDGES, ICE STRENGTH, ICE PRESSURE, ICE CRACKS, MODELS, TESTS, ICE MECHANICS, ICE COVER THICKNESS, FLEXURAL STRENGTH.
Tests have been conducted to measure ice forces on model inclined bridge piers. The angle of inclination ranged from 81 to 45 deg from the downstream horizontal. Other test variables were ice velocity, ice thickness and ice flexural strength. The model piers were also inverted to bend ice downward. The paper describes the measured ice forces and the modes of observed ice failure.

MP 2408
ALASKA SYNTHETIC APERTURE RADAR (SAR) FACILITY PROJECT.
Carsey, F., et al, June 23, 1987, 68(25), p.593-596, 7 refs.
Jezek, K.C., Miller, J., Weeks, W.F., Weller, G.
43-781
SEA ICE DISTRIBUTION, ICE CONDITIONS, REMOTE SENSING, GLACIOLOGY, HYDROLOGY, OCEANOGRAPHY, GEOLOGY, VEGETATION, UNITED STATES—ALASKA, ARCTIC OCEAN.
A receiving station for the acquisition and processing of spaceborne synthetic aperture radar (SAR) data is being established by the National Aeronautics and Space Administration (NASA) at the University of Alaska, Fairbanks. The data that will be received from a number of SAR satellites that are to be launched starting in 1990 will allow U.S. researchers to study sea ice, oceanographic and geological features, hydrological processes, glaciers, and vegetation cover in Alaska and its surrounding seas.

MP 2409
SUBSIDENCE, INUNDATION, AND SEDIMENTATION: ENVIRONMENTAL CONSEQUENCES OF THE 1964 ALASKA EARTHQUAKE IN THE PORTAGE, ALASKA, AREA.
Ovenshine, A.T., et al, Nov.-Dec. 1974, 6(6), p.3-9.
Lawson, D.E., Bartsch-Winkler, S.R.
43-829
EARTHQUAKES, SUBSIDENCE, SEDIMENTS.

MP 2410
PLACER RIVER SILT—AN INTERTIDAL DEPOSIT CAUSED BY THE 1964 ALASKA EARTHQUAKE.
Ovenshine, A.T., et al, Mar.-Apr. 1976, 4(2), p.151-162, 5 refs.
Lawson, D.E., Bartsch-Winkler, S.R.
43-830
EARTHQUAKES, SEDIMENTS, SOIL EROSION.

MP 2411
CORPS OF ENGINEERS RESEARCH IN ARCTIC AND ARCTIC-RELATED ENVIRONMENTAL SCIENCES.
Smallidge, P.D., et al, Nov. 1987, No.2174 (Vol.1), DOD Symposium and Workshop on Arctic and Arctic-Related Environmental Sciences, Laurel, MD, Jan. 28-30, 1987. Proceedings, Vol.1, p.81-87.
Tucker, W.B., Ashton, G.D.
43-848
MILITARY OPERATION, COLD WEATHER OPERATION, SNOW SURVEYS, ICE SURVEYS, MILITARY ENGINEERING, PERMAFROST, FROZEN GROUND PHYSICS.

MP 2412
COUPLED AIR-ICE-OCEAN MODELS.
Hibler, W.D., III, Nov. 1987, No.2174 (Vol.1), DOD Symposium and Workshop on Arctic and Arctic-Related Environmental Sciences, Laurel, MD, Jan. 28-30, 1987. Proceedings, Vol.1, p.131-137, 9 refs.
43-850
ICE MODELS, ICE AIR INTERFACE, ICE WATER INTERFACE, OCEAN CURRENTS, ICE MECHANICS, ATMOSPHERIC CIRCULATION, RHEOLOGY, VELOCITY, DRIFT.

MP 2413
SNOW PROPERTIES AND PROCESSES.
Colbeck, S.C., Nov. 1987, No.2174 (Vol.1), DOD Symposium and Workshop on Arctic and Arctic-Related Environmental Sciences, Laurel, MD, Jan. 28-30, 1987. Proceedings, Vol.1, p.145-150, 14 refs.
43-852
SNOW SURVEYS, SNOW COVER DISTRIBUTION, METAMORPHISM (SNOW), SNOW PHYSICS, AVALANCHES, SNOW HYDROLOGY, SNOW COVER STRUCTURE, CHEMICAL PROPERTIES, HEAT TRANSFER, MICROWAVES, BLOWING SNOW.

MP 2414
DOD FLOATING ICE PROBLEMS.
Cox, G.F.N., Nov. 1987, No.2174 (Vol.1), DOD Symposium and Workshop on Arctic and Arctic-Related Environmental Sciences, Laurel, MD, Jan. 28-30, 1987. Proceedings, Vol.1, p.151-154.
43-853
SUBMARINES, ICE PHYSICS, ICE NAVIGATION, FLOATING ICE, MILITARY OPERATION, ICE COVER EFFECT, ICE MECHANICS, ICE CONDITIONS, ICE CROSSINGS, BEARING STRENGTH, ICE STRENGTH.
To operate effectively in the cold regions, technology must be developed to contend with floating ice. Of particular importance are the morphology and physical properties of the ice cover. Long-term statistics on ice formation, growth, decay, ice extent, pressure ridges, etc., need to be obtained for areas of interest, theoretical models describing these processes need to be developed as well. Not only are such statistics required for U.S. and allied waters, but also for enemy waters where we may possibly operate, or at least assess the enemy's operating capability. Remote sensing of ice features and ice thickness from both aircraft and satellites is a means of obtaining ice statistics and rapid real-time measurements, additional studies on the electromagnetic properties of ice will enhance this capability. Constitutive laws and failure criteria need to be developed to solve analytical ice engineering problems. This requires that work on the mechanical properties of ice continue, with emphasis on multi-axial tests, tests at higher temperatures, and fracture mechanics. It is critical that any analytical work be supported by scale-model tests and full-scale field measurement programs. In all ice studies more attention should be given to the ice structure and the ice air and brine content. Without this information it is difficult to interpret the results and compare them to those of other investigators. Finally, conventional equipment should be tested in the field, evaluated for arctic applications, and, if necessary, redesigned.

MP 2415
MECHANICAL AND PHYSICAL PROPERTIES OF SOILS IN COLD REGIONS.
Chamberlain, E.J., Nov. 1987, No.2174 (Vol.1), DOD Symposium and Workshop on Arctic and Arctic-Related Environmental Sciences, Laurel, MD, Jan. 28-30, 1987. Proceedings, Vol.1, p.155-161, 7 refs.
43-854
MILITARY OPERATION, PERMAFROST PHYSICS, FROZEN GROUND PHYSICS, FREEZE THAW CYCLES, FROZEN GROUND MECHANICS, COLD WEATHER CONSTRUCTION, PERMAFROST DISTRIBUTION, RHEOLOGY, BEARING STRENGTH, SOIL FREEZING, FROST HEAVE, SHEAR STRESS.

MP 2416
SNOW/ICE/FROZEN GROUND PROPERTIES: WORKING GROUP REPORT.
Sterrett, K.F., et al, Nov. 1987, No.2174 (Vol.1), DOD Symposium and Workshop on Arctic and Arctic-Related Environmental Sciences, Laurel, MD, Jan. 28-30, 1987. Proceedings, Vol.1. p.163-166.
Ashton, G.D.
43-855
SNOW SURVEYS, ICE SURVEYS, FROZEN GROUND PHYSICS, FREEZE THAW CYCLES, REMOTE SENSING, SNOW COVER DISTRIBUTION, ICE COVER DISTRIBUTION.

MP 2417
OBSCURATION AND BACKGROUND DYNAMICS IN AND OVER SNOW.
Hogan, A.W., Nov. 1987, No.2174 (Vol.1), DOD Symposium and Workshop on Arctic and Arctic-Related Environmental Sciences, Laurel, MD, Jan. 28-30, 1987. Proceedings, Vol.1, p.181-185, 15 refs.
43-856
HAZE, ICE FOG, MILITARY OPERATION, SNOW COVER EFFECT, WAVE PROPAGATION, REMOTE SENSING, SUPERCOOLED CLOUDS, TRANSMISSIVITY, VISIBILITY, ICE CRYSTALS, SNOWFLAKES.

MP 2418
RECENT RESEARCH ON ACOUSTIC TO SEISMIC COUPLING.
Albert, D.G., Nov. 1987, No.2174 (Vol.1), DOD Symposium and Workshop on Arctic and Arctic-Related Environmental Sciences, Laurel, MD, Jan. 28-30, 1987. Proceedings, Vol.1, p.223-225, 33 refs.
43-857
ACOUSTICS, MILITARY OPERATION, SOIL MECHANICS, SOIL FREEZING, SNOW COVER EFFECT, SEISMIC PROSPECTING, EXPERIMENTATION.

MP 2419
SEISMIC AND ACOUSTIC WAVE PROPAGATION: WORKING GROUP REPORT.
Albert, D.G., et al, Nov. 1987, No.2174 (Vol.1), DOD Symposium and Workshop on Arctic and Arctic-Related Environmental Sciences, Laurel, MD, Jan. 28-30, 1987. Proceedings, Vol.1. p.253-255.
Howdyshell, P.
43-858
WAVE PROPAGATION, ACOUSTICS, SEISMIC PROSPECTING, SNOW COVER EFFECT, PERMAFROST, ICE COVER EFFECT, FROZEN GROUND, ACTIVE LAYER.

MP 2420
VEHICLE MOBILITY OVER SNOW.
Blaisdell, G.L., Nov. 1987, No.2174 (Vol.1), DOD Symposium and Workshop on Arctic and Arctic-Related Environmental Sciences, Laurel, MD, Jan. 28-30, 1987. Proceedings, Vol.1. p.265-266.
43-859
VEHICLES SNOW COVER EFFECT, TRACTION, SNOW DEPTH, TRANSPORTATION, MOBILITY, CLIMATIC FACTORS, SHEAR PROPERTIES, ADHESION, SNOW COMPACTION, TIRES, VELOCITY, TRAFFICABILITY.

MP 2421
ARCTIC MOBILITY PROBLEMS.
Abele, G., Nov. 1987, No 2174 (Vol.1), DOD Symposium and Workshop on Arctic and Arctic-Related Environmental Sciences, Laurel, MD, Jan 28-30, 1987. Proceedings, Vol.1. p.267-269.
43-860
VEHICLES, SNOW COVER EFFECT, SOIL STRENGTH, TRANSPORTATION, MOBILITY, TRAFFICABILITY, TOPOGRAPHIC FEATURES, TRACKED VEHICLES, ENVIRONMENTS, WEATHER, CLIMATIC FACTORS, IMPACT STRENGTH.
In the arctic regions mobility of vehicles is frequently influenced more by the environmental (climatic) conditions than by the terrain. Weather has a profound effect on the performance of the vehicle, on the efficiency of the operator, and on the characteristics of the terrain, however, this effect produces mixed results. Mobility over many arctic terrains, such as muskeg, tundra with abundant lakes and meandering, braided streams, is greatly improved during the winter when the soil and water bodies are frozen and the terrain micro-relief features are masked by the snow cover. Thus, the arctic environment, while degrading the performance of people and machines, can be beneficial to the terrain trafficability characteristics. It is ironic, therefore, that as the environment becomes more pleasant for the people and the vehicles during summer it has an unfavorable effect, due to thawing, on the trafficability of many types of arctic terrains. It can be generalized, therefore, that in the winter most mobility problems in the Arctic are caused by the environment (weather), while during the summer most mobility problems are caused by the terrain characteristics.

MP 2422
AIRCRAFT OPERATIONS IN THE ARCTIC.
DenHartog, S.L., Nov. 1987, No.2174 (Vol.1), DOD Symposium and Workshop on Arctic and Arctic-Related Environmental Sciences, Laurel, MD, Jan. 28-30, 1987. Proceedings, Vol.1. p.271-272
43-861
AIRCRAFT LANDING AREAS, AIRPLANES, COLD WEATHER OPERATION, NAVIGATION, MAINTENANCE, POLAR REGIONS, SNOW COVER EFFECT.

MP 2423
MOBILITY: WORKING GROUP REPORT.
Blaisdell, G.L., et al, Nov. 1987, No.2174 (Vol.1), DOD Symposium and Workshop on Arctic and Arctic-Related Environmental Sciences, Laurel, MD, Jan. 28-30, 1987. Proceedings, Vol.1. p.273-274.
Janosi, Z.
43-862
TRACKED VEHICLES, AIR CUSHION VEHICLES, COLD WEATHER OPERATION, AIRPLANES, ICING, MOBILITY, TRAFFICABILITY, NAVIGATION, MAINTENANCE, ICE NAVIGATION.

MP 2424
BUILDINGS AND UTILITIES IN VERY COLD REGIONS: OVERVIEW AND RESEARCH NEEDS.
Tobiasson, W., Nov. 1987, No.2174 (Vol.1), DOD Symposium and Workshop on Arctic and Arctic-Related Environmental Sciences, Laurel, MD, Jan. 28-30, 1987. Proceedings, Vol.1, p.299-303, Reprinted in Northern engineer, Fall/Winter 1988, 2(3,4) p.4-11.
43-864
COLD WEATHER CONSTRUCTION, UTILITIES, MILITARY FACILITIES, SNOWDRIFTS, MAINTENANCE, DESIGN, METEOROLOGICAL DATA, WATER SUPPLY, WASTE TREATMENT.
Research conducted on a wide variety of topics from habitability to roof leaks has played an important role in improving the design, construction, operation and maintenance of buildings and utilities in very cold regions. Documents such as the *Cold Climates Utilities Manual* have facilitated implementation of research findings. Other improvements have been the result of innovation by manufacturers and practicing engineers. Nonetheless, buildings are still being built that are uncomfortable or unsafe to live in. Others have chronic moisture problems or deteriorate much more rapidly than expected. Pipes still freeze and effluent quality does not always meet standards. Additional research is needed since new materials, systems and processes are available that can solve some problems but pose others.

MP 2425
FOUNDATION TECHNOLOGY IN COLD REGIONS.
Quinn, W.F., Nov. 1987, No.2174 (Vol.1), DOD Symposium and Workshop on Arctic and Arctic-Related Environmental Sciences, Laurel, MD, Jan. 28-30, 1987. Proceedings, Vol.1, p.305-310, 28 refs.
43-865
FROST HEAVE, COLD WEATHER CONSTRUCTION, FOUNDATIONS, PILES, ROADS, AIRPORTS, GROUND THAWING, ENGINEERING, DESIGN, MAINTENANCE, DAMS, LEVEES, BEARING STRENGTH.

MP 2426
ARCTIC CONSTRUCTION: WORKING GROUP REPORT.
Marvin, E.L., et al, Nov. 1987, No 2174 (Vol.1), DOD Symposium and Workshop on Arctic and Arctic-Related Environmental Sciences, Laurel, MD, Jan. 28-30, 1987. Proceedings, Vol.1 p.311-314
Smallidge, P.D.
43-866
COLD WEATHER CONSTRUCTION, MILITARY ENGINEERING, FOUNDATIONS, UTILITIES, BUILDINGS, OFFSHORE STRUCTURES, ICE CONDITIONS, DESIGN CRITERIA, PAVEMENTS, EARTHWORK, ROADS

MP 2427
SNOW LOAD DATA ANALYSIS, WINTER 1976-77.
O'Rourke, M., Troy, NY, Rensselaer Polytechnic Institute, July 1, 1977, 9p. + appends., Report prepared for the U.S. Army CRREL, Hanover, NH. Under contract DACA89-76-2465. 3 refs.
43-931
SNOW LOADS, ROOFS, SNOW ACCUMULATION, SLOPE ORIENTATION, SNOWDRIFTS, SNOW DEPTH, SNOW DENSITY, WIND FACTORS, THERMAL EFFECTS, HEAT FLUX.

MP 2428
MECHANICAL PROPERTIES OF MULTI-YEAR SEA ICE.
Richter-Menge, J.A., et al, June 1987, No.141, Workshop on Extreme Ice Features, Banff, Alberta, Nov. 3-5, 1986. Proceedings. Compiled by G.R. Pilkington and B.W. Danielewicz, p.121-153, Refs. p.134-137.
Cox, G.F.N.
43-905
ICE MECHANICS, SEA ICE, OFFSHORE STRUCTURES, ICE STRENGTH, ICE LOADS, OFFSHORE DRILLING, PRESSURE RIDGES, ICE FLOES, COMPRESSIVE PROPERTIES, STATISTICAL ANALYSIS, TESTS, TENSILE PROPERTIES.

MP 2429
REMOTE SENSING OF ICE AND SNOW (REVIEW).
Jezek, K.C., Jan. 27, 1987, 68(4), p.51, For book being reviewed see 40-1794.
43-919
ICE SURVEYS, SNOW SURVEYS, PERMAFROST, REMOTE SENSING, WATER BALANCE, RUNOFF, MAPPING, MICROWAVES, SEASONAL VARIATIONS.

MP 2430
ACOUSTIC EMISSIONS FROM COMPOSITES AT DECREASING TEMPERATURES.
Dutta, P.K., et al, International Congress on Experimental Mechanics, 6th, Portland, OR, June 6-10, 1988. Proceedings. Vol.2, Bethel, CT, Society for Experimental Mechanics, Inc., 1988, p.1090-1095, 13 refs.
Farrell, D.
43-979
CONSTRUCTION MATERIALS, THERMAL STRESSES, COMPOSITION, ACOUSTICS, MICROSTRUCTURE, ANISOTROPY, LOW TEMPERATURE TESTS, THERMAL EXPANSION, DAMAGE, COUNTERMEASURES.

MP 2431
RECENT GLACIER-VOLCANO INTERACTIONS ON MT. REDOUBT, ALASKA.
Sturm, M., et al, June 1988, 88-9, 18p., 21 refs.
Benson, C., MacKeith, P.
43-790
GLACIER MASS BALANCE, VOLCANOES, GLACIER FLOW, GLACIER OSCILLATION, GLACIER ABLATION, VOLCANIC ASH, VELOCITY, PHOTOGRAMMETRY, UNITED STATES—ALASKA—REDOUBT MOUNTAIN.

MP 2432
EXPERIMENTAL AND THEORETICAL STUDIES OF ACOUSTIC-TO-SEISMIC COUPLING.
Albert, D.G., Army Science Conference, Fort Monroe, VA, Oct. 25-27, 1988. Proceedings, Vol.1, Washington D.C., U.S. Dept. of the Army, Office of the Assistant Secretary, Oct. 1988, p.19-31, 14 refs.
43-1036
MILITARY OPERATION, DETECTION, SNOW COVER EFFECT, FROZEN GROUND, ACOUSTICS, SEISMIC VELOCITY, SEASONAL VARIATIONS, EXPERIMENTATION.

MP 2433
PERFORMANCE OF LAMINATED COMPOSITES IN COLD.
Dutta, P.K., et al, Army Science Conference, Fort Monroe, VA, Oct. 25-27, 1988. Proceedings, Vol 1, Washington, D.C., U.S Dept of the Army, Office of the Assistant Secretary, Oct. 1988, p 269-281, 15 refs.
Kalafut, J., Farrell, D.
43-1037
MILITARY RESEARCH, LOW TEMPERATURE TESTS, MATERIALS, STRESS STRAIN DIAGRAMS, TENSILE PROPERTIES, ELASTICITY, STRENGTH, TEMPERATURE EFFECTS.

MP 2434
ESTIMATING AVERAGING TIMES FOR POINT AND PATH-AVERAGED MEASUREMENTS OF TURBULENCE SPECTRA.
Andreas, E.L., Mar. 1988, 27(3), p.295-304, 44 refs.
43-2129
TURBULENT BOUNDARY LAYER.

MP 2435
INFLUENCE OF LOW TEMPERATURE THERMAL CYCLING ON TENSILE STRENGTH OF FIBER COMPOSITES.
Dutta, P.K., et al, ASME Pressure Vessels and Piping Conference, Pittsburg, PA, June 19-23, 1988. Advances in Macro-Mechanics of Composite Material Vessels and Components. Edited by P. Hui and T.J. Kozik, New York, NY, American Society of Mechanical Engineers, 1988, p.141-147, PVP 146, PD18, 11 refs.
Kalafut, J., Lord, H.W.
43-1213
MATERIALS, TEMPERATURE EFFECTS, FREEZE THAW TESTS.
Tests were performed to assess the effects of low temperatures (-50 C) and low temperature thermal cycling (10 cycles at -180 C to 24 C) on the mechanical properties of fiberglass-epoxy and graphite-epoxy composite laminates. Results of these tests show various degrees of degradation of these materials. At low temperatures, strengths associated with fiber-dominated modes of failure show decreases while those of matrix-dominated modes of failure show increases. Composites subjected to low temperature thermal cycling show strength reduction in matrix-dominated failure modes and strength increase in fiber-dominated modes. These results conform to the microcrack-growth-based damage mechanism of composite materials.

MP 2436
METHOD FOR CONDUCTING AIRBORNE INFRARED ROOF MOISTURE SURVEYS.
Tobiasson, W., April 1988, Vol.934, International Conference on Thermal Infrared Sensing for Diagnostics and Control (Thermosense X), Orlando, FL, Apr. 5-8, 1988, edited by R.D. Lucier, p.50-61, 8 refs.
43-1212
ROOFS, MOISTURE DETECTION, INFRARED PHOTOGRAPHY, AERIAL SURVEYS.

MP 2437
ON THE KOLMOGOROV CONSTANTS FOR THE TEMPERATURE-HUMIDITY COSPECTRUM AND THE REFRACTIVE INDEX SPECTRUM.
Andreas, E.L., Sep. 1, 1987, 44(17), p.2399-2406, 44 refs.
43-1278
REFRACTIVITY, SPECTRA, TEMPERATURE, HUMIDITY.

MP 2438
REVIEW OF THE METAMORPHISM AND CLASSIFICATION OF SEASONAL SNOW COVER CRYSTALS.
Colbeck, S.C., 1987, No 162, Avalanche formation, movement and effects. Proceedings of the Davos Symposium, Sep. 14-19, 1986. Edited by B. Salm and H. Gubler, p.3-34, Refs. p.29-33.. With French summary. Includes discussion.
43-1215
SNOW CRYSTAL GROWTH, SNOW WATER CONTENT, ICE CRYSTAL GROWTH, METAMORPHISM (SNOW), FREEZE THAW CYCLES, CLASSIFICATIONS, UNFROZEN WATER CONTENT, TEMPERATURE GRADIENTS, ANALYSIS (MATHEMATICS).
Knowledge of the growth of ice crystals in both wet and dry snow has evolved steadily over many years. Dry snow is characterized by rounded crystals growing slowly at low temperature gradients. Wet snow is characterized by clusters of grains at low liquid contents and poorly bonded slush at high liquid contents. Melt-freeze cycles greatly influence wet snow as well. Information was first gained through field observations, then laboratory tests, and then physical modeling. Advances have been made through application of phase-equilibrium thermodynamics and knowledge of ice crystal growth although much remains to be learned about the slow growth of ice crystals over a range of temperatures. The grain-to-grain nature of vapor flow in dry snow is complicated by the geometry of snow and this topic is being studied through stereology. Given recent advances in our understanding of snow metamorphism, a reclassification of snow seems necessary.

MP 2439
FIELD OBSERVATIONS OF THERMAL CONVECTION IN A SUBARCTIC SNOW COVER.
Johnson, J.B., et al, 1987, No.162, Avalanche formation, movement and effects. Proceedings of the Davos Symposium, Sep. 14-19, 1986. Edited by B. Salm and H. Gubler, p.105-118, 20 refs., With French summary. Includes discussion.
Sturm, M., Perovich, D.K., Benson, C.
43-1223
SNOW THERMAL PROPERTIES, CONVECTION, SNOW WATER CONTENT, VAPOR DIFFUSION, SNOW HEAT FLUX, SNOW DEPTH, TEMPERATURE GRADIENTS, METAMORPHISM (SNOW), DEPTH HOAR, TEMPERATURE VARIATIONS.
Dry snow, under the influence of strong temperature gradients, metamorphoses to depth hoar. This process requires a vapor flux through the snow, which can be driven by diffusion or convection. Convection in natural snow covers has been suggested but never previously detected. A three-dimensional array of 103 thermistors was monitored through the winter of 1984-85 to try to detect convection. A convection event lasting 8 days occurred in early winter during which large horizontal temperature gradients were measured. Because the snow was a nearly perfect, horizontally homogeneous layer, these temperature variations could only have been caused by convection. Analysis of possible sources of error in the temperature measurements, such as vertical misplacement of the thermistors, indicates that the observed temperature variations would have required uncertainties in vertical position five times larger than were observed and thermistors that moved up and down with time. Rayleigh number calculations indicated that it reached its critical value only during the period in which the large horizontal temperature gradients were present and convection was occurring.

MP 2440
ESTIMATING CN SQUARE OVER SNOW AND SEA ICE FROM METEOROLOGICAL QUANTITIES.
Andreas, E.L., 1988, Vol.926, Optical, Infrared, and Millimeter Wave Propagation Engineering, Orlando, FL, Apr. 5-7, 1988, p.258-267, 27 refs.
43-2025
REFRACTION, ATMOSPHERIC PHYSICS, SNOW COVER EFFECT, ICE COVER EFFECT.

MP 2441
ICE ENGINEERING FOR CIVIL WORK: BASELINE STUDY.
Carey, K.L., et al, Hanover, NH, U.S. Army Cold Regions Research and Engineering Laboratory, Aug. 1973, 91p.
Ashton, G.D., Frankenstein, G.E.
43-1312
ICE JAMS, ICE LOADS, ENGINEERING, BRIDGES, ICE NAVIGATION, ICE MECHANICS, DESIGN CRITERIA, CHANNELS (WATERWAYS), DAMAGE, ICE FORECASTING.

MP 2442
REMOVAL OF TRACE ORGANICS BY OVERLAND FLOW.
Leggett, D.C., et al, Specialty Conference on Environmentally Sound Water and Soil Management, Orlando, FL, July 20-23, 1982. Proceedings. Edited by E.G. Kruse, et al, New York, American Society of Civil Engineers, 1982, p.176-184, 21 refs.
Jenkins, T.F.
43-1285
WASTE TREATMENT, WATER TREATMENT, EVAPORATION, LAND RECLAMATION, WATER TEMPERATURE, MATHEMATICAL MODELS.
The removal of a number of trace organics from wastewater was studied on an outdoor prototype overland flow land treatment system. For most of the substances, the observed removal rate could be described by the sum of two mass transport-limited first order processes representing volatilization and sorption. A model was developed by non-linear multiple regression analysis in which the observed removal rate constants were regressed against three properties of each substance -Henry's constant, octanol-water partition coefficient and molecular weight. The dependence of the removal processes on water temperature was also determined but not included in the initial model. The observed decrease in removal rate as the temperature declines is supported by the known dependence of Henry's constant and diffusivity on temperature.

MP 2443
THERMOSYPHONS AND FOUNDATION DESIGN IN COLD REGIONS.
Haynes, F.D., et al, Oct. 1988, 15(3), p.251-259, 15 refs.
Zarling, J.P.
43-1346
COLD WEATHER CONSTRUCTION, FOUNDATIONS, AIR FLOW, EVAPORATION, WIND TUNNELS, PERMAFROST HEAT BALANCE, TESTS, HEAT TRANSFER, DESIGN, PERMAFROST PRESERVATION, PIPES (TUBES), AIR TEMPERATURE, THERMAL INSULATION.
Laboratory tests were conducted with two full-size, two-phase commercial thermosyphons in an atmospheric wind tunnel at the U.S. Army Cold Regions Research and Engineering Laboratory. The test variables were air velocity and evaporator slope angle. The air velocity ranged from 0 to 5.2 m/s. The evaporator angles were varied from 0 to 12 deg., measured from the horizontal. The effect of nearby walls on thermosyphon performance was also investigated. The air temperature for all tests was about -18 C. Test results are presented with thermal conductance of the thermosyphon as a function of air velocity and evaporator slope angle. The use of thermosyphons in a slab-on-grade foundation design on permafrost was modeled using the finite element technique. Depth of thaw within the fill decreases with increased thermosyphon conductance and increased insulation thickness. The simulations indicate that it is slightly better to place the thermosyphon evaporator vertically towards the fill base.

MP 2444
THERMOSYPHON FOR HORIZONTAL APPLICATIONS.
DenHartog, S.L., Oct. 1988, 15(3), p.319-321.
43-1351
HEAT TRANSFER, PIPES (TUBES), COLD WEATHER CONSTRUCTION, EVAPORATION, TESTS, SLOPE ORIENTATION.

MP 2445
PRIMARY EFFLUENT AS A HEAT SOURCE FOR HEAT PUMPS.
Phetteplace, G.E., et al, 1989, 95(1), p.141-146, 4 refs.
Ueda, H.T.
43-2160
HEAT SOURCES, HEAT TRANSFER, HEAT RECOVERY, WASTE TREATMENT, SEWAGE TREATMENT.

MP 2447
CALIBRATION MEASUREMENTS OF ROCK STRESS BY VIBRATING WIRE STRESSMETER AT HIGH TEMPERATURES.
Dutta, P.K., et al, International Symposium on Field Measurements in Geomechanics, 2nd, Kobe, Japan, Apr. 6-9, 1987. Field Measurements in Geomechanics. Edited by S. Sakurai, Rotterdam, A.A. Balkema, 1988, p.43-58, 5 refs.
Hatfield, R.W.
43-1484
ROCK MECHANICS, STRESSES, MEASURING INSTRUMENTS.
This report summarizes the studies of the Vibrating Wire Stressmeter (VWS) in a high temperature environment in Climax granite considered for use as a nuclear waste repository. The study also included calibration tests of the meter in Barre granite, aluminum, and Lucite under uniaxial, biaxial and triaxial stress fields. Biaxial tests were performed by setting stressmeters into cylindrical rock cores loaded hydrostatically around their periphery, leaving the ends unloaded. Triaxial tests were conducted by repeating the biaxial tests, with the addition of end loading. The effects of temperature on calibration characteristics were evaluated by conducting uniaxial, biaxial and triaxial tests in the range from room temperature to 100 C. The results showed that the uniaxial stress sensitivity factor for a rock can vary over a wide margin. For Climax granite it varied from 2.7 to 4.5. The stressmeter setting preload has a major influence on the sensitivity factor and, to reduce this influence, an optimum preloading of the stressmeter must be ensured. The temperature rise increased the sensitivity factor under biaxial and triaxial loading significantly (up to 25%) but very little (less than 5%) under uniaxial loading.

MP 2448
ESTIMATING TURBULENT SURFACE HEAT FLUXES OVER POLAR, MARINE SURFACES.
Andreas, E.L., Conference on Polar Meteorology and Oceanography, 2nd, Madison, WI, Mar 29-31, 1988, Pre-print volume, Boston, American Meteorological Society, 1988, p.65-68, 19 refs.
43-1495
TURBULENT FLOW, HEAT FLUX, ICE AIR INTERFACE, POLYNYAS, ICE EDGE.

MP 2449
DYNAMIC ICE BREAKUP CONTROL FOR THE CONNECTICUT RIVER NEAR WINDSOR, VERMONT.
Ferrick, M.G., et al, 1988, 19(4), p.245-258, 11 refs.
Lemieux, G.E., Weyrick, P.B., Demont, W.
43-2018
ICE BREAKUP, MONITORS, BRIDGES, ICE CONTROL, ICE JAMS.

The Cornish-Windsor bridge is the longest covered bridge in the United States and has significant historical value. Dynamic ice breakup of the Connecticut River can threaten the bridge and cause flood damage in Windsor, VT. We monitored ice conditions throughout the 1985-86 winter, observed a mid-winter dynamic ice breakup, conducted controlled release tests during both open water and ice cover conditions, and analyzed more than 60 years of temperature and discharge records. River regulation presents alternatives for ice management that would minimize water levels during breakup. In this paper we develop the basis of a method to produce a controlled ice breakup at lower stage and discharge that occur during major natural events.

MP 2450
SEA-ICE PRESSURE RIDGE MICROBIAL COMMUNITIES.
Ackley, S.F., 1986, 21(5), p.172-174, 7 refs.
43-1639
MICROBIOLOGY, ALGAE, PLANKTON, PACK ICE, ICE DEFORMATION, ANTARCTICA—WEDDELL SEA.

Pressure ridges—the ice pileups above and below the ice surface that result from pack ice deformation—apparently contribute unique environments for the development of ice microbial communities. The significance of pressure-ridge communities to the total productivity of the pack ice is linked to the level of deformation resulting in increased ridge density of one region compared to another. In this article, two mechanisms are described which can lead to the development of microbial communities near pressure ridges. The first mechanism is associated with the initial ridge formation process which occurs during deformation periods in the interior regions of the pack ice. The second effect arises after the ridges have formed and is related to floe breakup processes near the ice edge in the decay phase of the pack ice cycle.

MP 2451
AIRFIELDS IN ARCTIC ALASKA.
Crory, F.E., Nov. 1988, No.27, p.49-55, 25 refs.
43-1724
AIRPORTS, AIRCRAFT LANDING AREAS, RUNWAYS, COLD WEATHER CONSTRUCTION, PERMAFROST BENEATH STRUCTURES, ICE RUNWAYS, SNOW ROADS, GRAVEL, ROCK FILLS.

Airplanes provide an important means of transportation for villages and petroleum-related activities in remote areas of northern Alaska. Accordingly this review discusses temporary and permanent airfields which have been constructed in that region, ranging from snow and ice winter airstrips to gravel and rock fills for all-season airfields, which can eventually be paved to provide permanent airports.

MP 2452
IMPACT OF URBAN WASTEWATER REUSE IN COLD REGIONS ON LAND TREATMENT SYSTEMS.
Iskandar, I.K., International Congress for Agrochemicals in Soil, Jerusalem, June 14-18, 1976 Proceedings, (1976), 32p., 38 refs.
43-1830
WATER TREATMENT, WASTE DISPOSAL, SOIL WATER, NUTRIENT CYCLE.

MP 2453
ELEMENTS OF FLOATING-DEBRIS CONTROL SYSTEMS.
Perham, R.E., Sep. 1988, REMR-HY-3, 54p. + appends., 34 refs.
43-1808
BUBBLING, FLOATING ICE, ICE BREAKUP, OFFSHORE STRUCTURES, DAMAGE.

MP 2454
DEVELOPMENT OF ANALYTICAL METHODS FOR MILITARY-UNIQUE COMPOUNDS.
Walsh, M.E., et al, Annual Environmental Quality R&D Symposium, 13th, Williamsburg, VA, Nov. 15-17, 1988 Proceedings. Hosted by U.S. Army Toxic and Hazardous Materials Agency (USATHAMA), Aberdeen Proving Ground, MD, USATHAMA, 1988, p.370-380, 14 refs.
Jenkins, T.F.
43-1811
MILITARY OPERATION, ENVIRONMENTAL IMPACT, SOIL POLLUTION, WATER POLLUTION, WATER TREATMENT, EXPLOSIVES, CHEMICAL ANALYSIS, WASTE TREATMENT, TESTS

RP-HPLC analytical methods were developed to determine trace levels of nitroaromatics, nitramines, tetrazene, and nitroguanidine in soil and water. The method to determine nitroaromatics and nitramines in soil has been thoroughly tested with soils from a wide variety of sites, and it has been found to be reliable and inexpensive to implement. A full-scale collaborative test proved that acceptable performance criteria were attainable in everyday use. Methods for tetrazene and nitroguanidine have not been evaluated by a full-scale collaborative test because few areas need to be tested for contamination by these compounds. Methods will continue to be developed at CRREL as the need arises for other military-unique compounds.

MP 2455
COMPARISON OF EPA AND USATHAMA DETECTION CAPABILITY ESTIMATORS.
Grant, C.L., et al, Annual Environmental Quality R&D Symposium, 13th, Williamsburg, VA, Nov. 15-17, 1988. Proceedings. Hosted by U.S. Army Toxic and Hazardous Materials Agency (USATHAMA), Aberdeen Proving Ground, MD, USATHAMA, 1988, p.405-418, 16 refs.
Hewitt, A.D., Jenkins, T.F.
43-1812
ENVIRONMENTAL PROTECTION, POLLUTION, ORGANIZATIONS, EXPERIMENTATION, DETECTION.

MP 2456
INFLUENCE OF WELL CASING MATERIALS ON CHEMICAL SPECIES IN GROUND WATER.
Parker, L.V., et al, Annual Environmental Quality R&D Symposium, 13th, Williamsburg, VA, Nov. 15-17, 1988. Proceedings. Hosted by U.S. Army Toxic and Hazardous Materials Agency (USATHAMA), Aberdeen Proving Ground, MD, USATHAMA, 1988, p.450-461, 19 refs.
Hewitt, A.D., Jenkins, T.F.
43-1813
WATER POLLUTION, GROUND WATER, WELL CASINGS, MATERIALS, CHEMICAL ANALYSIS, IMPURITIES, ENVIRONMENTAL IMPACT, ENVIRONMENTAL PROTECTION, WATER CHEMISTRY.

MP 2457
ICE SURFACE HYDROLYSIS OF DIISOPROPYLFLUOROPHOSPHATE (DFP).
Leggett, D.C., U.S. Army Chemical Research, Development and Engineering Center Scientific Conference on Chemical Defense Research, Nov. 17-20, 1988. Proceedings, Vol.2. Prepared by M.D. Rausa, Aberdeen, 1988, p.809-815, 9 refs.
43-1876
ICE SURFACE, EVAPORATION, SOLUTIONS, HYDROLYSIS, LABORATORY TECHNIQUES.

MP 2458
EFFECT OF STRATIGRAPHY ON RADAR-ALTIMETRY DATA COLLECTED OVER ICE SHEETS.
Jezek, K.C., et al, 1988, Vol.11, International Symposium on Antarctic Glaciology, 4th, Bremerhaven, FRG, Sep. 7-11, 1987 Proceedings, p.60-63, 19 refs.
Alley, R.B.
43-1945
ICE SHEETS, ICE MODELS, ICE DENSITY, DATA PROCESSING, RADAR.

A method for calculating the impulse response of a layered dielectric is used to investigate the effect of near-surface density stratification on the interpretation of radar-altimetry data collected over ice sheets. Results are computed for a model consisting of a measured density profile that is artificially interrupted by an ice layer inserted at successively greater depths. The incident radar signal is modeled by a 20 ns long pulse modulated at 1 GHz. Analysis using a simple scheme for estimating the one-way travel time of the wave indicates as much as a 2 ns (equivalent to 60 cm in range) apparent time delay for a density profile that has been modified by inclusion of an ice layer relative to the ice-layer-free case. This suggests that layering may be a factor in interpreting repeated altimeter measurements of the ice sheets in terms of net growth or decay. (Auth.)

MP 2459
MULTIFREQUENCY PASSIVE MICROWAVE OBSERVATION OF SALINE ICE GROWN IN A TANK.
Grenfell, T.C., et al, International Geoscience and Remote Sensing Symposium, Edinburgh, U.K., Sep. 12-16, 1988 Proceedings, Vol.3, Noordwijk, The Netherlands, European Space Agency, 1988, p.1687-1690, 4 refs.
Bell, D.L., Lohanick, A., Swift, C.T., St Germain, K.
43-1896
ICE GROWTH, ICE SALINITY, TANKS (CONTAINERS), MICROWAVES, SEA ICE, RADIOMETRY, ICE COVER THICKNESS, SPECTRA, ICE OPTICS, ICE SURFACE, SURFACE ROUGHNESS

The present set of observations suggests several phenomena of interest for interpreting microwave signatures of natural sea ice. During initial ice growth, interference fringe effects can occur both from changing ice thickness and snow or frost which may prove useful in interpreting layer thicknesses. A simulation of multiyear ice was attempted by allowing the ice to desalinate, but the resulting emissivity spectrum was more characteristic of lake ice. A multiyearlike spectrum was obtained when rubble was deposited on the ice surface.

MP 2460
CAN RELICT CREVASSE PLUMES ON ANTARCTIC ICE SHELVES REVEAL A HISTORY OF ICE-STREAM FLUCTUATION.
MacAyeal, D.R., et al, 1988, Vol.11, International Symposium on Antarctic Glaciology, 4th, Bremerhaven, FRG, Sep. 7-11, 1987. Proceedings, p.77-82, 8 refs.
Bindschadler, R.A., Jezek, K.C., Shabtaie, S.
43-1948
ICE MODELS, CREVASSES, ICE SHELVES, MORAINES.

Configurations of relict surface-crevasse bands and medial moraines that emanate from the shear margins of ice streams are simulated, using a numerical model of an ideal rectangular ice shelf to determine their potential for recording a past-ice stream discharge chronology. (Auth.)

MP 2461
PREDICTING FREEZING DESIGN DEPTH OF SLUDGE-FREEZING BEDS.
Martel, C.J., Dec. 1988, 2(4), p.145-156, 12 refs.
43-2063
WATER TREATMENT, SLUDGES, FREEZE THAW CYCLES, FROST PENETRATION, WIND FACTORS.

MP 2462
USE OF LOW VISCOSITY ASPHALTS IN COLD REGIONS.
Janoo, V.C., International Cold Regions Engineering Specialty Conference, 5th, St. Paul, MN, Feb. 6-8, 1989. Proceedings. Edited by R.L. Michalowski. Cold regions engineering, New York, American Society of Civil Engineers, 1989, p.70-80, 17 refs.
43-2090
COLD WEATHER CONSTRUCTION, BITUMINOUS CONCRETES, VISCOSITY, CRACKS, ROAD MAINTENANCE, THERMAL STRESSES, FREEZING INDEXES, AIR TEMPERATURE, CONCRETE STRENGTH, TENSILE PROPERTIES, LOW TEMPERATURE TESTS, PENETRATION.

The U.S. Army Corps of Engineers specifies low viscosity or commonly called "soft grade" asphalts for use in cold regions. These soft grade asphalts are primarily used for controlling low temperature cracking in some parts of northern U.S. and Canada. The Corps, besides specifying the usual asphalt specifications, also defines the allowable temperature susceptibility of the asphalt using the Penetration Viscosity Number (PVN) index. It specifies a minimum PVN of -0.5 in moderately cold areas and -0.2 in regions where the design freezing index is greater than 3000 deg F days. Field studies have been conducted that clearly show the benefits of using soft grade asphalt for minimizing low temperature cracking in cold regions, however, field studies relating rutting to asphalt type are scarce. A major concern is whether or not soft grade asphalts are susceptible to rutting during the hot summer months. A literature review and field study was conducted by the U.S. Army Cold Regions Research and Engineering Laboratory (USACRREL) on the performance of pavements constructed with soft grade asphalts. The results of the literature review and field studies are presented in this paper.

MP 2463
PERFORMANCE OF PAVEMENT AT CENTRAL WISCONSIN AIRPORT.
Stark, J., et al, International Cold Regions Engineering Specialty Conference, 5th, St. Paul, MN, Feb. 6-8, 1989. Proceedings. Edited by R.L. Michalowski. Cold regions engineering, New York, American Society of Civil Engineers, 1989, p.92-103, 6 refs.
Berg, R.L.
43-2092
COLD WEATHER CONSTRUCTION, AIRPORTS, PAVEMENTS, RUNWAYS, FROST ACTION, CRACKING (FRACTURING), ROAD MAINTENANCE, FROST HEAVE, DAMAGE, GLACIAL DEPOSITS, TESTS

The Central Wisconsin Airport was first opened in 1969 with a 6700-ft runway. In 1972 a 5500-ft runway was added. In 1973, the original runway was extended to 7500-ft and several ramps and taxiways have been added since. Since its opening, several segments of the runway and taxiway pavements have been severely damaged by differential frost heaving where highly weathered bedrock was close to the surface. A repair and reconstruction program involving most of the damaged areas was completed during the mid-1980's. During reconstruction the bedrock was excavated to a depth of at least 4 ft below subgrade. Observations of frost action on both the preconstruction and post-construction pavements were made to evaluate the adequacy of the repairs. Little or no frost heave occurred in the newly repaired pavements.

MP 2464
WASTE MANAGEMENT PRACTICES IN ANTARCTICA.
Sletten, R.S., et al, International Cold Regions Engineering Specialty Conference, 5th, St. Paul, MN, Feb. 6-8, 1989. Proceedings. Edited by R.L. Michalowski. Cold regions engineering, New York, American Society of Civil Engineers, 1989, p.122-130, 8 refs.
Reed, S.C.
43-2095
WASTE TREATMENT, WATER TREATMENT, WASTE DISPOSAL, ENVIRONMENTAL IMPACT, WATER SUPPLY, ENVIRONMENTAL PROTECTION, ANTARCTICA—MCMURDO STATION.
Waste management practices at U.S. stations in Antarctica were reviewed in the context of applicable laws, regulations and environmental practices. The study considered both solid and liquid waste production, handling, and disposal. Water supply operations were also considered. The study concluded that waste disposal practices currently in use at U.S. antarctic stations are reliable, effective, and environmentally compatible and should be continued. (Auth)

MP 2465
FLOW DEVELOPERS FOR MELTING ICE—EXPERIMENTAL RESULTS.
Ashton, G.D., International Cold Regions Engineering Specialty Conference, 5th, St. Paul, MN, Feb. 6-8, 1989. Proceedings. Edited by R.L. Michalowski. Cold regions engineering, New York, American Society of Civil Engineers, 1989, p 151-160, 3 refs.
43-2098
WATER FLOW, ICE MELTING, HEAT TRANSFER, FLOATING ICE, ICE BOTTOM SURFACE, ANALYSIS (MATHEMATICS), PROPELLERS, ENGINES, PUMPS, EXPERIMENTATION.
The distribution of heat transfer coefficients induced at the underside of floating ice covers by flow developers submerged beneath the ice cover are reported. The experiments consisted of suspending flow developers (submersible electric motors with propellers) beneath an ice sheet and measuring either the melted profile or the rate of hole enlargement to obtain the heat transfer coefficient. The results may be made comparable to existing empirical results for impinging air-jet heat transfer by proper consideration of the Prandtl number and by relating the initial induced flow to the equivalent flow from a submerged orifice.

MP 2466
REBUILDING INFRASTRUCTURE FOR PLEASURE BOATING.
Wortley, C.A., et al, International Cold Regions Engineering Specialty Conference, 5th, St. Paul, MN, Feb. 6-8, 1989. Proceedings. Edited by R.L. Michalowski. Cold regions engineering, New York, American Society of Civil Engineers, 1989, p 188-201, 5 refs.
Frankenstein, G.E.
43-2102
DOCKS, ICE CONDITIONS, OFFSHORE STRUCTURES, COLD WEATHER CONSTRUCTION, PORTS, MAINTENANCE, DESIGN, STRUCTURES, ENGINEERING, ICE NAVIGATION, ICE SOLID INTERFACE, DAMAGE.
Small-craft harbor infrastructure is deteriorating in many northern cities due to years of use and the harsh winter environment. People desire safe access to water for recreation and leisure. Civil engineers face many challenges in rebuilding harbor facilities. The performance of various types of small-craft structures in ice and methods to characterize ice conditions in harbors are presented. Construction techniques and types of manufactured products are recommended to rebuild and replace deteriorating harbor structures. Examples of case studies where Great Lakes cities have successfully replaced harbor infrastructure are given.

MP 2467
PRESSURE BUILDUP IN PERMAFROST PILE SUPPORTS INDUCED BY FREEZEBACK.
Ayorinde, O.A., International Cold Regions Engineering Specialty Conference, 5th, St. Paul, MN, Feb. 6-8, 1989. Proceedings. Edited by R.L. Michalowski. Cold regions engineering, New York, American Society of Civil Engineers, 1989, p 236-251, 6 refs.
43-2106
PERMAFROST, PILE STRUCTURES, SUPPORTS, PRESSURE, WELL CASINGS, TEMPERATURE VARIATIONS, CONCRETE STRUCTURES, SEASONAL VARIATIONS, LOADS (FORCES), HEAT PIPES, SANDS, FREEZING, ANALYSIS (MATHEMATICS).
Pressure buildup due to internal freezeback of saturated sand in permafrost pile supports should be considered in the design of pile support casings. The internal pressure buildup is caused by nonuniform freezing resulting from seasonal temperature variations and the fact that the pile supports are partially buried in permafrost. An analytical elastic model is developed to determine the internal freezeback pressure in the support casing. The stability of a top concrete sealer or plug is also studied. Different internal freezeback geometries are considered to simulate the freezeback process of the early design consideration of filling the casing with saturated sand fill. The computed results are compared with the allowable shear resistance of the concrete sealer. With a completely saturated and confined system, the freezeback pressure exerted on the casing and the concrete sealer is significant for all freezeback geometries. The results indicate that an undersaturated sand fill or a saturated fill only to the ground level with an air cap should be used to protect both the casing and the concrete sealer.

MP 2468
UNIQUE NEW COLD WEATHER TESTING FACILITY.
Eaton, R.A., International Cold Regions Engineering Specialty Conference, 5th, St. Paul, MN, Feb. 6-8, 1989. Proceedings. Edited by R.L. Michalowski. Cold regions engineering. New York, American Society of Civil Engineers, 1989, p.335-342.
43-2114
LABORATORIES, COLD WEATHER CONSTRUCTION, BUILDINGS, LOW TEMPERATURE RESEARCH, EQUIPMENT, DESIGN, MILITARY RESEARCH, TESTS.
The U.S. Army Cold Regions Research and Engineering Laboratory has a new controlled-environment test facility, the Frost Effects Research Facility (FERF), now in use. The 29,000-sq foot (2694-sq m) building comprises a principal test area 182 ft long by 45 ft wide (56 m by 13.8 m) that incorporates 12 test basins, adjacent mobilization areas, and equipment rooms, for a total width of 102 ft (31.4 m) plus fully enclosed ramp areas at each end of the building. Surface panels are used to freeze pavement and soils for the pavement, utility, soil sensor, and mobility test programs. Liquid-to-air heat exchangers are used to test hardware inside enclosures erected in the test basins or on the mobilization area. Currently, coolant is available at -37 F, 0 F, and +100 F (-38 C, 017.8 C, and 37.8 C), allowing test temperatures ranging from -35 F to 90 F (-37.2 C to 41.5 C). Lower temperatures can be achieved by using portable units in conjunction with the facility's permanent system.

MP 2469
DEEP FROST EFFECTS ON A LONGITUDINAL EDGE DRAIN.
Allen, W.L., International Cold Regions Engineering Specialty Conference, 5th, St. Paul, MN, Feb. 6-8, 1989. Proceedings. Edited by R.L. Michalowski. Cold regions engineering, New York, American Society of Civil Engineers, 1989, p.343-352, 2 refs.
43-2115
FROST ACTION, RUNWAYS, DRAINAGE, FROST PENETRATION, PAVEMENTS, THAW DEPTH, FREEZING INDEXES, GRAIN SIZE, SNOWMELT.
During the summer of 1986, a 2900-ft (883.88-m) long runway, a taxiway and a parking apron were constructed at Newton Field in Jackman, ME. The runway pavement section consists of 2-1/2 in. (6.35 cm) of asphalt concrete, 12 in. (30.5 cm) of base course, 2 in. (5.08 cm) of extruded polystyrene insulation and a 1-in. (2.54 cm) sand leveling course. The structure is sloped to drain to a 5 to 7-1/2 ft (1.52 to 2.29 m) deep longitudinal edge drain on the north side of the runway. Jackman has a design freezing index of approximately 2570 F-days (1428 C-days). The subgrade soil is a sandy, silty, clayey material of significant frost susceptibility. The water table at Newton Field is relatively shallow, increasing potential frost and drainage problems. Temperature sensors were installed during construction and temperatures in the pavement structure were monitored during the winter and spring of 1986-1987, 1987-1988. In the summer of 1987, a weir was installed to monitor the flow from the outlet pipe for about one/half of the runway length. In 1988 an investigation of the edge drain was begun. Correlations between the existing subsurface soil and water table conditions, precipitation, thaw depth and drain outflow are under investigation, and further instrumentation of the site is planned to determine the effectiveness of the system in a frozen or partially frozen state.

MP 2470
UNFROZEN WATER CONTENTS OF SIX ANTARCTIC SOIL MATERIALS.
Anderson, D.M., et al, International Cold Regions Engineering Specialty Conference, 5th, St. Paul, MN, Feb. 6-8, 1989. Proceedings. Edited by R.L. Michalowski. Cold regions engineering, New York, American Society of Civil Engineers, 1989, p 353-366, 4 refs.
Tice, A.R.
43-2116
PERMAFROST TEMPERATURE, UNFROZEN WATER CONTENT, FROZEN GROUND TEMPERATURE, SOIL WATER, SALINE SOILS, COLD WEATHER CONSTRUCTION, FROZEN GROUND STRENGTH, IONS, X RAY DIFFRACTION, TEMPERATURE EFFECTS, PHASE TRANSFORMATIONS, SPECIFIC HEAT, WEATHERING, GRAIN SIZE, ANTARCTICA—VICTORIA LAND.
Phase composition data are presented for 6 saline antarctic soils. Unfrozen water contents vs temperature were determined for these soil materials in their naturally occurring state and for the same soil materials after all soluble constituents were removed by leaching. Large differences were observed. In their naturally occurring, saline state, these materials retained significant quantities of unfrozen water at very low temperatures. (Auth.)

MP 2471
COMPARISON OF INSULATED AND NONINSULATED PAVEMENTS.
Kestler, M., et al, International Cold Regions Engineering Specialty Conference, 5th, St. Paul, MN, Feb. 6-8, 1989. Proceedings. Edited by R.L. Michalowski. Cold regions engineering. New York, American Society of Civil Engineers, 1989, p.367-378.
Berg, R.L.
43-2117
PAVEMENTS, THERMAL INSULATION, FROST PENETRATION, FROST HEAVE, FROST RESISTANCE, FREEZING INDEXES, DAMAGE, COUNTERMEASURES, RUNWAYS, DESIGN, TEMPERATURE EFFECTS, TEMPERATURE DISTRIBUTION.
In the 1986 reconstruction of Newton Field, Jackman, Me, a 2-in.-thick layer of extruded polystyrene thermal insulation was placed beneath the runway, taxiway and parking apron. Concurrently, and less than 1 mile northwest of the airport, the first 150 ft of Nichols Road was reconstructed to a conventional, noninsulated cross section. The purposes of the ensuing study are (a) to evaluate the effectiveness of the insulation in preventing frost penetration into the subgrade resulting in frost action damage, (b) to compare test results of insulated Newton Field with those of similarly monitored noninsulated Nichols Road, and (c) to reexamine present design procedures for thickness and depth of insulation based upon both the field observations and comparisons to theoretical predictions. Monitoring throughout the 1986-1987 and 1987-1988 winters included measurements of air and subsurface temperatures, groundwater levels, pore-water pressures and pavement surface elevations.

MP 2472
GLACIGENIC RESEDIMENTATION: CLASSIFICATION CONCEPTS AND APPLICATION TO MASS-MOVEMENT PROCESSES AND DEPOSITS.
Lawson, D.E., Genetic classification of glacigenic deposits. Edited by R.P. Goldthwait and C.L. Matsch, Rotterdam, A.A. Balkema, 1989, p.147-169, Refs. p.165-169.
43-2130
GLACIAL DEPOSITS, SEDIMENTATION, MASS MOVEMENTS (GEOLOGY).

MP 2473
ICE COVER DISTRIBUTION IN VERMONT AND NEW HAMPSHIRE ATLANTIC SALMON REARING STREAMS.
Calkins, D.J., et al, Workshop on Hydraulics of River Ice/Ice Jams, 5th, Winnipeg, Manitoba, June 21-24, 1988. Proceedings, [1988], p 85-96, 3 refs.
Brockett, B.E.
43-2166
RIVER ICE, ICE CONDITIONS, ICEBOUND RIVERS, FREEZEUP, CHANNELS (WATERWAYS), BOTTOM ICE, ENVIRONMENT, BOTTOM TOPOGRAPHY, ICE DAMS, FRAZIL ICE, HEAT FLUX, ICE MELTING, AIR ENTRAINMENT.
One possible cause for winter mortality of salmonids is freezing of the bed material where the fry and parr are residing in a dormant state. Typical habitat reaches in streams of the White Mountains of New Hampshire and the Green Mountains of Vermont were established as study sites. The sites averaged 200 m long, ranged in width from 10 to 30 m, and represented channel configurations of riffle, run, pool and cascade. The interaction of ice with different channel geomorphic configurations was examined. Winter monitoring techniques included magnetic induction conductivity, high-frequency radar and hand augers to acquire ground truth data. The freeze-up processes were documented with 35-mm photography.

MP 2474
PRELIMINARY RESULTS OF AN EXPERIMENT USING A 16 FT X 50 FT LONG FRAZIL COLLECTOR LINE ARRAY.
Perham, R.E., Workshop on Hydraulics of River Ice/Ice Jams, 5th, Winnipeg, Manitoba, June 21-24, 1988. Proceedings, [1988], p 139-156, 9 refs.
43-2169
RIVER ICE, ICE FORMATION, RIVER FLOW, ICE COVER THICKNESS, ICE PHYSICS, CLIMATIC EFFECTS, VELOCITY, EXPERIMENTATION, FRAZIL ICE, POROSITY.
A line array 16 ft wide x 50 ft long was tested in a small Vermont mountain river late in 1980 to determine its ability to form a surface ice cover during the period when the site would normally remain as open water. Though it had little effect on the overall ice cover development on the river, a stable ice cover formed a week or so earlier on the line array. Site characteristics were seen to affect the line array. Water velocities adjacent to the lines were measured and varied from 2.3 to 3.6 ft/s. By Dec 30 solid ice thickness on the array varied from 1.13 to

1.33 ft, which would be typical of lake ice for the same weather conditions

MP 2475
PRELIMINARY STUDY OF SCOUR UNDER AN ICE JAM.
Wuebben, J.L., Workshop on Hydraulics of River Ice-/Ice Jams, 5th, Winnipeg, Manitoba, June 21-24, 1988. Proceedings, [1988], p.177-192, 15 refs.
43-2171
ICE SCORING, RIVER ICE, BOTTOM SEDIMENT, HYDRAULIC STRUCTURES, WATER LEVEL, ICE JAMS, PIPELINES, PIERS, TESTS, ICE BREAKUP, VELOCITY.
While the potential for scouring of a river bed during an ice jam event has often been cited as a cause for concern in association with pipeline crossings, bridge piers and other hydraulic structures, almost nothing is known about the subject Significant changes in the river bed might also influence the formation of the jam itself and the water levels that result. This paper describes preliminary flume experiments to examine the effects of a floating accumulation of ice on a movable bed channel. The experiments consisted of establishing a uniform free-surface open channel flow just below the threshold of bed motion, and then installing artificial ice jams of assumed geometries and monitoring the resulting scour patterns

MP 2476
TRANSVERSE VELOCITIES AND ICE JAMMING POTENTIAL IN A RIVER BEND.
Zufelt, J.E., Workshop on Hydraulics of River Ice/Ice Jams, 5th, Winnipeg, Manitoba, June 21-24, 1988. Proceedings, [1988], p.193-207, 6 refs.
43-2172
ICE JAMS, RIVER ICE, RIVER FLOW, TOPOGRAPHIC EFFECTS, STREAM FLOW, VELOCITY, TESTS.
River bends have been reported as major locations for the initiation and development of ice jams. Bends are characterized by nonuniform channel cross sections with velocity fields affected by centrifugal acceleration. The alterations to the streamwise and transverse velocity fields are factors influencing the initiation and development of ice jams in river bends The streamwise and transverse velocity distributions through a river bend were examined in order to assess ice jamming potential. Tests were conducted under open water, and smooth and rough artificial ice cover conditions. The effects of the above variables on the streamwise and transverse velocity profiles in a river bend are discussed

MP 2477
RIVER ICE AND SALMONIDS.
Walsh, M., et al, Workshop on Hydraulics of River Ice, 4th, Montreal, Quebec, June 19-20, 1986, Montreal, 1986, p.D-4.1-D-4.26, Includes discussion and reply. 37 refs.
Calkins, D.J.
43-2280
RIVER ICE, FRAZIL ICE, ICE GROWTH, ANIMALS.
Literature describing the winter habitat of Atlantic salmon *(Salmo salar)* is reviewed Causes of winter mortality of salmonids are proposed. Four factors considered detrimental to overwinter survival include 1) crowding of juveniles into smaller areas due to freeze-up ice cover formation and reduction of available habitat, 2) migration of fish due to overcrowding, 3) solid ice growth into the substrate, thereby freezing the redds and the juvenile fish, and 4) high velocity flows that occur during ice cover breakup and ice jam releases An analytical treatment of the ice front progressing into the substrate is presented and a realistic example is given to confirm the hypothesis that the freezing of redds is a high potential source for egg and juvenile losses Frazil ice accumulation under the ice cover on the bed is detrimental to salmonid survival because it accelerates solid ice growth. Increases in overwinter survival have been shown to be directly linked to the amount of adequate winter shelter. Winter shelter includes two key elements: silt-free rubble substrate and adequate flows

MP 2478
RESPONSE OF ADVANCED COMPOSITE SPACE MATERIALS TO THERMAL CYCLING.
Dutta, P.K., et al, Space '88, Albuquerque, New Mexico, Aug. 29-31, 1988. Proceedings. Engineering, construction, and operations in space. Edited by S.W. Johnson and J.P. Wetzel, New York, American Society of Civil Engineers, 1988, p.506-517, 10 refs.
Kalafut, J., Farrell, D., Lord, H.W.
43-2277
FREEZE THAW TESTS, MATERIALS

MP 2479
UPDATE ON PORTABLE HOT-WATER SEA ICE DRILLING.
Govoni, J.W., et al, Feb. 1989, 16(2), p.175-178, 2 refs
Tucker, W.B.
43-2366
SEA ICE, ICE DRILLS, THICKNESS GAGES, ICE SAMPLING.

MP 2480
MEASUREMENT OF CHARACTERISTIC LENGTH OF FLOATING ICE SHEETS.
Sodhi, D.S., Zweite eisbrechtechnische Expedition mit F.S. Polarstern., Schlussbericht, Band I (Second Icebreaking Technology Expedition with R.V. Polarstern., Final report, Vol.I), Hamburg, 1987, n.p. (Ch.7), 4 refs.
43-2431
SEA ICE, FLOATING ICE, ICE COVER THICKNESS.
Measurement of characteristic length of floating ice sheets was made by landing a helicopter on the ice sheet and measuring the change in slope on the ice surface near the point of loading. The noise from the swells in the water underneath the ice caused considerable difficulties in measuring the changes in slopes. Only two successful measurements could be made when the ice thicknesses were 0.8 m and 0 63 m. The ratios of characteristic length to ice thickness were about 11 8 m, and the effective modulus of elasticity was 1.65 GPa and 1.24 GPa

MP 2481
PROCEEDINGS OF THE EIGHTH INTERNATIONAL CONFERENCE ON OFFSHORE MECHANICS AND ARCTIC ENGINEERING, 1989. VOLUME 4.
International Conference on Offshore Mechanics and Arctic Engineering, 8th, The Hague, Netherlands, Mar. 19-23, 1989, New York, American Society of Mechanical Engineers, 1989, 476p., Refs. passim. For individual papers see 43-2602 through 43-2659.
Sinha, N.K., ed, Sodhi, D.S., ed, Chung, J.S., ed.
43-2601
OFFSHORE STRUCTURES, OFFSHORE DRILLING, ICE LOADS, ICE MECHANICS, ICEBERGS, ENGINEERING, MEETINGS, ICING, ICE CONDITIONS, SEA ICE DISTRIBUTION.

MP 2482
UNIAXIAL TENSION/COMPRESSION TESTS ON ICE—PRELIMINARY RESULTS.
Cole, D M , et al, International Conference on Offshore Mechanics and Arctic Engineering, 8th, The Hague, Mar. 19-23, 1989. Proceedings. Vol.4. Edited by N.K. Sinha, D.S. Sodhi and J.S. Chung, New York, American Society of Mechanical Engineers, 1989, p.37-41, 6 refs.
Gould, L D.
43-2607
ICE STRENGTH, LOADS (FORCES), TENSILE PROPERTIES, COMPRESSIVE PROPERTIES, MEASURING INSTRUMENTS, STRESS STRAIN DIAGRAMS, ICE CRACKS, GRAIN SIZE, MICROSTRUCTURE, TESTS.
This paper describes a clamping system that provides a means to alternate freely between tensile and compressive uniaxial loads on an ice specimen. The fixture is hydraulically activated and is used in conjunction with a closed-loop testing system. It is self-aligning, holds the specimen rigidly in place and imparts no detectable bending moment to the specimen when it is activated The testing methodology centered on this device has proven to be very efficient and reliable. Results of several of the initial experiments employing this device are also presented These include examples of the effect of loading frequency and grain size on hysteresis, the effect of strain level on the secant modulus for both tensile and compressive loading and an example of tensile failure following compressive loading in a regime characterized by a high degree of microcracking

MP 2483
ON MODELING THE ENERGETICS OF THE RIDGING PROCESS.
Hopkins, M.A., et al, International Conference on Offshore Mechanics and Arctic Engineering, 8th, The Hague, Mar. 19-23, 1989. Proceedings. Vol.4. Edited by N.K. Sinha, D.S. Sodhi and J.S. Chung, New York, American Society of Mechanical Engineers, 1989, p.175-178, 8 refs.
Hibler, W.D., III.
43-2625
PRESSURE RIDGES, SEA ICE DISTRIBUTION, RHEOLOGY, ICE MODELS, ICE LOADS, ICE COVER THICKNESS, ICE PRESSURE, STATISTICAL ANALYSIS.
A discrete element model is developed and used to simulate numerically the pressure ridging process in sea ice. With this model it is possible to keep track explicitly of frictional and collisional energy losses which has not been possible in previous studies. The results show the total energy losses in ridging to be two to three times larger than previously thought These results are consistent with large-scale ice rheologies based on a statistical treatment of the ridging process

MP 2484
ICE REINFORCED WITH GEOGRID.
Haynes, F.D., et al, International Conference on Offshore Mechanics and Arctic Engineering, 8th, The Hague, Mar. 19-23, 1989. Proceedings. Vol.4. Edited by N.K. Sinha, D.S. Sodhi and J.S. Chung, New York, American Society of Mechanical Engineers, 1989, p.179-185, 21 refs.
Martinson, C.R.
43-2626
FLOATING ICE, ICE STRENGTH, BEARING STRENGTH, ICE SHEETS, ICE DEFORMATION, MATERIALS, ICE COVER THICKNESS, TESTS, LOADS (FORCES), ICE CRACKS.
Laboratory tests were conducted on floating freshwater ice sheets reinforced with a high-strength polymeric mesh (Geogrid) The mesh was frozen into the ice sheets Bearing capacity tests were conducted on each ice sheet The thickness of the ice sheets varied from 3 to 13 cm and the dynamic loads varied from 1 3 to 23 kN Comparisons to tests on ice without the grid were made. For the ice sheets tested, Geogrid reinforcement increased the bearing capacity of thin (49 mm) ice up to 38% and of thicker ice (96 mm) about 10-15%. Failure of the ice with Geogrid reinforcement was very local, whereas failure of the ice without Geogrid was catastrophic and over a large area. Displacement of the ice is compared to theory for plates on an elastic foundation.

MP 2485
INTERACTION FORCES DURING VERTICAL PENETRATION OF FLOATING ICE SHEETS WITH CYLINDRICAL INDENTORS.
Sodhi, D.S., International Conference on Offshore Mechanics and Arctic Engineering, 8th, The Hague, Mar. 19-23, 1989. Proceedings. Vol.4. Edited by N.K. Sinha, D.S. Sodhi and J.S. Chung, New York, American Society of Mechanical Engineers, 1989, p.377-382, 5 refs
43-2648
PENETRATION TESTS, ICE LOADS, ICE CUTTING, ICE SOLID INTERFACE, FLOATING ICE, FLEXURAL STRENGTH, TEMPERATURE EFFECTS, ICE SHEETS, EXPERIMENTATION, ICE COVER THICKNESS, BUOYANCY, ICE DEFORMATION.
Floating model (urea) ice sheets were penetrated vertically up with cylindrical indentors of different shapes (flat, truncated-conical and conical) and diameters (76 mm, 152 mm and 305 mm) and in different ambient temperatures (0, 10, 20 F). Our experimental results show that there is no effect of indentor shape or size on the ice penetration forces. From dimensional analysis, a relationship is obtained for maximum ice penetration force in terms of the specific weight of water, the ice thickness and the upward flexural strength. From the measured deflections of the ice sheet at a few points along a radial line during penetration tests, the buoyancy force is calculated independently of the total measured force. By subtracting the buoyancy force from the total measured force, the inertial force is obtained Plots of these forces are given for a few tests

MP 2486
INSTRUMENTED VEHICLE FOR THE MEASUREMENT OF MOBILITY PARAMETERS.
Blaisdell, G.L., International Instrumentation Symposium, 35th, Orlando, FL, May 1-4, 1989. Proceedings, Research Triangle Park, NC, Instrument Society of America, 1988, p.377-388, 7 refs
43-2667
MOTOR VEHICLES, VEHICLE WHEELS, TIRES, TRACTION, COLD WEATHER TESTS, SNOW.
A 4-wheel drive van was equipped with a stepper motor, instruments and onboard computer data acquisition and control system to measure tire traction on snow Forces down to 130 newtons can be measured with an accuracy of 2%

MP 2487
MODEL STUDY OF UPLIFTING ICE FORCES: THE INSTRUMENTATION.
Zabilansky, L.J , International Instrumentation Symposium, 35th, Orlando, FL, May 1-4, 1989. Proceedings, Research Triangle Park, NC, Instrument Society of America, 1988, p.745-748, 2 refs
43-2668
PILE EXTRACTION, PILE LOAD TESTS, ICE LOADS, ICE MODELS.
A test basin 36 m long, 9 m wide and 2 4 m deep, with a Hewlett-Packard 9845B desktop computer for real-time monitoring and control, was used to model pile extraction from uplifting ice forces

MP 2488
ROOFER: A MANAGEMENT TOOL FOR MAINTAINING BUILT-UP ROOFS.
Bailey, D.M., et al, Conference on Roofing Technology, 9th, Gaithersburg, MD, May 4-5, 1989. Proceedings. Putting roofing technology to work, Rosemont, IL, National Roofing Contractors Association, 1989, p.6-10, 5 refs.
Brotherson, D.E., Tobiasson, W.
43-2691
ROOFS, MAINTENANCE, MILITARY FACILITIES, WEATHERPROOFING.
ROOFER is a management system to maintain built-up roofs for the U S. military. The system includes inventory, inspection and condition evaluation. Each roof is evaluated for the condition of its membranes, flashings and insulation. ROOFER is being programmed to use the data for maintenance scheduling on microcomputer

MP 2489
VAPOR RETARDERS FOR MEMBRANE ROOFING SYSTEMS.
Tobiasson, W., Conference on Roofing Technology, 9th, Gaithersburg, MD. May 4-5, 1989. Proceedings. Putting roofing technology to work, Rosemont, IL, National Roofing Contractors Association, 1989, p.31-37, 13 refs.
43-2692
ROOFS, MAINTENANCE, WATERPROOFING, AIR LEAKAGE, VAPOR BARRIERS.
Membrane roofs consisting of plies attached by hot bitumens are subject to condensation damage from air leakage. Warm air can hold more moisture than cold air Vapor retarders are materials which resist leakage of warm high-humidity indoor air into roofs where contact with colder outside temperatures can cool the air and cause condensation Vapor retarders should have a perm rating (grains/hr) (sq ft) (inch mercury) of 0.5 or less Some materials with their perm ratings are listed.

MP 2490
SEA ICE RIDGING IN THE ROSS SEA, ANTARCTICA, AS COMPARED WITH SITES IN THE ARCTIC.
Weeks, W.F., et al, Apr. 15, 1989, 94(C4), p.4984-4988, 20 refs.
Ackley, S.F , Govoni, J.W.
43-2725
SEA ICE, AERIAL SURVEYS, PRESSURE RIDGES, CHUKCHI SEA, BEAUFORT SEA, ANTARCTICA—ROSS SEA.
At the end of the 1980 austral winter, surface roughness measurements were made by laser profilometer during a series of flights over the Ross Sea pack ice The total track length was 2696 km, and 4365 ridges were counted The frequency distribution of individual ridge heights was found to be well described by a negative exponential distribution No clear-cut regional variation was noted in ridge heights. The distribution of ridge frequencies per kilometer showed a strong positive skew with a modal value of 1 88, the most freque ridging occurred off the east coast of Victoria Land Comparisons with similar data sets from the Arctic indicate that large ridges are significantly more likely in the Arctic Ocean than in the Ross Sea Utilizing a reasonable model for the geometry of ridges, estimates are made of the average thickness of a hypothetical continuous layer composed only of the deformed ice from ridges. The noncoastal Ross Sea value of 0 09 m is less than half of the lowest comparable value from the Arctic. (Auth mod)

MP 2491
SEA-ICE INVESTIGATIONS DURING THE WINTER WEDDELL SEA PROJECT.
Ackley, S.F., et al, 1987, 22(5), p.88-89.
Wadhams, P., Lange, M.A
43-2749
SEA ICE, FRAZIL ICE, ICE COVER THICKNESS, ICE CORES, ANTARCTICA—WEDDELL SEA.
Sea ice studies conducted during the Winter Weddell Sea Project are described The field efforts consisted of ice-deformation experiments, ice-thickness measurements by coring and drilling, surface wave investigations, aerial photography and hourly visual observations of surface morphology and ice conditions, radar ice-thickness measurements, microwave emission studies, and joint physical-biological ice-property studies from cores to characterize the sea ice as a habitat Several of the studies showed the relative importance of an ice-advance process controlled by wave and swell action during the freeze-up process. Ice thickness measurements are plotted and discussed

MP 2492
ICE-INDUCED VIBRATIONS OF STRUCTURES.
Sodhi, D S , Feb 1989, Sr 89-5, Working group on ice forces. 4th state-of-the-art report, edited by G.W. Timco, p.189-221, ADA-207 546, Refs. p.217-221 Also in IAHR Symposium on Ice, 9th, sapporo, Japan, Aug. 23-27, 1988. Proceedings, Vol.2, p 625-657.
43-2818
ICE LOADS, STRUCTURES, VIBRATION, ICE SHEETS, ICE SOLID INTERFACE.
Vertical structures are often placed in ice environments where they are subjected to ice action. Under certain conditions, they vibrate as a result of interaction with a moving ice sheet Various theories and concepts have been proposed to explain the ice-induced vibration A review of the literature on this subject is presented here

MP 2493
FRACTURE OF S2 COLUMNAR FRESHWATER ICE: FLOATING DOUBLE CANTILEVER BEAM TESTS.
Bentley, D.L., et al, IAHR Symposium on Ice, 9th, Sapporo, Japan, Aug. 23-27, 1988. Proceedings, Vol.1, [1988], p.152-161, Refs. p.160-161.
Dempsey, J.P., Sodhi, D.S., Wei, Y.
43-2918
ICE STRENGTH, ICE HARDNESS, ICE CRACKS, CRACKING (FRACTURING), ARTIFICIAL ICE, FLOATING STRUCTURES, ANALYSIS (MATHEMATICS).
A series of 30 fracture toughness tests were performed on laboratory-grown S2 columnar freshwater ice at high homologous temperatures (-2 to 0 C) The floating double cantilever beam specimen used and the monitoring of the crack mouth opening displacement in addition to the applied load provided a means for obtaining an apparent fracture toughness, an effective elastic modulus, a lower-bound estimate of the crack speed, and a side-loaded flexural strength of the ice. An expression for the apparent fracture toughness as a function of the applied load, specimen geometry, and ice thickness was developed using a finite element program. This allowed comparison with previously published values for the toughness of freshwater ice The small range of scatter in apparent fracture toughness values as well as the ability to measure other mechanical properties of the ice indicates the usefulness of such tests.

MP 2494
STRAIN ENERGY FAILURE CRITERION FOR S2 FRESHWATER ICE IN FLEXURE.
Cole, D.M., IAHR Symposium on Ice, 9th, Sapporo, Japan, Aug. 23-27, 1988. Proceedings, Vol.1, [1988], p.206-215, 14 refs.
43-2923
NUCLEATION, ICE RELAXATION, TENSILE PROPERTIES, GRAIN SIZE, MATHEMATICAL MODELS, TEMPERATURE EFFECTS.
This paper describes the development of a model for the flexural strength of S2 freshwater ice in simple bending under isothermal conditions. The model applies to the case of nucleation-controlled failure and addresses temperature and grain size effects The derivation balances the energy supplied by stress relaxation with the energy required to overcome the barrier to crack nucleation and the energy to form new surface area The nucleation barrier, which is not yet fully specified, can be determined from experimental results and appears to be independent of temperature for the flexural case under consideration The physical reasoning behind the model leads to a mathematical form that differs somewhat from the expression generally used to represent similar experimental results The conceptual basis for the model draws from observations on the flexural tests, from published microscopic observations for ice and from the literature on nucleation theory The model predictions compare favorably with published experimental results for the flexural strength as a function of temperature in the range of -1 to -19 C and as a function of grain size in the range of 0 002 to 0 006 m

MP 2495
RESULTS FROM INDENTATION TESTS ON FRESHWATER ICE.
Sodhi, D.S., et al, IAHR Symposium on Ice, 9th, Sapporo, Japan, Aug. 23-27, 1988 Proceedings, Vol.1, [1988], p.341-350, 9 refs.
Nakazawa, N.
43-2934
IMPACT TESTS, TENSILE PROPERTIES, COMPRESSIVE PROPERTIES, ICE PRESSURE, VELOCITY, EXPERIMENTATION.
Indentation tests were performed by pushing vertical, flat indentors of 50- and 100 mm widths into freshwater columnar ice of different thicknesses (25-60 mm) at different velocities (1-9 mm/s) Extensive data on forces, displacements and acoustic emissions were recorded, and some of these are presented in this paper Depending on the velocity of the indentor, ductile or brittle behavior of ice was observed A few attempts to measure the pressure at the interface during ice crushing indicated a uniform pressure distribution Later in the program, the interaction forces were measured at the ice-structure interface by supporting indentor plates on three load cells With this system, the points of action of the resultant forces were found to be in the center of the contact area, indicating uniform pressure distribution.

MP 2496
HIGH-FLOW AIR SCREENS REDUCE OR PREVENT ICE-RELATED PROBLEMS AT NAVIGATION LOCKS.
Rand, J H., IAHR Symposium on Ice, 9th, Sapporo, Japan, Aug. 23-27, 1988 Proceedings, Vol.2, [1988], p.34-43, 4 refs.
43-2977
LOCKS (WATERWAYS), ICE CONTROL, BUBBLING.
A variety of techniques have been developed in the past to prevent ice from interfering with navigation lock operations. This article describes the best technique developed that has been effectively demonstrated at several navigation locks in the United States The system consists of an improved bubbler system that combines three air manifolds at various locations within the lock to control and move the ice, allowing normal lock operations even in the most severe winter conditions.

MP 2497
DEVELOPMENT OF A RIVER ICE-PROW. PART 2.
Tatinclaux, J.C., IAHR Symposium on Ice, 9th, Sapporo, Japan, Aug. 23-27, 1988. Proceedings, Vol.2, [1988], p.44-52, 9 refs.
43-2978
RIVER ICE, ICE NAVIGATION, ICE CONTROL, ICE BREAKING, ICEBREAKERS, SHIPS.
This paper describes the second phase in the development of a river ice-prow intended to be attached to a towboat for opening navigation channels or for ice management in the vicinity of the locks and dams on the northern rivers of the United States (Illinois, Ohio, and Upper Mississippi rivers) The first prow concept, presented at the 1986 IAHR Ice Symposium in Iowa City, proved during model tests to be less maneuverable than desired. Most of the difficulties were attributed to the side ice-cutters and to a poor lengthwise weight distribution The bow was redesigned and the side cutters were eliminated. Model tests showed greatly improved maneuverability in ice without significant effect on the icebreaking capability of the prow The results of these tests are presented and discussed.

MP 2498
ICE COVER FORMATION DOWNSTREAM OF A LARGE RESERVOIR WITH VARIABLE RELEASE.
Ashton, G.D., IAHR Symposium on Ice, 9th, Sapporo, Japan, Aug. 23-27, 1988. Proceedings, Vol.2, [1988], p.189-198, 3 refs.
43-2992
DAMS, RESERVOIRS, ICE FORMATION, ICE COVER, ICE CONDITIONS.
On the Missouri River, downstream of Oahe Dam, an ice cover forms, accumulates and retreats in response to varying air temperatures, varying and daily peaking discharges of up to 1400 cu m/s, and varying water temperatures of the release. Extreme accumulations of this ice in some years have caused flooding due to the increased stage associated with the resistance of the ice cover. A simulation of the accumulation and retreat of the ice cover has been constructed, including the variability of the discharge, water temperature, and air temperatures, and compared and calibrated against available data. A discussion of the various approximations used in the simulation is presented together with an assessment of the improvements that occur when various parts of the simulation are treated in more detail, such as using hourly energy budgets rather than daily averages based on a simple bulk heat transfer coefficient

MP 2499
EFFECTS OF AN ICE COVER ON FLOW IN A MOVABLE BED CHANNEL.
Wuebben, J.L , IAHR Symposium on Ice, 9th, Sapporo, Japan, Aug. 23-27, 1988 Proceedings, Vol.3, [1988], p.137-146, 3 refs.
43-3027
WATER FLOW, CHANNELS (WATERWAYS), SEDIMENT TRANSPORT, ICE COVER EFFECT, ALLUVIUM, FORECASTING.
The formation of an ice cover on an alluvial system results in significant changes in the flow regime due to the interaction between the ice cover, fluid flow, fluid properties, sediment and bedforms For the case of uniform flow in a rigid channel, the addition of an ice cover of uniform thickness and surface roughness would typically result in an increase in water depth and a reduction in water velocity and bed shear Such a flow can be conceptually split along a hypothetical plane of zero shear located approximately at the point of maximum velocity in any vertical profile If this concept could be extended to flow over a movable bed, then existing free surface sediment transport theory could be applied to the lower layer by treating it as a distinct "open channel" case To test the practicability of using this lower layer approach to predict sediment transport and resistance to flow in an ice covered channel, a series of tests were conducted at various discharges in a laboratory flume The sediment was a uniform, 0 45-mm-diameter quartz sand and bedforms were in the ripple and dune regimes For each discharge, a run was initiated by establishing uniform flow under a simulated ice cover Once the lower layer depth and discharge were determined, a corresponding open water flow was established leaving other parameters unchanged The ice covered and free surface flows were then compared based on sediment discharge, bed form geometry, and energy slope to determine the applicability of the lower layer approach

MP 2500
FORECASTING RIVER WATER TEMPERATURES.
Daly, S.F., IAHR Symposium on Ice, 9th, Sapporo, Japan, Aug. 23-27, 1988 Proceedings, Vol.3, [1988], p.180-188, 6 refs.
43-3031
FORECASTING, WATER TEMPERATURE, WATERSHEDS, AIR WATER INTERACTIONS, RIVER ICE, MATHEMATICAL MODELS.
The water temperature of a river at any point reflects how the upstream watershed responds to heat transfer with the environment. The ability to model this response provides a way to forecast future river water temperatures, which could be an important part of an ice forecasting program. This paper presents a model of the watershed response. In the model the overall environmental heat transfer is calculated based on two terms- one linearly dependent on the difference between the water and air temperature. The response of the watershed is determined by analyzing the past records of air and water temperature From these records, monthly or seasonal response coefficients for the watershed are determined. Forecasts of future air temperature, along with the known water temperature at the time of the forecast, are used to forecast water temperature. Water temperature can be forecast for any future data, however, in practice the accuracy is limited by the current limitations of air temperature forecasts. The model is applied to the Ohio River, and results are shown as hindcasts of water temperature based on the actual recorded air temperatures, and hindcasts of "likely ice periods" based on the actual recorded data The model can be used to forecast likely ice periods in large and small watersheds, is designed to be used with real-time water temperature measurements and is particularly useful for forecasting tributary water temperatures as boundary conditions for more elaborate models.

MP 2501
LABORATORY STUDY OF TRANSVERSE VELOCITIES AND ICE JAMMING IN A RIVER BEND.
Zufelt, J.E., et al, IAHR Symposium on Ice, 9th, Sapporo, Japan, Aug. 23-27, 1988. Proceedings, Vol.3, [1988], p.189-197, 6 refs.
Sun, Z.C.
43-3032
VELOCITY, ICE JAMS, ICE FLOES, RIVER ICE, RIVER FLOW, SIMULATION.
The velocity field through a river bend is greatly affected by its channel curvature, primarily by the action of centrifugal acceleration. The streamwise velocity gradient is responsible for a nonuniform distribution of centrifugal forces, which results in a radial circulation River bends have long been reported as the locations for the initiation and development of ice jams These radial velocities affect the transport and deposition of bed material and/or ice in the bend, resulting in nonuniform depths and ice thicknesses over a cross section. The streamwise and transverse velocity profiles through a 90 deg bend of a laboratory flume were examined. A variety of discharge, bed roughness, and water surface conditions were tested, including smooth and rough simulated ice covers The effects of each variable on the velocity field were identified

MP 2502
FRACTURE EXPERIMENTS ON FRESHWATER AND UREA MODEL ICE.
Bentley, D.L., et al, Aug. 1988, No.88-7, 152p., Refs. passim. For individual papers see 40-4558, 42-3565, and 43-2918.
Dempsey, J.P., Sodhi, D.S.
43-3040
ICE MODELS, ARTIFICIAL ICE, UREA, ICE STRENGTH, ICE BREAKING, CRACKING (FRACTURING), ICE.

MP 2503
EMERGING METEORITE: CRYSTALLINE STRUCTURE OF THE ENCLOSING ICE.
Gow, A.J., et al, 1989, No.28, p.87-91, 6 refs.
Cassidy, W.A.
43-3079
ICE CRYSTAL STRUCTURE, GEOCHRONOLOGY, ANTARCTICA—ALLAN HILLS.
While searching for meteorites in the Allan Hills region during the austral summer of 1982-1983, a small, walnut-sized meteorite was discovered with just its tip protruding above the ice surface. The meteorite appeared to be still embedded in the original ice and becoming exposed for the first time at the ablation surface If this interpretation were proved correct, this would be the first example observed in Antarctica of an emerging stone, a discovery of special importance because the terrestrial age of the meteorite would be the same as that of the enclosing ice This study was undertaken to determine if the crystalline properties of the ice were consistent with the notion that the ice enclosing the meteorite is coeval with the terrestrial age of the meteorite Following remeasurement and photography the ice block was split apart by wedging and the meteorite removed The ice was then cut in three mutually perpendicular directions in order to evaluate the three dimensional picture of the crystal/bubble structure of the ice It is concluded from the analysis that the meteorite was, in fact, just emerging at the ablation surface when it was discovered. (Auth.)

MP 2504
VEHICLES FOR FREIGHT-HAULING AND FOR SCIENCE TRAVERSES IN ANTARCTICA.
Mellor, M., Hanover, NH, U.S. Army Cold Regions Research and Engineering Laboratory, [1988], Var p.
44-224
TRACTORS, TRACKED VEHICLES, LOGISTICS, TRAVERSES, SNOW VEHICLES, CARGO.
Proposals for freight hauling vehicles in Antarctica, submitted by Caterpillar Inc. to CRREL, are presented. Various models of Caterpillar LGP, Challenger, and High Speed Hauler tractors are described

MP 2505
PLANING MACHINES FOR BUILDING RUNWAYS ON ICE.
Mellor, M., Hanover, NH, U.S Army Cold Regions Research and Engineering Laboratory, [1989], 8p. + attachments.
44-225
ICE RUNWAYS, ICE CUTTING, CONSTRUCTION EQUIPMENT, ANTARCTICA—MCMURDO STATION.
An ice runway, 300 ft by 10,000 ft, able to accommodate the C-130 military air transport, is proposed for the Ross Ice Shelf near McMurdo Station Caterpillar Inc, was requested to submit proposals for ice planing machines to build the runway. A modified Caterpillar PR-450 pavement profiler and RR-250 road reclaimer look promising

MP 2506
ICE FORMATION DOWNSTREAM OF OAHE DAM—1987-1988 WINTER.
Ashton, G.D., Hanover, NH, U.S. Army Cold Regions Research and Engineering Laboratory, 1988, 37p, 1 ref.
44-226
DAMS, ICE FORMATION, FLOOD CONTROL, ICE CONTROL, ICE CONDITIONS, RESERVOIRS, UNITED STATES—SOUTH DAKOTA—OAHE DAM.

MP 2507
WINTER WATER QUALITY IN LAKES AND STREAMS.
Calkins, D.J., et al, Hanover, NH, U S Army Cold Regions Research and Engineering Laboratory, [1988], 8p, Presented at Corps of Engineers 7th Seminar on Water Quality, Charleston, SC, Feb. 23-25, 1988. 11 refs
Ashton, G.D.
44-227
WATER CHEMISTRY, LAKE WATER, ICE COVER EFFECT, ICE CONDITIONS, SURFACE WATERS.

MP 2508
YEAR OF BOWEN RATIOS OVER THE FROZEN BEAUFORT SEA.
Andreas, E.L., Sep. 15, 1989, 94(C9), p.12,721-12,-724, 15 refs.
44-231
ICE HEAT FLUX, LATENT HEAT, SEA ICE, SEASONAL VARIATIONS, AIR TEMPERATURE, ICE AIR INTERFACE, ANALYSIS (MATHEMATICS).

MP 2509
COMPUTER-GENERATED GRAPHICS OF RIVER ICE CONDITIONS.
Bilello, M.A., et al, Northern Research Basins Symposium/Workshop, 7th, Ilulissat, Greenland, May 25-June 1, 1988 Applied hydrology in the development of northern basins, Copenhagen, 1988, p.211-219, 3 refs.
Gagnon, J.J., Daly, S.F.
44-250
RIVER ICE, ICE CONDITIONS, COMPUTER PROGRAMS.
Timely information on river ice conditions is essential to the shipping industry on ice-prone inland waterways where navigation throughout the winter is required Included in a river ice management program are daily ice observations on rivers in PA and WV Hand-drawn displays of these ice conditions were made from the alphanumeric coded records, but they required excessive time to prepare To expedite the availability of such diagrams, a computer graphics program was developed Initial computer graphics printed in black and white showed the coverage and extent of river ice, and whether the ice was running or stationary Further modifications, in which color graphics were used, made it possible to also include ice thickness and other reported river ice characteristics such as clear or rotting ice

MP 2510
DEVELOPMENT OF A DYNAMIC ICE BREAKUP CONTROL METHOD FOR THE CONNECTICUT RIVER NEAR WINDSOR, VERMONT.
Ferrick, M.G., et al, Northern Research Basins Symposium/Workshop, 7th, Ilulissat, Greenland, May 25-June 1, 1988. Applied hydrology in the development of northern basins, Copenhagen, 1988, p.221-233, 9 refs.
Lemieux, G.E., Weyrick, P.B., Demont, W.
44-251
ICE BREAKUP, RIVER ICE, ICE CONTROL, ICE JAMS, FLOODS.
The Cornish-Windsor bridge is the longest covered bridge in the United States and has significant historical value. Dynamic ice breakup of the Connecticut River can threaten the bridge and cause flood damage in Windsor, VT. The authors monitored ice conditions throughout the 1985-86 winter, observed a midwinter dynamic ice breakup, conducted controlled release tests during both open water and ice cover conditions, and analyzed more than 60 years of temperature and discharge records. River regulation presents alternatives for ice management that would minimize water levels during breakup In this paper the basis of a method is developed to produce a controlled ice breakup at lower stage and discharge than occur during major natural events

MP 2511
CORRELATION FUNCTION STUDY FOR SEA ICE.
Lin, F.C., et al, Nov. 15, 1988, 93(C11), p.14,055-14,063, 50 refs.
Kong, J.A., Shin, R.T., Gow, A.J., Arcone, S.A.
44-261
SEA ICE, ARTIFICIAL ICE, DIELECTRIC PROPERTIES, ANALYSIS (MATHEMATICS), CORRELATION, REMOTE SENSING, REFLECTIVITY, BRINES.

MP 2512
WINTER FIELD TESTING OF U.S. NAVY FLEET HOSPITAL.
Sletten, R.S., et al, Hanover, NH, U.S. Army Cold Regions Research and Engineering Laboratory, [1988], 10p., Presented at Test Technology Symposium, Johns Hopkins University, Jan 1988.
Crory, F.E.
44-269
PORTABLE SHELTERS, MILITARY FACILITIES, COLD WEATHER TESTS.
The US Navy has designed and initiated procurement of more than 20 modular, containerized fleet hospitals ranging in size from 250 to 1000 beds The hospitals are tent-based but include specially outfitted hard shelters for operating rooms, labs, and other hospital functions Interconnected tent wings comprise the wards, casualty receiving, and some administrative functions Hospital staff are housed in general purpose tents Piped water and wastewater systems are provided in the hospital All wards and outfitted shelters are provided with electrical, heating, and air-conditioning equipment. All hospital components were designed to operate within a temperature range of +125 F to -10 F, but the lower end of this range had not been evaluated under actual winter conditions At the request of the Navy's Fleet Hospital Program office, representative sections of a fleet hospital were tested at CRREL from Dec 1986 through May 1987 The hospital was instrumented with approximately 100 thermocouples, and temperatures were recorded every 3 hours throughout the test period Extensive weather records were collected by an on-site meteorological station Several subsystem failures were identified and documented, primarily in the heating, electrical, and wastewater facilities Modifications were made to the plumbing and heating systems in an effort to correct identified failures or to improve the effectiveness of the systems

MP 2513
EXPERIMENTAL METHODS FOR DECONTAMINATING SOILS BY FREEZING.
Ayorinde, O.A., et al, Hanover, NH, U S Army Cold Regions Research and Engineering Laboratory, [1988], 12p, Presented at Test Technology Symposium, John Hopkins University, Laurel, MD, Jan. 26-28, 1988. 6 refs.
Perry, L B., Pidgeon, D., Iskandar, I K.
44-270
ARTIFICIAL FREEZING, WASTE TREATMENT, SOIL FREEZING, SOIL POLLUTION, WASTE DISPOSAL, SOIL WATER MIGRATION.
Laboratory methods were developed to demonstrate and evaluate the feasibility of using artificial soil freezing as a cost-effective technique in general site decontamination This effort is part of CRREL's artificial freezing research program for hazardous waste management The study attempted to quantify parameters which influence contaminant transport in soils during freezing Among the influencing parameters, freezing rate was found to be the most significant Contaminant movement profiles in soils during freezing were measured Laboratory column studies showed a significant mobility of volatile organics, such as benzene, chloroform and toluene, when Lebanon silty soil contaminated with these organics was frozen from the bottom up A range of 25-67% reduction in contaminant concentration was measured in

the frozen soil sample when subjected to an average freezing rate of 0.25 cm/day, with the concentration increase found just around the freezing front. However, a corresponding 25-67% increase in concentration ahead of the freezing front was not obtained as expected, due to contaminant losses through volatilization, biodegradation and sorption. A mathematical correlation was established between the contaminant relative change in concentration and their octanol-water partition coefficients. The well-correlated relationship strongly suggests the dependence of the freezing-induced mobility of the specific organic contaminant component on its octanol-water value.

MP 2514

PROTOTYPE TESTING FACILITIES FOR FIELD EVALUATION OF CONTAMINANT TRANSPORT IN FREEZING SOILS.

Ayorinde, O.A., et al, Hanover, NH, U.S. Army Cold Regions Research and Engineering Laboratory, [1988], 29p., Presented at the International Conference on Physiochemical and Biological Detoxification of Hazardous Wastes, Atlantic City, NJ, May 3-5, 1988. 10 refs.

Perry, L.B., Tantillo, T., Pidgeon, D., Iskandar, I.K.

44-271

ARTIFICIAL FREEZING, WASTE TREATMENT, SOIL FREEZING, SOIL POLLUTION, WASTE DISPOSAL, TEST EQUIPMENT, SOIL TESTS, SOIL WATER MIGRATION.

Recently, artificial freezing has been identified as a potential and plausible technique for treating soil contamination as well as for general site decontamination. As part of the overall CRREL artificial freezing research program for toxic and hazardous waste management and control in cold regions, a large-scale prototype testing facility has been constructed to study and evaluate contaminant movement in soils during freezing. The contaminants proposed to be used for the study include volatile organics, such as chloroform, toluene, and benzene, and non-volatile organics, such as TNT and RDX. Variation in contaminant concentration during freezing would be obtained by soil coring and sampling tubes in different locations. Contaminant concentration would be determined using a gas chromatograph/mass spectrometer and high-precision liquid chromatograph.

MP 2515

USE OF INNOVATIVE FREEZING TECHNIQUE FOR *IN-SITU* TREATMENT OF CONTAMINATED SOILS.

Ayorinde, O.A., et al, International Conference on New Frontiers for Hazardous Waste Management, 3rd, Pittsburgh, PA, Sep. 10-13, 1989. Proceedings, [1989], p.489-498, 14 refs.

Perry, L.B., Iskandar, I.K.

44-272

ARTIFICIAL FREEZING, SOIL FREEZING, WASTE TREATMENT, SOIL POLLUTION, WASTE DISPOSAL, SOIL WATER MIGRATION, EXPLOSIVES.

In the past few years, CRREL has been investigating the use of artificial freezing as an innovative technique for soil decontamination. A preliminary laboratory study was conducted specifically to evaluate and analyze the possibility of mobilizing different types of contaminants by freezing in Lebanon silt. Contaminants investigated were explosive residues most extensively found at the U.S. Army ammunition plants as well as volatile organic compounds (VOCs), such as chloroform and toluene. Explosives studied were 2,4,6-trinitrotoluene (TNT), hexahydro-1,3,5-trinitro-1,3,5-triazine (RDX), octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine (HMX), 2,6-dinitrotoluene (2,6-DNT), ortho-nitrotoluene (O-NT), and meta-nitrotoluene (M-NT) Preliminary data from the laboratory column studies suggested that there was a certain degree of movement of both explosives and VOCs when soil columns of Lebanon silt saturated with these contaminants were frozen unidirectionally from the bottom up. Slopes of the control and frozen soil concentration profiles were statistically analyzed and a comparison between them was made One freeze cycle at an average freezing rate of 0.5 cm/day was used. Insignificant amounts of movement (<10% change) were observed for RDX, HMX and TNT. Relatively greater movements (20-40% change) were observed for 2,6 DNT, O-NT, M-NT, toluene and chloroform For given freezing rate, freeze-thaw cycles, soil and moisture content, it was hypothesized from this and other previous experimental data that the ability to move any contaminant by freezing strongly depends on the type, initial concentration level and the soil/chemical interaction of the contaminant.

MP 2516

VIBRATING WIRE TECHNOLOGY FOR SETTLED DUST MONITORING.

Dutta, P.K., et al, Battlefield Dust Environment Symposium, 3rd. Proceedings, edited by R.R. Williams and R.E. Davis, [1988], p.71-82, 2 refs.

Runstadler, P.W.

44-282

DUST, DETECTION, REMOTE SENSING, MEASURING INSTRUMENTS.

A new remote operating sensor for accurate and continuous monitoring of dust settlement rate is described. The system was developed for monitoring settled dust in underground coal mines, but it is conceived that it can also be used for monitoring dust deposition in many other situations. The design is based upon vibrating wire technology, which makes the device insensitive to lead wire resistance, contact resistance, ground leakage, and humidity, which are common instrument problems in any field environment. The portable readout is microprocessor based, and can read up to 10 remote sensors connected through a switch module. Dust loading on the sensors is read directly in mg/sq cm. In use, the 10 sensors can be placed at various locations, and all can be monitored with their cables terminating at a central station where the switch module is located. The maximum permissible distance of the sensors from the readout is about 1.6 km. The readout unit weighs 4 kg and is rugged and splash-proof. Both the sensor and the readout unit were tested for shock and vibration, and both met military standards. The sensors are temperature compensated and can detect changes in dust loading as small as 0.5 mg/sq m. The total range of the sensor is 0 to 500 mg/sq cm. The paper describes the principle by which the sensors operate, the assembly procedures, and the results of sensor calibration, stability and repeatability tests. The details of the readout unit are also described.

MP 2517

HOPKINSON PRESSURE BAR APPARATUS: A TOOL FOR RAPID ASSESSMENT OF MATERIAL PROPERTIES AT HIGH STRAIN RATES.

Dutta, P.K., et al, Test Technology Symposium, 1st, Jan. 25-28, 1988. Proceedings, Vol.2, [1988], p.885-903, 20 refs.

Farrell, D., Kalafut, J.

44-283

STRAIN MEASURING INSTRUMENTS, STRAIN TESTS, ICE LOADS, DYNAMIC LOADS, IMPACT TESTS, ICE DEFORMATION.

The split Hopkinson bar is an analysis tool that allows material characteristics to be determined under high strain rate loading conditions (50 to 1000 strains per second). In the techniques described, the material under test is cooled with liquid nitrogen flowing through coils surrounding the test specimen. The technique incorporates computer control over the data collection and analysis so the material properties are determined rapidly. To illustrate the capability of the testing method, a demonstration using ice as a material is included.

MP 2518

INTAKE DESIGN FOR ICE CONDITIONS.

Ashton, G.D., Developments in Hydraulic Engineering, Vol.5. Edited by P. Novak, London, Elsevier Applied Science Publishers, 1988, p.107-138, 44 refs.

44-308

ICE CONTROL, WATER INTAKES, ICE ACCRETION, FRAZIL ICE, ICE FORMATION, WATER FLOW, STABILIZATION, COUNTERMEASURES, HYDRAULIC STRUCTURES, RIVER ICE, FLUID DYNAMICS, LAKE ICE.

MP 2519

ENGINEERING GEOLOGY STUDIES ON THE NATIONAL PETROLEUM RESERVE IN ALASKA.

Kachadoorian, R., et al, Geology and exploration of the National Petroleum Reserve in Alaska, 1974 to 1982. Edited by G. Gryc, Washington, D.C., 1988, p.899-922, 15 refs.

Crory, F.E.

44-393

ROADS, WELLS, RESEARCH PROJECTS, RUNWAYS, DRILLING, GRAVEL, SEASONAL FREEZE THAW, SANDS.

The U.S. Geological Survey (USGS) has been charged with the responsibility of evaluating the petroleum potential of the National Petroleum Reserve in Alaska (NPRA) This work had already been initiated by the U S Navy, from whom the NPRA was transferred to the Department of the Interior To help fulfill its responsibility, the USGS in Feb 1977 started an engineering geology program to provide the geotechnical support necessary for the exploration program. The USGS requested the U S. Army Waterways Experiment Station (WES) at Vicksburg, MS, and the U S Army Cold Regions Research and Engineering Laboratory (CRREL) at Hanover, NH, to conduct studies to obtain the physical parameters required to evaluate and solve some of the geotechnical and engineering problems. All of the NPRA is underlain by permafrost, and thus virtually all of the engineering and geotechnical problems encountered during the construction of the well sites and subsequent drilling were associated with permafrost. The widespread occurrence of permafrost containing large amounts of near-surface ground ice in the form of wedges, masses, and intergranular ice required that construction activity not disturb the thermal regime of the ground surface, because such disturbance could lead to thawing of permafrost Once the permafrost was thawed, ground subsidence, sediment flow, and impassable conditions would result Construction problems were compounded by the necessity that all construction in the NPRA be done during the winter months to meet the environmental requirements Therefore, the engineering geology program consistently addressed the impact of the environment on the facilities and the effect of the facilities on the environment

MP 2520

JÖKULHLAUPS FROM STRANDLINE LAKE, ALASKA, WITH SPECIAL ATTENTION TO THE 1982 EVENT.

Sturm, M., et al, June 1989, 88-10, 19p., 14 refs.

Benson, C.S.

44-395

FLOODS, GLACIAL LAKES, ICE DAMS, FLOODING, SUBGLACIAL DRAINAGE, GLACIAL HYDROLOGY, UNITED STATES—ALASKA—STRANDLINE LAKE.

Jökulhlaups, or outburst floods, have occurred every 1 to 5 yr from Strandline Lake, one of the largest glacier-dammed lakes in North America. They flood the Beluga River, which was once in an undeveloped region but now is spanned by bridges and power lines leading to Alaska's largest urban area. In 1982, a study of the mechanisms that produce these jökulhlaups was initiated to improve the ability to predict them and thereby to mitigate their damages. Reliable precursors appear to be development of a distinct calving embayment in the lobe of the Triumvirate Glacier, which dams Strandline Lake, and formation of a number of supraglacier pools. Contour maps made from photos taken immediately before and after the jökulhlaup of Sep. 17, 1982 indicate that over 95% of the lake drained, releasing about 700,000,000 cu m of water. The lake is dammed by a glacier lobe that fractures and subsides during a jökulhlaup, which indicates that the release mechanism is hydrostatic lifting of ice off a subglacial spillway; the exposed areas surrounding the glacier margins suggest that the spillway may be controlled by bedrock. Large variations occur in the refilling period of Strandline Lake. Modifications of subglacial drainage into Strandline Lake as a result of jökulhlaups, combined with complex sub- and marginal drainage patterns, appear to exert controls which are not understood but which contribute to the variable filling rates.

MP 2521

COLD-TEMPERATURE CHARACTERIZATION OF POLYMER CONCRETE.

Bigl, S.R., Sep. 1986, ESL-TR-86-26, 46p., 4 refs.

44-396

POLYMERS, CONCRETE PAVEMENTS, CONCRETES, TEMPERATURE EFFECTS, COLD WEATHER PERFORMANCE, COMPRESSIVE PROPERTIES, FLEXURAL STRENGTH, CONCRETE AGGREGATES, CONCRETE CURING.

This report discusses laboratory engineering tests that were performed to determine the properties of polymer concrete under cold conditions The polymer tested was Percol-S, a three-part polyurethane resin, catalyst amounts were adjusted so that samples set at approximately 30 seconds. The 11 conditions tested involved variations of three factors: (1) ambient temperature (35, 15, 0, or -20 deg F); (2) cure time prior to testing (30 minutes or 24 hours), and (3) moisture content of the aggregate (dry or wet). Flexural strength was determined at all conditions Tests of compressive strength, chord modulus of elasticity, and Poisson's ratio were performed at each temperature on samples prepared with dry aggregate and cured for 30 minutes. Results of the compressive strength, flexural strength, and modulus of elasticity tests, which all decreased with temperature, remained above the 30-minute minimum requirements at temperatures from 35 to 0 deg F, but dropped off sharply at the -20 deg F condition. Samples prepared with wet aggregate had much lower flexural strengths than samples prepared with dry aggregate and met the minimum requirements only at the 35 deg F condition. Poisson's ratio, which increased with colder temperatures, remained within the specified range at 35 deg F and 15 deg F and exceeded the specifications at colder temperatures.

MP 2522

EFFECT OF ICE PRESSURE ON MARGINAL ICE ZONE DYNAMICS.

Flato, G.M., et al, Sep. 1989, 27(5), p.514-521, 9 refs.

Hibler, W.D., III.

44-405

SEA ICE, ICE PRESSURE, ICE MODELS, CAVITATION, WIND FACTORS, ICE EDGE, FLOATING ICE, ICE STRENGTH, DRIFT, ICE MECHANICS, COMPRESSIVE PROPERTIES, MASS TRANSFER.

MP 2523

THICKNESS DISTRIBUTION OF ACCRETED ICE GROWN ON ROTOR BLADES UNDER LABORATORY CONDITIONS.

Itagaki, K., et al, International Conference on Atmospheric Icing of Structures, 4th, Paris, Sep. 5-7, 1988. Proceedings, 1988, p.152-156, 9 refs.

Lemieux, G.E.

44-415

ICE ACCRETION, AIRCRAFT ICING, MEASUREMENT, TEMPERATURE EFFECTS.

The shape of ice accreted on the leading edge of aircraft wings and other structures varies extensively depending on the growth regime in which accretion takes place. This shape feeds back to control the rate of additional accretion. In order to provide numerical information for further analysis of ice accretion, the thickness distribution of accreted ice grown on cylindrical rotor blades under the laboratory conditions was measured Measurements were made every 1 cm in the radial direction and at every 6 deg interval around the axis of the cylindrical blades Photographs of the

accreted ice were used to identify the growth regime, surface roughness, and the extent of iced area that could not be obtained from thickness measurements by mechanical contact. Extensive liquid migration was observed above -11 C in both radial and tangential directions on the rotor Evidence of liquid water persisted down to -20 C, however

MP 2524
WHAT MAKES THUNDERBOLTS ZIG AND ZAG.
Itagaki, K., International Aerospace and Ground Conference on Lightning and Static Electricity, Oklahoma City, OK, Apr. 19-22, 1988. Proceedings, 1988, p.22-27, 6 refs.
44-416
LIGHTNING, COMPUTERIZED SIMULATION, STATISTICAL ANALYSIS.
It is well known that lightning bolts trace a zig-zag course between clouds or from cloud to ground. This course is apparently determined during the development of "leader strokes" through which the bolt advances. This paper proposes a model for the development of such a leader stroke. Assumptions used in this model are: 1. A uniform global electric field exists between cloud and ground or cloud and cloud. 2. Electric cells of various strengths and sizes are randomly distributed in the vicinity of the tip of a leader. 3. An electric charge is supplied to the tip of the leader stroke through the previous stroke to increase the electric field around the tip. 4. When the field strength between the advancing tip and one of the cells becomes strong enough, discharge between the tip and the cell takes place, advancing the leader stroke to the cell. Monte Carlo computer simulation of such a model in two and three dimensions has produced patterns with a striking resemblance to published photographs of lightning bolts. Statistical analysis of the data generated by the simulation produced by changing various parameters indicated that certain information can be gained by analyzing those photographs For instance, an increase in general electric field strength results in a less tortuous track with longer steps, while a larger cell size distribution results in more ragged tracks By comparing the statistical analysis of lightning stroke shapes obtained from photographs with observed field conditions causing the strokes, various parameters such as field strength and cell size could be estimated.

MP 2525
GEOTEXTILES AND A NEW WAY TO USE THEM.
Henry, K., Society of Women Engineers. National Convention and Student Conference, Puerto Rico, June 20-26, 1988. Proceedings, [1988], p.214-222, 11 refs
44-420
SOIL WATER MIGRATION, FROZEN GROUND MECHANICS, FROST HEAVE, FILTERS.
This study utilizes soil specimens prepared with geotextiles subjected to unidirectional standard frost heave tests Results indicate that geotextiles can reduce frost heave. Characteristics that influence capillary behavior include pore size distribution and structure of the fabric as well as surface properties of the fibers. Furthermore, fabric thickness appears to influence performance as a capillary barrier. Currently, little is known about fiber surface properties and there are no standard tests to evaluate characteristics such as wetting angle Test observations indicate the importance of quantifying fabric pore size and the wetting angle of fibers in the fabric so that their influence on capillary behavior can be quantified.

MP 2526
THEORY FOR A TWO-WAVELENGTH MEASUREMENT OF THE PATH-AVERAGED TURBULENT SURFACE HEAT FLUX.
Andreas, E.L., Lower Tropospheric Profiling: Needs and Technologies, Boulder, CO, May 31-June 3, 1988. Proceedings, [1988], p.219-220, 9 refs.
44-421
HEAT FLUX, MEASUREMENT, SURFACE ROUGHNESS, ANALYSIS (MATHEMATICS).
Eddy-correlation, inertial-dissipation, flux-gradient, or bulk-aerodynamic methods—the traditional micrometeorological ways of measuring the turbulent surface fluxes of momentum and sensible and latent heat—all yield point estimates of the fluxes Even over surfaces that are only slightly inhomogeneous, however, such point estimates can be unrepresentative of average surface conditions. Wyngaard and Clifford (1978) and Coulter and Wesely (1980), among others, have therefore suggested that path-averaging electro-optical systems could be used to obtain surface-averaged fluxes, but until now no one has shown how to obtain both sensible and latent heat fluxes from path-averaging instruments without the necessity of also making some point measurements A two-wavelength, electro-optical technique is described that can distinguish temperature and humidity effects and thus can yield path-averaged sensible and latent heat fluxes without requiring associated point measurements

MP 2527
INTERFACING GEOGRAPHIC INFORMATION SYSTEM DATA WITH REAL-TIME HYDROLOGIC FORECASTING MODELS.
Eagle, T.C., et al, National Conference on Hydraulic Engineering, New Orleans, LA, Aug. 14-18, 1989. Proceedings. Edited by M.A. Ports. New York, American Society of Civil Engineers, 1989, p.857-861.
Merry, C.J., McKim, H.L.
44-425
HYDROLOGY, FORECASTING, DATA PROCESSING, MODELS, RIVER BASINS, COMPUTER PROGRAMS
This paper discusses a plan to incorporate remotely sensed spatial data into a real time hydrologic decision support system. Because of the nature of the hydrologic forecasting system, a file server type of interfacing is required. Recommendations for a real time GIS are discussed.

MP 2528
USE OF SPOT HRV DATA IN THE CORPS OF ENGINEERS DREDGING PROGRAM.
Merry, C.J., et al, Sep. 1988, 54(9), p.1295-1299, 10 refs.
McKim, H.L., LaPotin, N.T., Adams, J.R.
44-435
SENSOR MAPPING, SPACEBORNE PHOTOGRAPHY, LAKE WATER, SUSPENDED SEDIMENTS DREDGING, TURBIDITY, PHOTOGRAMMETRY, DATA PROCESSING, ENVIRONMENTAL IMPACT.

MP 2529
IS ADVANCED TECHNOLOGY "THE GATEWAY TO IRRESPONSIBILITY".
Zufelt, J.E., Oct. 1989, 115(4), p.434-437.
44-437
COMPUTER APPLICATIONS, HUMAN FACTORS, ACCURACY.

MP 2530
ARCTIC RESEARCH OF THE UNITED STATES, VOL.3.
U.S. Interagency Arctic Research Policy Committee, Washington, D.C., Fall 1989, 71p.
Brown, J., ed, Bowen, S., ed, Cate, D.W., ed, Valliere, D., ed
44-471
RESEARCH PROJECTS, ORGANIZATIONS, MEETINGS, EXPEDITIONS, LEGISLATION.
This is the first biennial revision to the *United States Arctic Research Plan.* This revision contains accomplishments and updates to agencies' arctic programs, and reflects current and ongoing U.S activities and national concerns for arctic research It includes recommendations for several new interagency programs and the initial steps for an Arctic Social Science program. Finally, it provides status reports on cross-cutting activities including logistics and data, which support and enhance U.S. capabilities for conducting an integrated national program of arctic research. These revisions have been coordinated with and are responsive to guidance provided by the Arctic Research Commission appointed by President Reagan in Jan. 1985

MP 2531
OCEANIC HEAT FLUX IN THE FRAM STRAIT MEASURED BY A DRIFTING BUOY.
Perovich, D.K., et al, Sep 1989, 16(9), p.995-998, 14 refs.
Tucker, W.B., Kirschfield, R.A.
44-467
SEA ICE, SEA WATER, HEAT FLUX, REMOTE SENSING, FRAM STRAIT.
As one component of the Arctic Environmental Drifting Buoy, two thermistor strings were installed through the ice to measure ice temperatures and determine oceanic heat fluxes as the buoy drifted from the arctic basin into the Greenland Sea Ice temperature data between Dec 14, 1987 and Jan 2, 1988 were retrieved During this period the AEDB progressed from approximately 81N 4E to 77N 5W This constituted the most rapid displacement of the entire drift, coinciding with the entry of the floe into the marginal ice zone of Fram Strait Once in the MIZ, water temperatures increased, most notably at a depth of 16 m, where values changed from -1.8 C to more than 2 C Bottom ablation rates of 34 mm/day were observed between Dec 21 and 28. During this excursion into warmer water, the oceanic heat flux increased by a factor of 18, from 7 W/sq m to 128 W/sq m.

MP 2532
COMMENTS ON "MODELING ADSORPTION/DESORPTION KINETICS OF PESTICIDES IN A SOIL SUSPENSION" BY J.T.I. BOESTEN AND L.J.T. VAN DER PAS.
Leggett, D.C., Sep. 1989, 148(3), p.231.
44-1037
ADSORPTION, ENVIRONMENTAL IMPACT, SOIL POLLUTION, MODELS.

MP 2533
METHOD FOR RATING UNSURFACED ROADS.
Eaton, R.A., et al, Spring/Summer 1989, 21(1-2), 1989, p.30-40, For another version see 42-804.
Gerard, S., Dattilo, R.S.
44-609
ROAD MAINTENANCE.

MP 2534
EFFECTS OF FILTERING AND CLASSIFICATION ROUTINES ON DIFFERENT RESOLUTION IMAGERY IN DISTINGUISHING LAND USE CLASSES.
Merry, C.J., et al, Society for Imaging Science and Technology. Annual Conference, 41st, Arlington, VA, May 22-26, 1988. Advance printing of paper summaries. [1988], p.57-58.
44-610
LANDSCAPE TYPES, TERRAIN IDENTIFICATION, REMOTE SENSING.

MP 2535
REMOTE SENSING AND WATER RESOURCES.
McKim, H.L., et al, ASPRS-ACSM Fall Convention, Reno, NV, Oct. 4-9, 1987. ASPRS technical papers. [1987], p.186-190.
Merry, C.J.
44-611
WATER SUPPLY, REMOTE SENSING.
In the past 5 years there has been rapid advancement in the use of remote sensing in the area of water resource management. Satellite image data are now available from operational systems such as the NOAA and SPOT satellites In addition the Landsat series of satellites have taken data over a major portion of the globe. Many procedures and methods have been developed to analyze digital satellite data but the techniques to use them operationally for evaluating water resources on a global scale are in their infancy A discussion of the methods used by the Corps of Engineers to address water related topics is presented to illustrate how world communities must learn to use remote sensing for collection of data required to manage their water resources.

MP 2536
PERTURBATION SOLUTION OF THE FLOOD PROBLEM. DISCUSSION AND AUTHOR'S REPLY.
Ferrick, M.G., 1988, 26(3), p.346-349, 2 refs. For article by B. Hunt, being discussed, see Ibid, 1987, 25(2).
Hunt, B.
44-612
FLOOD CONTROL, RIVER FLOW, FLOOD FORECASTING, MATHEMATICAL MODELS.

MP 2537
FRAMEWORK FOR CONTROL OF DYNAMIC ICE BREAKUP BY RIVER REGULATION.
Ferrick, M.G., et al, Regulated rivers. research and management, Vol.3, 1989, p.79-92, 18 refs. For another version see 43-4385.
Mulherin, N.D.
44-613
RIVER ICE, ICE BREAKUP, ICE JAMS, RIVER FLOW, ICE CONTROL, FLOOD CONTROL.
The entire range of ice breakup behavior, from thermal to dynamic, described and classified, to provide order to this complex process The theory and model of Ferrick *et al* (1986) are refined, building on the concept of an intrinsic relationship between river waves and dynamic ice breakup. A force balance is developed for a common dynamic breakup behavior. Empirical criteria that quantify the resistance to breakup of an ice cover are obtained from a case study and compared with published values. Sensitivity studies of ice breakup with the completed model demonstrate insights that follow from the theory presented, and the intuitive nature of the results This framework for understanding river ice processes provides the option for ice management by river regulation, and focuses on the potential for control of ice breakup The concept of controlled breakup involves a release of water from a dam that moves the ice downstream of locations with a high potential for damages during breakup. The abrupt, short-duration characteristics of the controlled release, patterned after those of unregulated river breakup, minimize both the volume of water required to cause breakup and the water levels at breakup The open water created by the breakup collects heat that increases the rate of melting of the ice The benefits of successful regulation include the prevention of flooding, minimum erosion and decreased potential for ice damage to structures during breakup without adverse affects on the environment

MP 2538
REMOVAL OF ATMOSPHERIC ICE FROM BROADCAST TOWERS USING LOW-FREQUENCY, HIGH-AMPLITUDE VIBRATIONS.
Mulherin, N.D., et al, [1988], 6p., Presented at 4th International Workshop on Atmospheric Icing of Structures, Paris, Sep. 1988. 7 refs
Donaldson, R.J.F.
44-614
TOWERS, ICING, ICE REMOVAL, LOW FREQUENCIES, VIBRATION.

Laboratory and field experiments showed that structurally safe levels of low-frequency, high-amplitude (LFHA) vibrations imparted directly to transmission towers under cold temperatures were ineffective in removing appreciable amounts of atmospheric ice. In general, limited ice removal from the test structures occurred only during resonant-mode frequencies when vibration amplitudes were greatest. More importantly, the same vibrations that were incapable of ice removal were structurally damaging to the 18-m-tall guyed towers. Damage resulted in the form of broken welds and crossbracing and cracked tower legs. Experiments with a surface coating showed that while the bond strength of the ice was reduced, debonding and ice removal was still limited to small areas close to the vibration source. Vibrations preceded by melting at the ice/metal interface and weakening of the ice cover by solar radiation led to rapid and extensive ice removal. The possibility of deicing by a combination of vibrations, heat, and/or surface coatings is worthy of additional investigation.

MP 2539
SMART WEAPONS OPERABILITY ENHANCEMENT.
Link, L.E., Jr, DOD Environmental Technical Exchange Conference on Mesoscale Phenomena, Laurel, MD, Jan. 23-27, 1989. Proceedings. Edited by A.A. Barnes, Jr. 1989, p.165-173.
44-615
MILITARY ENGINEERING, MILITARY RESEARCH, DETECTION, DATA PROCESSING, ATMOSPHERIC ATTENUATION.

MP 2540
ORTHOGONAL CURVILINEAR COORDINATE GENERATION FOR INTERNAL FLOWS.
Albert, M.R., Numerical grid generation in computational fluid mechanics, edited by S. Sengupta, Pine Ridge Press, 1988, p 425-433, 8 refs.
44-616
FLUID DYNAMICS, FLUID MECHANICS, FLUID FLOW, MATHEMATICAL MODELS
Generation of boundary-fitted orthogonal coordinates is accomplished by mapping the irregular region in physical space onto a square in the transformed space, where an elliptic equation is solved to find interior physical coordinate locations. It is usual practice to employ rules or restrictions on the distortion function governing the coordinate transformation from physical to transformed space. This can allow control of node spacing on the interior of the region, at the expense of arbitrary specification of node locations along the boundaries. In problems involving internal flows, the specification of boundary node locations is important. This paper investigates some implications of a standard rule used for specification of the distortion function, and explores a simple technique that achieves complete boundary correspondence by allowing natural values of the distortion function to exist on the interior. Sample grids are generated to compare the results of the two techniques.

MP 2541
RATING UNSURFACED ROADS.
Eaton, R.A., et al, Mar. 1988, 119(3), p.66-69, For another version see 42-804
Gerard, S., Cate, D.W.
44-617
ROAD MAINTENANCE

MP 2542
UNIQUE NEW COLD WEATHER TESTING FACILITY.
Eaton, R.A., Test Technology Symposium, 1st, Jan. 25-28, 1988. Proceedings Vol.2, (1988), p.745-750, For another version see 43-2114.
44-627
LOW TEMPERATURE RESEARCH, COLD WEATHER TESTS, LABORATORIES, TEST CHAMBERS, LOW TEMPERATURE TESTS, BUILDINGS, REFRIGERATION.
The U.S. Army Cold Regions Research and Engineering Laboratory has a new controlled environment test facility, the Frost Effects Research Facility (FERF), now in use. The 29,000 sq f (2942 sq m) building comprises a principal test area 182 ft (55 m) long by 45 ft (14 m) wide incorporating 12 test basins, adjacent mobilization areas and equipment rooms, for a total width of 102 ft (31 m), plus fully enclosed ramp areas at each end of the building. Surface panels are used to freeze pavement and soils for the pavement, utility, soil sensor, and mobility test programs. Liquid-to-air heat exchangers are used to test hardware inside enclosures erected in the test basins or on the mobilization area. Currently, coolant is available at -35 deg, 0 deg and +90 deg F (38, -18 and 38 C), allowing test temperatures ranging from -35 F (-37 C) to +90 F (32 C). Lower temperatures can be achieved by using portable units in conjunction with the facility's permanent system

MP 2543
TECHNIQUES FOR GAS GUN STUDIES OF SHOCK WAVE ATTENUATION IN SNOW.
Brown, J.A., et al, Shock waves in condensed matter 1987, edited by S.S. Schmitt and N.C. Holmes, New York, Elsevier, 1988, p.657-660, 8 refs.
Gaffney, E.S., Blaisdell, G.L., Johnson, J.B.
44-628
SHOCK WAVES, SNOW COMPRESSION, SNOW MECHANICS, SNOW STRENGTH, SNOW ACOUSTICS.

MP 2544
UNITED STATES ARCTIC RESEARCH PLAN BIENNIAL REVISION: 1990-1991.
Brown, J., ed, Fall 1989, Vol.3, 72p.
Bowen, S., ed, Cate, D., ed, Vallière, D., ed.
44-746
POLAR REGIONS, ORGANIZATIONS, LEGISLATION, RESEARCH PROJECTS, MEETINGS, COST ANALYSIS

MP 2545
FRACTURE TOUGHNESS OF COLUMNAR FRESHWATER ICE FROM LARGE SCALE DCB TESTS.
Bentley, D.L., et al, Sep. 1989, 17(1), p.7-20, 35 refs.
Dempsey, J.P., Wei, Y., Sodhi, D.S.
44-826
ICE STRENGTH, ICE CRACKS, FLEXURAL STRENGTH, TESTS, ICE COVER THICKNESS.
A series of 42 fracture toughness tests was performed on laboratory-grown S2 columnar freshwater ice at high homologous temperatures (-2 to 0 C). The floating double cantilever beam specimen used and the monitoring of the crack mouth opening displacement in addition to the applied load provided a means for obtaining an apparent fracture toughness, an effective elastic modulus, a lower-bound estimate of the crack speed, and a side-loaded flexural strength of the ice. An expression for the apparent fracture toughness as a function of the applied load, specimen geometry, and ice thickness was developed using a finite-element program. This allowed comparison with previously published values for the toughness of freshwater ice. The small range of scatter in apparent fracture toughness values as well as the ability to measure other mechanical properties of the ice indicates the usefulness of such tests

MP 2546
APPROXIMATE SOLUTIONS OF HEAT CONDUCTION IN SNOW WITH LINEAR VARIATION OF THERMAL CONDUCTIVITY.
Yen, Y.C., Sep. 1989, 17(1), p.21-32, 9 refs
44-827
HEAT FLUX, CONDUCTION, THERMAL CONDUCTIVITY, ANALYSIS (MATHEMATICS), SNOW THERMAL PROPERTIES.
The approximate heat balance integral method (HBIM) is extended to the case of variable properties media such as snow. The case of linear variation of thermal conductivity was investigated. An alternative heat balance integral method (AHBIM) was developed. Both constant surface temperature and surface heat flux were considered. Comparison of temperature distribution from HBIM, AHBIM and the extension of the analytical solution of Jaeger was given for the case of constant surface temperature. In general, for small values of time, results agree quite well with the analytical solution but as time increases, the difference becomes more pronounced. AHBIM with a quadratic temperature profile gave a somewhat better result especially when the value of *eta* is small. For specific property function of $F(eta) = e^{sup\ eta}$, closed form solutions were obtained. The results were compared with those from HBIM, AHBIM and the analytical method used proved exceptionally well with the analytical especially for large values of time

MP 2547
PAVEMENT DESIGN FOR SEASONAL FROST CONDITIONS: CURRENT AND FUTURE METHODS.
Berg, R.L., Hanover, NH, U.S. Army Cold Regions Research and Engineering Laboratory, Nov. 1988, 12p., 8 refs. Presented at the Four Great Lakes Region 4th Annual Airport Engineering/Management Conference
44-836
PAVEMENTS, FROST PROTECTION, SEASONAL FREEZE THAW, FROST HEAVE, FROST ACTION, FROST RESISTANCE, FROST FORECASTING.

MP 2548
USE OF SPOT HRV DATA IN A CORPS DREDGING OPERATION IN LAKE ERIE.
Merry, C.J., et al, U.S. Army Corps of Engineers Remote Sensing Symposium, 6th, Galveston, TX, Nov. 2-4, 1987. Proceedings, (1987), p.49-58, 10 refs
McKim, H.L., LaPotin, N.T., Adams, J.R.
44-946
LAKE WATER, DREDGING, REMOTE SENSING, UNITED STATES, OHIO, ERIE, LAKE.
The Corps of Engineers coordinated a water quality sampling program with a dredged material disposal operation and a concurrent SPOT overpass on June 4, 1986. The SPOT HRV 20-m multispectral data were classified into five water categories using a maximum likelihood classifier. A post-classification filter was used to smooth the water classification. Due to the limited amount of ground truth data, simple empirical models are presented to illustrate the association between turbidity and spectral class

MP 2549
DEVELOPMENT OF A GEOGRAPHIC INFORMATION SYSTEM FOR THE SAYLORVILLE RIVER BASIN, IOWA.
Merry, C.J., et al, U.S. Army Corps of Engineers Remote Sensing Symposium, 6th, Galveston, TX, Nov. 2-4, 1987. Proceedings, (1987), p.265-269.
Eagle, T.C., LaPotin, N.T., Gardner, J.
44-947
RIVER BASINS, REMOTE SENSING, GEOGRAPHY, FLOOD FORECASTING, UNITED STATES—IOWA—SAYLORVILLE RIVER.
CRREL's image processing and Geographic Information System (GIS) efforts with the Rock Island District have concentrated in Iowa on the Kanawha and Clarion watersheds in the Saylorville River Basin. The Landsat Thematic Mapper (TM) 30-m data and Système Probatoire d'Observation de la Terre (SPOT) high Resolution Visible (HRV) 20-m multispectral data were classified into seven land cover classes. Ground truth data were collected after the satellite overflights and are being used to determine the accuracy of the classification scheme. These land use maps will be placed into a GIS containing soils and elevation data at a 30-m grid cell size and basin boundary data. A procedure is being developed to link the GIS and the Corps Hydrologic Engineering Center Data Storage System (DSS) to provide the data base to use with Corps real-time hydrologic forecasting models.

MP 2550
CRREL'S EXPERIENCES OF REMOTE SENSING TECHNOLOGY TRANSFER TO THE CORPS USER.
Merry, C.J., U.S. Army Corps of Engineers Remote Sensing Symposium, 6th, Galveston, TX, Nov. 2-4, 1987. Proceedings. (1987), p.271-273.
44-948
REMOTE SENSING, DATA TRANSMISSION.
The technology transfer mechanisms that have worked successfully at CRREL include: working one-on-one with District people, a Remote Sensing Bulletin, telephone consultation, training courses, and moving toward a PC environment. The paper describes in detail these five areas

MP 2551
HYDRAULIC CONDUCTIVITY AND UNFROZEN WATER CONTENT OF AIR-FREE FROZEN SILT.
Black, P.B., et al, Feb 1990, 26(2), p 323-329, 25 refs.
Miller, R.D.
44-2646
FROZEN GROUND, UNFROZEN WATER CONTENT, HYDRAULICS, SOIL WATER.
Unfrozen water content and hydraulic conductivity data were obtained for an air-free frozen Alaskan silt using a new form of an ice sandwich dilatometer/permeameter that was designed to allow control of effective stress in the granular matrix through appropriate adjustments of pressure in liquid surrounding a specimen confined as in a triaxial test apparatus. Experimental complications included temporary loss of conductivity during prolonged periods of equilibrium (no flow) after each temperature step immediately followed by very slow but continuing decay, as if without limit. When a formula of the Brooks and Corey type was fitted to unfrozen water content data, hydraulic conductivities inferred from the formula parameter, through the model of Mualem, provided an acceptable description of observed conductivity values, as measured immediately after the equilibrium period

MP 2552
BUILDINGS AND UTILITIES IN VERY COLD REGIONS: OVERVIEW AND RESEARCH NEEDS.
Tobiasson, W., Fall-Winter 1988, 20(3-4), p 4-11, For another version see 43-864.
44-1011
COLD WEATHER CONSTRUCTION, HUMAN FACTORS ENGINEERING, MILITARY FACILITIES, POLAR REGIONS.

MP 2553
COST EFFECTIVENESS OF PROPER POTHOLE PATCHING.
Eaton, R.A., SAVE International Conference, Torrance, CA, May 23-25, 1988. Proceedings, Society of American Value Engineers, 1988, p 170-174, 7 refs
44-1048
ROAD MAINTENANCE, PAVEMENTS, PAVING, ROAD ICING, FREEZE THAW CYCLES, CONSTRUCTION EQUIPMENT.
This paper explains why available portable construction equipment can provide hot asphalt concrete on a year-round basis in cold regions. It discusses proper materials and methods to be used in correctly repairing potholes or other pavement defects the first time

MP 2554
FRACTOGRAPHIC ANALYSIS OF GRAPHITE-EPOXY COMPOSITES SUBJECTED TO LOW TEMPERATURE THERMAL CYCLING.
Dutta, P.K., et al, International Symposium for Testing and Failure Analysis, Los Angeles CA, Nov. 6-10, 1989. Proceedings, Materials Park, OH, American Society for Metals International, 1989, p.429-435, 7 refs.
Taylor, S.
44-1206
MATERIALS, LOW TEMPERATURE TESTS, TENSILE STRENGTH, COLD STRESS, POLYMERS, FRACTURING.

Samples of unidirectional graphite-epoxy composites were subjected to 0, 10 and 100 thermal cycles after which tensile stresses, perpendicular to the fiber axes, were applied until the sample failed. The measured tensile strength of these materials was found to decrease with thermal cycling. Sections of the failed surface were examined with the scanning electron microscope (SEM) and showed that the failure surface of the epoxy matrix becomes progressively smoother as the number of thermal cycles is increased. The appearance of a smoother fracture surface and the concomitant decrease in transverse tensile strength with increasing number of thermal cycles suggest different failure mechanisms for the cycled and uncycled specimens. It is postulated that for the cycled composites, failure by interfacial debonding is initiated in fiber-rich areas at a lesser load than for the uncycled composites. In uncycled composites the failure path is thought to follow relatively epoxy-rich zones.

MP 2555
TIME CONSTANTS FOR THE EVOLUTION OF SEA SPRAY DROPLETS.
Andreas, E.L., Climate and health implications of bubble-mediated sea-air exchange. Edited by E.C. Monahan and M.A. Van Patten, Groton, CT, University of Connecticut Sea Grant Program, 1989, p.147-149, Abstract from poster presentation.
44-1221
SEA SPRAY, AIR WATER INTERACTIONS, ANALYSIS (MATHEMATICS).

MP 2556
DEVELOPMENT AND DESIGN OF SLUDGE FREEZING BEDS.
Martel, C.J., Aug. 1989, 115(4), p.799-808, 22 refs. For another version see 43-4597.
44-1759
SLUDGES, WASTE TREATMENT, DESIGN, STRUCTURES, SEASONAL FREEZE THAW, COLD WEATHER OPERATIONS, MOISTURE TRANSFER, TEMPERATURE EFFECTS, ANALYSIS (MATHEMATICS).

A new unit operation called a sludge freezing bed is proposed for dewatering sludges produced by treatment facilities in cold regions. This unit operation uses natural freeze-thaw to condition the sludge for dewatering. It can dewater all types of aqueous sludges up to a depth of 2.0 m. Basic construction details are identified, and procedures for operating the bed are discussed. Equations for predicting the design depth are presented along with an example of how they can be used. Convection was found to be the controlling heat transfer mechanism during freezing. Solar radiation, ambient air temperature, and the thermal conductivity of the settled sludge layer over the frozen sludge are important parameters controlling the thawing rate. Data from various sludge freezing operations indicate that the design equations are valid.

MP 2557
PASSIVE TRACER GAS MEASUREMENT OF AIR EXCHANGE IN A LARGE MULTI-CELLED BUILDING IN ALASKA.
Flanders, S.N., et al, ASHRAE/DOE/BTECC-/CIBSE Conference on the Thermal Performance of the Exterior Envelopes of Buildings, 4th, Orlando, FL, Dec. 4-7, 1989. Proceedings, Atlanta, GA, American Society of Heating, Refrigerating, and Air-Conditioning Engineers, 1989, p.433-444, 11 refs.
Song, B.H.
44-1358
RESIDENTIAL BUILDINGS, AIR FLOW, MILITARY FACILITIES, VENTILATION, AIR POLLUTION.

A 2963 cu m residence for transient military personnel at Fort Richardson, AK, was subjected to a passive perfluorocarbon tracer gas measurement of air exchange for 3 days. The building was treated as having three separate zones corresponding to the three floors. Each zone received constant tracer gas emission sources of the same type of gas unique to that zone. The concentrations of each tracer gas were measured throughout the building. As a consequence, it was possible to calculate the average air exchange of each zone with each other zone and the outdoors. The measurement took place during a period when the average temperature of -19 C varied approximately 5 C up or down. The first and second floors had air exchange rates of 0.21 and 0.28 ach (air changes per hour), respectively, whereas the basement had 0.70 ach. The higher exchange rate for the basement was attributed to the configuration of the main entry doors and interior doors, which allowed cold air to descend to the basement, but discouraged mixing on the first floor. The measurement was significant because it represents the upper end of building size and complexity that lends itself to this measurement technique. Measurement precision was good. The accuracy depended on adequate mixing and on minimum variation of wind and outdoor temperature. Both objectives were met reasonably well.

MP 2558
VAPOR RETARDERS FOR CONTROL SUMMER CONDENSATION.
Tobiasson, W., ASHRAE/DOE/BTECC/CIBSE Conference on the Thermal Performance of the Exterior Envelopes of Buildings, 4th, Orlando, FL, Dec. 4-7, 1989. Proceedings, Atlanta, GA, American Society of Heating, Refrigerating and Air-Conditioning Engineers, 1989, p.660-669, 4 refs.
44-1361
BUILDINGS, VAPOR BARRIERS, WALLS, THERMAL INSULATION, CONDENSATION, COUNTERMEASURES, AIR FLOW, INDOOR CLIMATES.

Prior work by the CRREL has indicated that vapor retarders are needed in cold regions to avoid detrimental accumulation of moisture in walls whenever the winter wetting potential exceeds 0.6 in. of Hg/month (20.3 kPa/month). In the hot, humid regions of the United States the summer wetting potential ranges up to 0.9 in. of Hg/month (30.4 kPa/month). Summer wetting potentials of 0.3 through 0.9 in. of Hg/month (1.34 through 3.04 kPa/month) have been mapped. The zone south of the "0.6" isoline (i.e., a portion of the coasts of Texas and Louisiana and much of southern Florida) may be a reasonable representation of where air-conditioned buildings need vapor retarders to defend against summer wetting from outside air. However, feedback is solicited on which isoline best corresponds to the collective expertise of designers and builders. Problems associated with summer condensation are often related to wetting of exterior cladding and subsequent solar heating, not just simple vapor drive. Nonetheless, in some hot humid areas, vapor retarders may be used.

MP 2559
FIBER COMPOSITE MATERIALS IN AN ARCTIC ENVIRONMENT.
Dutta, P.K., Structures Congress '89, San Francisco, CA, May 1-5, 1989. Proceedings. Structural materials. Edited by J.F. Orofino, New York, American Society of Civil Engineers, 1989, p.216-225, 5 refs.
44-1412
CONSTRUCTION MATERIALS, LOW TEMPERATURE TESTS, ELASTIC PROPERTIES, TENSILE PROPERTIES, TEMPERATURE EFFECTS, THERMAL STRESSES, COLD WEATHER PERFORMANCE, COMPOSITION, STRENGTH.

This paper summarizes a study on the behavior of light-weight structural composite materials in cold environments. Results are presented for two composite materials, fiberglass-epoxy and graphite-epoxy. The results show that low temperatures induce residual stresses in composites, which on developing microcracks can change both strength and stiffness properties of the composites.

MP 2560
COMMENTS ON "A PHYSICAL BOUND ON THE BOWEN RATIO".
Andreas, E.L., Nov. 1989, 28(11), p.1252-1254, 4 refs.
44-1524
AIR WATER INTERACTIONS, ICE AIR INTERFACE, ANALYSIS (MATHEMATICS), HEAT FLUX, ATMOSPHERIC PHYSICS, HEAT TRANSFER, MOISTURE TRANSFER, BOUNDARY LAYER.

MP 2561
INVESTIGATION INTO THE POST-STABLE BEHAVIOR OF A TUBE ARRAY IN CROSS-FLOW.
Lever, J.H., et al, Nov. 1989, Vol 111, p.457-465, 21 refs.
Rzentkowski, G.
44-1536
PIPES (TUBES), AIR FLOW, STABILITY, MECHANICAL PROPERTIES, VIBRATION, MECHANICAL TESTS, TURBULENT FLOW, VELOCITY MEASUREMENT, DESIGN CRITERIA, WIND TUNNELS, FLUID DYNAMICS.

MP 2562
AIR MOVEMENT IN SNOW DUE TO WIND-PUMPING.
Colbeck, S.C., 1989, 35(120), p.209-213, 12 refs.
44-1547
SNOW AIR INTERFACE, SNOW THERMAL PROPERTIES, ANALYSIS (MATHEMATICS), AIR FLOW, ATMOSPHERIC PRESSURE, WIND FACTORS, SNOW SURFACE.

Strong winds can disrupt the thermal regime in seasonal snow because of the variation in surface pressure associated with surface features like dunes and ripples. Topographical features of shorter wavelengths produce stronger surface flows, but the flow decays rapidly with depth. Longer-wavelength features produce weaker surface flows but the flow decays more slowly with depth. The flow may only be strong enough to disrupt the temperature field for features of wavelengths on the scale of meters or tens of meters at wind speeds of 10 m/s or more. Other possible causes of windpumping have been examined but they do not appear to be as significant. Rapid pressure perturbations due to turbulence produce very little displacement of the air because of the high frequency and low amplitude. Barometric pressure changes cause compression and expansion of the air in the pore space, but the rate is too low to have much effect.

MP 2563
RIVER-ICE MOUNDS ON ALASKA'S NORTH SLOPE.
Arcone, S.A., et al, 1989, 35(120), p.288-290, 5 refs.
Delaney, A.J., Calkins, D.
44-1558
RIVER ICE, ICE SURFACE, ICE COVER THICKNESS, SURFACE ROUGHNESS, UNFROZEN WATER CONTENT, NALEDS, UNITED STATES —ALASKA— NORTH SLOPE.

MP 2564
MONITORING PAVEMENT PERFORMANCE IN SEASONAL FROST AREAS.
Berg, R.L., Sep. 1989, SR 89-23, Symposium on State of the Art of Pavement Response Monitoring Systems for Roads and Airfields, 1st, Hanover, NH, Mar. 6-9, 1989. Proceedings. Edited by V. Janoo and R. Eaton, p.10-19, ADA-214 957, 10 refs.
44-1638
PAVEMENTS, MONITORS, FREEZE THAW CYCLES, FROST PENETRATION, SOIL WATER, THAW DEPTH, MEASURING INSTRUMENTS, DESIGN, THERMOCOUPLES, TEMPERATURE MEASUREMENT.

As pavement design and evaluation procedures become increasingly complex, additional instrumentation and more frequent observations may be necessary to provide the data required to verify and refine these more sophisticated procedures. This additional instrumentation may be increased numbers of previously used devices or more sophisticated equipment to measure parameters not monitored in the past. For example, subsurface temperatures and frost heave have been measured at the pavement surface for years. Within about the last 10 years we have also measured *in-situ* moisture contents versus depth and time, but an inexpensive and universal device for making these measurements is not yet available. In this paper, measurements currently made, measurements we plan to make in the next few years, and measurements we would like to make but have not because the necessary equipment is not available, are discussed.

MP 2565
DETERMINATION OF FROST PENETRATION BY SOIL RESISTIVITY MEASUREMENTS.
Atkins, R.T., Sep. 1989, SR 89-23, Symposium on State of the Art of Pavement Response Monitoring Systems for Roads and Airfields, 1st, Hanover, NH, Mar. 6-9, 1989. Proceedings. Edited by V. Janoo and R. Eaton, p.87-100, ADA-214 957.
44-1646
FROST PENETRATION, PAVEMENTS, SUBGRADE SOILS, THERMOCOUPLES, THERMISTORS, ELECTRICAL RESISTIVITY, FROST RESISTANCE, TEMPERATURE DISTRIBUTION, SEASONAL VARIATIONS, TESTS, MEASURING INSTRUMENTS, SALINITY, SUBSURFACE INVESTIGATIONS, ANTIFREEZES.

Because of freezing point depression and isothermal springtime conditions, frost penetration measurements using temperature-sensing devices can become unreliable. In recognition of this problem two frost penetration sensors that depend on changes in resistivity were tested. Tests were conducted on a parking area with an asphalt-concrete surface where salt was periodically applied as part of snow removal operations. For comparison, data were obtained from a resistivity probe, a thermocouple probe and a thermistor probe. Results indicated that measuring temperature to determine frost penetration can lead to large errors under some conditions, for instance when salt has been applied or when frost is coming out of the ground in spring. The resistivity probe performed reliably during the entire measurement program. Conclusions from this study indicate that resistivity probes have definite advantages that should be considered when future frost penetration measurement programs are designed.

MP 2566
SIMPLE AND ECONOMICAL THERMAL CONDUCTIVITY MEASUREMENT SYSTEM.
Atkins, R.T., Sep. 1989, SR 89-23, Symposium on State of the Art of Pavement Response Monitoring Systems for Roads and Airfields, 1st, Hanover, NH, Mar. 6-9, 1989. Proceedings. Edited by V. Janoo and R. Eaton, p.108-116, ADA-214 957, 3 refs.
44-1648
THERMAL CONDUCTIVITY, THERMISTORS, SOIL PHYSICS, CONSTRUCTION MATERIALS, SLUDGES, ANALYSIS (MATHEMATICS), GRAIN SIZE, TEMPERATURE EFFECTS, TESTS, ACCURACY.
This report describes a recently patented method for using commercially available thermistors to make *in-situ* thermal conductivity measurements with commonly available electronic equipment such as digital voltmeters. The emphasis is on the use of a single thermistor to measure the thermal conductivity of soils. Calibration techniques are explained and examples provided. Limits on this technique are discussed, including measurement range, material grain size, the amount of material needed for a valid measurement, and temperature stability. Specific examples of the use of this technique are provided for thermal conductivity measurements of soils, building materials, and the sludges in a sewage treatment plant. Data analysis is provided including a statistical approach to finding the thermal conductivity in large volumes of material.

MP 2567
DATA ACQUISITION: FIRST THE FERF THEN THE WORLD.
Knuth, K.V., Sep. 1989, SR 89-23, Symposium on State of the Art of Pavement Response Monitoring Systems for Roads and Airfields, 1st, Hanover, NH, Mar. 6-9, 1989. Proceedings. Edited by V. Janoo and R. Eaton, p.136-138, ADA-214 957, 4 refs.
44-1651
FROST HEAVE, FROST ACTION, LABORATORIES, TEMPERATURE MEASUREMENT, THERMOCOUPLES, WATER CONTENT, PAVEMENTS, SOIL WATER, MEASURING INSTRUMENTS, ACCURACY, DATA PROCESSING.
A review of the measurement systems and the data collection techniques as applied to the laboratory, the Frost Effects Research Facility and finally the real world will be presented. In the beginning there was the ruler, thermometer, pencil and paper. Then came electricity, motors, etc till now there is the computer, fiber optics, lasers, ultrasound and the satellite. The author presents the current as well as future data collection techniques for temperature, moisture content, pressure, stress, strain and displacement as used in the FERF and in remote sites.

MP 2568
COLD REGIONS WEATHER DATA SYSTEMS.
Bates, R.E., et al, Sep. 1989, SR 89-23, Symposium on State of the Art of Pavement Response Monitoring Systems for Roads and Airfields, 1st, Hanover, NH, Mar. 6-9, 1989. Proceedings. Edited by V. Janoo and R. Eaton, p.109-115, ADA-214 957, 13 refs.
Gerard, S.
44-1652
METEOROLOGICAL DATA, COLD WEATHER OPERATION, MEASURING INSTRUMENTS, CLIMATIC FACTORS, SNOW SURVEYS, COMPUTER APPLICATIONS, TEMPERATURE DISTRIBUTION, TEMPERATURE EFFECTS, EQUIPMENT.
The northern temperate climatic zones experience a varying scenario of winter environmental extremes of cold, icing, and precipitation, which severely influence people, equipment and operations. Even instruments used to measure cold and/or wet adverse environments may be incapable of operation if employed during severe cold weather. It is important to know the equipment's environmental restrictions and to evaluate the frequency and duration of disabling weather. In some instances, functional impairments persist after the causative meteorological conditions have subsided, e.g. glaze, rime and heavy snow and ice accumulation. For over 25 years, CRREL has studied environmental conditions in winter weather. These efforts have concentrated on providing field-measured meteorological data and historical climatological data, as well as instrumentation support for many experiments conducted throughout cold regions of the Northern Hemisphere. These efforts have involved characterizing atmospheric conditions as well as surface conditions. Some of the measurements made are snow temperature profiles, depth of the snow on the ground with varying terrain and vegetation, temperature at the snow/ground interface, near-surface ground temperature and wind profiles, snow cover properties, solar radiation, visibility and sky conditions.

MP 2569
RESILIENT MODULUS DETERMINATION FOR FROST CONDITIONS.
Chamberlain, E.J., et al, Sep. 1989, SR 89-23, Symposium on State of the Art of Pavement Response Monitoring Systems for Roads and Airfields, 1st, Hanover, NH, Mar. 6-9, 1989. Proceedings. Edited by V. Janoo and R. Eaton, p.320-333, ADA-214 957, 5 refs.
Cole, D.M., Durell, G F.
44-1668
PAVEMENTS, FREEZE THAW CYCLES, LOADS (FORCES) COMPRESSIVE PROPERTIES, DEFORMATION, WATER CONTENT, TEMPERATURE EFFECTS, TESTS, STRESSES, GROUND THAWING, MEASURING INSTRUMENTS, ANALYSIS (MATHEMATICS).
Resilient moduli for pavements subject to freezing and thawing can be obtained from laboratory repeated load triaxial tests. We have found that for the frozen condition, the resilient modulus is very sensitive to temperature or unfrozen water content. For the thawed condition, the modulus is primarily dependent upon the water content or moisture stress. The modulus is also dependent upon the applied stresses, particularly for the newly thawed condition and the recovery period that follows. We empirically relate the moduli to the environmental and stress conditions using a multiple linear regression analysis. Resilient moduli obtained with this procedure typically vary over 3 or 4 orders of magnitude for a complete freeze-thaw cycle. It is difficult to obtain meaningful data for the thawed condition where the pore pressure is greater than or equal to zero. The empirical equations are used in elastic layered models to calculate pavement deflections.

MP 2570
CORRELATION OF FREUNDLICH *KD* AND *N* RETENTION PARAMETERS WITH SOILS AND ELEMENTS.
Buchter, B., et al, Nov. 1989, 148(5), p.370-379, 22 refs.
Davidoff, B., Amacher, M C., Hinz, C., Iskandar, I.K., Selim, H.M.
44-1732
SOIL CHEMISTRY, SOIL POLLUTION, SOIL COMPOSITION, WATER POLLUTION, IONS, ANALYSIS (MATHEMATICS).
We studied the retention of 15 elements by 11 soils from 10 soil orders to determine the effects of element and soil properties on the magnitude of the Freundlich parameters *Kd* and *n*. The magnitude of *Kd* and *n* was related to both soil and element properties. Strongly retained elements such as Cu, Hg, Pb, V, and P had the highest *Kd* values. The transition metal cations Co and Ni had similar *Kd* and *n* values, as did the group IIB elements Zn and Cd. Oxyanion species tended to have lower *n* values than did cation species. Soil pH and CEC were significantly correlated with log *Kd* values for cation species. High pH and high CEC soils retained greater quantities of the cation species than did low pH and low CEC soils. A significant negative correlation between soil pH and the Freundlich parameter *n* was observed for cation species, whereas a significant positive correlation between soil pH and *n* for Cr(VI) was found. Greater quantities of anion species were retained by soils with high amounts of amorphous iron oxides, aluminum oxides, and amorphous material than were retained by soils with low amounts of these minerals. Several anion species were not retained by high pH soils. Despite the facts that element retention by soils is the result of many interacting processes and that many factors influence retention, significant relationships among retention parameters and soil and element properties exist even among soils with greatly different characteristics.

MP 2571
COLD REGIONS ENGINEERING RESEARCH—STRATEGIC PLAN.
Carlson, R.F., et al, Dec 1989, 3(4), p 172-190, 4 refs.
Zarling, J.P., Link, L.E.
44-1761
RESEARCH PROJECTS, ENGINEERING
The Arctic and cold regions of the United States present many unique and difficult engineering problems that demand a coordinated fundamental research program. As a response to the Arctic Research and Policy Act, the National Science Board commissioned a study (the Colwell Report) that examined the role of the National Science Foundation (NSF) in polar regions. The report's recommendation 14 called for the conduct of basic engineering research in polar regions and suggested it be a specifically targeted research component within the Engineering Directorate of NSF. The report presents the type of fundamental research programs that would aid in the solution of long-term cold regions engineering problems. Over 40 participants in a 2-1/2-day period suggested 14 research programs within four broad groupings --offshore technology, watersheds, rivers, and coastal zones, facilities infrastructure technology, and transportation infrastructure technology.

MP 2572
UNCONVENTIONAL POWER SOURCES FOR ICE CONTROL AT LOCKS AND DAMS.
Nakato, T., et al, Sep. 1989, 3(3), p.107-126, 15 refs.
Ettema, R., Ashton, G.D.
44-1771
DAMS, LOCKS (WATERWAYS), ICE CONTROL, ELECTRIC POWER, ICE PREVENTION, ICE REMOVAL, ICE GROWTH, ANALYSIS (MATHEMATICS).
Assessed here are the feasibilities of using several unconventional power sources for ice control in navigation locks and dams. Included in this assessment are sensible heat from groundwater, solar power, wind power and portable hydroelectric-power sources. Operation of lock and dam installations is made troublesome and risky by ice growth along lock walls and by freezing of gates to ice covers. Considerable amounts of power are required for force ice control, and therefore, local operators are interested in utilizing economical alternative power sources other than that generated by commercial power utilities. However, the present study concludes that of all unconventional power sources, portable hydroelectric-power is the most viable. Groundwater is at best of marginal viability, and solar and wind power sources are unreliable.

MP 2573
ACOUSTIC PULSE PROPAGATION ABOVE GRASS AND AND SNOW: COMPARISON OF THEORETICAL AND EXPERIMENTAL WAVEFORMS.
Albert, D.G., et al, Jan. 1990, 87(1), p.93-100, 21 refs.
Orcutt, J A.
44-1877
SNOW ACOUSTICS, SOUND TRANSMISSION, SOUND WAVES, ANALYSIS (MATHEMATICS).
Theoretical predictions are made of the effect of an absorbing ground surface on acoustic impulsive waveforms propagating in a homogeneous atmosphere for frequencies below 500 Hz. The lower frequencies of the pulse are enhanced as the effective flow resistivity of the ground surface decreases and as the propagation distance increases. The pulse waveforms and peak amplitude decay observed for propagation distances of 40 to 270 m over grassland were satisfactorily matched by calculations using an assumed effective flow resistivity of 200 kN/s/ 0001 m. Measurements over snow gave much greater amplitude decay rates, and the waveforms were radically changed in appearance, being dominated by the lower frequencies. These waveforms were satisfactorily matched only when a layered ground was incorporated into the calculations; then, an assumed surface effective flow resistivity of 20 kN/s/ 0001 m gave good agreement with the observed waveforms and peak amplitude decay.

MP 2574
CBR OPERATIONS IN COLD WEATHER: A BIBLIOGRAPHY, VOL.1.
Carlon, H.R., et al, Nov. 1989, CRDEC-SP-017, 88p.
Birenzvige, A., DeRamo, P A., Parker, L.V.
44-1879
MILITARY OPERATIONS, POLLUTION, MILITARY RESEARCH, COLD WEATHER OPERATION, BIBLIOGRAPHIES.
Complex military operation, can be severely hampered in cold weather. An extensive search of the literature has been completed, from which more than 60 reports and references have been selected for the comprehensive bibliography that is presented here in two volumes. Volume 1 includes only *unclassified* entries for convenient desktop reference, whereas Volume 2 includes citations at the *restricted, confidential,* and *secret* levels. Both volumes are cross-indexed by several schemes, including title, subject, author, and year. Abstracts for all references are provided, where available. This report is intended to provide an up-to-date guide to CBR operations in cold weather and to offer users the most authoritative information available concerning this topic.

MP 2575
REFRACTIVE INDEX STRUCTURE PARAMETER FOR A YEAR OVER THE FROZEN BEAUFORT SEA.
Andreas, E.L., Sep.-Oct. 1989, 24(5), p.667-679, 50 refs.
44-2091
ICE SURFACE, FLOATING ICE, REFRACTIVITY, LIGHT TRANSMISSION, ATMOSPHERIC ATTENUATION, ELECTROMAGNETIC PROPERTIES, SEASONAL VARIATIONS, ICE HEAT FLUX, STATISTICAL ANALYSIS, WAVE PROPAGATION, BEAUFORT SEA

MP 2576
ROOFER: A MANAGEMENT TOOL FOR MAINTAINING BUILT-UP ROOFS.
Bailey, D M., et al Oct 1989, CERL-M-90/02, 9p., ADA-214 032, 5 refs. For another source see 43-2691.
Brotherson, D.E., Tobiasson, W.
44-2109
ROOFS, MAINTENANCE, MILITARY FACILITIES
This paper describes ROOFER, a roofing maintenance management system for built-up roofs being developed by the U.S.

Army Construction Engineering Research Laboratory with the assistance of the U.S. Army Cold Regions Research and Engineering Laboratory and the U.S. Army Engineering and Housing Support Center ROOFER provides building managers with a practical tool for evaluating built-up roofs, determining maintenance priorities, and selecting repair strategies that ensure the maximum return on investment ROOFER comprises procedures for dividing the building roof into manageable sections, collecting and managing inventory information, inspecting and evaluating condition, and managing networks and projects

MP 2577
COMPARISON OF SOIL FREEZING CURVE AND SOIL WATER CURVE DATA FOR WINDSOR SANDY LOAM.
Black, P.B., et al, Oct. 1989, 25(10), p.2205-2210, 16 refs. For another version see 43-1843.
Tice, A.R.
44-2135
SOIL FREEZING, SOIL WATER, LOAMS, UNFROZEN WATER CONTENT, GROUND ICE, FROZEN GROUND TEMPERATURE, SOIL TEMPERATURE, TEMPERATURE EFFECTS, ANALYSIS (MATHEMATICS).
Unfrozen water content as a function of temperature was measured in the laboratory using pulsed nuclear magnetic resonance (PNMR) for a Windsor sandy loam soil The PNMR data were related to previously measured soil moisture retention data through the modified Clausius-Clapeyron equation, with suitable adjustment for surface tension. The transformed measured unfrozen water content data and the previously measured soil moisture retention data were expressed by a Brooks and Corey type of equation with the required set of regression parameters determined It was found that a single set of parameters were sufficient to correctly express the behavior of these data when suitable constraints were imposed on the unfrozen water content data Additional insight into the traditional form of expressing unfrozen water content data is presented in terms of air or ice entry pressure.

MP 2578
EVALUATION OF SHEAR STRENGTH OF FRESHWATER ICE ADHERED TO ICEPHOBIC COATINGS.
Mulherin, N.D., International Conference on Offshore Mechanics and Arctic Engineering, 9th, Houston, TX, Feb. 18-23, 1990. Proceedings Vol.4. Edited by O.A. Ayorinde, N.K. Sinha and D.S. Sodhi, New York, American Society of Mechanical Engineers, 1990, p.149-154, 13 refs.
44-2218
ICE ADHESION, SHEAR STRENGTH, COATINGS, ICE REMOVAL, ICE PREVENTION, SHIP ICING, ICE SOLID INTERFACE, ICE GROWTH, PROTECTIVE COATINGS, TESTS, TEMPERATURE EFFECTS, SEA SPRAY, METEOROLOGICAL FACTORS.
This paper discusses a study that was undertaken to discriminate between four icephobic coatings for ease of ice removal The method of discrimination was to compare the shear force required to remove a buildup of freshwater ice from flat plate test surfaces measuring 22.9 x 38.1 cm Twelve replicates each of the four different coatings and two different control surfaces (a total of 72 samples) were subjected to spray icing in an environmental chamber The samples were iced and shear tested at -10 C The tests were performed using a constant displacement rate of 0.0381 cm/s This shear rate ensured a brittle failure at the ice/coating interface and produced virtually 100% ice removal in every test. Results showed that all four of the experimental coatings exhibited higher mean shear values than either of the two controls. Although the mean shear values for the various coatings were very similar in absolute magnitude, ranging from 71 to 119 kPa, statistical analysis showed that there was a significant difference in coating performance with greater than 96% confidence. The relative standard deviation in shear values ranged from 15 to 29% of the total stress. The distinction is emphasized between deicing and anti-icing surfaces relative to coating performance

MP 2579
DYNAMIC ANALYSIS OF A FLOATING ICE SHEET UNDERGOING VERTICAL INDENTATION.
McElvary, W.R., et al, International Conference on Offshore Mechanics and Arctic Engineering, 9th, Houston, TX, Feb. 18-23, 1990. Proceedings Vol.4. Edited by O.A. Ayorinde, N.K. Sinha and D.S. Sodhi, New York, American Society of Mechanical Engineers, 1990, p.195-203, 13 refs
Sodhi, D.S., Lever, J.H
44-2224
ICE MECHANICS, FLOATING ICE, DYNAMIC PROPERTIES, LOADS (FORCES), ICE DEFORMATION, BEARING STRENGTH, OFFSHORE STRUCTURES, VELOCITY, MODELS, OFFSHORE DRILLING, ICE ROADS, TESTS
This paper describes a finite-element model of a floating ice sheet subjected to rapid vertical indentation We modeled the ice sheet using small-deflection, elastic-plate theory and modeled the fluid using incompressible potential flow The objectives were to assess the validity of this coupled model to predict indentor loads and to determine the relative importance of fluid inertia versus ice-sheet inertia The model's validity is assessed by comparing its predictions with previously obtained laboratory data. It is found that the model yields reasonably good predictions of indentor loads and sheet deflection profiles provided the ice sheet's characteristic length is reduced to account for damage caused by large deflection The model also clearly demonstrates the predominance of fluid inertia over ice-sheet inertia for the case of rapid vertical indentation Indeed, it was found that the ice sheet essentially behaves as a massless, elastic plate on a fluid foundation.

MP 2580
WAVE-INDUCED ICEBERG BIT MOTION NEAR A FLOATING OIL PRODUCTION PLATFORM.
Mak, L.M., et al, International Conference on Offshore Mechanics and Arctic Engineering, 9th, Houston, TX, Feb 18-23, 1990 Proceedings. Vol 4 Edited by O.A Ayorinde, N.K Sinha and D.S. Sodhi, New York, American Society of Mechanical Engineers, 1990, p.205-215, 24 refs.
Lever, J.H., Hinchey, M.J., Duthinh, D.
44-2225
FLOATING STRUCTURES, ICE MECHANICS, ICE CONDITIONS, WATER WAVES, ICE STRENGTH, IMPACT STRENGTH, OFFSHORE STRUCTURES, ICEBERGS, WAVE PROPAGATION, STATISTICAL ANALYSIS, TESTS, VELOCITY.
This paper describes an experimental study at model scale of wave-induced impacts of bergy bits with a floating oil production platform intended for use on the Grand Banks of Newfoundland, Canada The tests in the 58 m wave tank were conducted at Memorial University using techniques developed in an earlier pilot study but refined in the present program to improve data quality. The objective was to collect and analyze a statistically valid set of bergy bit impact velocities and locations, with a view to providing the design information necessary to ice-strengthen the platform It is concluded from the study that (1) open-water iceberg significant velocities can provide conservative estimates of the significant impact velocities, (2) relative motion between the platform and the iceberg tends, on average, to mitigate impacts, (3) the berg rotational kinetic energy at the time of an impact is a small portion of the translational kinetic energy; (4) the most probable impact location on the platform is the upper corner of the pontoon facing the oncoming waves, (5) wave diffraction from the structure can reduce impact velocities and change iceberg trajectories, and (6) wave diffraction has more influence on the smaller bergy bit, resulting in fewer impacts The paper compares the impact results obtained for this floating production platform with results obtained previously for a more transparent, exploration-style semi-submersible.

MP 2581
CYCLIC LOADING OF SALINE ICE. INITIAL EXPERIMENTAL RESULTS.
Cole, D.M., International Conference on Offshore Mechanics and Arctic Engineering, 9th, Houston, TX. Feb 18-23, 1990 Proceedings Vol.4 Edited by O.A. Ayorinde, N.K. Sinha and D.S. Sodhi, New York, American Society of Mechanical Engineers, 1990, p 265-271, 10 refs.
44-2234
ICE LOADS, ICE SALINITY, STRESS STRAIN DIAGRAMS, LOADS (FORCES), COMPRESSIVE PROPERTIES, ICE ELASTICITY, TENSILE PROPERTIES, MEASURING INSTRUMENTS, EXPERIMENTATION, ICE CORES, TEMPERATURE EFFECTS.
This paper describes the initial experimental results on the cyclic loading of saline ice specimens obtained under fully reversed (tension-compression) uniaxial loading conditions The apparatus used to grip the 100-mm-dia ... specimens is similar to one described in Cole and Gould (1989) for performing reversed direct stress tests on 50-mm-diameter specimens Results were obtained for sinusoidally varying axial stresses ranging from 0.3 to 0.9 MPa and for loading frequencies in the range of 0.0025 to 10 Hz. The test temperatures were -10 and -20 C The specimens were saline ice cores taken from an outdoor facility at CRREL. The ice exhibited varying degrees of inelastic behavior under all conditions experienced in these experiments the initial cycle of loading at frequencies in the range of 0.1 to 10 Hz resulted in closed hysteresis loops, while lower frequencies produced open loops The net strain at the end of the open hysteresis loops was virtually all recovered within a short time after the end of a single loading cycle for the 100s period waveforms However, for the loading periods of 1000 and 4000s the bulk of the strain required to close the hysteresis loop was generally not recoverable The loading sequences were such that all specimens ultimately failed in tension with the fracture occurring in the deformation measurement gauge length

MP 2582
DETERMINATION OF THE UNDERSATURATION IN THAWED PERMAFROST AT THE BEGINNING OF FREEZEBACK.
Ayorinde, O.A, International Conference on Offshore Mechanics and Arctic Engineering, 9th, Houston, TX, Feb. 18-23, 1990. Proceedings Vol.4. Edited by O.A. Ayorinde, N.K. Sinha and D.S. Sodhi, New York, American Society of Mechanical Engineers, 1990, p.317-321, 3 refs.
44-2241
PERMAFROST, FREEZE THAW CYCLES, DRILLING, SATURATION, POROSITY, GAS WELLS, OIL WELLS, MATHEMATICAL MODELS, WELL CASINGS, SOIL COMPACTION, UNFROZEN WATER CONTENT.
In permafrost, the initial undisturbed degree of saturation can be significantly reduced when subjected to several cycles of thaw-subsidence and freezeback usually encountered during oil/gas well drilling and production operations The changes in saturation and the resulting undersaturation should be considered in the analysis and modelling of permafrost properties Consideration of the reduction in saturation is lacking in most of the published freezeback and thaw-subsidence models A mathematical relation is derived to evaluate the undersaturation in the permafrost at the beginning of each freezeback process during several thaw-subsidence-freezeback cycles The undersaturation is related to the initial unfrozen water content and the permafrost compaction caused by thaw-subsidence. The mathematical analysis shows how the effects of the initial unfrozen water content and the permafrost compaction due to subsidence can be taken into account in determining the freezeback pressures. A relationship for the initial gas fraction is also developed which can be incorporated in the freezeback model Furthermore, upper limits are established for the permafrost compaction or thaw consolidation (volumetric strain) for various possible conditions that may be encountered

MP 2583
THERMAL STABILIZATION OF PERMAFROST WITH THERMOSYPHONS.
Zarling, J.P., et al, International Conference on Offshore Mechanics and Arctic Engineering, 9th, Houston, TX, Feb. 18-23, 1990 Proceedings. Vol.4. Edited by O.A Ayorinde, N.K. Sinha and D.S Sodhi, New York, American Society of Mechanical Engineers, 1990, p 323-328, 18 refs.
Haynes, F.D., Gagnon, J.J.
44-2242
PERMAFROST THERMAL PROPERTIES, COOLING, FOUNDATIONS, SUBGRADES, HEAT TRANSFER, WIND TUNNELS, DESIGN, THERMAL CONDUCTIVITY, ANALYSIS (MATHEMATICS).
Foundation design techniques in cold regions include the use of thermosyphons for subgrade cooling These passive heat transfer devices have been used under buildings, roads, railroads, pipelines and airfields Laboratory tests were conducted on a full-size commercial, two-phase thermosyphon in CRREL's atmospheric wind tunnel The unit was tested at evaporator angles of 9, 7, 3, and 0 degree and condenser angles of 90, 45 and 9 degrees from the horizontal The condenser section was subjected to wind speeds ranging from 0 to 7 m/s Performance of the thermosyphon as a function of these variables is presented. The component thermal resistances of an in-place thermosyphon were calculated It was determined that the thermal resistances associated with conduction through the soil and heat transfer from the fins to the air are dominant

MP 2584
PROCEEDINGS. VOL.4.
International Conference on Offshore Mechanics and Arctic Engineering, 9th, Houston, TX, Feb. 18-23, 1990. New York, American Society of Mechanical Engineers. 1990, 339p., Refs passim. For individual papers see 44-2200 through 44-2244.
Ayorinde, O.A., ed, Sinha, N.K., ed, Sodhi, D.S., ed.
44-2199
ICE LOADS, OFFSHORE STRUCTURES, ICE MECHANICS, OFFSHORE DRILLING, MEETINGS, ENGINEERING, ICEBERGS, ICING, ICE CONDITIONS, MATHEMATICAL MODELS, SEA ICE, OIL SPILLS, ICE STRENGTH, ICE PRESSURE.

MP 2585
FINITE ELEMENT SIMULATION OF PLANAR INSTABILITIES DURING SOLIDIFICATION OF AN UNDERCOOLED MELT.
Sullivan, J.M., Jr., et al, Mar 1987, 69(1), p.81-111, 18 refs.
Lynch, D.R., O'Neill, K.
44-2280
SOLID PHASES, SIMULATION, LIQUID SOLID INTERFACES, CRYSTAL GROWTH, PHYSICAL PROPERTIES, THERMAL PROPERTIES, FREEZING, ANALYSIS (MATHEMATICS), LIQUID COOLING

MP 2586
LIQUID CHROMATOGRAPHIC METHOD FOR DETERMINATION OF EXTRACTABLE NITROAROMATIC AND NITRAMINE RESIDUES IN SOIL.
Jenkins, T.F., et al, 1989, 72(6), p.890-899, 47 refs.
Walsh, M.E., Schumacher, P.W., Miyares, P.H., Bauer, C.F., Grant, C.L.
44-2345
SOIL POLLUTION, SOIL COMPOSITION, CHEMICAL ANALYSIS, CHEMICAL PROPERTIES, SOIL SCIENCE, LABORATORY TECHNIQUES.

MP 2587
IMPACT OF THE WINTER ENVIRONMENT ON INFRARED TARGET SIGNATURES AND EO SENSOR PERFORMANCE.
Lacombe, J., Hanover, NH, U.S. Army Cold Regions Research and Engineering Laboratory, 1989, n.p., 10 refs. Presented at the 57th Military Operations Research Society Symposium, Fort Leavenworth, Kansas, 6-8 June 1989.
44-2428
COLD WEATHER PERFORMANCE, COLD WEATHER TESTS, MILITARY OPERATION, INFRARED PHOTOGRAPHY, INFRARED RECONNAISSANCE, SNOW COVER EFFECT.

MP 2588
HARBOR DESIGN FOR ICE CONDITIONS.
Wortley, C.A., Apr. 1987, 28(3), p.14-15.
41-3410
PORTS, ICE REMOVAL, SITE SURVEYS, DESIGN.

MP 2589
ATMOSPHERIC ICING RATES WITH ELEVATION ON NORTHERN NEW ENGLAND MOUNTAINS, U.S.A.
Ryerson, C.C., Feb. 1990, 22(1), p.90-97, 19 refs
44-2664
ICE ACCRETION, ICING RATE, ALTITUDE, MOUNTAINS, WIND FACTORS, TOPOGRAPHIC EFFECTS, CLOUD COVER, ICE FORMATION, MEASUREMENT, MEASURING INSTRUMENTS, FROST, UNITED STATES—NEW HAMPSHIRE—MOUNT WASHINGTON.
Atmospheric rime icing, resulting primarily from supercooled cloud droplet impaction on objects at the Earth's surface, was monitored and analyzed as a function of elevation on the west faces of Madonna Peak and Mount Mansfield in the Green Mountains, Vermont, and at the summit of Mount Washington, New Hampshire. Measurements were made of ice accretion rates on passive, manually operated collection baskets and automatic ice detectors Icing rates increase exponentially with elevation above about 800 m, with secondary controls of rate suggested by microtopographic relief exposure. The illustrated dependence of icing rate upon elevation is largely a function of New England wind and cloud regimes and differs from other selected mountainous locations. The relationships presented may help assess the magnitude of frozen moisture inputs to high-elevation mountain ecosystems

MP 2590
AIRBORNE MEASUREMENT OF SEA ICE THICKNESS USING ELECTROMAGNETIC INDUCTION DURING LIMEX 89.
Holladay, J.S., et al, International Conference on Offshore Mechanics and Arctic Engineering, 9th, Houston, TX, Feb. 18-23, 1990. Proceedings Vol.4 Edited by O.A. Ayorinde, N.K Sinha and D.S. Sodhi, New York, American Society of Mechanical Engineers, 1990, p.309-315, 13 refs.
Rossiter, J.R., Kovacs, A.
44-2240
ICE COVER THICKNESS, SEA ICE, REMOTE SENSING, ELECTROMAGNETIC PROSPECTING, AIRBORNE EQUIPMENT, ICE MECHANICS, OFFSHORE STRUCTURES, AIRBORNE RADAR, ICE NAVIGATION, METEOROLOGICAL DATA, ACCURACY.

MP 2591
INTRODUCTION TO DRILLING TECHNOLOGY.
Mellor, M., International Workshop on Physics and Mechanics of Cometary Materials, Münster, FRG, Oct. 9-11, 1989 Proceedings, European Space Agency, Dec. 1989, p.95-114, ESA SP-302
44-2800
DRILLING, FROZEN GROUND, ICE CORING DRILLS, EXTRATERRESTRIAL ICE, PLANETARY ATMOSPHERES
Terrestrial drilling technology is reviewed The general requirements for a drilling system are given and conventional drilling techniques (rotary drag bit, rotary roller bit, percussive, rotary-percussive) are described Unconventional techniques for penetrating solids are outlined, including thermal drilling (spalling or melting), projectile penetration, high pressure liquid jets, explosive jets, erosion by projectile streams, and chemical penetration Special attention is given to drilling in ice and frozen soils, performance data are given, including values for penetration rate and specific energy consumption The principles, theory and equipment relating to each drilling technique are indicated by means of diagrams

MP 2592
FIRST IMPRESSIONS OF THE COMET DRILLING PROBLEM.
Mellor, M, International Workshop on Physics and Mechanics of Cometary Materials, Münster, FRG, Oct. 9-11, 1989. Proceedings, European Space Agency, Dec. 1989, p.229-232, ESA SP-302.
44-2801
EXTRATERRESTRIAL ICE, PLANETARY ENVIRONMENTS, ICE SAMPLING, ICE DENSITY, ICE CORING DRILLS, COSMIC DUST.

MP 2593
ION-PAIRING RP-HPLC METHOD FOR DETERMINING TETRAZENE IN WATER AND SOIL.
Walsh, M E., et al, 1989, 7(3), p.159-179, 18 refs.
Jenkins, T.F.
44-2832
WATER CHEMISTRY, SOIL CHEMISTRY, CHEMICAL ANALYSIS, EXPLOSIVES, SOIL ANALYSIS, LABORATORY TECHNIQUES, SOIL POLLUTION, CHEMICALS.
Ion-pairing reversed phase-high performance liquid chromatography methods were developed to determine tetrazene in water and soil. Determinations were achieved using an LC-18 column, a mobile phase of 2/3 v/v methanol-water containing 0 01 M 1-decane-sulfonic acid sodium salt, and a UV detector set at 280 nm. The pH of the mobile phase was adjusted to 3 with glacial acetic acid, which was optimal for separation of tetrazene from potential interferences by other explosives The retention time for tetrazene was 2.8 minutes A linear model with zero intercept was found to adequately describe the calibration data for concentration ranges of 6.1 to 122 micrograms/L for water samples and 0 204 to 40 8 micrograms/g for soil samples Tetrazene was found to be unstable in an aqueous medium at room temperature Concentrations decreased by 96-100% over 24 hours The rate of degradation was reduced significantly when solutions were maintained near 0 deg C.

MP 2594
FREEZING AND THAWING OF SOILS IN CYLINDRICAL COORDINATES.
Lunardini, V.J., International Symposium on Frost in Geotechnical Engineering, Saariselkä, Finland, Mar. 13-15, 1989 VTT Symposium 94 Proceedings. Vol 1 Edited by H Rathmayer, Espoo, Finland, Valtion teknillinen tutkimuskeskus, 1989, p.185-208, 33 refs.
43-3098
SOIL FREEZING, GROUND THAWING, PIPES (TUBES), HEAT TRANSFER, PHASE TRANSFORMATIONS, ANALYSIS (MATHEMATICS), POROSITY, TEMPERATURE EFFECTS, HEAT FLUX, THAW DEPTH.
Freezing and thawing of soil systems are usually formulated and discussed in terms of plane or Cartesian coordinate systems Thus most freeze/thaw equations are based on the Neumann solution However, many practical soil phase change problems, such as freezing around buried pipes, deal with cylindrical coordinates The basic equations, solution methods, and solutions for freezing and thawing in cylindrical coordinates are presented here along with some graphs for practical applications

MP 2595
PHYSICAL CHANGES IN CLAYS DUE TO FROST ACTION AND THEIR EFFECT ON ENGINEERING STRUCTURES.
Chamberlain, E.J., International Symposium on Frost in Geotechnical Engineering, Saariselkä, Finland, Mar 13-15, 1989 VTT Symposium 94 Proceedings Vol 2. Edited by H. Rathmayer. Espoo, Finland, Valtion teknillinen tutkimuskeskus, 1989, p.863-893, 49 refs
43-3155
CLAY SOILS, FROST ACTION, FROZEN GROUND PHYSICS, SOIL FREEZING, SETTLEMENT (STRUCTURAL), GROUND THAWING, FREEZE THAW CYCLES, FROST HEAVE, ARTIFICIAL FREEZING, ENGINEERING, FROST RESISTANCE, SOIL STRUCTURE, THAW CONSOLIDATION.
Freezing and thawing cause changes in the physical and engineering properties of clay soils The properties of clay soils are particularly susceptible to frost action because the structure and fabric are very sensitive to the stresses that are caused by freezing This report presents a review of the state of understanding of how changes in the soil fabric and structure occur and how these changes affect the engineering properties of clays and ground freezing projects

MP 2596
MODELING ICE RESTRAINT FORCES IN AN ICE BOOM.
Perham, R E , IAHR Symposium on Ice, 9th, Sapporo, Japan, Aug. 23-27, 1988. Proceedings, Vol.3, [1988], p.198-206, 3 refs.
43-3033
ICE BOOMS, ICE PRESSURE, BUOYANCY, MODELS, MATHEMATICAL MODELS, COMPUTER PROGRAMS
A model of the ice restraint forces in a floating ice boom having rectangular cross-sectional boom units has been developed. By knowing the boom unit dimensions, buoyancy, and anchor characteristics, one can predict the boom's ability to restrain ice up to certain force levels. In operation, a boom unit tends to be upset by the force coupling that develops between ice forces and structure forces that generally are not collinear, the rectangular unit resists being overturned by virtue of its righting moment that increases with tilt, up to a limit The model is very important now that alternative materials to replace Douglas fir in the boom unit show more economic and technical promise For the first time an ice boom can be designed and engineered in a fully comprehensive manner. Ice restraint forces and righting moments are given in dimensionless terms, Fr* and M*, respectively, as $Fr^* = M^* 2p/G$ where p and G relate to the geometry of interaction between the boom unit, the ice and the structure Laboratory tests show that the model yields conservative values of ice restraint capacity, i e minimums for a prototype.

MP 2597
GROUND MOTION INDUCED BY AN ACOUSTIC PULSE, AND ITS WINTERTIME VARIATIONS.
Peck, L., International Symposium on Long Range Sound Propagation and Coupling into the Ground, 3rd, Jackson, MS, Mar. 28-30, 1988 Proceedings, Vol 2, National Center for Physical Acoustics, 1988, p.361-385, 7 refs.
43-3211
SOIL STRUCTURE, FROZEN GROUND PHYSICS, SEASONAL VARIATIONS, SNOW ACOUSTICS, FREEZE THAW CYCLES
Results are presented from a field program conducted in 1985/86 to investigate the changes in acoustically coupled ground motion due to the presence of snow and/or frozen ground The acoustic source was blank pistol fire. The addition of a 6-cm-deep layer of snow to bare ground causes a greater reduction in the amplitude of coupled ground motion than does tripling the snow depth from 6 cm to 18 cm The amplitude of coupled ground motion is 80-90% lower in hard frozen sand (sand frozen when saturated) than it is in dry unfrozen sand.

MP 2598
COMPARATIVE STUDIES OF THE WINTER CLIMATE AT SELECTED LOCATIONS IN EUROPE AND THE UNITED STATES.
Bates, R.E., et al, Annual EOSAEL/TWI Conference, 9th, Nov 29-Dec 1, 1988 Proceedings, Vol.1, Mar. 1989, p.283-293, 17 refs.
Bilello, M.A.
43-3213
CLIMATE, WINTER, CLIMATIC FACTORS, AIR TEMPERATURE, SNOWFALL, SNOW DENSITY, SNOW DEPTH, VISIBILITY
Smart weapon systems rely on the capability of electro-optical sensors to locate targets embedded in winter backgrounds Field experiments on the operational effectiveness of such systems have been conducted at several locations in the eastern United States Key meteorological parameters summarized for evaluating these winter experiments are freezing temperatures, frequency of freeze-thaw cycles, snow cover properties, ceiling height, and visibility. This paper summarizes the climatic parameters for the U.S locations and compares them with the same parameters for sites in Europe. Relationships among the conditions at sites with winters of varying severity were examined so that a range in regional variations of the environment could be established

MP 2599
SYNOPTIC METEOROLOGY, CRYSTAL HABIT, AND SNOWFALL RATES IN NORTHEASTERN SNOWSTORMS.
Ryerson, C.C., et al, Annual EOSAEL/TWI Conference, 9th, Nov 29-Dec. 1, 1988. Proceedings, Vol.2, Mar. 1989, p 335-345, 14 refs.
Bates, R.E.
43-3214
STORMS, SYNOPTIC METEOROLOGY, CRYSTALS, VISIBILITY, SNOWFALL, STATISTICAL ANALYSIS
Winter battlefield weather forecasters must predict, in addition to routine weather parameters, E-O extinctions produced by snowfall During the SNOW ONE and ONE-A experiments at Ethan Allen Firing Range, VT, and SNOW TWO and THREE experiments at Camp Grayling, MI, snowfall and weather variables were measured during 38 storms This paper measures relationships between visibility, crystal habit, snowfall rates, synoptic patterns, and concurrent surface weather conditions during these SNOW experiments Coastal and lake effect local storms, and storms with columnar crystals,

were most often associated with reduced visibility. The relationships, tested statistically, may help forecasters better predict visibility-degrading snowfall conditions from synoptic patterns.

MP 2600
FREE AND FORCED CONVECTION HEAT TRANSFER IN WATER OVER A MELTING HORIZONTAL ICE SHEET.
Lunardini, V.J., Offshore and Arctic Engineering Seminar in Korea (post-OMAE), 1986. Proceedings, Korea Institute of Machinery and Metals, 1986, p.42-51, 24 refs.
43-3218
CONVECTION, HEAT TRANSFER, ICE SHEETS, ICE MELTING, ICE WATER INTERFACE.
Experiments were conducted to study the melting of a horizontal ice sheet with a flow of water above it. The experiments were conducted in a refrigerated flume 35 m long with a cross section of 1.2 x 1 2 m Water depth, temperature and velocity were varied as well as the temperature and initial surface profile of the ice sheet It was found that the heat transfer regimes consisted of forced turbulent flow at high Reynolds numbers with a transition to free convection heat transfer at lower Reynolds numbers There was no convincing evidence of a forced laminar regime The data were correlated for each of the regimes with the Reynolds number, or Gr/Re2 5, used to characterize the different kinds of heat transfer For very low water velocities over a horizontal ice sheet, the melting heat flux does not drop below the value for the free convection case as long as the water temperature exceeds 3 4 C This is significant since the free convection melting heat flux values far exceed those for laminar forced convection. At the low velocities the melting flux was not dependent upon the fluid temperature until the water temperature dropped below 3.4 C. The heat transfer was found to significantly exceed that of non-melting systems for the same flow regimes This was attributed to increased free stream turbulence, thermal instability due to the density maximum of water near 4 C, and the turbulent eddies associated with the generation of a wavy ice surface during the melting

MP 2601
SOME PECULIARITIES OF CREEP BEHAVIOR OF FROZEN SILT.
Fish, A.M., International Conference on Offshore Mechanics and Arctic Engineering, 8th, The Hague, Netherlands, Mar. 19-23, 1989. Proceedings. Vol.1, New York, American Society of Mechanical Engineers, 1989, p 721-724, 9 refs.
43-3222
FROZEN GROUND MECHANICS, FROZEN GROUND STRENGTH, SOIL CREEP, RHEOLOGY.
A study has been conducted on creep of frozen Fairbanks silt at a constant temperature of -2 C The entire creep process (primary, secondary and tertiary) is described by means of two rheological characteristics the time parameter lambda and the viscous failure strain C (the product of the minimum strain rate ém and the time of failure tm) A new method is presented for determining these parameters and the time to failure from a single linear plot in which each individual creep curve forms a straight line for both primary and tertiary creep. Secondary creep is considered to be a principal point on this line that predetermines the onset of failure The two parameters of the straight line (the intersection with the ordinate and the slope) define the magnitudes of the creep parameters. It was found that the shapes of the creep curves, and thus the creep parameters of frozen soil, strongly depend upon stress. Although theoretically the time parameter lambda can change from 0 to 1, only variations of lambda between 0 6 and 0 8 can be observed in short-term creep tests. It is also shown that parameter C does not retain a constant value The absolute value of C varies between 3 and 9%, and its variations with stress correspond to Maxwell's distribution The stress dependencies of the creep parameters developed in this paper make it possible to extrapolate the values obtained in short-term tests at high stresses for long-term creep at small stresses It is shown that the errors in creep strain calculations may be up to an order of magnitude if stress variations of creep parameters are ignored.

MP 2602
LIDAR DETECTION OF LEADS IN ARCTIC SEA ICE.
Schnell, R.C., et al, June 15, 1989, 339(6225), p.530-532, 19 refs
Barry, R.G., Miles, M W., Andreas, E.L.
43-3359
SEA ICE, CLOUDS (METEOROLOGY), ICE OPENINGS, BACKSCATTERING.
Remote sensing using an airborne infrared lidar has shown an unexpected capability to detect open leads (linear openings) in Arctic sea ice and their associated meteorology in winter Here we show that vertical profiles of backscattered radiation demonstrate strong returns from hydrometeor plumes originating from leads having a surface water temperature near -1.8 C. Recently refrozen leads are also distinguishable by the lidar backscatter from adjacent thicker, older sea ice Wide leads release enough energy to create buoyant plumes which penetrate the Arctic boundary layer inversion, transporting heat and moisture into the troposphere. These results show that the role of the Arctic as a global heat sink may need to be re-evaluated, and that lead plumes have a significant effect on the radiation budget

MP 2603
ATMOSPHERE SUBGROUP DISCUSSIONS.
Andreas, E.L., Apr. 1984, No.84-7, MIZEX bulletin. 3. Modeling the marginal ice zone, p.97-98, ADA-145 351.
43-3360
AIRBORNE EQUIPMENT, MEASURING INSTRUMENTS, ICE AIR INTERFACE, MEASUREMENT.

MP 2604
TWO-STREAM APPROXIMATION TO RADIATIVE TRANSFER IN FALLING SNOW.
Koh, G., Smoke/Obscurants Symposium, 12th, Laurel, MD, Apr. 19-21, 1988. Proceedings. Vol.2. Unclassified section. Edited by W.M. Farmer and W. Klimek, July 1988, p.463-470, 7 refs.
43-3429
BACKSCATTERING, LIGHT TRANSMISSION, SNOW OPTICS, SNOWFALL.
Light transmission measurements through falling snow have produced results that cannot be explained by single scattering arguments A two-stream approximation to radiative transfer is used to derive an analytical expression that describes the effects of multiple scattering as a function of the snow optical depth and the snow asymmetry parameter The simple approximate solution is compared with the experimental results It is shown that the approximate solution may be as accurate as the exact solution for describing snow transmission measurements within the limits of the experimental uncertainties

MP 2605
INCREASED TRANSMISSION THROUGH BRASS OBSCURANT CLOUDS DURING SNOWFALL.
Hewitt, A.D., et al, Smoke/Obscurants Symposium, 12th, Laurel, MD, Apr. 19-21, 1988. Proceedings. Vol.2: Unclassified section. Edited by W.M Farmer and W. Klimek, July 1988, p.489-496, 11 refs.
Hogan, A.W., Koh, G., Lacombe, J., Cragin, J.H.
43-3430
LIGHT TRANSMISSION, SNOWFALL, CLOUD CHAMBERS, SNOW OPTICS, TIME FACTOR.
Recent experimental and theoretical work has shown that falling snow can remove appreciable amounts of aerosols from obscurant clouds Field measurements of scavenging efficiencies for brass infrared screener averaged 30% for various snow crystal types Although increases in transmission and visibility resulting from snow scavenging of particles have been calculated and modeled, quantitative transmission measurements have not previously been conducted In order to perform such transmission measurements, a dynamic obscurant cloud chamber was constructed, through which an upward flow of controlled concentrations of brass screener was maintained. The chamber roof was opened to permit falling snowflakes to scavenge particles from the upward-moving obscurant cloud. A 633-nm He-Ne laser transmissometer system with silicon detectors monitored transmission through the chamber over a 1-m path length at two heights, 1 5 m apart. The difference in transmittance between the two levels is a measure of the amount of obscurant removed This experimental arrangement is able to measure the rate of scavenging upon electro-optical (E/O) transmission for precipitation rates as light as 0 08 g/sq m-s (0 18 mm hr water equivalent). Results verify earlier predictions of reduced effectiveness of infrared screeners during precipitation Field tests conducted during 1987-88 winter snowstorms using brass screener indicate that smoke particle scavenging can cause relative transmission increases of as much as 5-15% for each minute of exposure to snowfall

MP 2607
SNOW-SMOKE INTERACTION.
Hogan, A W , et al, Smoke/Obscurants Symposium. 12th, Laurel, MD, Apr. 19-21, 1988. Proceedings. Vol.2: Unclassified section. Edited by W.M. Farmer and W. Klimek, July 1988, p.497-506, 6 refs.
Hewitt, A.D., Cragin, J.H.
43-3431
THEORIES, LIGHT TRANSMISSION, SNOWFALL, SNOW OPTICS, SNOWFLAKES.
Falling snow has been observed to collect screener materials with relatively good efficiency. This paper describes a semiempirical theory that predicts the rate at which falling snow diminishes screener concentration. The theory incorporates snowflake size distributions, suspended snow concentration, snowfall rate, optical transmission and meteorological parameters from the SNOW experiments These parameters are used, along with fall velocities from the work of O'Brien, Locatelli and Hobbs, and Mellor, to calculate the volume of air swept by falling snow, as a function of precipitation rate. Calculations are performed using this theory to predict screener scavenging rates, these indicate that very light snow falls are capable of halving smoke concentrations in hundreds of seconds

MP 2608
IMPACT OF WET SNOW ON VISIBLE, INFRARED AND MILLIMETER WAVE ATTENUATION.
Bates, R.E., et al, Smoke/Obscurants Symposium, 12th, Laurel, MD, Apr. 19-21, 1988. Proceedings. Vol.2. Unclassified section. Edited by W.M. Farmer and W. Klimek, July 1988, p.523-535, 10 refs.
Gerard, S.
43-3432
WET SNOW, SNOWFALL, TRANSMISSION, WAVE PROPAGATION, SNOW CRYSTAL STRUCTURE, PRECIPITATION (METEOROLOGY).
Examination of visible, infrared, and millimeter wave attenuation by falling snow during the coastal snowstorm of Dec 13-14, 1985 at Ft Hollis, ME, (SNOW IV) indicates a peculiarity in transmission that may have resulted from a snow/rain phase change During this period the type of precipitation changed, while the surface temperatures and the low-level vertical temperature profile fluctuated around 0 C Analyses of the transmission data over a portion of the snowstorm indicate that the infrared and visible attenuations were less than the millimeter-wave attenuation These results from SNOW IV are compared with those from moderate to heavy wet snowfalls during previous SNOW experiments. Previous results indicate that millimeter-wave radiation is normally attenuated less than visible or infrared radiation by moderate to heavy snowfall Meteorological data and observations of snow crystal habit in similar storms that occurred during all of the SNOW experiments are analyzed to examine transmission/precipitation-phase-change relationships

MP 2609
OVERVIEW OF OBSCURATION IN THE COLD ENVIRONMENT.
Berger, R.H., et al, Smoke/Obscurants Symposium, 12th, Laurel, MD, Apr. 19-21, 1988. Proceedings. Vol.2: Unclassified section. Edited by W.M. Farmer and W. Klimek, July 1988, p.537-555, 62 refs.
O'Brien, H.
43-3433
WAVE PROPAGATION, SNOWFALL, SNOW COVER EFFECT, BACKSCATTERING, SNOW MECHANICS.
"Obscuration in the Cold Environment" was presented at the Smoke/Obscurant Symposium IV in Apr 1980 Since that time, through the cooperation of numerous organizations, most of which are perennial participants in the Smoke/Obscurant Symposia, many of the questions concerning natural winter obscurants and backgrounds have been resolved or at least become better understood This paper discusses some of the advances in knowledge which have been made possible through the SNOW exercises and the combined SMOKE/SNOW field experiments conducted since 1930 The principal focus of the discussion concerns the transmission of visible, infrared and millimeter-wave radiation through falling snow, and the effects of snow cover as a background-obscuring material

MP 2610
METHOD FOR RATING UNSURFACED ROADS.
Eaton, R A , et al, International Road Federation (IRF) World Meeting, Seoul, Apr 16-21, 1989 Proceedings, Vol.4, 1989, p.103-106, 2 refs.
Gerard, S., Dattilo, R.S.
43-3484
ROADS, ROAD MAINTENANCE

MP 2611
ICE STRESS MEASUREMENTS AROUND OFFSHORE STRUCTURES.
Johnson, J.B , Sea Ice Forces and Mechanics Conference, Anchorage, AK, July 22-23, 1986. Proceedings. (Anchorage, Minerals Management Service, U.S. Dept. of Interior) June 1988, p.55-59.
43-3504
OFFSHORE STRUCTURES, STRESSES, SEA ICE, MEASUREMENT, ICE MECHANICS, ICE PRESSURE.

MP 2612
CHANGES COMING IN SNOW LOAD DESIGN CRITERIA.
Tobiasson, W , Feb 1989, 89-06, International Conference on Snow Engineering, 1st, Santa Barbara, CA, July 10-15, 1988 Proceedings, p 413-418, ADA-207 260, 1 ref.
43-3585
SNOW LOADS, BUILDING CODES, ROOFS, STANDARDS, SNOWDRIFTS, DESIGN CRITERIA, SNOW SLIDES, SURFACE PROPERTIES, SNOW DENSITY
Sponsorship of ANSI Standard A58 1 1982, "Minimum Design Loads for Buildings and Other Structures" has recently been transferred to the American Society of Civil Engineers ASCE expects to publish a new version of the A58 Standard in 1989 For the past two years the A58 snow loads subcommittee has been active in updating the snow load

design criteria in that Standard. Some revisions have been made to the ground snow load maps in Minnesota and the Dakotas. Sliding snow provisions have been changed and drift load calculations have been expanded to include an appreciation for the length of the upwind roof

MP 2613
ROOF DESIGN IN COLD REGIONS.
Tobiasson, W., Feb. 1989, 89-06, International Conference on Snow Engineering, 1st, Santa Barbara, CA, July 10-15, 1988. Proceedings, p.462-472, ADA-207 260.
43-3590
ROOFS, ENGINEERING, SNOW DEPTH, DRAINAGE, ICING, SNOW SLIDES, VENTILATION, DESIGN, SLOPES, THERMAL INSULATION, MELTWATER.
Roofs continue to be a problem in cold regions even though many excellent membrane and water-shedding systems are available. Dead flat roofs of any type are a design mistake In cold regions, membrane roofs should have a slope of 1/4 in./ft and should drain internally It is usually best to slope roofs by inclining the frame rather than using tapered insulation. Most water-shedding roofs drain to cold eaves and are thus subject to ice dam problems Such problems can be minimized by designing a "cold" ventilated roof, by insulating it well, by minimizing the overhang at the eaves, by increasing the roof slope and by providing an unobstructed slippery surface from which snow will slide However, when using slippery-surfaced systems, it is essential to provide a place for the snow to slide where it will not endanger people or damage property.

MP 2614
PERSPECTIVE: GROUND LOADS AND MAPPING.
Tobiasson, W., Feb. 1989, 89-06, International Conference on Snow Engineering, 1st, Santa Barbara, CA, July 10-15, 1988. Proceedings, p.512-513, ADA-207 260.
43-3599
SNOW LOADS, SNOW DEPTH, MEASUREMENT, MAPPING, MEASURING INSTRUMENTS, SNOWFALL, METEOROLOGICAL DATA.

MP 2615
DEVELOPMENT OF SEA ICE IN THE WEDDELL SEA.
Lange, M.A., et al, 1989, Vol.12, Symposium on Ice Dynamics, Hobart, Australia, Feb. 14-20, 1988, p.92-96, 19 refs.
Ackley, S.F., Wadhams, P., Dieckmann, G.S., Eicken, H.
43-3341
SEA ICE, FRAZIL ICE, ICE FORMATION, ICE GROWTH, ANTARCTICA—WEDDELL SEA.
Development and physical properties of sea ice in the central and eastern Weddell Sea are reported Major elements of the glaciological part of this study include continuous shipborne observations of sea-ice conditions and occasional helicopter reconnaissance flights, extensive measurements of snow and ice thicknesses at daily ice stations, and detailed analyses of sampled ice cores from each ice station. Textural investigations of the sampled ice revealed the dominance of frazil ice in the central Weddell Sea and the occurrence of an additional ice class, called platelet ice, together with the commonly known frazil and congelation ice in the coastal region of the eastern Weddell Sea These results, in combination with the visual ice observations, reveal two major mechanisms for sea-ice generation in the Antarctic, which were not sufficiently well accounted for in previous investigations. In the central Weddell Sea, a cycle of pancake-ice formation and its growth into consolidated floes seems to be the dominant process of the advancing sea-ice edge. In the coastal waters, the growing sea-ice cover consists, to a considerable degree, of ice platelets which are formed in the underlying water column in front of the ice-shelf edges Thus, congelation-ice growth, which is mainly controlled by atmospheric, thermodynamic forcing, seems to be of less importance in the central and southeastern Weddell Sea than, for example, in the Arctic Basin (Auth.)

MP 2616
DEWATERABILITY OF FREEZE-THAW CONDITIONAL SLUDGES.
Martel, C.J., Feb. 1989, 61(2), p.237-241, 26 refs.
43-3624
SLUDGES, SEWAGE TREATMENT, FREEZE DRYING, FREEZE THAW TESTS
In this study the limiting depth of freeze thaw conditioned sludges was determined Column tests were conducted at four depths ranging from 30 to 220 cm A water treatment sludge, an anaerobically digested wastewater sludge, and an aerobically digested wastewater sludge were tested Results indicated that up to 2.0 m of each sludge would drain within minutes after freeze-thaw conditioning After drainage, the average solids content in the water treatment and anaerobically digested wastewater sludges was high enough for mechanical removal In comparison the unfrozen sludges were still draining after 2 weeks Application of the freeze-thaw conditioning process would best be accomplished in a new unit operation called a sludge freezing bed

MP 2617
GEOTECHNICAL INVESTIGATION OF SURFICIAL SOILS TO SUPPORT HARD MOBILE LAUNCHER (HML) STUDIES: FROZEN STRENGTH CHARACTERIZATION OF WES/CRREL NH&S TEST SITES IN MONTANA.
Chamberlain, E.J., et al, Dec. 1988, SL-87-16, var. p., ADB-129 901, 5 refs.
Durell, G., Roberts, R.
43-3638
FROZEN GROUND STRENGTH, FROZEN GROUND COMPRESSION, STRESS STRAIN DIAGRAMS, SOIL SURVEYS.
At the request of the Ballistic Missile Office, the US Army Engineer Waterways Experiment Station conducted surficial soil studies at four locations in the Malmstrom siting area in Montana. The purpose of this work was to support vehicle stability analyses associated with nuclear environment definitions for the Air Force's proposed Hard Mobile Launcher basing mode for a Small Intercontinental Ballistic Missile. This report documents the results of a study conducted by personnel of the US Army Cold Regions Research and Engineering Laboratory to characterize the frozen strengths of the soils encountered at four off-road sites. Presented are the results of static laboratory triaxial compression tests conducted chiefly on frozen undisturbed samples obtained from the upper 20 inches of each site. Multiple linear regression analyses of these data were conducted to identify relationships between the soil strength at each site and moisture content, density, temperature, and confining pressure.

MP 2618
MUKLUK ICE STRESS MEASUREMENT PROGRAM.
Cox, G.F.N., 1988 MMS 88-0057, Technology assessment and research program for offshore minerals operations; 1988 report. Compiled and edited by J.B. Gregory and C.E. Smith, p.11-15, 8 refs.
43-3643
OFFSHORE STRUCTURES, ICE LOADS, ICE PRESSURE, SEA ICE, ICE SOLID INTERFACE, STRESSES, UNITED STATES—ALASKA—MUKLUK ISLAND.

MP 2619
MECHANICAL PROPERTIES OF MULTI-YEAR SEA ICE.
Richter-Menge, J.A., 1988, MMS 88-0057, Technology assessment and research program for offshore minerals operations, 1988 report. Compiled and edited by J.B. Gregory and C.E. Smith, p.54-61, 14 refs.
43-3646
SEA ICE, ICE MECHANICS, PRESSURE RIDGES.

MP 2620
ELASTIC PROPERTIES OF FRAZIL ICE FROM THE WEDDELL SEA, ANTARCTICA.
Lange, M.A., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 10th, Luleå, Sweden, June 12-16, 1989. Proceedings. POAC 89. Vol.1. Edited by K.B.E. Axelsson and L.Å. Fransson, Luleå, Sweden, University of Technology, 1989, p.208-217, 9 refs.
Hellmann, H., Richter-Menge, J.A., Ackley, S.F.
43-3726
SEA ICE, FRAZIL ICE, ICE ELASTICITY, ANTARCTICA--WEDDELL SEA.
We present data on the elastic properties of antarctic sea ice from the Weddell Sea area The data have been obtained through measurements of compressional- and shear-wave velocities on frazil ice at ultrasonic frequencies (1 MHz) Sample (total) porosities range from 2 to 9% and salinities from 2.3 to 7.1 ppt The measured compressional- and shear-wave velocities lie at 3.6 to 3.8 km/s and at 1.4 to 1.9 km/s, respectively The shear-wave velocities of the present samples lie significantly below those obtained under similar experimental conditions for Arctic frazil ice The resulting elastic constants range between 5 to 9GPa 7.5 to 10GPA, 1.5 to 3.2GPa and 0.32 to 0.42 for Young's modulus, bulk modulus, shear modulus and Poisson ratio, respectively Initial tangent moduli, obtained in compression tests on the same samples, are in good agreement with or slightly above the dynamic Young's moduli (Auth.)

MP 2621
COMPARISON OF THE COMPRESSIVE STRENGTH OF ANTARCTIC FRAZIL ICE AND COLUMNAR SALINE ICE GROWN IN THE LABORATORY.
Richter-Menge, J.A., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 10th, Luleå, Sweden, June 12-16, 1989. Proceedings. POAC 89. Vol.1. Edited by K.B.E. Axelsson and L.Å. Fransson, Luleå, Sweden, University of Technology, 1989, p.269-278, 14 refs.
Ackley, S.F.
43-3732
FRAZIL ICE, SEA ICE, ICE PRESSURE, ICE DEFORMATION, ICE STRENGTH, STRAIN TESTS, ANTARCTICA—WEDDELL SEA.
Unconfined, uniaxial compression tests were performed on frazil sea ice samples collected in the Weddell Sea, Antarctica. The tests were done at a constant strain rate of 0.001/s and at temperatures of -3, -5 and -10 C. Data from the frazil ice tests were compared to results from tests done under the same conditions on transversely isotropic, columnar saline ice The approximate grain sizes of the frazil and columnar ice were 1 and 10 mm, respectively. The results of this work indicate that the frazil ice generally has a higher strength than columnar ice loaded in the plane of the sheet. Tests done by other researchers on freshwater, equiaxed polycrystalline ice have also shown the compressive strength to vary inversely with grain size. Application of this relationship to the sea ice tested indicates that the results from these freshwater ice tests at a strain rate of 0.001/s cannot be directly extended to explain the variation in compressive strength between the frazil and columnar sea ice. We speculate that this may be due to either (1) the influence that the increased ductility of sea ice has on the relationship between strength and grain size at 0.001/s, (2) that another microstructural parameter (e.g. the thickness of the ice between brine inclusions) may be the controlling factor in determining sea ice strength, or (3) that the dominant mechanisms driving deformation vary with each ice type. (Auth.)

MP 2622
MODEL TESTS ON AN ICEBREAKER AT TWO FRICTION FACTORS.
Tatinclaux, J.C., International Conference on Port and Ocean Engineering under Arctic Conditions, 10th, Luleå, Sweden, June 12-16, 1989. Proceedings. POAC 89. Vol.2. Edited by K.B.E. Axelsson and L.Å. Fransson, Luleå, Sweden, University of Technology, 1989, p.774-784, 7 refs.
43-3776
METAL ICE FRICTION, ICE SOLID INTERFACE, MODELS, ICE STRENGTH, PROPELLERS, ICE THICKNESS.
Results of resistance and propulsion tests in level ice of a model of the Canadian R-class icebreaker for two values of the ice-hull friction factor are presented. The increase in ice resistance due to increased ice friction was significant for thick, weak ice, but negligible in thin and strong ice. Also, the increase in the friction factor had no detectable effect on propeller performance. Ice-propeller interaction had little effect on the model thrust coefficient, but a strong one on the torque coefficient and the average thrust deduction factor Comparison of the test results with full-scale trial data showed that ice-propeller interaction was more severe at model scale than at full scale for ice thickness up to about 0.7 m. For thicker ice, model and field data were in very good agreement.

MP 2623
AIRBORNE SEA ICE THICKNESS SOUNDING.
Kovacs, A., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 10th, Luleå, Sweden, June 12-16, 1989. Proceedings. POAC 89. Vol.2. Edited by K.B.E. Axelsson and L.Å. Fransson, Luleå, Sweden, University of Technology, 1989, p.1042-1052, 2 refs.
Holladay, J.S.
43-3801
SEA ICE, ICE THICKNESS, REMOTE SENSING, ELECTROMAGNETIC PROSPECTING.
Airborne remote measurement of sea ice thickness has been an elusive goal Many sensing systems have been tried and evaluated, including impulse radar All these systems were found to have limited capabilities at best. We are now evaluating airborne electromagnetic induction technology, which has long been used for mineral prospecting. Two field studies have been made in the Arctic. One study has been done using a relatively standard 7-m-long, 1/2-m-diameter helicopter-towed antenna, and one using a lighter down-sized antenna only 3 m long and 1/3 m in diameter. The airborne sea ice thickness sounding profiles obtained indicated that the thickness could be estimated but the resolution decreased as the ice became rough This decrease was associated with the large footprint of the system, which effectively smoothed out the sea ice relief However, it was found that the average ice thickness estimated by airborne electromagnetic sounding for a given flight track was in reasonable agreement with the average ice thickness determined by direct drill hole measurement. Examples of the ice thickness profiles obtained by airborne sounding and direct drill hole sounding are presented and compared Future development of the airborne system is discussed

MP 2624
SNOW AS A THERMAL BACKGROUND: PRELIMINARY RESULTS FROM THE 1987 FIELD TEST.
Jordan, R., et al, Mar. 1989, SR 89-07, Snow Symposium, 7th, Hanover, NH, Aug. 11-12, 1987. Proceedings, p.5-24, ADB-133 455, 14 refs.
O'Brien, H., Albert, M.R.
43-3873
SNOW HEAT FLUX, SNOW SURFACE TEMPERATURE, SNOW THERMAL PROPERTIES, SNOW AIR INTERFACE, SNOW COMPACTION, SNOW TEMPERATURE, THERMAL EFFECTS.
An extensive field test was conducted during the winter of 1987 to provide data for the further development and evaluation of CRREL's snow temperature model. The program ran continuously for two months under a variety of weather conditions. Thermal measurements and infrared imagery were made of natural snow and three sets of tank tracks. General observations from the field test are presented, along with a more detailed discussion of selected data. An improved snow temperature model will be tested against measurements from the field test.

MP 2625
THERMAL MODEL FOR SNOW-COVERED TERRAIN.
Petzko, D.R., et al, Mar. 1989, SR 89-07, Snow Symposium, 7th, Hanover, NH, Aug. 11-12, 1987. Proceedings, p.25-36, ADB-133 455, 16 refs.
Rice, J.E., Palmer, R.A.
43-3874
SNOW THERMAL PROPERTIES, SNOW SURFACE TEMPERATURE, SNOW HEAT FLUX, SNOW AIR INTERFACE, SNOW COMPACTION, MODELS, SNOW COVER EFFECT, THERMAL EFFECTS.
This paper describes a Snow-Covered Terrain Thermal Model for predicting snow surface temperatures. To characterize snow-covered terrain, the model uses at most two distinct snow layers over a ground layer. The snow layers correspond to combinations of new snow, old snow, or compacted snow. Based on a transmission line theory analogy, the model calculates the characteristic impedance of the snow/ground combination. Using this characteristic impedance, the model calculates thermal inertia, a bulk volumetric property which relates the thermal response of the combination to time-varying heat input at the snow surface. The model uses standard meteorological observations to calculate the net heat transferred across the air/snow interface. This paper also presents comparisons of modeled snow surface temperature predictions with SNOW-II measured snow surface temperatures. The ALBE WS001 Weapon Systems Performance Tactical Decision Aid being developed by the US Army Atmospheric Sciences Laboratory will incorporate the Snow-Covered Terrain Thermal Model.

MP 2626
ACOUSTICALLY INDUCED GROUND MOTION IN SAND UNDER WINTER CONDITIONS.
Peck, L., Mar. 1989, SR 89-07, Snow Symposium, 7th, Hanover, NH, Aug. 11-12, 1987. Proceedings, p.37-54, ADB-133 455, 4 refs.
43-3875
SANDS, ACOUSTIC MEASUREMENT, SEISMOLOGY, FROZEN GROUND PHYSICS, MILITARY OPERATION, COLD WEATHER OPERATION, SOIL TEMPERATURE.
The variation of acoustically induced ground motion with the freeze/thaw state of the ground was investigated in Feb.-Mar. 1986. A test chamber of the CRREL Frost Effects Research Facility containing a sand layer 0.7 m deep was outfitted with a movable roof and one movable wall. With the roof and wall in place, freezing of the sand was accomplished by blowing cold air into the chamber. Arrays of thermocouples indicated the depth to which the sand had frozen. Ground motion induced by blank fire from a .22 caliber pistol was monitored with geophones at depths of 0 to 45 cm in the sand. The results presented are for simulated winter or transitional ground conditions. (The sand, either dry (ambient moisture content) or saturated, was unfrozen, frozen or transitioning through freezing or thawing.) Potential effects of the freeze/thaw state of the ground on the performance of seismic sensor systems are discussed.

MP 2627
OPTICAL TECHNIQUE FOR CHARACTERIZING PRECIPITATION.
Koh, G., Mar. 1989, SR 89-07, Snow Symposium, 7th, Hanover, NH, Aug. 11-12, 1987. Proceedings, p.71-76, ADB-133 455, 4 refs.
43-3877
SNOW OPTICS, LIGHT TRANSMISSION, PRECIPITATION GAGES, SNOWFALL, PRECIPITATION (METEOROLOGY), METEOROLOGICAL INSTRUMENTS.
A simple optical technique for characterizing precipitation is described. The signals generated by precipitating particles as they interrupt a beam of light are analyzed in the time and frequency domain to obtain information about precipitation that may be useful for optical propagation studies. Some preliminary results obtained with the optical device are presented.

MP 2628
MODEL OF SMOKE CONCENTRATION REDUCTION DUE TO SCAVENGING BY SNOW.
Hutt, D.L., et al, Mar. 1989, SR 89-07, Snow Symposium, 7th, Hanover, NH, Aug. 11-12, 1987. Proceedings, p.87-98, ADB-133 455, 11 refs.
Cragin, J.H.
43-3879
SNOWFALL, SNOW OPTICS, VISIBILITY, AEROSOLS, SMOKE GENERATORS, SNOW AIR INTERFACE, MODELS.
A model is developed to describe the scavenging of smoke particles by snow. The concentration of smoke produced by rapid burst grenades is approximated by an exponential decay and for this case the reduction in the obscuration time is derived in terms of the snow scavenging efficiency and the smoke decay rate. Measurements of the snow scavenging efficiency are used to predict the reduction in obscuration time in typical winter scenarios. Results show that snow scavenging may significantly reduce the effectiveness of grenade screening smokes.

MP 2629
PARAMETRIC STUDY ON TRANSMISSION THROUGH SMOKE SCREENS PRODUCED IN FALLING SNOW.
Farmer, W.M., et al, Mar. 1989, SR 89-07, Snow Symposium, 7th, Hanover, NH, Aug. 11-12, 1987. Proceedings, p.99-111, ADB-133 455, 4 refs.
Gerard, S., Cragin, J.H.
43-3880
SNOWFALL, SNOW OPTICS, VISIBILITY, AEROSOLS, SMOKE GENERATORS, LIGHT TRANSMISSION, SNOW AIR INTERFACE.
Preliminary studies have shown that smoke screens produced in falling snow can be reduced in effectiveness through scavenging processes. It is of interest therefore to determine the falling snow conditions under which scavenging processes may significantly increase the transmittance through a smoke screen and at the same time provide sufficient visibility for targets to be detected that would not be observed otherwise. The purpose of this paper is to present the results of a parametric study conducted to identify the significance of the various parameters that can affect smoke screen transmittance performance in falling snow. Results show that conditions often exist under which falling snow can play a major role in affecting smoke screen performance and the ranges at which targets can be detected.

MP 2630
MILLIMETER-WAVE PERFORMANCE DURING MIXED PRECIPITATION.
Bates, R.E., et al, Mar. 1989, SR 89-07, Snow Symposium, 7th, Hanover, NH, Aug. 11-12, 1987. Proceedings, p.113-120, ADB-133 455, 3 refs.
Gerard, S.
43-3881
SNOWFALL, ATMOSPHERIC ATTENUATION, MICROWAVES, SNOW AIR INTERFACE, ELECTROMAGNETIC PROPERTIES, RADIATION ABSORPTION, WET SNOW, PRECIPITATION (METEOROLOGY), TRANSMISSION, PROPAGATION, RADAR.
Comparisons of visible, infrared and millimeter wave attenuation by falling snow at SNOW IV, Hollis, Maine, indicate that as the snowstorm of Dec. 13-14, 1985 passed the site a snow crystal phase change (snow to rain) occurred. Mixed precipitation types were observed during this period. As the air mass approached the Hollis, Maine, area the near-surface upper air profile and surface temperatures averaged near 0 C. Analyses of the transmission data over a portion of the snowstorm show less infrared and visible attenuation than millimeter wave attenuation. These results are not consistent with those obtained for previous snow experiment storm analyses, i.e. normally millimeter wave radiation is attenuated less by moderate to heavy snowfalls than visible and infrared radiation. Data and analyses are presented in this paper, comparing concurrent snow crystal habit and meteorological data (both upper air and surface conditions) with transmission measurements to examine this phase change relationship.

MP 2631
RADAR BACKSCATTER COMPARISONS OF A 2- TO 5-GHZ FMCW RADAR AND A 35-GHZ RADAR.
Berger, R.H., et al, Mar. 1989, SR 89-07, Snow Symposium, 7th, Hanover, NH, Aug. 11-12, 1987. Proceedings, p.133-136, ADB-133 455, 4 refs.
Boyne, H.S.
43-3883
SNOW COVER EFFECT, RADIO ECHO SOUNDINGS, MICROWAVES, BACKSCATTERING, RADAR ECHOES, SNOW COVER STRUCTURE, WET SNOW, SNOW AIR INTERFACE, SNOW SURVEYS.
A series of experiments was performed to determine radar scattering amplitude variations in dry and wet snow. Two frequency modulated continuous wave (FMCW) radars were used in this investigation. These radars were mounted side by side on a gantry approximately 5 m above the snow field and with a depression angle of 80 degrees. The dimensions of the snow field were 30 x 15 m. The two radar systems could be scanned across the 15-m width of the snow field automatically and moved lengthwise by hand. Backscatter measurements of dry and wet snow were made to determine the variation of radar backscatter cross section as a function of liquid water content. Backscatter measurements were also made after insertion of an aluminum plate into the snow cover at various depths to determine whether there was any variation in the 35-GHz backscatter due to the reduction of volume scattering.

MP 2632
THERMAL CONDUCTIVITY OF SLUDGES.
Vesilind, P.A., et al, Feb. 1989, 23(2), p.241-245, 9 refs.
Martel, C.J.
43-3984
SLUDGES, FREEZING, WASTE TREATMENT, THERMAL CONDUCTIVITY, FREEZE THAW CYCLES, WATER TREATMENT.
The time needed to naturally thaw sludge in a freezing bed depends on the thermal conductivity of the settled sludge layer deposited on the thawing sludge. The objective of this research is to measure the thermal conductivity of this layer. Six different sludges are tested, and it is found that thermal conductivity decreases with increasing solids concentration. At normal solids concentrations, the thermal conductivity is found to be about .0005 calories/cm/sec/deg C.

MP 2633
SNOW HYDROLOGY IN THE UPPER YAMUNA BASIN, INDIA.
Malhotra, R.V., et al, 1988, 45th, p.84-93, 7 refs.
McKim, H.L., Rangachari, R.
43-4119
SNOW HYDROLOGY, RIVER BASINS, STREAM FLOW, SNOWMELT, RUNOFF, METEOROLOGICAL DATA, WATERSHEDS, MODELS, SNOW SURVEYS, SEASONAL VARIATIONS, MOUNTAINS, FORECASTING, WATER RESERVES, INDIA—YAMUNA RIVER.
Snow accumulation and ablation in the frost range of the Himalayan Mountains accounts for a considerable portion of winter and spring streamflow from the Upper Yamuna River Basin. To quantify this contribution, the Central Water Commission (CWC) of India has been collecting hydrometeorological data and conducting snow surveys in the Sundli Nala Watershed, a small tributary of the Pabar River that drains into the Upper Yamuna River system. Hydrometeorological data from the Sundli Nala watershed, from Dec. to Mar. for the years 1984-1988, were input into the two snowmelt options of the Streamflow Synthesis and Reservoir Regulation (SSARR) model to determine the relationship of snowmelt runoff to observed discharge. For this period, the observed streamflow data indicated that snowmelt did not contribute significantly to the overall yearly discharge. Losses due to sublimation and evapotranspiration decrease the effect of snowmelt runoff. A large portion of the remaining available meltwater infiltrates to baseflow. This study provides for the first time a better understanding of the snowmelt dynamics in this region of the world. The data base being developed in the Sundli Nala can be used to calibrate the hydrologic forecasting model being developed by the Indian CWC to manage the water resources for the Upper Yamuna River.

MP 2634
SNOW-CRYSTAL GROWTH WITH VARYING SURFACE TEMPERATURES AND RADIATION PENETRATION.
Colbeck, S.C., 1989, 35(119), p.23-29, 13 refs.
43-4136
SNOW CRYSTAL GROWTH, SNOW SURFACE TEMPERATURE, SOLAR RADIATION, DEPTH HOAR, RADIATION ABSORPTION, SNOW COVER STRUCTURE.
The temperature field is derived for a sinusoidally varying surface temperature with varying solar radiation penetration. The growth rates of snow crystals are calculated to explain the rapidly growing layers of faceted crystals (i.e. depth hoar) that form just below the surface at high altitudes and in polar snow. The solutions also show that a layer of wet snow can exist just below the surface even on days when the surface temperature remains sub-freezing.

MP 2635
OVERVIEW OF THE PHYSICAL PROPERTIES OF SEA ICE.
Tucker, W.B., June 1988, No.144, Workshop on Ice Properties, St. John's, Newfoundland, June 21-22, 1988. Proceedings, p.71-85
43-4171
SEA ICE, ICE PHYSICS.

MP 2636
PROCEEDINGS.
International Symposium on Cold Regions Heat Transfer, Sapporo, Japan, June 28-30, 1989, 1989, 314p., Refs. passim. For selected papers see 43-4194 through 43-4227.
Seki, N., ed, Cheng, K.C., ed, Lunardini, V.J., ed.
43-4193
HEATING, HEAT TRANSFER, COOLING RATE, HEAT TRANSFER COEFFICIENT, FREEZING, ICE HEAT FLUX, ICE FORMATION, ICE WATER INTERFACE, SUPERCOOLING, TEMPERATURE, MATHEMATICAL MODELS.

MP 2637
HISTORICAL AND RECENT DEVELOPMENTS IN THE RESEARCH OF COLD REGIONS HEAT TRANSFER.
Cheng, K.C., et al, International Symposium on Cold Regions Heat Transfer, Sapporo, Japan, June 28-30, 1989. Proceedings. Edited by N. Seki, K.C. Cheng, and V.J. Lunardini, 1989, p.1-25, 451 refs.
Yen, Y.-C.
43-4194
ICE FORMATION, HEAT TRANSFER, HISTORY, RESEARCH PROJECTS, SHIP ICING, FRAZIL ICE, SOIL FREEZING, GAS PIPELINES, UNDERGROUND PIPELINES.
A brief review of historical and recent developments of ice formation problems in air, water and earth was made covering such subjects as atmospheric and marine icing of structures, permafrost and ground freezing (frost heave), river and lake ice (frazil ice and supercooling), arctic oil and gas pipelines, and heat transfer with freezing or melting from the unified viewpoint of cold regions heat transfer An attempt is made to review the varied technical fields involving ice formation phenomena from the common viewpoint of heat transfer to show the scope and subjects of cold regions heat transfer engineering.

MP 2638
REVIEW OF PURE CONDUCTION WITH FREEZING.
Lunardini, V.J., International Symposium on Cold Regions Heat Transfer, Sapporo, Japan, June 28-30, 1989. Proceedings. Edited by N. Seki, K.C. Cheng, and V.J. Lunardini, 1989, p.27-32, Refs. p.30-32.
43-4195
THEORIES, HEAT TRANSFER, THERMAL CONDUCTIVITY, FREEZING, CONDUCTION.
Freezing of water or melting of ice are phenomena that underlie many important scientific and engineering studies of cold regions Mathematical methods of treating these phase-change heat transfer problems are critical to understanding and dealing with the problems that freeze-thaw causes. This review deals only with systems for which conduction is the basic heat transfer mode or for which the solutions can be obtained in terms of conduction-like problems While convection is an important heat transfer mode, it can often be neglected without significant error Exact solutions are noted where available, but since these are quite limited for phase-change problems, references to approximate solutions are listed in some detail The approximate methods are the perturbation method, which leads to quasi-stationary techniques, and heat balance integral method.

MP 2639
SNOW IV FIELD EXPERIMENT DATA REPORT: OVERVIEW.
Redfield, R K., May 1989, SR 89-14, p 1-3, ADB-134 724.
43-4297
RESEARCH PROJECTS, COLD WEATHER OPERATION, COLD WEATHER PERFORMANCE.

MP 2640
SYNOPTIC METEOROLOGY DURING THE SNOW IV FIELD EXPERIMENT.
Bilello, M A , et al, May 1989, SR 89-14, p 5-12, ADB-134 724, 2 refs.
Bates, R.E.
43-4298
METEOROLOGICAL CHARTS, SYNOPTIC METEOROLOGY.

MP 2641
SITE-SPECIFIC METEOROLOGY.
Bates, R.E., et al, May 1989, SR 89-14, p.13-15, ADB-134 724.
Harrington, B.
43-4299
SITE SURVEYS, METEOROLOGICAL INSTRUMENTS, METEOROLOGICAL DATA, MEASURING INSTRUMENTS.

MP 2642
SNOW CRYSTAL CHARACTERIZATION.
Koh, G., May 1989, SR 89-14, p.17-23, ADB-134 724, 2 refs.
43-4300
SNOW CRYSTALS, SNOW CRYSTAL STRUCTURE.

MP 2643
SNOW CONCENTRATION AND PRECIPITATION RATE MEASUREMENTS DURING SNOW IV.
Lacombe, J., May 1989, SR 89-14, p.25-29, ADB-134 724, 2 refs.
43-4301
SNOWFALL, SNOW ACCUMULATION, PRECIPITATION GAGES, MEASURING INSTRUMENTS, AIRBORNE EQUIPMENT.

MP 2644
AIRBORNE PARTICLE MEASUREMENTS.
Berger, R.H., May 1989, SR 89-14, p.31, ADB-134 724.
43-4302
PARTICLES, PARTICLE SIZE DISTRIBUTION, MEASUREMENT, FOG, AIRBORNE EQUIPMENT.

MP 2645
TEST OF A PROTOTYPE ADVANCED THERMAL IMAGING SYSTEM.
Munis, R.H., May 1989, SR 89-14, p.81-82, ADB-134 724, 1 ref.
43-4304
INFRARED PHOTOGRAPHY, TESTS, MILITARY OPERATION, VISIBILITY.

MP 2646
SEISMIC/ACOUSTIC EXPERIMENTS AT SNOW IV.
Peck, L., May 1989, SR 89-14, p.155-157, ADB-134 724, 2 refs.
43-4307
WAVE PROPAGATION, SEISMIC PROSPECTING, ACOUSTICS.

MP 2647
HOURLY METEOROLOGICAL DATA FOR SNOW IV.
Bates, R.E., et al, May 1989, SR 89-14, p.159-250, ADB-134 724.
Harrington, B.
43-4308
METEOROLOGICAL DATA.

MP 2648
TWO-WAVELENGTH METHOD OF MEASURING PATH-AVERAGED TURBULENT SURFACE HEAT FLUXES.
Andreas, E.L., Apr. 1989, 6(2), p.280-292, 47 refs.
43-4400
SURFACE ROUGHNESS, HEAT FLUX, SCINTILLATION, MEASUREMENT, REFRACTION, CONVECTION.

MP 2649
EXPERIMENTS ON THE HEAT TRANSFER FROM WATER FLOWING THROUGH A CHILLED-BED OPEN CHANNEL.
Richmond, P.W , et al, International Symposium on Cold Regions Heat Transfer, Sapporo, Japan, June 28-30, 1989. Proceedings. Edited by N. Seki, K.C. Cheng, and V.J. Lunardini, 1989, p.51-58, 27 refs.
Lunardini, V.J.
43-4199
HEAT TRANSFER, WATER FLOW, ICE WATER INTERFACE, FLOW RATE, EXPERIMENTATION, ICE MELTING, THERMISTORS, ACCURACY.
Experiments have shown that heat transfer is greater for water flowing over ice than for water flowing over flat plates without ice. The mechanisms which contribute to this increased heat transfer are not completely understood One possible cause is the density inversion of water at 4 C. In order to investigate this effect on heat transfer, a small open-channel flume was designed so th xperiments could be conducted with the flume bed at temperatures slightly above 0 C with no ice present For fully developed turbulent flow (Reynolds numbers greater than 20,000), heat transfer correlations initially showed higher heat transfer rates than those obtained from experiments in flume with large aspect ratios Velocity profile corrections, to account for the aspect ratio, were applied to the data, which then agreed more closely with the results from wider flumes The results indicate that the density inversion of water could account for most of the increased turbulent heat transfer rate observed between melting and nonmelting systems

MP 2650
CHANGES COMING IN SNOW LOAD DESIGN CRITERIA.
Tobiasson, W., Corps of Engineers Structural Engineering Conference, St. Louis, Missouri, June 27-July 1, 1988, Vol.2. Washington, D.C., Directorate of Engineering and Construction, 1989, p.918-920.
43-4410
DESIGN CRITERIA, SNOW LOADS, SNOW SLIDES.
The technical basis for the snow load design criteria used by DoD in TM5-809-1 "Load Assumptions for Buildings" is ANSI Standard A58.1-1982, "Minimum Design Loads for Buildings and Other Structures." Sponsorship of that national standard has recently been transferred to the American Society of Civil Engineers. ASCE expects to publish a new version of A58 in 1988. For the past two years the ASCE snow loads subcommittee has been active in updating the snow load design criteria in that standard. Some revisions have been made to the ground snow load maps in Minnesota and the Dakotas Sliding snow provisions have been changed and drift load calculations have been expanded to include an appreciation for the length of the upwind roof.

MP 2651
ROOF DESIGN IN COLD REGIONS.
Tobiasson, W., Corps of Engineers Structural Engineering Conference, St. Louis, Missouri, June 27-July 1, 1988, Vol.2. Washington, D.C., Directorate of Engineering and Construction, 1989, p.1029-1037.
43-4412
ROOFS, DESIGN, CONDENSATION, DRAINAGE, SNOW SLIDES.
Roofs continue to be a problem in cold regions even though many excellent membrane and water-shedding systems are available. Compact (tightly built) systems suffer far fewer condensation problems than do framed roofing systems that tend to leak much more air Air leakage, not vapor diffusion, is the cause of most condensation problems. Dead flat roofs of any type are a design mistake. In cold regions, membrane roofs should have a slope of 1/4 in /ft and should drain internally. It is usually best to slope all roofs by inclining the frame rather than using tapered insulation Most water-shedding roofs drain to cold eaves and are thus subject to ice dam problems Such problems can be minimized by designing a "cold" ventilated roof, by insulating it well, by minimizing the overhang at the eaves, by increasing the roof slope and by providing an unobstructed slippery surface from which snow will slide However, when using slippery-surfaced systems, it is essential to provide a place for the snow to slide where it will not endanger people or damage property.

MP 2652
STRUCTURE AND TEMPERATURE DEPENDENCE OF THE FLEXURAL PROPERTIES OF LABORATORY FRESHWATER ICE SHEETS.
Gow, A.J., et al, July 1989, 16(3), p.249-270, 13 refs.
Ueda, H.T.
43-4446
LAKE ICE, ICE COVER STRENGTH, ICE CRYSTAL STRUCTURE, FLEXURAL STRENGTH, STRAIN TESTS.
Small-beam testing was conducted in a test tank on ice corresponding in structure to the two major ice types, S-1 and S-2, encountered in lake ice-sheets Tests of 730 beams in the temperature range -1 to -19 C showed that macrocrystalline (S-1) and columnar (S-2) ice differ appreciably in their flexural characteristics and that these differences are attributable to variations in the size and orientation of the crystals in the ice and the thermal condition of the beams Beams of S-1 ice yielded flexural strengths mid-way between those measured on S-2 ice.

MP 2653
ARCTIC RESEARCH IN THE UNITED STATES, VOL.3.
U.S. Interagency Arctic Research Policy Committee, Washington, D.C., Spring 1989, 72p.
Brown, J., ed, Bowen, S.L., ed, Cate, D., ed, Valliere, D.R., ed.
43-4482
INTERNATIONAL COOPERATION, RESEARCH PROJECTS, MEETINGS, EXPEDITIONS, ORGANIZATIONS.
This issue contains several invited papers that highlight some U.S accomplishments in Arctic research and point towards future challenges and opportunities To further demonstrate the broad, multidisciplinary nature of arctic research and related activities and their support, numerous reports of past and current national and international conferences, workshops and activities are presented Finally, this issue reflects a new enterprise of joint responsibility for the journal and arctic research between the interagency Committee and the Commission

MP 2654
OBSERVATIONS OF LOW-FREQUENCY ACOUSTIC-TO-SEISMIC COUPLING IN THE SUMMER AND WINTER.
Albert, D.G., et al, July 1989, 86(1), p.352-359, 23 refs.
Orcutt, J.A.
43-4500
ACOUSTIC MEASUREMENT, SNOW ACOUSTICS, SEISMIC VELOCITY, SOUND TRANSMISSION, EXPERIMENTATION, SEASONAL VARIATIONS, WAVE PROPAGATION.

MP 2655
PASSIVE MICROWAVE *IN SITU* OBSERVATIONS OF WINTER WEDDELL SEA ICE.
Comiso, J.C., et al, Aug. 15, 1989, 94(C8), p.10,891-10,905, 23 refs.
Ackley, S.F.
43-4526
SEA ICE, MICROWAVES, ICE PHYSICS, RADIOMETRY, ICE COVER, ANTARCTICA—WEDDELL SEA.

The microwave radiative characteristics of the Weddell Sea ice were investigated from the R/V *Polarstern* during winter 1986 through, approximately, 3000 km of ice, from the marginal ice zone to the coastal region and back. Radiometer measurements at 6, 10, 18, 37, and 90 GHz in vertical and horizontal polarizations were complemented by visual and video observations and measurements, at 60 station, of ice physical characteristics. Two distinct types of ice cover were observed in the marginal ice zone, small pancakes evenly distributed during the southbound leg, and ice bands with wet pancakes during the northbound leg Other ice types observed were first-year ice covered by varying thicknesses and states of snow cover, and new and young ice found mainly in leads and polynyas Analysis of the data shows a large variability in the multispectral microwave emissivities of these ice types, especially at 90 GHz Overall, however, at 18 GHz and lower frequencies, the emissivities of thick and cold first-year ice are relatively stable with standard deviations of about 0 02 At the marginal ice zone, the emissivity of the ice cover is a lot less predictable and could cause large uncertainties in ice concentration estimates. The use of the 90-GHz channel in combination with a lower-frequency channel shows strong potential for more detailed characterization of the ice cover including the identification of various forms of new ice and the quantification of varying snow cover and roughness (Auth. mod.)

MP 2656
CHEMICAL AND STRUCTURAL PROPERTIES OF SEA ICE IN THE SOUTHERN BEAUFORT SEA.
Meese, D.A., Durham, University of New Hampshire, 1988, 294p., University Microfilms order No.-DA8827313, Ph.D. thesis. For abstract see Dissertation abstracts international, Sec. B. Apr. 1989, p 4193.
43-4573
SEA ICE, ICE COMPOSITION, CHEMICAL ANALYSIS, ICE CORES, ICE SALINITY, SEA WATER FREEZING, ICE FORMATION, BEAUFORT SEA.

MP 2657
THIN ICE GROWTH.
Ashton, G.D., Mar. 1989, 25(3), p.564-566, 6 refs
44-7
ICE GROWTH, ICE COVER THICKNESS, STEFAN PROBLEM, DEGREE DAYS, ICE AIR INTERFACE, FREEZING RATE, ICE FORECASTING, THERMAL CONDUCTIVITY.

MP 2658
USE AND APPLICATION OF PRESTO IN SNOW-III WEST.
Stallings, E.E., et al, June 1986, SR 86-15, Snow Symposium, 5th, Hanover, NH, Aug. 13-15, 1985. Proceedings, Vol 1, p.11-24, ADB-135 277, 5 refs.
Farmer, W.M., Lacombe, J
43-4623
MILITARY OPERATION, TANKS (COMBAT VEHICLES), COLD WEATHER OPERATION, LASERS, SNOWFALL, MILITARY RESEARCH, MEASURING INSTRUMENTS, SNOWDRIFTS, VISIBILITY, STATISTICAL ANALYSIS.

During Dec., 1984, and Jan., 1985, Cold Regions Research and Engineering Laboratory (CRREL) conducted a field experiment in Grayling, Michigan, to identify and establish a baseline performance matrix for tank imaging systems, image intensifiers, and laser rangefinders in a winter environment. The Project/Manager for Smoke/Obscurants Personnel Response and Evaluation System for Target Obscuration (PRESTO) was used as an integral part in this field experiment to record on site responses of observers to the effects of falling and blowing snow on the performance of the systems The PRESTO was also used in additional validation of the test results. This presentation discusses how the statistics software was redefined to give probability density histograms as a function of range, how the system was used for data verification on site, and how the system was used for results validation in Snow-III West Examples of data outputs comparing the results of an imaging system's performance during a snow storm will be given and compared to results obtained from military observers viewing video outputs from the same imaging system.

MP 2659
SNOW MASS EXTINCTION COEFFICIENT.
Koh, G., June 1986, SR 86 15, Snow Symposium, 5th, Hanover, NH, Aug. 13-15, 1985. Proceedings, Vol.1, p.35-38, ADB-135 277, 6 refs.
43-4625
SNOWFALL, LIGHT TRANSMISSION, LIGHT SCATTERING, ATTENUATION, ANALYSIS (MATHEMATICS), DISTRIBUTION.

The mass extinction coefficient (MEC) of falling snow obtained from simultaneous measurements of transmittance (0 55 micrometer wavelength) and of snow mass concentration is presented. Uncertainties in the MEC due to instrument errors are considered, and it is shown that the uncertainty can be reduced when snow mass concentrations range from 0 2 g/cu m. The MEC ranged from 0.016 to sq m/g and the average MEC was 0 027 sq m/g.

MP 2660
THERMAL MEASUREMENTS IN SNOW.
Jordan, R., et al, June 1986, SR 86-15, Snow Symposium, 5th, Hanover, NH, Aug 13-15, 1985 Proceedings, Vol.1, p.183-193, ADB-135 277, 11 refs.
O'Brien, H., Bates, R.E.
43-4634
SNOW TEMPERATURE, SURFACE TEMPERATURE, SNOW COMPACTION, HEAT BALANCE, SNOW COVER, SNOW THERMAL PROPERTIES, LATENT HEAT, MATHEMATICAL MODELS, TEMPERATURE VARIATIONS.

This paper describes a simplified model for predicting the surface temperature of a snow cover By separate application of the model to natural snow and snow compacted by a moving vehicle, it is possible to determine the thermal contrast between the two surfaces. Inputs to the model utilize routine meteorological observations and certain initial characteristics of the snow cover and underlying ground. Established energy transfer equations are used to describe the heat balance in the snow cover and are solved by the method of finite differences, wherein the snow is divided into layers, and the temperature structure is evolved over time in finite time increments. While the methodology of more elaborate energy and mass balance models is closely followed, snow cover in the current model is described in only three layers, providing a closed-form mathematical solution that requires little computer time

MP 2661
SPECTRA AND COSPECTRA OF ATMOSPHERIC TURBULENCE OVER SNOW.
Andreas, E.L., June 1986, SR 86-15, Snow Symposium, 5th, Hanover, NH, Aug. 13-15, 1985. Proceedings, Vol.1, p.219-233, ADB-135 277, Refs p.231-233
43-4636
LIGHT (VISIBLE RADIATION), SNOW COVER EFFECT, WIND VELOCITY, AIR TEMPERATURE, HUMIDITY, TURBULENT FLOW, SPECTRA, CLIMATIC FACTORS, TEMPERATURE VARIATIONS, SNOW AIR INTERFACE, ANALYSIS (MATHEMATICS), MEASURING INSTRUMENTS.

At SNOW-TWO fast responding instruments were used to measure the turbulent fluctuations in the wind speed, temperature, and humidity in the atmospheric surface layer over snow. Two crossed hot-film anemometers yielded the turbulent longitudinal (u) and vertical (w) components of the wind vector. A fine-wire platinum resistance thermometer and a Lyman-alpha hygrometer gave the turbulent temperature (t) and humidity (q) fluctuations, respectively Spectra of u and w have inertial subranges that are typical of velocity spectra measured in the atmospheric surface layer. The t and q spectra and the t-q cospectra all have distinct inertial-convective subranges These are rarely found in simultaneous t and q spectra because the measurements are difficult Consequently, this seems to be a high quality set of temperature and humidity spectra Diverse u, w, t, and q spectra and the t-q cospectra collapse into universal forms when nondimensionalized with appropriate dissipation rates for velocity and the individual scalar and when the turbulence frequency is properly scaled From the t and q spectra and the t-q cospectra the first refractive index spectra for visible and millimeter wavelength light ever measured over snow are computed

MP 2664
EVALUATING TRAFFICABILITY.
McKim, H.L., June 1986, SR 86-15, Snow Symposium, 5th, Hanover, NH, Aug. 13-15, 1985. Proceedings, Vol.1, p.237-239, ADB-135 277
43-4637
SOIL TRAFFICABILITY, SOIL WATER, METEOROLOGICAL DATA, WATER CONTENT, TESTS, MAPS, MODELS

The U S Army Cold Regions Research and Engineering Laboratory (CRREL), with technical assistance from the Dartmouth College Physics Department, has developed a radio-frequency soil moisture sensor that measures the electrical resistance and capacities of a soil sample and converts the readings to volumetric water content The solid-state sensor is mechanically rigid, small, and lightweight It can obtain soil moisture and frost data in near real time and can be interfaced with communications systems for remote interrogation. The soil moisture sensor was laboratory tested and its accuracy was calculated at 3% The data also indicated that the sensor readings were independent of soil type and density. The next step for fielding the sensor was to test it under real winter battlefield conditions

MP 2663
UTILIZATION OF UNMANNED AERIAL VEHICLES IN THE ALBE THRUST.
Greeley, H.P., et al, June 1986, SR 86-15, Snow Symposium, 5th, Hanover, NH, Aug. 13-15, 1985. Proceedings, Vol 1, p.249-257, ADB-135 277.
Cogan, J., Aitken, G.W., Tate, C.L.
43-4639
MILITARY OPERATION, VEHICLES, AIRCRAFT ICING, VISIBILITY, SNOW COVER EFFECT, CLIMATIC FACTORS, COMPUTER APPLICATIONS, MEASURING INSTRUMENTS, ICE FORECASTING, METEOROLOGICAL FACTORS, INFRARED SPECTROSCOPY, REFLECTION, REMOTE SENSING.

Unmanned Aerial Vehicles (UAV's) may serve as a mobile platform for a number of sensor systems either already in existence, in the process of being developed and tested or still in the concept stages. These sensors will provide the large amounts of near real time environmental data input required by the AirLand Battlefield Environment (ALBE) decision aid programs.

MP 2664
EFFECTS OF WATER AND ICE LAYERS ON THE SCATTERING PROPERTIES OF DIFFUSE REFLECTORS.
Jezek, K.C., et al, June 1986, SR 86-15, Snow Symposium, 5th, Hanover, NH, Aug. 13-15, 1985. Proceedings, Vol.1, p.259-269, ADB-135 277, 6 refs. For another version see 42-1651.
Koh, G.
43-4640
MILITARY OPERATION, LASERS, REFLECTION, ICE COVER EFFECT, WATER, BACKSCATTERING, DETECTION, SURFACE PROPERTIES, MEASURING INSTRUMENTS.

Measurements were made of the angular distribution of power scattered from a diffuse reflector illuminated by a laser beam. Probability density functions of normalized signal strength for near normal scattering were also compiled Experiments were made on dry, wet and ice-covered planar targets The results show that the diffuse component of scattered power from a wet or ice-covered target is reduced by an amount proportional to the inverse of the square of the index of refraction of the layer—a result consistent with simple theory. Backscattered radiation from a water or ice-covered target is enhanced over that from a dry target in the region about a cone centered on the line normal to the target. The aperture of the cone was greater for the ice-coated target. The difference may be due to small air bubbles in the ice Because the surfaces of many military targets behave as diffuse reflectors, a simple calculation was made showing the effects of water and ice on laser rangefinder performance. A combination of theoretical and empirical results shows that the return from water and ice-coated targets will be stronger than that from dry targets in the near-zero-degree backscatter direction As the angle of incidence increases to about 20 deg the coated targets will return almost a factor of two less power than the dry target.

MP 2665
OBSERVATIONS OF THE BACKSCATTER FROM SNOW AT MILLIMETER WAVELENGTHS.
Berger, R.H., et al, June 1986, SR 86-15, Snow Symposium, 5th, Hanover, NH, Aug. 13-15, 1985. Proceedings, Vol 1, p.311-316, ADB-135 277, 5 refs.
43-4644
SNOW PHYSICS, RADAR ECHOES, BACKSCATTERING, SNOW COVER STRUCTURE, WAVE PROPAGATION, ICE CRYSTAL STRUCTURE, SNOW TEMPERATURE, UNFROZEN WATER CONTENT, MEASURING INSTRUMENTS, ENVIRONMENTS, METAMORPHISM (SNOW).

An experiment to measure the 35-GHz radar backscatter from a snow cover is described The radar can scan a large area repeatedly with precise control of the position so that the development of different backscatter features may be observed as a function of the environmental conditions. Some preliminary data are presented

MP 2666
COMMENTS ON THE CHARACTERISTICS OF *IN SITU* SNOW AT MILLIMETER WAVELENGTHS.
Walsh, J., et al, June 1986, SR 86-15, Snow Symposium, 5th, Hanover, NH, Aug 13-15, 1985 Proceedings, Vol 1, p 317-320, ADB-135 277, 9 refs.
Cook, R., Layman, R., Berger, R.H.
43-4645
BACKSCATTERING, SNOW PHYSICS, RADAR ECHOES, WAVE PROPAGATION, LIGHT SCATTERING, RADIATION ABSORPTION, DESIGN, MEASURING INSTRUMENTS, VISIBILITY.

A summary of the basic characteristics of the backscatter cross-section of snow at mm wavelengths is presented. Theoretical speculations on the origins of the complex signature are discussed and the design of a snow-truth interferometer/-scatterometer is summarized

MP 2667
RADAR BACKSCATTERING FROM ARTIFICIALLY GROWN SEA ICE.
Bredow, J., et al, July 1989, 14(3), p.259-264, 18 refs.
Gogineni, S.P., Gow, A.J., Blanchard, P.F., Moore, R.K.
44-8
SEA ICE, ARTIFICIAL ICE, BACKSCATTERING, RADAR ECHOES, SURFACE ROUGHNESS, MEASUREMENT, REFLECTIVITY, MICROWAVES.

MP 2669
ATMOSPHERIC ICING CLIMATOLOGIES OF TWO NEW ENGLAND MOUNTAINS.
Ryerson, C.C., Nov. 1988, 27(11), p.1261-1281, 23 refs.
44-66
ICING, ICE ACCRETION, ICE DETECTION, ICING RATE, PRECIPITATION (METEOROLOGY), SYNOPTIC METEOROLOGY.
The atmospheric icing climatologies of two New England mountaintops with different elevations are compared. Mount Mansfield in northern Vermont and Mount Washington in New Hampshire. Atmospheric icing, as measured with Rosemount ice detectors, is twice as frequent on Mount Washington with about 12 to 20 times greater intensities and 25 to 50 times more accretion as on Mount Mansfield Most of Mount Mansfield icing events are of low intensity, with periods between icing events averaging 35 to 45 hours on both peaks. Return intervals of ice events by length, intensity, and accretion amount are tabulated. Approximately one-half of all severe icing on the two peaks occurs during and immediately after cold front passages. Icing is most intense when lows are about 450 km to the east and high pressure centers are more than about 450 km distant Prolonged accretion periods occur when coastal and inland storms merge or follow closely.

MP 2670
MODELING THE TRANSPORT OF CHROMIUM (VI) IN SOIL COLUMNS.
Selim, H.M., et al, July-Aug. 1989, 53(4), p.996-1004, 37 refs.
Amacher, M.C., Iskandar, I.K.
44-67
SOIL PHYSICS, MASS TRANSFER, SOIL CHEMISTRY, MODELS, MINERALS.

MP 2671
U.S. FEDERAL ARCTIC RESEARCH.
Devine, J.S., et al, July 1989, SR 89-21, International arctic research programs, p.65-74, ADA-212 206, Presented at the 7th International Conference and Exhibition on Offshore Mechanics and Arctic Engineering, Houston, TX, Mar. 1988.
Link, L.E., Chung, J.S., Wright, E.A.
44-130
RESEARCH PROJECTS, ECONOMIC DEVELOPMENT, UNITED STATES.

MP 2672
SNOW COVER AND GLACIER VARIATIONS.
Colbeck, S.C , ed, 1989, No.183, 111p., Proceedings of an international symposium held during the Third Scientific Assembly of International Association of Hydrological Sciences at Baltimore, MD, May 10-19, 1989 Refs. passim For individual papers see 44-166 through 44-178
44-165
SNOW COVER, GLACIER OSCILLATION, SNOW SURVEYS, RUNOFF FORECASTING, GLACIER MELTING, WATER BALANCE, GLACIER MASS BALANCE, SNOWMELT, MELTWATER.

MP 2673
AIRBORNE ELECTROMAGNETIC SENSING OF SEA ICE THICKNESS.
Becker, A., et al, Berkeley, University of California, Mar. 1987, 77p., Final report prepared for U S Army Cold Regions Research and Engineering Laboratory under contract No.DACA89-85-K-0008. 12 refs.
Liu, G , Morrison, H.F.
44-207
ICE COVER THICKNESS, RADIO ECHO SOUNDINGS, AIRBORNE RADAR, SEA ICE, ICE ELECTRICAL PROPERTIES, ELECTROMAGNETIC PROSPECTING, REMOTE SENSING, MATHEMATICAL MODELS

MP 2675
EFFECT OF AEROSOLS ON PH OF SNOW.
Kumai, M., 1990, Vol.25, p.17-30, With French summary. 9 refs.
44-2925
AEROSOLS, SNOW COMPOSITION, CHEMICAL PROPERTIES, SNOW IMPURITIES, MELTWATER, SNOW CHEMISTRY, WIND FACTORS, AIR POLLUTION, HYDROGEN ION CONCENTRATION, ELECTRICAL RESISTIVITY, PARTICLES, HYDROCARBONS, SCANNING ELECTRON MICROSCOPY.

MP 2676
AIR CHANGE MEASUREMENTS OF FIVE ARMY BUILDINGS IN ALASKA.
Flanders, S.N., Air Change Rate and Airtightness in Buildings. Edited by M.H. Sherman, Philadelphia, American Society for Testing and Materials, 1990, p.53-63, TH7005.A37 1989, 6 refs., Paper presented at a symposium held in Atlanta, Georgia, Apr. 16-17, 1989.
44-2944
BUILDINGS, VENTILATION, AIR FLOW, AIR LEAKAGE, MEASUREMENT, INDOOR CLIMATES, MILITARY FACILITIES, WIND FACTORS, COLD WEATHER TESTS, SAMPLING.
The air change rates of five buildings (four barracks and one vehicle maintenance garage) were measured, using the tracer gas dilution technique. The median air change rate for all zones measured was close to 0 5 air change per hour (ACH) The range of air change rates was between 0 05 and 1.75 ACH. Most of this range was attributable to variation in the effective ess of the buildings' ventilation systems. Outdoor temperatures were between -15 and -20 deg C (5 and -4 deg F). The wind was calm for all but one barracks measurement. The maintenance facility, a large single-zone building, permitted good results from the tracer gas technique The barracks, multizone buildings, varied in the ease with which the tracer gas technique could be applied. The barracks ventilation systems were in operation when air cha ge measurements were made These systems incorporated air-to-air heat exchangers with intakes and exhausts mounted in rooftop penthouses

MP 2677
PREDICTING UNFROZEN WATER CONTENT BEHAVIOR USING FREEZING POINT DEPRESSION DATA.
Black, P.B., et al, Mar. 1990, SR 90-01, International Symposium. Frozen Soil Impacts on Agricultural, Range, and Forest Lands, Spokane, WA, March 21-22, 1990. Proceedings. Edited by K.R. Cooley, p.54-60, ADA-219 587, 16 refs.
Tice, A.R.
44-2966
UNFROZEN WATER CONTENT, SOIL FREEZING, ANTIFREEZES, NUCLEAR MAGNETIC RESONANCE, SOIL WATER, SOIL PHYSICS, TEMPERATURE EFFECTS, MATHEMATICAL MODELS, CLAYS, SEDIMENTS.
This paper presents a framework by which freezing point depression data are interpreted to determine the unfrozen water content behavior of a soil. The transformed data are then fitted to a Brooks and Corey type function and compared to the unfrozen water content behavior determined by separate warming curve data that were measured by NMR.

MP 2678
EFFECT OF FREEZE-THAW CYCLES ON THE PERMEABILITY AND MACROSTRUCTURE OF SOILS.
Chamberlain, E , et al, Mar 1990, SR 90-01, International Symposium· Frozen Soil Impacts on Agricultural, Range, and Forest Lands, Spokane, WA, March 21-22, 1990. Proceedings Edited by K.R. Cooley, p.145-155, ADA-219 687, 6 refs.
Iskandar, I.K., Hunsicker, S.E.
44-2977
FREEZE THAW CYCLES, SOIL STRUCTURE, PERMEABILITY, SOIL AGGREGATES, WASTE TREATMENT, CLAY SOILS, SOIL COMPACTION, MEASURING INSTRUMENTS, STRESSES, COUNTERMEASURES, RADIOACTIVE WASTES, CONSTRUCTION MATERIALS, TESTS, GRAIN SIZE, SETTLEMENT (STRUCTURAL)
Hazardous waste treatment and disposal is one of the major environmenal concerns In the United States alone, about 50 million tons of hazardous waste is produced each year Clay liners and clay caps are commonly recommended and used for containing and covering hazardous and toxic waste as well as solid municipal waste The purpose of the liners is to impede the flow of contaminants to ground water and to sorb the chemicals, thus protecting the ground water from contamination The purpose of the caps is to prevent water infiltration into the contaminated soil and the release of toxic gases The objective of this study is to investigate the effect of freeze-thaw cycling on the permeability and structure of compacted clay soils used as caps or barriers for containing hazardous waste materials.

MP 2679
FATE AND TRANSPORT OF CONTAMINANTS IN FROZEN SOILS.
Ayorinde, O.A., et al, Mar. 1990, SR 90-01, International Symposium: Frozen Soil Impacts on Agricultural, Range, and Forest Lands, Spokane, WA, March 21-22, 1990. Proceedings. Edited by K.R. Cooley, p.202-211, ADA-219 687, 18 refs.
Perry, L.B.
44-2984
FROZEN GROUND, SOIL POLLUTION, EXPLOSIVES, MECHANICAL PROPERTIES, WASTE DISPOSAL, SOIL WATER MIGRATION, FREEZE THAW CYCLES, SOIL CHEMISTRY, COUNTERMEASURES, WATER TRANSPORT, MATHEMATICAL MODELS, TESTS.
The objective of this investigation is to evaluate the effect of freezing on the fate and transport of 2,6-DNT, C-NT and M-NT explosive residues in soils This paper describes (a) the development of experimental methods for obtaining reliable data that can be used to model freezing-induced transport of contaminants in soils and (b) the analytical approach used to interpret these data

MP 2680
EFFECT OF NORMAL PRESSURE ON KINETIC FRICTION COEFFICIENT: MYTH OR REALITY?.
Tatinclaux, J.C., American Towing Tank Conference, 22nd, St. John's, Newfoundland, Aug. 8-11, 1989. Proceedings, Ottawa, National Research Council, Canada [1989], p.127-134, 8 refs.
44-3020
ICE FRICTION, ICE PRESSURE, ICE LOADS.

MP 2681
SEASONAL DISTRIBUTION OF LOW FLOW EVENTS IN NEW HAMPSHIRE STREAMS WITH EMPHASIS ON THE WINTER PERIOD.
Melloh, R.A., Drought water management, Washington, D.C., Nov. 1-2, 1988. Proceedings. Edited by N.S. Grigg and E.C. Vlachos, Fort Collins, Colorado State University, 1990, p.47-53, 3 refs.
44-3029
STREAM FLOW, SEASONAL VARIATIONS, WATER LEVEL, WINTER, SURFACE DRAINAGE, HYDROLOGIC CYCLE, CLIMATIC FACTORS, UNITED STATES—NEW HAMPSHIRE.
An analysis of the seasonal distribution of low flow events in various geographic provinces of New Hampshire is presented The objectives of the analysis are to describe the annual hydrologic cycle and its regional variations and to identify streams or regions where the winter's influence is most severe

MP 2682
USE OF OFF-ROAD VEHICLES AND MITIGATION OF EFFECTS IN ALASKA PERMAFROST ENVIRONMENTS: A REVIEW.
Slaughter, C.W., et al, Jan.-Feb. 1990, 14(1), p.63-72, 46 refs.
Racine, C H , Walker, D.A , Johnson, L A., Abele, G.
44-3049
ALL TERRAIN VEHICLES, PERMAFROST, ENVIRONMENTAL IMPACT, COUNTERMEASURES, SOIL STRUCTURE, DAMAGE, PROTECTION, UNITED STATES—ALASKA.
Use of off-road vehicles in permafrost-affected terrain of Alaska has increased sharply over the past two decades Until the early 1960s, most ORV use was by industry or government, which employed heavy vehicles such as industrial tractors and tracked carriers Smaller, commerc ORVs became available in the 1960s, with the variety and number in use rapidly increasing. Wheeled and tracked ORVs, many used exclusively for recreation or subsistence harvesting by individuals, are now ubiquitous in Alaska This increased use has led to concern over the cumulative effects of such vehicles on vegetation, soils, and environmental variables including off-site values Factors affecting impact and subsequent restoration include specific environmental setting, vegetation, presence and ice content of permafrost, microtopography, vehicle design, weight, and ground pressure, traffic frequency, season of traffic, and individual operator practices Approaches for mitigating adverse effects of ORVs include regulation and zoning, terrain analysis and sensitivity mapping, route selection, surface protection, and operator training

MP 2683
UNFROZEN WATER CONTENTS OF UNDISTURBED AND REMOLDED ALASKAN SILT.
Tice, A.R , et al, Dec. 1989, 17(2), p 103-111, 13 refs.
Black, P.B., Berg, R.L.
44-3094
FROZEN GROUND, UNFROZEN WATER CONTENT, SOIL COMPOSITION, SOIL ANALYSIS, FROZEN GROUND THERMODYNAMICS, NUCLEAR MAGNETIC RESONANCE, SATURATION, TEMPERATURE EFFECTS, SOIL WATER.
Unfrozen water content as a function of temperature was measured in the laboratory using pulsed nuclear magnetic

resonance (PNMR) for 16 undisturbed frozen cores acquired from the Northwest Alaska Pipeline Company Chilled Gas Test Facility The cores were then remolded and brought to their original densities and water contents, and unfrozen water content as a function of temperature was again measured over three warming and cooling cycles It was found that differences in unfrozen water contents between the undisturbed warming and cooling curves depended upon relative degree of saturation and its effect on soil structure Only slight changes occurred during the three warming curves of the remolded soil, indicating minor freezing and thawing consequences on the soil structure

MP 2684
DYNAMIC SIMULATIONS OF ICEBERG-SEABED INTERACTIONS.
Bass, D.W., et al, Dec. 1989, 17(2), p.137-151, 8 refs
Lever, J.H.
44-3097
ICEBERGS, OCEAN BOTTOM, ICE SCORING, COMPUTERIZED SIMULATION, ICE SOLID INTERFACE, FLOATING ICE, HYDRODYNAMICS, SURFACE STRUCTURE, PHYSICAL PROPERTIES, COMPUTER APPLICATIONS, MODELS.
A six degrees of freedom model of iceberg-seabed interaction is described Predictions from the modelling are compared to observations obtained from the DIGS series of experiments on grounding and scouring icebergs on the Labrador Shelf

MP 2685
STRENGTH OF SOILS AND ROCKS AT LOW TEMPERATURES.
Sellmann, P.V., Dec. 1989, 17(2), p.189-190, 7 refs.
44-3101
FROZEN ROCK STRENGTH, FROZEN GROUND STRENGTH, TEMPERATURE EFFECTS, FROZEN GROUND THERMODYNAMICS, COMPRESSIVE PROPERTIES, TEMPERATURE VARIATIONS.

MP 2686
HIGH FREQUENCY ACOUSTICAL PROPERTIES OF SALINE ICE.
Jezek, K.C., et al, Dec 1989, SR 89-39, Arctic Technology Workshop, Hanover, NH, June 20-23, 1989. Proceedings. Edited by J. Richter-Menge, W.B. Tucker III and M M Kleinerman, p.9-23, ADB-141 754, 15 refs
Stanton, T.K., Gow, A.J.
44-3135
ICE ACOUSTICS, SEA ICE, ECHO SOUNDING, ICE COVER EFFECT, ICE BOTTOM SURFACE, ATTENUATION, ICE STRUCTURE, ACOUSTIC MEASUREMENT, DENDRITIC ICE, SLUSH, FRAZIL ICE, EXPERIMENTATION, ICE GROWTH, SALT ICE, REFLECTION.
Sonar echo amplitude data have been collected at kilohertz carrier frequencies from the underside of different sea ice types Histograms of normal incidence echo amplitudes were formed from over 90 samples of each ice type Experiments were conducted on saline ice grown in an outdoor pond under relatively controlled conditions at CRREL and on the sea ice cover in the Fram Strait Analysis shows marked variations (about a factor of 5) in the magnitude of the coherent reflection coefficients as congelation ice at the bottom of an ice sheet evolves from a growing dendritic interface to an ablating, thermally altered interface Larger differences (about a factor of 10) are observed between growing congelation ice and slush ice, used to simulate frazil Transmission measurements through thin ice indicate that important attenuation processes are associated with basal dendritic structure resulting in a high attenuation regime (5 dB/cm at 200 kHz) in roughly the bottom 10 cm of growing sea ice and low attenuation regime (0 1 dB/cm) consisting of the overlying ice These results indicate that important variations in acoustic regime exist in areas where different ice types are intermingled

MP 2687
USE OF THE MECHANICAL PROPERTIES OF ICE IN THE DEVELOPMENT OF PREDICTIVE MODELS.
Richter-Menge, J.A., et al, Dec. 1989, SR 89-39, Arctic Technology Workshop, Hanover, NH, June 20-23, 1989. Proceedings. Edited by J. Richter-Menge, W.B. Tucker III and M.M. Kleinerman, p 87-99, ADB-141 754, 23 refs
Cole, D.M., Tucker, W B.
44-3139
ICE MECHANICS, DRIFT, ICE NAVIGATION, MILITARY OPERATION, ICE PHYSICS, ICE CRYSTAL STRUCTURE, GRAIN SIZE, SEA ICE, ICE FORECASTING, MATHEMATICAL MODELS, TESTS.
The approach to developing mechanistically-based predictive models discussed in this paper is by no means trivial Ideally, a stepwise approach should be taken This would first involve the determination of the micromechanical processes involved in the deformation of the ice We would begin by studying these processes in a relatively simple material, freshwater, equiaxed ice, and progress to the most complicated ice type, aligned, columnar sea ice Once the phenomena of deformation were well understood over the range of loading and environmental conditions, the attention would focus towards the development of a mathematical, mechanistically-based model of the ice behavior The model would require input about the loading scenario (e g. surfacing submarine sail, ship travelling through the ice sheet, convergence of ice sheets), the appropriate environmental conditions, and the corresponding physical properties of the ice The predictive model would first be verified using scale-model test results and, once the accuracy of the model was proven, application would be extended to field conditions The capabilities of the model to predict loads in the field would be evaluated by comparison of the predicted to actual stress measurements determined during field experiments

MP 2688
VERTICAL LIFTING AND PENETRATION OF FLOATING ICE SHEETS WITH CYLINDRICAL INDENTORS.
Sodhi, D.S., et al, Dec. 1989, SR 89-39, Arctic Technology Workshop, Hanover, NH, June 20-23, 1989. Proceedings. Edited by J. Richter-Menge, W.B. Tucker III and M.M. Kleinerman, p 104, ADB-141 754.
McGilvary, W.R., Lever, J.H.
44-3141
FLOATING ICE, ICE MODELS, ICE BREAKUP, PENETRATION, ICE SHEETS, ICE COVER THICKNESS, FLEXURAL STRENGTH, ICE DEFORMATION, TESTS, BUOYANCY.
Floating model ice sheets were lifted vertically and penetrated with cylindrical indentors of different shapes (flat, truncated-conical and conical) and diameters (76 mm, 152 mm and 305 mm) and in different ambient temperatures (0, 10, 20 F) The experimental results show that there is no effect of indentor shape or size on the ice penetration forces. From dimensional analysis, a relationship is obtained for maximum ice penetration force in terms of the specific weight of water, the ice thickness and the upward flexural strength.

MP 2689
ENVIRONMENT OF WINTERTIME LEADS AND POLYNYAS.
Andreas, E.L., Dec. 1989, SR 89-39, Arctic Technology Workshop, Hanover, NH, June 20-23, 1989. Proceedings Edited by J. Richter-Menge, W.B. Tucker III and M.M. Kleinerman, p.273-288, ADB-141 754, 15 refs.
44-3154
POLYNYAS, HEAT TRANSFER, MOISTURE TRANSFER, AIR WATER INTERACTIONS, PACK ICE, CONVECTION, HEAT FLUX, AIRPLANES, NAVIGATION, TEMPERATURE EFFECTS, HUMIDITY.
Wintertime leads and polynyas are ternfic sources of heat and moisture. Described here are some of the environmental effects of these large heat and moisture fluxes For example, the air near the water surface is supersaturated, the resulting fog can limit visibility, rime ice forms prolifically on any downwind structure, and for large leads and polynyas, massive plumes of condensate particles can alter the radiation budget of the downwind surface Convectively driven turbulence fostered by the large fluxes enhances the vertical mixing For large open water areas, the convection may be intense enough to jostle low-flying aircraft

MP 2691
ICE STRENGTH ESTIMATES FROM SUBMARINE TOPSOUNDER DATA.
DiMarco R , et al, Dec 1989, SR 89-39, Arctic Technology Workshop, Hanover, NH, June 20-23, 1989. Proceedings. Edited by J. Richter-Menge, W.B. Tucker III and M.M. Kleinerman, p 425-426, ADB-141 754.
Dugan, J., Martin, W., Tucker, W.B.
44-3160
ICE STRENGTH, ACOUSTIC MEASUREMENT, SUBMARINES, SOUNDING, UNDERWATER ACOUSTICS, ICE COVER THICKNESS, EXPERIMENTATION, ACCURACY, FLEXURAL STRENGTH

MP 2692
ANALYSIS OF A SHORT PULSE RADAR SURVEY OF REVETMENTS ALONG THE MISSISSIPPI RIVER.
Arcone, S A , Oct 1989, CS-26, 20p
44-3199
BOTTOM TOPOGRAPHY, RADAR ECHOES, HYDRAULIC STRUCTURES, RIVERS, SUBSURFACE INVESTIGATIONS, BOTTOM SEDIMENT, SHORE EROSION, WAVE PROPAGATION, REFLECTIVITY, REMOTE SENSING.

MP 2693
SEA ICE THICKNESS MEASUREMENT USING A DOWN-SIZED AIRBORNE ELECTROMAGNETIC-SOUNDING SYSTEM.
Kovacs, A., et al, Dec 1989, SR 89-39, Arctic Technology Workshop, Hanover, NH, June 20-23, 1989. Proceedings. Edited by J. Richter-Menge, W.B. Tucker III and M.M Kleinerman, p.394-424, ADB-141 754, 24 refs.
Holladay, J S.
44-3159
ICE COVER THICKNESS, SEA ICE, MEASURING INSTRUMENTS, ELECTROMAGNETIC PROSPECTING, SOUNDING, ICE STRENGTH, PRESSURE RIDGES, SNOW DEPTH, AIRBORNE EQUIPMENT, SEA WATER, ICE FLOES.
Recent developments to improve electromagnetic induction-measurement technology and to down size the related helicopter towed antenna assembly for use in airborne measurement of sea ice thickness are discussed as are the results from arctic field testing The findings indicate that with further system improvement the day of routine sea ice thickness profiling from an airborne platform is close at hand as is the apparent capability to determine the conductivity of the sea ice from which an assessment of sea ice strength may be made

MP 2694
***IN-SITU* SAMPLING AND CHARACTERIZATION OF FRAZIL ICE DEPOSITS.**
Lawson, D E., et al, Feb. 1990, 17(3), p 193-205, 27 refs.
Brockett, B.E.
44-3294
FRAZIL ICE, RIVER ICE, ICE SAMPLING, ICE COVER, ICE CONDITIONS.
Three new samplers were developed for detailed analysis of the three-dimensional characteristics of frazil ice deposits beneath an ice cover. These samplers obtain *in-situ* bulk, hollow core and flat plate samples of the deposits through 200-mm-diameter access holes The samples provide information on a deposit's internal structure, stratigraphy and sedimentology, geometry and physical properties, and lateral and vertical variabilities of each When used as part of a comprehensive field program, the data provide information required for interpreting mechanisms of frazil transport and deposition, and for analyzing the dynamic interaction of frazil deposits with winter river processes

MP 2695
QUASI-STEADY PROBLEMS IN FREEZING SOILS: 1. ANALYSIS ON THE STEADY GROWTH OF AN ICE LAYER.
Nakano, Y , Feb 1990, 17(3), p.207-226, 30 refs.
44-3295
SOIL FREEZING, FROST HEAVE, ICE GROWTH, SOIL WATER MIGRATION, ANALYSIS (MATHEMATICS), GROUND ICE.
The steady growth of a segregated ice layer in freezing soils is studied mathematically under three distinct and representative hypotheses on the properties of the frozen fringe, chosen among many such hypotheses reported in the literature. It was found that the condition of steady growth is determined by the temperature gradient in the unfrozen part of the soil at the 0 (C) isotherm and the temperature gradient in the ice layer at the interface between the ice layer and the frozen fringe in all three hypothetical models studied The transport equation of water in the frozen fringe was found to be the major factor determining the condition of steady growth This is the first of a two-part presentation on the subject, the experimental aspects of the study will be presented in a second paper

MP 2696
PROSPECTS FOR MEASURING PATH-AVERAGED TURBULENT HEAT FLUXES USING SCINTILLATION AT THREE WAVELENGTHS.
Andreas, E L., Symposium on Turbulence and Diffusion, 9th, Roskilde, Denmark, Apr. 30-May 3, 1990. Preprint volume, Boston, American Meteorological Society, (1990), p.74-77, 13 refs.
44-3355
HEAT FLUX, ATMOSPHERIC ATTENUATION, SCINTILLATION, TURBULENCE, AIR TEMPERATURE, HUMIDITY, PROPAGATION, ANALYSIS (MATHEMATICS).

MP 2697
CONCURRENT REMOTE SENSING OF ARCTIC SEA ICE FROM SUBMARINE AND AIRCRAFT.
Wadhams, P., et al, Studies of sea ice thickness and characteristics from an arctic submarine cruise. Phase 3, Cambridge, England, SAIC Polar Oceans Associates, Sep. 4, 1989, 20p., ADA-216 738, Included in Appendix 4. 6 refs.
Comiso, J.C., Cowan, A.M., Crawford, J., Jackson, G., Krabill, W.B., Kutz, R., Sear, C.B., Swift, R N., Tucker, W.B.
44-3376
SEA ICE, ICE BOTTOM SURFACE, ICE COVER THICKNESS, ICE SURFACE, REMOTE SENSING, SUBGLACIAL OBSERVATIONS, AIRBORNE RADAR.

MP 2698
SIGNAL-PROCESSING ALGORITHM FOR THE EXTRACTION OF THIN FRESHWATER-ICE THICKNESS FROM SHORT PULSE RADAR DATA.
Riek, L., et al, Jan. 1990, 28(1), p.137-145, 18 refs.
Crane, R.K., O'Neill, K.
44-3394
ICE COVER THICKNESS, MEASUREMENT, RADAR ECHOES, MATHEMATICAL MODELS, DATA PROCESSING, SCATTERING, RIVER ICE, LAKE ICE, ACCURACY, LAYERS, SURFACE ROUGHNESS, ELECTROMAGNETIC WAVES.

MP 2699
SATELLITE-BORNE REMOTE SENSING AND LARGE-SCALE PROGRAMS FOR THE ARCTIC SEAS IN THE 1990S.
Weeks, W.F., et al, Conference of the Comité Arctique International, 6th, Fairbanks, AK, May 13-15, 1985 Proceedings. Edited by L. Rey and V Alexander, Leiden, Netherlands, E J. Brill, 1989, p.510-530, 31 refs.
Baker, D.J.
44-3433
SEA ICE DISTRIBUTION, REMOTE SENSING, SPACEBORNE PHOTOGRAPHY, ICE SURVEYS, MARINE BIOLOGY, ICE CONDITIONS, ICE EDGE, RESEARCH PROJECTS.
The following paper describes several broad scientific and engineering problems related to geophysical aspects of the environment of the arctic seas, the application of satellite-based remote sensing systems in such studies, descriptions of proposed experiments, and finally approaches that could lead to the inclusion of more biological science in these physical science programs

MP 2701
TRANSPORT OF WATER DUE TO A TEMPERATURE GRADIENT IN UNSATURATED FROZEN CLAY.
Nakano, Y., et al, Apr. 1990, 18(1), p.57-75, 20 refs.
Tice, A.R.
44-3540
SOIL FREEZING, WATER TRANSPORT, UNFROZEN WATER CONTENT, TEMPERATURE GRADIENTS, SOIL TEMPERATURE, SOIL TESTS, CLAYS, ANALYSIS (MATHEMATICS), SEEPAGE.
The net flux of water in a fine-grained soil column is given Under this assumption a new experimental method was introduced to determine certain soil properties

MP 2702
DEVELOPMENT OF AN UNDERWATER FRAZIL-ICE DETECTOR.
Daly, S.F., et al, Apr 1990, 18(1), p 77-82, 7 refs.
Rand, J.H.
44-3541
ICE DETECTION, FRAZIL ICE, UNDERWATER ICE, WATER INTAKES, MEASURING INSTRUMENTS, WATER FLOW, FLOW MEASUREMENT, ELECTRICAL RESISTIVITY, HYDRAULIC STRUCTURES, DESIGN, FLOW RATE, REMOTE SENSING.
A new underwater frazil-ice detector developed at USACRREL is described The detector can operate remotely and independently It can automatically start de-icing procedures and alert operators to the presence of frazil The detector operates by measuring the flow rate through a small intake screen upon which frazil ice can accumulate The intake screen is, in effect, a miniature trash rack that will freeze up much sooner than the actual trash rack. The detector was tested in the laboratory and in the field with good results, it is economical, and is built largely with off-the-shelf items

MP 2703
FRICTION LOSS THROUGH A UNIFORM SNOW LAYER.
Yen, Y.C., Apr. 1990, 18(1), p.83-90, 9 refs.
44-3542
SNOW PERMEABILITY, AIR FLOW, MASS FLOW, SNOW DENSITY, INTERNAL FRICTION, SNOW THERMAL PROPERTIES, VAPOR PRESSURE, AIR SNOW INTERFACE, SNOW STRUCTURE, FLUID FLOW, HEAT LOSS.
An experimental study covering a mass flow rate of air ranging from .00162 to .0675 kg/sq m/m and for snow density varying from 377 to 472 kg/cu m has been conducted Pressure drops of 1 176 to 281 1 N/sq m were recorded A plot of friction factor f (sub p) and Re (sub p) (defined analogously as the friction factor f and the classical Reynolds number Re for fluid flow through conduits) showed a good representation of all the experimental data.

MP 2704
SEA ICE THICKNESS VERSUS IMPULSE RADAR TIME-OF-FLIGHT DATA.
Kovacs, A., et al, Apr. 1990, 18(1), p.91-98, 1 ref.
Morey, R.M.
44-3543
SEA ICE, ICE COVER THICKNESS, RADAR ECHOES, SNOW DEPTH, MEASUREMENT, SNOW COVER, ICE ELECTRICAL PROPERTIES, DIELECTRIC PROPERTIES, ELECTROMAGNETIC WAVES, ICE FLOES, REFLECTIVITY.
Two second-year sea ice floes were probed using "impulse" radar sounding and direct drilling methods The resulting two-way time-of-flight of the impulse radar EM wavelet, traveling from the surface to the ice "bottom" and back to the surface, was compared with snow and ice thickness data obtained from a drill hole From this comparison, simple relationships are presented that provide an estimate of the thickness of sea ice, between about 1 and 8 m thick, with or without a snow cover The data revealed that the apparent dielectric constant of the sea ice decreased with increasing ice thickness, from a value of about 7 for ice 1 m thick, to about 3.5 for ice 6 m thick.

MP 2705
DENSITY OF NATURAL ICE ACCRETIONS RELATED TO NONDIMENSIONAL ICING PARAMETERS.
Jones, K.F, Jan 1990, 116B(492), p.477-496, 21 refs.
44-3570
ICE ACCRETION, ICE DENSITY, ICE MODELS, HOARFROST, MATHEMATICAL MODELS, SURFACE TEMPERATURE, WIND VELOCITY, CLOUD DROPLETS.

MP 2706
WATER AND SUSPENDED SOLIDS DISCHARGE DURING SNOWMELT IN A DISCONTINUOUS PERMAFROST BASIN.
Chacho, E.F., Jr., Permafrost Canada: Proceedings of the Fifth Canadian Permafrost Conference, Quebec, Centre d'études nordiques, l'Université Laval, 1989, p.167-173, With French summary. 11 refs.
44-3659
DISCONTINUOUS PERMAFROST, SUSPENDED SEDIMENTS, SNOWMELT, UNITED STATES—ALASKA—FAIRBANKS.
For the 1985 snowmelt runoff season, discharge, specific conductance and total suspended solids are compared on Glenn Creek, located near Fairbanks, AK, and underlain by permafrost Discharge was measured continuously, and specific conductance and total suspended solids concentration were measured at 2-hour intervals over the entire snowmelt season Specific conductance decreased rapidly following initial streamflow and after 6 days reached a minimum, which held nearly constant for the remainder of the snowmelt runoff season Suspended solids concentration was less than 50 mg/l over the entire rising limb of the seasonal snowmelt hydrograph and, with the exception of a small spike of 166 mg/l on the day of the peak discharge, remained low until the third day following the peak discharge At that time, although discharge had dropped to 33% of the peak flow, a rapid flushing of the channel occurred, with solids concentration rising from less than 50 mg/l to 1337 mg/l in a single day The flushing period lasted four days, during which time diurnal fluctuations in concentration were well defined, with peak values decreasing daily until on the fifth day the peak concentration was under 200 mg/l By using water temperature data collected in 1983, the diurnal fluctuations in solids concentration and water temperature are shown to be consistent.

MP 2707
DOMINION RANGE ICE CORE, QUEEN MAUD MOUNTAINS, ANTARCTICA—GENERAL SITE AND CORE CHARACTERISTICS WITH IMPLICATIONS.
Mayewski, P.A., et al, 1990, 36(122), p.11-16, 17 refs.
Twickler, M.S., Lyons, W.B., Spencer, M.H., Meese, D.A., Gow, A.J., Grootes, P.M., Sowers, T., Watson, M.S., Saltzman, E.
44-3716
ICE CORES, DRILL CORE ANALYSIS, GLACIER ICE, ICE COMPOSITION, ICE SAMPLING, ICE COVER THICKNESS, ISOTOPE ANALYSIS, ICE CRYSTAL STRUCTURE, CLIMATIC CHANGE, ICE TEMPERATURE, ANTARCTICA—QUEEN MAUD MOUNTAINS.
The Transantarctic Mountains of East Antarctica provide a new milieu for retrieval of ice-core records. Here are reported the initial findings from the first of these records, the Dominion Range ice-core record. Sites such as the Dominion Range are valuable for the recovery of records detailing climate change, volcanic activity, and changes in the chemistry of the atmosphere. The unique geographic location of this site and a relatively low accumulation rate combine to provide a relatively long record of change for this potentially sensitive climatic region As such, information concerning the site and general core characteristics are presented, including ice surface, ice thickness, bore-hole temperature, mean annual net accumulation, crystal size, crystal fabric, oxygen-isotope composition, and examples of ice chemistry and isotopic composition of trapped gases. (Auth)

MP 2708
UNUSUAL JÖKULHLAUP INVOLVING POTHOLES ON BLACK RAPIDS GLACIER, ALASKA RANGE, ALASKA, U.S.A.
Sturm, M., et al, 1990, 36(122), p.125-126, 3 refs.
Cosgrove, D.M.
44-3731
GLACIER SURFACES, SUBGLACIAL DRAINAGE, SURFACE DRAINAGE, WATER FLOW, GLACIAL LAKES, SURFACE STRUCTURE, HYDRAULIC STRUCTURES, UNITED STATES—ALASKA.

MP 2709
US GLOBAL ICE CORE RESEARCH PROGRAM WEST ANTARCTICA AND BEYOND.
Grootes, P.M., et al, U.S. National Science Foundation, Ice Core Working Group, Dec. 1989, 32p.
Gow, A.J.
44-3738
CLIMATIC CHANGES, RESEARCH PROJECTS, ICE CORES, DRILL CORE ANALYSIS, PALEOCLIMATOLOGY, PALEOECOLOGY, GREENLAND, ANTARCTICA.
The Ice Core Working Group, sponsored by the U.S. National Science Foundation, recommends that the NSF fund ice core research for the 1990s in Greenland and West Antarctica, to study climatic changes back to 125,000 years ago.

MP 2710
HYDRAULIC MODEL OF OVERLAND FLOW ON GRASS COVERED SLOPES.
Adrian, D.D., et al, International Conference for Centennial of Manning's Formula and Kuichling's Rational Formula, Charlottesville, VA, May 22-26, 1989. Proceedings. Channel flow and catchment runoff. Edited by B.C. Yen, American Society of Civil Engineers, 1989, p.569-578, 14 refs.
Martel, C.J.
44-3744
SLOPES, WATER FLOW, SURFACE DRAINAGE, WATER TREATMENT, GRASSES, WASTE TREATMENT, LAMINAR FLOW, ANALYSIS (MATHEMATICS), SLOPE ORIENTATION, MODELS, FLOW RATE, HYDRAULICS, SURFACE PROPERTIES.
The overland flow system involves applying wastewater to the upper elevation of a carefully prepared grassed slope The wastewater flows down the surface of the slope through the grass, it is collected at the bottom of the slope and may be discharged to a stream or, perhaps, to a rapid infiltration site. While flowing down the slope, some loss in volume occurs due to evapotranspiration and infiltration, although these losses are usually small due to the short length of slope employed and the impervious nature of soils which favor this method of treatment The hydraulics of shallow flow down wide grassed channels has received some attention when the flow regime is turbulent The U.S Environmental Protection Agency sponsored Storm Management Model uses the Manning equation to describe shallow overland flow, but this approach is suspect when the flow occurs in the laminar regime. Experimental measurements by the Corps of Engineers show that overland flow occurs in the laminar regime with the Reynolds number less than 226 based on depth of flow, which may be no more than 0 01 m, and less than 20 based on grass diameter, taken as 0 001 m A model of the hydraulic behavior of wastewater as it flows down the slope of an overland flow system is developed

MP 2711
PERFORMANCE OF AN OMNI-DIRECTIONAL WHEEL ON SNOW AND ICE.
Blaisdell, G.S., Feb. 1989, 21p. + appends., Prepared for Naval Coastal Systems Center, Panama city, FL. 7 refs.
44-3745
VEHICLE WHEELS, COLD WEATHER PERFORMANCE, TRACTION, AIRCRAFT LANDING AREAS, TIRES, DESIGN, RUBBER ICE FRICTION, VEHICLES.
A brief study was performed to investigate the suitability of service vehicles equipped with a unique omni-directional wheel operating aboard aircraft carriers in northern latitudes, where ice and snow on the flight deck is not uncommon This study addressed the comparative performance of the omni-directional wheel, a bias-ply highway tire as used on current Navy MD-3 aircraft tow vehicles, a typical non-pneumatic forklift truck tire, and an automotive radial-ply all-season tire. The tires were tested for driving traction levels on prepared ice, hard-packed snow, and fresh shallow snow. In general, the omni-directional wheel showed superior performance to the forklift truck tire and the bias-ply highway tire. The radial all-season tire, however, outperforms the omni-directional wheel in traction on slippery surfaces The omni-directional wheel was found to be well-behaved during traction testing and shows promise for operation on winter surfaces. Recommendations are provided that might further improve omni-directional wheel performance on snow and ice.

MP 2712
NEW APPROACH FOR SIZING RAPID INFILTRATION SYSTEMS (DISCUSSION AND CLOSURE).
Reed, S.C., et al, 1989, 115(4), p.879-882, 3 refs. For article being discussed see 42-2246.
Crites, R.W., Zirschky, J , Martel, J.
44-3746
SEEPAGE, SOIL WATER, WATER TREATMENT, DESIGN, WASTE TREATMENT, MUNICIPAL ENGINEERING, PERMEABILITY.

MP 2713
ANALYTICAL METHODS FOR DETECTING MILITARY-UNIQUE COMPOUNDS.
Jenkins, T.F., et al, 1989, 7(3), p.13-14.
Walsh, M.E.
44-3747
ENVIRONMENTAL TESTS, SOIL POLLUTION, EXPLOSIVES, CHEMICAL ANALYSIS, TEST EQUIPMENT, MOLECULAR STRUCTURE, LABORATORY TECHNIQUES, CHEMICAL PROPERTIES.

MP 2714
SLUDGE DEWATERING BY NATURAL FREEZE-THAW.
Martel, C.J., Solid/liquid separation: waste management and productivity enhancement. Edited by H.S. Muralidhara, Columbus, Battelle Press, 1990, p.116-122, 9 refs.
44-3750
SLUDGES, WASTE TREATMENT, FREEZE DRYING, FREEZE THAW TESTS, MOISTURE TRANSFER, DESIGN, WATER TREATMENT, DRAINAGE, CAPILLARITY, FREEZING.
Sludges are easily separated into solid and liquid fractions by freezing and thawing. Water and wastewater treatment plants in cold climate areas can take advantage of this process by freezing and thawing sludge during the winter and summer seasons in a new unit operation called a sludge freezing bed. The purpose of this study was to measure the dewaterability of freeze-thaw conditioned sludges and measure how well they drain at various depths Typical water treatment, anaerobically digested and aerobically digested sludges were tested. The main conclusion of this study was that up to 2.0 m of these sludges could be applied to a freezing bed

MP 2715
WHEELED VERSUS TRACKED VEHICLE SNOW MOBILITY TEST PROGRAM.
Green, C.E., et al, International Society for Terrain Vehicle Systems, Joint U.S.A.-Canada meeting, Victoria, British Columbia, Apr., 1989. International Society for Terrain Vehicle Systems, 1989, 19p.
Grimes, K., Blaisdell, G.L.
44-3759
VEHICLE WHEELS, VEHICLES, COLD WEATHER PERFORMANCE, SNOW COVER EFFECT, TESTS, TRACKED VEHICLES, TIRES, TRACTION, MILITARY RESEARCH, SNOW DENSITY.
The U.S. Army Cold Regions Research and Engineering Laboratory (CRREL) and the U.S. Army Engineer Waterways Experiment Station conducted snow mobility tests in Houghton, MI, during the period Jan through Mar., 1988 These tests were part of the first phase of a two year snow mobility program Wheeled and tracked vehicles were tested to (1) develop fundamental mobility relations between vehicle characteristics and snow properties, (2) to validate specific snow relations in CRREL's snow mobility model, and (3) to modify the model as necessary to improve its prediction accuracy and adapt it for use in the NATO Reference Mobility Model, Condensed Army Mobility Model, and the Army Mobility Model.

MP 2716
NONDESTRUCTIVE EVALUATION OF MOISTURE MIGRATION IN INSULATION MATERIAL UNDER PROLONGED EXPOSURE TO WATER.
Ayorinde, O.A., Defense Conference on Nondestructive Testing, 38th, San Antonio, TX, Oct. 31-Nov. 2, 1989. Proceedings, 1989, p.111-121, 3 refs.
44-3760
THERMAL INSULATION, MOISTURE DETECTION, ABSORPTION, TESTS, MATERIALS, MOISTURE TRANSFER, VAPOR BARRIERS, WATER CONTENT, GAMMA IRRADIATION, MEASURING INSTRUMENTS, TEST EQUIPMENT.
Nondestructive measurement and analysis of moisture absorption and migration in polyurethane insulation material subjected to a prolonged water exposure were performed using a dual-energy gamma-ray device The parameters influencing moisture absorption by a given type of insulation were found to include (a) the insulation density, (b) the insulation thickness, (c) the presence of a vapor barrier or jacket, (d) the type of insulation jacket and (e) the time of exposure to moisture With time, the variation of any of these factors would cause a change in moisture gradient across the insulation thickness For this investigation, the effects of the insulation thickness, exposure time to moisture and the presence of a vapor jacket were evaluated and quantified for polyurethane insulation. Also, a preliminary test was performed with a frozen polystyrene breadboard to evaluate the measurement accuracy by the gamma-ray method in determining nondestructively the insulation moisture content and profile.

MP 2717
INFLUENCE OF GROUND WATER MONITORING WELL CASINGS ON METALS AND ORGANIC COMPOUNDS IN WELL WATER.
Hewitt, A.D., et al, HAZTECH International '89, Fourth Annual Exhibition and Conference, Cincinnati, OH, Sep. 12-14, 1989. Proceedings. Hazardous waste and hazardous materials management, 1989, 9p., 14 refs.
Parker, L.V., Jenkins, T.F., Reynolds, C.M , Lang, K.T., Stutz, M.H.
44-3761
GROUND WATER, ENVIRONMENTAL TESTS, WELL CASINGS, WATER POLLUTION, CHEMICAL ANALYSIS, WELLS, WATER CHEMISTRY, LEACHING, STANDARDS, CORROSION, STEELS.
The purpose of these studies was to compare PVC, PTFE, SS 304 and SS 316 well casings for monitoring metals and organic compounds in well water Review of the literature revealed that these commonly used well casing materials had not been studied concurrently. These studies used well casings manufactured specifically for ground water monitoring and water obtained from a 76-m-deep domestic well in Weathersfield, VT. No attempt was made to maintain dissolved oxygen, carbon dioxide, temperature, pH or redox potential levels representative of ground water, and this undoubtedly had an effect on analyte speciation Because of these factors, the static laboratory conditions, and exposure of freshly cut surfaces on the well casings, the results will not quantitatively predict what might occur under field conditions. Nevertheless, since spiked analytes varied relative to the control by more than 10% after only 8 hours of exposure, and leaching experiments showed analyte concentrations greater than 5% of the present EPA drinking water quality standards, it is the authors' opinion that there is a basis for concern, especially for shallow wells with a slow recharge.

MP 2718
EVALUATION OF THE CATERPILLAR CHALLENGER TRACTOR FOR USE IN ANTARCTICA.
Blaisdell, G L., et al, Feb. 1989. 12p. + figs , Prepared for Division of Polar Programs. National Science Foundation.
Liston, R.A.
44-3762
TRACTORS, COLD WEATHER PERFORMANCE, MECHANICAL TESTS, TRACKED VEHICLES, TRACTION, SNOW COMPACTION, LOGISTICS, SURFACE PROPERTIES
The newly marketed Caterpillar agriculture tractor, called the Challenger 65, was evaluated in snow covered terrain to determine its potential as a prime mover for operations in Antarctica. Three vehicle configurations were tested with the standard belt, with the standard belt carrying studs, and with a specially constructed wide track to improve flotation Rolling resistance and drawbar pull were measured on ice, hard packed snow and in deep, relatively soft snow General handling and ride were evaluated qualitatively It was found that the tractor is rugged, well constructed, is easy to operate and has the normal ride quality associated with vehicles having short wheelbases. The results of the evaluation are very encouraging and led to the conclusion that the machine should receive serious consideration for application in the Antarctic for transport problems that may soon appear that involve the use of sled trains.

MP 2719
NONLINEAR PROBLEMS IN THE STUDY OF WATER MOVEMENT IN FROZEN SOILS.
Nakano, Y., Army Conference on Applied Mathematics and Computing, 6th. Transactions, U.S. Department of Defense, 1989, p.383-393, ARO Report 89-1, 14 refs.
44-3766
FROZEN GROUND MECHANICS, WATER TRANSPORT, WATER CONTENT, ANALYSIS (MATHEMATICS), UNFROZEN WATER CONTENT, MASS BALANCE, WATER VAPOR, PHASE TRANSFORMATIONS, TEMPERATURE GRADIENTS.

MP 2720
INFLUENCE OF CASING MATERIALS ON TRACE-LEVEL CHEMICALS IN WELL WATER.
Parker, L.V., et al, Spring 1990, 10(2), 11p., 26 refs.
Hewitt, A.D., Jenkins, T.F.
44-3774
WELL CASINGS, GROUND WATER, WATER POLLUTION, SOIL POLLUTION, WATER CHEMISTRY, CHEMICAL ANALYSIS.
Four well casing materials—polyvinyl chloride (PVC), polytetrafluoroethylene (PTFE), and stainless steel 304 (SS 304) and 316 (SS 316)—were examined to determine their suitability for monitoring inorganic and organic constitutents in well water. The inorganic study used a factorial design to test the effect of concentration of mixed metals (arsenic, chromium, lead, and cadmium), pH, and organic carbon The well casings were also tested for sorption/desorption of 10 organic substances

MP 2721
TECHNOLOGY TRANSFER.
Eaton, R., May 1990, 57(5), p.25.
44-3788
ROAD MAINTENANCE, EDUCATION, MUNICIPAL ENGINEERING.

MP 2722
REMOTE WATER-TEMPERATURE MEASUREMENT.
Daly, S., Aug. 24, 1989, No.1110-1-146, 6p.
44-3792
WATER TEMPERATURE, TEMPERATURE MEASUREMENT, MEASURING INSTRUMENTS, DESIGN, TELEMETERING EQUIPMENT, RIVER FLOW, REMOTE SENSING.
This article provides descriptive information on establishing a remote water-temperature measurement station The data can be recorded with a data logger on site or transmitted via a data collection platform (DCP) to a Geostationary Operational Environmental Satellite (GOES)

MP 2723
METHODS TO REDUCE ICE ACCUMULATION ON MITER GATE RECESS WALLS.
Rand, J H , et al, Aug 24, 1989, No.1110-2-320, 5p.
Hanamoto, B.
44-3793
LOCKS (WATERWAYS), WALLS, ICE PREVENTION, ELECTRIC HEATING, WATER FLOW, TESTS, DESIGN, ELECTRIC EQUIPMENT.
This article provides information on methods to reduce or eliminate ice accumulation on miter gate recess walls With reduced ice accumulation, the miter gates can be completely recessed, thus preventing possible structural damage to the miter gates by lock traffic.

MP 2724
REDUCED WINTER LEAKAGE IN GATES WITH J-SEALS.
Rand, J.H , et al, Aug. 24, 1989, No 1110-2-319, 3p
Hanamoto, B.
44-3794
SPILLWAYS, LEAKAGE, ICE PREVENTION, ELECTRIC HEATING, WATER FLOW, DESIGN, COLD WEATHER OPERATION
This article provides information regarding reduced winter leakage of spillway gate seals, leading to reduced ice interference with gate operation, by means of installing heat tapes in hollow-chann J-seals on spillway gates

MP 2725
INTERNAL STRUCTURE, COMPOSITION AND PROPERTIES OF BRACKISH ICE FROM THE BAY OF BOTHNIA.
Weeks, W.F., et al, Feb. 1990, M 90-01, Sea Ice Properties and Processes; Proceedings of the W.F. Weeks Sea Ice Symposium, San Francisco, CA, Dec. 1988. Edited by S.F. Ackley and W.F. Weeks, p.5-15, ADA-221 723, 23 refs.
Gow, A.J., Kosloff, P., Digby-Argus, S.A.
44-3809
SEA ICE, ICE PHYSICS, ICE STRUCTURE, ICE COMPOSITION, REMOTE SENSING, RADAR ECHOES, FAST ICE, REMOTE SENSING, PACK ICE, ICE STRENGTH, ICE TEMPERATURE, SNOW ICE INTERFACE, ICE SALINITY, TENSILE PROPERTIES, BALTIC SEA—BOTHNIA, BAY.
Field observations made during the Mar. 1988 BEPERS (Bothnian Experiment in Preparation for ERS-1) remote sensing experiment allow limited characterizations of the temperature, salinity, structure and physical property profiles of the different types of brackish ice that forms in the Bay of Bothnia. During the sampling period, undeformed fast ice thicknesses varied from 40 to 60 cm in the bay to the east of Umeå, Sweden, with somewhat thicker ice occurring in the northernmost, nearly fresh, portions of the bay. Ice salinities were generally less than 1 per mill and the ice temperatures were usually higher than -3.5 C. Although most of the ice examined was simple columnar congelation ice, a variety of c-axis fabrics were observed, including random, vertical and horizontal (random and aligned) orientations. There was no obvious pattern to the geographic arrangement of these fabrics. Brine volume profiles are used to estimate representative ice property profiles. Comparisons are made between the properties of ice from the Bay of Bothnia and those of more typical sea ice from the Arctic Ocean at similar ice thicknesses. A variety of structural factors contributing to specific areas of higher radar return in the bay are also discussed.

MP 2726
SNOW COVER EFFECTS ON ANTARCTIC SEA ICE THICKNESS.
Ackley, S.F., et al, Feb. 1990, M 90-01, Sea Ice Properties and Processes; Proceedings of the W.F. Weeks Sea Ice Symposium, San Francisco, CA, Dec. 1988. Edited by S.F. Ackley and W.F. Weeks, p.16-21, ADA-221 723, 12 refs.
Lange, M.A., Wadhams, P.
44-3810
SEA ICE DISTRIBUTION, ICE COVER THICKNESS, SNOW COVER EFFECT, PACK ICE, ICE DENSITY, LOADS (FORCES), SNOW DEPTH, SURFACE PROPERTIES, MODELS, ANTARCTICA—WEDDELL SEA.
In model simulations of seasonal pack ice growth in both polar regions (e.g., Maykut and Untersteiner 1971, Semtner 1976, Hibler 1979), the snow cover is treated essentially as an insulating layer that inhibits ice growth because of its lower conductivity than pack ice. In the Winter Weddell Sea Project-86, on the cruise of the West German vessel *Polarstern*, several factors were found that negate this behavior predicted by the models. Relatively thin sea ice (40-60 cm) forms initially in Antarctica during the ice edge advance. Surface roughness features act as snow fences and, under the action of relatively high winds (40 knots in frequent storms), the snow cover is shifted around over periods of hours to a few days. Wind-blown snowdrifts build to 1 m or greater thicknesses in a few hours. Snow of this depth can easily depress the existing ice cover surface below sea level, and flooding of the snow cover followed by sub-freezing temperatures leads to a superimposed snow-ice layer on the top surface. The remaining snow cover is redistributed in the next storm within a few days to continue the process. Two sets of measurements showed the general nature of this process. The first, a series of 4000 ice thickness measurements, showed about 17% of the holes drilled had the ice surface at or below sea level at the time of the measurement, sometimes accompanied by slush pools on the surface. Sea ice cores analyzed for oxygen isotopes independently confirmed that the top 10-20 cm of the intact cores was derived from seawater-flooded snow in several cases. It was estimated that the snow cover increases mean sea ice thickness in Antarctica by 20-30% (10-20 cm) over model predictions by this flooding-infiltration-refreezing ice growth mechanism. (Auth.)

MP 2727
QUANTIFICATION OF SEA-ICE TEXTURES THROUGH AUTOMATED DIGITAL IMAGE ANALYSIS.
Eicken, H., et al, Feb. 1990, M 90-01, Sea Ice Properties and Processes; Proceedings of the W.F. Weeks Sea Ice Symposium, San Francisco, CA, Dec. 1988. Edited by S.F. Ackley and W.F. Weeks, p.28-32, ADA-221 723, 3 refs.
Lange, M.A., Ackley, S.F.
44-3812
SEA ICE, ICE PHYSICS, ICE CRYSTAL STRUCTURE, ICE FORMATION, METEOROLOGICAL FACTORS, OCEANOGRAPHY, GRAIN SIZE, PHOTOGRAPHY, COMPUTER APPLICATIONS, ANTARCTICA—WEDDELL SEA.
The physical and biological properties of sea ice are governed to a large extent by its texture. The texture of a sea-ice cover, on the other hand, is controlled by the meteorological and oceanographic conditions under which growth took place. Textural analysis can thus provide insight into the formation and development of sea ice, and at the same time it represents the central link between the evolution and the properties of an ice cover. Studies of sea-ice thin sections taken from the Weddell Sea have generally relied on subjective, qualitative evaluations of texture. Aside from c-axis distributions determined with a Rigsby stage, textural characteristics such as grain size or shape are usually not evaluated because the procedure is time-consuming (as is determination of c-axis distribution) or even impossible. The complex texture of sea ice—with intertwining grains of diverse shapes, numerous inclusions of brine and gases between and within grains, and sub-grain boundaries—often defies common notions of "grains," "grain size," etc. The introduction of automatic texture analysis might be helpful in overcoming the difficulties outlined above. The method allows quantification of textures, permitting direct comparison between large numbers of samples, which is difficult or impossible to achieve through qualitative examination. Automatic texture analysis also overcomes personal bias inherent in conventional methods by collecting and considering all the information (i.e., all gray values) available for one thin section. (Auth.)

MP 2728
CHEMICAL AND STRUCTURAL PROPERTIES OF SEA ICE IN THE SOUTHERN BEAUFORT SEA.
Meese, D.A., Feb. 1990, M 90-01, Sea Ice Properties and Processes; Proceedings of the W.F. Weeks Sea Ice Symposium, San Francisco, CA, Dec. 1988. Edited by S.F. Ackley and W.F. Weeks, p.32-35, ADA-221 723, 11 refs.
44-3813
SEA ICE, ICE STRUCTURE, ICE COMPOSITION, ICE CORES, CHEMICAL ANALYSIS, ICE SALINITY, SEA WATER.
Detailed chemical and structural profiles were determined for 10 first-year and 10 multiyear ice cores collected in the southern Beaufort Sea during Apr. and May 1986 and 1987. Concentrations of Cl, Br and SO4 were determined with a Dionex ion chromatograph using standard techniques. An eluent of 1.125 mM sodium bicarbonate and 3.5 mM of sodium carbonate was used. Concentrations of Na, Ca, K and Mg were determined by atomic absorption spectrophotometry using standard techniques (Perkin-Elmer 1976). Nutrient analyses (PO4, SiO4, NO3, NO2 and NH4) were conducted following the techniques of Glibert and Loder (1977) on the 1986 samples and those of Whitledge et al. (1981) on the 1987 samples. Chlorophyll a analyses were conducted using the techniques of Strickland and Parsons (1972). Detailed descriptions of the analysis and blank studies can be found in Meese (1988). The objectives of the study included determination of what, if any, chemical and/or physical trends exist in sea ice in the southern Beaufort Sea and to determine the extent of chemical fractionation in the ice.

MP 2729
THEORETICAL ESTIMATES OF LIGHT REFLECTION AND TRANSMISSION BY SPATIALLY INHOMOGENEOUS AND TEMPORALLY VARYING ICE COVERS.
Perovich, D.K., Feb. 1990, M 90-01, Sea Ice Properties and Processes; Proceedings of the W.F. Weeks Sea Ice Symposium, San Francisco, CA, Dec. 1988. Edited by S.F. Ackley and W.F. Weeks, p.45-49, ADA-221 723, 11 refs.
44-3816
ICE SPECTROSCOPY, ICE OPTICS, LIGHT TRANSMISSION, REFLECTION, WAVE PROPAGATION, ABSORPTION, ICE THERMAL PROPERTIES, REMOTE SENSING, GEOPHYSICAL SURVEYS, THERMODYNAMICS, ICE COMPOSITION, ICE COVER THICKNESS, MODELS, SNOW DEPTH.
The reflection, absorption, and transmission of light at visible and near-infrared wavelengths is important for a number of geophysical problems. Light reflection is an important parameter in remote sensing studies, absorption is significant to ice thermodynamics, and transmission strongly influences biological activity in and under the ice. The focus on this paper is on the spectral (wavelength region 400-1000 nm) reflection and transmission of light by spatially inhomogeneous sea ice covers investigated using a two-stream, multilayer radiative transfer model. The model is computationally simple and utilizes available experimental data on the optical properties of sea ice. The ice cover is characterized as a layered medium composed of selections from nine distinct snow and ice types. Two cases are presented illustrating values of spectral albedo, transmittance, and transmitted PAR (photosynthetically active radiation) for a uniform ice cover as it melts and for a spatially inhomogeneous ice cover. The importance of ice thickness and surface conditions on the spectral reflected and transmitted radiation fields is demonstrated.

MP 2730
ACOUSTICAL AND MORPHOLOGICAL PROPERTIES OF UNDEFORMED SEA ICE: LABORATORY AND FIELD RESULTS.
Jezek, K.C., et al, Feb. 1990, M 90-01, Sea Ice Properties and Processes; Proceedings of the W.F. Weeks Sea Ice Symposium, San Francisco, CA, Dec. 1988. Edited by S.F. Ackley and W.F. Weeks, p.67-75, ADA-221 723, 9 refs.
Stanton, T.K., Gow, A.J., Lange, M.A.
44-3821
SEA ICE, ICE ACOUSTICS, ICE STRUCTURE, ICE GROWTH, REFLECTION, ICE SALINITY, ICE CRYSTAL STRUCTURE, LAKE ICE.
Sonar echo amplitude data have been collected at carrier frequencies of 188 and 120 kHz from the underside of different sea ice types. Histograms of normal incidence echo amplitudes were formed from over 90 samples of each ice type. Experiments were conducted on saline ice grown in an outdoor pond under relatively controlled conditions at CRREL and on the sea ice cover in the Fram Strait. Analysis shows marked variations (about a factor of 5) in the magnitude of the coherent reflection coefficients as congelation ice at the bottom of an ice sheet evolves from a growing dendritic interface to an ablating, thermally altered interface. Larger differences (about a factor of 10) are observed between growing congelation ice and slush ice, used to simulate frazil. These results indicate that important variations in acoustic regime exist in areas where different ice types are intermingled.

MP 2731
COMPARISON OF THE COMPRESSIVE STRENGTH OF ANTARCTIC FRAZIL ICE AND LABORATORY-GROWN COLUMNAR ICE.
Richter-Menge, J.A., et al, Feb. 1990, M 90-01, Sea Ice Properties and Processes; Proceedings of the W.F. Weeks Sea Ice Symposium, San Francisco, CA, Dec. 1988. Edited by S.F. Ackley and W.F. Weeks, p.79-84, ADA-221 723, 14 refs.
Ackley, S.F., Lange, M.A.
44-3823
FRAZIL ICE, ICE STRENGTH, COMPRESSIVE PROPERTIES, SEA ICE, STRAIN TESTS, ICE CRYSTAL STRUCTURE, GRAIN SIZE, TESTS, ICE MICROSTRUCTURE, STRESSES, ANTARCTICA—WEDDELL SEA.
Unconfined, uniaxial compression tests were performed on frazil sea ice samples collected in the Weddell Sea. The tests were done at a constant strain rate of 1/100 1/s and at temperatures of -3, -5 and -10 C. Data from the frazil ice tests were compared to results from tests done under the same conditions on transversely isotropic, columnar saline ice. The approximate grain sizes of the frazil and columnar ice were 1 and 10 mm, respectively. The results of this work indicate that the frazil ice generally has a higher strength than columnar ice loaded in the plane of the sheet. Tests done by other researchers on freshwater, equiaxed polycrystalline ice have also shown the compressive strength to vary inversely with grain size. Application of this relationship to the sea ice tested indicates that the results from these freshwater ice tests at a strain rate of 1/100 1/s cannot be directly extended to explain the variation in compressive strength between the frazil and columnar sea ice. It is speculated that this may be due to 1) the influence that the increased ductility of sea ice has on the relationship between strength and grain size at 1/100 1/s, 2) that another microstructural parameter (e.g., the thickness of the ice between brine inclusions) may be the controlling factor in determining sea ice strength, or 3) that the dominant mechanisms driving deformation vary with each ice type. (Auth.)

MP 2732
SEA ICE: A HABITAT FOR THE FORAMINIFER *NEOGLOBOQUADRINA PACHYDERMA?.*
Dieckmann, G., et al, Feb. 1990, M 90-01, Sea Ice Properties and Processes; Proceedings of the W.F. Weeks Sea Ice Symposium, San Francisco, CA, Dec. 1988. Edited by S.F. Ackley and W.F. Weeks, p.86-92, ADA-221 723, 22 refs.
Spindler, M., Lange, M.A., Ackley, S.F., Eicken, H.
44-3824
SEA ICE, MARINE BIOLOGY, MICROBIOLOGY, ICE GROWTH, ECOLOGY, BIOMASS, BACTERIA, ICE COMPOSITION, SEA WATER, PACK ICE, ICE COVER THICKNESS, ICE CORES, ANTARCTICA—WEDDELL SEA.
A report is given on a large-scale survey of the Weddell Sea pack ice and water column carried out during the Winter

Weddell Sea Project 1986 (WWSP '86) from midwinter to austral spring. It was concluded that the incorporation of *Neogloboquadrina pachyderma* into sea ice is related to ice formation processes, and that their incorporation into the ice is not necessarily accidental but may indicate an overwintering strategy. These observations can have implications for the use of *N. pachyderma* as a marker for water masses, since foraminifers growing in the ice may have a different isotopic configuration from those living in seawater only. (Auth mod.)

MP 2733

LIDAR DETECTION OF LEADS IN ARCTIC SEA ICE.

Schnell, R.C., et al, Feb. 1990, M 90-01, Sea Ice Properties and Processes; Proceedings of the W.F. Weeks Sea Ice Symposium, San Francisco, CA, Dec. 1988. Edited by S.F. Ackley and W.F. Weeks, p.119-123, ADA-221 723, 19 refs.

Barry, R.G., Miles, M.W., Andreas, E.L., Radke, L.F., Brock, C.A., McCormick, M.P., Moore, J.L.

44-3833

SEA ICE, STREAMS, REMOTE SENSING, ICE STRUCTURE, MARINE METEOROLOGY, RADIATION BALANCE, LIDAR, MODELS, HEAT TRANSFER, MOISTURE TRANSFER, SEASONAL VARIATIONS, BACKSCATTERING, DETECTION.

Remote sensing using an airborne infrared lidar has shown an unexpected capability to detect open leads (linear openings) in arctic sea ice and their associated meteorology in winter. It is shown that vertical profiles of backscattered radiation demonstrate strong returns from hydrometeor plumes originating from leads having a surface water temperature near -1.8 C. Recently refrozen leads are also distinguishable by the lidar backscatter from adjacent thicker, older sea ice. Wide leads release enough energy to create buoyant plumes which penetrate the arctic boundary layer inversion, transporting heat and moisture into the troposphere. These results show that the role of the Arctic as a global heat sink may need to be re-evaluated, and that lead plumes have a significant effect on the radiation budget.

MP 2734

WIND-GENERATED POLYNYAS OFF THE COASTS OF THE BERING SEA ISLANDS.

Kozo, T.L., et al, Feb. 1990, M 90-01, Sea Ice Properties and Processes; Proceedings of the W.F. Weeks Sea Ice Symposium, San Francisco, CA, Dec. 1988. Edited by S.F. Ackley and W.F. Weeks, p.126-132, ADA-221 723, 15 refs.

Farmer, L.D., Welsh, J.P.

44-3835

POLYNYAS, WIND FACTORS, SEA ICE, ICE MECHANICS, LATENT HEAT, CLIMATIC FACTORS, DISTRIBUTION, DRIFT, BERING SEA.

The relationship of winds derived from mesoscale meteorological networks to polynya sizes and orientations was investigated. Defense Meteorological Satellite Program imagery was merged with atmospheric pressure network data from the Bering Sea for Mar. 1988. During the month, wind systems drove sea ice southward, creating and maintaining polynyas south of St. Lawrence, St. Matthew, and Nunivak Islands. Existing land stations, the deployment of a moored pressure buoy south of the ice edge, and a new automated weather station on St. Matthew Island have allowed the "creation" of meso-networks that surround these lee-shore polynyas. This analysis (rather than synoptic) has shown that polynya lengths and orientations can be simply related to the mesonet computed geostrophic winds. The typical time lag between the onset of a geostrophic wind and the appearance of "windsock" type tracking of the polynyas is 24 hours.

MP 2735

RECENT MEASUREMENTS OF SEA ICE TOPOGRAPHY IN THE EASTERN ARCTIC.

Krabill, W.B., et al, Feb. 1990, M 90-01, Sea Ice Properties and Processes; Proceedings of the W.F. Weeks Sea Ice Symposium, San Francisco, CA, Dec. 1988. Edited by S.F. Ackley and W.F. Weeks, p.132-136, ADA-221 723, 8 refs.

Swift, R.N., Tucker, W.B.

44-3836

SEA ICE, TOPOGRAPHY, ICE SURFACE, REMOTE SENSING, LIDAR, SURFACE ROUGHNESS, PRESSURE RIDGES, PHOTOGRAPHY.

During a multinational remote sensing experiment in May 1987, the NASA Airborne Oceanographic Lidar (AOL) was used to collect profiles of the sea ice surface topography in the eastern Arctic. A Global Positioning System (GPS) receiver was used to provide aircraft positioning to an accuracy of about 50 m. The AOL is a pulsed laser that provides a profile free of phase shift discontinuities common to continuous wave lasers. Similar to other laser data, however, the aircraft altitude variation requires removal from the profile prior to calculation of the ice surface roughness statistics. As with previous data, there remains an uncertainty as to the freeboard level of the ice after the aircraft motion has been removed, thus small-scale roughness statistics are considered unreliable. However, statistics of pressure ridges can be generated with confidence. The statistical results of ridges from this data set consisting mainly of ridge height and frequency distributions, compare well with previous results obtained from this area of the Arctic. Consistent with previous findings, the AOL data indicate that while the regional mean ridge heights from the area north of Greenland are similar to those reported for other parts of the Arctic, the average kilometer contains substantially more ridges than have been observed in other Arctic locations.

MP 2736

ANTARCTIC ICE SHEET BRIGHTNESS TEMPERATURE VARIATIONS.

Jezek, K.C., et al, Feb. 1990, M 90-01, Sea Ice Properties and Processes; Proceedings of the W.F. Weeks Sea Ice Symposium, San Francisco, CA, Dec. 1988. Edited by S.F. Ackley and W.F. Weeks, p.217-222, ADA-221 723, 11 refs.

Cavalieri, D.J., Hogan, A.W.

44-3854

ICE SHEETS, GEOPHYSICAL SURVEYS, MICROWAVES, RADIOMETRY, REMOTE SENSING, ICE TEMPERATURE, ICE SURFACE, BRIGHTNESS, POLARIZATION (WAVES), ICE ELECTRICAL PROPERTIES, AIR TEMPERATURE.

In this paper the possibility of extracting geophysical information about the great ice sheets from passive microwave data is explored. This work was stimulated by calculations done by Zwally (1977) who showed that typical snow grain sizes at the surface of the ice sheet measurably influence the microwave emissivity of the near surface. This result led to speculation that ice-sheet-wide accumulation rates could be estimated by using empirical relations between grain size and accumulation rate, but little quantitative progress has been made towards that goal using single channel radiometer data alone. Data from the Scanning Multichannel Microwave Radiometer are now in a convenient format for analysis, prompting us to perform a qualitative analysis of the 18- and 37-GHz vertically and horizontally polarized data in the context of Zwally's earlier work. An additional premise of the investigation is that this analysis can be simplified by hypothesizing that large-scale glaciologic regimes have characteristic surfaces controlled by local environmental conditions. In turn, characteristic surface properties contribute to unique microwave signatures. To test whether a segmentation of the SMMR data set into particular glacial regimes could be used to identify differences between the physical properties of each regime, mean monthly brightness temperatures were examined at 18- and 37-GHz for both horizontal and vertical polarizations over five areas. Measurable differences were found between brightness temperature trends for the different areas that were attributed, in part, to fluctuations in the large-scale surface temperature field of the ice sheet. (Auth.)

MP 2737

AIRBORNE SEA ICE THICKNESS SOUNDING.

Kovacs, A., et al, Feb. 1990, M 90-01, Sea Ice Properties and Processes, Proceedings of the W.F. Weeks Sea Ice Symposium, San Francisco, CA, Dec. 1988. Edited by S.F. Ackley and W.F. Weeks, p.225-229, ADA-221 723, 7 refs.

Holladay, J.S.

44-3855

ICE COVER THICKNESS, SEA ICE, AIRBORNE EQUIPMENT, ELECTROMAGNETIC PROSPECTING, SOUNDING, REMOTE SENSING, RADAR ECHOES, BOREHOLES, SNOW DEPTH, ICE FLOES, PRESSURE RIDGES.

Results from the use of airborne electromagnetic induction technology for profiling sea ice thickness are presented. The airborne sea ice thickness soundings indicated that the thickness could be estimated but the resolution decreased as the ice became rough. However, it was found that the average ice thickness estimated by airborne electromagnetic sounding for a given flight track was in reasonable agreement with the average ice thickness determined by direct drill hole measurement. Examples of the ice thickness profiles obtained by airborne sounding and direct drill hole sounding are presented and compared. Future development of the airborne system is discussed.

MP 2738

CAVITATING FLUID SEA ICE MODEL.

Flato, G.M., et al, Feb. 1990, M 90-01, Sea Ice Properties and Processes; Proceedings of the W.F. Weeks Sea Ice Symposium, San Francisco, CA, Dec. 1988. Edited by S.F. Ackley and W.F. Weeks, p.239-242, ADA-221 723, 3 refs.

Hibler, W.D., III.

44-3858

ICE MODELS, SEA ICE, CAVITATION, OCEANS, CLIMATIC CHANGES, ICE COVER EFFECT, RHEOLOGY, SEA WATER, ICE COVER THICKNESS, FLUID DYNAMICS, ICE MECHANICS.

The motivation for the present work is the development of a sea ice rheology parameterization that retains most of the essential physics of large-scale drift, yet is conceptually simple and computationally fast enough to be useful for long-term climate studies. The approach is to reformulate the velocity correction method of Sikiforos et al (1967) and Parkinson and Washington (1979) and obtain the so-called cavitating fluid rheology. The rationale is that pack ice can be viewed as a two-phase medium (in two dimensions), one phase being ice and the other open water. The open water phase is considered to have no strength and so convergence will reduce the area of open water. The ice phase has some strength and so convergence is restricted if no open water is present. Divergence, on the other hand, is unhindered and causes open water to be created. In the model discussed here, the ice pack is assumed to have no shear strength which, although counterintuitive, has certain advantages first, the model is much simpler, and second, a more robust (and realistic) circulation of the ice is maintained for wind fields averaged over periods of days or weeks. By incorporating the cavitating fluid rheology into a complete dynamic-thermodynamic sea ice model and performing several three year simulations of the arctic sea ice cover, the effect of various parameters and time step lengths can be evaluated. Comparison with the more complete viscous-plastic model of Hibler (1979), which includes shear strength, yields insight into the effects of this simplified parameterization.

MP 2739

ON MODELING THE BAROCLINIC ADJUSTMENT OF THE ARCTIC OCEAN.

Hibler, W.D., III, Feb. 1990, M 90-01, Sea Ice Properties and Processes; Proceedings of the W.F. Weeks Sea Ice Symposium, San Francisco, CA, Dec. 1988. Edited by S.F. Ackley and W.F. Weeks, p.247-250, ADA-221 723, 3 refs.

44-3860

OCEAN CURRENTS, ICE MECHANICS, DRIFT, BOTTOM TOPOGRAPHY, MATHEMATICAL MODELS, WIND FACTORS, SALINITY, WATER TEMPERATURE, PRESSURE.

MP 2740

OCEANIC HEAT FLUX IN THE FRAM STRAIT MEASURED BY A DRIFTING BUOY.

Perovich, D.K., et al, Feb. 1990, M 90-01, Sea Ice Properties and Processes; Proceedings of the W.F. Weeks Sea Ice Symposium, San Francisco, CA, Dec. 1988. Edited by S.F. Ackley and W.F. Weeks, p.291-296, ADA-221 723, 14 refs.

Tucker, W.B., Krishfield, R.A.

44-3867

ICE TEMPERATURE, SEA ICE DISTRIBUTION, HEAT FLUX, ICE MELTING, SEA WATER, DRIFT STATIONS, ICE EDGE, ICE COVER EFFECT, ICE COVER THICKNESS, HEAT TRANSFER, THERMISTORS, WATER TEMPERATURE, LATENT HEAT.

Two thermistor strings were installed through the ice to measure ice temperatures and determine oceanic heat fluxes as the Arctic Environmental Drifting Buoy drifted from the Arctic Basin into the Greenland Sea. Ice temperature data between Dec 14, 1987 and Jan 2, 1988 were retrieved. During this period the AEDB progressed from approximately 81N 4'E to 77N 5'W. This constituted the most rapid displacement of the entire drift, coinciding with the entry of the floe into the marginal ice zone of Fram Strait. Once in the MIZ, water temperatures increased, most notably at a depth of 16 m, where values changed from -1.8 C to more than 2 C. Bottom ablation rates of 34 mm/day were observed between 21 and 28 Dec. During this excursion into warmer water, the oceanic heat flux increased by a factor of 18, from 7W/sq m to 128W/sq m.

MP 2741

RADAR BACKSCATTER MEASUREMENTS OVER SALINE ICE.

Gogineni, S., et al, Apr 1990, 11(4), p.603-615, 16 refs.

Moore, R.K., Wang, Q., Gow, A.J., Onstott, R.G.

44-3901

ARTIFICIAL ICE, SEA ICE, MEASUREMENT, RADAR ECHOES, BACKSCATTERING, ICE SURFACE, ANTENNAS, ICE GROWTH, SNOW COVER EFFECT, SURFACE EFFECT, WAVE PROPAGATION.

During the 1984 and 1985 winter seasons, radar backscatter measurements were performed on artificial sea ice at the U.S. Army Cold Regions Research and Engineering Laboratory (CRREL) at Hanover, NH. Radar data were collected at selected frequencies in the 4-17 GHz region for incidence angles from 0 to 60 deg with like and cross polarizations. These measurements were performed on smooth, tough, bare and snow-covered saline ice and open water. Backscattering from ice increased with its thickness until the ice was about 1 cm thick and then decreased gradually with further growth. Rough ice and snow-covered ice gave similar returns at 13.6 GHz, but the scattering coefficients of snow-covered ice were lower than that of rough ice at 9.6 GHz. Depolarized scattering from smooth, thin ice and water were much lower than from rough ice and snow-covered ice.

MP 2742

ANTIFREEZE ADMIXTURES FOR COLD WEATHER CONCRETING. PRELIMINARY TEST RESULTS.

Korhonen, C.J., et al, 1990, 8p., 10 refs. Presented at the American Concrete Institute Spring Convention, Toronto, Canada, Mar. 18-23, 1990.

Cortez, E.R.

44-3915

CONCRETE ADMIXTURES, WINTER CONCRETING, ANTIFREEZES, CONCRETE FREEZING, CONCRETE STRENGTH.

Winter concreting practices in the United States are geared toward assuring that fresh concrete never freezes Foreign literature points out that chemical admixtures can be used to depress the freezing point of water while permitting the cement to hydrate. Information about various chemical admixtures, based on an extensive literature survey and the results from an ongoing laboratory test program, is presented. At 20, -5 and -10C, an aqueous solution of sodium nitrite/calcium nitrite and a solution of sodium nitrite/potassium carbonate performed well in strength tests

MP 2743
SALTING-OUT SOLVENT EXTRACTION FOR PRECONCENTRATION OF NEUTRAL ORGANIC SOLUTES FROM WATER.
Leggett, D.C., et al, July 1, 1990, 62(13), p 1355-1356, 9 refs.
Jenkins, T.F., Miyares, P.H.
44-3922
WATER CHEMISTRY, LABORATORY TECHNIQUES, CHEMICAL ANALYSIS, CHEMICAL COMPOSITION, SOLUBILITY, CHEMISTRY

It appears there has been very little exploitation of salting out with water-miscible solvents for extraction of organic solutes from water Although this technique is known to many chemists, we found no specific literature references to salting-out of organic compounds as a prelude to their determination in water, save one recent abstract This technique has, however, been used for a number of years for extraction of metal-chelates into organic solvents prior to atomic absorption, high-performance liquid chromatography, polarographic, or colorimetric analysis. So, although we freely acknowledge that the technique itself is not new, we do feel that its potential applications in organic trace analysis of water have not been properly appreciated or utilized. We describe here just one of many possible examples, which has found considerable utility in our laboratory.

MP 2744
FIELD ASSESSMENT OF FISHERIES HABITAT-ENHANCEMENT STRUCTURES IN BINGO BROOK, VERMONT, AFTER THE SPRING 1989 ICE RUN.
Calkins, D.J., et al, International Association of Hydrological Sciences Congress, 23th, Ottawa, Ontario, Aug. 22, 1989. Proceedings, [1989], 12p., 4 refs
Gatto, L.W., Brockett, B.E.
44-3923
HYDRAULIC STRUCTURES, STREAM FLOW, ICE BREAKUP, ICE COVER EFFECT, STABILITY, ICE CONDITIONS, ECOSYSTEMS, ROCKS.

Fisheries habitat-enhancement structures, such as flow deflectors, check dams, large boulders placed in-stream and woody-materials structures that diversify stream habitats, have not been evaluated to see if they can withstand river ice forces during ice runs and ice jams This paper assesses the first winter performance of such structures placed in Bingo Brook, a small stream in the Green Mountain National Forest, Vermont. Photographs, field observations and ice thickness measurements were taken throughout the winter. The primary objective was to observe 1988-89 ice conditions and ice cover breakup at the structures to determine their survivability during an ice run and jam, and to identify improvements in their design for projects being constructed in the summer and fall of 1989

MP 2745
SKI FRICTION AND THERMAL RESPONSE.
Warren, G.C., et al, International Snow Science Workshop, Whistler, British Columbia, 1989. [1989] p.223-225, 2 refs.
Colbeck, S.C.
44-3924
SKIS, WOOD ICE FRICTION, TEMPERATURE MEASUREMENT, MELTWATER, SLIDING, THERMAL PROPERTIES.

MP 2746
SIMULATION OF DISTRICT HEATING SYSTEMS FOR PIPING DESIGN.
Phetteplace, G., International Symposium on District Heat Simulation, Reykjavik, Iceland, Apr 13-16, 1989, [1989], 27p., 12 refs.
44-3925
HEATING, COST ANALYSIS, HEAT PIPES, DESIGN CRITERIA, SIMULATION, ANALYSIS (MATHEMATICS), HEAT LOSS, PIPES (TUBES).

This paper describes the initial development of a non-proprietary comprehensive design model for sizing distribution piping This model considers all major costs incurred in the construction and operation of a distribution system over its useful lifetime. The effect of annual variations in load are considered where they will have an impact on the operational costs Realistic methods for meeting variations in load, such as combined temperature and flow modulation, can be used. Results from a sample calculation are compared to results of a criteria-based design The criteria-based design is shown to have a life cycle cost which exceeds that of the optimal design by 16 In addition, the capital costs of the criteria based design are shown to be 30 greater.

MP 2747
OPTIMAL SIZING OF DISTRICT HEATING PIPES.
Phetteplace, G., American Society of Heating, Refrigerating and Air-Conditioning Engineers Winter Meeting, Chicago, IL, Jan. 1989, American Society of Heating, Refrigerating and Air-Conditioning, 25p., 11 refs.
44-3926
HEATING, HEAT PIPES, COST ANALYSIS, DESIGN CRITERIA, ANALYSIS (MATHEMATICS), HEAT LOSS, MODELS, PIPES (TUBES)

Existing design methods for district heating systems rely largely on criteria known only to result in functional designs which may be far from optimal This paper develops a rational design method which achieves a design yielding the lowest life cycle cost for the assumptions made. All major costs are considered, and the formulation provides great flexibility for including factors such as escalation of energy costs In establishing the operating costs for the system, any type of annual load profile and operational strategy may be considered. The method developed is used to obtain an optimal design of a typical district heating main This design is compared to a design resulting from the application of well established criteria The criteria-based design is shown to have a life cycle cost which exceeds that of the optimal design by 16%. The capital costs are 30% greater for the criteria-based design

MP 2748
REGIONAL CLIMATIC TRENDS IN NORTHERN NEW ENGLAND.
Haugen, R.K., et al, 1988, Vol.18, p.64-71, 8 refs.
Fulk, M.A.
44-3927
AIR TEMPERATURE, STATISTICAL ANALYSIS, METEOROLOGICAL DATA, CLIMATIC CHANGES, TEMPERATURE VARIATIONS, PERIODIC VARIATIONS, CLIMATOLOGY, PRECIPITATION (METEOROLOGY).

The unusually dry and warm summer of 1988 has heightened interest in the subject of climatic change Six inland stations in Maine, New Hampshire, and Vermont with temperature and precipitation records of nearly 100 years, are analyzed The database is the NOAA-Oak Ridge National Laboratory US Historical Climatology Network Seasonal and annual air temperature and precipitation patterns are compared among the six stations Five out of six stations exhibit a gradual warming over their periods of record, but no regional precipitation trends can be identified

MP 2749
THAWING SOIL STRENGTH MEASUREMENTS FOR PREDICTING VEHICLE PERFORMANCE.
Shoop, S.A., International Society of Terrain Vehicle Systems, North American Meeting, Victoria, British Columbia, Apr., 1989 Proceedings, [1989], 18p., 7 refs.
44-3933
SOIL TESTS, VEHICLES, PERFORMANCE, SOIL STRENGTH, TRACTION, GROUND THAWING, SHEAR PROPERTIES, SOIL WATER, ACCURACY.

The CRREL Instrumented Vehicle (CIV), and shear annulus, direct shear and triaxial compression test devices were used to measure the strength of thawed and thawing soil. These strength values can be used in simple traction models to predict the tractive performance of vehicles Strength was evaluated in terms of the parameters c and phi based on the Mohr Coulomb failure criterion It is proposed here that an instrumented vehicle is best suited for terrain characterization for mobility studies because the conditions created by a tire slipping on a soil surface are exactly duplicated The c and phi values from the shear annulus were found to overpredict traction because of the low normal stress applied by the annulus and the curved nature of the failure envelope Of all the tests, the direct shear test yields the highest phi value This was most likely because the test was run at a slow deformation rate, under drained conditions The triaxial test results were the most similar to those from the vehicle All test methods show phi increasing with soil moisture up to the plastic limit of the soil and then decreasing Phi as measured with the vehicle was also found to be strongly influenced by the thaw depth

MP 2750
SEA ICE IN THE POLAR REGIONS.
Gow, A.J., et al, Polar oceanography Part A: physical science Edited by W.O. Smith, Jr., San Diego, Academic Press, 1990. p.47-122. Refs p.117-122
Tucker, W.B
44-3976
SEA ICE DISTRIBUTION, ICE COVER THICKNESS, SEA WATER FREEZING, ICE STRUCTURE, DRIFT, ICE CRYSTAL GROWTH, ICE SALINITY, MATHEMATICAL MODELS

The following is dealt with in this chapter large scale aspects of floating ice covers, from thermodynamic and dynamic behavior to specific ice features small scale properties, beginning with the freezing characteristics of sea water and progressing to the crystalline structure and salinity characteristics of sea ice Specific features of the large- and small-scale properties of the Arctic and antarctic sea ice are compared.

MP 2751
COMPARATIVE MODEL TESTS IN ICE OF A CANADIAN COAST GUARD R-CLASS ICEBREAKER.
Tatinclaux, J.C., et al, Society of Naval Architects and Marine Engineers, 1989, p.1/1-1/18, 8 refs, For presentation at the Annual Meeting of the Society of Naval Architects and Marine Engineers, New York, N.Y., Nov. 15-18, 1989.
Alekseyev, I.U.N., Enkvist, E., Kitagawa, H., Narita, S., Schwarz, J., Takekuma, K., Williams, F.M.
44-3984
ICEBREAKERS, MODELS, MECHANICAL TESTS, METAL ICE FRICTION, PERFORMANCE, PROPELLERS, ICE MECHANICS, CORRELATION, ACCURACY.

MP 2752
DETECTION OF COARSE SEDIMENT MOVEMENT USING RADIO TRANSMITTERS.
Chacho, E.F., Jr., et al, 23rd Congress of the International Association for Hydraulic Research, Ottawa, Canada, Aug. 21-25, 1989. Proceedings, [1989], p.367-373(B), 7 refs.
Burrows, R.L., Emmett, W.W.
44-3985
RIVER FLOW, SEDIMENT TRANSPORT, TELEMETERING EQUIPMENT, ROCKS, DETECTION, RADIO WAVES, GLACIAL RIVERS.

MP 2753
SNOW-SURFACE TEMPERATURE ANALYSIS.
Bates, R.E., et al, 1989, 46th, p.109-116, 4 refs
Gerard, S.
44-4003
SNOW SURFACE TEMPERATURE, SNOW AIR INTERFACE, TEMPERATURE MEASUREMENT, MEASURING INSTRUMENTS, CORRELATION, TEMPERATURE VARIATIONS, ACCURACY.

This paper gives a detailed analysis of near snow-surface temperature measurements gathered at the U.S. Army Cold Regions Research and Engineering Laboratory (CRREL) in Hanover, NH, and at a National Guard facility located at Hollis, ME. These data provided simultaneous hourly or half-hourly surface temperatures for intercomparison of the instrumentation noted above during three winters of field experiments.

MP 2754
VECTOR ANALYSIS OF ICE PETROGRAPHIC DATA.
Ferrick, M.G., et al, 1989, 46th, p.129-141, 13 refs.
Claffey, K.J., Richter-Menge, J.A.
44-4006
ICE CRYSTAL STRUCTURE, ORIENTATION, ANALYSIS (MATHEMATICS), ICE CRYSTAL OPTICS.

In this paper a quantitative analysis of uniaxial crystal orientation data is developed Though the method is general, we focus on the application of the analysis to ice fabrics The crystal orientation data are represented as points on the surface of a unit sphere. An orthogonal least-squares error measure is used to develop equations that define the closest plane and line through the data while retaining all coordinate directions as independent variables For comparison, a parallel development is presented of the standard dependent variable least-squares determination of the best plane. The orthogonal error measure quantifies the goodness-of-fit to the data of all approximate representations Finally, a technique is developed to generalize from the standard Schmidt net presentation of data in the xy-plane to a presentation in any of the three planes defined by the Cartesian coordinate system.

MP 2755
DOES SNOW HAVE ION CHROMATOGRAPHIC PROPERTIES.
Hewitt, A.D., et al, 1989, 46th, p.165-171, 9 refs
Cragin, J.H., Colbeck, S.C.
44-4009
SNOW COMPOSITION, CHEMICAL PROPERTIES, ION DIFFUSION, SNOW CRYSTALS, MELTWATER, ADSORPTION, ICE WATER INTERFACE, CHEMICAL ANALYSIS

In this study we investigate whether or not grains of metamorphosed snow (ice crystals) can act as a chromatographic column selectively adsorbing and retaining inorganic ions The chromatographic process has been proposed as a potential mechanism to explain the preferential elution of inorganic ions observed in water from melting snowpacks Experiments were conducted using a 1.8 cm diameter by 30 cm long Pyrex glass column filled with frozen droplets and natural snow grains Deionized water and solutions containing known dilute concentrations of sulfate, nitrate and chloride were then slowly allowed to flow down through the column and the eluant was collected in 1 ml. aliquots An experiment specifically designed to detect chromatographic effects showed all three species appeared at the bottom of the column simultaneously, indicating that ice surfaces exhibit no preferential affinity for these anions

MP 2756
APPLICATION OF AEROSOL PHYSICS TO SNOW RESEARCH.
Hogan, A.W., 1989, 46th, p.201-207, 6 refs.
44-4013
SNOWFLAKES, SNOW CRYSTAL STRUCTURE, SNOWFALL, STATISTICAL ANALYSIS, AEROSOLS, SNOW OPTICS, PRECIPITATION (METEOROLOGY), PARTICLES, VISIBILITY, CLASSIFICATIONS.
Operational winter meteorology deals with problems that depend on the area, volume or number of snowflakes in the air. The irregular shape of typical aggregated snowflakes requires special techniques for calculation of area, volume or number from mass precipitation data. Atmospheric aerosols, paint pigments, and other fine particles have very irregular shapes but are several orders of magnitude smaller than snowflakes The statistical techniques developed to describe these fine particles can be applied to snowflakes to estimate the visibility, rate of surface coverage and other area- or volume-dependent operational parameters It appears that these techniques can be broadly applied to generalization of the physical properties of airborne snow

MP 2757
CHEMICAL MIGRATION IN SNOWPACK.
Murphey, B.B., et al, 1989, 46th, p.282-286, 8 refs.
Wolfe, D., Hogan, A.W.
44-4028
SNOW COVER, SNOW COMPOSITION, CHEMICAL PROPERTIES, SNOW IMPURITIES, MIGRATION, SAMPLING, PRECIPITATION (METEOROLOGY), POLLUTION.
It is inviting to use snowpack sampling as a technique to collect precipitation specimens, and to evaluate chemical precipitation theories or source-receptor pollution transport models with the results of specimen analysis. Such snowpack sampling would allow a posteriori collection of representative samples for analysis, rather than requiring multi-point multitime collections by several observers, through a long precipitation period. An experiment has been initiated to investigate chemical behavior in snowpack.

MP 2758
LIDAR-DERIVED PARTICLE CONCENTRATIONS IN PLUMES FROM ARCTIC LEADS.
Andreas, E.L., et al, 1990, Vol.14, Symposium on Ice and Climate, Seattle, WA, Aug. 21-25, 1989. Proceedings, p.9-12, 24 refs.
Miles, M.W., Barry, R.G., Schnell, R.C.
44-4151
ICE OPENINGS, CLOUD DROPLETS, AIR WATER INTERACTIONS, LIDAR, AEROSOLS, POLYNYAS, ANALYSIS (MATHEMATICS), HUMIDITY.
With an airborne lidar, massive plumes of condensate particles rising from wintertime leads in the Arctic Ocean have been observed. Some of these plumes reached an altitude of 4 km; some extended over 200 km down-wind from their surface source. Here we invert the lidar equation and use lidar backscatter data to infer particle concentrations within two such plumes. Assuming that the plumes consist of supercooled water droplets of radius 5 micron, typical concentrations of 300,000-600,000 droplets/cu m just above the leads is estimated Concentrations within the plumes can still be as high as 10,000 droplets/cu m at an altitude of 3 km and 200 km down-wind from some leads Had it been assumed that the plume particles are ice spheres of radius 40 microns, concentrations would be just 100 times less than these.

MP 2759
TREATMENT OF SHORTWAVE RADIATION AND OPEN WATER IN LARGE-SCALE MODELS OF SEA-ICE DECAY.
Perovich, D.K., et al, 1990, Vol.14, Symposium on Ice and Climate, Seattle, WA, Aug. 21-25, 1989 Proceedings, p.242-246, 12 refs.
Maykut, G.A.
44-4202
SEA ICE DISTRIBUTION, ICE MELTING, SOLAR RADIATION, MATHEMATICAL MODELS, ICE WATER INTERFACE, ICE COVER THICKNESS, ICE AIR INTERFACE, ICE MODELS, ICE EDGE.
Sea ice covering the polar oceans is only a thin veneer whose areal extent can undergo large and rapid variations in response to relatively small changes in thermal forcing Positive feedback between variations in ice extent and global albedo has the potential to amplify small changes in climate Particularly difficult to model is the summer decay and retreat of the ice pack which is strongly influenced by shortwave radiation entering the upper ocean through leads Most models assume that all of this energy is expended in lateral melting at floe edges. In reality, only a portion of shortwave radiation contributes directly to lateral melting, with the remainder going to bottom ablation and warming of the water. This partitioning of shortwave radiation affects not only the magnitude, but also the character of the predicted ice decay, reducing the change in ice concentration and enhancing the thinning of the ice and the storage of heat in the water. In this paper an analytical model is presented which includes many of these processes and is stable regardless of time step, making it suitable for use in climate simulations

MP 2760
PRIMARY EFFLUENT AS A HEAT SOURCE FOR HEAT PUMPS.
Phetteplace, G.E., et al, 1989, 5(6), p.12-17, 4 refs
For another version see 43-2160.
Ueda, H.T.
44-4255
HEAT TRANSFER, HEAT SOURCES, SEWAGE TREATMENT, HEAT RECOVERY, WATER TREATMENT, WASTE TREATMENT.
Water-source heat pumps have been installed in two waste treatment buildings at Ft Greely, AK. These heat pumps use primary effluent as a source of heat. Intermediate loops circulating an ethylene glycol/water mixture are used to transfer heat from the effluent heat exchangers to the heat pump evaporators. In one case, heat exchange is accomplished via an embossed panel heat exchanger immersed directly in the effluent. In the other case, the effluent heat exchanger is a plate-and-frame unit

MP 2761
THEORETICAL ESTIMATES OF LIGHT REFLECTION AND TRANSMISSION BY SPATIALLY COMPLEX AND TEMPORALLY VARYING SEA ICE COVERS.
Perovich, D.K., June 15, 1990, 95(C6), p.9557-9567, 25 refs. For another version see 44-3816.
44-4264
SEA ICE, ICE COVER, ICE OPTICS, LIGHT TRANSMISSION, ICE MODELS, MATHEMATICAL MODELS, REFLECTION, ICE SURFACE, ICE COVER THICKNESS.
The focus of this paper is on the reflection and transmission of light by spatially inhomogeneous and temporally varying sea ice covers This is investigated using a two-stream, multilayer radiative transfer model in the wavelength region from 400 to 1000 nm The model is computationally simple and utilizes the available experimental data on the optical properties of sea ice The ice cover is characterized as a layered medium composed of selections from nine distinct snow and ice types. Three case studies are presented illustrating values of spectral albedo, transmittance, and transmitted photosynthetically active radiation (PAR) for (1) a spatially inhomogeneous ice cover, (2) a uniform ice cover as it undergoes a melt cycle, and (3) a temporally changing spatially variable ice cover Results indicate that small-scale horizontal variations in snow depth and ice thickness can cause light transmission to change over 3 orders of magnitude. Dramatic changes in light reflection and transmission are predicted in the early part of the melt season as the ice cover evolves from an opaque, snow-covered medium to translucent bare or ponded ice

MP 2762
COMPARATIVE MODEL TESTS IN ICE OF A CANADIAN COAST GUARD R-CLASS ICEBREAKER.
Latinclaux, J.C., et al, 1989 (Pub. 1990), Vol.97, p.31-52, Includes discussion and authors' reply. 12 refs.
For another version see 44-3984.
Alekseev, IU.N., Enkvist, E., Kitagawa, H., Narita, S., Schwarz, J., Takekuma, K., Williams, F.M.
44-4421
ICEBREAKERS, METAL ICE FRICTION, ICE NAVIGATION, ANALYSIS (MATHEMATICS).
This paper presents the results of resistance and propulsion tests in level ice of a 1:20 scale model of the Canadian Coast Guard R-class icebreaker at two ice-hull friction coefficients, performed at several ice testing facilities in various countries under the aegis of the Committee on Performance of Ships in Ice-covered Waters of the International Towing Tank Conference (ITTC). There is good agreement overall among the test results obtained at the various facilities The differences that do remain should be attributed to differences in experimental techniques and types of model ice used at the participating laboratories An increase in hull roughness led to an increase in ice resistance as expected, but had no effect on the propeller characteristics While the thrust coefficient in ice was nearly the same as in clear water, the torque coefficient and thrust deduction factor were much greater in level ice than in clear water and nearly constant Full-scale ship performance predicted from the resistance test results of the rougher model and the propulsion characteristics in clear water was in good agreement overall with available field trial data Predicted performance using the ice resistance of the rougher model and the model propeller characteristics in ice was usually below that observed at full scale This would indicate that ice-propeller interaction is excessive during model propulsion tests, or that the effect of ice entrainment on propeller performance is greater at model scale than at full scale Ice-propeller interaction remains a domain where further research is needed

MP 2763
INTERNAL STRUCTURE, COMPOSITION AND PROPERTIES OF BRACKISH ICE FROM THE BAY OF BOTHNIA DURING THE BEPERS-88 EXPERIMENT.
Weeks, W.F., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 10th, Luleå, Sweden, June 12-16, 1989. Proceedings. POAC 89. Vol.3. Edited by K.B.E. Axelsson and L.A. Fransson, Luleå, Sweden, University of Technology, 1989, p.1318-1333, 21 refs.
Gow, A.J., Kosloff, P., Digby-Argus, S.A.
44-4432
SEA ICE, SALT ICE, ICE SALINITY, ICE SURVEYS, REMOTE SENSING, ICE TEMPERATURE, ICE STRUCTURE, BOTHNIA, BAY.
Field observations made during the Mar 1988 BEPERS (Bothnian Experiment in Preparation for the ERS-1 satellite) remote sensing experiment allow limited characterizations of the temperature, salinity, structure and physical property profiles of the brackish ice that forms in the Bay of Bothnia. During the sampling period, undeformed fast ice thicknesses varied from 40 to 60 cm in the Bay to the east of Umeå, Sweden, with somewhat thicker ice occurring in the northernmost, nearly fresh, portions of the Bay. Ice salinities were generally less than 1 per mill and the ice temperatures were usually warmer than -3.5 C. Although most of the ice examined was simple congelation ice, a variety of c-axis fabrics were observed including random, vertical and horizontal (random and aligned) orientations There was no obvious pattern to the geographic arrangement of these fabrics. Brine volume profiles are used to estimate representative ice property profiles. Comparisons are made between the properties of ice from the Bay of Bothnia and those of more typical sea ice from the Arctic Ocean at similar ice thicknesses A variety of structural factors contributing to specific areas of high radar return in the bay are also discussed

MP 2764
ICE FORCE MEASUREMENTS ON A BRIDGE PIER IN A SMALL RIVER.
Sodhi, D.S., et al, International Conference on Port and Ocean Engineering under Arctic Conditions, 10th, Luleå, Sweden, June 12-16, 1989. Proceedings. POAC 89. Vol.3. Edited by K.B.E. Axelsson and L.A. Fransson, Luleå, Sweden, University of Technology, 1989, p.1419-1427, 9 refs.
Gagnon, J.G.
44-4439
BRIDGES, PIERS, ICE LOADS, RIVER ICE.
Three V-shaped panels were installed on a bridge pier in a small river in Vermont, USA Each panel was supported on four instrumented pins such that the ice force on each face of the V-shaped panel was measured by three load cells. During the ice run in Mar. 1988, the ice forces were measured and recorded. Typical records and histograms of the measured ice forces are presented.

MP 2765
ARCTIC RESEARCH OF THE UNITED STATES, VOL.4.
U.S. Interagency Arctic Research Policy Committee, Washington, D.C., Spring 1990, 120p.
Brown, J., ed, Bowen, S., ed.
44-4466
RESEARCH PROJECTS, OCEANS, OCEANOGRAPHY, ENVIRONMENTAL PROTECTION, ECOLOGY, CLIMATOLOGY, MEETINGS, NATURAL RESOURCES, ATMOSPHERIC COMPOSITION.
The lead article in this issue reflects the importance of the Arctic Ocean and its marginal seas to U.S. national interests including the fisheries industry, the oil and gas industries, defense, and the study of global climate change processes This is followed by a brief description of research projects of the specific federal agencies involved in the Arctic Oceans Research Program

MP 2766
RADAR SURVEYING OF THE BOTTOM SURFACE OF ICE COVERS.
Arcone, S.A., et al, Apr 1990, 16(1), p.30-39, With French summary. 29 refs.
Calkins, D.J.
44-4468
RIVER ICE, RADAR ECHOES, ICE BOTTOM SURFACE, ICE COVER THICKNESS, ICE CONDITIONS, SUBGLACIAL OBSERVATIONS, ICE SOLID INTERFACE, SCATTERING

AUTHOR INDEX

Aamot, H.W.C.
Management of power plant waste heat in cold regions (1975, p.22-24) MP 942
Thermal energy and the environment (1975, 3p. + 2p. figs.) MP 1480
Protected membrane roofs in cold regions (1976, 27p.) CR 76-02
Utility distribution systems in Iceland (1976, 63p.) SR 76-05
Long distance heat transmission with steam and hot water (1976, 39p.) MP 938
Utility distribution systems in Sweden, Finland, Norway and England (1976, 121p.) SR 76-16
Ice engineering complex adopts heat pump energy system (1977, p.25-26) MP 893
Utility distribution practices in northern Europe (1977, p.70-95) MP 928
Ice engineering facility heated with a central heat pump system (1977, 4p.) MP 939
Observation and analysis of protected membrane roofing systems (1977, 40p.) CR 77-11
Mid-winter installation of protected membrane roofs in Alaska (1977, 5p.) CR 77-21
Heat transmission with steam and hot water (1978, p.17-23) MP 1956

Abele, G.
Portable instrument for determining snow c racteristics related to trafficability (1972, p.193-204) MP 886
Some effects of air cushion vehicle operations on deep snow (1972, p.214-241) MP 887
Methods of measuring the strength of natural and processed snow (1975, p 176-186) MP 1058
Effects of hovercraft, wheeled and tracked vehicle traffic on tundra (1976, p.186-215) MP 1123
Compressibility characteristics of compacted snow (1976, 47p.) CR 76-21
Arctic transportation: operational and environmental evaluation of an air cushion vehicle in Northern Alaska (1976, 7p.) MP 894
Hovercraft ground contact directional control devices (1976, p.51-59) MP 875
Air cushion vehicle ground contact directional control devices (1976, 15p.) CR 76-45
Arctic transportation: operational and environmental evaluation of an air cushion vehicle in northern Alaska (1977, p.176-182) MP 985
Runway site survey, Pensacola Mountains, Antarctica (1977, 45p.) SR 77-14
Effects of low ground pressure vehicle traffic on tundra at Lonely, Alaska (1977, 32p.) SR 77-31
Effects of low ground pressure vehicle traffic on tundra at Lonely, Alaska (1978, 63p.) SR 78-16
Effects of winter military operations on cold regions terrain (1978, 34p.) SR 78-17
Mass water balance during spray irrigation with wastewater at Deer Creek Lake land treatment site (1978, 43p.) SR 79-29
Effect of water content on the compressibility of snow-water mixtures (1979, 26p.) CR 79-02
Infiltration characteristics of soils at Apple Valley, Minn; Clarence Cannon Dam, Mo; and Deer Creek Lake, Ohio, land treatment sites (1980, 41p.) SR 80-36
Hydraulic characteristics of the Deer Creek Lake land treatment site during wastewater application (1981, 37p.) CR 81-07
Ecological impact of wheeled, tracked, and air cushion vehicle traffic on tundra (1981, p 11-37) MP 1463
Analysis of infiltration results at a proposed North Carolina wastewater treatment site (1984, 24p.) SR 84-11
Long-term effects of off-road vehicle traffic on tundra terrain (1984, p.283-294) MP 1820
Cold factor (1985, p.480-481) MP 2024
Effect of cold weather on productivity (1986, p 61-66) MP 2152
Effects of cold environment on rapid runway repairs (1986, p.1-9) MP 2169
Arctic mobility problems (1987, p 267-269) MP 2421
Use of off-road vehicles and mitigation of effects in Alaska permafrost environments: a review (1990, p.63-72) MP 2682

Abernathy, A.R.
Overland flow wastewater treatment at Easley, S C. (1985, p.291-299) MP 2183
Of: Overland flow wastewater treatment at Easley, S C. (1986, p.1078-1079) MP 2300

Acevedo, W.
Landsat-assisted environmental mapping in the Arctic National Wildlife Refuge, Alaska (1982, 59p. + 2 maps) CR 82-37
Vegetation and a Landsat-derived land cover map of the Beechey Point quadrangle, Arctic Coastal Plain, Alaska (1987, 63p.) CR 87-05

Acharya, H.K.
Surface-wave dispersion in Byrd Land, Antarctica (1972, p.955-959) MP 992

Ackermann, N.L.
Mechanics of ice jam formation in rivers (1983, 14p.) CR 83-31

Ackleson, S.G.
Comparison of SPOT simulator data with Landsat MSS imagery for delineating water masses in Delaware Bay, Broadkill River, and adjacent wetlands (1985, p.1123-1129) MP 1909

Ackley, S.F.
Meso-scale strain measurements on the Beaufourt sea pack ice (AIDJEX 1971) (1974, p.119-138) MP 1035
Snow and ice (1975, p 435-441, 475-487) MP 844
Height variation along sea ice pressure ridges and the probability of finding "holes" for vehicle crossings (1975, p.191-199) MP 848
Thickness and roughness variations of arctic multiyear sea ice (1976, 25p.) CR 76-18
Antarctic sea ice dynamics and its possible climatic effects (1976, p.53-76) MP 1378
Misgivings on isostatic imbalance as a mechanism for sea ice cracking (1976, p.85-94) MP 1379
Review of Ice Physics by P.V. Hobbs (1977, p.341-342) MP 937
De-icing of radomes and lock walls using pneumatic devices (1977, p.467-478) MP 1064
Laboratory experiments on lock wall deicing using pneumatic devices (1977, p.53-68) MP 974
Sea ice studies in the Weddell Sea region aboard USCGC *Burton Island* (1977, p.172-173) MP 1014
Comparison between derived internal dielectric properties and radio-echo sounding records of the ice sheet at Cape Folger, Antarctica (1978, 12p.) CR 78-04
Primary productivity in sea ice of the Weddell region (1978, 17p.) CR 78-19
Sea ice and ice algae relationships in the Weddell Sea (1978, p.70-71) MP 1203
Measurement of mesoscale deformation of Beaufort sea ice (AIDJEX-1971) (1978, p.148-172) MP 1179
Numerical simulation of atmospheric ice accretion (1979, p.44-52) MP 1235
Laboratory experiments on icing of rotating blades (1979, p.85-92) MP 1236
Computer modeling of atmospheric ice accretion (1979, 36p.) CR 79-04
Standing crop of algae in the sea ice of the Weddell Sea region (1979, p 269-281) MP 1242
Ice sheet internal radio-echo reflections and associated physical property changes with depth (1979, p.5675-5680) MP 1319
Drifting buoy measurements on Weddell Sea pack ice (1979, p.106-108) MP 1339
Mass-balance aspects of Weddell Sea pack-ice (1979, p.391-405) MP 1286
Modeling of anisotropic electromagnetic reflection from sea ice (1980, p.247-294) MP 1325
Modeling of anisotropic electromagnetic reflection from sea ice (1980, 15p.) CR 80-23
Sea ice studies in the Weddell Sea aboard USCGC Polar Sea (1980, p 84-96) MP 1431
Review of sea-ice weather relationships in the Southern Hemisphere (1981, p.127-159) MP 1426
Sea-ice atmosphere interactions in the Weddell Sea using drifting buoys (1981, p.177-191) MP 1427
Modeling of anisotropic electromagnetic reflections from sea ice (1981, p 8107-8116) MP 1469
Physical and structural characteristics of sea ice in McMurdo Sound (1981, p.94-95) MP 1542
Growth, structure, and properties of sea ice (1982, 130p.) M 82-01
On the differences in ablation seasons of arctic and antarctic sea ice (1982, p.440-447) MP 1517
Physical and structural characteristics of antarctic sea ice (1982, p.113-117) MP 1548
On modeling the Weddell Sea pack ice (1982, p.125-130) MP 1549
On the differences in ablation seasons of Arctic and Antarctic sea ice (1982, 9p.) CR 82-33
Observations of pack ice properties in the Weddell Sea (1982, p 105-106) MP 1608
Physical, chemical and biological properties of winter sea ice in the Weddell Sea (1982, p.107-109) MP 1609
Reports of the U.S.-U.S.S.R. Weddell Polynya Expedition, October-November 1981, Volume 5, Sea ice observations (1983, 6p. + 59p.) SR 83-2
Numerical simulation of the Weddell Sea pack ice (1983, p.2873-2887) MP 1592
Recent advances in understanding the structure, properties, and behavior of sea ice in the coastal zones of the polar oceans (1983, p 25-41) MP 1604
Mechanisms for ice bonding in wet snow accretions on power lines (1983, p 25-30) MP 1633
Field measurements of combined icing and wind loads on wires (1983, p.205-215) MP 1637
Simple boom assembly for the shipboard deployment of air-sea interaction instruments (1983, 14p.) SR 83-28
Effect of X-ray irradiation on internal friction and dielectric relaxation of ice (1983, p.4314-4317) MP 1670
Physical mechanism for establishing algal populations in frazil ice (1983, p.363-365) MP 1717
Surface roughness of Ross Sea pack ice (1983, p.123-124) MP 1764
Elemental compositions and concentrations of microspherules in snow and pack ice from the Weddell Sea (1983, p.128-131) MP 1777
Relative abundance of diatoms in Weddell Sea pack ice (1983, p 181-182) MP 1786
Atmospheric boundary-layer modification, drag coefficient, and surface heat flux in the antarctic marginal ice zone (1984, p 649-661) MP 1667
Antarctic sea ice microwave signatures and their correlation with *in situ* ice observations (1984, p 662-672) MP 1668
West antarctic sea ice (1984, p.88-95) MP 1818
Morphology and ecology of diatoms in sea ice from the Weddell Sea (1984, 41p.) CR 84-05
Sea ice structure and biological activity in the antarctic marginal ice zone (1984, p.2087-2095) MP 1701
Variation of the drag coefficient across the Antarctic marginal ice zone (1984, p.63-71) MP 1784
Sea ice data buoys in the Weddell Sea (1984, 18p.) CR 84-11
Simple boom assembly for the shipboard deployment of air-sea interaction instruments (1984, p.227-237) MP 1752
Combined icing and wind loads on a simulated power line test span (1984, p.173-182) MP 2114
Ice nucleation activity of antarctic marine microorganisms (1985, p.126-128) MP 2217
Sea ice microbial communities in Antarctica (1986, p.243-250) MP 2026
Conductor twisting resistance effects on ice build-up and ice shedding (1986, 8p. + figs.) MP 2108
Communication tower icing in the New England region (1986, 7p.) MP 2109
Sea spray icing: a review of current models (1986, p.239-262) MP 2163
Icing and wind loading on a simulated power line (1986, p.23-27) MP 2206
Growth, structure, and properties of sea ice (1986, p.9-164) MP 2209
Sea-ice investigations during the Winter Weddell Sea Project (1987, p 88-89) MP 2491
Computer modeling of atmospheric ice accretion and aerodynamic loading of transmission lines (1987, p.103-109) MP 2279
Physical and structural characteristics of Weddell Sea pack ice (1987, 70p.) CR 87-14
Ice thickness distribution across the Atlantic sector of the Antarctic Ocean in midwinter (1987, p.14,535-14,552) MP 2314
Sea-ice pressure ridge microbial communities (1988, p.172-174) MP 2450
Development of sea ice in the Weddell Sea (1989, p.92-96) MP 2615
Sea ice ridging in the Ross Sea, Antarctica, as compared with sites in the Arctic (1989, p.4984-4988) MP 2690
Elastic properties of frazil ice from the Weddell Sea, Antarctica (1989, p.208-217) MP 2620
Comparison of the compressive strength of antarctic frazil ice and columnar saline ice grown in the laboratory (1989, p 269-278) MP 2621
Passive microwave *in situ* observations of winter Weddell Sea ice (1989, p.10,891-10,905) MP 2695
Sea Ice Properties and Processes; Proceedings of the W.F. Weeks Sea Ice Symposium (1990, 299p.) M 90-01
Snow cover effects on antarctic sea ice thickness (1990, p.16-21) MP 2726
Quantification of sea-ice features through automated digital image analysis (1990, p 28-32) MP 2727
Comparison of the compressive strength of antarctic frazil ice and laboratory-grown columnar ice (1990, p.79-84) MP 2731
Sea ice: a habitat for the foraminifer *Neogloboquadrina pachyderma?* (1990, p 86-92) MP 2732

Adams, J.R.
Use of SPOT HRV data in a Corps dredging operation in Lake Erie (1987, p.49-58) MP 2548
Use of SPOT HRV data in the Corps of Engineers dredging program (1988, p.1295-1299) MP 2528

AUTHOR INDEX

Adams, W.P.
Techniques for measurement of snow and ice on freshwater (1986, p.174-222) MP 2000
Adley, M.D.
Experimental determination of buckling loads of cracked ice sheets (1984, p.183-186) MP 1687
Buckling analysis of cracked, floating ice sheets (1984, 28p.) SR 84-23
Calibrating HEC-2 in a shallow, ice-covered river (1986, 25 refs.) SR 86-34
Adrian, D.D.
Rational design of overland flow systems (1980, p.114-121) MP 1400
Hydraulic model of overland flow on grass covered slopes (1989, p.569-578) MP 2710
Aitken, G.W.
Baseplate design and performance: mortar stability report (1977, 28p.) CR 77-22
Terminal ballistics in cold regions materials (1978, 6p.) MP 1182
Impact fuse performance in snow (Initial evaluation of a new test technique) (1980, p.31-45) MP 1347
Dynamic testing of free field stress gages in frozen soil (1980, 26p.) SR 80-30
SNOW-ONE-A; Data report (1982, 641p.) SR 82-08
Optical engineering for cold environments (1983, 225p.) MP 1646
Utilization of the snow field test series results for development of a snow obscuration primer (1983, p.209-217) MP 1692
Utilization of Unmanned Aerial Vehicles in the ALBE Thrust (1986, p.249-257) MP 2663
Akagawa, S.
Evaluation of the X-ray radiography efficiency for heaving and consolidation observation (1988, p.23-28) MP 2376
X-ray photography method for experimental studies of the frozen fringe characteristics of freezing soil (1990, 69p.) SR 90-05
Akkok, M.
Parameters affecting the kinetic friction of ice (1987, p.552-561) MP 2258
Albert, D.G.
Impact fuse performance in snow (Initial evaluation of a new test technique) (1980, p.31-45) MP 1347
Dynamic testing of free field stress gages in frozen soil (1980, 26p.) SR 80-30
Seismic site characterization techniques applied to the NATO RSG-11 test site in Münster Nord, Federal Republic of Germany (1982, 33p.) CR 82-17
Deceleration of projectiles in snow (1982, 29p.) CR 82-20
Review of the propagation of inelastic pressure waves in snow (1983, 26p.) CR 83-13
Effects of snow on vehicle-generated seismic signatures (1984, p.83-109) MP 2074
Effect of snow on vehicle-generated seismic signatures (1984, 24P.) CR 84-23
Fortran subroutines for zero-phase digital frequency filters (1986, 26p.) SR 86-04
Effect of snow on vehicle-generated seismic signatures (1987, p.881-887) MP 2229
Recent research on acoustic to seismic coupling (1987, p 223-225) MP 2418
Seismic and acoustic wave propagation· working group report (1987, p.253-255) MP 2419
Information systems planning study (1987, 48p.) SR 87-23
Experimental and theoretical studies of acoustic-to-seismic coupling (1988, p.19-31) MP 2432
Observations of low-frequency acoustic-to-seismic coupling in the summer and winter (1989, p.352-359) MP 2654
Acoustic pulse propagation above grassland and snow: comparison of theoretical and experimental waveforms (1990, p.93-100) MP 2573
Albert, M.R.
Computer models for two-dimensional steady-state heat conduction (1983, 90p.) CR 83-10
Computer models for two-dimensional transient heat conduction (1983, 66p.) CR 83-12
2-d transient freezing in a pipe with turbulent flow, using a continually deforming mesh with finite elements (1983, p.102-112) MP 1893
Use of transfinite mappings with finite elements on a moving mesh for two-dimensional phase change (1983, p.85-110) MP 2161
Modeling two-dimensional freezing using transfinite mappings and a moving-mesh finite element technique (1984, 45p.) CR 84-10
Computation of porous media natural convection flow and phase change (1984, p.213-229) MP 1895
Transient two-dimensional phase change with convection, using deforming finite elements (1985, p 229-243) MP 2162
Moving boundary—moving mesh analysis of phase change using finite elements with transfinite mappings (1986, p.591-607) MP 2159
Automatic finite element mesh generator (1987, 27p.) CR 87-18
Orthogonal curvilinear coordinate generation for internal flows (1988, p.425-433) MP 2540
Snow as a thermal background: preliminary results from the 1987 field test (1989, p.5-24) MP 2624
Alekseev, IU.N.
Comparative model tests in ice of a Canadian Coast Guard R-class icebreaker (1990, p.31-52) MP 2762
Alekseyev, IU.N.
Comparative model tests in ice of a Canadian Coast Guard R-class icebreaker (1989, p 1/1-1/18) MP 2751
Alexander, M.
Preliminary investigations of the kinetics of nitrogen transformation and nitrosamine formation in land treatment of wastewater (1979, 59p.) SR 79-04
Alexander, V.
Ice engineering facility (1983, 12p. + fig.) MP 2088
Alger, G.R.
Ice and navigation related sedimentation (1978, p.393-403) MP 1133
Alkire, B.D.
Winter earthwork construction in Upper Michigan (1977, 59p.) SR 77-40
Increasing the effectiveness of soil compaction at below-freezing temperatures (1978, 58p.) SR 78-25
Allen, W.L.
Response of pavement to freeze-thaw cycles, Lebanon, New Hampshire, Regional Airport (1989, 31p.) SR 89-02
Deep frost effects on a longitudinal edge drain (1989, p.343-352) MP 2469
Alley, R.B.
Calculating borehole geometry from standard measurements of borehole inclinometry (1984, 18p.) SR 84-15
Rheology of glacier ice (1985, p.1335-1337) MP 1844
Effect of stratigraphy on radar-altimetry data collected over ice sheets (1988, p 60-63) MP 2458
Alter, A.J.
WATER SUPPLY IN COLD REGIONS (1969, 85p.) M III-C5a
SEWERAGE AND SEWAGE DISPOSAL IN COLD REGIONS (1969, 106p.) M III-C5b
Waste management in the north (1974, p.14-21) MP 1048
Alverson, K.
MIZEX 84 mesoscale sea ice dynamics post operations report (1984, p 66-69) MP 1257
Amacher, M.C.
Retention and release of metals by soils—evaluation of several models (1986, p.131-154) MP 2186
Modeling the transport of chromium (VI) in soil columns (1989, p.996-1004) MP 2670
Correlation of Freundlich *Kd* and *n* retention parameters with soils and elements (1989, p 370-379) MP 2570
Ambach, W.
Study of water drainage from columns of snow (1979, 19p.) CR 79-01
Andersen, B.G.
International Workshop on the Seasonal Sea Ice Zone, Monterey, California, Feb. 26-Mar 1, 1979 (1980, 357p.) MP 1292
Anderson, D.M.
Arctic and Subarctic environmental analyses utilizing ERTS-1 imagery; bimonthly progress report, 23 June - 23 Aug. 1972 (1972, 3p.) MP 991
Arctic and subarctic environmental analysis (1972, p 28-30) MP 1119
Ionic migration and weathering in frozen Antarctic soils (1973, p 461-470) MP 941
Arctic and subarctic environmental analyses using ERTS-1 imagery Progress report Dec. 72-June 73 (1973, 75p.) MP 1003
Arctic and subarctic environmental analyses utilizing ERTS-1 imagery (1973, 5p.) MP 1611
Mesoscale deformation of sea ice from satellite imagery (1973, 2p.) MP 1120
Arctic and subarctic environmental analyses utilizing ERTS-1 imagery. Bimonthly progress report, 23 Aug. - 23 Oct. 1973 (1973, 3p.) MP 1030
Arctic and subarctic environmental analyses utilizing ERTS-1 imagery. Bimonthly progress report, 23 Oct. - 23 Dec. 1973 (1973, 6p.) MP 1031
Arctic and subarctic environmental analysis utilizing ERTS-1 imagery Final report June 1972-Feb 1974 (1974, 128p.) MP 1047
New England reservoir management Land use/vegetation mapping in reservoir management (Merrimack River basin) (1974, 30p.) MP 1039
Near real time hydrologic data acquisition utilizing the LANDSAT system (1975, p 200-211) MP 1055
Applications of remote sensing for Corps of Engineers programs in New England (1975, 8p + 14 figs and tables) MP 913
Prediction of unfrozen water contents in frozen soils from liquid determinations (1976, 9p.) CR 76-08
Examining antarctic soils with a scanning electron microscope (1976, p 249-253) MP 931
Mars soil-water analyzer, instrument description and status (1977, p 149-158) MP 912
Antarctic soil studies using a scanning electron microscope (1978, p 106-112) MP 1386
Determination of unfrozen water in frozen soil by pulsed nuclear magnetic resonance (1978, p 149-155) MP 1097
Water vapor adsorption by sodium montmorillonite at -5C (1978, p 638-644) MP 981
Phase composition measurements on soils at very high water contents by pulsed nuclear magnetic resonance technique (1978, p.11-14) MP 1210
Viking GCMS analysis of water in the Martian regolith (1978, p 55-61) MP 1195
Analysis of water in the Martian regolith (1979, p.33-38) MP 1409
Low temperature phase changes in montmorillonite and nontronite at high water contents and high salt contents (1980, p 139-144) MP 1330
Unfrozen water contents of submarine permafrost determined by nuclear magnetic resonance (1980, p.400-412) MP 1412
Thawing of frozen clays (1985, p.1-9) MP 1923
Unfrozen water contents of six antarctic soil materials (1989, p 353-366) MP 2470
Anderson, E.A.
Permeability of a melting snow cover (1982, p 904-908) MP 1565
Anderson, S.
Wildlife habitat mapping in Lac qui Parle, Minnesota (1984, p.205-208) MP 2085
Andreas, E.L.
Turbulent heat flux from Arctic leads (1979, p.57-91) MP 1340
Estimation of heat and mass fluxes over Arctic leads (1980, p 2057-2063) MP 1410
Effects of volume averaging on spectra measured with a Lyman-alpha hygrometer (1981, p 467-475) MP 1728
Observations of condensate profiles over Arctic leads with a hot-film anemometer (1981, p.437-460) MP 1479
On the differences in ablation seasons of arctic and antarctic sea ice (1982, p 440-447) MP 1517
Sensible and latent heat fluxes and humidity profiles following a step change in surface moisture (1982, 18p.) CR 82-12
Evaluation of Vaisala's MicroCORA Automatic Sounding System (1982, 17p.) CR 82-28
On the differences in ablation seasons of Arctic and Antarctic sea ice (1982, 9p.) CR 82-33
Atmospheric boundary layer measurements in the Weddell Sea (1982, p.113-115) MP 1610
Comment on 'Water drag coefficient of first-year sea ice' by M P. Langleben (1983, p.779-782) MP 1577
Reports of the U.S.-U.S.S.R. Weddell Polynya Expedition, October-November 1981 Volume 7. Surface-level meteorological data (1983, 32p.) SR 83-14
Reports of the U.S.-U.S.S.R. Weddell Polynya Expedition, October-November 1981, Volume 6: Upper-air data (1983, 288p.) SR 83-13
Atmospheric turbulence measurements at SNOW-ONE-B (1983, p 81-87) MP 1846
Simple boom assembly for the shipboard deployment of air-sea interaction instruments (1983, 14p.) SR 83-28
Atmospheric boundary-layer modification, drag coefficient, and surface heat flux in the antarctic marginal ice zone (1984, p 649-661) MP 1667
Variation of the drag coefficient across the Antarctic marginal ice zone (1984, p 63-71) MP 1784
Atmosphere subgroup discussions (1984, p.97-98) MP 2603
Simple boom assembly for the shipboard deployment of air-sea interaction instruments (1984, p.227-237) MP 1752
New method for measuring the snow-surface temperature (1984, p 161-169) MP 1867
Heat and moisture advection over antarctic sea ice (1985, p.736-746) MP 1888
Energy exchange over antarctic sea ice in the spring (1985, p 7199-7212) MP 1889
New method of measuring the snow-surface temperature (1986, p 139-156) MP 2166
Measurements of refractive index spectra over snow (1986, p 248-260) MP 2212
Calibrating cylindrical hot-film anemometer sensors (1986, p.283-298) MP 1860
Spectra and cospectra of atmospheric turbulence over snow (1986, p 219-233) MP 2661
Theory for the scalar roughness and the scalar transfer coefficients over snow and sea ice (1986, 19p.) CR 86-09
Bulk transfer coefficients for heat and momentum over leads and polynyas (1986, p 1875-1883) MP 2187
Theory for the scalar roughness and the scalar transfer coefficients over snow and sea ice (1987, p 159-184) MP 2195
Comment on "Atmospheric boundary layer modification in the marginal ice zone" by T J Bennett, Jr and K Hunkins (1987, p 3965-3969) MP 2394
Spectral measurements in a disturbed boundary layer over snow (1987, p 1912-1939) MP 2254
Spectral measurements in a disturbed boundary layer over snow (1987, 41p.) CR 87-21
Estimating turbulent surface heat fluxes over polar, marine surfaces (1988, p 65-68) MP 2448
Estimating Cn square over snow and sea ice from meteorological quantities (1988, p 258-267) MP 2440

AUTHOR INDEX

Andreas, E.L. *(cont.)*
Estimating averaging times for point and path-averaged measurements of turbulence spectra (1988, p 295-304) MP 2434
Estimating Cn square over snow and sea ice from meteorological data (1988, p 481-495) MP 2393
Atmospheric stability from scintillation measurements (1988, p.2241-2246) MP 2386
Theory for a two-wavelength measurement of the path-averaged turbulent surface heat flux (1988, p.219-220) MP 2526
On the Kolmogorov Constants for the temperature-humidity cospectrum and the refractive index spectrum (1988, p.2399-2406) MP 2437
Two-wavelength method of measuring path-averaged turbulent surface heat fluxes (1989, p.280-292) MP 2648
Lidar detection of leads in Arctic sea ice (1989, p 530-532) MP 2602
Thermal and size evolution of sea spray droplets (1989, 37p.) CR 89-11
Year of Bowen ratios over the frozen Beaufort Sea (1989, p.12,721-12,724) MP 2508
Time constants for the evolution of sea spray droplets (1989, p.147-149) MP 2555
Refractive index structure parameter for a year over the frozen Beaufort Sea (1989, p 667-679) MP 2575
Comments on "A physical bound on the Bowen ratio" (1989, p.1252-1254) MP 2560
Environment of wintertime leads and polynyas (1989, p 273-288) MP 2689
Lidar detection of leads in arctic sea ice (1990, p.119-123) MP 2733
Prospects for measuring path-averaged turbulent heat fluxes using scintillation at three wavelengths (1990, p.74-77) MP 2696
Lidar-derived particle concentrations in plumes from arctic leads (1990, p 9-12) MP 2758

Andresen, M.J.
ORIGIN AND PALEOCLIMATIC SIGNIFICANCE OF LARGE-SCALE PATTERNED GROUND IN THE DONNELLY DOME AREA, ALASKA (1969, 87p) MP 1180

Andrews, J.T.
Environmental and societal consequences of a possible CO2-induced climate change: Volume 2, Part 3—Influence of short-term climate fluctuations on permafrost terrain (1982, 30p) MP 1546

Andrews, M.
Selected bibliography of disturbance and restoration of soils and vegetation in permafrost regions of the USSR (1970-1976) (1977, 116p) SR 77-07
Selected bibliography of disturbance and restoration of soils and vegetation in permafrost regions of the USSR (1970-1977) (1978, 175p.) SR 78-19

Anno, Y.
Modelling a snowdrift by means of activated clay particles (1985, p.48-52) MP 2007

Appel, G.C.
Analysis of the midwinter temperature regime and snow occurrence in Germany (1978, 56p) CR 78-21
Relationships between January temperatures and the winter regime in Germany (1979, p.17-27) MP 1218

Arcone, S.A.
Airborne resistivity and magnetometer survey in northern Maine for obtaining information on bedrock geology (1976, 19p) CR 76-37
Computer program to determine the resistance of long wires and rods to nonhomogeneous ground (1977, 16p) CR 77-02
Numerical studies to aid interpretation of an airborne VLF resistivity survey (1977, 10p) CR 77-05
Preliminary evaluation of new LF radiowave and magnetic induction resistivity units over permafrost terrain (1977, p.39-42) MP 925
Investigation of an airborne resistivity survey conducted at very low frequency (1977, 48p) CR 77-20
Interaction of a surface wave with a dielectric slab discontinuity (1978, 10p.) CR 78-08
Shallow electromagnetic geophysical investigations of permafrost (1978, p 501-507) MP 1101
Investigation of a VLF airborne resistivity survey conducted in northern Maine (1978, p.1399-1417) MP 1166
Electrical ground impedance measurements in the United States between 200 and 415 kHz (1978, 92p) MP 1221
Electromagnetic geophysical survey at an interior Alaska permafrost exposure (1979, 7p) SR 79-14
Review of electrical resistivity of frozen ground and some electromagnetic methods for its measurement (1979, p 32-37) MP 1623
Detection of Arctic water supplies with geophysical techniques (1979, 30p) CR 79-15
Effects of seasonal changes and ground ice on electromagnetic surveys of permafrost (1979, 24p) CR 79-23
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1979, p.93-115) MP 1287
Low-frequency surface impedance measurements at some glacial areas in the United States (1980, p 1-9) MP 1280
HF to VHF radio frequency polarization studies in sea ice at Pt Barrow, Alaska (1980, p 225-245) MP 1324
VHF electrical properties of frozen ground near Point Barrow, Alaska (1981, 18p) CR 81-13
Distortion of model subsurface radar pulses in complex dielectrics (1981, p.855-864) MP 1472
Some field studies of the correlation between electromagnetic and direct current measurements of ground resistivity (1982, p.92-110) MP 1513
Measurement of ground dielectric properties using wide-angle reflection and refraction (1982, 11p) CR 82-06
Laboratory measurements of soil electric properties between 0.1 and 5 GHz (1982, 12p) CR 82-10
Dielectric properties of thawed active layers overlying permafrost using radar at VHF (1982, p 618-626) MP 1547
Improving electric grounding in frozen materials (1982, 12p.) SR 82-13
Electrical properties of frozen ground at VHF near Point Barrow, Alaska (1982, p 485-492) MP 1572
Radar profiling of buried reflectors and the groundwater table (1983, 16p.) CR 83-11
Field dielectric measurements of frozen silt using VHF pulses (1984, p.29-37) MP 1774
Dielectric measurements of frozen silt using time domain reflectometry (1984, p.39-46) MP 1775
Conductive backfill for improving electrical grounding in frozen soils (1984, 19p) SR 84-17
Pulse transmission through frozen silt (1984, 9p) CR 84-17
Large-size coaxial waveguide time domain reflectometry unit for field use (1984, p 428-431) MP 2048
Radar investigations above the trans-Alaska pipeline near Fairbanks (1984, 15p) CR 84-27
Field observations of electromagnetic pulse propagation in dielectric slabs (1984, p.1763-1773) MP 1991
Discussion: Electromagnetic properties of sea ice by R.M. Morey, A. Kovacs and G.F.N. Cox (1984, p.93-94) MP 1821
Detection of buried utilities. Review of available methods and a comparative field study (1984, 36p.) CR 84-31
Mapping resistive seabed features using DC methods (1985, p.136-147) MP 1918
Dielectric studies of permafrost using cross-borehole VHF pulse propagation (1985, p.3-5) MP 1951
Galvanic methods for mapping resistive seabed features (1985, p.91-92) MP 1955
Dielectric properties at 4.75 GHz of saline ice slabs (1985, p 83-86) MP 1911
Preliminary investigations of mine detection in cold regions using short-pulse radar (1985, 16p) SR 85-23
Model studies of surface noise interference in ground-probing radar (1985, 23p) CR 85-19
Short-pulse radar investigations of freshwater ice sheets and brash ice (1986, 10p) CR 86-06
Morphology, hydraulics and sediment transport of an ice-covered river. Field techniques and initial data (1986, 37p.) CR 86-11
Microwave dielectric, structural, and salinity properties of simulated sea ice (1986, p 832-839) MP 2188
Structure and dielectric properties at 4.8 and 9.5 GHz of saline ice (1986, p 14,281-14,303) MP 2182
Airborne river-ice thickness profiling with helicopter-borne UHF short-pulse radar (1987, p 330-340) MP 2312
Evaluation of the magnetic induction conductivity method for detecting frazil ice deposits (1987, 12p) CR 87-17
Field observations of mine detection in snow using UHF short-pulse radar (1987, 24p) SR 87-19
Microwave and structural properties of saline ice (1987, 36p.) CR 87-20
DC resistivity measurements of model saline ice sheets (1987, p 845-849) MP 2308
Single-horn reflectometry for *in situ* dielectric measurements at microwave frequencies (1988, p 89-92) MP 2333
Borehole investigations of the electrical properties of frozen silt (1988, p 910-915) MP 2364
Seasonal variations in resistivity and temperature in discontinuous permafrost (1988, p 927-932) MP 2365
D.C. resistivity along the coast at Prudhoe Bay, Alaska (1988, p.988-993) MP 2366
Correlation function study for sea ice (1988, p.14,055-14,063) MP 2511
Airborne radar survey of a brash ice jam in the St Clair River (1989, 17p) CR 89-02
Investigations of dielectric properties of some frozen materials using cross-borehole radiowave pulse transmissions (1989, 18p) CR 89-04
Water detection in the coastal plains of the Arctic National Wildlife Refuge using helicopter-borne short pulse radar (1989, 25p) CR 89-07
Coastal subsea permafrost and bedrock observations using dc resistivity (1989, 13p) CR 89-13
Analysis of a short pulse radar survey of revetments along the Mississippi River (1989, 20p) MP 2692
River-ice mounds on Alaska's North Slope (1989, p 288-290) MP 2563
Radar surveying of the bottom surface of ice covers (1990, p 30-39) MP 2766

Arctic Institute of North America
Analysis of environmental factors affecting army operations in the Arctic Basin (1962, 11p) MP 984

Arctic Technology Workshop, Hanover, NH, June 20-23, 1989
Proceedings (1989, 475p) SR 89-39

Arlon, D.N.
Review of techniques for measuring soil moisture *in situ* (1980, 17p) SR 80-31

Asce, M.
River wave response to the friction-inertia balance (1987, p 764-769) MP 2237

Ashline, C.E.
Haines-Fairbanks pipeline: design, construction and operation (1977, 20p) SR 77-04

Ashton, G.D.
Temperature and flow conditions during the formation of river ice (1970, 12p.) MP 1723
Formation of ice ripples on the underside of river ice covers (1971, 157p) MP 1243
River-ice problems: a state-of-the-art survey and assessment of research needs (1974, p.1-15) MP 1002
Snow and ice (1975, p.435-441, 475-487) MP 844
Passage of ice at hydraulic structures (1976, p.1726-1736) MP 966
Arching of model ice floes Effect of mixture variation on two block sizes (1976, 11p) CR 76-42
Numerical simulation of air bubbler systems (1977, p.765-778) MP 936
Numerical simulation of air bubbler systems (1978, p 231-238) MP 1618
Isua, Greenland glacier freezing study (1978, p.256-264) MP 1174
Entrainment of ice floes into a submerged outlet (1978, p 291-299) MP 1137
Computer simulation of bubbler-induced melting of ice covers using experimental heat transfer results (1978, p.362-366) MP 1160
River ice (1978, p.369-392) MP 1216
River ice (1979, p.38-45) MP 1178
Turbulent heat transfer in large aspect channels (1979, 5p.) CR 79-13
Point source bubbler systems to suppress ice (1979, 12p.) CR 79-12
Modeling of ice in rivers (1979, p.14/1-14/26) MP 1335
Point source bubbler systems to suppress ice (1979, p.93-100) MP 1326
Suppression of river ice by thermal effluents (1979, 23p.) CR 79-30
Freshwater ice growth, motion, and decay (1980, p 261-304) MP 1299
Proceedings of the Specialty Conference on Computer and Physical Modeling in Hydraulic Engineering (1980, 492p) MP 1321
Bottom heat transfer to water bodies in winter (1981, 8p.) SR 81-18
River ice suppression by side channel discharge of warm water (1982, p.65-80) MP 1528
Performance of a point source bubbler under thick ice (1982, p.111-124) MP 1529
Theory of thermal control and prevention of ice in rivers and lakes (1982, p.131-185) MP 1554
Using the DWOPER routing model to simulate river flows with ice (1983, 19p) SR 83-01
Predicting lake ice decay (1983, 4p) SR 83-19
First-generation model of ice deterioration (1983, p.273-278) MP 2000
Lake ice decay (1983, p 83-86) MP 1684
Ice engineering for civil work: baseline study (1983, 91p.) MP 2441
Deterioration of floating ice covers (1984, p.26-33) MP 1676
Ice bands in turbulent pipe flow (1984, 7p) MP 2007
Ice deterioration (1984, p 31-38) MP 1791
Deterioration of floating ice covers (1985, p.177-182) MP 2122
Bubblers and pumps for melting ice (1986, p.223-234) MP 2133
River and lake ice engineering (1986, 485p.) MP 2144
Perspectives in ice technology (1986, 4p.) MP 2285
Corps of Engineers research in Arctic and Arctic-related environmental sciences (1987, p 81-87) MP 2411
Snow ice frozen ground properties working group report (1987, p 163-166) MP 2416
Winter water quality in lakes and streams (1988, 8p) MP 2507
Intake design for ice conditions (1988, p 107-139) MP 2518
Ice formation downstream of Oahe Dam 1987-1988 winter (1988, 37p) MP 2506
Ice cover formation downstream of a large reservoir with variable release (1988, p 189-198) MP 2498
Flow developers for melting ice experimental results (1989, p 151-160) MP 2465
Thin ice growth (1989, p 564-566) MP 2657
Effect of Toston dam on upstream ice conditions (1989, 9p) SR 89-16
Unconventional power sources for ice control at locks and dams (1989, p 107-126) MP 2572
Ice effects on hydraulics and fish habitat (1990, 24p) SR 90-08

Assur, A.
MECHANICAL PROPERTIES OF SEA ICE (1967, 80p) M II-C3

Structures in ice infested water (1972, p 93-97) MP 1016
Sea ice engineering (1976, p 231-234) MP 986
Some promising trends in ice mechanics (1980, p.1-15) MP 1300
Soviet construction under difficult climatic conditions (1980, p.47-53) MP 1345
Tertiary creep model for frozen sands (discussion) (1984, p.1373-1378) MP 1810
Surfacing submarines through ice (1984, p.309-318) MP 1998

Atkins, R.T.
Use of instrumentation under Arctic conditions (1972, p.183-188) MP 990
Development of a remote-reading tensiometer/transducer system for use in subfreezing temperatures (1976, p.31-45) MP 897
Stake driving tools: a preliminary survey (1977, 43p.) SR 77-13
Determination of frost penetration by soil resistivity measurements (1979, 24p.) SR 79-22
In-situ thermal conductivity measurements (1983, 38p.) MP 2214
Information systems planning study (1987, 48p.) SR 87-23
Determination of frost penetration by soil resistivity measurements (1989, p.87-100) MP 2565
Simple and economical thermal conductivity measurement system (1989, p.108-116) MP 2566

Atkinson, J.
Dynamics of NH4 and NO3 in cropped soils irrigated with wastewater (1980, 20p.) SR 80-27

Atlas, R.M.
Introduction to the Workshop on Ecological Effects of Hydrocarbon Spills in Alaska (1978, p.155-157) MP 1183
Fate of crude and refined oils in North Slope soils (1978, p.339-347) MP 1186

Atwood, D.M.
Effects of low ground pressure vehicle traffic on tundra at Lonely, Alaska (1977, 32p.) SR 77-31
Effects of low ground pressure vehicle traffic on tundra at Lonely, Alaska (1978, 63p.) SR 78-16

Auer, A.H., Jr.
Propane dispenser for cold fog dissipation system (1973, 38p.) MP 1033

Axelson, K.D.
Estimation of time to maximum supercooling during dynamic frazil ice formation (1989, 13p.) SR 89-26
Freezeup dynamics of a frazil ice screen (1990, 8p.) SR 90-04
Salmon River ice jam control studies: interim report (1990, 8p.) SR 90-06

Ayorinde, O.A.
Experimental methods for decontaminating soils by freezing (1988, 12p.) MP 2513
Prototype testing facilities for field evaluation of contaminant transport in freezing soils (1988, 29p.) MP 2514
Pressure buildup in permafrost pile supports induced by freezeback (1989, p.236-251) MP 2667
Use of innovative freezing technique for *in-situ* treatment of contaminated soils (1989, p.489-498) MP 2515
Nondestructive evaluation of moisture migration in insulation material under prolonged exposure to water (1989, p.111-121) MP 2716
Low-temperature effects on systems for composting of explosives-contaminated soils. Part I: Literature review (1989, 18p.) SR 89-38
Proceedings. Vol.4 (1990, 339p.) MP 2584
Determination of the undersaturation in thawed permafrost at the beginning of freezeback (1990, p.317-321) MP 2582
Fate and transport of contaminants in frozen soils (1990, p.202-211) MP 2679

Bader, H.
GREENLAND ICE SHEET (1961, 18p.) M I-B2
PHYSICS AND MECHANICS OF SNOW AS A MATERIAL (1962, 79p.) M II-B

Bailey, D.M.
Roofer: a management tool for maintaining built-up roofs (1989, p.6-10) MP 2488
ROOFER: a management tool for maintaining built-up roofs (1989, 9p.) MP 2576

Bailey, P.K.
Periglacial landforms and processes in the southern Kenai Mountains, Alaska (1985, 60p.) SR 85-03

Bailey, R.
Effects of temperature and species on TNT injury to plants (1988, 7p.) SR 88-16

Baillod, C.R.
Preliminary evaluation of 88 years rapid infiltration of raw municipal sewage at Calumet, Michigan (1977, p.489-510) MP 976

Baker, D.J.
Satellite-borne remote sensing and large-scale programs for the arctic seas in the 1990s (1989, p 510-530) MP 2699

Ballard, H.
Humidity and temperature measurements obtained from an unmanned aerial vehicle (1987, p 35-45) MP 2293

Band, L.E.
Potential use of SPOT HRV imagery for analysis of coastal sediment plumes (1984, p.199-204) MP 1744

Banin, A.
Prediction of unfrozen water contents in frozen soils from liquid determinations (1976, 9p.) CR 76-08

Barnes, P.W.
Statistical aspects of ice gouging on the Alaskan Shelf of the Beaufort Sea (1983, 34p. + map) CR 83-21
Some probabilistic aspects of ice gouging on the Alaskan Shelf of the Beaufort Sea (1984, p.213-236) MP 1838

Barney, R.J.
FIRE IN THE NORTHERN ENVIRONMENT-A SYMPOSIUM (1971, 275p.) MP 878

Baron, J.A.
Optimization model for land treatment planning, design and operation. Part 1. Background and literature review (1983, 35p.) SR 83-06
Optimization model for land treatment planning, design and operation. Part 2. Case study (1983, 30p.) SR 83-07
Optimization model for land treatment planning, design and operation. Part 3. Model description and user's guide (1983, 38p.) SR 83-08

Barrett, S.
Window performance in extreme cold (1981, p.396-408) MP 1393
Window performance in extreme cold (1982, 21p.) CR 82-38
Effects of phase III construction of the Chena Flood Control Project on the Tanana River near Fairbanks, Alaska—a preliminary analysis (1984, 11p. + figs.) MP 1745

Barry, R.G.
Lidar detection of leads in Arctic sea ice (1989, p.530-532) MP 2602
Lidar detection of leads in arctic sea ice (1990, p.119-123) MP 2733
Lidar-derived particle concentrations in plumes from arctic leads (1990, p.9-12) MP 2758

Barton, C.C.
Measurement of the resistance of imperfectly elastic rock to the propagation of tensile cracks (1985, p.7827-7836) MP 2052
Microstructure and the resistance of rock to tensile fracture (1985, p.11,533-11,546) MP 2157

Bartsch-Winkler, S.R.
Subsidence, inundation, and sedimentation: environmental consequences of the 1964 Alaska earthquake in the Portage, Alaska, area (1974, p.3-9) MP 2409
Placer River Silt—an intertidal deposit caused by the 1964 Alaska earthquake (1976, p.151-162) MP 2410

Bass, D.W.
Dynamic simulations of iceberg-seabed interactions (1989, p.137-151) MP 2684

Bastian, R.
Wetlands for wastewater treatment in cold climates (1984, 9p. + figs.) MP 1945

Bastian, R.K.
Aquaculture systems for wastewater treatment: an engineering assessment (1980, 127p.) MP 1422
Engineering assessment of aquaculture systems for wastewater treatment: an overview (1980, p.1-12) MP 1423

Bates, R.
Meteorological conditions causing major ice jam formation and flooding on the Ottauquechee River, Vermont (1982, 25p.) SR 82-06
Meteorological measurements at Camp Ethan Allen Training Center, Vermont (1982, p.77-112) MP 1984
Snow cover and meteorology at Allagash, Maine, 1977-1980 (1983, 49p.) SR 83-20
Snow-cover characterization: SADARM support (1984, p.409-411) MP 2095

Bates, R.E.
Mesoscale measurement of snow-cover properties (1973, p.624-643) MP 1039
Winter thermal structure and ice conditions on Lake Champlain, Vermont (1976, 22p.) CR 76-13
Utilization of sewage sludge for terrain stabilization in cold regions (1977, 45p.) SR 77-37
Microbiological aerosols from a field source during sprinkler irrigation with wastewater (1978, p.273-280) MP 1154
Climatic survey at CRREL in association with the land treatment project (1978, 37p.) SR 78-21
Snow cover mapping in northern Maine using LANDSAT digital processing techniques (1979, p.197-198) MP 1510
Documentation of soil characteristics and climatology during five years of wastewater application to CRREL test cells (1979, 82p.) SR 79-23
Utilization of sewage sludge for terrain stabilization in cold regions, Part 2 (1979, 36p.) SR 79-28
Bacterial aerosols from a field source during multiple-sprinkler irrigation: Deer Creek Lake State Park, Ohio (1979, 64p.) SR 79-32
Lake Champlain ice formation and ice free dates and predictions from meteorological indicators (1979, 21p.) CR 79-26
Winter thermal structure, ice conditions and climate of Lake Champlain (1980, 26p.) CR 80-02
Lake Champlain ice formation and ice free dates and predictions from meteorological indicators (1980, p.125-143) MP 1429
New 2 and 3 inch diameter CRREL snow samplers (1980, p.199-200) MP 1430
Analysis of ice jams and their meteorological indicators for three winters on the Ottauquechee River, Vermont (1981, 27p.) CR 81-01
Meteorology (1982, p.43-180) MP 1560
Snow cover characterization (1982, p 559-577) MP 1564
Microbiological aerosols from a field-source wastewater irrigation system (1983, p.65-75) MP 1578
Northwest snowstorm of 15-16 December 1981 (1983, p.19-34) MP 1755
SNOW-ONE-B data report (1983, 284p.) SR 83-16
Site-specific and synoptic meteorology (1983, p.13-80) MP 1845
Climate at CRREL, Hanover, New Hampshire (1984, 78p.) SR 84-24
Overview of meteorological and snow cover characterization at SNOW-TWO (1984, p.171-191) MP 1868
Explosive obscuration sub-test results at the SNOW-TWO field experiment (1984, p.347-354) MP 1872
Meteorological and snow cover measurements at Grayling, Michigan (1985, p.212-229) MP 2176
Intensity of snowfall at the SNOW experiments (1986, p.205-217) MP 2287
Thermal measurements in snow (1986, p.183-193) P 2660
Meteorological instrumentation for characterizing atmospheric icing (1987, p.23-30) MP 2276
Meteorological system performance in icing conditions (1987, p.73-86) MP 2285
WMO solid precipitation measurement intercomparison at Sleepers River Research Watershed (1987, p.1-7) MP 2396
Environmental factors and standards for atmospheric obscurants, climate and terrain (1987, 137p.) MP 2309
Comparison of snowfall amounts and snow depths for locations in Germany and the Northeast United States (1988, p.107-117) MP 2401
Prediction of winter battlefield weather effects (1988, p.357-362) MP 2402
Impact of wet snow on visible, infrared and millimeter wave attenuation (1988, p.523-535) MP 2608
Comparative studies of the winter climate at selected locations in Europe and the United States (1989, p.283-293) MP 2598
Synoptic meteorology, crystal habit, and snowfall rates in Northeastern snowstorms (1989, p.335-345) MP 2599
Proceedings (1989, 136p.) SR 89-07
Millimeter-wave performance during mixed precipitation (1989, p.113-120) MP 2630
Snow-surface temperature analysis (1989, p.109-116) MP 2753
SNOW IV field experiment data report (1989, 250p.) SR 89-14
Synoptic meteorology during the SNOW IV Field Experiment (1989, p.5-12) MP 2680
Site-specific meteorology (1989, p.13-15) MP 2681
Hourly meteorological data for SNOW IV (1989, p.159-250) MP 2647
Cold regions weather data systems (1989, p.139-145) MP 2568

Batson, G.B.
Field investigation of St. Lawrence River hanging ice dams, winter of 1983-84 (1984, 85p.) MP 2178

Batrik, G.O.
RATE: The influence of grazing on the Arctic tundra ecosystems (1976, p.153-160) MP 970

Bauer, C.F.
Reverse phase HPLC method for analysis of TNT, RDX, HMX and 2,4-DNT in munitions wastewater (1988, 95p.) CR 88-29
Reversed-phase high-performance liquid chromatographic determination of nitroorganics in munitions wastewater (1988, p.170-175) MP 2049
Interlaboratory evaluation of high-performance liquid chromatographic determination of nitroorganics in munition plant wastewater (1988, p.176-182) MP 2050
Development of an analytical method for the determination of explosive residues in soil. Part II: Additional development and ruggedness testing (1988, 44p.) CR 88-08
Development of an analytical method for the determination of explosive residues in soil. Part 3: Collaborative test results and final performance evaluation (1989, 84p.) CR 89-09
Liquid chromatographic method for determination of extractable nitroaromatic and nitramine residues in soil (1989, p.590-599) MP 2586

Bauman, H.T.
Microbiological aerosols from a field source during sprinkler irrigation with wastewater (1978, p.273-280) MP 1154
Bacterial aerosols from a field source during multiple-sprinkler irrigation: Deer Creek Lake State Park, Ohio (1979, 64p.) SR 79-32
Microbiological aerosols from a field-source wastewater irrigation system (1983, p.65-75) MP 1578

AUTHOR INDEX

Bayer, J.J.
Five-year performance of CRREL land treatment test cells; water quality plant yields and nutrient uptake (1978, 24p.) SR 78-26
Roof blisters Physical fitness building, Fort Lee, Virginia (1986, 15p.) Sr 86-35
Porous portland cement concrete as an airport runway overlay: laboratory evaluation (1989, 20p.) SR 89-12

Bayer, J.J., Jr.
Performance of wall coatings for concrete and masonry buildings in Alaska (1989, 27 refs.) SR 89-36

Bechtel, R.B.
Temporary environment. Cold regions habitability (1976, 162p.) SR 76-10
Post occupancy evaluation of a planned community in Arctic Canada (1980, 27p.) SR 80-06
Post occupancy evaluation of a remote Australian community - Shay Gap, Australia (1980, 57p.) SR 80-29

Becker, A.
Airborne electromagnetic sensing of sea ice thickness (1987, 77p.) MP 2673

Benet, J.
Observations of jökulhlaups from ice-dammed Strandline Lake, Alaska implications for paleohydrology (1987, p 79-94) MP 2307

Bell, D.L.
Multifrequency passive microwave observation of saline ice grown in a tank (1988, p.1687-1690) MP 2459

Beltaos, S.
Field investigations of a hanging ice dam (1982, p.475-488) MP 1533
Ice jams in shallow rivers with floodplain flow. Discussion (1984, p 370-371) MP 1798

Benfer, R.H.
Ice-cratering experiments Blair Lake, Alaska (1966, Various pagings) MP 1034

Bennett, B.M.
Cazenovia Creek Model data acquisition system (1985, p.1424-1429) MP 2090

Bennett, F.L.
Estimating heating requirements for buildings under construction in cold regions—an interactive computer approach (1977, 113p.) SR 77-03
Temporary protection of wintertime building construction, Fairbanks, Alaska, 1976-77 (1977, 41p.) SR 77-39
Roof construction under wintertime conditions a case study (1978, 34p.) SR 78-24

Benson, C.
Ice problems associated with rivers and reservoirs (1986, p.70-98) MP 2155
Permafrost (1986, p 99-106) MP 2156
Observations of jökulhlaups from ice-dammed Strandline Lake, Alaska. implications for paleohydrology (1987, p 79-94) MP 2307
Field observations of thermal convection in a subarctic snow cover (1987, p.105-118) MP 2439
Recent glacier-volcano interactions on Mt Redoubt, Alaska (1988, 18p.) MP 2431

Benson, C.S.
Jökulhlaups from Strandline Lake, Alaska, with special attention to the 1982 event (1989, 19p.) MP 2520

Bentley, C.R.
Reconsideration of the mass balance of a portion of the Ross Ice Shelf, Antarctica (1984, p 381-384) MP 1919

Bentley, D.L.
Fracture toughness of model ice (1986, p 365-376) MP 2125
Resilient modulus of freeze-thaw affected granular soils for pavement design and evaluation Part 1 Laboratory tests on soils from Winchendon, Massachusetts, test sections (1986, 70p.) CR 86-04
Resilient modulus of freeze-thaw affected granular soils for pavement design and evaluation. Part 2. Field validation tests at Winchendon, Massachusetts, test sections (1986, 62p.) CR 86-12
Resilient modulus of freeze-thaw effected granular soils for pavement design and evaluation. Part 3 Laboratory tests on soils from Albany County Airport (1987, 36p.) CR 87-02
Experimental determination of the fracture toughness of urea model ice (1988, p.289-297) MP 2348
Fracture of S2 columnar freshwater ice floating double cantilever beam tests (1988, p.152-161) MP 2493
Fracture experiments on freshwater and urea model ice (1988, 152p.) MP 2502
Fracture toughness of columnar freshwater ice from large scale DCB tests (1989, p 7-20) MP 2545

Berg, R.
Mobility of water in frozen soils (1982, c15p.) MP 2012
Effect of unconfined loading on the unfrozen water content of Manchester silt (1983, 17p.) SR 83-11
Revised procedure for pavement design under seasonal frost conditions (1983, 129p.) SR 83-27
Survey of airport pavement distress in cold regions (1986, p.41-50) MP 2002

Berg, R.L.
Heat and moisture flow in freezing and thawing soils a field study (1975, p 148-160) MP 1612
Near real time hydrologic data acquisition utilizing the LANDSAT system (1975, p.200-211) MP 1055
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1976, p.391-408) MP 1377
Thermoinsulating media within embankments on perennially frozen soil (1976, 161p.) SR 76-03
Development of a remote-reading tensiometer/transducer system for use in subfreezing temperatures (1976, p 31-45) MP 897
Galerkin finite element analog of frost heave (1976, p.111-113) MP 898
Observations along the pipeline haul road between Livengood and the Yukon River (1976, 73p.) SR 76-11
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1976, p 53-60) MP 919
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1977, p 234-237) MP 927
Use of a light-colored surface to reduce seasonal thaw penetration beneath embankments on permafrost (1977, p.86-99) MP 954
Mathematical model to predict frost heave (1977, p 92-109) MP 1131
Temperature effects in compacting an asphalt concrete overlay (1978, p.146-158) MP 1083
Design considerations for airfields in NPRA (1978, p 441-458) MP 1086
Improved drainage and frost action criteria for New Jersey pavement design. Phase 2: Frost action (1978, 80p.) SR 78-09
Thaw penetration and permafrost conditions associated with the Livengood to Prudhoe Bay road, Alaska (1978, p.615-621) MP 1102
Design of airfield pavements for seasonal frost and permafrost conditions (1978, 18p.) MP 1189
Improved drainage and frost action criteria for New Jersey pavement design Phase 2 (Data analysis) (1979, 51p.) SR 79-15
Mathematical model to correlate frost heave of pavements with laboratory predictions (1980, 49p.) CR 80-10
Frost heave in an instrumented soil column (1980, p.211-221) MP 1331
One-dimensional frost heave model based upon simultaneous heat and water flux (1980, p.253-262) MP 1333
New Hampshire field studies of membrane encapsulated soil layers with additives (1980, 46p.) SR 80-33
Environmental engineering and ecological baseline investigations along the Yukon River-Prudhoe Bay Haul Road (1980, 187p.) CR 80-19
Road performance and associated investigations (1980, p 53-100) MP 1351
Field cooling rates of asphalt concrete overlays at low temperatures (1980, 11p.) CR 80-30
Some approaches to modeling phase change in freezing soils (1981, p 137-145) MP 1437
Results from a mathematical model of frost heave (1981, p 2-6) MP 1483
Simulating frost action by using an instrumented soil column (1981, p 34-42) MP 1485
Probabilistic-deterministic analysis of one-dimensional ice segregation in a freezing soil column (1981, p 127-140) MP 1534
Sensitivity of a frost heave model to the method of numerical simulation (1982, p.1-12) MP 1567
Effect of color and texture on the surface temperature of asphalt concrete pavements (1983, p 57-61) MP 1652
Field tests of a frost-heave model (1983, p 409-414) MP 1657
Comparison of two-dimensional domain and boundary integral geothermal models with embankment freeze-thaw field data (1983, p 509-513) MP 1659
Investigation of transient processes in an advancing zone of freezing (1983, p 821-825) MP 1663
Two-dimensional model of coupled heat and moisture transport in frost heaving soils (1984, p.91-98) MP 1678
Frost action and its control (1984, 145p.) MP 1704
Survey of methods for classifying frost susceptibility (1984, p 104-141) MP 1707
Status of numerical models for heat and mass transfer in frost-susceptible soils (1984, p 67-71) MP 1851
Two-dimensional model of coupled heat and moisture transport in frost-heaving soils (1984, p 336-343) MP 1765
Partial verification of a thaw settlement model (1985, p 18-25) MP 1924
Hydraulic properties of selected soils (1985, p 26-35) MP 1925
Frost heave of full-depth asphalt concrete pavements (1985, p 66-76) MP 1927
Model of 2-dimensional freezing front movement using the complex variable BE method (1985, 9p.) MP 2077
Frost action predictive techniques an overview of research results (1986, p 147-161) MP 2267
Frost action predictive techniques for roads and airfields A comprehensive survey of research findings (1986, 45p.) CR 86-18
Statement of research needs to address airport pavement distress (1987, p.981-1012) MP 2234
Unfrozen water contents of undisturbed and remolded Alaskan silt as determined by nuclear magnetic resonance (1988, 17p.) CR 88-19
Pavement design for seasonal frost conditions current and future methods (1988, 12p.) MP 2547
Performance of pavement at Central Wisconsin Airport (1989, p 92-103) MP 2463
Comparison of insulated and noninsulated pavements (1989, p 367-378) MP 2471
Definition of research needs to address airport pavement distress in cold regions (1989, 142p.) CR 89-10
Monitoring pavement performance in seasonal frost areas (1989, p.10-19) MP 2564
Unfrozen water contents of undisturbed and remolded Alaskan silt (1989, p.103-111) MP 2683

Berger, R.H.
Snowpack optical properties in the infrared (1979, 16p.) CR 79-11
Analysis of vehicle tests and performance predictions (1981, p 51-67) MP 1477
Airborne snow and fog distributions (1982, p.217-223) MP 1562
Snow and fog particle size measurements (1982, p.47-58) MP 1982
Falling snow characteristics and extinction (1983, p.61-69) MP 1756
Developing a model for predicting snowpack parameters affecting vehicle mobility (1983, 26p.) CR 83-16
Snow characterization at SNOW-ONE-B (1983, p.155-195) MP 1847
Characterization of snow for evaluation of its effect on electromagnetic wave propagation (1983, p 35-42) MP 1648
Observations of the backscatter from snow at millimeter wavelengths (1986, p.311-316) MP 2665
Comments on the characteristics of *in situ* snow at millimeter wavelengths (1986, p.317-320) MP 2666
Scattering at mm wavelengths from *in situ* snow (1986, p.1.6.1-1.6.2) MP 2141
Overview of obscuration in the cold environment (1988, p 537-555) MP 2609
Radar backscatter comparisons of a 2- to 5-GHz FMCW radar and a 35-GHz radar (1989, p.133-136) MP 2631
Airborne particle measurements (1989, p.31) MP 2644

Berggren, P.A.
User's index to CRREL land treatment computer programs and data files (1982, 65p.) SR 82-26
Corps of Engineers land treatment of wastewater research program an annotated bibliography (1983, 82p.) SR 83-09

Best, W.C.
Design procedures for underground heat sink systems (1979, 186p. in var. pagns.) SR 79-08

Bezinge, A.
Glaciers and sediment (1986, p 53-69) MP 2154

Bigl, S.R.
Comparative field testing of buried utility locators (1984, 25p.) MP 1977
Change in orientation of artillery-delivered anti-tank mines in snow (1984, 20p.) CR 84-20
Detection of buried utilities. Review of available methods and a comparative field study (1984, 36p.) CR 84-31
Permafrost, seasonally frozen ground, snow cover and vegetation in the USSR (1984, 128p.) SR 84-36
Locating buried utilities (1985, 48p.) SR 85-14
Cold-temperature characterization of polymer concrete (1986, 46p.) MP 2521
Detecting underground objects/utilities (1987, p.36-43) MP 2281

Bilello, M.A.
Mesoscale measurement of snow-cover properties (1973, p 624-643) MP 1029
Environmental analyses in the Kootenai River region, Montana (1976, 53p.) SR 76-13
Study of climatic elements occurring concurrently (1976, p.23-30) MP 1613
Kolyma water balance station, Magadan Oblast, northeast USSR. United States-Soviet scientific exchange visit (1977, 66p.) SR 77-15
Ice decay patterns on a lake, a river and coastal bay in Canada (1977, p 120-127) MP 969
Decay patterns of land-fast sea ice in Canada and Alaska (1977, p.1-10) MP 1161
Subarctic watershed research in the Soviet Union (1978, p.305-313) MP 1273
Analysis of the midwinter temperature regime and snow occurrence in Germany (1978, 56p.) CR 78-21
Climatic survey at CRREL in association with the land treatment project (1978, 37p.) SR 78-21
Notes and quotes from snow and ice observers in Alaska (1979, p.116-118) MP 1631
Relationships between January temperatures and the winter regime in Germany (1979, p 17-27) MP 1218
Maximum thickness and subsequent decay of lake, river and fast sea ice in Canada and Alaska (1980, 160p.) CR 80-06
Winter environmental data survey of the drainage basin of the upper Susitna River, Alaska (1980, 30p.) SR 80-19
Pothole primer, a public administrator's guide to understanding and managing the pothole problem (1981, 24p.) MP 1416
Synoptic meteorology during the SNOW-ONE field experiment (1981, 55p.) SR 81-27

AUTHOR INDEX

Synoptic weather conditions during selected snowfall events between December 1981 and February 1982 [1982, p.9-42] MP 1559
Meteorology and observed snow crystal types during the SNOW-ONE experiment [1982, p 59-75] MP 1983
Atmospheric conditions and concurrent snow crystal observations during SNOW-ONE-A [1983, p.3-18] MP 1754
Synoptic meteorology during the SNOW-ONE-A Field Experiment [1983, 80p.] SR 83-10
Regional and seasonal variations in snow-cover density in the U.S.S.R. [1984, 70p.] CR 84-22
Frozen precipitation and concurrent weather: a case study for Munchen/Riem, West Germany [1984, 47p.] SR 84-32
Statistical relationships between cold regions surface conditions and climatic parameters [1985, p.508-517] MP 1961
Frozen precipitation and concurrently observed meteorological conditions [1985, 11p.] MP 2075
Techniques for measurement of snow and ice on freshwater [1986, p.174-222] MP 2000
Regional and seasonal distributions of low pressure weather systems in and around Norwegian waters [1986, p.53-66] MP 2181
Analysis of 112 years of ice conditions observed on the Ohio River at Cincinnati [1987, p.70-79] MP 2260
Ice jams and an analysis of the winter climate at two sites near the White River in South Dakota [1987, p.154-162] MP 2399
Comparison of snowfall amounts and snow depths for locations in Germany and the Northeast United States [1988, p.107-117] MP 2401
Computer-generated graphics of river ice conditions [1988, p.211-215] MP 2509
Ice observations on the Allegheny and Monongahela rivers [1988, 43p.] SR 88-25
Comparative studies of the winter climate at selected locations in Europe and the United States [1989, p 283-293] MP 2598
Synoptic meteorology during the SNOW IV Field Experiment [1989, p.5-12] MP 2640

Bilkalk, L.
Breakup of solid ice covers due to rapid water level variations [1982, 17p.] CR 82-03

Bilmes, J.
Analysis of diffusion wave flow routing model with application to flow in tailwaters [1983, 31p.] CR 83-07
Modeling rapidly varied flow in tailwaters [1984, p.271-289] MP 1711

Bindschadler, R.A.
Glaciological investigations using the synthetic aperture radar imaging system [1987, p.11-19] MP 2342
Can relict crevasse plumes on antarctic ice shelves reveal a history of ice-stream fluctuation [1988, p.77-82] MP 2460

Bireanzvige, A.
CBR operations in cold weather: a bibliography, Vol 1 [1989, 88p.] MP 2574

Bishop, R.J.
Progress report on 25 cm radar observations of the 1971 AIDJEX studies [1972, p.1-16] MP 989

Black, P.B.
Comparison of soil freezing curve and soil water curve data for Windsor sandy loam [1988, 37p.] CR 88-26
Unfrozen water contents of undisturbed and remolded Alaskan silt as determined by nuclear magnetic resonance [1988, 17p.] CR 88-19
On the use of the phi-variable to describe the state of water in porous media [1989, 7p.] CR 89-03
Evaluation of four well casing materials for monitoring selected trace level organics in ground water [1989, 29p.] CR 89-18
Comparison of soil freezing curve and soil water curve data for Windsor sandy loam [1989, p.2205-2210] MP 2577
Unfrozen water contents of undisturbed and remolded Alaskan silt [1989, p.103-111] MP 2683
Hydraulic conductivity and unfrozen water content of air-free frozen silt [1990, p 323-329] MP 2551
Predicting unfrozen water content behavior using freezing point depression data [1990, p.54-60] MP 2677
Three functions that model empirically measured unfrozen water content data and predict relative hydraulic conductivity [1990, 7p.] CR 90-05

Black, S.
Wetlands for wastewater treatment in cold climates [1984, 9p. + figs.] MP 1945

Blackey, E.A.
Use of remote sensing to quantify construction material and to define geologic lineaments, Dickey-Lincoln School Lakes Project, Maine [1978, 9 leaves] MP 1167
Materials availability study of the Dickey-Lincoln dam site [1980, p.158-170] MP 1316

Blaisdell, G.L.
Macroscopic view of snow deformation under a vehicle [1981, 20p.] SR 81-17
Predicting wheeled vehicle motion resistance in shallow snow [1981, 18p.] SR 81-30
Design and use of the CRREL instrumented vehicle for cold regions mobility measurements [1982, 11p.] MP 1515
Measurement of snow surfaces and tire performance evaluation [1982, 7p.] MP 1516
CRREL instrumented vehicle: hardware and software [1983, 75p.] SR 83-03
Driving traction on ice with all-season and mud-and-snow radial tires. [1983, 22p.] CR 83-27
Multivariable regression algorithm [1983, 41p.] SR 83-32
Performance based tire specification system for military wheeled vehicles [1985, p 277-280] MP 2101
Measurement and evaluation of tire performance under winter conditions [1985, p.198-228] MP 2387
Proceedings of the ISTVS Workshop on Measurement and Evaluation of Tire Performance under Winter Conditions, Alta, Utah, 11-14, April 1983 [1985, 177p.] SR 85-15
Need for snow tire characterization and evaluation [1985, p 1-2] MP 2043
Design and use of the CRREL Instrumented Vehicle for cold regions mobility measurements [1985, p.9-20] MP 2044
Winter tire tests: 1980-81 [1985, p.135-151] MP 2045
Field demonstration of traction testing procedures [1985, p.176] MP 2046
Comparative tractive performance of microsiped and conventional radial tire designs [1986, 11p.] SR 86-39
Trailing-tire motion resistance in shallow snow [1987, p.296-304] MP 2248
Vehicle mobility over snow [1987, p 265-266] MP 2420
Mobility: working group report [1987, p 273-274] MP 2423
Techniques for gas gun studies of shock wave attenuation in snow [1988, p 657-660] MP 2543
Considerations for winter use of the Ground Emplaced Mine Scattering System [1988, 13p.] SR 88-27
Instrumented vehicle for the measurement of mobility parameters [1988, p.377-388] MP 2486
Evaluation of the Caterpillar Challenger tractor for use in Antarctica [1989, 12p. + figs.] MP 2718
Wheeled versus tracked vehicle snow mobility test program [1989, 19p.] MP 2715

Blaisdell, G.S.
Performance of an omni-directional wheel on snow and ice [1989, 21p + appends.] MP 2711

Blake, B.J.
Construction and performance of platinum probes for measurement of redox potential [1978, 8p.] SR 78-27
Evaluation of nitrification inhibitors in cold regions land treatment of wastewater Part 1. Nitrapyrin [1979, 25p.] SR 79-18

Blanchard, P.F.
Radar backscattering from artificially grown sea ice [1989, p.259-264] MP 2667

Blom, B.E.
Effect of sediment organic matter on migration of various chemical constituents during disposal of dredged material [1976, 183p.] MP 967

Blouin, S.E.
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea [1976, p.391-408] MP 1377
Analysis of explosively generated ground motions using Fourier techniques [1976, 86p.] CR 76-28
Operational report: 1976 USACRREL-USGS subsea permafrost program Beaufort Sea, Alaska [1976, 20p.] SR 76-12
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea [1976, p 53-60] MP 919
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea [1977, p 234-237] MP 927
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea [1977, p 385-395] MP 1074
Dynamic in-situ properties test in fine-grained permafrost [1977, p.282-312] MP 963
Freeze-thaw enhancement of the drainage and consolidation of fine-grained dredged material in confined disposal areas [1977, 94p.] MP 978
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea [1977, p.432-440] MP 1077
1977 CRREL-USGS permafrost program Beaufort Sea, Alaska, operational report [1977, 19p.] SR 77-41
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea [1977, p 518-521] MP 1201
Densification by freezing and thawing of fine material dredged from waterways [1978, p 622-628] MP 1103
Engineering properties of subsea permafrost in the Prudhoe Bay region of the Beaufort Sea [1978, p.629-635] MP 1104
Penetration tests in subsea permafrost, Prudhoe Bay, Alaska [1979, 45p.] CR 79-07
Determining subsea permafrost characteristics with a cone penetrometer—Prudhoe Bay, Alaska [1979, p.3-16] MP 1217
Field methods and preliminary results from subsea permafrost investigations in the Beaufort Sea, Alaska [1979, p 207-213] MP 1591
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea [1979, p.93-115] MP 1287
Block motion from detonations of buried near-surface explosive arrays [1980, 62p.] CR 80-26
Prediction of explosively driven relative displacements in rocks [1981, 23p.] CR 81-11

Blumthaler, M.
Study of water drainage from columns of snow [1979, 19p.] CR 79-01

Bohren, C.
Polarization of skylight [1984, p 261-265] MP 1794

Bohren, C.F.
Forward-scattering corrected extinction by nonspherical particles [1984, p.261-271] MP 1870
Forward-scattering corrected extinction by nonspherical particles [1985, p.1023-1029] MP 1958

Bonde, T.J.H.
Limnological investigations: Lake Koocanusa, Montana. Part 1: Pre-impoundment study, 1967-1972 [1982, 184p.] SR 82-21
Limnological investigations: Lake Koocanusa, Montana. Part 3. Basic data, post-impoundment, 1972-1978 [1982, 597p.] SR 82-23

Borland, S.L.
Growth of EG/AD/S model ice in a small tank [1988, p 47-53] MP 2319

Bosatta, E.
Soil microbiology [1981, p.38-44] MP 1753

Bosworth, H.
Mechanical properties of multi-year sea ice. Phase 1: Test results [1984, 105p.] CR 84-09
Mechanical properties of multi-year sea ice Testing techniques [1984, 39p.] CR 84-08
Mechanical properties of multi-year sea ice. Phase 2: Test results [1985, 81p.] CR 85-16

Bosworth, H.W.
Studies of high-speed rotor icing under natural conditions [1983, p.117-123] MP 1635
Ice accretion under natural and laboratory conditions [1985, p 225-228] MP 2009
Natural rotor icing on Mount Washington, New Hampshire [1986, 62p.] CR 86-10
Triaxial testing of first-year sea ice [1986, 41p.] CR 86-16
Mukluk ice stress measurement program [1988, p.457-463] MP 2554

Botros, M.M.
Design procedures for underground heat sink systems [1979, 186p. in var. pagns.] SR 79-08

Botz, J.J.
Construction of an embankment with frozen soil [1980, 105p.] SR 80-21

Bouzoun, J.R.
Land treatment of wastewater at West Dover, Vermont [1977, 24p.] SR 77-33
Spray application of wastewater effluent in West Dover, Vermont: an initial assessment [1979, 38p.] SR 79-06
Freezing problems associated with spray irrigation of wastewater during the winter [1979, 12p.] SR 79-12
Land treatment systems and the environment [1979, p 201-225] MP 1414
Removal of organics by overland flow [1980, 9p.] MP 1362
Spray application of wastewater effluent in a cold climate: performance evaluation of a full-scale plant [1980, p.620-626] MP 1403
Aquaculture for wastewater treatment in cold climates [1981, p 482-492] MP 1394
Preliminary assessment of the nutrient film technique for wastewater treatment [1982, 15p.] SR 82-04
Pilot-scale evaluation of the nutrient film technique for wastewater treatment [1982, 34p.] SR 82-27
Case study of land treatment in a cold climate—West Dover, Vermont [1982, 96p.] CR 82-44
Wastewater treatment and reuse process for cold regions [1983, p 547-557] MP 2112
Water supply and waste disposal on permanent snow fields [1984, p 401-413] MP 1714
Observations during BRIMFROST '83 [1984, 36p.] SR 84-10
Analysis of infiltration results at a proposed North Carolina wastewater treatment site [1984, 24p.] SR 84-11
On-site utility services for remote military facilities in the cold regions [1984, 66p.] SR 84-14
Water supply and waste disposal on permanent snowfields [1985, p 344-350] MP 1792
Initial assessment of the 600-gallon-per-hour Reverse Osmosis Water Purification Unit. Field water supply on the winter battlefield [1986, 6p.] SR 86-20
Predicting product water quality from the 600-gallon-per-hour reverse osmosis water purification unit. Field water supply on the winter battlefield [1988, 7p.] SR 88-02

Bowen, S.
Proceedings 1972 Tundra Biome symposium [1972, 211p.] MP 1374
Arctic research of the United States, Vol.3 [1989, 71p.] MP 2530
United States arctic research plan biennial revision 1990-1991 [1989, 72p.] MP 2544
Arctic research of the United States, Vol 4 [1990, 120p.] MP 2765

Bowen, S.L.
SNOW-ONE-B data report [1983, 284p.] SR 83-16

Bowen, S.L. *(cont.)*
Catalog of smoke/obscurant characterization instruments (1984, p.77-82) MP 1865
Arctic research of the United States, Vol.1 (1987, 121p.) MP 2306
Arctic research of the United States, Vol.2 (1988, 76p.) MP 2379
Arctic research in the United States, Vol.3 (1989, 72p.) MP 2653
Boyne, H.S.
Intercomparison of snow cover liquid water measurement techniques (1987, p.167-172) MP 2262
Comparison of snow cover liquid water measurement techniques (1987, p.1833-1836) MP 2283
Radar backscatter comparisons of a 2- to 5-GHz FMCW radar and a 35-GHz radar (1989, p 133-136) MP 2631
Bracy, L.R.
IMPACT OF SPHERES ON ICE CLOSURE (1972, p 473) MP 988
Brass, G.W.
Geochemistry of freezing brines. Low-temperature properties of sodium chloride (1987, 11p.) CR 87-13
Bredow, J.
Radar backscattering from artificially grown sea ice (1989, p 259-264) MP 2667
Bredthauer, S.
Runoff from a small subarctic watershed, Alaska (1983, p.115-120) MP 1654
Bredthauer, S.R.
Drainage network analysis of a subarctic watershed: Caribou-Poker Creeks research watershed, interior Alaska (1979, 9p.) SR 79-19
Drainage network analysis of a subarctic watershed (1979, p 349-359) MP 1274
Tundra lakes as a source of fresh water: Kipnuk, Alaska (1979, 16p.) SR 79-30
Brewer, M.C.
Effects of low ground pressure vehicle traffic on tundra at Lonely, Alaska (1977, 32p.) SR 77-31
Effects of low ground pressure vehicle traffic on tundra at Lonely, Alaska (1978, 63p.) SR 78-16
Long-term effects of off-road vehicle traffic on tundra terrain (1984, p.283-294) MP 1820
Britton, K.B.
Low temperature effects on sorption, hydrolysis and photolysis of organophosphonates—a literature review (1986, 47 refs.) SR 86-38
Prediction of octanol-water partition coefficients of organophosphonates: Evaluation of structure-function relationships (1988, 24p.) SR 88-11
Brock, C.A.
Lidar detection of leads in arctic sea ice (1990, p.119-123) MP 2733
Brockett, B.E.
Environmental analyses in the Kootenai River region, Montana (1976, 53p.) SR 76-13
Microbiological aerosols from a field source during sprinkler irrigation with wastewater (1978, p 273-280) MP 1154
Mass water balance during spray irrigation with wastewater at Deer Creek Lake land treatment site (1978, 43p.) SR 79-29
Construction and performance of platinum probes for measurement of redox potential (1978, 8p.) SR 78-27
Bacterial aerosols from a field source during multiple-sprinkler irrigation Deer Creek Lake State Park, Ohio (1979, 64p.) SR 79-32
Drilling and coring of frozen ground in northern Alaska, Spring 1979 (1980, 14p.) SR 80-12
Infiltration characteristics of soils at Apple Valley, Minn., Clarence Cannon Dam, Mo, and Deer Creek Lake, Ohio, land treatment sites (1980, 41p.) SR 80-36
Hydraulic characteristics of the Deer Creek Lake land treatment site during wastewater application (1981, 37p.) CR 81-07
Baseline water quality measurements at six Corps of Engineers reservoirs, Summer 1981 (1982, 55p.) SR 82-30
Microbiological aerosols from a field-source wastewater irrigation system (1983, p 65-75) MP 1578
Observations on ice-cored mounds at Sukakpak Mountain, south central Brooks Range, Alaska (1983, p 91-96) MP 1653
Interaction of gravel fills, surface drainage, and culverts with permafrost terrain (1984, 35p.) MP 2215
Prototype drill for core sampling fine-grained perennially frozen ground (1985, 29p.) CR 85-01
Sub-ice channels and longitudinal frazil bars, ice-covered Tanana River, Alaska (1986, p 465-474) MP 2129
Frazil ice pebbles frazil ice aggregates in the Tanana River near Fairbanks, Alaska (1986, p 475-483) MP 2130
Morphology, hydraulics and sediment transport of an ice-covered river. Field techniques and initial data (1986, 37p.) CR 86-11
Development of a frazil ice sampler (1986, 12p.) SR 86-37
Auger bit for frozen fine-grained soil (1986, 13p.) SR 86-36
Bit design improves augers (1987, p 453-454) MP 2269
Evaluation of the magnetic induction conductivity method for detecting frazil ice deposits (1987, 12p.) CR 87-17
Evaluation of several auger bits in frozen fine-grained soils, asphalt, and concrete (1988, 10p.) SR 88-08
Ice cover distribution in Vermont and New Hampshire Atlantic salmon rearing streams (1988, p.85-96) MP 2473
Field assessment of fisheries habitat-enhancement structures in Bingo Brook, Vermont, after the Spring 1989 ice run (1989, 12p.) MP 2744
Cryogenic sampling of frazil ice deposits (1989, 6p.) SR 89-28
In-situ sampling and characterization of frazil ice deposits (1990, p 193-205) MP 2694
Brohm, D.R.
Application of removal and control methods. Section 1: Railways; Section 2: Highways; Section 3. Airports (1981, p 671-706) MP 1447
Bronson, W.A.
Spray application of wastewater effluent in a cold climate: performance evaluation of a full-scale plant (1980, p 620-626) MP 1403
Energy conservation at the West Dover, Vermont, water pollution control facility (1982, 18p.) SR 82-24
Brotherson, D.E.
Roofer: a management tool for maintaining built-up roofs (1989, p 6-10) MP 2488
ROOFER: a management tool for maintaining built-up roofs (1989, 9p.) MP 2576
Brown, J.
Tundra biome program (1970, p 1278) MP 881
Tundra biome applies new look to ecological problems in Alaska (1970, p.9) MP 880
Word model of the Barrow ecosystem (1970, p 41-43) MP 943
Synthesis and modeling of the Barrow, Alaska, ecosystem (1970, p.44-49) MP 944
Environmental setting, Barrow, Alaska (1970, p 50-64) MP 945
Bibliography of the Barrow, Alaska, IBP ecosystem model (1970, p.65-71) MP 946
Ecological effects of oil spills and seepages in cold-dominated environments (1971, p 61-65) MP 905
Abiotic overview (1971, p 173-181) MP 906
Prediction and validation of temperature in tundra soils (1971, p.193-197) MP 907
U S Tundra Biome central program 1971 progress report (1971, p.244-270) MP 909
Summary of the 1971 US Tundra Biome Program (1972, p 306-313) MP 995
Proceedings 1972 Tundra Biome symposium (1972, 211p.) MP 1374
Soil properties of the International Tundra Biome sites (1974, p.27-48) MP 1043
Snow accumulation for arctic freshwater supplies (1975, p 218-224) MP 860
Barrow, Alaska, USA (1975, p.73-124) MP 1050
Computer simulation of the snowmelt and soil thermal regime at Barrow, Alaska (1975, p 709-715) MP 857
Ecological investigations of the tundra biome in the Prudhoe Bay Region, Alaska (1975, 215p.) MP 1053
Selected climatic and soil thermal characteristics of the Prudhoe Bay region (1975, p.3-12) MP 1054
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1976, p 391-408) MP 1377
Climatic and soil temperature observations at Atkasook on the Meade River, Alaska, summer 1975 (1976, 25p.) SR 76-01
RATE—The influence of grazing on the Arctic tundra ecosystems (1976, p 153-160) MP 970
Arctic transportation operational and environmental evaluation of an air cushion vehicle in Northern Alaska (1976, 7p.) MP 894
Ecological and environmental consequences of off-road traffic in northern regions (1976, p 40-53) MP 1383
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1976, p 53-60) MP 919
Environmental analyses in the Kootenai River region, Montana (1976, 53p.) SR 76-13
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1977, p 234-237) MP 927
Arctic transportation operational and environmental evaluation of an air cushion vehicle in northern Alaska (1977, p 176-182) MP 985
Symposium, geography of polar countries, selected papers and summaries (1977, 61p.) SR 77-06
Computer modeling of terrain modifications in the arctic and subarctic (1977, p 24-32) MP 971
Revegetation and erosion control observations along the Trans-Alaska Pipeline—1975 summer construction season (1977, 36p.) SR 77-08
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1977, p 385-395) MP 1074
Effects of low-pressure wheeled vehicles on plant communities and soils at Prudhoe Bay, Alaska (1977, 49p.) SR 77-17
Effects of low ground pressure vehicle traffic on tundra at Lonely, Alaska (1977, 32p.) SR 77-31
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1977, p 432-440) MP 1077
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1977, p 518-521) MP 1201
1977 tundra fire in the Kokolik River area of Alaska (1978, p 54-58) MP 1125
Ecological baseline investigations along the Yukon River-Prudhoe Bay Haul Road, Alaska (1978, 131p.) MP 1115
Distribution and properties of road dust and its potential impact on tundra along the northern portion of the Yukon River-Prudhoe Bay Haul Road. Chemical composition of dust and vegetation (1978, p.110-111) MP 1116
Climatic and dendroclimatic indices in the discontinuous permafrost zone of the Central Alaskan Uplands (1978, p 392-398) MP 1099
Thaw penetration and permafrost conditions associated with the Livengood to Prudhoe Bay road, Alaska (1978, p 615-621) MP 1102
1977 tundra fire at Kokolik River, Alaska (1978, 11p.) SR 78-10
Ecological baseline investigations along the Yukon River-Prudhoe Bay haul road, Alaska (1978, 131p.) SR 78-13
Effects of low ground pressure vehicle traffic on tundra at Lonely, Alaska (1978, 63p.) SR 78-16
Introduction to the Workshop on Ecological Effects of Hydrocarbon Spills in Alaska (1978, p 155-157) MP 1183
Effects of crude and diesel oil spill on plant communities at Prudehoe Bay, Alaska, and the derivation of oil spill sensitivity maps (1978, p 242-259) MP 1184
Human-induced thermokarst at old drill sites in northern Alaska (1978, p.16-23) MP 1254
Tundra disturbances and recovery following the 1949 exploratory drilling, Fish Creek, Northern Alaska (1978, 81p.) CR 78-28
Physical and thermal disturbance and protection of permafrost (1979, 42p.) SR 79-05
Landsat digital analysis of the initial recovery of the Kokolik River tundra fire area, Alaska (1979, 15p.) MP 1638
Geobotanical atlas of the Prudhoe Bay region, Alaska (1980, 69p.) CR 80-14
Workshop on Environmental Protection of Permafrost Terrain (1980, p.30-36) MP 1314
Arctic ecosystem. the coastal tundra at Barrow, Alaska (1980, 571p.) MP 1355
Coastal tundra at Barrow (1980, p.1-29) MP 1356
LANDSAT digital analysis of the initial recovery of burned tundra at Kokolik River, Alaska (1980, p 263-272) MP 1391
Environmental engineering and ecological baseline investigations along the Yukon River-Prudhoe Bay Haul Road (1980, 187p.) CR 80-19
Road and its environment (1980, p.3-52) MP 1350
Tundra and analogous soils (1981, p 139-179) MP 1405
Abiotic components; introduction (1981, p.79) MP 1432
Point Barrow, Alaska, USA (1981, p 775-776) MP 1434
Surface disturbance and protection during economic development of the North (1981, 88p.) MP 1467
Second National Chinese Conference on Permafrost, Lanzhou, China, 12-18 October 1981 (1982, 58p.) SR 82-03
Environmental and societal consequences of a possible CO2-induced climate change. Volume 2, Part 3—Influence of short-term climate fluctuations on permafrost terrain (1982, 30p.) MP 1546
Some recent trends in the physical and chemical characterization and mapping of tundra soils, Arctic Slope of Alaska (1982, p.264-280) MP 1552
Landsat-assisted environmental mapping in the Arctic National Wildlife Refuge, Alaska (1982, 59p + 2 maps) CR 82-37
Guidebook to permafrost and related features along the Elliott and Dalton Highways, Fox to Prudhoe Bay, Alaska (1983, 230p.) MP 1640
Observations on ice-cored mounds at Sukakpak Mountain, south central Brooks Range, Alaska (1983, p.91-96) MP 1653
U.S tundra biome publication list (1983, 29p.) SR 83-29
Interaction of gravel fills, surface drainage, and culverts with permafrost terrain (1984, 35p.) MP 2215
Potential responses of permafrost to climatic warming (1984, p.92-105) MP 1710
Long-term effects of off road vehicle traffic on tundra terrain (1984, p 283-294) MP 1820
Workshop on Permafrost Geophysics, Golden, Colorado, 23-24 October 1984 (1985, 113p.) SR 85-05
U S permafrost delegation visit to the People's Republic of China, 15-31 July 1984 (1985, 137p.) SR 85-09
Terrain analysis from space shuttle photographs of Tibet (1986, p 400-409) MP 2097
Disturbance and recovery of arctic Alaskan tundra terrain (1987, 63p.) CR 87-11
Arctic research of the United States, Vol.1 (1987, 121p.) MP 2306
Arctic research of the United States, Vol.2 (1988, 76p.) MP 2379
Arctic research in the United States, Vol.3 (1989, 72p.) MP 2653
Arctic research of the United States, Vol 3 (1989, 71p.) MP 2530
United States arctic research plan biennial revision 1990-1991 (1989, 72p.) MP 2544

Arctic research of the United States, Vol.4 (1990, 120p.) MP 2765

Brown, J.A.
Techniques for gas gun studies of shock wave attenuation in snow (1988, p 657-660) MP 2543

Brown, J.M.
Rapid detection of water sources in cold regions—a selected bibliography of potential techniques (1979, 75p.) SR 79-10

Brown, L.
Snow accumulation for arctic freshwater supplies (1975, p.218-224) MP 860
Upland aspen/birch and black spruce stands and their litter and soil properties in interior Alaska (1976, p.33-44) MP 867

Brown, M.-L.
Lake Champlain ice formation and ice free dates and predictions from meteorological indicators (1979, 21p.) CR 79-26
Analysis of ice jams and their meteorological indicators for three winters on the Ottauquechee River, Vermont (1981, 27p.) CR 81-01
Meteorological conditions causing major ice jam formation and flooding on the Ottauquechee River, Vermont (1982, 25p.) SR 82-06

Brown, R.L.
Volumetric constitutive law for snow subjected to large strains and strain rates (1979, 13p.) CR 79-20
Analysis of plastic shock waves in snow (1979, 14p.) CR 79-29
Volumetric constitutive law for snow based on a neck growth model (1980, p.161-165) MP 1803
Pressure waves in snow (1980, p 99-107) MP 1306
Analysis of non-steady plastic shock waves in snow (1980, p 279-287) MP 1354
Propagation of stress waves in alpine snow (1980, p 235-243) MP 1367
Application of energetics to vehicle trafficability problems (1981, p 25-38) MP 1474
Analysis of vehicle tests and performance predictions (1981, p 51-67) MP 1477
Proceedings of a workshop on the properties of snow, 8-10 April 1981, Snowbird, Utah (1982, 135p.) SR 82-18
Comparison of two constitutive theories for compressive deformation of columnar sea ice (1986, p 241-252) MP 2124
Evaluation of the rheological properties of columnar ridge sea ice (1986, p.55-66) MP 2177
Improving snow roads and airstrips in Antarctica (1989, 18p.) SR 89-22

Brown, W.E.
Progress report on 25 cm radar observations of the 1971 AIDJEX studies (1972, p 1-16) MP 989

Brunner, W.
Suppression of ice fog from the Fort Wainwright, Alaska, cooling pond (1982, 34p.) SR 82-22

Bryan, K.
Large-scale ice/ocean model for the marginal ice zone (1984, p.1-7) MP 1778
Ocean circulation its effect on seasonal sea-ice simulations (1984, p.489-492) MP 1700
Diagnostic ice-ocean model (1987, p.987-1015) MP 2238

Bryan, M.L.
Imaging radar observations of frozen Arctic lakes (1976, p.169-175) MP 1284

Bucher, P.
C-14 and other isotope studies on natural ice (1972, p D70-D92) MP 1052

Buchter, B.
Correlation of Freundlich *Kd* and *n* retention parameters with soils and elements (1989, p 370-379) MP 2570

Buck, K.R.
Primary productivity in sea ice of the Weddell region (1978, 17p.) CR 78-19
Sea ice and ice algae relationships in the Weddell Sea (1978, p 70-71) MP 1203
Standing crop of algae in the sea ice of the Weddell Sea region (1979, p.269-281) MP 1242
Morphology and distribution of the Acanthoecidae (Choanoflagellata) from the Weddell Sea during the austral summer, 1977 (1980, 26p.) CR 80-16
Sea ice studies in the Weddell Sea aboard USCGC Polar Sea (1980, p.84-96) MP 1431
Study of the Choanoflagellates (Acanthoecidae) from the Weddell Sea, including a description of *Diaphanoeca multiannulata* n. sp (1981, p 47-54) MP 1453
Physical mechanism for establishing algal populations in frazil ice (1983, p 363-365) MP 1717
Physical and structural characteristics of Weddell Sea pack ice (1987, 70p.) CR 87-14

Buckelew, T.D.
Use of the Landsat data collection system and imagery in reservoir management and operation (1977, c150p.) MP 1114

Budd, W.F.
Compacted-snow runways guidelines for their design and construction in Antarctica (1989, 68p.) SR 89-10

Bunnell, F.L.
Barrow, Alaska, USA (1975, p 73-124) MP 1050
Arctic ecosystem the coastal tundra at Barrow, Alaska (1980, 571p.) MP 1355

Burch, W.B.
System for mounting end caps on ice specimens (1985, p 362-365) MP 2016

Burdick, J.
Proceedings of the Second International Symposium on Cold Regions Engineering (1977, 597p.) MP 952
Yukon River breakup 1976 (1977, p 592-596) MP 960
Ice force measurement on the Yukon River bridge (1981, p 749-777) MP 1396

Burgi, P.H.
River-ice problems: a state-of-the-art survey and assessment of research needs (1974, p 1-15) MP 1002

Burlbaw, E.J.
SNOW III WEST field experiment report. Volume 1 (1988, 170p.) SR 88-28

Burns, B.A.
100 MHz dielectric constant measurements of snow cover dependence on environmental and snow pack parameters (1985, p.829-834) MP 1913

Burns, C.D.
Design considerations for airfields in NPRA (1978, p 441-458) MP 1086

Burrous, C.M.
Determination of unfrozen water in frozen soil by pulsed nuclear magnetic resonance (1978, p.149-155) MP 1097
Phase composition measurements on soils at very high water contents by pulsed nuclear magnetic resonance technique (1978, p.11-14) MP 1210

Burrows, R.L.
Detection of coarse sediment movement using radio transmitters (1989, p 367-373(B)) MP 2752

Bush, M.A.
Detecting structural heat losses with mobile infrared thermography. Part 4: Estimating quantitative heat loss at Dartmouth College, Hanover, New Hampshire (1976, 9p.) CR 76-33

Bush, R.M.
Limnological investigations. Lake Koocanusa, Montana. Part 1: Pre-impoundment study, 1967-1972 (1982, 184p.) SR 82-21
Limnological investigations: Lake Koocanusa, Montana. Part 3 Basic data, post-impoundment, 1972-1978 (1982, 597p.) SR 82-23

Businger, J.A.
Turbulent heat flux from Arctic leads (1979, p.57-91) MP 1340

Buska, J.
Waste heat utilization through soil heating (1980, p 105-120) MP 1363
Window performance in extreme cold (1981, p.396-408) MP 1393
Window performance in extreme cold (1982, 21p.) CR 82-38

Buska, J.S.
Overview of Tanana River monitoring and research studies near Fairbanks, Alaska (1984, 98p + 5 appends.) SR 84-37
Effects of phase III construction of the Chena Flood Control Project on the Tanana River near Fairbanks, Alaska—a preliminary analysis (1984, 11p. + figs.) MP 1745
Frost heave forces on H and pipe foundation piles (1988, p 1039-1044) MP 2367
Measurement of frost heave forces on H-piles and pipe piles (1988, 49p.) CR 88-21

Butler, P.L.
Seven-year performance of CRREL slow-rate land treatment prototypes (1981, 25p.) SR 81-12
Development of a rational design procedure for overland flow systems (1982, 29p.) CR 82-02
Pilot-scale evaluation of the nutrient film technique for wastewater treatment (1982, 34p.) SR 82-27
Baseline water quality measurements at six Corps of Engineers reservoirs, Summer 1981 (1982, 55p.) SR 82-30

Buzzell, G.M.
Phase change heat transfer program for microcomputers (1988, p 645-650) MP 2383

Buzzell, T.D.
Land treatment of wastewaters (1974, p.12-13) MP 1036
Research activities of U S Army Cold Regions Research and Engineering Laboratory (1975, p.9-12) MP 1244
Land treatment of wastewaters for rural communities (1975, p.23-39) MP 1399

Calabrese, S.J.
Parameters affecting the kinetic friction of ice (1967, p 552-561) MP 2258

Calkins, D.
River-ice mounds on Alaska's North Slope (1989, p 288-290) MP 2563

Calkins, D.J.
Investigation of water jets for lock wall deicing (1976, p G2713-22) MP 865
Passage of ice at hydraulic structures (1976, p 1726-1736) MP 966
Evaluation and recommendations for snowdrift control at FAA ILS facilities, Barrow and Deadhorse, Alaska, final report (1976, 41p.) MP 914
Analysis of potential ice jam sites on the Connecticut River at Windsor, Vermont (1976, 31p.) CR 76-31
Arching of model ice floes: Effect of mixture variation on two block sizes (1976, 11p.) CR 76-42
Lock wall deicing with high velocity water jet at Soo Locks, Mi (1977, p 23-35) MP 973
Arching of model ice floes at bridge piers (1978, p.495-507) MP 1134
Frazil ice formation in turbulent flow (1978, p 219-234) MP 1135
Physical measurements of river ice jams (1978, p 693-695) MP 1159
Accele...ed ice growth in rivers (1979, 5p.) CR 79-14
Measurement of the shear stress on the underside of simulated ice covers (1980, 11p.) CR 80-24
Analysis of velocity profiles under ice in shallow streams (1981, p 94-111) MP 1397
Port Huron ice control model studies (1982, p 361-373) MP 1530
Model study of Port Huron ice control structure, wind stress simulation (1982, 27p.) CR 82-09
Resistance coefficients from velocity profiles in ice-covered shallow streams (1982, p.236-247) MP 1540
Ottauquechee River—analysis of freeze-up processes (1982, p 2-37) MP 1738
Application of HEC-2 for ice-covered waterways (1982, p 241-248) MP 1575
Hydraulic model study of Port Huron ice control structure (1982, 59p.) CR 82-34
Modeling of ice discharge in river models (1983, p.285-290) MP 2081
Ice jams in shallow rivers with floodplain flow (1983, p 538-548) MP 1644
Ice-related flood frequency analysis, application of analytical estimates (1984, p 85-101) MP 1712
Ice cover melting in a shallow river (1984, p 255-265) MP 1763
Salmon River ice jams (1984, p 529-533) MP 1796
Numerical simulation of freeze-up on the Ottauquechee River (1984, p 247-277) MP 1815
Cold facts of ice jams: case studies of mitigation methods (1984, p 39-47) MP 1793
Survey of ice problem areas in navigable waterways (1985, 32p.) SR 85-02
Ice jam flood prevention measures, Lamoille River at Hardwick, Vermont, USA (1985, p 149-168) MP 1940
Hydrologic aspects of ice jams (1986, p.603-609) MP 2116
Ice problems associated with rivers and reservoirs (1986, p 70-98) MP 2155
River ice and salmonids (1986, p D-4.1-D-4.26) MP 2477
Calibrating HEC-2 in a shallow, ice-covered river (1986, 25 refs.) SR 86-34
Winter water quality in lakes and streams (1988, 8p.) MP 2507
Ice cover distribution in Vermont and New Hampshire Atlantic salmon rearing streams (1988, p 85-96) MP 2473
Deployment of floating bridges in ice-covered rivers (1988, 38p.) SR 88-20
Water detection in the coastal plains of the Arctic National Wildlife Refuge using helicopter-borne short pulse radar (1989, 25p.) CR 89-07
Field assessment of fisheries habitat-enhancement structures in Bingo Brook, Vermont, after the Spring 1989 ice run (1989, 12p.) MP 2744
Winter habitats of Atlantic salmon, brook trout, brown trout and rainbow trout a literature review (1989, 9p.) SR 89-34
Radar surveying of the bottom surface of ice covers (1990, p 30-39) MP 2766

Cameron, J.J.
On-site utility services for remote military facilities in the cold regions (1984, 66p.) SR 84-14

Campbell, W.J.
Towing icebergs (1974, p 2) MP 1020
Results of the US contribution to the Joint US/USSR Bering Sea Experiment (1974, 197p.) MP 1032
Meso-scale strain measurements on the Beaufourt sea pack ice (AIDJEX 1971) (1974, p 119-138) MP 1035
Remote sensing program required for the AIDJEX model (1974, p 22-44) MP 1040
Ice dynamics in the Canadian Archipelago and adjacent Arctic basin as determined by ERTS-1 observations (1975, p 853-877) MP 1585
Remote sensing plan for the AIDJEX main experiment (1975, p 21-48) MP 862
Interesting features of radar imagery of ice covered North Slope lakes (1977, p 129-136) MP 923
Integrated approach to the remote sensing of floating ice (1977, p 445-487) MP 1069
Visual observations of floating ice from Skylab (1977, p 353-379) MP 1263
Measurement of mesoscale deformation of Beaufort sea ice (AIDJEX-1971) (1978, p.148-172) MP 1179
Continuum sea ice model for a global climate model (1980, p 187-196) MP 1622
MIZEX a program for mesoscale air-ice-ocean interaction, experiments in Arctic marginal ice zones 1 Research strategy (1981, 20p.) SR 81-19

Campbell, W.J. *(cont.)*
MIZEX—a program for mesoscale air-ice-ocean interaction experiments in Arctic marginal ice zones 2. A science plan for a summer Marginal Ice Zone Experiment in the Fram Strait/Greenland Sea· 1984 (1983, 47p.) SR 83-12
Marginal ice zones: a description of air-ice-ocean interactive processes, models and planned experiments (1984, p.133-146) MP 1673

Carbee, D.L.
Strength of frozen silt as a function of ice content and dry unit weight (1980, p 109-119) MP 1451
Thermal diffusivity of frozen soil (1980, 30p.) SR 80-38
CRREL frost heave test, USA (1981, p.55-62) MP 1499
Creep behavior of frozen silt under constant uniaxial stress (1983, p.1507-1512) MP 1805
Creep behavior of frozen silt under constant uniaxial stress (1984, p 33-48) MP 1807
Uniaxial compressive strength of frozen silt under constant deformation rates (1984, p 3-15) MP 1773
Strain rate effect on the tensile strength of frozen silt (1985, p.153-157) MP 1898
Tensile strength of frozen silt (1986, p.15-28) MP 1971
Creep and strength behavior of frozen silt in uniaxial compression (1937, 67p.) CR 87-10
Tensile strength of frozen silt (1987, 23p.) CR 87-15
Triaxial compressive strength of frozen soils under constant strain rates (1988, p 1200-1205b) MP 2371

Carey, K.L.
Icings developed from surface water and ground water (1973, 71p.) M III-D3
Solving problems of ice-blocked drainage facilities (1977, 17p.) SR 77-25
Ice blockage of water intakes (1979, 27p.) MP 1197
Estimating costs of ice damage to private shoreline structures on Great Lakes connecting channels (1980, 33p.) SR 80-22
Ice engineering for civil work· baseline study (1983, 91p.) MP 2441
Ice atlas, 1984-1985· Ohio River, Allegheny River, Monongahela River (1986, 185p.) SR 86-23
River ice mapping with Landsat and video imagery (1987, p.352-363) MP 2273
Ice atlas 1985-1986 Monongahela River, Allegheny River, Ohio River, Illinois River, Kankakee River (1987, 367p.) SR 87-20

Carlon, H.R.
CBR operations in cold weather: a bibliography, Vol.1 (1989, 88p.) MP 2574

Carlson, R.F.
Cold regions engineering research—strategic plan (1989, p.172-190) MP 2571

Carpenter, T.
Multivariable regression algorithm (1983, 41p.) SR 83-32

Carsey, F.
Science program for an imaging radar receiving station in Alaska (1983, 45p.) MP 1884
Alaska synthetic aperture radar (SAR) facility project (1987, p 593-596) MP 2408

Carsey, F.D.
Remote sensing of the Arctic seas (1986, p.59-64) MP 2117

Carstens, T.
Working group on ice forces on structures (1980, 146p.) SR 80-26

Cass, J.R., Jr.
Subsurface explorations in permafrost areas (1959, p 31-41) MP 885

Cassell, E.A.
Spray application of wastewater effluent in West Dover, Vermont: an initial assessment (1979, 38p.) SR 79-06
Spray application of wastewater effluent in a cold climate performance evaluation of a full-scale plant (1980, p 620-626) MP 1403
Case study of land treatment in a cold climate—West Dover, Vermont (1982, 96p.) CR 82-44

Cassidy, W.A.
Emerging meteorite. crystalline structure of the enclosing ice (1989, p 87-91) MP 2503

Caswell, D.M.
Hydraulic characteristics of the Deer Creek Lake land treatment site during wastewater application (1981, 37p.) CR 81-07

Catalog of Snow Research Projects
Catalog of Snow Research Projects (1975, 103p.) MP 1129

Cate, D.
Disturbance and recovery of arctic Alaskan tundra terrain (1987, 63p.) CR 87-11
Rating unsurfaced roads—a field manual for measuring maintenance problems (1987, 34p.) SR 87-15
Arctic research of the United States, Vol.2 (1988, 76p.) MP 2379
Arctic research in the United States, Vol.3 (1989, 72p.) MP 2653
United States arctic research plan biennial revision 1990-1991 (1989, 72p.) MP 2544

Cate, D.W.
Rating unsurfaced roads (1988, p.66-69) MP 2541
Arctic research of the United States, Vol.3 (1989, 71p.) MP 2530

Cavalieri, D.J.
Antarctic ice sheet brightness temperature variations (1990, p 217-223) MP 2736

Chacho, E.F.
Runoff from a small subarctic watershed, Alaska (1983, p.115-120) MP 1654
Overview of Tanana River monitoring and research studies near Fairbanks, Alaska (1984, 98p. + 5 append.) SR 84-37
Effects of phase III construction of the Chena Flood Control Project on the Tanana River near Fairbanks, Alaska—a preliminary analysis (1984, 11p. + figs.) MP 1745
Glaciers and sediment (1986, p 53-69) MP 2154
Ice problems associated with rivers and reservoirs (1986, p.70-98) MP 2155
Permafrost (1986, p 99-106) MP 2156
Sub-ice channels and longitudinal frazil bars, ice-covered Tanana River, Alaska (1986, p.465-474) MP 2129
Frazil ice pebbles: frazil ice aggregates in the Tanana River near Fairbanks, Alaska (1986, p 475-483) MP 2130
Morphology, hydraulics and sediment transport of an ice-covered river. Field techniques and initial data (1986, 37p.) CR 86-11
Evaluation of the magnetic induction conductivity method for detecting frazil ice deposits (1987, 12p.) CR 87-17

Chacho, E.F., Jr.
Detection of coarse sediment movement using radio transmitters (1989, p.367-373(B)) MP 2752
Cryogenic sampling of frazil ice deposits (1989, 6p.) SR 89-28
Water and suspended solids discharge during snowmelt in a discontinuous permafrost basin (1990, p 167-173) MP 2706

Chalich, P.C.
Sublimation and its control in the CRREL permafrost tunnel (1981, 12p.) SR 81-08

Chamberlain, E.
Effect of freeze-thaw cycles on the permeability and macrostructure of soils (1990, p 145-155) MP 2678

Chamberlain, E.J.
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1976, p 391-408) MP 1377
Operational report: 1976 USACRREL-USGS subsea permafrost program Beaufort Sea, Alaska (1976, 20p.) SR 76-12
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1976, p.53-60) MP 919
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1977, p 234-237) MP 927
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1977, p.385-395) MP 1074
Resilient modulus and Poisson's ratio for frozen and thawed silt and clay subgrade materials (1977, p 229-281) MP 1724
Freeze-thaw enhancement of the drainage and consolidation of fine-grained dredged material in confined disposal areas (1977, 94p.) MP 978
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1977, p.432-440) MP 1077
1977 CRREL-USGS permafrost program Beaufort Sea, Alaska, operational report (1977, 19p.) SR 77-41
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1977, p 518-521) MP 1201
Effect of freeze-thaw cycles on resilient properties of fine-grained soils (1978, 19p.) MP 1082
Effect of freezing and thawing on the permeability and structure of soils (1978, p 31-44) MP 1080
Densification by freezing and thawing of fine material dredged from waterways (1978, p 622-628) MP 1103
Engineering properties of subsea permafrost in the Prudhoe Bay region of the Beaufort Sea (1978, p.629-635) MP 1104
Influence of freezing and thawing on the resilient properties of a silt soil beneath an asphalt pavement (1978, p 662-668) MP 1106
Influence of freezing and thawing on the resilient properties of a silt soil beneath an asphalt concrete pavement (1978, 59p.) CR 78-23
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1978, p 50-74) MP 1206
Overconsolidated sediments in the Beaufort Sea (1978, p 24-29) MP 1255
Resilient response of two frozen and thawed soils (1979, p 257-271) MP 1176
Permafrost beneath the Beaufort Sea, near Prudhoe Bay, Alaska (1979, p.1481-1493) MP 1211
Penetration tests in subsea permafrost, Prudhoe Bay, Alaska (1979, 45p.) CR 79-07
Effect of freezing and thawing on the permeability and structure of soil (1979, p 73-92) MP 1225
Effect of freeze-thaw cycles on resilient properties of fine-grained soils (1979, p 247-276) MP 1226
Determining subsea permafrost characteristics with a cone penetrometer—Prudhoe Bay, Alaska (1979, p.3-16) MP 1217
Field methods and preliminary results from subsea permafrost investigations in the Beaufort Sea, Alaska (1979, p.207-213) MP 1591
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1979, p 93-115) MP 1287
Buried valleys as a possible determinant of the distribution of deeply buried permafrost on the continental shelf of the Beaufort Sea (1979, p.135-141) MP 1288
Permafrost beneath the Beaufort Sea: near Prudhoe Bay, Alaska (1980, p 35-48) MP 1346
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1980, p.103-110) MP 1344
Overconsolidation effects of ground freezing (1980, p.325-337) MP 1452
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1981, p.125-157) MP 1428
Statistical evaluation of soil and climatic parameters affecting the change in pavement deflection during thawing of subgrades (1981, 10p.) CR 81-15
Comparative evaluation of frost-susceptibility tests (1981, p.42-52) MP 1486
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1981, p.137-156) MP 1600
Foundations of structures in polar waters (1981, 16p.) SR 81-25
Site investigations and submarine soil mechanics in polar regions (1981, 18p.) SR 81-24
CRREL frost heave test, USA (1981, p 55-62) MP 1499
Frost susceptibility of soil; review of index tests (1981, 110p.) M 81-02
Frost susceptibility of soil; review of index tests (1982, 110p.) MP 1557
Frost heave of saline soils (1983, p.121-126) MP 1655
Survey of methods for classifying frost susceptibility (1984, p.104-141) MP 1707
Shear strength in the zone of freezing in saline soils (1985, p 566-574) MP 1879
Automated soils freezing test (1985, 5p.) MP 1892
Shear strength anisotropy in frozen saline and freshwater soils (1985, p.189-194) MP 1931
Geotechnical properties and freeze/thaw consolidation behavior of sediment from the Beaufort Sea, Alaska (1985, 83p.) MP 2025
Repeated load triaxial testing of frozen and thawed soils (1985, p.166-170) MP 2068
Ion and moisture migration and frost heave in freezing Morin clay (1986, p.1014) MP 1970
Evaluation of selected frost-susceptibility test methods (1986, 51p.) CR-86-14
Frost action predictive techniques for roads and airfields. A comprehensive survey of research findings (1986, 45p.) CR 86-18
Freeze-thaw test to determine the frost susceptibility of soils (1987, 90p.) SR 87-1
Laboratory investigations of low temperature cracking susceptibility of asphalt concrete (1987, p 397-415) MP 2233
Mechanical and physical properties of soils in cold regions (1987, p 155-161) MP 2415
Observations of moisture migration in frozen soils during thawing (1988, p.308-312) MP 2373
New freezing test for determining frost susceptibility (1988, p.1045-1050) MP 2368
Geotechnical investigation of surficial soils to support hard mobile launcher (HML) studies frozen strength characterization of WES/CRREL NH&S test sites in Montana (1988, var. p.) MP 2617
Physical changes in clays due to frost action and their effect on engineering structures (1989, p 863-893) MP 2595
Resilient modulus determination for frost conditions (1989, p 320-333) MP 2569

Chang, T.C.
Results of the US contribution to the Joint US/USSR Bering Sea Experiment (1974, 197p.) MP 1032

Chaplin, M.
Investigation of the acoustic emission and deformation response of finite ice plates (1981, 19p.) CR 81-06

Chen, R.L.
Nitrogen transformations in a simulated overland flow wastewater treatment system (1980, 33p.) SR 80-16

Chenault, T.
SNOW III WEST field experiment report. Volume 1 (1988, 170p.) SR 88-28

Cheng, G.
Observations of moisture migration in frozen soils during thawing (1988, p 308-312) MP 2373

Cheng, K.C.
Proceedings (1987, 270p.) MP 2302
Proceedings (1989, 314p.) MP 2636
Historical and recent developments in the research of cold regions heat transfer (1989, p 1-25) MP 2637

Cheng, S.T.
Compressive and shear strengths of fragmented ice covers—a laboratory study (1977, 82p.) MP 951

Childers, J.M.
River-ice problems. a state-of-the-art survey and assessment of research needs (1974, p.1-15) MP 1002

AUTHOR INDEX

Christensen, F.T.
Review of experimental studies of uplifting forces exerted by adfrozen ice on marina piles (1985, p 529-542) MP 1905

Christopher, W.G.
Ice-cratering experiments Blair Lake, Alaska (1966, Various pagings) MP 1034

Chung, J.S.
Proceedings (1983, 813p.) MP 1581
Proceedings (1985, 2 vols.) MP 2105
Proceedings (1986, 4 vols.) MP 2031
Advances in ice mechanics—1987 (1987, 49p.) MP 2207
Proceedings of the eighth International Conference on Offshore Mechanics and Arctic Engineering, 1989. Volume 4 (1989, 476p.) MP 2481
International arctic research programs (1989, 74p.) SR 89-21
U.S. Federal arctic research (1989, p 65-74) MP 2671

Church, R.E.
ORIGIN AND PALEOCLIMATIC SIGNIFICANCE OF LARGE-SCALE PATTERNED GROUND IN THE DONNELLY DOME AREA, ALASKA (1969, 87p.) MP 1180

Claffey, K.J.
Vector analysis of ice petrographic data (1989, p.129-141) MP 2754

Clapp, C.E.
Uptake of nutrients by plants irrigated with municipal wastewater effluent (1978, p 395-404) MP 1151
Engineering aspects of an experimental system for land renovation of secondary effluent (1978, 26p.) SR 78-23

Clark, C.H.
Accuracy and precision of GOES data collection platforms for temperature measurements (1989, 14p.) SR 89-37

Clark, E.F.
Survey of road construction and maintenance problems in central Alaska (1976, 36p.) SR 76-08

Clarke, D.B.
Observations of pack ice properties in the Weddell Sea (1982, p.105-106) MP 1608
Physical, chemical and biological properties of winter sea ice in the Weddell Sea (1982, p 107-109) MP 1609
Elemental compositions and concentrations of microspherules in snow and pack ice from the Weddell Sea (1983, p.128-131) MP 1777
Relative abundance of diatoms in Weddell Sea pack ice (1983, p.181-182) MP 1786
Morphology and ecology of diatoms in sea ice from the Weddell Sea (1984, 41p.) CR 84-05
Sea ice structure and biological activity in the antarctic marginal ice zone (1984, p 2087-2095) MP 1701

Clausen, H.B.
Climatic oscillations depicted and predicted by isotope analyses of a Greenland ice core (1971, p.17-22) MP 998
Oxygen isotope profiles through the Antarctic and Greenland ice sheets (1972, p.429-434) MP 997
C-14 and other isotope studies on natural ice (1972, p D70-D92) MP 1052
Stable isotope profile through the Ross Ice Shelf at Little America V, Antarctica (1977, p.322-325) MP 1095
Camp Century survey 1986 (1987, p 281-288) MP 2331

Clay, C.S.
Discrete reflections from thin layers of snow and ice (1984, p.323-331) MP 1871

Cloham, G.M.
Computer simulation of urban snow removal (1979, p.293-302) MP 1238

Cogan, J.
Utilization of Unmanned Aerial Vehicles in the ALBE Thrust (1986, p.249-257) MP 2663
Humidity and temperature measurements obtained from an unmanned aerial vehicle (1987, p.35-45) MP 2293
Slant path extinction and visibility measurements from an unmanned aerial vehicle (1987, p.115-126) MP 2296

Cohen, S.
Application of removal and control methods. Section 1: Railways, Section 2: Highways; Section 3: Airports (1981, p 671-706) MP 1447

Colbeck, S.C.
Small-scale strain measurements on a glacier surface (1971, p : 17-243) MP 993
Water percolation through homogeneous snow (1973, p 242-257) MP 1025
Snow and ice (1975, p 435-441, 475-487) MP 844
Effects of radiation penetration on snowmelt runoff hydrographs (1976, p 73-82) MP 948
Water flow through veins in ice (1976, 5p.) CR 76-06
Effects of radiation penetration on snowmelt runoff hydrographs (1976, 9p.) CR 76-11
On the use of tensiometers in snow hydrology (1976, p 135-140) MP 843
Analysis of water flow in dry snow (1976, p.523-527) MP 871
Generation of runoff from subarctic snowpacks (1976, P 677-685) MP 883
Energy balance and runoff from a subarctic snowpack (1976, 29p.) CR 76-27
Thermodynamic deformation of wet snow (1976, 9p.) CR 76-44
Roof loads resulting from rain-on-snow (1977, 19p.) CR 77-12
Computer routing of unsaturated flow through snow (1977, 44p.) SR 77-10
Short-term forecasting of water run-off from snow and ice (1977, p.571-588) MP 1067
Tracer movement through snow (1977, p 255-262) MP 1093
Roof loads resulting from rain on snow; results of a physical model (1977, p.482-490) MP 982
Compression of wet snow (1978, 17p.) CR 78-10
Difficulties of measuring the water saturation and porosity of snow (1978, p.189-201) MP 1124
Regelation and the deformation of wet snow (1978, p 639-650) MP 1172
Physical aspects of water flow through snow (1978, p.165-206) MP 1566
Creep rupture at depth in a cold ice sheet (1978, p.733) MP 1168
Sintering and compaction of snow containing liquid water (1979, p.13-32) MP 1190
Compaction of wet snow on highways (1979, p.14-17) MP 1234
Proceedings of a Meeting on Modeling of Snow Cover Runoff, 26-28 September 1978, Hanover, New Hampshire (1979, 432p.) SR 79-36
Estimated snow, ice, and rain load prior to the collapse of the Hartford Civic Center arena roof (1979, 32p.) SR 79-09
Snow accumulation, distribution, melt, and runoff (1979, p.465-468) MP 1233
Water flow through heterogeneous snow (1979, p.37-45) MP 1219
Focus on U.S. snow research (1979, p 41-52) MP 1261
Snow and the organization of snow research in the United States (1979, p.55-58) MP 1262
Grain clusters in wet snow (1979, p.371-384) MP 1267
Margin of the Greenland ice sheet at Isua (1979, p.155-165) MP 1281
Dynamics of snow and ice masses (1980, 468p.) MP 1297
Thermodynamics of snow metamorphism due to variations in curvature (1980, p 291-301) MP 1368
Liquid distribution and the dielectric constant of wet snow (1980, p.21-39) MP 1349
Introduction to the basic thermodynamics of cold capillary systems (1981, 9p.) SR 81-06
Simulation of the enrichment of atmospheric pollutants in snow cover runoff (1981, p.1-10) MP 1586
Simulation of the enrichment of atmospheric pollutants in snow cover runoff (1981, p.1383-1388) MP 1487
Overview of seasonal snow metamorphism (1982, p 45-61) MP 1500
Configuration of ice in frozen media (1982, p.116-123) MP 1512
Geometry and permittivity of snow at high frequencies (1982, p 4495-4500) MP 1545
Geometry and permittivity of snow (1982, p.113-131) MP 1985
Proceedings of a workshop on the properties of snow, 8-10 April 1981, Snowbird, Utah (1982, 135p.) SR 82-18
Permeability of a melting snow cover (1982, p 904-908) MP 1565
Growth of faceted crystals in a snow cover (1982, 19p.) CR 82-29
Proceedings (1983, 314p.) MP 2054
Ice crystal morphology and growth rates at low supersaturations and high temperatures (1983, p.2677-2682) MP 1537
Theory of metamorphism of dry snow (1983, p 5475-5482) MP 1603
Mechanisms for ice bonding in wet snow accretions on power lines (1983, p.25-30) MP 1633
Snow particle morphology in the seasonal snow cover (1983, p 602-609) MP 1688
Comments on the metamorphism of snow (1983, p.149-151) MP 1650
Increased heat flow due to snow compaction the simplistic approach (1983, p 227-229) MP 1693
Comments on "Theory of metamorphism of dry snow" by S.C. Colbeck (1984, p.4963-4965) MP 1800
New classification system for the seasonal snow cover (1984, p.179-181) MP 1921
Technique for observing freezing fronts (1985, p.13-20) MP 1861
Thermal convection in snow (1985, 61p.) CR 85-09
Experiments on thermal convection in snow (1985, p.43-47) MP 2006
Temperature dependence of the equilibrium form of ice (1985, p 726-732) MP 1939
Theory of natural convection in snow (1985, p 10,641-10,649) MP 1957
What becomes of a winter snowflake (1985, p 312-215) MP 2060
Theory of microfracture healing in ice (1986, p 89-95) MP 2146
Statistics of coarsening in water-saturated snow (1986, p 347-352) MP 2015
Frazil ice measurements in CRREL's flume facility (1986, p.427-438) MP 2127
Classification of seasonal snow cover crystals (1986, p.59S-70S) MP 2164
Theory of particle coarsening with a log-normal distribution (1987, p 1583-1588) MP 2250
Snow metamorphism and classification (1987, p.1-35) MP 2265
Wet precipitation in subfreezing air below a cloud influences radar backscattering (1987, p 135-144) MP 2297
History of snow-cover research (1987, p 60-65) MP 2316
Review of the metamorphism and classification of seasonal snow cover crystals (1987, p.3-34) MP 2438
Snow properties and processes (1987, p.145-150) MP 2413
Kinetic friction of snow (1988, p.78-86) MP 2339
On the micrometeorology of surface hoar growth on snow in mountainous area (1988, p.1-12) MP 2359
Snowmelt increase through albedo reduction (1988, 11p.) SR 88-26
Snow-crystal growth with varying surface temperatures and radiation penetration (1989, p 23-29) MP 2634
Ski friction and thermal response (1989, p 223-225) MP 2745
Does snow have ion chromatographic properties (1989, p.165-171) MP 2755
Snow cover and glacier variations (1989, 111p.) MP 2672
Air movement in snow due to windpumping (1989, p.209-213) MP 2562
Thermal response of downhill skis (1989, 40p.) CR 89-23

Cole, D.M.
Resilient modulus and Poisson's ratio for frozen and thawed silt and clay subgrade materials (1977, p.229-281) MP 1724
Effect of freeze-thaw cycles on resilient properties of fine-grained soils (1978, 19p.) MP 1082
Influence of freezing and thawing on the resilient properties of a silt soil beneath an asphalt pavement (1978, p.662-668) MP 1106
Technique for measuring radial deformation during repeated load triaxial testing (1978, p.426-429) MP 1157
Influence of freezing and thawing on the resilient properties of a silt soil beneath an asphalt concrete pavement (1978, 59p.) CR 78-23
Resilient response of two frozen and thawed soils (1979, p.257-271) MP 1176
Effect of freeze-thaw cycles on resilient properties of fine-grained soils (1979, p 247-276) MP 1226
Bullet penetration in snow (1979, 23p.) SR 79-25
Preparation of polycrystalline ice specimens for laboratory experiments (1979, p.153-159) MP 1327
Cyclic loading and fatigue in ice (1981, p.41-53) MP 1371
Effect of freezing and thawing on resilient modulus of a granular soil exhibiting nonlinear behavior (1981, p.19-26) MP 1484
Acoustic emissions from polycrystalline ice (1982, p 183-199) MP 1524
Deformation and failure of ice under constant stress or constant strain-rate (1982, p 201-219) MP 1525
Acoustic emissions from polycrystalline ice (1982, 15p.) CR 82-21
Effect of stress application rate on the creep behavior of polycrystalline ice (1983, p 614-621) MP 1582
Stress/strain/time relations for ice under uniaxial compression (1983, p 207-220) MP 1587
Relationship between creep and strength behavior of ice at failure (1983, p 189-197) MP 1681
Effect of stress application rate on the creep behavior of polycrystalline ice (1983, p 454-459) MP 1671
Influence of grain size on the ductility of ice (1984, p.150-157) MP 1686
Modeling the resilient behavior of frozen soils using unfrozen water content (1984, p.823-834) MP 1715
Grain size and the compressive strength of ice (1985, p 220-226) MP 1858
Grain growth and the creep behavior of ice (1985, p.187-189) MP 1862
System for mounting end caps on ice specimens (1985, p 362-365) MP 2016
Grain size and the compressive strength of ice (1985, p 369-374) MP 1907
Repeated load triaxial testing of frozen and thawed soils (1985, p.166-170) MP 2068
Resilient modulus of freeze-thaw affected granular soils for pavement design and evaluation Part 1. Laboratory tests on soils from Winchendon, Massachusetts, test sections (1986, 70p.) CR 86-04
Effect of grain size on the internal fracturing of polycrystalline ice (1986, 71p.) CR 86-05
Resilient modulus of freeze-thaw affected granular soils for pavement design and evaluation (1986, 138p.) CR 86-13
Resilient modulus of freeze-thaw affected granular soils for pavement design and evaluation. Part 2. Field validation tests at Winchendon, Massachusetts, test sections (1986, 62p.) CR 86-12

Cole, D.M. *(cont.)*
Small-scale projectile penetration in saline ice (1986, p.415-438) MP 2201
Frost action predictive techniques for roads and airfields. A comprehensive survey of research findings (1986, 45p.) CR 86-18
Resilient modulus of freeze-thaw effected granular soils for pavement design and evaluation. Part 3. Laboratory tests on soils from Albany County Airport (1987, 36p.) CR 87-02
Strain-rate and grain-size effects in ice (1987, p.274-280) MP 2311
Saline ice penetration: a joint CRREL-NSWC test program (1987, 34p) SR 87-14
Flexure and fracture of macrocrystalline S1 type freshwater ice (1988, p 39-46) MP 2318
Crack nucleation in polycrystalline ice (1988, p.79-87) MP 2325
Strain energy failure criterion for S2 freshwater ice in flexure (1988, p.206-215) MP 2494
Uniaxial tension/compression tests on ice—preliminary results (1989, p.37-41) MP 2482
Resilient modulus determination for frost conditions (1989, p.320-333) MP 2569
Use of the mechanical properties of ice in the development of predictive models (1989, p.87-99) MP 2687
Cyclic loading of saline ice: initial experimental results (1990, p.265-271) MP 2581

Collins, C.M.
Fate and effects of crude oil spilled on permafrost terrain. First year progress report (1976, 18p.) SR 76-15
Ice breakup on the Chena River 1975 and 1976 (1977, 44p.) CR 77-14
Investigation of slumping failure in an earth dam abutment at Kotzebue, Alaska (1977, 21p.) SR 77-21
Fate and effects of crude oil spilled on permafrost terrain. Second annual progress report, June 1976 to July 1977 (1977, 46p.) SR 77-44
Fresh water supply for a village surrounded by salt water—Point Hope, Alaska (1978, 18p.) SR 78-07
Effects of winter military operations on cold regions terrain (1978, 34p.) SR 78-17
Physical, chemical and biological effects of crude oil spills on black spruce forest, interior Alaska (1978, p.305-323) MP 1185
Ice fog suppression using reinforced thin chemical films (1978, 23p.) CR 78-26
Ice fog suppression using thin chemical films (1979, 44p.) MP 1192
Case study: fresh water supply for Point Hope, Alaska (1979, p.1029-1040) MP 1222
Fate and effects of crude oil spilled on subarctic permafrost terrain in interior Alaska (1980, 128p.) MP 1310
Snow pads used for pipeline construction in Alaska, 1976 construction, use and breakup (1980, 28p.) CR 80-17
Fate and effects of crude oil spilled on subarctic permafrost terrain in interior Alaska (1980, 67p.) CR 80-29
Sediment load and channel characteristics in subarctic upland catchments (1981, p 39-48) MP 1518
Long-term active layer effects of crude oil spilled in interior Alaska (1983, p 175-179) MP 1656
Overview of Tanana River monitoring and research studies near Fairbanks, Alaska (1984, 98p. + 5 appends.) SR 84-37
Effects of phase III construction of the Chena Flood Control Project on the Tanana River near Fairbanks, Alaska—a preliminary analysis (1984, 11p + figs.) MP 1745
Erosion analysis of the north bank of the Tanana River, first deferred construction area (1984, 8p. + figs.) MP 1748
Observations during BRIMFROST '83 (1984, 36p.) SR 84-10
Morphology, hydraulics and sediment transport of an ice-covered river. Field techniques and initial data (1986, 37p.) CR 86-11
Natural ground temperatures in upland bedrock terrain, interior Alaska (1988, p.56-60) MP 2360
Thermal infrared survey of winter trails in the Ft. Wainwright Training Area, Alaska (1990, 16p.) SR 90-17

Colloquium on Planetary Water and Polar Processes, 2nd, Hanover, N.H., Oct. 16-18, 1978
Proceedings (1978, 209p.) MP 1193

Colloquium on Water in Planetary Regoliths, Hanover, N.H., October 5-7, 1976
Proceedings (1977, 161p.) MP 911

Comiso, J.C.
Antarctic sea ice microwave signatures and their correlation with *in situ* ice observations (1984, p 662-672) MP 1668
Passive microwave *in situ* observations of winter Weddell Sea ice (1989, p 10,891-10,905) MP 2655
Concurrent remote sensing of arctic sea ice from submarine and aircraft (1989, 20p.) MP 2697

Condike, B.J.
Rapid infiltration of primary sewage effluent at Fort Devens, Massachusetts (1976, 34p.) CR 76-48
Treatment of primary sewage effluent by rapid infiltration (1976, 15p.) CR 76-49

Cook, R.
Comments on the characteristics of *in situ* snow at millimeter wavelengths (1986, p.317-320) MP 2666
Scattering at mm wavelengths from *in situ* snow (1986, p.1.6.1-1.6.2) MP 2141

Cooley, K.R.
Proceedings (1990, 318p.) SR 90-01

Coon, M.D.
Remote sensing program required for the AIDJEX model (1974, p.22-44) MP 1040

Cooper, S.
New England reservoir management· Land use/vegetation mapping in reservoir management (Merrimack River basin) (1974, 30p.) MP 1039
Applications of remote sensing for Corps of Engineers programs in New England (1975, 8p. + 14 figs. and tables) MP 913
Preliminary analysis of water equivalent/snow characteristics using LANDSAT digital processing techniques (1977, 16 leaves) MP 1113
Use of the Landsat data collection system and imagery in reservoir management and operation (1977, c150p.) MP 1114
Effect of inundation on vege stion at selected New England flood control reservoirs (1 78, 13p.) MP 1169
Snow cover mapping in northern Maine using LANDSAT digital processing techniques (1979, p.197-198) MP 1510

Corey, M.W.
Land treatment processes within CAPDET (Computer-assisted procedure for the design and evaluation of wastewater treatment systems) (1983, 79p.) SR 83-26

Cortez, E.R.
Antifreeze admixtures for cold weather concreting. Preliminary test results (1990, 8p.) MP 2742

Cosgrove, D.M.
Unusual jökulhlaup involving pothol on Black Rapids Glacier, Alaska Range, Alaska, U.S A. (1990, p.125-126) MP 2708

Coulombe, H.N.
Word model of the Barrow ecosystem (1970, p 41-43) MP 943
Synthesis and modeling of the Barrow, Alaska, ecosystem (1970, p.44-49) MP 944

Coutermarsh, B.A.
Roof moisture survey: Reserve Center Garage, Grenier Field, Manchester, N.H. (1981, 18p.) SR 81-31
Moisture detection in roofs with cellular plastic insulation—West Point, New York, and Manchester, New Hampshire (1982, 22p.) SR 82-07
Can wet roof insulation be dried out (1983, p 626-639) MP 1509
U.S. Air Force roof condition index survey: Ft. Greely, Alaska (1984, 67p.) SR 84-03
Snow in the construction of ice bridges (1985, 12p.) SR 85-18
Model studies of ice interaction with the U.S Army Ribbon Bridge (1986, 18p.) CR 86-01
Contribution of snow to ice bridges (1987, p.133-137) MP 2192
Tactical bridging during winter: 1986 Korean bridging exercise (1987, 23p.) SR 87-13
Factors affecting rates of ice cutting with a chain saw (1989, 14p.) SR 89-24
Winter bridging exercise on thick ice: Fort McCoy, Wisconsin, 1988 (1990, 24p.) SR 90-10

Coutts, H.J.
Winter air pollution at Fairbanks, Alaska (1981, p 512-528) MP 1395
Automotive cold-start carbon monoxide emissions and preheater evaluation (1981, 37p.) SR 81-32
Least life-cycle costs for insulation in Alaska (1982, 47p.) CR 82-27
Low temperature automotive emissions (1983, 2 vols.) MP 1703

Cowan, A.M.
Concurrent remote sensing of arctic sea ice from submarine and aircraft (1989, 20p.) MP 2697

Cox, G.F.N.
Salinity variations in sea ice (1974, p.109-122) MP 1023
Summer conditions in the Prudhoe Bay area, 1953-75 (1981, p.799-808) MP 1457
Equations for determining the gas and brine volumes in sea ice samples (1982, 11p.) CR 82-30
Bering Strait sea ice and the Fairway Rock icefoot (1982, 40p.) CR 82-31
Equations for determining the gas and brine volumes in sea-ice samples (1983, p 306-316) MP 2055
Thermal expansion of saline ice (1983, p.425-432) MP 1768
Stress measurements in ice (1983, 31p.) CR 83-23
Electromagnetic properties of sea ice (1984, 32p.) CR 84-02
Summary of the strength and modulus of ice samples from multi-year pressure ridges (1984, p.126-133) MP 1679
Preliminary examination of the effect of structure on the compressive strength of ice samples from multi-year pressure ridges (1984, p.140-144) MP 1685
Mechanical properties of multi-year sea ice. Phase 1. Test results (1984, 105p.) CR 84-09
Mechanical properties of multi-year sea ice Testing techniques (1984, 39p.) CR 84-08
Electromagnetic properties of sea ice (1984, p.53-75) MP 1776
Mechanical properties of sea ice: a status report (1984, p.135-198) MP 1808
Evaluation of a biaxial ice stress sensor (1984, p 349-361) MP 1836
Preliminary investigation of thermal ice pressures (1984, p.221-229) MP 1788
Authors' response to discussion on: Electromagnetic properties of sea ice (1984, p.95-97) MP 1822
Tensile strength of multi-year pressure ridge sea ice samples (1985, p 186-193) MP 1856
Structure, salinity and density of multi-year sea ice pressure ridges (1985, p.194-198) MP 1857
Summary of the strength and modulus of ice samples from multi-year pressure ridges (1985, p 93-98) MP 1848
Preliminary examination of the effect of structure on the compressive strength of ice samples from multi-year pressure ridges (1985, p.99-102) MP 1849
Effect of sample orientation on the compressive strength of multi-year pressure ridge ice samples (1985, p.465-475) MP 1877
Triaxial compression testing of ice (1985, p.476-488) MP 1878
Sheet ice forces on a conical structure: an experimental study (1985, p.46-54) MP 1915
Kadluk ice stress measurement program (1985, p.88-100) MP 1899
Sheet ice forces on a conical structure: an experimental study (1985, p 643-655) MP 1906
Experience with a biaxial ice stress sensor (1985, p 252-258) MP 1937
Tensile strength of multi-year pressure ridge sea ice samples (1985, p 375-380) MP 1908
Sea ice and the Fairway Rock icefoot (1985, p 25-32) MP 2145
Mechanical properties of multi-year sea ice. Phase 2: Test results (1985, 81p.) CR 85-16
Structure, salinity and density of multi-year sea ice pressure ridges (1985, p.493-497) MP 1965
Ice properties in a grounded man-made ice island (1986, p.135-142) MP 2032
Confined compressive strength of multi-year pressure ridge sea ice samples (1986, p 365-373) MP 2035
Comparison of two constitutive theories for compressive deformation of columnar sea ice (1986, p 241-252) MP 2124
Evaluation of the rheological properties of columnar ridge sea ice (1986, p 55-66) MP 2177
Changes in the salinity and porosity of sea-ice samples during shipping and storage (1986, p.371-375) MP 2244
Modeling the electromagnetic property trends in sea ice and example impulse radar and frequency-domain electromagnetic ice thickness sounding results (1986, p 57-133) MP 2197
On the profile properties of undeformed first-year sea ice (1986, p.257-330) MP 2199
Triaxial testing of first-year sea ice (1986, 41p.) CR 86-16
Verification tests for a stiff inclusion stress sensor (1987, p 81-88) MP 2223
Advances in sea ice mechanics in the USA (1987, p 37-49) MP 2208
Mechanical properties of multi-year sea ice. Phase 1. Ice structure analysis (1987, 30p.) CR 87-03
Electromagnetic property trends in sea ice, Part 1 (1987, 45p.) CR 87-06
Mechanical properties of multi-year sea ice (1987, p 121-153) MP 2428
Kadluk ice stress measurement program (1987, p.100-107) MP 2298
Modeling the electromagnetic property trends in sea ice; Part 1 (1987, p.207-235) MP 2330
DOD floating ice problems (1987, p 151-154) MP 2414
Mukluk ice stress measurement program (1988, p.457-463) MP 2354
Confined compressive strength of multi-year pressure ridge sea ice samples (1988, p 295-301) MP 2403
Profile properties of undeformed first-year sea ice (1988, 57p.) CR 88-13
Numerical simulations of the profile properties of undeformed first-year sea ice during the growth season (1988, p 12,449-12,460) MP 2404
Mukluk ice stress measurement program (1988, p 11-15) MP 2618

Coyne, P.I.
Carbon dioxide dynamics on the Arctic tundra (1971, p.48-52) MP 903
CO2 exchange in the Alaskan Arctic tundra meteorological assessment by the aerodynamic method (1972, p.36-39) MP 1375
Case for comparison and standardization of carbon dioxide reference gases (1973, p 163-181) MP 964

Cragin, J.H.
Vanadium and other elements in Greenland ice cores (1976, 4p.) CR 76-24
Atmospheric trace metals and sulfate in the Greenland Ice Sheet (1977, p.915-920) MP 949

AUTHOR INDEX

Interhemispheric comparison of changes in the composition of atmospheric precipitation during the Late Cenozoic era (1977, p.617-631) MP 1079
Vanadium and other elements in Greenland ice cores (1977, p.98-102) MP 1092
Seasonal variations of chemical constituents in annual layers of Greenland deep ice deposits (1977, p.302-306) MP 1094
Blank corrections for ultratrace atomic absorption analysis (1979, 5p.) CR 79-03
Increased mercury contamination of distilled and natural water samples caused by oxidizing preservatives (1979, p 313-319) MP 1270
Brine zone in the McMurdo Ice Shelf, Antarctica (1982, p 166-171) MP 1550
Chemical obscurant tests during winter; environmental fate (1982, 9p) SR 82-19
Brine zone in the McMurdo Ice Shelf, Antarctica (1982, 28p.) CR 82-39
Baseline water quality measurements at six Corps of Engineers reservoirs, Summer 1981 (1982, 55p) SR 82-30
Soft drink bubbles (1983, p.71) MP 1736
Chemical fractionation of brine in the McMurdo Ice Shelf, Antarctica (1983, 16p) CR 83-06
Chemical obscurant tests during winter. Environmental fate (1983, p 267-272) MP 1760
Baseline acidity of ancient precipitation from the South Pole (1984, 7p) CR 84-15
Field sampling of snow for chemical obscurants at SNOW-TWO/Smoke Week VI (1984, p 265-270) MP 2096
Impact of dredging on water quality at Kewaunee Harbor, Wisconsin (1984, 16p.) CR 84-21
Snow chemistry of obscurants released during SNOW-TWO/Smoke Week VI (1984, p 409-416) MP 1873
Sample digestion and drying techniques for optimal recovery of mercury from soils and sediments (1985, 16p.) SR 85-16
TNT, RDX and HMX explosives in soils and sediments. Analysis techniques and drying losses (1985, 11p.) CR 85-15
Chemical fractionation of brine in the McMurdo Ice Shelf, Antarctica (1986, p.307-313) MP 2239
Scavenging of infrared screener EA 5763 by falling snow (1987, p.13-20) MP 2292
Baseline acidity of precipitation at the South Pole during the last two millennia (1987, p.789-792) MP 2275
Increased transmission through brass obscurant clouds during snowfall (1988, p 489-496) MP 2605
Snow-smoke interaction (1988, p 497-506) MP 2607
Model of smoke concentration reduction due to scavenging by snow (1989, p 87-98) MP 2628
Parametric study on transmission through smoke screens produced in falling snow (1989, p 99-111) MP 2629
Does snow have ion chromatographic properties (1989, p 165-171) MP 2755

Craig, J.L.
Observations during BRIMFROST '83 (1984, 36p) SR 84-10
Fox permafrost tunnel a late Quaternary geologic record in central Alaska (1988, p 948-969) MP 2355

Crane, R.K.
Signal-processing algorithm for the extraction of thin freshwater-ice thickness from short pulse radar data (1990, p 137-145) MP 2698

Crasey, P.D.
Weddell-Scotia Sea marginal ice zone observations from space, October 1984 (1986, p.3920-3924) MP 1536

Crawford, J.
Glaciological investigations using the synthetic aperture radar imaging system (1987, p.11-19) MP 2342
Concurrent remote sensing of arctic sea ice from submarine and aircraft (1989, 20p) MP 2697

Crites, R.W.
Land treatment: present status, future prospects (1978, p 98-102) MP 1417
Cost of land treatment systems (1979, 135p) MP 1387
Problems with rapid infiltration—a post mortem analysis (1984, 17p. + figs) MP 1944
Technology and costs of wastewater application to forest systems (1986, p.349-355) MP 2266
Forest land treatment with municipal wastewater in New England (1986, p 420-430) MP 2280
New approach for sizing rapid infiltration systems (discussion and closure) (1989, p 879-882) MP 2712

Crook, L.
Failure of an ice bridge (1976, 13p) CR 76-29

Crory, F.E.
Piles in permafrost for bridge foundations (1967, 41p) MP 1411
Kotzebue hospital—a case study (1978, p.342-359) MP 1084
Design considerations for airfields in NPRA (1978, p 441-458) MP 1086
Design and construction of temporary airfields in the National Petroleum Reserve—Alaska (1978, p 13-15) MP 1253
Use of piling in frozen ground (1980, 21 p) MP 1407
Piling in frozen ground (1982, p 112-124) MP 1722
Designing for frost heave conditions (1984, p 22-44) MP 1705
Winter field testing of U.S. Navy fleet hospital (1988, 10p) MP 2512
Engineering geology studies on the National Petroleum Reserve in Alaska (1988, p.899-922) MP 2519
Airfields in Arctic Alaska (1988, p.49-55) MP 2451

Crosby, R.L.
Thermal energy and the environment (1975, 3p + 2p. figs) MP 1480

Crowder, W.K.
Mesoscale deformation of sea ice from satellite imagery (1973, 2p) MP 1120
Arctic and subarctic environmental analysis utilizing ERTS-1 imagery. Final report June 1972-Feb 1974 (1974, 128p) MP 1047

Crowe, A.
Resilient modulus of freeze-thaw affected granular soils for pavement design and evaluation. (1986, 138p) CR 86-13

Cullinane, M.J., Jr.
Land treatment processes within CAPDET (Computer-assisted procedure for the design and evaluation of wastewater treatment systems) (1983, 79p.) SR 83-26

Cummings, N.H.
Cold Regions Science and Technology Bibliography (1981, p 73-75) MP 1372

Cundy, D.F.
Pooling of oil under sea ice (1981, p 912-922) MP 1459

Cunningham, L.L.
Salmon River ice jams (1984, p 529-533) MP 1796

Curcio, J.A.
Visible propagation in falling snow as a function of mass concentration and crystal type (1983, p 103-111) MP 1757

Currier, J.H.
Study on the tensile strength of ice as a function of grain size (1983, 38p) CR 83-14

Cuymon, G.L.
Mathematical model to correlate frost heave of pavements with laboratory predictions (1980, 49p.) CR 80-10

Daly, C.J.
Integral transform method for the linearized Boussinesq groundwater flow equation (1981, p 875-884) MP 1470
Evaluation of procedures for determining selected aquifer parameters (1982, 104p.) CR 82-41
Calculation of advective mass transport in heterogeneous media (1983, p 73-89) MP 1697
Procedure for calculating groundwater flow lines (1984, 42p) SR 84-09

Daly, S.
Remote water-temperature measurement (1989, 6p) MP 2722

Daly, S.F.
Modeling hydrologic impacts of winter navigation (1981, p 1073-1080) MP 1445
Prediction of ice growth and circulation in Kachemak Bay, Bradley Lake Hydroelectric Project (1982, p (C)1-(C)9) MP 1501
Force distribution in a fragmented ice cover (1982, p 374-387) MP 1531
Application of HEC-2 for ice-covered waterways (1982, p 241-248) MP 1575
Using the DWOPER routing model to simulate river flows with ice (1983, 19p) SR 83-01
Frazil ice (1983, p 218-223) MP 2078
Force distribution in a fragmented ice cover (1984, 16p) CR 84-07
Frazil ice dynamics (1984, 46p) M 84-01
St. Lawrence River freeze-up forecast (1984, p 177-190) MP 1713
Forecasting water temperature decline and freeze-up in rivers (1984, 17p) CR 84-19
Dynamics of frazil ice formation (1984, p 161-172) MP 1829
Ice block stability (1984, p 544-548) MP 1972
Data acquisition in USACRREL's flume facility (1985, p 1053-1058) MP 2089
USACRREL precise thermistor meter (1985, 34p) SR 85-26
Frazil ice measurements in CRREL's flume facility (1986, p 427-438) MP 2127
Ice atlas, 1984-1985 Ohio River, Allegheny River, Monongahela River (1986, 185p) SR 86-23
River ice mapping with Landsat and video imagery (1987, p.352-363) MP 2273
Analysis of 112 years of ice conditions observed on the Ohio River at Cincinnati (1987, p 70-79) MP 2260
Evolution of frazil ice in rivers and streams research and control (1987, p 11-16) MP 2303
Modelling trash rack freezeup by frazil ice (1987, p 101-106) MP 2305
Frazil ice in rivers and streams (1987, p.19-26) MP 2381
Ice atlas 1985-1986: Monongahela River, Allegheny River, Ohio River, Illinois River, Kankakee River (1987, 367p) SR 87-20
On the application of thermosyphons in cold regions (1988, p 281-286) MP 2321
Forecasting river water temperatures (1988, p 180-188) MP 2500
Computer-generated graphics of river ice conditions (1988, p 211-219) MP 2509
Ice observations on the Allegheny and Monongahela rivers (1988, 43p.) SR 88-25
Airborne radar survey of a brash ice jam in the St. Clair River (1989, 17p) CR 89-02
Estimation of time to maximum supercooling during dynamic frazil ice formation (1989, 13p) SR 89-26
Data reduction of GOES information from DCP networks (1989, 15p.) SR 89-29
Accuracy and precision of GOES data collection platforms for temperature measurements (1989, 14p) SR 89-37
Development of an underwater frazil-ice detector (1990, p 77-82) MP 2702

Dansgaard, W.
Climatic oscillations depicted and predicted by isotope analyses of a Greenland ice core (1971, p.17-22) MP 998
Oxygen isotope profiles through the Antarctic and Greenland ice sheets (1972, p.429-434) MP 997
Stable isotope profile through the Ross Ice Shelf at Little America V, Antarctica (1977, p.322-325) MP 1095

Danyluk, L.S.
Stabilization of fine-grained soil for road and airfield construction (1986, 37p) SR 86-21

Dattilo, R.S.
Rating system for unsurfaced roads to be used in maintenance management (1987, p (2)51-(2)62) MP 2313
Method for rating unsurfaced roads (1989, p 103-106) MP 2610
Method for rating unsurfaced roads (1989, p 30-40) MP 2533

Davenport, C.V.
Fate and effects of crude oil spilled on subarctic permafrost terrain in interior Alaska (1980, 128p) MP 1310
Fate and effects of crude oil spilled on subarctic permafrost terrain in interior Alaska (1980, 67p) CR 80-29

Davidoff, B.
Correlation of Freundlich *Kd* and *n* retention parameters with soils and elements (1989, p 370-379) MP 2570

Davidson, G.
Water percolation through homogeneous snow (1973, p.242-257) MP 1025

Davidson, K.
MIZEX—a program for mesoscale air-ice-ocean interaction experiments in Arctic marginal ice zones. 8. A science plan for a winter marginal ice zone experiment in the Fram Strait/Greenland Sea: 1987/89 (1986, 53p) SR 86-09

Dean, A.M., Jr.
Remote sensing of accumulated frazil and brash ice in the St. Lawrence River (1977, 19p) CR 77-08
Remote sensing of accumulated frazil and brash ice (1977, p 693-704) MP 934
Investigation of automatic data collection equipment for oceanographic applications (1978, p.1111-1121) MP 1028
Evaluation of ice-covered water crossings (1980, p.443-453) MP 1348
Method for measuring brash ice thickness with impulse radar (1981, 10p) SR 81-11
Electromagnetic subsurface measurements (1981, 19p) SR 81-23
Field investigations of a hanging ice dam (1982, p 475-488) MP 1533
Lake water intakes under icing conditions (1983, 7p) CR 83-15
Modeling intake peformance under frazil ice conditions (1984, p 559-563) MP 1797
Mine detection using non-sinusoidal radar. Part I: Spatial analysis of laboratory test data (1984, 99p) SR 84-22
Field techniques for obtaining engineering characteristics of frazil ice accumulations (1986, p 265-278) MP 2390

Decato, S.
MIZEX 84 mesoscale sea ice dynamics. post operations report (1984, p 66-69) MP 1257

Deck, D.S.
Growth rates and characteristics of ice on the Ottauquechee and Winooski Rivers of Vermont during winter 1977-78 (1978, 30p) SR 78-30
Analysis of velocity profiles under ice in shallow streams (1981, p 94-111) MP 1397
Ice jam problems at Oil City, Pennsylvania (1981, 19p) SR 81-09
Port Huron ice control model studies (1982, p 361-373) MP 1530
Model study of Port Huron ice control structure, wind stress simulation (1982, 27p) CR 82-09
Resistance coefficients from velocity profiles in ice-covered shallow streams (1982, p 236-247) MP 1540
Force measurements and analysis of river ice break up (1982, p 303-336) MP 1739
Hydraulic model study of Port Huron ice control structure (1982, 59p) CR 82-34
Performance of the Allegheny River ice control structure, 1983 (1984, 15p) SR 84-13
Controlling river ice to alleviate ice jam flooding (1984, p 524-528) MP 1795

AUTHOR INDEX

Deck, D.S. *(cont.)*
Controlling river ice to alleviate ice jam flooding (1984, p 69-76) MP 1185
DeCoff, G.W.
Data reduction of GOES information from DCP networks (1989, 15p.) SR 89-29
Dehn, W.F.
Islands of grounded sea ice (1976, 24p.) CR 76-04
Islands of grounded sea ice (1976, p.35-50) MP 987
Delaney, A.J.
Airborne resistivity and magnetometer survey in northern Maine for obtaining information on bedrock geology (1976, 19p.) CR 76-37
Selected examples of radiohm resistivity surveys for geotechnical exploration (1977, 16p.) SR 77-01
Preliminary evaluation of new LF radiowave and magnetic induction resistivity units over permafrost terrain (1977, p.39-42) MP 925
Interaction of a surface wave with a dielectric slab discontinuity (1978, 10p.) CR 78-08
Shallow electromagnetic geophysical investigations of permafrost (1978, p.501-507) MP 1101
Electrical ground impedance measurements in the United States between 200 and 415 kHz (1978, 92p.) MP 1221
Electromagnetic geophysical survey at an interior Alaska permafrost exposure (1979, 7p.) SR 79-14
Detection of Arctic water supplies with geophysical techniques (1979, 30p.) CR 79-15
Effects of seasonal changes and ground ice on electromagnetic surveys of permafrost (1979, 24p.) CR 79-23
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1979, p.93-115) MP 1287
Low-frequency surface impedance measurements at some glacial areas in the United States (1980, p.1-9) MP 1280
HF to VHF radio frequency polarization studies in sea ice at Pt. Barrow, Alaska (1980, p.225-245) MP 1324
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1981, p.125-157) MP 1428
Hyperbolic reflections on Beaufort Sea seismic records (1981, 16p.) CR 81-02
VHF electrical properties of frozen ground near Point Barrow, Alaska (1981, 18p.) CR 81-13
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1981, p.137-156) MP 1600
Measurement of ground dielectric properties using wide-angle reflection and refraction (1982, 11p.) CR 82-06
Laboratory measurements of soil electric properties between 0.1 and 5 GHz (1982, 12p.) CR 82-10
Dielectric properties of thawed active layers overlying permafrost using radar at VHF (1982, p 618-626) MP 1547
Improving electric grounding in frozen materials (1982, 12p.) SR 82-13
Electrical properties of frozen ground at VHF near Point Barrow, Alaska (1982, p.485-492) MP 1572
Radar profiling of buried reflectors and the groundwater table (1983, 16p.) CR 83-11
Field dielectric measurements of frozen silt using VHF pulses (1984, p.29-37) MP 1774
Dielectric measurements of frozen silt using time domain reflectometry (1984, p 39-46) MP 1775
Conductive backfill for improving electrical grounding in frozen soils (1984, 19p.) SR 84-17
Large-size coaxial waveguide time domain reflectometry unit for field use (1984, p.428-431) MP 2048
Radar investigations above the trans-Alaska pipeline near Fairbanks (1984, 15p.) CR 84-27
Mapping resistive seabed features using DC methods (1985, p.136-147) MP 1918
Dielectric studies of permafrost using cross-borehole VHF pulse propagation (1985, p.3-5) MP 1951
Galvanic methods for mapping resistive seabed features (1985, p 91-92) MP 1955
Model studies of surface noise interference in ground-probing radar (1985, 23p.) CR 85-19
Short-pulse radar investigations of freshwater ice sheets and brash ice (1986, 10p.) CR 86-06
Morphology, hydraulics and sediment transport of an ice-covered river. Field techniques and initial data (1986, 37p.) CR 86-11
Preparation and description of a research geophysical borehole site containing massive ground ice near Fairbanks, Alaska (1987, 15p.) SR 87-07
Airborne river-ice thickness profiling with helicopter-borne UHF short-pulse radar (1987, p.330-340) MP 2312
Field observations of mine detection in snow using UHF short-pulse radar (1987, 24p.) SR 87-19
Borehole investigations of the electrical properties of frozen silt (1988, p.910-915) MP 2364
Seasonal variations in resistivity and temperature in discontinuous permafrost (1988, p 927-932) MP 2365
D.C. resistivity along the coast at Prudhoe Bay, Alaska (1988, p 988-993) MP 2366
Investigations of dielectric properties of some frozen materials using cross-borehole radiowave pulse transmissions (1989, 18p.) CR 89-04
Water detection in the coastal plains of the Arctic National Wildlife Refuge using helicopter-borne short pulse radar (1989, 25p.) CR 89-07
Coastal subsea permafrost and bedrock observations using dc resistivity (1989, 13p.) CR 89-13
River-ice mounds on Alaska's North Slope (1989, p.288-290) MP 2563
Demont, W.
Controlled river ice cover breakup; part 1. Hudson River field experiments (1986, p.281-291) MP 2391
Controlled river ice cover breakup; part 2. Theory and numerical model studies (1986, p.293-305) MP 2392
Study of dynamic ice breakup on the Connecticut River near Windsor, Vermont (1987, p.163-177) MP 2400
Options for management of dynamic ice breakup on the Connecticut River near Windsor, Vermont (1988, 16p.) CR 88-01
Development of a dynamic ice breakup control method for the Connecticut River near Windsor, Vermont (1988, p.221-233) MP 2510
Dynamic ice breakup control for the Connecticut River near Windsor, Vermont (1988, p 245-258) MP 2449
Dempsey, B.J.
Projected thermal and load-associated distress in pavements incorporating different grades of asphalt cement (1978, p.403-437) MP 1209
Asphalt concrete for cold regions; a comparative laboratory study and analysis of mixtures containing soft and hard grades of asphalt cement (1980, 55p.) CR 80-05
Dempsey, J.P.
Fracture toughness of model ice (1986, p.365-376) MP 2125
Flexure and fracture of macrocrystalline S1 type freshwater ice (1988, p.39-46) MP 2318
Experimental determination of the fracture toughness of urea model ice (1988, p.289-297) MP 2348
Fracture of S2 columnar freshwater ice: floating double cantilever beam tests (1988, p.152-161) MP 2493
Fracture experiments on freshwater and urea model ice (1988, 152p.) MP 2502
Fracture toughness of columnar freshwater ice from large scale DCB tests (1989, p.7-20) MP 2545
Deneke, F.J.
Upland aspen/birch and black spruce stands and their litter and soil properties in interior Alaska (1976, p.33-44) MP 867
Fate and effects of crude oil spilled on permafrost terrain. First year progress report (1976, 18p.) SR 76-15
DenHartog, S.L.
Cantilever beam tests on reinforced ice (1976, 12p.) CR 76-07
Failure of an ice bridge (1976, 13p.) CR 76-29
Air photo interpretation of a small ice jam (1977, p.705-719) MP 935
Aerial photointerpretation of a small ice jam (1977, 17p.) SR 77-32
Firn quake (a rare and poorly explained phenomenon) (1982, p.173-174) MP 1571
Aircraft operations in the Arctic (1987, p.271-272) MP 2422
Thermosyphon for horizontal applications (1988, p.319-321) MP 2444
Denner, W.W.
"Pack ice and icebergs"—report to POAC 79 on problems of the seasonal sea ice zone: an overview (1979, p.320-337) MP 1320
Dennis, J.G.
Tussock replacement as a means of stabilizing fire breaks in tundra vegetation (1981, p.188-189) MP 1804
Denoth, A.
Study of water drainage from columns of snow (1979, 19p.) CR 79-01
D'Eramo, P.A.
CBR operations in cold weather: a bibliography, Vol.1 (1989, 88p.) MP 2574
Devine, J.S.
U.S. Federal arctic research (1989, p 65-74) MP 2671
Dieoff, G.
Pooling of oil under sea ice (1981, p.912-922) MP 1459
Dieckmann, G.
Sea ice: a habitat for the foraminifer *Neogloboquadrina pachyderma?* (1990, p 86-92) MP 2732
Dieckmann, G.S.
Development of sea ice in the Weddell Sea (1989, p 92-96) MP 2615
Diener, C.J.
Seven-year performance of CRREL slow-rate land treatment prototypes (1981, 25p.) SR 81-12
Development of a rational design procedure for overland flow systems (1982, 29p.) CR 82-02
Pilot-scale evaluation of the nutrient film technique for wastewater treatment (1982, 34p.) SR 82-27
Assessment of the treatability of toxic organics by overland flow (1983, 47p.) CR 83-03
Nitrogen removal in cold regions trickling filter systems (1986, 39p.) SR 86-02
Initial assessment of the 600-gallon-per-hour Reverse Osmosis Water Purification Unit Field water supply on the winter battlefield (1986, 6p.) SR 86-20
Digby-Argus, S.A.
Internal structure, composition and properties of brackish ice from the Bay of Bothnia during the BEPERS-88 experiment (1989, p 1318-1333) MP 2763
Internal structure, composition and properties of brackish ice from the Bay of Bothnia (1990, p.5-15) MP 2725
Dilla, W.S.
Summer conditions in the Prudhoe Bay area, 1953-75 (1981, p.799-808) MP 1457
DiMarco R.
Ice strength estimates from submarine topsounder data (1989, p.425-426) MP 2691
DiMillio, A.
Frost action predictive techniques. an overview of research results (1986, p.147-161) MP 2267
Dingeldein, J.E.
Winter earthwork construction in Upper Michigan (1977, 59p.) SR 77-40
Dingman, S.L.
Hydrology and climatology of the Caribou-Poker Creeks Research Watershed, Alaska (1982, 34p.) CR 82-26
Dittemore, H.R.
Effect of seasonal soil conditions on the reliability of the M15 land mine (1984, 35p.) SR 84-18
Doe, W.W., III
Historical bank recession at selected sites along Corps of Engineers reservoirs (1983, 103p.) SR 83-30
Upper Delaware River ice control—a case study (1986, p 760-770) MP 2005
Bank conditions and erosion along selected reservoirs (1987, p.143-154) MP 2196
Doerflinger, D.F.
Tundra lakes as a source of fresh water: Kipnuk, Alaska (1979, 16p.) SR 79-30
Domack, E.W.
Pebble fabric in an ice-rafted diamicton (1985, p.577-591) MP 1959
Donaldson, R.J.F.
Removal of atmospheric ice from broadcast towers using low-frequency, high-amplitude vibrations (1988, 6p.) MP 2538
Drapier-Arsenault, L.
Ice dynamics in the Canadian Archipelago and adjacent Arctic basin as determined by ERTS-1 observations (1975, p.853-877) MP 1585
Drew, A.R.
Ice flow leading to the deep core hole at Dye 3, Greenland (1984, p.185-190) MP 1824
Dudley, T.
CRREL roof moisture survey, Pease AFB Buildings 33, 116, 122 and 205 (1977, 10p.) SR 77-02
Infrared detective: thermograms and roof moisture (1977, p.41-44) MP 961
Roof moisture survey: ten State of New Hampshire buildings (1977, 29p.) CR 77-31
CRREL roof moisture survey, Building 208 Rock Island Arsenal (1977, 6p.) SR 77-43
Dugan, J.
Ice strength estimates from submarine topsounder data (1989, p.425-426) MP 2691
Duggan, G.
Methodology used in generation of snow load case histories (1977, p.163-174) MP 1143
Dukeshire, D.E.
Influence of insulation upon frost penetration beneath pavements (1976, 41p.) SR 76-06
Dumont, N.
Catalog of Snow Research Projects (1975, 103p.) MP 1129
Dunbar, M.
MIZEX—a program for mesoscale air-ice-ocean interaction experiments in Arctic marginal ice zones. 2. A science plan for a summer Marginal Ice Zone Experiment in the Fram Strait/Greenland Sea: 1984 (1983, 47p.) SR 83-12
Dunn, I.S.
Wastewater stabilization pond linings (1978, 116p.) SR 78-28
Dunne, T.
Generation of runoff from subarctic snowpacks (1976, P.677-685) MP 983
Energy balance and runoff from a subarctic snowpack (1976, 29p.) CR 76-27
Durell, G.
Mechanical properties of multi-year sea ice. Phase 2: Test results (1985, 81p.) CR 85-16
Repeated load triaxial testing of frozen and thawed soils (1985, p.166-170) MP 2068
Resilient modulus of freeze-thaw affected granular soils for pavement design and evaluation Part 1. Laboratory tests on soils from Winchendon, Massachusetts, test sections (1986, 70p.) CR 86-04
Triaxial testing of first-year sea ice (1986, 41p.) CR 86-16
Resilient modulus of freeze-thaw effected granular soils for pavement design and evaluation. Part 3 Laboratory tests on soils from Albany County Airport (1987, 36p.) CR 87-02
Geotechnical investigation of surficial soils to support hard mobile launcher (HML) studies frozen strength characterization of WES, CRREL, NH&S test sites in Montana (1988, var. p.) MP 2617

AUTHOR INDEX

Durell, G.F.
Resilient modulus determination for frost conditions (1989, p.320-333) MP 2569

Durham, W.B.
Mechanisms of crack growth in quartz (1975, p.4837-4844) MP 855

Duthinh, D.
Wave-induced bergy bit motion near a floating oil production platform (1990, p.205-215) MP 2580

Dutta, P.K.
Some recent developments in vibrating wire rock mechanics instrumentation (1985, 12p) MP 1968
Calibration measurements of rock stress by vibrating wire stressemeter at high temperatures (1987, p.43-58) MP 2447
CRREL Hopkinson bar apparatus (1987, 29p.) SR 87-24
Hopkinson pressure bar apparatus: a tool for rapid assessment of material properties at high strain rates (1988, p 885-903) MP 2517
Influence of low temperature thermal cycling on tensile strength of fiber composites (1988, p.141-147) MP 2435
Acoustic emissions from composites at decreasing temperatures (1988, p.1090-1095) MP 2430
Performance of laminated composites in cold (1988, p.269-281) MP 2433
Behavior of materials at cold regions temperatures. Part 1: Program rationale and test plan (1988, 68p) SR 88-09
On the design of polymeric composite structures for cold regions applications (1988, p 435-458) MP 2395
Structural fiber composite materials for cold regions (1988, p.124-134) MP 2405
Response of advanced composite space materials to thermal cycling (1988, p.506-517) MP 2478
Vibrating wire technology for settled dust monitoring (1988, p.71-82) MP 2516
Fiber composite materials in an arctic environment (1989, p.216-225) MP 2559
Fractographic analysis of graphite-epoxy composites subjected to low temperature thermal cycling (1989, p.429-435) MP 2554

Dyer, I.
MIZEX—a program for mesoscale air-ice-ocean interaction experiments in Arctic marginal ice zones. 2. A science plan for a summer Marginal Ice Zone Experiment in the Fram Strait/Greenland Sea: 1984 (1983, 47p.) SR 83-12
Marginal ice zones: a description of air-ice-ocean interactive processes, models and planned experiments (1984, p.133-146) MP 1673

Eagle, T.C.
Development of a geographic information system for the Saylorville River Basin, Iowa (1987, p 265-269) MP 2549
Interfacing geographic information system data with real-time hydrologic forecasting models (1989, p.857-861) MP 2527

Earickson, J.
Potential solution to ice jam flooding: Salmon River, Idaho (1986, p.15-25) MP 2131

Earle, E.N.
4th report of working group on testing methods in ice (1984, p.1-41) MP 1886

Eaton, R.
State of the art of pavement response monitoring systems for roads and airfields (1989, 401p) SR 89-23
Technology transfer (1990, p 25) MP 2721

Eaton, R.A.
Influence of insulation upon frost penetration beneath pavements (1976, 41p.) SR 76-06
Pavement recycling using a heavy bulldozer mounted pulverizer (1977, 12p. + appends.) SR 77-30
Repetitive loading tests on membrane enveloped road sections during freeze thaw (1977, p.171-197) MP 962
Temperature effects in compacting an asphalt concrete overlay (1978, p.146-158) MP 1003
Effects of subgrade preparation upon full depth pavement performance in cold regions (1978, p 459-473) MP 1007
Repetitive loading tests on membrane-enveloped road sections during freeze-thaw cycles (1978, 16p.) CR 78-12
Repetitive loading tests on membrane enveloped road sections during freeze-thaw cycles (1978, p 1277-1288) MP 1158
Full-depth pavement considerations in seasonal frost areas (1979, 24p.) MP 1188
Nondestructive testing of in-service highway pavement in Maine (1979, 22p) CR 79-06
New Hampshire field studies of membrane encapsulated soil layers with additives (1980, 46p) SR 80-33
Field cooling rates of asphalt concrete overlays at low temperatures (1980, 11p) CR 80-30
Structural evaluation of porous pavement test sections at Walden Pond State Reservation, Concord, Massachusetts (1980, 43p) SR 80-39
Pothole primer; a public administrator's guide to understanding and managing the pothole problem (1981, 24p) MP 1416
Fabric installation to minimize reflection cracking on taxiways at Thule airbase, Greenland (1981, 26p.) SR 81-10
Pothole primer—a public administrator's guide to understanding and managing the pothole problem (1981, 24p.) SR 81-21
Potholes: the problem and solutions (1982, p 160-162) MP 1504
Full-depth and granular base course design for frost areas (1983, p.27-39) MP 1692
Strategies for winter maintenance of pavements and roadways (1984, p.155-167) MP 1964
Comparison of three compactors used in pothole repair (1984, 14p.) SR 84-31
Engineering surveys along the Trans-Alaska Pipeline (1986, 85p.) SR 86-28
Summary of proper cold weather pavement repair methods (1987, p.1013-1027) MP 2235
Rating system for unsurfaced roads to be used in maintenance management (1987, p.(2)51-(2)62) MP 2313
Rating unsurfaced roads—a field manual for measuring maintenance problems (1987, 34p.) SR 87-15
Unique new cold weather testing facility (1988, p.745-750) MP 2542
Rating unsurfaced roads (1988, p 66-69) MP 2541
Development of the unsurfaced roads rating methodology (1988, 13p) SR 88-05
Cost effectiveness of proper pothole patching (1988, p.170-174) MP 2553
Response of pavement to freeze-thaw cycles: Lebanon, New Hampshire, Regional Airport (1989, 31p.) SR 89-02
Unique new cold weather testing facility (1989, p 335-342) MP 2468
Method for rating unsurfaced roads (1989, p.103-106) MP 2610
Method for rating unsurfaced roads (1989, p 30-40) MP 2533

Ebersole, J.F.
Utilization of the snow field test series results for development of a snow obscuration primer (1983, p.209-217) MP 1692
Snow-Two/Smoke Week VI field experiment plan (1984, 85p.) SR 84-19
Helicopter snow obscuration sub-test (1984, p 359-376) MP 2094
Explosive obscuration sub-test results at the SNOW-TWO field experiment (1984, p.347-354) MP 1872

Edwards, H.A.
Spatial analysis in recreation resource management for the Berlin Lake Reservoir Project (1984, p 209-219) MP 2084
Ohio River main stem study: the role of geographic information systems and remote sensing in flood damage assessments (1984, p.265-281) MP 2083

Edwards, A.P.
Guide to the use of 14N and 15N in environmental research (1978, 77p.) SR 78-18
Use of 15N to study nitrogen transformations in land treatment (1979, 32p.) SR 79-31
Dynamics of NH4 and NO3 in cropped soils irrigated with wastewater (1980, 20p.) SR 80-27

Ek, K.S.
Storm drainage design considerations in cold regions (1978, p 474-489) MP 1008
Surface drainage design for airfields and heliports in arctic and subarctic regions (1981, 56p.) SR 81-22

Egan, W.G.
Meteorological variation of atmospheric optical properties in an antarctic storm (1986, p.1155-1165) MP 2099

Egelhofer, K.Z.
Computer modeling of atmospheric ice accretion and aerodynamic loading of transmission lines (1987, p 103-109) MP 2279

Eicken, H.
Development of sea ice in the Weddell Sea (1989, p.92-96) MP 2615
Quantification of sea-ice textures through automated digital image analysis (1990, p 28-32) MP 2727
Sea ice: a habitat for the foraminifer *Neoglobnquadrina pachyderma*? (1990, p 86-92) MP 2732

Elachi, C.
Imaging radar observations of frozen Arctic lakes (1976, p 169-175) MP 1284

Elgawhary, S.M.
Evaluation of nitrification inhibitors in cold regions land treatment of wastewater Part I Nitrapyrin (1979, 25p.) SR 79-18

Ellingwood, B.
Ground snow loads for structural design (1983, p 950-964) MP 1734
Probability models for annual extreme water-equivalent ground snow (1984, p 1153-1159) MP 1823

Elliott, D.
Ross Ice Shelf Project environmental impact statement July, 1974 (1978, p 7-36) MP 1075

Emmett, W.W.
Detection of coarse sediment movement using radio transmitters (1989, p.367-373(B)) MP 2752

Enkvist, E.
Comparative model tests in ice of a Canadian Coast Guard R-class icebreaker (1989, p.1/1-1/18) MP 2751
Comparative model tests in ice of a Canadian Coast Guard R-class icebreaker (1990, p.31-52) MP 2762

Eppler, D.T.
Scientific challenges at the poles (1987, p.23-26) MP 2228

Epps, J.W.
Land treatment processes within CAPDET (Computer-assisted procedure for the design and evaluation of wastewater treatment systems) (1983, 79p.) SR 83-26

Epstein, S.
On the origin of stratified debris in ice cores from the bottom of the Antarctic ice sheet (1979, p 185-192) MP 1272

Eranti, E.
Dynamic ice-structure interaction analysis for narrow vertical structures (1981, p.472-479) MP 1456

Erbisch, F.H.
Effects of inundation on six varieties of turfgrass (1982, 25p) SR 82-12

Erickson, M.
Resilient modulus of freeze-thaw affected granular soils for pavement design and evaluation. (1986, 138p) CR 86-13

Esch, D.
Yukon River breakup 1976 (1977, p.592-596) MP 960
Survey of methods for classifying frost susceptibility (1984, p 104-141) MP 1707

Esch, D.C.
Effect of color and texture on the surface temperature of asphalt concrete pavements (1983, p.57-61) MP 1652
Frost heave forces on piling (1985, 2p) MP 1732
Frost jacking forces on H and pipe piles embedded in Fairbanks silt (1985, p.125-133) MP 1930

Ettema, R.
Frazil ice formation (1984, 44p) CR 84-18
Unconventional power sources for ice control at locks and dams (1989, p.107-126) MP 2572

Ettles, C.M.M.
Parameters affecting the kinetic friction of ice (1987, p.552-561) MP 2258

Evans, R.J.
Small-scale strain measurements on a glacier surface (1971, p.237-243) MP 993

Everett, K.R.
Effects of low-pressure wheeled vehicles on plant communities and soils at Prudhoe Bay, Alaska (1977, 49p.) SR 77-17
Geoecological mapping scheme for Alaskan coastal tundra (1978, p.359-365) MP 1098
Effects of crude and diesel oil spill on plant communities at Prudehoe Bay, Alaska, and the derivation of oil spill sensitivity maps (1978, p.242-259) MP 1184
Fate of crude and refined oils in North Slope soils (1978, p.339-347) MP 1186
Tundra disturbances and recovery following the 1949 exploratory drilling, Fish Creek, Northern Alaska (1978, 81p) CR 78-28
Geobotanical atlas of the Prudhoe Bay region, Alaska (1980, 69p) CR 80-14
Coastal tundra at Barrow (1980, p.1-29) MP 1356
Distribution and properties of road dust along the northern portion of the Haul Road (1980, p.101-128) MP 1352
Tundra and analogous soils (1981, p.139-179) MP 1405
Some recent trends in the physical and chemical characterization and mapping of tundra soils, Arctic Slope of Alaska (1982, p.264-280) MP 1552
Landsat-assisted environmental mapping in the Arctic National Wildlife Refuge, Alaska (1982, 59p. + 2 maps) CR 82-37
Observations on ice-cored mounds at Sukakpak Mountain, south central Brooks Range, Alaska (1983, p.91-96) MP 1653
Sensitivity of plant communities and soil flora to seawater spills, Prudhoe Bay, Alaska (1983, 35p.) CR 83-24
Reconnaissance observations of long-term natural vegetation recovery in the Cape Thompson region, Alaska, and additions to the checklist of flora (1985, 75p.) CR 85-11

Falter, C.M.
Limnological investigations: Lake Koocanusa, Montana. Part 4 Factors controlling primary productivity (1982, 106p) SR 82-15

Fanale, F.P.
Mars soil-water analyzer: instrument description and status (1977 p.149-158) MP 912

Farag, I.H.
Phase change heat transfer program for microcomputers (1988, p 645-650) MP 2383

Farmer, L.D.
Wind-generated polynyas off the coasts of the Bering Sea islands (1990, p 126-132) MP 2734

Farmer, W.M.
Snow-Two/Smoke Week VI field experiment plan (1984, 85p) SR 84-19
Use and application of PRESTO in Snow-III West (1986, p 11-24) MP 2658

Farmer, W.M. *(cont.)*
SNOW III WEST field experiment report. Volume 1 (1988, 170p.) SR 88-28
Parametric study on transmission through smoke screens produced in falling snow (1989, p.99-111) MP 2629

Farouki, O.
Evaluation of methods for calculating soil thermal conductivity (1972, 90p.) CR 82-08

Farouki, O.T.
Thermal properties of soils (1981, 136p) SR 81-01

Farr, R.W.
Portable hot water ice drill (1986, p 549-564) MP 2202

Farrell, D.
Ice penetration tests (1984, p 209-240) MP 1996
Ice penetration tests (1985, p.223-236) MP 2014
Winter field fortifications (1986, 50p) SR 86-25
CRREL Hopkinson bar apparatus (1987, 29p.) SR 87-24
Hopkinson pressure bar apparatus: a tool for rapid assessment of material properties at high strain rates (1988, p.885-903) MP 2517
Acoustic emissions from composites at decreasing temperatures (1988, p.1090-1095) MP 2430
Performance of laminated composites in cold (1988, p 269-281) MP 2433
Response of advanced composite space materials to thermal cycling (1988, p.506-517) MP 2478

Farrell, D.R.
Bullet penetration in snow (1979, 23p.) SR 79-25
Test of snow fortifications (1979, 15p) SR 79-33
Snow fortifications as protection against shaped charge antitank projectiles (1980, 19p.) SR 80-11

Fascher, M.
In-situ thermoconductivity measurements (1986, p.13-14) MP 2137

Fehler, M.
Observations of volcanic tremor at Mount St. Helens volcano (1984, p.3476-3484) MP 1770

Fellers, G.
Concentration and flux of wind-blown snow (1986, 16p.) SR 86-11
Information systems planning study (1987, 48p.) SR 87-23

Ferrick, M.G.
Experimental investigation of potential icing of the space shuttle external tank (1982, 305p.) CR 82-25
Fluid dynamic analysis of volcanic tremor (1982, 12p.) CR 82-32
Source mechanism of volcanic tremor (1982, p.8675-8683) MP 1576
On zero-inertia and kinematic waves (1982, p.1381-1387) MP 2053
Analysis of diffusion wave flow routing model with application to flow in tailwaters (1983, 31p.) CR 83-07
Unsteady river flow beneath an ice cover (1983, p 254-260) MP 2079
Modeling rapidly varied flow in tailwaters (1984, p.271-289) MP 1711
Observations of volcanic tremor at Mount St. Helens volcano (1984, p.3476-3484) MP 1770
Analysis of rapidly varying flow in ice-covered rivers (1984, p.359-368) MP 1833
Analysis of river wave types (1985, p 209-220) MP 1875
Analysis of river wave types (1985, 17p) CR 85-12
Hudson River ice management (1985, p.96-110) MP 2174
Controlled river ice cover breakup, part 1. Hudson River field experiments (1986, p.281-291) MP 2391
Controlled river ice cover breakup; part 2 Theory and numerical model studies (1986, p 293-305) MP 2392
River wave response to the friction-inertia balance (1987, p 764-769) MP 2237
Study of dynamic ice breakup on the Connecticut River near Windsor, Vermont (1987, p.163-177) MP 2400
Options for management of dynamic ice breakup on the Connecticut River near Windsor, Vermont (1988, 16p) CR 88-01
Development of a dynamic ice breakup control method for the Connecticut River near Windsor, Vermont (1988, p.221-233) MP 2510
Perturbation solution of the flood problem Discussion and author's reply (1988, p 346-349) MP 2536
Dynamic ice breakup control for the Connecticut River near Windsor, Vermont (1988, p.245-258) MP 2449
Vector analysis of ice petrographic data (1989, p.129-141) MP 2754
Framework for control of dynamic ice breakup by river regulation (1989, 14p.) CR 89-12
Framework for control of dynamic ice breakup by river regulation (1989, p.79-92) MP 2537

Ficklin, W.
Chemical, physical and structural properties of estuarine ice in Great Bay, New Hampshire (1987, p 833-840) MP 2251

Fish, A.M.
Acoustic and pressuremeter methods for investigation of the rheological properties of ice (1978, 196p) MP 1988
Kinetic nature of the long term strength of frozen soils (1980, p.95-108) MP 1450
Acoustic emissions during creep of frozen soils (1982, p.194-206) MP 1495
Comparative analysis of the USSR construction codes and the US Army technical manual for design of foundations on permafrost (1982, 20p) CR 82-14
Deformation and failure of frozen soils and ice at constant and steadily increasing stresses (1982, p 419-428) MP 1553
Thermal patterns in ice under dynamic loading (1983, p 240-243) MP 1742
Comparison of U.S.S.R. codes and U.S. Army manual for design of foundations on permafrost (1983, p.3-24) MP 1682
Thermodynamic model of creep at constant stresses and constant strain rates (1983, 18p.) CR 83-33
Creep model for constant stress and constant strain rate (1984, p.1009-1012) MP 1766
Thermodynamic model of creep at constant stress and constant strain rate (1984, p 143-161) MP 1771
Tertiary creep model for frozen sands (discussion) (1984, p.1373-1378) MP 1810
Creep strength, strain rate, temperature and unfrozen water relationship in frozen soil (1985, p.29-36) MP 1928
Shape of creep curves in frozen soils and polycrystalline ice (1987, p 623-629) MP 2329
Some peculiarities of creep behavior of frozen silt (1989, p.721-724) MP 2601

Fisk, D.
Snow calorimetric measurement at SNOW-ONE (1982, p.133-138) MP 1986
Snow characterization at SNOW-ONE-B (1983, p.155-195) MP 1847
Secondary stress within the structural frame of DYE-3: 1978-1983 (1984, 44p) SR 84-26

Fisk, D.J.
Performance of overland flow land treatment in cold climates (1978, p 61-70) MP 1152
Free water measurements of a snowpack (1983, p.173-176) MP 1758
Progress in methods of measuring the free water content of snow (1983, p 48-51) MP 1649
100 MHz dielectric constant measurements of snow cover: dependence on environmental and snow pack parameters (1985, p 829-834) MP 1913
Method of measuring liquid water mass fraction of snow by alcohol solution (1986, p.538-541) MP 2245
Alcohol calorimetry for measuring the liquid water fraction of snow (1987, p.163-166) MP 2261
Intercomparison of snow cover liquid water measurement techniques (1987, p.167-172) MP 2262
Comparison of snow cover liquid water measurement techniques (1987, p.1833-1836) MP 2283

Flanders, S.N.
Reinsulating old wood frame buildings with urea-formaldehyde foam (1977, p.478-487) MP 958
Maintaining buildings in the Arctic (1977, p 244-251) MP 1508
Operation of the CRREL prototype air transportable shelter (1980, 73p) SR 80-10
Time constraints on measuring building R-values (1980, 30p) CR 80-15
Measuring building R-values for large areas (1981, p 137-138) MP 1388
Window performance in extreme cold (1981, p 396-408) MP 1393
Cold regions testing of an air-transportable shelter (1981, 20p) CR 81-16
Designing with wood for a lightweight air-transportable Arctic shelter: how the materials were tested and chosen for design (1982, p.385-397) MP 1558
Least life-cycle costs for insulation in Alaska (1982, 47p) CR 82-27
Window performance in extreme cold (1982, 21p) CR 82-38
Toward in-situ building R-value measurement (1984, 13p) CR 84-01
Measuring thermal performance of building envelopes, nine case studies (1985, 36p) CR 85-07
Heat flow sensors on walls—what can we learn (1985, p 140-149) MP 2042
Measured and expected R-values of 19 building envelopes (1985, p 49-57) MP 2115
Confidence in heat flux transducer measurements of buildings (1985, p 515-531) MP 2290
Megastructures for mobilization (1986, p 10-11) MP 2153
In-situ assessment of two retrofit insulations (1986, p 32-44) MP 2172
Procedure for measuring building R-values with thermography and heat flux sensors (1987, 29p) SR 87-06
Measured insulation improvement potential for ten U.S Army buildings (1987, p 202-220) MP 2327
Composite buildings for military bases (1988, 25p) CR 88-04
Passive tracer gas measurement of air exchange in a large multi-celled building in Alaska (1989, p 433-444) MP 2557
Air change measurements of five Army buildings in Alaska (1990, p 53-63) MP 2676

Flato, G.M.
Effect of ice pressure on marginal ice zone dynamics (1989, p 514-521) MP 2522
Cavitating fluid sea ice model (1990, p.239-242) MP 2738

Foley, B.T.
Assessment of the treatability of toxic organics by overland flow (1983, 47p) CR 83-03
Impact of slow-rate land treatment on groundwater quality: toxic organics (1984, 36p) CR 84-30
Suitability of polyvinyl chloride pipe for monitoring TNT, RDX, HMX and DNT in groundwater (1985, 27p) SR 85-12
Sample digestion and drying techniques for optimal recovery of mercury from soils and sediments (1985, 16p.) SR 85-16
TNT, RDX and HMX explosives in soils and sediments. Analysis techniques and drying losses (1985, 11p.) CR 85-15

Foley, E.S.
Five-year performance of CRREL land treatment test cells; water quality plant yields and nutrient uptake (1978, 24p) SR 78-26

Foltyn, E.P.
St. Lawrence River freeze-up forecast (1984, p.177-190) MP 1713
Forecasting water temperature decline and freeze-up in rivers (1984, 17p.) CR 84-19
St. Lawrence River freeze-up forecast (1986, p 467-481) MP 2120
Salmon River ice jam control studies: interim report (1990, 8p) SR 90-06

Forest, T.W.
Ice nucleation activity of antarctic marine microorganisms (1985, p 126-128) MP 2217

Forland, K.A.
Laboratory investigation of the kinetic friction coefficient of ice (1984, p.19-28) MP 1825
Kinetic friction coefficient of ice (1985, 40p) CR 85-06
Laboratory and field studies of ice friction coefficient (1986, p.389-400) MP 2126

Fountain, A.G.
Break-up dates for the Yukon River; Pt.1. Rampart to Whitehorse, 1896-1978 (1979, c50 leaves) MP 1317
Break-up dates for the Yukon River; Pt.2. Alakanuk to Tanana, 1883-1978 (1979, c50 leaves) MP 1318

Fowler, M.G.
Results of the US contribution to the Joint US/USSR Bering Sea Experiment (1974, 197p.) MP 1032

Frank, M.
De-icing of radomes and rock walls using pneumatic devices (1977, p 467-478) MP 1064
Laboratory experiments on lock wall deicing using pneumatic devices (1977, p 53-68) MP 974
Characterization of the surface roughness and floe geometry of the sea ice over the continental shelves of the Beaufort and Chukchi Seas (1977, p.32-41) MP 1163
Sea ice ridging over the Alaskan continental shelf (1979, 24p.) CR 79-08
Sea ice ridging over the Alaskan continental shelf (1979, p.4885-4897) MP 1240

Frankenstein, G.E.
Ice-cratering experiments Blair Lake, Alaska (1966, Various pagings) MP 1034
Use of explosives in removing ice jams (1970, 10p) MP 1021
River-ice problems: a state-of-the-art survey and assessment of research needs (1974, p 1-15) MP 1002
Third International Symposium on Ice Problems (1975, 627p) MP 845
Ice removal from the walls of navigation locks (1976, p 1487-1496) MP 888
Investigation of ice clogged channels in the St. Marys River (1978, 73p.) MP 1170
Report of panel on testing in ice (1978, p 157-179) MP 1140
Experience gained by use of extensive ice laboratory facilities in solving ice problems (1980, p 93-103) MP 1301
Methods of ice control (1983, p 204-215) MP 1642
Ice engineering for civil work: baseline study (1983, 91p) MP 2441
Methods of ice control for winter navigation in inland waters (1984, p 329-337) MP 1831
Ice cover research—present state and future needs (1986, p 384-399) MP 2004
Corps of engineers seek ice solutions (1987, p 5-7) MP 2219
Rebuilding infrastructure for pleasure boating (1989, p 188-201) MP 2466

Franklin, C.H.
Pneumatically de-iced ice detector—final report, phase 2, part 1 (1986, 9p + appends) MP 2249

Frederking, R.
Standardized testing methods for measuring mechanical properties of ice (1981, p 245-254) MP 1556
4th report of working group on testing methods in ice (1984, p 1-41) MP 1886
Static and dynamic ice loads on the Yamachiche Bend lightpier, 1984-86 (1986, p 115-126) MP 2389

AUTHOR INDEX

Freitag, D.R.
Application of ice engineering and research to Great Lakes problems (1972, p.131-138) MP 1615
Cold Regions Research and Engineering Laboratory (1978, p.4-6) MP 1251

Friedman, I.
Report on ice fall from clear sky in Georgia October 26, 1959 (1960, 31p. plus photographs) MP 1017

Frommer, H.
C-14 and other isotope studies on natural ice (1972, p.D70-D92) MP 1052

Falk, M.A.
Regional climatic trends in northern New England (1988, p.64-71) MP 2748

Fungcharoen, S.
Characterization of the surface roughness and floe geometry of the sea ice over the continental shelves of the Beaufort and Chukchi Seas (1977, p.32-41) MP 1163

Gaffney, E.S.
Techniques for gas gun studies of shock wave attenuation in snow (1988, p.657-660) MP 2543

Gagnon, F.
Cutting ice with high pressure water jets (1973, 22p) MP 1001

Gagnon, J.G.
Ice force measurements on a bridge pier in a small river (1989, p.1419-1427) MP 2764

Gagnon, J.J.
Deicing a satellite communication antenna (1980, 14p.) SR 80-18
Computer-generated graphics of river ice conditions (1988, p.211-219) MP 2509
Ice observations on the Allegheny and Monongahela rivers (1988, 43p.) SR 88-25
Thermal stabilization of permafrost with thermosyphons (1990, p.323-328) MP 2583

Garcia, N.B.
Ice penetration tests (1984, p 209-240) MP 1996
Ice penetration tests (1985, p.223-236) MP 2014

Gardiner, J.
Development of a geographic information system for the Saylorville River Basin, Iowa (1987, p.265-269) MP 2549

Garfield, D.E.
Resurvey of the "Byrd" Station, Antarctica, drill hole (1976, p.29-34) MP 846
Development of large ice saws (1976, 14p) CR 76-47
Haines-Fairbanks pipeline: design, construction and operation (1977, 20p.) SR 77-04
Permafrost excavating attachment for heavy bulldozers (1977, p.144-151) MP 955
Pavement recycling using a heavy bulldozer mounted pulverizer (1977, 12p. + appends.) SR 77-30
Canol Pipeline Project: a historical review (1977, 32p) SR 77-34
1977 CRREL-USGS permafrost program Beaufort Sea, Alaska, operational report (1977, 19p.) SR 77-41
Waterproofing strain gages for low ambient temperatures (1978, 20p.) SR 78-15
Penetration tests in subsea permafrost, Prudhoe Bay, Alaska (1979, 45p) CR 79-07
Determining subsea permafrost characteristics with a cone penetrometer—Prudhoe Bay, Alaska (1979, p 3-16) MP 1217
Movement study of the trans-Alaska pipeline at selected sites (1981, 32p.) CR 81-04
Portable hot water ice drill (1986, p 549-564) MP 2202
Exothermic cutting of frozen materials (1987, p 181-183) MP 2264

Garrison, D.L.
Physical mechanism for establishing algal populations in frazil ice (1983, p.363-365) MP 1717
Sea ice microbial communities in Antarctica (1986, p 243-250) MP 2026

Gartner, K.E.
Mathematical model to predict frost heave (1977, p.92-109) MP 1131

Geskin, D.A.
Utilization of sewage sludge for terrain stabilization in cold regions (1977, 45p.) SR 77-37
Performance of overland flow land treatment in cold climates (1978, p.61-70) MP 1152
Utilization of sewage sludge for terrain stabilization in cold regions, Part 2 (1979, 36p) SR 79-28
Utilization of sewage sludge for terrain stabilization in cold regions. Pt. 3 (1979, 33p) SR 79-34
Revegetation at two construction sites in New Hampshire and Alaska (1980, 21p) CR 80-03
Chena River Lakes Project revegetation study—three-year summary (1981, 59p) CR 81-18
Sewage sludge aids revegetation (1982, p 198-301) MP 1735

Geskin, P.N.
Survey of methods for classifying frost susceptibility (1984, p.104-141) MP 1707

Getto, L.W.
Arctic and Subarctic environmental analyses utilizing ERTS-1 imagery, bimonthly progress report, 23 June - 23 Aug 1972 (1972, 3p) MP 991
Arctic and subarctic environmental analysis (1972, p 28-30) MP 1119
Arctic and subarctic environmental analyses using ERTS-1 imagery. Progress report Dec. 72-June 73 (1973, 75p.) MP 1003
Baseline data on tidal flushing in Cook Inlet, Alaska (1973, 11p) MP 1523
Arctic and subarctic environmental analyses utilizing ERTS-1 imagery (1973, 5p) MP 1611
Arctic and subarctic environmental analyses utilizing ERTS-1 imagery. Bimonthly progress report, 23 Aug. - 23 Oct. 1973 (1973, 3p.) MP 1030
Arctic and subarctic environmental analyses utilizing ERTS-1 imagery. Bimonthly progress report, 23 Oct. - 23 Dec. 1973 (1973, 6p.) MP 1031
Arctic and subarctic environmental analysis utilizing ERTS-1 imagery. Final report June 1972-Feb. 1974 (1974, 128p) MP 1047
New England reservoir management: Land use/vegetation mapping in reservoir management (Merrimack River basin) (1974, 30p.) MP 1039
Applications of remote sensing for Corps of Engineers programs in New England (1975, 8p. + 14 figs. and tables) MP 913
Circulation and sediment distribution in Cook Inlet, Alaska (1976, p 205-227) MP 895
Baseline data on the oceanography of Cook Inlet, Alaska (1976, 84p.) CR 76-25
Skylab imagery: Application to reservoir management in New England (1976, 51p) SR 76-07
Environmental analyses in the Kootenai River region, Montana (1976, 53p) SR 76-13
Effect of inundation on vegetation at selected New England flood control reservoirs (1978, 13p) MP 1169
Shoreline changes along the outer shore of Cape Cod from Long Point to Monomoy Point (1978, 49p) CR 78-17
Estuarine processes and intertidal habitats in Grays Harbor, Washington: a demonstration of remote sensing techniques (1978, 79p) CR 78-18
River channel characteristics at selected ice jam sites in Vermont (1978, 52p) CR 78-25
Historical shoreline changes along the outer coast of Cape Cod (1979, p.69-90) MP 1502
Analysis of circulation patterns in Grays Harbor, Washington, using remote sensing techniques (1980, p 289-323) MP 1283
Environmental analysis of the Upper Susitna River Basin using Landsat imagery (1980, 41p) CR 80-04
Coastal environment, bathymetry, and physical oceanography along the Beaufort, Chukchi and Bering Seas (1980, 357p) SR 80-05
Historical shoreline changes as determined from aerial photointerpretation (1980, p.167-170) MP 1503
Inlet current measured with Seasat-1 synthetic aperture radar (1980, p 35-37) MP 1443
Inlet current measured with Seasat-1 synthetic aperture radar (1980, p 35-37) MP 1481
Ice distribution and winter surface circulation patterns, Kachemak Bay, Alaska (1981, p.995-1001) MP 1442
Ice distribution and winter surface circulation patterns, Kachemak Bay, Alaska (1981, 43p) CR 81-22
Shoreline conditions and bank recession along the U.S shorelines of the St. Marys, St Clair, Detroit and St Lawrence rivers (1982, 75p) CR 82-11
Ice distribution and winter surface circulation patterns, Kachemak Bay, Alaska (1982, p 421-435) MP 1569
Reservoir bank erosion caused and influenced by ice cover (1982, 26p) SR 82-31
Historical bank recession at selected sites along Corps of Engineers reservoirs (1983, 103p) SR 83-30
Overview of Tanana River monitoring and research studies near Fairbanks, Alaska (1984, 98p + 5 appends) SR 84-37
Relationships among bank recession, vegetation, soils, sediments and permafrost on the Tanana River near Fairbanks, Alaska (1984, 59p) MP 1746
Bank recession and channel changes in the area near the North Pole and floodway sill groits, Tanana River, Alaska (1984, 98p) MP 1747
Relationships among bank recession, vegetation, soils, sediments and permafrost on the Tanana River near Fairbanks, Alaska (1984, 53p) SR 84-21
Reservoir bank erosion caused by ice (1984, p 203-214) MP 1787
Use of remote sensing for the U.S. Army Corps of Engineers dredging program (1985, p.1141-1150) MP 1890
Ice conditions on the Ohio and Illinois rivers, 1972-1985 (1985, p 856-861) MP 1914
Vertically stable benchmarks, a synthesis of existing information (1985, p 179-188) MP 2069
Hudson River ice management (1985, p 96-110) MP 2174
Potential of remote sensing in the Corps of Engineers dredging program (1985, 42p) SR 85-20
Ice atlas, 1984-1985, Ohio River, Allegheny River, Monongahela River (1986, 185p) SR 86-23
Bank conditions and erosion along selected reservoirs (1987, p.143-154) MP 2196
River ice mapping with Landsat and video imagery (1987, p 352-363) MP 2273
Benchmark design and installation: a synthesis of existing information (1987, 73p) SR 87-10
Ice atlas 1985-1986: Monongahela River, Allegheny River, Ohio River, Illinois River, Kankakee River (1987, 367p) SR 87-20
Ice conditions along the Ohio River as observed on Landsat images, 1972-1985 (1988, 162p) SR 88-01
Techniques for measuring reservoir bank erosion (1988, 27p) SR 88-03
Ice conditions along the Allegheny and Monongahela Rivers as observed on Landsat images, 1972-1985 (1988, 106p.) SR 88-06
Ice observations on the Allegheny and Monongahela rivers (1988, 43p.) SR 88-25
Field assessment of fisheries habitat-enhancement structures in Bingo Brook, Vermont, after the Spring 1989 ice run (1989, 12p) MP 2744
Ice conditions along the Illinois Waterway as observed on Landsat images, 1972-1985 (1989, 112p) CR 89-20

Gauthier, B.
Extraction of topography from side-looking satellite systems—a case study with SPOT simulation data (1983, p 535-550) MP 1695

Gauthier, J.F.
Integration of Landsat land cover data into the Saginaw River Basin geographic information system for hydrologic modeling (1984, 19p) SR 84-01

Gavrilo, V.P.
Standardized testing methods for measuring mechanical properties of ice (1981, p 245-254) MP 1556
4th report of working group on testing methods in ice (1984, p.1-41) MP 1886

Gaydos, L.
Landsat-assisted environmental mapping in the Arctic National Wildlife Refuge, Alaska (1982, 59p. + 2 maps) CR 82-37

Gerard, R.
Ice-related flood frequency analysis application of analytical estimates (1984, p 85-101) MP 1712
Ice jam research needs (1984, p.181-193) MP 1813
Ice regime reconnaissance, Yukon River, Yukon (1984, p.1059-1073) MP 2406

Gerard, S.
Rating system for unsurfaced roads to be used in maintenance management (1987, p (2)51-(2)62) MP 2313
Rating unsurfaced roads—a field manual for measuring maintenance problems (1987, 34p) SR 87-15
Rating unsurfaced roads (1988, p 66-69) MP 2541
Impact of wet snow on visible, infrared and millimeter wave attenuation (1988, p.523-535) MP 2608
Parametric study on transmission through smoke screens produced in falling snow (1989, p 99-111) MP 2629
Millimeter-wave performance during mixed precipitation (1989, p.113-120) MP 2630
Method for rating unsurfaced roads (1989, p 103-106) MP 2610
Snow-surface temperature analysis (1989, p.109-116) MP 2753
Method for rating unsurfaced roads (1989, p.30-40) MP 2533
Cold regions weather data systems (1989, p 139-145) MP 2568

Gerdel, R.W.
CHARACTERISTICS OF THE COLD REGIONS (1969, 51p.) M I-A

Gervin, J.C.
Landsat-4 thematic mapper (TM) for cold environments (1983, p 179-186) MP 1651

Gilkey, A.K.
Geobotanical studies on the Taku Glacier anomaly (1954, p 224-239) MP 1215

Giovinetto, M.B.
Baseline acidity of ancient precipitation from the South Pole (1984, 7p) CR 84-15
Baseline acidity of precipitation at the South Pole during the last two millennia (1987, p 789-792) MP 2275

Glen, J.W.
Physics of ice (1974, 81p) M II-C2a
Mechanics of ice (1975, 43p) M II-C2b

Gloersen, P.
Results of the US contribution to the Joint US/USSR Bering Sea Experiment (1974, 197p) MP 1032
Integrated approach to the remote sensing of floating ice (1977, p 445-487) MP 1069

Godfrey, R.
Fabric installation to minimize reflection cracking on taxiways at Thule airbase, Greenland (1981, 26p) SR 81-10

Godfrey, R.N.
Engineering surveys along the Trans-Alaska Pipeline (1986, 85p.) SR 86-28

Goff, M.A.
Investigation of the snow adjacent to Dye-2, Greenland (1981, 23p) SR 81-03

Goff, R.D.
Proceedings (1987, 4 vols) MP 2189

Gogineni, S.
Radar backscatter measurements over saline ice (1990, p.603-615) MP 2741

AUTHOR INDEX

Gogineni, S.P.
Radar backscattering from artificially grown sea ice (1989, p.259-264) MP 2667
Gogte, M.
Mean characteristics of asymmetric flows: application to flow below ice jams (1981, p.342-350) MP 1733
Asymmetric plane flow with application to ice jams (1983, p.1540-1556) MP 1645
Golden, K.M.
Modeling of anisotropic electromagnetic reflection from sea ice (1980, p.247-294) MP 1325
Modeling of anisotropic electromagnetic reflection from sea ice (1980, 15p.) CR 80-23
Sea ice studies in the Weddell Sea aboard USCGC Polar Sea (1980, p 84-96) MP 1431
Modeling of anisotropic electromagnetic reflections from sea ice (1981, p.8107-8116) MP 1469
Physical and structural characteristics of Weddell Sea pack ice (1987, 70p.) CR 87-14
Goldstein, N.
Pavement icing detector—final report (1987, 26p. + append.) MP 2263
Gooch, G.
Ice jam problems at Oil City, Pennsylvania (1981, 19p.) SR 81-09
Ottauquechee River—analysis of freeze-up processes (1982, p.2-37) MP 1738
Performance of the Allegheny River ice control structure, 1983 (1984, 15p.) SR 84-13
Construction and calibration of the Ottauquechee River model (1985, 10p.) SR 85-13
Gooch, G.E.
Salmon River ice jam control studies: interim report (1990, 8p.) SR 90-06
Goodman, D.J.
4th report of working group on testing methods in ice (1984, p.1-41) MP 1886
Goodwin, C.
Computer simulation of the snowmelt and soil thermal regime at Barrow, Alaska (1975, p 709-715) MP 857
Goodwin, C.W.
Potential responses of permafrost to climatic warming (1984, p.92-105) MP 1710
Gordon, A.L.
Antarctic sea ice microwave signatures and their correlation with *in situ* ice observations (1984, p.662-672) MP 1668
Gordon, B.E.
Comparative near-millimeter wave propagation properties of snow or rain (1983, p.115-129) MP 1690
Attenuation and backscatter for snow and sleet at 96, 140, and 225 GHz (1984, p 41-52) MP 1864
Gordon, R.B.
Measurement of the resistance of imperfectly elastic rock to the propagation of tensile cracks (1985, p.7827-7836) MP 2052
Microstructure and the resistance of rock to tensile fracture (1985, p.11,533-11,546) MP 2157
Gould, L.D.
System for mounting end caps on ice specimens (1985, p.362-365) MP 2016
Uniaxial tension/compression tests on ice—preliminary results (1989, p.37-41) MP 2482
Govoni, J.W.
Morphological investigations of first-year sea ice pressure ridge sails (1981, p 1-12) MP 1465
Physical and structural characteristics of sea ice in McMurdo Sound (1981, p 94-95) MP 1542
Physical and structural characteristics of antarctic sea ice (1982, p 113-117) MP 1548
Baseline water quality measurements at six Corps of Engineers reservoirs, Summer 1981 (1982, 55p.) SR 82-30
Ice growth on Post Pond, 1973-1982 (1983, 25p.) CR 83-04
Field measurements of combined icing and wind loads on wires (1983, p.205-215) MP 1637
Surface roughness of Ross Sea pack ice (1983, p 123-124) MP 1764
Method of detecting voids in rubbled ice (1984, p 183-188) MP 1772
Structure of first-year pressure ridge sails in the Prudhoe Bay region (1984, p 115-135) MP 1837
Combined icing and wind loads on a simulated power line test span (1984, p.173-182) MP 2114
Analysis of selected ice accretion measurements on a wire at Mt. Washington (1985, p 34-43) MP 2173
Computer interfacing of meteorological sensors in a severe weather and high RFI environment (1985, p 205-211) MP 2175
Comparison of winter climatic data for three New Hampshire sites (1986, 78p.) SR 86-05
Reliable, inexpensive radio telemetry system for the transfer of meteorological and atmospheric data from mountain-top sites (1986, 6p.) MP 2107
Conductor twisting resistance effects on ice build-up and ice shedding (1986, 8p + figs.) MP 2108
Icing and wind loading on a simulated power line (1986, p 23-27) MP 2206
Portable hot water ice drill (1986, p 549-564) MP 2202
Portable hot-water ice drill (1987, p 57-64) MP 2236
Meteorological instrumentation for characterizing atmospheric icing (1987, p 23-30) MP 2276
Temperature and structure dependence of the flexural strength and modulus of freshwater model ice (1988, 43p.) CR 88-06
Update on portable hot-water sea ice drilling (1989, p.175-178) MP 2479
Sea ice ridging in the Ross Sea, Antarctica, as compared with sites in the Arctic (1989, p.4984-4988) MP 2490
Gow, A.J.
Gas inclusions in the Antarctic ice sheet and their glaciological significance (1975, p.5101-5108) MP 847
Islands of grounded sea ice (1976, 24p.) CR 76-04
Compressibility characteristics of compacted snow (1976, 47p.) CR 76-21
Dynamics of near-shore ice (1976, p.9-34) MP 1380
Islands of grounded sea ice (1976, p.35-50) MP 987
Some characteristics of grounded floebergs near Prudhoe Bay, Alaska (1976, p 169-172) MP 1118
Some characteristics of grounded floebergs near Prudhoe Bay, Alaska (1976, 10p.) CR 76-34
Rheological implications of the internal structure and crystal fabrics of the West Antarctic ice sheet as revealed by deep core drilling at Byrd Station (1976, 25p.) CR 76-35
Rheological implications of the internal structure and crystal fabrics of the West Antarctic ice sheet as revealed by deep core drilling at Byrd Station (1976, p.1665-1677) MP 1382
Growth history of lake ice in relation to its stratigraphic, crystalline and mechanical structure (1977, 24p.) CR 77-01
Flexural strength of ice on temperate lakes (1977, p 247-256) MP 1063
Studies of the movement of coastal sea ice near Prudhoe Bay, Alaska, U.S.A. (1977, p 533-546) MP 1066
Nearshore ice motion near Prudhoe Bay, Alaska (1977, p.23-31) MP 1162
Dielectric constant and reflection coefficient of the snow surface and near-surface internal layers in the McMurdo Ice Shelf (1977, p.137-138) MP 1011
Subsurface measurements of the Ross Ice Shelf, McMurdo Sound, Antarctica (1977, p.146-148) MP 1013
Internal structure of fast ice near Narwahl Island, Beaufort Sea, Alaska (1977, 8p.) CR 77-29
Effect of freezing and thawing on the permeability and structure of soils (1978, p.31-44) MP 1080
Flexural strength of ice on temperate lakes—comparative tests of large cantilever and simply supported beams (1978, 14p.) CR 78-09
Preferred crystal orientations in the fast ice along the margins of the Arctic Ocean (1978, 24p.) CR 78-13
Creep rupture at depth in a cold ice sheet (1978, p.733) MP 1168
Ultrasonic measurements on deep ice cores from Antarctica (1978, p.48-50) MP 1202
Ultrasonic velocity investigations of crystal anisotropy in deep ice cores from Antarctica (1979, 16p.) CR 79-10
Effect of freezing and thawing on the permeability and structure of soil (1979, p.73-92) MP 1225
On the origin of stratified debris in ice cores from the bottom of the Antarctic ice sheet (1979, p 185-192) MP 1272
Ultrasonic velocity investigations of crystal anisotropy in deep ice cores from Antarctica (1979, p 4865-4874) MP 1239
Crystal alignments in the fast ice of Arctic Alaska (1979, 21p.) CR 79-22
Subsurface measurements of McMurdo Ice Shelf (1979, p.79-80) MP 1338
Relationship of ultrasonic velocities to c-axis fabrics and relaxation characteristics of ice cores from Byrd Station, Antarctica (1979, p.147-153) MP 1282
Margin of the Greenland ice sheet at Isua (1979, p.155-165) MP 1281
Crystal alignments in the fast ice of Arctic Alaska (1980, p 1137-1146) MP 1277
Time-priority studies of deep ice cores (1980, p 91-102) MP 1308
Planetary and extraplanetary event records in polar ice caps (1980, p 18-27) MP 1461
Sea ice studies in the Weddell Sea aboard USCGC Polar Sea (1980, p 84-96) MP 1431
Ground-truth observations of ice-covered North Slope lakes images by radar (1981, 17p.) CR 81-19
Nitrogenous chemical composition of antarctic ice and snow (1981, p.79-81) MP 1541
Physical and structural characteristics of sea ice in McMurdo Sound (1981, p 94-95) MP 1542
Physical and structural characteristics of antarctic sea ice (1982, p 113-117) MP 1548
Brine zone in the McMurdo Ice Shelf, Antarctica (1982, p.166-171) MP 1550
Nitrate fluctuations in antarctic snow and firn: potential sources and mechanisms of formation (1982, p 243-248) MP 1551
Brine zone in the McMurdo Ice Shelf, Antarctica (1982, 28p.) CR 82-39
South Pole ice core drilling, 1981-1982 (1982, p 89-91) MP 1621
Ice growth on Post Pond, 1973-1982 (1983, 25p.) CR 83-04
Chemical fractionation of brine in the McMurdo Ice Shelf, Antarctica (1983, 16p.) CR 83-06
Baseline acidity of ancient precipitation from the South Pole (1984, 7p.) CR 84-15
On small-scale horizontal variations of salinity in first-year sea ice (1984, p.6505-6514) MP 1761
Flexural strengths of freshwater model ice (1984, p.73-82) MP 1826
Quiet freezing of lakes and the concept of orientation textures in lake ice sheets (1984, p.137-149) MP 1828
Crystalline structure of urea ice sheets used in modeling in the CRREL test basin (1984, p 241-253) MP 1835
Crystalline structure of urea ice sheets used in modeling experiments in the CRREL test basin (1984, 48p.) CR 84-24
Sea ice properties (1984, p 82-83) MP 2136
Physical properties of sea ice in the Greenland Sea (1985, p.177-188) MP 1903
Simulated sea ice used for correlating the electrical properties of the ice with its structural and salinity characteristics (1985, p.76-82) MP 1910
Laboratory studies of acoustic scattering from the underside of sea ice (1985, p 87-91) MP 1912
Pressure ridge morphology and physical properties of sea ice in the Greenland Sea (1985, p 214-223) MP 1932
Structure of ice in the central part of the Ross Ice Shelf, Antarctica (1985, p 39-44) MP 2110
Orientation textures in ice sheets of quietly frozen lakes (1986, p 247-258) MP 2118
Crystal structure of Fram Strait sea ice (1986, p.20-29) MP 2221
Chemical fractionation of brine in the McMurdo Ice Shelf, Antarctica (1986, p 307-313) MP 2239
Optical characterization of sea ice structure using polarized light techniques (1986, p 264-271) MP 2257
Microwave dielectric, structural, and salinity properties of simulated sea ice (1986, p.832-839) MP 2188
Acoustical reflection and scattering from the underside of laboratory grown sea ice: measurements and predictions (1986, p.1486-1494) MP 2222
Structure and dielectric properties at 4.8 and 9.5 GHz of saline ice (1986, p.14,281-14,303) MP 2182
Annealing recrystallization in laboratory and naturally deformed ice (1987, p.(C1)271-(C1)276) MP 2230
Restraints on thin section analysis of grain growth in unstrained polycrystalline ice (1987, p.(C1)277-(C1)281) MP 2231
Crystal structure and salinity of sea ice in Hebron Fiord and vicinity, Labrador (1987, 18p.) CR 87-04
Physical properties of sea ice discharged from Fram Strait (1987, p.436-439) MP 2284
Physical properties of summer sea ice in the Fram Strait (1987, p 6787-6803) MP 2240
Chemical, physical and structural properties of estuarine ice in Great Bay, New Hampshire (1987, p.833-840) MP 2251
Physical properties of summer sea ice in the From Strait, June-July 1984 (1987, 81p.) CR 87-16
Baseline acidity of precipitation at the South Pole during the last two millennia (1987, p 789-792) MP 2275
Physical and structural characteristics of Weddell Sea pack ice (1987, 70p.) CR 87-14
Microwave and structural properties of saline ice (1987, 36p.) CR 87-20
Temperature and structure dependence of the flexural strength and modulus of freshwater model ice (1988, 43p.) CR 88-06
Correlation function study for sea ice (1988, p.14,055-14,063) MP 2511
Emerging meteoric crystalline structure of the enclosing ice (1989, p 87-91) MP 2503
Structure and temperature dependence of the flexural properties of laboratory freshwater ice sheets (1989, p.249-270) MP 2652
Radar backscattering from artificially grown sea ice (1989, p 259-264) MP 2667
High frequency acoustical properties of saline ice (1989, p.9-23) MP 2686
US global ice core research program West Antarctica and beyond (1989, 32p.) MP 2709
Internal structure composition and properties of brackish ice from the Bay of Bothnia during the BEPERS-88 experiment (1989, p 1318-1333) MP 2763
Dominion Range ice core, Queen Maud Mountains, Antarctica—general site and core characteristics with implications (1990, p 11-16) MP 2707
Internal structure, composition and properties of brackish ice from the Bay of Bothnia (1990, p 5-15) MP 2725
Acoustical and morphological properties of undeformed sea ice laboratory and field results (1990, p.67-75) MP 2730
Radar backscatter measurements over saline ice (1990, p 603-615) MP 2741
Sea ice in the polar regions (1990, p 47-122) MP 2750
Graham, J.
Effects of temperature and species on TNT injury to plants (1988, 7p.) SR 88-16
Graham, J.M.
Five-year performance of CRREL land treatment test cells, water quality plant yields and nutrient uptake (1978, 24?.) SR 78-26

AUTHOR INDEX

Plant growth on a gravel soil: greenhouse studies (1981, 8p.) SR 81-04
Seasonal growth and uptake of nutrients by orchardgrass irrigated with wastewater (1981, 19p.) CR 81-08
Seven-year performance of CRREL slow-rate land treatment prototypes (1981, 25p.) SR 81-12
Effects of low temperatures on the growth and unfrozen water content of an aquatic plant (1984, 8p.) CR 84-14

Grant, C.L.
Reverse phase HPLC method for analysis of TNT, RDX, HMX and 2,4-DNT in munitions wastewater (1984, 95p.) CR 84-29
Reversed-phase high-performance liquid chromatographic determination of nitroorganics in munitions wastewater (1986, p.170-175) MP 2049
Interlaboratory evaluation of high-performance liquid chromatographic determination of nitroorganics in munition plant wastewater (1986, p.176-182) MP 2050
Comparison of extraction techniques for munitions residues in soil (1987, p.1326-1331) MP 2350
Critical comparison of moving average and cumulative summation control charts for trace analysis data (1987, 57p.) SR 87-21
Preliminary development of a fiber optic sensor for TNT (1988, 16p.) SR 88-04
Comparison of EPA and USATHAMA detection capability estimators (1988, p.405-418) MP 2455
Prediction of octanol-water partition coefficients of organophosphonates: Evaluation of structure-function relationships (1988, 24p.) SR 88-11
Comparisons of low concentration measurement capability estimates in trace analysis: method detection limit and certified reporting limit (1989, 21p.) SR 89-20
Liquid chromatographic method for determination of extractable nitroaromatic and nitramine residues in soil (1989, p.890-899) MP 2586

Grove, N.A.
Physical and thermal disturbance and protection of permafrost (1979, 42p.) SR 79-05
Surface disturbance and protection during economic development of the North (1981, 88p.) MP 1467

Gray, C.
Disinfection of wastewater by microwaves (1980, 15p.) SR 80-01

Greatorex, A.
Comparative testing system of the applicability for various thermal scanning systems for detecting heat losses in buildings (1978, p.B71-B90) MP 1212
Roof moisture survey: Reserve Center Garage, Grenier Field, Manchester, N.H. (1981, 18p.) SR 81-31
Examination of a blistered built-up roof: O'Neill Building, Hanscom Air Force Base (1983, 12p.) SR 83-21
Can wet roof insulation be dried out (1983, p.626-639) MP 1509
Comparison of aerial to on-the-roof infrared moisture surveys (1983, p.95-105) MP 1709
Wetting of polystyrene and urethane roof insulations in the laboratory and on a protected membrane roof (1987, p.108-119) MP 2337
Wetting of polystyrene and urethane roof insulations in the laboratory and on a protected membrane roof (1988, p.421-430) MP 2011

Greeley, R.P.
Utilization of Unmanned Aerial Vehicles in the ALBE Thrust (1986, p.249-257) MP 2663
Humidity and temperature measurements obtained from an unmanned aerial vehicle (1987, p.35-45) MP 2293
Slant path extinction and visibility measurements from an unmanned aerial vehicle (1987, p.115-126) MP 2296
Information systems planning study (1987, 48p.) SR 87-23

Green, C.E.
Wheeled versus tracked vehicle snow mobility test program (1989, 19p.) MP 2715

Green, G.
Wildlife habitat mapping in Lac qui Parle, Minnesota (1984, p.205-208) MP 2085

Greenan, H.
WMO solid precipitation measurement intercomparison at Sleepers River Research Watershed (1987, p.1-7) MP 2396

Greenberg, M.
Design procedures for underground heat sink systems (1979, 186p. in var. pagns.) SR 79-08

Greischar, L.L.
Geophysical survey of subglacial geology around the deep-drilling site at Dye 3, Greenland (1985, p.105-110) MP 1941

Grenfell, T.C.
Optical properties of ice and snow in the polar oceans 1 Observations (1986, p.232-241) MP 2255
Optical properties of ice and snow in the polar oceans 2 Theoretical calculations (1986, p.242-251) MP 2256
Multifrequency passive microwave observation of saline ice grown in a tank (1988, p.1687-1690) MP 2459

Grimes, K.
Wheeled versus tracked vehicle snow mobility test program (1989, 19p.) MP 2715

Grootes, P.M.
US global ice core research program West Antarctica and beyond (1989, 32p.) MP 2709
Dominion Range ice core, Queen Maud Mountains, Antarctica—general site and core characteristics with implications (1990, p.11-16) MP 2707

Grot, R.A.
Comparative testing system of the applicability for various thermal scanning systems for detecting heat losses in buildings (1978, p.B71-B90) MP 1212

Groves, J.A.
Analysis of flexible pavement resilient surface deformations using the Chevron layered elastic analysis computer program (1975, 13 leaves) MP 1264

Gundestrup, N.
Ice flow leading to the deep core hole at Dye 3, Greenland (1984, p.185-190) MP 1824

Gundestrup, N.S.
Camp Century survey 1986 (1987, p.281-288) MP 2331

Guodong, C.
Terrain analysis from space shuttle photographs of Tibet (1986, p.400-409) MP 2097

Guymon, G.L.
Galerkin finite element analog of frost heave (1976, p.111-113) MP 898
Mathematical model to predict frost heave (1977, p.92-109) MP 1131
Finite element model of transient heat conduction with isothermal phase change (two and three dimensional) (1977, 167p.) SR 77-38
Frost heave in an instrumented soil column (1980, p.211-221) MP 1331
One-dimensional frost heave model based upon simultaneous heat and water flux (1980, p.253-262) MP 1333
Some approaches to modeling phase change in freezing soils (1981, p.137-145) MP 1437
Results from a mathematical model of frost heave (1981, p.2-6) MP 1483
Probabilistic-deterministic analysis of one-dimensional ice segregation in a freezing soil column (1981, p.127-140) MP 1534
Sensitivity of a frost heave model to the method of numerical simulation (1982, p.1-10) MP 1567
Field tests of a frost-heave model (1983, p.409-414) MP 1657
Comparison of two-dimensional domain and boundary integral geothermal models with embankment freeze-thaw field data (1983, p.509-513) MP 1659
Two-dimensional model of coupled heat and moisture transport in frost heaving soils (1984, p.91-98) MP 1678
Simple model of ice segregation using an analytic function to model heat and soil-water flow (1984, p.99-104) MP 2104
Two-dimensional model of coupled heat and moisture transport in frost-heaving soils (1984, p.336-343) MP 1765
Partial verification of a thaw settlement model (1985, p.18-25) MP 1924

Haas, W.M.
Winter earthwork construction in Upper Michigan (1977, 59p.) SR 77-40
Increasing the effectiveness of soil compaction at below-freezing temperatures (1978, 58p.) SR 78-25
Construction of an embankment with frozen soil (1980, 105p.) SR 80-21
Improved techniques for construction of snow roads and airstrips (1988, 99p.) SR 88-18
Definition of research needs to address airport pavement distress in cold regions (1989, 142p.) CR 89-10
Improving snow roads and airstrips in Antarctica (1989, 18p.) SR 89-22

Hais, A.B.
Cost-effective use of municipal wastewater treatment ponds (1979, p.177-200) MP 1413
Cost of land treatment systems (1979, 135p.) MP 1387

Hall, D.K.
1977 tundra fire in the Kokolik River area of Alaska (1978, p.54-58) MP 1125
1977 tundra fire at Kokolik River, Alaska (1978, 11p.) SR 78-10
Landsat digital analysis of the initial recovery of the Kokolik River tundra fire area, Alaska (1979, 15p.) MP 1638
LANDSAT digital analysis of the initial recovery of burned tundra at Kokolik River, Alaska (1980, p.263-275) MP 1391

Hamilton, T.D.
Fox permafrost tunnel: a late Quaternary geologic record in central Alaska (1988, p.948-969) MP 2355

Hammer, C.U.
Stable isotope profile through the Ross Ice Shelf at Little America V, Antarctica (1977, p.322-325) MP 1095

Hanamoto, B.
Effect of snow cover on obstacle performance of vehicles (1976, p.121-140) MP 933
Development of large ice saws (1976, 14p.) CR 76-47
Lock wall deicing studies (1977, 63p.) SR 77-22
Lock wall deicing (1977, p.7-14) MP 972
Specialized pipeline equipment (1978, 30p.) SR 78-05
Construction equipment problems and procedures Alaska pipeline project (1978, 14p.) SR 78-11
Deicing a satellite communication antenna (1980, 14p.) SR 80-18
Ice control at navigation locks (1981, p.1088-1095) MP 1448
Application of a block copolymer solution to ice-prone structures (1983, p.155-158) MP 1636
Methods of ice control (1983, p.204-215) MP 1642
Aerostat icing problems (1983, 29p.) SR 83-23
Methods to reduce ice accumulation on miter gate recess walls (1989, 5p.) MP 2723
Reduced winter leakage in gates with J-seals (1989, 3p.) MP 2724

Hannel, W.
Utilization of sewage sludge for terrain stabilization in cold regions (1977, 45p.) SR 77-37

Hanscom, J.T.
Break-up of the Yukon River at the Haul Road Bridge: 1979 (1979, 22p. + Figs.) MP 1315

Hansen, B.L.
C-14 and other isotope studies on natural ice (1972, p.D70-D92) MP 1052
Camp Century survey 1986 (1987, p.281-288) MP 2331

Hansen, G.M.
FIRE IN THE NORTHERN ENVIRONMENT-A SYMPOSIUM (1971, 275p.) MP 878

Hardenberg, M.
Corps of Engineers land treatment of wastewater research program: an annotated bibliography (1983, 82p.) SR 83-09

Hare, H.E.
Five-year performance of CRREL land treatment test cells: water quality plant yields and nutrient uptake (1978, 24p.) SR 78-26
Use of 15N to study nitrogen transformations in land treatment (1979, 32p.) SR 79-31
Overland flow: removal of toxic volatile organics (1981, 16p.) SR 81-01
Seven-year performance of CRREL slow-rate land treatment prototypes (1981, 25p.) SR 81-12

Harle, J.C.
Relationships between estimated mean annual air and permafrost temperatures in North-Central Alaska (1983, p.462-467) MP 1650

Harr, M.E.
Probabilistic-deterministic analysis of one-dimensional ice segregation in a freezing soil column (1981, p.127-140) MP 1534

Harrington, R.
Site-specific meteorology (1989, p.13-15) MP 2641
Hourly meteorological data for SNOW IV (1989, p.159-250) MP 2647

Harrington, M.
Vapor drive maps of the U.S.A. (1986, 7p. + graphs) MP 2041

Harris, R.W.
Land treatment processes within CAPDET (Computer-assisted procedure for the design and evaluation of wastewater treatment systems) (1983, 79p.) SR 83-26

Harrison, L.P.
Report on ice fall from clear sky in Georgia October 26, 1959 (1960, 31p. plus photographs) MP 1017

Harrison, W.D.
Chemistry of interstitial water from subsea permafrost, Prudhoe Bay, Alaska (1978, p.92-98) MP 1305

Harrison, W.L.
Shallow snow performance of wheeled vehicles (1976, p.589-614) MP 1130
Proceedings of the International Society for Terrain-Vehicle Systems Workshop on Snow Traction Mechanics, Alta, Utah, Jan. 29-Feb. 2, 1979 (1981, 71p.) SR 81-16
Snow measurements in relation to vehicle performance (1981, p.13-24) MP 1473
Prediction methods (1981, p.39-46) MP 1475
Field investigations (1981, p.47-48) MP 1476
Analysis of vehicle tests and performance predictions (1981, p.51-67) MP 1477
Shallow snow test results (1981, p.69-71) MP 1478
Shallow snow model for predicting vehicle performance (1981, 21p.) CR 81-20
Measurement of snow surfaces and tire performance evaluation (1982, 7p.) MP 1516
Snowpack profile analysis using extracted thin sections (1982, 15p.) SR 82-11
Winter tire tests 1980-81 (1985, p.135-151) MP 2045

Hart, M.M.
Heat transfer over a vertical melting plate (1977, 12p.) CR 77-32

Hartman, C.W.
Environmental atlas of Alaska (1978, 95p.) MP 1204

Hasselmann, K.
MIZEX: a program for mesoscale air-ice-ocean interaction experiments in Arctic marginal ice zones. 2. A science plan for a summer Marginal Ice Zone Experiment in the Fram Strait/Greenland Sea 1984 (1983, 47p.) SR 83-12
Marginal ice zones: a description of air-ice-ocean interactive processes, models and planned experiments (1984, p.133-146) MP 1673

Hatfield, R.W.
Calibration measurements of rock stress by vibrating wire stressmeter at high temperatures (1987, p.43-58) MP 2447

Haugen, R.K.
Arctic and Subarctic environmental analyses utilizing ERTS-1 imagery; bimonthly progress report, 23 June - 23 Aug 1972 (1972, 3p.) MP 991
Arctic and subarctic environmental analysis (1972, p.28-30) MP 1119
Arctic and subarctic environmental analyses using ERTS-1 imagery. Progress report Dec. 72-June 73 (1973, 75p.) MP 1003
Arctic and subarctic environmental analyses utilizing ERTS-1 imagery (1973, 5p.) MP 1611
Arctic and subarctic environmental analyses utilizing ERTS-1 imagery. Bimonthly progress report, 23 Aug - 23 Oct. 1973 (1973, 3p.) MP 1030
Arctic and subarctic environmental analyses utilizing ERTS-1 imagery. Bimonthly progress report, 23 Oct. - 23 Dec. 1973 (1973, 6p.) MP 1031
Arctic and subarctic environmental analysis utilizing ERTS-1 imagery. Final report June 1972-Feb. 1974 (1974, 128p.) MP 1047
Selected climatic and soil thermal characteristics of the Prudhoe Bay region (1975, p.3-12) MP 1054
Climatic and soil temperature observations at Atkasook on the Meade River, Alaska, summer 1975 (1976, 25p.) SR 76-01
Remote sensing of land use and water quality relationships—Wisconsin shore, Lake Michigan (1976, 47p.) CR 76-30
Skylab imagery: Application to reservoir management in New England (1976, 51p.) SR 76-07
Climatic and dendroclimatic indices in the discontinuous permafrost zone of the Central Alaskan Uplands (1978, p.392-399) MP 1099
Thaw penetration and permafrost conditions associated with the Livengood to Prudhoe Bay road, Alaska (1978, p.615-621) MP 1102
Landsat data collection platform at Devil Canyon site, upper Susitna Basin, Alaska—Performance and analysis of data (1979, 17 refs.) SR 79-02
Coastal-inland distributions of summer air temperature and precipitation in northern Alaska (1980, p.403-412) MP 1439
Hydrology and climatology of the Caribou-Poker Creeks Research Watershed, Alaska (1982, 34p.) CR 82-26
Climate of remote areas in north-central Alaska: 1975-1979 summary (1982, 110p.) CR 82-35
Relationships between estimated mean annual air and permafrost temperatures in North-Central Alaska (1983, p.462-467) MP 1658
Growth and flowering of cottongrass tussocks along a climatic transect in northcentral Alaska (1984, p.10-11) MP 1950
Constraints and approaches in high latitude natural resource sampling and research (1984, p.41-46) MP 2013
Natural ground temperatures in upland bedrock terrain, interior Alaska (1988, p.56-60) MP 2360
Regional climatic trends in northern New England (1988, p.64-71) MP 2748
Thermal infrared survey of winter trails in the Ft Wainwright Training Area, Alaska (1990, 16p.) SR 90-17

Häusler, F.U.
4th report of working group on testing methods in ice (1984, p.1-41) MP 1886

Hawkes, I.
Photoelastic instrumentation--principles and techniques (1979, 153p.) CR 79-13

Hawkins, L.M.E.
Application of removal and control methods Section 1 Railways; Section 2 Highways; Section 3 Airports (1981, p.671-706) MP 1447

Hayes, R.
Application of HEC-2 for ice-covered waterways (1982, p.24-[illegible]) MP 1575

Haynes, D.
Ice force measurement on the Yukon River bridge (1981, p.749-777) MP 1396
Some effects of friction on ice forces against vertical structures (1986, p 528-533) MP 2036

Haynes, F.D.
Ice forces on model structures (1975, p 400-407) MP 863
Ice forces on simulated structures (1975, p 387-396) MP 864
Interpretation of the tensile strength of ice under triaxial stress (1976, p 375-397) MP 996
Survey of design criteria for harbors and channels in cold regions—an annotated bibliography (1976, 32p.) CR 76-03
Interpretation of the tensile strength of ice under triaxial stresses (1976, 9p.) CR 76-05
Effect of temperature on the strength of frozen silt (1977, 27p.) CR 77-03
Haines-Fairbanks pipeline. design, construction and operation (1977, 20p.) SR 77-04
Measuring the uniaxial compressive strength of ice (1977, p.213-223) MP 1027
Canol Pipeline Project a historical review (1977, 32p.) SR 77-34
Effect of temperature and strain rate on the strength of polycrystalline ice (1977, p.107-111) MP 1127
Strength and deformation of frozen silt (1978, p.655-661) MP 1105
Effect of temperature on the strength of snow-ice (1978, 25p.) CR 78-27
Effect of water content on the compressibility of snow-water mixtures (1979, 26p.) CR 79-02
Turbulent heat transfer in large aspect channels (1979, 5p.) CR 79-13
Temperature effect on the uniaxial strength of ice (1979, p.667-681) MP 1231
Thermal diffusivity of frozen soil (1980, 30p.) SR 80-38
Movement study of the trans-Alaska pipeline at selected sites (1981, 32p.) CR 81-04
Vibrations caused by ship traffic on an ice-covered waterway (1981, 27p.) CR 81-05
Dynamic ice-structure interaction analysis for narrow vertical structures (1981, p.472-479) MP 1456
Performance of a point source bubbler under thick ice (1982, p.111-124) MP 1529
Determining the characteristic length of model ice sheets (1982, p.99-104) MP 1570
Experimental determination of the buckling loads of floating ice sheets (1983, p.260-265) MP 1626
Experiments on ice ride-up and pile-up (1983, p 266-270) MP 1627
Ice forces on model marine structures (1983, p.778-787) MP 1606
Ice forces on model bridge piers (1983, 11p.) CR 83-19
Measurement of ice forces on structures (1983, p.139-155) MP 1641
Ice force measurements on a bridge pier in the Ottauquechee River, Vermont (1983, 6p.) CR 83-32
Performance of a thermosyphon with an inclined evaporator and vertical condenser (1984, p.64-68) MP 1677
Observations during BRIMFROST '83 (1984, 36p.) SR 84-10
Ice forces on inclined model bridge piers (1984, p 1167-1173) MP 2407
Laboratory tests and analysis of thermosyphons with inclined evaporator sections (1985, p.31-37) MP 1853
Vibration analysis of the Yamachiche lightpier (1986, p.238-241) MP 1989
Heat transfer characteristics of thermosyphons with inclined evaporator sections (1986, p 285-292) MP 2034
Vibration analysis of the Yamachiche Lightpier (1986, p.9-18) MP 2253
Ice forces on bridge piers (1986, p.83-101) MP 2160
Static and dynamic ice loads on the Yamachiche Bend lightpier, 1984-86 (1986, p 115-126) MP 2389
Heat transfer characteristics of a commercial thermosyphon with an inclined evaporator section (1987, p.79-84) MP 2190
Effect of oscillatory loads on the bearing capacity of floating ice covers (1987, p.219-224) MP 2216
Exothermic cutting of frozen materials (1987, p.181-183) MP 2264
Heat transfer performance of commercial thermosyphons with inclined evaporator sections (1988, p 275-280) MP 2320
On the application of thermosyphons in cold regions (1988, p.281-286) MP 2321
On the determination of the average Young's modulus for a floating ice cover (1988, p 39-43) MP 2324
Vibration analysis of a DEW Line station (1988, p 1513-1518) MP 2341
Thermosyphons and foundation design in cold regions (1988, p 251-259) MP 2443
Ice reinforced with Geogrid (1989, p 179-185) MP 2484
Thermal stabilization of permafrost with thermosyphons (1990 p.323-328) MP 2583

Hellmann, H.
Elastic properties of frazil ice from the Weddell Sea, Antarctica (1989, p.208-217) MP 2620

Helms, J.W.
Limnological investigations. Lake Koocanusa, Montana. Part 3: Basic data, post-impoundment, 1972-1978 (1982, 597p.) SR 82-23

Hemming, J.E.
Workshop on Environmental Protection of Permafrost Terrain (1980, p.30-36) MP 1314

Henry, K.
Geotextiles and a new way to use them (1988, p.214-222) MP 2525
Use of geotextiles to mitigate frost heave in soils (1988, p 1096-1101) MP 2369
Chemical aspects of soil freezing (1988, 8p.) CR 88-17

Henry, K.S.
Comparative field testing of buried utility locators (1984, 25p.) MP 1977
Detection of buried utilities Review of available methods and a comparative field study (1984, 36p.) CR 84-31
Case study of potential causes of frost heave (1990, 35p.) SR 90-09

Herron, M.M.
Vanadium and other elements in Greenland ice cores (1976, 4p.) CR 76-24
Atmospheric trace metals and sulfate in the Greenland Ice Sheet (1977, p 915-920) MP 949
Interhemispheric comparison of changes in the composition of atmospheric precipitation during the Late Cenozoic era (1977, p.617-631) MP 1079
Vanadium and other elements in Greenland ice cores (1977, p 98-102) MP 1092
Seasonal variations of chemical constituents in annual layers of Greenland deep ice deposits (1977, p.302-306) MP 1094

Heuer, C.E.
Application of he[illegible]es on the Trans-Alaska Pipeline (1979, 27p.) SR 79-26

Heusser, C.J.
Geobotanical studies on the Taku Glacier anomaly (1954, p 224-239) MP 1215

Hewitt, A.D.
Scavenging of infrared screener EA 5763 by falling snow (1987, p.13-20) MP 2292
Comparison of EPA and USATHAMA detection capability estimators (1988, p.405-418) MP 2455
Influence of well casing materials on chemical species in ground water (1988, p.450-461) MP 2456
Increased transmission through brass obscurant clouds during snowfall (1988, p.489-496) MP 2605
Snow-smoke interaction (1988, p 497-506) MP 2607
Dynamic aerosol flow chamber (1988, 13p.) SR 88-21
Influence of well casing composition on trace metals in ground water (1989, 18p.) SR 89-09
Does snow have ion chromatographic properties (1989, p.165-171) MP 2755
Comparisons of low concentration measurement capability estimates in trace analysis: method detection limit and certified reporting limit (1989, 21p.) SR 89-20
Leaching of metal pollutants from four well casings used for ground-water monitoring (1989, 11p.) SR 89-32
Influence of ground water monitoring well casings on metals and organic compounds in well water (1989, 9p.) MP 2717
Influence of casing materials on trace-level chemicals in well water (1990, 11p.) MP 2720

Hibler, W.D., III
Mesoscale deformation of sea ice from satellite imagery (1973, 2p.) MP 1120
Classification and variation of sea ice ridging in the Arctic basin (1974, p.127-146) MP 1022
Meso-scale strain measurements on the Beaufourt sea pack ice (AIDJEX 1971) (1974, p 119-138) MP 1035
Statistical variations in Arctic sea ice ridging and deformation rates (1975, p J1-J16) MP 850
Measurement of sea ice drift far from shore using LANDSAT and aerial photographic imagery (1975, p 541-554) MP 849
Height variation along sea ice pressure ridges and the probability of finding "holes" for vehicle crossings (1975, p.191-199) MP 848
Techniques for using LANDSAT imagery without references to study sea ice drift and deformation (1976, p 115-135) MP 1059
20-yr oscillation in eastern North American temperature records (1976, p 484-486) MP 889
Thickness and roughness variations of arctic multiyear sea ice (1976, 25p.) CR 76-18
Techniques for studying sea ice drift and deformation at sites far from land using LANDSAT imagery (1976, p.595-609) MP 866
Misgivings on isostatic imbalance as a mechanism for sea ice cracking (1976, p 85-94) MP 1379
Seasonal variations in apparent sea ice viscosity on the geophysical scale (1977, p.87-90) MP 900
Studies of the movement of coastal sea ice near Prudhoe Bay, Alaska, U S A (1977, p 533-546) MP 1066
Examination of the viscous wind-driven circulation of the Arctic ice cover over a two year period (1977, p 95-133) MP 983
Modeling pack ice as a viscous-plastic continuum: some preliminary results (1977, p 46-55) MP 1164
Finite element formulation of a sea ice drift model (1977, p 67-76) MP 1165
Model simulation of near shore ice drift, deformation and thickness (1978, p.33-44) MP 1010
Measurement of mesoscale deformation of Beaufort sea ice (AIDJEX-1971) (1978, p.148-172) MP 1179
Some results from a linear-viscous model of the Arctic ice cover (1979, p 293-304) MP 1241
Dynamic thermodynamic sea ice model (1979, p 815-846) MP 1247
20-yr cycle in Greenland ice core records (1979, p 481-483) MP 1245
Documentation for a two-level dynamic thermodynamic sea ice model (1980, 35p.) SR 80-08
Numerical modeling of sea ice in the seasonal sea ice zone (1980, p.299-356) MP 1296
Sea ice growth, drift, and decay (1980, p 141-209) MP 1298
Nonsteady ice drift in the Strait of Belle Isle (1980, p 177-186) MP 1364
Modeling a variable thickness sea ice cover (1980, p 1943-1973) MP 1424

MIZEX—a program for mesoscale air-ice-ocean interaction; experiments in Arctic marginal ice zones 1 Research strategy (1981, 20p) SR 81-19
Preliminary results of ice modeling in the East Greenland area (1981, p 867-878) MP 1458
On modeling mesoscale ice dynamics using a viscous plastic constitutive law (1981, p.1317-1329) MP 1526
Modeling pressure ridge buildup on the geophysical scale (1982, p.141-155) MP 1590
On modeling the Weddell Sea pack ice (1982, p 125-130) MP 1549
On modeling seasonal and interannual fluctuations of arctic sea ice (1982, p.1514-1523) MP 1579
Numerical simulation of the Weddell Sea pack ice (1983, p.2873-2887) MP 1592
On forecasting mesoscale ice dynamics and build-up (1983, p.110-115) MP 1625
MIZEX—a program for mesoscale air-ice-ocean interaction experiments in Arctic marginal ice zones 2. A science plan for a summer Marginal Ice Zone Experiment in the Fram Strait/Greenland Sea. 1984 (1983, 47p) SR 83-12
Marginal ice zones: a description of air-ice-ocean interactive processes, models and planned experiments (1984, p.133-146) MP 1673
MIZEX—a program for mesoscale air-ice-ocean interaction experiments in Arctic marginal ice zones 3. Modeling the marginal ice zone (1984, 99p) SR 84-07
Large-scale ice/ocean model for the marginal ice zone (1984, p.1-7) MP 1778
East Greenland Sea ice variability in large-scale model simulations (1984, p 9-14) MP 1779
On the role of ice interaction in marginal ice zone dynamics (1984, p.23-29) MP 1781
Mechanism for floe clustering in the marginal ice zone (1984, p.73-76) MP 1785
Ocean circulation its effect on seasonal sea-ice simulations (1984, p.489-492) MP 1700
Role of sea ice dynamics in modeling CO2 increases (1984, p 238-253) MP 1749
Model simulation of 20 years of northern hemisphere sea-ice fluctuations (1984, p.170-176) MP 1767
Ice dynamics (1984, 52p) M 84-03
MIZEX 83 mesoscale sea ice dynamics initial analysis (1984, p 19-28) MP 1811
On the rheology of a broken ice field due to floe collision (1984, p 29-34) MP 1812
MIZEX 84 mesoscale sea ice dynamics. post operations report (1984, p 66-69) MP 1257
Modeling of Arctic sea ice characteristics relevant to naval operations (1984, p 67-91) MP 1994
Numerical modeling of sea ice dynamics and ice thickness characteristics. A final report (1985, 50p) CR 85-05
Numerical simulation of Northern Hemisphere sea ice variability, 1951-1980 (1985, p 4847-4865) MP 1882
Modeling sea-ice dynamics (1985, p 549-579) MP 2001
Role of plastic ice interaction in marginal ice zone dynamics (1985, p.11,899-11,909) MP 1544
On estimating ice stress from MIZEX 83 ice deformation and current measurements (1986, p 17-19) MP 2220
Large-scale ice-ocean modeling (1986, p 165-184) MP 2142
Ice dynamics (1986, p 577-640) MP 2211
Variability of Arctic sea ice drafts (1986, p 237-256) MP 2198
Mesoscale sea ice deformation in the East Greenland marginal ice zone (1987, p 7060-7070) MP 2241
Role of floe collisions in sea ice rheology (1987, p.7085-7096) MP 2242
Diagnostic ice-ocean model (1987, p.987-1015) MP 2238
Coupled air-ice-ocean models (1987, p 131-137) MP 2412
Evaluation of an operational ice forecasting model during summer (1988, p 159-174) MP 2347
On modeling the energetics of the ridging process (1989, p 175-178) MP 2483
Effect of ice pressure on marginal ice zone dynamics (1989, p 514-521) MP 2522
Cavitating fluid sea ice model (1990, p 239-242) MP 2738
On modeling the barochinic adjustment of the Arctic Ocean (1990, p 247-250) MP 2739

Hicks, J.R.
Propane dispenser for cold fog dissipation system (1973, 38p) MP 1033
Compressed air seeding of supercooled fog (1976, 9p) SR 76-09
Use of compressed air for supercooled fog dispersal (1976, p 1226-1231) MP 1614
Laboratory studies of compressed air seeding of supercooled fog (1977, 19p) SR 77-12

Hinchey, M.J.
Wave-induced bergy bit motion near a floating oil production platform (1990, p 205-215) MP 2580

Hinz, C.
Correlation of Freundlich *Kd* and *n* retention parameters with soils and elements (1989, p 370-379) MP 2570

Hirai, A.
Microcomputer-based image-processing system (1988, p.249-252) MP 2385

Hirayama, K.
Investigation of ice forces on vertical structures (1974, 153p) MP 1041
Standardized testing methods for measuring mechanical properties of ice (1981, p.245-254) MP 1556
Determination of the flexural strength and elastic modulus of ice from *in situ* cantilever-beam tests (1982, p 37-47) MP 1568
Determining the characteristic length of model ice sheets (1982, p.99-104) MP 1570
Experimental determination of the buckling loads of floating ice sheets (1983, p.260-265) MP 1626
Experiments on ice ride-up and pile-up (1983, p 266-270) MP 1627
Properties of urea-doped ice in the CRREL test basin (1983, 44p) CR 83-08
Ice forces on model bridge piers (1983, 11p.) CR 83-19

Hironaka, M.C.
Detecting underground objects/utilities (1987, p.36-43) MP 2281

Hnatiuk, J.
Destruction of ice islands with explosives (1978, p.753-765) MP 1018
Study of several pressure ridges and ice islands in the Canadian Beaufort Sea (1978, p 519-532) MP 1187
Sea ice pressure ridges in the Beaufort Sea (1978, p 249-271) MP 1132
Multi year pressure ridges in the Canadian Beaufort Sea (1979, p.107-126) MP 1229
Multi-year pressure ridges in the Canadian Beaufort Sea (1981, p.125-145) MP 1514

Ho, S.C.
Effect of seasonal soil conditions on the reliability of the M15 land mine (1984, 35p) SR 84-18

Hobbie, J.E.
Arctic limnology. a review (1973, p.127-168) MP 1007
Environmental analyses in the Kootenai River region, Montana (1976, 53p) SR 76-13

Hoch, D.
Drainage network analysis of a subarctic watershed, Caribou-Poker Creeks research watershed, interior Alaska (1979, 9p) SR 79-19
Drainage network analysis of a subarctic watershed (1979, p.349-359) MP 1274

Hodek, R.J.
Ice and navigation related sedimentation (1978, p 393-403) MP 1133

Hodge, S.M.
Snow and ice (1975, p 435-441, 475-487) MP 844

Hodgson, T.P.
Static and dynamic ice loads on the Yamachiche Bend lightpier, 1984-86 (1986, p.115-126) MP 2389

Hoekstra, P.
In-situ measurements on the conductivity and surface impedance of sea-ice at VLF frequencies (1971, 19p plus diagrams) MP 1071
Electrical resistivity profile of permafrost (1974, p 28-34) MP 1045
Electrical ground impedance measurements in Alaskan permafrost regions (1975, 60p.) MP 1049
Geophysical methods for hydrological investigations in permafrost regions (1976, p.75-90) MP 932
Rock, frozen soil and ice breakage by high-frequency electromagnetic radiation. A review (1976, 17p) CR 76-36
Selected examples of radiohm resistivity surveys for geotechnical exploration (1977, 16p) SR 77-01
Workshop on Permafrost Geophysics, Golden, Colorado, 23-24 October 1984 (1985, 113p) SR 85-05

Hoff, G.C.
Cold weather construction materials, Part 2—Regulated-set cement for cold weather concreting, field validation of laboratory tests (1981, 33p) MP 1466

Hogan, A.W.
Meteorological variation of atmospheric optical properties in an antarctic storm (1986, p 1155-1165) MP 2099
Aerosol exchange in the remote troposphere (1986, p 197-213) MP 2180
Some observations on the character of snow (1987, p 48-53) MP 2397
Obscuration and background dynamics in and over snow (1987, p.181-185) MP 2417
Increased transmission through brass obscurant clouds during snowfall (1988, p 489-496) MP 2605
Snow-smoke interaction (1988, p.497-506) MP 2607
Proceedings (1989, 136p) SR 89-07
Application of aerosol physics to snow research (1989, p 201-207) MP 2756
Chemical migration in snowpack (1989, p 282-286) MP 2757
Antarctic ice sheet brightness temperature variations (1990, p 217-223) MP 2736

Hogan, G.
Studies of high-speed rotor icing under natural conditions (1983, p 117-123) MP 1635

Hoge, G.
Information systems planning study (1987, 48p.) SR 87-23

Hogue, G.B.
Ice forces on vertical piles (1972, p 104-114) MP 1024
Ice forces on vertical piles (1977, 9p) CR 77-10

Holdsworth, G.
Ice drilling technology (1984, 142p) SR 84-34

Holdsworth, G.W.
South Pole ice core drilling, 1981-1982 (1982, p 89-91) MP 1621

Holladay, J.S.
Airborne electromagnetic sounding of sea ice thickness and sub-ice bathymetry (1987, p 289-311) MP 2332
Airborne electromagnetic sounding of sea ice thickness and sub-ice bathymetry (1987, 40p) CR 87-23
Airborne sea ice thickness sounding (1989, p.1042-1052) MP 2623
Sea ice thickness measurement using a down-sized airborne electromagnetic-sounding system (1989, p 394-424) MP 2693
Development of an airborne sea ice thickness measurement system and field test results (1989, 47p) CR 89-19
Airborne measurement of sea ice thickness using electromagnetic induction during LIMEX 89 (1990, p 309-315) MP 2590
Airborne sea ice thickness sounding (1990, p.225-229) MP 2737

Holt, B.
Science program for an imaging radar receiving station in Alaska (1983, 45p) MP 1884

Holt, E.T.
Surface roughness of Ross Sea pack ice (1983, p 123-124) MP 1764
Sea ice data buoys in the Weddell Sea (1984, 18p) CR 84-11

Hooke, R.L.
Mechanical properties of polycrystalline ice: an assessment of current knowledge and priorities for research (1979, 16p) MP 1207
Mechanical properties of polycrystalline ice: an assessment of current knowledge and priorities for research (1980, p.263-275) MP 1328

Hopkins, D.M.
Buried valleys as a possible determinant of the distribution of deeply buried permafrost on the continental shelf of the Beaufort Sea (1979, p 135-141) MP 1288
Subsea permafrost distribution on the Alaskan shelf (1984, p.75-82) MP 1852

Hopkins, M.A.
Constitutive relations for a planar, simple shear flow of rough disks (1985, 17p) CR 85-20
On modeling the energetics of the ridging process (1989, p 175-178) MP 2483

Horiguchi, K.
Role of heat and water transport in frost heaving of fine-grained porous media under negligible overburden pressure (1984, p 93-102) MP 1842
Role of phase equilibrium in frost heave of fine-grained soil under negligible overburden pressure (1985, p 50-68) MP 1896

Horn, D.A.
MIZEX: a program for mesoscale air-ice-ocean interaction experiments in Arctic marginal ice zones 5 MIZEX 84 summer experiment PI preliminary reports (1984, 176p) SR 84-29

Houssais, M.N.
Coupled ice-mixed layer model for the Greenland Sea (1986, p 225-260) MP 2143

Houston, B.J.
Regulated set concrete for cold weather construction (1980, p 291-314) MP 1359
Cold weather construction materials, Part 2—Regulated-set cement for cold weather concreting, field validation of laboratory tests (1981, 33p) MP 1466

Houthoofd, J.M.
Effect of freezing on the level of contaminants in uncontrolled hazardous waste sites Part 1. Literature review and concepts (1985, p 122-129) MP 2028

Howdyshell, P.
Seismic and acoustic wave propagation working group report (1987, p 253-255) MP 2419

Howe, J.B.
Ice detector measurements compared to meteorological parameters in natural icing conditions (1987, p 31-37) MP 2277

Howe, K.E.
Hydrology and climatology of the Caribou-Poker Creeks Research Watershed, Alaska (1982, 34p) CR 82-26
Interaction of gravel fills, surface drainage, and culverts with permafrost terrain (1984, 35p) MP 2215

Howells, D.H.
Let's consider land treatment, not land disposal (1976, p 60-62) MP 869

Hromadka, T.V., II
Finite element model of transient heat conduction with isothermal phase change (two and three dimensional) (1977, 167p) SR 77-38
One-dimensional frost heave model based upon simultaneous heat and water flux (1980, p 253-262) MP 1333

Hromadka, T.V., II *(cont.)*
Some approaches to modeling phase change in freezing soils (1981, p.137-145) MP 1437
Results from a mathematical model of frost heave (1981, p.2-6) MP 1483
Probabilistic-deterministic analysis of one-dimensional ice segregation in a freezing soil column (1981, p.127-140) MP 1534
Sensitivity of a frost heave model to the method of numerical simulation (1982, p.1-10) MP 1567
Field tests of a frost-heave model (1983, p 409-414) MP 1657
Comparison of two-dimensional domain and boundary integral geothermal models with embankment freeze-thaw field data (1983, p.509-513) MP 1659
Two-dimensional model of coupled heat and moisture transport in frost heaving soils (1984, p.91-98) MP 1678
Simple model of ice segregation using an analytic function to model heat and soil-water flow (1984, p 99-104) MP 2104
Two-dimensional model of coupled heat and moisture transport in frost-heaving soils (1984, p 336-343) MP 1765
Model of 2-dimensional freezing front movement using the complex variable BE method (1985, 9p) MP 2077
Nodal domain integration model of two-dimensional heat and soil-water flow coupled by soil-water phase change (1987, 124p) SR 87-09
Tracking two-dimensional freezing front movement using the complex variable boundary element method (1987, 58p) SR 87-08

Hsiao, S.V.
Inlet current measured with Seasat-1 synthetic aperture radar (1980, p 35-37) MP 1443
Inlet current measured with Seasat-1 synthetic aperture radar (1980, p 35-37) MP 1481

Huber, N.P.
Dynamic friction of bobsled runners on ice (1985, 26p) MP 2082
Friction of solids on ice (1986, 4p) MP 2179
Preliminary study of friction between ice and sled runners (1987, p 297-301) MP 2358
Dynamic friction of a metal runner on ice I Model sled test (1989, 17p) CR 89-14

Humiston, N.
Thermal analysis of a shallow utilidor (1986, 10p.) MP 2021

Humiston, N.H.
Catalog of Corps of Engineers structure inventories suitable for the acid precipitation-structure material study (1985, 40p) SR 85-01

Humphreys, D.H.
Ice resistance tests on two models of the WTGB icebreaker (1984, p.627-638) MP 1716

Hunsicker, S.E.
Effect of freeze-thaw cycles on the permeability and macrostructure of soils (1990, p 145-155) MP 2678

Hunt, B.
Perturbation solution of the flood problem. Discussion and author's reply (1988, p 346-349) MP 2536

Hunter, J.A.
Geophysics in the study of permafrost (1979, p 93-115) MP 1266

Hurley, J.P.
Vanadium and other elements in Greenland ice cores (1976, 4p.) CR 76-24
Vanadium and other elements in Greenland ice cores (1977, p.98-102) MP 1092

Hutchins, D.R.
Comparative near-millimeter wave propagation properties of snow or rain (1983, p.115-129) MP 1690
Attenuation and backscatter for snow and sleet at 96, 140, and 225 GHz (1984, p 41-52) MP 1864

Hutt, D.L.
Snow mass concentration and precipitation rate (1988, p 89-92) MP 2326
Model of smoke concentration reduction due to scavenging by snow (1989, p 87-98) MP 2628

Hutt, M.
Mobility bibliography (1981, 313p) SR 81-29

Hutton, M.S.
Analysis of potential ice jam sites on the Connecticut River at Windsor, Vermont (1976, 31p) CR 76-31

Ingersoll, J.
Development of a remote-reading tensiometer/transducer system for use in subfreezing temperatures (1976, p.31-45) MP 897
Projected thermal and load-associated distress in pavements incorporating different grades of asphalt cement (1978, p.403-437) MP 1209
Documentation of soil characteristics and climatology during five years of wastewater application to CRREL test cells (1979, 82p) SR 79-23
Asphalt concrete for cold regions, a comparative laboratory study and analysis of mixtures containing soft and hard grades of asphalt cement (1980, 55p.) CR 80-05
Frost heave in an instrumented soil column (1980, p 211-221) MP 1331
Infiltration characteristics of soils at Apple Valley, Minn., Clarence Cannon Dam, Mo, and Deer Creek Lake, Ohio, land treatment sites (1980, 41p) SR 80-36
Method for coincidentally determining soil hydraulic conductivity and moisture retention characteristics (1981, 11p.) SR 81-02
Laboratory and field use of soil tensiometers above and below 0 deg C (1981, 17p) SR 81-07
Simulating frost action by using an instrumented soil column (1981, p 34-42) MP 1485
Partial verification of a thaw settlement model (1985, p 18-25) MP 1924
Hydraulic properties of selected soils (1985, p.26-35) MP 1925

Ingersoll, J.W.
Investigation of transient processes in an advancing zone of freezing (1983, p.821-825) MP 1663

International Biological Programme. Tundra Biome
Proceedings 1972 Tundra Biome symposium (1972, 211p) MP 1374

International Conference on Offshore Mechanics and Arctic Engineering, 7th, Houston, TX, Feb. 7-12, 1988
Proceedings, Vol.4 (1988, 348p) MP 2317

International Conference on Offshore Mechanics and Arctic Engineering, 8th, The Hague, Netherlands, Mar. 19-23, 1989
Proceedings of the eighth International Conference on Offshore Mechanics and Arctic Engineering, 1989. Volume 4 (1989, 476p.) MP 2481

International Conference on Offshore Mechanics and Arctic Engineering, 9th, Houston, TX, Feb. 18-23, 1990
Proceedings Vol.4 (1990, 339p) MP 2584

International Conference on Snow Engineering, 1st, Santa Barbara, CA, July 10-15, 1988
First International Conference on Snow Engineering, Santa Barbara, California, July 1988; Proceedings (1989, 573p) SR 89-06

International Offshore Mechanics and Arctic Engineering Symposium, 2nd, Houston, Texas, Jan. 30-Feb. 3, 1983
Proceedings (1983, 813p.) MP 1581

International Offshore Mechanics and Arctic Engineering Symposium, 3rd, New Orleans, Louisiana, Feb. 12-17, 1984
Proceedings (1984, 3 vols) MP 1675

International Offshore Mechanics and Arctic Engineering Symposium, 4th, Dallas, Texas, Feb. 17-21, 1985
Proceedings (1985, 2 vols) MP 2105

International Offshore Mechanics and Arctic Engineering Symposium, 5th, Tokyo, Apr. 13-18, 1986
Proceedings (1986, 4 vols) MP 2031

International Offshore Mechanics and Arctic Engineering Symposium, 6th, Houston, Texas, Mar. 1-6, 1987
Proceedings (1987, 4 vols.) MP 2189

International Symposium and Exhibit on Offshore Mechanics and Arctic Engineering, 6th, Houston, TX, Mar. 1-6, 1987
Advances in ice mechanics—1987 (1987, 49p) MP 2207

International Symposium: Frozen Soil Impacts on Agricultural, Range, and Forest Lands, Spokane, WA, March 21-22, 1990
Proceedings (1990, 318p) SR 90-01

International Symposium on Cold Regions Heat Transfer, Edmonton, Alta., June 4-6, 1987
Proceedings (1987, 270p) MP 2302

International Symposium on Cold Regions Heat Transfer, Sapporo, Japan, June 28-30, 1989
Proceedings (1989, 314p) MP 2636

International Symposium on the State of Knowledge in Land Treatment of Wastewater, Aug. 20-25, 1978, Hanover, New Hampshire
State of knowledge on land treatment of wastewater (1978, 2 vols) MP 1145

International Workshop/Symposium on Ice Drilling Technology, 2nd, Calgary, Alberta, Aug. 30-31, 1982
Ice drilling technology (1984, 142p) SR 84-34

Irish, R.
Extraction of topography from side-looking satellite systems—a case study with SPOT simulation data (1983, p.535-550) MP 1695

Irwin, D.
Corps of Engineers land treatment of wastewater research program an annotated bibliography (1983, 82p.) SR 83-09

Irwin, G.S.
Analysis of vehicle tests and performance predictions (1981, p 51-67) MP 1477

Irwin, L.H.
Effect of freezing and thawing on resilient modulus of a granular soil exhibiting nonlinear behavior (1981, p 19-26) MP 1484

Isaacs, R.M.
Designing for frost heave conditions (1984, p 22-44) MP 1705

Iskandar, A.
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1976, p 391-408) MP 1377
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1976, p 53-60) MP 919
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1977, p.234-237) MP 927

Iskandar, I.K.
Wastewater reuse at Livermore, California (1976, p 514-531) MP 870
Land treatment of wastewater—case studies of existing disposal systems at Quincy, Washington and Manteca, California (1976, 36p) MP 920
Reclamation of wastewater by application on land (1976, 15p) MP 896
Wastewater renovation by a prototype slow infiltration land treatment system (1976, 44p.) CR 76-19
Impact of urban wastewater reuse in cold regions on land treatment systems (1976, 32p) MP 2452
Urban waste as a source of heavy metals in land treatment (1976, p 417-432) MP 977
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1977, p.385-395) MP 1074
Preliminary evaluation of 88 years rapid infiltration of raw municipal sewage at Calumet, Michigan (1977, p 489-510) MP 976
Wastewater reuse at Livermore, California (1977, p.511-531) MP 979
Evaluation of existing systems for land treatment of wastewater at Manteca, California, and Quincy, Washington (1977, 34p) CR 77-24
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1977, p.432-440) MP 1077
Wastewater treatment alternative needed (1977, p.82-87) MP 968
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1977, p.518-521) MP 1201
Distribution and properties of road dust and its potential impact on tundra along the northern portion of the Yukon River-Prudhoe Bay Haul Road Chemical composition of dust and vegetation (1978, p.110-111) MP 1116
Chemistry of interstitial water from subsea permafrost, Prudhoe Bay, Alaska (1978, p.92-98) MP 1385
Soil lysimeters for validating models of wastewater renovation by land application (1978, 11p.) SR 78-12
Evaluation of N models for prediction of No3-N in percolate water in land treatment (1978, p.163-169) MP 1148
Nitrogen behavior in land treatment of wastewater: a simplified model (1978, p.171-179) MP 1149
Overview of existing land treatment systems (1978, p.193-200) MP 1150
Simulation of the movement of conservative chemicals in soil solution (1978, p.371-380) MP 1156
Effect of waste water reuse in cold regions on land treatment systems (1978, p.361-368) MP 1144
Geochemistry of subsea permafrost at Prudhoe Bay, Alaska (1978, 70p.) SR 78-14
Construction and performance of platinum probes for measurement of redox potential (1978, 8p.) SR 78-27
Computer file for existing land application of wastewater systems: a user's guide (1978, 24p.) SR 78-22
Evaluation of nitrification inhibitors in cold regions land treatment of wastewater. Part 1. Nitrapyrin (1979, 25p.) SR 79-18
Field methods and preliminary results from subsea permafrost investigations in the Beaufort Sea, Alaska (1979, p 207-213) MP 1591
Documentation of soil characteristics and climatology during five years of wastewater application to CRREL test cells (1979, 82p) SR 79-23
Selected design parameters of existing systems for land application of liquid waste—a computer file (1979, p.65-88) MP 1415
Use of 15N to study nitrogen transformations in land treatment (1979, 32p) SR 79-31
Improved enzyme kinetic model for nitrification in soils amended with ammonium. 1. Literature review (1980, 20p) CR 80-01
Disinfection of wastewater by microwaves (1980, 15p) SR 80-01
Simplified model for prediction of nitrogen behavior in land treatment of wastewater (1980, 49p) CR 80-12
Dynamics of NH4 and NO3 in cropped soils irrigated with wastewater (1980, 20p) SR 80-27
Effectiveness of land application for phosphorus removal from municipal waste water at Manteca, California (1980, p.616-621) MP 1444
Modeling nitrogen transport and transformations in soils: 1. Theoretical considerations (1981, p 233-241) MP 1440
Modeling nitrogen transport and transformations in soils 2. Validation (1981, p 303-312) MP 1441
Limnological investigations: Lake Koocanusa, Montana. Pt. 5. Phosphorus chemistry of sediments (1981, 9p.) SR 81-15
Soil microbiology (1981, p 38-44) MP 1753
Evaluation of a compartmental model for prediction of nitrate leaching losses (1981, 24p) CR 81-23
Effect of soil temperature and pH on nitrification kinetics in soils receiving a low level of ammonium enrichment (1981, 27p) SR 81-33
Overview of models used in land treatment of wastewater (1982, 27p) SR 82-01
Evaluation of a simple model for predicting phosphorus removal by soils during land treatment of wastewater (1982, 12p.) SR 82-14
User's index to CRREL land treatment computer programs and data files (1982, 65p) SR 82-26
Optimization model for land treatment planning, design and operation Part 1. Background and literature review (1983, 35p) SR 83-06

AUTHOR INDEX

Optimization model for land treatment planning, design and operation. Part 2. Case study (1983, 30p.) SR 83-07
Corps of Engineers land treatment of wastewater research program: an annotated bibliography (1983, 82p) SR 83-09
Mathematical simulation of nitrogen interactions in soils (1983, p.241-248) MP 2051
Land treatment research and development program. synthesis of research results (1983, 144p) CR 83-20
WASTEN. a model for nitrogen behaviour in soils irrigated with liquid waste (1984, p 96-108) MP 1762
Impact of dredging on water quality at Kewaunee Harbor, Wisconsin (1984, 16p) CR 84-21
User's guide for the BIBSORT program for the IBM-PC personal computer (1985, 61p) SR 85-04
Economics of ground freezing for management of uncontrolled hazardous waste sites (1985, 15p) MP 2030
Potential use of artificial ground freezing for contaminant immobilization (1985, 10p) MP 2029
Effect of freezing on the level of contaminants in uncontrolled hazardous waste sites Part 1. Literature review and concepts (1985, p.122-129) MP 2028
Ion and moisture migration and frost heave in freezing Morin clay (1986, p.1014) MP 1970
Corps of Engineers Land Treatment Research and Development program (1986, p.17-18) MP 2149
Effect of freezing on the level of contaminants in uncontrolled hazardous waste sites. Part 1: literature review (1986, 33p) SR 86-19
Retention and release of metals by soils—evaluation of several models (1986, p.131-154) MP 2186
Ground freezing controls hazardous waste (1987, p 455-456) MP 2270
Experimental methods for decontaminating soils by freezing (1988, 12p) MP 2513
Prototype testing facilities for field evaluation of contaminant transport in freezing soils (1988, 29p) MP 2514
Modeling the transport of chromium (VI) in soil columns (1989, p 996-1004) MP 2670
Use of innovative freezing technique for *in-situ* treatment of contaminated soils (1989, p.489-498) MP 2515
Correlation of Freundlich *Kd* and *n* retention parameters with soils and elements (1989, p 370-379) MP 2570
Effect of freeze-thaw cycles on the permeability and macrostructure of soils (1990, p 145-155) MP 2678

ISTVS Workshop on Measurement and Evaluation of Tire Performance under Winter Conditions, Alta, Utah, Apr. 11-14, 1983

Proceedings of the ISTVS Workshop on Measurement and Evaluation of Tire Performance under Winter Conditions, Alta, Utah, 11-14, April 1983 (1985, 177p) SR 85-15

Itagaki, K.

Improved millivolt-temperature conversion tables for copper constantan thermocouples. 32F reference temperature (1976, 66p) SR 76-18
De-icing of radomes and lock walls using pneumatic devices (1977, p 467-478) MP 1064
Mass transfer along ice surfaces observed by a groove relaxation technique (1977, p 34-37) MP 1091
Laboratory experiments on lock wall deicing using pneumatic devices (1977, p 53-68) MP 974
Abnormal internal friction peaks in single-crystal ice (1977, 15p) SR 77-23
Icing on ships and stationary structures under maritime conditions—a preliminary literature survey of Japanese sources (1977, 22p) SR 77-27
Dielectric properties of dislocation-free ice (1978, p 207-217) MP 1171
Charged dislocation in ice 1 Existence and charge density measurement by X-ray topography (1978, 12p) CR 79-25
Laboratory experiments on icing of rotating blades (1979, p 85-92) MP 1236
Fracture behavior of ice in Charpy impact testing (1980, 13p) CR 80-13
Charged dislocation in ice 2 Contribution of dielectric relaxation (1982, 15p) CR 82-07
Experimental investigation of potential icing of the space shuttle external tank (1982, 305p) CR 82-25
Adhesion of ice to polymers and other surfaces (1983, p.241-252) MP 1580
Studies of high-speed rotor icing under natural conditions (1983, p.117-123) MP 1635
Implications of surface energy in ice adhesion (1983, p 41-48) MP 1672
Self-shedding of accreted ice from high-speed rotors (1983, p.1-6) MP 1719
Possibility of anomalous relaxation due to the charged dislocation process (1983, p 4261-4264) MP 1669
Effect of X-ray irradiation on internal friction and dielectric relaxation of ice (1983, p 4314-4317) MP 1670
Mechanical ice release processes 1. Self-shedding from high-speed rotors (1983, 8p) CR 83-26
Icing rate on stationary structures under marine conditions (1984, 9p) CR 84-12
Polyethylene glycol as an ice control coating (1984, 11p) CR 84-28
Ice accretion under natural and laboratory conditions (1985, p.225-228) MP 2009
Dynamic friction of bobsled runners on ice (1985, 26p) MP 2082
Friction of solids on ice (1986, 4p) MP 2179
Natural rotor icing on Mount Washington, New Hampshire (1986, 62p) CR 86-10
Dielectric properties of strained ice. 1: Effect of plastic straining (1987, p.143-147) MP 2356
Dielectric properties of strained ice. 2: Effect of sample preparation method (1987, p.149-153) MP 2357
Preliminary study of friction between ice and sled runners (1987, p 297-301) MP 2358
Self-shedding of accreted ice from high-speed rotors (1987, p 95-100) MP 2278
Parameters affecting the kinetic friction of ice (1987, p.552-561) MP 2258
What makes thunderbolts zig and zag (1988, p 22-27) MP 2524
Thickness distribution of accreted ice grown on rotor blades under laboratory conditions (1988, p.152-156) MP 2523
Dynamic friction of a metal runner on ice. 1. Model sled test (1989, 17p) CR 89-14

Izquierdo, M.

Humidity and temperature measurements obtained from an unmanned aerial vehicle (1987, p 35-45) MP 2293
Slant path extinction and visibility measurements from an unmanned aerial vehicle (1987, p 115-126) MP 2296

Jackson, G.

Concurrent remote sensing of arctic sea ice from submarine and aircraft (1989, 20p) MP 2697

Jackson, L.

Operation of the U.S Combat Support Boat (USCSBMK 1) on an ice-covered waterway (1984, 28p.) SR 84-05

Jackson, T.J.

Survey of methods for soil moisture determination (1979, 74p.) MP 1639

Jacobs, S.S.

Structure of ice in the central part of the Ross Ice Shelf, Antarctica (1985, p 39-44) MP 2110

Jacobson, S.

Preliminary investigations of the kinetics of nitrogen transformation and nitrosamine formation in land treatment of wastewater (1979, 59p) SR 79-04

Jain, A.

Inlet current measured with Seasat-1 synthetic aperture radar (1980, p.35-37) MP 1443
Inlet current measured with Seasat-1 synthetic aperture radar (1980, p.35-37) MP 1481

Janoo, V.C.

Laboratory investigations of low temperature cracking susceptibility of asphalt concrete (1987, p.397-415) MP 2233
Use of low viscosity asphalts in cold regions (1989, p.70-80) MP 2462
State of the art of pavement response monitoring systems for roads and airfields (1989, 401p) SR 89-23
Use of soft grade asphalts in airfields and highway pavements in cold regions (1990, 47p) SR 90-12

Janosi, Z.

Mobility working group report (1987, p 273-274) MP 2423

Janowicz, R.

Ice regime reconnaissance, Yukon River, Yukon (1984, p 1059-1073) MP 2406

Jellinek, H.H.G.

Ice removal from the walls of navigation locks (1976, p 1487-1496) MP 888
Ice releasing block-copolymer coatings (1978, p.544-551) MP 1141

Jenkins, T.F.

Continuous monitoring of total dissolved gases, a feasibility study (1975, p.101-105) MP 851
Effect of sediment organic matter on migration of various chemical constituents during disposal of dredged material (1976, 183p) MP 967
Wastewater renovation by a prototype slow infiltration land treatment system (1976, 44p.) CR 76-19
Fate and effects of crude oil spilled on permafrost terrain First year progress report (1976, 18p.) SR 76-15
Composition of vapors evolved from military TNT as influenced by temperature, solid composition, age and source (1977, 25p) SR 77-16
Wastewater treatment alternative needed (1977, p 82-87) MP 968
Fate and effects of crude oil spilled on permafrost terrain. Second annual progress report, June 1976 to July 1977 (1977, 46p) SR 77-44
Methodology for nitrogen isotope analysis at CRREL (1978, 57p.) SR 78-08
Performance of overland flow land treatment in cold climates (1978, p 61-70) MP 1152
Physical, chemical and biological effects of crude oil spills on black spruce forest, interior Alaska (1978, p 305-323) MP 1185
Fate of crude and refined oils in North Slope soils (1978, p 339-347) MP 1186
Five-year performance of CRREL land treatment test cells, water quality plant yields and nutrient uptake (1978, 24p) SR 78-26
International and national developments in land treatment of wastewater (1979, 28p) MP 1420
Land application of wastewater effect on soil and plant potassium (1979, p.309-312) MP 1228
Use of 15N to study nitrogen transformations in land treatment (1979, 32p) SR 79-31
Pilot scale study of overland flow land treatment in cold climates (1979, p.207-214) MP 1279
Prototype overland flow test data: June 1977-May 1978 (1979, 91p.) SR 79-35
Wastewater treatment in cold regions by overland flow (1980, 14p) CR 80-07
Fate and effects of crude oil spilled on subarctic permafrost terrain in interior Alaska (1980, 128p) MP 1310
Removal of volatile trace organics from wastewater by overland flow land treatment (1980, p.211-224) MP 1313
Removal of organics by overland flow (1980, 9p.) MP 1362
Rational design of overland flow systems (1980, p 114-121) MP 1400
Forage grass growth on overland flow systems (1980, p.347-354) MP 1402
Fate and effects of crude oil spilled on subarctic permafrost terrain in interior Alaska (1980, 67p) CR 80-29
Overland flow. removal of toxic volatile organics (1981, 16p) SR 81-01
Toxic volatile organics removal by overland flow land treatment (1981, 14p) MP 1421
Winter air pollution at Fairbanks, Alaska (1981, p 512-528) MP 1395
Seven-year performance of CRREL slow-rate land treatment prototypes (1981, 25p.) SR 81-12
Wastewater treatment by a prototype slow rate land treatment system (1981, 44p) CR 81-14
Vegetation selection and management for overland flow systems (1982, p 135-154) MP 1511
Development of a rational design procedure for overland flow systems (1982, 29p.) CR 82-02
Relationship between the ice and unfrozen water phases in frozen soil as determined by pulsed nuclear magnetic resonance and physical desorption data (1982, 8p) CR 82-15
Mobility of water in frozen soils (1982, c15p) MP 2012
Removal of trace organics by overland flow (1982, p.176-184) MP 2442
Method for measuring enriched levels of deuterium in soil water (1982, 12p) SR 82-25
Baseline water quality measurements at six Corps of Engineers reservoirs, Summer 1981 (1982, 55p) SR 82-30
Transport of water in frozen soil 1. Experimental determination of soil-water diffusivity under isothermal conditions (1982, p 221-226) MP 1629
Assessment of the treatability of toxic organics by overland flow (1983, 47p) CR 83-03
Transport of water in frozen soil. 2. Effects of ice on the transport of water under isothermal conditions (1983, p 15-26) MP 1601
Relationship between the ice and unfrozen water phases in frozen soils as determined by pulsed nuclear resonance and physical desorption data (1983, p 37-46) MP 1632
Soil-water diffusivity of unsaturated frozen soils at subzero temperatures (1983, p.889-893) MP 1664
Transport of water in frozen soil. 1. Experimental determination of soil-water diffusivity under isothermal conditions (1983, 8p) CR 83-22
Impact of dredging on water quality at Kewaunee Harbor, Wisconsin (1984, 16p) CR 84-21
Transport of water in frozen soil. 5, Method for measuring the vapor diffusivity when ice is absent (1984, p.172-179) MP 1819
Impact of slow-rate land treatment on groundwater quality: toxic organics (1984, 36p) CR 84-30
Reverse phase HPLC method for analysis of TNT, RDX, HMX and 2,4-DNT in munitions wastewater (1984, 95p.) CR 84-29
Potential use of artificial ground freezing for contaminant immobilization (1985, 10p) MP 2029
Toxic organics removal kinetics in overland flow land treatment (1985, p 707-718) MP 2111
Suitability of polyvinyl chloride pipe for monitoring TNT, RDX, HMX and DNT in groundwater (1985, 27p) SR 85-12
Comparison of extraction techniques and solvents for explosive residues in soil (1985, 33p) SR 85-22
Reversed-phase high-performance liquid chromatographic determination of nitroorganics in munitions wastewater (1986, p 170-175) MP 2049
Interlaboratory evaluation of high-performance liquid chromatographic determination of nitroorganics in munition plant wastewater (1986, p 176-182) MP 2050
Suitability of polyvinyl chloride well casings for monitoring munitions in ground water (1986, p 92-98) MP 2171
Removal of trace-level organics by slow-rate land treatment (1986, p 1417-1426) MP 2170
Of Overland flow wastewater treatment at Easley, S.C. (1986, p 1078-1079) MP 2300
Losses of explosives residues on disposable membrane filters (1987, 25p) SR 87-02
Comparison of extraction techniques for munitions residues in soil (1987, p 1326-1331) MP 2350
Development of an analytical method for explosive residues in soil (1987, 51p) CR 87-07
Comparison of methanol and tetraglyme as extraction solvents for determination of volatile organics in soil (1987, 26p) SR 87-22

Jenkins, T.F. *(cont.)*
Analytical method for determining tetrazane in water (1987, 34p.) SR 87-25
Evaluation of disposable membrane filter units for sorptive losses and sample contamination (1988, p.45-52) MP 2328
Development of analytical methods for military-unique compounds (1988, p 370-380) MP 2454
Comparison of EPA and USATHAMA detection capability estimators (1988, p 405-418) MP 2455
Influence of well casing materials on chemical species in ground water (1988, p.450-461) MP 2456
Development of an analytical method for the determination of explosive residues in soil Part II Additional development and ruggedness testing (1988, 46p.) CR 88-08
Analytical method for determining tetrazene in soil (1988, 22p.) SR 88-15
Improved RP-HPLC method for determining nitroaromatics and nitramines in water (1988, 36p.) SR 88-23
Development of an analytical method for the determination of explosive residues in soil Part 3 Collaborative test results and final performance evaluation (1989, 89p.) CR 89-09
Comparisons of low concentration measurement capability estimates in trace analysis: method detection limit and certified reporting limit (1989, 21p.) SR 89-20
Ion-pairing RP-HPLC method for determining tetrazene in water and soil (1989, p.159-179) MP 2593
Analytical methods for detecting military-unique compounds (1989, p 13-14) MP 2713
Influence of ground water monitoring well casings on metals and organic compounds in well water (1989, 9p.) MP 2717
Evaluation of four well casing materials for monitoring selected trace level organics in ground water (1989, 29p.) CR 89-18
Liquid chromatographic method for determination of extractable nitroaromatic and nitramine residues in soil (1989, p 890-899) MP 2586
Influence of casing materials on trace-level chemicals in well water (1990, 11p.) MP 2720
Salting-out solvent extraction for preconcentration of neutral organic solutes from water (1990, p.1355-1356) MP 2743

Jewell, W.
Engineering assessment of aquaculture systems for wastewater treatment an overview (1980, p 1-12) MP 1423

Jezek, K.C.
Measurements of radar wave speeds in polar glaciers using a down-hole radar target technique (1983, p.199-208) MP 2057
Recent changes in the dynamic condition of the Ross Ice Shelf, Antarctica (1984, p 409-416) MP 2058
Modified theory of bottom crevasses used as a means for measuring the buttressing effect of ice shelves on inland ice sheets (1984, p 1925-1931) MP 2059
Calculating borehole geometry from standard measurements of borehole inclinometry (1984, 18p.) SR 84-15
Ice flow leading to the deep core hole at Dye 3, Greenland (1984, p.185-190) MP 1824
Reconsideration of the mass balance of a portion of the Ross Ice Shelf, Antarctica (1984, p 381-384) MP 1919
Discrete reflections from thin layers of snow and ice (1984, p.323-331) MP 1871
Radar measurements of borehole geometry on the Greenland and Antarctic ice sheets (1985, p 242-251) MP 1817
Rheology of glacier ice (1985, p.1335-1337) MP 1844
Geophysical survey of subglacial geology around the deep-drilling site at Dye 3, Greenland (1985, p.105-110) MP 1941
Laboratory studies of acoustic scattering from the underside of sea ice (1985, p 87-91) MP 1912
Acoustic waves incident on a seawater/sea ice interface (1985, 10p.) SR 85-10
Effects of water and ice layers on the scattering properties of diffuse reflectors (1986, p.259-269) MP 2664
Acoustical reflection and scattering from the underside of laboratory grown sea ice: measurements and predictions (1986, p 1486-1494) MP 2222
Folding in the Greenland ice sheet (1987, p 485-493) MP 2185
Remote sensing of ice and snow (review) (1987, p 51) MP 2429
Glaciological investigations using the synthetic aperture radar imaging system (1987, p.11-19) MP 2342
Alaska synthetic aperture radar (SAR) facility project (1987, p 593-596) MP 2408
Effects of water and ice layers on the scattering properties of diffuse reflectors (1987, p.5143-5147) MP 2301
Polar communications status and recommendations Report of the Science Working Group (1987, 29p.) MP 2322
Radioglaciology by V.V Bogorodskii, et al (1988, p 55-56) MP 2338
Effect of stratigraphy on radar-altimetry data collected over ice sheets (1988, p 60-63) MP 2458
Can relict crevasse plumes on antarctic ice shelves reveal a history of ice-stream fluctuation (1988, p 77-82) MP 2460
High frequency acoustical properties of saline ice (1989, p 9 23) MP 2686
Acoustical and morphological properties of undeformed sea ice laboratory and field results (1990, p.67-75) MP 2730
Antarctic ice sheet brightness temperature variations (1990, p 217-223) MP 2736

Johannessen, O.
On estimating ice stress from MIZEX 83 ice deformation and current measurements (1986, p.17-19) MP 2220

Johannessen, O.M.
MIZEX—a program for mesoscale air-ice-ocean interaction; experiments in Arctic marginal ice zones. 1 Research strategy (1981, 20p.) SR 81-19
MIZEX—a program for mesoscale air-ice-ocean interaction experiments in Arctic marginal ice zones. 2. A science plan for a summer Marginal Ice Zone Experiment in the Fram Strait/Greenland Sea. 1984 (1983, 47p.) SR 83-12
Marginal ice zones a description of air-ice-ocean interactive processes, models and planned experiments (1984, p.133-146) MP 1673
MIZEX a program for mesoscale air-ice-ocean interaction experiments in Arctic marginal ice zones. 5. MIZEX 84 summer experiment PI preliminary reports (1984, 176p.) SR 84-29

Johansen, N.I.
Sublimation and its control in the CRREL permafrost tunnel (1981, 12p.) SR 81-08

Johnsen, S.J.
Climatic oscillations depicted and predicted by isotope analyses of a Greenland ice core (1971, p.17-22) MP 998
Oxygen isotope profiles through the Antarctic and Greenland ice sheets (1972, p 429-434) MP 997
Stable isotope profile through the Ross Ice Shelf at Little America V, Antarctica (1977, p.322-325) MP 1095
20-yr cycle in Greenland ice core records (1979, p 481-483) MP 1245

Johnson, A.J.
Revegetation and selected terrain disturbances along the trans-Alaska pipeline, 1975-1978 (1981, 115p.) CR 81-12

Johnson, A.W.
Tundra disturbances and recovery following the 1949 exploratory drilling, Fish Creek, Northern Alaska (1978, 81p.) CR 78-28
Reconnaissance observations of long-term natural vegetation recovery in the Cape Thompson region, Alaska, and additions to the checklist of flora (1985, 75p.) CR 85-11

Johnson, J.B.
Surface integral method for determining ice loads on offshore structures from *in situ* measurements (1983, p 124-128) MP 2056
Stress measurements in ice (1983, 31p.) CR 83-23
Frost jacking forces on H and pipe piles embedded in Fairbanks silt (1984, 42p + append.) MP 2271
Preferential detection of sound by persons buried under snow avalanche debris as compared to persons on the overlying surface (1984, p 42-47) MP 1920
In-ice calibration tests for an elongated, uniaxial brass ice stress sensor (1985, p.244-249) MP 1859
Frost heave forces on piling (1985, 2p.) MP 1732
Kadluk ice stress measurement program (1985, p 88-100) MP 1899
Frost jacking forces on H and pipe piles embedded in Fairbanks silt (1985, p 125-133) MP 1930
Audibility within and outside deposited snow (1985, p.136-142) MP 1960
In-ice calibration tests for an elongate, uniaxial brass ice stress sensor (1985, p 506-510) MP 1966
Verification tests for a stiff inclusion stress sensor (1987, p 81-88) MP 2223
Field observations of thermal convection in a subarctic snow cover (1987, p 105-118) MP 2439
Verification tests of the surface integral method for calculating structural ice loads (1988, p 449-456) MP 2353
Mukluk ice stress measurement program (1988, p 457-463) MP 2354
Ice stress measurements around offshore structures (1988, p 55-59) MP 2611
Techniques for gas gun studies of shock wave attenuation in snow (1988, p 657-660) MP 2543
Frost heave forces on H and pipe foundation piles (1988, p 1039-1044) MP 2367
Measurement of frost heave forces on H-piles and pipe piles (1988, 49p.) CR 88-21

Johnson, L.
Landsat digital analysis of the initial recovery of the Kokolik River tundra fire area, Alaska (1979, 15p.) MP 1638
Recovery and active layer changes following a tundra fire in northwestern Alaska (1983, p 543-547) MP 1660
Revegetation along pipeline rights-of-way in Alaska (1984, p 254-264) MP 2113

Johnson, L.A.
Revegetation in arctic and subarctic North America a literature review (1976, 32p.) CR 76-15
Fate and effects of crude oil spilled on permafrost terrain First year progress report (1976, 18p.) SR 76-15
Revegetation and erosion control observations along the Trans Alaska Pipeline 1975 summer construction season (1977, 36p.) SR 77-08
Fate and effects of crude oil spilled on permafrost terrain. Second annual progress report, June 1976 to July 1977 (1977, 46p.) SR 77-44
1977 tundra fire in the Kokolik River area of Alaska (1978, p 54-58) MP 1125
Biological restoration strategies in relation to nutrients at a subarctic site in Fairbanks, Alaska (1978, p.460-466) MP 1100
1977 tundra fire at Kokolik River, Alaska (1978, 11p.) SR 78-10
Effects of winter military operations on cold regions terrain (1978, 34p.) SR 78-17
Physical, chemical and biological effects of crude oil spills on black spruce forest, interior Alaska (1978, p.305-323) MP 1185
Fate and effects of crude oil spilled on subarctic permafrost terrain in interior Alaska (1980, 128p.) MP 1310
LANDSAT digital analysis of the initial recovery of burned tundra at Kokolik River, Alaska (1980, p 263-272) MP 1391
Revegetation and restoration investigations (1980, p.129-150) MP 1353
Fate and effects of crude oil spilled on subarctic permafrost terrain in interior Alaska (1980, 67p.) CR 80-29
Chena River Lakes Project revegetation study—three-year summary (1981, 59p.) CR 81-18
Patterns of vegetation recovery after tundra fires in northwestern Alaska, U S A. (1987, p 461-469) MP 2374
Management of northern gravel sites for successful reclamation: a review (1987, p.530-536) MP 2375
Effects of all-terrain vehicle traffic on tundra terrain near Anaktuvuk Pass, Alaska (1988, 12p.) SR 88-17
Use of off-road vehicles and mitigation of effects in Alaska permafrost environments. a review (1990, p 63-72) MP 2682

Johnson, P.
Proceedings of the Second International Symposium on Cold Regions Engineering (1977, 597p.) MP 952
Yukon River breakup 1976 (1977, p.592-596) MP 960
Details behind a typical Alaskan pile foundation (1978, p 891-897) MP 1109

Johnson, P.L.
Vegetative research in arctic Alaska (1973, p.169-198) MP 1008

Johnson, P.R.
Defensive works of subarctic snow (1977, 23p.) CR 77-06
Measuring unmetered steam use with a condensate pump cycle counter (1977, p.434-442) MP 957
Role of research in developing surface protection measures for the Arctic Slope of Alaska (1978, p 202-205) MP 1068
Role of research in developing surface protection measures for the Arctic Slope of Alaska (1978, p 202-205) MP 1519
Ground pressures exerted by underground explosions (1978, p 284-290) MP 1520
Environmental atlas of Alaska (1978, 95p.) MP 1204
Ice forces on the Yukon River bridge—1978 breakup (1979, 40p.) MP 1304
Snow and ice roads in the Arctic (1979, p 1063-1071) MP 1223
Ice thickness-tensile stress relationship for load-bearing ice (1980, 11p.) SR 80-09
Roof leaks in cold regions school at Chevak, Alaska (1980, 12p.) CR 80-11
Snow pads used for pipeline construction in Alaska, 1976 construction, use and breakup (1980, 28p.) CR 80-17
Single and double reaction beam load cells for measuring ice forces (1980, 17p.) CR 80-25
Performance of a point source bubbler under thick ice (1982, p.111-124) MP 1529

Johnson, R.
Cements for structural concrete in cold regions (1977, 13p.) SR 77-35
Grouting of soils in cold environments a literature search (1977, 49p.) SR 77-42
Grouting silt and sand at low temperatures—a laboratory investigation (1979, 33p.) CR 79-05
Grouting silt and sand at low temperatures (1979, p 937-950) MP 1078
Resins and non-portland cements for construction in the cold (1980, 19p.) SR 80-35

Johnson, T.C.
Resilient modulus and Poisson's ratio for frozen and thawed silt and clay subgrade materials (1977, p 229-281) MP 1724
Effect of freeze-thaw cycles on resilient properties of fine-grained soils (1978, 19p.) MP 1082
Influence of freezing and thawing on the resilient properties of a silt soil beneath an asphalt pavement (1978, p 662-668) MP 1106
Influence of freezing and thawing on the resilient properties of a silt soil beneath an asphalt concrete pavement (1978, 59p.) CR 78-23
Design of airfield pavements for seasonal frost and permafrost conditions (1978, 18p.) MP 1189
Projected thermal and load-associated distress in pavements incorporating different grades of asphalt cement (1978, p 403-437) MP 1209

Resilient response of two frozen and thawed soils (1979, p 257-271) MP 1176
Effect of freeze-thaw cycles on resilient properties of fine-grained soils (1979, p 247-276) MP 1226
Asphalt concrete for cold regions; a comparative laboratory study and analysis of mixtures containing soft and hard grades of asphalt cement (1980, 55p) CR 80-05
Mathematical model to correlate frost heave of pavements with laboratory predictions (1980, 49p) CR 80-10
Embankment dams on permafrost in the USSR (1980, 59p) SR 80-41
Results from a mathematical model of frost heave (1981, p.2-6) MP 1483
Effect of freezing and thawing on resilient modulus of a granular soil exhibiting nonlinear behavior (1981, p.19-26) MP 1484
Revised procedure for pavement design under seasonal frost conditions (1983, 129p) SR 83-27
Design implications of subsoil thawing (1984, p 45-103) MP 1706
Evaluation of seasonal variation in resilient modulus of granular soil affecting pavement performance (1985, c21p) MP 2076
Resilient modulus of freeze-thaw affected granular soils for pavement design and evaluation. Part 1 Laboratory tests on soils from Winchendon, Massachusetts, test sections (1986, 70p) CR 86-04
Frost action predictive techniques an overview of research results (1986, p.147-161) MP 2267
Resilient modulus of freeze-thaw affected granular soils for pavement design and evaluation. (1986, 138p) CR 86-13
Resilient modulus of freeze-thaw affected granular soils for pavement design and evaluation. Part 2. Field validation tests at Winchendon, Massachusetts, test sections (1986, 62p) CR 86-12
Frost action predictive techniques for roads and airfields. A comprehensive survey of research findings (1986, 45p) CR 86-18
Resilient modulus of freeze-thaw effected granular soils for pavement design and evaluation. Part 3 Laboratory tests on soils from Albany County Airport (1987, 36p) CR 87-02

Jones, K.F.
Density of natural ice accretions related to nondimensional icing parameters (1990, p 477-496) MP 2705

Jones, S.J.
Mechanical properties of polycrystalline ice an assessment of current knowledge and priorities for research (1979, 16p) MP 1207

Jordan, R.
SNOW-TWO data report. Volume 2: System performance (1984, 417p) SR 84-20
Thermal measurements in snow (1986, p.183-193) MP 2660
Extinction coefficient for a distribution of ice fog particles (1987, p.527-539) MP 2286
Snow as a thermal background. preliminary results from the 1987 field test (1989, p.5-24) MP 2624

Joubert, R.H.
Full-depth pavement considerations in seasonal frost areas (1979, 24p) MP 1188
Pothole primer—a public administrator's guide to understanding and managing the pothole problem (1981, 24p) SR 81-21

Juma, N.G.
Soil microbiology (1981, p.38-44) MP 1753

Kachadoorian, R.
Design considerations for airfields in NPRA (1978, p 441-458) MP 1086
Engineering geology studies on the National Petroleum Reserve in Alaska (1988, p 899-922) MP 2519

Kachi, H.
Ice releasing block-copolymer coatings (1978, p 544-551) MP 1141

Kaderabek, T.J.
Increasing the effectiveness of soil compactio.. at below-freezing temperatures (1978, 58p) SR 78-25

Kalafut, J.
Unconfined compression tests on snow a comparative study (1977, 27p) SR 77-20
Brazil tensile strength tests on sea ice a data report (1977, 39p) SR 77-24
CRREL Hopkinson bar apparatus (1987, 29p) SR 87-24
Hopkinson pressure bar apparatus: a tool for rapid assessment of material properties at high strain rates (1988, p 885-903) MP 2517
Influence of low temperature thermal cycling on tensile strength of fiber composites (1988, p.141-147) MP 2435
Temperature and structure dependence of the flexural strength and modulus of freshwater model ice (1988, 43p) CR 88-06
Performance of laminated composites in cold (1988, p.269-281) MP 2433
Response of advanced composite space materials to thermal cycling (1988, p 506-517) MP 2478
Experiments on the cutting process in ice (1989, 36p) CR 89-05

Kane, D.
Permafrost (1986, p 99-106) MP 2156

Kane, D.L.
Seasonal regime and hydrological significance of stream icings in central Alaska (1973, p 528-540) MP 1026

Kaplar, C.W.
PERMAFROST (PERENNIALLY FROZEN GROUND) (1966, 77p) M I-A2
Effects of moisture and freeze-thaw on rigid thermal insulations. a laboratory investigation (1978, p.403-417) MP 1085

Karalius, J.A.
Effect of temperature on the strength of frozen silt (1977, 27p) CR 77-03

Karim, M.F.
Frazil ice formation (1984, 44p) CR 84-18

Kato, K.
Determining the characteristic length of model ice sheets (1982, p 99-104) MP 1570
Experimental determination of the buckling loads of floating ice sheets (1983, p.260-265) MP 1626
Experiments on ice ride-up and pile-up (1983, p 266-270) MP 1627
Ice forces on model bridge piers (1983, 11p) CR 83-19
Ice action on two cylindrical structures (1983, p.159-166) MP 1643
Ice action on pairs of cylindrical and conical structures (1983, 35p) CR 83-25
Ice force measurements on a bridge pier in the Ottauquechee River, Vermont (1983, 6p) CR 83-32
Ice action on two cylindrical structures (1984, p.107-112) MP 1741
Some effects o. friction on ice forces against vertical structures (1986, p 528-533) MP 2036

Katopodes, N.D.
On zero-inertia and kinematic waves (1982, p.1381-1387) MP 2053

Keefauver, E.
Computer file for existing land application of wastewater systems. a user's guide (1978, 24p) SR 78-22

Kelliher, T.E.
Antarctic sea ice dynamics and its possible climatic effects (1976, p 53-76) MP 1378
Comparison between derived internal dielectric properties and radio-echo sounding records of the ice sheet at Cape Folger, Antarctica (1978, 12p) CR 78-04
Ice sheet internal radio-echo reflections and associated physical property changes with depth (1979, p 5675-5680) MP 1319

Keller, D.
Secondary stress within the structural frame of DYE-3 1978-1983 (1984, 44p) SR 84-26
Response of pavement to freeze-thaw cycles· Lebanon, New Hampshire, Regional Airport (1989, 31p) SR 89-02

Keller, D.B.
Five-year performance of CRREL land treatment test cells, water quality plant yields and nutrient uptake (1978, 24p) SR 78-26
Baseline water quality measurements at six Corps of Engineers reservoirs, Summer 1981 (1982, 55p) SR 82-30

Kelley, J.J.
Carbon dioxide dynamics on the Arctic tundra (1971, p.48-52) MP 903
CO2 exchange in the Alaskan Arctic tundra meteorological assessment by the aerodynamic method (1972, p 36-39) MP 1375
Case for comparison and standardization of carbon dioxide reference gases (1973, p 163-181) MP 964
Micrometeorological investigations near the tundra surface (1973, p.109-126) MP 1006

Kelsh, D.J.
Measurement and interpretation of electrical freezing potential of soils (1988, 9p) CR 88-10

Kempema, E.W.
Seafloor temperature and conductivity data from coastal waters of the U.S. Beaufort Sea (1989, 19p) CR 89-01

Kendrick, G.
Comparison of thermal observations of Mount St Helens before and during the first week of the initial 1980 eruption (1980, p.1526-1527) MP 1482

Kennedy, F.E.
Thermal response of downhill skis (1989, 40p) CR 89-23

Kennedy, F.E., Jr.
Dynamic friction of bobsled runners on ice (1985, 26p) MP 2082
Friction of solids on ice (1986, 4p) MP 2179

Kennedy, J.F.
Temperature and flow conditions during the formation of river ice (1970, 12p) MP 1723
River-ice problems a state-of-the-art survey and assessment of research needs (1974, p 1-15) MP 1002
Laboratory investigation of the mechanics and hydraulics of river ice jams (1976, 97p) MP 1060
Laboratory investigation of the mechanics and hydraulics of river ice jams (1977, 45p) CR 77-09
Frazil ice formation (1984, 44p) CR 84-18

Kent, T.D.
Ice regime reconnaissance, Yukon River, Yukon (1984, p 1059-1073) MP 2406

Keribar, R.
Computer simulation of bubbler-induced melting of ice covers using experimental heat transfer results (1978, p.362-366) MP 1160

Kerr, A.D.
Bearing capacity of floating ice plates subjected to static or quasi-static loads (1976, p.229-268) MP 884
On the determination of horizontal forces a floating ice plate exerts on a structure (1978, p.123-134) MP 879
On the determination of horizontal forces a floating ice plate exerts on a structure (1978, 9p) CR 78-15
Critical velocities of a floating ice plate subjected to in-plane forces and a moving load (1979, 12p) CR 79-19
On the buckling force of floating ice plates (1981, 7p) CR 81-09
Mechanics of ice cover breakthrough (1984, p.245-262) MP 1997
Ice cover research—present state and future needs (1986, p 384-399) MP 2004
Effect of oscillatory loads on the bearing capacity of floating ice covers (1987, p 219-224) MP 2216
On the determination of the average Young's modulus for a floating ice cover (1988, p.39-43) MP 2324

Kerr, R.
Vanadium and other elements in Greenland ice cores (1976, 4p) CR 76-24
Vanadium and other elements in Greenland ice cores (1977, p 98-102) MP 1092

Kestler, M.
Comparison of insulated and noninsulated pavements (1989, p 367-378) MP 2471

Kettle, R.J.
Soil freezing response. influence of test conditions (1985, p 49-58) MP 1990

Khalid, R.A.
Water movement in a land treatment system of wastewater by overland flow (1979, p.185-206) MP 1285

Khettry, R.
Wetlands for wastewater treatment in cold climates (1984, 9p + figs) MP 1945

King, G.G.
Growth and flowering of cottongrass tussocks along a climatic transect in northcentral Alaska (1984, p 10-11) MP 1950
Intensity of snowfall at the SNOW experiments (1986, p.205-217) MP 2287

Kirchlechner, P.
Study of water drainage from columns of snow (1979, 19p) CR 79-01

Kirschfield, R.A.
Oceanic heat flux in the Fram Strait measured by a drifting buoy (1989, p 995-998) MP 2531

Kitagawa, H.
Comparative model tests in ice of a Canadian Coast Guard R-class icebreaker (1989, p 1/1-1/18) MP 2751
Comparative model tests in ice of a Canadian Coast Guard R-class icebreaker (1990, p 31-52) MP 2762

Kittaka, S.
Ice releasing block-copolymer coatings (1978, p 544-551) MP 1141

Kivekäs, L.
Brittleness of reinforced concrete structures under arctic conditions (1985, 28 + 14p) MP 1969
Brittleness of reinforced concrete structures under arctic conditions (1985, p.111-121) MP 2272
Brittleness of reinforced concrete structures under arctic conditions (1986, 20p) CR 86-02

Kleinerman, M.M.
Proceedings (1989, 475p) SR 89-39

Klemas, V.
Use of remote sensing for the U S Army Corps of Engineers dredging program (1985, p 1141-1150) MP 1890
Comparison of SPOT simulator data with Landsat MSS imagery for delineating water masses in Delaware Bay, Broadkill River, and adjacent wetlands (1985, p.1123-1129) MP 1909
Potential of remote sensing in the Corps of Engineers dredging program (1985, 42p) SR 85-20

Klouda, G.A.
Interhemispheric comparison of changes in the composition of atmospheric precipitation during the Late Cenozoic era (1977, p 617-631) MP 1079
Seasonal variations of chemical constituents in annual layers of Greenland deep ice deposits (1977, p 302-306) MP 1094

Knapp, L.K.
Losses of explosives residues on disposable membrane filters (1987, 25p) SR 87-02
Evaluation of disposable membrane filter units for sorptive losses and sample contamination (1988, p 45-52) MP 2328

Knuth, K.V.
Data acquisition first the FERF then the world (1989, p 136-138) MP 2567

Koch, P.
Analysis of roof snow load case studies, uniform loads (1983, 29p) CR 83-01

Kocl, B.R.
South Pole ice core drilling, 1981-1982 (1982, p.89-91) MP 1621

AUTHOR INDEX

Koh, G.
Near-infrared reflectance of snow-covered substrates (1981, 17p.) CR 81-21
Snow crystal habit (1982, p.181-216) MP 1561
Visible propagation in falling snow as a function of mass concentration and crystal type (1983, p.103-111) MP 1757
Snow characterization at SNOW-ONE-B (1983, p 155-195) MP 1847
Performance of microprocessor-controlled snow crystal replicator (1984, p.107-111) MP 1866
Approach to snow propagation modeling (1984, p.247-259) MP 1869
Forward-scattering corrected extinction by nonspherical particles (1984, p.261-271) MP 1870
Ice fog as an electro-optical obscurant (1985, 11p.) CR 85-08
Forward-scattering corrected extinction by nonspherical particles (1985, p.1023-1029) MP 1958
Wavelength-dependent extinction by falling snow (1986, p.51-55) MP 2019
Snow mass extinction coefficient (1986, p 35-38) MP 2659
Effects of water and ice layers on the scattering properties of diffuse reflectors (1986, p 259-269) MP 2664
Extinction coefficient measurement in falling snow with a forward scatter meter (1987, 9p.) SR 87-04
Optical snow precipitation gauge (1987, p.26-31) MP 2259
Forward scatter meter for measuring extinction in adverse weather (1987, p.81-84) MP 2295
Effects of water and ice layers on the scattering properties of diffuse reflectors (1987, p.5143-5147) MP 2301
Snow mass concentration and precipitation rate (1988, p 89-92) MP 2326
Two-stream approximation to radiative transfer in falling snow (1988, p.463-470) MP 2604
Increased transmission through brass obscurant clouds during snowfall (1988, p.489-496) MP 2605
Optical technique for characterizing precipitation (1989, p 71-76) MP 2627
Radiative transfer in falling snow: a two-stream approximation (1989, 10p.) CR 89-06
Snow crystal characterization (1989, p 17-23) MP 2642
Physical and optical properties of falling snow (1989, 22p.) CR 89-16
Optical measurement of precipitation (1989, 13p.) SR 89-30

Kohnen, H.
Ultrasonic measurements on deep ice cores from Antarctica (1978, p 48-50) MP 1202
Ultrasonic velocity investigations of crystal anisotropy in deep ice cores from Antarctica (1979, 16p.) CR 79-10
Ultrasonic velocity investigations of crystal anisotropy in deep ice cores from Antarctica (1979, p.4865-4874) MP 1239
Relationship of ultrasonic velocities to c-axis fabrics and relaxation characteristics of ice cores from Byrd Station, Antarctica (1979, p.147-153) MP 1282

Komárková, V.
Tundra disturbances and recovery following the 1949 exploratory drilling, Fish Creek, Northern Alaska (1978, 81p.) CR 78-28

Kong, J.A.
Correlation function study for sea ice (1988, p.14,055-14,-063) MP 2511

Korhonen, C.
CRREL roof moisture survey, Pease AFB Buildings 33, 116, 122 and 205 (1977, 10p.) SR 77-02
Hand-held infrared systems for detecting roof moisture (1977, p.261-271) MP 1390
Maintaining buildings in the Arctic (1977, p 244-251) MP 1508
Infrared detective, thermograms and roof moisture (1977, p 41-44) MP 961
Roof moisture survey ten State of New Hampshire buildings (1977, 29p.) CR 77-31
CRREL roof moisture survey, Building 208 Rock Island Arsenal (1977, 6p.) SR 77-43
Detecting wet roof insulation with a hand-held infrared camera (1978, p A9-A15) MP 1213
Summary of Corps of Engineers research on roof moisture detection and the thermal resistance of wet insulation (1978, 6p.) SR 78-29
Roof moisture survey--U.S. Military Academy (1979, 8 refs.) SR 79-16
Extending the useful life of DYE-2 to 1986, Part 1 Preliminary findings and recommendations (1979, 15p.) SR 79-27
CRREL roof moisture survey, Pease AFB buildings 35, 63, 93, 112, 113, 120 and 220 (1980, 31p.) SR 80-14
Roofs in cold regions Marson's Store, Claremont, New Hampshire (1980, 13p.) SR 80-25
Moisture detection in roofs with cellular plastic insulation West Point, New York, and Manchester, New Hampshire (1982, 22p.) SR 82-07
Infrared inspection of new roofs (1982, 14p.) SR 82-33
Examination of a blistered built-up roof O'Neill Building, Hanscom Air Force Base (1983, 12p.) SR 83-21
Locating wet cellular plastic insulation in recently constructed roofs (1983, p.168-173) MP 1729
Estimating transient heat flows and measuring surface temperatures of a built-up roof (1983, 20p.) SR 83-22
Can wet roof insulation be dried out (1983, p 626-639) MP 1509
Comparison of aerial to on-the-roof infrared moisture surveys (1983, p.95-105) MP 1709
Deteriorated concrete panels on buildings at Sondrestrom, Greenland (1984, 11p.) SR 84-12
Secondary stress within the structural frame of DYE-3 1978-1983 (1984, 44p.) SR 84-26
Deteriorated building panels at Sondrestrom, Greenland (1985, p.7-10) MP 2017
Brittleness of reinforced concrete structures under arctic conditions (1985, 28 + 14p.) MP 1969
Roof moisture surveys: yesterday, today and tomorrow (1985, p 438-443 + figs.) MP 2040
Brittleness of reinforced concrete structures under arctic conditions (1985, p 111-121) MP 2272
Roof blister valve (1986, p.29-31) MP 2138
Brittleness of reinforced concrete structures under arctic conditions (1986, 20p.) CR 86-02
Roof blisters. Physical fitness building, Fort Lee, Virginia (1986, 15p.) Sr 86-35
Infrared testing for leaks in new roofs (1987, p 49-54) MP 2282
Blistering of built-up roof membranes pressure measurements (1987, 22p.) SR 86-29
Porous portland cement concrete as an airport runway overlay: laboratory evaluation (1989, 20p.) SR 89-12

Korhonen, C.J.
Performance of wall coatings for concrete and masonry buildings in Alaska (1989, 27 refs.) SR 89-36
Antifreeze admixtures for cold weather concreting. Preliminary test res . 's (1990, 8p.) MP 2742

Kosikowski, L.
Rapid detection of water sources in cold regions—a selected bibliography of potential techniques (1979, 75p.) SR 79-10

Kosloff, P.
Internal structure, composition and properties of brackish ice from the Bay of Bothnia during the BEPERS-88 experiment (1989, p 1318-1333) MP 2763
Internal structure, composition and properties of brackish ice from the Bay of Bothnia (1990, p 5-15) MP 2725

Kotuby-Amacher, J.
Retention and release of metals by soils—evaluation of several models (1986, p.131-154) MP 2186

Kovacs, A.
Investigation of ice islands in Babbage Bight (1971, 46 leaves) MP 1381
Meso-scale strain measurements on the Beaufourt sea pack ice (AIDJEX 1971) (1974, p.119-138) MP 1035
Islands of grounded ice (1975, p 213-216) MP 852
Islands of grounded sea ice (1976, 24p.) CR 76-04
Thickness and roughness variations of arctic multiyear sea ice (1976, 25p.) CR 76-18
Dynamics of near-shore ice (1976, p.9-34) MP 1380
Islands of grounded sea ice (1976, p 35-50) MP 987
Study of piles installed in polar snow (1976, 132p.) CR 76-23
Grounded ice in the fast ice zone along the Beaufort Sea coast of Alaska (1976, 21p.) CR 76-32
Some characteristics of grounded floebergs near Prudhoe Bay, Alaska (1976, p 169-172) MP 1118
Some characteristics of grounded floebergs near Prudhoe Bay, Alaska (1976, 10p.) CR 76-34
Dynamics of near-shore ice (1976, p 267-275) MP 922
Dynamics of near-shore ice (1977, p.106-112) MP 924
Dynamics of near-shore ice (1977, p.151-163) MP 1073
Stake driving tools a preliminary survey (1977, 43p.) SR 77-13
Sea ice thickness profiling and under-ice oil entrapment (1977, p 547-550) MP 940
Runway site survey, Pensacola Mountains, Antarctica (1977, 45p.) SR 77-14
Studies of the movement of coastal sea ice near Prudhoe Bay, Alaska, U.S A. (1977, p 533-546) MP 1066
Unconfined compression tests on snow a comparative study (1977, 27p.) SR 77-20
Study of a grounded floeberg near Reindeer Island, Alaska (1977, 9p.) MP 1751
Brazil tensile strength tests on sea ice: a data report (1977, 39p.) SR 77-24
Detection of moisture in construction materials (1977, 9p.) CR 77-25
Nearshore ice motion near Prudhoe Bay, Alaska (1977, p.23-31) MP 1162
Dielectric constant and reflection coefficient of the snow surface and near-surface internal layers in the McMurdo Ice Shelf (1977, p 137-138) MP 1011
Iceberg thickness profiling using an impulse radar (1977, p 140-142) MP 1012
Subsurface measurements of the Ross Ice Shelf, McMurdo Sound, Antarctica (1977, p 146-148) MP 1013
Dynamics of near-shore ice (1977, p 411-424) MP 1076
Dynamics of near-shore ice (1977, p 503-510) MP 1200
Iceberg thickness and crack detection (1978, p.131-145) MP 1128
Destruction of ice islands with explosives (1978, p.753-765) MP 1018
Iceberg thickness profiling (1978, p.766-774) MP 1019
Axial double point-load tests on snow and ice (1978, 11p.) CR 78-01
Radar anisotropy of sea ice due to preferred azimuthal orientation of the horizontal c-axes of ice crystals (1978, p.171-201) MP 1111
Radar profile of a multi-year pressure ridge fragment (1978, p 59-62) MP 1126
Study of several pressure ridges and ice islands in the Canadian Beaufort Sea (1978, p.519-532) MP 1187
Sea ice pressure ridges in the Beaufort Sea (1978, p 249-271) MP 1132
Dynamics of near-shore ice (1978, p.11-22) MP 1205
Recent ice observations in the Alaskan Beaufort Sea federal-state lease area (1978, p.7-12) MP 1252
Radar anisotropy of sea ice due to preferred azimuthal orientation of horizontal c axes of ice crystals (1978, p 6037-6046) MP 1139
Measurement of mesoscale deformation of Beaufort sea ice (AIDJEX-1971) (1978, p.148-172) MP 1179
Dynamics of near-shore ice (1978, p 230-233) MP 1619
Remote detection of water under ice-covered lakes on the North Slope of Alaska (1978, p.448-458) MP 1214
Remote detection of massive ice in permafrost along the Alyeska pipeline and the pump station feeder gas pipeline (1979, p.268-279) MP 1175
Remote detection of a freshwater pool off the Sagavanirktok River delta, Alaska (1979, p 161-164) MP 1224
Icebergs an overview (1979, 7p.) SR 79-21
Multi year pressure ridges in the Canadian Beaufort Sea (1979, p.107-126) MP 1229
Ice pile-up and ride-up on Arctic and subarctic beaches (1979, p.127-146) MP 1230
Anisotropic properties of sea ice in the 50- to 150-MHz range (1979, p 5749-5759) MP 1258
Dynamics of near-shore ice (1979, p.181-207) MP 1291
Oil pooling under sea ice (1979, p.310-323) MP 1289
Anisotropic properties of sea ice in the 50-150 MHz range (1979, p 324-353) MP 1620
Subsurface measurements of McMurdo Ice Shelf (1979, p 79-80) MP 1338
Shore ice pile-up and ride-up: field observations, models, theoretical analyses (1980, p 209-298) MP 1295
Radio-echo sounding in the Allan Hills, Antarctica, in support of the meteorite field program (1980, 9p.) SR 80-23
Investigations of sea ice anisotropy, electromagnetic properties, strength and under-ice current orientation (1980, p.109-153) MP 1323
Investigations of sea ice anisotropy, electromagnetic properties, strength, and under-ice current orientation (1980, 18p.) CR 80-20
Pooling of oil under sea ice (1981, p 912-922) MP 1459
Sea ice piling at Fairway Rock, Bering Strait, Alaska, observations and theoretical analysis (1981, p 985-1000) MP 1460
Sea ice rubble formations off the northeast Bering Sea and Norton Sound coasts of Alaska (1981, p 1348-1363) MP 1527
Dynamics of near-shore ice (1981, p.125-135) MP 1599
Multi-year pressure ridges in the Canadian Beaufort Sea (1981, p 125-145) MP 1514
Ice pile-up and ride-up on arctic and subarctic beaches (1981, p 247-273) MP 1538
Sea ice rubble formations in the Bering Sea and Norton Sound, Alaska (1981, 23p.) SR 81-34
High-resolution impulse radar measurements for detecting sea ice and current alinement under the Ross Ice Shelf (1981, p 96-97) MP 1543
Brine zone in the McMurdo Ice Shelf, Antarctica (1982, p 166-171) MP 1550
Bering Strait sea ice and the Fairway Rock icefoot (1982, 40p.) CR 82-31
Effects of conductivity of high-resolution impulse radar sounding, Ross Ice Shelf, Antarctica (1982, 12p.) CR 82-42
Brine zone in the McMurdo Ice Shelf, Antarctica (1982, 28p.) CR 82-39
Shore ice ride-up and pile-up features Part 1 Alaska's Beaufort Sea coast (1983, 51p.) CR 83-09
Chemical fractionation of brine in the McMurdo Ice Shelf, Antarctica (1983, 16p.) CR 83-06
Detection of cavities under concrete pavement (1983, 41p.) CR 83-18
Characteristics of multi-year pressure ridges (1983, p.173-182) MP 1698
Sea ice on the Norton Sound and adjacent Bering Sea coast (1983, p 654-666) MP 1699
Electromagnetic properties of sea ice (1984, 32p.) CR 84-02
Electromagnetic properties of sea ice (1984, p 53-75) MP 1776

AUTHOR INDEX

Forces associated with ice pile-up and ride-up (1984, p.239-262) MP 1887
Shore ice ride-up and pile-up features Part 2 Alaska's Beaufort Sea coast—1983 and 1984 (1984, 28p. + map) CR 84-26
Authors' response to discussion on. Electromagnetic properties of sea ice (1984, p.95-97) MP 1822
Measuring multi-year sea ice thickness using impulse radar (1985, p.55-67) MP 1916
Impulse radar sounding of frozen ground (1985, p 28-40) MP 1952
Analysis of wide-angle reflection and refraction measurements (1985, p 53-60) MP 1953
Ice island fragment in Stefansson Sound, Alaska (1985, p.101-115) MP 1900
Apparent unconfined compressive strength of multi-year sea ice (1985, p.116-127) MP 1901
Investigation of the electromagnetic properties of multi-year sea ice (1985, p 151-167) MP 1902
Electromagnetic measurements of multi-year sea ice using impulse radar (1985, 26p) CR 85-13
Sea ice and the Fairway Rock icefoot (1985, p 25-32) MP 2145
Electromagnetic measurements of multi-year sea ice using impulse radar (1986, p 67-93) MP 2020
Chemical fractionation of brine in the McMurdo Ice Shelf, Antarctica (1986, p.307-313) MP 2239
Modeling the electromagnetic property trends in sea ice and example impulse radar and frequency-domain electromagnetic ice thickness sounding results (1986, p 57-133) MP 2197
Electromagnetic property trends in sea ice, Part 1 (1987, 45p) CR 87-06
Modeling the electromagnetic property trends in sea ice, Part 1 (1987, p 207-235) MP 2330
Airborne electromagnetic sounding of sea ice thickness and sub-ice bathymetry (1987, p 289-311) MP 2332
Airborne electromagnetic sounding of sea ice thickness and sub-ice bathymetry (1987, 40p) CR 87-23
Onshore ice pile-up and ride-up: observations and theoretical assessment (1988, p.108-142) MP 2336
Airborne measurement of sea ice thickness and subice bathymetry (1988, p 111-120) MP 2345
Electromagnetic measurements of a second-year sea ice floe (1988, p.121-136) MP 2346
Airborne sea ice thickness sounding (1939, p.1042-1052) MP 2623
Estimating sea ice thickness using time-of-flight data from impulse radar soundings (1989, 10p) CR 89-22
Sea ice thickness measurement using a down-sized airborne electromagnetic-sounding system (1989, p.394-424) MP 2693
Development of an airborne sea ice thickness measurement system and field test results (1989, 47p) CR 89-19
Airborne measurement of sea ice thickness using electromagnetic induction during LIMEX 89 (1990, p 309-315) MP 2590
Airborne sea ice thickness sounding (1990, p 225-229) MP 2737
Sea ice thickness versus impulse radar time-of-flight data (1990, p 91-98) MP 2704
Investigation of the LIZ-3 Dew Line Station water supply lake (1990, 10p) SR 90-11

Koza, S.M.
Development of an analytical method for the determination of explosive residues in soil Part 3 Collaborative test results and final performance evaluation (1989, 89p) CR 89-09

Kozo, T.L.
Wind-generated polynyas off the coasts of the Bering Sea islands (1990, p 126-132) MP 2734

Krabill, W.B.
Concurrent remote sensing of arctic sea ice from submarine and aircraft (1989, 20p) MP 2697
Recent measurements of sea ice topography in the eastern Arctic (1990, p.132-136) MP 2735

Kreig, R.A.
Guidebook to permafrost and related features along the Elliott and Dalton Highways, Fox to Prudhoe Bay, Alaska (1983, 230p) MP 1640
Terrain analysis from space shuttle photographs of Tibet (1986, p 400-409) MP 2097
Natural ground temperatures in upland bedrock terrain, interior Alaska (1988, p 56-60) MP 2360

Krishfield, R.A.
Oceanic heat flux in the Fram Strait measured by a drifting buoy (1990, p 291-296) MP 2740

Kruk, G.
Soil microbiology (1981, p 38-44) MP 1753

Kugzruk, F.K.
Thickness and roughness variations of arctic multiyear sea ice (1976, 25p) CR 76-18
Misgivings on isostatic imbalance as a mechanism for sea ice cracking (1976, p 85-94) MP 1379

Kuhn, P.M.
Results of the US contribution to the Joint US/USSR Bering Sea Experiment (1974, 197p) MP 1032

Kulvinen, K.C.
South Pole ice core drilling, 1981-1982 (1982, p 89-91) MP 1621
Ice drilling technology (1984, 142p) SR 84-34

Kulla, J.B.
Oxygen isotope investigation of the origin of the basal zone of the Matanuska Glacier, Alaska (1978, p 673-685) MP 1177

Kumai, M.
Identification of nuclei and concentrations of chemical species in snow crystals sampled at the South Pole (1976, p.833-841) MP 853
Examining antarctic soils with a scanning electron microscope (1976, p.249-252) MP 931
Electron microscope analysis of aerosols in snow and deep ice cores from Greenland (1977, p.341-350) MP 1725
Elemental analyses of ice crystal nuclei and aerosols (1977, 5p) MP 1191
Antarctic soil studies using a scanning electron microscope (1978, p.106-112) MP 1386
Measurement and identification of aerosols collected near Barrow, Alaska (1978, 6p) CR 78-20
Electron microscope investigations of frozen and unfrozen bentonite (1979, 14p) CR 79-28
Disinfection of wastewater by microwaves (1980, 15p.) SR 80-01
Formation of ice crystals and dissipation of supercooled fog by artificial nucleation, and variations of crystal habit at early growth stages (1982, p.579-587) MP 1539
Elemental compositions and concentrations of microspherules in snow and pack ice from the Weddell Sea (1983, p.128-131) MP 1777
Morphology and ecology of diatoms in sea ice from the Weddell Sea (1984, 41p) CR 84-05
Acidity of snow and its reduction by alkaline aerosols (1985, p 92-94) MP 2008
Chemical properties of snow in the northeastern United States (1987, p (C1)625-(C1)630) MP 2232
Microstructure of frozen soils examined by SEM (1988, p 390-395) MP 2361
Effect of aerosols on pH of snow (1990, p 17-30) MP 2675

Kuroiwa, D.
PHYSICS AND MECHANICS OF SNOW AS A MATERIAL (1962, 79p) M II-B

Kurtz, M.K.
Ice-cratering experiments Blair Lake, Alaska (1966, Various pagings) MP 1034

Kutz, R.
Concurrent remote sensing of arctic sea ice from submarine and aircraft (1989, 20p.) MP 2697

Kyriakakis, T.
User's guide for the BIBSORT program for the IBM-PC personal computer (1985, 61p) SR 85-04

Lacombe, J.
Measurements of airborne-snow concentration (1982, p 225-281) MP 1563
Airborne-Snow Concentration Measuring Equipment (1982, p 17-46) MP 1981
Visible propagation in falling snow as a function of mass concentration and crystal type (1983, p.103-111) MP 1757
Performance and optical signature of an AN/VVS-1 laser rangefinder in falling snow Preliminary test results (1983, p 253-266) MP 1759
Snow characterization at SNOW-ONE-B (1983, p 155-195) MP 1847
Technique for measuring the mass concentration of falling snow (1983, p 17-28) MP 1647
Comparative near-millimeter wave propagation properties of snow or rain (1983, p.115-129) MP 1690
Attenuation and backscatter for snow and sleet at 96, 140, and 225 GHz (1984, p 41-52) MP 1864
Tank E/O sensor system performance in winter: an overview (1985, 26p) MP 2073
Use and application of PRESTO in Snow-III West (1986, p 11-24) MP 2658
Optical snow precipitation gauge (1987, p 26-31) MP 2259
Preview of the SNOW-III West data base (1987, p 3-11) MP 2291
Snow mass concentration and precipitation rate (1988, p 89-92) MP 2326
Increased transmission through brass obscurant clouds during snowfall (1988, p 489-496) MP 2605
SNOW III WEST field experiment report. Volume 1 (1988, 170p) SR 88-28
Snow concentration and precipitation rate measurements during SNOW IV (1989, p 25-29) MP 2643
Impact of the winter environment on infrared target signatures and EO sensor performance (1989, n p) MP 2587

Ladanyi, B.
General report session 2: mechanical properties (1979, p 7-18) MP 1726

Lanan, G.A.
Ice gouge hazard analysis (1986, p.57-66) MP 2106

Lane, J.W.
Optical properties of salt ice (1975, p 363-372) MP 854
De-icing using lasers (1976, 25p) CR 76-10
Roof response to icing conditions (1979, 40p) CR 79-17

Lang, K.T.
Influence of ground water monitoring well casings on metals and organic compounds in well water (1989, 9p) MP 2717

Lang, T.E.
Constitutive relation for the deformation of snow (1981, p.3-14) MP 1370

Lange, M.A.
Sea-ice investigations during the Winter Weddell Sea Project (1987, p 88-89) MP 2491
Ice thickness distribution across the Atlantic sector of the Antarctic Ocean in midwinter (1987, p.14,535-14,552) MP 2314
Development of sea ice in the Weddell Sea (1989, p 92-96) MP 2615
Elastic properties of frazil ice from the Weddell Sea, Antarctica (1989, p 208-217) MP 2620
Snow cover effects on antarctic sea ice thickness (1990, p 16-21) MP 2726
Quantification of sea-ice textures through automated digital image analysis (1990, p.28-32) MP 2727
Acoustical and morphological properties of undeformed sea ice: laboratory and field results (1990, p 67-75) MP 2730
Comparison of the compressive strength of antarctic frazil ice and laboratory-grown columnar ice (1990, p.79-84) MP 2731
Sea ice, a habitat for the foraminifer *Neogloboquadrina pachyderma?* (1990, p 86-92) MP 2732

Langleben, M.P.
Comment on 'Water drag coefficient of first-year sea ice' by M.P. Langleben (1983, p 779-782) MP 1577

Langston, D.
Growth history of lake ice in relation to its stratigraphic, crystalline and mechanical structure (1977, 24p) CR 77-01

Langway, C.C., Jr.
Climatic oscillations depicted and predicted by isotope analyses of a Greenland ice core (1971, p.17-22) MP 998
Oxygen isotope profiles through the Antarctic and Greenland ice sheets (1972, p 429-434) MP 997
C-14 and other isotope studies on natural ice (1972, p.D70-D92) MP 1052
Polar ice-core storage facility (1976, p 71-75) MP 874
Vanadium and other elements in Greenland ice cores (1976, 4p) CR 76-24
Atmospheric trace metals and sulfate in the Greenland Ice Sheet (1977, p 915-920) MP 949
Interhemispheric comparison of changes in the composition of atmospheric precipitation during the Late Cenozoic era (1977, p 617-631) MP 1079
Vanadium and other elements in Greenland ice cores (1977, p 98-102) MP 1092
Seasonal variations of chemical constituents in annual layers of Greenland deep ice deposits (1977, p 302-306) MP 1094
Stable isotope profile through the Ross Ice Shelf at Little America V, Antarctica (1977, p 322-325) MP 1095

LaPotin, N.T.
Use of SPOT HRV data in a Corps dredging operation in Lake Erie (1987, p 49-58) MP 2548
Development of a geographic information system for the Saylorville River Basin, Iowa (1987, p.265-269) MP 2549
Use of SPOT HRV data in the Corps of Engineers dredging program (1988, p.1295-1299) MP 2528
Multiband imaging systems (1990, 10p) SR 90-15

LaPotin, P.J.
Analysis of the Revere, Quincy and Stamford structure data bases for predicting building material distribution (1985, 35p) SR 85-07
Description of the building materials data base for New Haven, Connecticut (1985, 129p) SR 85-19
Regression models for predicting building material distribution in four northeastern cities (1985, 50p) SR 85-24
Description of the building materials data base for Pittsburgh, Pennsylvania (1986, 87p) SR 86-08
Description of the building materials data base for Portland, Maine (1986, 83p) SR 86-13
Description of the building materials data base for Cincinnati, Ohio (1986, 85p) SR 86-31
Statistical analysis of building wall materials distribution in four northeastern cities (1989, 156p) SR 89-01
QuickDraw data structures for image processing (1989, 17p) SR 89-08

Larsen, E.T.
Observation and analysis of protected membrane roofing systems (1977, 40p) CR 77-11

Larson, R.E.
Engineering aspects of an experimental system for land renovation of secondary effluent (1978, 26p) SR 78-23

Larson, R.W.
100 MHz dielectric constant measurements of snow cover: dependence on environmental and snow pack parameters (1985, p 829-834) MP 1913
Single-horn reflectometry for *in situ* dielectric measurements at microwave frequencies (1988, p 89-92) MP 2333

Larson, W.E.
Uptake of nutrients by plants irrigated with municipal wastewater effluent (1978, p 395-404) MP 11[illegible]

AUTHOR INDEX

Larson, W.E. *(cont.)*
Engineering aspects of an experimental system for land renovation of secondary effluent (1978, 26p) SR 78-23
Lawson, D.E.
Subsidence, inundation, and sedimentation: environmental consequences of the 1964 Alaska earthquake in the Portage, Alaska, area (1974, p 3-9) MP 2409
Placer River Silt—an intertidal deposit caused by the 1964 Alaska earthquake (1976, p 151-162) MP 2410
Oxygen isotope investigation of the origin of the basal zone of the Matanuska Glacier, Alaska (1978, p 673-685) MP 1177
Human-induced thermokarst at old drill sites in northern Alaska (1978, p 16-23) MP 1254
Tundra disturbances and recovery following the 1949 exploratory drilling, Fish Creek, Northern Alaska (1978, 81p) CR 78-28
Sedimentological analysis of the western terminus region of the Matanuska Glacier, Alaska (1979, 112p) CR 79-09
Comparison of the pebble orientation in ice and deposits of the Matanuska Glacier, Alaska (1979, p 629-645) MP 1276
Environmental analysis of the Upper Susitna River Basin using Landsat imagery (1980, 41p) CR 80-04
Drilling and coring of frozen ground in northern Alaska, Spring 1979 (1980, 14p) SR 80-12
Distinguishing characteristics of diamictons at the margin of the Matanuska Glacier, Alaska (1981, p.78-84) MP 1462
Sedimentological characteristics and classification of depositional processes and deposits in the glacial environment (1981, 16p) CR 81-27
Mobilization, movement and deposition of active subaerial sediment flows, Matanuska Glacier, Alaska (1982, p 279-300) MP 1806
Long-term modifications of perennially frozen sediment and terrain at East Oumalik, northern Alaska (1982, 33p) CR 82-36
Ground ice in perennially frozen sediments, northern Alaska (1983, p 695-700) MP 1661
Erosion of perennially frozen streambanks (1983, 22p) CR 83-29
Prototype drill for core sampling fine-grained perennially frozen ground (1985, 29p) CR 85-01
Erosion of northern reservoir shores An analysis and application of pertinent literature (1985, 198p) M 85-01
Pebble fabric in an ice-rafted diamicton (1985, p 577-591) MP 1959
Response of permafrost terrain to disturbance: a synthesis of observations from northern Alaska, U S A (1986, p 1-7) MP 2165
Glaciers and sediment (1986, p 53-69) MP 2154
Ice problems associated with rivers and reservoirs (1986, p.70-98) MP 2155
Sub-ice channels and longitudinal frazil bars, ice-covered Tanana River, Alaska (1986, p 465-474) MP 2129
Frazil ice pebbles: frazil ice aggregates in the Tanana River near Fairbanks, Alaska (1986, p 475-483) MP 2130
Morphology, hydraulics and sediment transport of an ice-covered river. Field techniques and initial data (1986, 37p) CR 86-11
Evaluation of the magnetic induction conductivity method for detecting frazil ice deposits (1987, 12p) CR 87-17
Glacigenic resedimentation classification concepts and application to mass-movement processes and deposits (1989, p.147-169) MP 2472
Cryogenic sampling of frazil ice deposits (1989, 6p) SR 89-28
In-situ sampling and characterization of frazil ice deposits (1990, p 193-205) MP 2694
Layman, R.
Comments on the characteristics of *in situ* snow at millimeter wavelengths (1986, p 317-320) MP 2666
Scattering at mm wavelengths from *in situ* snow (1986, p 1.6.1-1 6 2) MP 2141
Layman, R.W.
Development of a simplified method for field monitoring of soil moisture (1978, p 40-44) MP 1194
Remote sensing of water quality using an airborne spectroradiometer (1980, p 1353-1362) MP 1491
Water quality monitoring using an airborne spectroradiometer (1984, p 353-360) MP 1718
Ledbetter, C.B.
Temporary environment Cold regions habitability (1976, 162p) SR 76-10
Notes on conducting the behavior setting survey by interview method (1976, 33p) SR 76-14
Energy conservation in buildings (1976, 8p) SR 76-17
Guidelines for architectural programming of office settings (1977, 14p) SR 77-05
Collaboration of architect and behavioral scientist in research (1977, 8p) CR 77-23
Small communities result in greater satisfaction an examination of undermanning theory (1977, 15p) SR 77-36
Architectural programming Making socially responsive architecture more accessible (1978, 7p) SR 78-02
Communication in the work place: an ecological perspective (1979, 19p) SR 79-03
Post occupancy evaluation of a planned community in Arctic Canada (1980, 27p) SR 80-06
Post occupancy evaluation of a remote Australian community: Shay Gap, Australia (1980, 57p) SR 80-29
Lee, C.L.
Laboratory investigation of the mechanics and hydraulics of river ice jams (1976, 97p) MP 1060
Laboratory investigation of the mechanics and hydraulics of river ice jams (1977, 45p) CR 77-09
Lee, C.R.
Toxic volatile organics removal by overland flow land treatment (1981, 14p) MP 1421
Overland flow: an alternative for wastewater treatment (1982, p.181-184) MP 1506
Lee, H.J.
Geotechnical properties and freeze/thaw consolidation behavior of sediment from the Beaufort Sea, Alaska (1985, 83p) MP 2025
Lee, M.
Ice releasing block-copolymer coatings (1978, p 544-551) MP 1141
Lee, S M.
Improved techniques for construction of snow roads and airstrips (1988, 99p) SR 88-18
Improving snow roads and airstrips in Antarctica (1989, 18p) SR 89-22
Leggett, D.C.
Effect of sediment organic matter on migration of various chemical constituents during disposal of dredged material (1976, 183p) MP 967
Reclamation of wastewater by application on land (1976, 15p) MP 896
Wastewater renovation by a prototype slow infiltration land treatment system (1976, 44p) CR 76-19
Vapor pressure of 2,4,6-trinitrotoluene by a gas chromatographic headspace technique (1977, p 83-90) MP 915
Composition of vapors evolved from military TNT as influenced by temperature, solid composition, age and source (1977, 25p) SR 77-16
Determination of 2,4,6-trinitrotoluene in water by conversion to nitrate (1977, p 880) MP 980
Evaluation of existing systems for land treatment of wastewater at Manteca, California, and Quincy, Washington (1977, 34p) CR 77-24
Wastewater treatment alternative needed (1977, p 82-87) MP 968
Determination of dissolved nitrogen and oxygen in water by headspace gas chromatography (1979, 5p) SR 79-24
Improved enzyme kinetic model for nitrification in soils amended with ammonium. 1. Literature review (1980, 20p) CR 80-01
Removal of volatile trace organics from wastewater by overland flow land treatment (1980, p 211-224) MP 1313
Overland flow: removal of toxic volatile organics (1981, 16p) SR 81-01
Toxic volatile organics removal by overland flow land treatment (1981, 14p) MP 1421
Identifying and determining halocarbons in water using gas chromatography (1981, 13p) SR 81-26
Effect of soil temperature and pH on nitrification kinetics in soils receiving a low level of ammonium enrichment (1981, 27p) SR 81-33
Removal of trace organics by overland flow (1982, p 176-184) MP 2442
Assessment of the treatability of toxic organics by overland flow (1983, 47p) CR 83-03
Reverse phase HPLC method for analysis of TNT, RDX, HMX and 2,4-DNT in munitions wastewater (1984, 95p) CR 84-29
Toxic organics removal kinetics in overland flow land treatment (1985, p.707-718) MP 2111
TNT, RDX and HMX explosives in soils and sediments Analysis techniques and drying losses (1985, 11p) CR 85-15
Comparison of extraction techniques and solvents for explosive residues in soil (1985, 33p) SR 85-22
Sorption of military explosive contaminants on bentonite drilling muds (1985, 33p) CR 85-18
Reversed-phase high-performance liquid chromatographic determination of nitroorganics in munitions wastewater (1986, p 170-175) MP 2049
Effect and disposition of TNT in a terrestrial plant (1986, p 49-52) MP 2098
Effect and disposition of TNT in a terrestrial plant and validation of analytical methods (1986, 17p) CR 86-15
Persistence of chemical agents on the winter battlefield Part 1 Literature review and theoretical evaluation (1987, 20p) CR 87-12
Sorption of chemical agents and simulants measurement and estimation of octanol-water partition coefficient (1987, 15p) SR 87-18
Ice surface hydrolysis of diisopropylfluorophosphate (DFP) (1987, p 809-815) MP 2457
Persistence of chemical agents on the winter battlefield Part 2 Evaporation from ice and snow (1988, 10p) CR 88-03
Comments on "Modeling adsorption-desorption kinetics of pesticides in a soil suspension" by J T.I Boesten and L.J T Van der Pas (1989, p.231) MP 2532
Salting-out solvent extraction for preconcentration of neutral organic solutes from water (1990, p 1355-1356) MP 2743
LeMasurier, W.E.
Marie Byrd Land quaternary volcanism: Byrd ice core correlations and possible climatic influences (1972, p.139-141) MP 994
Lemieux, G.
Compression of wet snow (1978, 17p) CR 78-10
Laboratory experiments on icing of rotating blades (1979, p 85-92) MP 1236
Lemieux, G.E.
Experimental investigation of potential icing of the space shuttle external tank (1982, 305p) CR 82-25
Studies of high-speed rotor icing under natural conditions (1983, p.117-123) MP 1635
Unsteady river flow beneath an ice cover (1983, p 254-260) MP 2079
Ice accretion under natural and laboratory conditions (1985, p 225-228) MP 2009
Hudson River ice management (1985, p 96-110) MP 2174
Controlled river ice cover breakup; part 1. Hudson River field experiments (1986, p 281-291) MP 2391
Controlled river ice cover breakup; part 2. Theory and numerical model studies (1986, p 293-305) MP 2392
Natural rotor icing on Mount Washington, New Hampshire (1986, 62p) CR 86-10
Dielectric properties of strained ice 2. Effect of sample preparation method (1987, p.149-153) MP 2357
Preliminary study of friction between ice and sled runners (1987, p 297-301) MP 2358
Study of dynamic ice breakup on the Connecticut River near Windsor, Vermont (1987, p 163-177) MP 2400
Options for management of dynamic ice breakup on the Connecticut River near Windsor, Vermont (1988, 16p) CR 88-01
Development of a dynamic ice breakup control method for the Connecticut River near Windsor, Vermont (1988, p 221-233) MP 2510
Thickness distribution of accreted ice grown on rotor blades under laboratory conditions (1988, p 152-156) MP 2523
Dynamic ice breakup control for the Connecticut River near Windsor, Vermont (1988, p 245-258) MP 2449
Dynamic friction of a metal runner on ice. 1. Model sled test (1989, 17p) CR 89-14
Leppäranta, M.
Ice properties in the Greenland and Barents Seas during summer (1983, p.142-164) MP 2062
Growth model for black ice, snow ice and snow thickness in subarctic basins (1983, p 59-70) MP 2063
Size and shape of ice floes in the Baltic Sea in spring (1983, p 127-136) MP 2061
On the role of ice interaction in marginal ice zone dynamics (1984, p 23-29) MP 1781
Analysis of linear sea ice models with an ice margin (1984, p 31-36) MP 1782
Mechanism for floe clustering in the marginal ice zone (1984, p 73-76) MP 1785
MIZEX 83 mesoscale sea ice dynamics: initial analysis (1984, p.19-28) MP 1811
On the rheology of a broken ice field due to floe collision (1984, p 29-34) MP 1812
MIZEX 84 mesoscale sea ice dynamics, post operations report (1984, p 66-69) MP 1257
Role of plastic ice interaction in marginal ice zone dynamics (1985, p.11,899-11,909) MP 1544
On estimating ice stress from MIZEX 83 ice deformation and current measurements (1986, p.17-19) MP 2220
Mesoscale sea ice deformation in the East Greenland marginal ice zone (1987, p 7060-7070) MP 2241
Role of floe collisions in sea ice rheology (1987, p 7085-7096) MP 2242
Lever, J.H.
Investigation into the post-stable behavior of a tube array in cross-flow (1989, p 457-465) MP 2561
Dynamic simulations of iceberg-seabed interactions (1989, p 137-151) MP 2684
Vertical lifting and penetration of floating ice sheets with cylindrical indentors (1989, p 104) MP 2688
Dynamic analysis of a floating ice sheet undergoing vertical indentation (1990, p 195-203) MP 2579
Wave-induced bergy bit motion near a floating oil production platform (1990, p 205-215) MP 2580
Salmon River ice jam control studies interim report (1990, 8p) SR 90-06
Lewellen, R.I.
Operational report 1976 USACRREL-USGS subsea permafrost program Beaufort Sea, Alaska (1976, 20p) SR 76-12
1977 CRREL-USGS permafrost program Beaufort Sea, Alaska, operational report (1977, 19p) SR 77-41
Field methods and preliminary results from subsea permafrost investigations in the Beaufort Sea, Alaska (1979, p 207-213) MP 1591
Buried valleys as a possible determinant of the distribution of deeply buried permafrost on the continental shelf of the Beaufort Sea (1979, p 135-141) MP 1288
L'Heureux, D.
Eruptions from under-ice explosions (1988, 26p) SR 88-14

Liandi, F.
Applications of the finite-element method to the problem of heat transfer in a freezing shaft wall (1986, 24p.) CR 86-08

Lin, F.C.
Correlation function study for sea ice (1988, p.14,055-14,063) MP 2511

Linden, D.R.
Uptake of nutrients by plants irrigated with municipal wastewater effluent (1978, p 395-404) MP 1151
Engineering aspects of an experimental system for land renovation of secondary effluent (1978, 26p.) SR 78-23

Lindsay, R.W.
Turbulent heat flux from Arctic leads (1979, p 57-91) MP 1340

Linell, K.A.
PERMAFROST (PERENNIALLY FROZEN GROUND) (1966, 77p.) M I-A2
Some experiences with tunnel entrances in permafrost (1978, p 813-819) MP 1107
Design and construction of foundations in areas of deep seasonal frost and permafrost (1980, 310p.) SR 80-34
Design of foundations in areas of significant frost penetration (1980, p.118-184) MP 1358

Ling, C.H.
Continuum sea ice model for a global climate model (1980, p.187-196) MP 1622

Link, L.E.
International arctic research programs (1989, 74p.) SR 89-21
U.S. Federal arctic research (1989, p.65-74) MP 2671
Cold regions engineering research—strategic plan (1989, p.172-190) MP 2571

Link, L.E., Jr.
Smart weapons operability enhancement (1989, p.165-173) MP 2539

Linkins, A.E.
Sensitivity of plant communities and soil flora to seawater spills, Prudhoe Bay, Alaska (1983, 35p.) CR 83-24
Reconnaissance observations of long-term natural vegetation recovery in the Cape Thompson region, Alaska, and additions to the checklist of flora (1985, 75p.) CR 85-11

Liston, N.
Mobility bibliography (1981, 313p.) SR 81-29
U.S. tundra biome publication list (1983, 29p.) SR 83-29
Topical databases: Cold Regions Technology on-line (1985, p.12-15) MP 2027

Liston, R.A.
Air cushion vehicle ground contact directional control devices (1976, 15p.) CR 76-45
Radial tire demonstration (1985, p.281-285) MP 2102
Performance of highway and all-season radial tires and traction aids on ice and in snow (1986, 20p.) SR 86-07
After-action report—Reforger '85 (1986, 20p.) SR 86-22
Evaluation of the Caterpillar Challenger tractor for use in Antarctica (1989, 12p. + figs.) MP 2718

Liu, G.
Airborne electromagnetic sensing of sea ice thickness (1987, 77p.) MP 2673

Lobacz, E.F.
Storm drainage design considerations in cold regions (1978, p.474-489) MP 1088
Some experiences with tunnel entrances in permafrost (1978, p 813-819) MP 1107
Design and construction of foundations in areas of deep seasonal frost and permafrost (1980, 310p.) SR 80-34
Design of foundations in areas of significant frost penetration (1980, p 118-184) MP 1358
Surface drainage design for airfields and heliports in arctic and subarctic regions (1981, 56p.) SR 81-22
Arctic and subarctic construction: general provisions (1986, 75p.) SR 86-17

Loder, T.C.
Chemical, physical and structural properties of estuarine ice in Great Bay, New Hampshire (1987, p 833-840) MP 2251

Loehr, R.
Engineering systems (1983, p 409-417) MP 1948

Loehr, R.C.
Site selection methodology for the land treatment of wastewater (1981, 74p.) SR 81-28

Lohanick, A.
Scientific challenges at the poles (1987, p 23-26) MP 2228
Multifrequency passive microwave observation of saline ice grown in a tank (1988, p 1687-1690) MP 2459

Long, S.E.
Analysis of diffusion wave flow routing model with application to flow in tailwaters (1983, 31p.) CR 83-07
Modeling rapidly varied flow in tailwaters (1984, p 271-289) MP 1711

Lonsdale, H.K.
Towing icebergs (1974, p 2) MP 1020

Lord, H.W.
Influence of low temperature thermal cycling on tensile strength of fiber composites (1988, p 141-147) MP 2435
On the design of polymeric composite structures for cold regions applications (1988, p.435-458) MP 2395
Response of advanced composite space materials to thermal cycling (1988, p.506-517) MP 2478

Low, P.F.
Isothermal compressibility of water mixed with Na-saturated montmorillonite (1983, p 45-50) MP 2066

Lowman, R.A.
Direct filtration of streamborne glacial silt (1982, 17p.) CR 82-23

Lozowski, E.P.
Computer modeling of time-dependent rime icing in the atmosphere (1983, 74p.) CR 83-02

Luk, C.H.
Proceedings, Vol.4 (1988, 348p.) MP 2317

Lukow, T.E.
Propane dispenser for cold fog dissipation system (1973, 38p.) MP 1033

Lunardini, V.J.
Neumann solution applied to soil systems (1980, 7p.) CR 80-22
Phase change around a circular pipe (1980, 18p.) CR 80-27
Heat transfer in cold climates (1981, 731p.) MP 1435
Approximate solution to Neumann problem for soil systems (1981, p 76-81) MP 1494
Cylindrical phase change approximation with effective thermal diffusivity (1981, p.147-154) MP 1438
Effects of ice on coal movement via the inland waterways (1981, 72p.) SR 81-13
Phase change around a circular cylinder (1981, p.598-600) MP 1507
Mine/countermine problems during winter warfare. Final report of a workshop (1981, 43p.) SR 81-20
Phase change around insulated buried pipes: quasi-steady method (1981, p 201-207) MP 1496
Application of the heat balance integral to conduction phase change problems (1981, 14p.) CR 81-25
Freezing of soil with surface convection (1982, p 205-212) MP 1595
Mobility of water in frozen soils (1982, c15p.) MP 2012
Conduction phase change beneath insulated heated or cooled structures (1982, 40p.) CR 82-22
Proceedings (1983, 813p.) MP 1581
Freezing of semi-infinite medium with initial temperature gradient (1983, p 649-652) MP 1583
Approximate phase change solutions for insulated buried cylinders (1983, p.25-32) MP 1593
Freezing and thawing. heat balance integral approximations (1983, p 30-37) MP 1597
Approximate solution to conduction freezing with density variation (1983, p 43-45) MP 1598
Thawing beneath insulated structures on permafrost (1983, p.750-755) MP 1662
Proceedings (1984, 3 vols.) MP 1675
Freezing of a semi-infinite medium with initial temperature gradient (1984, p 103-106) MP 1740
Proceedings (1985, 2 vols.) MP 2105
Freezing of soil with phase change occurring over a finite temperature zone (1985, p.38-46) MP 1854
Arctic thermal design (1985, p.70-75) MP 2167
Review of analytical methods for ground thermal regime calculations (1985, p 204-257) MP 1922
Free and forced convection heat transfer in water over a melting horizontal ice sheet (1986, p 227-236) MP 2033
Experimental determination of heat transfer coefficients in water flowing over a horizontal ice sheet (1986, 81p.) CR 86-03
Ice heat sinks. Part 1: Vertical systems (1986, 107p.) SR 86-14
Ice heat sinks Part 2 Horizontal systems (1986, 104p.) SR 86-26
Condensing steam tunnel heat sinks (1986, 29p.) SR 86-24
Free and forced convection heat transfer in water over a melting horizontal ice sheet (1986, p 42-51) MP 2600
Proceedings (1987, 4 vols.) MP 2189
Exact solution for melting of frozen soil with thaw consolidation (1987, p 97-102) MP 2191
Proceedings (1987, 270p.) MP 2302
Some analytical methods for conduction heat transfer with freezing/thawing (1987, p 55-64) MP 2304
Freezing of soil with an unfrozen water content and variable thermal properties (1988, 23p.) CR 88-02
Heat conduction with freezing or thawing (1988, 329p.) M 88-01
Freezing a temporary roadway for transport of a 3000 ton dragline (1988, p 357-365) MP 2378
Effect of variable thermal properties on freezing with an unfrozen water content (1988, p 1127-1132) MP 2370
Freezing and thawing of soils in cylindrical coordinates (1989, p 185-208) MP 2594
Proceedings (1989, 314p.) MP 2636
Review of pure conduction with freezing (1989, p 27-32) MP 2638
Experiments on the heat transfer from water flowing through a chilled-bed open channel (1989, p 51-58) MP 2649

Lynch, D.R.
Continuously deforming finite elements for the solution of parabolic problems, with and without phase change (1981, p 81-96) MP 1493
Optimization model for land treatment planning, design and operation Part 1. Background and literature review (1983, 35p.) SR 83-06
Optimization model for land treatment planning, design and operation Part 2 Case study (1983, 30p.) SR 83-07
Optimization model for land treatment planning, design and operation. Part 3. Model description and user's guide (1983, 38p.) SR 83-08
Economics of ground freezing for management of uncontrolled hazardous waste sites (1985, 15p.) MP 2030
Finite element simulation of ice crystal growth in subcooled sodium-chloride solutions (1985, p 527-532) MP 2100
Finite element simulation of planar instabilities during solidification of an undercooled melt (1987, p 81-111) MP 2585
Computer modeling of atmospheric ice accretion and aerodynamic loading of transmission lines (1987, p.103-109) MP 2279

Lyons, R.O.
Ice regime reconnaissance, Yukon River, Yukon (1984, p 1059-1073) MP 2406

Lyons, W.B.
Dominion Range ice core, Queen Maud Mountains, Antarctica—general site and core characteristics with implications (1990, p 11-16) MP 2707

Määttänen, M.
Vibrations caused by ship traffic on an ice-covered waterway (1981, 27p.) CR 81-05
Dynamic ice-structure interaction analysis for narrow vertical structures (1981, p 472-479) MP 1456
Dynamic ice-structure interaction during continuous crushing (1983, 48p.) CR 83-05

MacAyeal, D.R.
Can relict crevasse plumes on antarctic ice shelves reveal a history of ice-stream fluctuation (1988, p 77-82) MP 2460

Mackay, J.R.
On the origin of pingos—a comment (1976, p.295-298) MP 916

MacKeith, P.
Recent glacier-volcano interactions on Mt. Redoubt, Alaska (1988, 18p.) MP 2431

MacLean, S.F., Jr.
Barrow, Alaska, USA (1975, p 73-124) MP 1050
Coastal tundra at Barrow (1980, p 1-29) MP 1356

Madore, K.
Disinfection of wastewater by microwaves (1980, 15p.) SR 80-01

Maishman, D.
Freezing a temporary roadway for transport of a 3000 ton dragline (1988, p 357-365) MP 2378

Mak, L.M.
Wave-induced bergy bit motion near a floating oil production platform (1990, p.205-215) MP 2580

Makkonen, L.
Atmospheric icing on sea structures (1984, 92p.) M 84-02

Makshtas, A.P.
Reports of the U.S.-U.S.S.R. Weddell Polynya Expedition, October-November 1981 Volume 7: Surface-level meteorological data (1983, 32p.) SR 83-14
Energy exchange over antarctic sea ice in the spring (1985, p 7197-7212) MP 1889

Malhotra, R.V.
Snow hydrology in the upper Yamuna basin, India (1988, p 84-93) MP 2633

Marlar, T.
Arctic and subarctic environmental analyses utilizing ERTS-1 imagery (1973, 5p.) MP 1611

Marlar, T.L.
Arctic and Subarctic environmental analyses utilizing ERTS-1 imagery, bimonthly progress report, 23 June - 23 Aug 1972 (1972, 3p.) MP 991
Arctic and subarctic environmental analysis (1972, p.28-30) MP 1119
Arctic and subarctic environmental analyses utilizing ERTS-1 imagery. Bimonthly progress report, 23 Aug - 23 Oct. 1973 (1973, 3p.) MP 1030
Arctic and subarctic environmental analyses utilizing ERTS-1 imagery Bimonthly progress report, 23 Oct - 23 Dec. 1973 (1973, 6p.) MP 1031
Arctic and subarctic environmental analysis utilizing ERTS-1 imagery Final report June 1972-Feb 1974 (1974, 125p.) MP 1047
Remote sensing of land use and water quality relationships—Wisconsin shore, Lake Michigan (1976, 47p.) CR 76-30
Analysis of potential ice jam sites on the Connecticut River at Windsor, Vermont (1976, 31p.) CR 76-31

Marshall, S.J.
De-icing using lasers (1976, 25p.) CR 76-10
Detecting structural heat losses with mobile infrared thermography Part 4 Estimating quantitative heat loss at Dartmouth College, Hanover, New Hampshire (1976, 9p.) CR 76-33

Marshall, S.J. *(cont.)*
Photomacrography of artifacts in transparent materials (1976, 31p.) CR 76-40
Infrared thermography of buildings: an annotated bibliography (1977, 21p.) SR 77-09
Infrared thermography of buildings: qualitative analysis of window infiltration loss, Federal Office Building, Burlington, Vermont (1977, 17p.) SR 77-29
Infrared thermography of buildings: Qualitative analysis of five buildings at Rickenbacker Air Force Base, Columbus, Ohio (1977, 21p.) SR 77-26
Comparative testing system of the applicability for various thermal scanning systems for detecting heat losses in buildings (1978, p.B71-B90) MP 1212
Infrared thermography of buildings—a bibliography with abstracts (1979, 67p.) SR 79-01
Infrared thermography of buildings: 1977 Coast Guard survey (1979, 40p.) SR 79-20
Roof response to icing conditions (1979, 40p.) CR 79-17
Measuring building R-values for large areas (1981, p.137-138) MP 1388
Thermal patterns in ice under dynamic loading (1983, p.240-243) MP 1742
Toward in-situ building R-value measurement (1984, 13p.) CR 84-01
Thermal (2-5 6 micron) emittance of diathermanous materials as a function of optical depth, critical angle and temperature (1984, p.209-220) MP 1863
Time-lapse thermography a unique electronic imaging application (1984, p.84-88) MP 2103
Emittance: a little understood image deception in thermal imaging applications (1985, p.72-78) MP 1962
Thermal emissivity of diathermanous materials (1985, p.872-878) MP 1963

Martel, C.J.
Performance of overland flow land treatment in cold climates (1978, p.61-70) MP 1152
Land treatment systems and the environment (1979, p.201-225) MP 1414
International and national developments in land treatment of wastewater (1979, 28p.) MP 1420
Pilot scale study of overland flow land treatment in cold climates (1979, p.207-214) MP 1279
Wastewater treatment in cold regions by overland flow (1980, 14p.) CR 80-07
Removal of volatile trace organics from wastewater by overland flow land treatment (1980, p.211-224) MP 1313
Removal of organics by overland flow (1980, 9p.) MP 1362
Rational design of overland flow systems (1980, p.114-121) MP 1400
Forage grass growth on overland flow systems (1980, p.347-354) MP 1402
Spray application of wastewater effluent in a cold climate: performance evaluation of a full-scale plant (1980, p.620-626) MP 1403
Overland flow: removal of toxic volatile organics (1981, 16p.) SR 81-01
Toxic volatile organics removal by overland flow land treatment (1981, 14p.) MP 1421
Vegetation selection and management for overland flow systems (1982, p.135-154) MP 1511
Development of a rational design procedure for overland flow systems (1982, 29p.) CR 82-02
Overland flow: an alternative for wastewater treatment (1982, p.181-184) MP 1506
Evaluating the heat pump alternative for heating enclosed wastewater treatment facilities in cold regions (1982, 23p.) SR 82-10
Energy conservation at the West Dover, Vermont, water pollution control facility (1982, 18p.) SR 82-24
Heating enclosed wastewater treatment facilities with heat pumps (1982, p.262-280) MP 1976
Assessment of the treatability of toxic organics by overland flow (1983, 47p.) CR 83-03
Heat recovery from primary effluent using heat pumps (1985, p.199-203) MP 1978
Of: Overland flow wastewater treatment at Easley, S.C. (1986, p.1078-1079) MP 2300
Evaluation of the Shasta waterless system as a remote site sanitation facility (1987, 24p.) SR 87-16
New approach for sizing rapid infiltration systems (1988, p.211-215) MP 2323
Rational design of sludge freezing beds (1988, p.575-581) MP 2343
Developing a thawing model for sludge freezing beds (1988, p.1426-1430) MP 2372
Predicting freezing design depth of sludge-freezing beds (1988, p.145-156) MP 2461
Development and design of sludge freezing beds (1988, 49p.) CR 88-20
Dewaterability of freeze-thaw conditional sludges (1989, p.237-241) MP 2616
Thermal conductivity of sludges (1989, p.241-245) MP 2632
Hydraulic model of overland flow on grass covered slopes (1989, p.569-578) MP 2710
Development and design of sludge freezing beds (1989, p.799-808) MP 2556
Sludge dewatering by natural freeze-thaw (1990, p.116-122) MP 2714

Martel, J.
New approach for sizing rapid infiltration systems (discussion and closure) (1989, p.879-882) MP 2712

Marten, G.C.
Uptake of nutrients by plants irrigated with municipal wastewater effluent (1978, p.395-404) MP 1151

Martin, R.J., III
Mechanisms of crack growth in quartz (1975, p.4837-4844) MP 855

Martin, R.T.
Mechanical properties of polycrystalline ice: an assessment of current knowledge and priorities for research (1979, 16p.) MP 1207
Application of the Andrade equation to creep data for ice and frozen soil (1979, p.29-36) MP 1802

Martin, S.
MIZEX—a program for mesoscale air-ice-ocean interaction; experiments in Arctic marginal ice zones. 1. Research strategy (1981, 20p.) SR 81-19

Martin, W.
Ice strength estimates from submarine topsounder data (1989, p.425-426) MP 2691

Martinson, C.R.
Sediment displacement in the Ottauquechee River—1975-1978 (1980, 14p.) SR 80-20
Analysis of velocity profiles under ice in shallow streams (1981, p.94-111) MP 1397
Method for measuring brash ice thickness with impulse radar (1981, 10p.) SR 81-11
Resistance coefficients from velocity profiles in ice-covered shallow streams (1982, p.236-247) MP 1540
Mine detection using non-sinusoidal radar. Part 1: Spatial analysis of laboratory test data (1984, 99p.) SR 84-22
Determining the characteristic length of floating ice sheets by moving loads (1985, p.155-159) MP 1855
Impulse radar sounding of level first-year sea ice from an icebreaker (1985, 9p.) SR 85-21
Development of a river ice prow (1988, 26p.) CR 88-09
Radar profiling of Newton Airfield in Jackman, Maine (1989, 9p.) SR 89-04
Ice reinforced with Geogrid (1989, p.179-185) MP 2484
Model tests in ice of a Canadian Coast Guard R-class icebreaker: high friction model (1989, 41p.) SR 89-25

Marvin, E.L.
Arctic construction: working group report (1987, p.311-314) MP 2426

Marzbanian, P.C.
Structural evaluation of porous pavement test sections at Walden Pond State Reservation, Concord, Massachusetts (1980, 43p.) SR 80-39

Matise, B.K.
SNOW III WEST field experiment report. Volume 1 (1988, 170p.) SR 88-28

Matlock, C.S.
Piles in permafrost for bridge foundations (1967, 41p.) MP 1411

May, T.A.
Climatic and soil temperature observations at Atkasook on the Meade River, Alaska, summer 1975 (1976, 25p.) SR 76-01

Mayewski, P.A.
Chemical, physical and structural properties of estuarine ice in Great Bay, New Hampshire (1987, p.833-840) MP 2251
Dominion Range ice core, Queen Maud Mountains, Antarctica—general site and core characteristics with implications (1990, p.11-16) MP 2707

Maykut, G.A.
On the decay and retreat of the ice cover in the summer MIZ (1984, p.19-22) MP 1780
Optical properties of ice and snow in the polar oceans. 1. Observations (1986, p.232-241) MP 2255
Treatment of shortwave radiation and open water in large-scale models of sea-ice decay (1990, p.242-246) MP 2759

McCabe, E.Y.
Soil freezing response: influence of test conditions (1985, p.49-58) MP 1990

McComber, P.
Analysis of selected ice accretion measurements on a wire at Mt. Washington (1985, p.34-43) MP 2173

McCormick, M.P.
Lidar detection of leads in arctic sea ice (1990, p.119-123) MP 2733

McCown, B.H.
Seasonal cycles and relative levels of organic plant nutrients under Arctic and alpine conditions (1971, p.55-57) MP 904
Ecological effects of oil spills and seepages in cold-dominated environments (1971, p.61-65) MP 905
Comparative investigation of periodic trends in carbohydrate and lipid levels in Arctic and alpine plants (1972, p.40-45) MP 1376
Fate and effects of crude oil spilled on permafrost terrain. Second annual progress report, June 1976 to July 1977 (1977, 46p.) SR 77-44

McDade, C.
Dynamics of NH4 and NO3 in cropped soils irrigated with wastewater (1980, 20p.) SR 80-27
Corps of Engineers land treatment of wastewater research program: an annotated bibliography (1983, 82p.) SR 83-09

McDaniel, J.
Comparative near-millimeter wave propagation properties of snow or rain (1983, p.115-129) MP 1690

McDonald, C.
Humidity and temperature measurements obtained from an unmanned aerial vehicle (1987, p.35-45) MP 2293
Slant path extinction and visibility measurements from an unmanned aerial vehicle (1987, p.115-126) MP 2296

McFadden, T.
Radiation and evaporation heat loss during ice fog conditions (1975, p.18-27) MP 1051
Thermal pollution studies of French Creek, Eielson AFB, Alaska (1976, 5p.) CR 76-14
Debris of the Chena River (1976, 14p.) CR 76-26
Failure of an ice bridge (1976, 13p.) CR 76-29
Suppression of ice fog from cooling ponds (1976, 78p.) CR 76-43
Fate and effects of crude oil spilled on permafrost terrain. First year progress report (1976, 18p.) SR 76-15
Utility distribution systems in Sweden, Finland, Norway and England (1976, 121p.) SR 76-16
Utility distribution practices in northern Europe (1977, p.70-95) MP 928
Freeze damage prevention in utility distribution lines (1977, p.221-231) MP 929
Freeze damage protection for utility lines (1977, p.12-16) MP 953
Ice fog suppression using monomolecular films (1977, p.361-367) MP 956
Yukon River breakup 1976 (1977, p.592-596) MP 960
Ice breakup on the Chena River 1975 and 1976 (1977, 44p.) CR 77-14
Investigation of slumping failure in an earth dam abutment at Kotzebue, Alaska (1977, 21p.) SR 77-21
Fate and effects of crude oil spilled on permafrost terrain. Second annual progress report, June 1976 to July 1977 (1977, 46p.) SR 77-44
Fresh water supply for a village surrounded by salt water—Point Hope, Alaska (1978, 18p.) SR 78-07
Physical, chemical and biological effects of crude oil spills on black spruce forest, interior Alaska (1978, p.305-323) MP 1185
Ice fog suppression using reinforced thin chemical films (1978, 23p.) CR 78-26
Ice fog suppression using thin chemical films (1979, 44p.) MP 1192
Ice forces on the Yukon River bridge—1978 breakup (1979, 40p.) MP 1304
Case study: fresh water supply for Point Hope, Alaska (1979, p.1029-1040) MP 1222
Fate and effects of crude oil spilled on subarctic permafrost terrain in interior Alaska (1980, 128p.) MP 1310
Waste heat utilization through soil heating (1980, p.105-120) MP 1363
Ice fog suppression in Arctic communities (1980, p.54-65) MP 1357
Fate and effects of crude oil spilled on subarctic permafrost terrain in interior Alaska (1980, 67p.) CR 80-29
Ice force measurement on the Yukon River bridge (1981, p.749-777) MP 1396

McGaw, R.
Proposed size classification for the texture of frozen earth materials (1975, 10p.) MP 921
Development of a remote-reading tensiometer/transducer system for use in subfreezing temperatures (1976, p.31-45) MP 897
Simple procedure to calculate the volume of water remaining unfrozen in a freezing soil (1976, p.114-122) MP 899
Periodic structure of New Hampshire silt in open-system freezing (1977, p.129-136) MP 902
Improved drainage and frost action criteria for New Jersey pavement design Phase 2: Frost action (1978, 80p.) SR 78-09
Thermal properties and regime of wet tundra soils at Barrow, Alaska (1978, p.47-53) MP 1096
Mobility of water in frozen soils (1982, c15p.) MP 2012
Investigation of transient processes in an advancing zone of freezing (1983, p.821-825) MP 1663
Full-cycle heating and cooling probe method for measuring thermal conductivity (1984, 8p.) MP 1891

McGee, I.E.
Critical comparison of moving average and cumulative summation control charts for trace analysis data (1987, 57p.) SR 87-21

McGilvary, W.R.
Vertical lifting and penetration of floating ice sheets with cylindrical indentors (1989, p.104) MP 2688
Dynamic analysis of a floating ice sheet undergoing vertical indentation (1990, p.195-203) MP 2579

McGrew, S.G.
Dielectric properties at 4.75 GHz of saline ice slabs (1985, p.83-86) MP 1911
Microwave dielectric, structural, and salinity properties of simulated sea ice (1986, p.832-839) MP 2188

Structure and dielectric properties at 4.8 and 9.5 GHz of saline ice (1986, p.14,281-14,303) MP 2182

Microwave and structural properties of saline ice (1987, 36p.) CR 87-20

McKenna, C.

Reference guide for building diagnostics equipment and techniques (1986, 148p.) MP 2226

McKenna, C.M.

Reference guide for building diagnostics equipment and techniques (1989, 64p.) SR 89-27

McKim, H.L.

Arctic and subarctic environmental analysis (1972, p 28-30) MP 1119

Arctic and subarctic environmental analyses using ERTS-1 imagery. Progress report Dec. 72-June 73 (1973, 75p.) MP 1003

Arctic and subarctic environmental analyses utilizing ERTS-1 imagery (1973, 5p.) MP 1611

Mesoscale deformation of sea ice from satellite imagery (1973, 2p.) MP 1120

Arctic and subarctic environmental analyses utilizing ERTS-1 imagery. Bimonthly progress report, 23 Aug. - 23 Oct. 1973 (1973, 3p.) MP 1030

Arctic and subarctic environmental analyses utilizing ERTS-1 imagery. Bimonthly progress report, 23 Oct. - 23 Dec. 1973 (1973, 6p.) MP 1031

Arctic and subarctic environmental analysis utilizing ERTS-1 imagery. Final report June 1972-Feb. 1974 (1974, 128p.) MP 1047

New England reservoir management: Land use/vegetation mapping in reservoir management (Merrimack River basin) (1974, 30p.) MP 1039

Near real time hydrologic data acquisition utilizing the LANDSAT system (1975, p 200-211) MP 1055

Islands of grounded ice (1975, p.213-216) MP 852

Applications of remote sensing for Corps of Engineers programs in New England (1975, 8p. + 14 figs. and tables) MP 913

Wastewater reuse at Livermore, California (1976, p.511-531) MP 870

Remote sensing of land use and water quality relationships—Wisconsin shore, Lake Michigan (1976, 47p.) CR 76-30

Development of a remote-reading tensiometer/transducer system for use in subfreezing temperatures (1976, p.31-45) MP 897

Skylab imagery: Application to reservoir management in New England (1976, 51p.) SR 76-07

Environmental analyses in the Kootenai River region, Montana (1976, 53p.) SR 76-13

Preliminary analysis of water equivalent/snow characteristics using LANDSAT digital processing techniques (1977, 16 leaves) MP 1113

Applications of remote sensing in the Boston Urban Studies Program, Parts I and II (1977, 36p.) CR 77-13

Wastewater reuse at Livermore, California (1977, p.511-531) MP 979

Use of the Landsat data collection system and imagery in reservoir management and operation (1977, c150p.) MP 1114

Effect of inundation on vegetation at selected New England flood control reservoirs (1978, 13p.) MP 1169

Computer processing of Landsat digital data and sensor interface development for use in New England reservoir management (1978, 61p.) SR 78-06

Use of remote sensing to quantify construction material and to define geologic lineaments, Dickey-Lincoln School Lakes Project, Maine (1978, 9 leaves) MP 1167

Water resources by satellite (1978, p.164-169) MP 1090

Performance of overland flow land treatment in cold climates (1978, p 61-70) MP 1152

Growth and nutrient uptake of forage grasses when receiving various application rates of wastewater (1978, p.157-163) MP 1153

Microbiological aerosols from a field source during sprinkler irrigation with wastewater (1978, p 273-280) MP 1154

Mass water balance during spray irrigation with wastewater at Deer Creek Lake land treatment site (1978, 43p.) SR 79-29

Development of a simplified method for field monitoring of soil moisture (1978, p.40-44) MP 1194

Snow cover mapping in northern Maine using LANDSAT digital processing techniques (1979, p 197-198) MP 1510

Land treatment systems and the environment (1979, p 201-225) MP 1414

International and national developments in land treatment of wastewater (1979, 28p.) MP 1420

Bacterial aerosols from a field source during multiple-sprinkler irrigation Deer Creek Lake State Park, Ohio (1979, 64p.) SR 79-32

Survey of methods for soil moisture determination (1979, 74p.) MP 1639

Environmental analysis of the Upper Susitna River Basin using Landsat imagery (1980, 41p.) CR 80-04

Materials availability study of the Dickey-Lincoln dam site (1980, p.158-170) MP 1316

Remote sensing of water quality using an airborne spectroradiometer (1980, p.1353-1362) MP 1491

Review of techniques for measuring soil moisture *in situ* (1980, 17p.) SR 80-31

Infiltration characteristics of soils at Apple Valley, Minn.; Clarence Cannon Dam, Mo; and Deer Creek Lake, Ohio, land treatment sites (1980, 41p.) SR 80-36

Hydraulic characteristics of the Deer Creek Lake land treatment site during wastewater application (1981, 37p.) CR 81-07

Wastewater applications in forest ecosystems (1982, 22p.) CR 82-19

Microbiological aerosols from a field-source wastewater irrigation system (1983, p 65-75) MP 1578

Landsat-4 thematic mapper (TM) for cold environments (1983, p 179-186) MP 1651

Extraction of topography from side-looking satellite systems—a case study with SPOT simulation data (1983, p 535-550) MP 1695

Use of radio frequency sensor for snow/soil moisture water content measurement (1983, p 33-42) MP 1689

Hydrologic forecasting using Landsat data (1983, p.159-168) MP 1691

Integration of Landsat land cover data into the Saginaw River Basin geographic information system for hydrologic modeling (1984, 19p.) SR 84-01

Water quality monitoring using an airborne spectroradiometer (1984, p 353-360) MP 1718

Using Landsat data for snow cover/vegetation mapping (1984, p II(140)-II(144)) MP 1975

Potential use of SPOT HRV imagery for analysis of coastal sediment plumes (1984, p.199-204) MP 1744

Spatial analysis in recreation resource management for the Berlin Lake Reservoir Project (1984, p 209-219) MP 2084

Ohio River main stem study: the role of geographic information systems and remote sensing in flood damage assessments (1984, p.265-281) MP 2083

USACRREL's snow, ice, and frozen ground research at the Sleepers River Research Watershed (1984, p 229-240) MP 2071

Use of remote sensing for the U.S. Army Corps of Engineers dredging program (1985, p.1141-1150) MP 1890

Catalog of Corps of Engineers structure inventories suitable for the acid precipitation-structure material study (1985, 40p.) SR 85-01

Evaluation of SPOT HRV simulation data for Corps of Engineers applications (1985, p 61-71) MP 2184

Comparison of SPOT simulator data with Landsat MSS imagery for delineating water masses in Delaware Bay, Broadkill River, and adjacent wetlands (1985, p 1123-1129) MP 1909

Evaluating trafficability (1985, p.474-475) MP 2023

Potential of remote sensing in the Corps of Engineers dredging program (1985, 42p.) SR 85-20

Evaluating trafficability (1986, p 237-239) MP 2662

Remote sensing and water resources (1987, p.186-190) MP 2535

Use of SPOT HRV data in a Corps dredging operation in Lake Erie (1987, p 49-58) MP 2548

Snow hydrology in the upper Yamuna basin, India (1988, p.84-93) MP 2633

Use of SPOT HRV data in the Corps of Engineers dredging program (1988, p.1295-1299) MP 2528

QuickDraw data structures for image processing (1989, 17p.) SR 89-08

Interfacing geographic information system data with real-time hydrologic forecasting models (1989, p 857-861) MP 2527

Multiband imaging systems (1990, 10p.) SR 90-15

McLain, B.G.

Waterproofing strain gages for low ambient temperatures (1978, 20p.) SR 78-15

McLaughlin, D.

Methodology used in generation of snow load case histories (1977, p.163-174) MP 1143

McNeill, D.

In-situ measurements on the conductivity and surface impedance of sea-ice at VLF frequencies (1971, 19p plus diagrams) MP 1071

McNeill, J.D.

Airborne E-phase resistivity surveys of permafrost - central Alaska and Mackenzie River areas (1974, p 67-71) MP 1046

McPhee, M.G.

Effect of the oceanic boundary layer on the mean drift of pack ice, application of a simple model (1979, p 388-400) MP 1198

Physical oceanography of the seasonal sea ice zone (1980, p.93-132) MP 1294

Study of oceanic boundary-layer characteristics including inertial oscillation at three drifting stations in the Arctic Ocean (1980, p 870-884) MP 1369

Upper ocean temperature, salinity and density in the vicinity of arctic Drift Station *FRAM* 1, March to May 1979 (1981, 20p.) SR 81-05

Sea ice drag laws and simple boundary layer concepts, including application to rapid melting (1982, 17p.) CR 82-04

Using sea ice to measure vertical heat flux in the ocean (1982, p 2071-2074) MP 1521

McQueeney, D.

Development of a simplified method for field monitoring of soil moisture (1978, p 40-44) MP 1194

McRoberts, E.C.

Design implications of subsoil thawing (1984, p.45-103) MP 1706

McWhinnie, M.A.

Ross Ice Shelf Project environmental impact statement July, 1974 (1978, p.7-36) MP 1075

Meals, D.W.

Spray application of wastewater effluent in West Dover, Vermont: an initial assessment (1979, 38p.) SR 79-06

Spray application of wastewater effluent in a cold climate: performance evaluation of a full-scale plant (1980, p 620-626) MP 1403

Case study of land treatment in a cold climate—West Dover, Vermont (1982, 96p.) CR 82-44

Meese, D.A.

Chemical, physical and structural properties of estuarine ice in Great Bay, New Hampshire (1987, p 833-840) MP 2251

Chemical and structural properties of sea ice in the southern Beaufort Sea (1989, 294p.) MP 2656

Chemical and structural properties of sea ice in the southern Beaufort Sea (1989, 134p.) CR 89-25

Dominion Range ice core, Queen Maud Mountains, Antarctica—general site and core characteristics with implications (1990, p.11-16) MP 2707

Chemical and structural properties of sea ice in the southern Beaufort Sea (1990, p 32-35) MP 2728

Mehran, M.

Evaluation of a compartmental model for prediction of nitrate leaching losses (1981, 24p.) CR 81-23

Mathematical simulation of nitrogen interactions in soils (1983, p 241-248) MP 2051

Meier, M.F.

Mechanical properties of polycrystalline ice: an assessment of current knowledge and priorities for research (1979, 16p.) MP 1207

Meiman, J.R.

Spread of cetyl-1-C14 alcohol on a melting snow surface (1966, p.5-8) MP 876

Melloh, R.A.

Seasonal distribution of low flow events in New Hampshire streams with emphasis on the winter period (1990, p.47-53) MP 2681

Mellor, M.

ANTARCTIC ICE SHEET (1961, 50p.) M I-B1

OVERSNOW TRANSPORT (1963, 58p plus appends.) M III-A4

SNOW AND ICE ON THE EARTH'S SURFACE (1964, 163p.) M II-C1

PROPERTIES OF SNOW (1964, 105p.) M III-A1

SNOW REMOVAL AND ICE CONTROL (1965, 37p.) M III-A3b

EXPLOSIONS AND SNOW (1965, 34p.) M III-A3a

BLOWING SNOW (1965, 79p.) M III-A3c

AVALANCHES (1968, 215p.) M III-A3d

METHODS OF BUILDING ON PERMANENT SNOWFIELDS (1968, 43p.) M III-A2a

INVESTIGATION AND EXPLOITATION OF SNOWFIELD SITES (1969, 57p.) M III-A2b

FOUNDATIONS AND SUBSURFACE STRUCTURES IN SNOW (1969, 54p.) M III-A2c

UTILITIES ON PERMANENT SNOWFIELDS (1969, 42p.) M III-A2d

Investigation of ice islands in Babbage Bight (1971, 46 leaves) MP 1381

Cutting ice with high pressure water jets (1973, 22p.) MP 1001

Snow accumulation for arctic freshwater supplies (1975, p 218-224) MP 860

General considerations for drill system design (1976, p.77-111) MP 856

Mechanics of cutting and boring Part II: Kinematics of axial rotation machines (1976, 45p.) CR 76-16

Mechanics of cutting and boring Part III: Kinematics of continuous belt machines (1976, 24p.) CR 76-17

Investigation of water jets for lock wall deicing (1976, p G2/13-22) MP 865

Development of large ice saws (1976, 14p.) CR 76-47

Ice and snow at high altitudes (1977, 10p.) MP 1121

Mechanics of cutting and boring Part 4 Dynamics and energetics of parallel motion tools (1977, 85p.) CR 77-07

Permafrost excavating attachment for heavy bulldozers (1977, p 144-151) MP 955

Engineering properties of snow (1977, p.15-66) MP 1015

Measuring the uniaxial compressive strength of ice (1977, p 213-223) MP 1027

Mechanics of cutting and boring Part 6 Dynamics and energetics of transverse rotation machines (1977, 36p.) CR 77-19

Lock wall deicing with high velocity water jet at Soo Locks, Mi (1977, p 23-35) MP 973

Obtaining fresh water from icebergs (1977, p 193) MP 1117

Dynamics of snow avalanches (1978, p 753-792) MP 1070

Some elements of iceberg technology (1978, p 45-98) MP 1616

Mellor, M. *(cont.)*
Destruction of ice islands with explosives (1978, p 753-765) MP 1018
Some elements of iceberg technology (1978, 31p.) CR 78-02
Large mobile drilling rigs used along the Alaska pipeline (1978, 23p.) SR 78-04
Investigation of ice clogged channels in the St. Marys River (1978, 73p.) MP 1170
Mechanics of cutting and boring Part 8. Dynamics and energetics of continuous belt machines (1978, 24p.) CR 78-11
Study of several pressure ridges and ice islands in the Canadian Beaufort Sea (1978, p.519-532) MP 1187
Undersea pipelines and cables in polar waters (1978, 34p.) CR 78-22
Mechanical properties of polycrystalline ice an assessment of current knowledge and priorities for research (1979, 16p.) MP 1207
Towing ships through ice-clogged channels by warping and kedging (1979, 21p.) CR 79-21
The iceberg cometh (1979, p 66-75) MP 1305
Icebreaking concepts (1980, 18p.) SR 80-02
High-force towing (1980, p 231-240) MP 1275
Some aspects of Soviet trenching machines (1980, 13p.) SR 80-07
Mechanical properties of polycrystalline ice (1980, p 217-245) MP 1302
Mechanical properties of polycrystalline ice: an assessment of current knowledge and priorities for research (1980, p 263-275) MP 1328
Ship resistance in thick brash ice (1980, p 305-321) MP 1329
Mechanics of cutting and boring. Part 5. Dynamics and energetics of indentation tools (1980, 82p.) CR 80-21
Cyclic loading and fatigue in ice (1981, p 41-53) MP 1371
Subsea trenching in the Arctic (1981, p 843-882) MP 1464
Standardized testing methods for measuring mechanical properties of ice (1981, p 245-254) MP 1556
Subsea trenching in the Arctic (1981, 31p.) CR 81-17
Mechanics of cutting and boring Part 7: Dynamics and energetics of axial rotation machines (1981, 38p.) CR 81-26
Deformation and failure of ice under constant stress or constant strain-rate (1982, p 201-219) MP 1525
Glacier mechanics (1982, p 455-474) MP 1532
Breaking ice with explosives (1982, 64p.) CR 82-40
Stress/strain/time relations for ice under uniaxial compression (1983, p 207-230) MP 1587
Protection of offshore arctic structures by explosives (1983, p.310-322) MP 1605
Mechanical behavior of sea ice (1983, 105p.) M 83-1
Snow concentration and effective air density during snowfalls (1983, p 505-507) MP 1769
Strain measurements on dumbbell specimens (1983, p.75-77) MP 1683
Mechanical properties of ice in the Arctic seas (1984, p 235-259) MP 1674
Summary of the strength and modulus of ice samples from multi-year pressure ridges (1984, p.126-133) MP 1679
Mechanical properties of multi-year sea ice. Phase 1: Test results (1984, 105p.) CR 84-09
Mechanical properties of multi-year sea ice Testing techniques (1984, 39p.) CR 84-08
Icebreaking by gas blasting (1984, p 93-102) MP 1827
4th report of working group on testing methods in ice (1984, p 1-41) MP 1886
Shopper's guide to ice penetration (1984, p 1-35) MP 1992
Penetration of shaped charges into ice (1984, p 137-148) MP 1995
Ice penetration tests (1984, p 209-240) MP 1996
Summary of the strength and modulus of ice samples from multi-year pressure ridges (1985, p.93-98) MP 1848
Mechanical properties of multi-year sea ice Phase 2 Test results (1985, 81p.) CR 85-16
Ice penetration tests (1985, p.223-236) MP 2014
Ice-coring augers for shallow depth sampling (1985, 22p.) CR 85-21
Blasting and blast effects in cold regions Part 1 Air blast (1985, 62p.) SR 85-25
Revised guidelines for blasting floating ice (1986, 37p.) SR 86-10
Concentration and flux of wind-blown snow (1986, 16p.) SR 86-11
Mechanical behavior of sea ice (1986, p 165-281) MP 2210
Blasting and blast effects in cold regions Part 2 underwater explosions (1986, 56p.) SR 86-16
Some developments in shaped charge technology (1986, 29p.) SR 86-18
Drill bits for frozen fine-grained soils (1986, 33p.) SR 86-27
Equipment for making access holes through arctic sea ice (1986, 34p.) SR 86-32
Deviation of guidelines for blasting floating ice (1987, p 193-206) MP 2247
Hard-surface runways in Antarctica (1988, 87p.) SR 88-13
Vehicles for freight-hauling and for science traverses in Antarctica (1988, Var. p.) MP 2504
Eruptions from under-ice explosions (1988, 26p.) SR 88-14
Deployment of floating bridges in ice-covered rivers (1988, 38p.) SR 88-20
Planing machines for building runways on ice (1989, 8p. + attachments) MP 2505
Blasting and blast effects in cold regions. Part 3. explosions in ground materials (1989, 62p.) SR 89-15
Introduction to drilling technology (1989, p.95-114) MP 2591
First impressions of the comet drilling problem (1989, p 229-232) MP 2592
Airfields on antarctic glacier ice (1989, 97p.) CR 89-21
Merry, C.J.
Correlation and quantification of airborne spectrometer data to turbidity measurements at Lake Powell, Utah (1970, p 1309-1316) MP 1271
New England reservoir management: Land use/vegetation mapping in reservoir management (Merrimack River basin) (1974, 30p.) MP 1039
Islands of grounded ice (1975, p.213-216) MP 852
Applications of remote sensing for Corps of Engineers programs in New England (1975, 8p + 14 figs and tables) MP 913
Skylab imagery: Application to reservoir management in New England (1976, 51p.) SR 76-07
Environmental analyses in the Kootenai River region, Montana (1976, 53p.) SR 76-13
Preliminary analysis of water equivalent/snow characteristics using LANDSAT digital processing techniques (1977, 16 leaves) MP 1113
Applications of remote sensing in the Boston Urban Studies Program, Parts I and II (1977, 36p.) CR 77-13
Airborne spectroradiometer data compared with ground water-turbidity measurements at Lake Powell, Utah: correlation and quantification of data (1977, 38p.) SR 77-28
Use of the Landsat data collection system and imagery in reservoir management and operation (1977, c150p.) MP 1114
Land treatment module of the CAPDET program (1977, 4p.) MP 1112
Effect of inundation on vegetation at selected New England flood control reservoirs (1978, 13p.) MP 1169
Computer processing of Landsat digital data and sensor interface development for use in New England reservoir management (1978, 61p.) SR 78-06
Use of remote sensing to quantify construction material and to define geologic lineaments, Dickey-Lincoln School Lakes Project, Maine (1978, 9 leaves) MP 1167
Use of remote sensing techniques and other information sources in regional site selection of potential land treatment areas (1978, p. 107-119) MP 1146
Computer procedure for comparison of land treatment and conventional treatment preliminary designs, cost analysis and effluent quality predictions (1978, p 335-340) MP 1155
Snow cover mapping in northern Maine using LANDSAT digital processing techniques (1979, p.197-198) MP 1510
Environmental analysis of the Upper Susitna River Basin using Landsat imagery (1980, 41p.) CR 80-04
Materials availability study of the Dickey-Lincoln dam site (1980, p 158-170) MP 1316
Remote sensing of water quality using an airborne spectroradiometer (1980, p 1353-1362) MP 1491
Snowpack estimation in the St John River basin (1980, p 467-486) MP 1799
Use of Landsat data for predicting snowmelt runoff in the upper Saint John River basin (1983, p 519-533) MP 1694
Extraction of topography from side-looking satellite systems --a case study with SPOT simulation data (1983, p 535-550) MP 1695
Land treatment processes within CAPDET (Computer-assisted procedure for the design and evaluation of wastewater treatment systems) (1983, 79p.) SR 83-26
Hydrologic forecasting using Landsat data (1983, p 159-168) MP 1691
Integration of Landsat land cover data into the Saginaw River Basin geographic information system for hydrologic modeling (1984, 19p.) SR 84-01
Water quality monitoring using an airborne spectroradiometer (1984, p 353-360) MP 1718
Using Landsat data for snow cover/vegetation mapping (1984, p II(140)-II(144)) MP 1975
Potential use of SPOT HRV imagery for analysis of coastal sediment plumes (1984, p 199-204) MP 1744
Wildlife habitat mapping in Lac qui Parle, Minnesota (1984, p 205-208) MP 2085
Spatial analysis in recreation resource management for the Berlin Lake Reservoir Project (1984, p 209-219) MP 2084
Ohio River main stem study: the role of geographic information systems and remote sensing in flood damage assessments (1984, p 265-281) MP 2083
Use of remote sensing for the U.S. Army Corps of Engineers dredging program (1985, p 1141-1150) MP 1890
Catalog of Corps of Engineers structure inventories suitable for the acid precipitation-structure material study (1985, 40p.) SR 85-01
Analysis of the Revere, Quincy and Stamford structure data bases for predicting building material distribution (1985, 35p.) SR 85-07
Evaluation of SPOT HRV simulation data for Corps of Engineers applications (1985, p 65-71) MP 2184
Comparison of SPOT simulator data with Landsat MSS imagery for delineating water masses in Delaware Bay, Broadkill River, and adjacent wetlands (1985, p 1123-1129) MP 1909
Description of the building materials data base for New Haven, Connecticut (1985, 129p.) SR 85-19
Potential of remote sensing in the Corps of Engineers dredging program (1985, 42p.) SR 85-20
Regression models for predicting building material distribution in four northeastern cities (1985, 50p.) SR 85-24
Description of the building materials data base for Pittsburgh, Pennsylvania (1986, 87p.) SR 86-08
Description of the building materials data base for Portland, Maine (1986, 83p.) SR 86-13
Description of the building materials data base for Cincinnati, Ohio (1986, 85p.) SR 86-31
Instructions for completing a field worksheet for inventorying building materials (1986, 25p.) SR 86-33
Use of Landsat digital data for snow cover mapping in the upper Saint John River basin, Maine (1987, 68p.) CR 87-08
Remote sensing and water resources (1987, p.186-190) MP 2535
Use of SPOT HRV data in a Corps dredging operation in Lake Erie (1987, p 49-58) MP 2548
Development of a geographic information system for the Saylorville River Basin, Iowa (1987, p 265-269) MP 2549
CRREL's experiences of remote sensing technology transfer to the Corps user (1987, p 271-273) MP 2550
Effects of filtering and classification routines on different resolution imagery in distinguishing land use classes (1988, p.57-58) MP 2534
Use of SPOT HRV data in the Corps of Engineers dredging program (1988, p 1295-1299) MP 2528
Statistical analysis of building wall materials distribution in four northeastern cities (1989, 156p.) SR 89-01
Interfacing geographic information system data with real-time hydrologic forecasting models (1989, p 857-861) MP 2527
Multiband imaging systems (1990, 10p.) SR 90-15
Metz, M.C.
Workshop on Permafrost Geophysics, Golden, Colorado, 23-24 October 1984 (1985, 113p.) SR 85-05
Michel, B.
ICE PRESSURE ON ENGINEERING STRUCTURES (1970, 71p.) M III-B1b
WINTER REGIME OF RIVERS AND LAKES (1971, 131p.) M III-B1a
Michitti, F.
Unconfined compression tests on snow, a comparative study (1977, 27p.) SR 77-20
Middlebrooks, C.H.
Energy requirements for small flow wastewater treatment systems (1979, 82p.) SR 79-07
Middlebrooks, E.J.
Wastewater stabilization pond linings (1978, 116p.) SR 78-28
Energy requirements for small flow wastewater treatment systems (1979, 82p.) SR 79-07
Energy and costs for agricultural reuse of wastewater (1980, p 339-346) MP 1401
Lime stabilization and land disposal of cold region wastewater lagoon sludge (1982, p 207-213) MP 1696
Accumulation, characterization, and stabilization of sludges for cold regions lagoons (1984, 40p.) SR 84-08
Miers, B.T.
Environmental factors and standards for atmospheric obscurants, climate and terrain (1987, 137p.) MP 2309
Miles, M.W.
Lidar detection of leads in Arctic sea ice (1989, p 530-532) MP 2602
Lidar detection of leads in arctic sea ice (1990, p 119-123) MP 2733
Lidar-derived particle concentrations in plumes from arctic leads (1990, p.9-12) MP 2758
Miller, J.
Alaska synthetic aperture radar (SAR) facility project (1987, p 593-596) MP 2408
Miller, M.S.
Use of Landsat data for predicting snowmelt runoff in the upper Saint John River basin (1983, p 519-533) MP 1694
Extraction of topography from side-looking satellite systems a case study with SPOT simulation data (1983, p 535-550) MP 1695
Use of Landsat digital data for snow cover mapping in the upper Saint John River basin, Maine (1987, 68p.) CR 87-08
Miller, P.C.
Arctic ecosystem the coastal tundra at Barrow, Alaska (1980, 571p.) MP 1355

AUTHOR INDEX

Miller, R.D.
Numerical solutions for rigid-ice model of secondary frost heave (1980, p 656-669) MP 1454
Numerical solutions for a rigid-ice model of secondary frost heave (1982, 11p.) CR 82-13
Exploration of a rigid ice model of frost heave (1985, p 281-296) MP 1880
Hydraulic conductivity and unfrozen water content of air-free frozen silt (1990, p.323-329) MP 2551

Mineo, S.E.
Experimental investigation of potential icing of the space shuttle external tank (1982, 305p.) CR 82-25

Minsk, L.D.
Use of de-icing salt--possible environmental impact (1973, p.1-2) MP 1037
Winter maintenance research needs (1975, p.36-38) MP 950
Ice accumulation on ocean structures (1977, 42p.) CR 77-17
Freeze-thaw tests of liquid deicing chemicals on selected pavement materials (1977, 16p.) CR 77-28
Current research on snow and ice removal in the United States (1978, p.21-22) MP 1199
Systems study of snow removal (1979, p 220-225) MP 1237
Freezing and thawing tests of liquid deicing chemicals on selected pavement materials (1979, p.51-58) MP 1220
Noncorrosive methods of ice control (1979, p.133-162) MP 1265
Ice adhesion tests on coatings subjected to rain erosion (1980, 14p.) SR 80-28
Icing on structures (1980, 18p.) CR 80-31
Snow removal equipment (1981, p.648-670) MP 1446
Application of removal and control methods. Section 1: Railways; Section 2: Highways; Section 3: Airports (1981, p.671-706) MP 1447
Effects of ice on coal movement via the inland waterways (1981, 72p.) SR 81-13
Optimizing deicing chemical application rates (1982, 55p.) CR 82-18
Proceedings of the First International Workshop on Atmospheric Icing of Structures, 1-3 June 1982, Hanover, New Hampshire (1983, 366p.) SR 83-17
How effective are icephobic coatings (1983, p.93-95) MP 1634
Ice observation program on the semisubmersible drilling vessel SEDCO 708 (1984, 14p.) SR 84-02
Assessment of ice accretion on offshore structures (1984, 12p.) SR 84-04
Strategies for winter maintenance of pavements and roadways (1984, p.155-167) MP 1964
Measurement of icing on offshore structures (1985, p 287-292) MP 2010
Chemical solutions to the chemical problem (1985, p.238-244) MP 2224
Snow and ice prevention in the United States (1986, p.37-42) MP 1874
Military snow removal problems (1987, p 452-453) MP 2268

Miyares, P.H.
Improved RP-HPLC method for determining nitroaromatics and nitramines in water (1988, 36p.) SR 88-23
Development of an analytical method for the determination of explosive residues in soil. Part 3. Collaborative test results and final performance evaluation (1989, 89p.) CR 89-09
Liquid chromatographic method for determination of extractable nitroaromatic and nitramine residues in soil (1989, p.890-899) MP 2586
Salting-out solvent extraction for preconcentration of neutral organic solutes from water (1990, p.1355-1356) MP 2743

MIZEX--a program for mesoscale air-ice-ocean interaction experiments in Arctic marginal ice zones. 4: Initial results and analysis from MIZEX 83
MIZEX--a program for mesoscale air-ice-ocean interaction experiments in Arctic marginal ice zones. 4 Initial results and analysis from MIZEX 83 (1984, 56p.) SR 84-28

MIZEX--a program for mesoscale air-ice-ocean interaction experiments in Arctic marginal ice zones. MIZEX bulletin 7
MIZEX--a program for mesoscale air-ice-ocean interaction experiments in Arctic marginal ice zones. MIZEX bulletin 7 (1986, 88p.) SR 86-03

Mock, S.J.
Classification and variation of sea ice ridging in the Arctic basin (1974, p.127-146) MP 1022
20-yr oscillation in eastern North American temperature records (1976, p.484-486) MP 889
Geodetic positions of borehole sites of the Greenland Ice Sheet Program (1976, 7p.) CR 76-41
Topological properties of some trellis pattern channel networks (1976, 54p.) CR 76-46
Studies of the movement of coastal sea ice near Prudhoe Bay, Alaska, U.S.A. (1977, p 533-546) MP 1066

Moeller, W.B.
Prevention of freezing and other cold weather problems at wastewater treatment facilities (1985, 49p.) SR 85-11

Moll, M.
C-14 and other isotope studies on natural ice (1972, p.D70-D92) MP 1052

Montalvo, A.
Application of HEC-2 for ice-covered waterways (1982, p.241-248) MP 1575

Moore, H.E.
Excavation of frozen materials (1980, p.323-345) MP 1360

Moore, J.
Comparison of thermal observations of Mount St. Helens before and during the first week of the initial 1980 eruption (1980, p.1526-1527) MP 1482

Moore, J.L.
Lidar detection of leads in arctic sea ice (1990, p.119-123) MP 2733

Moore, R.K.
Surface-based scatterometer results of Arctic sea ice (1979, p 78-85) MP 1260
Radar backscattering from artificially grown sea ice (1989, p.259-264) MP 2667
Radar backscatter measurements over saline ice (1990, p.603-615) MP 2741

Morel-Seytoux, H.J.
Integral transform method for the linearized Boussinesq groundwater flow equation (1981, p.375-884) MP 1470

Morey, R.M.
Detection of moisture in construction materials (1977, 9p.) CR 77-25
Radar anisotropy of sea ice due to preferred azimuthal orientation of the horizontal c-axes of ice crystals (1978, p.171-201) MP 1111
Radar anisotropy of sea ice due to preferred azimuthal orientation of horizontal *c* axes of ice crystals (1978, p.6037-6046) MP 1139
Remote detection of massive ice in permafrost along the Alyeska pipeline and the pump station feeder gas pipeline (1979, p.268-279) MP 1175
Remote detection of a freshwater pool off the Sagavanirktok River delta, Alaska (1979, p.161-164) MP 1224
Anisotropic properties of sea ice in the 50- to 150-MHz range (1979, p.5749-5759) MP 1258
Anisotropic properties of sea ice in the 50-150 MHz range (1979, p.324-353) MP 1620
Investigations of sea ice anisotropy, electromagnetic properties, strength and under-ice current orientation (1980, p.109-153) MP 1323
Investigations of sea ice anisotropy, electromagnetic properties, strength, and under-ice current orientation (1980, 18p.) CR 80-20
Pooling of oil under sea ice (1981, p.912-922) MP 1459
High-resolution impulse radar measurements for detecting sea ice and current shearing under the Ross Ice Shelf (1981, p.96-97) MP 1543
Effects of conductivity of high-resolution impulse radar sounding, Ross Ice Shelf, Antarctica (1982, 12p.) CR 82-42
Brine zone in the McMurdo Ice Shelf, Antarctica (1982, 28p.) CR 82-39
Detection of cavities under concrete pavement (1983, 41p.) CR 83-18
Electromagnetic properties of sea ice (1984, 32p.) CR 84-02
Electromagnetic properties of sea ice (1984, p.53-75) MP 1776
Authors' response to discussion on: Electromagnetic properties of sea ice (1984, p.95-97) MP 1822
Measuring multi-year sea ice thickness using impulse radar (1985, p.55-67) MP 1916
Impulse radar sounding of frozen ground (1985, p.28-40) MP 1952
Analysis of wide-angle reflection and refraction measurements (1985, p.53-60) MP 1953
Investigation of the electromagnetic properties of multi-year sea ice (1985, p.151-167) MP 1992
Electromagnetic measurements of multi-year sea ice using impulse radar (1985, 26p.) CR 85-13
Electromagnetic measurements of multi-year sea ice using impulse radar (1986, p.67-93) MP 2020
Modeling the electromagnetic property trends in sea ice and example impulse radar and frequency-domain electromagnetic ice thickness sounding results (1986, p.57-133) MP 2197
Electromagnetic property trends in sea ice, Part 1 (1987, 45p.) CR 87-06
Modeling the electromagnetic property trends in sea ice: Part 1 (1987, p.207-235) MP 2330
Electromagnetic measurements of a second-year sea ice floe (1988, p.121-136) MP 2346
Estimating sea ice thickness using time-of-flight data from impulse radar soundings (1989, 10p.) CR 89-22
Sea ice thickness versus impulse radar time-of-flight data (1990, p.91-98) MP 2704

Morris, C.E.
Dependence of crushing specific energy on the aspect ratio and the structure velocity (1984, p.363-374) MP 1708
Crushing ice forces on cylindrical structures (1984, p.1-9) MP 1834
Ice forces on rigid, vertical, cylindrical structures (1984, 36p.) CR 84-33
Sheet ice forces on a conical structure: an experimental study (1985, p.46-54) MP 1915
Sheet ice forces on a conical structure: an experimental study (1985, p.643-655) MP 1906
Characteristic frequency of force variations in continuous crushing of sheet ice against rigid cylindrical structures (1986, p.1-12) MP 2018
Impact ice force and pressure: An experimental study with urea ice (1986, p.569-576) MP 2037

Morrison, H.F.
Airborne electromagnetic sensing of sea ice thickness (1987, 77p.) MP 2673

Morrison, T.L.
Comparative tractive performance of microsiped and conventional radial tire designs (1986, 11p.) SR 86-39

Morse, J.S.
USACRREL precise thermistor meter (1985, 34p.) SR 85-26
Vibration analysis of a DEW Line station (1988, p.1513-1518) MP 2341
Preliminary design guide for arctic equipment (1989, 35p.) SR 89-13

Mulherin, N.
Hudson River ice management (1985, p.96-110) MP 2174
Communication tower icing in the New England region (1986, 7p.) MP 2109
Controlled river ice cover breakup; part 1, Hudson River field experiments (1986, p.281-291) MP 2391
Controlled river ice cover breakup; part 2, Theory and numerical model studies (1986, p.293-305) MP 2392
Atmospheric icing on communication masts in New England (1986, 46p.) CR 86-17
Framework for control of dynamic ice breakup by river regulation (1989, 14p.) CR 89-12

Mulherin, N.D.
Removal of atmospheric ice from broadcast towers using low-frequency, high-amplitude vibrations (1988, 6p.) MP 2538
Framework for control of dynamic ice breakup by river regulation (1989, p.79-92) MP 2537
Evaluation of shear strength of freshwater ice adhered to icephobic coatings (1990, p.149-154) MP 2578

Müller, A.
Frazil ice formation in turbulent flow (1978, p.219-234) MP 1135
Measurement of the shear stress on the underside of simulated ice covers (1990, 11p.) CR 90-24

Monis, R.H.
Red and near-infrared spectral reflectance of snow (1975, p.345-360) MP 872
Detecting structural heat losses with mobile infrared thermography. Part 4: Estimating quantitative heat loss at Dartmouth College, Hanover, New Hampshire (1976, 9p.) CR 76-33
Infrared thermography of buildings: qualitative analysis of window infiltration loss, Federal Office Building, Burlington, Vermont (1977, 17p.) SR 77-29
Infrared thermography of buildings: Qualitative analysis of five buildings at Rickenbacker Air Force Base, Columbus, Ohio (1977, 21p.) SR 77-26
Comparative testing system of the applicability for various thermal scanning systems for detecting heat losses in buildings (1978, p.B71-B90) MP 1212
Roof response to icing conditions (1979, 46p.) CR 79-17
Thermal patterns in ice under dynamic loading (1983, p.240-243) MP 1742
Thermal (2-5.6 micron) emittance of diathermanous materials as a function of optical depth, critical angle and temperature (1984, p.209-220) MP 1863
Time-lapse thermography: a unique electronic imaging application (1984, p.84-88) MP 2103
Emittance: a little understood image deception in thermal imaging applications (1985, p.72-78) MP 1962
Thermal emissivity of diathermanous materials (1985, p.872-878) MP 1963
Reference guide for building diagnostics equipment and techniques (1986, 148p.) MP 2226
Test of a prototype advanced thermal imaging system (1989, p.81-82) MP 2645
Reference guide for building diagnostics equipment and techniques (1989, 64p.) SR 89-27

Mordey, D.
Field tests of the kinetic friction coefficient of sea ice (1985, 20p.) CR 85-17
Laboratory and field studies of ice friction coefficient (1986, p.389-400) MP 2126

Murphey, B.R.
Chemical migration in snowpack (1989, p.282-286) MP 2757

Murphy, B.
Calibrating cylindrical hot-film anemometer sensors (1986, p.283-298) MP 1860
Bulk transfer coefficients for heat and momentum over leads and polynyas (1986, p.1875-1881) MP 2187

Murphy, D.
U.S. tundra biome publication list (1983, 24p.) SR 83-29

AUTHOR INDEX

Murray, B.M.
Reconnaissance observations of long-term natural vegetation recovery in the Cape Thompson region, Alaska, and additions to the checklist of flora (1985, 75p) CR 85-11

Murray, D.F.
Tundra disturbances and recovery following the 1949 exploratory drilling, Fish Creek, Northern Alaska (1978, 81p.) CR 78-28
Coastal tundra at Barrow (1980, p 1-29) MP 1356
Reconnaissance observations of long-term natural vegetation recovery in the Cape Thompson region, Alaska, and additions to the checklist of flora (1985, 75p) CR 85-11

Murrmann, R.P.
Trace gas analysis of Arctic and subarctic atmosphere (1971, p.199-203) MP 908
Land treatment of wastewater—case studies of existing disposal systems at Quincy, Washington and Manteca, California (1976, 36p.) MP 920
Effect of sediment organic matter on migration of various chemical constituents during disposal of dredged material (1976, 183p.) MP 967
Composition of vapors evolved from military TNT as influenced by temperature, solid composition, age and source (1977, 25p) SR 77-16
Evaluation of existing systems for land treatment of wastewater at Manteca, California, and Quincy, Washington (1977, 34p) CR 77-24

Nadeau, P.H.
UV radiational effects on: Martian regolith water (1977, 89p.) MP 1072

Nakano, Y.
Prediction and validation of temperature in tundra soils (1971, p.193-197) MP 907
Theory and numerical analysis of moving boundary problems in the hydro-dynamics of porous media (1978, p.125-134) MP 1343
Soil lysimeters for validating models of wastewater renovation by land application (1978, 11p) SR 78-12
Evaluation of the moving boundary theory in Darcy's flow through porous media (1978, p 142-151) MP 1147
Simulation of the movement of conservative chemicals in soil solution (1978, p.371-380) MP 1156
Water movement in a land treatment system of wastewater by overland flow (1979, p.185-206) MP 1285
Application of recent results in functional analysis to the problem of water tables (1979, p.185-190) MP 1269
Traveling wave solutions of saturated-unsaturated flow through porous media (1980, p 117-122) MP 1278
Application of recent results in functional analysis to the problem of wetting fronts (1980, p 314-318) MP 1307
Particular solutions to the problem of horizontal flow of water and air through porous media near a wetting front (1980, p 81-85) MP 1341
Particular solutions to the problem of vertical flow of water and air through porous media near a water table (1980, p.124-133) MP 1342
Traveling wave solution to the problem of simultaneous flow of water and air through homogeneous porous media (1981, p 57-64) MP 1419
Relationship between the ice and unfrozen water phases in frozen soil as determined by pulsed nuclear magnetic resonance and physical desorption data (1982, 8p) CR 82-15
Mobility of water in frozen soils (1982, 215p) MP 2012
Use of similarity solutions for the problem of a wetting front - a question of unique representation (1982, p.156-166) MP 1840
Transport of water in frozen soil 1 Experimental determination of soil-water diffusivity under isothermal conditions (1982, p.221-226) MP 1629
Transport of water in frozen soil. 2. Effects of ice on the transport of water under isothermal conditions (1983, p.15-26) MP 1601
Relationship between the ice and unfrozen water phases in frozen soils as determined by pulsed nuclear resonance and physical desorption data (1983, p.37-46) MP 1632
Asymptotic behaviour of solutions to the problem of wetting fronts in one-dimensional, horizontal and infinite porous media (1983, p 71-78) MP 1720
Soil-water diffusivity of unsaturated frozen soils at subzero temperatures (1983, p.889-893) MP 1664
Water migration due to a temperature gradient in frozen soil (1983, p 951-956) MP 1666
Transport of water in frozen soil 1. Experimental determination of soil-water diffusivity under isothermal conditions (1983, 8p) CR 83-22
Similarity solutions to the second boundary value problem of unsaturated flow through porous media (1983, p 205-213) MP 1721
Transport of water in frozen soil 3 Experiments on the effects of ice content (1984, p 28-34) MP 1841
Role of heat and water transport in frost heaving of fine-grained porous media under negligible overburden pressure (1984, p 93-102) MP 1842
Transport of water in frozen soil 4 Analysis of experimental results on the effects of ice content (1984, p 58-66) MP 1843
Transport of water in frozen soil 5, Method for measuring the vapor diffusivity when ice is absent (1984, p 172-179) MP 1819
Similarity solutions of the Cauchy problem of horizontal flow of water through porous media for experimental determination of diffusivity (1985, p 26-31) MP 1881
Role of phase equilibrium in frost heave of fine-grained soil under negligible overburden pressure (1985, p 50-68) MP 1896
Transport of water in frozen soil 6. Effects of temperature (1987, p.44-50) MP 2213
Method for measuring the rate of water transport due to temperature gradients in unsaturated frozen soils (1988, p 412-417) MP 2362
Nonlinear problems in the study of water movement in frozen soils (1989, p 383-393) MP 2719
Quasi-steady problems in freezing soils: 1. analysis on the steady growth of an ice layer (1990, p.207-226) MP 2695
Transport of water due to a temperature gradient in unsaturated frozen clay (1990, p.57-75) MP 2701

Nakato, T.
Laboratory investigation of the mechanics and hydraulics of river ice jams (1976, 97p) MP 1060
Laboratory investigation of the mechanics and hydraulics of river ice jams (1977, 45p) CR 77-09
Unconventional power sources for ice control at locks and dams (1989, p.107-126) MP 2572

Nakazawa, N.
Results from indentation tests on freshwater ice (1988, p.341-350) MP 2495

Narita, S.
Comparative model tests in ice of a Canadian Coast Guard R-class icebreaker (1989, p.1/1-1/18) MP 2751
Comparative model tests in ice of a Canadian Coast Guard R-class icebreaker (1990, p.31-52) MP 2762

National Research Council. Ad Hoc Study Group on Ice Segregation and Frost Heaving
Ice segregation and frost heaving (1984, 72p) MP 1809

National Research Council. Committee on Arctic Seafloor Engineering
Understanding the Arctic sea floor for engineering purposes (1982, 141p) SR 82-25

National Research Council. Polar Research Board. Committee on Permafrost
Opportunities for permafrost-related research associated with the Trans-Alaska Pipeline System (1975, 37p) MP 1122

Neave, K.G.
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1979, p.93-115) MP 1287
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1981, p.125-157) MP 1428
Hyperbolic reflections on Beaufort Sea seismic records (1981, 16p) CR 81-02
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1981, p.137-156) MP 1600
Subsea permafrost in Harrison Bay, Alaska, an interpretation from seismic data (1982, 62p) CR 82-24
Seismic velocities and subsea permafrost in the Beaufort Sea, Alaska (1983, p.894-898) MP 1665
Determining distribution patterns of ice-bonded permafrost in the U.S. Beaufort Sea from seismic data (1984, p 237-258) MP 1839
Some aspects of interpreting seismic data for information on shallow subsea permafrost (1985, p.61-65) MP 1954

Neill, C.R.
Overview of Tanana River monitoring and research studies near Fairbanks, Alaska (1984, 98p. + 5 appends) SR 84-37

Nelson, F.
Observations on ice-cored mounds at Sukakpak Mountain, south central Brooks Range, Alaska (1983, p 91-96) MP 1653

Nemerich, J.
Comparative near-millimeter wave propagation properties of snow or rain (1983, p 115-129) MP 1690
Attenuation and backscatter for snow and sleet at 96, 140, and 225 GHz (1984, p 41-52) MP 1864

Nevel, D.E.
Ice forces on vertical piles (1972, p 104-114) MP 1024
Ice forces on model structures (1975, p.400-407) MP 363
Ice forces on simulated structures (1975, p.387-396) MP 864
Interpretation of the tensile strength of ice under triaxial stress (1976, p.375-387) MP 996
Interpretation of the tensile strength of ice under triaxial stresses (1976, 9p) CR 76-05
Creep theory for a floating ice sheet (1976, 98p) SR 76-04
Ice forces on vertical piles (1977, 9p) CR 77-10
Icebreaker simulation (1977, 9p) CR 77-16
Concentrated loads on a floating ice sheet (1977, p 237-245) MP 1062
Bearing capacity of river ice for vehicles (1978, 22p) CR 78-03
Safe ice loads computed with a pocket calculator (1979, p 205-223) MP 1249
Bending and buckling of a wedge on an elastic foundation (1980, p 278-288) MP 1303
Review of buckling analyses of ice sheets (1980, p 131-146) MP 1322

Newton, J.L.
International Workshop on the Seasonal Sea Ice Zone, Monterey, California, Feb. 26-Mar.1, 1979 (1980, 357p) MP 1292

Ng, E.
Thermal properties and regime of wet tundra soils at Barrow, Alaska (1978, p.47-53) MP 1096

Niedoroda, A.
Preliminary simulation of the formation and infilling of sea ice gouges (1986, p 259-268) MP 2218

Niedoroda, A.W.
Preliminary simulation study of sea ice induced gouges in the sea floor (1985, p.126-135) MP 1917
Numerical simulation of ice gouge formation and infilling on the shelf of the Beaufort Sea (1985, p.393-407) MP 1904
Ice gouge hazard analysis (1986, p.57-66) MP 2106

Niedringhaus, E.L.
Prevention of freezing and other cold weather problems at wastewater treatment facilities (1985, 49p.) SR 85-11

Niedringhaus, L.
Maintaining frosty facilities (1985, p.9-15) MP 1949
Cold weather O&M (1985, p.10-15) MP 2070

Nielsen, K.G.
Investigation of the snow adjacent to Dye-2, Greenland (1981, 23p) SR 81-03

Nigam, D.
Flexure and fracture of macrocrystalline S1 type freshwater ice (1988, p.39-46) MP 2318

Nixon, J.F.
Design implications of subsoil thawing (1984, p 45-103) MP 1706

Nobles, L.H.
Influence of irregularities of the bed of an ice sheet on deposition rate of till (1971, p.117-126) MP 1009

Nolen-Hoeksema, R.C.
Measurement of the resistance of imperfectly elastic rock to the propagation of tensile cracks (1985, p.7827-7836) MP 2052

Novick, M.A.
Losses from the Fort Wainwright heat distribution system (1981, 29p) SR 81-14

Nylund, J.R.
Engineering aspects of an experimental system for land renovation of secondary effluent (1978, 26p.) SR 78-23

O'Brien, H.
Atmospheric conditions and concurrent snow crystal observations during SNOW-ONE-A (1983, p.3-18) MP 1754
Snow-cover characterization. SADARM support (1984, p 409-411) MP 2095
Thermal measurements in snow (1986, p.183-193) MP 2660
Overview of obscuration in the cold environment (1988, p 537-555) MP 2609
Snow as a thermal background preliminary results from the 1987 field test (1989, p.5-24) MP 2624

O'Brien, H.W.
Red and near-infrared spectral reflectance of snow (1975, p.345-360) MP 872
Observations of the ultraviolet spectral reflectance of snow (1977, 19p) CR 77-27
Near-infrared reflectance of snow-covered substrates (1981, 17p) CR 81-21
Snow crystal habit (1982, p 181-216) MP 1561
Snow cover characterization (1982, p.559-577) MP 1564
Problems in snow cover characterization (1982, p 139-147) MP 1987
Catalog of smoke/obscurant characterization instruments (1984, p 77-82) MP 1865
Overview of meteorological and snow cover characterization at SNOW-TWO (1984, p 171-191) 1868
Meteorological and snow cover measurements at Grayling, Michigan (1985, p.212-229) MP 2176

Odar, F.
IMPACT OF SPHERES ON ICE CLOSURE (1972, p.473) MP 988

Oeschger, H.
C-14 and other isotope studies on natural ice (1972, p D70-D92) MP 1052

Ohstrom, E.G.
Cantilever beam tests on reinforced ice (1976, 12p) CR 76-07

O'Keefe, J.
Laboratory experiments on icing of rotating blades (1979, p 85-92) MP 1236
Studies of high-speed rotor icing under natural conditions (1983, p 117-123) MP 1635

Oleskiw, M.M.
Computer modeling of time-dependent rime icing in the atmosphere (1983, 74p) CR 83-02

Oliphant, J.L.
Relationship between the ice and unfrozen water phases in frozen soil as determined by pulsed nuclear magnetic resonance and physical desorption data (1982, 8p) CR 82-15
Comparison of unfrozen water contents measured by DSC and NMR (1982, p 115-121) MP 1594

Mobility of water in frozen soils (1982, c15p) MP 2012

Method for measuring enriched levels of deuterium in soil water (1982, 12p) SR 82-25

Transport of water in frozen soil. 1. Experimental determination of soil-water diffusivity under isothermal conditions (1982, p.221-226) MP 1629

Assessment of the treatability of toxic organics by overland flow (1983, 47p) CR 83-03

Transport of water in frozen soil. 2. Effects of ice on the transport of water under isothermal conditions (1983, p.15-26) MP 1601

Relationship between the ice and unfrozen water phases in frozen soils as determined by pulsed nuclear resonance and physical desorption data (1983, p.37-46) MP 1632

Effect of unconfined loading on the unfrozen water content of Manchester silt (1983, 17p) SR 83-18

Soil-water diffusivity of unsaturated frozen soils at subzero temperatures (1983, p 889-893) MP 1664

Water migration due to a temperature gradient in frozen soil (1983, p.951-956) MP 1666

Transport of water in frozen soil. 1. Experimental determination of soil-water diffusivity under isothermal conditions (1983, 8p) CR 83-22

Isothermal compressibility of water mixed with Na-saturated montmorillonite (1983, p 45-50) MP 2066

Transport of water in frozen soil· 3. Experiments on the effects of ice content (1984, p.28-34) MP 1841

Effects of low temperatures on the growth and unfrozen water content of an aquatic plant (1984, 8p) CR 84-14

Transport of water in frozen soil· 4 Analysis of experimental results on the effects of ice content (1984, p.58-66) MP 1843

Effects of soluble salts on the unfrozen water contents of the Lanzhou, P.R.C., silt (1984, 18p) CR 84-16

Effects of magnetic particles on the unfrozen water content of frozen soils determined by nuclear magnetic resonance (1984, p 63-73) MP 1790

Deuterium diffusion in a soil-water-ice mixture (1984, 11p) SR 84-27

Experimental measurement of channeling of flow in porous media (1985, p.394-399) MP 1967

Effects of soluble salts on the unfrozen water contents of the Lanzhou, PRC, silt (1985, p.99-109) MP 1933

Water migration in unsaturated frozen morin clay under linear temperature gradients (1985, p.111-122) MP 1934

Experimental study on factors affecting water migration in frozen morin clay (1985, p.123-128) MP 1897

Model for dielectric constants of frozen soils (1985, p 46-57) MP 1926

Prediction of unfrozen water contents in frozen soils by a two-point or one-point method (1985, p 83-87) MP 1929

Soil-water potential and unfrozen water content and temperature (1985, p.1-14) MP 1932

Toxic organics removal kinetics in overland flow land treatment (1985, p.707-718) MP 2111

Factors affecting water migration in frozen soils (1987, 16p) CR 87-09

Olsen, R.O.

Comparative near-millimeter wave propagation properties of snow or rain (1983, p.115-129) MP 1690

O'Neill, K.

Analysis of coupled heat and moisture flow in an unsaturated soil (1979, p.304-309) MP 1259

Numerical solutions for rigid-ice model of secondary frost heave (1980, p.656-669) MP 1454

Continuously deforming finite elements for the solution of parabolic problems, with and without phase change (1981, p.81-96) MP 1493

Bottom heat transfer to water bodies in winter (1981, 8p) SR 81-18

Highly efficient, oscillation free solution of the transport equation over long times and large spaces (1981, p 1665-1675) MP 1497

One-dimensional transport from a highly concentrated, transfer type source (1982, p.27-36) MP 1489

Numerical solutions for a rigid-ice model of secondary frost heave (1982, 11p) CR 82-13

Mobility of water in frozen soils (1982, c15p) MP 2012

Simple fixed mesh finite element solution of two-dimensional phase change problems (1983, p 653-658) MP 1584

Physics of mathematical frost heave models a review (1983, p.275-291) MP 1588

2-d transient freezing in a pipe with turbulent flow, using a continually deforming mesh with finite elements (1983, p.102-112) MP 1893

Solution of 2-d axisymmetric phase change problems on a fixed mesh, with zero width phase change zone (1983, p.134-146) MP 1894

Boundary integral equation solution of moving boundary phase change problems (1983, p 1825-1850) MP 2093

Use of transfinite mappings with finite elements on a moving mesh for two-dimensional phase change (1983, p.85-110) MP 2161

Fixed mesh finite element solution for cartesian two-dimensional phase change (1983, p 436-441) MP 1702

Computation of porous media natural convection flow and phase change (1984, p 213-229) MP 1895

Exploration of a rigid ice model of frost heave (1985, p.281-296) MP 1880

Thermal convection in snow (1985, 61p) CR 85-09

Experiments on thermal convection in snow (1985, p.43-47) MP 2006

Finite element simulation of ice crystal growth in subcooled sodium-chloride solutions (1985, p.527-532) MP 2100

Transient two-dimensional phase change with convection, using deforming finite elements (1985, p 229-243) MP 2162

Theory of natural convection in snow (1985, p 10,641-10,649) MP 1957

Moving boundary—moving mesh analysis of phase change using finite elements with transfinite mappings (1986, p 591-607) MP 2159

Natural convection in sloping porous layers (1986, p.697-710) MP 2158

Finite element simulation of planar instabilities during solidification of an undercooled melt (1987, p.81-111) MP 2585

Information systems planning study (1987, 48p) SR 87-23

XYFREZ.4 user's manual (1987, 55p) SR 87-28

Signal-processing algorithm for the extraction of thin freshwater-ice thickness from short pulse radar data (1990, p 137-145) MP 2698

Onstott, R.G.

Surface-based scatterometer results of Arctic sea ice (1979, p.78-85) MP 1260

100 MHz dielectric constant measurements of snow cover dependence on environmental and snow pack parameters (1985, p 829-834) MP 1913

Radar backscatter measurements over saline ice (1990, p 603-615) MP 2741

Opitz, B.K.

Environmental factors and standards for atmospheric obscurants, climate and terrain (1987, 137p) MP 2309

Orcutt, J.A.

Observations of low-frequency acoustic-to-seismic coupling in the summer and winter (1989, p.352-359) MP 2654

Acoustic pulse propagation above grassland and snow: comparison of theoretical and experimental waveforms (1990, p 93-100) MP 2573

Ormsby, J.P.

Landsat digital analysis of the initial recovery of the Kokolik River tundra fire area, Alaska (1979, 15p) MP 1638

LANDSAT digital analysis of the initial recovery of burned tundra at Kokolik River, Alaska (1980, p 263-272) MP 1391

O'Rourke, M.

Snow load data analysis, winter 1976-77 (1977, 9p + appends) MP 2427

Analysis of roof snow load case studies; uniform loads (1983, 29p) CR 83-01

Proposed code provisions for drifted snow loads (1986, p 2080-2092) MP 2148

O'Rourke, M.J.

Snow loads on structures (1978, p 418-428) MP 1801

Uniform snow loads on structures (1982, p 2781-2798) MP 1574

Osgood, S.

Lessons learned from examination of membrane roofs in Alaska (1986, p 277-290) MP 2003

O'Steen, D.A.

Ice engineering (1980, p.41-47) MP 1602

Osterkamp, T.E.

Yukon River breakup 1976 (1977, p.592-596) MP 960

Chemistry of interstitial water from subsea permafrost, Prudhoe Bay, Alaska (1978, p 92-98) MP 1385

Break-up dates for the Yukon River, Pt 1 Rampart to Whitehorse, 1896-1978 (1979, c50 leaves) MP 1317

Break-up dates for the Yukon River, Pt 2 Alakanuk to Tanana, 1883-1978 (1979, c50 leaves) MP 1318

Break-up of the Yukon River at the Haul Road Bridge 1979 (1979, 22p. + Figs) MP 1315

Ott, R.

Prevention of freezing and other cold weather problems at wastewater treatment facilities (1985, 49p) SR 85-11

Outcalt, S.I.

Computer simulation of the snowmelt and soil thermal regime at Barrow, Alaska (1975, p 709-715) MP 857

Computer modeling of terrain modifications in the arctic and subarctic (1977, p 24-32) MP 971

Thermal properties and regime of wet tundra soils at Barrow, Alaska (1978, p 47-53) MP 1096

Observations on ice-cored mounds at Sukakpak Mountain, south central Brooks Range, Alaska (1983, p 91-96) MP 1653

Relationships between estimated mean annual air and permafrost temperatures in North-Central Alaska (1983, p 462-467) MP 1658

Potential responses of permafrost to climatic warming (1984, p 92-105) MP 1710

Ovenshine, A.T.

Subsidence, inundation, and sedimentation environmental consequences of the 1964 Alaska earthquake in the Portage, Alaska area (1974, p 3-9) MP 2409

Placer River Silt—an intertidal deposit caused by the 1964 Alaska earthquake (1976, p 151-162) MP 2410

Overgaard, S.

Ice properties in the Greenland and Barents Seas during summer (1983, p.142-164) MP 2062

Oxton, A.

Computer interfacing of meteorological sensors in a severe weather and high RFI environment (1985, p 205-211) MP 2175

Reliable, inexpensive radio telemetry system for the transfer of meteorological and atmospheric data from mountain-top sites (1986, 6p) MP 2107

Page, P.W.

Geochemistry of subsea permafrost at Prudhoe Bay, Alaska (1978, 70p) SR 78-14

Palazzo, A.J.

Effects of wastewater application on the growth and chemical composition of forages (1976, 8p) CR 76-39

Reclamation of acidic dredge soils with sewage sludge and lime at the Chesapeake and Delaware Canal (1977, 24p) SR 77-19

Land application of wastewater forage growth and utilization of applied nitrogen, phosphorus and potassium (1977, p 171-180) MP 975

Utilization of sewage sludge for terrain stabilization in cold regions (1977, 45p) SR 77-37

Uptake of nutrients by plants irrigated with municipal wastewater effluent (1978, p 395-404) MP 1151

Growth and nutrient uptake of forage grasses when receiving various application rates of wastewater (1978, p 157-163) MP 1153

Effects of wastewater and sewage sludge on the growth and chemical composition of turfgrass (1978, 11p) SR 78-20

Five-year performance of CRREL land treatment test cells; water quality plant yields and nutrient uptake (1978, 24p) SR 78-26

Land treatment systems and the environment (1979, p.201-225) MP 1414

International and national developments in land treatment of wastewater (1979, 28p) MP 1420

Utilization of sewage sludge for terrain stabilization in cold regions, Part 2 (1979, 36p) SR 79-28

Land application of wastewater: effect on soil and plant potassium (1979, p 309-312) MP 1228

Utilization of sewage sludge for terrain stabilization in cold regions. Pt. 3 (1979, 33p) SR 79-34

Revegetation at two construction sites in New Hampshire and Alaska (1980, 21p) CR 80-03

Wastewater treatment in cold regions by overland flow (1980, 14p) CR 80-07

Forage grass growth on overland flow systems (1980, p.347-354) MP 1402

Seasonal growth and accumulation of nitrogen, phosphorus, and potassium by orchardgrass irrigated with municipal waste water (1981, p 64-68) MP 1425

Plant growth on a gravel soil greenhouse studies (1981, 8p) SR 81-04

Seasonal growth and uptake of nutrients by orchardgrass irrigated with wastewater (1981, 19p) CR 81-08

Seven-year performance of CRREL slow-rate land treatment prototypes (1981, 25p) SR 81-12

Wastewater treatment by a prototype slow rate land treatment system (1981, 44p) CR 81-14

Vegetation selection and management for overland flow systems (1982, p.135-154) MP 1511

Preliminary assessment of the nutrient film technique for wastewater treatment (1982, 15p) SR 82-04

Plant growth and management for wastewater treatment in overland flow systems (1982, 21p) SR 82-05

Sewage sludge aids revegetation (1982, p.198-301) MP 1735

Long-term plant persistence and restoration of acidic dredge soils with sewage sludge and lime (1983, 11p) CR 83-28

Effects of low temperatures on the growth and unfrozen water content of an aquatic plant (1984, 8p) CR 84-14

Effect and disposition of TNT in a terrestrial plant (1986, p 49-52) MP 2098

Effect and disposition of TNT in a terrestrial plant and validation of analytical methods (1986, 17p) CR 86-15

Effects of temperature and species on TNT injury to plants (1988, 7p) SR 88-16

Effects of soil covers on late-fall seedings of four tall fescue varieties (1989, 5p) SR 89-17

Palmer, R.A.

Clear improvement in obscuration (1985, p 476-477) MP 2067

Thermal model for snow-covered terrain (1989, p 25-36) MP 2625

Pangburn, T.

Use of Landsat data for predicting snowmelt runoff in the upper Saint John River basin (1983, p 519-533) MP 1694

Use of radio frequency sensor for snow/soil moisture water content measurement (1983, p.33-42) MP 1689

Hydrologic forecasting using Landsat data (1983, p 159-168) MP 1691

USACRREL's snow, ice, and frozen ground research at the Sleepers River Research Watershed (1984, p 229-240) MP 2071

Pangburn, T. *(cont.)*
WMO solid precipitation measurement intercomparison at Sleepers River Research Watershed (1987, p.1-7) MP 2396
Forecasting of snowmelt runoff using water temperature data (1987, p.108-113) MP 2398
Data reduction of GOES information from DCP networks (1989, 15p) SR 89-29
Accuracy and precision of GOES data collection platforms for temperature measurements (1989, 14p.) SR 89-37

Paquette, R.G.
"Pack ice and icebergs"—report to POAC 79 on problems of the seasonal sea ice zone: an overview (1979, p 320-337) MP 1320

Parker, B.C.
Ross Ice Shelf Project environmental impact statement July, 1974 (1978, p 7-36) MP 1075
Planetary and extraplanetary event records in polar ice caps (1980, p.18-27) MP 1461
Nitrogenous chemical composition of antarctic ice and snow (1981, p 79-81) MP 1541
Nitrate fluctuations in antarctic snow and firn: potential sources and mechanisms of formation (1982, p 243-248) MP 1551

Parker, L.
Surface changes in well casing pipe exposed to high concentrations of organics in aqueous solution (1990, 14p) SR 90-07

Parker, L.V.
Disinfection of wastewater by microwaves (1980, 15p) SR 80-01
Dynamics of NH4 and NO3 in cropped soils irrigated with wastewater (1980, 20p) SR 80-27
Effect of soil temperature and pH on nitrification kinetics in soils receiving a low level of ammonium enrichment (1981, 27p) SR 81-33
Baseline water quality measurements at six Corps of Engineers reservoirs, Summer 1981 (1982, 55p) SR 82-30
Assessment of the treatability of toxic organics by overland flow (1983, 47p) CR 83-03
Corps of Engineers land treatment of wastewater research program: an annotated bibliography (1983, 82p) SR 83-09
Impact of dredging on water quality at Kewaunee Harbor Wisconsin (1984, 16p) CR 84-21
Impact of slow-rate land treatment on groundwater quality: toxic organics (1984, 36p) CR 84-30
Toxic organics removal kinetics in overland flow land treatment (1985, p 707-718) MP 2111
Ice nucleation activity of antarctic marine microorganisms (1985, p 126-128) MP 2217
Suitability of polyvinyl chloride pipe for monitoring TNT, RDX, HMX and DNT in groundwater (1985, 27p) SR 85-12
Suitability of polyvinyl chloride well casings for monitoring munitions in ground water (1986, p.92-98) MP 2171
Removal of trace-level organics by slow-rate land treatment (1986, p 1417-1426) MP 2170
Decontamination of chemical agents on the winter battlefield. A literature review and preliminary assessment (1988, 48p.) CR 88-07
Influence of well casing materials on chemical species in ground water (1988, p 450-461) MP 2456
Alternative methods of using STB for decontamination at low temperatures (1989, 13p.) SR 89-33
Influence of ground water monitoring well casings on metals and organic compounds in well water (1989, 9p) MP 2717
Evaluation of four well casing materials for monitoring selected trace level organics in ground water (1989, 29p) CR 89-18
CBR operations in cold weather. a bibliography, Vol 1 (1989, 88p) MP 2574
Influence of casing materials on trace-level chemicals in well water (1990, 11p) MP 2720

Parrish, S.
Selected climatic and soil thermal characteristics of the Prudhoe Bay region (1975, p.3-12) MP 1054

Parrott, W.H.
Portable instrument for determining snow characteristics related to trafficability (1972, p.193-204) MP 886
Some effects of air cushion vehicle operations on deep snow (1972, p 214-241) MP 887

Parssinen, N.
Regelation and the deformation of wet snow (1978, p 639-650) MP 1172

Patrick, W.H., Jr.
Water movement in a land treatment system of wastewater by overland flow (1979, p 185-206) MP 1285
Nitrogen transformations in a simulated overland flow wastewater treatment system (1980, 33p) SR 80-16

Patterson, W.A., III
Tussock replacement as a means of stabilizing fire breaks in tundra vegetation (1981, p 188-189) MP 1804

Paulson, C.A.
Turbulent heat flux from Arctic leads (1979, p.57-91) MP 1340
Observations of condensate profiles over Arctic leads with a hot-film anemometer (1981, p.437-460) MP 1479

Payne, J.O., Jr.
Full-depth and granular base course design for frost areas (1983, p 27-39) MP 1492

Pazsint, D.A.
Insulating and load-supporting properties of sulfur foam for expedient roads in cold regions (1979, 21p) CR 79-18

Peck, L.
Review of methods for generating synthetic seismograms (1985, 39p) CR 85-10
Measurement of the resistance of imperfectly elastic rock to the propagation of tensile cracks (1985, p.7827-7836) MP 2052
Microstructure and the resistance of rock to tensile fracture (1985, p 11,533-11,546) MP 2157
Acoustic-to-seismic coupling through a snow layer (1987, p 47-55) MP 2294
Ground motion induced by an acoustic pulse, and its wintertime variations (1988, p 361-385) MP 2597
Acoustically induced ground motion in sand under winter conditions (1989, p.37-54) MP 2626
Seismic/acoustic experiments at SNOW IV (1989, p 155-157) MP 2646
Contrast and visibility under winter conditions with application to motion detection systems (1989, 8p.) CR 89-17

Peirent, R.
Prevention of freezing and other cold weather problems at wastewater treatment facilities (1985, 49p) SR 85-11

Penner, E.
Designing for frost heave conditions (1984, p 22-44) MP 1705

Perham, R.E.
Ice forces on vertical piles (1972, p 104-114) MP 1024
Forces on an ice boom in the Beauharnois Canal (1975, p.397-407) MP 858
St Marys River ice booms Design force estimate and field measurements (1977, 26p) CR 77-04
Ice forces on vertical piles (1977, 9p) CR 77-10
Some economic benefits of ice booms (1977, p 570-591) MP 959
Ice and ship effects on the St Marys River ice booms (1978, p 222-230) MP 1617
Limiting moment in a rectangular ice boom timber or pontoon (1978, p 273-289) MP 1136
Performance of the St. Marys River ice booms, 1976-77 (1978, 13p) CR 78-24
Harnessing frazil ice (1981, p 227-237) MP 1398
Ice control arrangement for winter navigation (1981, p.1096-1103) MP 1449
Tests of frazil collector lines to assist ice cover formation (1981, p.442-448) MP 1488
Ice sheet retention structures (1983, 33p) CR 83-30
Effectiveness and influences of the navigation ice booms on the St. Marys (1984, 12p) CR 84-04
Observations during BRIMFROST '83 (1984, 36p) SR 84-10
Ice sheet retention structures (1984, p.339-348) MP 1832
Determining the effectiveness of a navigable ice boom (1985, 28p) SR 85-17
Preliminary study of a structure to form an ice cover on river rapids during winter (1986, p 439-450) MP 2128
Short-pulse radar investigations of freshwater ice sheets and brash ice (1986, 10p) CR 86-06
Floating debris control, a literature review (1987, 22p. + 41p. of append) MP 2252
Inventory of ice problem sites and remedial ice control structures (1988, 9p) SR 88-07
Preliminary results of an experiment using a 16 ft x 50 ft long frazil collector line array (1988, p 139-156) MP 2474
Modeling ice restraint forces in an ice boom (1988, p.198-206) MP 2596
Ice control in river harbors and fleeting areas (1988, 7p) SR 88-12
Elements of floating-debris control systems (1988, 54p + appends.) MP 2453
Imjin River ice boom (1988, 10p) SR 88-22
Salmon River ice jam control studies: interim report (1990, 8p) SR 90-06

Perman, C.D.
Wastewater stabilization pond linings (1978, 116p) SR 78-28

Perovich, D.K.
Optical properties of ice and snow in the polar oceans 1 Observations (1986, p 232-241) MP 2255
Optical properties of ice and snow in the polar oceans 2. Theoretical calculations (1986, p 242-251) MP 2256
Field observations of thermal convection in a subarctic snow cover (1987, p 105-118) MP 2439
Microcomputer-based image-processing system (1988, p 249-252) MP 2385
Two-stream multilayer, spectral radiative transfer model for sea ice (1989, 17p) CR 89-15
Oceanic heat flux in the Fram Strait measured by a drifting buoy (1989, p 995-998) MP 2531
Theoretical estimates of light reflection and transmission by spatially inhomogeneous and temporally varying ice covers (1990, p 45-49) MP 2729
Oceanic heat flux in the Fram Strait measured by a drifting buoy (1990, p 291-296) MP 2740
Treatment of shortwave radiation and open water in large-scale models of sea-ice decay (1990, p.242-246) MP 2759
Theoretical estimates of light reflection and transmission by spatially complex and temporally varying sea ice covers (1990, p 9557-9567) MP 2761

Perron, N.
Mechanical properties of multi-year sea ice. Phase 2. Test results (1985, 81p) CR 85-16
Triaxial testing of first-year sea ice (1986, 41p) CR 86-16
Mechanical properties of multi-year sea ice Phase 1: Ice structure analysis (1987, 30p) CR 87-03
Mechanical properties of multi-year sea ice Phase II. Ice structure analysis (1988, 27p) CR 88-05

Perry, L.B.
Experimental methods for decontaminating soils by freezing (1988, 12p) MP 2513
Prototype testing facilities for field evaluation of contaminant transport in freezing soils (1988, 29p.) MP 2514
Use of innovative freezing technique for *in-situ* treatment of contaminated soils (1989, p 489-498) MP 2515
Fate and transport of contaminants in frozen soils (1990, p.202-211) MP 2679
Comparison of four volatile organic compounds in frozen and unfrozen silt (1990, 9p) SR 90-13

Peters, R.E.
Rational design of overland flow systems (1980, p.114-121) MP 1400
Toxic volatile organics removal by overland flow land treatment (1981, 14p) MP 1421

Petraska, J.W.
SNOW III WEST field experiment report Volume 1 (1988, 170p) SR 88-28

Petroski, M.E.
Simulation of oil slick transport in Great Lakes connecting channels: theory and model formulation (1990, 29p) CR 90-01

Petrov, I.G.
Standardized testing methods for measuring mechanical properties of ice (1981, p.245-254) MP 1556
4th report of working group on testing methods in ice (1984, p.1-41) MP 1886

Petzko, D.R.
SNOW III WEST field experiment report. Volume 1 (1988, 170p) SR 88-28
Thermal model for snow-covered terrain (1989, p 25-36) MP 2625

Péwé, T.L.
ORIGIN AND PALEOCLIMATIC SIGNIFICANCE OF LARGE-SCALE PATTERNED GROUND IN THE DONNELLY DOME AREA, ALASKA (1969, 87p) MP 1180

Phetteplace, G.
Long distance heat transmission with steam and hot water (1976, 39p) MP 938
Heat transmission with steam and hot water (1978, p 17-23) MP 1956
Waste heat recovery for heating purposes (1978, p 30-33) MP 1256
Losses from the Fort Wainwright heat distribution system (1981, 29p) SR 81-14
Effects of ice on coal movement via the inland waterways (1981, 72p) SR 81-13
Transient analysis of heat transmission systems (1981, 53p) CR 81-24
Evaluating the heat pump alternative for heating enclosed wastewater treatment facilities in cold regions (1982, 23p) SR 82-10
Analysis of heat losses from the central heat distribution system at Fort Wainwright (1982, 20p) MP 1980
Heating enclosed wastewater treatment facilities with heat pumps (1982, p.262-280) MP 1976
Heat losses from the central heat distribution system at Fort Wainwright (1982, p 308-328) MP 2310
Computer models for two-dimensional steady-state heat conduction (1983, 90p) CR 83-10
Comparative field testing of buried utility locators (1984, 25p) MP 1977
Heat recovery from primary effluent using heat pumps (1985, p 199-203) MP 1978
Simplified design procedures for heat transmission system piping (1985, p 451-456) MP 1979
Simple design procedure for heat transmission system piping (1985, p 1748-1752) MP 1942
Snow in the construction of ice bridges (1985, 12p) SR 85-18
Thermal analysis of a shallow utilidor (1986, 10p) MP 2021
Heat distribution research (1986, p 2-3) MP 2150
Water-source heat pumps (1986, p 14-15) MP 2151
Contribution of snow to ice bridges (1987, p 133-137) MP 2192
Phase change heat transfer program for microcomputers (1988, p 645-650) MP 2383
Simulation of district heating systems for piping design (1989, 27p.) MP 2746
Optimal sizing of district heating pipes (1989, 25p) MP 2747

AUTHOR INDEX

Phetteplace, G.E.
Primary effluent as a heat source for heat pumps (1988, p.141-146) MP 2445
Primary effluent as a heat source for heat pumps (1989, p 12-17) MP 2760
Pidgeon, D.
Experimental methods for decontaminating soils by freezing (1988, 12p) MP 2513
Prototype testing facilities for field evaluation of contaminant transport in freezing soils (1988, 29p) MP 2514
Pitelka, F.A.
Word model of the Barrow ecosystem (1970, p 41-43) MP 943
Pottle, D.S.
Prevention of freezing and other cold weather problems at wastewater treatment facilities (1985, 49p) SR 85-11
Pound, C.E.
Land treatment at present status, future prospects (1978, p 98-102) MP 1417
Power, J.M.
Snow cover mapping in northern Maine using LANDSAT digital processing techniques (1979, p.197-198) MP 1510
Snowpack estimation in the St. John River basin (1980, p 467-486) MP 1799
Powers, D.
Experiments on thermal convection in snow (1985, p 43-47) MP 2006
Theory of natural convection in snow (1985, p.10,641-10,649) MP 1957
Powers, D.J.
Thermal convection in snow (1985, 61p) CR 85-09
Natural convection in sloping porous layers (1986, p 697-710) MP 2158
Powers, J.P.
Freezing a temporary roadway for transport of a 3000 ton dragline (1988, p 357-365) MP 2378
Pratt, B.
Deicing a satellite communication antenna (1980, 14p) SR 80-18
Price, A.G.
Generation of runoff from subarctic snowpacks (1976, P.677-685) MP 883
Energy balance and runoff from a subarctic snowpack (1976, 29p) CR 76-27
Prowse, T.D.
Techniques for measurement of snow and ice on freshwater (1986, p.174-222) MP 2000
Qamar, A.
Hydraulic transients: a seismic source in volcanoes and glaciers (1979, p 654-656) MP 1181
Comparison of thermal observations of Mount St Helens before and during the first week of the initial 1980 eruption (1980, p 1526-1527) MP 1482
Fluid dynamic analysis of volcanic tremor (1982, 12p) CR 82-32
Source mechanism of volcanic tremor (1982, p 8675-8683) MP 1576
Qiu, G.
Ion and moisture migration and frost heave in freezing Morin clay (1986, p 1014) MP 1970
Quarry, S.T.
Methodology for nitrogen isotope analysis at CRREL (1978, 57p) SR 78-08
Distribution and properties of road dust and its potential impact on tundra along the northern portion of the Yukon River-Prudhoe Bay Haul Road. Chemical composition of dust and vegetation (1978, p 110-111) MP 1116
Five-year performance of CRREL land treatment test cells, water quality plant yields and nutrient uptake (1978, 24p) SR 78-26
Blank corrections for ultratrace atomic absorption analysis (1979, 5p) CR 79-03
Documentation of soil characteristics and climatology during five years of wastewater application to CRREL test cells (1979, 82p) SR 79-23
Use of 15N to study nitrogen transformations in land treatment (1979, 32p) SR 79-31
Quinn, W.F.
Revegetation and erosion control observations along the Trans-Alaska Pipeline—1975 summer construction season (1977, 36p) SR 77-08
Use of a light-colored surface to reduce seasonal thaw penetration beneath embankments on permafrost (1977, p 96-99) MP 954
Experimental scaling study of an annular flow ice-water heat sink (1977, 54p) CR 77-15
Design procedures for underground heat sink systems (1979, 186p in var pagns) SR 79-08
Foundation technology in cold regions (1987, p 305-310) MP 2425
Response of pavement to freeze-thaw cycles Lebanon, New Hampshire, Regional Airport (1989, 31p) SR 89-02
Racicot, L.
Forces on an ice boom in the Beauharnois Canal (1975, p.397-407) MP 858
Racine, C.
Effects of a tundra fire on soils and plant communities along a hillslope in the Seward Peninsula, Alaska (1980, 21p) SR 80-37
Patterns of vegetation recovery after tundra fires in northwestern Alaska, U.S.A. (1987, p.461-469) MP 2374
Effects of all-terrain vehicle traffic on tundra terrain near Anaktuvuk Pass, Alaska (1988, 12p) SR 88-17
Racine, C.H.
Disturbance and recovery of arctic Alaskan tundra terrain (1987, 63p) CR 87-11
Use of off-road vehicles and mitigation of effects in Alaska permafrost environments: a review (1990, p.63-72) MP 2682
Radke, L.F.
Lidar detection of leads in arctic sea ice (1990, p.119-123) MP 2733
Raikovskii, IU.V.
Core drilling through Ross Ice Shelf (1979, p 63-64) MP 1337
Sea ice on bottom of Ross Ice Shelf (1979, p 65-66) MP 1336
Ramseier, R.O.
Growth and mechanical properties of river and lake ice (1972, 243p) MP 1883
Results of the US contribution to the Joint US/USSR Bering Sea Experiment (1974, 197p) MP 1032
Ice dynamics in the Canadian Archipelago and adjacent Arctic basin as determined by ERTS-1 observations (1975, p.853-877) MP 1585
Integrated approach to the remote sensing of floating ice (1977, p 445-487) MP 1069
Visual observations of floating ice from Skylab (1977, p 353-379) MP 1263
Rancourt, K.
Computer interfacing of meteorological sensors in a severe weather and high RFI environment (1985, p.205-211) MP 2175
Rancourt, K.L.
Reliable, inexpensive radio telemetry system for the transfer of meteorological and atmospheric data from mountain-top sites (1986, 6p) MP 2107
Rand, J.H.
USA CRREL shallow drill (1976, p 133-137) MP 873
Ross Ice Shelf Project drilling, October-December 1976 (1977, p 150-152) MP 1061
Danish deep drill; progress report: February-March 1979 (1980, 37p) SR 80-03
1979 Greenland Ice Sheet Program. Phase 1: casing operation (1980, 18p) SR 80-24
New 2 and 3 inch diameter CRREL snow samplers (1980, p.199-200) MP 1430
CRREL 2-inch frazil ice sampler (1982, 8p) SR 82-09
Liquid sampler (1982, 4 col) MP 2334
Developing a water well for the ice backfilling of DYE-2 (1982, 19p) SR 82-32
Simple boom assembly for the shipboard deployment of air-sea interaction instruments (1983, 14p) SR 83-28
Operation of the U.S. Combat Support Boat (USCSBMK 1) on an ice-covered waterway (1984, 28p) SR 84-05
Simple boom assembly for the shipboard deployment of air-sea interaction instruments (1984, p 227-237) MP 1752
Method of detecting voids in rubbled ice (1984, p 183-188) MP 1772
Ice drilling technology (1984, 142p) SR 84-34
Ice drilling and coring systems—a retrospective view (1984, p.125-127) MP 1999
Ice-coring augers for shallow depth sampling (1985, 22p) CR 85-21
Camp Century survey 1986 (1987, p 281-288) MP 2331
High-flow air screens reduce or prevent ice-related problems at navigation locks (1988, p 34-43) MP 2496
Methods to reduce ice accumulation on miter gate recess walls (1989, 5p) MP 2723
Reduced winter leakage in gates with J-seals (1989, 3p) MP 2724
Development of an underwater frazil-ice detector (1990, p.77-82) MP 2702
Rangachari, R.
Snow hydrology in the upper Yamuna basin, India (1988, p.84-93) MP 2633
Rasmussen, L.A.
Continuum sea ice model for a global climate model (1980, p 187-196) MP 1622
Ray, M.
Proceedings of a Meeting on Modeling of Snow Cover Runoff, 26-28 September 1978, Hanover, New Hampshire (1979, 432p) SR 79-36
Rearic, D.M.
Statistical aspects of ice gouging [illegible] Alaskan Shelf of the Beaufort Sea (1983, 34p + [illegible]) CR 83-21
Some probabilistic aspects [illegible] gouging on the Alaskan Shelf of the Beaufort Sea (1986, [illegible]13-236) MP 1838
Redfield, R.
CRREL is developing new snow load design criteria for the United States (1976, p 70-72) MP 947
Update on snow load research at CRREL (1977, p 9-13) MP 1142
Estimated snow, ice, and rain load prior to the collapse of the Hartford Civic Center arena roof (1979, 32p) SR 79-09
Extending the useful life of DYE-2 to 1986, Part 1: Preliminary findings and recommendations (1979, 15p) SR 79-27
New 2 and 3 inch diameter CRREL snow samplers (1980, p.199-200) MP 1430
Uniform snow loads on structures (1982, p.2781-2798) MP 1574
Analysis of roof snow load case studies; uniform loads (1983, 29p) CR 83-01
Ground snow loads for structural design (1983, p.950-964) MP 1734
Redfield, R.K.
Probability models for annual extreme water-equivalent ground snow (1984, p.1153-1159) MP 1823
Snow-Two/Smoke Week VI field experiment plan (1984, 85p) SR 84-19
Tank E/O sensor system performance in winter: an overview (1985, 26p.) MP 2073
SNOW IV field experiment data report: overview (1989, p 1-3) MP 2639
Reed, S.C.
Land disposal state of the art (1973, p 229-261) MP 1392
Land treatment of wastewaters (1974, p.12-13) MP 1036
Land treatment of wastewaters for rural communities (1975, p 23-39) MP 1399
Field performance of a subarctic utilidor (1977, p 448-468) MP 930
Municipal sludge management: environmental factors (1977, Var. p) MP 1406
Ross Ice Shelf Project environmental impact statement July, 1974 (1978, p.7-36) MP 1075
Land treatment: present status, future prospects (1978, p 98-102) MP 1417
Cold climate utilities delivery design manual (1979, c300 leaves) MP 1373
Health aspects of water reuse in California (1979, p.434-435) MP 1404
Health aspects of land treatment (1979, 43p) MP 1389
Cost-effective use of municipal wastewater treatment ponds (1979, p 177-200) MP 1413
Cost of land treatment systems (1979, 135p) MP 1387
EPA policy on land treatment and the Clean Water Act of 1977 (1980, p.452-460) MP 1418
Aquaculture systems for wastewater treatment an engineering assessment (1980, 127p) MP 1422
Engineering assessment of aquaculture systems for wastewater treatment: an overview (1980, p 1-12) MP 1423
Energy and costs for agricultural reuse of wastewater (1980, p.339-346) MP 1401
Aquaculture for wastewater treatment in cold climates (1981, p 482-492) MP 1394
Incidental agriculture reuse application associated with land treatment of wastewater—research needs (1982, p.91-123) MP 1947
Design, operation and maintenance of land application systems for low cost wastewater treatment (1983, 26p. + figs.) MP 1946
Nitrogen removal in wastewater stabilization ponds (1983, 13p + figs.) MP 1943
Engineering systems (1983, p.409-417) MP 1948
Accumulation, characterization, and stabilization of sludges for cold regions lagoons (1984, 40p) SR 84-08
Water supply and waste disposal on permanent snow fields (1984, p 401-413) MP 1714
On-site utility services for remote military facilities in the cold regions (1984, 66p) SR 84-14
Nitrogen removal in wastewater ponds (1984, 26p) CR 84-13
Problems with rapid infiltration—a post mortem analysis (1984, 17p + figs) MP 1944
Wetlands for wastewater treatment in cold climates (1984, 9p + figs) MP 1945
Maintaining frosty facilities (1985, p 9-15) MP 1949
Water supply and waste disposal on permanent snowfields (1985, p.344-350) MP 1792
Prevention of freezing and other cold weather problems at wastewater treatment facilities (1985, 49p.) SR 85-11
Cold weather O&M (1985, p.10-15) MP 2070
Nitrogen removal in cold regions trickling filter systems (1986, 39p) SR 86-02
Cold climate utilities manual (1986, var.p) MP 2135
Initial assessment of the 600-gallon-per-hour Reverse Osmosis Water Purification Unit. Field water supply on the winter battlefield (1986, 6p) SR 86-20
Problems and opportunities with winter wastewater treatment (1986, p.16-20) MP 2205
Technology and costs of wastewater application to forest systems (1986, p 349-355) MP 2266
Forest land treatment with municipal wastewater in New England (1986, p 420-430) MP 2280
Nitrogen control in wastewater treatment systems for military facilities in cold regions (1986, 23p.) CR 86-07
Treatment and disposal of alum and other metallic hydroxide sludges (1987, 40p + plates) SR 87-05
Waste management practices in Antarctica (1989, p 122-130) MP 2464
Waste management practices of the United States Antarctic Program (1989, 28p) SR 89-3

Reed, S.C. *(cont.)*
New approach for sizing rapid infiltration systems (discussion and closure) (1989, p.879-882) MP 2712

Reid, J.R.
Shoreline erosion processes Orwell Lake, Minnesota (1984, 101p.) CR 84-32

Reimnitz, E.
Statistical aspects of ice gouging on the Alaskan Shelf of the Beaufort Sea (1983, 34p. + map) CR 83-21
Some probabilistic aspects of ice gouging on the Alaskan Shelf of the Beaufort Sea (1984, p.213-236) MP 1838
Monitoring seasonal changes in seafloor temperature and salinity (1986, p.110-114) MP 2147
Seafloor temperature and conductivity data from coastal waters of the U.S Beaufort Sea (1989, 19p.) CR 89-01

REPORT ON COLD ROOM AND EQUIPMENT FOR FROST INVESTIGATION
REPORT ON COLD ROOM AND EQUIPMENT FOR FROST INVESTIGATION (1950, 25p.) ACFEL MP BL 1

Resta, J.
Treatment and disposal of alum and other metallic hydroxide sludges (1987, 40p. + plates) SR 87-05

Reuss, J.O.
Soil microbiology (1981, p.38-44) MP 1753

Reynolds, C.M.
Influence of ground water monitoring well casings on metals and organic compounds in well water (1989, 9p.) MP 2717
Low-temperature effects on systems for composting of explosives-contaminated soils. Part 1: Literature review (1989, 18p.) SR 89-38

Ricard, J.
Moisture gain and its thermal consequence for common roof insulations (1980, p.4-16) MP 1361

Ricard, J.A.
Flexural strength of ice on temperate lakes—comparative tests of large cantilever and simply supported beams (1978, 14p.) CR 78-09

Rice, E.
Waste management in the north (1974, p 14-21) MP 1048

Rice, J.E.
SNOW III WEST field experiment report. Volume 1 (1988, 170p.) SR 88-28
Thermal model for snow-covered terrain (1989, p 25-36) MP 2625

Rice, R.C., Jr.
Laboratory studies of compressed air seeding of supercooled fog (1977, 19p.) SR 77-12

Richmond, P.W.
Influence of nose shape and L/D ratio on projectile penetration in frozen soil (1980, 21p.) SR 80-17
Impact fuse performance in snow (Initial evaluation of a new test technique) (1980, p.31-45) MP 1347
Dynamic testing of free field stress gages in frozen soil (1980, 26p.) SR 80-30
Small caliber projectile penetration in frozen soil (1980, p 801-823) MP 1490
Macroscopic view of snow deformation under a vehicle (1981, 20p.) SR 81-17
Deceleration of projectiles in snow (1982, 29p.) CR 82-20
Frozen soil characteristics that affect land mine functioning (1983, 18p.) SR 83-05
Effect of seasonal soil conditions on the reliability of the M15 land mine (1984, 35p.) SR 84-18
Review of antitank obstacles for winter use (1984, 12p.) CR 84-25
Conventional land mines in winter: Emplacement in frozen soil, use of trip wires and effect of freezing rain (1984, 23p.) SR 84-30
Thermal analysis of a shallow utilidor (1986, 10p.) MP 2021
Antitank obstacles for winter use (1988, 11p.) SR 88-19
Considerations for winter use of the Ground Emplaced Mine Scattering System (1988, 13p.) SR 88-27
Land mines in winter (1989, 10p.) SR 89-11
Experiments on the heat transfer from water flowing through a chilled-bed open channel (1989, p 51-58) MP 2649

Richter, J.A.
Summary of the strength and modulus of ice samples from multi-year pressure ridges (1984, p 126-133) MP 1679
Preliminary examination of the effect of structure on the compressive strength of ice samples from multi-year pressure ridges (1984, p 140-144) MP 1685
On small-scale horizontal variations of salinity in first-year sea ice (1984, p 6505-6514) MP 1761
Summary of the strength and modulus of ice samples from multi-year pressure ridges (1985, p 93-98) MP 1848
Preliminary examination of the effect of structure on the compressive strength of ice samples from multi-year pressure ridges (1985, p 99-102) MP 1849

Richter-Menge, J.A.
Mechanical properties of multi-year sea ice Phase 1, Test results (1984, 105p.) CR 84-09
Static determination of Young's modulus in sea ice (1984, p.283-286) MP 1789
Tensile strength of multi-year pressure ridge sea ice samples (1985, p.186-193) MP 1856
Structure, salinity and density of multi-year sea ice pressure ridges (1985, p.194-198) MP 1857
Effect of sample orientation on the compressive strength of multi-year pressure ridge ice samples (1985, p 465-475) MP 1877
Triaxial compression testing of ice (1985, p.476-488) MP 1878
Mechanical properties of multi-year pressure ridge samples (1985, p 244-251) MP 1936
Tensile strength of multi-year pressure ridge sea ice samples (1985, p 375-380) MP 1908
Mechanical properties of multi-year sea ice Phase 2: Test results (1985, 81p.) CR 85-16
Structure, salinity and density of multi-year sea ice pressure ridges (1985, p 493-497) MP 1965
Confined compressive strength of multi-year pressure ridge sea ice samples (1986, p 365-373) MP 2035
Comparison of two constitutive theories for compressive deformation of columnar sea ice (1986, p 241-252) MP 2124
Evaluation of the rheological properties of columnar ridge sea ice (1986, p 55-66) MP 2177
Comparison of the compressive behavior of naturally and laboratory-grown saline ice (1986, p.331-350) MP 2200
Triaxial testing of first-year sea ice (1986, 41p.) CR 86-16
Confined compressive strength of horizontal first-year sea ice samples (1987, p.197-207) MP 2193
Mechanical properties of multi-year sea ice. Phase 1. Ice structure analysis (1987, 30p.) CR 87-03
Mechanical properties of multi-year sea ice (1987, p.121-153) MP 2428
Mechanical properties of multi-year pressure ridge ice (1987, p.108-119) MP 2299
Mechanical properties of multi-year sea ice. Phase II. Ice structure analysis (1988, 27p.) CR 88-05
Confined compressive strength of multi-year pressure ridge sea ice samples (1988, p 295-301) MP 2403
Mechanical properties of multi-year sea ice (1988, p.54-61) MP 2619
Vector analysis of ice petrographic data (1989, p 129-141) MP 2754
Elastic properties of frazil ice from the Weddell Sea, Antarctica (1989, p 208-217) MP 2620
Comparison of the compressive strength of antarctic frazil ice and columnar saline ice grown in the laboratory (1989, p 269-278) MP 2621
Proceedings (1989, 475p.) SR 89-39
Use of the mechanical properties of ice in the development of predictive models (1989, p 87-99) MP 2687
Comparison of the compressive strength of antarctic frazil ice and laboratory-grown columnar ice (1990, p.79-84) MP 2731

Richter, W.A.
Evaluation of Vaisala's MicroCORA Automatic Sounding System (1982, 17p.) CR 82-28

Richtsmeier, S.C.
Pavement icing detector—final report (1987, 26p. + append.) MP 2263

Riek, L.
Signal-processing algorithm for the extraction of thin freshwater-ice thickness from short pulse radar data (1990, p.137-145) MP 2698

Riley, J.
Mesoscale measurement of snow-cover properties (1973, p 624-643) MP 1029

Riley, K.W.
Bank recession and channel changes in the area near the North Pole and floodway sill groins, Tanana River, Alaska (1984, 98p.) MP 1747

Rindge, S.D.
Utilization of sewage sludge for terrain stabilization in cold regions, Part 2 (1979, 36p.) SR 79-28
Utilization of sewage sludge for terrain stabilization in cold regions Pt. 3 (1979, 33p.) SR 79-34
Revegetation at two construction sites in New Hampshire and Alaska (1980, 21p.) CR 80-03
Chena River Lakes Project revegetation study—three-year summary (1981, 59p.) CR 81-18

Roach, D.A.
Buried seed and standing vegetation in two adjacent tundra habitats, northern Alaska (1983, p 359-364) MP 2064

Roberts, A.
Photoelastic instrumentation—principles and techniques (1979, 153p.) SR 79-13

Roberts, R.
Geotechnical investigation of surficial soils to support hard mobile launcher (HML) studies: frozen strength characterization of WES/CRREL NH&S test sites in Montana (1988, var. p.) MP 2617

Roberts, W.S.
Regionalized feasibility study of cold weather earthwork (1976, 190p.) SR 76-02

Robin, G. de Q.
Depth of water-filled crevasses that are closely spaced (1974, p 543-544) MP 1038

Robinson, D.
Computer file for existing land application of wastewater systems: a user's guide (1978, 24p.) SR 78-22

Robinson, J.H.
Environmental factors and standards for atmospheric obscurants, climate and terrain (1987, 137p.) MP 2309

Robinson, S.W.
Buried valleys as a possible determinant of the distribution of deeply buried permafrost on the continental shelf of the Beaufort Sea (1979, p 135-141) MP 1288

Roeloffs, E.A.
Measurements of radar wave speeds in polar glaciers using a down-hole radar target technique (1983, p.199-208) MP 2057
Geophysical survey of subglacial geology around the deep-drilling site at Dye 3, Greenland (1985, p.105-110) MP 1941

Roethlisberger, H.
Seismic exploration in cold regions (1972, 138p.) M II-A2a

Rogers, T.
Performance of highway and all-season radial tires and traction aids on ice and in snow (1986, 20p.) SR 86-07

Rogne, C.O.
Pneumatically de-iced ice detector—final report, phase 2, part 1 (1986, 9p. + appends.) MP 2249

Roguski, E.A.
Ice-cratering experiments Blair Lake, Alaska (1966, Various pagings) MP 1034

Rosenberg, T.J.
Polar communications: status and recommendations. Report of the Science Working Group (1987, 29p.) MP 2322

Ross, B.
Model simulation of 20 years of northern hemisphere sea-ice fluctuations (1984, p.170-176) MP 1767
Numerical simulation of Northern Hemisphere sea ice variability, 1951-1980 (1985, p 4847-4865) MP 1882

Ross, D.B.
Results of the US contribution to the Joint US/USSR Bering Sea Experiment (1974, 197p.) MP 1032

Ross, M.D.
Direct filtration of streamborne glacial silt (1982, 17p.) CR 82-23

Rossiter, J.R.
Airborne measurement of sea ice thickness using electromagnetic induction during LIMEX 89 (1990, p.309-315) MP 2590

Rothrock, D.A.
Science program for an imaging radar receiving station in Alaska (1983, 45p.) MP 1884

Ruggles, R.W.
Field investigation of St. Lawrence River hanging ice dams, winter of 1983-84 (1984, 85p.) MP 2178

Runstadler, P.W.
Vibrating wire technology for settled dust monitoring (1988, p 71-82) MP 2516

Russell-Head, D.S.
Compacted-snow runways: guidelines for their design and construction in Antarctica (1989, 68p.) SR 89-10

Rutford, R.H.
Ross Ice Shelf Project environmental impact statement July, 1974 (1978, p 7-36) MP 1075

Ryan, J.R.
Site selection methodology for the land treatment of wastewater (1981, 74p.) SR 81-28

Ryan, W.L.
On-site utility services for remote military facilities in the cold regions (1984, 66p.) SR 84-14

Ryden, J.C.
Evaluation of a simple model for predicting phosphorus removal by soils during land treatment of wastewater (1982, 12p.) SR 82-14

Ryerson, C.C.
Rime meteorology in the Green Mountains (1987, 46p.) CR 87-01
Climatology of rime accretion in the Green and White Mountains (1987, p 267-272) MP 2284
Prediction of winter battlefield weather effects (1988, p 357-362) MP 2402
New England mountain icing climatology (1988, 35p.) CR 88-12
Atmospheric icing and broadcast antenna reflections (1988, 13p.) CR 88-11
Atmospheric icing climatologies of two New England mountains (1988, p 1261-1281) MP 2669
Synoptic meteorology, crystal habit, and snowfall rates in Northeastern snowstorms (1989, p 335-345) MP 2599
Atmospheric icing rates with elevation on northern New England mountains, U S A (1990, p 90-97) MP 2589

Rzentkowski, G.
Investigation into the post-stable behavior of a tube array in cross-flow (1989, p 457-465) MP 2561

Sabourin, L.
Fracture behavior of ice in Charpy impact testing (1980, 13p.) CR 80-13

Salomonson, V.V.
Landsat-4 thematic mapper (TM) for cold environments (1983, p 179-186) MP 1651

AUTHOR INDEX

Saltzman, E.
Dominion Range ice core, Queen Maud Mountains, Antarctica—general site and core characteristics with implications (1990, p.11-16) MP 2707

Sanderson, T.J.O.
Working group on ice forces. 3rd state-of-the-art report (1987, 221p) SR 87-17

Sanger, F.J.
FOUNDATIONS OF STRUCTURES IN COLD REGIONS (1969, 91p) M III-C4
Thermal and rheological computations for artificially frozen ground construction (1978, p 95-117) MP 1624
Thermal and rheological computations for artificially frozen ground construction (1979, p 311-337) MP 1227
Designing for frost heave conditions (1984, p 22-44) MP 1705

Santeford, H.S.
High-latitude basins as settings for circumpolar environmental studies (1975, p.IV/57-IV/68) MP 917

Sargent, B.C
Energy conservation at the West Dover, Vermont, water pollution control facility (1982, 18p.) SR 82-24

Sater, J.E.
Analysis of environmental factors affecting army operations in the Arctic Basin (1962, 11p) MP 984

Satterwhite, M.B.
Rapid infiltration of primary sewage effluent at Fort Devens, Massachusetts (1976, 34p.) CR 76-48
Treatment of primary sewage effluent by rapid infiltration (1976, 15p.) CR 76-49

Sayed, M.
Static and dynamic ice loads on the Yamachiche Bend lightpier, 1984-86 (1986, p.115-126) MP 2389

Sayles, F.H.
Thermal and rheological computations for artificially frozen ground construction (1978, p.95-117) MP 1624
Thermal and rheological computations for artificially frozen ground construction (1979, p 311-337) MP 1227
General report session 2. mechanical properties (1979, p.7-18) MP 1726
Strength of frozen silt as a function of ice content and dry unit weight (1980, p.109-119) MP 1451
Regulated set concrete for cold weather construction (1980, p 291-314) MP 1359
Excavation of frozen materials (1980, p 323-345) MP 1360
Embankment dams on permafrost in the USSR (1980, 59p) SR 80-41
Acoustic emissions during creep of frozen soils (1982, p 194-206) MP 1495
Design and performance of water-retaining embankments in permafrost (1984, p.31-42) MP 1850
Mitigative and remedial measures for chilled pipelines in discontinuous permafrost (1984, p 61-62) MP 1974
Foundations in permafrost and seasonal frost; Proceedings (1985, 62p) MP 1730
Creep of a strip footing on ice-rich permafrost (1985, p 29-51) MP 1731
Classification and laboratory testing of artificially frozen ground (1987, p.22-48) MP 2227
Embankment dams on permafrost. design and performance summary, bibliography and an annotated bibliography (1987, 109p.) SR 87-11
State of the art. mechanical properties of frozen soil (1988, p.143-165) MP 2377

Saylor, C.P.
Report on ice fall from clear sky in Georgia October 26, 1959 (1960, 31p. plus photographs) MP 1017

Sayward, J.M.
Evaluation of MESL membrane—puncture, stiffness, temperature, solvents (1976, 60p) CR 76-22
Seeking low ice adhesion (1979, 83p) SR 79-11
Small-scale testing of soils for frost action (1979, p 223-231) MP 1309
Small-scale testing of soils for frost action and water migration (1979, 17 p.) SR 79-17
Salt action on concrete (1984, 69p) SR 84-25

Schaefer, D.
Protected membrane roofs in cold regions (1976, 27p) CR 76-02
Water absorption of insulation in protected membrane roofing systems (1976, 15p) CR 76-38
Observation and analysis of protected membrane roofing systems (1977, 40p) CR 77-11
Installation of loose-laid inverted roof system at Fort Wainwright, Alaska (1977, 27p) SR 77-18

Schaub, S.A.
Microbiological aerosols from a field source during sprinkler irrigation with wastewater (1978, p.273-280) MP 1154
Bacterial aerosols from a field source during multiple-sprinkler irrigation: Deer Creek Lake State Park, Ohio (1979, 64p.) SR 79-32
Microbiological aerosols from a field-source wastewater irrigation system (1983, p 65-75) MP 1578

Schertler, R.J.
Ground-truth observations of ice-covered North Slope lakes images by radar (1981, 17p) CR 81-19

Schmugge, T.J.
Survey of methods for soil moisture determination (1979, 74p) MP 1639

Schnelter, R.W.
Lime stabilization and land disposal of cold region wastewater lagoon sludge (1982, p.207-213) MP 1696
Accumulation, characterization, and stabilization of sludges for cold regions lagoons (1984, 40p) SR 84-08

Schnell, R.C.
Lidar detection of leads in Arctic sea ice (1989, p 530-532) MP 2602
Lidar detection of leads in arctic sea ice (1990, p.119-123) MP 2733
Lidar-derived particle concentrations in plumes from arctic leads (1990, p.9-12) MP 2758

Schraeder, R.L.
Rapid detection of water sources in cold regions—a selected bibliography of potential techniques (1979, 75p) SR 79-10

Schulson, E.M.
Study on the tensile strength of ice as a function of grain size (1983, 38p) CR 83-14

Schumacher, P.W.
Microbiological aerosols from a field source during sprinkler irrigation with wastewater (1978, p 273-280) MP 1154
Five-year performance of CRREL land treatment test cells; water quality plant yields and nutrient uptake (1978, 24p) SR 78-26
Bacterial aerosols from a field source during multiple-sprinkler irrigation: Deer Creek Lake State Park, Ohio (1979, 64p.) SR 79-32
Seven-year performance of CRREL slow-rate land treatment prototypes (1981, 25p.) SR 81-12
Microbiological aerosols from a field-source wastewater irrigation system (1983, p 65-75) MP 1578
TNT, RDX and HMX explosives in soils and sediments. Analysis techniques and drying losses (1985, 11p.) CR 85-15
Comparison of methanol and tetraglyme as extraction solvents for determination of volatile organics in soil (1987, 26p) SR 87-22
Development of an analytical method for the determination of explosive residues in soil. Part II: Additional development and ruggedness testing (1988, 46p.) CR 88-08
Development of an analytical method for the determination of explosive residues in soil. Part 3 Collaborative test results and final performance evaluation (1989, 89p) CR 89-09
Liquid chromatographic method for determination of extractable nitroaromatic and nitramine residues in soil (1989, p 890-899) MP 2586
Comparison of four volatile organic compounds in frozen and unfrozen silt (1990, 9p) SR 90-13

Schuster, R.L.
Geobotanical studies on the Taku Glacier anomaly (1954, p 224-239) MP 1215

Schwarz, J.
Investigation of ice forces on vertical structures (1974, 153p) MP 1041
Engineering properties of sea ice (1977, p 499-531) MP 1065
Standardized testing methods for measuring mechanical properties of ice (1981, p.245-254) MP 1556
Comparative model tests in ice of a Canadian Coast Guard R-class icebreaker (1989, p.1/1-1/18) MP 2751
Comparative model tests in ice of a Canadian Coast Guard R-class icebreaker (1990, p 31-52) MP 2762

Schwarz, M.J.
Water vapor adsorption by sodium montmorillonite at -5C (1978, p 638-644) MP 981

Scott, R.F.
HEAT EXCHANGE AT THE GROUND SURFACE (1964, 49p plus append) M II-A1
FREEZING PROCESS AND MECHANICS OF FROZEN GROUND (1969, 65p) M II-D1

Scott, W.J.
Airborne E-phase resistivity surveys of permafrost - central Alaska and Mackenzie River areas (1974, p 67-71) MP 1046
Geophysics in the study of permafrost (1979, p 93-115) MP 1266

Sear, C.B.
Concurrent remote sensing of arctic sea ice from submarine and aircraft (1989, 20p) MP 2697

Sector, P.W.
Ice engineering facility heated with a central heat pump system (1977, 4p) MP 939
Demonstration of building heating with a heat pump using thermal effluent (1977, 24p) SR 77-11

Seidenbusch, W.
Study of water drainage from columns of snow (1979, 19p.) CR 79-01

Seitz, W.R.
Preliminary development of a fiber optic sensor for TNT (1988, 16p) SR 88-04
Development of a membrane for *in-situ* optical detection of TNT (1988, 6p) SR 88-24
Single fiber measurements for remote optical detection of TNT (1989, 7p) SR 89-18

Seki, N.
Proceedings (1987, 270p) MP 2302
Proceedings (1989, 314p) MP 2636

Selim, H.M.
Evaluation of N models for prediction of No3-N in percolate water in land treatment (1978, p.163-169) MP 1148
Nitrogen behavior in land treatment of wastewater: a simplified model (1978, p 171-179) MP 1149
Simplified model for prediction of nitrogen behavior in land treatment of wastewater (1980, 49p) CR 80-12
Modeling nitrogen transport and transformations in soils: 1. Theoretical considerations (1981, p 233-241) MP 1440
Modeling nitrogen transport and transformations in soils: 2 Validation (1981, p 303-312) MP 1441
Mathematical simulation of nitrogen interactions in soils (1983, p 241-248) MP 2051
WASTEN. a model for nitrogen behaviour in soils irrigated with liquid waste (1984, p.96-108) MP 1762
Retention and release of metals by soils—evaluation of several models (1986, p.131-154) MP 2186
Modeling the transport of chromium (VI) in soil columns (1989, p 996-1004) MP 2670
Correlation of Freundlich *Kd* and *n* retention parameters with soils and elements (1989, p 370-379) MP 2570

Sellmann, P.V.
Airborne E-phase resistivity surveys of permafrost - central Alaska and Mackenzie River areas (1974, p 67-71) MP 1046
Snow accumulation for arctic freshwater supplies (1975, p 218-224) MP 860
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1976, p 391-408) MP 1377
General considerations for drill system design (1976, p.77-111) MP 856
Airborne resistivity and magnetometer survey in northern Maine for obtaining information on bedrock geology (1976, 19p) CR 76-37
Operational report. 1976 USACRREL-USGS subsea permafrost program Beaufort Sea, Alaska (1976. 20p.) SR 76-12
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1976, p.53-60) MP 919
Selected examples of radiohm resistivity surveys for geotechnical exploration (1977, 16p) SR 77-01
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1977, p 234-237) MP 927
Interesting features of radar imagery of ice-covered North Slope lakes (1977, p.129-136) MP 923
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1977, p.385-395) MP 1074
Preliminary evaluation of new LF radiowave and magnetic induction resistivity units over permafrost terrain (1977, p 39-42) MP 925
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1977, p 432-440) MP 1077
1977 CRREL-USGS permafrost program Beaufort Sea, Alaska, operational report (1977, 19p) SR 77-41
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1977, p.518-521) MP 1201
Large mobile drilling rigs used along the Alaska pipeline (1978, 23p.) SR 78-04
Shallow electromagnetic geophysical investigations of permafrost (1978, p 501-507) MP 1101
Engineering properties of subsea permafrost in the Prudhoe Bay region of the Beaufort Sea (1978, p 629-635) MP 1104
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1978, p 50-74) MP 1206
Geophysics in the study of permafrost (1979, p.93-115) MP 1266
Permafrost beneath the Beaufort Sea, near Prudhoe Bay, Alaska (1979, p 1481-1493) MP 1211
Electromagnetic geophysical survey at an interior Alaska permafrost exposure (1979, 7p) SR 79-14
Penetration tests in subsea permafrost, Prudhoe Bay, Alaska (1979, 45p) CR 79-07
Determining subsea permafrost characteristics with a cone penetrometer—Prudhoe Bay, Alaska (1979, p 3-16) MP 1217
Detection of Arctic water supplies with geophysical techniques (1979, 30p) CR 79-15
Field methods and preliminary results from subsea permafrost investigations in the Beaufort Sea, Alaska (1979, p 207-213) MP 1591
Effects of seasonal changes and ground ice on electromagnetic surveys of permafrost (1979, 24p) CR 79-23
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1979, p 93-115) MP 1287
Buried valleys as a possible determinant of the distribution of deeply buried permafrost on the continental shelf of the Beaufort Sea (1979, p.135-141) MP 1288
Permafrost beneath the Beaufort Sea, near Prudhoe Bay, Alaska (1980, p 35-48) MP 1346
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1980, p.103-110) MP 1344
Regional distribution and characteristics of bottom sediments in Arctic coastal waters of Alaska (1980, 50p) SR 80-15
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1981, p 125-157) MP 1428

Sellmann, P.V. *(cont.)*
Hyperbolic reflections on Beaufort Sea seismic records (1981, 16p.) CR 81-02
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1981, p.137-156) MP 1600
Improving electric grounding in frozen materials (1982, 12p) SR 82-13
Subsea permafrost in Harrison Bay, Alaska an interpretation from seismic data (1982, 62p) CR 82-24
Radar profiling of buried reflectors and the groundwater table (1983, 16p) CR 83-11
Seismic velocities and subsea permafrost in the Beaufort Sea, Alaska (1983, p 894-898) MP 1665
Conductive backfill for improving electrical grounding in frozen soils (1984, 19p) SR 84-17
Determining distribution patterns of ice-bonded permafrost in the U S. Beaufort Sea from seismic data (1984, p.237-258) MP 1839
Subsea permafrost distribution on the Alaskan shelf (1984, p 75-82) MP 1852
Ice drilling and coring systems—a retrospective view (1984, p 125-127) MP 1999
Mapping resistive seabed features using DC methods (1985, p 136-147) MP 1918
Some aspects of interpreting seismic data for information on shallow subsea permafrost (1985, p 61-65) MP 1954
Galvanic methods for mapping resistive seabed features (1985, p 91-92) MP 1955
Monitoring seasonal changes in seafloor temperature and salinity (1986, p 110-114) MP 2147
Drill bits for frozen fine-grained soils (1986, 33p.) SR 86-27
Development of a frazil ice sampler (1986, 12p) SR 86-37
Auger bit for frozen fine-grained soil (1986, 13p) SR 86-36
Bit design improves augers (1987, p.453-454) MP 2269
Fox permafrost tunnel a late Quaternary geologic record in central Alaska (1988, p.948-969) MP 2355
Evaluation of several auger bits in frozen fine-grained soils, asphalt, and concrete (1988, 10p) SR 88-08
Seasonal variations in resistivity and temperature in discontinuous permafrost (1988, p.927-932) MP 2365
D C. resistivity along the coast at Prudhoe Bay, Alaska (1988, p 988-993) MP 2366
Seafloor temperature and conductivity data from coastal waters of the U.S. Beaufort Sea (1989, 19p.) CR 89-01
Coastal subsea permafrost and bedrock observations using dc resistivity (1989, 13p.) CR 89-13
Strength of soils and rocks at low temperatures (1989, p 189-190) MP 2685

Session conj Foundations in Permafrost and Seasonal Frost, Denver, CO, Apr. 29, 1985
Foundations in permafrost and seasonal frost, Proceedings (1985, 62p) MP 1730

Sexstone, A.
Fate of crude and refined oils in North Slope soils (1978, p.339-347) MP 1186

Shabtaie, S
Can relict crevasse plumes on antarctic ice shelves reveal a history of ice-stream fluctuation (1988, p 77-82) MP 2460

Shahin, M.Y.
Projected thermal and load-associated distress in pavements incorporating different grades of asphalt cement (1978, p.403-437) MP 1209
Asphalt concrete for cold regions, a comparative laboratory study and analysis of mixtures containing soft and hard grades of asphalt cement (1980, 55p) CR 80-05

Shaver, G.R.
Growth and flowering of cottongrass tussocks along a climatic transect in northcentral Alaska (1984, p 10-11) MP 1950

Shaw, K.A.
Compression of wet snow (1978, 17p) CR 78-10

Sheehy, W.
On the origin of stratified debris in ice cores from the bottom of the Antarctic ice sheet (1979, p 185-192) MP 1272
Annealing recrystallization in laboratory and naturally deformed ice (1987, p.(C1)271-(C1)276) MP 2230

Shemdin, O.H.
Inlet current measured with Seasat-1 synthetic aperture radar (1980, p.35-37) MP 1443
Inlet current measured with Seasat-1 synthetic aperture radar (1980, p 35-37) MP 1481

Shen, H.
On the rheology of a broken ice field due to floe collision (1984, p 29-34) MP 1812

Shen, H.H.
Effect of nonuniform size on internal stresses in a rapid, simple shear flow of granular materials Part 1 Two grain sizes (1985, 18p) CR 85-02
Effect of nonuniform size on internal stresses in a rapid, simple shear flow of granular materials Part 2 Multiple grain sizes (1985, 20p) CR 85-03
Constitutive relations for a planar, simple shear flow of rough disks (1985, 17p) CR 85-20
Pole of floe collisions in sea ice rheology (1987, p 7085-7096) MP 2242

Shen, H.T.
Mechanics of ice jam formation in rivers (1983, 14p) CR 83-31
St Lawrence River freeze-up forecast (1984, p 177-190) MP 1713
Forecasting water temperature decline and freeze-up in rivers (1984, 17p.) CR 84-19
Computer simulation of ice cover formation in the Upper St. Lawrence River (1984, p.227-245) MP 1814
Field investigation of St. Lawrence River hanging ice dams (1984, p 241-249) MP 1830
Field investigation of St. Lawrence River hanging ice dams, winter of 1983-84 (1984, 85p) MP 2178
Effect of ice cover on hydropower production (1984, p.231-234) MP 1876
Mathematical modeling of river ice processes (1984, p.554-558) MP 1973
Unified degree-day method for river ice cover thickness simulation (1985, p 54-62) MP 2065
St. Lawrence River freeze-up forecast (1986, p 467-481) MP 2120
Simulation of oil slick transport in Great Lakes connecting channels theory and model formulation (1990, 29p) CR 90-01

Shen, J.
Bibliography of literature on China's glaciers and permafrost Part 1 1938-1979 (1982, 44p) SR 82-20

Shin, R.T.
Correlation function study for sea ice (1988, p 14,055-14,063) MP 2511

Shirkey, R.C.
Environmental factors and standards for atmospheric obscurants, climate and terrain (1987, 137p) MP 2309

Shook, J.F.
Designing for frost heave conditions (1984, p 22-44) MP 1705

Shoop, S.A.
Thawing soil strength measurements for predicting vehicle performance (1989, 18p) MP 2749
Vehicle mobility on thawing soils (1989, 16p) SR 89-31

Shukla, S.S.
Limnological investigations Lake Koocanusa, Montana Pt. 5. Phosphorus chemistry of sediments (1981, 9p) SR 81-15

Simmons, C.L.
Sensitivity of plant communities and soil flora to seawater spills, Prudhoe Bay, Alaska (1983, 35p) CR 83-24

Simoni, O.W.
Construction and performance of the Hess creek earth fill dam, Livengood, Alaska (1973, p 23-34) MP 859
Survey of road construction and maintenance problems in central Alaska (1976, 36p) SR 76-08

Sinha, N.K.
Proceedings (1987, 4 vols) MP 2189
Proceedings, Vol.4 (1988, 348p) MP 2317
Proceedings of the eighth International Conference on Offshore Mechanics and Arctic Engineering, 1989 Volume 4 (1989, 476p) MP 2481
Proceedings Vol 4 (1990, 339p) MP 2584

Slaughter, C.W.
Spread of cetyl-1-C14 alcohol on a melting snow surface (1966, p 5-8) MP 876
FIRE IN THE NORTHERN ENVIRONMENT-A SYMPOSIUM (1971, 275p) MP 878
Arctic and Subarctic environmental analyses utilizing ERTS-1 imagery, bimonthly progress report, 23 June - 23 Aug 1972 (1972, 3p) MP 991
Arctic and subarctic environmental analysis (1972, p 28-30) MP 1119
Seasonal regime and hydrological significance of stream icings in central Alaska (1973, p 528-540) MP 1026
Arctic and subarctic environmental analyses utilizing ERTS-1 imagery (1973, 5p) MP 1611
Arctic and subarctic environmental analyses utilizing ERTS-1 imagery Bimonthly progress report, 23 Aug - 23 Oct 1973 (1973, 3p) MP 1030
Arctic and subarctic environmental analyses utilizing ERTS-1 imagery Bimonthly progress report, 23 Oct - 23 Dec 1973 (1973, 6p) MP 1031
Arctic and subarctic environmental analysis utilizing ERTS-1 imagery Final report June 1972-Feb 1974 (1974, 128p) MP 1047
Snow accumulation for arctic freshwater supplies (1975, p 218-224) MP 860
High-latitude basins as settings for circumpolar environmental studies (1975, p IV/57-IV/68) MP 917
Site access for a subarctic research effort (1976, 13p) CR 76-09
Vehicle for the future (1976, p 272-279) MP 1384
Fate and effects of crude oil spilled on permafrost terrain First year progress report (1976, 18p) SR 76-15
Kolyma water balance station, Magadan Oblast, northeast U S S R United States-Soviet scientific exchange visit (1977, 66p) SR 77-15
Subarctic watershed research in the Soviet Union (1978, p 305-313) MP 1273
Landsat data co"- -tion platform at Devil Canyon site, upper Susitna Basin, Alaska--Performance and analysis of data (1979, 17 refs) SR 79-02
Sediment load and channel characteristics in subarctic upland catchments (1981, p.39-48) MP 1518
Hydrology and climatology of the Caribou-Poker Creeks Research Watershed, Alaska (1982, 34p.) CR 82-26
Constraints and approaches in high latitude natural resource sampling and research (1984, p.41-46) MP 2013
Use of off-road vehicles and mitigation of effects in Alaska permafrost environments a review (1990, p.63-72) MP 2682

Sletten, R.S.
Wastewater renovation by a prototype slow infiltration land treatment system (1976, 44p) CR 76-19
Overview of land treatment from case studies of existing systems (1976, 26p.) MP 891
Feasibility study of land treatment of wastewater at a subarctic Alaskan location (1976, 21p) MP 868
Wastewater treatment in cold regions (1976, 15p) MP 965
Feasibility study of land treatment of wastewater at a subarctic Alaskan location (1977, p 533-547) MP 1268
Wastewater treatment alternative needed (1977, p 82-87) MP 968
Land application of wastewater in permafrost areas (1978, p 911-917) MP 1110
Energy and costs for agricultural reuse of wastewater (1980, p.339-346) MP 1401
Lime stabilization and land disposal of cold region wastewater lagoon sludge (1982, p.207-213) MP 1696
Direct filtration of streamborne glacial silt (1982, 17p) CR 82-23
Accumulation, characterization, and stabilization of sludges for cold regions lagoons (1984, 40p) SR 84-08
Treatment and disposal of alum and other metallic hydroxide sludges (1987, 40p + plates) SR 87-05
Winter field testing of U.S Navy fleet hospital (1988, 10p) MP 2512
Water quality changes caused by extension of the winter navigation season on the Detroit-St. Clair river system (1988, 56p.) SR 88-10
Waste management practices in Antarctica (1989, p.122-130) MP 2464
Waste management practices of the United States Antarctic Program (1989, 28p) SR 89-3

Smallidge, P.D.
Corps of Engineers research in Arctic and Arctic-related environmental sciences (1987, p 81-87) MP 2411
Arctic construction working group report (1987, p 311-314) MP 2426

Smith, D.W.
Cold climate utilities delivery design manual (1979, c300 leaves) MP 1373
Rapid detection of water sources in cold regions—a selected bibliography of potential techniques (1979, 75p) SR 79-10
Cold climate utilities manual (1986, var.p) MP 2135

Smith, G.A.
Rapid detection of water sources in cold regions—a selected bibliography of potential techniques (1979, 75p) SR 79-10

Smith, J.
Humidity and temperature measurements obtained from an unmanned aerial vehicle (1987, p.35-45) MP 2293
Slant path extinction and visibility measurements from an unmanned aerial vehicle (1987, p 115-126) MP 2296

Smith, J.E.
Treatment and disposal of alum and other metallic hydroxide sludges (1987, 40p + plates) SR 87-05

Smith, M.W.
Measurement of the unfrozen water content of soils: a comparison of NMR and TDR methods (1988, p 473-477) MP 2363
Measurement of the unfrozen water content of soils, comparison of NMR and TDR methods (1988, 11p) CR 88-18

Smith, N.
Use of explosives in removing ice jams (1970, 10p) MP 1021
Analysis of flexible pavement resilient surface deformations using the Chevron layered elastic analysis computer program (1975, 13 leaves) MP 1264
Observations along the pipeline haul road between Livengood and the Yukon River (1976, 73p) SR 76-11
Repetitive loading tests on membrane enveloped road sections during freeze thaw (1977, p 171-197) MP 962
Techniques for using MESL (membrane encapsulated soil layers) in roads and airfields in cold regions (1978, p 560-570) MP 1089
Repetitive loading tests on membrane-enveloped road sections during freeze-thaw cycles (1978, 16p) CR 78-12
Repetitive loading tests on membrane enveloped road sections during freeze-thaw cycles (1978, p 1277-1288) MP 1158
Nondestructive testing of in service highway pavements in Maine (1979, 22p) CR 79-06
Construction and performance of membrane encapsulated soil layers in Alaska (1979, 27p) CR 79-16
Insulating and load-supporting properties of sulfur foam for expedient roads in cold regions (1979, 21p) CR 79-18

High-explosive cratering in frozen and unfrozen soils in Alaska (1980, 21p.) CR 80-09
Testing shaped charges in unfrozen and frozen silt in Alaska (1982, 10p.) SR 82-02

Smith, S.J.
Observations of pack ice properties in the Weddell Sea (1982, p 105-106) MP 1608
Reports of the U.S.-U.S.S.R. Weddell Polynya Expedition, October-November 1981, Volume 5, Sea ice observations (1983, 6p. + 59p.) SR 83-2
Comparison of winter climatic data for three New Hampshire sites (1986, 78p.) SR 86-05

Snelling, M.A.
Comparison of three compactors used in pothole repair (1984, 14p.) SR 84-31

Snow Symposium, 1st, Hanover, NH, August 1981
(Proceedings) (1982, 324p.) SR 82-17

Snow Symposium, 2nd, Hanover, NH, August 1982
Snow Symposium 2, U.S. Army Cold Regions Research and Engineering Laboratory, Hanover, New Hampshire, August 1982, Vol.1 (1983, 295p.) SR 83-04

Snow Symposium, 3rd, Hanover, NH, Aug. 9-10, 1983
Proceedings, Vol.1 (1983, 241p.) SR 83-31

Snow Symposium, 4th, Hanover, NH, Aug. 14-16, 1984
Proceedings, Vol.1 (1984, 433p.) SR 84-35

Snow Symposium, 5th, Hanover, NH, Aug. 13-15, 1985
Proceedings, Vol.1 (1986, 369p.) SR 86-15

Snow Symposium, 6th, Hanover, NH, Aug. 12-14, 1986
Proceedings, Vol 1 (1987, 207p.) SR 87-12

Snow Symposium, 7th, Hanover, NH, Aug. 11-12, 1987
Proceedings (1989, 136p.) SR 89-07

Sodhi, D.S.
Ice arching and the drift of pack ice through restricted channels (1977, 11p.) CR 77-18
Finite element formulation of a sea ice drift model (1977, p 67-76) MP 1165
Ice arching and the drift of pack ice through channels (1978, p 415-432) MP 1138
Ice pile-up and ride-up on Arctic and subarctic beaches (1979, p.127-146) MP 1230
Buckling analysis of wedge-shaped floating ice sheets (1979, p 797-810) MP 1232
Shore ice pile-up and ride-up field observations, models, theoretical analyses (1980, p 209-298) MP 1295
Review of buckling analyses of ice sheets (1980, p.131-146) MP 1322
Nonsteady ice drift in the Strait of Belle Isle (1980, p.177-186) MP 1364
Sea ice piling at Fairway Rock, Bering Strait, Alaska: observations and theoretical analysis (1981, p.985-1000) MP 1460
Ice pile-up and ride-up on arctic and subarctic beaches (1981, p 247-273) MP 1538
Port Huron ice control model studies (1982, p 361-373) MP 1530
Model study of Port Huron ice control structure; wind stress simulation (1982, 27p.) CR 82-09
Bering Strait sea ice and the Fairway Rock icefoot (1982, 40p.) CR 82-31
Determining the characteristic length of model ice sheets (1982, p.99-104) MP 1570
Hydraulic model study of Port Huron ice control structure (1982, 59p.) CR 82-34
Experimental determination of the buckling loads of floating ice sheets (1983, p 260-265) MP 1626
Experiments on ice ride-up and pile-up (1983, p.266-270) MP 1627
Ice forces on model marine structures (1983, p.778-787) MP 1606
Dynamic buckling of floating ice sheets (1983, p 822-833) MP 1607
Ice forces on model bridge piers (1983, 11p.) CR 83-19
Measurement of ice forces on structures (1983, p.139-155) MP 1641
Ice action on two cylindrical structures (1983, p.159-166) MP 1643
Ice action on pairs of cylindrical and conical structures (1983, 35p.) CR 83-25
Ice force measurements on a bridge pier in the Ottauquechee River, Vermont (1983, 6p.) CR 83-32
Experimental determination of buckling loads of cracked ice sheets (1984, p 183-186) MP 1687
Ice action on two cylindrical structures (1984, p.107-112) MP 1741
Dependence of crushing specific energy on the aspect ratio and the structure velocity (1984, p 363-374) MP 1708
Crushing ice forces on cylindrical structures (1984, p 1-9) MP 1834
Structure of first-year pressure ridge sails in the Prudhoe Bay region (1984, p 115-135) MP 1837
Forces associated with ice pile-up and ride-up (1984, p 239-262) MP 1887
Computational mechanics in arctic engineering (1984, p 351-374) MP 2072
Ice forces on inclined model bridge piers (1984, p 1167-1173) MP 2407
Buckling analysis of cracked, floating ice sheets (1984, 28p.) SR 84-23
Ice forces on rigid, vertical, cylindrical structures (1984, 36p.) CR 84-33
Determining the characteristic length of floating ice sheets by moving loads (1985, p.155-159) MP 1855
Sheet ice forces on a conical structure: an experimental study (1985, p 46-54) MP 1915
Arctic ice and drilling structures (1985, p.63-69) MP 2119
Sheet ice forces on a conical structure an experimental study (1985, p.643-655) MP 1906
Sea ice and the Fairway Rock icefoot (1985, p.25-32) MP 2145
Characteristic frequency of force variations in continuous crushing of sheet ice against rigid cylindrical structures (1986, p.1-12) MP 2018
Some effects of friction on ice forces against vertical structures (1986, p 528-533) MP 2036
Impact ice force and pressure An experimental study with urea ice (1986, p 569-576) MP 2037
Fracture toughness of model ice (1986, p 365-376) MP 2125
Flexural and buckling failure of floating ice sheets against structures (1986, p.339-359) MP 2134
Dynamic analysis of failure modes on ice sheets encountering sloping structures (1987, p.281-284) MP 2194
Advances in ice mechanics—1987 (1987, 49p.) MP 2207
Advances in sea ice mechanics in the USA (1987, p 37-49) MP 2208
Measurement of characteristic length of floating ice sheets (1987, n.p. (Ch.7)) MP 2480
Flexural and buckling failure of floating ice sheets against structures (1987, p.53-73) MP 2315
Proceedings, Vol.4 (1988, 348p.) MP 2317
Onshore ice pile-up and ride-up: observations and theoretical assessment (1988, p 108-142) MP 2336
Experimental determination of the fracture toughness of urea model ice (1988, p 289-297) MP 2348
Verification tests of the surface integral method for calculating structural ice loads (1988, p 449-456) MP 2353
Fracture of S2 columnar freshwater ice- floating double cantilever beam tests (1988, p.152-161) MP 2493
Results from indentation tests on freshwater ice (1988, p 341-350) MP 2495
Fracture experiments on freshwater and urea model ice (1988, 152p.) MP 2502
Ice-induced vibrations of structures (1989, p.189-221) MP 2492
Proceedings of the eighth International Conference on Offshore Mechanics and Arctic Engineering, 1989 Volume 4 (1989, 476p.) MP 2481
Interaction forces during vertical penetration of floating ice sheets with cylindrical indentors (1989, p 377-382) MP 2485
Fracture toughness of columnar freshwater ice from large scale DCB tests (1989, p 7-20) MP 2545
Vertical lifting and penetration of floating ice sheets with cylindrical indentors (1989, p 104) MP 2688
Ice force measurements on a bridge pier in a small river (1989, p.1419-1427) MP 2764
Proceedings. Vol.4 (1990, 339p.) MP 2584
Dynamic analysis of a floating ice sheet undergoing vertical indentation (1990, p 195-203) MP 2579

Sommerfeld, R.A.
Comments on "Theory of metamorphism of dry snow" by S.C. Colbeck (1984, p.4963-4965) MP 1800

Song, B.H.
Passive tracer gas measurement of air exchange in a large multi-celled building in Alaska (1989, p 433-444) MP 2557

Soong, T.T.
Dynamic ice-structure interaction analysis for narrow vertical structures (1981, p 472-479) MP 1456

Sowers, T.
Dominion Range ice core, Queen Maud Mountains, Antarctica—general site and core characteristics with implications (1990, p.11-16) MP 2707

Speine, P.A.
Land treatment module of the CAPDET program (1977, 4p.) MP 1112
Computer procedure for comparison of land treatment and conventional treatment preliminary designs, cost analysis and effluent quality predictions (1978, p 335-340) MP 1155

Sparrow, E.B.
Fate and effects of crude oil spilled on permafrost terrain First year progress report (1976, 18p.) SR 76-15
Fate and effects of crude oil spilled on permafrost terrain, Second annual progress report, June 1976 to July 1977 (1977, 46p.) SR 77-44
Fate and effects of crude oil spilled on subarctic permafrost terrain in interior Alaska (1980, 128p.) MP 1310
Fate and effects of crude oil spilled on subarctic permafrost terrain in interior Alaska (1980, 67p.) CR 80-29

Spencer, M.H.
Dominion Range ice core, Queen Maud Mountains, Antarctica—general site and core characteristics with implications (1990, p.11-16) MP 2707

Spindler, M.
Sea ice a habitat for the foraminifer *Neogloboquadrina pachyderma*? (1990, p 86-92) MP 2732

St. Germain, K.
Multifrequency passive microwave observation of saline ice grown in a tank (1988, p 1687-1690) MP 2459

St. Lawrence, W.F.
Acoustic emissions in the investigation of avalanches (1977, p VII/24-VII/33) MP 1630
Creep rupture at depth in a cold ice sheet (1978, p.733) MP 1168
Hydraulic transients a seismic source in volcanoes and glaciers (1979, p 654-656) MP 1181
Phenomenological description of the acoustic emission response in several polycrystalline materials (1979, p 223-228) MP 1246
Acoustic emission response of snow (1980, p.209-216) MP 1366
Comparison of thermal observations of Mount St. Helens before and during the first week of the initial 1980 eruption (1980, p 1526-1527) MP 1482
Constitutive relation for the deformation of snow (1981, p.3-14) MP 1370
Investigation of the acoustic emission and deformation response of finite ice plates (1981, 19p.) CR 81-06
Investigation of the acoustic emission and deformation response of finite ice plates (1981, p.123-133) MP 1436
On the acoustic emission and deformation response of finite ice plates (1981, p.385-394) MP 1455
Preliminary investigation of the acoustic emission and deformation response of finite ice plates (1982, p.129-139) MP 1589
Acoustic emissions from polycrystalline ice (1982, p.183-199) MP 1524
Acoustic emissions from polycrystalline ice (1982, 15p.) CR 82-21
Fluid dynamic analysis of volcanic tremor (1982, 12p.) CR 82-32
Source mechanism of volcanic tremor (1982, p 8675-8683) MP 1576
Study on the tensile strength of ice as a function of grain size (1983, 38p.) CR 83-14
Observations of volcanic tremor at Mount St. Helens volcano (1984, p 3476-3484) MP 1770

Stallings, E.S.
Use and application of PRESTO in Snow-III West (1986, p 11-24) MP 2658
SNOW III WEST field experiment report. Volume 1 (1988, 170p.) SR 88-28

Stallion, M.
Debris of the Chena River (1976, 14p.) CR 76-26

Stallman, P.E.
Improved millivolt-temperature conversion tables for copper constantan thermocouples 32F reference temperature (1976, 66p.) SR 76-18
Abnormal internal friction peaks in single-crystal ice (1977, 15p.) SR 77-23

Stambach, G.
Results of the US contribution to the Joint US/USSR Bering Sea Experiment (1974, 197p.) MP 1032

Stanley, L.E.
Utilization of sewage sludge for terrain stabilization in cold regions (1977, 45p.) SR 77-37
Utilization of sewage sludge for terrain stabilization in cold regions, Part 2 (1979, 36p.) SR 79-28

Stanton, T.K.
Laboratory studies of acoustic scattering from the underside of sea ice (1985, p 87-91) MP 1912
Acoustical reflection and scattering from the underside of laboratory grown sea ice measurements and predictions (1986, p 1486-1494) MP 2222
High frequency acoustical properties of saline ice (1989, p 9-23) MP 2686
Acoustical and morphological properties of undeformed sea ice: laboratory and field results (1990, p 67-75) MP 2730

Stark, J.
Performance of pavement at Central Wisconsin Airport (1989, p 92-103) MP 2463

Stark, K.L.
Effects of inundation on six varieties of turfgrass (1982, 25p.) SR 82-12

Stauffer, B.
C-14 and other isotope studies on natural ice (1972, p D70-D92) MP 1052

Stearns, S.R.
SELECTED ASPECTS OF GEOLOGY AND PHYSIOGRAPHY OF THE COLD REGIONS (1965, 40p.) M I-A1
PERMAFROST (PERENNIALLY FROZEN GROUND) (1966, 77p.) M I-A2

Stephens, C.A.
Break-up dates for the Yukon River, Pt 1 Rampart to Whitehorse, 1896-1978 (1979, c50 leaves) MP 1317
Break-up dates for the Yukon River, Pt.2 Alakanuk to Tanana, 1883-1978 (1979, c50 leaves) MP 1318
Break-up of the Yukon River at the Haul Road Bridge 1979 (1979, 22p. + Figs.) MP 1315

Stephens, J.B.
Mars soil water analyzer instrument description and status (1977, p 149-158) MP 912

Sterrett, K.F.
Arctic environment and the Arctic surface effect vehicle (1976, 28p) CR 76-01
Applications of thermal analysis to cold regions (1976, p.167-181) MP 890
Unfrozen water contents of submarine permafrost determined by nuclear magnetic resonance (1980, p 400-412) MP 1412
Snow/ice/frozen ground properties. working group report (1987, p 163-166) MP 2416

Stevens, H.W.
Subsurface explorations in permafrost areas (1959, p 31-41) MP 885
Design of foundations in areas of significant frost penetration (1980, p.118-184) MP 1358

Steves, H.K.
Small-scale projectile penetration in saline ice (1986, p.415-438) MP 2201
Saline ice penetration: a joint CRREL-NSWC test program (1987, 34p.) SR 87-14

Stewart, D.M.
Physical measurement of ice jams 1976-77 field season (1978, 19p) SR 78-03
Entrainment of ice floes into a submerged outlet (1978, p 291-299) MP 1137
Force distribution in a fragmented ice cover (1982, p.374-387) MP 1531
Force distribution in a fragmented ice cover (1984, 16p) CR 84-07

Stewart, G.L.
Rapid infiltration of primary sewage effluent at Fort Devens, Massachusetts (1976, 34p.) CR 76-48
Treatment of primary sewage effluent by rapid infiltration (1976, 15p.) CR 76-49

Stokely, J.L.
Watershed modeling in cold regions an application to the Sleepers River Research Watershed in northeastern Vermont (1980, 241p) MP 1471

Stolzenbach, K.D.
Dynamics of frazil ice formation (1984, p.161-172) MP 1829

Storm, P.C.
Limnological investigations: Lake Koocanusa, Montana. Part 3: Basic data, post-impoundment, 1972-1978 (1982, 597p) SR 82-23

Strahler, A.H.
Extraction of topography from side-looking satellite systems —a case study with SPOT simulation data (1983, p 535-550) MP 1695

Stubstad, J.
Repetitive loading tests on membrane enveloped road sections during freeze thaw (1977, p 171-197) MP 962
Repetitive loading tests on membrane enveloped road sections during freeze-thaw cycles (1978, p 1277-1288) MP 1158
Nondestructive testing of in-service highway pavements in Maine (1979, 22p) CR 79-06
Operation of the U S Combat Support Boat (USCSBMK 1) on an ice-covered waterway (1984, 28p) SR 84-05

Stubstad, J.M.
Experimental scaling study of an annular flow ice-water heat sink (1977, 54p) CR 77-15
Repetitive loading tests on membrane-enveloped road sections during freeze-thaw cycles (1978, 16p) CR 78-12
Design procedures for underground heat sink systems (1979, 186p. in var pagns) SR 79-08

Sturm, M.
Observations of jökulhlaups from ice-dammed Strandline Lake, Alaska: implications for paleohydrology (1987, p.79-94) MP 2307
Field observations of thermal convection in a subarctic snow cover (1987, p 105-118) MP 2439
Recent glacier-volcano interactions on Mt Redoubt, Alaska (1988, 18p.) MP 2431
Jökulhlaups from Strandline Lake, Alaska, with special attention to the 1982 event (1989, 19p) MP 2520
Unusual jökulhlaup involving potholes on Black Rapids Glacier, Alaska Range, Alaska, U S A. (1990, p.125-126) MP 2708

Stutz, M.H.
Influence of ground water monitoring well casings on metals and organic compounds in well water (1989, 9p) MP 2717

Sullivan, C.W.
Ice nucleation activity of antarctic marine microorganisms (1985, p.126-128) MP 2217
Sea ice microbial communities in Antarctica (1986, p 243-250) MP 2026

Sullivan, J.M., Jr.
Economics of ground freezing for management of uncontrolled hazardous waste sites (1985, 15p) MP 2030
Finite element simulation of ice crystal growth in subcooled sodium-chloride solutions (1985, p 527-532) MP 2100
Finite element simulation of planar instabilities during solidification of an undercooled melt (1987, p 81-111) MP 2585

Sun, Z.C.
Laboratory study of transverse velocities and ice jamming in a river bend (1988, p 189-197) MP 2501

Sundberg, D.C.
Preliminary development of a fiber optic sensor for TNT (1988, 16p) SR 88-04
Single fiber measurements for remote optical detection of TNT (1989, 7p) SR 89-18

Sundberg, D.D.
Development of a membrane for *in-situ* optical detection of TNT (1988, 6p.) SR 88-24

Swart, P.
Information systems planning study (1987, 48p.) SR 87-23

Swift, C.T.
Multifrequency passive microwave observation of saline ice grown in a tank (1988, p.1687-1690) MP 2459

Swift, R.N.
Concurrent remote sensing of arctic sea ice from submarine and aircraft (1989, 20p) MP 2697
Recent measurements of sea ice topography in the eastern Arctic (1990, p 132-136) MP 2735

Swinzow, G.K.
Report on ice fall from clear sky in Georgia October 26, 1959 (1960, 31p plus photographs) MP 1017
Apparent anomaly in freezing of ordinary water (1976, 23p) CR 76-20
Projectile and fragment penetration into ordinary snow (1977, 30p) MP 1750
Snow and snow cover in military science (1978, p 1-239-1-262) MP 926
Alaska Good Friday earthquake of 1964 (1982, 26p) CR 82-01

Swithinbank, C.
Ice runways near the South Pole (1989, 42p) SR 89-19
Airfields on antarctic glacier ice (1989, 97p) CR 89-21

Syers, J.K.
Effectiveness of land application for phosphorus removal from municipal waste water at Manteca, California (1980, p 616-621) MP 1444
Evaluation of a simple model for predicting phosphorus removal by soils during land treatment of wastewater (1982, 12p.) SR 82-14

Symposium on Applied Glaciology, 2nd, West Lebanon, N.H., Aug. 23-27, 1982
Proceedings (1983, 314p) MP 2054

Symposium on State of the Art of Pavement Response Monitoring Systems for Roads and Airfields, 1st, Hanover, NH, Mar. 6-9, 1989
State of the art of pavement response monitoring systems for roads and airfields (1989, 401p) SR 89-23

Taguchi, S.
Primary productivity in sea ice of the Weddell region (1978, 17p) CR 78-19
Sea ice and ice algae relationships in the Weddell Sea (1978, p 70-71) MP 1203
Standing crop of algae in the sea ice of the Weddell Sea region (1979, p 269-281) MP 1242

Takagi, S.
Segregation-freezing temperature as the cause of suction force (1977, p 59-66) MP 901
Segregation freezing as the cause of suction force for ice lens formation (1978, p.45-51) MP 1081
In-plane deformation of non-coaxial plastic soil (1978, 28p) CR 78-07
Viscoelastic deflection of an infinite floating ice plate subjected to a circular load (1978, 32p) CR 78-05
Segregation freezing as the cause of suction force for ice lens formation (1978, 13p) CR 78-06
Buckling pressure of an elastic plate floating on water and stressed uniformly along the periphery of an internal hole (1978, 49p) CR 78-14
Fundamentals of ice lens formation (1978, p 235-242) MP 1173
Steady in-plane deformation of noncoaxial plastic soil (1979, p.1049-1072) MP 1248
Some Bessel function identities arising in ice mechanics problems (1979, 13p) CR 79-27
Summary of the adsorption force theory of frost heaving (1980, p 233-236) MP 1332
Adsorption force theory of frost heaving (1980, p.57-81) MP 1334
Initial stage of the formation of soil-laden ice lenses (1982, p 223-232) MP 1596
Stefan's problem in a finite domain with constant boundary and initial conditions: analysis (1985, 28p) SR 85-08
Approximate analytical solution of a Stefan's problem in a finite domain (1988, p 245-266) MP 2384

Takekuma, K.
Comparative model tests in ice of a Canadian Coast Guard R-class icebreaker (1989, p.1/1-1/18) MP 2751
Comparative model tests in ice of a Canadian Coast Guard R-class icebreaker (1990, p 31-52) MP 2762

Tanji, K.K.
Soil microbiology (1981, p 38-44) MP 1753
Evaluation of a compartmental model for prediction of nitrate leaching losses (1981, 24p) CR 81-23
Mathematical simulation of nitrogen interactions in soils (1983, p 241-248) MP 2051

Tankin, R.S.
Computer simulation of bubbler-induced melting of ice covers using experimental heat transfer results (1978, p 362-366) MP 1160

Tantillo, T.
Prototype testing facilities for field evaluation of contaminant transport in freezing soils (1988, 29p) MP 2514

Tantillo, T.J.
Hydraulic model study of a water intake under frazil ice conditions (1981, 11p.) CR 81-03

Tate, C.L.
Utilization of Unmanned Aerial Vehicles in the ALBE Thrust (1986, p 249-257) MP 2663

Tatinclaux, J.C.
Laboratory investigation of the mechanics and hydraulics of river ice jams (1976, 97p) MP 1060
Laboratory investigation of the mechanics and hydraulics of river ice jams (1977, 45p.) CR 77-09
Compressive and shear strengths of fragmented ice covers—a laboratory study (1977, 82p.) MP 951
Mean characteristics of asymmetric flows: application to flow below ice jams (1981, p 342-350) MP 1733
In-situ measurements of the mechanical properties of ice (1982, p 326-334) MP 1555
Determination of the flexural strength and elastic modulus of ice from *in situ* cantilever-beam tests (1982, p.37-47) MP 1568
Asymmetric plane flow with application to ice jams (1983, p 1540-1556) MP 1645
Model tests on two models of WTGB 140-foot icebreaker (1984, 17p) CR 84-03
Ice resistance tests on two models of the WTGB icebreaker (1984, p 627-638) MP 1716
Model tests in ice of a Canadian Coast Guard R-class icebreaker (1984, 24p) SR 84-06
Laboratory investigation of the kinetic friction coefficient of ice (1984, p.19-28) MP 1825
Propulsion tests in level ice on a model of a 140-ft WTGB icebreaker (1985, 13p) CR 85-04
Kinetic friction coefficient of ice (1985, 40p) CR 85-06
Field tests of the kinetic friction coefficient of sea ice (1985, 20p) CR 85-17
Level ice breaking by a simple wedge (1985, 46p) CR 85-22
Ice floe distribution in the wake of a simple wedge (1986, p 622-629) MP 2038
Laboratory and field studies of ice friction coefficient (1986, p 389-400) MP 2126
Design and model testing of a river ice prow (1986, p.137-150) MP 2132
Effect of ice-floe size on propeller torque in ship-model tests (1987, p.291-298) MP 2289
Development of a river ice prow (1988, 26p) CR 88-09
Development of a river ice-prow. Part 2 (1988, p 44-52) MP 2497
Ship model testing in level ice. an overview (1988, 30p.) Cr 88-15
Comparative model tests in ice of a Canadian Coast Guard R-class icebreaker (1989, p 1/1-1/18) MP 2751
Model tests on an icebreaker at two friction factors (1989, p 774-784) MP 2622
Model tests in ice of a Canadian Coast Guard R-class icebreaker: high friction model (1989, 41p) SR 89-25
Effect of normal pressure on kinetic friction coefficient, myth or reality? (1989, p.127-134) MP 2680
Comparative model tests in ice of a Canadian Coast Guard R-class icebreaker (1990, p 31-52) MP 2762

Taylor, R.A.
Effects of winter military operations on cold regions terrain (1978, 34p.) SR 78-17

Taylor, S.
Measurement and interpretation of electrical freezing potential of soils (1988, 9p) CR 88-10
Ice-water partition coefficients for RDX and TNT (1989, 10p) CR 89-08
Fractographic analysis of graphite-epoxy composites subjected to low temperature thermal cycling (1989, p.429-435) MP 2554
Surface changes in well casing pipe exposed to high concentrations of organics in aqueous solution (1990, 14p.) SR 90-07
Comparison of four volatile organic compounds in frozen and unfrozen silt (1990, 9p) SR 90-13

Technology transfer opportunities for the construction engineering community: materials and diagnostics
Technology transfer opportunities for the construction engineering community: materials and diagnostics (1986, 54p) SR 86-01

Tedrow, J.C.F.
Pedologic investigations in northern Alaska (1973, p 93-108) MP 1005

Templeton, M.K.
Numerical simulation of atmospheric ice accretion (1979, p 44-52) MP 1235
Computer modeling of atmospheric ice accretion (1979, 36p) CR 79-04

Thomas, R.E.
Cost of land treatment systems (1979, 135p) MP 1387
EPA policy on land treatment and the Clean Water Act of 1977 (1980, p.452-460) MP 1418

Thomas, R.H.
Rheology of glacier ice (1985, p 1335-1337) MP 1844

Thompson, T.W.
Progress report on 25 cm radar observations of the 1971 AIDJEX studies (1972, p.1-16) MP 989
Thomson, C.
Data reduction of GOES information from DCP networks (1989, 15p.) SR 89-29
Thorndike, A.S.
Snow and ice (1975, p.435-441, 475-487) MP 844
Thurmond, V.L.
Geochemistry of freezing brines Low-temperature properties of sodium chloride (1987, 11p) CR 87-13
Tibusi, F.
Humidity and temperature measurements obtained from an unmanned aerial vehicle (1987, p.35-45) MP 2293
Tice, A.R.
Prediction of unfrozen water contents in frozen soils from liquid determinations (1976, 9p) CR 76-08
Simple procedure to calculate the volume of water remaining unfrozen in a freezing soil (1976, p.114-122) MP 899
Mars soil-water analyzer- instrument description and status (1977, p.149-158) MP 912
Determination of unfrozen water in frozen soil by pulsed nuc'ear magnetic resonance (1978, p.149-155) MP 1097
Water vapor adsorption by sodium montmorillonite at -5C (1978, p 638-644) MP 981
Phase composition measurements on soils at very high water contents by pulsed nuclear magnetic resonance technique (1978, p.11-14) MP 1210
Viking GCMS analysis of water in the Martian regolith (1978, p.55-61) MP 1195
Analysis of water in the Martian regolith (1979, p 33-38) MP 1409
Low temperature phase changes in montmorillonite and nontronite at high water contents and high salt contents (1980, p.139-144) MP 1330
Unfrozen water contents of submarine permafrost determined by nuclear magnetic resonance (1980, p 400-412) MP 1412
Relationship between the ice and unfrozen water phases in frozen soil as determined by pulsed nuclear magnetic resonance and physical desorption data (1982, 8p) CR 82-15
Comparison of unfrozen water contents measured by DSC and NMR (1982, p 115-121) MP 1594
Mobility of water in frozen soils (1982, c15p) MP 2012
Method for measuring enriched levels of deuterium in soil water (1982, 12p.) SR 82-25
Transport of water in frozen soil 1 Experimental determination of soil-water diffusivity under isothermal conditions (1982, p.221-226) MP 1629
Transport of water in frozen soil. 2. Effects of ice on the transport of water under isothermal conditions (1983, p.15-26) MP 1601
Relationship between the ice and unfrozen water phases in frozen soils as determined by pulsed nuclear resonance and physical desorption data (1983, p 37-46) MP 1632
Effect of unconfined loading on the unfrozen water content of Manchester silt (1982, 17p.) SR 83-18
Soil-water diffusivity of unsaturated frozen soils at subzero temperatures (1983, p 889-893) MP 1664
Water migration due to a temperature gradient in frozen soil (1983, p.951-956) MP 1666
Transport of water in frozen soil 1 Experimental determination of soil-water diffusivity under isothermal conditions (1983, 8p.) CR 83-22
Transport of water in frozen soil: 3 Experiments on the effects of ice content (1984, p 28-34) MP 1841
Effects of low temperatures on the growth and unfrozen water content of an aquatic plant (1984, 8p) CR 84-14
Transport of water in frozen soil: 4. Analysis of experimental results on the effects of ice content (1984, p 58-66) MP 1843
Effects of soluble salts on the unfrozen water contents of the Lanzhou, P.R.C., silt (1984, 18p) CR 84-16
Effects of magnetic particles on the unfrozen water content of frozen soils determined by nuclear magnetic resonance (1984, p 63-73) MP 1790
Deuterium diffusion in a soil-water-ice mixture (1984, 11p) SR 84-27
Transport of water in frozen soil. 5, Method for measuring the vapor diffusivity when ice is absent (1984, p.172-179) MP 1819
Experimental measurement of channeling of flow in porous media (1985, p 394-399) MP 1967
Effects of soluble salts on the unfrozen water contents of the Lanzhou, PRC, silt (1985, p 99-109) MP 1933
Water migration in unsaturated frozen morin clay under linear temperature gradients (1985, p 111-122) MP 1934
Experimental study on factors affecting water migration in frozen morin clay (1985, p 123-128) MP 1897
Thawing of frozen clays (1985, p 1-9) MP 1923
Prediction of unfrozen water contents in frozen soils by a two-point or one-point method (1985, p 83-87) MP 1929
Soil-water potential and unfrozen water content and temperature (1985, p.1-14) MP 1932
Transport of water in frozen soil 6 Effects of temperature (1987, p 44-50) MP 2213
Factors affecting water migration in frozen soils (1987, 16p) CR 87-09
Method for measuring the rate of water transport due to temperature gradients in unsaturated frozen soils (1988, p 412-417) MP 2362
Measurement of the unfrozen water content of soils: a comparison of NMR and TDR methods (1988, p.473-477) MP 2363
Comparison of soil freezing curve and soil water curve data for Windsor sandy loam (1988, 37p.) CR 88-26
Measurement of the unfrozen water content of soils- comparison of NMR and TDR methods (1988, 11p.) CR 88-18
Unfrozen water contents of undisturbed and remolded Alaskan silt as determined by nuclear magnetic resonance (1988, 17p) CR 88-19
Unfrozen water contents of six antarctic soil materials (1989, p 353-366) MP 2470
Comparison of soil freezing curve and soil water curve data for Windsor sandy loam (1989, p 2205-2210) MP 2577
Unfrozen water contents of undisturbed and remolded Alaskan silt (1989, p.103-111) MP 2683
Predicting unfrozen water content behavior using freezing point depression data (1990, p.54-60) MP 2677
Transport of water due to a temperature gradient in unsaturated frozen clay (1990, p.57-75) MP 2701
Tien, C.
Approximate analysis of melting and freezing of a drill hole through an ice shelf in Antarctica (1975, p.421-432) MP 861
Heat transfer characteristics of melting and refreezing a drill hole through an ice shelf in Antarctica (1976, 15p) CR 76-12
Tieszen, L.L.
Seasonal cycles and relative levels of organic plant nutrients under Arctic and alpine conditions (1971, p 55-57) MP 904
Ecological effects of oil spills and seepages in cold-dominated environments (1971, p 61-65) MP 905
Comparative investigation of periodic trends in carbohydrate and lipid levels in Arctic and alpine plants (1972, p.40-45) MP 1376
Vegetative research in arctic Alaska (1973, p 169-198) MP 1008
Arctic ecosystem: the coastal tundra at Barrow, Alaska (1980, 571p) MP 1355
Analysis of processes of primary production in tundra growth forms (1981, p.285-356) MP 1433
Tilton, P.
Extending the useful life of DYE-2 to 1986. Part 2. 1979 findings and final recommendations (1980, 37p) SR 80-13
Timco, G.W.
Working group on ice forces. 4th state-of-the-art report (1989, 385p) SR 89-05
Ting, J.M.
Application of the Andrade equation to creep data for ice and frozen soil (1979, p 29-36) MP 1802
Tobiasson, W.
CRREL is developing new snow load design criteria for the United States (1976, p.70-72) MP 947
Life-cycle cost effectiveness of modular megastructures in cold regions (1976, p 760-776) MP 892
CRREL roof moisture survey, Pease AFB Buildings 33, 116, 122 and 205 (1977, 10p) SR 77-02
Update on snow load research at CRREL (1977, p.9-13) MP 1142
Reinsulating old wood frame buildings with urea-formaldehyde foam (1977, p 478-487) MP 958
Hand-held infrared systems for detecting roof moisture (1977, p.261-271) MP 1390
Maintaining buildings in the Arctic (1977, p 244-251) MP 1508
Infrared detective: thermograms and roof moisture (1977, p 41-44) MP 961
Roof moisture survey, ten State of New Hampshire buildings (1977, 29p) CR 77-31
CRREL roof moisture survey, Building 208 Rock Island Arsenal (1977, 6p) SR 77-43
Construction on permafrost at Longyearbyen on Spitsbergen (1978, p 884-890) MP 1108
Details behind a typical Alaskan pile foundation (1978, p 891-897) MP 1109
Detecting wet roof insulation with a hand-held infrared camera (1978, p A9-A15) MP 1213
Summary of Corps of Engineers research on roof moisture detection and the thermal resistance of wet insulation (1978, 6p) SR 78-29
Estimated snow, ice, and rain load prior to the collapse of the Hartford Civic Center arena roof (1979, 32p) SR 79-09
Roof moisture survey--U S Military Academy (1979, 8 refs) SR 79-16
Extending the useful life of DYE-2 to 1986, Part 1, Preliminary findings and recommendations (1979, 15p) SR 79-27
Snow studies associated with the sideways move of DYE-3 (1979, p 117-124) MP 1312
CRREL roof moisture survey, Pease AFB buildings 35, 63, 93, 112, 113, 120 and 220 (1980, 31p) SR 80-14
Roof leaks in cold regions: school at Chevak, Alaska (1980, 12p) CR 80-11
Extending the useful life of DYE-2 to 1986. Part 2: 1979 findings and final recommendations (1980, 37p) SR 80-13
Roofs in cold regions: Marson's Store, Claremont, New Hampshire (1980, 13p.) SR 80-25
Moisture gain and its thermal consequence for common roof insulations (1980, p 4-16) MP 1361
Roofs in cold regions (1980, 21p) MP 1408
Venting of built-up roofing systems (1981, p.16-21) MP 1498
Roof moisture survey: Reserve Center Garage, Grenier Field, Manchester, N.H. (1981, 18p.) SR 81-31
Roof moisture surveys (1982, p.163-166) MP 1505
Designing with wood for a lightweight air-transportable Arctic shelter: how the materials were tested and chosen for design (1982, p.385-397) MP 1558
Roof moisture surveys current state of the technology (1983, p 24-31) MP 1628
Locating wet cellular plastic insulation in recently constructed roofs (1983, p 168-173) MP 1729
Can wet roof insulation be dried out (1983, p 626-639) MP 1509
Comparison of aerial to on-the-roof infrared moisture surveys (1983, p.95-105) MP 1709
Water supply and waste disposal on permanent snow fields (1984, p.401-413) MP 1714
Secondary stress within the structural frame of DYE-3. 1978-1983 (1984, 44p) SR 84-26
Water supply and waste disposal on permanent snowfields (1985, p.344-350) MP 1792
Roof moisture surveys: yesterday, today and tomorrow (1985, p 438-443 + figs) MP 2040
Condensation control in low-slope roofs (1985, p 47-59) MP 2039
Aerial roof moisture surveys (1985, p.424-425) MP 2022
Lessons learned from examination of membrane roofs in Alaska (1986, p 277-290) MP 2003
Airborne roof moisture surveys (1986, p 45-47) MP 2139
Protected membrane roofing systems (1986, p.49-50) MP 2140
Vapor drive maps of the U.S A (1986, 7p. + graphs) MP 2041
Vents and vapor retarders for roofs (1986, 11p) MP 2246
Proposed code provisions for drifted snow loads (1986, p 2080-2092) MP 2148
Cold regions roof design (1987, p 457-458) MP 2243
Wetting of polystyrene and urethane roof insulations in the laboratory and on a protected membrane roof (1988, p 108-119) MP 2337
Vents and vapor retarders for roofs (1987, p 80-90) MP 2352
Buildings and utilities in very cold regions: overview and research needs (1987, p 299-303) MP 2424
Vibration analysis of a DEW Line station (1988, p.1513-1518) MP 2341
Wetting of polystyrene and urethane roof insulations in the laboratory and on a protected membrane roof (1988, p 421-430) MP 2011
Wood-frame roofs and moisture (1988, p 33-37) MP 2340
Method for conducting airborne infrared roof moisture surveys (1988, p 50-61) MP 2436
Buildings and utilities in very cold regions. overview and research needs (1988, p 4-11) MP 2552
Changes coming in snow load design criteria (1989, p.413-418) MP 2612
Roof design in cold regions (1989, p.462-472) MP 2613
Perspective ground loads and mapping (1989, p 512-513) MP 2614
Changes coming in snow load design criteria (1989, p 918-920) MP 2650
Roof design in cold regions (1989, p.1029-1037) MP 2651
Roofer: a management tool for maintaining built-up roofs (1989, p 6-10) MP 2488
Vapor retarders for membrane roofing systems (1989, p.31-37) MP 2489
ROOFER, a management tool for maintaining built-up roofs (1989, 9p) MP 2576
Vapor retarders to control summer condensation (1989, p 566-572) MP 2558
Tobin, T.M.
Technique for producing strain-free flat surfaces on single crystals of ice comments on Dr H Bader's letter and Dr K Itagaki's letter (1973, p 519-520) MP 1000
Mass transfer along ice surfaces observed by a groove relaxation technique (1977, p 34-37) MP 1091
Tomita, H.
Survey of airport pavement distress in cold regions (1986, p 41-50) MP 2002
Statement of research needs to address airport pavement distress (1987, p 981-1012) MP 2234
Townsend, R.A.
Some observations on the character of snow (1987, p 48-53) MP 2397

Trachler, G.M.
USACRREL precise thermistor meter (1985, 34p) SR 85-26
Trivett, N.B.A.
Snowpack estimation in the St. John River basin (1980, p 467-486) MP 1799
Troth, J.L.
Upland aspen/birch and black spruce stands and their litter and soil properties in interior Alaska (1976, p.33-44) MP 867
Tryde, P.
Intermittent ice forces acting on inclined wedges (1977, 26p.) CR 77-26
Standardized testing methods for measuring mechanical properties of ice (1981, p 245-254) MP 1556
Tucker, W.B.
Classification and variation of sea ice ridging in the Arctic basin (1974, p.127-146) MP 1022
Measurement of sea ice drift far from shore using LANDSAT and aerial photographic imagery (1975, p 541-554) MP 849
Techniques for using LANDSAT imagery without references to study sea ice drift and deformation (1976, p.115-135) MP 1059
Techniques for studying sea ice drift and deformation at sites far from land using LANDSAT imagery (1976, p 595-609) MP 866
Seasonal variations in apparent sea ice viscosity on the geophysical scale (1977, p 87-90) MP 900
Computer routing of unsaturated flow through snow (1977, 44p) SR 77-10
Studies of the movement of coastal sea ice near Prudhoe Bay, Alaska, U S A. (1977, p 533-546) MP 1066
Examination of the viscous wind-driven circulation of the Arctic ice cover over a two year period (1977, p 95-133) MP 983
Nearshore ice motion near Prudhoe Bay, Alaska (1977, p 23-31) MP 1162
Characterization of the surface roughness and floe geometry of the sea ice over the continental shelves of the Beaufort and Chukchi Seas (1977, p 32-41) MP 1163
Computer model of municipal snow removal (1977, 7p) CR 77-30
Computer simulation of urban snow removal (1979, p 293-302) MP 1238
Sea ice ridging over the Alaskan continental shelf (1979, 24p) CR 79-08
Some results from a linear-viscous model of the Arctic ice cover (1979, p 293-304) MP 1241
Sea ice ridging over the Alaskan continental shelf (1979, p.4885-4897) MP 1240
Preliminary results of ice modeling in the East Greenland area (1981, p 867-878) MP 1458
Morphological investigations of first-year sea ice pressure ridge sails (1981, p 1-12) MP 1465
Application of a numerical sea ice model to the East Greenland area (1981, 109p) MP 1535
Application of a numerical sea ice model to the East Greenland area (1982, 40p) CR 82-16
Comparison of sea ice model results using three different wind forcing fields (1983, 11p) CR 83-17
Comparison of different sea level pressure analysis fields in the East Greenland Sea (1983, p.1084-1088) MP 1737
CRREL investigations relevant to offshore petroleum production in ice-covered waters (1983, p 207-215) MP 2086
Current procedures for forecasting aviation icing (1983, 31p) SR 83-24
Atmospheric boundary-layer modification, drag coefficient, and surface heat flux in the antarctic marginal ice zone (1984, p 649-661) MP 1667
Army research could reduce dangers posed by sea ice (1984, p.20-24) MP 2168
Some simple concepts on wind forcing over the marginal ice zone (1984, p 43-48) MP 1783
Variation of the drag coefficient across the Antarctic marginal ice zone (1984, p 63-71) MP 1784
On small-scale horizontal variations of salinity in first-year sea ice (1984, p 6505-6514) MP 1761
Method of detecting voids in rubbled ice (1984, p 183-188) MP 1772
Structure of first-year pressure ridge sails in the Prudhoe Bay region (1984, p.115-135) MP 1837
Sea ice properties (1984, p 82-83) MP 2136
Determining the characteristic length of floating ice sheets by moving loads (1985, p 155-159) MP 1855
Preliminary simulation stud; of sea ice induced gouges in the sea floor (1985, p 126-135) MP 1917
Kadluk ice stress measurement program (1985, p 88-100) MP 1899
Physical properties of sea ice in the Greenland Sea (1985, p 177-188) MP 1903
Numerical simulation of ice gouge formation and infilling on the shelf of the Beaufort Sea (1985, p 393-407) MP 1904
Pressure ridge morphology and physical properties of sea ice in the Greenland Sea (1985, p 214-223) MP 1935
Numerical simulation of sea ice induced gouges on the shelves of the polar oceans (1985, p.259-265) MP 1939
Crystal structure of Fram Strait sea ice (1986, p.20-29) MP 2221
Variability of Arctic sea ice drafts (1986, p 237-256) MP 2198
Portable hot water ice drill (1986, p 549-564) MP 2202
Preliminary simulation of the formation and infilling of sea ice gouges (1986, p 259-268) MP 2218
Physical properties of sea ice discharged from Fram Strait (1987, p 436-439) MP 2204
Portable hot-water ice drill (1987, p 57-64) MP 2236
Physical properties of summer ses ice in the Fram Strait (1987, p.6787-6803) MP 2240
Ice detector measurements compared to meteorological parameters in natural icing conditions (1987, p.31-37) MP 2277
Physical properties of summer sea ice in the Fram Strait, June-July 1984 (1987, 81p) CR 87-16
Corps of Engineers research in Arctic and Arctic-related environmental sciences (1987, p.81-87) MP 2411
Information systems planning study (1987, 48p) SR 87-23
Evaluation of an operational ice forecasting model during summer (1988, p.159-174) MP 2347
Overview of the physical properties of sea ice (1988, p 71-85) MP 2635
Update on portable hot-water sea ice drilling (1989, p 175-178) MP 2479
Oceanic heat flux in the Fram Strait measured by a drifting buoy (1989, p 995-998) MP 2531
Concurrent remote sensing of arctic sea ice from submarine and aircraft (1989, 20p.) MP 2697
Proceedings (1989, 475p) SR 89-39
Use of the mechanical properties of ice in the development of predictive models (1989, p 87-99) MP 2687
Ice strength estimates from submarine topsounder data (1989, p 425-426) MP 2691
Recent measurements of sea ice topography in the eastern Arctic (1990, p.132-136) MP 2735
Oceanic heat flux in the Fram Strait measured by a drifting buoy (1990, p.291-296) MP 2740
Sea ice in the polar regions (1990, p.47-122) MP 2750
Tulastra, R.L.
Near real time hydrologic data acquisition utilizing the LANDSAT system (1975, p 200-211) MP 1055
Landsat data collection platform at Devil Canyon site, upper Susitna Basin, Alaska—Performance and analysis of data (1979, 17 refs) SR 79-02
Turner, G.A.
Attenuation and backscatter for snow and sleet at 96, 140, and 225 GHz (1984, p 41-52) MP 1864
Twickler, M.S.
Dominion Range ice core, Queen Maud Mountains, Antarctica—general site and core characteristics with implications (1990, p 11-16) MP 2707
U.S. Arctic Construction and Frost Effects Laboratory
Approach roads, Greenland 1955 program (1959, 100p) MP 1522
U.S. Army Corps of Engineers
Building under cold climates and on permafrost; collection of papers from a U S.-Soviet joint seminar, Leningrad, USSR (1980, 365p) SR 80-40
U.S. Army CRREL/WES/FESA Roof Moisture Research Team
Recommendations for implementing roof moisture surveys in the U.S. Army (1978, 8p) SR 78-01
U.S. Department of Housing and Urban Development
Building under cold climates and on permafrost; collection of papers from a U S -Soviet joint seminar, Leningrad, USSR (1980, 365p) SR 80-40
U.S. Interagency Arctic Research Policy Committee
Arctic research of the United States, Vol.1 (1987, 121p) MP 2306
Arctic research of the United States, Vol 2 (1988, 76p) MP 2379
Arctic research in the United States, Vol 3 (1989, 72p) MP 2653
Arctic research of the United States, Vol 3 (1989, 71p) MP 2530
Arctic research of the United States, Vol 4 (1990, 120p) MP 2765
U.S.-Soviet Joint Seminar on Building under Cold Climates and on Permafrost, Leningrad, June 24-27, 1979
Building under cold climates and on permafrost; collection of papers from a U S -Soviet joint seminar, Leningrad, USSR (1980, 365p) SR 80-40
Udin, I.
On modeling mesoscale ice dynamics using a viscous plastic constitutive law (1981, p 1317-1329) MP 1526
On forecasting mesoscale ice dynamics and build-up (1983, p 110-115) MP 1625
Ueda, H.T.
Portable instrument for determining snow characteristics related to trafficability (1972, p 193-204) MP 886
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1976, p 391-408) MP 1377
Resurvey of the "Byrd" Station, Antarctica, drill hole (1976, p 29-34) MP 846
Operational report 1976 USACRREL-USGS subsea permafrost program Beaufort Sea, Alaska (1976, 20p) SR 76-12
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1976, p.53-60) MP 919
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1977, p 234-237) MP 927
Haines-Fairbanks pipeline: design, construction and operation (1977, 20p.) SR 77-04
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1977, p 385-395) MP 1074
Lock wall deicing with high velocity water jet at Soo Locks, Mi (1977, p.23-35) MP 973
Canol Pipeline Project: a historical review (1977, 32p) SR 77-34
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1977, p 432-440) MP 1077
1977 CRREL-USGS permafrost program Beaufort Sea, Alaska, operational report (1977, 19p) SR 77-41
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea (1977, p.518-521) MP 1201
Flexural strength of ice on temperate lakes—comparative tests of large cantilever and simply supported beams (1978, 14p.) CR 78-09
Investigation of the snow adjacent to Dye-2, Greenland (1981, 23p.) SR 81-03
Movement study of the trans-Alaska pipeline at selected sites (1981, 32p.) CR 81-04
Collapsible restraint for measuring tapes (1983, 12 col) MP 2335
Secondary stress within the structural frame of DYE-3 1978-1983 (1984, 44p.) SR 84-26
Heat recovery from primary effluent using heat pumps (1985, p.199-203) MP 1978
Temperature and structure dependence of the flexural strength and modulus of freshwater model ice (1988, 43p.) CR 88-06
Primary effluent as a heat source for heat pumps (1988, p 141-146) MP 2445
Experiments on the cutting process in ice (1989, 36p) CR 89-05
Structure and temperature dependence of the flexural properties of laboratory freshwater ice sheets (1989, p.249-270) MP 2652
Primary effluent as a heat source for heat pumps (1989, p.12-17) MP 2760
Ugolini, F.C.
Ionic migration and weathering in frozen Antarctic soils (1973, p.461-470) MP 941
Examining antarctic soils with a scanning electron microscope (1976, p.249-252) MP 931
Antarctic soil studies using a scanning electron microscope (1978, p.106-112) MP 1286
Uiga, A.
Let's consider land treatment, not land disposal (1976, p 60-62) MP 869
Wastewater reuse at Livermore, California (1976, p 511-531) MP 870
Overview of land treatment from case studies of existing systems (1976, 26p.) MP 891
Feasibility study of land treatment of wastewater at a subarctic Alaskan location (1976, 21p.) MP 868
Wastewater treatment in cold regions (1976, 15p) MP 965
Preliminary evaluation of 88 years rapid infiltration of raw municipal sewage at Calumet, Michigan (1977, p 489-510) MP 976
Wastewater reuse at Livermore, California (1977, p 511-531) MP 979
Feasibility study of land treatment of wastewater at a subarctic Alaskan location (1977, p 533-547) MP 1268
Ullerstig, A.
On modeling mesoscale ice dynamics using a viscous plastic constitutive law (1981, p.1317-1329) MP 1526
On forecasting mesoscale ice dynamics and build-up (1983, p 110-115) MP 1625
Unger, S.G.
Preliminary analysis of water equivalent/snow characteristics using LANDSAT digital processing techniques (1977, 16 leaves) MP 1113
Snow cover mapping in northern Maine using LANDSAT digital processing techniques (1979, p 197-198) MP 1510
Extraction of topography from side-looking satellite systems —a case study with SPOT simulation data (1983, p 535-550) MP 1695
Integration of Landsat land cover data into the Saginaw River Basin geographic information system for hydrologic modeling (1984, 19p) SR 84-01
Untersteiner, N.
Using sea ice to measure vertical heat flux in the ocean (1982, p 2071-2074) MP 1521
Urban, N.W.
Land treatment systems and the environment (1979, p 201-225) MP 1414
Utt, M.E.
Ice properties in a grounded man-made ice island (1986, p 135-142) MP 2032
Vaikna, N.C.
Modeling the electromagnetic property trends in sea ice and example impulse radar and frequency-domain electromagnetic ice thickness sounding results (1986, p 57 133) MP 2197

AUTHOR INDEX

Electromagnetic property trends in sea ice, Part 1 (1987, 45p.) CR 87-06
Airborne electromagnetic sounding of sea ice thickness and sub-ice bathymetry (1987, p 289-311) MP 2332
Airborne electromagnetic sounding of sea ice thickness and sub-ice bathymetry (1987, 40p.) CR 87-23
Airborne measurement of sea ice thickness and subice bathymetry (1988, p.111-120) MP 2345

Valliere, D.
Arctic research of the United States, Vol.3 (1989, 71p.) MP 2530
United States arctic research plan biennial revision: 1990-1991 (1989, 72p) MP 2544

Valliere, D.R.
Arctic research of the United States, Vol 1 (1987, 121p) MP 2306
Arctic research of the United States, Vol.2 (1988, 76p) MP 2379
Arctic research in the United States, Vol.3 (1989, 72p) MP 2653

Van Cleve, K.
Revegetation in arctic and subarctic North America—a literature review (1976, 32p.) CR 76-15

Van den Berg, A.
Hand-held infrared systems for detecting roof mouture (1977, p.261-271) MP 1390

Van DeValk, W.A.
Field investigation of St. Lawrence River hanging ice dams (1984, p.241-249) MP 1830

Van Pelt, D.
Wetting of polystyrene and urethane roof insulations in the laboratory and on a protected membrane roof (1987, p.108-119) MP 2337
Wetting of polystyrene and urethane roof insulations in the laboratory and on a protected membrane roof (1988, p.421-430) MP 2011

Van Wyhe, G.
Ice-cratering experiments Blair Lake, Alaska (1966, Various pagings) MP 1034

Vance, G.P.
Investigation of ice clogged channels in the St Marys River (1978, 73p) MP 1170
Evaluation of ice deflectors on the USCG icebreaker *Polar Star* (1980, 37p) SR 80-04
Analysis of the performance of a 140-foot Great Lakes icebreaker: USCGC *Katmai Bay* (1980, 28p) CR 80-08
Characteristics of ice in Whitefish Bay and St. Marys River during January, February and March 1979 (1980, 27p) SR 80-32
Clearing ice-clogged shipping channels (1980, 13p) CR 80-28
State of the art of ship model testing in ice (1981, p 693-706) MP 1573

VanDevender, J.P.
Effect of X-ray irradiation on internal friction and dielectric relaxation of ice (1983, p 4314-4317) MP 1670

VanPelt, D.J.
Thermal diffusivity of frozen soil (1980, 30p) SR 80-38

Varotta, R.
Approximate solution to Neumann problem for soil systems (1981, p.76-81) MP 1494

Vasil'evskeia, V.D.
Tundra and analogous soils (1981, p 139-179) MP 1405

Vaudrey, K.
4th report of working group on testing methods in ice (1984, p.1-41) MP 1886

Vaudrey, K.D.
Standardized testing methods for measuring mechanical properties of ice (1981, p 245-254) MP 1556

Veal, D.L.
Propane dispenser for cold fog dissipation system (1973, 38p) MP 1033

Veen, J.A. van
Soil microbiology (1981, p 38-44) MP 1753

Verville, W.P.
Subsurface explorations in permafrost areas (1959, p.31-41) MP 885

Vesilind, P.A.
Thermal conductivity of sludges (1989, p 241-245) MP 2632

Vesa, A.K.
Soil properties of the International Tundra Biome sites (1974, p 27-48) MP 1043

Viereck, L.
Recovery and active layer changes following a tundra fire in northwestern Alaska (1983, p 543-547) MP 1660

Viereck, L.A.
Patterns of vegetation recovery after tundra fires in northwestern Alaska, U.S.A. (1987, p 461-469) MP 2374

Vincent, T.J.
Mukluk ice stress measurement program (1988, p 457-463) MP 2554

Vinson, T.S.
Survey of airport pavement distress in cold regions (1986, p 41-50) MP 2002
Statement of research needs to address airport pavement distress (1987, p 981-1012) MP 2274
Definition of research needs to address airport pavement distress in cold regions (1989, 142p) CR 89-10

Vinton, C.S.
Pneumatically de-iced ice detector—final report, phase 2, part 1 (1986, 9p. + appends) MP 2249

Vlach, E.
Rapid infiltration of primary sewage effluent at Fort Devens, Massachusetts (1976, 34p) CR 76-48

Von Bradsky, P.
Uniform snow loads on structures (1932, p.2781-2798) MP 1574

W.F. Weeks Sea Ice Symposium: Sea Ice Properties and Processes, San Francisco, CA, Dec. 1988
Sea Ice Properties and Processes, Proceedings of the W.F. Weeks Sea Ice Symposium (1990, 299p) M 90-01

Wadhams, P.
MIZEX—a program for mesoscale air-ice-ocean interaction; experiments in Arctic marginal ice zones 1. Research strategy (1981, 20p) SR 81-19
MIZEX--a program for mesoscale air-ice-ocean interaction experiments in Arctic marginal ice zones. 2. A science plan for a summer Marginal Ice Zone Experiment in the Fram Strait/Greenland Sea· 1984 (1983, 47p) SR 83-12
Ice properties in the Greenland and Barents Seas during summer (1983, p 142-164) MP 2062
Marginal ice zones. a description of air-ice-ocean interactive processes, models and planned experiments (1984, p.133-146) MP 1673
MIZEX—a program for mesoscale air-ice-ocean interaction experiments in Arctic marginal ice zones 6· MIZEX-West (1985, 119p) SR 85-06
Sea-ice investigations during the Winter Weddell Sea Project (1987, p 88-89) MP 2491
Ice thickness distribution across the Atlantic sector of the Antarctic Ocean in midwinter (1987, p.14,535-14,552) MP 2314
Development of sea ice in the Weddell Sea (1989, p.92-96) MP 2615
Concurrent remote sensing of arctic sea ice from submarine and aircraft (1989, 20p) MP 2697
Snow cover effects on antarctic sea ice thickness (1990, p.16-21) MP 2726

Walker, B.D.
Tundra and analogous soils (1981, p.139-179) MP 1405

Walker, D.A.
Effects of low-pressure wheeled vehicles on plant communities and soils at Prudhoe Bay, Alaska (1977, 49p) SR 77-17
Effects of low ground pressure vehicle traffic on tundra at Lonely, Alaska (1978, 63p) SR 78-16
Effects of crude and diesel oil spill on plant communities at Prudehoe Bay, Alaska, and the derivation of oil spill sensitivity maps (1978, p 242-259) MP 1184
Geobotanical atlas of the Prudhoe Bay region, Alaska (1980, 69p) CR 80-14
Landsat-assisted environmental mapping in the Arctic National Wildlife Refuge, Alaska (1982, 59p + 2 maps) CR 82-37
Sensitivity of plant communities and soil flora to seawater spills, Prudhoe Bay, Alaska (1983, 35p) CR 83-24
Vegetation and environmental gradients of the Prudhoe Bay region, Alaska (1985, 239p) CR 85-14
Vegetation and a Landsat-derived land cover map of the Beechey Point quadrangle, Arctic Coastal Plain, Alaska (1987, 63p) CR 87-05
Disturbance and recovery of arctic Alaskan tundra terrain (1987, 63p) CR 87-11
Use of off-road vehicles and mitigation of effects in Alaska permafrost environments· a review (1990, p 63-72) MP 2682

Walker, H.J.
Morphology of the North Slope (1973, p 49-52) MP 1004

Walker, K.E.
Suppression of ice fog from the Fort Wainwright, Alaska, cooling pond (1982, 34p) SR 82-22
Observations during BRIMFROST '83 (1984, 36p) SR 84-10

Wallace, A.T.
Let's consider land treatment, not land disposal (1976, p 60-62) MP 869
Problems with rapid infiltration—a post mortem analysis (1984, 17p. + figs) MP 1944

Walsh, J.
Comments on the characteristics of *in situ* snow at millimeter wavelengths (1986, p 317-320) MP 2666
Scattering at mm wavelengths from *in situ* snow (1986, p 161-162) MP 2141

Walsh, J.E.
Development of a simplified method for field monitoring of soil moisture (1978, p 40-44) MP 1194
Review of techniques for measuring soil moisture *in situ* (1980, 17p) SR 80-31
On modeling seasonal and interannual fluctuations of arctic sea ice (1982, p 1514-1523) MP 1579
Use of radio frequency sensor for snow·soil moisture water content measurement (1983, p 33-42) MP 1689
East Greenland Sea ice variability in large-scale model simulations (1984, p 9-14) MP 1779
Model simulation of 20 years of northern hemisphere sea-ice fluctuations (1984, p 170-176) MP 1767
Numerical simulation of Northern Hemisphere sea ice variability, 1951-1980 (1985, p 4847-4865) MP 1882

Walsh, M.
River ice and salmonids (1986, p D-4.1-D-4.26) MP 2477

Walsh, M.E.
Losses of explosives residues on disposable membrane filters (1987, 25p) SR 87-02
Development of an analytical method for explosive residues in soil (1987, 51p) CR 87-07
Analytical method for determining tetrazane in water (1987, 34p) SR 87-25
Evaluation of disposable membrane filter units for sorptive losses and sample contamination (1988, p.45-52) MP 2328
Development of analytical methods for military-unique compounds (1988, p 370-380) MP 2454
Development of an analytical method for the determination of explosive residues in soil. Part II: Additional development and ruggedness testing (1988, 46p.) CR 88-08
Analytical method for determining tetrazene in soil (1988, 22p.) SR 88-15
Improved RP-HPLC method for determining nitroaromatics and nitramines in water (1988, 36p) SR 88-23
Development of an analytical method for the determination of explosive residues in soil. Part 3. Collaborative test results and final performance evaluation (1989, 89p.) CR 89-09
Alternative methods of using STB for decontamination at low temperatures (1989, 13p) SR 89-33
Ion-pairing RP-HPLC method for determining tetrazene in water and soil (1989, p.159-179) MP 2593
Analytical methods for detecting military-unique compounds (1989, p.13-14) MP 2713
Analytical methods for determining nitroguanidine in soil and water (1989, 27p) SR 89-35
Liquid chromatographic method for determination of extractable nitroaromatic and nitramine residues in soil (1989, p 890-899) MP 2586
Environmental transformation products of nitroaromatics and nitramines: literature review and recommendations for analytical development (1990, 21p) SR 90-02

Walsh, M.R.
Preliminary design guide for arctic equipment (1989, 35p.) SR 89-13

Wang, L.R.-L.
Life-cycle cost effectiveness of modular megastructures in cold regions (1976, p 760-776) MP 892

Wang, Q.
Radar backscatter measurements over saline ice (1990, p 603-615) MP 2741

Wang, T.P.
Laboratory investigation of the mechanics and hydraulics of river ice jams (1976, 97p) MP 1060
Laboratory investigation of the mechanics and hydraulics of river ice jams (1977, 45p) CR 77-09

Wang, Y.S.
Proceedings (1987, 4 vols) MP 2189

Warren, G.C.
Ski friction and thermal response (1989, p 223-225) MP 2745
Thermal response of downhill skis (1989, 40p) CR 89-23

Warren, J.L.
Automatic finite element mesh generator (1987, 27p) CR 87-18

Waterman, S.E.
Snowpack estimation in the St. John River basin (1980, p 467-486) MP 1799

Waters, R.G.
Preliminary evaluation of 88 years rapid infiltration of raw municipal sewage at Calumet, Michigan (1977, p 489-510) MP 976

Watson, M.S.
Dominion Range ice core, Queen Maud Mountains, Antarctica--general site and core characteristics with implications (1990, p 11-16) MP 2707

Watts, J.
U.S. tundra biome publication list (1983, 29p.) SR 83-29

Wayneberg, J.A.
Visual observations of floating ice from Skylab (1977, p.353-379) MP 1263

Webber, P.J.
Effects of low-pressure wheeled vehicles on plant communities and soils at Prudhoe Bay, Alaska (1977, 49p) SR 77-17
Effects of crude and diesel oil spill on plant communities at Prudehoe Bay, Alaska, and the derivation of oil spill sensitivity maps (1978, p 242-259) MP 1184
Tundra disturbances and recovery following the 1949 exploratory drilling, Fish Creek, Northern Alaska (1978, 81p) CR 78-28
Geobotanical atlas of the Prudhoe Bay region, Alaska (1980, 69p) CR 80-14
Coastal tundra at Barrow (1980, p 1-29) MP 1356
Landsat-assisted environmental mapping in the Arctic National Wildlife Refuge, Alaska (1982, 59p + 2 maps) CR 82-37

Webber, P.J. *(cont.)*
Sensitivity of plant communities and soil flora to seawater spills, Prudhoe Bay, Alaska (1983, 35p) CR 83-24
Reconnaissance observations of long-term natural vegetation recovery in the Cape Thompson region, Alaska, and additions to the checklist of flora (1985, 75p) CR 85-11
Webster, W.J., Jr.
Results of the US contribution to the Joint US/USSR Bering Sea Experiment (1974, 197p.) MP 1032
Weeks, W.F.
MECHANICAL PROPERTIES OF SEA ICE (1967, 80p.) M II-C3
Arctic marine navigation and ice dynamics—summary findings (1973, p.86-99) MP 2274
Salinity variations in sea ice (1974, p 109-122) MP 1023
Towing icebergs (1974, p 2) MP 1020
Meso-scale strain measurements on the Beaufourt sea pack ice (AIDJEX 1971) (1974, p.119-138) MP 1035
Remote sensing program required for the AIDJEX model (1974, p.22-44) MP 1040
Ice dynamics in the Canadian Archipelago and adjacent Arctic basin as determined by ERTS-1 observations (1975, p.853-877) MP 1585
Remote sensing plan for the AIDJEX main experiment (1975, p.21-48) MP 862
Measurement of sea ice drift far from shore using LANDSAT and aerial photographic imagery (1975, p.541-554) MP 849
Techniques for using LANDSAT imagery without references to study sea ice drift and deformation (1976, p.115-135) MP 1059
Thickness and roughness variations of arctic multiyear sea ice (1976, 25p.) CR 76-18
Dynamics of near-shore ice (1976, p.9-34) MP 1380
Techniques for studying sea ice drift and deformation at sites far from land using LANDSAT imagery (1976, p.595-609) MP 866
Imaging radar observations of frozen Arctic lakes (1976, p.169-175) MP 1284
Dynamics of near-shore ice (1976, p 267-275) MP 922
Sea ice properties and geometry (1976, p 137-171) MP 918
Sea ice conditions in the Arctic (1976, p.173-205) MP 910
Dynamics of near-shore ice (1977, p 106-112) MP 924
Interesting features of radar imagery of ice-covered North Slope lakes (1977, p.129-136) MP 923
Dynamics of near-shore ice (1977, p.151-163) MP 1073
Engineering properties of sea ice (1977, p.499-531) MP 1065
Studies of the movement of coastal sea ice near Prudhoe Bay, Alaska, U.S.A (1977, p 533-546) MP 1066
Integrated approach to the remote sensing of floating ice (1977, p 445-487) MP 1069
Visual observations of floating ice from Skylab (1977, p.353-379) MP 1263
Nearshore ice motion near Prudhoe Bay, Alaska (1977, p 23-31) MP 1162
Characterization of the surface roughness and floe geometry of the sea ice over the continental shelves of the Beaufort and Chukchi Seas (1977, p.32-41) MP 1163
Internal structure of fast ice near Narwahl Island, Beaufort Sea, Alaska (1977, 8p) CR 77-29
Dynamics of near-shore ice (1977, p 411-424) MP 1076
Dynamics of near-shore ice (1977, p 503-510) MP 1200
Some elements of iceberg technology (1978, p 45-98) MP 1616
Some elements of iceberg technology (1978, 31p) CR 78-02
Preferred crystal orientations in the fast ice along the margins of the Arctic Ocean (1978, 24p) CR 78-13
Ice arching and the drift of pack ice through channels (1978, p.415-432) MP 1138
Dynamics of near-shore ice (1978, p 11-22) MP 1205
Measurement of mesoscale deformation of Beaufort sea ice (AIDJEX-1971) (1978, p 148-172) MP 1179
Dynamics of near-shore ice (1978, p 230-233) MP 1619
Problems of offshore oil drilling in the Beaufort Sea (1978, p 4-11) MP 1250
Sea ice ridging over the Alaskan continental shelf (1979, 24p) CR 79-08
Surface-based scatterometer results of Arctic sea ice (1979, p.78-85) MP 1260
"Pack ice and icebergs" report to POAC 79 on problems of the seasonal sea ice zone: an overview (1979, p 320-337) MP 1320
Sea ice ridging over the Alaskan continental shelf (1979, p.4885-4897) MP 1240
The iceberg cometh (1979, p 66-75) MP 1305
Crystal alignments in the fast ice of Arctic Alaska (1979, 21p) CR 79-22
Dynamics of near-shore ice (1979, p 181-207) MP 1291
Crystal alignments in the fast ice of Arctic Alaska (1980, p 1137-1146) MP 1277
International Workshop on the Seasonal Sea Ice Zone, Monterey, California, Feb. 26-Mar.1, 1979 (1980, 357p.) MP 1292
Overview (International Workshop on the Seasonal Sea Ice Zone) (1980, p.1-35) MP 1293
Iceberg water: an assessment (1980, p.5-10) MP 1365
Dynamics of near-shore ice (1981, p.125-135) MP 1599
Sea ice: the potential of remote sensing (1981, p 39-48) MP 1468
Ground-truth observations of ice-covered North Slope lakes images by radar (1981, 17p.) CR 81-19
Physical and structural characteristics of sea ice in McMurdo Sound (1981, p 94-95) MP 1542
Growth, structure, and properties of sea ice (1982, 130p.) M 82-01
Physical and structural characteristics of antarctic sea ice (1982, p.113-117) MP 1548
Equations for determining the gas and brine volumes in sea ice samples (1982, 11p.) CR 82-30
Physical properties of the ice cover of the Greenland Sea (1982, 27p) SR 82-28
Recent advances in understanding the structure, properties, and behavior of sea ice in the coastal zones of the polar oceans (1983, p.25-41) MP 1604
Equations for determining the gas and brine volumes in sea-ice samples (1983, p 306-316) MP 2055
Spaceborne SAR and sea ice: a status report (1983, p.113-115) MP 2225
Statistical aspects of ice gouging on the Alaskan Shelf of the Beaufort Sea (1983, 34p. + map) CR 83-21
Science program for an imaging radar receiving station in Alaska (1983, 45p.) MP 1884
Mechanical properties of ice in the Arctic seas (1984, p.235-259) MP 1674
Summary of the strength and modulus of ice samples from multi-year pressure ridges (1984, p.126-133) MP 1679
Variation of ice strength within and between multiyear pressure ridges in the Beaufort Sea (1984, p.134-139) MP 1680
Mechanical properties of multi-year sea ice. Phase 1: Test results (1984, 105p.) CR 84-09
Offshore oil in the Alaskan Arctic (1984, p.371-378) MP 1743
Mechanical properties of sea ice: a status report (1984, p.135-198) MP 1808
Some probabilistic aspects of ice gouging on the Alaskan Shelf of the Beaufort Sea (1984, p.213-236) MP 1838
Sea ice properties (1984, p.82-83) MP 2136
Sea ice characteristics and ice penetration probabilities in the Arctic Ocean (1984, p.37-65) MP 1993
Modeling of Arctic sea ice characteristics relevant to naval operations (1984, p.67-91) MP 1994
Summary of the strength and modulus of ice samples from multi-year pressure ridges (1985, p.93-98) MP 1848
Preliminary simulation study of sea ice induced gouges in the sea floor (1985, p.126-135) MP 1917
Variation of ice strength within and between multiyear pressure ridges in the Beaufort Sea (1985, p.167-172) MP 2121
Physical properties of sea ice in the Greenland Sea (1985, p.177-188) MP 1903
Numerical simulation of ice gouge formation and infilling on the shelf of the Beaufort Sea (1985, p 393-407) MP 1904
Pressure ridge morphology and physical properties of sea ice in the Greenland Sea (1985, p.214-223) MP 1935
Numerical simulation of sea ice induced gouges on the shelves of the polar oceans (1985, p.259-265) MP 1938
Mechanical properties of multi-year sea ice. Phase 2: Test results (1985, 81p) CR 85-16
Physical properties of the sea ice cover (1986, p 87-102) MP 2047
Remote sensing of the Arctic seas (1986, p 59-64) MP 2117
Crystal structure of Fram Strait sea ice (1986, p.20-29) MP 2221
Ice gouge hazard analysis (1986, p.57-66) MP 2106
Growth, structure, and properties of sea ice (1986, p 9-164) MP 2209
Changes in the salinity and porosity of sea-ice samples during shipping and storage (1986, p 371-375) MP 2244
On the profile properties of undeformed first-year sea ice (1986, p 257-330) MP 2199
Preliminary simulation of the formation and infilling of sea ice gouges (1986, p 259-268) MP 2218
Physical properties of summer sea ice in the Fram Strait (1987, p 6787-6803) MP 2240
Alaska synthetic aperture radar (SAR) facility project (1987, p 593-596) MP 2408
Physical properties of summer sea ice in the Fram Strait, June-July 1984 (1987, 81p) CR 87-16
Alaska SAR facility: an update (1988, p 27-31) MP 2380
Alaska SAR facility (1988, p.103-110) MP 2344
Profile properties of undeformed first-year sea ice (1988, 57p) CR 88-13
Numerical simulations of the profile properties of undeformed first-year sea ice during the growth season (1988, p 12,449-12,460) MP 2404
Sea ice ridging in the Ross Sea, Antarctica, as compared with sites in the Arctic (1989, p 4984-4988) MP 2490
Satellite-borne remote sensing and large-scale programs for the arctic seas in the 1990s (1989, p.510-530) MP 2699
Internal structure, composition and properties of brackish ice from the Bay of Bothnia during the BEPERS-88 experiment (1989, p.1318-1333) MP 2763
Sea Ice Properties and Processes; Proceedings of the W.F. Weeks Sea Ice Symposium (1990, 299p.) M 90-01
Internal structure, composition and properties of brackish ice from the Bay of Bothnia (1990, p.5-15) MP 2725
Weertman, J.
Influence of irregularities of the bed of an ice sheet on deposition rate of till (1971, p.117-126) MP 1009
Can a water-filled crevasse reach the bottom surface of a glacier? (1973, p 139-145) MP 1044
Depth of water-filled crevasses that are closely spaced (1974, p.543-544) MP 1038
Stability of Antarctic ice (1975, p.159) MP 1042
Glaciology's grand unsolved problem (1976, p 284-286) MP 1056
Mechanical properties of polycrystalline ice: an assessment of current knowledge and priorities for research (1979, 16p) MP 1287
Wei, Y.
Fracture of S2 columnar freshwater ice: floating double cantilever beam tests (1988, p.152-161) MP 2493
Fracture toughness of columnar freshwater ice from large scale DCB tests (1989, p 7-20) MP 2545
Weill, G.
Extraction of topography from side-looking satellite systems —a case study with SPOT simulation data (1983, p.535-550; MP 1695
Weinstein, A.I.
Use of compressed air for supercooled fog dispersal (1976, p 1226-1231) MP 1614
Weiser, J.R.
Modeling hydrologic impacts of winter navigation (1981, p.1073-1080) MP 1445
Weiss, H.V.
Vanadium and other elements in Greenland ice cores (1976, 4p.) CR 76-24
Atmospheric trace metals and sulfate in the Greenland Ice Sheet (1977, p.915-920) MP 949
Vanadium and other elements in Greenland ice cores (1977, p.98-102) MP 1092
Welch, J.P.
Scientific challenges at the poles (1987, p 23-26) MP 2228
Welles, E.W.
Sublimation and its control in the CRREL permafrost tunnel (1981, 12p) SR 81-00
Weller, G.
Abiotic overview (1971, p 173-181) MP 906
Computer simulation of the snowmelt and soil thermal regime at Barrow, Alaska (1975, p.709-715) MP 857
Problems of offshore oil drilling in the Beaufort Sea (1978, p 4-11) MP 1250
Science program for an imaging radar receiving station in Alaska (1983, 45p.) MP 1884
Offshore oil in the Alaskan Arctic (1984, p.371-378) MP 1743
Alaska synthetic aperture radar (SAR) facility project (1987, p 593-596) MP 2408
Alaska SAR facility: an update (1988, p.27-31) MP 2380
Wellman, R.J.
Comparative near-millimeter wave propagation properties of snow or rain (1983, p.115-129) MP 1690
Attenuation and backscatter for snow and sleet at 96, 140, and 225 GHz (1984, p.41-52) MP 1864
Welsh, J.P.
Wind-generated polynyas off the coasts of the Bering Sea islands (1990, p 126-132) MP 2734
Werner, R.A.
Constraints and approaches in high latitude natural resource sampling and research (1984, p.41-46) MP 2013
West, H.W.
Environmental factors and standards for atmospheric obscurants, climate and terrain (1987, 137p.) MP 2309
Weyrick, P.B.
Nitrogen removal in cold regions trickling filter systems (1986, 39p) SR 86-02
Study of dynamic ice breakup on the Connecticut River near Windsor, Vermont (1987, p.163-177) MP 2400
Options for management of dynamic ice breakup on the Connecticut River near Windsor, Vermont (1988, 16p.) CR 88-01
Development of a dynamic ice breakup control method for the Connecticut River near Windsor, Vermont (1988, p 221-233) MP 2510
Dynamic ice breakup control for the Connecticut River near Windsor, Vermont (1988, p 245-258) MP 2469
Whillans, I.M.
Ice flow leading to the deep core hole at Dye 3, Greenland (1984, p 185-190) MP 1824
Folding in the Greenland ice sheet (1987, p 485-493) MP 2185

AUTHOR INDEX

White, L.
Mobility bibliography (1981, 313p.) SR 81-29
Wilbelt, T.T.
Results of the US contribution to the Joint US/USSR Bering Sea Experiment (1974, 197p.) MP 1032
Williams, I.M.
Snow and ice (1975, p.435-441, 475-487) MP 844
Willcockson, W.
Computer file for existing land application of wastewater systems: a user's guide (1978, 24p.) SR 78-22
Willey, W.
Losses from the Fort Wainwright heat distribution system (1981, 29p.) SR 81-14
Williams, F.M.
Comparative model tests in ice of a Canadian Coast Guard R-class icebreaker (1989, p.1/1-1/18) MP 2751
Comparative model tests in ice of a Canadian Coast Guard R-class icebreaker (1990, p.31-52) MP 2762
Williams, R.M.
Turbulent heat flux from Arctic leads (1979, p.57-91) MP 1340
Observations of condensate profiles over Arctic leads with a hot-film anemometer (1981, p.437-460) MP 1479
Williams, R.R.
Explosive obscuration sub-test results at the SNOW-TWO field experiment (1984, p.347-354) MP 1872
Williamson, T.
Gas inclusions in the Antarctic ice sheet and their glaciological significance (1975, p.5101-5106) MP 847
Rheological implications of the internal structure and crystal fabrics of the West Antarctic ice sheet as revealed by deep core drilling at Byrd Station (1976, 25p.) CR 76-35
Rheological implications of the internal structure and crystal fabrics of the West Antarctic ice sheet as revealed by deep core drilling at Byrd Station (1976, p.1665-1677) MP 1382
Wilson, C.
RADIOACTIVE FALLOUT IN NORTHERN REGIONS (1967, 35p.) M I-A3d
CLIMATOLOGY OF THE COLD REGIONS. INTRODUCTION. NORTHERN HEMISPHERE. PART I (1967, 141p.) M I-A3a
CLIMATOLOGY OF THE COLD REGIONS SOUTHERN HEMISPHERE (1968, 77p.) M I-A3c
CLIMATOLOGY OF THE COLD REGIONS NORTHERN HEMISPHERE. PART II (1969, 158p.) M I-A3b
Wilson, K.L.
Ice dynamics in the Canadian Archipelago and adjacent Arctic basin as determined by ERTS-1 observations (1975, p.853-877) MP 1585
Winiarski, M.E.
Topical databases. Cold Regions Technology on-line (1985, p.12-15) MP 2027
Winters, W.J.
Geotechnical properties and freeze/thaw consolidation behavior of sediment from the Beaufort Sea, Alaska (1985, 83p.) MP 2025
Wolfe, D.
Chemical migration in snowpack (1989, p.282-286) MP 2757
Wolfe, S.H.
Analysis of explosively generated ground motions using Fourier techniques (1976, 86p.) CR 76-28
Wood, E.
Proposed code provisions for drifted snow loads (1986, p.2080-2092) MP 2148
Woods, P.F.
Limnological investigations, Lake Koocanusa, Montana. Part 4. Factors controlling primary productivity (1982, 106p.) SR 82-15
Workshop on Ice Penetration Technology, 2nd, Monterey, CA, June 16-19, 1986
Second Workshop on Ice Penetration Technology, 1986 (1986, 659p.) SR 86-30
Workshop on Ice Penetration Technology, Hanover, NH, June 12-13, 1984
(Proceedings) (1984, 345p.) SR 84-33
Wortley, C.A.
Methods of ice control for winter navigation in inland waters (1984, p.329-337) MP 1831
Harbor design for ice conditions (1987, p.14-15) MP 2588
Rebuilding infrastructure for pleasure boating (1989, p.188-201) MP 2466
Wright, B.
Multi year pressure ridges in the Canadian Beaufort Sea (1979, p.107-126) MP 1229
Multi-year pressure ridges in the Canadian Beaufort Sea (1981, p.125-145) MP 1514
Wright, B.D.
Sea ice pressure ridges in the Beaufort Sea (1978, p.249-271) MP 1132
Wright, E.A.
Thermal energy and the environment (1975, [p. + 2p figs.]) MP 1480
Pothole primer: a public administrator's guide to understanding and managing the pothole problem (1981, 24p.) SR 81-21
Sewage sludge aids revegetation (1982, p.198-301) MP 1735
Land treatment research and development program: synthesis of research results (1983, 144p.) CR 83-20
Frost action and its control (1984, 145p.) MP 1704
Proceedings (1989, 136p.) SR 89-07
SNOW IV field experiment data report (1989, 250p.) SR 89-14
U.S. Federal arctic research (1989, p.65-74) MP 2671
Wu, H.-C.
Investigation of ice forces on vertical structures (1974, 153p.) MP 1041
Wuebben, J.L.
Ice removal from the walls of navigation locks (1976, p.1487-1496) MP 888
Physical measurement of ice jams 1976-77 field season (1978, 19p.) SR 78-03
Investigation of ice clogged channels in the St. Marys River (1978, 73p.) MP 1170
Hydraulic model investigation of drifting snow (1978, 29p.) CR 78-16
Ice and navigation related sedimentation (1978, p.393-403) MP 1133
Shoreline erosion and shore structure damage on the St. Marys River (1983, 36p.) SR 83-15
Effect of vessel size on shoreline and shore structure damage along the Great Lakes connecting channels (1983, 62p.) SR 83-11
Rise pattern and velocity of frazil ice (1984, p.297-316) MP 1816
Data acquisition in USACRREL's flume facility (1985, p.1053-1058) MP 2089
Laboratory study of flow in an ice-covered sand bed channel (1986, p.3-14) MP 2123
Morphology, hydraulics and sediment transport of an ice-covered river. Field techniques and initial data (1986, 37p.) CR 86-11
Preliminary study of scour under an ice jam (1988, p.177-192) MP 2475
Effects of an ice cover on flow in a movable bed channel (1988, p.137-146) MP 2499
Wuori, A.F.
Mechanical properties of snow used as construction material (1975, p.157-164) MP 1057
Foundations in permafrost and seasonal frost: Proceedings (1985, 62p.) MP 1730
Improved techniques for construction of snow roads and airstrips (1988, 99p.) SR 88-18
Improving snow roads and airstrips in Antarctica (1989, 18p.) SR 89-22
Xirouchakis, P.C.
Investigation of the acoustic emission and deformation response of finite ice plates (1981, 19p.) CR 81-06
Investigation of the acoustic emission and deformation response of finite ice plates (1981, p.123-133) MP 1436
On the acoustic emission and deformation response of finite ice plates (1981, p.385-394) MP 1455
Preliminary investigation of the acoustic emission and deformation response of finite ice plates (1982, p.129-139) MP 1589
Xu, X.
Water migration in unsaturated frozen morin clay under linear temperature gradients (1985, p.111-122) MP 1934
Experimental study on factors affecting water migration in frozen morin clay (1985, p.123-128) MP 1897
Prediction of unfrozen water contents in frozen soils by a two-point or one-point method (1985, p.83-87) MP 1929
Soil-water potential and unfrozen water content and temperature (1985, p.1-14) MP 1932
Factors affecting water migration in frozen soils (1987, 16p.) CR 87-09
Yapa, P.D.
Computer simulation of ice cover formation in the Upper St. Lawrence River (1984, p.227-245) MP 1814
Effect of ice cover on hydropower production (1984, p.231-234) MP 1876
Unified degree-day method for river ice cover thickness simulation (1985, p.54-62) MP 2065
Simulation of oil slick transport in Great Lakes connecting channels: theory and model formulation (1990, 29p.) CR 90-01
Yarkin, I.G.
Natural electrical potentials that arise when soils freeze (1986, 24p.) SR 86-12
Yen, Y.-C.
IMPACT OF SPHERES ON ICE. CLOSURE (1972, p.471) MP 988
Approximate analysis of melting and freezing of a drill hole through an ice shelf in Antarctica (1975, p.421-433) MP 861
Heat transfer characteristics of melting and refreezing a drill hole through an ice shelf in Antarctica (1976, 45p.) CR 76-12
Heat transfer between a free water jet and an ice block held normal to it (1976, p.299-307) MP 882
Heat transfer over a vertical melting plate (1977, 12p.) CR 77-32
Free convection heat transfer characteristics in a melt water layer (1980, p.450-456) MP 1311
Review of thermal properties of snow, ice and sea ice (1981, 27p.) CR 81-10
Second National Chinese Conference on Permafrost, Lanzhou, China, 12-18 October 1981 (1982, 58p.) SR 82-03
On the temperature distribution in an air-ventilated snow layer (1982, 10p.) CR 82-05
Aerosol growth in a cold environment (1984, 21p.) CR 84-06
Temperature structure and interface morphology in a melting ice-water system (1984, p.305-325) MP 1727
Experimental determination of heat transfer coefficients in water flowing over a horizontal ice sheet (1986, 81p.) CR 86-03
Approximate solutions of heat conduction in a medium with variable properties (1987, 18p.) CR 87-19
Thermal instability and heat transfer characteristics in water-/ice systems (1987, 33p.) CR 87-22
On the effect of the 4 C density maximum on melting heat transfer (1988, p.362-367) MP 2382
On the pressure drop through a uniform snow layer (1988, 10p.) CR 88-14
Historical and recent developments in the research of cold regions heat transfer (1989, p.1-25) MP 2637
Approximate solutions of heat conduction in snow with linear variation of thermal conductivity (1989, p.21-32) MP 2546
Friction loss through a uniform snow layer (1990, p.83-90) MP 2703
Yokota, R.
Ice removal from the walls of navigation locks (1976, p.1487-1496) MP 888
Ice releasing block-copolymer coatings (1978, p.544-551) MP 1141
Yong, R.N.
Proceedings of a workshop on the properties of snow, 8-10 April 1981, Snowbird, Utah (1982, 135p.) SR 82-18
Proceedings of the ISTVS Workshop on Measurement and Evaluation of Tire Performance under Winter Conditions, Alta, Utah, 11-14, April 1983 (1985, 177p.) SR 85-15
Need for snow tire characterization and evaluation (1985, p.1-2) MP 2043
Young, S.A.
Effects of phase III construction of the Chena Flood Control Project on the Tanana River near Fairbanks, Alaska—a preliminary analysis (1984, 11p. + figs.) MP 1745
Zabilansky, L.J.
Ice forces on model structures (1975, p.400-407) MP 863
Ice forces on simulated structures (1975, p.387-396) MP 864
Ice engineering facility (1983, 12p. + fig.) MP 2008
Review of experimental studies of uplifting forces exerted by adfroze ice on marina piles (1985, p.529-542) MP 1905
Real-time measurements of uplifting ice forces (1985, p.253-259) MP 2092
Data acquisition in USACRREL's flume facility (1985, p.1053-1058) MP 2089
Cazenovia Creek Model data acquisition system (1985, p.1424-1429) MP 2090
Instrumentation for an uplifting ice force model (1985, p.1430-1435) MP 2091
Model study of ice forces on a single pile (1986, p.77-87) MP 2388
Information systems planning study (1987, 48p.) SR 87-23
Computer-controlled data acquisition system for a hydraulic flume (1988, p.453-460) MP 2349
Model study of uplifting ice forces: the instrumentation (1988, p.745-748) MP 2487
Salmon River ice jam control studies: interim report (1990, 8p.) SR 90-06
Zagorodnov, V.S.
Core drilling through Ross Ice Shelf (1979, p.63-66) MP 1337
Sea ice on bottom of Ross Ice Shelf (1979, p.65-66) MP 1336
Zarling, J.
Yukon River breakup 1976 (1977, p.592-596) MP 960
Ice force measurement on the Yukon River bridge (1981, p.749-777) MP 1396
Zarling, J.P.
Heat and mass transfer from freely falling drops at low temperatures (1980, 16p.) CR 80-18
Single and double reacted beam load cells for measuring ice forces (1980, 17p.) CR 80-25
Performance of a thermosyphon with an inclined evaporator and vertical condenser (1984, p.44-48) MP 1677
Laboratory tests and analysis of thermosyphons with inclined evaporator sections (1985, p.31-37) MP 1853
Heat transfer characteristics of thermosyphons with inclined evaporator sections (1986, p.285-292) MP 2034
Heat transfer characteristics of a commercial thermosyphon with an inclined evaporator section (1987, p.79-85) MP 2190
Heat transfer performance of commercial thermosyphons with inclined evaporator sections (1988, p.276-280) MP 2320

Zarling, J.P. *(cont.)*
On the application of thermosyphons in cold regions [1988, p.281-286] MP 2321
Thermosyphons and foundation design in cold regions [1988, p.251-259] MP 2443
Cold regions engineering research—strategic plan [1989, p.172-190] MP 2571
Thermal stabilization of permafrost with thermosyphons [1990, p 323-328] MP 2583
Zeller, E.J.
Planetary and extraplanetary event records in polar ice caps [1980, p.18-27] MP 1461
Nitrogenous chemical composition of antarctic ice and snow [1981, p 79-81] MP 1541
Nitrate fluctuations in antarctic snow and firn, potential sources and mechanisms of formation [1982, p.243-248] MP 1551
Zhang, X.
Bibliography of literature on China's glaciers and permafrost, Part I: 1938-1979 [1982, 44p] SR 82-20
Zhang, Y.
Preliminary development of a fiber optic sensor for TNT [1988, 16p.] SR 88-04
Development of a membrane for *in-situ* optical detection of TNT [1988, 6p] SR 88-24
Single fiber measurements for remote optical detection of TNT [1989, 7p.] SR 89-18
Zhu, Y.
Relationship between the ice and unfrozen water phases in frozen soils as determined by pulsed nuclear resonance and physical desorption data [1983, p.37-46] MP 1632
Creep behavior of frozen silt under constant uniaxial stress [1983, p.1507-1512] MP 1805
Creep behavior of frozen silt under constant uniaxial stress [1984, p.33-48] MP 1807
Uniaxial compressive strength of frozen silt under constant deformation rates [1984, p.3-15] MP 1773
Effects of soluble salts on the unfrozen water contents of the Lanzhou, P.R.C., silt [1984, 18p] CR 84-16
Effects of soluble salts on the unfrozen water contents of the Lanzhou, PRC, silt [1985, p 99-109] MP 1933
Strain rate effect on the tensile strength of frozen silt [1985, p.153-157] MP 1898
Tensile strength of frozen silt [1986, p.15-28] MP 1971
Creep and strength behavior of frozen silt in uniaxial compression [1987, 67p.] CR 87-13
Tensile strength of frozen silt [1987, 23p] CR 87-15
Triaxial compressive strength of frozen soils under constant strain rates [1988, p.1200-1205b] MP 2371
Zirschky, J.
New approach for sizing rapid infiltration systems (discussion and closure) [1989, p 879-882] MP 2712
Zisson, J.R.
Experimental determination of heat transfer coefficients in water flowing over a horizontal ice sheet [1986, 81p] CR 86-03
Zomerman, I.
Frost heave of full-depth asphalt concrete pavements [1985, p 60 ...] MP 1927
Survey of airport pavement distress in cold regions [1986, p.41-50] MP 2002
Definition of research needs to address airport pavement distress in cold regions [1989, 142p.] CR 89-10
Zotikov, I.A.
Core drilling through Ross Ice Shelf [1979, p 63-64] MP 1337
Sea ice on bottom of Ross Ice Shelf [1979, p 65-66] MP 1336
Antifreeze-thermodrilling for core through the central part of the Ross Ice Shelf (J-9 Camp), Antarctica [1979, 12p] CR 79-24
Structure of ice in the central part of the Ross Ice Shelf, Antarctica [1985, p.39-44] MP 2110
Zufelt, J.
Survey of ice problem areas in navigable waterways [1985, 32p.] SR 85-02
Zufelt, J.E.
Upper Delaware River ice control—a case study [1986, p.760-770] MP 2005
Potential solution to ice jam flooding, Salmon River, Idaho [1986, p 15-25] MP 2131
Data acquisition for refrigerated physical model [1987, p 338-341] MP 2351
Transverse velocities and ice jamming potential in a river bend [1988, p.193-207] MP 2476
Laboratory study of transverse velocities and ice jamming in a river bend [1988, p 189-197] MP 2501
Is advanced technology "the gateway to irresponsibility" [1989, p 434-437] MP 2529

SUBJECT INDEX

Ablation
Ablation seasons of arctic and antarctic sea ice. Andreas, E.L., et al, (1982, p.440-447) MP 1517
On the differences in ablation seasons of Arctic and Antarctic sea ice. Andreas, E.L., et al, (1982, 9p) CR 82-33
Energy exchange over antarctic sea ice in the spring. Andreas, E.L., et al, (1985, p 7199-7212) MP 1889

Absorption
Water absorption of insulation in protected membrane roofing systems. Schaefer, D., (1976, 15p) CR 76-38
Nondestructive evaluation of moisture migration in insulation material. Ayorinde, O A, (1989, p 111-121) MP 2716
Theoretical estimates of light reflection and transmission by spatially inhomogeneous and temporally varying ice covers Perovich, D.K., (1990, p.45-49) MP 2729

Absorptivity
Light-colored surfaces reduce thaw penetration in permafrost. Berg, R.L., et al, (1977, p 86-99) MP 954
Effects of moisture and freeze-thaw on rigid thermal insulations. Kaplar, C.W, (1978, p 403-417) MP 1085

Accuracy
Is advanced technology "the gateway to irresponsibility" Zufelt, J.E, (1989, p 434-437) MP 2529
Satellite data collection platforms for temperature measurements Daly, S.F., et al, (1989, 14p) SR 89-37

Acoustic measurement
Rheology of ice. Fish, A M., (1978, 196p) MP 1988
Acoustic emission response in polycrystalline materials. St. Lawrence, W.F., (1979, p 223-228) MP 1246
Acoustic emission and deformation response of finite ice plates. Xirouchakis, P.C., et al, (1981, p 123-133) MP 1436
Analysis of acoustical features of laboratory grown sea ice Stanton, T K., et al, (1986, p 1486-1494) MP 2222
Acoustically induced ground motion in sand under winter conditions. Peck, L., (1989, p 37-54) MP 2626
Observations of low-frequency acoustic-to-seismic coupling in the summer and winter. Albert, D.G., et al, (1989, p.352-359) MP 2654
Ice strength estimates from submarine topsounder data. DiMarco R., et al, (1989, p 425-426) MP 2691

Acoustic measuring instruments
Some characteristics of grounded floebergs near Prudhoe Bay, Alaska. Kovacs, A., et al, (1976, p.169-172) MP 1118
Grounded floebergs near Prudhoe Bay, Alaska Kovacs, A, et al, (1976, 10p) CR 76-34

Acoustics
International Workshop on the Seasonal Sea Ice Zone, Monterey, California, Feb 26-Mar.1, 1979. Andersen, B G., ed, (1980, 357p) MP 1292
Acoustic emissions during creep of frozen soils Fish, A M, e al, (1982, p.194-206) MP 1495
Effect of snow on vehicle-generated seismic signatures Albert, D.G., (1987, p 881-887) MP 2229
Acoustic-to-seismic coupling through a snow layer Peck, L, (1987, p 47-55) MP 2294
Recent research on acoustic to seismic coupling Albert, D G., (1987, p 223-225) MP 2418
Seismic and acoustic wave propagation. working group report. Albert, D G, et al, (1987, p 253-255) MP 2419
Acoustic emissions from composites at decreasing temperatures. Dutta, P.K, et al, (1988, p 1090-1095) MP 2430
Experimental and theoretical studies of acoustic-to-seismic coupling Albert, D G., (1988, p 19-31) MP 2432
Seismic/acoustic experiments at SNOW IV Peck, L, (1989, p 155-157) MP 2646

Active layer
Permafrost and active layer on a northern Alaskan road Berg, R.L., et al, (1978, p 615-621) MP 1102
Human-induced thermokarst at old drill sites in northern Alaska. Lawson, D E, et al, (1978, p.16-23) MP 1254
Geophysics in the study of permafrost Scott, W.J, et al, (1979, p 93-115) MP 1266
Neumann solution applied to soil systems Lunardini, V J, (1980, 7p) CR 80-22
Dielectric properties of thawed active layers. Arcone, S A., et al, (1982, p 618-626) MP 1547
Long-term active layer effects of crude oil spilled in interior Alaska. Collins, C.M., (1983, p 175-179) MP 1656
Recovery and active layer changes following a tundra fire in northwestern Alaska Johnson, L, et al, (1983, p.543-547) MP 1660
Potential responses of permafrost to climatic warming Goodwin, C W., et al, (1984, p.92-105) MP 1710
Permafrost, snow cover and vegetation in the USSR Bigl, S.R., (1984, 128p) SR 84-36

Adhesive strength
Seeking low ice adhesion. Sayward, J.M., (1979, 83p) SR 79-11

Admixtures
Grouting of soils in cold environments a literature search. Johnson, R., (1977, 49p) SR 77-42

Adsorption
Water vapor adsorption by sodium montmorillonite at -5C. Anderson, D M, et al, (1978, p 638-644) MP 981
Analysis of water in the Martian regolith. Anderson, D.M., et al, (1979, p 33-38) MP 1409
Summary of the adsorption force theory of frost heaving. Takagi, S., (1980, p 233-236) MP 1332
Adsorption force theory of frost heaving Takagi, S, (1980, p 57-81) MP 1334
Comments on "Modeling adsorption/desorption kinetics of pesticides in a soil suspension". Leggett, D C., (1989, p 231) MP 2532

Aerial photographs
Meso-scale strain measurements on the Beaufort sea pack ice (AIDJEX 1971). Hibler, W D., III, et al, (1974, p.119-138) MP 1035
Remote sensing program required for the AIDJEX model Weeks, W.F, et al, (1974, p 22-44) MP 1040

Aerial photography
Seasonal regime and hydrological significance of stream icings in central Alaska. Kane, D.L, et al, (1973, p.528-540) MP 1026
Land use/vegetation mapping in reservoir management Cooper, S., et al, (1974, 30p) MP 1039

Aerial reconnaissance
Meso-scale strain measurements on the Beaufort sea pack ice (AIDJEX 1971). Hibler, W.D, III, et al, (1974, p.119-138) MP 1035

Aerial surveys
Correlation and quantification of airborne spectrometer data to turbidity measurements at Lake Powell, Utah Merry, C J, (1970, p 1309-1316) MP 1271
Applications of remote sensing in New England. McKim, H L., et al, (1975 8p. + 14 figs. and tables) MP 913
Remote measurement of sea ice drift Hibler, W D, III, et al, (1975, p 541-554) MP 849
Land use and water quality relationships, eastern Wisconsin. Haugen, R.K, et al, (1976, 47p) CR 76-30
Skylab imagery Application to reservoir management in New England. McKim, H L, et al, (1976, 51p) SR 76-07
Applications of remote sensing in the Boston Urban Studies Program, Parts I and II. Merry, C.J, et al, (1977, 36p.) CR 77-13
Investigation of an airborne resistivity survey conducted at very low frequency. Arcone, S.A., (1977, 48p) CR 77-20
Water quality measurements at Lake Powell, Utah Merry, C.J., (1977, 38p) SR 77-28
Aerial photointerpretation of a small ice jam. DenHartog, S.L, (1977, 17p) SR 77-32
Aerial photography of Cape Cod shoreline changes Gatto, L.W, (1978, 49p) CR 78-17
Estuarine processes and intertidal habitats in Grays Harbor, Washington. a demonstration of remote sensing techniques Gatto, L.W., (1978, 79p) CR 78-18
VLF airborne resistivity survey in Maine. Arcone, S A, (1978, p.1399-1417) MP 1166
Measurement of mesoscale deformation of Beaufort sea ice (AIDJEX-1971). Hibler, W.D., III, et al, (1978, p 148-172) MP 1179
Mapping of the LANDSAT imagery of the Upper Susitna River Gatto, L.W, et al, (1980, 41p) CR 80-04
Ice regime reconnaissance, Yukon River, Yukon Gerard, R, et al, (1984, p 1059-1073) MP 2406
Potential of remote sensing in the Corps of Engineers dredging program McKim, H.L., et al, (1985, 42p) SR 85-20
Method for conducting airborne infrared roof moisture surveys Tobiasson, W., (1988, p 50-61) MP 2436
Sea ice ridging in the Ross Sea, Antarctica, as compared with sites in the Arctic. Weeks, W F., et al, (1989, p 4984-4988) MP 2490
Ice runways near the South Pole Switzinbank, C, (1989, 42p) SR 89-19
Development of an airborne sea ice thickness measurement system and field test results Kovacs, A, et al, (1989, 47p.) CR 89-19

Aerosols
Propane dispenser for cold fog dissipation system Hicks, J R, et al, (1973, 38p) MP 1033
Aerosols in Greenland snow and ice Kumai, M, (1977, p.341-350) MP 1725
Elemental analyses of ice crystal nuclei and aerosols Kumai, M, (1977, 5p.) MP 1191
Measurement and identification of aerosols collected near Barrow, Alaska. Kumai, M, (1978, 6p) CR 78-20
Microbiological aerosols during wastewater irrigation Bausum, H T., et al, (1978, p.273-280) MP 1154
Health aspects of water reuse in California Reed, S C., (1979, p.434-435) MP 1404
Bacterial aerosols resulting from wastewater irrigation in Ohio Bausum, H.T., et al, (1979, 64p) SR 79-32
Chemical obscurant tests during winter, environmental fate. Cragin, J.H., (1982, 9p) SR 82-19
Microbiological aerosols from waste water Bausum, H T, et al, (1983, p 65-75) MP 1578
Chemical obscurant tests during winter. Environmental fate. Cragin, J H, (1983, p 267-272) MP 1760
Aerosol growth in a cold environment. Yen, Y.-C, (1984, 21p) CR 84-06
Catalog of smoke/obscurant characterization instruments. O'Brien, H.W., et al, (1984, p 77-82) MP 1865
Acidity of snow and its reduction by alkaline aerosols. Kumai, M, (1985, p 92-94) MP 2008
Aerosol exchange in the remote troposphere Hogan, A W., (1986, p.197-213) MP 2180
Chemical properties of snow in the northeastern United States Kumai, M., (1987, p (C1)625-(C1)630) MP 2232
Scavenging of infrared screener EA 5763 by falling snow Cragin, J H., et al, (1987, p 13-20) MP 2292
Dynamic aerosol flow chamber Hewitt, A D., (1988, 13p) SR 88-21
Application of aerosol physics to snow research. Hogan, A.W., (1989, p 201-207) MP 2756
Effect of aerosols on pH of snow Kumai, M, (1990, p 17-30) MP 2675

Agriculture
Symposium on land treatment of wastewater, CRREL, Aug. 1978. (1978, 2 vols) MP 1145
Energy and costs for agricultural reuse of wastewater. Sletten, R S, et al, (1980, p 339-346) MP 1401

Air cushion vehicles
Some effects of air cushion vehicle operations on deep snow. Abele, G, et al, (1972, p 214-241) MP 887
Height variation along sea ice pressure ridges Hibler, W.D., III, et al, (1975, p.191-199) MP 848
Arctic environment and the Arctic surface effect vehicle Sterrett, K.F., (1976, 28p.) CR 76-01
Effects of hovercraft, wheeled and tracked vehicle traffic on tundra Abele, G, (1976, p 186-215) MP 1123
Evaluation of an air cushion vehicle in Northern Alaska. Abele, G, et al, (1976, 7p) MP 894
Air-cushion vehicle effects on surfaces of Alaska's Arctic Slopes Slaughter, C.W., (1976, p 272-279) MP 1384
Hovercraft ground contact directional control devices Abele, G., (1976, p 51-59) MP 875
Air cushion vehicle ground contact directional control devices Abele, G, et al, (1976, 15p) CR 76-45
Arctic transportation operational and environmental evaluation of an air cushion vehicle in northern Alaska Abele, G., et al, (1977, p 176-182) MP 985
Effects of low ground pressure vehicle traffic on tundra at Lonely, Alaska Abele, G, et al, (1977, 32p) SR 77-31
Long-term effects of off-road vehicle traffic on tundra terrain Abele, G, et al, (1984, p 283-294) MP 1820
Mobility working group report. Blaisdell, G L, et al, (1987, p 273 274) MP 2423

Air entrainment
Gas inclusions in the Antarctic ice sheet Gow, A J, et al, (1975, p.5101-5108) MP 847
Soft drink bubbles Cragin, J H., (1983, p 71) MP 1736

Air flow
Water and air horizontal flow in porous media Nakano, Y., (1980, p.81-85) MP 1341
Water and air vertical flow through porous media Nakano, Y, (1980, p 124-133) MP 1342
Traveling wave solution to the problem of simultaneous flow of water and air through homogeneous porous media. Nakano, Y., (1981, p.57-64) MP 1419
Thermosyphons and foundation design in cold regions Haynes, F D, et al, (1988, p 251-259) MP 2443
Investigation into the post-stable behavior of a tube array in cross-flow. Lever, J H., et al, (1989, p 457-465) MP 2561
Tracer gas measurement of air exchange in buildings Flanders, S N, et al, (1989, p.433-444) MP 2557
Air change measurements of five Army buildings in Alaska. Flanders, S.N, (1990, p.53-63) MP 2676
Friction loss through a uniform snow layer Yen, Y.C, (1990, p 83-90) MP 2703

Air leakage
Vents and vapor retarders for roofs. Tobiasson, W., (1986, 11p.) MP 2246
Vents and vapor retarders for roofs. Tobiasson, W., (1987, p.80-90) MP 2352
Vapor retarders for membrane roofing systems. Tobiasson, W., (1989, p 31-37) MP 2489

Air pollution
Winter air pollution at Fairbanks, Alaska. Coutts, H J., et al, (1981, p.512-528) MP 1395
Atmospheric pollutants in snow cover runoff Colbeck, S C., (1981, p.1-10) MP 1586
Atmospheric pollutants in snow cover runoff. Colbeck, S.C., (1981, p.1383-1388) MP 1487
Engine starters in winter. Coutts, H.J., (1981, 37p.) SR 81-32
Chemical obscurant tests during winter; environmental fate. Cragin, J.H., (1982, 9p.) SR 82-19
Low temperature automotive emissions. Coutts, H.J., (1983, 2 vols.) MP 1703
Catalog of smoke/obscurant characterization instruments O'Brien, H W., et al, (1984, p.77-82) MP 1865
Chemical properties of snow in the northeastern United States. Kumai, M., (1987, p (C1)625-(C1)630) MP 2232

Air temperature
Selected climatic and soil thermal characteristics of the Prudhoe Bay region. Brown, J., et al, (1975, p.3-12) MP 1054
Surface temperature data for Atkasook, Alaska summer 1975. Haugen, R K., et al, (1976, 25p.) SR 76-01
20-yr oscillation in eastern North American temperature records Mock, S J., et al, (1976, p.484-486) MP 889
Compressive and shear strengths of fragmented ice covers Cheng, S T., et al, (1977, 82p.) MP 951
Midwinter temperature regime and snow occurrence in Germany. Bilello, M.A., et al, (1978, 56p.) CR 78-21
Maximum thickness and subsequent decay of lake, river and fast sea ice in Canada and Alaska. Bilello, M.A., (1980, 160p.) CR 80-06
Summer air temperature and precipitation in northern Alaska. Haugen, R K., et al, (1980, p 403-412) MP 1439
Sea-ice atmosphere interactions in the Weddell Sea using drifting buoys. Ackley, S F., (1981, p 177-191) MP 1427
Climate of remote areas in north-central Alaska 1975-1979 summary. Haugen, R.K., (1982, 110p.) CR 82-35
Surface meteorology US/USSR Weddell Polynya Expedition, 1981 Andreas, E.L., et al, (1983, 32p.) SR 83-14
Relationships between estimated mean annual air and permafrost temperatures in North-Central Alaska Haugen, R.K., et al, (1983, p.462-467) MP 1658
Spectra and cospectra of atmospheric turbulence over snow Andreas, E L., (1986, p 219-233) MP 2661
Humidity and temperature measurements obtained from an unmanned aerial vehicle. Ballard, H., et al, (1987, p 35-45) MP 2293
Ice jams and the winter climate near White River, SD. Bilello, M.A., (1987, p.154-162) MP 2399
Spectral measurements in a disturbed boundary layer over snow. Andreas, E.L., (1987, p 1912-1939) MP 2254
Regional climatic trends in northern New England Haugen, R K., et al, (1988, p 64-71) MP 2748
Comparative studies of the winter climate at selected locations in Europe and the United States Bates, R.E., et al, (1989, p 283-293) MP 2598
Year of Bowen ratios over the frozen Beaufort Sea. Andreas, E L., (1989, p 12,721-12,724) MP 2508
Three-wavelength scintillation measurement of turbulent heat fluxes Andreas, E L., (1990, p 74-77) MP 2696

Air water interactions
Problems of the seasonal sea ice zone Weeks, W F., (1980, p.1-35) MP 1293
Forecasting river water temperatures. Daly, S F., (1988, p 180-188) MP 2500
Time constants for the evolution of sea spray droplets Andreas, E.L., (1989, p.147-149) MP 2555
Comments on "A physical bound on the Bowen ratio" Andreas, E L., (1989, p 1252-1254) MP 2560
Environment of wintertime leads and polynyas Andreas, E.L., (1989, p.273-288) MP 2689
Lidar-derived particle concentrations in plumes from arctic leads Andreas, E.L., et al, (1990, p.9-12) MP 2758

Airborne equipment
Airborne E-phase resistivity surveys of permafrost. Sellmann, P V., et al, (1974, p 67-71) MP 1046
Remote sensing plan for the AIDJEX main experiment Weeks, W F., et al, (1975, p 21-48) MP 862
Atmosphere subgroup discussions. Andreas, E L., (1984, p 97-98) MP 2603
Airborne roof moisture surveys Tobiasson, W., (1986, p 45-47) MP 2139
Airborne measurement of sea ice thickness and subice bathymetry. Kovacs, A., et al, (1988, p.111-120) MP 2345
Measurement of sea ice thickness using electromagnetic induction Holladay, J S., et al, (1990, p 309-315) MP 2590
Airborne sea ice thickness sounding Kovacs, A., et al, (1990, p 225-229) MP 2737

Airborne radar
Investigation of an airborne resistivity survey conducted at very low frequency. Arcone, S A., (1977, 48p.) CR 77-20
Detection of moisture in construction materials. Morey, R.M., et al, (1977, 9p.) CR 77-25
Inlet current measured with Sea-at-1 synthetic aperture radar. Shemdin, O.H., et al, (1980, p 35-37) MP 1481
Electromagnetic subsurface measurements. Dean, A.M., Jr., (1981, 19p.) SR 81-23
Airborne electromagnetic sounding of sea ice thickness and sub-ice bathymetry. Kovacs, A., et al, (1987, p 289-311) MP 2332
Radioglaciology by V.V. Bogorodskiĭ, et al. Jezek, K.C., (1988, p 55-56) MP 2338
Airborne radar survey of a brash ice jam in the St. Clair River. Daly, S.F., et al, (1989, 17p.) CR 89-02
Water detection in coastal plains using helicopter-borne short pulse radar. Arcone, S A., et al, (1989, 25p.) CR 89-07
Measurement of sea ice thickness using electromagnetic induction. Holladay, J S., et al, (1990, p 309-315) MP 2590

Aircraft icing
Interaction of a surface wave with a dielectric slab discontinuity. Arcone, S.A., et al, (1978, 10p.) CR 78-08
Potential icing of the space shuttle external tank Ferrick, M G., et al, (1982, 305p.) CR 82-25
Computer modeling of time-dependent rime icing in the atmosphere Lozowski, E P., et al, (1983, 74p.) CR 83-02
Studies of high-speed rotor icing under natural conditions Itagaki, K., et al, (1983, p 117-123) MP 1635
Self-shedding of accreted ice from high-speed rotors Itagaki, K., (1983, p 1-6) MP 1719
Current procedures for forecasting aviation icing. Tucker, W B., (1983, 31p.) SR 83-24
Ice accretion under natural and laboratory conditions. Itagaki, K., et al, (1985, p.225-228) MP 2009
Utilization of Unmanned Aerial Vehicles in the ALBE Thrust Greeley, H.P., et al, (1986, p 249-257) MP 2663
Natural rotor icing on Mount Washington, New Hampshire Itagaki, K., et al, (1986, 62p.) CR 86-10
Prediction of winter battlefield weather effects Ryerson, C.C., et al, (1988, p.357-362) MP 2402
Thickness distribution of accreted ice grown on rotor blades Itagaki, K., et al, (1988, p 152-156) MP 2423

Aircraft landing areas
Propane dispenser for cold fog dissipation system Hicks, J.R., et al, (1973, 38p.) MP 1033
Runway site survey, Pensacola Mountains, Antarctica Kovacs, A., et al, (1977, 45p.) SR 77-14
Design considerations for airfields in NPRA Crory, F.E., et al, (1978, p.441-458) MP 1086
Storm drainage design considerations in cold regions Lobacz, E F., et al, (1978, p 474-489) MP 1088
Construction of temporary airfields in NPRA Crory, F E., (1978, p 13-15) MP 1253
Aircraft operations in the Arctic. DenHartog, S L., (1987, p 271-272) MP 2422
Hard-surface runways in Antarctica. Mellor, M., (1988, 87p.) SR 88-13
Improved techniques for construction of snow roads and airstrips Lee, S.M., et al, (1988, 99p.) SR 88-18
Airfields in Arctic Alaska Crory, F.E., (1988, p.49-55) MP 2451

Airplanes
Report on ice fall from clear sky in Georgia October 26, 1959. Harrison, L P., et al, (1960, 31p. plus photographs) MP 1017
Operation of the CRREL prototype air transportable shelter Flanders, S N., (1980, 73p.) SR 80-10
Humidity and temperature measurements obtained from an unmanned aerial vehicle. Ballard, H., et al, (1987, p 35-45) MP 2293
Aircraft operations in the Arctic DenHartog, S L., (1987, p.271-272) MP 2422
Mobility working group report Blaisdell, G.L., et al, (1987, p.273-274) MP 2423

Airports
The strength of natural and processed snow Abele, G., (1975, p 176-186) MP 1058
Design of airfield pavements for seasonal frost and permafrost conditions Berg, R.L., et al, (1978, 18p.) MP 1189
Snow and ice roads in the Arctic. Johnson, P.R., (1979, p 1063-1071) MP 1223
Snow and ice control on railroads, highways and airports Minsk, L D., et al, (1981, p 671-706) MP 1447
Drainage facilities of airfields and heliports in cold regions Lobacz, E F., et al, (1981, 56p.) SR 81-22
Survey of airport pavement distress in cold regions Vinson, T.S., et al, (1986, p 41-50) MP 2002
Deformation of pavements during freeze thaw cycles Johnson, T.C., et al, (1986, 138p.) CR 86-13
Frost action on roads and airfields Johnson, T.C., et al, (1986, 45p.) CR 86-18
Freeze thaw tests of road and airfield subgrade soils Cole, D M., et al, (1987, 36p.) CR 87-02
Airport pavement distress in cold regions Vinson, T S., et al, (1987, p 981-1012) MP 2234
Foundation technology in cold regions Quinn, W.F., (1987, p 305-310) MP 2425
Airfields in Arctic Alaska. Crory, F.E., (1988, p.49-55) MP 2451
Performance of pavement at Central Wisconsin Airport. Stark, J., et al, (1989, p 92-103) MP 2463
State of the art of pavement response monitoring systems for roads and airfields. (1989, 401p.) SR 89-23

Albedo
Meteorological variation of atmospheric optical properties in an antarctic storm. Egan, W.G., et al, (1986, p.1155-1165) MP 2099
Snowmelt increase through albedo reduction. Colbeck, S.C., (1988, 11p.) SR 88-26
Two-stream multilayer, spectral radiative transfer model for sea ice. Perovich, D.K., (1989, 17p.) CR 89-15

Algae
Sea ice and ice algae relationships in the Weddell Sea. Ackley, S.F., et al, (1978, p 70-71) MP 1203
Standing crop of algae in the sea ice of the Weddell Sea region Ackley, S F., et al, (1979, p.269-281) MP 1242
Physical, chemical and biological properties of winter sea ice in the Weddell Sea. Clarke, D B., et al, (1982, p.107-109) MP 1609
Physical mechanism for establishing algal populations in frazil ice Garrison, D.L., et al, (1983, p.363-365) MP 1717
Relative abundance of diatoms in Weddell Sea pack ice. Clarke, D B., et al, (1983, p.181-182) MP 1786
Morphology and ecology of diatoms in sea ice from the Weddell Sea Clarke, D B., et al, (1984, 41p.) CR 84-05
Sea ice and biological activity in the Antarctic Clarke, D B., et al, (1984, p 2087-2095) MP 1701
Ice nucleation activity of antarctic marine microorganisms. Parker, L V., et al, (1985, p 126-128) MP 2217
Sea-ice pressure ridge microbial communities. Ackley, S.F., (1988, p.172-174) MP 2450

All terrain vehicles
Ecological and environmental consequences of off-road traffic in northern regions Brown, J., (1976, p 40-53) MP 1383
Hovercraft ground contact directional control devices Abele, G., (1976, p 51-59) MP 875
Vehicle damage to tundra soil and vegetation Walker, D A., et al, (1977, 49p.) SR 77-17
Ecological impact of vehicle traffic on tundra. Abele, G., (1981, p 11-37) MP 1463
Effects of all terrain vehicles on tundra Racine, C., et al, (1988, 12p.) SR 88-17
Use of off-road vehicles and mitigation of effects in Alaska permafrost environments a review Slaughter, C.W., et al, (1990, p 63-72) MP 2682

Alpine landscapes
Terrain analysis from space shuttle photographs of Tibet Kreig, R A., et al, (1986, p 400-409) MP 2097

Alpine tundra
Climatic and dendroclimatic indices in the discontinuous permafrost zone of the Central Alaskan Uplands Haugen, R K., et al, (1978, p 392-398) MP 1099

Altitude
Atmospheric icing rates with elevation on northern New England mountains, U S A Ryerson, C.C., (1990, p 90-97) MP 2589

Analysis (mathematics)
Buckling pressure of an elastic floating plate. Takagi, S., (1978, 49p.) CR 78-14
Evaluation of the moving boundary theory. Nakano, Y., (1978, p 142-151) MP 1147
Some Bessel function identities arising in ice mechanics problems Takagi, S., (1979, 13p.) CR 79-27
Remote sensing of revegetation of burned tundra, Kokolik River, Alaska Hall, D K., et al, (1980, p 263-272) MP 1391
Water and air vertical flow through porous media. Nakano, Y., (1980, p 124-133) MP 1342
One-dimensional transport from a highly concentrated, transfer type source O'Neill, K., (1982, p 27-36) MP 1489
Boundary integral equation solution for phase change problems. O'Neill, K., (1983, p 1825-1850) MP 2093
Multivariable regression algorithm. Blaisdell, G L., et al, (1983, 41p.) SR 83-32
Mathematical modeling of river ice processes. Shen, H.T., (1984, p 554-558) MP 1973
Correlation function study for sea ice. Lin, F.C., et al, (1988, p 14,055-14,063) MP 2511
Heat conduction in snow Yen, Y.C., (1989, p 21-32) MP 2546
Comments on "A physical bound on the Bowen ratio". Andreas, E L., (1989, p.1252-1254) MP 2550

Anchors
Stake driving tools a preliminary survey Kovacs, A., et al, (1977, 43p.) SR 77-13
Towing ships through ice-clogged channels by warping and kedging Mellor, M., (1979, 21p.) CR 79-21
Vibration analysis of a DEW Line station Haynes, F D., et al, (1988, p 1513-1518) MP 2341
Imjin River ice boom Perham, R.E., (1988, 10p.) SR 88-22

Anemometers
Calibrating cylindrical hot-film anemometer sensors. Andreas, E L , et al, (1986, p.283-298) MP 1860

Animals
Ecological investigations of the tundra biome in the Prudhoe Bay Region, Alaska. Brown, J., ed, (1975, 215p) MP 1053
Influence of grazing on Arctic tundra ecosystems Batzli, G.O , et al, (1976, p.153-160) MP 970
Arctic ecosystem the coastal tundra at Barrow, Alaska. Brown, J., ed, (1980, 571p) MP 1355
Point Barrow, Alaska, USA. Brown, J., (1981, p 775-776) MP 1434
River ice and salmonids. Walsh, M., et al, (1986, p D-4 1-D-4.26) MP 2477
Winter habitats of salmon and trout. Calkins, D J , (1989, 9p) SR 89-34

Anisotropy
Internal structure and crystal fabrics of the West Antarctic ice sheet. Gow, A J., et al, (1976, 25p) CR 76-35
Radar anisotropy of sea ice Kovacs, A., et al, (1978, p 171-201) MP 1111
Radar anisotropy of sea ice. Kovacs, A., et al, (1978, p 6037-6046) MP 1139
Ultrasonic investigation on ice cores from Antarctica. Kohnen, H . et al, (1979, 16p) CR 79-10
Ultrasonic investigation on ice cores from Antarctica. Kohnen, H., et al, (1979, p 4865-4874) MP 1239
Anisotropic properties of sea ice Kovacs, A., et al, (1979, p 5749-5759) MP 1258
Anisotropic properties of sea ice in the 50-150 MHz range. Kovacs, A , et al, (1979, p 324-353) MP 1620
Physical properties of sea ice and under-ice current orientation. Kovacs, A., et al, (1980, p 109-153) MP 1323
Polarization studies in sea ice Arcone, S A , et al, (1980, p 225-245) MP 1324
Modeling of anisotropic electromagnetic reflection from sea ice. Golden, K.M., et al, (1980, p 247-294) MP 1325
Sea ice anisotropy, electromagnetic properties and strength Kovacs, A., et al, (1980, 18p) CR 80-20
Modeling of anisotropic electromagnetic reflection from sea ice. Golden, K.M., et al, (1980, 15p) CR 80-23
Modeling of anisotropic electromagnetic reflections from sea ice. Golden, K.M., et al, (1981, p 8107-8116) MP 1469
Shear strength anisotropy in frozen saline and freshwater soils Chamberlain, E J , (1985, p 189-194) MP 1931

ANTARCTICA
Antarctic ice sheet. Mellor, M., (1961, 50p) M I-B1
Climatology of Antarctic regions Wilson, C., (1968, 77p) M I-A3c
Methods of building on permanent snowfields. Mellor, M , (1968, 43p) M III-A2a

Antarctica
Review of sea-ice weather relationships in the Southern Hemisphere. Ackley, S.F , (1981, p.127-159) MP 1426
Boom for shipboard deployment of meteorological instruments. Andreas, E L , et al, (1983, 14p) SR 83-28
Simple boom for use in measuring meteorological data from a ship. Andreas, E L , et al, (1984, p 227-237) MP 1752
Waste management practices of the United States Antarctic Program. Reed, S.C., et al, (1989, 28p) SR 89-3
Compacted-snow runways design and construction guidelines for Antarctica Russell-Head, D S., et al, (1989, 68p) SR 89-10
Airfields on antarctic glacier ice. Mellor, M , et al, (1989, 97p) CR 89-21
US global ice core research program West Antarctica and beyond. Grootes, P M., et al, (1989, 32p) MP 2709

—Allan Hills
Radio echo sounding in the Allan Hills, Antarctica Kovacs, A , (1980, 9p) SR 80-23
Emerging meteorite crystalline structure of the enclosing ice Gow, A J., et al, (1989, p 87-91) MP 2503

—Amundsen-Scott Station
Nitrogenous chemical composition of antarctic ice and snow Parker, B C , et al, (1981, p 79-81) MP 1541
South Pole ice core drilling, 1981-1982. Kuivinen, K C., et al, (1982, p 89-91) MP 1621
Baseline acidity of ancient precipitation from the South Pole Cragin, J H , et al, (1984, 7p) CR 84-15
Meteorological variation of atmospheric optical properties in an antarctic storm Egan, W G , et al, (1986, p 1155-1165) MP 2099
Baseline acidity of South Pole precipitation Cragin, J H , et al, (1987, p 789-792) MP 2275
Hard-surface runways in Antarctica Mellor, M , (1988, 87p) SR 88-13
Improved techniques for construction of snow roads and airstrips Lee, S M., et al, (1988, 99p) SR 88-18
Improving snow roads and airstrips in Antarctica Lee, S M , et al, (1989, 18p) SR 89-22

—Amundsen Sea
West antarctic sea ice. Ackley, S F , (1984, p 88-95) MP 1818

—Beacon Valley
Examining antarctic soils with a scanning electron microscope Kumai, M., et al, (1976, p 249-252) MP 931

—Byrd Station
Oxygen isotope profiles through ice sheets Johnsen, S.J , et al, (1972, p.429-434) MP 997
Gas inclusions in the Antarctic ice sheet Gow, A J , et al, (1975, p 5101-5108) MP 847
Resurvey of the "Byrd" Station, Antarctica, drill hole Garfield, D.E., et al, (1976, p.29-34) MP 846
Internal structure and crystal fabrics of the West Antarctic ice sheet. Gow, A J., et al, (1976, 25p.) CR 76-35
Crystal fabrics of West Antarctic ice sheet Gow, A J , et al, (1976, p.1665-1677) MP 1382
Ultrasonic measurements on deep ice cores from Antarctica. Gow, A.J., et al, (1978, p.48-50) MP 1202
Ultrasonic investigation on ice cores from Antarctica Kohnen, H , et al, (1979, 16p) CR 79-10
Ultrasonic investigation on ice cores from Antarctica. Kohnen, H., et al, (1979, p 4865-4874) MP 1239
Ultrasonic tests of Byrd Station ice cores Gow, A J., et al, (1979, p.147-153) MP 1282
Time-priority studies of deep ice cores Gow, A J , (1980, p.91-102) MP 1308

—Crary Ice Rise
Changes in the Ross Ice Shelf dynamic condition. Jezek, K C , (1984, p 409-416) MP 2058

—Dome C
Borehole geometry on the Greenland and Antarctic ice sheets Jezek, K.C., (1985, p 242-251) MP 1817

—East Antarctica
Nitrate fluctuations in antarctic snow and firn Parker, B C., et al, (1982, p 243-248) MP 1551

—Folger, Cape
Internal properties of the ice sheet at Cape Folger by radio echo sounding Keliher, T E , et al, (1978, 12p) CR 78-04
Ice sheet internal reflections Ackley, S F., et al, (1979, p.5675-5680) MP 1319

—Howe, Mount
Ice runways near the South Pole. Swithinbank, C., (1989, 42p) SR 89-19

—Little America Station
Ultrasonic investigation on ice cores from Antarctica. Kohnen, H., et al, (1979, 16p) CR 79-10
Ultrasonic investigation on ice cores from Antarctica. Kohnen, H , et al, (1979, p 4865-4874) MP 1239

—Marie Byrd Land
Surface-wave dispersion in Byrd Land Acharya, H K., (1972, p 955-959) MP 992
Byrd Land quaternary volcanism. LeMasurier, W.E , (1972, p 139-141) MP 994

—McMurdo Ice Shelf
Dielectric constant and reflection coefficient of snow surface layers in the McMurdo Ice Shelf Kovacs, A , et al, (1977, p 137-138) MP 1011
Subsurface measurements of the Ross Ice Shelf, McMurdo Sound, Antarctica Kovacs, A., et al, (1977, p.146-148) MP 1013
Brine zone in the McMurdo Ice Shelf, Antarctica. Kovacs, A , et al, (1982, p 166-171) MP 1550
McMurdo Ice Shelf brine zone Kovacs, A , et al, (1982, 28p) CR 82-39

—McMurdo Sound
Iceberg thickness and crack detection Kovacs, A , (1978, p 131-145) MP 1128
Axial double point-load tests on snow and ice Kovacs, A , (1978, 11p) CR 78-01
Subsurface measurements of McMurdo Ice Shelf Gow, A J., et al, (1979, p 79-80) MP 1338
Physical and structural characteristics of sea ice in McMurdo Sound Gow, A J , et al, (1981, p 94-95) MP 1542
Chemical fractionation of brine in the McMurdo Ice Shelf Cragin, J.H., et al, (1983, 16p) CR 83-06
Physical mechanism for establishing algal populations in frazil ice. Garrison, D L , et al, (1983, p.363-365) MP 1717
Sea ice microbial communities in Antarctica Garrison, D L , et al, (1986, p 243-250) MP 2026
Chemical fractionation of brine in McMurdo Ice Shelf Cragin, J H , et al, (1986, p.307-313) MP 2239

—McMurdo Station
Hard-surface runways in Antarctica Mellor, M , (1988, 87p) SR 88-13
Improved techniques for construction of snow roads and airstrips Lee, S M , et al, (1988, 99p) SR 88-18
Planing machines for building runways on ice Mellor, M., (1989, 8p + attachments) MP 2505
Waste management practices in Antarctica Sletten, R S., et al, (1989, p.122-130) MP 2464
Improving snow roads and airstrips in Antarctica. Lee, S M., et al, (1989, 18p) SR 89-22

—Mill Glacier
Ice runways near the South Pole Swithinbank, C , (1989, 42p) SR 89-19

—Pensacola Mountains
Runway site survey, Pensacola Mountains, Antarctica Kovacs, A , et al, (1977, 45p) SR 77-14

—Queen Maud Mountains
Dominion Range ice core characteristics, Antarctica Mayewski, P A , et al, (1990, p 11-16) MP 2707

—Ross Ice Shelf
Stability of Antarctic ice Weertman, J , (1975, p.159) MP 1042
Stable isotope profile through the Ross Ice Shelf at Little America V, Antarctica. Dansgaard, W , et al, (1977, p.322-325) MP 1095
Ross Ice Shelf Project drilling, October-December 1976 Rand, J H , (1977, p 150-152) MP 1061
Ross Ice Shelf Project environmental impact statement July, 1974. Parker, B.C , et al, (1978, p.7-36) MP 1075
Core drilling through Ross Ice Shelf Zotikov, I.A , et al, (1979, p 63-64) MP 1337
Ross Ice Shelf bottom ice structure. Zotikov, I.A , et al, (1979, p 65-66) MP 1336
Radar detection of sea ice and current alinement under the Ross Ice Shelf Morey, R M , et al, (1981, p.96-97) MP 1543
Effects of conductivity on high-resolution impulse radar sounding Morey, R M , et al, (1982, 12p) CR 82-42
Changes in the Ross Ice Shelf dynamic condition Jezek, K.C , (1984, p.409-416) MP 2058
Modified theory of bottom crevasses Jezek, K.C , (1984, p 1925-1931) MP 2059
Mass balance of a portion of the Ross Ice Shelf Jezek, K C., et al, (1984, p 381-384) MP 1919
Rheology of glacier ice Jezek, K C , et al, (1985, p 1335-1337) MP 1844

—Ross Sea
Surface roughness of Ross Sea pack ice Govoni, J W., et al, (1983, p 123-124) MP 1764
West antarctic sea ice Ackley, S.F., (1984, p 88-95) MP 1818
Sea ice ridging in the Ross Sea, Antarctica, as compared with sites in the Arctic. Weeks, W F., et al, (1989, p.4984-4988) MP 2490

—Siple Coast
Changes in the Ross Ice Shelf dynamic condition. Jezek, K C , (1984, p.409-416) MP 2058

—South Pole
Composition and structure of South Pole snow crystals. Kumai, M , (1976, p 833-841) MP 853

—Victoria Land
Antarctic soil studies using a scanning electron microscope Kumai, M , et al, (1978, p 106-112) MP 1386
Radar wave speeds in polar glaciers Jezek, K.C., et al, (1983, p 199-208) MP 2057
Unfrozen water contents of six antarctic soil materials. Anderson, D M., et al, (1989, p 353-366) MP 2470

—Vostok Station
Nitrogenous chemical composition of antarctic ice and snow. Parker, B C , et al, (1981, p 79-81) MP 1541

—Weddell Sea
Choanoflagellata from the Weddell Sea, summer 1977 Buck, K R , (1980, 26p) CR 80-16
Choanoflagellates from the Weddell Sea. Buck, K R., (1981, p 47-54) MP 1453
CRREL 2-inch frazil ice sampler. Rand, J H , (1982, 8p) SR 82-09
Physical and structural characteristics of antarctic sea ice. Gow, A J , et al, (1982, p 113-117) MP 1548
On modeling the Weddell Sea pack ice Hibler, W D , III, et al, (1982, p.125-130) MP 1549
Numerical simulation of the Weddell Sea pack ice. Hibler, W.D., III, et al, (1983, p 2873-2887) MP 1592
Surface meteorology US/USSR Weddell Polynya Expedition, 1981. Andreas, E L , et al, (1983, 32p) SR 83-14
US/USSR Weddell Polynya expedition, Upper air data, 1981. Andreas, E L , (1983, 288p) SR 83-13
Physical mechanism for establishing algal populations in frazil ice Garrison, D L , et al, (1983, p.363-365) MP 1717
Elemental compositions and concentrations of microspherules in snow and pack ice from the Weddell Sea Kumai, M , et al, (1983, p 128-131) MP 1777
Relative abundance of diatoms in Weddell Sea pack ice. Clarke, D B , et al, (1983, p 181-182) MP 1786
Antarctic sea ice microwave signatures Comiso, J C., et al, (1984, p 662-672) MP 1668
Morphology and ecology of diatoms in sea ice from the Weddell Sea Clarke, D B , et al, (1984, 41p) CR 84-05
Sea ice and biological activity in the Antarctic Clarke, D B , et al, (1984, p.2087-2095) MP 1701
Drag coefficient across the Antarctic marginal ice zone Andreas, E L , et al, (1984, p 63-71) MP 1784
Sea ice data buoys in the Weddell Sea. Ackley, S.F , et al, (1984, 19p) CR 84-11
Ice dynamics Hibler, W D , III, (1984, 52p) M 84-03
Heat and moisture advection over antarctic sea ice Andreas, E L , (1985, p 736-746) MP 1888
Weddell-Scotia Sea MIZ, October 1984 Crasey, F D , et al, (1986, p 3920-3924) MP 1536
Sea ice microbial communities in Antarctica Garrison, D L , et al, (1986, p 243-250) MP 2026
Ice dynamics Hibler, W D., III, (1986, p 577-640) MP 2211
Sea-ice investigations during the Winter Weddell Sea Project Ackley, S F., et al, (1987, p 88-89) MP 2491
Physical and structural characteristics of Weddell Sea pack ice Gow, A J , et al, (1987, 70p) CR 87-14

Antarctica
—Weddell Sea *(cont.)*
Sea-ice pressure ridge microbial communities Ackley, S.F., (1988, p.172-174) MP 2450
Development of sea ice in the Weddell Sea Lange, M.A., et al, (1989, p 92-96) MP 2615
Elastic properties of frazil ice from the Weddell Sea, Antarctica Lange, M.A., et al, (1989, p 208-217) MP 2620
Compressive strength of antarctic frazil ice Richter-Menge, J.A., et al, (1989, p 269-278) MP 2621
Passive microwave *in situ* observations of winter Weddell Sea ice. Comiso J.C., et al, (1989, p 10,891-10,905) MP 2655
Snow cover effects on antarctic sea ice thickness Ackley, S.F., et al, (1990, p 16-21) MP 2726
Physical properties of sea ice from the Weddell Sea Eicken, H., et al, (1990, p 23-32) MP 2727
Comparison of the compressive strength of antarctic frazil ice and laboratory-grown columnar ice Richter-Menge, J.A., et al, (1990, p.79-84) MP 2731
Sea ice, a habitat for the foraminifer *Neogloboquadrina pachyderma?*. Dieckmann, G., et al, (1990, p 86-92) MP 2732
—Wright Valley
Examining antarctic soils with a scanning electron microscope Kumai, M., et al, (1976, p 249-252) MP 931
Antennas
Deicing a satellite communication antenna Hanamoto, B., et al, (1980, 14p) SR 80-18
Atmospheric icing on communication masts in New England Mulherin, N., (1986, 46p.) CR 86-17
Rime meteorology in the Green Mountains Ryerson, C.C., (1987, 46p.) CR 87-01
New England mountain icing climatology Ryerson, C.C., (1988, 35p.) CR 88-12
Atmospheric icing and broadcast antenna reflections Ryerson, C.C., (1988, 13p) CR 88-11
Antifreezes
Winter maintenance research needs Minsk, L.D., (1975, p 36-38) MP 950
Freezing and thawing tests of liquid deicing chemicals on selected pavement materials. Minsk, L.D., (1979, p 51-58) MP 1220
Predicting unfrozen water content behavior of a soil Black, P.B., et al, (1990, p 54-60) MP 2677
Antifreeze admixtures for cold weather concreting Preliminary test results Korhonen, C.J., et al, (1990, 8p) MP 2742
Arctic environment
Progress report on ERTS data on Arctic environment Anderson, D.M., et al, (1972, 3p) MP 991
Arctic lanadscapes
Arctic transportation operational and environmental evaluation of an air cushion vehicle in northern Alaska. Abele, G., et al, (1977, p 176-182) MP 985
Arctic landscapes
Environmental setting, Barrow, Alaska Brown, J., (1970, p 50-64) MP 945
Trends in carbohydrate and lipid levels in Arctic plants McCown, B.H., et al, (1972, p 40-45) MP 1376
Arctic environment and the Arctic surface effect vehicle. Sterrett, K.F., (1976, 28p) CR 76-01
Upland forest and its soil and litters in interior Alaska Troth, J.L., et al, (1976, p 33-44) MP 867
Revegetation in arctic and subarctic North America—a literature review Johnson, L.A., et al, (1976, 32p) CR 76-15
Ecological and environmental consequences of off-road traffic in northern regions Brown J., (1976, p 40-53) MP 1383
Air-cushion vehicle effects on surfaces of Alaska's Arctic Slopes Slaughter, C.W., (1976, p 272-279) MP 1384
Canol Pipeline Project a historical review. Ueda, H.T., et al, (1977, 32p) SR 77-34
Biological restoration strategies in relation to nutrients at a subarctic site in Fairbanks, Alaska Johnson, L.A., (1978, p 460-466) MP 1100
Scientific challenges at the poles Welch, J.P., et al, (1987, p 23-26) MP 2228
Arctic Ocean
Arctic Ocean temperature, salinity and density, March-May 1979. McPhee, M.G., (1981, 20p) SR 81-05
Understanding the Arctic sea floor for engineering purposes (1982, 141p) SR 83-25
Science program for an imaging radar receiving station in Alaska. Weller, G., et al, (1983, 45p) MP 1884
Mechanical properties of ice in the Arctic seas Weeks, W.F., et al, (1984, p 235-259) MP 1674
Shore ice override and pileup features, Beaufort Sea Kovacs, A., (1984, 28p + map) CR 84-26
Sea ice penetration in the Arctic Ocean Weeks, W.F., (1984, p.17 65) MP 1993
Physical properties of the sea ice cover Weeks, W.F., (1986, p 87-102) MP 2047
Remote sensing of the Arctic seas Weeks, W.F., et al, (1986, p 59-64) MP 2117
Alaska synthetic aperture radar (SAR) facility project Carsey, F., et al, (1987, p 593-596) MP 2408
Arctic soils
Pedologic investigations in northern Alaska Tedrow, J.C.F., (1973, p.93-108) MP 1005
Arctic topography
Morphology of the North Slope Walker, H.J., (1973, p 49-52) MP 1004
Arctic vegetation
Vegetative research in arctic Alaska Johnson, P.L., et al, (1973, p 169-198) MP 1008
Artificial freezing
Thermal and creep properties for frozen ground construction. Sanger, F.J., et al, (1978, p 95-117) MP 1624
Thermal and creep properties for frozen ground construction. Sanger, F.J., et al, (1979, p 311-337) MP 1227
Mechanical properties of frozen ground. Ladanyi, B., et al, (1979, p 7-18) MP 1726
Freezing of soil with surface convection. Lunardini, V.J., (1982, p 205-212) MP 1595
Initial stage of the formation of soil-laden ice lenses Takagi, S., (1982, p 223-232) MP 1596
Solution of phase change problems O'Neill, K., (1983, p.134-146) MP 1894
Ground freezing for management of hazardous waste sites Sullivan, J.M., Jr., et al, (1985, 15p) MP 2030
Potential use of artificial ground freezing for contaminant immobilization. Iskandar, I.K., et al, (1985, 10p) MP 2029
Classification and laboratory testing of artificially frozen ground Sayles, F.H., et al, (1987, p 22-48) MP 2227
Ground freezing controls hazardous waste Iskandar, I.K., (1987, p 455-456) MP 2270
Experimental methods for decontaminating soils by freezing Ayorinde, O.A., et al, (1988, 12p.) MP 2513
Freezing a temporary roadway for transport of a 3000 ton dragline Maishman, D., et al, (1988, p 357-365) MP 2378
Contaminant transport in freezing soils. Ayorinde, O.A., et al, (1988, 29p) MP 2514
Freezing technique for *in-situ* treatment of contaminated soils Ayorinde, O.A., et al, (1989, p 489-498) MP 2515
Artificial ice
Mass transfer along ice surfaces Tobin, T.M., et al, (1977, p 34-37) MP 1091
Crystalline structure of urea ice sheets used in modeling in the CRREL test basin Gow, A.J., (1984, p 241-253) MP 1835
Fracture experiments on freshwater and urea model ice. Bentley, D.L., et al, (1988, 152p) MP 2502
Correlation function study for sea ice Lin, F.C., et al, (1988, p 14,055-14,063) MP 2511
Radar backscattering from artificially grown sea ice Bredow, J., et al, (1989, p 259-264) MP 2667
Radar backscatter measurements over saline ice. Gogineni, S., et al, (1990, p 603-615) MP 2741
Artificial islands
Foundations of structures in polar waters Chamberlain, E.J., (1981, 16p) SR 81-25
Offshore mechanics and Arctic engineering, symposium, 1983 (1983, 813p) MP 1581
Mukluk ice stress measurement program Cox, G.F.N., et al, (1988, p 457-463) MP 2354
Artificial melting
Bubbler induced melting of ice covers Kerbar, R., et al, (1978, p 362-366) MP 1160
Artificial nucleation
Ice crystal formation and supercooled fog dissipation Kumai, M., (1982, p 579-587) MP 1539
Atmospheric attenuation
Millimeter-wave performance during mixed precipitation Bates, R.E., et al, (1989, p 113-120) MP 2630
Three-wavelength scintillation measurement of turbulent heat fluxes Andreas, E.L., (1990, p 74-77) MP 2696
ATMOSPHERIC CIRCULATION
Radioactive fallout in northern regions Wilson, C., (1967, 35p) M I-A3d
Climatology of the cold regions of the northern hemisphere. Wilson, C., (1967, 141p) M I-A3a
Climatology of Antarctic regions Wilson, C., (1968, 77p) M I-A3c
Atmospheric circulation
Sea ice atmosphere interactions in the Weddell Sea using drifting buoys. Ackley, S.F., (1981, p 177-191) MP 1427
Atmospheric turbulence measurements at SNOW-ONE-B Andreas, E.L., (1983, p 81-87) MP 1846
Drag coefficient across the Antarctic marginal ice zone. Andreas, E.L., et al, (1984, p 63-71) MP 1784
Low pressure weather systems in and around Norwegian waters Bilello, M.A., (1986, p 53-66) MP 2181
Aerosol exchange in the remote troposphere Hogan, A.W., (1986, p 197-213) MP 2180
Atmospheric composition
Trace gas analysis of Arctic and subarctic atmosphere Murrmann, R.P., (1971, p 199-203) MP 908
Aerosol exchange in the remote troposphere Hogan, A.W., (1986 p 197-213) MP 2180
Atmospheric density
Snow concentration and effective air density during snowfalls Mellor, M., (1983, p 505-507) MP 1769
Atmospheric physics
Estimating Cn square over snow and sea ice from meteorological quantities Andreas, E.L., (1988, p 258-267) MP 2440
Estimating Cn square over snow and sea ice from meteorological data. Andreas, E.L., (1988, p 481-495) MP 2393
Atmospheric stability from scintillation measurements Andreas, E.L., (1988, p 2241-2246) MP 2386
Atmospheric pressure
Depth of water-filled crevasses that are closely spaced. Robin, G. de Q., et al, (1974, p 543-544) MP 1038
Sea-ice atmosphere interactions in the Weddell Sea using drifting buoys Ackley, S.F., (1981, p 177-191) MP 1427
Comparison of different sea level pressure analysis fields in the East Greenland Sea. Tucker, W.B., (1983, p 1084-1088) MP 1737
Low pressure weather systems in and around Norwegian waters Bilello, M.A., (1986, p 53-66) MP 2181
Atomic absorption
Blank corrections for ultratrace atomic absorption analysis. Cragin, J.H., et al, (1979, 5p) CR 79-03
ATTENUATION
Explosions and snow Mellor, M., (1965, 34p) M III-A3a
Attenuation
Visible propagation in falling snow as a function of mass concentration and crystal type Lacombe, J., et al, (1983, p 103-111) MP 1757
Comparative near-millimeter wave propagation properties of snow or rain Nemarich, J., et al, (1983, p 115-129) MP 1690
Utilization of the snow field test series results for development of a snow obscuration primer. Ebersole, J.F., et al, (1983, p 209-217) MP 1692
Attenuation and backscatter for snow and sleet at 96, 140, and 225 GHz. Nemarich, J., et al, (1984, p 41-52) MP 1864
Catalog of smoke/obscurant characterization instruments. O'Brien, H.W., et al, (1984, p 77-82) MP 1865
Approach to snow propagation modeling Koh, G., (1984, p 247-259) MP 1869
Laboratory studies of acoustic scattering from the underside of sea ice Jezek, K.C., et al, (1985, p 87-91) MP 1912
Snow mass extinction coefficient Koh, G., (1986, p 35-38) MP 2659
Effect of snow on vehicle-generated seismic signatures Albert, D.G., (1987, p 881-887) MP 2229
Forward scatter meter for measuring extinction in adverse weather Koh, G., (1987, p 81-84) MP 2295
High frequency acoustical properties of saline ice. Jezek, K.C., et al, (1989, p 9-23) MP 2686
Augers
Kinematics of axial rotation machines Mellor, M., (1976, 45p) CR 76-16
Conventional land mines in winter Richmond, P.W., (1984, 23p) SR 84-30
Prototype drill for core sampling fine-grained perennially frozen ground Brockett, B.E., et al, (1985, 29p) CR 85-01
Ice-coring augers for shallow depth sampling. Rand, J.H., et al, (1985, 22p) CR 85-21
Auger bit for frozen fine-grained soil Sellmann, P.V., et al, (1986, 13p) SR 86-36
Bit design improves augers Sellmann, P.V., et al, (1987, p 453-454) MP 2269
Drilling in frozen ground, bitumens and concretes Sellmann, P.V., et al, (1988, 10p) SR 88-08
AVALANCHE COUNTERMEASURES
Avalanches Mellor, M., (1968, 215p) M III-A3d
Avalanche deposits
Detection of sound by persons buried under snow avalanche. Johnson, J.B., (1984, p 42-47) MP 1920
Avalanche formation
Acoustic emission response of snow St Lawrence, W.F., (1980, p 209-216) MP 1366
AVALANCHE MECHANICS
Avalanches Mellor, M., (1968, 215p) M III-A3d
Avalanche mechanics
Acoustic emissions in the investigation of avalanches St Lawrence, W.F., (1977, p VII/24-VII/33) MP 1630
Dynamics of snow avalanches Mellor, M., (1978, p 753-792) MP 1070
AVALANCHE TRIGGERING
Avalanches Mellor, M., (1968, 215p) M III-A3d
Avalanche triggering
Analysis of non-steady plastic shock waves in snow Brown, R.L., (1980, p 279-287) MP 1354
Acoustic emission response of snow St Lawrence, W.F., (1980, p 209-216) MP 1366
Avalanche wind
Dynamics of snow avalanches Mellor, M., (1978, p 753-792) MP 1070
AVALANCHES
Avalanches Mellor, M., (1968, 215p) M III-A3d

Avalanches
Dynamics of snow and ice masses. Colbeck, S C , ed, (1980, 468p) MP 1297
History of snow-cover research. Colbeck, S.C., (1987, p.60-65) MP 2316
Snow properties and processes. Colbeck, S C., (1987, p 145-150) MP 2413

Backscattering
Imaging radar observations of frozen Arctic lakes. Elachi, C., et al, (1976, p.169-175) MP 1284
Surface-based scatterometer results of Arctic sea ice Onstott, R.G., et al, (1979, p.78-85) MP 1260
Comparative near-millimeter wave propagation properties of snow or rain. Nemarich, J , et al, (1983, p.115-129) MP 1690
Attenuation and backscatter for snow and sleet at 96, 140, and 225 GHz. Nemarich, J., et al, (1984, p 41-52) MP 1864
Effects of water and ice on the scattering of diffuse reflectors. Jezek, K C , et al, (1986, p 259-269) MP 2664
Observations of the backscatter from snow at millimeter wavelengths Berger, R H , et al, (1986, p 311-316) MP 2665
Comments on the characteristics of *in situ* snow at millimeter wavelengths. Walsh, J , et al, (1986, p 317-320) MP 2666
Scattering at mm wavelengths from *in situ* snow Walsh, J , et al, (1986, p.1 6.1-1 6.2) MP 2141
Two-stream approximation to radiative transfer in falling snow. Koh, G., (1988, p 463-470) MP 2604
Overview of obscuration in the cold environment Berger, R H , et al, (1988, p 537-555) MP 2609
Lidar detection of leads in Arctic sea ice. Schnell, R C , et al, (1989, p.530-532) MP 2602
Radar backscattering from artificially grown sea ice. Bredow, J., et al, (1989, p 259-264) MP 2667
Radar backscatter measurements over saline ice. Goginent, S , et al, (1990, p 603-615) MP 2741

Bacteria
Health aspects of water reuse in California Reed, S C., (1979, p.434-435) MP 1404
Disinfection of wastewater by microwaves Iskandar, I K , et al, (1980, 15p) SR 80-01
Microbiological aerosols from waste water. Bausum, H T , et al, (1983, p 65-75) MP 1578
Sea ice microbial communities in Antarctica. Garrison, D.L , et al, (1986, p.243-250) MP 2026

Balloons
Aerostat icing problems Hanamoto, B , (1983, 29p) SR 83-23

Baltic Sea
Size and shape of ice floes in the Baltic Sea in spring Leppäranta, M., (1983, p.127-136) MP 2061

—Bothnia, Bay
Physical properties of brackish ice, Bay of Bothnia Weeks, W.F , et al, (1990, p 5-15) MP 2725

Banks (waterways)
Sediment displacement in the Ottauquechee River—1975-1978 Martinson, C.R., (1980, 14p) SR 80-20
Bank erosion of U S. northern rivers Gatto, L.W , (1982, 75p) CR 82-11
Reservoir bank erosion caused and influenced by ice cover Gatto, L.W., (1982, 26p) SR 82-31
Bank recession of Corps of Engineers reservoirs Gatto, L.W., et al, (1983, 103p) SR 83-30
Erosion of perennially frozen streambanks Lawson, D E , (1983, 22p.) CR 83-29
Tanana River monitoring and research studies near Fairbanks, Alaska Neill, C R , et a', (1984, 98p + 5 appends) SR 84-37
Bank recession of the Tanana River, Alaska Gatto, L.W., (1984, 59p) MP 1746
Bank recession and channel changes of the Tanana River, Alaska. Gatto, L.W., et al, (1984, 98p) MP 1747
Erosion analysis of the Tanana River, Alaska Collins, C M , (1984, 8p. + figs) MP 1748
Bank erosion, vegetation and permafrost, Tanana River near Fairbanks. Gatto, L.W., (1984, 53p) SR 84-21
Reservoir bank erosion caused by ice Gatto, L.W , (1984, p 203-214) MP 1787
Shoreline erosion processes Orwell Lake, Minnesota Reid, J R , (1984, 101p) CR 84-32
Bank conditions and erosion along selected reservoirs Gatto, L W , et al, (1987, p 143-154) MP 2196
Techniques for measuring reservoir bank erosion Gatto, L W., (1988, 27p) SR 88-03

Bathymetry
Coastal marine geology of the Beaufort, Chukchi and Bering Seas Gatto, L W , (1980, 357p) SR 80-05

Bearing strength
Piles in permafrost for bridge foundations Crory, F E , et al, (1967, 41p) MP 1411
Bearing capacity of floating ice plates. Kerr, A.D , (1976, p 229-268) MP 884
Nondestructive testing of in-service highway pavements in Maine Smith, N., et al, (1979, 22p) CR 79-06
Snow studies associated with the sideways move of DYE-3. Tobiasson, W , (1979, p 117-124) MP 1312
Sulfur foam as insulation for expedient roads Smith, N , et al, (1979, 21p) CR 79-18
Evaluation of ice-covered water crossings. Dean, A M., Jr., (1980, p.443-453) MP 1348
Structural evaluation of porous pavement in cold climate. Eaton, R.A , et al, (1980, 43p) SR 80-39
Full-depth and granular base course design for frost areas Eaton, R.A., et al, (1983, p 27-39) MP 1492
Ice reinforced with Geogrid. Haynes, F.D., et al, (1989, p.179-185) MP 2484
Dynamic analysis of a floating ice sheet undergoing vertical indentation McGilvary, W R., et al, (1990, p 195-203) MP 2579

Bearing tests
Effect of freeze-thaw cycles on resilient properties of fine-grained soils Johnson, T.C , et al, (1978, 19p) MP 1082
Freeze thaw effect on resilient properties of fine soils Johnson, T.C , et al, (1979, p 247-276) MP 1226

Beaufort Sea
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea Sellmann, P.V , et al, (1976, p 391-408) MP 1377
Engineering properties of submarine permafrost near Prudhoe Bay. Chamberlain, E J , et al, (1978, p 629-635) MP 1104
Subsea permafrost study in the Beaufort Sea, Alaska Sellmann, P.V., et al, (1979, p 207-213) MP 1591
Distribution and properties of subsea permafrost of the Beaufort Sea. Sellmann, P.V , et al, (1979, p 93-115) MP 1287
Permafrost distribution on the continental shelf of the Beaufort Sea Hopkins, D.M , et al, (1979, p 135-141) MP 1288
Hyperbolic reflections on Beaufort Sea seismic records Neave, K.G , et al, (1981, 16p.) CR 81-02
Delineation and engineering of subsea permafrost, Beaufort Sea. Sellmann, P.V., et al, (1981, p 137-156) MP 1600
Foundations of structures in polar waters Chamberlain, E.J., (1981, 16p) SR 81-25
Site investigations and submarine soil mechanics in polar regions Chamberlain, E J , (1981, 18p) SR 81-24
Alaska's Beaufort Sea coast ice ride-up and pile-up features Kovacs, A., (1983, 51p) CR 83-09
Seismic velocities and subsea permafrost in the Beaufort Sea, Alaska. Neave, K.G., et al, (1983, p 894-898) MP 1665
Ice scoring on the Alaskan shelf of the Beaufort Sea Weeks, W.F , et al, (1983, 34p + map) CR 83-21
Summary of the strength and modulus of ice samples from multi-year pressure ridges Cox, G F.N , et al, (1984, p.126-133) MP 1679
Variation of ice strength within and between multiyear pressure ridges in the Beaufort Sea. Weeks, W.F., (1984, p 134-139) MP 1680
Some probabilistic aspects of ice gouging on the Alaskan Shelf of the Beaufort Sea Weeks, W F , et al, (1984, p 213-236) MP 1838
Determining distribution patterns of ice-bonded permafrost in the U S Beaufort Sea from seismic data Neave, K G , et al, (1984, p 237-258) MP 1839
Subsea permafrost distribution on the Alaskan shelf Sellmann, P.V., et al, (1984, p 75-82) MP 1852
Shore ice override and pileup features, Beaufort Sea Kovacs, A , (1984, 28p. + map) CR 84-26
Structure, salinity and density of multi-year sea ice pressure ridges Richter-Menge, J.A , et al, (1985, p.194-198) MP 1857
Compressive strength of pressure ridge ice samples Richter-Menge, J A , et al, (1985, p 465-475) MP 1877
Study of sea ice induced gouges in the sea floor. Weeks, W F., et al, (1985, p.126-135) MP 1917
Ice gouge formation and infilling. Beaufort Sea Weeks, W F , et al, (1985, p 393-407) MP 1904
Structure, salinity and density of multi-year sea ice pressure ridges Richter-Menge, J A , et al, (1985, p 493-497) MP 1965
Monitoring seasonal changes in seafloor temperature and salinity. Sellmann, P.V., et al, (1986, p 110-114) MP 2147
Preliminary simulation of the formation and infilling of sea ice gouges Weeks, W F , et al, (1986, p 259-268) MP 2218
Mukluk ice stress measurement program Cox, G F N , et al, (1988, p.457-463) MP 2354
Seafloor temperature and thermal conductivity Sellmann, P.V., et al, (1989, 19p) CR 89-01
Sea ice ridging in the Ross Sea, Antarctica, as compared with sites in the Arctic Weeks, W.F , et al, (1989, p 4984-4988) MP 2490
Chemical and structural properties of sea ice in the southern Beaufort Sea Meese, D A , (1989, 294p) MP 2656
Refractive index structure parameter for a year over the frozen Beaufort Sea. Andreas, E L , (1989, p 667-679) MP 2575
Chemical and structural properties of sea ice in the southern Beaufort Sea Meese, D A , (1989, 134p) CR 89-25

Bench marks
Vertically stable benchmarks a synthesis of existing information Gatto, L W , (1985, p 179-188) MP 2069
Benchmark design and installation a synthesis of existing information Gatto, L W., (1987, 73p) SR 87-10

Bering Sea
Sea ice rubble formations off the NE Bering Sea and Norton Sound. Kovacs, A., (1981, p.1348-1363) MP 1527
Wind-generated polynyas off the coasts of the Bering Sea islands. Kozo, T L., et al, (1990, p 126-132) MP 2734

Bering Strait
Bering Strait sea ice and the Fairway Rock icefoot. Kovacs, A , et al, (1982, 40p) CR 82-31
Sea ice and the Fairway Rock icefoot. Kovacs, A., et al, (1985, p.25-32) MP 2145

Bibliographies
Bibliography of the Barrow, Alaska, IBP ecosystem model. Brown, J., (1970, p 65-71) MP 946
Mechanics of ice Glen, J W., (1975, 43p.) M II-C2b
Bearing capacity of floating ice plates Kerr, A D., (1976, p.229-268) MP 884
Bibliography on harbor and channel design in cold regions Haynes, F D., (1976, 32p.) CR 76-03
Infrared thermography of buildings an annotated bibliography. Marshall, S J , (1977, 21p) SR 77-09
Bibliography of soil conservation activities in USSR permafrost areas Andrews, M., (1977, 116p) SR 77-07
Bibliography of permafrost soils and vegetation in the USSR. Andrews, M., (1978, 175p) SR 78-19
Infrared thermography of buildings—a bibliography with abstracts. Marshall, S J., (1979, 67p) SR 79-01
Bibliography on techniques of water detection in co d regions. Smith, D W., comp, (1979, 75p) SR 79-10
Cold Regions Science and Technology Bibliography Cummings, N.H., (1981, p.73-75) MP 1372
Mobility bibliography Liston, N , comp, (1981, 313p) SR 81-29
Bibliography on glaciers and permafrost, China, 1938-1979 Shen, J., ed, (1982, 44p) SR 82-20
Corps of Engineers land treatment of wastewater research program an annotated bibliography Parker, L.V , et al, (1983, 82p) SR 83-09
U S tundra biome publication list. Brown, J , et al, (1983, 29p) SR 83-29
User's guide for the BIBSORT program for the IBM-PC personal computer. Kyriakakis, T., et al, (1985, 61p.) SR 85-04
Topical databases· Cold Regions Technology on-line. Liston, N , et al, (1985, p 12-15) MP 2027

Biomass
Bibliography of the Barrow, Alaska, IBP ecosystem model. Brown, J , (1970, p 65-71) MP 946
Primary productivity in sea ice of the Weddell region Ackley, S F., et al, (1978, 17p) CR 78-19
Arctic ecosystem. the coastal tundra at Barrow, Alaska. Brown, J , ed, (1980, 571p) MP 1355
Sea ice studies in the Weddell Sea aboard USCGC Polar Sea. Ackley, S F , et al, (1980, p 84-96) MP 1431
Analysis of processes of primary production in tundra growth forms Tieszen, L.L., et al, (1981, p 285-356) MP 1433
Limnology and primary productivity, Lake Koocanusa, Montana Woods, P F., et al, (1982, 106p) SR 82-15
Sea ice a habitat for the foraminifer *Neogloboquadrina pachyderma?* Dieckmann, G , et al, (1990, p 86-92) MP 2732

Bitumens
Thermal and load-associated distress in pavements Johnson, T.C , et al, (1978, p 403-437) MP 1209
Asphalt concrete for cold regions Dempsey, B J., et al, (1980, 55p) CR 80-05
Roofs in cold regions Marson's Store, Claremont, New Hampshire Tobiasson, W , et al, (1980, 13p) SR 80-25
Fabric installation to reduce cracking on runways Eaton, R A , et al, (1981, 26p) SR 81-10
Roof moisture surveys Tobiasson, W , et al, (1981, 18p) SR 81-31
Stabilization of fine-grained soil for road and airfield construction Danyluk, L S , (1986, 37p) SR 86-21

Bituminous concretes
Freeze-thaw tests of liquid deicing chemicals on selected pavement materials Minsk, L D , (1977, 16p) CR 77-28
Temperature effects in compacting an asphalt concrete overlay. Eaton, R A., et al, (1978, p 146-158) MP 1083
Effects of subgrade preparation upon full depth pavement performance in cold regions Eaton, R A , (1978, p 459-473) MP 1087
Resiliency of subgrade soils during freezing and thawing. Johnson, T C , et al, (1978, 59p) CR 78-23
Design of airfield pavements for seasonal frost and permafrost conditions Berg, R L , et al, (1978, 18p) MP 1189
Thermal and load-associated distress in pavements Johnson, T.C , et al, (1978, p 403-437) MP 1209
Full-depth pavement considerations in seasonal frost areas Eaton, R A , et al, (1979, 24p) MP 1188
Asphalt concrete for cold regions Dempsey, B J , et al, (1980, 55p) CR 80-05
Field cooling rates of asphalt concrete overlays at low temperatures Eaton, R A , et al, (1980, 11p) CR 80-10
Structural evaluation of porous pavement in cold climate Eaton, R.A , et al, (1980, 43p.) SR 80-39

Bituminous concretes *(cont.)*
Effect of color and texture on the surface temperature of asphalt concrete pavements Berg, R L , et al, (1983, p 57-61) MP 1652
Comparison of three compactors used in pothole repair. Snelling, M.A., et al, (1984, 14p) SR 84-31
Frost heave of full-depth asphalt concrete pavements. Zomerman, I , et al, (1985, p.66-76) MP 1927
Resilient moduli of soil specimens in the frozen and thawed states. Johnson, T C , et al, (1986, 62p) CR 86-12
Low temperature cracking susceptibility of asphalt concrete. Janoo, V.C , et al, (1987, p 397-415) MP 2233
Summary of proper cold weather pavement repair methods Eaton, R A , (1987, p 1013-1027) MP 2235
Use of low viscosity asphalts in cold regions. Janoo, V.C., (1989, p 70-80) MP 2462
Use of soft grade asphalts in airfields and highway pavements in cold regions. Janoo, V.C., (1990, 47p) SR 90-12

Blasting
Dynamic in-situ properties test in fine-grained permafrost. Blouin, S.E , (1977, p.282-313) MP 963
Testing shaped charges in unfrozen and frozen silt in Alaska. Smith, N , (1982, 10p) SR 82-02
Blasting and blast effects in cold regions Part 1: Air blast Mellor, M., (1985, 62p) SR 85-25
Blasting and blast effects in cold regions Part 3: explosions in ground materials Mellor, M , (1989, 62p) SR 89-15

BLOWING SNOW
Blowing snow. Mellor, M., (1965, 79p) M III-A3c

Blowing snow
Snow Symposium, 1st, Hanover, NH, Aug 1981 (1982, 324p) SR 82-17
Snow Symposium, 2nd, 1982 (1983, 295p) SR 83-04
Performance and optical signature of an AN/VVS-1 laser rangefinder in falling snow: Preliminary test results Lacombe, J., (1983, p 253-266) MP 1759
Utilization of the snow field test series results for development of a snow obscuration primer Ebersole, J F , et al, (1983, p 209-217) MP 1692
Helicopter snow obscuration sub-test Ebersole, J F , (1984, p.359-376) MP 2094
Clear improvement in obscuration Palmer, R A , (1985, p.476-477) MP 2067
Meteorological variation of atmospheric optical properties in an antarctic storm. Egan, W.G , et al, (1986, p 1155-1165) MP 2099

Booms (equipment)
Boom for shipboard deployment of meteorological instruments. Andreas, E.L , et al, (1983, 14p) SR 83-28
Simple boom for use in measuring meteorological data from a ship. Andreas, E L., et al, (1984, p 227-237) MP 1752

Borehole instruments
Resurvey of the "Byrd" Station, Antarctica, drill hole Garfield, D.E., et al, (1976, p 29-34) MP 846
Dynamics and energetics of parallel motion tools for cutting and boring Mellor, M , (1977, 85p) CR 77-07
Design for cutting machines in permafrost. Mellor, M , (1978, 24p) CR 78-11
Ice drilling technology Holdsworth, G , ed, (1984, 142p) SR 84-34

Boreholes
Melting and freezing of a drill hole through the Antarctic shelf ice Tien, C , et al, (1975, p 421-432) MP 861
Heat transfer in drill holes in Antarctic ice Yen, Y -C , et al, (1976, 15p) CR 76-12
Geodetic positions of borehole sites in Greenland Mock, S J , (1976, 7p) CR 76-41
Permafrost beneath the Beaufort Sea Sellmann, P V , et al, (1978, p 50-74) MP 1206
Distribution and properties of subsea permafrost of the Beaufort Sea Sellmann, P V , et al, (1979, p 93-115) MP 1287
Permafrost distribution on the continental shelf of the Beaufort Sea Hopkins, D M , et al, (1979, p 135-141) MP 1288
Calculating borehole geometry Jezek, K C , et al, (1984, 18p) SR 84-15
Ice flow leading to the deep core hole at Dye 3, Greenland Whillans, I M , et al, (1984, p 185-190) MP 1824
Borehole geometry on the Greenland and Antarctic ice sheets Jezek, K C , (1985, p 242-251) MP 1817
Dielectric studies of permafrost Arcone, S A , et al, (1985, p 3-5) MP 1951
Preparation of geophysical borehole site with ground ice. Fairbanks, AK Delaney, A J , (1987, 15p) SR 87-07
Camp Century survey 1986 Gundestrup, N S , et al, (1987, p 281-288) MP 2331
Borehole investigations of the electrical properties of frozen silt Arcone, S A , et al, (1988, p.910-915) MP 2364

Bothnia, Bay
Field studies of brackish ice to compare with satellite data Weeks, W.F., et al, (1989, p 1318-1333) MP 2763

Bottom ice
Ice blockage of water intakes Carey, K L , (1979, 27p) MP 1197
Oil pooling under sea ice Kovacs, A , (1979, p 310-323) MP 1289
Ross Ice Shelf bottom ice structure. Zotikov, I A , et al, (1979, p 65-66) MP 1336
Ice cover distribution in Vermont and New Hampshire Atlantic salmon rearing streams Calkins, D.J , et al, (1988, p.85-96) MP 2473

Bottom sediment
1977 CRREL-USGS permafrost program Beaufort Sea Alaska, operational report. Sellmann, P V , et al, (1977, 19p) SR 77-41
Permafrost beneath the Beaufort Sea Sellmann, P.V., et al, (1978, p.50-74) MP 1206
Overconsolidated sediments in the Beaufort Sea Chamberlain, E J , (1978, p.24-29) MP 1255
Penetration tests in subsea permafrost, Prudhoe Bay, Alaska Blouin, S E , et al, (1979, 45p) CR 79-07
Distribution and properties of subsea permafrost of the Beaufort Sea Sellmann, P.V , et al, (1979, p 93-115) MP 1287
Permafrost distribution on the continental shelf of the Beaufort Sea Hopkins, D.M., et al, (1979, p.135-141) MP 1288
Distribution and features of bottom sediments in Alaskan coastal waters Sellmann, P.V., (1980, 50p) SR 80-15
Sediment displacement in the Ottauquechee River—1975-1978. Martinson, C.R., (1980, 14p) SR 80-20
Characteristics of permafrost beneath the Beaufort Sea Sellmann, P.V., et al, (1981, p 125-157) MP 1428
Hyperbolic reflections on Beaufort Sea seismic records Neave, K G , et al, (1981, 16p) CR 81-02
Subsea trenching in the Arctic Mellor, M., (1981, p.843-882) MP 1464
Bottom heat transfer to water bodies in winter O'Neill, K , et al, (1981, 8p) SR 81-18
Subsea permafrost in Harrison Bay, Alaska Neave, K.G , et al, (1982, 62p) CR 82-24
Potential use of SPOT HRV imagery for analysis of coastal sediment plumes. Band, L E , et al, (1984, p 199-204) MP 1744
Mapping resistive seabed features using DC methods. Sellmann, P.V., et al, (1985, p 136-147) MP 1918
Ice gouge formation and infilling, Beaufort Sea Weeks, W.F., et al, (1985, p 393-407) MP 1904
Freeze thaw consolidation of sediments, Beaufort Sea, Alaska Lee, H J , et al, (1985, 83p) MP 2025
Preliminary study of scour under an ice jam. Wuebben, J L , (1988, p 177-192) MP 2475

Bottom topography
Ice scoring on the Alaskan shelf of the Beaufort Sea Weeks, W.F , et al, (1983, 34p + map) CR 83-21
Some probabilistic aspects of ice gouging on the Alaskan Shelf of the Beaufort Sea Weeks, W F , et al, (1984, p 213-236) MP 1838
Study of sea ice induced gouges in the sea floor Weeks, W F , et al, (1985, p 126-135) MP 1917
Ice gouge formation and infilling, Beaufort Sea Weeks, W F , et al, (1985, p 393-407) MP 1904
Laboratory study of flow in an ice-covered sand bed channel Wuebben, J L., (1986, p 3-14) MP 2123
Analysis of a short pulse radar survey of revetments along the Mississippi River. Arcone, S A., (1989, 20p) MP 2692
On modeling the baroclinic adjustment of the Arctic Ocean Hibler, W.D , III, (1990, p 247-250) MP 2739

Boundary layer
Abiotic overview of the Tundra Biome Program, 1971 Weller, G , et al, (1971, p 173-181) MP 906
Oceanic boundary-layer features and oscillation at drift stations McPhee, M G , (1980, p 870-884) MP 1369
Nonsteady ice drift in the Strait of Belle Isle Sodhi, D S , et al, (1980, p 177-186) MP 1364
Approximate solution to Neumann problem for soil systems Lunardini, V J., et al, (1981, p 76-81) MP 1494
Sea ice drag laws and boundary layer during rapid melting. McPhee, M G , (1982, 17p) CR 82-04
Atmospheric dynamics in the antarctic marginal ice zone Andreas, E L., et al, (1984, p 649-661) MP 1667
Stefan problem in a finite domain Takagi, S , (1985, 28p) SR 85-08
Heat conduction phase change problems Albert, M R , et al, (1986, p 591-607) MP 2159
Spectral measurements in a disturbed boundary layer over snow Andreas, E L , (1987, 41p) CR 87-21

Boundary value problems
Viscous wind-driven circulation of Arctic sea ice Hibler, W D , III, et al, (1977, p 95-133) MP 983
Moving boundary problems in the hydrodynamics of porous media Nakano, Y., (1978, p 125-134) MP 1343
In-plane deformation of non-coaxial plastic soil Takagi, S , (1978, 28p) CR 78-07
Buckling pressure of an elastic floating plate Takagi, S (1978, 49p) CR 78-14
Hydraulic model investigation of drifting snow Wuebben, J L , (1978, 29p) CR 78-16
Evaluation of the moving boundary theory Nakano, Y , (1978, p 142-151) MP 1147
Effect of the oceanic boundary layer on the mean drift of pack ice application of a simple model McPhee, M G , (1979, p 388-400) MP 1198
Steady in plane deformation of noncoaxial plastic soil Takagi, S , (1979, p 1049-1072) MP 1218
Grain clusters in wet snow Colbeck, S.C., (1979, p.371-384) MP 1267
Application of recent results in functional analysis to the problem of water tables Nakano, Y., (1979, p 185-190) MP 1269
Functional analysis of the problem of wetting fronts Nakano, Y , (1980, p 314-318) MP 1307
Water and air horizontal flow in porous media. Nakano, Y , (1980, p 81-85) MP 1341
Water and air vertical flow through porous media. Nakano, Y., (1980, p 124-133) MP 1342
Deforming finite elements with and without phase change. Lynch, D R., et al, (1981, p.81-96) MP 1493
Boundary integral equation solution for phase change problems O'Neill, K , (1983, p 1825-1850) MP 2093
Boundary value problem of flow in porous media. Nakano, Y , (1983, p 205-213) MP 1721
Modeling two-dimensional freezing. Albert, M.R., (1984, 45p) CR 84-10

Bridges
Piles in permafrost for bridge foundations Crory, F E , et al, (1967, 41p) MP 1411
Failure of an ice bridge. DenHartog, S L., et al, (1976, 13p) CR 76-29
Ice breakup on the Chena River 1975 and 1976 McFadden, T., et al, (1977, 44p) CR 77-14
Arching of model ice floes at bridge piers Calkins, D.J., (1978, p 495-507) MP 1134
Ice forces on the Yukon River bridge—1978 breakup. Johnson, P.R., et al, (1979, 40p) MP 1304
Single and double reaction beam load cells for measuring ice forces Johnson, P R , et al, (1980, 17p) CR 80-25
Ice force measurement on the Yukon River bridge. McFadden, T , et al, (1981, p.749-777) MP 1396
Snow and ice control on railroads, highways and airports Minsk, L D , et al, (1981, p 671-706) MP 1447
Ice engineering for civil work: baseline study Carey, K L., et al, (1983, 91p.) MP 2441
Ice action on pairs of cylindrical and conical structures. Kato, K., et al, (1983, 35p) CR 83-25
Ice forces on a bridge pier, Ottauquechee River, Vermont Sodhi, D.S., et al, (1983, 6p) CR 83-32
Ice forces on inclined model bridge piers Haynes, F D., et al, (1984, p 1167-1173) MP 2407
Ice forces on bridge piers Haynes, F D , (1986, p 83-101) MP 2160
Tactical bridging during winter: 1986 Korean bridging exercise Coutermarsh, B A , (1987, 23p.) SR 87-13
Imjin River ice boom Perham, R E , (1988, 10p) SR 88-22
Dynamic ice breakup control for the Connecticut River near Windsor, Vermont. Ferrick, M G , et al, (1988, p 245-258) MP 2449
Factors affecting rates of ice cutting with a chain saw. Coutermarsh, B.A., (1989, 14p.) SR 89-24
Ice force measurements on a bridge pier in a small river. Sodhi, D S , et al, (1989, p 1419-1427) MP 2764
Winter bridging exercise on thick ice, Fort McCoy, Wisconsin, 1988 Coutermarsh, B A , (1990, 24p) SR 90-10

Brines
Subsurface measurements of the Ross Ice Shelf, McMurdo Sound, Antarctica Kovacs, A., et al, (1977, p 146-148) MP 1013
Subsurface measurements of McMurdo Ice Shelf Gow, A J , et al, (1979, p.79-80) MP 1338
Modeling of anisotropic electromagnetic reflection from sea ice. Golden, K M , et al, (1980, p 247-294) MP 1325
Sea ice anisotropy, electromagnetic properties and strength. Kovacs, A , et al, (1980, 18p) CR 80-20
Brine zone in the McMurdo Ice Shelf, Antarctica Kovacs, A , et al, (1982, p 160-171) MP 1550
Equations for determining the gas and brine volumes in sea ice samples Cox, G.F.N , et al, (1982, 11p) CR 82-30
McMurdo Ice Shelf brine zone Kovacs, A , et al, (1982, 28p) CR 82-39
Equations for determining gas and brine volumes in sea ice Cox, G F.N., et al, (1983, p.306-316) MP 2055
Horizontal salinity variations in sea ice Tucker, W B , et al, (1984, p 6505-6514) MP 1761
Electromagnetic measurements of sea ice Kovacs, A , et al, (1986, p 67-93) MP 2020
Geochemistry of freezing brines Thurmond, V.L., et al, (1987, 11p) CR 87-13

Brittleness
Brittleness of reinforced concrete structures under arctic conditions Kivekäs, L et al, (1986, 20p) CR 86-02

Bubbles
Continuous monitoring of total dissolved gases, a feasibility study Jenkins, T F , (1975, p 101-105) MP 851
Gas inclusions in the Antarctic ice sheet Gow, A J., et al, (1975, p 5101-5108) MP 847
Point source bubbler systems to suppress ice. Ashton, G D , (1979, 12p) CR 79-12
Performance of the USCGC *Katmai Bay* icebreaker. Vance, G P , (1980, 28p) CR 80-08
Soft drink bubbles Cragin, J H , (1983, p 71) MP 1736

Thermal and size evolution of sea spray droplets. Andreas, E.L., (1989, 37p) CR 89-11

Bubbling

Numerical simulation of air bubbler systems. Ashton, G.D., (1977, p.765-778) MP 936

Numerical simulation of air bubbler systems Ashton, G.D., (1978, p.231-238) MP 1618

Bubbler induced melting of ice covers Kerbar, R., et al, (1978, p 362-366) MP 1160

Point source bubbler systems to suppress ice. Ashton, G.D., (1979, p 93-100) MP 1326

Ice control at navigation locks. Hanamoto, B., (1981, p.1088-1095) MP 1448

Performance of a point source bubbler under thick ice Haynes, F.D., et al, (1982, p 111-124) MP 1529

Bubblers and pumps for melting ice Ashton, G.D., (1986, p 223-234) MP 2133

High-flow air-screen bubbler systems to control ice in locks Rand, J.H., (1988, p 34-43) MP 2496

Elements of floating-debris control systems Perham, R.E., (1988, 54p + append) MP 2453

Building codes

Analysis of roof snow load case studies, uniform loads O'Rourke, M., et al, (1983, 29p) CR 83-01

Foundations on permafrost, US and USSR design and practice. Fish, A.M., (1983, p 3-24) MP 1682

Changes coming in snow load design criteria Tobiasson, W., (1989, p.413-418) MP 2612

Buildings

Management of power plant waste heat in cold regions Aamot, H.W.C., (1975, p 22-24) MP 942

Detecting structural heat losses with mobile infrared thermography, Part IV. Munis, R.H., et al, (1976, 9p.) CR 76-33

Temporary environment. Cold regions habitability. Bechtel, R.B., et al, (1976. 162p) SR 76-10

Energy conservation in buildings Ledbetter, C.B., (1976, 8p) SR 76-17

Computer derived heat requirements for buildings in cold regions Bennett, F.L., (1977, 113p) SR 77-03

Guidelines for architectural programming of office settings Ledbetter, C.B., (1977, 14p) SR 77-05

Infrared thermography of buildings an annotated bibliography. Marshall, S.J., (1977, 21p) SR 77-09

Ice engineering facility heated with a central heat pump system. Aamot, H.W.C., et al, (1977, 4p) MP 939

Measuring unmetered steam use with a condensate pump cycle counter. Johnson, P.R., (1977, p 434-442) MP 957

Reinsulating old wood frame buildings with urea-formaldehyde foam Tobiasson, W., et al, (1977, p 478-487) MP 958

Waste heat recovery for building heating Sector, P.W., (1977, 24p) SR 77-11

Architects and scientists in research for design of buildings in Alaska. Ledbetter, C.B., (1977, 8p.) CR 77-23

Maintaining [illegible]s in the Arctic Tobiasson, W., et al, (1977, p 2[illegible] MP 1508

Infrared thermography of buildings Munis, R.H., et al, (1977, 17p) SR 77-29

Infrared thermography of buildings Munis, R.H., et al, (1977, 21p) SR 77-26

Temporary protection of winter construction Bennett, F.L., (1977, 41p) SR 77-39

Architectural programming Making socially responsive architecture more accessible Ledbetter, C.B., (1978, 7p) SR 78-02

Kotzebue hospital—a case study Crory, F.E., (1978, p 342-359) MP 1084

Construction on permafrost at Longyearbyen on Spitsbergen, Tobiasson, W., (1978, p 884-890) MP 1108

Details behind a typical Alaskan pile foundation Tobiasson, W., et al, (1978, p 891-897) MP 1109

Thermo. scanning systems for detecting building heat loss Grot, R.A., et al, (1978, p B71-B90) MP 1212

Infrared thermography of buildings--a bibliography with abstracts Marshall, S.J., (1979, 67p) SR 79-01

Infrared thermography of buildings 1977 Coast Guard survey Marshall, S.J., (1979, 40p) SR 79-20

Post occupancy evaluation of a planned community in Arctic Canada Bechtel, R.B., et al, (1980, 27p) SR 80-06

Roof leaks in cold regions school at Chevak, Alaska Tobiasson, W., et al, (1980. 12p) CR 80-11

Time constraints on measuring building R-values Flanders, S.N., (1980. 30p) CR 80-15

Post occupancy evaluation for communities in hot or cold regions. Bechtel, R.B., et al, (1980. 57p) SR 80-29

U.S.-Soviet seminar on building under cold climates and on permafrost (1980, 365p) SR 80-40

Measuring building R-values for large areas Flanders, S.N., et al, (1981, p 137-138) MP 1388

Least life-cycle costs for insulation in Alaska Flanders, S.N., et al, (1982, 47p) CR 82-27

Toward in-situ building R value measurement Flanders, S.N., et al, (1984, 13p) CR 84-01

Deteriorated concrete panels on buildings at Sondrestrom, Greenland. Korhonen, C., (1984, 11p) SR 84-12

Measuring thermal performance of building envelopes nine case studies Flanders, S.N., (1985, 16p) CR 85-07

Structure data bases for predicting building material distribution. Merry, C.J., et al, (1985, 35p) SR 85-07

Deteriorated building panels at Sondrestrom, Greenland. Korhonen, C., (1985, p.7-10) MP 2017

Measured and expected R-values of 19 building envelopes Flanders, S.N., (1985, p 49-57) MP 2115

Confidence in heat flux transducer measurements of buildings Flanders, S.N., (1985, p.515-531) MP 2290

Models for predicting building material distribution in NE cities. Merry, C.J., et al, (1985, 50p) SR 85-24

Megastructures for mobilization Flanders, S.N., (1986, p 10-11) MP 2153

Reference guide for building diagnostics equipment and techniques McKenna, C., et al, (1986, 148p) MP 2226

Measuring building R-values with thermography and heat flux sensors Flanders, S.N., (1987, 29p) SR 87-06

Measured insulation improvement potential for ten U.S Army buildings. Flanders, S.N., (1987, p.202-220) MP 2327

Arctic construction working group report Marvin, E.L., et al, (1987, p 311-314) MP 2426

Composite buildings for military bases Flanders, S.N., (1988, 25p) CR 88-04

Distribution of building materials exposed to acid rain. Merry, C.J., et al, (1989, 156p) SR 89-01

Unique new cold weather testing facility. Eaton, R.A., (1989, p 335-342) MP 2468

Reference guide for building diagnostics equipment and techniques McKenna, C.M., et al, (1989, 64p.) SR 89-27

Vapor retarders to control summer condensation Tobiasson, W., (1989, p 566-572) MP 2558

Air change measurements of five Army buildings in Alaska Flanders, S.N., (1990, p 53-63) MP 2676

Buoyancy

Modeling ice restraint forces in an ice boom Perham, R.E., (1988, p.198-206) MP 2596

Caissons

Kadluk ice stress measurement program Cox, G.F.N., (1987, p.100-107) MP 2298

Calorimeters

Snow calorimetric measurement at SNOW-ONE Fisk, D., (1982, p 133-138) MP 1986

Calving

Physical and structural characteristics of sea ice in McMurdo Sound. Gow, A.J., et al, (1981, p.94-95) MP 1542

Canada

—Labrador

Generation of runoff from subarctic snowpacks. Dunne, T., et al, (1976, P.677-685) MP 883

—Labrador—Hebron Fiord

Sea-ice crystal structure and salinity, Hebron Fiord, Labrador. Gow, A.J., (1987, 18p) CR 87-04

—Northwest Territories—Mackenzie River

Ice jam research needs Gerard, R., (1984, p.181-193) MP 1813

—Saint Lawrence River

Remote sensing of frazil and brash ice in the St Lawrence River. Dean, A.M., Jr., (1977, 19p) CR 77-08

St Lawrence River freeze-up forecast Shen, H.T., et al, (1984, p 177-190) MP 1713

Computer simulation of ice cover formation in the Upper St. Lawrence River. Shen, H.T., et al, (1984, p.227-245) MP 1814

Field investigation of St Lawrence River hanging ice dams Shen, H.T., et al, (1984, p 241-249) MP 1830

Unified degree-day method for river ice cover thickness simulation Shen, H.T., et al, (1985, p 54-62) MP 2065

—Yukon River

Ice regime reconnaissance, Yukon River, Yukon Gerard, R., et al, (1984, p 1059-1073) MP 2406

Capillarity

Water flow through heterogeneous snow. Colbeck, S.C., (1979, p 37-45) MP 1219

Introduction to the basic thermodynamics of cold capillary systems Colbeck, S.C., (1981, 9p) SR 81-06

Carbohydrates

Trends in carbohydrate and lipid levels in Arctic plants McCown, B.H., et al, (1972, p 40-45) MP 1376

Carbon dioxide

Carbon dioxide dynamics on the Arctic tundra Coyne, P.I., et al, (1971, p 48-52) MP 903

Carbon dioxide exchange in tundra vegetation. Coyne, P.I., et al, (1972, p 36-39) MP 1375

Case for comparison and standardization of carbon dioxide reference gases Kelley, J.J., et al, (1973, p 163-181) MP 964

CO2 effect on permafrost terrain Brown, J., et al, (1982, 30p) MP 1546

West antarctic sea ice Ackley, S.F., (1984, p 88-95) MP 1818

Potential responses of permafrost to climati warming Goodwin, C.W., et al, (1984, p.92-105) MP 1710

Cavitation

Detection of cavities under concrete pavement Kovacs, A., et al, (1983, 41p) CR 83-18

Some developments in shaped charge technology Mellor, M., (1986, 29p.) SR 86-18

Effect of ice pressure on marginal ice zone dynamics Flato, G.M., et al, (1989, p 514-521) MP 2522

Cavitating fluid sea ice model. Flato, G.M., et al, (1990, p 239-242) MP 2738

Cell morphology

Trends in carbohydrate and lipid levels in Arctic plants. McCown, B.H., et al, (1972, p.40-45) MP 1376

Cellular materials

Influence of insulation upon frost penetration beneath pavements Eaton, R.A., et al, (1976, 41p) SR 76-06

Sulfur foam as insulation for expedient roads Smith, N., et al, (1979, 21p) CR 79-18

Cellular plastics

Evaluation of MESL membrane—puncture, stiffness, temperature, solvents. Sayward, J.M., (1976, 60p.) CR 76-22

Reinsulating old wood frame buildings with urea-formaldehyde foam. Tobiasson, W., et al, (1977, p.478-487) MP 958

Moisture detection in roofs with cellular plastic insulation Korhonen, C., et al, (1982, 22p) SR 82-07

Locating wet cellular plastic insulation in recently constructed roofs. Korhonen, C., et al, (1983, p.168-173) MP 1729

Wetting of polystyrene and urethane roof insulations Tobiasson, W., et al, (1987, p 108-119) MP 2337

Cement admixtures

Asphalt concrete for cold regions Dempsey, B.J., et al, (1980, 55p) CR 80-05

Stabilization of fine-grained soil for road and airfield construction. Danyluk, L.S., (1986, 37p) SR 86-21

Cements

Cements for structural concrete in cold regions. Johnson, R., (1977, 13p) SR 77-35

Resins and non-portland cements for construction in the cold. Johnson, R., (1980, 19p) SR 80-35

Cold weather construction materials; Part 2—Regulated-set cement for cold weather concreting, field validation of laboratory tests Houston, B.J., et al, (1981. 33p.) MP 1466

Channels (waterways)

Bibliography on harbor and channel design in cold regions. Haynes, F.D., (1976, 32p) CR 76-03

Investigation of water jets for lock wall deicing. Calkins, D.J., et al, (1976, p G2/13-22) MP 865

Ice removal from the walls of navigation locks Frankenstein, G.E., et al, (1976, p.1487-1496) MP 888

Topological properties of some trellis pattern channel networks Mock, S.J., (1976, 54p) CR 76-46

Ice arching and the drift of pack ice through restricted channels Sodhi, D.S., (1977, 11p) CR 77-18

Lock wall deicing studies Hanamoto, B., ed, (1977, 68p.) SR 77-22

Investigation of ice clogged channels in the St. Marys River. Mellor, M., et al, (1978, 73p) MP 1170

Ice arching and the drift of pack ice through channels. Sodhi, D.S., et al, (1978, p 415-432) MP 1138

River channel characteristics at selected ice jam sites in Vermont. Gatto, L.W., (1978, 52p) CR 78-25

Turbulent heat transfer from a river to its ice cover Haynes, F.D., et al, (1979, 5p) CR 79-13

Towing ships through ice-clogged channels by warping and kedging Mellor, M., (1979, 21p) CR 79-21

Clearing ice-clogged shipping channels Vance, G.P., (1980, 13p) CR 80-28

Effects of ice on coal movement via the inland waterways Lunardini, V.J., et al, (1981, 72p) SR 81-13

Sediment load and channel characteristics in subarctic upland catchments Slaughter, C.W., et al, (1981, p 39-48) MP 1518

River ice suppression by side channel discharge of warm water. Ashton, G.D., (1982, p 65-80) MP 1528

Application of HEC-2 for ice-covered waterways Calkins, D.J., et al, (1982, p 241-248) MP 1575

On zero-inertia and kinematic waves Katopodes, N.D., (1982, p.1381-1387) MP 2053

Effect of vessel size on shorelines along the Great Lakes channels Wuebben, J.L., (1983, 62p) SR 83-11

Application of a block copolymer solution to ice-prone structures Hanamoto, B., (1983, p 155-155) MP 1636

Methods of ice control Frankenstein, G.E., et al, (1983, p.204-215) MP 1642

Bank recession and channel changes of the Tanana River, Alaska Gatto, L.W., et al, (1984, 98p) MP 1747

Modeling rapidly varied flow in tailwaters Ferrick, M.G., et al, (1984, p 271-289) MP 1711

Operation of the U.S. Combat Support Boat (USCSBMK 1) on an ice-covered waterway. Stubstad, J., et al, (1984, 2[illegible]) SR 84-05

Use of remote sensing for the U.S. Army Corps of Engineers dredging program. McKim, H.L., et al, (1985, p.1141-1150) MP 1890

Laboratory study of flow in an ice-covered sand bed channel Wuebben, J.L., (1986, p 3-14) MP 2123

Sub-ice channels and frazil bars, Tanana River, Alaska Lawson, [illegible], et al, (1986, p 465-474) MP 2129

Computer-controlled data acquisition system for a hydraulic flume Zabilansky, L.J., (1988, p 453-460) MP 2349

Ice cover distribution in Vermont and New Hampshire Atlantic salmon rearing streams Calkins, D.J., et al, (1988, p 85-96) MP 2473

Effects of an ice cover on flow in a movable bed channel Wuebben, J.L., (1988, p 137-146) MP 2499

Charge transfer
Possibility of anomalous relaxation due to the charged dislocation process Itagaki, K., (1983, p 4261-4264) MP 1669

Charts
Geoecological mapping scheme for Alaskan coastal tundra. Everett, K.R., et al, (1978, p 359-365) MP 1098

Chemical analysis
Report on ice fall from clear sky in Georgia October 26, 1959 Harrison, L.P., et al, (1960, 31p. plus photographs) MP 1017
Salinity variations in sea ice Cox, G.F.N., et al, (1974, p 109-122) MP 1023
Vanadium and other elements in Greenland ice cores Herron, M.M., et al, (1976, 4p) CR 76-24
Treatment of primary sewage effluent by rapid infiltration Satterwhite, M.B., et al, (1976, 15p) CR 76-49
Composition of vapors evolved from military TNT. Leggett, D.C., et al, (1977, 25p) SR 77-16
Atmospheric trace metals and sulfate in the Greenland Ice Sheet. Herron, M.M., et al, (1977, p 915-920) MP 949
Vanadium and other elements in Greenland ice cores Herron, M.M., et al, (1977, p 98-102) MP 1092
Dating annual layers of Greenland ice. Langway, C.C., Jr., et al, (1977, p 302-306) MP 1094
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea. Sellmann, P.V., et al, (1977, p 432-440) MP 1077
Chemical composition of haul road dust and vegetation Iskandar, I.K., et al, (1978, p 110-111) MP 1116
Geochemistry of subsea permafrost at Prudhoe Bay, Alaska Page, F.W., et al, (1978, 70p) SR 78-14
Blank corrections for ultratrace atomic absorption analysis Cragin, J.H., et al, (1979, 5p) CR 79-03
Winter air pollution at Fairbanks, Alaska Coutts, H.J., et al, (1981, p 512-528) MP 1395
Wastewater treatment by a prototype slow rate land treatment system. Jenkins, T.F., et al, (1981, 44p) CR 81-14
Halocarbons in water using headspace gas chromatography. Leggett, D.C., (1981, 13p) SR 81-26
Nitrogenous chemical composition of antarctic ice and snow Parker, B.C., et al, (1981, p 79-81) MP 1541
Chemical obscurant tests during winter. Environmental fate. Cragin, J.H., (1983, p 267-272) MP 1760
Nitrogen behavior in soils irrigated with liquid waste. Selim, H.M., et al, (1984, p 96-108) MP 1762
Snow chemistry of obscurants released during SNOW-TWO/Smoke Week VI Cragin, J.H., (1984, p 409-416) MP 1873
Description of the building materials data base for Portland, Maine Merry, C.J., et al, (1986, 83p) SR 86-13
Low temperature effects on organophosphonates Britton, K.B., (1986, 47 refs) SR 86-38
Comparison of extraction techniques for munitions residues in soil. Jenkins, T.F., et al, (1987, p 1326-1331) MP 2350
Chemical analysis of hazardous wastes McGee, I.E., et al, (1987, 57p) SR 87-21
Analytical method for determining tetrazene in soil Walsh, M.E., et al, (1988, 22p) SR 88-15
Chemical and structural properties of sea ice in the southern Beaufort Sea Meese, D.A., (1989, 294p) MP 2656
Determination of explosive residues in soil Part 3. Bauer, C.F., et al, (1989, 89p) CR 89-09
Low concentration measurement capability in trace analysis Grant, C.L., et al, (1989, 21p) SR 89-20
Ion-pairing RP-HPLC method for determining tetrazene in water and soil Walsh, M.E., et al, (1989, p 159-179) MP 2593
Analytical methods for detecting military-unique compounds Jenkins, T.F., et al, (1989, p 13-14) MP 2713
Influence of well casings on well water Hewitt, A.D., et al, (1989, 9p) MP 2717
Chromatographic determination of nitroaromatic residues in soil. Jenkins, T.F., et al, (1989, p 890-899) MP 2586
Chemical and structural properties of sea ice in the southern Beaufort Sea Meese, D.A., (1990, p 32-35) MP 2728
Solvent extraction for solute preconcentration from water. Leggett, D.C., et al, (1990, p 1355-1356) MP 2743

Chemical composition
Forage grass growth on overland flow systems Palazzo, A.J., et al, (1980, p 347-354) MP 1402
Spray application of waste-water effluent in a cold climate Cassell, E.A., et al, (1980, p 620-626) MP 1403
Phosphorus chemistry of sediments of Lake Koocanusa, Montana. Iskandar, I.K., et al, (1981, 9p) SR 81-15
Sorption of chemical agents and simulants Leggett, D.C., (1987, 15p) SR 87-18
Octanol-water partition coefficients for organophosphonates Britton, K.B., et al, (1988, 24p) SR 88-11

Chemical ice prevention
Use of de-icing salt possible environmental impact Minsk, L.D., (1973, p 1-2) MP 1037
Freeze thaw tests of liquid deicing chemicals on selected pavement materials. Minsk, L.D., (1977, 16p) CR 77-28
Ice releasing block copolymer coatings Jellinek, H.H.G. et al, (1978, p 544-551) MP 1141
Current research on snow and ice removal in the United States. Minsk, L.D., (1978, p.21-22) MP 1199
Ice fog suppression using reinforced thin chemical films McFadden, T., et al, (1978, 23p) CR 78-26
Noncorrosive methods of ice control. Minsk, L.D., (1979, p.133-162) MP 1265
Ice fog suppression in Arctic communities. McFadden, T., (1980, p 54-65) MP 1357
Optimizing deicing chemical application rates Minsk, L.D., (1982, 55p) CR 82-18

Chemical properties
Chemical obscurant tests during winter, environmental fate Cragin, J.H., (1982, 9p) SR 82-19
Building materials and acid precipitation. Merry, C.J., et al, (1985, 40p) SR 85-01
Structure data bases for predicting building material distribution Merry, C.J., et al, (1985, 35p) SR 85-07
Acidity of snow and its reduction by alkaline aerosols. Kumai, M., (1985, p 92-94) MP 2008
Description of the building materials data base for New Haven, Connecticut Merry, C.J., et al, (1985, 129p.) SR 85-19
Chemical properties of snow in the northeastern United States. Kumai, M., (1987, p (Cl)625-(Cl)630) MP 2232
Baseline acidity of South Pole precipitation Cragin, J.H., et al, (1987, p 789-792) MP 2275
Persistence of chemical agents on the winter battlefield. Leggett, D.C., (1987, 20p) CR 87-12
Does snow have ion chromatographic properties Hewitt, A.D., et al, (1989, p.165-171) MP 2755
Chemical migration in snowpack Murphey, B.B., et al, (1989, p 282-286) MP 2757
Effect of aerosols on pH of snow Kumai, M., (1990, p 17-30) MP 2675

Chemical reactions
Ice fog suppression using monomolecular films McFadden, T., (1977, p 361-367) MP 956
UV radiational effects on: Martian regolith water Nadeau, P.H., (1977, 89p) MP 1072
Second progress report on oil spilled on permafrost McFadden, T., et al, (1977, 46p) SR 77-44
Increasing the effectiveness of soil compaction at below-freezing temperatures Haas, W.M., et al, (1978, 58p) SR 78-25
Ice fog suppression using thin chemical films McFadden, T., et al, (1979, 44p) MP 1192
Grouting silt and sand at low temperatures—a laboratory investigation Johnson, R., (1979, 33p) CR 79-05

Chemistry
Evaporation of chemical agents from ice and sn[illegible] Leggett, D.C., (1988, 10p) CR 88-03
Decontamination of chemical agents on the winter battlefield Parker, L.V., (1988, 48p) CR 88-07

China
National Chinese Conference on Permafrost, 2nd, 1981 Brown, J., et al, (1982, 58p) SR 82-03
Bibliography on glaciers and permafrost, China, 1938-1979 Shen, J., ed, (1982, 44p) SR 82-20
U.S. permafrost delegation visit to China, July 1984. Brown, J., (1985, 137p) SR 85-09

Chukchi Sea
Subsea permafrost distribution on the Alaskan shelf Sellmann, P.V., et al, (1984, p 75-82) MP 1852
Sea ice ridging in the Ross Sea, Antarctica, as compared with sites in the Arctic Weeks, W.F., et al, (1989, p 4984-4988) MP 2490

Civil engineering
Role of research in developing surface protection measures for the Arctic Slope of Alaska Johnson, P.R., (1978, p.202-205) MP 1068

Classifications
Proposed size classification for the texture of frozen earth materials McGaw, R., (1975, 10p) MP 921
Topological properties of some trellis pattern channel networks Mock, S.J., (1976, 54p) CR 76-46
Icebergs an overview Kovacs, A., (1979, 7p) SR 79-21
Frost susceptibility of soil, review of index tests Chamberlain, E.J., (1982, 110p) MP 1557

Clay minerals
Composition and structure of South Pole snow crystals Kumai, M., (1976, p 833-[illegible]) MP 853
Applications of thermal analysis to cold regions Sterrett, K.F., (1976, p 167-181) MP 890
Water vapor adsorption by sodium montmorillonite at -5C Anderson, D.M., et al, (1978, p 638-644) MP 981

Clay soils
Ecological baseline on the Alaskan haul road Brown, J., ed, (1978, 131p) SR 78-13
Overconsolidated sediments in the Beaufort Sea Chamberlain, E.J., (1978, p 24-29) MP 1255
Electron microscope investigations of frozen and unfrozen bentonite Kumai, M., (1979, 14p) CR 79-28
Overconsolidation effects of ground freezing Chamberlain, E.J., (1980, p 325-337) MP 1452
Water migration in frozen clay under linear temperature gradients Xu, X., et al, (1985, p 111-122) MP 1934
Experimental study on factors affecting water migration in frozen morin clay Xu, X., et al, (1985, p 123-128) MP 1897
Ion and moisture migration and frost heave in freezing Morin clay Qiu, G., et al, (1986, p.1014) MP 1970
Physical changes in clays due to frost action Chamberlain, E.J., (1989, p 863-893) MP 2595
Effect of freeze thaw cycles on soils. Chamberlain, E., et al, (1990, p.145-155) MP 2678

Clays
Isothermal compressibility of water mixed with montmorillonite Oliphant, J.L., et al, (1983, p.45-50) MP 2066
Thawing of frozen clays Anderson, D.M., et al, (1985, p.1-9) MP 1923
Evaluation of the X-ray radiography efficiency for heaving and consolidation observation. Akagawa, S., (1988, p 23-28) MP 2376

Climate
Selected climatic and soil thermal characteristics of the Prudhoe Bay region Brown, J., et al, (1975, p 3-12) MP 1054
Antarctic sea ice dynamics and its possible climatic effects Ackley, S.F., et al, (1976, p 53-76) MP 1378
Environmental atlas of Alaska Hartman, C.W., et al, (1978, 95p) MP 1204
Winter surveys of the upper Susitna River, Alaska Bilello, M.A., (1980, 30p) SR 80-19
Coastal tundra at Barrow. Brown, J., et al, (1980, p.1-29) MP 1356
Environment of the Alaskan Haul Road Brown, J., (1980, p 3-52) MP 1350
Hydrology and climatology of a drainage basin near Fairbanks, Alaska Haugen, R.K., et al, (1982, 34p) CR 82-26
Climate of remote areas in north-central Alaska: 1975-1979 summary. Haugen, R.K., (1982, 110p) CR 82-35
Climate at CRREL, Hanover, New Hampshire Bates, R.E., (1984, 78p) SR 84-24
Comparative studies of the winter climate at selected locations in Europe and the United States Bates, R.E., et al, (1989, p 283-293) MP 2598

Climatic changes
Greenland climate changes shown by ice core Dansgaard, W., et al, (1971, p 17-22) MP 998
Study of climatic elements occurring concurrently Bilello, M.A., (1976, p 23-30) MP 1613
CO2 effect on permafrost terrain Brown, J., et al, (1982, 30p) MP 1546
West antarctic sea ice. Ackley, S.F., (1984, p 88-95) MP 1818
Potential responses of permafrost to climatic warming Goodwin, C.W., et al, (1984, p.92-105) MP 1710
Role of sea ice dynamics in modeling CO2 increases Hibler, W.D., III, (1984, p 238-253) MP 1749
Regional climatic trends in northern New England Haugen, R.K., et al, (1988, p 64-71) MP 2748
US global ice core research program West Antarctica and beyond Grootes, P.M., et al, (1989, 32p) MP 2709
Cavitating fluid sea ice model Flato, G.M., et al, (1990, p 239-242) MP 2738

Climatic factors
Roofs in cold regions Tobiasson, W., (1980, 21p) MP 1408
U.S.-Soviet seminar on building under cold climates and on permafrost (1980, 365p) SR 80-40
Tundra and analogous soils Everett, K.R., et al, (1981, p 139-179) MP 1405
Introduction to abiotic components in tundra Brown, J., (1981, p 79) MP 1432
Climatic factors in cold regions surface conditions Bilello, M.A., (1985, p.508-517) MP 1961
Utilization of Unmanned Aerial Vehicles in the ALBE Thrust Greeley, H.P., et al, (1986, p 249-257) MP 2663
Ice jams and the winter climate near White River, SD. Bilello, M.A., (1987, p 154-162) MP 2399
Prediction of winter battlefield weather effects Ryerson, C.C. et al, (1988, p 357-362) MP 2402
Comparative studies of the winter climate at selected locations in Europe and the United States Bates, R.E., et al, (1989, p 283-293) MP 2598
Cold regions weather data systems Bates, R.E., et al, (1989, p 139-145) MP 2568
Proceedings (1990, 318p) SR 90-01

CLIMATOLOGY
Climatology of the cold regions of the northern hemisphere, I Wilson, C., (1967, 141p) M I-A3a
Climatology of Antarctic regions Wilson, C., (1968, 77p) M I-A3c
Climatology of the cold regions of the northern hemisphere, II Wilson, C., (1969, 158p) M I-A3b

Climatology
Surface temperature data for Atkasook, Alaska summer 1975 Haugen, R.K., et al, (1976, 25p) SR 76-01
Environmental analyses in the Kootenai River region, Montana McKim, H.L., et al, (1976, 53p) SR 76-13
Study of climatic elements occurring concurrently Bilello, M.A., (1976, p 23-30) MP 1613
Soil characteristics and climatology during wastewater application at CRREL Iskandar, I.K., et al, (1979, 82p) SR 79-23
International Workshop on the Seasonal Sea Ice Zone, Monterey, California, Feb 26-Mar 1, 1979 Andersen, B.G., ed (1980, 357p) MP 1292

Arctic research of the United States, Vol 4 (1990, 120p) MP 2765

Cloud chambers

Increased transmission, ...rough brass obscurant clouds during snowfall Hewitt, A D., et al, (1988, p 489-496) MP 2605

Dynamic aerosol flow chamber. Hewitt, A D., (1988, 13p) SR 88-21

Cloud droplets

Lidar-derived particle concentrations in plumes from arctic leads Andreas, E L., et al, (1990, p 9-12) MP 2758

Cloud seeding

Compressed air seeding of supercooled fog Hicks, J.R., (1976, 9p) SR 76-09

Laboratory studies of compressed air seeding of supercooled fog. Hicks, J R., et al, (1977, 19p) SR 77-12

Clouds (meteorology)

Polarization of skylight Bohren, C., (1984, p 261-265) MP 1794

Lidar detection of leads in Arctic sea ice. Schnell, R C., et al, (1989, p 530-532) MP 2602

Coal

Effects of ice on coal movement via the inland waterways Lunardini, V J., et al, (1981, 72p) SR 81-13

Coastal topographic features

Coastal marine geology of the Beaufort, Chukchi and Bering Seas Gatto, L.W., (1980, 357p) SR 80-05

Shore ice pile-up and ride-up field observations, models, theoretical analyses Kovacs, A., et al, (1980, p.209-298) MP 1295

Coastal subsea permafrost and bedrock observations using dc resistivity. Sellmann, P.V., et al, (1989, 13p) CR 89-13

Coatings

Evaluation of shear strength of freshwater ice adhered to icephobic coatings. Mulherin, N.D., (1990, p.149-154) MP 2578

Cohesion

Seeking low ice adhesion Sayward, J M., (1979, 83p) SR 79-11

COLD CHAMBERS

Cold room studies on frost susceptible soils (1950, 25p) ACFEL MP BL 1

Cold storage

Polar ice-core storage facility Langway, C C., Jr., (1976, p.71-75) MP 874

Cold stress

Effect of cold weather on productivity. Abele, G., (1986, p.61-66) MP 2152

Cold tolerance

Aquatic plant growth in relation to temperature and unfrozen water content Palazzo, A J., et al, (1984, 8p) CR 84-14

COLD WEATHER CONSTRUCTION

Effects of permafrost on engineering Stearns, S R., (1966, 77p) M I-A2

Methods of building on permanent snowfields Mellor, M., (1958, 43p) M III-A2a

Investigation and exploitation of snowfield sites Mellor, M., (1969, 57p) M III-A2b

Foundations of structures in cold regions Sanger, F J., (1969, 91p) M III-C4

Utilities on permanent snowfields Mellor, M., (1969, 42p) M III-A2d

Cold weather construction

Life-cycle cost effectiveness of modular megastructures in cold regions Wang, L R-L., et al, (1976, p 760-776) MP 892

Computer derived heat requirements for buildings in cold regions Bennett, F L., (1977, 113p) SR 77-03

Observation and analysis of protected membrane roofing systems Schaefer, D., et al, (1977, 40p) CR 77-11

Mid-winter installation of protected membrane roofs in Alaska Aamot, H W.C., (1977, 5p) CR 77-21

Architects and scientists in research for design of buildings in Alaska Ledbetter, C B., (1977, 8p) CR 77-23

Winter earthwork construction in Upper Michigan Haas, W M., et al, (1977, 59p) SR 77-40

Temporary protection of winter construction Bennett, F L., (1977, 41p) SR 77-39

Roof construction under wintertime conditions a case study Bennett, F.L., (1978, 34p) SR 78-24

Communication in the work place an ecological perspective Ledbetter, C B., (1979, 19p) SR 79-03

Snow and ice roads in the Arctic Johnson, P R., (1979, p 1063-1071) MP 1223

Extending the useful life of DYE-2 to 1986, Part I Tobiasson, W., et al, (1979, 15p) SR 79-27

Snow fortifications as protection against shaped charge antitank projectiles Farrell, D R., (1980, 19p) SR 80-11

Construction of an embankment with frozen soil Botz, J J., et al, (1980, 105p) SR 80-21

Time constraints on measuring building R values Flanders, S N., (1980, 10p) CR 80-15

Snow pads for pipeline construction in Alaska Johnson, P R., et al, (1980, 28p) CR 80-17

Use of piling in frozen ground Crory, F E., (1980, 21 p) MP 1407

Roofs in cold regions Tobiasson, W., (1980, 21p) MP 1408

Construction of foundations in permafrost Linell, K A., et al, (1980, 310p) SR 80-34

Soviet construction under difficult climatic conditions Assur, A., (1980, p 47-53) MP 1345

Resins and non-portland cements for construction in the cold Johnson, R., (1980, 19p) SR 80-35

U S -Soviet seminar on building under cold climates and on permafrost (1980, 365p) SR 80-40

Regulated set concrete for cold weather construction Sayles, F.H., et al, (1980, p 291-314) MP 1359

Excavation of frozen materials Moore, H E., et al, (1980, p 323-345) MP 1360

Window performance in extreme cold. Flanders, S N., et al, (1981, p 396-408) MP 1393

Drainage facilities of airfields and heliports in cold regions Lobacz, E F., et al, (1981, 56p) SR 81-22

Piling in frozen ground Crory, F.E., (1982, p 112-124) MP 1722

Comparative analysis of the USSR construction codes and the US Army technical manual for design of foundations on permafrost Fish, A M., (1982, 20p) CR 82-14

Window performance in extreme cold Flanders, S N., et al, (1982, 21p) CR 82-38

Chena Flood Control Project and the Tanana River near Fairbanks, Alaska Buska, J S., et al, (1984, 11p. + figs) MP 1745

Ice forces on rigid, vertical, cylindrical structures Sodhi, D.S., et al, (1984, 36p) CR 84-33

Cold factor. Abele, G., (1985, p 480-481) MP 2024

Cold climate utilities manual Smith, D W., ed, (1986, var p) MP 2135

Effect of cold weather on productivity Abele, G., (1986, p 61-66) MP 2152

Arctic and subarctic construction general provisions. Lobacz, E F., (1986, 75p) SR 86-17

Effects of cold environment on rapid runway repairs Abele, G., (1986, p 1-9) MP 2169

Engineering surveys along the Trans-Alaska Pipeline Gudfrey, R N., et al, (1986, 85p) SR 86-28

Summary of proper cold weather pavement repair methods Eaton, R.A., (1987, p 1013-1027) MP 2235

Benchmark design and installation: a synthesis of existing information. Gatto L W., (1987, 73p) SR 87-10

Mechanical and physical properties of soils in cold regions Chamberlain, E J., (1987, p.155-161) MP 2415

Buildings and utilities in very cold regions overview and research needs Tobiasson, W., (1987, p 299-303) MP 2424

Foundation technology in cold regions Quinn, W F., (1987, p.305-310) MP 2425

Arctic construction working group report Marvin, E L., et al, (1987, p 311-314) MP 2426

Buildings and utilities in very cold regions overview and research needs Tobiasson, W., (1988, p 4-11) MP 2552

Thermosyphons and foundation design in cold regions Haynes, F D., et al, (1988, p 251-259) MP 2443

Thermosyphon for horizontal applications DenHartog, S L., (1988, p 319-321) MP 2444

Airfields in Arctic Alaska Crory, F.E., (1988, p 49-55) MP 2451

Use of low viscosity asphalts in cold regions Janoo, V.C., (1989, p 70-80) MP 2462

Performance of pavement at Central Wisconsin Airport Stark, J., et al, (1989, p 92-103) MP 2463

Rebuilding infrastructure for pleasure boating Wortley, C A., et al, (1989, p 188-201) MP 2466

Unique new cold weather testing facility Eaton, R A., (1989, p 335-342) MP 2468

Unfrozen water contents of six antarctic soil materials Anderson, D M., et al (1989, p 353-366) MP 2470

Ice runways near the South Pole Swithinbank C., (1989, 42p) SR 89-19

COLD WEATHER OPERATION

Water supply in cold regions Alter A J., (1969, 85p) M III-C5a

Sewerage and sewage disposal in cold regions Alter, A J., (1969, 106p) M III-C5b

Cold weather operation

Regionalized feasibility study of cold weather earthwork Roberts, W S., (1976, 190p) SR 76-02

Storm drainage design considerations in cold regions Lobacz, E F., et al, (1978, p 474-489) MP 1088

Effects of winter military operations on cold regions terrain Abele, G., et al, (1978, 34p) SR 78-17

Snow fortifications as protection against shaped charge antitank projectiles Farrell, D R., (1980, 19p) SR 80-11

Engine starters in winter Coutts, H J., (1981, 3"p) SR 81-32

CRREL instrumented vehicle for cold regions mobility measurements Blaisdell, G L., (1982, 11p) MP 1515

Low temperature automotive emissions Coutts, H J., (1983, 2 vols) MP 1703

Observations during BRIMFROST 83 Bouzoun J R., et al, (1984, 36p) SR 84-10

Maintaining frosty facilities Reed, S C., et al, (1985, p 9-15) MP 1949

Some recent developments in vibrating wire rock mechanics instrumentation. Dutta, P K., (1985, 12p) MP 1968

Cold weather O&M. Reed, S C., et al, (1985, p 10-15) MP 2070

Tank E/O sensor system performance in winter, an overview. Lacombe, J., et al, (1985, 26p) MP 2073

Measurement and evaluation of tire performance under winter conditions Blaisdell, G L., (1985, p 198-228) MP 2387

Cold factor Abele, G., (1985, p.480-481) MP 2024

Use and application of PRESTO in Snow-III West Stallings, E.S., et al, (1986, p 11-24) MP 2658

Cold climate utilities manual Smith, D W., ed, (1986, var.p) MP 2135

Corps of Engineers research in the Arctic Smallidge, P D., et al, (1987, p 81-87) MP 2411

Aircraft operations in the Arctic DenHartog, S L., (1987, p 271-272) MP 2422

Mobility working group report Blaisdell, G L., et al, (1987, p 273-274) MP 2423

SNOW III WEST field experiment report Volume I Lacombe, J., et al, (1988, 170p) SR 88-28

Preliminary design guide for arctic equipment Walsh, M.R., et al, (1989, 35p) SR 89-13

Cold regions weather data systems Bates, R E., et al, (1989, p 139-145) MP 2568

Cold weather performance

Effect of snow cover on obstacle performance of vehicles Hanamoto, B., (1976, p 121-140) MP 933

Field performance of a subarctic utilidor. Reed, S C., (1977, p 448-468) MP 930

Effects of subgrade preparation upon full depth pavement performance in cold regions Eaton, R A., (1978, p.459-473) MP 1087

Construction equipment problems and procedures: Alaska pipeline project. Hanamoto, B., (1978, 14p) SR 78-11

Performance of overland flow land treatment in cold climates. Jenkins, T.F., et al, (1978, p 61-70) MP 1152

Wastewater treatment in cold regions by overland flow. Martel, C J., et al, (1980, 14p) CR 80-07

Operation of the CRREL prototype air transportable shelter. Flanders, S N., (1980, 73p) SR 80-10

Spray application of waste-water effluent in a cold climate. Cassell, E A., et al, (1980, p 620-626) MP 1403

Structural evaluation of porous pavement in cold climate Eaton, R A., et al, (1980, 43p) SR 80-39

Cold regions testing of an air-transportable shelter. Flanders, S N., (1981, 20p) CR 81-16

Mine/countermine problems during winter warfare. Lunardini, V.J., ed, (1981, 43p) SR 81-20

Shallow snow model for predicting vehicle performance. Harrison, W L., (1981, 21p) CR 81-20

Case study of land treatment in a cold climate—West Dover, Vermont Bouzoun, J.R., et al, (1982, 96p) CR 82-44

Optical engineering for cold environments Aitken, G W., ed, (1983, 225p) MP 1646

Utility services for remote military facilities Reed, S C., et al, (1984, 66p) SR 84-14

Wetlands for wastewater treatment in cold climates Reed, S C., et al, (1984, 9p + figs) MP 1945

Prevention of freezing of wastewater treatment facilities. Reed, S C., et al, (1985, 49p) SR 85-11

ISTVS workshop on tire performance under winter conditions, 1983 (1985, 177p) SR 85-15

Need for snow tire characterization and evaluation Yong, R N., et al (1985, p 1-2) MP 2043

Vehicle for cold regions mobility measurements Blaisdell, G L., (1985, p 9-20) MP 2044

Winter tire tests 1980-81 Blaisdell, G L., et al, (1985, p 135-151) MP 2045

Radial tire and traction and performance on ice and in snow. Rogers, T., et al, (1986, 20p) SR 86-07

Effect of cold weather on productivity. Abele, G., (1986, p 61-66) MP 2152

Cold-temperature characterization of polymer concrete. Bigl, S R., (1986, 46p) MP 2521

Airport pavement distress in cold regions Vinson, T S., et al, (1987, p 981-1012) MP 2234

Structural fiber composite materials for cold regions Dutta, P K., (1988, p 124-134) MP 2405

Performance of an omni-directional wheel on snow and ice Blaisdell, G S., (1989, 21p + appends) MP 2711

Evaluation of the Caterpillar Challenger tractor for use in Antarctica Blaisdell, G L., et al, (1989, 12p + figs) MP 2718

Wheeled versus tracked vehicle snow mobility test program Green, C E., et al, (1989, 19p) MP 2715

Porous portland cement concrete as an airport runway overlay Korhonen, C., et al, (1989, 20p) SR 89-12

Land mines in winter Richmond, P W., (1989, 10p) SR 89-11

Impact of the winter environment on infrared target signatures Lacombe, J., (1989, n p) MP 2587

Cold weather survival

Effects of soil covers on late-fall seedings of four tall fescue varieties Palazzo, A J., (1989, 5p) SR 89-17

Cold weather tests

Waste water reuse in cold regions Iskandar, I K., (1978, p 361-368) MP 1144

Cold weather tests *(cont.)*
Nondestructive testing of in-service highway pavements in Maine Smith, N., et al, (1979, 22p) CR 79-06
Construction and performance of membrane encapsulated soil layers in Alaska. Smith, N., (1979, 27p) CR 79-16
Land treatment of waste water in cold climates. Jenkins, T.F., et al, (1979, p.207-214) MP 1279
Air-transportable Arctic wooden shelters. Flanders, S.N., et al, (1982, p.385-397) MP 1558
Blisters in built-up roofs due to cold weather Korhonen, C., et al, (1983, 12p) SR 83-21
Mine detection using non-sinusoidal radar: laboratory tests Dean, A.M., Jr., et al, (1984, 99p) SR 84-22
Radial tire and traction aid performance on ice and in snow. Rogers, T., et al, (1986, 20p) SR 86-07
Unique new cold weather testing facility Eaton, R.A., (1988, p.745-750) MP 2542
Instrumented vehicle for the measurement of mobility parameters Blaisdell, G.L., (1988, p.377-388) MP 2486
Impact of the winter environment on infrared target signatures. Lacombe, J., (1989, np) MP 2587

Compacting
Temperature effects in compacting an asphalt concrete overlay. Eaton, R.A., et al, (1978, p 146-158) MP 1083

Composition
Acoustic emissions from composites at decreasing temperatures. Dutta, P.K., et al, (1988, p.1090-1095) MP 2430

Compressed air
Use of compressed air for supercooled fog dispersal Weinstein, A.I., et al, (1976, p 1226-1231) MP 1614

Compressive properties
Laboratory investigation of the mechanics and hydraulics of river ice jams Tatinclaux, J.C., et al, (1977, 45p) CR 77-09
Strength of frozen silt as a function of ice content and dry unit weight. Sayles, F.H., et al, (1980, p.109-119) MP 1451
Regulated set concrete for cold weather construction Sayles, F.H., et al, (1980, p 291-314) MP 1359
Investigation of the snow adjacent to Dye-2, Greenland. Ueda, H.T., et al, (1981, 23p) SR 81-03
Measuring mechanical properties of ice Schwarz, J., et al, (1981, p 245-254) MP 1556
Acoustic emissions from polycrystalline ice. St. Lawrence, W.F., et al, (1982, 15p) CR 82-21
Creep behavior of frozen silt under constant uniaxial stress. Zhu, Y., et al, (1983, p 1507-1512) MP 1805
Isothermal compressibility of water mixed with montmorillonite. Oliphant, J.L., et al, (1983, p 45-50) MP 2066
Summary of the strength and modulus of ice samples from multi-year pressure ridges Cox, G.F.N., et al, (1984, p 126-133) MP 1679
Variation of ice strength within and between multiyear pressure ridges in the Beaufort Sea Weeks, W.F., (1984, p.134-139) MP 1680
Preliminary examination of the effect of structure on the compressive strength of ice samples from multi-year pressure ridges Richter, J.A., et al, (1984, p 140-144) MP 1685
Influence of grain size on the ductility of ice Cole, D.M., (1984, p 150-157) MP 1686
Mechanical properties of multi-year sea ice Testing techniques Mellor, M., et al, (1984, 39p) CR 84-08
Compressive strength of frozen silt. Zhu, Y., et al, (1984, p 3-15) MP 1773
Crushing ice forces on cylindrical structures. Morris, C.E., et al, (1984, p 1-9) MP 1834
Grain size and the compressive strength of ice Cole, D.M., (1985, p 220-226) MP 1858
Strength and modulus of ice from pressure ridges Cox, G.F.N., et al, (1985, p 93-98) MP 1848
Structure and the compressive strength of ice from pressure ridges Richter, J.A., et al, (1985, p 99-102) MP 1849
Compressive strength of pressure ridge ice samples Richter-Menge, J.A., et al, (1985, p 465-475) MP 1877
Triaxial compression testing of ice Cox, G.F.N., et al, (1985, p 476-488) MP 1878
Pressure ridge strength in the Beaufort Sea Weeks, W.F., (1985, p 167-172) MP 2121
Mechanical properties of multi-year pressure ridge samples Richter-Menge, J.A., (1985, p 244-251) MP 1936
Grain size and the compressive strength of ice Cole, D.M., (1985, p 369-374) MP 1907
Confined compressive strength of multi-year pressure ridge sea ice samples Cox, G.F.N., et al, (1986, p 365-373) MP 2035
Compressive deformation of columnar sea ice Brown, R.L., et al, (1986, p 241-252) MP 2124
Compressive behavior of saline ice Richter-Menge, J.A., (1986, p 331-350) MP 2200
Confined compressive strength of horizontal first-year sea ice samples Richter-Menge, J.A., (1987, p 197-207) MP 2193
Results from indentation tests on freshwater ice Sodhi, D.S., et al, (1988, p 341-350) MP 2495
Triaxial compressive strength of frozen soils under constant strain rates Zhu, Y., et al, (1988, p 1200-1205) MP 2371
Confined compressive strength of multi-year pressure ridge sea ice samples Cox, G.F.N., et al, (1988, p.295-301) MP 2403
Uniaxial tension/compression tests on ice—preliminary results. Cole, D.M., et al, (1989, p 37-41) MP 2482
Effect of ice pressure on marginal ice zone dynamics Flato, G.M., et al, (1989, p 514-521) MP 2522
Resilient modulus determination for frost conditions Chamberlain, E.J., et al, (1989, p 320-333) MP 2569
Cyclic loading of saline ice: initial experimental results Cole, D.M., (1990, p 265-271) MP 2581
Comparison of the compressive strength of antarctic frazil ice and laboratory-grown columnar ice Richter-Menge, J.A., et al, (1990, p 79-84) MP 2731

COMPRESSIVE STRENGTH
Mechanical properties of sea ice. Weeks, W.F., et al, (1967, 80p) M II-C3

Compressive strength
Mechanics and hydraulics of river ice jams. Tatinclaux, J.C., et al, (1976, 97p) MP 1060
Effect of temperature on the strength of frozen silt Haynes, F.D., et al, (1977, 27p) CR 77-03
Measuring the uniaxial compressive strength of ice Haynes, F.D., et al, (1977, p 213-223) MP 1027
Unconfined compression tests on snow, a comparative study. Kovacs, A., et al, (1977, 27p) SR 77-20
Compressive and shear strengths of fragmented ice covers Cheng, S.T., et al, (1977, 82p) MP 951
Axial double point-load tests on snow and ice. Kovacs, A., (1978, 11p) CR 78-01
Increasing the effectiveness of soil compaction at below-freezing temperatures Haas, W.M., et al, (1978, 58p) SR 78-25
Effect of temperature on the strength of snow-ice. Haynes, F.D., (1978, 25p) CR 78-27
Grouting silt and sand at low temperatures—a laboratory investigation. Johnson, R., (1979, 33p) CR 79-05
Grouting silt and sand at low temperatures Johnson, R., (1979, p 937-950) MP 1078
Temperature effect on the uniaxial strength of ice. Haynes, F.D., (1979, p 667-681) MP 1231

Computer applications
Flexible pavement resilient surface deformations. Smith, N., et al, (1975, 13 leaves) MP 1264
Landsat data for watershed management. Cooper, S., et al, (1977, c150p) MP 1114
Safe ice loads computed with a pocket calculator Nevel, D.E., (1979, p 205-223) MP 1249
Conference on Computer and Physical Modeling in Hydraulic Engineering, 1980 Ashton, G.D., ed, (1980, 492p) MP 1321
Topical databases Cold Regions Technology on-line. Liston, N., et al, (1985, p 12-15) MP 2027
Computer interfacing of meteorological sensors in severe weather Rancourt, K., et al, (1985, p 205-211) MP 2175
Data acquisition in USACRREL's flume facility Daly, S.F., et al, (1985, p 1053-1058) MP 2089
Cazenovia Creek Model data acquisition system Bennett, B.M., et al, (1985, p 1424-1429) MP 2090
Instrumentation for an uplifting ice force model Zabilansky, L.J., (1985, p 1430-1435) MP 2091
Is advanced technology "the gateway to irresponsibility" Zufelt, J.E., (1989, p.434-437) MP 2529

Computer programs
Long distance heat transmission with steam and hot water Aamot, H.W.C., et al, (1976, 39p) MP 938
Computer program for determining electrical resistance in nonhomogeneous ground Arcone, S.A., (1977, 16p) CR 77-02
Computer derived heat requirements for buildings in cold regions Bennett, F.L., (1977, 113p) SR 77-03
Computer routing of unsaturated flow through snow Tucker, W.B., et al, (1977, 44p) SR 77-10
Finite element model of transient heat conduction Guymon, G.L., et al, (1977, 167p) SR 77-38
Land treatment model of the CAPDET program Merry, C.J., et al, (1977, 4p) MP 1112
Computer procedure for comparing wastewater treatment systems Spaine, P.A., et al, (1978, p 335-340) MP 1155
Computer file for existing land application of wastewater systems Iskandar, I.K., et al, (1978, 24p) SR 78-22
Design of liquid waste land application Iskandar, I.K., (1979, p 65-88) MP 1415
Multivariable regression algorithm Blaisdell, G.L., et al, (1983, 41p) SR 83-32
Numerical simulation of sea ice induced gouges on the shelves of the polar oceans Weeks, W.F., et al, (1985, p 259-265) MP 1938
Fortran subroutines for zero-phase digital frequency filters Albert, D.G., (1986, 26p) SR 86-04
Tracking freezing front movement using boundary element method Hromadka, T.V., II, (1987, 58p) SR 87-08
Information systems planning study Atkins, R.T., et al, (1987, 48p) SR 87-23
XYTREZ-4 user's manual O'Neill, K., (1987, 55p) SR 87-28
Phase change heat transfer program for microcomputers Buzzell, G.M., et al, (1988, p 645-650) MP 2383
Computer-generated graphics of river ice conditions Bilello, M.A., et al, (1988, p 211-219) MP 2509
QuickDraw data structures for image processing LaPotin, P.J., et al, (1989, 17p) SR 89-08

Computerized simulation
Computer simulation of the snowmelt and soil thermal regime at Barrow, Alaska. Outcalt, S.I., et al, (1975, p.709-715) MP 857
Computer modeling of terrain modifications in the arctic and subarctic. Outcalt, S.I., et al, (1977, p 24-32) MP 971
Finite element model of transient heat conduction Guymon, G.L., et al, (1977, 167p) SR 77-38
Computer model of municipal snow removal Tucker, W.B., (1977, 7p) CR 77-30
Bubbler induced melting of ice covers Kennar, R., et al, (1978, p 362-366) MP 1160
Computer simulation of urban snow removal. Tucker, W.B., et al, (1979, p 293-302) MP 1238
Numerical modeling of sea ice in the seasonal sea ice zone. Hibler, W.D., III, (1980, p 299-356) MP 1296
Dynamic simulations of iceberg-seabed interactions Bass, D.W., et al, (1989, p 137-151) MP 2684
Simulation of oil slicks in rivers and lakes. Shen, H.T., et al, (1990, 29p) CR 90-01

Computers
Microcomputer-based image-processing system Perovich, D.K., et al, (1988, p 249-252) MP 2385

Concrete admixtures
Cements for structural concrete in cold regions Johnson, R., (1977, 13p) SR 77-35
Antifreeze admixtures for cold weather concreting Preliminary test results Korhonen, C.J., et al, (1990, 8p) MP 2742

Concrete curing
Detection of moisture in construction materials. Morey, R.M., et al, (1977, 9p) CR 77-25
Cements for structural concrete in cold regions. Johnson, R., (1977, 13p) SR 77-35

Concrete durability
Freeze-thaw tests of liquid deicing chemicals on selected pavement materials. Minsk, L.D., (1977, 16p) CR 77-28
Fabric installation to reduce cracking on runways. Eaton, R.A., et al, (1981, 26p) SR 81-10

Concrete heating
Regulated set concrete for cold weather construction. Sayles, F.H., et al, (1980, p 291-314) MP 1359

Concrete pavements
Freezing and thawing tests of liquid deicing chemicals on selected pavement materials Minsk, L.D., (1979, p 51-58) MP 1220
Detection of cavities under concrete pavement. Kovacs, A., et al, (1983, 41p) CR 83-18
Salt action on concrete Sayward, J.M., (1984, 69p) SR 84-25
Cold-temperature characterization of polymer concrete Bigl, S.R., (1986, 46p) MP 2521
Porous portland cement concrete as an airport runway overlay. Korhonen, C., et al, (1989, 20p) SR 89-12

Concrete placing
Cold weather construction materials. Part 2—Regulated-set cement for cold weather concreting, field validation of laboratory tests Houston, B.J., et al, (1981, 33p) MP 1466

Concrete strength
Cements for structural concrete in cold regions Johnson, R., (1977, 13p) SR 77-35
Regulated set concrete for cold weather construction Sayles, F.H., et al, (1980, p 291-314) MP 1359
Structural evaluation of porous pavement in cold climate Eaton, R.A., et al, (1980, 43p) SR 80-39
Fabric installation to reduce cracking on runways Eaton, R.A., et al, (1981, 26p) SR 81-10
Cold weather construction materials, Part 2 -Regulated-set cement for cold weather concreting, field validation of laboratory tests Houston, B.J., et al, (1981, 33p) MP 1466
Deteriorated concrete panels on buildings at Sondrestrom, Greenland Korhonen, C., (1984, 11p) SR 84-12
Chemical solutions to the chemical problem Minsk, L.D., (1985, p 238-243) MP 2224
Brittleness of reinforced concrete structures under arctic conditions Kivekas, L., et al, (1985, p 111-121) MP 2272
Low temperature cracking susceptibility of asphalt concrete. Janoo, V.C., et al, (1987, p 397-415) MP 2253
Porous portland cement concrete as an airport runway overlay Korhonen, C., et al, (1989, 20p) SR 89-12

Concrete structures
Deteriorated concrete panels on buildings at Sondrestrom, Greenland Korhonen, C., (1984, 11p) SR 84-12
Brittleness of reinforced concrete structures under arctic conditions Kivekas, L., et al, (1985, 28 + 14p) MP 1969
Brittleness of reinforced concrete structures under arctic conditions Kivekas, L., et al, (1986, 20p) CR 86-02

Concretes
Cold-temperature characterization of polymer concrete Bigl, S.R., (1986, 46p) MP 2521

Condensation
Condensation control in low-slope roofs Tobiasson, W., (1985, p.47-59) MP 2039
Vapor drive maps of the U.S.A. Tobiasson, W., et al, (1986, 7p. + graphs) MP 2041
Roof design in cold regions. Tobiasson, W., (1989, p.1029-1037) MP 2651

Conduction
Soil hydraulic conductivity and moisture retention features. Ingersoll, J., (1981, 11p) SR 81-02
Heat conduction in snow. Yen, Y.C., (1989, p 21-32) MP 2546

Conservation
Energy conservation in buildings. Ledbetter, C.B., (1976, 8p.) SR 76-17

Construction
Haines-Fairbanks pipeline design, construction and operation. Garfield, D.E., et al, (1977, 20p) SR 77-04
Environmental engineering, Yukon River-Prudhoe Bay Haul Road. Brown, J., ed, (1980, 187p.) CR 80-19
Environment of the Alaskan Haul Road Brown, J., (1980, p.3-52) MP 1350
Haul Road performance and associated investigations in Alaska. Berg, R.L., (1980, p.53-100) MP 1351
Revegetation along roads and pipelines in Alaska. Johnson, L.A., (1980, p.129-150) MP 1353

Construction costs
Life-cycle cost effectiveness of modular megastructures in cold regions. Wang, L.R.-L., et al, (1976, p.760-776) MP 892

Construction equipment
Specialized pipeline equipment. Hanamoto, B., (1978, 30p.) SR 78-05
Construction equipment problems and procedures- Alaska pipeline project. Hanamoto, B., (1978, 14p) SR 78-11
Excavation of frozen materials. Moore, H.E., et al, (1980, p.323-345) MP 1360
Planing machines for building runways on ice. Mellor, M., (1989, 8p. + attachments) MP 2505

Construction materials
Detection of moisture in construction materials. Morey, R.M., et al, (1977, 9p) CR 77-25
Remote sensing for reconnaissance of proposed construction site. McKim, H.L., et al, (1978, 9 leaves) MP 1167
Roof construction under wintertime conditions: a case study. Bennett, F.L., (1978, 34p) SR 78-24
Mechanical properties of frozen ground. Ladanyi, B., et al, (1979, p.7-18) MP 1726
Time constraints on measuring building R-values. Flanders, S.N., (1980, 30p.) CR 80-15
Remote sensing for earth dam site selection and construction materials. Merry, C.J., et al, (1980, p 158-170) MP 1316
Resins and non-portland cements for construction in the cold. Johnson, R., (1980, 19p) SR 80-35
Cold weather construction materials; Part 2—Regulated-set cement for cold weather concreting, field validation of laboratory tests. Houston, B.J., et al, (1981, 33p.) MP 1466
In-situ thermal conductivity measurements. Atkins, R.T., (1983, 38p.) MP 2214
Building materials and acid precipitation Merry, C.J., et al, (1985, 40p.) SR 85-01
Structure data bases for predicting building material distribution. Merry, C.J., et al, (1985, 35p.) SR 85-07
Description of the building materials data base for New Haven, Connecticut. Merry, C.J., et al, (1985, 129p.) SR 85-19
Models for predicting building material distribution in NE cities. Merry, C.J., et al, (1985, 50p.) SR 85-24
Construction engineering community- materials and diagnostics. (1986, 54p.) SR 86-01
Construction materials data base for Pittsburgh, PA Merry, C.J., et al, (1986, 87p) SR 86-08
Description of the building materials data base for Portland, Maine Merry, C.J., et al, (1986, 83p) SR 86-13
Description of the building materials data base for Cincinnati, Ohio. Merry, C.J., et al, (1986, 65p) SR 86-31
Inventorying building materials Merry, C.J., (1986, 25p) SR 86-33
Acoustic emissions from composites at decreasing temperatures. Dutta, P.K., et al, (1988, p 1090-1095) MP 2430
On the design of polymeric composite structures for cold regions applications. Lord, H.W., et al, (1988, p 435-458) MP 2395
Structural fiber composite materials for cold regions Dutta, P.K., (1988, p 124-134) MP 2405
Distribution of building materials exposed to acid rain Merry, C.J., et al, (1989, 156p) SR 89-01
Fiber composite materials in an arctic environment Dutta, P.K., (1989, p 216-225) MP 2559
Simple and economical thermal conductivity measurement system. Atkins, R.T., (1989, p 108-116) MP 2566

Continuous belt machines
Kinematics of continuous belt machines Mellor, M., (1976, 24p) CR 76-17

Continuous permafrost
Permafrost and active layer on a northern Alaskan road Berg, R.L., et al, (1978, p 615-621) MP 1102
Bibliography of permafrost soils and vegetation in the USSR. Andrews, M., (1978, 175p.) SR 78-19

Convection
Heat transfer over a vertical melting plate. Yen, Y.-C., et al, (1977, 12p) CR 77-32
Free convection heat transfer characteristics in a melt water layer. Yen, Y.-C., (1980, p.550-556) MP 1311
Transport equation over long times and large specs. O'Neill, K., (1981, p.1665-1675) MP 1497
Boundary integral equation solution for phase change problems. O'Neill, K., (1983, p.1825-1850) MP 2093
Computation of porous media natural convection flow and phase change. O'Neill, K., et al, (1984, p.213-229) MP 1895
Experiments on thermal convection in snow. Powers, D., et al, (1985, p 43-47) MP 2006
Theory of natural convection in snow Powers, D., et al, (1985, p 10,641-10,649) MP 1957
Convective heat transfer in water over melting ice sheet. Lunardini, V.J., (1986, p.42-51) MP 2600
Field observations of thermal convection in a subarctic snow cover. Johnson, J.B., et al, (1987, p 105-118) MP 2439

Conversion tables
Improved millivolt-temperature conversion tables for copper constantan thermocouples. 32F reference temperature. Stallman, P.E., et al, (1976, 66p) SR 76-18

Cooling
Performance of a thermosyphon with an inclined evaporator and vertical condenser. Zarling, J.P., et al, (1984, p.64-68) MP 1677
Heating and cooling method for measuring thermal conductivity. McGaw, R., (1984, 8p) MP 1891
Laboratory tests and analysis of thermosyphons with inclined evaporator sections. Zarling, J.P., et al, (1985, p.31-37) MP 1853
Thermal stabilization of permafrost with thermosyphons. Zarling, J.P., et al, (1990, p.323-328) MP 2583

Cooling rate
Temperature effects in compacting an asphalt concrete overlay. Eaton, R.A., et al, (1978, p.146-158) MP 1083
Field cooling rates of asphalt concrete overlays at low temperatures. Eaton, R.A., et al, (1980, 11p.) CR 80-30
International Symposium on Cold Regions Heat Transfer, 1989. (1989, 314p.) MP 2636

Cooling systems
Ice engineering complex adopts heat pump energy system Aamot, H.W.C., (1977, p 25-26) MP 893
Experimental scaling study of an annular flow ice-water heat sink. Stubstad, J.M., et al, (1977, 54p.) CR 77-15
Some experiences with tunnel entrances in permafrost. Linell, K.A., et al, (1978, p 813-819) MP 1107
Waste heat utilization through soil heating. McFadden, T., et al, (1980, p 105-120) MP 1363

Core samplers
Subsurface explorations in permafrost areas. Cass, J.R., Jr., (1959, p 31-41) MP 885
Drilling and coring of frozen ground in northern Alaska, Spring 1979. Lawson, D.E., et al, (1980, 14p) SR 80-12
Development of a frazil ice sampler. Brockett, B.E., et al, (1986, 12p) SR 86-37

Corrosion
Salt action on concrete. Sayward, J.M., (1984, 69p) SR 84-25
Chemical solutions to the chemical problem Minsk, L.D., (1985, p 238-244) MP 2224

Cost analysis
Propane dispenser for cold fog dissipation system. Hicks, J.R., et al, (1973, 38p) MP 1033
Management of power plant waste heat in cold regions. Aamot, H.W.C., (1975, p 22-24) MP 942
Protected membrane roofs in cold regions. Aamot, H.W.C., et al, (1976, 27p.) CR 76-02
Evaluation of an air cushion vehicle in Northern Alaska. Abele, G., et al, (1976, 7p) MP 894
Long distance heat transmission with steam and hot water Aamot, H.W.C., et al, (1976, 39p) MP 938
Some economic benefits of ice booms. Perham, R.E., (1977, p.570-591) MP 959
Waste heat recovery for building heating. Sector, P.W., (1977, 24p) SR 77-11
Installation of loose-laid inverted roof system at Fort Wainwright, Alaska Schaefer, D., (1977, 27p) SR 77-18
Investigation of ice clogged channels in the St Marys River Mellor, M., et al, (1978, 73p) MP 1170
Cost-effective use of municipal wastewater treatment ponds Reed, S.C., et al, (1979, p.177-200) MP 1413
Cost of land treatment systems. Reed, S.C., et al, (1979, 135p) MP 1387
Cost of ice damage to shoreline structures during navigation Carey, K.L., (1980, 33p) SR 80-22
Least life-cycle costs for insulation in Alaska Flanders, S.N., et al, (1982, 47p) CR 82-27
Simple design procedure for heat transmission system piping Phetteplace, G., (1985, p 1748-1752) MP 1942
Simulation of district heating systems for piping design Phetteplace, G., (1989, 27p) MP 2746
Optimal sizing of district heating pipes Phetteplace, G., (1989, 25p) MP 2747

Countermeasures
Ice fog suppression using monomolecular films. McFadden, T., (1977, p.361-367) MP 956
Fabric installation to reduce cracking on runways Eaton, R.A., et al, (1981, 26p) SR 81-10
Stabilizing fire breaks in tundra vegetation Patterson, W.A., III, et al, (1981, p.188-189) MP 1804
Decontamination of chemical agents on the winter battlefield. Parker, L.V., (1988, 48p) CR 88-07
Use of off-road vehicles and mitigation of effects in Alaska permafrost environments- a review Slaughter, C.W., et al, (1990, p 63-72) MP 2682

Crack propagation
Mechanisms of crack growth in quartz. Martin, R.J., III, et al, (1975, p 4837-4844) MP 855
Resistance of elastic rock to the propagation of tensile cracks. Peck, L., et al, (1985, p.7827-7836) MP 2052

Cracking (fracturing)
Thermal and load-associated distress in pavements. Johnson, T.C., et al, (1978, p 403-437) MP 1209
Asphalt concrete for cold regions Dempsey, B.J., et al, (1980, 55p) CR 80-05
Acoustic emission and deformation response of finite ice plates. Xirouchakis, P.C., et al, (1981, p 123-133) MP 1436
Fabric installation to reduce cracking on runways Eaton, R.A., et al, (1981, 26p) SR 81-10
Airport pavement distress in cold regions. Vinson, T.S., et al, (1987, p.981-1012) MP 2234
Fracture of S2 columnar freshwater ice: floating double cantilever beam tests Bentley, D.L., et al, (1988, p 152-161) MP 2493
Fracture experiments on freshwater and urea model ice. Bentley, D.L., et al, (1988, 152p) MP 2502
Performance of pavement at Central Wisconsin Airport. Stark, J., et al, (1989, p 92-103) MP 2463
Use of soft grade asphalts in airfields and highway pavements in cold regions Janoo, V.C., (1990, 47p) SR 90-12

Cracks
Firn quake (a rare and poorly explained phenomenon). Den Hartog, S.L., (1982, p.173-174) MP 1571
Use of low viscosity asphalts in cold regions. Janoo, V.C., (1989, p 70-80) MP 2462

Creep
Isua, Greenland: glacier freezing study. Ashton, G.D., (1978, p 256-264) MP 1174
Application of the Andrade equation to creep data for ice and frozen soil. Ting, J.M., et al, (1979, p 29-36) MP 1802
Creep model for constant stress and constant strain rate. Fish, A.M., (1984, p 1009-1012) MP 1766
Creep of a strip footing on ice-rich permafrost Sayles, F.H., (1985, p 29-51) MP 1731

Creep properties
Thermal and creep properties for frozen ground construction. Sanger, F.J., et al, (1978, p.95-117) MP 1624
Thermal and creep properties for frozen ground construction. Sanger, F.J., et al, (1979, p 311-337) MP 1227

CREVASSE DETECTION
Oversnow transport. Mellor, M., (1963, 58p. plus appends.) M III-A4

Crevasses
Small-scale strain measurements on a glacier surface. Colbeck, S.C., et al, (1971, p 237-243) MP 993
Depth of water-filled crevasses of glaciers Weertman, J., (1973, p 139-145) MP 1044
Depth of water-filled crevasses that are closely spaced Robin, G. de Q., et al, (1974, p 543-544) MP 1038
Iceberg thickness and crack detection Kovacs, A., (1978, p 131-145) MP 1128
Modified theory of bottom crevasses Jezek, K.C., (1984, p 1925-1931) MP 2059
Can relict crevasse plumes on antarctic ice shelves reveal a history of ice-stream fluctuation MacAyeal, D.R., et al, (1988, p 77-82) MP 2460

Cryobiology
Sea ice and ice algae relationships in the Weddell Sea Ackley, S.F., et al, (1978, p 70-71) MP 1203
Standing crop of algae in the sea ice of the Weddell Sea region. Ackley, S.F., et al, (1979, p 269-281) MP 1242
Choanoflagellata from the Weddell Sea, summer 1977. Buck, K.R., (1980, 26p) CR 80-16
Physical mechanism for establishing algal populations in frazil ice Garrison, D.L., et al, (1983, p 363-365) MP 1717
Relative abundance of diatoms in Weddell Sea pack ice Clarke, D.B., et al, (1983, p 181-182) MP 1786
Sea ice and biological activity in the Antarctic Clarke, D.B., et al, (1984, p 2087-2095) MP 1701
Sea ice microbial communities in Antarctica Garrison, D.L., et al, (1986, p 243-250) MP 2026

Cryogenic processes
Morphology of the North Slope Walker, H.J., (1973, p 49-52) MP 1004

Cryogenic soils
Bibliography of soil conservation activities in USSR permafrost areas Andrews, M., (1977, 116p) SR 77-07
Antarctic soil studies using a scanning electron microscope. Kumai, M., et al, (1978, p 106-112) MP 1386
Bibliography of permafrost soils and vegetation in the USSR Andrews, M., (1978, 175p.) SR 78-19

Crystal growth
Simulation of planar instabilities during solidification Sullivan, J.M., Jr., et al, (1987, p.81-111) MP 2585

Crystal orientation
Structural growth of lake ice. Gow, A J., et al, (1977, 24p.) CR 77-01

Crystal study techniques
Producing strain-free flat surfaces on single crystals of ice. comments. Tobin, T.M., (1973, p.519-520) MP 1000

Crystals
Synoptic meteorology, crystal habit, and snowfall rates in Northeastern snowstorms. Ryerson, C C., et al, (1989, p.335-345) MP 2599

Cubic ice
Abnormal internal friction peaks in single-crystal ice Stallman, P.E., et al, (1977, 15p.) SR 77-23

Culverts
Interaction of gravel, surface drainage and culverts with permafrost. Brown, J., et al, (1984, 35p.) MP 2215

Cutting tools
Kinematics of axial rotation machines Mellor, M., (1976, 45p.) CR 76-16
Kinematics of continuous belt machines. Mellor, M., (1976, 24p) CR 76-17

Damage
Ecological effects of oil spills and seepages in cold-dominated environments. McCown, B H., et al, (1971, p.61-65) MP 905
Effects of hovercraft, wheeled and tracked vehicle traffic on tundra. Abele, G., (1976, p 186-215) MP 1123
De-icing using lasers Lane, J.W., et al, (1976, 25p) CR 76-10
Air-cushion vehicle effects on surfaces of Alaska's Arctic Slopes. Slaughter, C.W., (1976, p 272-279) MP 1384
[illegible]ile damage to tundra soil and vegetation Walker, D.A., e[illegible] al, (1977, 49p) SR 77-17
Ef[illegible] of low ground pressure vehicle traffic on tundra at Lo[illegible]ey, Alaska. Abele, G., et al, (1977, 32p) SR 77-31
Second progress report on oil spilled on permafrost. McFadden, T., et al, (1977, 46p) SR 77-44
Inundation of vegetation in New England. McKim, H L., et al, (1978, 13p.) MP 1169
1977 tundra fire at Kokolik River, Alaska. Hall, D K., et al, (1978, 11p) SR 78-10
Effects of low ground pressure vehicle traffic on tundra. Abele, G., et al, (1978, 63p) SR 78-16
Effects of winter military operations on cold regions terrain Abele, G., et al, (1978, 34p) SR 78-17
Crude oil spills on black spruce forest Jenkins, T.F., et al, (1978, p.305-323) MP 1185
Undersea pipelines and cables in polar waters. Mellor, M., (1978, 34p) CR 78-22
Bibliography of permafrost soils and vegetation in the USSR Andrews, M., (1978, 175p.) SR 78-19
Tundra recovery since 1949 near Fish Creek, Alaska Lawson, D.E., et al, (1978, 81p) CR 78-28
Physical and thermal disturbance and protection of permafrost. Brown, J., et al, (1979, 42p) SR 79-05
Cost of ice damage to shoreline structures during navigation. Carey, K L., (1980, 33p) SR 80-22
Effects of a tundra fire on soil and vegetation Racine, C., (1980, 21p) SR 80-37
Crude oil spills on subarctic permafrost in interior Alaska. Johnson, L.A., et al, (1980, 67p) CR 80-29
Pothole primer, a public administrator's guide to understanding and managing the pothole problem Eaton, R.A., coord, (1981, 24p) MP 1416
Ecological impact of vehicle traffic on tundra Abele, G., (1981, p.11-37) MP 1463
Surface disturbance and protection during economic development of the North. Brown, J., et al, (1981, 88p) MP 1467
Alaska Good Friday earthquake of 1964. Swinzow, G K., (1982, 26p) CR 82-01
Potholes: the problem and solutions Eaton, R A., (1982, p.160-162) MP 1504
Effects of inundation on six varieties of turfgrass. Erbisch, F.H., et al, (1982, 25p.) SR 82-12
Long-term effects of off-road vehicle traffic on tundra terrain Abele, G., et al, (1984, p 283-294) MP 1820

Dams
Ice breakup on the Chena River 1975 and 1976 McFadden, T., et al, (1977, 44p.) CR 77-14
Working group on ice forces on structures. Carstens, T., ed, (1980, 146p.) SR 80-26
Limnology of Lake Koocanusa, MT, the 1967-1972 study Bonde, T J H., et al, (1982, 184p.) SR 82-21
Tailwater flow conditions. Ferrick, M G., et al, (1983, 31p.) CR 83-07
Modeling rapidly varied flow in tailwaters Ferrick, M G., et al, (1984, p 271-289) MP 1711
Design and performance of water-retaining embankments in permafrost Sayles, F H., (1984, p 31-42) MP 1850
Survey of ice problem areas in navigable waterways Zufelt, J., et al, (1985, 32p) SR 85-02
Embankment dams on permafrost Sayles, F H, (1987, 109p.) SR 87-11
Ice formation downstream of Oahe Dam—1987-1988 winter Ashton, G.D., (1988, 37p) MP 2506
Ice cover formation downstream of a reservoir. Ashton, G.D., (1988, p.189-198) MP 2498
Effect of Toston dam on upstream ice conditions. Ashton, G.D., (1989, 9p) SR 89-16
Unconventional power sources for ice control at locks and dams Nakato, T., et al, (1989, p 107-126) MP 2572

Data processing
Remote sensing plan for the AIDJEX main experiment. Weeks, W.F., et al, (1975, p.21-48) MP 862
Analysis of snow water equivalent using LANDSAT data. Merry, C.J., et al, (1977, 16 leaves) MP 1113
Automatic data collection equipment for oceanographic application Dean, A M., Jr., (1978, p 1111-1121) MP 1028
Multivariable regression algorithm Blaisdell, G L., et al, (1983, 41p) SR 83-32
User's guide for the BIBSORT program for the IBM-PC personal computer. Kyriakakis, T., et al, (1985, 61p) SR 85-04
Arctic research of the United States, Vol 2. (1988, 76p) MP 2379
Alaska SAR facility: an update. Weller, G., et al, (1988, p 27-31) MP 2380
QuickDraw data structures for image processing LaPotin, P J., et al, (1989, 17p) SR 89-08
Interfacing geographic data with real-time hydrologic forecasting models Eagle, T.C., et al, (1989, p 857-861) MP 2527
Data reduction of GOES information from DCP networks. DeCoff, G.W., et al, (1989, 15p) SR 89-29

Data transmission
Near real time hydrologic data acquisition utilizing the LANDSAT system McKim, H.L., et al, (1975, p 200-211) MP 1055
Communication in the work place: an ecological perspective. Ledbetter, C.B., (1979, 19p) SR 79-03
Landsat data collection platform, south central Alaska. Haugen, R.K., et al, (1979, 17 refs.) SR 79-02
CRREL's experiences of remote sensing technology transfer to the Corps user. Merry, C.J., (1987, p.271-273) MP 2550
Satellite data collection platforms for temperature measurements Daly, S F., et al, (1989, 14p.) SR 89-37

Decomposition
Proceedings 1972 Tundra Biome symposium. (1972, 211p) MP 1574

Decontamination
Decontamination of chemical agents on the winter battlefield. Parker, L.V., (1988, 48p) CR 88-07

Defects
Guide to managing the pothole problem on roads. Eaton, R A., et al, (1981, 24p) SR 81-21

Deformation
Technique for measuring radial deformation during repeated load triaxial testing. Cole, D.M., (1978, p 426-429) MP 1157
Pavement deflection after freezing and thawing. Chamberlain, E.J., (1981, 10p) CR 81-15
Blisters in built-up roofs due to cold weather. Korhonen, C., et al, (1983, 12p) SR 83-21
Resilient modulus determination for frost conditions. Chamberlain, E.J., et al, (1989, p 320-333) MP 2569

Degradation
Modifications of permafrost, East Oumalik, Alaska. Lawson, D E., (1982, 33p) CR 82-36
On the design of polymeric composite structures for cold regions applications Lord, H W., et al, (1988, p 435-458) MP 2395

Degree days
Unified degree-day method for river ice cover thickness simulation. Shen, H T., et al, (1985, p.54-62) MP 2065
Thin ice growth Ashton, G D., (1989, p.564-566) MP 2657

Delaware Bay
Remote sensing data for water masses in Delaware Bay and adjacent wetlands Ackleson, S G., et al, (1985, p.1123-1129) MP 1909

Density (mass/volume)
Temperature effects in compacting an asphalt concrete overlay Eaton, R A., et al, (1978, p.146-158) MP 1083
Soil infiltration on land treatment sites Abele, G., et al, (1980, 41p.) SR 80-36
Arctic Ocean temperature, salinity and density, March-May 1979 McPhee, M G., (1981, 20p) SR 81-05
Laboratory and field use of soil tensiometers above and below 0 deg C Ingersoll, J., (1981, 17p) SR 81-07
Approximate solution to conduction freezing with density variation Lunardini, V J., (1983, p 43-45) MP 1598

Depth hoar
Growth of faceted crystals in a snow cover Colbeck, S C., (1982, 19p) CR 82-29

Design
Architectural programming: Making socially responsive architecture more accessible Ledbetter, C B., (1978, 7p) SR 78-02
Some aspects of Soviet trenching machines Mellor, M., (1980, 13p) SR 80-07
Compacted-snow runways: design and construction guidelines for Antarctica. Russell-Head, D S., et al, (1989, 68p) SR 89-10
Roof design in cold regions. Tobiasson, W., (1989, p.1029-1037) MP 2651
Development and design of sludge freezing beds Martel, C.J., (1989, p.799-808) MP 2556
Remote water-temperature measurement. Daly, S., (1989, 6p) MP 2722
New approach for sizing rapid infiltration systems (discussion and closure) Reed, S C., et al, (1989, p 879-882) MP 2712

Design criteria
Snow load design criteria for the United States. Tobiasson, W., et al, (1976, p.70-72) MP 947
Bibliography on harbor and channel design in cold regions. Haynes, F.D., (1976, 32p) CR 76-03
Changes coming in snow load design criteria. Tobiasson, W., (1[illegible].9, p 413-418) MP 2612
Changes coming in snow load design criteria. Tobiasson, W., (1989, p.918-920) MP 2650
Simulation of district heating systems for piping design. Phetteplace, G., (1989, 27p.) MP 2746
Optimal sizing of district heating pipes. Phetteplace, G., (1989, 25p) MP 2747
Preliminary design guide for arctic equipment. Walsh, M R., et al, (1989, 35p) SR 89-13

Detection
Detecting wet roof insulation with a hand-held infrared camera. Korhonen, C., et al, (1978, p A9-A15) MP 1213
Research on roof moisture detection. Tobiasson, W., et al, (1978, 6p) SR 78-29
Bibliography on techniques of water detection in cold regions. Smith, D.W., comp, (1979, 75p) SR 79-10
Detection of Arctic water supplies with geophysical techniques. Arcone, S.A., et al, (1979, 30p.) CR 79-15
Roof moisture survey. Korhonen, C., et al, (1980, 31p) SR 80-14
Detection of sound by persons buried under snow avalanche. Johnson, J.B., (1984, p.42-47) MP 1920
Detection of buried utilities Bigl, S R., et al, (1984, 36p.) CR 84-31
Locating buried utilities. Bigl, S R., (1985, 48p) SR 85-14
Mine detection in cold regions using short-pulse radar. Arcone, S A., (1985, 16p) SR 85-23
Construction engineering community: materials and diagnostics. (1986, 54p.) SR 86-01
Effects of water and ice on the scattering of diffuse reflectors. Jezek, K.C., et al, (1986, p 259-269) MP 2664
Detecting underground objects/utilities. Hironaka, M.C., et al (1987, p 36-43) MP 2281
Preliminary development of a fiber optic sensor for TNT. Zhang, Y., et al, (1988, 16p.) SR 88-04
Experimental and theoretical studies of acoustic-to-seismic coupling. Albert, D G., (1988, p.19-31) MP 2432
Analytical method for determining tetrazene in soil. Walsh, M.E., et al, (1988, 22p.) SR 88-15
Detection of coarse sediment movement using radio transmitters. Chache, E.F., Jr., et al, (1989, p 367-373(B)) MP 2752
Single fiber measurements for remote optical detection of TNT Zhang, Y., et al, (1989, 7p.) SR 89-18

Detonation waves
Review of antitank obstacles for winter use. Richmond, P.W., (1984, 12p) CR 84-25

Detroit River
Water quality during winter river navigation seasons. Sletten, R.S., (1988, 56p) SR 88-10

Deuterium oxide ice
Mass transfer along ice surfaces. Tobin, T.M., et al, (1977, p.34-37) MP 1091

Dielectric properties
Electrical resistivity profile of permafrost. Hoekstra, P., (1974, p 28-34) MP 1045
Excavating rock, ice, and frozen ground by electromagnetic radiation. Hoekstra, P., (1976, 17p.) CR 76-36
Internal properties of the ice sheet at Cape Folger by radio echo sounding Kelher, T E., et al, (1978, 12p) CR 78-04
Interaction of a surface wave with a dielectric slab discontinuity. Arcone, S A., et al, (1978, 10p) CR 78-08
Anisotropic properties of sea ice Kovacs, A., et al, (1979, p 5749-5759) MP 1258
Liquid distribution and the dielectric constant of wet snow Colbeck, S C., (1980, p 21-39) MP 1349
VHF electrical properties of frozen ground near Point Barrow, Alaska Arcone, S A., et al, (1981, 18p) CR 81-13
Ground dielectric properties Arcone, S A., et al, (1982, 11p) CR 82-06
Laboratory measurements of soil electric properties between 0.1 and 5 GHz. Delaney, A J., et al, (1982, 12p) CR 82-10
Dielectric properties of thawed active layers Arcone, S A., et al, (1982, p 618-626) MP 1547
Effect of X-ray irradiation on internal friction and dielectric relaxation of ice Itagaki, K., et al, (1983, p 4314-4317) MP 1670
Field dielectric measurements of frozen silt using VHF pulses Arcone, S A., et al, (1984, p 29-37) MP 1774

Dielectric measurements of frozen silt using time domain reflectometry. Delaney, A J., et al, (1984, p 39-46) MP 1775
Coaxial waveguide reflectometry for frozen ground and ice. Delaney, A J., et al, (1984, p 428-431) MP 2048
Dielectric studies of permafrost. Arcone, S A., et al, (1985, p 3-5) MP 1951
Analysis of wide-angle reflection and refraction measurements. Morey, R.M., et al, (1985, p 53-60) MP 1953
Structure and dielectric properties at 4 8 and 9.5 GHz of saline ice Arcone, S A., et al, (1986, p.14,281-14,303) MP 2182
Single-horn reflectometry for *in situ* dielectric measurements at microwave frequencies. Arcone, S A., et al, (1988, p.89-92) MP 2333
Electromagnetic measurements of a second-year sea ice floe Kovacs, A., et al, (1988, p 121-136) MP 2346
Unfrozen water content of soils. Smith, M W., et al, (1988, 11p) CR 88-18
Correlation function study for sea ice. Lin, F.C., et al, (1988, p 14,055-14,063) MP 2511
Investigations of dielectric properties of some frozen materials. Arcone, S A., et al, (1989, 18p) CR 89-04
Estimating sea ice thickness using data from impulse radar soundings. Kovacs, A., et al, (1989, 10p) CR 89-22

Diffusion

Transport equation over long times and large spaces. O'Neill, K., (1981, p.1665-1675) MP 1497
Wetting fronts in porous media. Nakano, Y., (1983, p 71-78) MP 1720
Soil-water diffusivity of unsaturated frozen soils at subzero temperatures. Nakano, Y., et al, (1983, p 889-893) MP 1664
Diffusivity of horizontal water flow through porous media Nakano, Y., (1985, p 26-31) MP 1881
Transport of water in frozen soil 6. Effects of temperature Nakano, Y., et al, (1987, p 44-50) MP 2213
Effects of water and ice layers on the scattering properties of diffuse reflectors. Jezek, K.C., et al, (1987, p.5143-5147) MP 2301

Discontinuous permafrost

Geophysical methods for hydrological investigations in permafrost regions. Hoekstra, P., (1976, p.75-90) MP 932
Climatic and dendroclimatic indices in the discontinuous permafrost zone of the Central Alaskan Uplands. Haugen, R K., et al, (1978, p.392-398) MP 1899
Permafrost and active layer on a northern Alaskan road Berg, R L., et al, (1978, p 615-621) MP 1182
Bibliography of permafrost soils and vegetation in the USSR. Andrews, M., (1978, 175p) SR 78-19
Sediment load and channel characteristics in subarctic upland catchments. Slaughter, C.W., et al, (1981, p 39-48) MP 1518
Runoff from a small subarctic watershed, Alaska Chacho, E.F., et al, (1983, p.115-120) MP 1654
Mitigative and remedial measures for chilled pipelines in discontinuous permafrost Sayles, F H., (1984, p.61-62) MP 1974
Seasonal variations in resistivity and temperature in discontinuous permafrost Delaney, A J., et al, (1988, p 927-932) MP 2365
Water and suspended solids discharge during snowmelt Chacho, E.F., Jr., (1990, p.167-173) MP 2765

Dislocations (materials)

Dielectric properties of dislocation-free ice Itagaki, K., (1978, p 207-217) MP 1171
X-ray measurement of charge density in ice Itagaki, K., (1978, 12p) CR 79-25
Charged dislocation in ice 2 Contribution of dielectric relaxation Itagaki, K., (1982, 15p) CR 82-07

docks

Ice engineering O'Steen, D A., (1980, p 41-47) MP 1602
Rebuilding infrastructure for pleasure boating Wettley, C.A., et al, (1989, p 188-201) MP 2466

Doped ice

Properties of urea-doped ice in the CRREL test basin Hirayama, K., (1983, 44p) CR 83-08

Drainage

Topological properties of some trellis pattern channel networks Mock, S J., (1976, 54p) CR 76-46
Roof loads resulting from rain-on-snow Colbeck, S C., (1977, 19p) CR 77-12
Storm drainage design considerations in cold regions Lobacz, E F., et al, (1978, p 474-489) MP 1088
Frost action in New Jersey highways Berg, R L., et al, (1978, 80p) SR 78-09
Study of water drainage from columns of snow Denoth, A., et al, (1979, 19p) CR 79-01
Drainage network of a subarctic watershed Bredthauer, S R., et al, (1979, 9p) SR 79-19
Drainage network analysis of a subarctic watershed Bredthauer, S R., et al, (1979, p 349-359) MP 1274
Hydraulic characteristics of the Deer Creek Lake land treatment site during wastewater application Abele, G., et al, (1981, 37p) CR 81-07
Potholes the problem and solutions Eaton, R A., (1982, p.160-162) MP 1504
Roof moisture surveys Tobiasson, W., (1982, p 163-166) MP 1505
Hydrology and climatology of a drainage basin near Fairbanks, Alaska Haugen, R K., et al, (1982, 34p) CR 82-26
Interaction of gravel, surface drainage and culverts with permafrost. Brown, J., et al, (1984, 35p) MP 2215
Rating unsurfaced roads. Eaton, R A., et al, (1987, 34p) SR 87-15
Deep frost effects on a longitudinal edge drain Allen, W L., (1989, p 343-352) MP 2469
Roof design in cold regions Tobiasson, W., (1989, p.462-472) MP 2613
Roof design in cold regions. Tobiasson, W., (1989, p 1029-1037) MP 2651

Dredging

Effect of open water disposal of dredged sediments Blom, B E., et al, (1976, 183p) MP 967
Consolidating dredged material by freezing and thawing. Chamberlain, E.J., (1977, 94p) MP 978
Densification by freezing and thawing of fine material dredged from waterways Chamberlain, E J., et al, (1978, p 622-628) MP 1103
Subsea trenching in the Arctic. Mellor, M., (1981, 31p) CR 81-17
Restoration of acidic dredge soils with sewage sludge and lime Palazzo, A J., (1983, 11p) CR 83-28
Impact of dredging on water quality at Kewaunee Harbor, Wisconsin Iskandar, I K., et al, (1984, 16p) CR 84-21
Use of remote sensing for the U.S. Army Corps of Engineers dredging program McKim, H L., et al, (1985, p 1141-1150) MP 1890
Potential of remote sensing in the Corps of Engineers dredging program. McKim, H L., et al, (1985, 42p) SR 85-20
Use of SPOT HRV data in a Corps dredging operation in Lake Erie. Merry, C.J., et al, (1987, p 49-55) MP 2548
Use of SPOT HRV data in the Corps of Engineers dredging program Merry, C.J., et al, (1988, p 1295-1299) MP 2528

Drift

Results of the US contribution to the Joint US/USSR Bering Sea Experiment Campbell, W J., et al, (1974, 197p) MP 1032
Meso-scale strain measurements on the Beaufort sea pack ice (AIDJEX 1971) Hibler, W D., III, et al, (1974, p.119-138) MP 1035
Ice dynamics, Canadian Archipelago and adjacent Arctic Basin Ramseier, R O., et al, (1975, p 853-877) MP 1585
Remote measurement of sea ice drift Hibler, W D., III, et al, (1975, p.541-554) MP 849
Sea ice drift and deformation from LANDSAT imagery Hibler, W.D., III, et al, (1976, p 115-135) MP 1059
Techniques for studying sea ice drift and deformation at sites far from land using LANDSAT imagery Hibler, W D., III, et al, (1976, p 595-609) MP 866
Sea ice conditions in the Arctic Weeks, W F., (1976, p 173-205) MP 910
Seasonal variations in apparent sea ice viscosity on the geophysical scale Hibler, W D., III, et al, (1977, p 87-90) MP 900
Dynamics of near-shore ice Kovacs, A., et al, (1977, p 151-163) MP 1073
Ice arching and the drift of pack ice through restricted channels Sodhi, D S., (1977, 11p) CR 77-18
Nearshore ice motion near Prudhoe Bay, Alaska Tucker, W B., et al, (1977, p 23-31) MP 1162
Finite element formulation of a sea ice drift model Sodhi, D S., et al, (1977, p 67-76) MP 1165
Dynamics of near-shore ice Kovacs, A., et al, (1977, p 503-510) MP 1200
Ice arching and the drift of pack ice through channels Sodhi, D S., et al, (1978, p 415-432) MP 1138
Dynamics of near-shore ice Kovacs, A., et al, (1978, p 11-22) MP 1205
Measurement of mesoscale deformation of Beaufort sea ice (AIDJEX-1971) Hibler, W D., III, et al, (1978, p 149-172) MP 1179
Effect of the oceanic boundary layer on the mean drift of pack ice application of a simple model McPhee, M G., (1979, p 381-400) MP 1198
Drifting buoy measurements on Weddell Sea pack ice Ackley, S F., (1979, p 106-108) MP 1339
Oceanic boundary-layer features and oscillation at drift stations McPhee, M G., (1980, p 270-284) MP 1369
Sea ice growth, drift, and decay Hibler W D., III, (1980, p 141-209) MP 1298
Nonsteady ice drift in the Strait of Belle Isle Sodhi, D S., et al, (1980, p 177-186) MP 1364
Continuum sea ice model for a global climate model Ling, C H., et al, (1980, p 187-196) MP 1622
Sea ice studies in the Weddell Sea aboard USCG Polar Sea Ackley, S F., et al, (1980, p 84-96) MP 1431
Modeling a variable thickness sea ice cover Hibler, W D., III, (1980, p 1943-1973) MP 1424
Sea-ice atmosphere interactions in the Weddell Sea using drifting buoys Ackley, S F., (1981, p 177-191) MP 1427
Preliminary results of ice modeling in the East Greenland area. Tucker, W B., et al, (1981, p 867-878) MP 1458
Application of a numerical sea ice model to the East Greenland area Tucker, W.B., (1981, 109p) MP 1535
Dynamics of near-shore ice Kovacs, A., et al, (1981, p 125-135) MP 1599
Sea ice drag laws and boundary layer during rapid melting. McPhee, M G., (1982, 17p) CR 82-04
Application of a numerical sea ice model to the East Greenland area. Tucker, W.B., (1982, 40p) CR 82-16
Offshore mechanics and Arctic engineering, symposium, 1983 (1983, 813p) MP 1581
Numerical simulation of the Weddell Sea pack ice Hibler, W D., III, et al, (1983, p 2873-2887) MP 1592
Offshore petroleum production in ice-covered waters. Tucker, W B., (1983, p 207-215) MP 2086
Modeling of ice discharge in river models. Calkins, D.J., (1983, p 285-290) MP 2081
East Greenland Sea ice variability in large-scale model simulations Walsh, J E., et al, (1984, p 9-14) MP 1779
Mechanism for floe clustering in the marginal ice zone. Lepparanta, M., et al, (1984, p 73-76) MP 1785
Sea ice data buoys in the Weddell Sea. Ackley, S F., et al, (1984, 18p) CR 84-11
Model simulation of 20 years of northern hemisphere sea-ice fluctuations Walsh, J E., et al, (1984, p.170-176) MP 1767
Ice dynamics Hibler, W D., III, (1984, 52p) M 84-03
Mechanical properties of sea ice a status report. Weeks, W F., et al, (1984, p 135-198) MP 1800
Sea ice penetration in the Arctic Ocean. Weeks, W.F., (1984, p 37-65) MP 1993
Arctic sea ice and naval operations Hibler, W D., III, et al, (1984, p 67-91) MP 1994
Numerical modeling of sea ice dynamics and ice thickness. Hibler, W D., III, (1985, 50p) CR 85-05
Numerical simulation of Northern Hemisphere sea ice variability, 1951-1980 Walsh, J E., et al, (1985, p.4847-4865) MP 1882
Sea ice and the Fairway Rock icefoot Kovacs, A., et al, (1985, p 25-32) MP 2145
Large-scale ice-ocean modeling. Hibler, W D., III, (1986, p.165-184) MP 2142
Ice dynamics Hibler, W D., III, (1986, p 577-640) MP 2211
Mesoscale sea ice deformation in the East Greenland marginal ice zone Lepparanta, M., et al, (1987, p 7060-7070) MP 2241
Alaska SAR facility Weeks, W F., et al, (1988, p 103-110) MP 2344
Evaluation of an operational ice forecasting model during summer Tucker, W B., et al, (1988, p 159-174) MP 2347
Effect of ice pressure on marginal ice zone dynamics Flato, G M., et al, (1989, p 514-521) MP 2522
Models of the mechanical properties of ice Richter-Menge, J A., et al, (1989, p 87-99) MP 2687
On modeling the basinwide adjustment of the Arctic Ocean Hibler, W D., III, (1990, p 247-250) MP 2739

Drift stations

Some results from a linear-viscous model of the Arctic ice cover Hibler, W D., III, et al, (1979, p 293-304) MP 1241
Arctic Ocean temperature, salinity and density, March-May 1979 McPhee, M G (1981, 20p) SR 81-05
Air-sea-ocean interaction experiments in Arctic marginal ice zones (1984, 56p) SR 84-28
Mesoscale air-sea-ocean interaction experiments Johannessen, O M., ed, (1984, 176p) SR 84-29
Oceanic heat flux in the Fram Strait measured by a drifting buoy Perovich, D K., et al, (1990, p 291-296) MP 2740

Drill core analysis

Byrd Land quaternary volcanism LeMasurier, W E., (1972, p 139-141) MP 994
Gas inclusions in the Antarctic ice sheet Gow, A J., et al, (1975, p 5101-5108) MP 847
Internal structure and crystal fabrics of the West Antarctic ice sheet Gow, A J., et al, (1976, 25p) CR 76-35
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea Sellmann, P V., et al, (1975, p 53-80) MP 919
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea Sellmann, P V., et al, (1977, p 412-440) MP 1077
1977 CRREL-USGS permafrost program Beaufort Sea, Alaska, operational report Sellmann, P V., et al, (1977, 19p) SR 77-41
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea Sellmann, P V., et al, (1977, p 518-521) MP 1201
Engineering properties of submarine permafrost near Prudhoe Bay Chamberlain, E J., et al, (1978, p 629-633) MP 1104
Geochemistry of subsea permafrost at Prudhoe Bay, Alaska Page, H W., et al, (1978, 70p) SR 78-14
Permafrost beneath the Beaufort Sea, near Prudhoe Bay, Alaska Sellmann, P V., et al, (1979, p 1481-1491) MP 1211

Drill core analysis *(cont.)*
Stratified debris in Antarctic ice cores. Gow, A.J., et al, (1979, p.185-192) MP 1272
20-yr cycle in Greenland ice core records. Hibler, W.D., III, et al, (1979, p.481-483) MP 1245
Antifreeze-thermodrilling, central Ross Ice Shelf. Zotikov, I.A., (1979, 12p) CR 79-24
Ultrasonic tests of Byrd Station ice cores. Gow, A.J., et al, (1979, p.147-153) MP 1282
Margin of the Greenland ice sheet at Isua. Colbeck, S.C., et al, (1979, p.155-165) MP 1281
Features of permafrost beneath the Beaufort Sea. Sellmann, P.V., et al, (1980, p 103-110) MP 1344
Time-priority studies of deep ice cores. Gow, A.J., (1980, p.91-102) MP 1308
Characteristics of permafrost beneath the Beaufort Sea. Sellmann, P.V., et al, (1981, p.125-157) MP 1428
US global ice core research program West Antarctica and beyond. Grootes, P.M., et al, (1989, 32p) MP 2709
Dominion Range ice core characteristics, Antarctica. Mayewski, P.A., et al, (1990, p 11-16) MP 2707

Drilling
Subsurface explorations in permafrost areas. Cass, J.R., Jr., (1959, p.31-41) MP 885
General considerations for drill system design Mellor, M., et al, (1976, p.77-111) MP 856
USA CRREL shallow drill. Rand, J.H., (1976, p 133-137) MP 873
Dynamics and energetics of parallel motion tools for cutting and boring. Mellor, M., (1977, 85p) CR 77-07
Ross Ice Shelf Project drilling, October-December 1976. Rand, J.H., (1977, p.150-152) MP 1061
Large mobile drilling rigs used along the Alaska pipeline. Sellmann, P.V., et al, (1978, 23p) SR 78-04
Ross Ice Shelf Project environmental impact statement July, 1974. Parker, B.C., et al, (1978, p 7-36) MP 1075
Engineering properties of submarine permafrost near Prudhoe Bay. Chamberlain, E.J., et al, (1978, p 629-635) MP 1104
Core drilling through Ross Ice Shelf. Zotikov, I.A., et al, (1979, p 63-64) MP 1337
Danish deep drill; progress report: February-March 1979. Rand, J.H., (1980, 37p.) SR 80-03
Drilling and coring of frozen ground in northern Alaska, Spring 1979. Lawson, D.E., et al, (1980, 14p.) SR 80-12
Mechanics of cutting and boring in permafrost Mellor, M., (1980, 82p) CR 80-21
South Pole ice core drilling, 1981-1982 Kuivinen, K.C., et al, (1982, p 89-91) MP 1621
Calculating borehole geometry Jezek, K.C., et al, (1984, 18p) SR 84-15
Arctic ice and drilling structures Sodhi, D.S., (1985, p 63-69) MP 2119
Response of permafrost to disturbance. Lawson, D.E., (1986, p.1-7) MP 2165
Drilling in frozen ground, bitumens and concretes. Sellmann, P.V., et al, (1988, 10p) SR 88-08
Engineering geology studies on the National Petroleum Reserve in Alaska. Kachadoorian, R., et al, (1988, p.899-922) MP 2519
Introduction to drilling technology. Mellor, M., (1989, p.95-114) MP 2591
Undersaturation in thawed permafrost at the beginning of freezeback. Ayorinde, O.A., (1990, p 317-321) MP 2582

Drilling fluids
Sorption of military explosive contaminants on bentonite drilling muds Leggett, D.C., (1985, 33p) CR 85-18

Drills
Stake driving tools: a preliminary survey Kovacs, A., et al, (1977, 43p) SR 77-13
Transverse rotation machines for cutting and boring in permafrost Mellor, M., (1977, 36p) CR 77-19
Mechanics of cutting and boring in permafrost Mellor, M., (1981, 38p.) CR 81-26
Prototype drill for core sampling fine-grained perennially frozen ground. Brockett, B.E., et al, (1985, 29p) CR 85-01
Drill bits for frozen fine-grained soils. Sellmann, P.V., et al, (1986, 33p.) SR 86-27
Auger bit for frozen fine-grained soil Sellmann, P.V., et al, (1986, 13p) SR 86-36

Drops (liquids)
Numerical simulation of atmospheric ice accretion Ackley, S.F., et al, (1979, p 44-52) MP 1235
Heat and mass transfer from freely falling drops at low temperatures Zarling, J.P., (1980, 14p) CR 80-18
Condensate profiles over Arctic leads. Andreas, E.L., et al, (1981, p 437-460) MP 1479
Persistence of chemical agents on the winter battlefield Leggett, D.C., (1987, 20p) CR 87-12
Thermal and size evolution of sea spray droplets Andreas, E.L., (1989, 37p.) CR 89-11

Drying
Can wet roof insulation be dried out. Tobiasson, W., et al, (1983, p 626-639) MP 1509

Dust
Changes in the composition of atmospheric precipitation Cragin, J.H., et al, (1977, p.617-631) MP 1079
Chemical composition of haul road dust and vegetation. Iskandar, I.K., et al, (1978, p.110-111) MP 1116
Road dust along the Haul Road, Alaska. Everett, K.R., (1980, p.101-128) MP 1352
Vibrating wire technology for settled dust monitoring. Dutta, P.K., et al, (1988, p.71-82) MP 2516

Dust control
Sublimation and its control in the CRREL permafrost tunnel. Johansen, N.I., (1981, 12p) SR 81-08

Dusting
Snowmelt incr. use through albedo reduction. Colbeck, S.C., (1988, 11p.) SR 88-26

DYNAMIC LOADS
Ice pressure on engineering structures. Michel, B., (1970, 71p) M III-B1b

Dynamic loads
Repetitive loading tests on membrane enveloped road sections during freeze thaw. Smith, N., et al, (1977, p.171-197) MP 962
Technique for measuring radial deformation during repeated load triaxial testing. Cole, D.M., (1978, p 426-429) MP 1157
Freeze thaw loading tests on membrane enveloped road sections. Smith, N., et al, (1978, p.1277-1288) MP 1158
Critical velocities of a floating ice plate subjected to in-plane forces and a moving load Kerr, A.D., (1979, 12p) CR 79-19
Volumetric constitutive law for snow under strain. Brown, R.L., (1979, 13p.) CR 79-20
Cyclic loading and fatigue in ice. Mellor, M., et al, (1981, p 41-53) MP 1371
On the buckling force of floating ice plates. Kerr, A.D., (1981, 7p) CR 81-09
Dynamic ice-structure interaction analysis for narrow vertical structures. Eranti, E., et al, (1981, p 472-479) MP 1456
Acoustic emissions from polycrystalline ice St. Lawrence, W.F., et al, (1982, p.183-199) MP 1524
Dynamic ice-structure interaction during continuous crushing. Määttänen, M., (1983, 48p.) CR 83-05
Dynamic buckling of floating ice sheets Sodhi, D.S., (1983, p 822-833) MP 1607
Thermal patterns in ice under dynamic loading Fish, A.M., et al, (1983, p.240-243) MP 1742
Dependence of crushing specific energy on the aspect ratio and the structure velocity. Sodhi, D.S., et al, (1984, p.363-374) MP 1708
Determining the characteristic length of floating ice sheets by moving loads. Sodhi, D.S., et al, (1985, p.155-159) MP 1855
Ice beam moving against a sloping structure. Sodhi, D.S., (1987, p 281-284) MP 2194

Dynamic properties
Dynamic aerosol flow chamber. Hewitt, A.D., (1988, 13p) SR 88-21
Dynamic analysis of a floating ice sheet undergoing vertical indentation. McGilvary, W.R., et al, (1990, p 195-203) MP 2579

Earth dams
Construction and performance of the Hess creek earth fill dam, Livengood, Alaska. Simoni, O.W., (1973, p 23-34) MP 859
Slumping failure of an Alaskan earth dam. Collins, C.M., et al, (1977, 21p) SR 77-21
Remote sensing for earth dam site selection and construction materials. Merry, C.J., et al, (1980, p.158-170) MP 1316
Embankment dams on permafrost in the USSR. Johnson, T.C., et al, (1980, 59p.) SR 80-41

Earth fills
Construction and performance of the Hess creek earth fill dam, Livengood, Alaska Simoni, O.W., (1973, p.23-34) MP 859

Earth movement
Analysis of explosively generated ground motions using Fourier techniques Blouin, S.E., et al, (1976, 86p) CR 76-28

Earthquakes
Environmental consequences of 1964 Alaska earthquake in Portage, Alaska Ovenshine, A.T., et al, (1974, p.3-9) MP 2409
Placer River Silt—an intertidal deposit caused by the 1964 Alaska earthquake Ovenshine, A.T., et al, (1976, p 151-162) MP 2410
Hydraulic transients: a seismic source in volcanoes and glaciers. St. Lawrence, W.F., et al, (1979, p 654-656) MP 1181
Alaska Good Friday earthquake of 1964. Swinzow, G.K., (1982, 26p) CR 82-01
Fluid dynamic analysis of volcanic tremor. Ferrick, M.G., et al, (1982, 12p) CR 82-32
Source mechanism of volcanic tremor. Ferrick, M.G., et al, (1982, p 8675-8683) MP 1576

Earthwork
Regionalized feasibility study of cold weather earthwork Roberts, W.S., (1976, 190p) SR 76-02
Winter earthwork construction in Upper Michigan Haas, W.M., et al, (1977, 59p.) SR 77-40
Some aspects of Soviet trenching machines Mellor, M., (1980, 13p) SR 80-07
Construction of an embankment with frozen soil. Botz, J.J., et al, (1980, 105p.) SR 80-21
Excavation of frozen materials. Moore, H.E., et al, (1980, p 323-345) MP 1360

Echo sounding
Variability of Arctic sea ice drafts. Tucker, W.B., et al, (1986, p.237-256) MP 2198
High frequency acoustical properties of saline ice. Jezek, K.C., et al, (1989, p.9-23) MP 2686

Ecology
Ecological baseline on the Alaskan haul road. Brown, J., ed, (1978, 131p) SR 78-13
International Workshop on the Seasonal Sea Ice Zone, Monterey, California, Feb. 26-Mar 1, 1979. Andersen, B.G., ed, (1980, 357p.) MP 1292
Winter habitats of salmon and trout. Calkins, D.J., (1989, 9p.) SR 89-34
Sea ice a habitat for the foraminifer *Neogloboquadrina pachyderma?*. Dieckmann, G., et al, (1990, p 86-92) MP 2732
Arctic research of the United States, Vol.4. (1990, 120p.) MP 2765

Economic analysis
Regionalized feasibility study of cold weather earthwork. Roberts, W.S., (1976, 190p.) SR 76-02

Economic development
International arctic research programs. Chung, J.S., comp, (1989, 74p) SR 89-21
U.S. Federal arctic research Devine, J.S., et al, (1989, p 65-74) MP 2671

Economics
Towing icebergs. Lonsdale, H.K., et al, (1974, p.2) MP 1020
Some economic benefits of ice booms. Perham, R.E., (1977, p.570-591) MP 959

Ecosystems
Tundra biome program. Brown, J., (1970, p.1278) MP 881
Tundra biome applies new look to ecological problems in Alaska. Brown, J., (1970, p.9) MP 880
Word model of the Barrow ecosystem. Brown, J., et al, (1970, p.41-43) MP 943
Synthesis and modeling of the Barrow, Alaska, ecosystem. Coulombe, H.N., et al, (1970, p 44-49) MP 944
Bibliography of the Barrow, Alaska, IBP ecosystem model. Brown, J., (1970, p 65-71) MP 946
Influence of grazing on Arctic tundra ecosystems. Batzli, G.O., et al, (1976, p.153-160) MP 970
Geobotanical atlas of the Prudhoe Bay region, Alaska. Walker, D.A., et al, (1980, 69p.) CR 80-14
Arctic ecosystem: the coastal tundra at Barrow, Alaska. Brown, J., ed, (1980, 571p.) MP 1355
Coastal tundra at Barrow. Brown, J., et al, (1980, p.1-29) MP 1356
Tundra and analogous soils Everett, K.R., et al, (1981, p 139-179) MP 1405
Introduction to abiotic components in tundra. Brown, J., (1981, p.79) MP 1432
Point Barrow, Alaska, USA. Brown, J., (1981, p.775-776) MP 1434
U.S. tundra biome publication list. Brown, J., et al, (1983, 29p) SR 83-29

Education
Technology transfer. Eaton, R., (1990, p 25) MP 2721

Elastic properties
Flexible pavement resilient surface deformations. Smith, N., et al, (1975, 13 leaves) MP 1264
Resiliency of subgrade soils during freezing and thawing. Johnson, T.C., et al, (1978, 59p) CR 78-23
Photoelastic instrumentation—principles and techniques. Roberts, A., et al, (1979, 153p) SR 79-13
Bending and buckling of a wedge on an elastic foundation. Nevel, D.E., (1980, p.278-288) MP 1303
Effect of freezing and thawing on resilient modulus of granular soils. Cole, D.M., et al, (1981, p 19-26) MP 1484
Resistance of elastic rock to the propagation of tensile cracks Peck, L., et al, (1985, p 7827-7836) MP 2052
Fiber composite materials in an arctic environment. Dutta, P.K., (1989, p 216-225) MP 2559

Elastic waves
Observations of volcanic tremor at Mount St. Helens volcano. Fehler, M., (1984, p 3476-3484) MP 1770

Electric charge
X-ray measurement of charge density in ice. Itagaki, K., (1978, 12p) CR 79-25
Possibility of anomalous relaxation due to the charged dislocation process Itagaki, K., (1983, p 4261-4264) MP 1669

Electric equipment
Simplified method for monitoring soil moisture. Walsh, J.E., et al, (1978, p 40-44) MP 1194
Mapping resistive seabed features using DC methods Sellmann, P.V., et al, (1985, p 136-147) MP 1918
Phase change heat transfer program for microcomputers. Buzzell, G.M., et al, (1988, p 645-650) MP 2383

Electric fields
Interaction of a surface wave with a dielectric slab discontinuity. Arcone, S.A., et al, (1978, 10p) CR 78-08

VLF airborne resistivity survey in Maine. Arcone, S A., (1978, p.1399-1417) MP 1166
Distortion of model subsurface radar pulses in complex dielectrics. Arcone, S.A., (1981, p 855-864) MP 1472
Electric heating
Methods to reduce ice accumulation on miter gate recess walls. Rand, J.H., et al, (1989, 5p.) MP 2723
Reduced winter leakage in gates with J-seals Rand, J.H., et al, (1989, 3p.) MP 2724
Electric power
Losses from the Fort Wainwright heat distribution system. Phetteplace, G., et al, (1981, 29p.) SR 81-14
Ice growth and circulation in Kachemak Bay, Alaska. Daly, S F., (1982, p (C)1-(C)9) MP 1501
Unconventional power sources for ice control at locks and dams. Nakato, T., et al, (1989, p 107-126) MP 2572
Electrical grounding
Improving electric grounding in frozen materials. Delaney, A.J., et al, (1982, 12p.) SR 82-13
Observations during BRIMFROST '83 Bouzoun, J.R., et al, (1984, 36p.) SR 84-10
Conductive backfill for improving electrical grounding in frozen soils. Sellmann, P.V., et al, (1984, 19p.) SR 84-17
Electrical measurement
Technique for measuring radial deformation during repeated load triaxial testing Cole, D.M., (1978, p 426-429) MP 1157
Catalog of smoke/obscurant characterization instruments. O'Brien, H.W., et al, (1984, p.77-82) MP 1865
ELECTRICAL PROPERTIES
Snow as a material Bader, H., et al, (1962, 79p.) M II-B
Electrical properties
Shallow electromagnetic geophysical investigations of permafrost. Arcone, S A., et al, (1978, p.501-507) MP 1101
Electrical properties of frozen ground, Point Barrow, Alaska Arcone, S.A., et al, (1982, p 485-492) MP 1572
Natural electrical potentials that arise when soils freeze. Yarkin, I.G., (1986, 24p.) SR 86-12
Borehole investigations of the electrical properties of frozen silt Arcone, S A., et al, (1988, p 910-915) MP 2364
Electrical prospecting
Shallow electromagnetic geophysical investigations of permafrost. Arcone, S A., et al, (1978, p.501-507) MP 1101
Electrical resistivity
Conductivity and surface impedance of sea ice McNeill, D., et al, (1971, 19p plus diagrams) MP 1071
Electrical resistivity profile of permafrost Hoekstra, P., (1974, p 28-34) MP 1045
Airborne E-phase resistivity surveys of permafrost. Sellmann, P.V., et al, (1974, p 67-71) MP 1046
Electrical ground impedance measurements in Alaskan permafrost regions. Hoekstra, P., (1975, 60p.) MP 1049
Bedrock geology survey in northern Maine. Sellmann, P.V., et al, (1976, 19p.) CR 76-37
Structural growth of lake ice. Gow, A.J., et al, (1977, 24p.) CR 77-01
Computer program for determining electrical resistance in nonhomogeneous ground Arcone, S A., (1977, 16p.) CR 77-02
Selected examples of radiohm resistivity surveys for geotechnical exploration. Hoekstra, P., et al, (1977, 16p.) SR 77-01
Numerical studies for an airborne VLF resistivity survey Arcone, S A., (1977, 10p.) CR 77-05
Evaluation of electrical equipment for measuring permafrost distribution Sellmann, P.V., et al, (1977, p 39-42) MP 925
Investigation of an airborne resistivity survey conducted at very low frequency. Arcone, S.A., (1977, 48p.) CR 77-20
VLF airborne resistivity survey in Maine. Arcone, S A., (1978, p.1399-1417) MP 1166
Electrical ground impedance Arcone, S A., et al, (1978, 92p.) MP 1221
Geophysics in the study of permafrost Scott, W.J., et al, (1979, p 93-115) MP 1266
Electrical resistivity of frozen ground Arcone, S.A., (1979, p 32-37) MP 1623
Bibliography on techniques of water detection in cold regions. Smith, D.W., comp, (1979, 75p.) SR 79-10
Determination of frost penetration by soil resistivity measurements Atkins, R T., (1979, 24p.) SR 79-22
Break-up of the Yukon River at the Haul Road Bridge, 1979. Stephens, C.A., et al, (1979, 22p + Figs.) MP 1315
Measurements of ground resistivity. Arcone, S A., (1982, p 92-110) MP 1513
Improving electric grounding in frozen materials Delaney, A J., et al, (1982, 12p.) SR 82-13
Radar wave speeds in polar glaciers. Jezek, K C., et al, (1983, p 199-208) MP 2057
Conductive backfill for improving electrical grounding in frozen soils. Sellmann, P.V., et al, (1984, 19p.) SR 84-17
DC resistivity measurements of model saline ice sheets Arcone, S.A., (1987, p.845-849) MP 2308
Seasonal variations in resistivity and temperature in discontinuous permafrost Delaney, A J., et al, (1988, p.927-932) MP 2365
Coastal subsea permafrost and bedrock observations using dc resistivity. Sellmann, P.V., et al, (1989, 13p.) CR 89-13
Determination of frost penetration by soil resistivity measurements. Atkins, R.T., (1989, p 87-100) MP 2565
Electricity
Utility distribution systems in Sweden, Finland, Norway and England Aamot, H.W.C., et al, (1976, 121p.) SR 76-16
Electromagnetic properties
Excavating rock, ice, and frozen ground by electromagnetic radiation. Hoekstra, P., (1976, 17p.) CR 76-36
Radar anisotropy of sea ice. Kovacs, A., et al, (1978, p 6037-6046) MP 1139
Anisotropic properties of sea ice in the 50-150 MHz range. Kovacs, A., et al, (1979, p 324-353) MP 1620
Physical properties of sea ice and under-ice current orientation Kovacs, A., et al, (1980, p 109-153) MP 1323
Modeling of anisotropic electromagnetic reflection from sea ice. Golden, K.M., et al, (1980, p 247-294) MP 1325
Review of techniques for measuring soil moisture *in situ*. McKim, H L., et al, (1980, 17p.) SR 80-31
Sea ice anisotropy, electromagnetic properties and strength Kovacs, A., et al, (1980, 18p.) CR 80-20
Modeling of anisotropic electromagnetic reflection from sea ice. Golden, K.M., et al, (1980, 15p.) CR 80-23
Modeling of anisotropic electromagnetic reflections from sea ice Golden, K.M., et al, (1981, p 8107-8116) MP 1469
SNOW-ONE-A; Data report. Aitken, G.W., ed, (1982, 641p.) SR 82-08
Geometry and permittivity of snow Colbeck, S.C., (1982, p.113-131) MP 1985
Performance and optical signature of an AN/VVS-1 laser rangefinder in falling snow: Preliminary test results Lacombe, J., (1983, p 253-266) MP 1759
Characterization of snow for evaluation of its effect on electromagnetic wave propagation. Berger, R.H., (1983, p 35-42) MP 1648
Progress in methods of measuring the free water content of snow. Fisk, D.J., (1983, p 48-51) MP 1649
Electromagnetic properties of sea ice. Morey, R M., et al, (1984, 32p.) CR 84-02
Electromagnetic properties of sea ice Morey, R M., et al, (1984, p 53-75) MP 1776
Electromagnetic pulse propagation in dielectric slabs. Arcone, S A., (1984, p.1763-1773) MP 1991
Discussion Electromagnetic properties of sea ice by R.M. Morey, A. Kovacs and G F N. Cox Arcone, S A., (1984, p.93-94) MP 1821
Authors' response to discussion on Electromagnetic properties of sea ice Morey, R.M., et al, (1984, p.95-97) MP 1822
Performance of microprocessor-controlled snow crystal replicator. Koh, G., (1984, p 107-111) MP 1866
Electromagnetic properties of multi-year sea ice Morey, R.M., et al, (1985, p.151-167) MP 1902
Electromagnetic measurements of multi-year sea ice using impulse radar Kovacs, A., et al, (1985, 26p.) CR 85-13
Electromagnetic measurements of sea ice Kovacs, A., et al, (1986, p 67-93) MP 2020
Electromagnetic properties of sea ice. Kovacs, A., et al, (1986, p 57-133) MP 2197
Electromagnetic property trends in sea ice, Part 1. Kovacs, A., et al, (1987, 45p.) CR 87-06
Extinction coefficient for a distribution of ice fog particles Jordan, R., (1987, p 527-539) MP 2286
Modeling the electromagnetic property trends in sea ice: Part 1 Kovacs, A., et al, (1987, p 207-235) MP 2330
Two-stream multilayer, spectral radiative transfer model for sea ice Perovich, D K., (1989, 17p.) CR 89-15
Electromagnetic prospecting
Geophysical methods for hydrological investigations in permafrost regions. Hoekstra, P., (1976, p.75-90) MP 932
Evaluation of electrical equipment for measuring permafrost distribution Sellmann, P.V., et al, (1977, p 39-42) MP 925
Geophysics in the study of permafrost Scott, W J., et al, (1979, p 93-115) MP 1266
Electromagnetic survey in permafrost Sellmann, P V., et al, (1979, 7p.) SR 79-14
Electrical resistivity of frozen ground Arcone, S A., (1979, p 32-37) MP 1623
Electromagnetic surveys of permafrost Arcone, S A., et al, (1979, 24p.) CR 79-23
Electromagnetic subsurface measurements Dean, A M., Jr., (1981, 19p.) SR 81-23
Measurements of ground resistivity Arcone, S A., (1982, p 92-110) MP 1513
Snow and fog particle size measurements Berger, R.H., (1982, p 47-58) MP 1982
Airborne electromagnetic sounding of sea ice thickness and sub-ice bathymetry Kovacs, A., et al, (1987, p 289-311) MP 2332
Airborne measurement of sea ice thickness and subice bathymetry. Kovacs, A., et al, (1988, p.111-120) MP 2345
Electromagnetic measurements of a second-year sea ice floe Kovacs, A., et al, (1988, p.121-136) MP 2346
Airborne sea ice thickness sounding Kovacs, A., et al, (1989, p 1042-1052) MP 2623
Sea ice thickness measurement Kovacs, A., et al, (1989, p 394-424) MP 2693
Measurement of sea ice thickness using electromagnetic induction Holladay, J S., et al, (1990, p 309-315) MP 2590
Airborne sea ice thickness sounding Kovacs, A., et al, (1990, p 225-229) MP 2737
Electron microscopy
Aerosols in Greenland snow and ice Kumai, M., (1977, p 341-350) MP 1725
Elemental analyses of ice crystal nuclei and aerosols. Kumai, M., (1979, 5p.) MP 1191
Antarctic soil studies using a scanning electron microscope. Kumai, M., et al, (1978, p 106-112) MP 1386
Measurement and identification of aerosols collected near Barrow, Alaska. Kumai, M., (1978, 6p.) CR 78-20
Electron microscope investigations of frozen and unfrozen bentonite. Kumai, M., (1979, 14p.) CR 79-28
Ice crystal formation and supercooled fog dissipation. Kumai, M., (1982, p 579-587) MP 1539
Electronic equipment
Effects of conductivity on high-resolution impulse radar sounding. Morey, R.M., et al, (1982, 12p.) CR 82-42
Meteorological and snow cover measurements at Grayling, Michigan. Bates, R.E., et al, (1985, p 212-229) MP 2176
Embankments
Thermoinsulating media within embankments on perennially frozen soil Berg, R.L., (1976, 161p.) SR 76-03
Light-colored surfaces reduce thaw penetration in permafrost. Berg, R L., et al, (1977, p 86-99) MP 954
Construction of an embankment with frozen soil. Botz, J.J., et al, (1980, 105p.) SR 80-21
Embankment dams on permafrost in the USSR. Johnson, T.C., et al, (1980, 59p.) SR 80-41
Comparison of two-dimensional domain and boundary integral geothermal models with embankment freeze-thaw field data Hromadka, T V., II, et al, (1983, p 509-513) MP 1659
Interaction of gravel, surface drainage and culverts with permafrost. Brown, J., et al, (1984, 35p.) MP 2215
Design and performance of water-retaining embankments in permafrost Sayles, F H., (1984, p.31-42) MP 1850
Embankment dams on permafrost Sayles, F H., (1987, 109p.) SR 87-11
Engine starters
Engine starters in winter Coutts, H.J., (1981, 37p.) SR 81-32
Engineering
Icings developed from surface water and ground water Carey, K L., (1973, 71p.) M III-D3
Sea ice engineering Assur, A., (1976, p.231-234) MP 986
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea. Sellmann, P.V., et al, (1977, p.385-395) MP 1074
Proceedings of the Second International Symposium on Cold Regions Engineering Burdick, J., ed, (1977, 597p.) MP 952
Engineering properties of snow. Mellor, M., (1977, p 15-66) MP 1015
Engineering properties of sea ice Schwarz, J., et al, (1977, p 499-531) MP 1065
Undersea pipelines and cables in pola: waters Mellor, M., (1978, 34p.) CR 78-22
Ice engineering O'Steen, D.A., (1980, p 41-47) MP 1602
Problems of the seasonal sea ice zone Weeks, W F., (1980, p.1-35) MP 1293
Conference on Computer and Physical Modeling in Hydraulic Engineering, 1980 Ashton, G.D., ed, (1980, 492p.) MP 1321
Haul Road performance and associated investigations in Alaska Berg, R L., (1980, p 53-100) MP 1351
Characteristics of permafrost beneath the Beaufort Sea. Sellmann, P V., et al, (1981, p 125-157) MP 1428
Ice engineering for civil work baseline study. Carey, K.L., et al, (1983, 91p.) MP 2441
Computational mechanics in arctic engineering Sodhi, D S., (1984, p 351-374) MP 2072
Permafrost Benson, C., et al, (1986, p 99-106) MP 2156
Cold climate utilities manual Smith, D W., ed, (1986, var p.) MP 2135
River and lake ice engineering Ashton, G D., ed, (1986, 485p.) MP 2144
Perspectives in ice technology Ashton, G.D., (1986, 4p.) MP 2288
International Conference on Snow Engineering, 1st, July 1988, (1989, 573p.) SR 89-06
Roof design in cold regions Tobiasson, W., (1989, p 462-472) MP 2613

Engineering *(cont.)*
Cold regions engineering research—strategic plan. Carlson, R.F., et al, (1989, p 172-190) MP 2571
Engineering geology
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea. Sellmann, P.V., et al, (1976, p 53-60) MP 919
Distribution and properties of subsea permafrost of the Beaufort Sea. Sellmann, P.V., et al, (1979, p 93-115) MP 1287
Cold Regions Science and Technology Bibliography. Cummings, N H., (1981, p.73-75) MP 1372
Engines
Construction equipment problems and procedures Alaska pipeline project. Hanamoto, B., (1978, 14p) SR 78-11
Low temperature automotive emissions Coutts, H J., (1983, 2 vols) MP 1703
Enthalpy
Introduction to the basic thermodynamics of cold capillary systems. Colbeck, S C., (1981, 9p) SR 81-06
Solution of phase change problems O'Neill, K., (1983, p.134-146) MP 1894
Environment simulation
Numerical simulation of atmospheric ice accretion Ackley, S.F., et al, (1979, p.44-52) MP 1235
Computer simulation of urban snow removal Tucker, W B., et al, (1979, p 293-302) MP 1238
Ocean circulation its effect on seasonal sea-ice simulations. Hibler, W.D., III, et al, (1984, p 489-492) MP 1700
Numerical simulation of Northern Hemisphere sea ice variability, 1951-1980. Walsh, J.E., et al, (1985, p 4847-4865) MP 1882
ENVIRONMENTAL IMPACT
Symposium on fire in the northern environment. Slaughter, C.W., ed, (1971, 275p) MP 878
Environmental impact
Ecological effects of oil spills and seepages in cold-dominated environments McCown, B H., et al, (1971, p 61-65) MP 905
Thermal energy and the environment. Crosby, R L., et al, (1975, 3p + 2p. figs) MP 1480
Evaluation of an air cushion vehicle in Northern Alaska Abele, G., et al, (1976, 7p) MP 894
Ecological and environmental consequences of off-road traffic in northern regions. Brown, J., (1976, p 40-53) MP 1383
Air-cushion vehicle effects on surfaces of Alaska's Arctic Slopes. Slaughter, C.W., (1976, p 272-279) MP 1384
Hovercraft ground contact directional control devices. Abele, G., (1976, p.51-59) MP 875
Land treatment of wastewater at Manteca, Calif., and Quincy, Washington. Iskandar, I.K., et al, (1977, 34p) CR 77-24
Effects of low ground pressure vehicle traffic on tundra at Lonely, Alaska. Abele, G., et al, (1977, 32p) SR 77-31
Second progress report on oil spilled on permafrost McFadden, T., et al, (1977, 46p) SR 77-44
Ross Ice Shelf Project environmental impact statement July, 1974 Parker, B C., et al, (1978, p.7-36) MP 1075
Effects of winter military operations on cold regions terrain Abele, G., et al, (1978, 34p) SR 78-17
Plant recovery from Arctic oil spills Walker, D A., et al, (1978, p 242-259) MP 1184
Crude oil spills on black spruce forest Jenkins, T F., et al, (1978, p 305-323) MP 1185
Bibliography of permafrost soils and vegetation in the USSR Andrews, M., (1978, 175p) SR 78-19
Tundra recovery since 1949 near Fish Creek Alaska Lawson, D E., et al, (1978, 81p) CR 78-28
Noncorrosive methods of ice control Minsk, L D., (1979, p 133-162) MP 1265
Crude oil spills on subarctic permafrost in interior Alaska Johnson, L A., et al, (1980, 128p) MP 1310
Remote sensing of revegetation of burned tundra, Kokolik River, Alaska Hall, D K., et al, (1980 p 263 2[illegible] MP 1391
Road dust along the Haul Road, Alaska Everett, K R., (1980, p.101-128) MP 1352
Winter air pollution at Fairbanks, Alaska Coutts, H J., et al, (1981, p 512-528) MP 1395
Ecological impact of vehicle traffic on tundra Abele, G., (1981, p 11-37) MP 1463
Ice growth and circulation in Kachemak Bay, Alaska Daly, S.F., (1982, p (C)1-(C)9) MP 1501
Long-term active layer effects of crude oil spilled in interior Alaska. Collins, C M., (1983, p 175-179) MP 1656
Hydrologic modeling from Landsat land cover data McKim, H L., et al, (1984, 19p) SR 84-01
Response of permafrost to disturbance Lawson, D E., (1986, p 1-7) MP 2165
Disturbance and recovery of arctic Alaskan tundra terrain Walker, D A., et al, (1987, 63p) CR 87-11
Chemical analysis of hazardous wastes McGee, I E., et al, (1987, 57p) SR 87-21
Development of analytical methods for military-unique compounds Walsh, M.E., et al, (1988, p 370-380) MP 2454
Effects of all terrain vehicles on tundra. Racine, C., et al, (1988, 12p) SR 88-17
Waste management practices in Antarctica Sletten, R.S., et al, (1989, p 122-130) MP 2564
Influence of well casing composition on trace metals in ground water Hewitt, A D., (1989, 18p) SR 89-09
Comments on "Modeling adsorption/desorption kinetics of pesticides in a soil suspension". Leggett, D C., (1989, p.231) MP 2532
Use of off-road vehicles and mitigation of effects in Alaska permafrost environments a review Slaughter, C W., et al, (1990, p 63-72) MP 2682
Environmental protection
Tundra biome applies new look to ecological problems in Alaska. Brown, J., (1970, p.9) MP 880
Land disposal, state of the art Reed, S C., (1973, p.229-261) MP 1392
Symposium: geography of polar countries, selected papers and summaries Brown, J., ed, (1977, 61p) SR 77-06
Municipal sludge management environmental factors Reed, S.C., ed, (1977, Var. p) MP 1406
Role of research in developing surface protection measures for the Arctic Slope of Alaska Johnson, P.R., (1978, p 202-205) MP 1068
Surface protection measures for the Arctic Slope, Alaska. Johnson, P R., (1978, p 202-205) MP 1519
Ground pressures exerted by underground explosions Johnson, P.R., (1978, p 284-290) MP 1520
Biological restoration strategies in relation to nutrients at a subarctic site in Fairbanks, Alaska Johnson, L.A., (1978, p 460-466) MP 1100
Workshop on Environmental Protection of Permafrost Terrain Brown, J., et al, (1980, p 30-36) MP 1314
Building materials and acid precipitation. Merry, C.J., et al, (1985, 40p) SR 85-01
Vegetation recovery in the Cape Thompson region, Alaska Everett, K R., et al, (1985, 75p) CR 85-11
Description of the building materials data base for Cincinnati, Ohio. Merry, C.J., et al, (1986, 85p) SR 86-31
Inventorying building materials. Merry, C.J., (1986, 25p.) SR 86-33
Comparison of EPA and USATHAMA detection capability estimators Grant, C.L., et al, (1988, p 405-418) MP 2455
Arctic research of the United States, Vol 4 (1990, 120p) MP 2765
Environmental tests
Guidelines for architectural programming of office settings Ledbetter, C B., (1977, 14p) SR 77-05
Analytical methods for detecting military-unique compounds Jenkins, T F., et al, (1989, p 13-14) MP 2713
Influence of well casings on well water Hewitt, A D., et al, (1989, 9p) MP 2717
Environments
Arctic environmental factors affecting army operations Sater, J.E., ed, (1962, 11p) MP 984
Tundra biome program. Brown, J., (1970, p 1278) MP 881
Tundra biome applies new look to ecological problems in Alaska Brown, J., (1970, p.9) MP 880
Environmental setting, Barrow, Alaska Brown, J., (1970, p 50-64) MP 945
Case for comparison and standardization of carbon dioxide reference gases Kelley, J J., et al, (1973, p 163-181) MP 964
Arctic and subarctic environmental analyses utilizing ERTS-1 imagery. Anderson, D M., et al, (1973, 5p) MP 1611
Arctic and subarctic environmental analyses from ERTS imagery. Anderson, D M., et al, (1973, 6p) MP 1031
High-latitude basins as settings for circumpolar environmental studies Slaughter, C W., et al, (1975, p IV/57-IV/68) MP 917
Applications of remote sensing in New England McKim, H L., et al, (1975, 8p + 14 figs and tables) MP 913
Temporary environment. Cold regions habitability Bechtel, R.B., et al, (1976, 162p) SR 76-10
Notes on conducting the behavior setting survey by interview method Ledbetter, C.B., (1976, 33p) SR 76-14
Arctic transportation operational and environmental evaluation of an air cushion vehicle in northern Alaska Abele, G., et al, (1977, p 176-182) MP 985
Architects and scientists in research for design of buildings in Alaska Ledbetter, C.B., (1977, 8p) CR 77-23
UV radiational effects on Martian regolith water Nadeau, P H., (1977, 89p) MP 1072
Ecology on the Yukon-Prudhoe haul road Brown, J., ed, (1978, 131p) MP 1115
Communication in the work place an ecological perspective Ledbetter, C B., (1979, 19p) SR 79-03
Environment of the Alaskan Haul Road Brown, J., (1980, p 3-52) MP 1350
Environmental mapping of the Arctic National Wildlife Refuge, Alaska Walker, D A., et al, (1982, 59p + 2 maps) CR 82-37
Environments and standards for military operation Opitz, B K., et al, (1987, 137p) MP 2309
Equipment
Some aspects of Soviet trenching machines Mellor, M., (1980, 13p) SR 80-07
Mechanics of cutting and boring in permafrost. Mellor, M., (1980, 82p) CR 80-21
Snow removal equipment Minsk, L.D., (1981, p 648-670) MP 1446
Snow and ice control on railroads, highways and airports Minsk, L.D., et al, (1981, p 671-706) MP 1447
Mechanics of cutting and boring in permafrost. Mellor, M., (1981, 38p) CR 81-26
Ice engineering facility. Zabilansky, L.J., et al, (1983, 12p. + fig) MP 2088
Performance of a thermosyphon with an inclined evaporator and vertical condenser. Zarling, J.P., et al, (1984, p 64-68) MP 1677
System for mounting end caps on ice specimens Cole, D.M., et al, (1985, p.362-365) MP 2016
Pneumatically de-iced ice detector—final report, phase 2, part 1. Franklin, C.H., et al, (1986, 9p. + append.) MP 2249
Unique new cold weather testing facility. Eaton, R.A., (1989, p 335-342) MP 2468
Preliminary design guide for arctic equipment Walsh, M.R., et al, (1989, 35p) SR 89-13
Erosion
Some effects of air cushion vehicle operations on deep snow. Abele, G., et al, (1972, p.214-241) MP 887
Road construction and maintenance problems in central Alaska. Clark, E F., et al, (1976, 36p) SR 76-08
Bank erosion of U S northern rivers Gatto, L.W., (1982, 75p) CR 82-11
Erosion control
Revegetation and erosion control of the Trans-Alaska Pipeline. Johnson, L A., et al, (1977, 36p) SR 77-08
Utilization of sewage sludge for terrain stabilization in cold regions. Gaskin, D A., et al, (1977, 45p) SR 77-37
ERTS imagery
Arctic and subarctic environmental analysis through ERTS-1 imagery. Anderson, D M., et al, (1972, p 28-30) MP 1119
Arctic and subarctic environmental analyses utilizing ERTS-1 imagery. Anderson, D.M., et al, (1973, 5p) MP 1611
Mesoscale deformation of sea ice from satellite imagery. Anderson, D.M., et al, (1973, 2p) MP 1120
Arctic and subarctic environmental analyses Anderson, D M., et al, (1973, 3p) MP 1030
Arctic and subarctic environmental analyses from ERTS imagery Anderson, D M., et al, (1973, 6p) MP 1031
ERTS mapping of Arctic and subarctic environments. Anderson, D.M., et al, (1974, 128p) MP 1047
Islands of grounded ice. Kovacs, A., et al, (1975, p 213-216) MP 852
Estuaries
Estuarine processes and intertidal habitats in Grays Harbor, Washington: a demonstration of remote sensing techniques Gatto, L.W., (1978, 79p) CR 78-18
Physical properties of estuarine ice in Great Bay, New Hampshire. Meese, D A., et al, (1987, p 833-840) MP 2251
Evaporation
Radiation and evaporation heat loss during ice fog conditions. McFadden, T., (1975, p 18-27) MP 1051
Removal of trace organics by overland flow Leggett, D C., et al, (1982, p 176-184) MP 2442
Laboratory tests and analysis of thermosyphons with inclined evaporator sections Zarling, J P., et al, (1985, p 31-37) MP 1853
Heat transfer characteristics of thermosyphons with inclined evaporator sections Haynes, F D., et al, (1986, p 285-292) MP 2034
Ice surface hydrolysis of diisopropylfluorophosphate (DFP) Leggett, D C., (1987, p.809-815) MP 2457
Evaporation of chemical agents from ice and snow Leggett, D C., (1988, 10p) CR 88-03
Thermosyphons and foundation design in cold regions. Haynes, F.D., et al, (1988, p 251-259) MP 2443
Thermosyphon for horizontal applications DenHartog, S L., (1988, p 319-321) MP 2444
Excavation
Investigation and exploitation of snowfield sites Mellor, M., (1969, 57p) M III-A2b
Kinematics of axial rotation machines Mellor, M., (1976, 45p) CR 76-16
Kinematics of continuous belt machines Mellor, M., (1976, 24p) CR 76-17
Excavating rock, ice, and frozen ground by electromagnetic radiation Hockstra, P., (1976, 17p) CR 76-36
Permafrost excavating attachment for heavy bulldozers Garfield, D.E., et al, (1977, p 144-151) MP 955
Transverse rotation machines for cutting and boring in permafrost. Mellor, M., (1977, 36p) CR 77-19
Pavement recycling using a heavy bulldozer mounted pulverizer. Eaton R A., et al, (1977, 12p + appends) SR 77-30
Design for cutting machines in permafrost Mellor, M., (1978, 24p) CR 78-11
Undersea pipelines and cables in polar waters Mellor, M., (1978, 34p) CR 78-22
Mechanics of cutting and boring in permafrost Mellor, M., (1980, 82p) CR 80-21
Excavation of frozen materials Moore, H.L., et al, (1980, p 323-345) MP 1360

Expeditions
Arctic research in the United States, Vol 3 (1989, 72p) MP 2653
Arctic research of the United States, Vol.3. (1989, 71p) MP 2530

Experimental data
Arching of two block sizes of model ice floes. Calkins, D.J., et al, (1976, 11p) CR 76-42
Heat transfer over a vertical melting plate. Yen, Y.-C., et al, (1977, 12p.) CR 77-32

Exploration
Tundra recovery since 1949 near Fish Creek, Alaska. Lawson, D.E., et al, (1978, 81p) CR 78-28

EXPLOSION EFFECTS
Explosions and snow. Mellor, M., (1965, 34p) M III-A3a

Explosion effects
Ice-cratering experiments Blair Lake, Alaska. Kurtz, M K., et al, (1966, Various pagings) MP 1034
Analysis of explosively generated ground motions using Fourier techniques. Blouin, S E., et al, (1976, 86p) CR 76-28
Dynamic in-situ properties test in fine-grained permafrost Blouin, S E., (1977, p 282-313) MP 963
Destruction of ice islands with explosives. Mellor, M., et al, (1978, p.753-765) MP 1018
Ground pressures exerted by underground explosions. Johnson, P.R., (1978, p 284-290) MP 1520
High-explosive cratering in frozen and unfrozen soils in Alaska. Smith, N., (1980, 21p.) CR 80-09
Impact fuse performance in snow (Initial evaluation of a new test technique) Aitken, G W., et al, (1980, p 31-45) MP 1347
Analysis of non-steady plastic shock waves in snow. Brown, R.L., (1980, p.279-287) MP 1354
Block motion from detonations of buried near-surface explosive arrays. Blouin, S.E., (1980, 62p) CR 80-26
Prediction of explosively driven relative displacements in rocks. Blouin, S E., (1981, 23p.) CR 81-11
Testing shaped charges in unfrozen and frozen silt in Alaska. Smith, N., (1982, 10p.) SR 82-02
Breaking ice with explosives. Mellor, M., (1982, 64p) CR 82-40
Frozen soil characteristics that affect land mine functioning Richmond, P.W., (1983, 18p) SR 83-05
Blasting and blast effects in cold regions. Part 1 Air blast. Mellor, M., (1985, 62p) SR 85-25
Revised guidelines for blasting floating ice. Mellor, M., (1986, 37p.) SR 86-10
Blasting and blast effects in cold regions. Part 2 underwater explosions Mellor, M., (1986, 56p) SR 86-16
Eruptions from under-ice explosions. Mellor, M., et al, (1988, 26p.) SR 88-14
Blasting and blast effects in cold regions. Part 3 explosions in ground materials. Mellor, M., (1989, 62p) SR 89-15

Explosives
Use of explosives in removing ice jams. Frankenstein, G.E., et al, (1970, 10p) MP 1021
Composition of vapors evolved from military TNT Leggett, D C., et al, (1977, 25p) SR 77-16
Block motion from detonations of buried near-surface explosive arrays Blouin, S E., (1980, 62p) CR 80-26
Mine/countermine problems during winter warfare. Lunardini, V.J., ed, (1981, 43p) SR 81-20
Breaking ice with explosives Mellor, M., (1982, 64p) CR 82-40
Review of the propagation of inelastic pressure waves in snow. Albert, D.G., (1983, 26p) CR 83-13
Seasonal soil conditions and the reliability of the M15 land mine. Richmond, P.W., et al, (1984, 35p) SR 84-18
Explosive obscuration sub-test results at the SNOW-TWO field experiment Ebersole, J F., et al, (1984, p 347-354) MP 1872
Penetration of shaped charges into ice Mellor, M., (1984, p 137-148) MP 1995
Chemical analysis of munitions wastewater Jenkins, T F., et al, (1984, 95p) CR 84-29
Explosives in soils and sediments Cragin, J H., et al, (1985, 11p) CR 85-15
Explosive residues in soil. Jenkins, T.F., et al, (1985, 33p) SR 85-22
Sorption of military explosive contaminants on bentonite drilling muds. Leggett, D C., (1985, 33p) CR 85-18
Losses of explosives residues on disposable membrane filters Jenkins, T F., et al, (1987, 25p) SR 87-02
Development of an analytical method for explosive residues in soil. Jenkins, T.F., et al, (1987, 51p) CR 87-07
Analytical method for determining tetrazene in water Walsh, M E., et al, (1987, 34p) SR 87-25
Analytical method for determining tetrazene in soil. Walsh, M E., et al, (1988, 22p.) SR 88-15
Eruptions from under-ice explosions Mellor, M., et al, (1988, 26p.) SR 88-14
Determining nitroaromatics and nitramines in water Jenkins, T F., et al, (1988, 36p) SR 88-23
Development of a membrane for *in situ* optical detection of TNT. Zhang, Y., et al, (1988, 6p) SR 88-24
Ice-water partition coefficients for RDX and TNT Taylor, S., (1989, 10p) CR 89-08
Single fiber measurements for remote optical detection of TNT. Zhang, Y., et al, (1989, 7p) SR 89-18
Determination of explosive residues in soil Part 3. Bauer, C.F., et al, (1989, 89p) CR 89-09
Analytical methods for detecting military-unique compounds Jenkins, T.F., et al, (1989, p.13-14) MP 2713
Low-temperature effects on systems for composting explosives-contaminated soils. Ayorinde, O A., et al, (1989, 18p) SR 89-38
Environmental transformation of nitroaromatics and nitramines. Walsh, M E., (1990, 21p) SR 90-02
Fate and transport of contaminants in frozen soils Ayorinde, O.A., et al, (1990, p 202-211) MP 2679

Extraterrestrial ice
Colloquium on Water in Planetary Regoliths, Hanover, N.H., Oct. 5-7, 1976. (1977, 161p) MP 911
Mars soil-water analyzer: instrument description and status Anderson, D.M., et al, (1977, p.149-158) MP 912
First impressions of the comet drilling problem. Mellor, M., (1989, p 229-232) MP 2592

Falling bodies
Airborne-Snow Concentration Measuring Equipment Lacombe, J., (1982, p 17-46) MP 1981

FALLOUT
Radioactive fallout in northern regions. Wilson, C., (1967, 35p.) M I-A3d

Fast ice
Dynamics of near-shore ice. Weeks, W.F., et al, (1976, p.9-34) MP 1380
Grounded ice along the Alaskan Beaufort Sea coast. Kovacs, A., (1976, 21p) CR 76-32
Dynamics of near-shore ice Kovacs, A., et al, (1977, p 106-112) MP 924
Movement of coastal sea ice near Prudhoe Bay Weeks, W F., et al, (1977, p.533-546) MP 1066
Decay patterns of land-fast sea ice in Canada and Alaska Bilello, M.A., (1977, p.1-10) MP 1161
Internal structure of fast ice near Narwahl Island Gow, A.J., et al, (1977, 8p) CR 77-29
Dynamics of near-shore ice. Kovacs, A., et al, (1977, p 411-424) MP 1076
Preferred crystal orientations in Arctic Ocean fast ice Weeks, W.F., et al, (1978, 24p) CR 78-13
Sea ice north of Alaska Kovacs, A., (1978, p 7-12) MP 1252
Dynamics of near-shore ice Kovacs, A., et al, (1978, p 230-233) MP 1619
Crystal alignments in the fast ice of Arctic Alaska Weeks, W.F., et al, (1979, 21p) CR 79-22
Oil pooling under sea ice Kovacs, A., (1979, p 310-323) MP 1289
Maximum thickness and subsequent decay of lake, river and fast sea ice in Canada and Alaska Bilello, M.A., (1980, 160p) CR 80-06
Shore ice pile-up and ride-up field observations, models, theoretical analyses Kovacs, A., et al, (1980, p 209-298) MP 1295
Polarization studies in sea ice Arcone, S A., et al, (1980, p 225-245) MP 1324
Alaska's Beaufort Sea coast ice ride-up and pile-up features Kovacs, A., (1983, 51p) CR 83-09
Shoreline erosion and shore structure damage on the St Marys River Wuebben, J L., (1983, 36p) SR 83-15
Onshore ice pileup and override. Kovacs, A., et al, (1988, p 108-142) MP 2336

Fatigue (materials)
Cyclic loading and fatigue in ice. Mellor, M., et al, (1981, p 41-53) MP 1371

Films
Ice fog suppression using monomolecular films McFadden, T., (1977, p.361-367) MP 956

Filters
Fortran subroutines for zero-phase digital frequency filters Albert, D G., (1986, 26p) SR 86-04
Losses of explosives residues on disposable membrane filters Jenkins, T F., et al, (1987, 25p) SR 87-02
Evaluation of disposable membrane filter units for sorptive losses and sample contamination Walsh, M E., et al, (1988, p 45-52) MP 2328
Geotextiles and a new way to use them Henry, K., (1988, p 214-222) MP 2525

Fines
Densification by freezing and thawing of fine material dredged from waterways Chamberlain, E J., et al, (1978, p 622-628) MP 1103

Fires
Utilities on permanent snowfields Mellor, M., (1969, 42p) M III-A2d
Symposium on fire in the northern environment Slaughter, C W., ed, (1971, 275p) MP 878
1977 tundra fire in the Kokolik River area of Alaska. Hall, D K., et al, (1978, p 54-58) MP 1125
1977 tundra fire at Kokolik River, Alaska Hall, D K., et al, (1978, 11p) SR 78-10
Recovery of the Kokolik River tundra area, Alaska Hall, D.K., et al, (1979, 15p) MP 1038
Remote sensing of revegetation of burned tundra, Kokolik River, Alaska Hall, D K., et al, (1980, p 263-272) MP 1391
Effects of a tundra fire on soil and vegetation Racine, C., (1980, 21p) SR 80-37
Stabilizing fire breaks in tundra vegetation. Patterson, W.A., III, et al, (1981, p 188-189) MP 1804
Recovery and active layer changes following a tundra fire in northwestern Alaska Johnson, L., et al, (1983, p 543-547) MP 1660
Vegetation recovery after tundra fires in northwestern Alaska. Racine, C., et al, (1987, p 461-469) MP 2374

Firn
USA CRREL shallow drill. Rand, J.H., (1976, p.133-137) MP 873
Subsurface measurements of the Ross Ice Shelf, McMurdo Sound, Antarctica. Kovacs, A., et al, (1977, p.146-148) MP 1013
Nitrogenous chemical composition of antarctic ice and snow. Parker, B C., et al, (1981, p.79-81) MP 1541
Firn quake (a rare and poorly explained phenomenon). Den-Hartog, S.L., (1982, p 173-174) MP 1571
Baseline acidity of South Pole precipitation Cragin, J H., et al, (1987, p.789-792) MP 2275

FIRNIFICATION
Greenland ice sheet. Bader, H., (1961, 18p) M I-B2

Firnification
Sintering and compaction of snow containing liquid water Colbeck, S.C., et al, (1979, p.13-32) MP 1190

FLEXURAL STRENGTH
Mechanical properties of sea ice Weeks, W F., et al, (1967, 80p) M II-C3

Flexural strength
Flexural strength of ice on temperate lakes Gow, A.J., (1977, p.247-256) MP 1063
Flexural strength of ice on temperate lakes Gow, A.J., et al, (1978, 14p.) CR 78-09
Nondestructive testing of in-service highway pavements in Maine Smith, N., et al, (1979, 22p) CR 79-06
Bending and buckling of a wedge on an elastic foundation. Nevel, D E., (1980, p.278-288) MP 1303
Ice characteristics in Whitefish Bay and St Marys River in winter. Vance, G.P., (1980, 27p) SR 80-32
Acoustic emission and deformation response of finite ice plates. Xirouchakis, P.C., et al, (1981, p 385-394) MP 1455
Breakup of solid ice covers due to rapid water level variations. Billfalk, L., (1982, 17p) CR 82-03
Flexural strength and elastic modulus of ice. Tatinclaux, J.C., et al, (1982, p.37-47) MP 1568
Determining the characteristic length of model ice sheets. Sodhi, D S., et al, (1982, p 99-104) MP 1570
Ice forces on model marine structures Haynes, F D., et al, (1983, p.778-787) MP 1606
Flexural strengths of freshwater model ice Gow, A J., (1984, p.73-82) MP 1826
Sheet ice forces on a conical structure an experimental study Sodhi, D.S., et al, (1985, p 46-54) MP 1915
Uplifting forces exerted by adfrozen ice on marine piles Christensen, F.T., et al, (1985, p.529-542) MP 1905
Sheet ice forces on a conical structure; an experimental study. Sodhi, D S., et al, (1985, p 643-655) MP 1906
Flexural and buckling failure of floating ice sheets against structures. Sodhi, D S., (1986, p 339-359) MP 2134
Flexural and buckling failure of floating ice sheets against structures Sodhi, D S., (1987, p 53-73) MP 2315
Flexure and fracture of macrocrystalline S1 type freshwater ice Dempsey, J.P., et al, (1988, p 39-46) MP 2318
Growth of EG/AD/S model ice in a small tank. Borland, S L., (1988, p 47-53) MP 2319
Effects of temperature and structure of ice on its flexural strength. Gow, A J., et al, (1988, 43p) CR 88-06
Ship model testing in level ice an overview. Tatinclaux, J C., (1988, 30p) Cr 88-15
Fracture toughness of columnar freshwater ice Bentley, D L., et al, (1989, p 7-20) MP 2545
Penetration of floating ice sheets with cylindrical indentors Sodhi, D S., et al, (1989, p 104) MP 2688

Floating ice
Bearing capacity of floating ice plates Kerr, A D., (1976, p 229-268) MP 884
Cantilever beam tests on reinforced ice. Ohstrom, E.G., et al, (1976, 12p) CR 76-07
Creep theory for a floating ice sheet Nevel, D E., (1976, 98p) SR 76-04
Arching of two block sizes of model ice floes Calkins, D J., et al, (1976, 11p) CR 76-42
Concentrated loads on a floating ice sheet Nevel, D E., (1977, p 237-245) MP 1062
Integrated approach to the remote sensing of floating ice. Campbell, W J., et al, (1977, p 445-487) MP 1069
Compressive and shear strengths of frigmented ice covers Cheng, S T., et al, (1977, 82p) MP 951
Viscoelasticity of floating ice plates subjected to a circular load Takagi, S., (1978, 32p) CR 78-05
Bearing capacity of river ice for vehicles Nevel, D E., (1978, 22p) CR 78-03
Buckling pressure of an elastic floating plate Takagi, S., (1978, 49p) CR 78-14
Entrainment of ice floes into a submerged outlet Stewart, D M., et al, (1978, p 291-299) MP 1137
Horizontal forces exerted by floating ice on structures Kerr, A D., (1978, 9p) CR 78-15
Problems of offshore oil drilling in the Beaufort Sea Weller, G., et al, (1978, p 4-11) MP 1250

Floating ice *(cont.)*

Buckling analysis of wedge-shaped floating ice sheets. Sodhi, D S., (1979, p.797-810) MP 1232

Critical velocities of a floating ice plate subjected to in-plane forces and a moving load. Kerr, A.D., (1979, 12p.) CR 79-19

Ice laboratory facilities for solving ice problems. Frankenstein, G.E., (1980, p.93-103) MP 1301

Evaluation of ice-covered water crossings. Dean, A.M., Jr., (1980, p.443-453) MP 1348

On the buckling force of floating ice plates. Kerr, A.D., (1981, 7p.) CR 81-09

Asymmetric flows: application to flow below ice jams Gogus, M., et al, (1981, p 342-350) MP 1733

Force distribution in a fragmented ice cover. Daly, S F., et al, (1982, p 374-387) MP 1531

Determining the characteristic length of model ice sheets. Sodhi, D.S., et al, (1982, p 99-104) MP 1570

Application of HEC-2 for ice-covered waterways Calkins, D.J., et al, (1982, p 241-248) MP 1575

Hydraulic model study of Port Huron ice control structure Calkins, D.J., et al, (1982, 59p.) CR 82-34

Buckling loads of floating ice on structures Sodhi, D.S., et al, (1983, p 260-265) MP 1626

Experiments on ice ride-up and pile-up. Sodhi, D.S., et al, (1983, p.266-270) MP 1627

Dynamic buckling of floating ice sheets. Sodhi, D S., (1983, p 822-833) MP 1607

First-generation model of ice deterioration. Ashton, G D., (1983, p.273-278) MP 2080

Deterioration of floating ice covers. Ashton, G.D., (1984, p.26-33) MP 1676

Experimental determination of buckling loads of cracked ice sheets. Sodhi, D.S., et al, (1984, p.183-186) MP 1697

Modified theory of bottom crevasses. Jezek, K.C., (1984, p 1925-1931) MP 2059

Force distribution in a fragmented ice cover. Stewart, D M., et al, (1984, 16p.) CR 84-07

Forces associated with ice pile-up and ride-up. Sodhi, D S., et al, (1984, p 239-262) MP 1887

Buckling analysis of cracked, floating ice sheets Adley, M.D., et al, (1984, 28p.) SR 84-23

Determining the characteristic length of floating ice sheets by moving loads. Sodhi, D S., et al, (1985, p 155-159) MP 1855

Deterioration of floating ice covers Ashton, G.D., (1985, p 177-182) MP 2122

Techniques for measurement of snow and ice on freshwater Adams, W.P., et al, (1986, p 174-222) MP 2000

Ice cover research—present state and future needs Kerr, A.D., et al, (1986, p 384-399) MP 2004

Revised guidelines for blasting flowing ice Mellor, M., (1986, 37p.) SR 86-10

Flexural and buckling failure of floating ice sheets against structures. Sodhi, D S., (1986, p 339-359) MP 2134

Measurement of characteristic length of floating ice sheets Sodhi, D.S., (1987, n p (Ch 7)) MP 2480

Flexural and buckling failure of floating ice sheets against structures. Sodhi, D S., (1987, p 53-73) MP 2315

DOD floating ice problems Cox, G F N., (1987, p 151-154) MP 2414

On the determination of the average Young's modulus for a floating ice cover. Kerr, A.D., et al, (1988, p 39-43) MP 2324

Elements of floating-debris control systems Perham, R E., (1988, 54p + appends.) MP 2453

Imjin River ice boom. Perham, R E., (1988, 10p.) SR 88-22

Flow developers for melting ice—experimental results Ashton, G D., (1989, p 151-160) MP 2465

Ice reinforced with Geogrid. Haynes, F D., et al, (1989, p.179-185) MP 2484

Penetration of floating ice sheets with cylindrical indentors Sodhi, D.S., (1989, p 377-382) MP 2485

Effect of ice pressure on marginal ice zone dynamics Flato, G.M., et al, (1989, p 514-521) MP 2522

Refractive index structure parameter for a year over the frozen Beaufort Sea Andreas, E.L., (1989, p 667-679) MP 2575

Penetration of floating ice sheets with cylindrical indentors Sodhi, D.S., et al, (1989, p 104) MP 2688

Dynamic analysis of a floating ice sheet undergoing vertical indentation. McGilvary, W R., et al, (1990, p.195-203) MP 2579

Floating structures

Righting moment in a rectangular ice boom timber or pontoon. Perham, R E., (1978, p 273-289) MP 1136

Wave-induced bergy bit motion near a floating platform. Mak, L.M., et al, (1990, p.205-215) MP 2580

Flood control

Construction on permafrost at Longyearbyen on Spitsbergen Tobiasson, W., (1978, p 884-890) MP 1108

Ice jam problems at Oil City, Pennsylvania Deck, D.S., et al, (1981, 19p.) SR 81-09

Tanana River monitoring and research studies near Fairbanks, Alaska Neill, C.R., et al, (1984, 98p + 5 appends.) SR 84-37

Chena Flood Control Project and the Tanana River near Fairbanks, Alaska Buska, J S., et al, (1984, 11p + figs.) MP 1745

Bank recession of the Tanana River, Alaska Gatto, L.W., (1984, 59p.) MP 1746

Bank recession and channel changes of the Tanana River, Alaska. Gatto, L.W., et al, (1984, 98p.) MP 1747

Erosion analysis of the Tanana River, Alaska. Collins, C M., (1984, 8p. + figs.) MP 1748

Potential solution to ice jam flooding. Salmon River, Idaho Earickson, J., et al, (1986, p 15-25) MP 2131

Calibrating HEC-2 in a shallow, ice-covered river. Calkins, D J., et al, (1986, 25 refs.) SR 86-34

Floating debris control; a literature review. Perham, R.E., (1987, 22p + 41p. of append.) MP 2252

Ice formation downstream of Oahe Dam—1987-1988 winter. Ashton, G.D., (1988, 37p.) MP 2506

Perturbation solution of the flood problem. Discussion and author's reply. Ferrick, M.G., (1988, p 346-349) MP 2536

Framework for control of dynamic ice breakup by river regulation Ferrick, M G., et al, (1989, 14p.) CR 89-12

Flood forecasting

Hydrologic modeling from Landsat land cover data McKim, H.L., et al, (1984, 19p.) SR 84-01

Ice-related flood frequency analysis, application of analytical estimates. Gerard, R., et al, (1984, p.85-101) MP 1712

Perturbation solution of the flood problem. Discussion and author's reply Ferrick, M G., (1988, p 346-349) MP 2536

Flooding

Inundation of vegetation in New England. McKim, H.L., et al, (1978, 13p.) MP 1169

Land treatment systems and the environment McKim, H.L., et al, (1979, p 201-225) MP 1414

Removal of organics by overland flow. Martel, C.J., et al, (1980, 9p.) MP 1362

Rational design of overland flow systems. Martel, C.J., et al, (1980, p 114-121) MP 1400

Energy and costs for agricultural reuse of wastewater. Sletten, R S., et al, (1980, p 339-346) MP 1401

Forage grass growth on overland flow systems Palazzo, A J., et al, (1980, p 347-354) MP 1402

Overland flow: removal of toxic volatile organics Jenkins, T.F., et al, (1981, 16p.) SR 81-01

Effects of inundation on six varieties of turfgrass Erbisch, F H., et al, (1982, 25p.) SR 82-12

Ice jams and flooding on Ottauquechee River, VT Bates, R., et al, (1982, 25p.) SR 82-06

Controlling river ice to alleviate ice jam flooding Deck, D.S., (1984, p 524-528) MP 1795

Salmon River ice jams Cunningham, L.L., et al, (1984, p 529-533) MP 1796

Potential solution to ice jam flooding. Salmon River, Idaho. Earickson, J., et al, (1986, p 15-25) MP 2131

Jökulhlaups from ice-dammed Strandline Lake, Alaska. Sturm, M., et al, (1987, p 79-94) MP 2307

Jökulhlaups from Strandline Lake, Alaska (especially the 1982 event) Sturm, M., et al, (1989, 19p.) MP 2520

Floods

Landsat data analysis for New England reservoir management Merry, C.J., et al, (1978, 61p.) SR 78-06

Port Huron ice control model studies Calkins, D J., et al, (1982, p 361-373) MP 1530

Controlling river ice to alleviate ice jam flooding Deck, D S., (1984, p 69-76) MP 1885

Geographic features and floods of the Ohio River Edwardo, H A., et al, (1984, p 265-281) MP 2083

Cold facts of ice jams case studies of mitigation methods Calkins, D J., (1984, p 39-47) MP 1793

Ice jam flood prevention measures, Lamoille River, Hardwick VT Calkins, D J., (1985, p 149-168) MP 1940

Study of dynamic ice breakup on the Connecticut River near Windsor, Vermont. Ferrick, M G., et al, (1987, p 163-177) MP 2400

Jökulhlaups from Strandline Lake, Alaska (especially the 1982 event) Sturm, M., et al, (1989, 19p.) MP 2520

Flow measurement

Resurvey of the "Byrd" Station, Antarctica, drill hole. Garfield, D E., et al, (1976, p 29-34) MP 846

Flow rate

Temperature and flow conditions during the formation of river ice Ashton, G.D., et al, (1970, 12p.) MP 1723

Stability of Antarctic ice Weertman, J., (1975 p 159) MP 1042

Analysis of velocity profiles under ice in shallow streams Calkins, D J., et al, (1981, p 94-111) MP 1397

Harnessing frazil ice Perham, R E., (1981, p 227-237) MP 1398

One-dimensional transport from a highly concentrated, transfer type source O'Neill, K., (1982, p 27-36) MP 1489

Ottauquechee River analysis of freeze-up processes Calkins, D J., et al, (1982, p 2-37) MP 1738

Asymmetric plane flow with application to ice jams Tatinclaux, J C., et al, (1983, p 1540-1556) MP 1645

Changes in the Ross Ice Shelf dynamic condition Jezek, K C., (1984, p 409-416) MP 2058

Analysis of infiltration results at proposed North Carolina wastewater treatment site. Abele, G., et al, (1984, 24p.) SR 84-11

Constitutive relations for a planar, simple shear flow of rough disks Shen, H H., et al, (1985, 17p.) CR 85-20

Heat transfer from water flowing through a chilled-bed open channel Richmond, P W., et al, (1989, p 51-58) MP 2649

Fluid dynamics

Fluid dynamic analysis of volcanic tremor Ferrick, M.G., et al, (1982, 12p.) CR 82-32

Source mechanism of volcanic tremor. Ferrick, M.G., et al, (1982, p 8675-8683) MP 1576

Calculation of advective mass transport in heterogeneous media. Daly, C J., (1983, p.73-89) MP 1677

Automatic finite element mesh generator. Albert, M.R., et al, (1987, 27p.) CR 87-18

Orthogonal curvilinear coordinate generation for internal flows. Albert, M R., (1988, p 425-433) MP 2540

Fluid flow

Transport equation over long times and large spaces O'Neill, K., (1981, p.1665-1675) MP 1497

Source mechanism of volcanic tremor Ferrick, M.G., et al, (1982, p 8675-8683) MP 1576

Computation of porous media natural convection flow and phase change O'Neill, K., et al, (1984, p.213-229) MP 1895

On the pressure drop through a uniform snow layer. Yen, Y.C., (1988, 10p.) CR 88-14

Fluid mechanics

River ice. Ashton, G.D., (1978, p 369-392) MP 1216

Orthogonal curvilinear coordinate generation for internal flows Albert, M R., (1988, p 425-433) MP 2540

Fog

Airborne snow and fog distributions Berger, R.H., (1982, p 217-273) MP 1562

Snow and fog particle size measurements. Berger, R H., (1982, p 47-58) MP 1982

Fog dispersal

Propane dispenser for cold fog dissipation system Hicks, J R., et al, (1973, 38p.) MP 1033

Compressed air seeding of supercooled fog Hicks, J R., (1976, 9p.) SR 76-02

Use of compressed air for supercooled fog dispersal. Weinstein, A.I., et al, (1976, p.1226-1231) MP 1614

Suppression of ice fog from cooling ponds. McFadden, T., (1976, 78p.) CR 76-43

Ice fog suppression using reinforced thin chemical films. McFadden, T., et al, (1978, 23p.) CR 78-26

Ice fog suppression using thin chemical films. McFadden, T., et al, (1979, 44p.) MP 1192

Ice fog suppression in Arctic communities McFadden, T., (1980, p 54-65) MP 1357

Ice crystal formation and supercooled fog dissipation. Kumai, M., (1982, p 579-587) MP 1539

Fog formation

Suppression of ice fog from cooling ponds McFadden, T., (1976, 78p.) CR 76-43

Forecasting

Prediction and validation of temperature in tundra soils. Brown, J., et al, (1971, p 193-197) MP 907

Premoval during land treatment of wastewater Ryden, J C., et al, (1982, 12p.) SR 82-14

Hydrologic forecasting using Landsat data Merry, C J., et al, (1983, p.159-168) MP 1691

Forecasting river water temperatures Daly, S.F., (1988, p 180-188) MP 2500

Interfacing geographic data with real-time hydrologic forecasting models Eagle, T C., et al, (1989, p 857-861) MP 2527

Forest ecosystems

Wastewater applications in forest ecosystems McKim, H L., et al, (1982, 22p.) CR 82-19

FOREST FIRES

Symposium on fire in the northern environment. Slaughter, C W., ed, (1971, 275p.) MP 878

Forest land

Energy balance and runoff from a subarctic snowpack. Price, A G., et al, (1976, 29p.) CR 76-27

Symposium on land treatment of wastewater, CRREL, Aug. 1978 (1978, 2 vols.) MP 1145

Technology and costs of wastewater application to forest systems Crites, R W., et al, (1986, p 349-355) MP 2266

Forest land treatment with municipal wastewater in New England Reed, S C., et al, (1986, p 420-430) MP 2280

Forest soils

Upland forest and its soils and litters in interior Alaska Troth, J L., et al, (1976, p 33-44) MP 867

Forest tundra

Climatic and dendroclimatic indices in the discontinuous permafrost zone of the Central Alaskan Islands Haugen, R K., et al, (1978, p 392-398) MP 1099

Crude oil spills on black spruce forest Jenkins, T.F., et al, (1978, p 305-323) MP 1185

Fortifications

Defensive works of subarctic snow Johnson, P R., (1977, 23p.) CR 77-06

Test of snow fortifications Farrell, D.R., (1979, 15p.) SR 79-33

Snow fortifications as protection against shaped charge antitank projectiles. Farrell, D.R., (1980, 19p.) SR 80-11

Winter field fortifications Farrell, D., (1986, 50p.) SR 86-25

Foundations

Piles in permafrost for bridge foundations. Crory, F.E., et al, (1967, 41p.) MP 1411

FOUNDATIONS

Foundations of structures in cold regions. Sanger, F.J., (1969, 91p.) M III-C4

Foundations and subsurface structures in snow. Mellor, M., (1969, 54p.) M III-A2c

Foundations

Field performance of a subarctic utilidor Reed, S.C., (1977, p.448-468) MP 930

Baseplate design and performance mortar stability report. Aitken, G.W., (1977, 28p.) CR 77-22

Kotzebue hospital—a case study. Crory, F.E., (1978, p.342-359) MP 1084

Construction on permafrost at Longyearbyen on Spitsbergen. Tobiasson, W., (1978, p.884-890) MP 1108

Details behind a typical Alaskan pile foundation Tobiasson, W., et al, (1978, p.891-897) MP 1109

Snow studies associated with the sideways move of DYE-3. Tobiasson, W., (1979, p.117-124) MP 1312

Bending and buckling of a wedge on an elastic foundation Nevel, D.E., (1980, p.278-288) MP 1303

Use of piling in frozen ground. Crory, F.E., (1980, 21 p.) MP 1407

Construction of foundations in permafrost. Linell, K.A., et al, (1980, 310p.) SR 80-34

Design of foundations in areas of significant frost penetration Linell, K.A., et al, (1980, p.118-184) MP 1358

Foundations of structures in polar waters. Chamberlain, E.J., (1981, 16p.) SR 81-25

Foundations on permafrost, US and USSR design and practice. Fish, A.M., (1983, p.3-24) MP 1682

Foundations in permafrost and seasonal frost; Proceedings. (1985, 62p.) MP 1730

Frost jacking forces on H and pipe piles embedded in Fairbanks silt. Johnson, J.B., et al, (1985, p.125-133) MP 1930

Heat transfer characteristics of thermosyphons with inclined evaporator sections Haynes, F.D., et al, (1986, p.285-292) MP 2034

Foundation technology in cold regions. Quinn, W.F., (1987, p.305-310) MP 2425

Arctic construction working group report. Marvin, E.L., et al, (1987, p.311-314) MP 2426

Thermosyphons and foundation design in cold regions Haynes, F.D., et al, (1988, p.251-259) MP 2443

Thermal stabilization of permafrost with thermosyphons Zarling, J.P., et al, (1990, p.323-328) MP 2583

Fracture zones

Investigation of ice forces on vertical structures. Hirayama, K., et al, (1974, 153p.) MP 1041

Fracturing

Creep rupture at depth in a cold ice sheet. Colbeck, S.C., et al, (1978, p.733) MP 1168

Fracture behavior of ice in Charpy impact testing Itagaki, K., et al, (1980, 13p.) CR 80-13

Investigation of the acoustic emission and deformation response of finite ice plates. Xirouchakis, P.C., et al, (1981, 19p.) CR 81-06

Acoustic emission and deformation response of finite ice plates. Xirouchakis, P.C., et al, (1981, p.385-394) MP 1455

Acoustic emission and deformation of ice plates Xirouchakis, P.C., et al, (1982, p.129-139) MP 1589

Acoustic emissions from polycrystalline ice. St Lawrence, W.F., et al, (1982, 15p.) CR 82-21

Microstructure and the resistance of rock to tensile fracture. Peck, L., et al, (1985, p.11,533-11,546) MP 2157

Fracture toughness of model ice Dempsey, J.P., et al, (1986, p.365-376) MP 2125

Effect of grain size on the internal fracturing of polycrystalline ice. Cole, D.M., (1986, 71p.) CR 86-05

Flexure and fracture of macrocrystalline S1 type freshwater ice Dempsey, J.P., et al, (1988, p.39-46) MP 2318

Fram Strait

Crystal structure of Fram Strait sea ice. Gow, A.J., et al, (1986, p.20-29) MP 2221

Winter marginal ice zone experiment, Fram Strait/Greenland Sea, 1987/89 Davidson, K., ed, (1986, 53p.) SR 86-09

Physical properties of sea ice discharged from Fram Strait Gow, A.J., et al, (1987, p.436-439) MP 2204

Physical properties of summer sea ice in the Fram Strait Tucker, W.B., et al, (1987, p.6787-6803) MP 2240

Oceanic heat flux in the Fram Strait measured by a drifting buoy. Perovich, D.K., et al, (1989, p.995-998) MP 2531

Frazil ice

Remote sensing of frazil and brash ice in the St Lawrence River. Dean, A.M., Jr., (1977, 19p.) CR 77-08

Remote sensing of accumulated frazil and brash ice. Dean, A.M., Jr., (1977, p.693-704) MP 934

Frazil ice formation in turbulent flow. Müller, A., et al, (1978, p.219-234) MP 1135

Characteristics of ice on two Vermont rivers Deck, D.S., (1978, 30p.) SR 78-30

Ice blockage of water intakes Carey, K.L., (1979, 27p.) MP 1197

Accelerated ice growth in rivers Calkins, D.J., (1979, 5p.) CR 79-14

Modeling of ice in rivers. Ashton, G.D., (1979, p.14/1-14/26) MP 1335

Freshwater ice growth, motion, and decay Ashton, G.D., (1980, p.261-304) MP 1299

Harnessing frazil ice Perham, R.E., (1981, p.227-237) MP 1398

Hydraulic model study of a water intake under frazil ice conditions. Tantillo, T.J., (1981, 11p.) CR 81-03

Tests of frazil collector lines to assist ice cover formation. Perham, R.E., (1981, p.442-448) MP 1488

Field investigations of a hanging ice dam. Beltaos, S., et al, (1982, p.475-488) MP 1533

CRREL 2-inch frazil ice sampler Rand, J.H., (1982, 8p.) SR 82-09

Physical and structural characteristics of antarctic sea ice. Gow, A.J., et al, (1982, p.113-117) MP 1549

Liquid sampler Rand, J.H., (1982, 4 col.) MP 2374

Properties of sea ice in the coastal zones of the polar oceans Weeks, W.F., et al, (1983, p.25-41) MP 1604

Frazil ice Daly, S.F., (1983, p.218-223) MP 2078

Physical mechanism for establishing algal populations in frazil ice Garrison, D.L., et al, (1983, p.363-365) MP 1717

Relative abundance of diatoms in Weddell Sea pack ice. Clarke, D.B., et al, (1983, p.161-182) MP 1786

Sea ice and biological activity in the Antarctic. Clarke, D.B., et al, (1984, p.2087-2095) MP 1701

Frazil ice dynamics. Daly, S.F., (1984, 46p.) M 84-01

Performance of the Allegheny River ice control structure, 1983 Deck, D.S., et al, (1984, 15p.) SR 84-13

Modeling intake peformance under frazil ice conditions. Dean, A.M., Jr., (1984, p.559-563) MP 1797

Rise pattern and velocity of frazil ice Wuebben, J.L., (1984, p.297-316) MP 1816

Dynamics of frazil ice formation. Daly, S.F., et al, (1984, p.161-172) MP 1829

Frazil ice formation Ettema, R., et al, (1984, 44p.) CR 84-18

St. Lawrence River hanging ice dams, winter 1983-1984. Shen, H.T., et al, (1984, 85p.) MP 2178

USACRREL precise thermistor meter Trachier, G.M., et al, (1985, 34p.) SR 85-26

Frazil ice measurements in CRREL's flume facility Daly, S.F., et al, (1986, p.427-438) MP 2127

Structure to form an ice cover on river rapids in winter Perham, R.E., (1986, p.439-450) MP 2128

Sub-ice channels and frazil bars, Tanana River, Alaska Lawson, D.E., et al, (1986, p.465-474) MP 2129

Frazil ice pebbles, Tanana River, Alaska. Chacho, E.F., et al, (1986, p.475-483) MP 2130

Field techniques for obtaining engineering characteristics of frazil ice accumulations. Dean, A.M., Jr., (1986, p.265-278) MP 2290

River ice and salmonids Walsh, M., et al, (1986, p.D-4.1-D-4.26) MP 2477

Development of a frazil ice sampler Brockett, B.E., et al, (1986, 12p.) SR 86-37

Sea-ice investigations during the Winter Weddell Sea Project Ackley, S.F., et al, (1987, p.88-89) MP 2491

Evolution of frazil ice in rivers and streams research and control Daly, S.F., (1987, p.11-16) MP 2303

Modelling trash rack freezeup by frazil ice Daly, S.F., (1987, p.101-106) MP 2305

Frazil ice deposits and water channels beneath an ice-covered river Arcone, S.A., et al, (1987, 12p.) CR 87-17

Frazil ice in rivers and streams Daly, S.F., (1987, p.19-26) MP 2381

Intake design for ice conditions Ashton, G.D., (1988, p.107-138) MP 2518

Computer-controlled data acquisition system for a hydraulic flume Zabilansky, L.J., (1988, p.453-460) MP 2349

Development of sea ice in the Weddell Sea. Lange, M.A., et al, (1989, p.92-96) MP 2615

Elastic properties of frazil ice from the Weddell Sea, Antarctica Lange, M.A., et al, (1989, p.208-217) MP 2620

Compressive strength of antarctic frazil ice Richter-Menge, J.A., et al, (1989, p.269-278) MP 2621

Time estimation for maximum supercooling in dynamic frazil ice formation Daly, S.F., et al, (1989, 13p.) SR 89-26

Cryogenic sampling of frazil ice deposits Chacho, E.F., Jr., et al, (1989, 6p.) SR 89-28

Freezeup dynamics of a frazil ice screen Axelson, K.D., (1990, 8p.) SR 90-04

In-situ sampling and characterization of frazil ice deposits Lawson, D.E., et al, (1990, p.193-205) MP 2694

Comparison of the compressive strength of antarctic frazil ice and laboratory-grown columnar ice Richter-Menge, J.A., et al, (1990, p.79-84) MP 2731

Development of an underwater frazil-ice detector Daly, S.F., et al, (1990, p.77-82) MP 2702

Salmon River ice jam control studies: interim report. Axelson, K.D., et al, (1990, 8p.) SR 90-06

Freeze drying

Isothermal compressibility of water mixed with montmorillonite. Oliphant, J.L., et al, (1983, p.45-50) MP 2066

Explosives in soils and sediments Cragin, J.H., et al, (1985, 11p.) CR 85-15

Dewaterability of freeze-thaw conditional sludges. Martel, C.J., (1989, p.237-241) MP 2616

Sludge dewatering by natural freeze-thaw. Martel, C.J., (1990, p.116-122) MP 2714

Freeze thaw cycles

Consolidating dredged material by freezing and thawing. Chamberlain, E.J., (1977, 94p.) MP 978

Effect of freeze-thaw cycles on resilient properties of fine-grained soils. Johnson, T.C., et al, (1978, 19p.) MP 1082

Freeze thaw effect on the permeability and structure of soils. Chamberlain, E.J., et al, (1978, p.31-44) MP 1080

Load tests on membrane-enveloped road sections. Smith, N., et al, (1978, 16p.) CR 78-12

Densification by freezing and thawing of fine material dredged from waterways. Chamberlain, E.J., et al, (1978, p.622-628) MP 1103

Resiliency of silt under asphalt during freezing and thawing. Johnson, T.C., et al, (1978, p.662-668) MP 1106

Waterproofing strain gages for low ambient temperatures. Garfield, D.E., et al, (1978, 20p.) SR 78-15

Overconsolidated sediments in the Beaufort Sea. Chamberlain, E.J., (1978, p.24-29) MP 1255

Freeze thaw effect on the permeability and structure of soils. Chamberlain, E.J., et al, (1979, p.79-92) MP 1225

Freeze thaw effect on resilient properties of fine soils. Johnson, T.C., et al, (1979, p.247-276) MP 1226

Stratified debris in Antarctic ice cores. Gow, A.J., et al, (1979, p.185-192) MP 1272

Sulfur foam as insulation for expedient roads Smith, N., al, (1979, 21p.) CR 79-18

Design of foundations in areas of significant frost penetration. Linell, K.A., et al, (1980, p.118-184) MP 1358

Approximate solution to Neumann problem for soil systems. Lunardini, V.J., et al, (1981, p.76-81) MP 1494

Cylindrical phase change approximation with effective thermal diffusivity Lunardini, V.J., (1981, p.147-154) MP 1438

Effect of freezing and thawing on resilient modulus of granular soils Cole, D.M., et al, (1981, p.19-26) MP 1484

Deforming finite elements with and without phase change. Lynch, D.R., et al, (1981, p.81-96) MP 1493

Phase change around a circular cylinder. Lunardini, V.J., (1981, p.598-600) MP 1507

Guide to managing the pothole problem on roads. Eaton, R.A., et al, (1981, 24p.) SR 81-21

Heat conduction with phase changes Lunardini, V.J., (1981, 14p.) CR 81-25

Potholes the problem and solutions Eaton, R.A., (1982, p.160-162) MP 1504

Piling in frozen ground Crory, F.E., (1982, p.112-124) MP 1722

Understanding the Arctic sea floor for engineering purposes. (1982, 141p.) SR 83-25

Conduction phase change beneath insulated heated or cooled structures. Lunardini, V.J., (1982, 40p.) CR 82-22

Full-depth and granular base course design for frost areas. Eaton, R.A., et al, (1983, p.27-39) MP 1422

Solution of two-dimensional freezing and thawing problems. O'Neill, K., (1983, p.653-658) MP 1584

Approximate phase change solutions for insulated buried cylinders Lunardini, V.J., (1983, p.25-32) MP 1593

Freezing and thawing heat balance integral approximations. Lunardini, V.J., (1983, p.30-37) MP 1597

Approximate solution to conduction freezing with density variation Lunardini, V.J., (1983, p.43-45) MP 1598

Computer models for two-dimensional transient heat conduction. Albert, M.R., (1983, 66p.) CR 83-12

Field tests of a frost-heave model. Guymon, G.L., et al, (1983, p.409-414) MP 1657

Comparison of two-dimensional domain and boundary integral geothermal models with embankment freeze-thaw field data Hromadka, T.V., II, et al, (1983, p.509-513) MP 1659

Fixed mesh finite element solution for cartesian two-dimensional phase change O'Neill, K., (1983, p.436-441) MP 1702

Simple model of ice segregation using an analytic function to model heat and soil-water flow. Hromadka, T.V., II, et al, (1984, p.99-104) MP 2104

Design implications of subsoil thawing Johnson, T.C., et al, (1984, p.45-103) MP 1706

Accumulation, characterization, and stabilization of sludges for cold regions lagoons Schneiter, R.W., et al, (1984, 40p.) SR 84-08

Conductive backfill for improving electrical grounding in frozen soils Sellmann, P.V., et al, (1984, 19p.) SR 84-17

Design and performance of water-retaining embankments in permafrost Sayles, F.H., (1984, p.31-42) MP 1850

New classification system for the seasonal snow cover Colbeck, S.C., (1984, p.179-181) MP 1921

Salt action on concrete Sayward, J.M., (1984, 69p.) SR 84-25

Freeze thaw cycles *(cont.)*

Radar investigations above the trans-Alaska pipeline near Fairbanks. Arcone, S A., et al, (1984, 15p) CR 84-27

Automateri soils freezing test. Chamberlain, E J., (1985, 5p) MP 1892

Hydraulic properties of selected soils. Ingersoll, J., et al, (1985, p 26-35) MP 1925

Potential use of artificial ground freezing for contaminant immobilization. Iskandar, I.K., et al, (1985, 10p) MP 2029

Seasonal variations in pavement performance Johnson, T.C., (1985, c21p) MP 2076

Freeze thaw consolidation of sediments, Beaufort Sea, Alaska. Lee, H.J., et al, (1985, 83p) MP 2025

Model of freezing front movement. Hromadka, T.V., II, et al, (1985, 9p.) MP 2077

Survey of airport pavement distress in cold regions Vinson, T.S., et al, (1986, p 41-50) MP 2002

Lessons learned from examination of membrane roofs in Alaska. Tobiasson, W., et al, (1986, p 277-290) MP 2003

Effects of freeze thaw cycles on granular soils for pavements. Cole, D.M., et al, (1986, 70p) CR 86-04

Engineering surveys along the Trans-Alaska Pipeline. Godfrey, R.N., et al, (1986, 85p) SR 86-28

Deformation of pavements during freeze thaw cycles. Johnson, T.C., et al, (1986, 138p) CR 86-13

Resilient moduli of soil specimens in the frozen and thawed states. Johnson, T.C., et al, (1986, 62p) CR 86-12

Frost action on roads and airfields. Johnson, T.C., et al, (1936, 45p.) CR 86-18

Mechanical and physical properties of soils in cold regions Chamberlain, E.J., (1987, p.155-161) MP 2415

Snow/ice/frozen ground properties: working group report. Sterrett, K.F., et al, (1987, p.163-166) MP 2416

Developing a thawing model for sludge freezing beds Martel, C.J., (1988, p 1426-1430) MP 2372

On the design of polymeric composite structures for cold regions applications. Lord, H.W., et al, (1988, p 435-458) MP 2395

Unfrozen water content of undisturbed frozen silt. Tice, A.R., et al, (1988, 17p) CR 88-19

Snowmelt increase through albedo reduction. Colbeck, S.C., (1988, 11p) SR 88-26

Predicting freezing design depth of sludge-freezing beds Martel, C.J., (1988, p.145-156) MP 2461

Response of runway pavement to freeze thaw cycles. Allen, W.L., et al, (1989, 31p) SR 89-02

Physical changes in clays due to frost action Chamberlain, E.J., (1989, p 863-893) MP 2595

Monitoring pavement performance in seasonal frost areas Berg, R.L., (1989, p.10-19) MP 2564

Resilient modulus determination for frost conditions Chamberlain, E.J., et al, (1989, p 320-333) MP 2569

Undersaturation in thawed permafrost at the beginning of freezeback. Ayorinde, O.A., (1990, p 317-321) MP 2582

Proceedings (1990, 318p) SR 90-01

Effect of freeze-thaw cycles on soils Chamberlain, E., et al, (1990, p.145-155) MP 2678

Fate and transport of contaminants in frozen soils Ayorinde, O A., et al, (1990, p.202-211) MP 2679

FREEZE THAW INDEXES

Heat exchange at the ground surface. Scott, R.F., (1964, 49p. plus append) M II-A1

Freeze thaw tests

Melting and freezing of a drill hole through the Antarctic shelf ice Tien, C., et al, (1975, p 421-432) MP 861

Remote-reading tensiometer for use in subfreezing temperatures. McKim, H L., et al, (1976, p.31-45) MP 897

Repetitive loading tests on membrane enveloped road sections during freeze thaw. Smith, N., et al, (1977, p 171-197) MP 962

Freeze-thaw tests of liquid deicing chemicals on selected pavement materials Minsk, L.D., (1977, 16p) CR 77-28

Effects of moisture and freeze-thaw on rigid thermal insulations Kaplar, C.W., (1978, p.403-417) MP 1085

Freeze thaw loading tests on membrane enveloped road sections Smith, N., et al, (1978, p 1277-1288) MP 1158

Overconsolidation effects of ground freezing Chamberlain, E J., (1980, p.325-337) MP 1452

Neumann solution applied to soil systems Lunardini, V.J., (1980, 7p) CR 80-22

Simulating frost action by using an instrumented soil column Ingersoll, J., et al, (1981, p 34-42) MP 1485

Comparative evaluation of frost-susceptibility tests Chamberlain, E.J., (1981, p 42-52) MP 1486

Phase change around insulated buried pipes: quasi-steady method Lunardini, V.J., (1981, p 201-207, MP 1496

Freeze-thaw test to determine the frost susceptibility of soils Chamberlain, E.J., (1987, 90p) SR 87-1

Freeze thaw tests of road and airfield subgrade soils Cole, D M., et al, (1987, 36p) CR 87-02

Influence of thermal cycling on fiber composites Dutta, P.K., et al, (1988, p 141-147) MP 2435

Structural fiber composite materials for cold regions Dutta, P.K., (1988, p.124-134) MP 2405

Response of advanced composite space materials to thermal cycling. Dutta, P.K., et al, (1988, p.506-517) MP 2478

Development and design of sludge freezing beds. Martel, C.J., (1988, 49p) CR 88-20

Sludge dewatering by natural freeze-thaw. Martel, C.J., (1990, p.116-122) MP 2714

Freezeup

Seasonal regime and hydrological significance of stream icings in central Alaska. Kane, D.L., et al, (1973, p.528-540) MP 1026

Ice formation and breakup on Lake Champlain Bates, R.E., (1980, p.125-143) MP 1429

Ottauquechee River—analysis of freeze-up processes Calkins, D.J., et al, (1982, p.2-37) MP 1738

St Lawrence River freeze-up forecast. Shen, H T., et al, (1984, p.177-190) MP 1713

Forecasting water temperature decline and freeze-up in rivers. Shen, H.T., et al, (1984, 17p.) CR 84-19

Ice jam research needs. Gerard, R., (1984, p.181-193) MP 1813

Numerical simulation of freeze-up on the Ottauquechee River. Calkins, D.J., (1984, p 247-277) MP 1815

Ice regime reconnaissance, Yukon River, Yukon. Gerard, R., et al, (1984, p.1059-1073) MP 2406

Transient two-dimensional phase change. Albert, M.R., et al, (1985, p 229-243) MP 2162

Instrumentation for an uplifting ice force model. Zabilansky, L.J., (1985, p 1430-1435) MP 2091

St Lawrence River freeze-up forecast Foltyn, E.P., et al, (1986, p 467-481) MP 2120

Modelling trash rack freezeup by frazil ice Daly, S F., (1987, p 101-106) MP 2305

Ice cover distribution in Vermont and New Hampshire Atlantic salmon rearing streams. Calkins, D.J., et al, (1988, p 85-96) MP 2473

FREEZING

Freezing process and mechanics of frozen ground. Scott, R.F., (1969, 65p) M II-D1

Freezing

Heat and mass transfer from freely falling drops at low temperatures Zarling, J P., (1980, 14p) CR 80-18

Synoptic meteorology during the SNOW-ONE-A Field Experiment Bilello, M A., (1983, 80p.) SR 83-10

Two-dimensional heat conduction phase change. Albert, M R., et al, (1983, p 85-110) MP 2161

Modeling two-dimensional freezing. Albert, M R., (1984, 45p) CR 84-10

Technique for observing freezing fronts. Colbeck, S.C., (1985, p 13-20) MP 1861

Prevention of freezing of wastewater treatment facilities. Reed, S C., et al, (1985, 49p.) SR 85-11

Heat conduction phase change problems. Albert, M R., et al, (1986, p 591-607) MP 2159

Problems and opportunities with winter wastewater treatment. Reed, S C., (1986, p 16-20) MP 2205

Conduction heat transfer with freezing/thawing. Lunardini, V J., (1987, p 55-64) MP 2304

Geochemistry of freezing brines. Thurmond, V.L., et al, (1987, 11p) CR 87-13

Rational design of sludge freezing beds. Martel, C.J., (1988, p 575-581) MP 2343

Thermal conductivity of sludges Vesilind, P.A., et al, (1989, p 241-245) MP 2632

International Symposium on Cold Regions Heat Transfer, 1989 (1989, 314p) MP 2636

Freezing indexes

Drainage and frost action criteria for a pavement design Berg, R L., (1979, 51p) SR 79-15

Freezing nuclei

Studies of high-speed rotor icing under natural conditions Itagaki, K., et al, (1983, p 117-123) MP 1635

Freezing points

Bottom heat transfer to water bodies in winter O'Neill, K., et al, (1981, 8p) SR 81-18

Effect of variable thermal properties on freezing with an unfrozen water content Lunardini, V J., (1988, p 1127-1132) MP 2370

Chemical aspects of soil freezing Henry, K., (1988, 8p) CR 88-17

Freezing potential (electrical)

Electrical freezing potential of soils Kelsh, D J et al, (1988, 9p) CR 88-10

Freezing rate

Thin ice growth Ashton, G.D., (1989, p 564-566) MP 2657

Friction

Comment on 'Water drag coefficient of first-year sea ice' by M P Langleben Andreas, E L., et al, (1983, p 779-782) MP 1577

Constitutive relations for a planar, simple shear flow of rough disks Shen, H H., et al, (1985, 17p) CR 85-20

FROST ACTION

Freezing process and mechanics of frozen ground Scott, R F (1969, 65p) M II-D1

Frost action

Frost action in New Jersey highways Berg, R L., et al, (1978, 80p) SR 78-09

Small scale testing of soils for frost action Sayward, J M., (1979, p 223-231) MP 1309

Soil tests for frost action and water migration. Sayward, J.M., (1979, 17 p) SR 79-17

Construction of foundations in permafrost. Linell, K.A., et al, (1980, 310p.) SR 80-34

Pothole primer; a public administrator's guide to understanding and managing the pothole problem. Eaton, R.A., coord, (1981, 24p) MP 1416

Simulating frost action by using an instrumented soil column. Ingersoll, J., et al, (1981, p.34-42) MP 1485

Computer models for two-dimensional steady-state heat conduction. Albert, M R., et al, (1983, 90p) CR 83-10

Revised procedure for pavement design under seasonal frost conditions Berg, R., et al, (1983, 129p) SR 83-27

Frost action and its control Berg, R L., ed, (1984, 145p) MP 1704

Deteriorated building panels at Sondrestrom, Greenland. Korhonen, C., (1985, p.7-10) MP 2017

Vertically stable benchmarks, a synthesis of existing information. Gatto, L.W., (1985, p 179-188) MP 2069

Arctic and subarctic construction. general provisions. Lobacz, E.F., (1986, 75p) SR 86-17

Frost action predictive techniques: an overview of research results. Johnson, T.C., et al, (1986, p.147-161) MP 2267

Performance of pavement: at Central Wisconsin Airport. Stark, J., et al, (1989, p.92-103) MP 2463

Deep frost effects on a longitudinal edge drain. Allen, W.L., (1989, p 343-352) MP 2469

Physical changes in clays due to frost action. Chamberlain, E.J., (1989, p 863-893) MP 2595

State of the art of pavement response monitoring systems for roads and airfields (1989, 401p.) SR 89-23

Data acquisition: first the FERF then the world. Knuth, K.V., (1989, p 136-138) MP 2567

Frost forecasting

Relationships between January temperatures and the winter regime in Germany Bilello, M A., et al, (1979, p.17-27) MP 1218

FROST HEAVE

Cold room studies on frost susceptible soils. (1950, 25p.) ACFEL MP BL 1

Foundations of structures in cold regions. Sanger, F.J., (1969, 91p) M III-C4

Frost heave

Heat and moisture flow in freezing and thawing soils—a field study Berg, R.L., (1975, p 148-160) MP 1612

Influence of insulation upon frost penetration beneath pavements. Eaton, R A., et al, (1976, 41p.) SR 76-06

Galerkin finite element analog of frost heave. Guymon, G L., et al, (1976, p.111-113) MP 898

Mathematical model to predict frost heave Berg, R.L., et al, (1977, p 92-109) MP 1131

Segregation freezing as the cause of suction force for ice lens formation Takagi, S., (1978, p 45-51) MP 1081

Segregation freezing as the cause of suction force for ice lens formation Takagi, S., (1978, 13p) CR 78-06

Effects of subgrade preparation upon full depth pavement performance in cold regions Eaton, R A., (1978, p 459-473) MP 1087

Frost action in New Jersey highways Berg, R L., et al, (1978, 80p) SR 78-09

Design of airfield pavements for seasonal frost and permafrost conditions. Berg, R.L., et al, (1978, 58p) MP 1189

Thermal and load-associated distress in pavements. Johnson, T C., et al, (1978, p 403-437) MP 1209

Full-depth pavement considerations in seasonal frost areas. Eaton, R.A., et al, (1979, 24p) MP 1188

Small-scale testing of soils for frost action Sayward, J M., (1979, p 223-231) MP 1309

Soil tests for frost action and water migration. Sayward, J M., (1979, 17 p) SR 79-17

Mathematical model to correlate frost heave of pavements. Berg, R L., et al, (1980, 49p) CR 80-10

Frost heave in an instrumented soil column Berg, R.L., et al, (1980, p 211-221) MP 1331

Summary of the adsorption force theory of frost heaving Takagi, S., (1980, p 233-236) MP 1332

Frost heave model based upon heat and water flux Guymon, G L., et al, (1980, p 253-262) MP 1333

Adsorption force theory of frost heaving Takagi, S., (1980, p 57-81) MP 1334

Numerical solutions for rigid ice model of secondary frost heave O'Neill, K., et al, (1980, p 656-669) MP 1454

Construction of foundations in permafrost Linell, K A., et al, (1980, 310p) SR 80-34

Results from a mathematical model of frost heave Guymon G L., et al (1981, p 26) MP 1483

Comparative evaluation of frost-susceptibility tests Chamberlain, E J., (1981, p 42-52) MP 1486

CRREL frost heave test, USA Chamberlain, E J., et al, (1981, p 55-62) MP 1499

Ice segregation in a frozen soil column Guymon, G L., et al (1981, p 127-140) MP 1534

Frost susceptibility of soil, review of index tests Chamberlain, E J., (1981, 110p) M 81-02

Numerical solutions for a rigid ice model of secondary frost heave O'Neill, K., et al, (1982, 11p) CR 82-13

Relationship between the ice and unfrozen water phases in frozen soil Tice, A R., et al, (1982, 9p) CR 82-15

Initial stage of the formation of soil-laden ice lenses. Takagi, S., (1982, p.223-232) MP 1596
Frost susceptibility of soil, review of index tests. Chamberlain, E.J., (1982, 110p.) MP 1557
Frost heave model. Hromadka, T.V., II, et al. (1982, p.1-10) MP 1567
Full-depth and granular base course design for frost areas. Eaton, R.A., et al, (1983, p.27-39) MP 1692
Physics of mathematical frost heave models: a review. O'Neill, K., (1983, p.275-291) MP 1588
Frost heave of saline soils. Chamberlain, E.J., (1983, p.121-126) MP 1655
Field tests of a frost-heave model. Guymon, G.L., et al, (1983, p.409-414) MP 1657
Frozen soil-water diffusivity under isothermal conditions. Nakano, Y., et al, (1983, 8p.) CR 83-22
Revised procedure for pavement design under seasonal frost conditions. Berg, R., et al, (1983, 129p.) SR 83-27
Offshore mechanics and Arctic engineering symposium, 1984. (1984, 3 vols.) MP 1675
Two-dimensional model of coupled heat and moisture transport in frost heaving soils. Guymon, G.L., et al, (1984, p.91-98) MP 1678
Simple model of ice segregation using an analytic function to model heat and soil-water flow. Hromadka, T.V., II, et al, (1984, p.99-104) MP 2104
Frost action and its control. Berg, R.L., ed. (1984, 145p.) MP 1704
Designing for frost heave conditions. Crory, F.E., et al, (1984, p.22-44) MP 1705
Survey of methods for classifying frost susceptibility. Chamberlain, E.J., et al, (1984, p.104-141) MP 1707
Frost jacking forces on H and pipe piles embedded in Fairbanks silt. Johnson, J.B., (1984, 42p + appends.) MP 2271
Role of heat and water transport in frost heaving of porous soils. Nakano, Y., et al, (1984, p.93-102) MP 1842
Ice segregation and frost heaving. (1984, 72p.) MP 1809
Status of numerical models for heat and mass transfer in frost-susceptible soils. Berg, R.L., (1984, p.67-71) MP 1851
Mitigative and remedial measures for chilled pipelines in discontinuous permafrost. Sayles, F.H., (1984, p.61-62) MP 1974
Heat and moisture transfer in frost-heaving soils. Guymon, G.L., et al, (1984, p.336-343) MP 1765
Exploration of a rigid ice model of frost heave. O'Neill, K., et al, (1985, p.281-296) MP 1880
Automated soils freezing test Chamberlain, E.J., (1985, 5p.) MP 1892
Frost heave forces on piling. Esch, D.C., et al, (1985, 2p.) MP 1732
Phase equilibrium in frost heave of fine-grained soil. Nakano, Y., et al, (1985, p.50-68) MP 1896
Stefan problem in a finite domain. Takagi, S., (1985, 28p.) SR 85-08
Soil freezing response: influence of test conditions. McCabe, E.Y., et al, (1985, p.49-58) MP 1990
Experimental study on factors affecting water migration in frozen morin clay. Xu, X., et al, (1985, p.123-128) MP 1897
Partial verification of a thaw settlement model Guymon, G.L., et al, (1985, p.18-25) MP 1924
Hydraulic properties of selected soils Ingersoll, J., et al, (1985, p.26-35) MP 1925
Frost heave of full-depth asphalt concrete pavements Zoerman, J., et al, (1985, p.66-76) MP 1927
Frost jacking forces on H and pipe piles embedded in Fairbanks silt. Johnson, J.B., et al, (1985, p.125-133) MP 1930
Ion and moisture migration and frost heave in freezing Morin clay. Qiu, G., et al, (1986, p.1014) MP 1970
Natural electrical potentials that arise when soils freeze. Yarkin, I.G., (1986, 24p.) SR 86-12
Frost action predictive techniques: an overview of research results Johnson, T.C., et al, (1986, p.147-161) MP 2267
Evaluation of selected frost-susceptibility test methods. Chamberlain, E.J., (1986, 51p.) CR-86-14
Frost action on roads and airfields Johnson, T.C., et al, (1986, 45p.) CR 86-18
Freeze-thaw test to determine the frost susceptibility of soils Chamberlain, E.J., (1987, 90p.) SR 87-1
Bank conditions and erosion along selected reservoirs Gatto, L.W., et al, (1987, p.143-154) MP 2196
Benchmark design and installation: a synthesis of existing information Gatto, L.W., (1987, 73p.) SR 87-10
Foundation technology in cold regions Quinn, W.F., (1987, p.305-310) MP 2425
Evaluation of the X-ray radiography efficiency for heaving and consolidation observation Akagawa, S., (1988, p.23-28) MP 2376
Geotextiles and a new way to use them Henry, K., (1988, p.214-222) MP 2525
Frost heave forces on H and pipe foundation piles Buska, J.S., et al, (1988, p.1039-1044) MP 2367
New freezing test for determining frost susceptibility Chamberlain, E.J., (1988, p.1045-1050) MP 2368
Use of geotextiles to mitigate frost heave in soils Henry, K., (1988, p.1096-1101) MP 2369
Electrical freezing potential of soils. Kelsh, D.J., et al, (1988, 9p.) CR 88-10
Chemical aspects of soil freezing. Henry, K., (1988, 8p.) CR 88-17
Measurement of frost heave forces on H-piles and pipe piles. Johnson, J.B., et al, (1988, 49p.) CR 88-21
Response of runway pavement to freeze thaw cycles. Allen, W.L., et al, (1989, 31p.) SR 89-02
Comparison of insulated and noninsulated pavements. Kestler, M., et al, (1989, p.367-378) MP 2471
Radar profiling of Newton Airfield in Jackman, Maine. Martinson, C.R., (1989, 9p.) SR 89-04
Data acquisition: first the FERF then the world. Knuth, K.V., (1989, p.136-138) MP 2567
Steady growth of ice layer in freezing soils. Nakano, Y., (1990, p.207-226) MP 2695
X-ray photography of the frozen fringe of freezing soil. Akagawa, S., (1990, 69p.) SR 90-05
Case study of potential causes of frost heave. Henry, K.S., (1990, 35p.) SR 90-09
Frost mounds
Ice-cored mounds at Sukakpak Mountain, Brooks Range. Brown, J., et al, (1983, p.91-96) MP 1653
Frost penetration
Influence of insulation upon frost penetration beneath pavements. Eaton, R.A., et al, (1976, 41p.) SR 76-06
Mathematical model to predict frost heave. Berg, R.L., et al, (1977, p.92-109) MP 1131
Frost action in New Jersey highways. Berg, R.L., et al, (1978, 80p.) SR 78-09
Design of airfield pavements for seasonal frost and permafrost conditions. Berg, R.L., et al, (1978, 18p.) MP 1189
Full-depth pavement considerations in seasonal frost areas. Eaton, R.A., et al, (1979, 24p.) MP 1188
Drainage and frost action criteria for a pavement design. Berg, R.L., (1979, 51p.) SR 79-15
Determination of frost penetration by soil resistivity measurements. Atkins, R.T., (1979, 24p.) SR 79-22
Mathematical model to correlate frost heave of pavements. Berg, R.L., et al, (1980, 49p.) CR 80-10
Construction of an embankment with frozen soil. Botz, J.J., et al, (1980, 105p.) SR 80-21
Frost heave in an instrumented soil column. Berg, R.L., et al, (1980, p.211-221) MP 1331
Construction of foundations in permafrost. Linell, K.A., et al, (1980, 310p.) SR 80-34
Field studies of membrane encapsulated soil layers with additives. Eaton, R.A., et al, (1980, 46p.) SR 80-33
Laboratory and field use of soil tensiometers above and below 0 deg C. Ingersoll, J., (1981, 17p.) SR 81-07
Full-depth and granular base course design for frost areas. Eaton, R.A., et al, (1983, p.27-39) MP 1692
Field tests of a frost-heave model. Guymon, G.L., et al, (1983, p.409-414) MP 1657
Comparison of two-dimensional domain and boundary integral geothermal models with embankment freeze-thaw field data. Hromadka, T.V., II, et al, (1983, p.509-513) MP 1659
Designing for frost heave conditions. Crory, F.E., et al, (1984, p.22-44) MP 1705
Evaluating trafficability McKim, H.L., (1985, p.474-475) MP 2023
Arctic and subarctic construction: general provisions. Lobacz, E.F., (1986, 75p.) SR 86-17
Predicting freezing design depth of sludge-freezing beds. Martel, C.J., (1988, p.145-156) MP 2461
Deep frost effects on a longitudinal edge drain Allen, W.L., (1989, p.343-352) MP 2469
Comparison of insulated and noninsulated pavements Kestler, M., et al, (1989, p.367-378) MP 2471
Monitoring pavement performance in seasonal frost areas Berg, R.L., (1989, p.10-19) MP 2564
Determination of frost penetration by soil resistivity measurements. Atkins, R.T., (1989, p.87-100) MP 2565
Proceedings. (1990, 318p.) SR 90-01
Frost protection
Evaluation of MESL membrane--puncture, stiffness, temperature, solvents. Sayward, J.M., (1976, 60p.) CR 76-22
Utility distribution practices in northern Europe McFadden, T., et al, (1977, p.70-95) MP 928
Construction and performance of membrane encapsulated soil layers in Alaska Smith, N., (1979, 27p.) CR 79-16
Revised procedure for pavement design under seasonal frost conditions Berg, R., et al, (1983, 129p.) SR 83-27
Pavement design for seasonal frost conditions Berg, R.L., (1988, 12p.) MP 2547
Response of runway pavement to freeze thaw cycles Allen, W.L., et al, (1989, 31p.) SR 89-02
Frost resistance
Full-depth pavement considerations in seasonal frost areas Eaton, R.A., et al, (1979, 24p.) MP 1188
Field studies of membrane encapsulated soil layers with additives Eaton, R.A., et al, (1980, 46p.) SR 80-33
Comparative evaluation of frost-susceptibility tests Chamberlain, E.J., (1981, p.42-52) MP 1486
CRREL frost heave test, USA Chamberlain, E.J., et al, (1981, p.55-62) MP 1499
Frost action and its control Berg, R.L., ed. (1984, 145p.) MP 1704
Survey of methods for classifying frost susceptibility. Chamberlain, E.J., et al, (1984, p.104-141) MP 1707
Status of numerical models for heat and mass transfer in frost-susceptible soils. Berg, R.L., (1984, p.67-71) MP 1851
Stabilization of fine-grained soil for road and airfield construction. Danyluk, L.S., (1986, 37p.) SR 86-21
Evaluation of selected frost-susceptibility test methods. Chamberlain, E.J., (1986, 51p.) CR-86-14
Frost action on roads and airfields. Johnson, T.C., et al, (1986, 45p.) CR 86-18
Freeze-thaw test to determine the frost susceptibility of soils. Chamberlain, E.J., (1987, 90p.) SR 87-1
New freezing test for determining frost susceptibility. Chamberlain, E.J., (1988, p.1045-1050) MP 2368
Comparison of insulated and noninsulated pavements. Kestler, M., et al, (1989, p.367-378) MP 2471
Determination of frost penetration by soil resistivity measurements. Atkins, R.T., (1989, p.87-100) MP 2565
Use of soft grade asphalts in airfields and highway pavements in cold regions. Janoo, V.C., (1990, 47p.) SR 90-12
Frost weathering
Bank conditions and erosion along selected reservoirs. Gatto, L.W., et al, (1987, p.143-154) MP 2196
Frozen fines
Strength and deformation of frozen silt. Haynes, F.D., (1978, p.655-661) MP 1105
Resiliency of silt under asphalt during freezing and thawing. Johnson, T.C., et al, (1978, p.662-668) MP 1106
Frozen gravel
Permafrost excavating attachment for heavy bulldozers. Garfield, D.E., et al, (1977, p.144-151) MP 955
Design considerations for airfields in NPRA. Crory, F.E., et al, (1978, p.441-458) MP 1086
Frozen ground
Subsurface explorations in permafrost areas. Cass, J.R., Jr., (1959, p.31-41) MP 805
FROZEN GROUND
Characteristics of the cold regions. Gerdel, R.W., (1969, 51p.) M I-A
Frozen ground
Proposed size classification for the texture of frozen earth materials. McGaw, R., (1975, 10p.) MP 921
Stake driving tools: a preliminary survey. Kovacs, A., et al, (1977, 43p.) SR 77-13
Second progress report on oil spilled on permafrost. McFadden, T., et al, (1977, 46p.) SR 77-44
Determination of unfrozen water in frozen soil by pulsed nuclear magnetic resonance Tice, A.R., et al, (1978, p.149-155) MP 1097
Terminal ballistics in cold regions materials. Aitken, G.W., (1978, 6p.) MP 1182
Some aspects of Soviet trenching machines. Mellor, M., (1980, 13p.) SR 80-07
Nose shape and L/D ratios and projectile penetration in frozen soil. Richmond, P.W., (1980, 21p.) SR 80-17
Watershed modeling in cold regions. Stokely, J.L., (1980, 241p.) MP 1471
National Chinese Conference on Permafrost, 2nd, 1981 Brown, J., et al, (1982, 58p.) SR 82-03
Relationship between the ice and unfrozen water phases in frozen soil. Tice, A.R., et al, (1982, 8p.) CR 82-15
Effects of ice content on the transport of water in frozen soils. Nakano, Y., et al, (1984, p.28-34) MP 1841
Effects of ice content on the transport of water in frozen soil. Nakano, Y., et al, (1984, p.58-66) MP 1843
Conventional land mines in winter. Richmond, P.W., (1984, 23p.) SR 84-30
Transport of water in frozen soil. Nakano, Y., et al, (1984, p.172-179) MP 1819
Unfrozen water content in frozen ground. Xu, X., et al, (1985, p.83-87) MP 1929
Experimental and theoretical studies of acoustic-to-seismic coupling Albert, D.G., (1988, p.19-31) MP 2432
Observations of moisture migration in frozen soils during thawing Cheng, G., et al, (1988, p.308-312) MP 2373
Measurement of the unfrozen water content of soils: a comparison of NMR and TDR methods. Smith, M.W., et al, (1988, p.473-477) MP 2363
Octanol-water partition coefficients for organophosphonates. Britton, K.B., et al, (1988, 24p.) SR 88-11
Unfrozen water content of undisturbed frozen silt. Tice, A.R., et al, (1988, 17p.) CR 88-19
Investigations of dielectric properties of some frozen materials Arcone, S.A., et al, (1989, 18p.) CR 89-04
Unfrozen water contents of undisturbed and remolded Alaskan silt Tice, A.R., et al, (1989, p.103-111) MP 2683
Hydraulic conductivity and unfrozen water content of frozen silt Black, P.B., et al, (1990, p.323-329) MP 2551
Fate and transport of contaminants in frozen soils Ayorinde, O.A., et al, (1990, p.202-211) MP 2679
Frozen ground chemistry
Ionic migration and weathering in frozen Antarctic soils Ugolini, F.C., et al, (1973, p.461-470) MP 941
Frozen ground compression
Increasing the effectiveness of soil compaction at below-freezing temperatures Haas, W.M., et al, (1978, 48p.) SR 78-25

Frozen ground compression *(cont.)*
Deformation and failure of frozen soils and ice due to stresses. Fish, A.M., (1982, p.419-428; MP 1553
Frozen strength characterization of NH&S test sites in Montana. Chamberlain, E.J., et al, (1988, var. p.; MP 2617

FROZEN GROUND MECHANICS
Freezing process and mechanics of frozen ground. Scott, R.F., (1969, 65p.; M II-D1

Frozen ground mechanics
Seismic exploration in cold regions. Roethlisberger, H., (1972, 138p.; M II-A2a
Heat and moisture flow in freezing and thawing soils—a field study. Berg, R.L., (1975, p.148-160; MP 1612
Finite element model of transient heat conduction. Guymon, G.L., et al, (1977, 167p.; SR 77-38
Effect of freeze-thaw cycles on resilient properties of fine-grained soils. Johnson, T.C., et al, (19?? 19p.; MP 1002
Thermal and creep properties for frozen ground construction. Sanger, F.J., et al, (1978, p.95-117; MP 1624
Freeze thaw effect on resilient properties of fine soils. Johnson, T.C., et al, (1979, p.247-276; MP 1226
Thermal and creep properties for frozen ground construction. Sanger, F.J., et al, (1979, p.311-337; MP 1227
Application of the Andrade equation to creep data for ice and frozen soil. Ting, J.M., et al, (1979, p.29-36; MP 1802
Grouting silt and sand at low temperatures. Johnson, R., (1979, p.937-950; MP 1978
Mechanical properties of frozen ground. Ladanyi, B., et al, (1979, p.7-18; MP 1726
High-explosive cratering in frozen and unfrozen soils in Alaska. Smith, N., (1980, 21p.; CR 80-09
Dynamic testing of free field stress gages in frozen soil. Aitken, G.W., et al, (1980, 26p.; SR 80-30
Overconsolidation effects of ground freezing. Chamberlain, E.J., (1980, p.325-337; MP 1452
Construction of foundations in permafrost. Linell, K.A., et al, (1980, 310p.; SR 80-34
Simulating frost action by using an instrumented soil column. Ingersoll, J., et al, (1981, p.34-42; MP 1485
Site investigations and submarine soil mechanics in polar regions. Chamberlain, E.J., (1981, 18p.; SR 81-24
Thermal properties of soils. Farouki, O.T., (1981, 136p.; M 81-01
Deformation and failure of frozen soils and ice due to stresses. Fish, A.M., (1982, p.419-428; MP 1553
Frozen soil characteristics that affect land mine functioning. Richmond, P.W., (1983, 18p.; SR 83-05
Creep behavior of frozen silt under constant uniaxial stress. Zhu, Y., et al, (1983, p.1507-1512; MP 1805
Frozen soil-water diffusivity under isothermal conditions. Nakano, Y., et al, (1983, 8p.; CR 83-22
Thermodynamic model of soil creep at constant stresses and strains. Fish, A.M., (1983, 18p.; CR 83-33
Creep behavior of frozen silt under constant uniaxial stress. Zhu, Y., et al, (1984, p.33-48; MP 1807
Modeling the resilient behavior of frozen soils using unfrozen water content. Cole, D.M., (1984, p.823-834; MP 1715
Thermodynamic model of creep at constant stress and constant strain rate. Fish, A.M., (1984, p.143-161; MP 1771
Tertiary creep model for frozen sands (discussion) Fish, A.M., et al, (1984, p.1373-1378; MP 1810
Foundations in permafrost and seasonal frost; Proceedings. (1985, 62p.; MP 1730
Seasonal variations in pavement performance Johnson, T.C., (1985, c21p.; MP 2076
Creep and strength behavior of frozen silt in uniaxial compression. Zhu, Y., et al, (1987, 67p.; CR 87-10
Shape of creep curves in frozen soils and polycrystalline ice. Fish, A.M., (1987, p.623-629; MP 2329
Mechanical and physical properties of soils in cold regions. Chamberlain, E.J., (1987, p.155-161; MP 2415
State of the art: mechanical properties of frozen soil. Sayles, F.H., (1988, p.143-165; MP 2377
Geotextiles and a new way to use them. Henry, K., (1988, p.214-222; MP 2525
Use of geotextiles to mitigate frost heave in soils Henry, K., (1988, p.1096-1101; MP 2369
Some peculiarities of creep behavior of frozen silt Fish, A.M., (1989, p.721-724; MP 2601
Nonlinear problems in the study of water movement in frozen soils. Nakano, Y., (1989, p.383-393; MP 2719

Frozen ground physics
Evaluation of methods for calculating soil thermal conductivity Farouki, O., (1972, 90p.; CR 82-08
Applications of thermal analysis to cold regions Sterrett, K.F., (1976, p.167-181; MP 890
Calculating unfrozen water content of frozen soils McGaw, R., et al, (1976, p.114-122; MP 899
Computer program for determining electrical resistance in nonhomogeneous ground Arcone, S.A., (19??, 16p.; CR 77-02
NMR phase composition measurements on moist soils Tice, A.R., et al, (1978, p.11-14; MP 1210
Electrical resistivity of frozen ground Arcone, S.A., (1979, p.32-37; MP 1623
Determination of frost penetration by soil resistivity measurements. Atkins, R.T., (1979, 24p.; SR 79-22
Electron microscope investigations of frozen and unfrozen bentonite. Kumai, M., (1979, 14p.; CR 79-28
Thermal diffusivity of frozen soil. Haynes, F.D., et al, (1980, 30p.; SR 80-30
VHF electrical properties of frozen ground near Point Barrow, Alaska. Arcone, S.A., et al, (1981, 18p.; CR 81-13
Phase change around a circular cylinder. Lunardini, V.J., (1981, p.598-600; MP 1507
Heat conduction with phase changes. Lunardini, V.J., (1981, 14p.; CR 81-25
Acoustic emissions during creep of frozen soils. Fish, A.M., et al, (1982, p.194-206; MP 1695
Understanding the Arctic sea floor for engineering purposes. (1982, 141p.; SR 83-25
Mobility of water in frozen soils. Lunardini, V.J., et al, (1982, c15p.; MP 2012
Electrical properties of frozen ground, Point Barrow, Alaska. Arcone, S.A., et al, (1982, p.485-492; MP 1572
Transport of water in frozen soil, Part I. Nakano, Y., et al, (1982, p.221-226; MP 1629
Physics of mathematical frost heave models: a review. O'Neill, K., (1983, p.275-291; MP 1508
Effects of ice on the water transport in frozen soil. Nakano, Y., et al, (1983, p.15-26; MP 1601
Relationship between ice and unfrozen water in frozen soils. Tice, A.R., et al, (1983, p.37-46; MP 1632
Water migration due to a temperature gradient in frozen soil. Oliphant, J.L., et al, (1983, p.951-956; MP 1666
Offshore mechanics and Arctic engineering symposium, 1984, (1984, 3 vols.; MP 1675
Two-dimensional model of coupled heat and moisture transport in frost heaving soils. Guymon, G.L., et al, (1984, p.91-98; MP 1678
Field dielectric measurements of frozen silt using VHF pulses. Arcone, S.A., et al, (1984, p.29-37; MP 1774
Dielectric measurements of frozen silt using time domain reflectometry. Delaney, A.J., et al, (1984, p.39-46; MP 1775
Conductive backfill for improving electrical grounding in frozen soils. Sellmann, P.V., et al, (1984, 19p.; SR 84-17
Effects of magnetic particles on the unfrozen water content in soils. Tice, A.R., et al, (1984, p.63-73; MP 1790
Pulse transmission through frozen silt. Arcone, S.A., (1984, 9p.; CR 84-17
Snow, ice and frozen ground research at the Sleepers River, VT. Pangburn, T., et al, (1984, p.229-240; MP 2071
Deuterium diffusion in a soil-water-ice mixture. Oliphant, J.L., et al, (1984, 11p.; SR 84-27
Coaxial waveguide reflectometry for frozen ground and ice. Delaney, A.J., et al, (1984, p.428-431; MP 2048
Impulse radar sounding of frozen ground. Kovacs, A., et al, (1985, p.28-40; MP 1952
Effects of soluble salts on the unfrozen water content in silt. Tice, A.R., et al, (1985, p.99-109; MP 1933
Water migration in frozen clay under linear temperature gradients. Xu, X., et al, (1985, p.111-122; MP 1934
Experimental study on factors affecting water migration in frozen morin clay. Xu, X., et al, (1985, p.123-128; MP 1897
Model for dielectric constants of frozen soils. Oliphant, J.L., (1985, p.46-57; MP 1926
Frozen ground physics. Fish, A.M., (1985, p.29-36; MP 1928
Factors affecting water migration in frozen soils. Xu, X., et al, (1987, 16p.; CR 87-09
Mechanical and physical properties of soils in cold regions. Chamberlain, E.J., (1987, p.155-161; MP 2415
Snow/ice/frozen ground properties. working group report Sterrett, K.F., et al, (1987, p.163-166; MP 2416
Ground motion induced by an acoustic pulse, and its wintertime variations. Peck, L., (1988, p.361-385; MP 2597
State of the art: mechanical properties of frozen soil Sayles, F.H., (1988, p.143-165; MP 2377
Microstructure of frozen soils examined by SEM kumai, M., (1988, p.390-395; MP 2361
Borehole investigations of the electrical properties of frozen silt. Arcone, S.A., et al, (1988, p.910-915; MP 2364
Physical changes in clays due to frost action Chamberlain, E.J., (1989, p.363-393; MP 2595
Acoustically induced ground motion in sand under water conditions Peck, L., (1989, p.37-54; MP 2626
Proceedings (1990, 318p.; SR 90-01

Frozen ground settling
Overconsolidation effects of ground freezing Chamberlain, E.J., (1980, p.325-337; MP 1452
Comparative analysis of the USSR construction codes and the US Army technical manual for design of foundations on permafrost Fish, A.M., (1982, 20p.; CR 82-14

Frozen ground strength
Excavating rock, ice, and frozen ground by electromagnetic radiation Hoekstra, P., (1976, 17p.; CR 76-36
Effect of temperature on the strength of frozen silt Haynes, F.D., et al, (1977, 22p.; CR 77-03
Permafrost excavating attachment for heavy bulldozers Garfield, D.E., et al, (1977, p.144-151; MP 955
Ground pressures exerted by underground explosions. Johnson, P.R., (1978, p.284-290; MP 1520
Mechanical properties of frozen ground. Ladanyi, B., et al, (1979, p.7-18; MP 1726
Construction of an embankment with frozen soil. Butz, J.J., et al, (1980, 105p.; SR 80-21
Use of piling in frozen ground. Crory, F.E., (1980, 21 p.; MP 1607
Kinetic nature of the long term strength of frozen soils. Fish, A.M., (1980, p.95-108; MP 1480
Strength of frozen silt as a function of ice content and dry unit weight. Sayles, F.H., et al, (1980, p.109-119; MP 1451
Overconsolidation effects of ground freezing. Chamberlain, E.J., (1980, p.325-337; MP 1452
Small caliber projectile penetration in frozen soil. Richmond, P.W., (1980, p.801-823; MP 1490
Phase change around a circular pipe. Lunardini, V.J., (1980, 18p.; CR 80-27
Design of foundations in areas of significant frost penetration. Linell, K.A., et al, (1980, p.118-184; MP 1358
Excavation of frozen materials. Moore, H.E., et al, (1980, p.323-345; MP 1360
Acoustic emissions during creep of frozen soils. Fish, A.M., et al, (1982, p.194-206; MP 1695
Alaska Good Friday earthquake of 1964. Swinnow, G.K., (1982, 26p.; CR 82-01
Testing shaped charges in unfrozen and frozen silt in Alaska. Smith, N., (1982, 16p.; SR 82-02
Piling in frozen ground. Crory, F.E., (1982, p.112-124; MP 1722
Deformation and failure of frozen soils and ice due to stresses. Fish, A.M., (1982, p.419-428; MP 1553
Comparison of unfrozen water contents measured by DSC and NMR. Oliphant, J.L., et al, (1982, p.115-121; MP 1594
Freezing of soil with surface convection. Lunardini, V.J., (1982, p.205-212; MP 1595
Initial stage of the formation of soil-laden ice lenses. Takagi, S., (1982, p.223-232; MP 1596
Effect of loading on the unfrozen water content of silt. Oliphant, J.L., et al, (1983, 17p.; SR 83-10
Creep behavior of frozen silt under constant uniaxial stress. Zhu, Y., et al, (1983, p.1507-1512; MP 1805
Erosion of perennially frozen streambanks. Lawson, D.E., (1983, 22p.; CR 83-29
Compressive strength of frozen silt. Zhu, Y., et al, (1984, p.3-15; MP 1773
Seasonal soil conditions and the reliability of the M15 land mine. Richmond, P.W., et al, (1984, 35p.; SR 84-10
Shear strength in the zone of freezing in saline soils. Chamberlain, E.J., (1985, p.566-574; MP 1879
Strain rate effect on the tensile strength of frozen silt. Zhu, Y., et al, (1985, p.153-157; MP 1880
Frozen ground physics. Fish, A.M., (1985, p.29-36; MP 1928
Shear strength anisotropy in frozen saline and freshwater soils. Chamberlain, E.J., (1985, p.189-194; MP 1931
Repeated load triaxial testing of frozen and thawed soils. Cole, D.M., et al, (1985, p.166-170; MP 2008
Tensile strength of frozen silt. Zhu, Y., et al, (1986, p.15-28; MP 1971
Effects of freeze thaw cycles on granular soils for pavements. Cole, D.M., et al, (1986, 70p.; CR 86-06
Some developments in shaped charge technology. Meller, M., (1986, 29p.; SR 86-18
Auger bit for frozen fine-grained soil. Sellmann, P.V., et al, (1986, 13p.; SR 86-36
Classification and laboratory testing of artificially frozen ground Sayles, F.H., et al, (1987, p.22-48; MP 2227
Creep and strength behavior of frozen silt in uniaxial compression Zhu, Y., et al, (1987, 67p.; CR 87-10
Tensile strength of frozen silt. Zhu, Y., et al, (1987, 23p.; CR 87-15
CRREL Hopkinson bar apparatus. Datta, P.K., et al, (1987, 29p.; SR 87-24
Freezing a temporary roadway for transport of a 3000 ton dragline. Mashman, D., et al, (1988, p.357-365; MP 2378
Drilling in frozen ground, bitumens and concretes. Sellmann, P.V., et al, (1988, 10p.; SR 88-08
Triaxial compressive strength of frozen soils under constant strain rates Zhu, Y., et al, (1988, p.1200-1205; MP 2371
Frozen strength characterization of NH&S test sites in Montana Chamberlain, E.J., et al, (1988, var. p.; MP 2617
Unfrozen water contents of six antarctic soil materials. Anderson, D.M., et al, (1989, p.353-366; MP 2470
Some peculiarities of creep behavior of frozen silt. Fish, A.M., (1989, p.721-724; MP 2601
Blasting and blast effects in cold regions. Part 3. explosions in ground materials Meller, M., (1989, 62p.; SR 89-15
Strength of soils and rocks at low temperatures Sellmann, P.V., (1989, p.189-190; MP 2605

Frozen ground temperature
Slumping failure of an Alaskan earth dam Collins, C.M., et al, (1977, 21p.; SR 77-21

Freezing of soil with surface convection. Lunardini, V.J., (1982, p.205-212;) MP 1995

Relationship between ice and unfrozen water in frozen soils. Tice, A.R., et al, (1983, p.37-46;) MP 1632

Relationships between estimated mean annual air and permafrost temperatures in North-Central Alaska. Haugen, R.K., et al, (1983, p.462-467;) MP 1650

Design implications of subsoil thawing. Johnson, T.C., et al, (1984, p.45-103;) MP 1706

Prototype drill for core sampling fine-grained perennially frozen ground. Brockett, B.E., et al, (1985, 29p.;) CR 85-01

Review of analytical methods for ground thermal regime calculations. Lunardini, V.J., (1985, p.206-257;) MP 1922

Frozen ground physics. Fish, A.M., (1985, p.29-36;) MP 1928

Soil-water potential and unfrozen water content and temperature. Xu, X., et al, (1985, p.1-16;) MP 1932

Drill bits for frozen fine-grained soils. Sellmann, P.V., et al, (1986, 33p.;) SR 86-27

Transport of water in frozen soil 6. Effects of temperature. Nakano, Y., et al, (1987, p.44-50;) MP 2213

Tracking freezing front movement using boundary element method. Hromadka, T.V., II, (1987, 54p.;) SR 87-08

Rate of water transport due to temperature gradients in frozen soils. Nakano, Y., et al, (1988, p.412-417;) MP 2362

Unfrozen water contents of ice antarctic soil materials. Anderson, D.M., et al, (1989, p.352-366;) MP 2470

Frozen ground thermodynamics

Segregation-freezing temperature as the cause of suction force. Takagi, S., (1977, p.59-66;) MP 901

Segregation freezing as the cause of suction force for ice lens formation. Takagi, S., (1978, p.45-51;) MP 1001

Thermal and creep properties for frozen ground construction. Sanger, F.J., et al, (1978, p.95-117;) MP 1624

Thermal and creep properties for frozen ground construction. Sanger, F.J., et al, (1979, p.311-337;) MP 1227

Introduction to the basic thermodynamics of cold capillary systems. Colbeck, S.C., (1981, 9p.;) SR 81-06

Thermal properties of soils. Farouki, O.T., (1981, 136p.;) M 81-01

Thermodynamic model of soil creep at constant stresses and strains. Tuma, A.M., (1983, 18p.;) CR 83-33

Heat distribution research. Phetteplace, G., (1986, p.2-;) MP 2150

Model of heat and soil-water flow coupled by soil-water phase change. Hromadka, T.V., II, (1987, 126p.;) SR 87-09

Frozen lakes

Imaging radar observations of frozen Arctic lakes. Elachi, C., et al, (1976, p.169-175;) MP 1284

Investigation of the LIZ-3 Dew Line Station water supply lake. Kovacs, A., (1990, 10p.;) SR 90-11

Frozen rock strength

Blasting and blast effects in cold regions. Part 3 explosives in ground materials. Mellor, M., (1989, 62p.;) SR 89-15

Strength of soils and rocks at low temperatures. Sellmann, P.V., (1989, p.189-190;) MP 2685

Frozen rock temperature

Engineering properties of subarctic permafrost near Prudhoe Bay. Chamberlain, E.J., et al, (1978, p.629-635;) MP 1104

Frozen sand

Design considerations for airfields in NPRA. Croxy, F.E., et al, (1978, p.441-458;) MP 1086

Fuel transport

Effects of ice on coal movement via the inland waterways. Lunardini, V.J., et al, (1981, 72p.;) SR 81-13

Fuels

Low temperature automotive emissions. Coretti, H.J., (1983, 2 vols.;) MP 1703

Gas chromatography

Vapor pressure of TNT by gas chromatography. Leggett, D.C., (1977, p.83-90;) MP 915

Gas inclusions

Continuous monitoring of total dissolved gases, a feasibility study. Jenkins, T.F., (1975, p.101-105;) MP 851

Gas inclusions in the Antarctic ice sheet. Gow, A.J., et al, (1975, p.5101-5108;) MP 847

Viking GCMS analyses of water in the Martian regolith. Anderson, D.M., et al, (1978, p.55-61;) AP 1195

Equations for determining the gas and brine volumes in sea ice samples. Cox, G.F.N., et al, (1982, 1 ;) CR 82-30

Mathematical simulation of nitrogen interactions in soils. Selim, H.M., et al, (1983, p.241-248;) MP 2051

Equations for determining gas and brine volumes in sea ice. Cox, G.F.N., et al, (1983, p.306-316;) MP 2055

Gases

Trace gas analysis of Arctic and subarctic atmosphere. Murmansk, R.P., (1971, p.199-201;) MP 908

Mercury contamination of water samples. Cragin, J.H., (1979, p.313-319;) MP 1270

Geobotanical interpretation

Geobotanical studies on the Taku Glacier anomaly. Heusser, C.J., et al, (1956, p.224-239;) MP 1215

Environmental mapping of the Arctic National Wildlife Refuge, Alaska. Walker, D.A., et al, (1982, 64p. + 2 maps;) CR 82-37

Vegetation of Beechey Point, Alaska. Walker, D.A., et al, (1987, 63p.;) CR 87-05

Geochemistry

Geochemistry of freezing brines. Thurmond, V.L., et al, (1987, 11p.;) CR 87-13

Geochronology

Emerging meteorite: crystalline structure of the enclosing ice. Gow, A.J., et al, (1969, p.87-91;) MP 2503

Geodetic surveys

Geodetic positions of borehole sites in Greenland. March, S.J., (1976, 7p.;) CR 76-41

GEOLOGIC STRUCTURES

Geology and physiography of cold regions. Stearns, S.R., (1965, 40p.;) M I-A1

Geologic structures

Investigation of an airborne resistivity survey conducted at very low frequency. Arcone, S.A., (1977, 48p.;) CR 77-20

Remote sensing for reconnaissance of proposed construction site. McKim, H.L., et al, (1978, 9 leaves;) MP 1167

Proceedings of the second planetary water and polar processes colloquium, 1978. (1978, 209p.;) MP 1193

Remote sensing for earth dam site selection and construction materials. Merry, C.J., et al, (1980, p.158-170;) MP 1316

Fox permafrost tunnel: a late Quaternary geologic record in central Alaska. Hamilton, T.D., et al, (1988, p.948-969;) MP 2355

Geology

Bedrock geology survey in northern Maine. Sellmann, P.V., et al, (1976, 19p.;) CR 76-37

Geomorphology

Morphology of the North Slope. Walker, H.J., (1973, p.49-52;) MP 1006

Geobotanical atlas of the Prudhoe Bay region, Alaska. Walker, D.A., et al, (1980, 69p.;) CR 80-14

Tundra and analogous soils. Everett, K.R., et al, (1981, p.139-179;) MP 1405

Sediment load and channel characteristics in subarctic upland catchments. Slaughter, C.W., et al, (1981, p.39-48;) MP 1518

Ice-cored mounds at Sukakpak Mountain, Brooks Range. Brown, J., et al, (1983, p.91-96;) MP 1653

Periglacial landforms and processes, Kenai Mts., Alaska. Bailey, P.K., (1985, 60p.;) SR 85-03

Geophysical surveys

Geophysical methods for hydrological investigations in permafrost regions. Hoekstra, P., (1976, p.75-90;) MP 932

Bedrock geology survey in northern Maine. Sellmann, P.V., et al, (1976, 19p.;) CR 76-37

Selected examples of radiohm resistivity surveys for geotechnical exploration. Hoekstra, P., et al, (1977, 16p.;) SR 77-01

Geophysics in the study of permafrost. Scott, W.J., et al, (1979, p.93-115;) MP 1266

Electromagnetic survey in permafrost. Sellmann, P.V., et al, (1979, 7p.;) SR 79-14

Electrical resistivity of frozen ground. Arcone, S.A., (1979, p.32-37;) MP 1623

Subsea permafrost study in the Beaufort Sea, Alaska. Sellmann, P.V., et al, (1979, p.207-213;) MP 1991

Geophysics of subglacial geology at Dye 3, Greenland. Jezek, K.C., et al, (1985, p.105-110;) MP 1901

Workshop on Permafrost Geophysics, Golden, Colorado, 23-24 October 1984. Brown, J., ed, (1985, 112p.;) SR 85-05

Review of methods for generating synthetic seismograms. Peck, L., (1985, 34p.;) CR 85-10

Preparation of geophysical borehole site with ground ice. Fairbanks, AK, Delaney, A.J., (1987, 15p.;) SR 87-07

Antarctic ice sheet brightness temperature variations. Jezek, K.C., et al, (1990, p.217-223;) MP 2736

Germany

Snowfall amounts and snow depths in Germany and NE USA. Bates, R.E., et al, (1988, p.107-117;) MP 2001

—Munich

Frozen precipitation and weather, Munchen Riem, West Germany. Bilello, M.A., (1984, 47p.;) SR 84-32

Glacial deposits

Influence of irregularities of the bed of an ice sheet on deposition rate of till. Nobles, L.H., et al, (1971, p.117-126;) MP 1009

Sediments of the western Matanuska Glacier. Lawson, D.E., (1979, 112p.;) CR 79-09

Debris entrainment ice and glacial deposits. Lawson, D.E., (1979, p.629-635;) MP 1276

Diamictons at the margin of the Matanuska Glacier, Alaska. Lawson, D.E., (1981, p.78-84;) MP 1462

Deposits in the glacial environment. Lawson, D.E., (1981, 16p.;) CR 81-27

Subaerial sediment flows of the Matanuska Glacier, Alaska. Lawson, D.E., (1982, p.279-300;) MP 1096

Direct filtration of streamborne glacial silt. Ross, M.D., et al, (1982, 17p.;) CR 82-23

Pebble fabric in an ice-rafted diamicton. Dowdeswell, E.K., et al, (1985, p.691-704;) MP 1959

Glaciers and sediment. Bertage, A., et al, (1986, p.43-49;) MP 2154

Glacigenic reconcentration related to mass-movement processes. Lawson, D.E., (1989, p.147-160;) MP 2672

Glacial features

Influence of irregularities of the bed of an ice sheet on deposition rate of till. Nobles, L.H., et al, (1971, p.117-126;) MP 1009

Glacial geology

Sediments of the western Matanuska Glacier. Lawson, D.E., (1979, 112p.;) CR 79-09

Geophysics of subglacial geology at Dye 3, Greenland. Jezek, K.C., et al, (1985, p.105-110;) MP 1901

Glacial hydrology

Short-term forecasting of water run-off from snow and ice. Colbeck, S.C., (1977, p.571-588;) MP 1007

Glaciers and sediment. Bertage, A., et al, (1986, p.53-69;) MP 2154

Jökulhlaups from Strandline Lake, Alaska (especially the 1982 event). Sturm, M., et al, (1989, 19p.;) MP 2520

Glacial lakes

Jökulhlaups from ice-dammed Strandline Lake, Alaska. Sturm, M., et al, (1987, p.79-94;) MP 2307

Jökulhlaups from Strandline Lake, Alaska (especially the 1982 event). Sturm, M., et al, (1989, 19p.;) MP 2520

Glacial rivers

Direct filtration of streamborne glacial silt. Ross, M.D., et al, (1982, 17p.;) CR 82-23

Permafrost. Benson, C., et al, (1986, p.99-106;) MP 2156

Glacial till

Influence of irregularities of the bed of an ice sheet on deposition rate of till. Nobles, L.H., et al, (1971, p.117-126;) MP 1009

Sediments of the western Matanuska Glacier. Lawson, D.E., (1979, 112p.;) CR 79-09

Glacier ablation

Influence of irregularities of the bed of an ice sheet on deposition rate of till. Nobles, L.H., et al, (1971, p.117-126;) MP 1009

Subaerial sediment flow of the Matanuska Glacier, Alaska. Lawson, D.E., (1982, p.279-300;) MP 1096

Glacier beds

Geophysics of subglacial geology at Dye 3, Greenland. Jezek, K.C., et al, (1985, p.105-110;) MP 1901

Glacier flow

Geobotanical studies on the Taku Glacier anomaly. Heusser, C.J., et al, (1956, p.224-239;) MP 1215

Approach roads, Greenland 1955 program. (1959, 100p.;) MP 1522

Small-scale strain measurements on a glacier surface. Colbeck, S.C., et al, (1971, p.237-243;) MP 993

Influence of irregularities of the bed of an ice sheet on deposition rate of till. Nobles, L.H., et al, (1971, p.117-126;) MP 1009

Ice, Greenland: glacier freezing study. Ashton, G.D., (1978, p.256-264;) MP 1174

Ultrasonic investigation on ice cores from Antarctica. Kohnen, H., et al, (1979, 16p.;) CR 79-10

Glacier mechanics. Mellor, M., (1982, p.455-476;) MP 1532

Borehole geometry on the Greenland and Antarctic ice sheets. Jezek, K.C., (1985, p.242-251;) MP 1817

Recent glacier-volcano interactions on Mt. Redoubt, Alaska. Sturm, M., et al, (1988, 18p.;) MP 2431

GLACIER ICE

Snow and ice on the earth's surface. Mellor, M., (1964, 16?p.;) M II-C1

Characteristics of the cold regions. Gerdel, R.W., (1969, 51p.;) M I-A

Glacier ice

Influence of irregularities of the bed of an ice sheet on deposition rate of till. Nobles, L.H., et al, (1971, p.117-126;) MP 1009

C-14 and other isotope studies on natural ice. Oeschger, H., et al, (1972, p.D70-D95;) MP 1052

Depth of water-filled crevasses that are closely spaced. Robin, G. de Q., et al, (1974, p.543-548;) MP 1038

Changes in the composition of atmospheric precipitation. Cragin, J.H., et al, (1977, p.617-631;) MP 1079

Oxygen isotopes in the basal zone of Matanuska Glacier. Lawson, D.E., et al, (1978, p.673-685;) MP 1177

Radar wave speeds in polar glaciers. Jezek, K.C., et al, (1983, p.199-208;) MP 2057

Rheology of glacier ice. Jezek, K.C., et al, (1985, p.1333-1335;) MP 1866

Radioglaciology by V.V. Bogorodskii, et al. Jezek, K.C., (1985, p.55-56;) MP 2330

Airfields on antarctic glacier ice. Mellor, M., et al, (1989, 97p.;) CR 89-21

Dennison Range ice core characteristics, Antarctica. Mayewski, P.A., et al, (1990, p.11-16;) MP 2707

Glacier mass balance

Planetary and extraplanetary event records in polar ice caps. Zeller, E.J., et al, (1980, p.15-27;) MP 1461

Recent glacier volcano interactions on Mt. Redoubt, Alaska. Sturm, M., et al, (1988, 18p.;) MP 2431

Glacier melting

Approach roads, Greenland 1955 program. (1959, 100p.;) MP 1522

Glacier melting *(cont.)*
Subaerial sediment flow of the Matanuska Glacier, Alaska. Lawson, D.E., (1982, p.279-300); MP 1006
Glacier oscillation
Glaciology's grand unsolved problem. Weertman, J., (1976, p.284-286); MP 1056
Deposits in the glacial environment. Lawson, D.E., (1981, 16p.); CR 81-27
Snow cover and glacier variations. Colbeck, S.C., ed, (1989, 111p.); MP 2672
Glacier surfaces
Jökulhlaup involving a pothoted glacier in AK. Sturm, M., et al, (1990, p.125-126); MP 2708
Glacier surveys
Radio echo sounding in the Allan Hills, Antarctica. Kovacs, A., (1980, 9p.); SR 80-23
Bibliography on glaciers and permafrost, China, 1958-1979. Shen, J., ed, (1982, 44p.); SR 82-20
Glacier thickness
Radio echo sounding in the Allan Hills, Antarctica. Kovacs, A., (1980, 9p.); SR 80-23
Glaciers
Seismic exploration in cold regions. Roethlisberger, H., (1972, 136p.); M III-A2a
Water flow through veins in ice. Colbeck, S.C., (1976, 5p.); CR 76-06
Hydraulic translucence a seismic source in volcanoes and glaciers. St. Lawrence, W.F., et al, (1979, p.654-656); MP 1181
Dynamics of snow and ice masses. Colbeck, S.C., ed, (1980, 468p.); MP 1297
GLACIOLOGY
Snow and ice on the earth's surface. Mellor, M., (1964, 163p.); M III-C1
Glaciology
Snow and ice. Colbeck, S.C., et al, (1975, p.435-441, 475-487); MP 844
Danish deep drill, progress report February-March 1979. Rand, J.H., (1980, 37p.); SR 80-03
1979 Greenland Ice Sheet Program. Phase I coring operation. Rand, J.H., (1980, 18p.); SR 80-24
Cold Regions Science and Technology Bibliography. Cummings, N.H., (1981, p.73-75); MP 1372
Deposits in the glacial environment. Lawson, D.E., (1981, 16p.); CR 81-27
Bibliography on glaciers and permafrost, China, 1958-1979. Shen, J., ed, (1982, 44p.); SR 82-20
Proceedings of the Symposium on Applied Glaciology, 2nd, 1982. (1983, 316p.); MP 2054
Glaciological investigations using the synthetic aperture radar imaging system. Bindschadler, R.A., et al, (1987, p.11-19); MP 2342
Alaska synthetic aperture radar (SAR) facility project. Carsey, F., et al, (1987, p.593-596); MP 2608
Grain size
Antarctic soil studies using a scanning electron microscope. Kumai, M., et al, (1978, p.106-115); MP 1306
Grain changes in wet snow. Colbeck, S.C., (1979, p.371-384); MP 1567
Influence of grain size on the ductility of ice. Cole, D.M., (1984, p.150-157); MP 1686
Grain size and the compressive strength of ice. Cole, D.M., (1985, p.220-226); MP 1850
Grain size and the compressive strength of ice. Cole, D.M., (1985, p.369-374); MP 1907
Crack nucleation in polycrystalline ice. Cole, D.M., (1985, p.76-87); MP 2325
Mechanical properties of multi-year sea ice. Richter-Menge, J.A., et al, (1985, 27p.); CR 85-05
Grasses
Urban waste as a source of heavy metals in land treatment. Iskandar, I.K., (1976, p.617-632); MP 977
Effects of wastewater application on forage grasses. Palazzo, A.J., (1976, 5p.); CR 76-39
Effects of wastewater on the growth and chemical composition of forages. Palazzo, A.J., (1977, p.171-180); MP 975
Adaptability of forage grasses to wastewater irrigation. Palazzo, A.J., et al, (1978, p.157-163); MP 1153
Effects of wastewater and sludge on turfgrasses. Palazzo, A.J., (1978, 11p.); SR 78-20
Land application of wastewater: effect on soil and plant potassium. Palazzo, A.J., et al, (1979, p.309-312); MP 1228
Revegetation at two construction sites in New Hampshire and Alaska. Palazzo, A.J., et al, (1980, 21p.); CR 80-03
Forage grass growth on overland flow systems. Palazzo, A.J., et al, (1980, p.347-354); MP 1602
Plant growth on a gravel soil greenhouse studies. Palazzo, A.J., et al, (1981, 8p.); SR 81-04
Seasonal growth and uptake of micronutrients by orchardgrass irrigated with wastewater. Palazzo, A.J., et al, (1981, 9p.); CR 81-08
Revegetation along the trans-Alaska pipeline, 1974-1978. Johnson, A.J., (1981, 11p.); CR 81-12
Chena River Lakes Project revegetation study, three-year summary. Johnson, L.A., et al, (1981, 44p.); CR 81-18
Wastewater treatment and plant growth. Palazzo, A.J., (1982, 21p.); SR 82-05
Effects of inundation on six varieties of turfgrass. Erbach, F.H., et al, (1982, 25p.); SR 82-12
Effects of soil covers on late-fall seedings of four tall fescue varieties. Palazzo, A.J., (1989, 5p.); SR 89-17
Gravel
Selected examples of radiofrequency surveys for geotechnical exploration. Hochstra, P., et al, (1977, 16p.); SR 77-01
Revegetation at two construction sites in New Hampshire and Alaska. Palazzo, A.J., et al, (1980, 21p.); CR 80-03
Plant growth on a gravel soil greenhouse studies. Palazzo, A.J., et al, (1981, 8p.); SR 81-04
Management of northern gravel sites for successful reclamation: a review. Johnson, L.A., (1987, p.555-556); MP 2375
Grazing
Weed model of the Barrow ecosystem. Brown, J., et al, (1970, p.61-63); MP 943
Influence of grazing on Arctic tundra ecosystems. Batzli, G.O., et al, (1976, p.153-160); MP 979
Great Lakes
Effect of vessel size on shorelines along the Great Lakes channels. Wuebben, J.L., (1983, 62p.); SR 83-11
Water quality during winter river navigation seasons. Stevens, R.S., (1988, 54p.); SR 88-10
Simulation of oil slicks in rivers and lakes. Shen, H.T., et al, (1990, 29p.); CR 90-01
GREENLAND
Methods of building on permanent snowfields. Mellor, M., (1968, 43p.); M III-A2a
Greenland
Greenland climate changes shown by ice core. Dansgaard, W., et al, (1971, p.17-22); MP 998
Oxygen isotope profiles through ice sheets. Johnsen, S.J., et al, (1972, p.629-634); MP 997
Study of piles installed in polar snow. Kovacs, A., (1976, 132p.); CR 76-23
Vanadium and other elements in Greenland ice cores. Herron, M.M., et al, (1976, 4p.); CR 76-36
Geodetic positions of borehole sites in Greenland. Mock, S.J., (1976, 7p.); CR 76-41
Atmospheric trace metals and sulfate in the Greenland Ice Sheet. Herron, M.M., et al, (1977, p.915-920); MP 909
Vanadium and other elements in Greenland ice cores. Herron, M.M., et al, (1977, p.98-102); MP 1092
1979 Greenland Ice Sheet Program. Phase I: coring operation. Rand, J.H., (1980, 18p.); SR 80-24
Application of a numerical sea ice model to the East Greenland seas. Tucker, W.B., (1981, 109p.); MP 1535
Application of a numerical sea ice model to the East Greenland seas. Tucker, W.B., (1982, 46p.); CR 82-16
Developing a water well for the ice backfilling of DYE-3. Rand, J.H., (1982, 19p.); SR 82-32
Radar wave speeds in polar glaciers. Jezek, K.C., et al, (1983, p.199-208); MP 2057
Deterioration of concrete panels on buildings at Sondrestrom, Greenland. Korhonen, C., (1984, 11p.); SR 84-12
Calculating borehole geometry. Jezek, K.C., et al, (1984, 18p.); SR 84-15
Ice flow leading to the deep core hole at Dye 3, Greenland. Whillans, I.M., et al, (1984, p.185-196); MP 1838
Secondary stress within the structural frame of DYE-3. 1978-1983. Ueda, H.T., et al, (1984, 44p.); SR 84-26
Borehole geometry on the Greenland and Antarctic ice sheets. Jezek, K.C., (1985, p.242-251); MP 1817
Geophysics of subglacial geology at Dye 3, Greenland. Jezek, K.C., et al, (1985, p.165-176); MP 1941
Deterioration building panels at Sondrestrom, Greenland. Korhonen, C., (1985, p.7-16); MP 2017
Glaciological investigations using the synthetic aperture radar imaging system. Bindschadler, R.A., et al, (1987, p.11-19); MP 2342
US global ice core research program: West Antarctica and beyond. Gow, A.J., et al, (1989, 32p.); MP 2709
—Camp Century
Camp Century, survey 1966. Gundestrup, N.S., et al, (1967, p.281-288); MP 2331
—Camp Tuto
Approach roads, Greenland 1955 program. (1969, 109p.); MP 1522
—Dye 3
Folding in the Greenland ice sheet. Whillans, I.M., et al, (1985, p.485-491); MP 2185
Greenland Sea
Physical properties of the ice cover of the Greenland Sea. Weeks, W.F., (1982, 27p.); SR 82-28
Marginal Ice Zone Experiment, Fram Strait Greenland Sea, 1984. Johannessen, O.M., ed, (1985, 67p.); SR 85-12
Comparison of different sea level pressure analysis fields in the East Greenland Sea. Tucker, W.B., (1985, p.2654-2658); MP 1737
East Greenland Sea ice variabilities in large-scale model simulations. Walsh, J.E., et al, (1984, p.9-26); MP 1779
Physical properties of sea ice in the Greenland Sea. Tucker, W.B., et al, (1985, p.177-188); MP 1963
Pressure ridge and sea ice properties Greenland Sea. Tucker, W.B., et al, (1985, p.216-225); MP 1935
Winter marginal ice zone experiment, Fram Strait/Greenland Sea, 1987/89. Davidson, K., ed, (1990, 93p.); SR 86-09
Coupled ice-mixed layer model for the Greenland Sea. Hosseini, M.N., (1986, p.225-260); MP 2143
Physical properties of summer sea ice in the Fram Strait, June-July 1984. Gow, A.J., et al, (1987, 81p.); CR 87-16
Ground ice
Morphology of the North Slope. Walker, H.J., (1973, p.49-52); MP 1004
Proposed size classification for the texture of frozen earth materials. McGaw, R., (1975, 12p.); MP 921
On the origin of pingos—a comment. Mackay, J.R., (1976, p.295-298); MP 916
Pipeline haul road between Livengood and the Yukon River. Berg, R.L., et al, (1976, 73p.); SR 76-11
Segregation-freezing temperature as the cause of suction force. Takagi, S., (1977, p.59-66); MP 901
Periodic structure of New Hampshire silt in open-system freezing. McGaw, R., (1977, p.129-136); MP 902
Segregation freezing as the cause of suction force for ice lens formation. Takagi, S., (1978, p.45-52); MP 1081
Segregation freezing as the cause of suction force for ice lens formation. Takagi, S., (1978, 13p.); CR 78-06
Determination of unfrozen water in frozen soil by pulsed nuclear magnetic resonance. Tice, A.R., et al, (1978, p.149-155); MP 1097
Remote sensing of massive ice in permafrost along pipelines in Alaska. Kovacs, A., et al, (1979, p.268-279); MP 1175
Electromagnetic survey in permafrost. Sellmann, P.V., et al, (1979, 7p.); SR 79-14
Freshwater pool in ice-deficient zone in Alaskan river delta. Kovacs, A., et al, (1979, p.161-166); MP 1226
Electromagnetic surveys of permafrost. Arcone, S.A., et al, (1979, 26p.); CR 79-23
Drilling and coring of frozen ground in northern Alaska, Spring 1979. Lawson, D.E., et al, (1980, 14p.); SR 80-12
Strength of frozen silt as a function of ice content and dry unit weight. Sayles, F.H., et al, (1980, p.609-619); MP 1451
Numerical solutions for rapid-ice model of secondary frost heave. O'Neill, K., et al, (1980, p.656-669); MP 1484
Comparative evaluation of frost-susceptibility tests. Chamberlain, E.J., (1981, p.42-52); MP 1486
Detection of model subsurface radar pulses in complex dielectrics. Arcone, S.A., (1981, p.855-864); MP 1472
Configuration of ice in frozen media. Colbeck, S.C., (1982, p.116-123); MP 1512
Initial stage of the formation of soil-laden ice lenses. Takagi, S., (1982, p.223-235); MP 1596
Electrical properties of frozen ground, Point Barrow, Alaska. Arcone, S.A., et al, (1982, p.455-462); MP 1572
Transport of water in frozen soil, Part I. Nakano, Y., et al, (1982, p.221-226); MP 1620
Effects of ice on the water transport in frozen soil. Nakano, Y., et al, (1983, p.15-26); MP 1680
Relationship between ice and unfrozen water in frozen soils. Tice, A.R., et al, (1983, p.37-46); MP 1632
Ice-cored mounds at Sukakpak Mountain, Brooks Range, Brown, J., et al, (1983, p.91-98); MP 1683
Ground ice in perennially frozen sediments, northern Alaska. Lawson, D.E., (1983, p.695-700); MP 1661
Seismic velocities and subsea permafrost in the Beaufort Sea, Alaska. Neave, K.G., et al, (1983, p.894-898); MP 1646
Two-dimensional model of coupled heat and moisture transport in frost heaving soils. Guymon, G.L., et al, (1984, p.91-99); MP 1670
Sample model of ice segregation using an analytic function to model heat and soil-water flow. Hromadka, T.V., II, et al, (1984, p.99-104); MP 2006
Effects of ice content on the transport of water in frozen soils. Nakano, Y., et al, (1984, p.29-34); MP 1881
Compressive strength of frozen silt. Zhu, Y., et al, (1984, p.3-15); MP 1773
Field dielectric measurements of frozen silt using VHF pulses. Arcone, S.A., et al, (1984, p.29-37); MP 1774
Dielectric measurements of frozen silt using time domain reflectometry. Delaney, A.J., et al, (1984, p.29-36); MP 1775
Effects of ice content on the transport of water in frozen soil. Nakano, Y., et al, (1984, p.58-66); MP 1843
Ice segregation and frost heaving. (1984, 72p.); MP 1809
Applications of a rigid ice model of frost heave. O'Neill, K., et al, (1984, p.281-296); MP 1880
Dielectric studies of permafrost. Arcone, S.A., et al, (1984, p.1-9); MP 1951
Impulse radar sounding of frozen ground. Kovacs, A., et al, (1984, p.28-36); MP 1952
Geophysical methods for mapping cryotectonic features. Sellmann, P.V., et al, (1984, p.91-92); MP 1955
Preparation of geophysical borehole site with ground ice. Fairbanks, AK. Delaney, A.J., (1987, 15p.); SR 87-07
Borehole investigations of the electrical properties of frozen silt. Arcone, S.A., et al, (1988, p.920-931); MP 2366

Ground thawing
Permafrost and active layer on a northern Alaskan road. Berg, R.L., et al. (1978, p.615-621); MP 1002
Resiliency of subgrade soils during freezing and thawing. Johnson, T.C., et al. (1978, 59p.); CR 78-23
Newmark solution applied to soil systems. Lunardini, V.J. (1980, 7p.); CR 80-22
Effect of freezing and thawing on resilient modulus of granular soils. Cole, D.M., et al. (1981, p.19-26); MP 1486
CO_2 effect on permafrost terrain. Brown, J., et al. (1982, 36p.); MP 1546
Dielectric properties of thawed active layers. Arcone, S.A., et al. (1982, p.618-626); MP 1547
Freezing and thawing: heat balance integral approximations. Lunardini, V.J., (1981, p.30-37); MP 1597
Ground ice in perennially frozen sediments, northern Alaska. Lawson, D.E., (1983, p.695-700); MP 1661
Thawing beneath insulated structures on permafrost. Lunardini, V.J., (1983, p.750-755); MP 1662
Design implications of subsoil thawing. Johnson, T.C., et al. (1984, p.45-102); MP 1706
Design and performance of water-retaining embankments on permafrost. Snyder, F.H., (1984, p.31-42); MP 1859
Shoreline erosion processes: Orwell Lake, Minnesota. Reed, J.R., (1985, 102p.); SR 86-32
Thawing of frozen clays. Anderson, D.M., et al. (1985, p.1-9); MP 1923
Partial verification of a thaw settlement model. Guymon, G.L., et al. (1985, p.18-25); MP 1926
Model for dielectric constants of frozen soils. Oliphant, J.L., (1985, p.46-57); MP 1936
Repeated load triaxial testing of frozen and thawed soils. Cole, D.M., et al. (1985, p.166-176); MP 2008
Effects of freeze-thaw cycles on granular soils for pavements. Cole, D.M., et al. (1986, 70p.); CR 86-04
Exact solution for melting of frozen soil with flow consolidation. Lunardini, V.J., (1987, p.97-102); MP 2191
Exothermic curing of frozen materials. Garfield, D.E., et al. (1987, p.131-138); MP 2364
Foundation technology in cold regions. Quam, W.F., (1987, p.305-320); MP 2425
Observations of moisture migration in frozen soils during thawing. Cheng, G., et al. (1988, p.360-372); MP 2573
Freezing and thawing of soils in cylindrical coordinates. Lunardini, V.J., (1989, p.235-248); MP 2996
Physical changes in clays due to frost action. Chamberlain, E.J., (1989, p.363-369); MP 2995
Vehicle mobility on thawing soils. Shoop, S.A., (1989, 16p.); SR 89-31

Ground water
Icings developed from surface water and ground water. Carey, K.L., (1973, 21p.); M III-B3
Fungal infiltration of primary sewage effluent at Fort Devens, Massachusetts. Satterwhite, M.B., et al. (1976, 34p.); CR 76-08
Land treatment of wastewater at Manteca, Calif., and Quincy, Washington. Iskander, I.K., et al. (1977, 36p.); CR 77-26
Fresh water supply for an Alaskan village. McFadden, T., et al. (1978, 18p.); SR 78-07
Viking GCMS analysis of water in the Martian regolith. Anderson, D.M., et al. (1978, p.5146); MP 1195
Bibliography on techniques of water detection in cold regions. Smith, D.W., comp. (1979, 59p.); SR 79-10
Detection of Arctic water supplies with geophysical techniques. Arcone, S.A., et al. (1979, 30p.); CR 79-15
Freshwater flood radar-detected over an Alaskan river delta. Kovacs, A., et al. (1979, p.161-164); MP 1226
Strength of frozen silt as a function of ice content and dry unit weight. Sayles, F.H., et al. (1968, p.189-215); MP 1451
Improved Boussinesq groundwater flow equation. Daly, C.J., et al. (1981, p.135-141); MP 1670
Relationship between the ice and unfrozen water phases in frozen soil. Tice, A.R., et al. (1982, 9p.); CR 82-15
Evaluation of procedures for determining selected aquifer parameters. Daly, C.J., (1982, 206p.); CR 82-41
Mathematical simulation of nitrogen interactions in soils. Selim, H.M., et al. (1983, p.241-248); MP 2051
Field tests of a frost-heave model. Guymon, G.L., et al. (1983, p.209-216); MP 1657
Investigations of permafrost processes in an advancing zone of freezing. McGaw, R., et al. (1983, p.821-825); MP 1663
Calculation of advective mass transport in heterogeneous media. Daly, C.J., (1983, p.[illegible]); MP 1697
Procedure for calculating groundwater flow lines. Daly, C.J., (1984, 42p.); SR 84-09
Impact of slow-rate land treatment on groundwater quality near Hermiston, Oregon. Parker, L.V., et al. (1984, 36p.); CR 84-30
Polyvinyl chloride pipes and ground water chemistry. Parker, L.V., et al. (1985, 27p.); SR 85-12
Polyvinyl chloride well casings for ground water monitoring. Parker, L.V., et al. (1986, p.92-98); MP 2171
Analytical method for determining tritium in water. Walsh, M.E., et al. (1987, 18p.); SR 87-25
Preliminary development of a fiber optic sensor for TNT. Zhang, Y., et al. (1988, 29p.); SR 88-04
Influence of well casing materials on chemical species in ground water. Parker, L.V., et al. (1988, p.459-461); MP 2456
Development of a membrane for in-situ optical detection of TNT. Zhang, Y., et al. (1988, 6p.); SR 88-24
Influence of well casing composition on trace metals in ground water. Hewitt, A.D. (1987, 11p.); SR 89-09
Leaching of metal pollutants from well casings. Hewitt, A.D., (1989, 11p.); SR 89-32
Influence of well casings on well water. Hewitt, A.D., et al. (1989, 9p.); MP 2717
Well casings for monitoring trace organics in ground water. Parker, L.V., et al. (1989, 29p.); CR 89-18
Surface changes in well casings exposed to organic pollutants. Taylor, S., et al. (1990, 14p.); SR 90-07
Influence of casing materials on trace-level chemicals in well water. Parker, L.V., et al. (1990, 11p.); MP 2726

Grounded ice
Ice entrapment of ice islands in Baffinbay Bight. Kovacs, A., et al. (1971, 66 leaves); MP 1301
Islands of grounded ice. Kovacs, A., et al. (1975, p.211-216); MP 892
Study of a grounded iceberg near Reindeer Island, Alaska. Kovacs, A., (1977, 9p.); MP 1751
Problems of offshore oil drilling in the Beaufort Sea. Weller, G., et al. (1978, p.6-11); MP 1250
Sea ice piling at Fairway Rock, Bering Strait, Alaska. Kovacs, A., et al. (1981, p.993-1000); MP 1460
Mass balance of a portion of the Ross Ice Shelf. Jenkins, K.C., et al. (1984, p.301-316); MP 1919
Ice properties in a grounded multi-grade ice island. Cox, G.F.N., et al. (1986, p.135-142); MP 2032

Grouting
Grouting of soils in cold environments: a literature search. Johnson, R., (1977, 69p.); SR 77-42
Grouting silt and sand at low temperatures--a laboratory investigation. Johnson, R., (1979, 33p.); CR 79-05
Grouting silt and sand at low temperatures. Johnson, R., (1979, p.637-650); MP 1078

Growth
Analysis of governance of primary production in tundra growth forms. Tieszen, L.L., et al. (1981, p.235-256); MP 1433
Seasonal growth and accumulation of N, P, and K by grass emerged with winter. Palazzo, A.J., (1981, p.64-66); MP 1425
Plant growth on a gravel soil greenhouse studies. Palazzo, A.J., et al. (1981, 8p.); SR 81-08
Seasonal growth and uptake of nutrients by orchardgrass emerged with winter rye. Palazzo, A.J., et al. (1981, 14p.); CR 81-08
Chena River Lakes Project revegetation study: three-year summary. Johnson, L.A., et al. (1982, 39p.); CR 81-18
Vegetation selection and management for overland flow systems. Palazzo, A.J., et al. (1982, p.135-156); MP 1511
Wastewater treatment and plant growth. Palazzo, A.J., (1982, 31p.); SR 82-05
Effects of inundation on the vegetation of tundra. Estbeck, F.H., et al. (1982, 24p.); SR 82-12
Wastewater applications in forest ecosystems. Milner, H.L., et al. (1982, 22p.); CR 82-19
Vegetation on two adjacent tundra habitats, northern Alaska. Reed, D.A., (1983, p.199-206); MP 2064
Seasonal growth on a cold environment. [illegible] (1984, 21p.); CR 84-06

Hammers
Static driving tests: a preliminary survey. Kovacs, A., et al. (1977, 63p.); SR 77-13

Haze
Observation and background dynamics in and over snow. Hogan, A.W., (1969, p.181-194); MP 2417

Health
Health aspects of water reuse in California. Reed, S.C., (1979, p.431-434); MP 1004
Health aspects of land treatment. Reed, S.C., (1979, 63p.); MP 1309

HEAT BALANCE
Heat exchange at the ground surface. Scott, R.F., (1964, 69p. plus appendix); M II-A1
Climatology of the cold regions of the northern hemisphere. I. Wilson, C., (1967, 16p.); M I-A1a
Climatology of Antarctic regions. Wilson, C., (1961, 7p.); M I-A1c

Heat balance
Approximate solution to Neumann problem for soil systems. Lunardini, V.J., et al. (1981, p.[illegible]); MP 1494
Freezing and thawing: heat balance integral approximations. Lunardini, V.J., (1981, p.30-37); MP 1597
Thermal measurements in snow. Jordan, R., et al. (1986, p.181-191); MP 2060

Heat flux
Measuring building R-values for large areas. Flanders, S.N., et al. (1981, p.137-150); MP 1396
Bottom heat transfer to water bodies in winter. O'Neill, K., et al. (1981, 8p.); SR 81-18
Using sea ice to measure vertical heat flux in the marginal Ice Zone. Maykut, G.A., et al. (1982, p.[illegible]); MP 1521
Heat flowers, humidity profiles and surface humidity. Anderson, E.A., (1982, 18p.); CR 82-12
Growth of faceted crystals in a snow cover. Colbeck, S.C., (1982, 23p.); CR 82-19
Growth of black ice, snow ice and snow thickness, subarctic basins. Lepparanta, M., (1983, p.59-70); MP 2063
Freezing in a pipe with turbulent flow. Albert, M.R., et al. (1983, p.103-111); MP 1893
Atmospheric dynamics in the antarctic marginal ice zone. Andreas, E.L., et al. (1984, p.649-661); MP 1667
Two-pi sensor building R-value measurement. Flanders, S.N., et al. (1984, 17p.); CR 84-04
Measuring thermal performance of building envelopes: nine case studies. Flanders, S.N., (1985, 36p.); CR 85-07
Energy exchange over antarctic sea ice in the spring. Andreas, E.L., et al. (1985, p.2199-2211); MP 1889
Heat flow sensors on walls--what can we learn. Flanders, S.N., (1985, p.160-169); MP 2042
Confidence in heat flux transducer measurements of buildings. Flanders, S.N., (1985, p.515-531); MP 2290
In-situ assessment of two remote sensing systems. Flanders, S.N., (1986, p.32-44); MP 2172
Measuring building R-values with thermography and heat flux sensors. Flanders, S.N., (1987, 29p.); SR 87-06
Estimating turbulent surface heat fluxes over polar, marine surfaces. Andreas, E.L., (1988, p.65-68); MP 2608
Measurement of the path-averaged turbulent surface heat flux. Andreas, E.L., (1988, p.219-226); MP 2526
Two-wavelength method of measuring path-averaged turbulent surface heat fluxes. Andreas, E.L., (1989, p.288-292); MP 2648
Oceanic heat flux in the Fram Strait measured by a drifting buoy. Pinkerton, D.K., et al. (1989, p.995-998); MP 2531
Heat conduction in snow. Yen, Y.C., (1989, p.21-32); MP 2546
Oceanic heat flux in the Fram Strait measured by a drifting buoy. Pinkerton, D.K., et al. (1990, p.291-296); MP 2749
Three-wavelength scintillation measurement of turbulent heat fluxes. Andreas, E.L., (1990, p.76-77); MP 2696

Heat loss
Radiation and evaporation heat loss during ice fog conditions. McFadden, T., (1975, p.18-27); MP 1051
Thermal energy and the environment. Crosby, R.L., et al. (1975, 3v. & 2p. figs.); MP 1480
Antarctic sea ice dynamics and its possible climatic effects. Ackley, S.F., et al. (1976, p.53-76); MP 1379
Detecting structural heat losses with mobile infrared thermographs, Part IV. Munis, R.H., et al. (1976, 9p.); CR 76-33
Computer derived heat requirements for buildings in cold regions. Bennett, F.L., (1977, 113p.); SR 77-03
Observations and analysis of evaporative membrane cooling systems. Schaefer, D., et al. (1977, 44p.); CR 77-11
Measuring unmetered steam use with a condensate pump cycle counter. Johnson, P.R., (1977, p.434-442); MP 957
Remodeling old wood frame buildings with urea-formaldehyde foam. Johnson, W., et al. (1977, p.478-487); MP 958
Infrared thermography of buildings. Munis, R.H., et al. (1977, 17p.); SR 77-29
Infrared thermography of buildings. Munis, R.H., et al. (1977, 21p.); SR 77-36
Thermal scanning systems for detecting building heat loss. Gast, R.A., et al. (1978, p.821-829); MP 1212
Infrared thermography of buildings: a bibliography with abstracts. Marshall, S.J., (1979, 67p.); SR 79-01
Infrared thermography of buildings, 1977 Coast Guard survey. Marshall, S.J., (1979, 60p.); SR 79-20
Losses from the Fort Wainwright heat distribution system. Pfertsplace, G., et al. (1981, 29p.); SR 81-16
Transient analysis of heat transmission systems. Pfertsplace, G., (1982, 91p.); CR 81-26
Heat loss from the central heat distribution system, Fort Wainwright. Pfertsplace, G., (1982, 20p.); MP 1980
Heat losses from the central heat distribution system at Fort Wainwright. Pfertsplace, G., (1982, p.369-378); MP 2310
Heat and moisture advection over polynyas and ice. Andreas, E.L., (1981, p.[illegible]); MP 1888

Heat pipes
Applications of heat pipes on the Trans-Alaska Pipeline. Heuer, C.J., (1976, 25p.); SR 76-26
Computer models for two-dimensional transient heat conduction. Albert, M.R., (1981, 66p.); CR 81-12
Simulation of district heating systems for piping design. Pfertsplace, G., (1980, 27p.); MP 2746
Optimal sizing of district heating pipes. Pfertsplace, G., (1980, 29p.); MP 2747

Heat pumps
Waste heat recovery for building heating. Bevier, P.W., (1977, 26p.); SR 77-11

Heat recovery
Management of power plant waste heat in cold regions. Ashton, H.W.C., (1976, p.21-26); MP 962
Ice engineering: complex adapts heat pump energy system. Ashton, H.W.C., (1977, p.21-26); MP 993
Ice engineering facility heated with a central heat pump system. Ashton, H.W.C., et al. (1977, 67p.); MP 999
Waste heat recovery for building heating. Bevier, P.W., (1977, 26p.); SR 77-11

Heat recovery *(cont.)*
Experimental scaling study of an annular flow ice-water heat sink. Stubstad, J.M., et al, (1977, 54p) CR 77-15
Waste heat recovery for heating purposes. Phetteplace, G, (1978, p.30-33) MP 1256
Design procedures for underground heat sink systems. Stubstad, J M, et al, (1979, 186p. in var. pagns) SR 79-08
Waste heat utilization through soil heating. McFadden, T., et al, (1980, p.105-120) MP 1363
Heat pumps to recover heat from waste treatment plants Martel, C J, et al, (1982, 23p) SR 82-10
Heat recovery from primary effluent using heat pumps Phetteplace, G, et al, (1985, p 199-203) MP 1978
Primary effluent as a heat source for heat pumps. Phetteplace, G E, et al, (1988, p 141-146) MP 2445

Heat sinks
Design procedures for underground heat sink systems Stubstad, J.M., et al, (1979, 186p in var. pagns) SR 79-08
Ice heat sinks Part 1. Vertical systems. Lunardini, V.J, (1986, 107p) SR 86-14
Ice heat sinks. Part 2. Horizontal systems Lunardini, V.J., (1986, 104p) SR 86-26
Condensing steam tunnel heat sinks. Lunardini, V.J., (1986, 29p) SR 86-24

Heat sources
Thermal energy and the environment. Crosby, R.L., et al, (1975, 3p. + 2p. figs.) MP 1480
Waste heat utilization through soil heating. McFadden, T., et al, (1980, p 105-120) MP 1363
Primary effluent as a heat source for heat pumps. Phetteplace, G.E., et al, (1988, p.141-146) MP 2445
Primary effluent as a heat source for heat pumps. Phetteplace, G.E, et al, (1989, p 12-17) MP 2760

Heat transfer
Formation of ice ripples on the underside of river ice covers Ashton, G.D., (1971, 157p) MP 1243
Heat transfer in drill holes in Antarctic ice Yen, Y.-C., et al, (1976, 15p) CR 76-12
Numerical simulation of air bubbler systems Ashton, G D, (1977, p.765-778) MP 936
Experimental scaling study of an annular flow ice-water heat sink. Stubstad, J.M., et al, (1977, 54p) CR 77-15
Mathematical model to predict frost heave. Berg, R.L., et al, (1977, p.92-109) MP 1131
Maintaining buildings in the Arctic. Tobiasson, W., et al, (1977, p.244-251) MP 1508
Heat transfer over a vertical melting plate. Yen, Y.-C., et al, (1977, 12p) CR 77-32
Permafrost and active layer on a northern Alaskan road Berg, R.L., et al, (1978, p 615-621) MP 1102
Numerical simulation of air bubbler systems. Ashton, G.D, (1978, p.231-238) MP 1618
Fundamentals of ice lens formation Takagi, S., (1978, p.235-242) MP 1173
Heat and moisture flow in unsaturated soils O'Neill, K, (1979, p 304-309) MP 1259
Design procedures for underground heat sink systems Stubstad, J.M., et al, (1979, 186p in var. pagns) SR 79-08
Turbulent heat transfer from a river to its ice cover Hynes, F.D, et al, (1979, 5p.) CR 79-13
Accelerated ice growth in rivers Calkins, D J, (1979, 5p) CR 79-14
Point source bubbler systems to suppress ice Ashton, G D, (1979, 12p) CR 79-12
Snow accumulation, distribution, melt, and runoff. Colbeck, S.C., et al, (1979, p 465-468) MP 1233
Application of heat pipes on the Trans-Alaska Pipeline Heuer, C E, (1979, 27p) SR 79-26
Dynamic thermodynamic sea ice model Hibler, W D, III, (1979, p 815-846) MP 1247
Turbulent heat flux from Arctic leads. Andreas, E.L., et al, (1979, p.57-91) MP 1340
Point source bubbler systems to suppress ice Ashton, G D, (1979, p 93-100) MP 1326
Suppression of river ice by thermal effluents Ashton, G.D, (1979, 23p) CR 79-30
Mathematical model to correlate frost heave of pavements Berg, R L, et al, (1980, 49p) CR 80-10
Documentation for a two-level dynamic thermodynamic sea ice model Hibler, W D, III, (1980, 35p) SR 80-08
Frost heave model based upon heat and water flux. Guymon, G L, et al, (1980, p 253-262) MP 1333
Adsorption force theory of frost heaving Takagi, S, (1980, p.57-81) MP 1334
Thermodynamics of snow metamorphism due to variations in curvature Colbeck, S.C, (1980, p 291-301) MP 1368
Free convection heat transfer characteristics in a melt water layer Yen, Y.-C, (1980, p 550-556) MP 1311
Heat and mass transfer from freely falling drops at low temperatures Zarling, J P, (1980, 14p) CR 80-18
Phase change around a circular pipe. Lunardini, V.J, (1980, 18p) CR 80-27
Thermal diffusivity of frozen soil Haynes, F D, et al, (1980, 30p.) SR 80-38
Estimation of heat and mass fluxes over Arctic leads. Andreas, E L, (1980, p 2057-2063) MP 1410
Heat transfer in cold climates. Lunardini, V.J., (1981, 731p) MP 1435
Results from a mathematical model of frost heave. Guymon, G.L., et al, (1981, p 2-6) MP 1483
Phase change around a circular cylinder. Lunardini, V.J, (1981, p 598-600) MP 1507
Bottom heat transfer to water bodies in winter. O'Neill, K., et al, (1981, 8p.) SR 81-18
Phase change around insulated buried pipes quasi-steady method Lunardini, V J., (1981, p.201-207) MP 1496
Ice segregation in a frozen soil column Guymon, G L, et al, (1981, p 127-140) MP 1534
Heat conduction with phase changes. Lunardini, V J, (1981, 14p) CR 81-25
One-dimensional transport from a highly concentrated, transfer type source. O'Neill, K., (1982, p 27-36) MP 1489
On the temperature distribution in an air-ventilated snow layer. Yen, Y.-C., (1982, 10p.) CR 82-05
Theory of thermal control and prevention of ice in rivers and lakes. Ashton, G.D., (1982, p 131-185) MP 1554
Freezing of soil with surface convection Lunardini, V J, (1982, p 205-212) MP 1595
Ottauquechee River—analysis of freeze-up processes. Calkins, D J., et al, (1982, p 2-37) MP 1738
Frost heave model. Hromadka, T.V, II, et al, (1982, p.1-10) MP 1567
Freezing of semi-infinite medium with initial temperature gradient. Lunardini, V J., (1983, p 649-652) MP 1583
Solution of two-dimensional freezing and thawing problems O'Neill, K., (1983, p 653-658) MP 1584
Approximate phase change solutions for insulated buried cylinders Lunardini, V J, (1983, p.25-32) MP 1593
Approximate solution to conduction freezing with density variation Lunardini, V J., (1983, p 43-45) MP 1598
Computer models for two-dimensional transient heat conduction. Albert, M.R, (1983, 66p) CR 83-12
Predicting lake ice decay Ashton, G D, (1983, 4p) SR 83-19
Transient heat flow and surface temperatures of a built-up roof. Korhonen, C, (1983, 20p.) SR 83-22
Thawing beneath insulated structures on permafrost. Lunardini, V J, (1983, p.750-755) MP 1662
Thermal patterns in ice under dynamic loading Fish, A M., et al, (1983, p.240-243) MP 1742
Freezing in a pipe with turbulent flow. Albert, M.R., et al, (1983, p 102-112) MP 1893
Two-dimensional heat conduction phase change. Albert, M.R., et al, (1983, p 85-110) MP 2161
Increased heat flow due to snow compaction the simplistic approach Colbeck, S.C., (1983, p 227-229) MP 1693
Fixed mesh finite element solution for cartesian two-dimensional phase change. O'Neill, K., (1983, p.436-444) MP 1702
West antarctic sea ice. Ackley, S.F., (1984, p 88-95) MP 1818
Deterioration of floating ice covers. Ashton, G D., (1984, p 26-33) MP 1676
Two-dimensional model of coupled heat and moisture transport in frost heaving soils Guymon, G L., et al, (1984, p.91-98) MP 1678
Simple model of ice segregation using an analytic function to model heat and soil-water flow. Hromadka, T V., II, et al, (1984, p 99-104) MP 2104
Aerosol growth in a cold environment. Yen, Y.-C., (1984, 21p) CR 84-06
Designing for frost heave conditions Crory, F.E., et al, (1984, p 22-44) MP 1705
Freezing of a semi-infinite medium with initial temperature gradient Lunardini, V.J, (1984, p.103-106) MP 1740
Frazil ice dynamics. Daly, S.F., (1984, 46p) M 84-01
Modeling two-dimensional freezing Albert, M R., (1984, 45p) CR 84-10
Ice cover melting in a shallow river Calkins, D.J., (1984, p 255-265) MP 1763
Role of heat and water transport in frost heaving of porous soils Nakano, Y, et al, (1984, p.93-102) MP 1842
Dynamics of frazil ice formation Daly, S F., et al, (1984, p 161-172) MP 1829
Status of numerical models for heat and mass transfer in frost-susceptible soils. Berg, R.L., (1984, p 67-71) MP 1851
Frazil ice formation. Ettema, R., et al, (1984, 44p) CR 84-18
Ice bands in turbulent pipe flow Ashton, G D., (1984, 7p) MP 2087
Heat and moisture transfer in frost-heaving soils Guymon, G.L., et al, (1984, p 336-343) MP 1765
Ice deterioration Ashton, G.D., (1984, p 31-38) MP 1791
Laboratory tests and analysis of thermosyphons with inclined evaporator sections Zarling, J P., et al, (1985, p.31-37) MP 1853
Thermal convection in snow Powers, D J., et al, (1985, 61p.) CR 85-09
Partial verification of a thaw settlement model Guymon, G.L, et al, (1985, p 18-25) MP 1924
Review of analytical methods for ground thermal regime calculations. Lunardini, V.J., (1985, p 204-257) MP 1922
Experiments on thermal convection in snow Powers, D, et al, (1985, p.43-47) MP 2006
Heat flow sensors on walls—what can we learn. Flanders, S.N, (1985, p.140-149) MP 2042
Measured and expected R-values of 19 building envelopes. Flanders, S N, (1985, p 49-57) MP 2115
Transient two-dimensional phase change. Albert, M.R., et al, (1985, p 229-243) MP 2162
Confidence in heat flux transducer measurements of buildings. Flanders, S.N., (1985, p.515-531) MP 2290
Model of freezing front movement. Hromadka, T.V, II, et al, (1985, 9p) MP 2077
Heat transfer in water over a melting ice sheet. Lunardini, V.J., (1986, p.227-236) MP 2033
Heat transfer characteristics of thermosyphons with inclined evaporator sections Haynes, F D., et al, (1986, p 285-292) MP 2034
Heat transfer in water flowing over a horizontal ice sheet. Lunardini, V.J., et al, (1986, 81p) CR 86-03
Heat distribution research Phetteplace, G, (1986, p 2-3) MP 2150
Water-source heat pumps Phetteplace, G, (1986, p 14-15) MP 2151
Natural convection in sloping porous layers Powers, D J., et al, (1986, p.697-710) MP 2158
Heat transfer in a freezing shaft wall. Liandi, F., (1986, 24p.) CR 86-08
Condensing steam tunnel heat sinks. Lunardini, V.J., (1986, 29p.) SR 86-24
Roughness and transfer coefficients over snow and sea ice. Andreas, E L, (1986, 19p) CR 86-09
Bulk transfer coefficients for heat and momentum over leads and polynyas Andreas, E.L., et al, (1986, p.1875-1883) MP 2187
Convective heat transfer in water over melting ice sheet. Lunardini, V.J., (1986, p 42-51) MP 2600
Heat transfer of a thermosyphon. Zarling, J.P., et al, (1987, p.79-84) MP 2190
Model of heat and soil-water flow coupled by soil-water phase change Hromadka, T.V, II, (1987, 124p) SR 87-09
International Symposium on Cold Regions Heat Transfer, 1987 (1987, 270p) MP 2302
Conduction heat transfer with freezing/thawing. Lunardini, V.J, (1987, p.55-64) MP 2304
Measured insulation improvement potential for ten U.S. Army buildings. Flanders, S.N., (1987, p.202-220) MP 2327
Automatic finite element mesh generator Albert, M R, et al, (1987, 27p) CR 87-18
Heat conduction in a medium with variable properties. Yen, Y.-C, (1987, 18p) CR 87-19
Thermal instability and heat transfer characteristics in water-/ice systems. Yen, Y.-C, (1987, 33p) CR 87-22
XYFREZ.4 user's manual. O'Neill, K, (1987, 55p) SR 87-28
Heat transfer performance of commercial thermosyphons with inclined evaporator sections Haynes, F.D., et al, (1988, p 275-280) MP 2320
On the application of thermosyphons in cold regions. Zarling, J P., et al, (1988, p 281-286) MP 2321
Heat conduction with freezing or thawing Lunardini, V.J., (1988, 329p) M 88-01
On the effect of the 4 C density maximum on melting heat transfer. Yen, Y.-C, (1988, p 362-367) MP 2382
Phase change heat transfer program for microcomputers Buzzell, G M., et al, (1988, p 645-650) MP 2383
Primary effluent as a heat source for heat pumps Phetteplace, G E., et al, (1988, p 141-146) MP 2445
Effect of variable thermal properties on freezing with an unfrozen water content Lunardini, V J., (1988, p.1127-1132) MP 2370
Thermosyphon for horizontal applications DenHartog, S.L., (1988, p 319-321) MP 2444
Flow developers for melting ice—experimental results Ashton, G D., (1989, p 151-160) MP 2465
Freezing and thawing of soils in cylindrical coordinates. Lunardini, V J, (1989, p 185-208) MP 2594
International Symposium on Cold Regions Heat Transfer, 1989. (1989, 314p) MP 2636
Cold regions heat transfer. Cheng, K C, et al, (1989, p 1-25) MP 2637
Review of phase conduction with freezing Lunardini, V J., (1989, p 27-32) MP 2638
Heat transfer from water flowing through a chilled-bed open channel Richmond, P W, et al, (1989, p 51-58) MP 2649
Primary effluent as a heat source for heat pumps Phetteplace, G E, et al, (1989, p 12-17) MP 2760
Environment of wintertime leads and polynyas Andreas, E.L., (1989, p 273-288) MP 2689
Thermal stabilization of permafrost with thermosyphons Zarling, J P., et al, (1990, p 323-328) MP 2583

Heat transfer coefficient
Heat transfer between water jets and ice blocks Yen, Y.-C., (1976, p 299-307) MP 882
International Symposium on Cold Regions Heat Transfer, 1989. (1989, 314p.) MP 2636

Heat transmission
Long distance heat transmission with steam and hot water. Aamot, H.W.C., et al, (1976, 39p) MP 938
Heat transmission with steam and hot water. Aamot, H.W.C., et al, (1978, p.17-23) MP 1956
Heat loss from the central heat distribution system, Fort Wainwright. Phetteplace, G., (1982, 20p) MP 1980
Simplified design procedures for heat transmission system piping. Phetteplace, G., (1985, p.451-456) MP 1979
Simple design procedure for heat transmission system piping. Phetteplace, G., (1985, p 1748-1752) MP 1942
HEATING
Utilities on permanent snowfields Mellor, M., (1969, 42p) M III-A2d
Heating
Management of power plant waste heat in cold regions. Aamot, H.W.C., (1975, p 22-24) MP 942
Utility distribution systems in Sweden, Finland, Norway and England. Aamot, H.W.C., et al, (1976, 121p) SR 76-16
Energy conservation in buildings Ledbetter, C B., (1976, 8p) SR 76-17
Ice engineering complex adopts heat pump energy system. Aamot, H.W.C., (1977, p.25-26) MP 893
Computer derived heat requirements for buildings in cold regions Bennett, F.L., (1977, 113p) SR 77-03
Ice engineering facility heated with a central heat pump system. Aamot, H.W.C, et al, (1977, 4p.) MP 939
Waste heat recovery for building heating. Sector, P.W., (1977, 24p) SR 77-11
Solving problems of ice-blocked drainage facilities Carey, K.L., (1977, 17p) SR 77-25
Temporary protection of winter construction. Bennett, F L., (1977, 41p) SR 77-39
Waste heat recovery for heating purposes Phetteplace, G., (1978, p.30-33) MP 1256
Deicing a satellite communication antenna. Hanamoto, B., et al, (1980, 14p.) SR 80-18
Waste heat utilization through soil heating. McFadden, T., et al, (1980, p.105-120) MP 1363
Transient analysis of heat transmission systems. Phetteplace, G., (1981, 53p) CR 81-24
Heat loss from the central heat distribution system, Fort Wainwright. Phetteplace, G., (1982, 20p) MP 1980
Heating enclosed wastewater treatment facilities with heat pumps. Martel, C J., et al, (1982, p.262-280) MP 1976
Heat losses from the central heat distribution system at Fort Wainwright. Phetteplace, G., (1982, p.308-328) MP 2310
Heating and cooling method for measuring thermal conductivity. McGaw, R., (1984 8p) MP 1891
Water-source heat pumps. Phetteplace, G., (1986, p 14-15) MP 2151
Simulation of district heating systems for piping design. Phetteplace, G., (1989, 27p) MP 2746
Optimal sizing of district heating pipes Phetteplace, G., (1989, 25p) MP 2747
International Symposium on Cold Regions Heat Transfer, 1989. (1989, 314p) MP 2636
Reference guide for building diagnostics equipment and techniques. McKenna, C M., et al, (1989, 64p) SR 89-27
Height finding
Height variation along sea ice pressure ridges Hibler, W.D, III, et al, (1975, p.191-199) MP 848
Helicopters
Interaction of a surface wave with a dielectric slab discontinuity. Arcone, S A., et al, (1978, 10p.) CR 78-08
Laboratory experiments on icing of rotating blades Ackley, S.F., et al, (1979, p 85-92) MP 1236
Computer modeling of atmospheric ice accretion Ackley, S.F., et al, (1979, 36p) CR 79-04
Ice adhesion tests on coatings subjected to rain erosion Minsk, L.D., (1980, 14p) SR 80-28
Helicopter snow obscuration sub-test Ebersole, J F, (1984, p 359-376) MP 2094
Self-shedding of accreted ice from high-speed rotors. Itagaki, K., (1987, p 95-100) MP 2278
High pressure tests
Lock wall deicing with high velocity water jet at Soo Locks, Mi. Calkins, D.J., et al, (1977, p 23-35) MP 973
Icebreaking by gas blasting. Mellor, M., (1984, p 93-102) MP 1827
History
Canol Pipeline Project: a historical review. Ueda, H.T., et al, (1977, 32p) SR 77-34
Overview of existing land treatment systems Iskandar, I.K., (1978, p 193-200) MP 1150
History of snow-cover research. Colbeck, S.C., (1987, p 60-65) MP 2316
Cold regions heat transfer. Cheng, K C, et al, (1989, p.1-25) MP 2637
Hoarfrost
Dielectric properties of dislocation-free ice. Itagaki, K., (1978, p 207-217) MP 1171
Communication tower icing in the New England region Mulherin, N., et al, (1986, 7p) MP 2109
Rime meteorology in the Green Mountains. Ryerson, C.C., (1987, 46p) CR 87-01
Climatology of rime accretion in the Green and White Mountains. Ryerson, C.C., (1987, p.267-272) MP 2284
On the micrometeorology of surface hoar growth on snow in mountainous area. Colbeck, S.C., (1988, p.1-12) MP 2359
Houses
Post occupancy evaluation of a planned community in Arctic Canada. Bechtel, R.B., et al, (1980, 27p) SR 80-06
Post occupancy evaluation for communities in hot or cold regions Bechtel, R B., et al, (1980, 57p) SR 80-29
In-situ assessment of two retrofit insulations Flanders, S.N., (1986, p.32-44) MP 2172
Human factors
Notes on conducting the behavior setting survey by interview method. Ledbetter, C.B., (1976, 33p.) SR 76-14
Computer modeling of terrain modifications in the arctic and subarctic. Outcalt, S I., et al, (1977, p 24-32) MP 971
Small communities result in greater satisfaction. Ledbetter, C.B., (1977, 15p) SR 77-36
Construction equipment problems and procedures: Alaska pipeline project. Hanamoto, B., (1978, 14p) SR 78-11
Bibliography of permafrost soils and vegetation in the USSR Andrews, M., (1978, 175p) SR 78-19
Human-induced thermokarst at old drill sites in northern Alaska. Lawson, D.E., et al, (1978, p.16-23) MP 1254
Tundra recovery since 1949 near Fish Creek, Alaska Lawson, D E., et al, (1978, 81p) CR 78-28
Communication in the work place an ecological perspective. Ledbetter, C.B., (1979, 19p) SR 79-03
Physical and thermal disturbance and protection of permafrost Brown, J., et al, (1979, 42p.) SR 79-05
Surface disturbance and protection during economic development of the North Brown, J, et al, (1981, 88p.) MP 1467
Disturbance and recovery of arctic Alaskan tundra terrain. Walker, D.A., et al, (1987, 63p.) CR 87-11
Is advanced technology "the gateway to irresponsibility". Zufelt, J.E., (1989, p 434-437) MP 2529
Human factors engineering
Temporary environment. Cold regions habitability Bechtel, R.B, et al, (1976, 162p) SR 76-10
Guidelines for architectural programming of office settings. Ledbetter, C.B., (1977, 14p) SR 77-05
Buildings and utilities in very cold regions. overview and research needs. Tobiasson, W., (1988, p 4-11) MP 2552
HUMIDITY
Climatology of the cold regions of the northern hemisphere, II. Wilson, C., (1969, 158p) M I-A3b
Humidity
Effects of volume averaging on spectra measured with a hygrometer. Andreas, E.L., (1981, p 467-475) MP 1728
Surface meteorology US/USSR Weddell Polynya Expedition, 1981. Andreas, E L, et al, (1983, 32p) SR 83-14
New method for measuring the snow-surface temperature. Andreas, E.L., (1984, p 161-169) MP 1867
Spectra and cospectra of atmospheric turbulence over snow. Andreas, E.L., (1986, p.219-233) MP 2661
Humidity and temperature measurements obtained from an unmanned aerial vehicle. Ballard, H., et al, (1987, p 35-45) MP 2293
Spectral measurements in a disturbed boundary layer over snow. Andreas, E.L., (1987, p 1912-1939) MP 2254
Kolmogorov Constants for temperature, humidity, and refractive index spectra. Andreas, E L., (1988, p 2399-2406) MP 2437
Three-wavelength scintillation measurement of turbulent heat fluxes Andreas, E.L, (1990, p 74-77) MP 2696
Hummocks
Growth and flowering of tussocks in northcentral Alaska Haugen, R K, et al, (1984, p.10-11) MP 1950
Hydraulic fill
Construction and performance of the Hess creek earth fill dam, Livengood, Alaska. Simoni, O.W., (1973, p 23-34) MP 859
Hydraulic jets
Cutting ice with high pressure water jets Mellor, M., et al, (1973, 22p.) MP 1001
Heat transfer between water jets and ice blocks. Yen, Y.-C., (1976, p.299-307) MP 882
Hydraulic structures
Ice forces on model structures Zabilansky, L J., et al, (1975, p 400-407) MP 863
Third International Symposium on Ice Problems, 1975 Frankenstein, G E., ed, (1975, 627p) MP 845
Passage of ice at hydraulic structures. Calkins, D.J., et al, (1976, p 1726-1736) MP 966
Hydraulic model investigation of drifting snow. Wuebben, J L., (1978, 29p) CR 78-16
Undersea pipelines and cables in polar waters Mellor, M., (1978, 34p) CR 78-22
Working group on ice forces on structures Carstens, T, ed, (1980, 146p) SR 80-26
Hydraulic model study of a water intake under frazil ice conditions Tantillo, T J., (1981, 11p) CR 81-03
Foundations of structures in polar waters Chamberlain, E J., (1981, 16p) SR 81-25
Hydraulic model study of Port Huron ice control structure. Calkins, D J., et al, (1982, 59p) CR 82-34
Structure to form an ice cover on river rapids in winter Perham, R.E., (1986, p 439-450) MP 2128
Corps of engineers seek ice solutions Frankenstein, G.E, (1987, p.5-7) MP 2219
Floating debris control, a literature review Perham, R E., (1987, 22p + 41p. of append.) MP 2252
Working group on ice forces 3rd state-of-the-art report. Sanderson, T J.O., ed, (1987, 221p) SR 87-17
Data acquisition for refrigerated physical model Zufelt, J.E., (1987, p.338-341) MP 2351
Preliminary study of scour under an ice jam. Wuebben, J L, (1988, p 177-192) MP 2475
Assessment of hydraulic structures in a stream after seasonal ice run. Calkins, D J., et al, (1989, 12p) MP 2744
Analysis of a short pulse radar survey of revetments along the Mississippi River. Arcone, S A., (1989, 20p) MP 2692
Hydraulics
Mechanics and hydraulics of river ice jams Tatinclaux, J C., et al, (1976, 97p) MP 1060
Conference on Computer and Physical Modeling in Hydraulic Engineering, 1980. Ashton, G D., ed, (1980, 492p) MP 1321
Rational design of overland flow systems. Martel, C J., et al, (1980, p.114-121) MP 1400
Measurement of the shear stress on the underside of simulated ice covers Calkins, D J., et al, (1980, 11p) CR 80-24
Traveling wave solution to the problem of simultaneous flow of water and air through homogeneous porous media Nakano, Y., (1981, p.57-64) MP 1419
Soil hydraulic conductivity and moisture retention features. Ingersoll, J., (1981, 11p) SR 81-02
Hydraulic characteristics of the Deer Creek Lake land treatment site during wastewater application. Abele, G., et al, (1981, 37p) CR 81-07
Data acquisition in USACRREL's flume facility. Daly, S.F., et al, (1985, p.1053-1058) MP 2089
Hydraulic conductivity and unfrozen water content of frozen silt. Black, P.B., et al, (1990, p 323-329) MP 2551
Ice cover effect on river flow Ashton, G.D, (1990, 24p) SR 90-08
Hydrocarbons
Fate of crude and refined oils in North Slope soils Sexstone, A., et al, (1978, p.339-347) MP 1186
Halocarbons in water using headspace gas chromatography. Leggett, D.C., (1981, 13p) SR 81-26
Hydrodynamics
Moving boundary problems in the hydrodynamics of porous media. Nakano, Y., (1978, p.125-134) MP 1343
Remote sensing data for water masses in Delaware Bay and adjacent wetlands. Ackleson, S G., et al, (1985, p.1123-1129) MP 1909
Controlled river ice cover breakup; part 2 Theory and numerical model studies. Ferrick, M G, et al, (1986, p.293-305) MP 2392
Hydrogen
Method for measuring enriched levels of deuterium in soil water. Oliphant, J L., et al, (1982, 12p) SR 82-25
Hydrogen peroxide
UV radiational effects on. Martian regolith water. Nadeau, P.H., (1977, 89p) MP 1072
Hydrologic cycle
Seasonal regime and hydrological significance of stream icings in central Alaska Kane, D L., et al, (1973, p.528-540) MP 1026
Hydrology
Spray application of waste-water effluent in a cold climate Cassell, E A., et al, (1980, p 620-626) MP 1403
Cold Regions Science and Technology Bibliography Cummings, N H., (1981, p 73-75) MP 1372
Introduction to abiotic components in tundra Brown, J, (1981, p 79) MP 1432
Sediment load and channel characteristics in subarctic upland catchments. Slaughter, C W., et al, (1981, p 39-48) MP 1518
Evaluation of procedures for determining selected aquifer parameters Daly, C.J., (1982, 104p) CR 82-41
Tailwater flow conditions Ferrick, M.G., et al, (1983, 31p) CR 83-07
Hydrologic forecasting using Landsat data. Merry, C J., et al, (1983, p 159-168) MP 1691
Hydrologic modeling from Landsat land cover data McKim, H.L., et al, (1984, 19p) SR 84-01
Hydrologic aspects of ice jams Calkins, D J., (1986, p 603-609) MP 2116
Interfacing geographic data with real-time hydrologic forecasting models Eagle, T C., et al, (1989, p 857-861) MP 2527
Hydrolysis
Ice surface hydrolysis of diisopropylfluorophosphate (DFP) Leggett, D C., (1987, p 809-815) MP 2457
Hygrometers
Effects of volume averaging on spectra measured with a hygrometer Andreas, E L., (1981, p 467-475) MP 1728
New method for measuring the snow-surface temperature Andreas, E.L., (1984, p.161-169) MP 1867

Ice

Photomacrography of artifacts in transparent materials. Marshall, S.J., (1976, 31p) CR 76-40

Dynamics of snow and ice masses. Colbeck, S C., ed, (1980, 468p.) MP 1297

Ice accretion

Ice accumulation on ocean structures. Minsk, L.D., (1977, 42p.) CR 77-17

Ice accretion on ships Itagaki, K., (1977, 22p) SR 77-27

Numerical simulation of atmospheric ice accretion. Ackley, S.F., et al, (1979, p 44-52) MP 1235

Laboratory experiments on icing of rotating blades. Ackley, S.F., et al, (1979, p 85-92) MP 1236

Computer modeling of atmospheric ice accretion. Ackley, S.F., et al, (1979, 36p) CR 79-04

Icing on structures. Minsk, L D , (1980, 18p) CR 80-31

Tests of frazil collector lines to assist ice cover formation Perham, R E , (1981, p 442-448) MP 1488

Computer modeling of time-dependent rime icing in the atmosphere Lozowski, E.P., et al, (1983, 74p) CR 83-02

Atmospheric icing of structures Minsk, L.D., ed, (1983, 366p.) SR 83-17

Field measurements of combined icing and wind loads on wires. Govoni, J W , et al, (1983, p 205-215) MP 1637

Self-shedding of accreted ice from high-speed rotors. Itagaki, K., (1983, p.1-6) MP 1719

Mechanical ice release from high-speed rotors Itagaki, K., (1983, 8p) CR 83-26

Assessment of ice accretion on offshore structures Minsk, L.D., (1984, 12p.) SR 84-04

Atmospheric icing on sea structures. Makkonen, L., (1984, 92p) M 84-02

Combined icing and wind loads on a simulated power line test span. Govoni, J.W , et al, (1984, p 173-182) MP 2114

Arctic thermal design. Lunardini, V.J., (1985, p.70-75) MP 2167

Ice accretion under natural and laboratory conditions. Itagaki, K., et al, (1985, p 225-228) MP 2009

Measurement of icing on offshore structures. Minsk, L D., (1985, p 287-292) MP 2010

Ice accretion measurement on a wire at Mt Washington McComber, P., et al, (1985, p 34-43) MP 2173

Transfer of meteorological data from mountain-top sites Govoni, J.W., et al, (1986, 6p) MP 2107

Icing and wind loading on a simulated power line. Govoni, J.W., et al, (1986, p.23-27) MP 2206

Ice detector measurements compared to meteorological data Tucker, W.B., et al, (1987, p.31-37) MP 2277

Self-shedding of accreted ice from high-speed rotors. Itagaki, K., (1987, p 95-100) MP 2278

Ice accretion and aerodynamic loading of transmission lines. Egelhofer, K.Z., et al, (1987, p 103-109) MP 2279

Climatology of rime accretion in the Green and White Mountains Ryerson, C.C , (1987, p 267-272) MP 2284

Intake design for ice conditions Ashton, G D , (1988, p.107-138) MP 2518

Atmospheric icing and broadcast antenna reflections. Ryerson, C C., (1988, 13p) CR 88-11

Thickness distribution of accreted ice grown on rotor blades Itagaki, K., et al, (1988, p 152-156) MP 2523

Atmospheric icing climatologies of two New England mountains. Ryerson, C.C., (1988, p 1261-1281) MP 2669

Density of natural ice accretions related to nondimensional icing parameters Jones, K F , (1990, p 477-496) MP 2705

Atmospheric icing rates with elevation on northern New England mountains, U S.A. Ryerson, C C , (1990, p 90-97) MP 2589

Ice acoustics

Ultrasonic investigation on ice cores from Antarctica Kohnen, H , et al, (1979, 16p) CR 79-10

Ultrasonic investigation on ice cores from Antarctica Kohnen, H , et al, (1979, p 4865-4874) MP 1239

Investigation of the acoustic emission and deformation response of finite ice plates. Xirouchakis, P.C , et al, (1981, 19p) CR 81-06

Acoustic emission and deformation response of finite ice plates Xirouchakis, P C , et al, (1981, p 385-394) MP 1455

Acoustic emission and deformation of ice plates Xirouchakis, P.C , et al, (1982, p 129-139) MP 1589

Acoustic emissions from polycrystalline ice St Lawrence, W F., et al, (1982, p.183-199) MP 1524

Acoustic emissions from polycrystalline ice. St Lawrence, W.F., et al, (1982, 15p.) CR 82-21

Polycrystalline ice creep in relation to applied stresses Cole, D.M., (1983, p 614-621) MP 1582

Laboratory studies of acoustic scattering from the underside of sea ice. Jezek, K C , et al, (1985, p 87-91) MP 1912

Analysis of acoustical features of laboratory grown sea ice Stanton, T K , et al, (1986, p 1486-1494) MP 2222

High frequency acoustical properties of saline ice Jezek, K.C., et al, (1989, p.9-23) MP 2686

Acoustics and morphology of undeformed sea ice. Jezek, K.C., et al, (1990, p 67-75) MP 2730

Ice adhesion

Seeking low ice adhesion. Sayward, J.M., (1979, 83p) SR 79-11

Ice adhesion tests on coatings subjected to rain erosion. Minsk, L.D., (1980, 14p) SR 80-28

Adhesion of ice to polymers and other surfaces Itagaki, K., (1983, p 241-252) MP 1580

Mechanisms for ice bonding in wet snow accretions on power lines Colbeck, S C., et al, (1983, p.25-30) MP 1633

Implications of surface energy in ice adhesion Itagaki, K., (1983, p 41-48) MP 1672

Uplifting forces exerted by adfrozen ice on marine piles Christensen, F T , et al, (1985, p 529-542) MP 1905

Modelling trash rack freezeup by frazil ice Daly, S.F., (1987, p 101-106) MP 2305

Evaluation of shear strength of freshwater ice adhered to icephobic coatings Mulhern, N D., (1990, p 149-154) MP 2578

Ice air interface

Air-ice-ocean interaction in Arctic marginal ice zones. Wadhams, P., ed, (1981, 20p) SR 81-19

Configuration of ice in frozen media. Colbeck, S C , (1982, p.116-123) MP 1512

Marginal Ice Zone Experiment, Fram Strait/Greenland Sea, 1984 Johannessen, O M., ed, (1983, 47p) SR 83-12

Marginal ice zones: a description of air-ice-ocean interactive processes, models and planned experiments Johannessen, O.M., et al, (1984, p.133-146) MP 1673

Modeling the marginal ice zone Hibler, W.D , III, ed, (1984, 99p) SR 84-07

On the role of ice interaction in marginal ice zone dynamics. Leppäranta, M , et al, (1984, p 23-29) MP 1781

Atmosphere subgroup discussions. Andreas, E L., (1984, p 97-98) MP 2603

Air-ice ocean interaction in Arctic marginal ice zones: MIZEX-West Wadhams, P , ed, (1985, 119p) SR 85-06

Ice dynamics Hibler, W.D., III, (1986, p.577-640) MP 2211

Theory for scalar roughness and transfer coefficients over snow and ice Andreas, E L., (1987, p 159-184) MP 2195

Comment on "Atmospheric boundary layer modification in the marginal ice zone" by T J Bennett, Jr. and K. Hunkins Andreas, E L., (1987, p 3965-3969) MP 2394

Coupled air-ice-ocean models. Hibler, W.D , III, (1987, p 131-137) MP 2412

Estimating turbulent surface heat fluxes over polar, marine surfaces Andreas, E L., (1988, p 65-68) MP 2448

Thin ice growth Ashton, G.D , (1989, p 564-566) MP 2657

Year of Bowen ratios over the frozen Beaufort Sea Andreas, E L., (1989, p 12,721-12,724) MP 2508

Comments on "A physical bound on the Bowen ratio". Andreas, E.L., (1989, p.1252-1254) MP 2560

Ice bearing capacity

Failure of an ice bridge. DenHartog, S L , et al, (1976, 13p.) CR 76-29

Concentrated loads on a floating ice sheet Nevel, D E , (1977, p 237-245) MP 1062

Ice blasting

Icebreaking concepts Mellor, M , (1980, 18p) SR 80-02

Breaking ice with explosives Mellor, M., (1982, 64p.) CR 82-40

Protection of offshore arctic structures by explosives. Mellor, M., (1983, p 310-322) MP 1605

Icebreaking by gas blasting Mellor, M , (1984, p 93-102) MP 1827

Revised guidelines for blasting floating ice. Mellor, M , (1986, 37p) SR 86-10

Blasting and blast effects in cold regions Part 2. underwater explosions Mellor, M., (1986, 56p) SR 86-16

Deviation of guidelines for blasting floating ice Mellor, M., (1987, p 193-206) MP 2247

Tactical bridging during winter 1986 Korean bridging exercise. Coutermarsh, B.A., (1987, 23p.) SR 87-13

Blasting and blast effects in cold regions Part 3. explosions in ground materials Mellor, M., (1989, 62p) SR 89-15

Ice booms

Application of ice engineering and research to Great Lakes problems. Freitag, D.R., (1972, p 131-138) MP 1615

Forces on an ice boom in the Beauharnois Canal Perham, R E , et al, (1975, p 397-407) MP 858

Passage of ice at hydraulic structures Calkins, D J., et al, (1976, p.1726-1736) MP 966

Arching of two block sizes of model ice floes. Calkins, D.J , et al, (1976, 11p) CR 76-42

Force estimate and field measurements of the St Marys River ice booms Perham, R E , (1977, 26p.) CR 77-04

Some economic benefits of ice booms Perham, R.E., (1977, p 570-591) MP 959

Ice and ship effects on the St. Marys River ice booms Perham, R E , (19 '8, p 222-230) MP 1617

Righting momen in a rectangular ice boom timber or pontoon Perham, R.E , (1978, p 273-289) MP 1136

Performance of the St Marys River ice booms, 1976-77 Perham, R.E , (1978, 13p) CR 78-24

Modeling hydrologic impacts of winter navigation Daly, S F., et al, (1981, p.1073-1080) MP 1445

Ice control arrangement for winter navigation. Perham, R.E., (1981, p.1096-1103) MP 1449

Force distribution in a fragmented ice cover. Daly, S.F., et al, (1982, p 374-387) MP 1531

Force measurements and analysis of river ice break up. Deck, D.S , (1982, p 303-336) MP 1739

Ice sheet retention structures. Perham, R.E , (1983, 33p.) CR 83-30

Navigation ice booms on the St. Marys River. Perham, R.E., (1984, 12p) CR 84-04

Force distribution in a fragmented ice cover. Stewart, D.M , et al, (1984, 16p.) CR 84-07

Performance of the Allegheny River ice control structure, 1983. Deck, D.S., et al, (1984, 15p.) SR 84-13

Controlling river ice to alleviate ice jam flooding Deck, D.S., (1984, p.524-528) MP 1795

Ice sheet retention structures. Perham, R.E , (1984, p.339-348) MP 1832

Controlling river ice to alleviate ice jam flooding Deck, D.S , (1984, p 69-76) MP 1985

Determining the effectiveness of a navigable ice boom Perham, R.E., (1985, 28p) SR 85-17

Upper Delaware River ice control—a case study. Zufelt, J.E., et al, (1986, p.760-770) MP 2005

Modeling ice restraint forces in an ice boom Perham, R.E , (1988, p.198-206) MP 2596

Imjin River ice boom. Perham, R.E , (1988, 10p.) SR 88-22

Ice bottom surface

Formation of ice ripples on the underside of river ice covers. Ashton, G.D., (1971, 157p) MP 1243

Some characteristics of grounded floebergs near Prudhoe Bay, Alaska. Kovacs, A., et al, (1976, p 169-172) MP 1118

Grounded floebergs near Prudhoe Bay, Alaska. Kovacs, A., et al, (1976, 10p) CR 76-34

Analysis of velocity profiles under ice in shallow streams. Calkins, D J., et al, (1981, p 94-111) MP 1397

Pooling of oil under sea ice. Kovacs, A., et al, (1981, p 912-922) MP 1459

Electromagnetic subsurface measurements Dean, A M , Jr., (1981, 19p) SR 81-23

Ice flow leading to the deep core hole at Dye 3, Greenland. Whillans, I M , et al, (1984, p.185-190) MP 1824

Measuring multi-year sea ice thickness using impulse radar. Kovacs, A., et al, (1985, p 55-67) MP 1916

Electromagnetic properties of multi-year sea ice Morey, R.M., et al, (1985, p.151-167) MP 1902

Laboratory studies of acoustic scattering from the underside of sea ice Jezek, K C., et al, (1985, p 87-91) MP 1912

Electromagnetic measurements of multi-year sea ice using impulse radar Kovacs, A , et al, (1985, 26p) CR 85-13

Electromagnetic measurements of sea ice Kovacs, A , et al, (1986, p 67-93) MP 2020

Analysis of acoustical features of laboratory grown sea ice. Stanton, T K., et al, (1986, p 1486-1494) MP 2222

Flow developers for melting ice—experimental results. Ashton, G.D , (1989, p 151-160) MP 2465

Concurrent remote sensing of arctic sea ice from submarine and aircraft Wadhams, P , et al, (1989, 20p) MP 2697

High frequency acoustical properties of saline ice Jezek, K.C., et al, (1989, p 9-23) MP 2686

Radar surveying of the bottom surface of ice covers Arcone, S A., et al, (1990, p.30-39) MP 2766

ICE BREAKING

Ice pressure on engineering structures Michel, B , (1970, 71p) M III-B1b

Ice breaking

Cutting ice with high pressure water jets Mellor, M , et al, (1973, 22p) MP 1001

Ice forces on vertical piles Nevel, D E , et al, (1977, 9p) CR 77-10

Icebreaker simulation Nevel, D E , (1977, 9p) CR 77-16

Investigation of ice clogged channels in the St Marys River Mellor, M., et al, (1978, 73p) MP 1170

Icebreaking concepts Mellor, M , (1980, 18p) SR 80-02

Ice characteristics in Whitefish Bay and St Marys River in winter Vance, G P., (1980, 27p) SR 80-32

Vibrations caused by ship traffic on an ice-covered waterway. Haynes, F.D , et al, (1981, 27p) CR 81-05

Breaking ice with explosives. Mellor, M., (1982, 64p) CR 82-40

Protection of offshore arctic structures by explosives Mellor, M., (1983, p 310-322) MP 1605

Navigation ice booms on the St Marys River Perham, R E., (1984, 12p) CR 84-04

Ice resistance tests on two models of the WTGB icebreaker Tatinclaux, J C , et al, (1984, p 627-638) MP 1716

Operation of the U S Combat Support Boat (USCSBMK 1) on an ice-covered waterway Stubstad, J , et al, (1984, 28p) SR 84-05

Icebreaking by gas blasting Mellor, M., (1984, p 93-102) MP 1827

Workshop on Ice Penetration Technology, Hanover, NH, June 12-13, 1984. (1984, 345p) SR 84-33
Mechanics of ice cover breakthrough. Kerr, A.D., (1984, p.245-262) MP 1997
Surfacing submarines through ice. Assur, A., (1984, p.309-318) MP 1998
Propulsion tests in level ice on a model of a 140-ft WTGB icebreaker. Tatinclaux, J.C., (1985, 13p) CR 85-04
Level ice breaking by a simple wedge. Tatinclaux, J.C., (1985, 46p.) CR 85-22
Some effects of friction on ice forces against vertical structures Kato, K., et al, (1986, p.528-533) MP 2036
Ice floe distribution in the wake of a simple wedge Tatinclaux, J.C., (1986, p 622-629) MP 2038
Design and model testing of a river ice prow. Tatinclaux, J.C., (1986, p 137-150) MP 2132
Development of a river ice-prow. Part ? Tatinclaux, J.C., (1988, p 44-52) MP 2497
Fracture experiments on freshwater and urea model ice. Bentley, D.L, et al, (1988, 152p) MP 2502

Ice breakup

Ice-cratering experiments Blair Lake, Alaska Kurtz, M K, et al, (1966, Various pagings) MP 1034
Yukon River breakup 1976 Johnson, P., et al, (1977, p.592-596) MP 960
Ice breakup on the Chena River 1975 and 1976. McFadden, T., et al, (1977, 44p) CR 77-14
Ice decay patterns on a lake, a river and coastal bay in Canada. Bilello, M A, (1977, p 120-127) MP 969
Sea ice and ice algae relationships in the Weddell Sea. Ackley, S.F, et al, (1978, p 70-71) MP 1203
Ice forces on the Yukon River bridge—1978 breakup Johnson, P R., et al, (1979, 40p) MP 1304
Break-up dates for the Yukon River; Pt.1 Rampart to Whitehorse, 1896-1978. Stephens, C.A, et al, (1979, c50 leaves) MP 1317
Break-up dates for the Yukon River, Pt 2 Alakanuk to Tanana, 1883-1978 Stephens, C A., et al, (1979, c50 leaves) MP 1318
Modeling of ice in rivers Ashton, G D, (1979, p 14/1-14/26) MP 1335
Break-up of the Yukon River at the Haul Road Bridge 1979 Stephens, C.A., et al, (1979, 22p + Figs.) MP 1315
Forecasting ice formation and breakup on Lake Champlain Bates, R.E., et al, (1979, 21p) CR 79-26
Freshwater ice growth, motion, and decay Ashton, G D, (1980, p.261-304) MP 1299
Ice formation and breakup on Lake Champlain Bates, R.E., (1980, p 125-143) MP 1429
Ice jams and meteorological data for three winters, Ottauquechee River, Vt. Bates, R.E, et al, (1981, 27p) CR 81-01
Ice force measurement on the Yukon River bridge. McFadden, T., et al, (1981, p.749-777) MP 1396
Breakup of solid ice covers due to rapid water level variations. Billfalk, L., (1982, 17p) CR 82-03
Field investigations of a hanging ice dam. Beltaos, S, et al, (1982, p.475-488) MP 1533
Force measurements and analysis of river ice break up. Deck, D S., (1982, p 303-336) MP 1739
Unsteady river flow beneath an ice cover. Ferrick, M.G., et al, (1983, p 254-260) MP 2079
Ice jam research needs Gerard, R., (1984, p.181-193) MP 1813
Analysis of rapidly varying flow in ice-covered rivers Ferrick, M.G, (1984, p.359-368) MP 1833
Ice regime reconnaissance, Yukon River, Yukon Gerard, R., et al, (1984, p 1059-1073) MP 2406
Mathematical modeling of river ice processes Shen, H.T., (1984, p.554-558) MP 1973
Hudson River ice management. Ferrick, M.G., et al, (1985, p 96-110) MP 2174
Construction and calibration of the Ottauquechee River model Gooch, G, (1985, 10p) SR 85-13
Cazenovia Creek Model data acquisition system Bennett, B M., et al, (1985, p 1424-1429) MP 2090
Controlled river ice cover breakup, part 1 Hudson River field experiments Ferrick, M.G, et al, (1986, p 281-291) MP 2391
Controlled river ice cover breakup, part 2 Theory and numerical model studies Ferrick, M G, et al, (1986, p.293-305) MP 2392
Study of dynamic ice breakup on the Connecticut River near Windsor, Vermont. Ferrick, M G, et al, (1987, p 163-177) MP 2400
Dynamic ice breakup on the Connecticut River, VT Ferrick, M G, et al, (1988, 16p) CR 88-01
Development of a dynamic ice breakup control method for the Connecticut River near Windsor, Vermont Ferrick, M G., et al, (1988, p 221-233) MP 2510
Elements of floating-debris control systems Perham, R E, (1988, 54p. + appends) MP 2453
Dynamic ice breakup control for the Connecticut River near Windsor, Vermont. Ferrick, M.G, et al, (1988, p 245-258) MP 2449
Assessment of hydraulic structures in a stream after seasonal ice run Calkins, D J, et al, (1989, 12p) MP 2744
Framework for control of dynamic ice breakup by river regulation. Ferrick, M G, et al, (1989, 14p.) CR 89-12
Framework for control of dynamic ice breakup by river regulation. Ferrick, M.G, et al, (1989, p 79-92) MP 2537
Penetration of floating ice sheets with cylindrical indentors Sodhi, D S., et al, (1989, p.104) MP 2688

Ice composition

Vanadium and other elements in Greenland ice cores. Herron, M.M, et al, (1976, 4p.) CR 76-24
Changes in the composition of atmospheric precipitation. Cragin, J.H., et al, (1977, p 617-631) MP 1079
Vanadium and other elements in Greenland ice cores. Herron, M.M, et al, (1977, p.98-102) MP 1092
Stable isotope profile through the Ross Ice Shelf at Little America V, Antarctica Dansgaard, W, et al, (1977, p.322-325) MP 1095
Subsurface measurements of the Ross Ice Shelf, McMurdo Sound, Antarctica. Kovacs, A, et al, (1977, p.146-148) MP 1013
Subsurface measurements of McMurdo Ice Shelf Gow, A.J, et al, (1979, p 79-80) MP 1338
Nitrogenous chemical composition of antarctic ice and snow. Parker, B C, et al, (1981, p 79-81) MP 1541
Physical properties of the ice cover of the Greenland Sea Weeks, W.F., (1982, 27p) SR 82-28
Physical, chemical and biological properties of winter sea ice in the Weddell Sea Clarke, D B., et al, (1982, p 107-109) MP 1609
Chemical fractionation of brine in the McMurdo Ice Shelf Cragin, J H., et al, (1983, 16p) CR 83-06
Morphology and ecology of diatoms in sea ice from the Weddell Sea. Clarke, D B., et al, (1984, 41p) CR 84-05
Sea ice and biological activity in the Antarctic Clarke, D B, et al, (1984, p.2087-2095) MP 1701
Baseline acidity of ancient precipitation from the South Pole Cragin, J H., et al, (1984, 7p.) CR 84-15
Structure of ice in the central part of the Ross Ice Shelf, Antarctica. Zotikov, I.A, et al, (1985, p 39-44) MP 2110
Physical properties of the sea ice cover. Weeks, W F, (1986, p 87-102) MP 2047
Crystal structure of Fram Strait sea ice. Gow, A J., et al, (1986, p 20-29) MP 2221
Chemical fractionation of brine in McMurdo Ice Shelf Cragin, J.H, et al, (1986, p 307-313) MP 2239
On the profile properties of undeformed first-year sea ice Cox, G.F N., et al, (1986, p.257-330) MP 2199
Low temperature effects on organophosphonates Britton, K.B, (1986, 47 refs) SR 86-38
Physical properties of estuarine ice in Great Bay, New Hampshire. Meese, D.A, et al, (1987, p 833-840) MP 2251
Baseline acidity of South Pole precipitation Cragin, J H, et al, (1987, p 789-792) MP 2275
Evaporation of chemical agents from ice and snow Leggett, D.C, (1988, 10p) CR 88-03
Mechanical properties of multi-year sea ice Richter-Menge, J A., et al, (1988, ?7p) CR 88-05
Chemical and structural properties of sea ice in the southern Beaufort Sea. Meese, D A, (1989, 294p) MP 2656
Chemical and structural properties of sea ice in the southern Beaufort Sea Meese, D.A, (1989, 134p) CR 89-25
Dominion Range ice core characteristics, Antarctica Mayewski, P A., et al, (1990, p 11-16) MP 2707
Physical properties of brackish ice, Bay of Bothnia Weeks, W F, et al, (1990, p 5-15) MP 2725
Chemical and structural properties of sea ice in the southern Beaufort Sea. Meese, D A, (1990, p 32-35) MP 2728

Ice compression

Application of ice engineering and research to Great Lakes problems Freitag, D R., (1972, p 131-138) MP 1615
Measuring the uniaxial compressive strength of ice Haynes, F.D., et al, (1977, p 213-223) MP 1027

Ice conditions

Ice dynamics, Canadian Archipelago and adjacent Arctic basin Ramseier, R O, et al, (1975, p.853-877) MP 1585
Statistical variations in Arctic sea ice ridging and deformation rates Hibler, W D, III, (1975, p J1-J16) MP 850
Winter thermal structure and ice conditions on Lake Champlain, Vermont Bates, R E, (1976, 22p) CR 76-13
Dynamics of near-shore ice Weeks, W F, et al, (1976, p 267-275) MP 922
Sea ice conditions in the Arctic Weeks, W F, (1976, p 173-205) MP 910
Remote sensing of frazil and brash ice in the St Lawrence River. Dean, A.M, Jr, (1977, 19p) CR 77-08
Remote sensing of accumulated frazil and brash ice Dean, A M, Jr, (1977, p 693-704) MP 934
Report of the ITTC panel on testing in ice, 1978 Frankenstein, G E., et al, (1978, p.157-179) MP 1140
Break-up dates for the Yukon River, Pt 1 Rampart to Whitehorse, 1896-1978 Stephens, C.A., et al, (1979, c50 leaves) MP 1317
Overview on the seasonal sea ice zone Weeks, W.F, et al, (1979, p 320-337) MP 1320
Winter thermal structure, ice conditions and climate of Lake Champlain Bates, R E, (1980, 26p.) CR 80-02
Ice laboratory facilities for solving ice problems Frankenstein, G E, (1980, p 93-103) MP 1301
Continuum sea ice model for a global climate model. Ling, C.H, et al, (1980, p.187-196) MP 1622
Clearing ice-clogged shipping channels Vance, G P, (1980, 13p.) CR 80-28
Hyperbolic reflections on Beaufort Sea seismic records. Neave, K G., et al, (1981, 16p) CR 81-02
Hydraulic model study of a water intake under frazil ice conditions Tantillo, T.J., (1981, 11p) CR 81-03
Summer conditions in the Prudhoe Bay area, 1953-75 Cox, G F N, et al, (1981, p.799-808) MP 1457
Sea ice piling at Fairway Rock, Bering Strait, Alaska. Kovacs, A, et al, (1981, p.985-1000) MP 1460
Ice distribution and winter ocean circulation, Kachemak Bay, Alaska. Gatto, L.W, (1981, 43p) CR 81-22
River ice suppression by side channel discharge of warm water. Ashton, G D, (1982, p 65-80) MP 1528
Ice distribution and water circulation, Kachemak Bay, Alaska. Gatto, L.W., (1982, p 421-435) MP 1569
Understanding the Arctic sea floor for engineering purposes. (1982, 141p) SR 83-25
Bering Strait sea ice and the Fairway Rock icefoot. Kovacs, A., et al, (1982, 40p.) CR 82-31
Observations of pack ice properties in the Weddell Sea Ackley, S F, et al, (1982, p 105-106) MP 1608
Atmospheric boundary layer measurements in the Weddell Sea Andreas, E.L., (1982, p 113-115) MP 1610
Sea ice state during the Weddell Sea Expedition. Ackley, S F, et al, (1983, 6p. + 59p) SR 83-2
Offshore mechanics and Arctic engineering, symposium, 1983. (1983, 813p) MP 1581
Lake water intakes under icing conditions Dean, A.M., Jr., (1983, 7p) CR 83-15
Landsat-4 thematic mapper (TM) for cold environments Gervin, J.C., et al, (1983, p 179-186) MP 1651
Spaceborne SAR and sea ice a status report. Weeks, W.F., (1983, p 113-115) MP 2225
Ice jams in shallow rivers with floodplain flow. Calkins, D.J., (1983, p 538-548) MP 1644
Science program for an imaging radar receiving station in Alaska Weller, G., et al, (1983, 45p) MP 1884
Marginal ice zones a description of air-ice-ocean interactive processes, models and planned experiments. Johannessen, O M, et al, (1984, p.133-146) MP 1673
Model tests on two models of WTGB 140-foot icebreaker Tatinclaux, J C, (1984, 17p) CR 84-03
Offshore mechanics and Arctic engineering symposium, 1984. (1984, 3 vols) MP 1675
Ice observation program on the semisubmersible drilling vessel SEDCO 708 Minsk, L.D., (1984, 14p) SR 84-02
East Greenland Sea ice variability in large-scale model simulations. Walsh, J.E., et al, (1984, p 9-14) MP 1779
On the decay and retreat of the ice cover in the summer MIZ. Maykut, G.A., (1984, p 15-22) MP 1780
On the role of ice interaction in marginal ice zone dynamics. Leppäranta, M, et al, (1984, p 23-29) MP 1781
Drag coefficient across the Antarctic marginal ice zone. Andreas, E.L, et al, (1984, p 63-71) MP 1784
Mechanism for floe clustering in the marginal ice zone Leppäranta, M, et al, (1984, p 73-76) MP 1785
Ice-related flood frequency analysis application of analytical estimates. Gerard, R, et al, (1984, p 85-101) MP 1712
Model simulation of 20 years of northern hemisphere sea-ice fluctuations. Walsh, J.E, et al, (1984, p 170-176) MP 1767
Modeling intake peformance under frazil ice conditions. Dean, A.M, Jr, (1984, p 559-563) MP 1797
Ice regime reconnaissance, Yukon River, Yukon. Gerard, R, et al, (1984, p 1059-1073) MP 2406
Reservoir bank erosion caused by ice Gatto, L W, (1984, p 203-214) MP 1787
MIZEX 83 mesoscale sea ice dynamics: initial analysis Hibler, W.D, III, et al, (1984, p.19-28) MP 1811
MIZEX 84 mesoscale sea ice dynamics post operations report Hibler, W D, III, et al, (1984, p 66-69) MP 1257
Offshore Mechanics and Arctic Engineering Symposium, 4th, 1985 (1985, 2 vols) MP 2105
Unified degree-day method for river ice cover thickness simulation Shen, H T, et al, (1985, p 54-62) MP 2065
Propulsion tests in level ice on a model of a 140-ft WTGB icebreaker Tatinclaux, J C, (1985, 13p) CR 85-04
Kadluk ice stress measurement program Johnson, J B, et al, (1985, p 88-100) MP 1899
Ice conditions on the Ohio and Illinois rivers, 1972-1985. Gatto, L.W., (1985, p 856-861) MP 1914
Hudson River ice management Ferrick, M G, et al, (1985, p 96-110) MP 2174
Upper Delaware River ice control a case study Zufelt, J E, et al, (1986, p.760-770) MP 2005
Offshore Mechanics and Arctic Engineering Symposium, 5th, 1986 (1986, 4 vols) MP 2031
Remote sensing of the Arctic seas. Weeks, W F, et al, (1986, p.59-64) MP 2117
Ice problems associated with rivers and reservoirs Benson, C, et al, (1986, p 70-98) MP 2155
Design and model testing of a river ice prow Tatinclaux, J C, (1986, p 137-150) MP 2132
Ice atlas, 1984-1985 Ohio River, Allegheny River, Monongahela River Gatto, L W, et al, (1986, 185p) SR 86-23

Ice conditions *(cont.)*
River ice mapping with Landsat and video imagery. Gatto, L.W , et al, (1987, p.352-363) MP 2273
Alaska synthetic aperture radar (SAR) facility project Carsey, F., et al, (1987, p 593-596) MP 2408
Analysis of 112 years of ice conditions observed on the Ohio River at Cincinnati Daly, S F , et al, (1987, p.70-79) MP 2260
Ice atlas 1985-86 of five rivers of the USA. Gatto, L W , et al, (1987, 367p.) SR 87-20
DOD floating ice problems Cox, G F.N , (1987, p 151-154) MP 2414
Arctic construction working group report Marvin, E.L , et al, (1987, p.311-314) MP 2426
Ice conditions along the Ohio River, 1972-1985. Gatto, L.W., (1988, 162p) SR 88-01
Evaluation of an operational ice forecasting model during summer. Tucker, W.B , et al, (1988, p.159-174) MP 2347
Ice conditions along the Allegheny and Monongahela Rivers Gatto, L.W., (1988, 106p.) SR 88-06
Inventory of ice problem sites and remedial ice control structures. Perham, R E., (1988, 9p) SR 88-07
Ice cover distribution in Vermont and New Hampshire Atlantic salmon rearing streams Calkins, D J., et al, (1988, p 85-96) MP 2473
Computer-generated graphics of river ice conditions Bilello, M.A , et al, (1988, p 211-219) MP 2509
Rebuilding infrastructure for pleasure boating Wortley, C.A., et al, (1989, p.188-201) MP 2466
Ice conditions along Illinois Waterway, 1972-1985 Gatto, L.W., (1989, 112p.) CR 89-20
Wave-induced bergy bit motion near a floating platform Mak, L.M., et al, (1990, p 205-215) MP 2580

Ice (construction material)
Engineering properties of sea ice. Schwarz, J., et al, (1977, p 499-531) MP 1065
Role of research in developing surface protection measures for the Arctic Slope of Alaska Johnson, P R , (1978, p.202-205) MP 1068

ICE CONTROL
Snow removal and ice control Mellor, M., (1965, 37p) M III-A3b

Ice control
Use of explosives in removing ice jams Frankenstein, G E , et al, (1970, 10p) MP 1021
Application of ice engineering and research to Great Lakes problems Freitag, D.R , (1972, p 131-138) MP 1615
Icings developed from surface water and ground water Carey, K.L., (1973, 71p) M III-D3
Numerical simulation of air bubbler systems Ashton, G D , (1977, p.765-778) MP 936
Some economic benefits of ice booms Perham, R.E , (1977, p 570-591) MP 959
Solving problems of ice-blocked drainage facilities. Carey, K.L., (1977, 17p) SR 77-25
Storm drainage design considerations in cold regions Lobacz, E.F , et al, (1978, p 474-489) MP 1088
Ice and ship effects on the St. Marys River ice booms Perham, R.E., (1978, p 222-230) MP 1617
Numerical simulation of air bubbler systems Ashton, G D , (1978, p 231-238) MP 1618
Current research on snow and ice removal in the United States Minsk, L.D , (1978, p 21-22) MP 1199
Noncorrosive methods of ice control. Minsk, L D., (1979, p.133-162) MP 1265
Suppression of river ice by thermal effluents Ashton, G D , (1979, 23p) CR 79-30
Harnessing frazil ice Perham, R.E , (1981, p 227-237) MP 1398
Snow and ice control on railroads, highways and airports Minsk, L D., et al, (1981, p 671-706) MP 1447
Modeling hydrologic impacts of winter navigation Daly, S.F , et al, (1981, p 1073-1080) MP 1445
Ice control at navigation locks. Hanamoto, B , (1981, p.1088-1095) MP 1448
Ice control arrangement for winter navigation Perham, R E., (1981, p.1096-1103) MP 1449
Port Huron ice control model studies. Calkins, D.J , et al, (1982, p.361-373) MP 1530
Model study of Port Huron ice control structure, wind stress simulation Sodhi, D.S , et al, (1982, 27p) CR 82-09
Theory of thermal control and prevention of ice in rivers and lakes. Ashton, G D , (1982, p 131-185) MP 1554
Force measurements and analysis of river ice break up Deck, D.S., (1982, p 303-336) MP 1739
Optimizing deicing chemical application rates Minsk, L.D , (1982, 55p) CR 82-18
Hydraulic model study of Port Huron ice control structure Calkins, D.J., et al, (1982, 59p) CR 82-34
How effective are icephobic coatings Minsk, L D , (1983, p 93-95) MP 1634
Methods of ice control. Frankenstein, G E , et al, (1983, p 204-215) MP 1642
Ice sheet retention structures Perham, R E , (1983, 33p) CR 83-30
Navigation ice booms on the St Marys River Perham, R E , (1984, 12p) CR 84-04
Performance of the Allegheny River ice control structure, 1983. Deck, D.S , et al, (1984, 15p) SR 84-13
Controlling river ice to alleviate ice jam flooding. Deck, D S., (1984, p 524-528) MP 1795
Methods of ice control for winter navigation in inland waters Frankenstein, G.E., et al, (1984, p.329-337) MP 1831
Ice sheet retention structures. Perham, R.E , (1984, p 339-348) MP 1832
Controlling river ice to alleviate ice jam flooding Deck, D.S , (1984, p 69-76) MP 1885
Cold facts of ice jams: case studies of mitigation methods. Calkins, D J , (1984, p.39-47) MP 1793
Polyethylene glycol as an ice control coating Itagaki, K., (1984, 11p) CR 84-28
Survey of ice problem areas in navigable waterways. Zufelt, J., et al, (1985, 32p) SR 85-02
Ice jam flood prevention measures, Lamoille River, Hardwick VT. Calkins, D.J., (1985, p.149-168) MP 1940
Cazenovia Creek Model data acquisition system. Bennett, B M., et al, (1985, p.1424-1429) MP 2090
Upper Delaware River ice control—a case study. Zufelt, J E , et al, (1986, p.760-770) MP 2005
Snow and ice prevention in the United States Minsk, L.D , (1986, p 37-42) MP 1874
Evolution of frazil ice in rivers and streams: research and control. Daly, S.F., (1987, p 11-16) MP 2303
Dynamic ice breakup on the Connecticut River, VT. Ferrick, M G , et al, (1988, 16p) CR 88-01
Intake design for ice conditions. Ashton, G.D , (1988, p.107-138) MP 2518
Inventory of ice problem sites and remedial ice control structures Perham, R.E , (1988, 9p) SR 88-07
Development of a river ice prow Tatinclaux, J C , et al, (1988, 26p) CR 88-09
High-flow air-screen bubbler systems to control ice in locks. Rand, J.H , (1988, p 34-43) MP 2496
Development of a river ice-prow. Part 2. Tatinclaux, J.C., (1988, p 44-52) MP 2497
Development of a dynamic ice breakup control method for the Connecticut River near Windsor, Vermont. Ferrick, M.G , et al, (1988, p 221-233) MP 2510
Ice control in river harbors and fleeting areas Perham, R.E., (1988, 7p) SR 88-12
Dynamic ice breakup control for the Connecticut River near Windsor, Vermont. Ferrick, M G., et al, (1988, p 245-258) MP 2449
Unconventional power sources for ice control at locks and dams Nakato, T., et al, (1989, p.107-126) MP 2572
Freezeup dynamics of a frazil ice screen. Axelson, K.D., (1990, 8p) SR 90-04
Salmon River ice jam control studies interim report Axelson, K.D., et al, (1990, 8p.) SR 90-06

Ice cores
Greenland climate changes shown by ice core. Dansgaard, W., et al, (1971, p 17-22) MP 998
Oxygen isotope profiles through ice sheets Johnsen, S J , et al, (1972, p 429-434) MP 997
Byrd Land quaternary volcanism LeMasurier, W E., (1972, p.139-141) MP 994
Polar ice-core storage facility Langway, C C., Jr , (1976, p.71-75) MP 874
Vanadium and other elements in Greenland ice cores Herron, M.M , et al, (1976, 4p.) CR 76-24
Changes in the composition of atmospheric precipitation. Cragin, J H , et al, (1977, p 617-631) MP 1079
Vanadium and other elements in Greenland ice cores Herron, M M , et al, (1977, p.98-102) MP 1092
Dating annual layers of Greenland ice Langway, C C , Jr., et al, (1977, p 302-306) MP 1094
Aerosols in Greenland snow and ice. Kumai, M., (1977, p 341-350) MP 1725
Primary productivity in sea ice of the Weddell region Ackley, S F , et al, (1978, 17p) CR 78-19
Ultrasonic measurements on deep ice cores from Antarctica. Gow, A J., et al, (1978, p 48-50) MP 1202
Ultrasonic investigation on ice cores from Antarctica. Kohnen, H , et al, (1979, 16p) CR 79-10
Stratified debris in Antarctic ice cores Gow, A.J , et al, (1979, p.185-192) MP 1272
Ultrasonic investigation on ice cores from Antarctica Kohnen, H , et al, (1979, p.4865-4874) MP 1239
20-yr cycle in Greenland ice core records Hibler, W D , III, et al, (1979, p 481-483) MP 1245
Ice sheet internal reflections. Ackley, S F , et al, (1979, p 5675-5680) MP 1319
Subsurface measurements of McMurdo Ice Shelf Gow, A.J., et al, (1979, p.79-80) MP 1338
Antifreeze-thermodrilling, central Ross Ice Shelf. Zotikov, I.A., (1979, 12p) CR 79-24
Danish deep drill, progress report February-March 1979 Rand, J H., (1980, 37p) SR 80-03
Time-priority studies of deep ice cores Gow, A J , (1980, p 91-102) MP 1308
South Pole ice core drilling, 1981-1982 Kuivinen, K C , et al, (1982, p 89-91) MP 1621
Chemical fractionation of brine in the McMurdo Ice Shelf Cragin, J.H , et al, (1983, 16p) CR 83-06
Sea ice and biological activity in the Antarctic Clarke, D B , et al, (1984, p 2087-2095) MP 1701
Army research could reduce dangers posed by sea ice Tucker, W.B , (1984, p.20-24) MP 2168
Baseline acidity of ancient precipitation from the South Pole. Cragin, J.H., et al, (1984, 7p) CR 84-15
Sea ice properties. Tucker, W.B., et al, (1984, p.82-83) MP 2136
Ice drilling technology. Holdsworth, G , ed, (1984, 142p.) SR 84-34
Ice drilling and coring systems—a retrospective view Sellmann, P.V , et al, (1984, p.125-127) MP 1999
System for mounting end caps on ice specimens Cole, D M , et al, (1985, p.362-365) MP 2016
Structure of ice in the central part of the Ross Ice Shelf, Antarctica. Zotikov, I.A , et al, (1985, p.39-44) MP 2110
Chemical fractionation of brine in McMurdo Ice Shelf. Cragin, J.H , et al, (1986, p 307-313) MP 2239
Sea-ice investigations during the Winter Weddell Sea Project. Ackley, S.F., et al, (1987, p.88-89) MP 2491
Chemical and structural properties of sea ice in the southern Beaufort Sea Meese, D.A , (1989, 294p) MP 2656
US global ice core research program West Antarctica and beyond. Grootes, P.M., et al, (1989, 32p) MP 2709
Dominion Range ice core characteristics, Antarctica. Mayewski, P A., et al, (1990, p 11-16) MP 2707
Chemical and structural properties of sea ice in the southern Beaufort Sea. Meese, D.A., (1990, p.32-35) MP 2728

Ice coring drills
General considerations for drill system design Mellor, M., et al, (1976, p.77-111) MP 856
USA CRREL shallow drill. Rand, J.H , (1976, p.133-137) MP 873
Ross Ice Shelf Project drilling, October-December 1976. Rand, J.H., (1977, p.150-152) MP 1061
Core drilling through Ross Ice Shelf. Zotikov, I A , et al, (1979, p 63-64) MP 1337
Danish deep drill, progress report: February-March 1979. Rand, J H , (1980, 37p) SR 80-03
South Pole ice core drilling, 1981-1982. Kuivinen, K.C., et al, (1982, p 89-91) MP 1621
Ice drilling technology Holdsworth, G., ed, (1984, 142p.) SR 84-34
Ice-coring augers for shallow depth sampling. Rand, J.H., et al, (1985, 22p.) CR 85-21

Ice cover
Environmental analyses in the Kootenai River region, Montana. McKim, H.L., et al, (1976, 53p) SR 76-13
Water resources by satellite McKim, H.L , (1978, p 164-169) MP 1090
Towing ships through ice-clogged channels by warping and kedging. Mellor, M , (1979, 21p) CR 79-21
Winter surveys of the upper Susitna River, Alaska. Bilello, M.A., (1980, 30p.) SR 80-19
Electromagnetic subsurface measurements. Dean, A.M , Jr., (1981, 19p) SR 81-23
Explosive obscuration sub-test results at the SNOW-TWO field experiment. Ebersole, J.F , et al, (1984, p 347-354) MP 1872
Structure to form an ice cover on river rapids in winter. Perham, R E., (1986, p.439-450) MP 2128
Microcomputer-based image-processing system Perovich, D.K , et al, (1988, p.249-252) MP 2385
Light reflection and transmission by sea ice covers. Perovich, D.K , (1990, p.9557-9567) MP 2761

Ice cover effect
Antarctic sea ice dynamics and its possible climatic effects. Ackley, S F , et al, (1976, p 53-76) MP 1378
Suppression of ice fog from cooling ponds. McFadden, T., (1976, 78p) CR 76-43
Ice and navigation related sedimentation. Wuebben, J.L., et al, (1978, p 393-403) MP 1133
Turbulent heat transfer from a river to its ice cover Haynes, F D., et al, (1979, 5p) CR 79-13
Analysis of velocity profiles under ice in shallow streams Calkins, D.J., et al, (1981, p.94-111) MP 1397
Effects of ice on coal movement via the inland waterways. Lunardini, V.J., et al, (1981, 72p) SR 81-13
Application of HEC-2 for ice-covered waterways. Calkins, D.J., et al, (1982, p 241-248) MP 1575
Reservoir bank erosion caused and influenced by ice cover. Gatto, L W., (1982, 26p) SR 82-31
Using the DWOPER routing model to simulate river flows with ice Daly, S F , et al, (1983, 19p) SR 83-01
Unsteady river flow beneath an ice cover Ferrick, M G , et al, (1983, p 254-260) MP 2079
Bank recession of Corps of Engineers reservoirs Gatto, L.W., et al, (1983, 103p) SR 83-30
West antarctic sea ice. Ackley, S F , (1984, p 88-95) MP 1818
Operation of the U S. Combat Support Boat (USCSBMK I) on an ice-covered waterway Stubstad, J , et al, (1984, 28p) SR 84-05
Nitrogen removal in wastewater ponds. Reed, S C., (1984, 26p) CR 84-13
Analysis of rapidly varying flow in ice-covered rivers Ferrick, M G , (1984, p 359-368) MP 1833
Effect of ice cover on hydropower production Yapa, P.D , et al, (1984, p 231-234) MP 1876
Electromagnetic pulse propagation in dielectric slabs Arcone, S A , (1984, p.1763-1773) MP 1991

Surfacing submarines through ice. Assur, A., (1984, p 309-318) MP 1998

Erosion of northern reservoir shores Lawson, D.E., (1985, 198p) M 85-01

Winter tire tests, 1980-81. Blaisdell, G.L., et al, (1985, p 135-151) MP 2045

Heat transfer in water flowing over a horizontal ice sheet. Lunardini, V.J., et al, (1986, 81p) CR 86-03

Effects of water and ice on the scattering of diffuse reflectors Jezek, K.C., et al, (1986, p 259-269) MP 2664

Laboratory study of flow in an ice-covered sand bed channel. Wuebben, J.L., (1986, p 3-14) MP 2123

Morphology, hydraulics and sediment transport of an ice-covered river. Lawson, D.E., et al, (1986, 37p) CR 86-11

DOD floating ice problems Cox, G.F.N., (1987, p.151-154) MP 2414

Seismic and acoustic wave propagation working group report. Albert, D.G., et al, (1987, p.253-255) MP 2419

Estimating Cn square over snow and sea ice from meteorological quantities Andreas, E.L., (1988, p.258-267) MP 2440

Estimating Cn square over snow and sea ice from meteorological data. Andreas, E.L., (1988, p 481-495) MP 2393

Effects of an ice cover on flow in a movable bed channel Wuebben, J.L., (1988, p 137-146) MP 2499

Antitank obstacles for winter use Richmond, P.W., (1988, 11p) SR 88-19

Using the Ground Emplaced Mine Scattering System in winter. Richmond, P.W., et al, (1988, 13p) SR 88-27

Assessment of hydraulic structures in a stream after seasonal ice run. Calkins, D.J., et al, (1989, 12p.) MP 2744

High frequency acoustical properties of saline ice. Jezek, K.C., et al, (1989, p 9-23) MP 2686

Cavitating fluid sea ice model. Flato, G.M., et al, (1990, p 239-242) MP 2738

Ice cover effect on river flow. Ashton, G.D., (1990, 24p) SR 90-08

ICE COVER STRENGTH

Mechanical properties of sea ice Weeks, W.F., et al, (1967, 80p.) M II-C3

Ice cover strength

Failure of an ice bridge. DenHartog, S.L., et al, (1976, 13p) CR 76-29

Force estimate and field measurements of the St Marys River ice booms Perham, R.E., (1977, 26p) CR 77-04

Laboratory investigation of the mechanics and hydraulics of river ice jams Tatinclaux, J.C., et al, (1977, 45p) CR 77-09

Ice cover forces on structures Kerr, A.D., (1978, p 123-134) MP 879

Ice thickness-tensile stress relationship for load-bearing ice Johnson, P.R., (1980, 11p) SR 80-09

Evaluation of ice-covered water crossings Dean, A.M., Jr., (1980, p 443-453) MP 1348

Ice characteristics in Whitefish Bay and St. Marys River in winter. Vance, G.P., (1980, 27p) SR 80-32

Ice force measurement on the Yukon River bridge McFadden, T., et al, (1981, p 749-777) MP 1396

On the buckling force of floating ice plates. Kerr, A.D., (1981, 7p.) CR 81-09

Flow velocity profiles in ice-covered shallow streams. Calkins, D.J., et al, (1982, p 236-247) MP 1540

In-situ measurements of the mechanical properties of ice Tatinclaux, J.C., (1982, p 326-334) MP 1555

Flexural strength and elastic modulus of ice Tatinclaux, J.C., et al, (1982, p.37-47) MP 1568

Ice properties in the Greenland and Barents Seas during summer. Overgaard, S., et al, (1983, p 142-164) MP 2062

Model tests on two models of WTGB 140-foot icebreaker Tatinclaux, J.C., (1984, 17p) CR 84-03

Deterioration of floating ice covers Ashton, G.D., (1984, p 26-33) MP 1676

Variation of ice strength within and between multiyear pressure ridges in the Beaufort Sea. Weeks, W.F., (1984, p 134-139) MP 1680

Model tests in ice of a Canadian Coast Guard R-class icebreaker. Tatinclaux, J.C., (1984, 24p) SR 84-06

Ice deterioration Ashton, G.D., (1984, p 31-38) MP 1791

Workshop on Ice Penetration Technology, Hanover, NH, June 12-13, 1984 (1984, 345p) SR 84-33

Shopper's guide to ice penetration Mellor, M., (1984, p 1-35) MP 1992

Penetration of shaped charges into ice Mellor, M., (1984, p 137-148) MP 1995

Mechanics of ice cover breakthrough Kerr, A.D., (1984, p 245-262) MP 1997

Deterioration of floating ice covers Ashton, G.D., (1985, p 177-182) MP 2122

Ice penetration tests Garcia, N.B., et al, (1985, p 223-236) MP 2014

In-ice calibration tests for an elongate, uniaxial brass ice stress sensor. Johnson, J.B., (1985, p 506-510) MP 1966

Ice cover research present state and future needs Kerr, A.D., et al, (1986, p 384-399) MP 2004

Crushing of ice sheet against rigid cylindrical structures Sodhi, D.S., et al, (1986, p.1-12) MP 2018

Second Workshop on Ice Penetration Technology, 1986, (1986, 659p.) SR 86-30

Variability of Arctic sea ice drafts. Tucker, W.B., et al, (1986, p 237-256) MP 2198

On the profile properties of undeformed first year sea ice Cox, G.F.N., et al, (1986, p 257-330) MP 2199

Contribution of snow to ice bridges Coutermarsh, B.A., et al, (1987, p.133-137) MP 2192

Numerical simulation of first-year sea ice Cox, G.F.N., et al, (1988, p 12,449-12,460) MP 2404

Flexural properties of freshwater ice sheets. Gow, A.J., et al, (1989, p 249-270) MP 2652

ICE COVER THICKNESS

Antarctic ice sheet Mellor, M., (1961, 50p) M I-B1

Greenland ice sheet. Bader, H., (1961, 18p) M I-B2

Ice cover thickness

Salinity variations in sea ice. Cox, G.F.N., et al, (1974, p.109-122) MP 1023

Remote sensing program required for the AIDJEX model. Weeks, W.F., et al, (1974, p 22-44) MP 1040

Stability of Antarctic ice. Weertman, J., (1975, p.159) MP 1042

Remote sensing plan for the AIDJEX main experiment Weeks, W.F., et al, (1975, p 21-48) MP 862

Thickness and roughness variations of arctic multiyear sea ice Ackley, S.F., et al, (1976, 25p) CR 76-18

Sea ice properties and geometry. Weeks, W.F., (1976, p 137-171) MP 918

Radar imagery of ice covered North Slope lakes. Weeks, W.F., et al, (1977, p 129-136) MP 923

Remote sensing of accumulated frazil and brash ice. Dean, A.M., Jr., (1977, p 693-704) MP 934

Sea ice thickness profiling and under-ice oil entrapment. Kovacs, A., (1977, p.547-550) MP 940

Ice decay patterns on a lake, a river and coastal bay in Canada Bilello, M.A., (1977, p.120-127) MP 569

Decay patterns of land-fast sea ice in Canada and Alaska. Bilello, M.A., (1977, p.1-10) MP 1161

Iceberg thickness profiling using an impulse radar. Kovacs, A., (1977, p.140-142) MP 1012

Subsurface measurements of the Ross Ice Shelf, McMurdo Sound, Antarctica Kovacs, A., et al, (1977, p 146-148) MP 1013

Sea ice studies in the Weddell Sea region aboard USCGC *Burton Island*. Ackley, S.F., (1977, p 172-173) MP 1014

Delineation and engineering characteristics of permafrost beneath the Beaufort Sea Sellmann, P.V., et al, (1977, p 432-440) MP 1077

Iceberg thickness and crack detection. Kovacs, A., (1978, p.131-145) MP 1128

Iceberg thickness profiling. Kovacs, A., (1978, p 766-774) MP 1019

Physical measurement of ice jams 1976-77 field season. Wuebben, J.L., et al, (1978, 19p) SR 78-03

Radar profile of a multi-year pressure ridge fragment. Kovacs, A., (1978, p 59-62) MP 1126

Profiles of pressure ridges and ice islands in the Beaufort Sea Hnatiuk, J., et al, (1978, p 519-532) MP 1187

Dynamics of near-shore ice. Kovacs, A., et al, (1978, p 1-22) MP 1205

Remote detection of water under ice-covered lakes on the North Slope of Alaska. Kovacs, A., (1978, p 448-458) MP 1214

Characteristics of ice on two Vermont rivers Deck, D.S., (1978, 30p) SR 78-30

Laboratory experiments on icing of rotating blades Ackley, S.F., et al, (1979, p 85-92) MP 1236

Accelerated ice growth in rivers Calkins, D.J., (1979, 5p) CR 79-14

Dynamic thermodynamic sea ice model Hibler, W.D., III, (1979, p 815-846) MP 1247

Break-up of the Yukon River at the Haul Road Bridge 1979 Stephens, C.A., et al, (1979, 22p + Figs) MP 1315

Dynamics of near-shore ice. Kovacs, A., et al, (1979, p.181-207) MP 1291

Point source bubbler systems to suppress ice Ashton, G.D., (1979, p 93-100) MP 1326

Icebreaking concepts. Mellor, M., (1980, 18p.) SR 80-02

Evaluation of ice deflectors on the USCG icebreaker *Polar Star*. Vance, G.P., (1980, 37p) SR 80-04

Performance of the USCGC *Katmai Bay* icebreaker Vance, G.P., (1980, 28p) CR 80-08

Maximum thickness and subsequent decay of lake, river and fast sea ice in Canada and Alaska Bilello, M.A., (1980, 160p) CR 80-06

Sea ice growth, drift, and decay Hibler, W.D., III, (1980, p 141-209) MP 1298

Evaluation of ice-covered water crossings Dean, A.M., Jr., (1980, p 443-453) MP 1348

Ice characteristics in Whitefish Bay and St Marys River in winter Vance, G.P., (1980, 27p) SR 80-32

Modeling a variable thickness sea ice cover Hibler, W.D., III, (1980, p 1943-1973) MP 1424

Method for measuring brash ice thickness with impulse radar Martinson, C.R., et al, (1981, 10p) SR 81-11

Pooling of oil under sea ice Kovacs, A., et al, (1981, p 912-922) MP 1459

Morphology of sea ice pressure ridge sails Tucker, W.B., et al, (1981, p.1-12) MP 1465

Ice-covered North Slope lakes observed by radar Weeks, W.F., et al, (1981, 17p) CR 81-19

Modeling pressure ridge buildup on the geophysical scale Hibler, W.D., III, (1982, p 141-153) MP 1590

Breakup of solid ice covers due to rapid water level variations Billfalk, L., (1982, 17p.) CR 82-03

Performance of a point source bubbler under thick ice Haynes, F.D., et al, (1982, p.111-121) MP 1529

Effects of conductivity on high-resolution impulse radar sounding. Morey, R.M., et al, (1982, 12p) CR 82-42

Numerical simulation of the Weddell Sea pack ice Hibler, W.D., III, et al, (1983, p 2873-2887) MP 1592

Properties of urea-doped ice in the CRREL test basin. Hirayama, K., (1983, 44p) CR 83-09

Collapsible restraint for measuring tapes Ueda, H.T., (1983, 12 col) MP 2335

Ice properties in the Greenland and Barents Seas during summer Overgaard, S., et al, (1983, p.142-164) MP 2062

Lake ice decay Ashton, G.D., (1983, p.83-86) MP 1684

Changes in the Ross Ice Shelf dynamic condition Jezek, K.C., (1984, p 409-416) MP 2058

Dependence of crushing specific energy on the aspect ratio and the structure velocity Sodhi, D.S., et al, (1984, p 363-374) MP 1708

On the role of ice interaction in marginal ice zone dynamics Leppäranta, M., et al, (1984, p 23-29) MP 1781

Ice jams in shallow rivers with floodplain flow Discussion Beltaos, S., (1984, p 370-371) MP 1798

Computer simulation of ice cover formation in the Upper St Lawrence River Shen, H.T., et al, (1984, p 227-245) MP 1814

Structure of first-year pressure ridge sails in the Prudhoe Bay region. Tucker, W.B., et al, (1984, p 115-135) MP 1837

Shopper's guide to ice penetration. Mellor, M., (1984, p.1-35) MP 1992

Determining the characteristic length of floating ice sheets by moving loads Sodhi, D.S., et al, (1985, p 155-159) MP 1855

Unified degree-day method for river ice cover thickness simulation Shen, H.T., et al, (1985, p 54-62) MP 2065

Numerical modeling of sea ice dynamics and ice thickness Hibler, W.D., III, (1985, 50p) CR 85-05

Sheet ice forces on a conical structure an experimental study Sodhi, D.S., et al, (1985, p 46-54) MP 1915

Measuring multi-year sea ice thickness using impulse radar. Kovacs, A., et al, (1985, p 55-67) MP 1916

Numerical simulation of Northern Hemisphere sea ice variability, 1951-1980 Walsh, J.E., et al, (1985, p.4847-4865) MP 1882

Electromagnetic properties of multi-year sea ice Morey, R.M., et al, (1985, p.151-167) MP 1902

Role of plastic ice interaction in marginal ice zone dynamics Leppäranta, M., et al, (1985, p 11,809-11,909) MP 1544

Impulse radar sounding of level first-year sea ice from an icebreaker Martinson, C.R., (1985, 9p) SR 85-21

Short-pulse radar investigations of freshwater ice sheets and brash ice. Arcone, S.A., et al, (1986, 10p) CR 86-06

Electromagnetic properties of sea ice Kovacs, A., et al, (1986, p.57-133) MP 2197

Variability of Arctic sea ice drafts Tucker, W.B., et al, (1986, p.237-256) MP 2198

Portable hot water ice drill Tucker, W.B., et al, (1986, p 549-564) MP 2202

Calibrating HEC-2 in a shallow, ice-covered river Calkins, D.J., et al, (1986, 25 refs) SR 86-34

Sea-ice investigations during the Winter Weddell Sea Project Ackley, S.F., et al, (1987, p 88-89) MP 2491

Airborne electromagnetic sensing of sea ice thickness Becker, A., et al, (1987, 77p) MP 2673

Portable hot-water ice drill Tucker, W.B., et al, (1987, p 57-64) MP 2236

Measurement of characteristic length of floating ice sheets Sodhi, D.S., (1987, n.p. (Ch.7)) MP 2480

Airborne river-ice thickness profiles Arcone, S.A., et al, (1987, p.330-340) MP 2312

Airborne electromagnetic sounding of sea ice thickness and sub-ice bathymetry Kovacs, A., et al, (1987, p 289-311) MP 2332

Ice thickness distribution across the Atlantic sector of the Antarctic Ocean in midwinter. Wadhams, P., et al, (1987, p 14,535-14,552) MP 2314

Sea ice thickness and sub-ice bathymetry. Kovacs, A., et al, (1987, 40p) CR 87-23

Airborne measurement of sea ice thickness and subice bathymetry Kovacs, A., et al, (1988, p 111-120) MP 2345

Electromagnetic measurements of a second-year sea ice floe Kovacs, A., et al, (1988, p 121-136) MP 2346

Preliminary results of an experiment using a 16 ft x 50 ft long frazil collector line array Perham, R.E., (1988, p 139-156) MP 2474

Numerical simulation of first-year sea ice Cox, G.F.N., et al, (1988, p 12,449-12,460) MP 2404

Injun River ice boom Perham, R.E., (1988, 10p) SR 88-22

Ice cover thickness *(cont.)*
Using the Ground Emplaced Mine Scattering System in winter Richmond, P W , et al, (1988, 1 p) SR 88-27
Thin ice growth. Ashton, G.D., (1989, p 564-566) MP 2657
Fracture toughness of columnar freshwater ice. Bentley, D L , et al, (1989, p 7-20) MP 2545
Concurrent remote sensing of arctic sea ice from submarine and aircraft Wadhams, P , et al, (1989, 20p) MP 2697
River-ice mounds on Alaska's North Slope Arcone, S.A , et al, (1989, p.288-290) MP 2563
Penetration of floating ice sheets with cylindrical indentors Sodhi, D.S , et al, (1989, p 104) MP 2688
Sea ice thickness measurement Kovacs, A , et al, (1989, p.394-424) MP 2693
Ice strength estimates from submarine topsounder data DiMarco R., et al, (1989, p 425-426) MP 2691
Development of an airborne sea ice thickness measurement system and field test results Kovacs, A , et al, (1989, 77p) CR 89-19
Algorithm for extraction of ice-thickness data from short pulse radar signals Rick, L , et al, (1990, p 137-145) MP 2698
Measurement of sea ice thickness using electromagnetic induction Holladay, J S , et al, (1990, p.309-315) MP 2590
Snow cover effects on antarctic sea ice thickness Ackley, S F., et al, (1990, p 16-21) MP 2726
Airborne sea ice thickness sounding Kovacs, A , et al, (1990, p.225-229) MP 2737
Sea ice thickness versus impulse radar time-of-flight data Kovacs, A , et al, (1990, p 91-98) MP 2704
Radar surveying of the bottom surface of ice covers Arcone, S A., et al, (1990, p 30-39) MP 2766
Sea ice in the polar regions Gow, A J , et al, (1990, p 47-122) MP 2750

Ice cracks
Investigation of ice forces on vertical structures Hirayama, K., et al, (1974, 153p) MP 1041
Misgivings on the static imbalance as a mechanism for sea ice cracking Ackley, S F., et al, (1976, p 85-94) MP 1379
Iceberg thickness and crack detection Kovacs, A., (1978, p.131-145) MP 1128
Mechanical properties of polycrystalline ice Mellor, M , (1980, p.217-245) MP 1302
Bending and buckling of a wedge on an elastic foundation Nevel, D.E., (1980, p 278-288) MP 1303
Fracture behavior of ice in Charpy impact testing Itagaki, K , et al, (1980, 13p) CR 80-13
Acoustic emission and deformation response of finite ice plates. Xirouchakis, P.C , et al, (1981, p 123-133) MP 1436
Acoustic emission and deformation response of finite ice plates Xirouchakis, P C , et al, (1981, p 385-394) MP 1455
Study on the tensile strength of ice as a function of grain size Currier, J.H., et al, (1983, 38p) CR 83-14
Influence of grain size on the ductility of ice. Cole, D M , (1984, p.150-157) MP 1686
Experimental determination of buckling loads of cracked ice sheets Sodhi, D S , et al, (1984, p.183-186) MP 1687
Dependence of crushing specific energy on the aspect ratio and the structure velocity Sodhi, D S , et al, (1984, p 363-374) MP 1708
Grain growth and the creep behavior of ice Cole, D M , (1985, p.187-189) MP 1862
Theory of microfracture healing in ice Colbeck, S C , (1986, p 89-95) MP 2146
Fracture toughness of model ice Dempsey, J.P , et al, (1986, p.365-376) MP 2125
Effect of grain size on the internal fracturing of polycrystaline ice. Cole, D M , (1986, 71p) CR 86-05
Small-scale projectile penetration in saline ice Cole, D M , et al, (1986, p 415-438) MP 2201
Crack nucleation in polycrystalline ice Cole, D M , (1988 p.79-87) MP 2325
Fracture toughness of urea model ice Bentley, D L , et al, (1988, p 289-297) MP 2348
Verification tests of the surface integral method for calculating structural ice loads Johnson, J B , et al, (1988, p 449-456) MP 2353
Fracture of S2 columnar freshwater ice floating double cantilever beam tests Bentley, D.L , et al, (1988, p 152-161) MP 2493
Fracture toughness of columnar freshwater ice Bentley, D L., et al, (1989, p 7-20) MP 2545

ICE CREEP
Mechanical properties of sea ice Weeks, W F , et al, (1967, 80p) M II-C3

Ice creep
Mechanics of ice Glen, J W , (1975, 43p) M II-C2b
Creep theory for a floating ice sheet Nevel, D E , (1976, 98p) SR 76-04
Geodetic positions of borehole sites in Greenland Mock, S J , (1976, 7p) CR 76-41
Rheology of ice. Fish, A.M , (1978, 196p) MP 1988
Creep rupture at depth in a cold ice sheet Colbeck, S C , et al, (1978, p.733) MP 1168
Polycrystalline ice mechanics. Hooke, R.L., et al, (1979, 16p) MP 1207
Some promising trends in ice mechanics. Assur, A , (1980, p 1-15) MP 1300
Mechanical properties of polycrystalline ice. Mellor, M., (1980, p 217-245) MP 1302
Mechanical properties of polycrystalline ice. Hooke, R L , et al, (1980, p 263-275) MP 1328
Cyclic loading and fatigue in ice Mellor, M , et al, (1981, p 41-53) MP 1371
Glacier mechanics Mellor, M , (1982, p 455-474) MP 1532
Polycrystalline ice creep in relation to applied stresses Cole, D.M , (1983, p 614-621) MP 1582
Stress/strain/time relations for ice under uniaxial compression. Mellor, M., et al, (1983, p.207-230) MP 1587
Stress measurements in ice Cox, G F N., et al, (1983, 31p) CR 83-23
Relationship between creep and strength behavior of ice at failure Cole, D.M., (1983, p 189-197) MP 1681
Effect of stress application rate on the creep behavior of polycrystalline ice Cole, D M , (1983, p.454-459) MP 1671
Influence of grain size on the ductility of ice. Cole, D M , (1984, p 150-157) MP 1686
Grain growth and the creep behavior of ice. Cole, D M , (1985, p 187-189) MP 1862
Evaluation of the rheological properties of columnar ridge sea ice. Brown, R.L , et al, (1986, p 55-66) MP 2177
Shape of creep curves in frozen soils and polycrystalline ice Fish, A.M , (1987, p 623-629) MP 2329

Ice crossings
Height variation along sea ice pressure ridges Hibler, W.D., III, et al, (1975, p 191-199) MP 848
Ice thickness-tensile stress relationship for load-bearing ice. Johnson, P R., (1980, 11p) SR 80-09
Evaluation of ice-covered water crossings Dean, A.M , Jr., (1980, p 443-453) MP 1348
Snow in the construction of ice bridges Coutermarsh, B A , et al, (1985, 12p) SR 85-18
Contribution of snow to ice bridges Coutermarsh, B A , et al, (1987, p 133-137) MP 2192
Winter bridging exercise on thick ice Fox McCoy, Wisconsin, 1988 Coutermarsh, B A , (1990 24p) SR 90-10

Ice crystal formation
Compressed air seeding of supercooled fog Hicks, J.R , (1976, 9p) SR 76-09
Use of compressed air for supercooled fog dispersal Weinstein, A I , et al, (1976, p 1226-1231) MP 1614

Ice crystal growth
Crystal alignments in the fast ice of Arctic Alaska Weeks, W.F., et al, (1979, 21p) CR 79-22
Introduction to the basic thermodynamics of cold capillary systems Colbeck, S C , (1981, 9p) SR 81-06
Configuration of ice in frozen media Colbeck, S C , (1982, p 116-123) MP 1512
Ice crystal morphology and growth rates at low supersaturations and high temperatures Colbeck, S C , (1983, p 2677-2682) MP 1537
Theory of metamorphism of dry snow Colbeck, S C , (1983, p 5475-5482) MP 1603
Frazil ice. Daly, S F , (1983, p 218-223) MP 2078
Frazil ice dynamics Daly, S F , (1984, 46p.) M 84-01
Comments on "Theory of metamorphism of dry snow" by S C Colbeck Sommerfeld, R A , (1984, p 4963-4965) MP 1800
Dynamics of frazil ice formation Daly, S F , et al, (1984, p.161-172) MP 1829
Ice crystal growth in subcooled NaCl solutions Sullivan, J M , Jr , et al, (1985, p 527-532) MP 2100
Temperature dependence of the equilibrium form of ice Colbeck, S C , (1985, p 72[illegible]) MP 19[illegible]
Growth, structure, and properties of sea ice [illegible] et al, (1986, p 9-164) [illegible]
Grain growth in unstrained polycrystalline ice [illegible] w, A J , (1987, p (C1)277-(C1)281) MP 2231
Snow metamorphism and classification Colbeck, S C , (1987, p 1-35) MP 2265
Wet precipitation in subfreezing air below cloud influences radar backscattering. Colbeck, S C [illegible], p 135-144) MP 2297
Metamorphism and classification of seasonal snow crystals Colbeck, S C , (1987, p 3-34) MP 2438

Ice crystal model
Apparent anomaly in freezing of ordinary water Swinzow, G K , (1976, 23p) CR 76-20
Ice crystal formation and supercooled fog dissipation Kumai, M , (1982, p 579-587) MP 1539
Frazil ice dynamics Daly, S F , (1984, 46p) M 84-01

Ice crystal optics
Near-infrared reflectance of snow-covered substrates O'Brien, H W , et al, (1981, 17p) CR 81-21

Ice crystal structure
Growth and mechanical properties of river and lake ice Ramseier, R O , (1972, 243p) MP 1883
Physics of ice Glen, J W , (1974 81p) M II-C2a
Crystal fabrics of West Antarctic ice sheet Gow, A J , et al, (1976, p 1665-1677) MP 1382
Flexural strength of ice in temperate lakes Gow, A J , (1977, p 247-256) MP 1063
Abnormal internal friction peaks in single-crystal ice. Stallman, P.E , et al, (1977, 15p) SR 77-23
Radar anisotropy of sea ice Kovacs, A., et al, (1978, p 171-201) MP 1111
Preferred crystal orientations in Arctic Ocean fast ice. Weeks, W.F , et al, (1978, 24p) CR 78-13
Ultrasonic measurements on deep ice cores from Antarctica. Gow, A.J , et al, (1978, p 48-50) MP 1202
X-ray measurement of charge density in ice. Itagaki, K., (1978, 12p) CR 79-25
Radar anisotropy of sea ice. Kovacs, A., et al, (1978, p 6037-6046) MP 1139
Ultrasonic investigation on ice cores from Antarctica. Kohnen, H., et al, (1979, 16p) CR 79-10
Ultrasonic investigation on ice cores from Antarctica. Kohnen, H et al, (1979, p 4865-4874) MP 1239
Anisotropic properties of sea ice. Kovacs, A., et al, (1979, p 5749-5756) MP 1258
Crystal alignments in the fast ice of Arctic Alaska Weeks, W F., et al, (1979, 21p) CR 79-22
Anisotropic properties of sea ice in the 50-150 MHz range. Kovacs, A et al, (1979, p 324-353) MP 1620
Crystal alignments in the fast ice of Arctic Alaska Weeks, W.F., et al, (1980, p.1137-1146) MP 1277
Sea ice anisotropy, electromagnetic properties and strength Kovacs, A., et al, (1980, 18p) CR 80-20
Acoustic emission and deformation response of finite ice plates Xirouchakis, P.C , et al, (1981, p 385-394) MP 1455
Growth, structure, and properties of sea ice. Weeks, W.F., et al, (1982, 130p) M 82-01
Configuration of ice in frozen media. Colbeck, S C , (1982, p.116-123) MP 1512
Acoustic emissions from polycrystalline ice St Lawrence, W.F , et al, (1982, p 183-199) MP 1524
Acoustic emissions from polycrystalline ice. St Lawrence, W F , et al, (1982, 15p) CR 82-21
Polycrystalline ice creep in relation to applied stresses Cole, D M , (1983, p 614-621) MP 1582
Ice crystal morphology and growth rates at low supersaturations and high temperatures Colbeck, S C., (1983, p.2677-2682) MP 1537
Properties of sea ice in the coastal zones of the polar oceans Weeks, W F., et al, (1983, p 25-41) MP 1604
Study on the tensile strength of ice as a function of grain size. Currier, J.H , et al, (1983, 38p) CR 83-14
Snow characterization at SNOW-ONE-B Berger, R.H , et al, (1983, p 155-195) MP 1847
Utilization of the snow field test series results for development of a snow obscuration primer. Ebersole, J.F , et al, (1983, p 209-217) MP 1692
Compressive strength of frozen silt Zhu, Y , et al, (1984, p 3-15) MP 1773
Mechanical properties of sea ice a status report Weeks, W F , et al, (1984, p 135-198) MP 1808
Quiet freezing of lakes and the concept of orientation textures in lake ice sheets Gow, A J , (1984, p.137-149) MP 1828
Crystalline structure of urea ice sheets used in modeling in the CRREL test basin Gow, A.J , (1984, p 241-253) MP 1835
Crystalline structure of urea ice sheets Gow, A J , (1984, 48p) CR 84-24
Structure and the compressive strength of ice from pressure ridges Richter, J A , et al, (1985, p 99-102) MP 1849
Ice electrical properties Gow, A.J , (1985, p 79-82) MP 1910
Temperature dependence of the equilibrium form of ice Colbeck, S C , (1985, p 726-732) MP 1939
Orientation textures in ice sheets of quietly frozen lakes Gow, A J , (1986, p 247-258) MP 2118
Crystal structure of Fram Strait sea ice Gow, A J , et al, (1986, p 20-29) MP 2221
Observations of the backscatter from snow at millimeter wavelengths Berger, R H , et al, (1986, p 311-316) MP 2665
Compressive deformation of columnar sea ice Brown, R.L , et al, (1986, p 241-252) MP 2124
Laboratory and field studies of ice friction coefficient Tatinclaux, J C , et al, (1986, p 389-400) MP 2126
Growth, structure, and properties of sea ice Weeks, W F , et al, (1986, p 9-164) MP 2209
Effect of grain size on the internal fracturing of polycrystalline ice Cole, D M., (1986, 71p) CR 86-05
Optical properties of sea ice structure Gow, A J , (1986, p 264-271) MP 2257
Microwave dielectric, structural and salinity properties of sea ice Arcone, S A., et al, (1986, p 832-839) MP 2188
Triaxial testing of first-year sea ice Richter-Menge, J A , et al, (1986, 41p) CR 86-16
Confined compressive strength of horizontal first-year sea ice samples. Richter-Menge J A , (1987, p 197-207) MP 2193
Annealing recrystallization in laboratory and naturally deformed ice Gow, A J et al, (1987, p (C1)271-(C1)276) MP 2230
Grain growth in unstrained polycrystalline ice Gow, A J , (1987, p (C1)277-(C1)281) MP 2231
Sea-ice crystal structure and salinity, Hebron Fiord, Labrador Gow, A.J., (1987 18p) CR 87-04

Dielectric properties of strained ice. 2 Effect of sample preparation method. Itagaki, K., et al, (1987, p 149-153) MP 2357

Physical properties of summer sea ice in the Fram Strait, June-July 1984. Gow, A.J., et al, (1987, 81p.) CR 87-16

Strain rate and grain-size effects in ice Cole, D M., (1987, p.274-280) MP 2311

Some observations on the character of snow. Townsend, R.A., et al, (1987, p 48-53) MP 2397

Flexure and fracture of macrocrystalline S1 type freshwater ice. Dempsey, J.P., et al, (1988, p 39-46) MP 2318

Crack nucleation in polycrystalline ice. Cole, D.M., (1988, p.79-87) MP 2325

Emerging meteorite: crystalline structure of the enclosing ice Gow, A.J., et al, (1989, p 87-91) MP 2503

Vector analysis of ice petrographic data Ferrick, M G, et al. (1989, p 129-141) MP 2754

Models of the mechanical properties of ice. Richter-Menge, J.A., et al, (1989, p.87-99) MP 2687

Physical properties of sea ice from the Weddell Sea Eicken, H., et al, (1990, p 28-32) MP 2727

Ice crystals

Producing strain-free flat surfaces on single crystals of ice comments. Tobin, T.M., (1973, p.519-520) MP 1000

Measuring the uniaxial compressive strength of ice Haynes, F.D., et al, (1977, p 213-223) MP 1027

Effect of temperature and strain rate on the strength of polycrystalline ice Haynes, F.D., (1977, p 107-111) MP 1127

Dielectric properties of dislocation-free ice Itagaki, K., (1978, p.207-217) MP 1171

Polycrystalline ice mechanics. Hooke, R.L., et al, (1979, 16p.) MP 1207

Dynamics of near-shore ice. Kovacs, A., et al, (1979, p.181-207) MP 1291

Preparation of polycrystalline ice specimens for laboratory experiments Cole, D M., (1979, p 153-159) MP 1327

Mechanical properties of polycrystalline ice Mellor, M., (1980, p 217-245) MP 1302

Mechanical properties of polycrystalline ice Hooke, R.L., et al, (1930, p 263-275) MP 1328

Cyclic loading and fatigue in ice. Mellor, M., et al, (1981, p 41-53) MP 1371

Charged dislocation in ice 2 Contribution of dielectric relaxation. Itagaki, K., (1982, 15p.) CR 82-07

Attenuation and backscatter for snow and sleet at 96, 140, and 225 GHz Nemanich, J., et al, (1984, p 41-52) MP 1864

Structure of ice in the central part of the Ross Ice Shelf, Antarctica Zotikov, I A., et al (1985, p 39-44) MP 2110

Ice cutting

Cutting ice with high pressure water jets Mellor, M., et al, (1973, 22p.) MP 1001

Development of large ice saws Garfield, D E., et al, (1976, 14p.) CR 76-47

Dynamics and energetics of parallel motion tools for cutting and boring Mellor, M., (1977, 85p.) CR 77-07

Transverse rotation machines for cutting and boring in permafrost. Mellor, M., (1977, 36p.) CR 77-19

Design for cutting machines in permafrost Mellor, M., (1978, 24p.) CR 78-11

Icebreaking concepts Mellor, M., (1980, 18p.) SR 80-02

Mechanics of cutting and boring in permafrost Mellor, M., (1980, 82p.) CR 80-21

Equipment for making access holes through arctic sea ice Mellor, M., (1986, 34p.) SR 86-32

Tactical bridging during winter 1986 Korean bridging exercise. Coutermarsh, B A., (1987, 23p.) SR 87-13

Exothermic cutting of frozen materials Garfield, D.E., et al, (1987, p 181-183) MP 2264

Planing machines for building runways on ice Mellor, M., (1989, 8p + attachments) MP 2505

Penetration of floating ice sheets with cylindrical indentors Sodhi, D S., (1989, p 377-382) MP 2485

Experiments on the cutting process in ice Ueda H T, et al, (1989, 36p.) CR 89-05

Factors affecting rates of ice cutting with a chain saw Coutermarsh, B A., (1989, 14p.) SR 89-24

Winter bridging exercise on thick ice Fort McCoy, Wisconsin, 1988. Coutermarsh, B A., (1990, 24p.) SR 90-10

Ice dams

Field investigations of a hanging ice dam Beltaos, S., et al, (1982, p.475-488) MP 1533

Field investigation of St Lawrence River hanging ice dams Shen, H.T., et al, (1984, p 241-249) MP 1830

St Lawrence River hanging ice dams, winter 1983 1984 Shen, H T., et al, (1984, 85p.) MP 2178

Structure to form an ice cover on river rapids in winter Perham, R E., (1986, p 439-450) MP 2128

Jökulhlaups from ice-dammed Strandline Lake, Alaska Sturm, M., et al, (1987, p 79-94) MP 2393

Jökulhlaups from Strandline Lake, Alaska (especially the 1982 event) Sturm, M., et al, (1989, 19p.) MP 2520

Ice dating

C-14 and other isotope studies on natural ice Oeschger, H., et al, (1972, p D70-D92) MP 1052

Dating annual layers of Greenland ice. Langway, C C, Jr., et al, (1977, p 302-306) MP 1094

Stable isotope profile through the Ross Ice Shelf at Little America V, Antarctica. Dansgaard, W., et al, (1977, p.322-325) MP 1095

Ice deformation

Small-scale strain measurements on a glacier surface Colbeck, S C., et al, (1971, p 257-263) MP 993

Meso-scale strain measurements in the Beaufort sea pack ice (AIDJEX 1971) Hibler, W D., III, et al, (1974, p 119-136) MP 1035

Statistical variations in Arctic ice ridging and deformation rates Hibler, W D., III, (1976) MP 850

Remote measurement of ice deformation by D.D., III, et al, (1975, p 541-[illegible]) MP 849

Sea ice drift and deformation from imagery Hibler, W.D., III, et al, (1[illegible]) MP 1059

Techniques for studying sea ice motion and deformation at sites far from land using LANDSAT imagery Hibler, W D., III, et al, (1976, p 595-609) MP 866

Crystal fabrics of West Antarctic ice sheet. Gow, A.J., et al, (1976, p.1665-1677) MP 1382

Dynamics of near-shore ice [illegible]es, A., et al, (1977, p 151-163) MP 1071

Modeling pack ice as a viscous-plastic continuum. Hibler, W.D., III, (1977, p 46-55) MP 1164

Arching of model ice floes at ridge piers Calkins, D J., (1978, p 495-507) MP 1134

Measurement of mesoscale deformation of Beaufort sea ice (AIDJEX-1971) Hibler, W D., III, et al, (1978, p 148-172) MP 1179

Polycrystalline ice mechanics Hooke, R L., et al, (1979, 16p.) MP 1207

Sea ice ridging over the Alaskan continental shelf. Tucker, W B., et al, (1979, 24p.) CR 79-08

Sea ice ridging over the Alaskan continental shelf. Tucker, W B., et al, (1979, p 4885-4897) MP 1240

Mass-balance aspects of Weddell Sea pack ice Ackley, S F., (1979, p 391-405) MP 1286

Bending and buckling of a wedge on an elastic foundation Nevel, D.E., (1980, p 278-288) MP 1303

Mechanical properties of polycrystalline ice Hooke, R.L., et al, (1960, p 263-275) MP 1328

Investigation of the acoustic emission and deformation response of finite ice plates Xirouchakis, P.C., et al, (1981, 19p.) CR 81-06

Acoustic emission and deformation of ice plates Xirouchakis, P C., et al, (1982, p 129-[illegible]) MP 1589

Ice behavior under constant stress and strain Mellor, M., et al, (1982, p.201-219) MP 1525

Deformation and failure of frozen soils and ice due to stresses Fish, A M., (1982, p 419-428) MP 1553

[illegible]mining the characteristic length of floating ice sheets by [illegible]g loads Sodhi, D S., et al, (1985, p 155-159) MP 1859

On estimating ice stress from MIZEX 83 ice deformation and current measurements. Leppäranta, M., et al, (1986, p 17-19) MP 2220

Compressive deformation of columnar sea ice. Brown, K L., et al, (1986, p 241-252) MP 2124

Small-scale projectile penetration in saline ice Cole, D M., et al, (1986, p.415-438) MP 2201

Folding in the Greenland ice sheet. Whillans, I M., et al, (1987, p 485-493) MP 2185

Strain-rate and grain-size effects in ice Cole, D M., (1987, p 274-280) MP 2311

Sea-ice pressure ridge microbial communities Ackley, S F., (1988, p 172-174) MP 2450

Profile properties of undeformed first-year sea ice Cox, G F N., et al, (1988, 57p.) CR 88-13

Ice reinforced with Geogrid Haynes, F D., et al, (1989, p 179-185) MP 2484

Compressive strength of antarctic frazil ice Richter-Menge, J A., et al, (1989, p 269-278) MP 2621

Dynamic analysis of a floating ice sheet undergoing vertical indentation McGilvary, W R., et al, (1990, p 195-203) MP 2579

W F Weeks Sea Ice Symposium, San Francisco, CA Dec 1988 Ackley, S F., ed, (1990, 299p.) M 90-01

Ice density

Investigation of ice islands in Babbage Bight Kovacs, A., et al, (1971 16 leaves) MP 1381

Misgivings in isostatic imbalance as a mechanism for sea ice cracking. Ackley, S F., et al, (1975, p 85-94) MP 1379

Sintering and compaction of snow containing liquid water Colbeck, S C., et al, (1979, p 13-32) MP 1190

Ice characteristics in Whitefish Bay and St Marys River in winter Vance, G P., (1980, 27p.) SR 80-32

Review of thermal properties of snow, ice and sea ice Yen, Y-C., (1981, 27p.) CR 81-10

Equations for determining the gas and brine volumes in sea ice samples Cox, G F N., et al, (1982, 11p.) CR 82-30

Equations for determining gas and brine volumes in sea ice Cox, G.F.N., et al, (1983, p 306-316) MP 2055

Structure, salinity and density of multi-year sea ice pressure ridges. Richter-Menge, J A., et al, (1985, p 194-198) MP 1857

Mechanical properties of multi-year pressure ridge samples Richter-Menge, J A., (1985, p 244-251) MP 1936

Structure, salinity and density of multi-year sea ice pressure ridges Richter-Menge, J A., et al, (1985, p 493-497) MP 1965

Ice properties in a grounded man-made ice island Cox, G F N., et al, (1986, p 135-142) MP 2032

Effect of stratigraphy on radar-altimetry data collected over ice sheets Jezek, K C., et al, (1988, p 60-63) MP 2458

Density of natural ice accretions related to nondimensional icing parameters Jones, K.F., (1990, p 477-496) MP 2705

Snow cover effects on antarctic sea ice thickness Ackley, S F., et al, (1990, p.16-21) MP 2726

Ice detection

Remote sensing of massive ice in permafrost along pipelines in Alaska Kovacs, A., et al, (1979, p 268-279) MP 1175

Method of detecting voids in rubbled ice. Tucker, W B., et al (1984, p 183-[illegible]8) MP 1772

Impulse radar sounding of frozen ground Kovacs, A., et al, (1985, p 28-40) MP 1952

Computer interfacing of meteorological sensors in severe weather. Rancourt, K., et al, (1985, p.205-211) MP 2175

Comparison of winter climatic data for three New Hampshire sites Govoni, J W., et al, (1986, 78p.) SR 86-05

Pneumatically de-iced ice detector—final report, phase 2, part 1 Franklin, C H., et al, (1986, 9p + appendices) MP 2249

Rime meteorology in the Green Mountains. Ryerson, C C., (1987, 46p.) CR 87-01

Pavement icing detector—final report Goldstein, N., et al, (1987, 26p + append.) MP 2263

Ice detector measurements compared to meteorological data Tucker, W.B., et al, (1987, p 31-37) MP 2277

Frazil ice deposits and water channels beneath an ice-covered river Arcone S A., et al, (1987, 12p.) CR 87-17

New England mountain icing climatology. Ryerson, C C., (1988, 35p.) CR 88-12

Atmospheric icing and broadcast antenna reflections Ryerson, C.C., (1988, 13p.) CR 88-11

Development of an underwater frazil-ice detector Daly, S F., et al, (1990, p 77-82) MP 2702

Ice deterioration

Ice decay patterns on a lake, a river and coastal bay in Canada. Bilello, M A., (1977, p 120-127) MP 969

Decay patterns of land-fast sea ice in Canada and Alaska Bilello, M A., (1977, p 1-10) MP 1161

Break-up dates for the Yukon River, Pt 1 Rampart to Whitehorse, 1896-1978 Stephens, C A., et al, (1979, c50 leaves) MP 1317

Maximum thickness and subsequent decay of lake, river and fast sea ice in Canada and Alaska Bilello, M A., (1980, 160p.) CR 80-06

Ice growth on Post Pond, 1973-1982 Gow, A J., et al, (1983, 25p.) CR 83-04

Predicting lake ice decay Ashton, G D., (1983, 4p.) SR 83-19

First-generation model of ice deterioration Ashton, G D., (1983, p 273-278) MP 2080

Deterioration of floating ice covers Ashton, G D., (1984, p 26-33) MP 1676

Ice deterioration Ashton, G D., (1984, p 31-38) MP 1791

Deterioration of floating ice covers Ashton, G D., (1985, p.177-182) MP 2122

Ice drills

Melting and freezing of a drill hole through the Antarctic shelf ice Tien, C., et al, (1975, p 421-432) MP 861

1979 Greenland Ice Sheet Program Phase I, casing operation Rand, J.H., (1980, 18p.) SR 80-24

Calculating borehole geometry Jezek, K C., et al, (1984, 18p.) SR 84-15

Shopper's guide to ice penetration Mellor, M., (1984, p 1-35) MP 1992

Ice drilling and coring systems a retrospective view. Sellmann, P.V., et al, (1984, p 125-127) MP 1999

Portable hot water ice drill Tucker, W B et al, (1986, p.549-564) MP 2207

Equipment for making access holes through arctic sea ice. Mellor, M., (1986, 34p.) SR 86-32

Portable hot-water ice drill Tucker, W B., et al, (1987, p 57-64) MP 2236

Update on portable hot-water sea ice drilling Govoni, J W., et al, (1989, p 175-178) MP 2479

Ice edge

Margin of the Greenland ice sheet [illegible] Colbeck, S C., et al, (1979 p [illegible]) MP 1281

Physical oceanography of the seasonal sea ice zone McPhee M G., (1980 p 9[illegible]) MP 1294

Choanoflagellata from the Weddell Sea, summer 1977 Buck, K R., (1980, 26p.) CR 80-16

Air-ice-ocean interaction in Arctic marginal ice zones Wadhams, P., ed, (1981, 20p.) SR 81-19

Atmospheric dynamics in the antarctic marginal ice zone Andreas, E L., et al, (1984, p 649-661) MP 1667

Marginal ice zones a description of air ice ocean interactive processes, models and planned experiments Johannessen, O M., et al, (1984, p 133-146) MP 1673

Ice edge *(cont.)*
Modeling the marginal ice zone. Hibler, W D , III, ed, (1984, 99p.) SR 84-07
On the role of ice interaction in marginal ice zone dynamics. Leppäranta, M., et al, (1984, p 23-29) MP 1781
Analysis of linear ice ice models with an ice margin. Leppäranta, M., (1984, p.31-36) MP 1782
Some simple concepts on wind forcing over the marginal ice zone. Tucker, W.B , (1984, p.43-48) MP 1783
Drag coefficient across the Antarctic marginal ice zone. Andreas, E.L., et al, (1984, p 63-7', MP 1784
Mechanism for floe clustering in the marginal ice zone Leppäranta, M., et al, (1984, p.73-76) MP 1785
Ocean circulation: its effect on seasonal sea-ice simulations Hibler, W.D., III, et al, (1984, p.489-492) MP 1790
Air-ice-ocean interaction experiments in Arctic marginal ice zones. (1984, 56p) SR 84-28
Mesoscale air-ice-ocean interaction experiments. Johannessen, O.M., ed, (1984, 176p) SR 84-29
Heat and moisture advection over antarctic sea ice Andreas, E L., (1985, p.736-746) MP 1888
Role of plastic ice interaction in marginal ice zone dynamics. Leppäranta, M., et al. (1985, p 11,899-.1,909) MP 1544
Weddell-Scotia Sea MIZ October 1984. Crasey, F D., et al, (1986, p.3920-3924) MP 1525
MIZEX—a program for mesoscale air-ice-ocean interaction experiments in Arctic marginal ice zones MI/EX bulletin 7. (1986, 88p) SR 86-03
On estimating ice stress from MIZEX 83 ice deformation and current measurements Leppäranta, M., et al (1986, p.17-19) MP 2220
Winter marginal ice zone experiment, Fram Strait/Greenland Sea, 1987/89. Davidson, K., ed, (1986, 53p) SR 86-09
Comment on "Atmospheric boundary layer modification in the marginal ice zone" by T J Bennett, Jr. and K Hunkins Andreas, E.L., (1987, p 3965-3969) MP 2394
Physical properties of summer sea ice in the Fram Strait. Tucker, W.B , et al, (1987, p 6787-6805) MP 2240
Role of floe collisions in sea ice rheology Shen, H.H , et al, (1987, p 7085-7096) MP 2242
Estimating turbulent surface heat fluxes over polar, marine surfaces Andreas, E L., (1988, p.65-68) MP 2448
Effect of ice pressure on marginal ice zone dynamics. Flato, G.M., et al, (1989, p.514-521) MP 2522
Oceanic heat flux in the Fram Strait measured by a drifting buoy. Perovich, D.K., et al, (1990, p 291-296) MP 2740

Ice elasticity
Mechanics of ice. Glen, J.W., (1975, 43p) M III-62b
Concentrated loads on a floating ice sheet Nevel, D E., (1977, p 237-245) MP 1062
Mechanical properties of polycrystalline ice Mellor, M (1980, p 217-245) MP 1302
Acoustic emission and deformation response of finite ice plates. Xirouchakis, P.C , et al, (1981, p 123-133) MP 1436
Measuring mechanical properties of ice. Schwarz, J., et al, (1981, p 245-254) MP 1556
In-situ measurements of the mechanical properties of ice. Tatinclaux, J.C., (1982, p 326-334) MP 1555
Flexural strength and elastic modulus of ice Tatinclaux, J C., et al, (1982, p 37-47) MP 1568
Determining the characteristic length of model ice sheets. Sodhi, D S , et al, (1982, p 99-104) MP 1570
Mechanical behavior of sea ice. Mellor, M , (1983, 105p.) M 83-1
Stress measurements in ice. Cox, G.F.N., et al, (1983, 31p) CR 83-23
Growth of EG/AD; model ice in a small tank. Borland, S L., (1988, p.47-) MP 2319
On the determination of the average Young's modulus for a floating ice cover. Keir, A.D., et al (1988, p 39-43) MP 2324
Elastic properties of frazil ice from the Weddell Sea, Antarctica. Lange, M.A , et al, (1989, p 208-217) MP 2620
Cyclic loading of saline ice: initial experimental results Colz, D M. (1990, p 265-271) MP 2581

Ice electrical properties
Engineering properties of sea ice Schwarz, J , et al, (1977, p 495-531) MP 1065
Dielectric constant and reflection coefficient of snow surface layers in the McMurdo Ice Shelf. Kovacs, A , et al, (1977, p.137-138) MP 1011
Internal properties of the ice sheet at Cape Folger by radio echo sounding Kelliher, T E , et al, (1978, 12p) CR 78-04
Interaction of a surface wave with a dielectric slab discontinuity Arcone, S A , et al, (1978, 10p) CR 78-08
Dielectric properties of dislocation-free ice Itagaki, K., (1978, p 207-217) MP 1171
X-ray measurement of charge density in ice Itagaki, K , (1978, 12p) CR 79-25
Break-up of the Yukon River at the Haul Road Bridge, 1979 Stephens, C.A., et al, (1979, 22p. + Figs) MP 1315
Oil pooling under sea ice Kovacs, A , (1979, p 310-323) MP 1289
Anisotropic properties of sea ice in the 50-150 MHz range Kovacs, A , et al, (1979, p 324-353) MP 1620
Distortion of model subsurface radar pulses in complex dielectrics Arcone, S A , (1981, p 855-864) MP 1472
Growth, structure, and properties of sea ice. Weeks, W.F , et al, (1982, 130p) M 82-01
Charged dislocation in ice. 2. Contribution of dielectric relaxation. Itagaki, K , (1982, 15p) CR 82-07
Possibility of anomalous relaxation due to the charged dislocation process Itagaki, K., (1983, p.4261-4264) MP 1669
Effect of X-ray irradiation on internal friction and dielectric relaxation of ice Itagaki, K., et al, (1983, p.4314-4317) MP 1670
Electromagnetic properties of sea ice. Morey, R.M., et al, (1984, 32p.) CR 84-02
Electromagnetic properties of sea ice Morey, R M , et al, (1984, p.53-75) MP 1776
Coaxial waveguide reflectometry for frozen ground and ice. Delaney, A.J., et al, (1984, p 428-431) MP 2048
Discussion. Electromagnetic properties of sea ice by R M Morey, A Kovacs and G F N. Cox. Arcone, S A , (1984, , 93-94) MP 1821
Authors' response to discussion on Electromagnetic properties of sea ice. Morey, R M , et al, (1984, p.95-97) MP 1822
Electromagnetic properties of multi-year sea ice Morey, R M , et al, (1985, p 151-167) MP 1902
Ice electrical properties Gow, A.J., (1985, p 76-82) MP 1910
Dielectric properties at 4.75 GHz of saline ice slabs Arcone, S A , et al, (1985, p 83-86) MP 1911
Growth, structure, and properties of sea ice. Weeks, W.F., et al, (1986, p.9-164) MP 2209
Microwave dielectric, structural and salinity properties of sea ice Arcone, S A., et al, (1986, p 832-839) MP 2188
Dielectric properties of strained ice. 1. Effect of plastic straining Itagaki, K , (1987, p.143-147) MP 2356
Dielectric properties of strained ice. 2. Effect of sample preparation method. Itagaki, K., et al, (1987, p 149-153) MP 2357
Electromagnetic property trends of sea ice, Part 1. Kovacs, A , et al, (1987, 45p) CR 87-06
Microwave and structural properties of saline ice Gow, A J., et al, (1987, 36p) CR 87-20
DC resistivity measurements of model saline ice sheets. Arcone, S.A , (1987, p 845-849) MP 2308

Ice erosion
Sediment displacement in the Ottauquechee River—1975-1978 Martinson, C.R , (1980, 14p) SR 80-20
Reservoir bank erosion caused and influenced by ice cover. Gatto, L.W., (1982, 26p) SR 82-31
Reservoir bank erosion caused by ice. Gatto, L.W , (1984, p 203-214) MP 1787

Ice floes
AIDJEX aerial observations Thompson, T W , et al, (1972, p 1-16, MP 989
Dynamics of near-shore ice Weeks, W F , et al, (1976, p 9-34) MP 1380
Laboratory investigation of the mechanics and hydraulics of river ice jams. Tatinclaux, J C , et al, (1977, 45p) CR 77-09
Study of a grounded floeberg near Reindeer Island, Alaska Kovacs, A., (1977, 9p) MP 1751
Arching of model ice floes at bridge piers Calkins, D J., (1978, p 495-507) MP 1134
Modeling of ice in rivers Ashtor, G D , (1979, p 14/1-14/26) MP 1335
Break-up of the Yukon River at the Haul Road Bridge, 1979 Stephens, C.A , et al, (1979, 22p + Figs) MP 1315
Freshwater ice growth, motion, and decay. Ashton, G D., (1980, p 261-304) MP 1299
Method for measuring brash ice thickness with impulse radar. Martinson, C R., et al, (1981, 10p) SR 81-11
Force distribution in a fragmented ice cover. Daly, S F , et al, (1982, p.374-387) MP 1531
Physical and structural characteristics of antarctic sea ice Gow, A J et al, (1982, p 113-117) MP 1548
Characteristics of multi-year pressure ridges Kovacs, A , (1983, p 173-182) MP 1698
Size and shape of ice floes in the Baltic Sea in spring Leppäranta, M , (1983, p 127-136) MP 2061
Ice forces on a bridge pier, Ottauquechee River, Vermont. Sodhi, D S., et al, (1983, 6p) CR 83-32
Force distribution in a fragmented ice cover. Stewart, D M , et al, (1984, 16p) CR 84-07
Mechanism for floe clustering in the marginal ice zone Leppäranta, M., et al, (1984, p 73-76) MP 1785
On the rheology of a broken ice field due to floe collision Shen, H , et al, (1984, p 29-34) MP 1812
Ice block stability. Daly, S.F., (1984, p 544-548) MP 1972
Level ice breaking by a simple wedge Tatinclaux, J.C , (1985, 46p) CR 85-22
Ice floe distribution in the wake of a simple wedge Tatinclaux, J.C , (1986, p 622-629) MP 2038
Mesoscale sea ice deformation in the East Greenland marginal ice zone Leppäranta, M , et al, (1987, p 7060-7070) MP 2241
Role of floe collisions in sea ice rheology. Shen, H H., et al, (1987, p 7085-7096) MP 2242
Physical properties of summer sea ice in the Fram Strait, June July 1984. Gow, A J , et al, (1987, 81p) CR 87-16
Ice thickness distribution across the Atlantic sector of the Antarctic Ocean in midwinter. Wadhams, P , et al, (1987, p.14,535-14,552) MP 2314
Electromagnetic measurements of a second-year sea ice floe. Kovacs, A , et al, (1988, p 121-136) MP 2346
Laboratory study of transverse velocities and ice jamming in a river bend Zufelt, J.E., et al, (1988, p 189-197) MP 2501
Estimating sea ice thickness using data from impulse radar soundings Kovacs, A , et al, (1989, 10p) CR 89-22

ICE FOG
Climatology of the ice fog regions of the northern hemisphere, II. Wilso C., (1969, 158p) M I-A3b

Ice fog
Radiation and evaporation heat loss during ice fog conditions. McFadden, T., (1975, p 18-27) MP 1051
Suppression of ice fog from cooling ponds McFadden, T., (1976, 78p) CR 76-43
Ice fog suppression using monomolecular films McFadden, T , (1977, p 361-367) MP 956
Ice fog suppression using reinforced thin chemical films. McFadden, T , et al, (1978, 23p) CR 78-26
Ice fog suppression using thin chemical films McFadden, T., et al, (1979, 44p) MP 1192
Ice fog suppression in Arctic communities McFadden, T., (1980, 54-65) MP 1357
Suppression of ice fog from the Fort Wainwright, Alaska, cooling pond Walker, K E , et al, (1982, 34p) SR 82-22
Ice fog as an electro-optical obscurant. Koh, G , (1985, 11p) CR 85-08
Extinction coefficient for a distribution of ice fog particles Jordan, R , (1987, p 535-539) MP 2286
Obscuration and background dynamics in and over snow. Hogan, A.W., (1987, p 181-185) MP 2417

Ice forecasting
Ice accretion on ships Itagaki, K , (1977, 22p) SR 77-27
Ice formation and breakup on Lake Champlain Bates, R E., (1980 p 125-143) MP 1429
Current procedures for forecasting aviation icing Tucker, W B , (1983, 31p) SR 83-24
Ice conditions on the Ohio and Illinois rivers, 1972-1985 Gatto, L.W., (1985, p 856-861) MP 1914
St Lawrence River freeze-up forecast Foltyn, E.P., et al, (1986, p 467-481) MP 2120
Evaluation of an operational ice forecasting model during summer Tucker, W B , et al, (1988, p 159-174) MP 2347

Ice formation
Temperature and flow conditions during the formation of river ice. Ashton, G D , et al, (1970, 12p) MP 1723
Icings developed from surface water and ground water, Carey, K L., (1973, 71p) M III-D3
Seasonal regime and hydrological significance of stream icings in central Alaska Kane, D L , et al, (1973, p 528-540) MP 1026
River ice problems Burgi H L., et al, (1974, p 1-15) MP 1002
Apparent anomaly in freezing of ordinary water Swinzow, G K , (1976, 23p) CR 76-20
Ice accumulation on ocean structures Minsk L D , (1977, 42p) CR 77-(
Segregation freezing as the cause of suction force for ice lens formation Takagi, S , (1978, 13p) CR 78-06
Fundamentals of ice lens formation Takagi, S , (1978 p 235-242) MP 1173
Frazil ice formation in turbulent flow Müller, A., et al, (1978, p 219-234) MP 1135
Remote sensing of massive ice in permafrost along pipelines in Alaska. Kovacs, A et al, (1979, p 268-279) MP 1175
River ice Ashton, G D , (1979, p.38-45) MP 1178
Modeling of ice in rivers. Ashton, G.D , (1979, p 14/1-14/26) MP 1335
Forecasting ice formation and breakup on Lake Champlain Bates, R E., et al, (1979, 21p) CR 79-26
Winter thermal structure, ice conditions and climate of Lake Champlain Bates, R E., (1980, 26p) CR 80-02
Extending the useful life of DYE-2 to 1986 Tobiasson, W., et al, (1980, 37p.) SR 80-13
Sea ice growth, drift and decay Hibler, W D , III, (1980, p 141-209) MP 1298
Freshwater ice growth, motion, and decay Ashton, G D., (1980, p 261-304) MP 1299
Ice formation and breakup on Lake Champlain. Bates, R.E , (1980, p 125-143) MP 1429
Numerical solutions for rigid-ice model of secondary frost heave O Neill, K , et al, (1980, p 656-669) MP 1454
Ice jams and meteorological data for three winters, Ottauquechee River, Vt Bates, R E., et al, (1981, 27p) CR 81-01
Sea ice piling at Fairway Rock, Bering Strait, Alaska Kovacs, A , et al, (1981, p 985-1000, MP 1460
Sea ice rubble formations off the N.E. Bering Sea and Norton Sound Kovacs, A , (1981, p 1348-1361) MP 1527
Ice segregation in a frozen soil column Guymon, G L , et al (1981, p 127-140) MP 1534

Tests of frazil collector lines to assist ice cover formation. Perham, R.E., (1981, p 442-448) MP 1488
Initial stage of the formation of soil-laden ice lenses Takagi, S., (1982, p.223-232) MP 1596
Case study of land treatment in a cold climate—West Dover, Vermont. Bouzoun, J.R., et al, (1982, 96p) CR 82-44
Growth of black ice, snow ice and snow thickness, subarctic basins. Leppäranta, M., (1983, p.59-70) MP 2063
Characteristics of multi-year pressure ridges. Kovacs, A., (1983, p 173-182) MP 1698
Physical mechanism for establishing algal populations in frazil ice. Garrison, D L., et al, (1983, p.363-365) MP 1717
Mechanics of ice jam formation in rivers. Ackermann, N.L., et al, (1983, 14p.) CR 83-31
Ice observation program on the semisubmersible drilling vessel SEDCO 708. Minsk, L.D., (1984, 14p) SR 84-02
St. Lawrence River freeze-up forecast. Shen, H T., et al, (1984, p.177-190) MP 1713
Icing rate on stationary structures under marine conditions Itagaki, K., (1984, 9p) CR 84-12
Forecasting water temperature decline and freeze-up in rivers Shen, H.T., et al, (1984, 17p) CR 84-19
Ice jam research needs. Gerard, R., (1984, p 181-193) MP 1813
Computer simulation of ice cover formation in the Upper St. Lawrence River. Shen, H T., et al, (1984, p.227-245) MP 1814
Frazil ice formation. Ettema, R., et al, (1984, 44p) CR 84-18
Ice bands in turbulent pipe flow. Ashton, G.D., (1984, 7p) MP 2087
Mathematical modeling of river ice processes Shen, H T., (1984, p.554-558) MP 1973
Technique for observing freezing fronts. Colbeck, S C., (1985, p.13-20) MP 1861
Grain growth and the creep behavior of ice. Cole, D.M., (1985, p 187-189) MP 1862
Data acquisition in USACRREL's flume facility. Daly, S.F., et al, (1985, p 1053-1058) MP 2089
Pneumatically de-iced ice detector—final report, phase 2, part I. Franklin, C H., et al, (1986, 9p + append) MP 2249
Field techniques for obtaining engineering characteristics of frazil ice accumulations. Dean A.M., Jr., (1986, p 265-278) MP 2390
Meteorological system performance in icing conditions Bates, R.E., (1987, p 73-86) MP 2285
International Symposium on Cold Regions Heat Transfer, 1987. (1987, 270p) MP 2302
Evolution of frazil ice in rivers and streams research and control. Daly, S.F., (1987, p.11-16) MP 2303
Intake design for ice conditions. Ashton, G.D., (1988, p.107-138) MP 2518
Computer-controlled data acquisition system for a hydraulic flume. Zabilansky, L.J., (1988, p 453-460) MP 2349
Ice formation downstream of Oahe Dam—1987 1988 winter. Ashton, G.D., (1988, 37p) MP 2506
Preliminary results of an experiment using a 16 ft x 50 ft long frazil collector line array. Perham, R.E., (1988, p 139-156) MP 2474
Ice cover formation downstream of a reservoir Ashton, G.D., (1988, p 189-198) MP 2498
Development of sea ice in the Weddell Sea Lange, M.A., et al, (1989, p 92-96) MP 2615
International Symposium on Cold Regions Heat Transfer, 1989. (1989, 314p) MP 2636
Cold regions heat transfer Cheng, K.C., et al, (1989, p 1-25) MP 2637
Time estimation for maximum supercooling in dynamic frazil ice formation Daly, S F., et al, (1989, 13p.) SR 89-26

ICE FLOES

Snow and ice on the earth's surface. Mellor, M., (1964, 163p) M II-C1

Ice friction

Engineering properties of sea ice. Schwarz, J., et al, (1977, p 499-531) MP 1065
Abnormal internal friction peaks in single-crystal ice Stallman, F.E., et al, (1977, 15p) SR 77-23
Ship resistance in thick brash ice. Mellor, M., (1980, p 305-321) MP 1329
Model tests in ice of a Canadian Coast Guard R-class icebreaker. Tatinclaux, J C., (1984, 24p) SR 84-06
Laboratory investigation of the kinetic friction coefficient of ice Forland, K.A., et al, (1984, p 19-28) MP 1825
Kinetic friction coefficient of ice. Forland, K A., et al, (1985, 40p) CR 85-06
Sheet ice forces on a conical structure an experimental study Sodhi, D.S., et al, (1985, p 46-54) MP 1915
Field tests of the kinetic friction coefficient of sea ice Tatinclaux, J.C., et al, (1985, 20p) CR 85-17
Level ice breaking by a simple wedge Tatinclaux, J C., (1985, 46p) CR 85-22
Dynamic friction of bobsled runners on ice Huber, N.P., et al, (1985, 26p) MP 2082
Some effects of friction on ice forces against vertical structures. Kato, K., et al, (1986, p 528-533) MP 2036
Laboratory and field studies of ice friction coefficient Tatinclaux, J.C., et al, (1986, p 389-400) MP 2126
Friction of solids on ice. Huber, N P., et al, (1986, 4p.) MP 2179
Preliminary study of friction between ice and sled runners. Itagaki, K., et al, (1987, p 297-301) MP 2358
Parameters affecting the kinetic friction of ice. Akkok, M., et al, (1987, p 552-561) MP 2258
Effect of pressure on kinetic friction of ice Tatinclaux, J.C., (1989, p.127-134) MP 2680

Ice growth

Growth and mechanical properties of river and lake ice Ramseier, R O., (1972, 243p) MP 1883
Structural growth of lake ice. Gow, A.J., et al, (1977, 24p) CR 77-01
Seasonal variations in apparent sea ice viscosity on the geophysical scale. Tubler, W.D., III, et al, (1977, p 87-90) MP 900
Characteristics of ice on two Vermont rivers. Deck, D.S., (1978, 30p) SR 78-30
River ice. Ashton, G.D., (1979, p 38-45) MP 1178
Accelerated ice growth in rivers Calkins, D.J., (1979, 5p) CR 79-14
Ice formation and breakup on Lake Champlain Bates, R E., (1980, p 125-143) MP 1429
Application of a numerical sea ice model to the East Greenland area. Tucker, W.B., (1981, 109p) MP 1535
Tests of frazil collector lines to assist ice cover formation. Perham, R E., (1981, p.442-448) MP 1488
Ice growth and circulation in Kachemak Bay, Alaska Daly, S F., (1982, p (C)1-(C)9) MP 1501
Using sea ice to measure vertical heat flux in the ocean McPhee, M G., et al, (1982, p. 071-2074) MP 1521
Ice growth on Post Pond, 1973-1982. Gow, A.J., et al, (1983, 35p) CR 83-04
Frazil ice measurements in CRREL's flume facility. Daly, S F., et al, (1986, p 429-438) MP 2127
Structure to form an ice cover on river rapids in winter. Perham, R.E., (1987, p 439-450) MP 2128
Frazil ice, cobbles, Tanana River, Alaska Chacho, E.F., et al, (1987, p 475-483) MP 2130
River ice and salmonids Walsh, M., et al, (1986, p D-4 1-D-4.26) MP 2477
Frazil ice deposits and water channels beneath an ice-covered river. Arcone, S A., et al, (1987, 12p) CR 87-17
Multifrequency passive microwave observation of saline ice grown in a tank Grenfell, T C., et al, (1988, p.1687-1690) MP 2459
Numerical simulation of first-year sea ice Cox, G F N., et al, (1988, p 12,449-12,460) MP 2494
Development of sea ice in the Weddell Sea Lange, M A., et al, (1989, p 92-96) MP 2615
Thin ice growth. Ashton, G D., (1989, p 564-566) MP 2657
Acoustics and morphology of undeformed sea ice Jezek, K.C., et al, (1990, p 67-75) MP 2730
Sea ice a habitat for the foraminifer *Neogloboquadrina pachyderma*? Dieckmann, G., et al, (1990, p 86-92) MP 2732

Ice hardness

Laboratory investigation of the kinetic friction coefficient of ice. Forland, K A., et al, (1984, p.19-28) MP 1825
Fracture of S2 columnar freshwater ice: floating double cantilever beam tests Bentley, D.L., et al, (1988, p.152-161) MP 2493

Ice heat flux

Ice heat sinks Part 1 Vertical systems Lunardini, V J., (1986, 107p) SR 86-14
Ice heat sinks Part 2 Horizontal systems Lunardini, V J., (1986, 104p) SR 86-26
International Symposium on Cold Regions Heat Transfer, 1989 (1989, 314p) MP 2636
Year of Bowen ratios over the frozen Beaufort Sea Andreas, E.L., (1989, p.12,721-12,724) MP 2508

Ice islands

Investigation of ice islands in Babbage Bight. Kovacs, A., et al, (1971, 46 leaves) MP 1381
Islands of grounded sea ice Kovacs, A., et al, (1976, 24p) CR 76-04
Dynamics of near-shore ice Weeks, W F., et al, (1976, p 9-34) MP 1380
Islands of grounded sea ice. Kovacs, A., et al, (1976, p 35-50) MP 987
Iceberg thickness and crack detection Kovacs, A., (1978, p 131-145) MP 1128
Destruction of ice islands with explosives Mellor, M., et al, (1978, p 753-765) MP 1018
Profiles of pressure ridges and ice islands in the Beaufort Sea Hnatiuk, J., et al, (1978, p 519-532) MP 1187
Mechanical properties of ice in the Arctic seas Weeks, W F., et al, (1984, p 235-259) MP 1674
Ice island fragment in Stefansson Sound, Alaska Kovacs, A., (1985, p 101-115) MP 1900
Ice properties in a grounded man made ice island Cox, G F N., et al, (1986, p 135-142) MP 2032

Ice jams

Use of explosives in removing ice jams Frankenstein, G.E., et al, (1970, 10p) MP 1021
River ice problems Burgi, P H., et al, (1974, p 1-15) MP 1002
Third International Symposium on Ice Problems, 1975 Frankenstein, G.E., ed, (1975, 627p.) MP 845
Mechanics and hydraulics of river ice jams Tatinclaux, J.C., et al, (1976, 97p) MP 1060
Potential river ice jams at Windsor, Vermont Calkins, D.J., et al, (1976, 31p) CR 76-31
Laboratory investigation of the mechanics and hydraulics of river ice jams Tatinclaux, J C., et al, (1977, 45p) CR 77-09
Air photo interpretation of a small ice jam. DenHartog, S.L., (1977, p.705-719) MP 935
Ice arching and the drift of pack ice through restricted channels. Sodhi, D.S., (1977, 11p.) CR 77-18
Aerial photointerpretation of a small ice jam. DenHartog, S L., (1977, 17p.) SR 77-32
Physical measurement of ice jams 1976-77 field season. Wuebben, J.L., et al, (1978, 19p.) SR 78-03
Investigation of ice clogged channels in the St. Marys River. Mellor, M., et al, (1978, 73p) MP 1170
Physical measurements of river ice jams Calkins, D J., (1978, p 693-695) MP 1159
River channel characteristics at selected ice jam sites in Vermont Gatto, L.W., (1978, 52p) CR 78-25
River ice Ashton, G D., (1979, p 38-45) MP 1178
Modeling of ice in rivers Ashton, G.D., (1979, p.14/1-14/26) MP 1335
Freshwater ice growth, motion, and decay. Ashton, G.D., (1980, p 261-304) MP 1299
Ice jams and meteorological data for three winters, Ottauquechee River, Vt. Bates, R E., et al, (1981, 27p.) CR 81-01
Ice jam problems at Oil City, Pennsylvania Deck, D S., et al, (1981, 19p) SR 81-09
Modeling hydrologic impacts of winter navigation. Daly, S.F., et al, (1981, p.1073-1080) MP 1445
Ice control arrangement for winter navigation. Perham, R.E., (1981, p 1096-1103) MP 1449
Asymmetric flows application to flow below ice jams Gögüs, M., et al, (1981, p 342-350) MP 1733
Port Huron ice control model studies Calkins, D.J., et al, (1982, p 361-373) MP 1530
Ice jams and flooding on Ottauquechee River, VT Bates, R., et al, (1982, 25p) SR 82-06
Ice engineering for civil work baseline study Carey, K L., et al, (1983, 91p) MP 2441
Ice jams in shallow rivers with floodplain flow Calkins, D J., (1983, p 538-548) MP 1644
Asymmetric plane flow with application to ice jams Tatinclaux, J.C., et al, (1983, p 1540-1556) MP 1645
Mechanics of ice jam formation in rivers Ackermann, N.L., et al, (1983, 14p) CR 83-31
Ice-related flood frequency analysis: application of analytical estimates. Gerard, R., et al, (1984, p 85-101) MP 1712
Ice cover melting in a shallow river Calkins, D J., (1984, p 255-265) MP 1763
Ice jams in shallow rivers with floodplain flow Discussion Beltaos, S., (1984, p 370-371) MP 1798
Method of detecting voids in rubbled ice Tucker, W.B., et al, (1984, p 183-188) MP 1772
Controlling river ice to alleviate ice jam flooding Deck, D S., (1984, p 524-528) MP 1795
Salmon River ice jams Cunningham, L.L., et al, (1984, p 529-533) MP 1796
Ice jam research needs Gerard, R., (1984, p 181-193) MP 1813
Controlling river ice to alleviate ice jam flooding. Deck, D S., (1984, p 69-76) MP 1885
Cold facts of ice jams case studies of mitigation methods. Calkins, D J., (1984, p 39-47) MP 1793
Ice jam flood prevention measures, Lamoille River, Hardwick VT. Calkins, D J., (1985, p.149-168) MP 1940
Hudson River ice management Ferrick, M G., et al, (1985, p 96-110) MP 2174
Construction and calibration of the Ottauquechee River model. Gooch, G., (1985, 10p) SR 85-13
Cazenovia Creek Model data acquisition system Bennett, B M., et al, (1985, p 1424-1429) MP 2090
Upper Delaware River ice control—a case study Zufelt, J.E., et al, (1986, p 760-770) MP 2005
Ice interaction with the U S Army ribbon bridge Coutermarsh, B A., (1986, 18p) CR 86-01
Hydrologic aspects of ice jams Calkins, D J., (1986, p 603-609) MP 2116
Potential solution to ice jam flooding Salmon River, Idaho Earickson, J., et al, (1986, p 15-25) MP 2131
Controlled river ice cover breakup, part I Hudson River field experiments Ferrick, M G., et al, (1986, p 281-291) MP 2391
Corps of engineers seek ice solutions Frankenstein, G E., (1987, p 5-7) MP 2219
Ice jams and the winter climate near White River, SD Bilello, M A., (1987, p 154-162) MP 2399
Preliminary study of scour under an ice jam Wuebben, J L., (1988, p 177-192) MP 2475
Transverse velocities and ice jamming potential in a river bend Zufelt, J L., (1988, p 193-207) MP 2476
Laboratory study of transverse velocities and ice jamming in a river bend Zufelt, J L., et al, (1988, p 189-197) MP 2501

Ice jams *(cont.)*
Development of a dynamic ice breakup control method for the Connecticut River near Windsor, Vermont. Ferrick, M.G., et al, (1988, p.221-233) MP 2510
Dynamic ice breakup control for the Connecticut River near Windsor, Vermont. Ferrick, M.G., et al, (1988, p 245-258) MP 2449
Airborne radar survey of a brash ice jam in the St. Clair River. Daly, S F., et al, (1989, 17p.) CR 89-02
Effect of Toston dam on upstream ice conditions. Ashton, G.D., (1989, 9p) SR 89-16
Framework for control of dynamic ice breakup by river regulation. Ferrick, M.G, et al, (1989, 14p) CR 89-12
Salmon River ice jam control studies- interim report Axelson, K.D., et al, (1990, 8p.) SR 90-06

Ice lenses
Segregation-freezing temperature as the cause of suction force. Takagi, S., (1977, p.59-66) MP 901
Segregation freezing as the cause of suction force for ice lens formation. Takagi, S., (1978, p 45-51) MP 1081
Segregation freezing as the cause of suction force for ice lens formation. Takagi, S., (1978, 13p) CR 78-06
Fundamentals of ice lens formation. Takagi, S., (1978, p.235-242) MP 1173
Mechanical properties of frozen ground Ladanyi, B, et al, (1979, p.7-18) MP 1726
Numerical solutions for rigid-ice model of secondary frost heave. O'Neill, K., et al, (1980, p 656-669) MP 1454
Initial stage of the formation of soil-laden ice lenses. Takagi, S, (1982, p 223-232) MP 1596
Field tests of a frost-heave model. Guymon, G.L., et al, (1983, p 409-414) MP 1657
Investigation of transient processes in an advancing zone of freezing. McGaw, R., et al, (1983, p 821-825) MP 1663
Ice segregation and frost heaving. (1984, 72p) MP 1809
Exploration of a rigid ice model of frost heave O'Neill, K., et al, (1985, p 281-296) MP 1880

Ice loads
Structures in ice infested water. Assur, A., (1972, p.93-97) MP 1016
Investigation of ice forces on vertical structures. Hirayama, K., et al, (1974, 153p) MP 1041
Third International Symposium on Ice Problems, 1975 Frankenstein, G E., ed, (1975, 627p) MP 845
Bibliography on harbor and channel design in cold regions Haynes, F.D., (1976, 32p) CR 76-03
Passage of ice at hydraulic structures Calkins, D.J., et al, (1976, p 1726-1736) MP 966
Force estimate and field measurements of the St Marys River ice booms. Perham, R.E., (1977, 26p) CR 77-04
Yukon River breakup 1976 Johnson, P., et al, (1977, p 592-596) MP 960
Intermittent ice forces acting on inclined wedges Tryde, P., (1977, 26p.) CR 77-26
Ice and ship effects on the St Marys River ice booms Perham, R.E., (1978, p 222-230) MP 1617
Ice cover forces on structures. Kerr, A D., (1978, p 123-134) MP 879
Ice forces on the Yukon River bridge—1978 breakup Johnson, P.R., et al, (1979, 40p) MP 1304
Loading on the Hartford Civic Center roof before collapse Redfield, R, et al, (1979, 32p) SR 79-09
Modeling of ice in rivers Ashton, G D., (1979, p 14/1-14/26) MP 1335
Buckling analysis of wedge-shaped floating ice sheets Sodhi, D.S., (1979, p 797-810) MP 1232
Ice thickness-tensile stress relationship for load-bearing ice. Johnson, P.R., (1980, 11p) SR 80-09
Ice engineering. O'Steen, D A., (1980, p 41-47) MP 1602
Cost of ice damage to shoreline structures during navigation Carey, K.L., (1980, 33p) SR 80-22
Ice laboratory facilities for solving ice problems Frankenstein, G E., (1980, p 93-103) MP 1301
Working group on ice forces on structures Carstens, T, ed, (1980, 146p) SR 80-26
Review of buckling analyses of ice sheets Sodhi, D.S., et al, (1980, p.131-146) MP 1322
Single and double reaction beam load cells for measuring ice forces. Johnson, P R., et al, (1980, 17p) CR 80-25
Icing on structures. Minsk, L.D., (1980, 18p) CR 80-31
Ice force measurement on the Yukon River bridge. McFadden, T., et al, (1981, p.749-777) MP 1396
Investigation of the acoustic emission and deformation response of finite ice plates Xirouchakis, P.C., et al, (1981, 19p) CR 81-06
On the buckling force of floating ice plates Kerr, A D., (1981, 7p.) CR 81-09
Modeling hydrologic impacts of winter navigation Daly, S F., et al, (1981, p 1073-1080) MP 1445
Acoustic emission and deformation response of finite ice plates. Xirouchakis, P.C., et al, (1981, p 385-394) MP 1455
Dynamic ice-structure interaction analysis for narrow vertical structures Eranti, E., et al, (1981, p 472-479) MP 1456
State of the art of ship model testing in ice Vance, G P., (1981, p 693-706) MP 1573
Foundations of structures in polar waters. Chamberlain, E.J., (1981, 16p) SR 81-25
Sea ice rubble formations in the Bering Sea and Norton Sound, Alaska Kovacs, A., (1981, 23p.) SR 81-34
Port Huron ice control model studies Calkins, D.J., et al, (1982, p 361-373) MP 1530
Force measurements and analysis of river ice break up. Deck, D.S., (1982, p 303-336) MP 1739
On forecasting mesoscale ice dynamics and build-up Hibler, W.D., III, et al, (1983, p.110-115) MP 1625
Method for determining ice loads on offshore structures. Johnson, J B., (1983, p 124-128) MP 2056
Buckling loads of floating ice on structures. Sodhi, D S., et al, (1983, p 260-265) MP 1626
Protection of offshore arctic structures by explosives. Mellor, M., (1983, p 310-322) MP 1605
Dynamic buckling of floating ice sheets. Sodhi, D.S., (1983, p 822-833) MP 1607
Effect of vessel size on shorelines along the Great Lakes channels Wuebben, J.L., (1983, 62p) SR 83-11
Atmospheric icing of structures. Minsk, L.D., ed, (1983, 366p.) SR 83-17
Field measurements of combined icing and wind loads on wires. Govoni, J.W., et al, (1983, p.205-215) MP 1637
Ice forces on model bridge piers. Haynes, F.D., et al, (1983, 11p) CR 83-19
Measurement of ice forces on structures Sodhi, D.S., et al, (1983, p 139-155) MP 1641
Methods of ice control. Frankenstein, G.E., et al, (1983, p 204-215) MP 1642
Ice action on two cylindrical structures. Kato, K., et al, (1983, p 159-166) MP 1643
Offshore petroleum production in ice-covered waters. Tucker, W.B., (1983, p 207-215) MP 2066
Ice engineering for civil work: baseline study. Carey, K.L., et al, (1983, 91p.) MP 2441
Ice action on pairs of cylindrical and conical structures. Kato, K., et al, (1983, 35p) CR 83-25
Ice forces on a bridge pier, Ottauquechee River, Vermont Sodhi, D.S., et al, (1983, 6p) CR 83-32
Mechanical properties of ice in the Arctic seas. Weeks, W F., et al, (1984, p 235-259) MP 1674
Ice resistance tests on two models of the WTGB icebreaker. Tatinclaux, J C., et al, (1984, p 627-658) MP 1716
Ice action on two cylindrical structures Kato, K., et al, (1984, p 107-112) MP 1741
Force distribution in a fragmented ice cover Stewart, D M., et al, (1984, 16p) CR 84-07
Offshore oil in the Alaskan Arctic Weeks, W.F., et al, (1984, p 371-378) MP 1743
Laboratory investigation of the kinetic friction coefficient of ice. Forland, K.A., et al, (1984, p.19-28) MP 1825
Evaluation of a biaxial ice stress sensor Cox, G.F.N., (1984, p 349-361) MP 1836
Forces associated with ice pile-up and ride-up Sodhi, D S., et al, (1984, p 239-262) MP 1887
Computational mechanics in arctic engineering. Sodhi, D.S., (1984, p 351-374) MP 2072
Combined icing and wind loads on a simulated power line test span Govoni, J W., et al, (1984, p.173-182) MP 2114
Ice forces on inclined model bridge piers Haynes, F D., et al, (1984, p 1167-1173) MP 2407
Buckling analysis of cracked, floating ice sheets. Adley, M D., et al, (1984, 28p) SR 84-23
Ice forces on rigid, vertical, cylindrical structures. Sodhi, D S., et al, (1984, 36p) CR 84-33
Offshore Mechanics and Arctic Engineering Symposium, 4th, 1985. (1985, 2 vols) MP 2105
In-ice calibration tests for an elongated, uniaxial brass ice stress sensor Johnson, J B., (1985, p 244-249) MP 1859
Sheet ice forces on a conical structure, an experimental study Sodhi, D S., et al, (1985, p 46-54) MP 1915
Arctic ice and drilling structures Sodhi, D S., (1985, p 63-69) MP 2119
Kadluk ice stress measurement program Johnson, J B., et al, (1985, p 88-100) MP 1899
Compressive strength of multi-year sea ice Kovacs, A., (1985, p 116-127) MP 1901
Sheet ice forces on a conical structure, an experimental study Sodhi, D S., et al, (1985, p 643-655) MP 1906
Real time measurements of uplifting ice forces Zabilansky, L.J., (1985, p 253-259) MP 2092
Ice accretion measurement on a wire at Mt. Washington McComber, P., et al, (1985, p 34-43) MP 2173
Computer interfacing of meteorological sensors in severe weather Rancourt, K., et al, (1985, p 205-211) MP 2175
Instrumentation for an uplifting ice force model Zabilansky, L.J., (1985, p 1430-1435) MP 2091
Sea ice and the Fairway Rock icefoot Kovacs, A., et al, (1985, p 25-32) MP 2145
In-ice calibration tests for an elongate, uniaxial brass ice stress sensor Johnson, J B., (1985, p 506-510) MP 1966
Vibration analysis of the Yamachiche lightpier Haynes, F D., (1986, p 238-241) MP 1989
Ice cover research—present state and future needs Kerr, A D., et al, (1986, p 384-399) MP 2004
Crushing of ice sheet against rigid cylindrical structures. Sodhi, D S., et al, (1986, p 1-12) MP 2018
Offshore Mechanics and Arctic Engineering Symposium, 5th, 1986. (1986, 4 vols.) MP 2031
Ice properties in a grounded man-made ice island. Cox, G F.N., et al, (1986, p.135-142) MP 2032
Some effects of friction on ice forces against vertical structures. Kato, K., et al, (1986, p 528-533) MP 2036
Impact ice force and pressure- An experimental study with urea ice. Sodhi, D S., et al, (1986, p 569-576) MP 2037
Vibration analysis of the Yamachiche Lightpier. Haynes, F D., (1986, p.9-18) MP 2253
Ice forces on bridge piers. Haynes, F.D., (1986, p 83-101) MP 2160
Icing and wind loading on a simulated power line. Govoni, J W., et al, (1986, p 23-27) MP 2206
Model study of ice forces on a single pile Zabilansky, L.J., (1986, p 77-87) MP 2388
Static and dynamic ice loads on the Yamachiche Bend lightpier, 1984-86. Frederking, R., et al, (1986, p.115-126) MP 2389
International Offshore Mechanics and Arctic Engineering Symposium, 1987. (1987, 4 vols) MP 2189
Ice beam moving against a sloping structure. Sodhi, D.S., (1987, p.281-284) MP 2194
Advances in ice mechanics—1987. (1987, 49p) MP 2207
Advances in sea ice mechanics in the USA. Sodhi, D.S., et al, (1987, p 37-49) MP 2208
Effect of oscillatory loads on the bearing capacity of floating ice covers Kerr, A D., et al, (1987, p 219-224) MP 2216
Mechanical properties of multi-year sea ice. Richter-Menge, J A., et al, (1987, p 121-153) MP 2428
Effect of ice-floe size on propeller torque in ship-model tests. Tatinclaux, J C., (1987, p 291-298) MP 2289
Kadluk ice stress measurement program. Cox, G.F.N., (1987, p 100-107) MP 2298
Mechanical properties of multi-year pressure ridge ice. Richter-Menge, J.A., (1987, p 108-119) MP 2299
Working group on ice forces 3rd state-of-the-art report. Sanderson, T.J.O., ed, (1987, 221p) SR 87-17
Flexural and buckling failure of floating ice sheets against structures. Sodhi, D.S., (1987, p 53-73) MP 2315
Conference on Offshore Mechanics and Arctic Engineering, 7th, 1988, Vol 4. (1988, 348p) MP 2317
Onshore ice pileup and override Kovacs, A., et al, (1988, p 108-142) MP 2336
Verification tests of the surface integral method for calculating structural ice loads Johnson, J.B., et al, (1988, p 449-456) MP 2353
Mukluk ice stress measurement program Cox, G F.N., et al, (1988, p.457-463) MP 2354
Model study of uplifting ice forces the instrumentation. Zabilansky, L.J., (1988, p.745-748) MP 2487
Mukluk ice stress measurement program Cox, G.F.N., (1988, p 11-15) MP 2618
Working group on ice forces 4th state-of-the-art report. Timco, G.W., ed, (1989, 385p) SR 89-05
Ice-induced vibrations of structures Sodhi, D S., (1989, p 189-221) MP 2492
Conference on offshore mechanics and Arctic engineering, 8th, 1989. (1989, 476p) MP 2481
On modeling the energetics of the ridging process. Hopkins, M A., et al, (1989, p 175-178) MP 2483
Penetration of floating ice sheets with cylindrical indentors. Sodhi, D S., (1989, p 377-382) MP 2485
Ice force measurements on a bridge pier in a small river. Sodhi, D S., et al, (1989, p 1419-1427) MP 2764
Conference on offshore mechanics and arctic engineering, 9th, 1990 (1990, 339p) MP 2584
Cyclic loading of saline ice: initial experimental results. Cole, D M., (1990, p 265-271) MP 2581

Ice mechanics
Growth and mechanical properties of river and lake ice Ramseier, R.O., (1972, 243p) MP 1883

ICE MECHANICS
Impact of spheres on ice Closure Yen, Y.-C., et al, (1972, p 473) MP 988

Ice mechanics
Arctic marine navigation and ice dynamics- summary findings Weeks, W F., (1973, p 86-99) MP 2274
Mesoscale deformation of sea ice from satellite imagery Anderson, D.M., et al, (1973, 2p) MP 1120
River ice problems Burgi, P H., et al, (1974, p.1-15) MP 1002
Results of the US contribution to the Joint US/USSR Bering Sea Experiment Campbell, W J., et al, (1974, 197p) MP 1032
Ice dynamics, Canadian Archipelago and adjacent Arctic basin Ramseier, R O., et al, (1975, p 853-877) MP 1585
Mechanics of ice Glen, J W., (1975, 43p) M H-C2b
Sea ice engineering Assur, A., (1976, p 231-234) MP 986
Interpretation of the tensile strength of ice under triaxial stress Nevel, D E., et al, (1976, p 375-387) MP 996

Mechanics and hydraulics of river ice jams. Tatinclaux, J C., et al, (1976, 97p) MP 1060

Creep theory for a floating ice sheet. Nevel, D E., (1976, 98p.) SR 76-04

Dynamics of near-shore ice. Weeks, W.F., et al, (1976, p.9-34) MP 1300

Passage of ice at hydraulic structures. Calkins, D.J., et al, (1976, p.1726-1736) MP 966

Potential river ice jams at Windsor, Vermont. Calkins, D.J., et al, (1976, 31p) CR 76-31

Internal structure and crystal fabrics of the West Antarctic ice sheet. Gow, A.J., et al, (1976, 25p) CR 76-35

Sea ice properties and geometry. Weeks, W.F., (1976, p.137-171) MP 918

Structural growth of lake ice. Gow, A.J., et al, (1977, 24p) CR 77-01

Dynamics of near-shore ice. Kovacs, A., et al, (1977, p.106-112) MP 924

Laboratory investigation of the mechanics and hydraulics of river ice jams. Tatinclaux, J.C., et al, (1977, 45p.) CR 77-09

Air photo interpretation of a small ice jam. DenHartog, S L., (1977, p.705-719) MP 935

Engineering properties of sea ice. Schwarz, J., et al, (1977, p.499-531) MP 1065

Movement of coastal sea ice near Prudhoe Bay. Weeks, W.F., et al, (1977, p 533-546) MP 1066

Dynamics of near-shore ice Kovacs, A., et al, (1977, p.411-424) MP 1076

Some elements of iceberg technology. Weeks, W.F., et al, (1978, p 45-98) MP 1616

Model simulation of near shore ice drift, deformation and thickness. Hibler, W D., III, (1978, p 33-44) MP 1010

Axial double point-load tests on snow and ice. Kovacs, A., (1978, 11p.) CR 78-01

Report of the ITTC panel on testing in ice, 1978. Frankenstein, G.E., et al, (1978, p.157-179) MP 1140

River ice Ashton, G D., (1978, p.369-392) MP 1216

Polycrystalline ice mechanics Hooke, R L., et al, (1979, 16p.) MP 1207

Ice forces on the Yukon River bridge—1978 breakup. Johnson, P.R., et al, (1979, 40p.) MP 1304

Dynamics of near-shore ice Kovacs, A., et al, (1979, p.181-207) MP 1291

Some Bessel function identities arising in ice mechanics problems. Takagi, S., (1979, 13p.) CR 79-27

Ultrasonic tests of Byrd Station ice cores. Gow, A.J., et al, (1979, p.147-153) MP 1282

Documentation for a two-level dynamic thermodynamic sea ice model Hibler, W D., III, (1980, 35p.) SR 80-06

Some promising trends in ice mechanics. Assur, A., (1980, p 1-15) MP 1300

Ice laboratory facilities for solving ice problems. Frankenstein, G.E., (1980, p.93-103) MP 1301

Mechanical properties of polycrystalline ice. Mellor, M., (1980, p 217-245) MP 1302

Mechanical properties of polycrystalline ice Hooke, R L., et al, (1980, p 263-275) MP 1328

Ship resistance in thick brash ice Mellor, M., (1980, p 305-321) MP 1329

Measurement of the shear stress on the underside of simulated ice covers Calkins, D J., et al, (1980, 11p.) CR 80-24

Dynamic ice-structure interaction analysis for narrow vertical structures. Eranti, E., et al, (1981, p.472-479) MP 1456

Modeling mesoscale ice dynamics. Hibler, W.D., III, et al, (1981, p 1317-1329) MP 1526

Measuring mechanical properties of ice. Schwarz, J., et al, (1981, p.245-254) MP 1556

Dynamics of near-shore ice. Kovacs, A., et al, (1981, p.125-135) MP 1599

Growth, structure, and properties of sea ice Weeks, W.F., et al, (1982, 130p.) M 82-01

Ice behavior under constant stress and strain Mellor, M., et al, (1982, p 201-219) MP 1525

Port Huron ice control model studies Calkins, D J., et al, (1982, p.361-373) MP 1530

Glacier mechanics. Mellor, M., (1982, p.455-474) MP 1532

In-situ measurements of the mechanical properties of ice Tatinclaux, J C., (1982, p.326-334) MP 1555

Ottauquechee River--analysis of freeze-up processes Calkins, D J., et al, (1982, p 2-37) MP 1738

Physical properties of the ice cover of the Greenland Sea Weeks, W.F., (1982, 27p.) SR 82-28

Hydraulic model study of Port Huron ice control structure Calkins, D J., et al, (1982, 59p.) CR 82-34

Stress-strain-time relations for ice under uniaxial compression. Mellor, M., et al, (1983, p 207-230) MP 1587

Numerical simulation of the Weddell Sea pack ice Hibler, W.D., III, et al, (1983, p 2873-2887) MP 1592

On forecasting mesoscale ice dynamics and build-up Hibler, W D., III, et al, (1983, p 110-115) MP 1625

Mechanical behavior of sea ice Mellor, M., (1983, 105p.) M 83-1

Sea ice model in wind forcing fields Tucker, W B., (1983, 11p.) CR 83-17

Sea ice on the Norton Sound and adjacent Bering Sea coast Kovacs, A., (1983, p 654-666) MP 1699

Modeling of ice discharge in river models. Calkins, D.J., (1983, p 285-290) MP 2081

Spaceborne SAR and sea ice: a status report. Weeks, W.F., (1983, p.113-115) MP 2225

Relationship between creep and strength behavior of ice at failure. Cole, D M., (1983, p.189-197) MP 1681

Mechanics of ice jam formation in rivers. Ackermann, N L., et al, (1983, 14p.) CR 83-31

Thermodynamic model of soil creep at constant stresses and strains. Fish, A M., (1983, 18p.) CR 83-33

Marginal ice zones: a description of air-ice-ocean interactive processes, models and planned experiments. Johannessen, O.M., et al, (1984, p.133-146) MP 1673

Mechanical properties of ice in the Arctic seas. Weeks, W.F., et al, (1984, p 235-259) MP 1674

Modified theory of bottom crevasses. Jezek, K C., (1984, p.1925-1931) MP 2059

Frazil ice dynamics. Daly, S.F., (1984, 46p.) M 84-01

Mechanical properties of multi-year sea ice. Phase 1: Test results. Cox, G F.N., et al, (1984, 105p.) CR 84-09

Modeling the marginal ice zone. Hibler, W.D., III, ed, (1984, 99p.) SR 84-07

Large-scale ice/ocean model for the marginal ice zone. Hibler, W.D., III, et al, (1984, p.1-7) MP 1778

East Greenland Sea ice variability in large-scale model simulations. Walsh, J E., et al, (1984, p.9-14) MP 1779

On the role of ice interaction in marginal ice zone dynamics. Leppäranta, M., et al, (1984, p 23-29) MP 1781

Some simple concepts on wind forcing over the marginal ice zone. Tucker, W B., (1984, p 43-48) MP 1783

Mechanical properties of multi-year sea ice. Testing techniques. Mellor, M., et al, (1984, 39p.) CR 84-08

Role of sea ice dynamics in modeling CO2 increases. Hibler, W.D., III, (1984, p.238-253) MP 1749

Ice flow leading to the deep core hole at Dye 3, Greenland. Whillans, I M., et al, (1984, p 185-190) MP 1824

Ice dynamics. Hibler, W.D., III, (1984, 52p.) M 84-03

Mechanical properties of sea ice: a status report. Weeks, W.F., et al, (1984, p.135-198) MP 1808

Rise pattern and velocity of frazil ice. Wuebben, J L., (1984, p 297-316) MP 1816

Laboratory investigation of the kinetic friction coefficient of ice. Forland, K.A., et al, (1984, p 19-28) MP 1825

Forces associated with ice pile-up and pile-up Sodhi, D.S., et al, (1984, p.239-262) MP 1887

Computational mechanics in arctic engineering. Sodhi, D.S., (1984, p.351-374) MP 2072

Static determination of Young's modulus in sea ice. Richter-Menge, J A., (1984, p.283-286) MP 1789

Air-ice-ocean interaction experiments in Arctic marginal ice zones. (1984, 56p.) SR 84-28

MIZEX 83 mesoscale sea ice dynamics. initial analysis. Hibler, W.D., III, et al, (1984, p.19-28) MP 1811

On the rheology of a broken ice field due to floe collision. Shen, H., et al, (1984, p.29-34) MP 1812

Crystalline structure of urea ice sheets. Gow, A.J., (1984, 48p.) CR 84-24

Shore ice override and pileup features, Beaufort Sea Kovacs, A., (1984, 28p. + map) CR 84-26

MIZEX 84 mesoscale sea ice dynamics post operations report Hibler, W D., III, et al, (1984, p.66-69) MP 1257

Arctic sea ice and naval operations. Hibler, W.D., III, et al, (1984, p 67-91) MP 1994

Surfacing submarines through ice Assur, A., (1984, p 309-318) MP 1998

Rheology of glacier ice Jezek, K C., et al, (1985, p.1335-1337) MP 1844

Numerical modeling of sea ice dynamics and ice thickness Hibler, W D., III, (1985, 50p.) CR 85-05

Air-ice ocean interaction in Arctic marginal ice zones MIZEX-West Wadhams, P., ed, (1985, 119p.) SR 85-06

Mechanical properties of multi-year pressure ridge samples Richter-Menge, J A., (1985, p 244-251) MP 1936

Modeling sea-ice dynamics. Hibler, W D., III, (1985, p 549-579) MP 2001

Grain size and the compressive strength of ice. Cole, D M., (1985, p 369-374) MP 1907

Mechanical properties of multi-year sea ice Phase 2 Test results. Cox, G F.N., et al, (1985, 81p.) CR 85-16

On estimating ice stress from MIZEX 83 ice deformation and current measurements Leppäranta, M., et al, (1986, p 17-19) MP 2220

Frazil ice pebbles, Tanana River, Alaska Chacho, E F., et al, (1986, p 475-483) MP 2130

Growth, structure, and properties of sea ice Weeks, W F., et al, (1986, p 9-164) MP 2209

Mechanical behavior of sea ice Mellor, M., (1986, p 165-281) MP 2210

Ice dynamics Hibler, W D., III, (1986, p 577-640) MP 2211

On the profile properties of undeformed first-year sea ice Cox, G F N., et al, (1986, p 257-330) MP 2199

Triaxial testing of first-year sea ice Richter Menge, J A., et al, (1986, 41p.) CR 86-16

Verification tests for a stiff inclusion stress sensor Cox, G F N., et al, (1987, p 81-85) MP 2223

Advances in ice mechanics 1987 (1987, 49p.) MP 2207

Advances in sea ice mechanics in the USA. Sodhi, D.S., et al, (1987, p.37-49) MP 2208

Sea ice structure and mechanical properties. Richter-Menge, J A., et al, (1987, 30p.) CR 87-03

Corps of engineers seek ice solutions. Frankenstein, G.E., (1987, p.5-7) MP 2219

Mesoscale sea ice deformation in the East Greenland marginal ice zone. Leppäranta, M., et al, (1987, p.7060-7070) MP 2241

Role of floe collisions in sea ice rheology. Shen, H.H., et al, (1987, p.7085-7096) MP 2242

Mechanical properties of multi-year sea ice. Richter-Menge, J A., et al, (1987, p.121-153) MP 2428

Mechanical properties of multi-year pressure ridge ice. Richter-Menge, J A., (1987, p 108-119) MP 2299

Shape of creep curves in frozen soils and polycrystalline ice. Fish, A M., (1987, p.623-629) MP 2329

Coupled air-ice-ocean models. Hibler, W.D., III, (1987, p.131-137) MP 2412

DOD floating ice problems. Cox, G F.N., (1987, p.151-154) MP 2414

Conference on Offshore Mechanics and Arctic Engineering, 7th, 1988, Vol.4 (1988, 348p.) MP 2317

Mechanical properties of multi-year sea ice. Richter-Menge, J A., et al, (1988, 27p.) CR 88-05

Ice stress measurements around offshore structures. Johnson, J.B., (1988, p.55-59) MP 2611

Profile properties of undeformed first-year sea ice. Cox, G F.N., et al, (1988, 57p.) CR 88-13

Mechanical properties of multi-year sea ice. Richter-Menge, J A., (1988, p.54-61) MP 2619

Working group on ice forces. 4th state-of-the-art report. Timco, G.W., ed, (1989, 385p.) SR 89-05

Conference on offshore mechanics and Arctic engineering, 8th, 1989. (1989, 476p.) MP 2681

Effect of ice pressure on marginal ice zone dynamics. Flato, G.M., et al, (1989, p.514-521) MP 2522

Proceedings. (1989, 475p.) SR 89-39

Models of the mechanical properties of ice. Richter-Menge, J A., et al, (1989, p.87-99) MP 2687

Conference on offshore mechanics and arctic engineering, 9th, 1990. (1990, 339p.) MP 2584

Dynamic analysis of a floating ice sheet undergoing vertical indentation. McGilvary, W.R., et al, (1990, p.195-203) MP 2579

Wave-induced bergy bit motion near a floating platform. Mak, L.M., et al, (1990, p.205-215) MP 2580

Measurement of sea ice thickness using electromagnetic induction. Holladay, J.S., et al, (1990, p.309-315) MP 2590

Wind-generated polynyas off the coasts of the Bering Sea islands. Kozo, T L., et al, (1990, p.126-132) MP 2734

On modeling the baroclinic adjustment of the Arctic Ocean. Hibler, W D., III, (1990, p 247-250) MP 2739

Ice melting

Towing icebergs. Lonsdale, H K., et al, (1974, p.2) MP 1020

Physics of ice Glen, J W., (1974, 81p.) M II-C2a

Heat transfer in drill holes in Antarctic ice. Yen, Y.-C., et al, (1976, 15p.) CR 76-12

Heat transfer between water jets and ice blocks Yen, Y.-C., (1976, p 299-307) MP 882

Short-term forecasting of water run-off from snow and ice. Colbeck, S C., (1977, p 571-588) MP 1067

Heat transfer over a vertical melting plate. Yen, Y.-C., et al, (1977, 12p.) CR 77-32

Bubbler induced melting of ice covers. Kerbar, R., et al, (1978, p.362-366) MP 1160

Point source bubbler systems to suppress ice Ashton, G D., (1979, 12p.) CR 79-12

Case study: fresh water supply for Point Hope, Alaska. McFadden, T., et al, (1979, p 1029-1040) MP 1222

Point source bubbler systems to suppress ice Ashton, G D., (1979, p 93-100) MP 1326

Maximum thickness and subsequent decay of lake, river and fast sea ice in Canada and Alaska Bilello, M A., (1980, 160p.) CR 80-06

Freshwater ice growth, motion, and decay Ashton, G D., (1980, p 261-304) MP 1299

Continuum sea ice model for a global climate model Ling, C H., et al, (1980, p.187-196) MP 1622

Ablation seasons of arctic and antarctic sea ice Andreas, E L., et al, (1982, p 440-447) MP 1517

Sea ice drag laws and boundary layer during rapid melting McPhee, M G., (1982, 17p.) CR 82-04

Performance of a point source bubbler under thick ice Haynes, F D., et al, (1982, p 111-124) MP 1529

On the differences in ablation seasons of Arctic and Antarctic sea ice Andreas, E L., et al, (1982, 9p.) CR 82-33

Developing a water well for the ice backfilling of DYE 2 Rand, J H., (1982, 19p.) SR 82-32

Soft drink bubbles Cragin, J H., (1983, p 71) MP 1736

Field tests of a frost-heave model Guymon, G L., et al, (1983, p 409-414) MP 1657

Lake ice decay Ashton, G D., (1983, p 85-86) MP 1684

Determination of floating ice covers Ashton, G D., (1984, p 26-33) MP 1676

Ice melting *(cont.)*

On the decay and retreat of the ice cover in the summer MIZ. Maykut, G.A., (1984, p.15-22) MP 1700

Temperature and interface morphology in a melting ice-water system. Yen, Y.-C., (1984, p.305-325) MP 1727

Ice cover melting in a shallow river. Calkins, D.J., (1984, p.255-265) MP 1763

Ice deterioration. Ashton, G.D., (1984, p.31-[illegible]) MP 1791

Deterioration of floating ice covers. Ashton, G.D., (1985, p.177-182) MP 2122

Chemical solutions to the chemical problem. Mirsk, L.D., (1985, p.238-244) MP 2224

Heat transfer in water over a melting ice sheet. Lunardini, V.J., (1986, p.227-236) MP 2833

MIZEX—a program for mesoscale air-ice-ocean interaction experiments in Arctic marginal ice zones. MIZEX bulletin 7. (1986, 88p.) SR 86-03

Bubblers and pumps for melting ice. Ashton, G.D., (1986, p.223-234) MP 2133

Convective heat transfer in water over melting ice sheet. Lunardini, V.J., (1986, p.42-51) MP 2600

Preliminary study of friction between ice and sled runners. Itagaki, K., et al. (1987, p.297-301) MP 2358

International Symposium on Cold Regions Heat Transfer, 1987. (1987, 270p.) MP 2302

Exothermic cutting of frozen materials. Garfield, D.E., et al. (1987, p.181-183) MP 2266

On the effect of the 4 C density maximum on melting heat transfer. Yen, Y.-C., (1988, p.362-367) MP 2382

Flow developers for melting ice—experimental results. Ashton, G.D., (1989, p.151-160) MP 2465

Oceanic heat flux in the Fram Strait measured by a drifting buoy. Perovich, D.K., et al. (1990, p.291-296) MP 2740

Shortwave radiation and open water in models of sea ice decay. Perovich, D.K., et al. (1990, p.242-246) MP 2759

Ice models

Structures in ice infested water. Assur, A., (1972, p.93-97) MP 1016

Classification and variation of sea ice ridging in the Arctic basin. Hibler, W.D., III, et al. (1974, p.127-146) MP 1022

Remote sensing program required for the AIDJEX model. Weeks, W.F., et al. (1974, p.22-44) MP 1040

Modeling pack ice as a viscous-plastic continuum. Hibler, W.D., III. (1977, p.44-55) MP 1164

Model simulation of near shore ice drift, deformation and thickness. Hibler, W.D., III. (1978, p.33-44) MP 1010

Sea ice pressure ridges in the Beaufort Sea. Wright, B.D., et al. (1978, p.249-271) MP 1132

Arching of model ice floes at bridge piers. Calkins, D.J., (1978, p.495-507) MP 1134

Ice arching and the drift of pack ice through channels. Sodhi, D.S., et al. (1978, p.415-432) MP 1138

Some results from a linear-viscous model of the Arctic ice cover. Hibler, W.D., III, et al. (1979, p.293-304) MP 1241

Numerical modeling of sea ice in the seasonal sea ice zone. Hibler, W.D., III. (1980, p.299-356) MP 1296

Some promising trends in ice mechanics. Assur, A., (1980, p.1-15) MP 1300

Preliminary results of ice modeling in the East Greenland area. Tucker, W.B., et al. (1981, p.867-875) MP 1458

Numerical solutions for a rigid-ice model of secondary frost heave. O'Neill, K., et al. (1982, 11p.) CR 82-13

On modeling the Weddell Sea pack ice. Hibler, W.D., III, et al. (1982, p.125-130) MP 1549

Application of a numerical sea ice model to the East Greenland area. Tucker, W.B., (1982, 60p.) CR 82-16

Modeling fluctuations of arctic sea ice. Hibler, W.D., III, et al. (1982, p.1514-1523) MP 1579

Numerical simulations of the Weddell Sea pack ice. Hibler, W.D., III, et al. (1983, p.2873-2887) MP 1592

Sea ice model in wind forcing fields. Tucker, W.B., (1983, 11p.) CR 83-17

First-generation model of ice deterioration. Ashton, G.D., (1983, p.273-278) MP 2000

Modeling of ice discharge in river models. Calkins, D.J., (1983, p.285-290) MP 2001

Ice resistance tests on two models of the WTGB icebreaker. Tatinclaux, J.C., et al. (1984, p.627-636) MP 1716

Modeling the marginal ice zone. Hibler, W.D., III, ed. (1984, 99p.) SR 84-07

East Greenland Sea ice variability in large-scale model simulations. Walsh, J.E., et al. (1984, p.9-14) MP 1779

Analyses of linear sea ice models with an ice margin. Lepparanta, M., (1984, p.31-36) MP 1782

Role of sea ice dynamics in modeling CO_2 increases. Hibler, W.D., III. (1984, p.238-253) MP 1769

Model simulations of 20 years of northern hemisphere sea-ice fluctuations. Walsh, J.E., et al. (1984, p.170-179) MP 1767

Crystalline structure of sea ice sheets used in modeling at the CRREL test basin. Gow, A.J., (1984, p.241-245) MP 1835

Exploration of a rigid ice model of frost heave. O'Neill, K., et al. (1985, p.281-296) MP 1880

Numerical simulation of Northern Hemisphere sea ice variability, 1951-1980. Walsh, J.E., et al. (1985, p.4847-4865) MP 1882

Modeling sea-ice dynamics. Hibler, W.D., III. (1985, p.549-579) MP 2001

Role of plastic ice interaction in marginal ice zone dynamics. Lepparanta, M., et al. (1985, p.11,899-11,909) MP 1566

Ice interaction with the U.S. Army ribbon bridge. Cotter-marsh, B.A., (1986, 18p.) CR 86-01

Coupled ice-mixed layer model for the Greenland Sea. Houssais, M.N., (1986, p.225-260) MP 2143

Electromagnetic properties of sea ice. Kovacs, A., et al. (1986, p.57-133) MP 2197

Coupled air-ice-ocean models. Hibler, W.D., III. (1987, p.131-137) MP 2412

Growth of EG/AD/S model ice in a small tank. Borland, S.L., (1988, p.47-53) MP 2319

Fracture toughness of urea model ice. Bentley, D.L., et al. (1988, p.289-297) MP 2368

Effect of stratigraphy on radar-altimetry data collected over ice sheets. Jezek, K.C., et al. (1988, p.60-63) MP 2458

Can relict crevasse plumes on antarctic ice shelves reveal a history of ice-stream fluctuation. MacAyeal, D.R., et al. (1988, p.77-82) MP 2460

Fracture experiments on freshwater and urea model ice. Bentley, D.L., et al. (1988, 152p.) MP 2502

Profile properties of undeformed first-year sea ice. Cox, G.F.N., et al. (1988, 57p.) CR 88-13

Ship model testing in level ice: an overview. Tatinclaux, J.C., (1988, 30p.) Cr 88-15

Model study of uplifting ice forces: the instrumentation. Zabilansky, L.J., (1988, p.745-748) MP 2487

On modeling the energetics of the ridging process. Hopkins, M.A., et al. (1989, p.175-178) MP 2683

Framework for control of dynamic ice breakup by river regulation. Ferrick, M.G., et al. (1989, 14p.) CR 89-12

Effect of ice pressure on marginal ice zone dynamics. Flato, G.M., et al. (1989, p.514-521) MP 2522

Penetration of floating ice sheets with cylindrical indenters. Sodhi, D.S., et al. (1989, p.104) MP 2600

Density of natural ice accretions related to meteorological icing parameters. Jones, K.F., (1990, p.477-496) MP 2705

Cavitating fixed sea ice model. Flato, G.M., et al. (1990, p.239-242) MP 2738

Ice navigation

Arctic marine navigation and ice dynamics—summary findings. Weeks, W.F., (1973, p.86-99) MP 2274

Third International Symposium on Ice Problems, 1975. Frankenstein, G.E., ed. (1975, 627p.) MP 845

Icebreaker simulation. Nevel, D.E., (1977, 9p.) CR 77-16

Ice and navigation related sedimentation. Wuebben, J.L., et al. (1978, p.393-403) MP 1133

Report of the ITTC panel on testing in ice, 1978. Frankenstein, G.E., et al. (1978, p.157-179) MP 1140

Performance of the St. Marys River ice booms, 1976-77. Perham, R.E., (1978, 13p.) CR 78-24

Break-up dates for the Yukon River, Pt.1. Rampart to Whitehorse, 1896-1978. Stephens, C.A., et al. (1979, c50 leaves) MP 1317

Evaluation of ice deflectors on the USCG icebreaker *Polar Star*. Vance, G.P., (1980, 37p.) SR 80-04

Cost of ice damage to shoreline structures during navigation. Carey, K.L., (1980, 33p.) SR 80-22

Ice laboratory facilities for solving ice problems. Frankenstein, G.E., (1980, p.93-103) MP 1301

Clearing ice-clogged shipping channels. Vance, G.P., (1980, 13p.) CR 80-28

Modeling hydrologic impacts of winter navigation. Daly, S.F., et al. (1981, p.1073-1080) MP 1445

Ice control at navigation locks. Hanamoto, B., (1981, p.1085-1095) MP 1448

Ice control arrangement for winter navigation. Perham, R.E., (1981, p.1096-1110) MP 1449

Hydraulic model study of Port Huron ice control structure. Calkins, D.J., et al. (1982, 54p.) CR 82-34

Marginal Ice Zone Experiment, Fram Strait. Greenland Sea, 1984. Johannessen, O.M., ed. (1985, 47p.) SR 85-12

Methods of ice control. Frankenstein, G.E., et al. (1985, p.204-215) MP 1642

Ice engineering facility. Zabilansky, L.J., et al. (1985, 12p. + fig.) MP 2088

Marginal ice zones: a description of air-ice-ocean interactive processes, models and planned experiments. Johannessen, O.M., et al. (1986, p.133-166) MP 1673

Navigation ice booms on the St. Marys River. Perham, R.E., (1986, 12p.) CR 86-04

Model tests in ice of a Canadian Coast Guard Pollar ice-breaker. Tatinclaux, J.C., (1986, 24p.) SR 86-06

Methods of ice control for water navigation in inland waters. Frankenstein, G.E., et al. (1986, p.126-135) MP 1831

Arctic sea ice and naval operations. Hosler, W.D., III, et al. (1986, p.87-91) MP 1994

Survey of ice problem areas in navigable waterways. Jones, J., et al. (1986, 32p.) SR 85-02

Determining the effectiveness of a navigable ice boom. Perham, R.E., (1986, 28p.) SR 85-17

Design and model testing of a river ice prow. Tatinclaux, J.C., (1986, p.137-150) MP 2132

International Offshore Mechanics and Arctic Engineering Symposium, 1987. (1987, 4 vols.) MP 2189

Effect of ice-floe size on propeller torque in ship-model tests. Tatinclaux, J.C., (1987, p.291-298) MP 2289

DOD floating ice problems. Cox, G.F.N., (1987, p.151-154) MP 2414

Ice conditions along the Ohio River, 1972-1985. Gunn, L.W., (1988, 162p.) SR 88-01

Inventory of ice problem sites and remedial ice control structures. Perham, R.E., (1988, 9p.) SR 88-07

Development of a river ice prow. Tatinclaux, J.C., et al. (1988, 26p.) CR 88-09

Water quality during winter river navigation seasons. Sletten, R.S., (1988, 56p.) SR 88-10

Development of a river ice-prow. Part 2. Tatinclaux, J.C., (1989, p.44-52) MP 2697

Ice control in river harbors and fleeting areas. Perham, R.E., (1988, 7p.) SR 88-12

Deployment of floating bridges in ice-covered rivers. Metzler, M., et al. (1988, 35p.) SR 88-20

Ice observations on the Allegheny and Monongahela rivers. Bilello, M.A., et al. (1988, 43p.) SR 88-25

Proceedings. (1989, 475p.) SR 88-39

Models of the mechanical properties of ice. Richter-Menge, J.A., et al. (1989, p.87-99) MP 2687

Comparative model tests in ice of a Canadian Coast Guard R-class icebreaker. Tatinclaux, J.C., et al. (1990, p.31-52) MP 2762

Ice needles

Small-scale testing of soils for frost action. Sayward, J.M., (1979, p.223-231) MP 1309

Soil tests for frost action and water migration. Sayward, J.M., (1979, 17 p.) SR 79-17

Ice nuclei

Elemental analyses of ice crystal nuclei and aerosols. Kumai, M., (1977, 5p.) MP 1191

Frazil ice formation in turbulent flow. Muller, A., et al. (1978, p.219-234) MP 1135

Ice openings

Lidar detection of leads in Arctic sea ice. Schnell, R.C., et al. (1989, p.530-532) MP 2002

Lidar-derived particle concentrations in plumes from arctic leads. Andreas, E.L., et al. (1990, p.9-12) MP 2750

Ice optics

Optical properties of salt ice. Lane, J.W., (1975, p.363-372) MP 856

Modeling of anisotropic electromagnetic reflection from sea ice. Golden, K.M., et al. (1990, p.247-296) MP 1325

Ice and snow optics in the polar oceans, Pt.1. Perovich, D.K., et al. (1986, p.232-241) MP 2295

Ice and snow optics in the polar oceans, Pt.2. Grenfell, T.C., et al. (1986, p.242-251) MP 2296

Optical properties of sea ice structure. Gow, A.J., (1986, p.264-271) MP 2297

Effects of water and ice layers on the scattering properties of diffuse reflectors. Jezek, K.C., et al. (1987, p.5163-5167) MP 2301

Two-stream multilayer, spectral radiative transfer model for sea ice. Perovich, D.K., (1989, 17p.) CR 89-15

Theoretical estimates of light reflection and transmission by spatially inhomogeneous and temporally varying ice covers. Perovich, D.K., (1990, p.45-49) MP 2739

Light reflection and transmission by sea ice covers. Perovich, D.K., (1990, p.9557-9567) MP 2761

Ice override

Experiments on ice ride-up and pile-up. Sodhi, D.S., et al. (1983, p.266-270) MP 1627

Alaska's Beaufort Sea coast ice ride-up and pile-up features. Kovacs, A., (1983, 51p.) CR 83-09

Sea ice on the Norton Sound and adjacent Bering Sea coast. Kovacs, A., (1983, p.658-666) MP 1699

Forces associated with ice pile-up and ride-up. Sodhi, D.S., et al. (1984, p.250-262) MP 1887

Shore ice override and pileup features, Beaufort Sea. Kovacs, A., (1984, 28p. + map) CR 84-26

Offshore ice pileup and override. Kovacs, A., et al. (1984, p.108-142) MP 2336

Ice physics

Physics of ice. Glen, J.W., (1974, 81p.) M II-Cln

Snow and ice. Colbeck, S.C., et al. (1975, p.455-461, 475-487) MP 866

Magnetic and acoustic ambulance as a mechanism for sea ice cracking. Ackley, S.F., et al. (1976, p.85-94) MP 1379

Grounded ice along the Alaskan Beaufort Sea coast. Kovacs, A. (1976, 21p.) CR 76-32

Sea ice properties and geometry. Weeks, W.F., (1976, p.137-171) MP 918

Sea ice conditions in the Arctic. Weeks, W.F., (1976, p.176-206) MP 910

Seasonal variations in apparent sea ice viscosity on the geophysical scale. Hibler, W.D., III, et al. (1977, p.87-96) MP 980

Ice and snow at high altitudes. Mellor, M., (1977, 10p.) MP 1121

Review of Ice Physics by P.V. Hobbs. Ackley, S.F., (1977, p.161-182) MP 937

Abnormal internal friction peaks in single-crystal ice. Stallman, P.E., et al. (1977, 15p.) SR 77-23

Some elements of iceberg technology. Weeks, W.F., et al. (1978, p.45-98;) MP 1616

Internal properties of the ice sheet at Cape Folger by radio echo sounding. Kelleher, T.E., et al. (1978, 12p.; CR 78-04

Computer modeling of atmospheric ice accretion. Ackley, S.F., et al. (1979, 36p.) CR 79-04

Some results from a linear-viscous model of the Arctic ice cover. Hibler, W.D., III, et al. (1979, p.293-304;) MP 1241

Overview on the seasonal sea ice zone. Weeks, W.F., et al. (1979, p.320-337;) MP 1320

Ice sheet internal reflections. Ackley, S.F., et al. (1979, p.5675-5680;) MP 1319

Crystal alignments in the fast ice of Arctic Alaska. Weeks, W.F., et al. (1980, p.1157-1164;) MP 1277

Conference on Computer and Physical Modeling in Hydraulic Engineering, 1980. Ashton, G.D., ed. (1980, 492p.; MP 1321

Heat and mass transfer from freely falling drops at low temperatures. Zuelig, J.P., (1963, 14p.; CR 80-18

Sea ice: the potential of remote sensing. Weeks, W.F., (1981, p.39-48;) MP 1466

Modeling pressure ridge buildup on the geophysical scale. Hibler, W.D., III, (1982, p.141-155;) MP 1590

Physical properties of the ice cover of the Greenland Sea. Weeks, W.F., (1982, 27p.; SR 82-28

Chemical fractionation of brine in the McMurdo Ice Shelf. Cragin, J.H., et al. (1983, 16p.; CR 83-06

Thermal patterns in ice under dynamic loading. Fish, A.M., et al. (1983, p.260-263;) MP 1742

Stress measurements in ice. Cox, G.F.N., et al. (1983, 31p.; CR 83-23

Possibility of anomalous relaxations due to the charged dislocation process. Engelis, K., (1983, p.4261-4264;) MP 1669

Effect of X-ray irradiation on internal friction and dielectric relaxation of ice. Engelis, K., et al. (1983, p.4314-4317;) MP 1670

Army research could reduce dangers posed by sea ice. Tucker, W.B., (1984, p.20-24;) MP 2168

4th report of working group on testing methods in ice. Earle, E.N., et al. (1984, p.1-41;) MP 1886

Mesoscale ice-ocean-ice interaction experiments. Johannessen, O.M., ed. (1984, 176p.; SR 84-29

Sea ice properties. Tucker, W.B., et al. (1984, p.82-85;) MP 2136

Discrete reflections from thin layers of snow and ice. Jezek, K.C., et al. (1984, p.323-331;) MP 1871

Ice island fragment in Stefansson Sound, Alaska. Kovacs, A., (1985, p.101-115;) MP 1900

Physical properties of sea ice in the Greenland Sea. Tucker, W.B., et al. (1985, p.177-181;) MP 1903

Pressure ridge and sea ice properties Greenland Sea. Tucker, W.B., et al. (1985, p.214-223;) MP 1935

Climatic factors in cold regions surface conditions. Bilello, M.A., (1985, p.508-517;) MP 1961

Physical properties of the sea ice cover. Weeks, W.F., (1986, p.87-102;) MP 2047

Winter marginal ice zone experiments, Fram Strait, Greenland Sea, 1987-89. Davidson, K., ed. (1986, 57p.; SR 86-09

River and lake ice engineering. Ashton, G.D., ed. (1986, 485p.; MP 2144

Ice forces on bridge piers. Haynes, F.D., (1986, p.93-101;) MP 2160

Chemical fractionation of brine in McMurdo Ice Shelf. Cragin, J.H., et al. (1986, p.367-373;) MP 2239

Perspectives in ice technology. Ashton, G.D., (1986, 6p.; MP 2286

Field techniques for obtaining engineering characteristics of frazil ice accumulations. Daly, S.M., Jr., (1986, p.265-278;) MP 2299

Advances in sea ice mechanics in the USA. Sodhi, D.S., et al. (1987, p.37-69;) MP 2308

Physical properties of sea ice discharged from Fram Strait. Cox, G.F.N., et al. (1987, p.456-459;) MP 2204

Physical properties of summer sea ice in the Fram Strait. Tucker, W.B., et al. (1987, p.675-680;) MP 2260

Physical properties of extensive sea ice in Great Bay, New Hampshire. Meese, D.A., et al. (1987, p.533-536;) MP 2251

Physical properties of summer sea ice in the Fram Strait, June-July 1984. Cox, G.F.N., et al. (1987, 81p.; CR 87-12

Physical and structural characteristics of Weddell Sea pack ice. Cox, G.F.N., et al. (1987, 50p.; CR 87-14

Modeling the electromagnetic properties/signatures of sea ice. Part 1. Kovacs, A., et al. (1987, p.26-35;) MP 2330

DOD floating ice problems. Cox, G.F.N., (1987, p.141-154;) MP 2418

Single-layer reflectometers for in-situ dielectric measurements at microwave frequencies. Vickers, S.S., et al. (1988, p.89-92;) MP 2393

Conference on Offshore Mechanics and Arctic Engineering, 7th, 1988, Vol. 4. (1988, 445p.; MP 2317

Overview of the physical properties of sea ice. Tucker, W.B., (1988, p.71-88;) MP 2435

Preliminary results of an experiment using a 16-ft x 98-ft long fixed collector line array. Perham, R.E., (1988, p.149-156;) MP 2474

Passive microwave in situ observations of winter Weddell Sea ice. Comiso, J.C., et al. (1989, p.10,891-10,905;) MP 2655

Proceedings. (1989, 475p.; SR 89-39

Models of the mechanical properties of ice. Richter-Menge, J.A., et al. (1989, p.87-99;) MP 2687

W.F. Weeks Sea Ice Symposium, San Francisco, CA, Dec. 1988. Ackley, S.F., ed. (1990, 299p.; M 90-01

Physical properties of brackish ice, Bay of Bothnia. Weeks, W.F., et al. (1990, p.5-15;) MP 2725

Physical properties of sea ice from the Weddell Sea. Eicken, H., et al. (1990, p.28-32;) MP 2727

Ice pileup

International Workshop on the Seasonal Sea Ice Zone, Monterey, California, Feb. 26-Mar.1, 1979. Anderson, B.G., ed. (1980, 357p.; MP 1292

Shore ice pile-up and ride-up: field observations, models, theoretical analyses. Kovacs, A., et al. (1980, p.209-298;) MP 1295

Sea ice piling at Fairway Rock, Bering Strait, Alaska. Kovacs, A., et al. (1981, p.985-1000;) MP 1460

Dynamics of near-shore ice. Kovacs, A., et al. (1981, p.125-135;) MP 1599

Modeling pressure ridge buildup on the geophysical scale. Hibler, W.D., III, (1982, p.141-155;) MP 1590

On forecasting mesoscale ice dynamics and build-up. Hibler, W.D., III, et al. (1983, p.110-113;) MP 1625

Experiments on ice ride-up and pile-up. Sodhi, D.S., et al. (1983, p.266-270;) MP 1627

Alaska's Beaufort Sea coast ice ride-up and pile-up features. Kovacs, A., (1983, 51p.; CR 83-09

Sea ice on the Norton Sound and adjacent Bering Sea coast. Kovacs, A., (1983, p.654-666;) MP 1699

Method of detecting voids in rubbled ice. Tucker, W.B., et al. (1984, p.183-188;) MP 1772

Forces associated with ice pile-up and ride-up. Sodhi, D.S., et al. (1984, p.259-262;) MP 1887

Shore ice override and pileup features, Beaufort Sea. Kovacs, A., (1984, 28p. + map; CR 84-26

Onshore ice pileup and override. Kovacs, A., et al. (1988, p.108-142;) MP 2336

Ice plasticity

Seismic exploration in cold regions. Roethlisberger, H., (1972, 139p.; M 11-A2a

Preliminary results of ice modeling in the East Greenland area. Tucker, W.B., et al. (1981, p.867-872;) MP 1458

Modeling mesoscale ice dynamics. Hibler, W.D., III, et al. (1981, p.1317-1329;) MP 1526

Ice dynamics. Hibler, W.D., III, (1984, 52p.; M 84-03

Dielectric properties of strained ice. I. Effect of plastic straining. Engelis, K., (1987, p.143-147;) MP 2356

ICE PRESSURE

Ice pressure on engineering structures. Michel, B., (1970, 71p.; M III-B1b

Ice pressure

Ice forces on vertical piles. Nevel, D.E., et al. (1972, p.104-114;) MP 1024

Structures in ice-covered waters. Ames, A., (1972, p.93-97;) MP 1046

Depth of water-filled crevasses of glaciers. Weertman, J., (1973, p.139-145;) MP 1068

Classification and variation of sea ice ridging in the Arctic basin. Hibler, W.D., III, et al. (1974, p.127-146;) MP 1022

Ice forces on model structures. Zabilansky, L.J., et al. (1975, p.400-407;) MP 863

Statistical variations in Arctic sea ice ridging and deformation rates. Hibler, W.D., III, (1975, p.31-51;) MP 850

Ice forces on simulated structures. Zabilansky, L.J., et al. (1975, p.387-390;) MP 864

Forces on an ice boom in the Pennsylvania Canal. Perham, R.E., et al. (1975, p.397-407;) MP 858

Gas inclusions in the Antarctic ice sheet. Gow, A.J., et al. (1975, p.5101-5108;) MP 847

Freeze damage prevention in utility distribution lines. McFadden, T., (1977, p.222-231;) MP 929

Ice forces on vertical piles. Nevel, D.E., et al. (1977, 9p.; CR 77-10

Freeze damage prevention for utility lines. McFadden, T., (1977, p.12-16;) MP 953

Interaction of ice forces along an inclined wedge. Tryde, P., (1977, 26p.; CR 77-26

Ice and ship effects on the St. Marys River ice booms. Perham, R.E., (1978, p.223-230;) MP 1617

Ice cover forces on structures. Kerr, A.D., (1978, p.123-132;) MP 879

Sawing of model ice floes at bridge piers. Calkins, D.J., (1978, p.655-667;) MP 1134

Horizontal forces exerted by floating ice on structures. Kerr, A.D., (1978, 92p.; CR 78-15

Performance of the St. Marys River ice booms, 1976-77. Perham, R.E., (1978, 17p.; CR 78-26

River ice. Ashton, G.D., (1979, p.369-492;) MP 1216

Ice forces on the Yukon River bridge. 1978 breakup. Johnson, P.R., et al. (1979, 80p.; MP 1304

Buckling analysis of wedge-shaped floating ice sheets. Sodhi, D.S., (1979, p.797-810;) MP 1232

Ice-ring shear through ice-rigged channels by warping and wedging. Meese, M., (1979, 21p.; CR 79-21

Cost of ice damage to shoreline structures during navigation. Carey, K.L., (1980, 33p.; SR 80-22

Working group on ice forces on structures. Carstens, T., ed. (1980, 144p.; SR 80-26

Review of buckling analyses of ice sheets. Sodhi, D.S., et al. (1980, p.131-146;) MP 1322

Ship resistance in thick brash ice. Mellor, M., (1980, p.305-321;) MP 1329

Ice force measurement on the Yukon River bridge. McFadden, T., et al. (1981, p.749-777;) MP 1396

Dynamic ice-structure interaction analysis for narrow vertical structures. Eranti, E., et al. (1981, p.472-479;) MP 1456

State of the art of ship model testing in ice. Vance, G.P., (1981, p.693-706;) MP 1573

Sea ice rubble formations in the Bering Sea and Norton Sound, Alaska. Kovacs, A., (1981, 23p.; SR 81-34

Force measurements and analysis of river ice breakup. Deck, D.S., (1982, p.303-336;) MP 1739

Bering Strait sea ice and the Fairway Rock icefoot. Kovacs, A., et al. (1982, 40p.; CR 82-31

Dynamic ice-structure interaction during continuous crushing. Määttänen, M., (1983, 48p.; CR 83-05

Ice forces on model marine structures. Haynes, F.D., et al. (1983, p.778-787;) MP 1486

Dynamic buckling of floating ice sheets. Sodhi, D.S., (1983, p.822-833;) MP 1607

Ice forces on model bridge piers. Haynes, F.D., et al. (1983, 11p.; CR 83-19

Measurement of ice forces on structures. Sodhi, D.S., et al. (1983, p.139-155;) MP 1641

Ice action on two cylindrical structures. Kato, K., et al. (1983, p.159-166;) MP 1643

Characteristics of multi-year pressure ridges. Kovacs, A., (1983, p.173-182;) MP 1698

Ice forces on a bridge pier, Ottauquechee River, Vermont. Sodhi, D.S., et al. (1983, 6p.; CR 83-32

Ice action on two cylindrical structures. Kato, K., et al. (1984, p.107-112;) MP 1741

Dependence of crushing specific energy on the aspect ratio and the structure velocity. Sodhi, D.S., et al. (1984, p.363-374;) MP 1788

Crushing ice forces on cylindrical structures. Morris, C.E., et al. (1984, p.1-9;) MP 1836

Ice forces on inclined model bridge piers. Haynes, F.D., et al. (1984, p.1167-1177;) MP 2007

Preliminary investigations of thermal ice pressures. Cox, G.F.N., (1984, p.221-229;) MP 1788

Ice forces on rigid, vertical, cylindrical structures. Sodhi, D.S., et al. (1984, 36p.; CR 84-33

Ice block stability. Daly, S.F., (1984, p.544-548;) MP 1972

Sheet ice forces on a conical structure: an experimental study. Sodhi, D.S., et al. (1985, p.46-54;) MP 1915

Sheet ice forces on a conical structure, an experimental study. Sodhi, D.S., et al. (1985, p.643-655;) MP 1986

Experience with a biaxial ice stress sensor. Cox, G.F.N., (1985, p.252-258;) MP 1937

Instrumentation for an updating ice force model. Zabilansky, L.J., (1985, p.1430-1435;) MP 2091

Ice cover research--present state and future needs. Kerr, A.D., et al. (1986, p.384-399;) MP 2006

Impact ice force and pressure. An experimental study with sheet ice. Sodhi, D.S., et al. (1986, p.569-576;) MP 2037

Flexural and buckling failure of floating ice sheets against structures. Sodhi, D.S., (1986, p.339-359;) MP 2134

Model study of ice forces on a single pile. Zabilansky, L.J., (1986, p.77-87;) MP 2308

Corps of engineers sea ice solutions. Frankenstein, G.E., (1987, p.5-7;) MP 2219

Kadlik ice stress measurement program. Cox, G.F.N., (1987, p.100-107;) MP 2298

Ice stress measurements around offshore structures. Johnson, J.B., (1988, p.55-59;) MP 2611

Results from indentation tests on freshwater ice. Sodhi, D.S., et al. (1988, p.341-350;) MP 2095

Modeling ice resistant forces on an ice boom. Perham, R.E., (1988, p.194-206;) MP 2096

Mukluk ice stress measurement program. Cox, G.F.N., (1988, p.11-15;) MP 2618

Working group on ice forces. 4th state-of-the-art report. Timco, G.W., ed. (1989, 51p.; SR 89-05

Compressive strength of anisotropic frazil ice. Richter-Menge, J.A., et al. (1989, p.269-278;) MP 2621

Effect of ice pressure on marginal ice zone dynamics. Pease, G.M., et al. (1989, p.516-521;) MP 2522

Effect of pressure on kinetic friction of ice. Tabandeh, J.C., (1989, p.127-135;) MP 2680

Ice prevention

Ice removal from the walls of navigation locks. Frankenstein, G.E., et al. (1976, p.1487-1496;) MP 888

Numerical simulation of air bubbler systems. Ashton, G.D., (1977, p.764-778;) MP 936

Ice accumulation on ocean structures. Mizuki, I.D., (1977, 82p.; CR 77-17

Lock wall drawing. Hausmann, B., (1977, p.7-16;) MP 972

Numerical simulation of air bubbler systems. Ashton, G.D., (1978, p.231-242;) MP 1618

Ice prevention *(cont.)*
Seeking low ice adhesion Sayward, J.M., (1979, 83p) SR 79-11
Freezing problems with wintertime wastewater spray irrigation. Bouzoun, J R., (1979, 12p.) SR 79-12
Deicing a satellite communication antenna Hanamoto, B., et al, (1980, 14p) SR 80-18
Ice adhesion tests on coatings subjected to rain erosion. Minsk, L.D., (1980, 14p) SR 80-28
Icing on structures Minsk, L D, (1980, 18p) CR 80-31
Hydraulic model study of a water intake under frazil ice conditions. Tantillo, T.J., (1981, 11p.) CR 81-03
River ice suppression by side channel discharge of warm water. Ashton, G D, (1982, p 65-80) MP 1528
Performance of a point source bubbler under thick ice. Haynes, F D, et al, (1982, p.111-124) MP 1529
Lake water intakes under icing conditions. Dean, A.M., Jr., (1983, 7p.) CR 83-15
How effective are icephobic coatings. Minsk, L D., (1983, p.93-95) MP 1634
Aerostat icing problems Hanamoto, B., (1983, 29p.) SR 83-23
Ice observation program on the semisubmersible drilling vessel SEDCO 708 Minsk, L.D., (1984, 14p) SR 84-02
Atmospheric icing on sea structures Makkonen, L., (1984, 92p) M 84-02
Polyethylene glycol as an ice control coating Itagaki, K., (1984, 11p.) CR 84-28
Methods to reduce ice accumulation on miter gate recess walls. Rand, J.H., et al, (1989, 5p) MP 2723
Reduced winter leakage in gates with J-seals Rand, J.H., et al, (1989, 3p) MP 2724
Evaluation of shear strength of freshwater ice adhered to icephobic coatings. Mulherin, N D., (1990, p 149-154) MP 2578

Ice push
Ice pile-up and ride-up on Arctic and subarctic beaches Kovacs, A., et al, (1979, p 127-146) MP 1230
Ice pile-up and ride-up on arctic and subarctic beaches Kovacs, A., et al, (1981, p.247-273) MP 1538
Bank conditions and erosion along selected reservoirs Gatto, L W, et al, (1987, p 143-154) MP 2196

Ice rafting
Pebble fabric in an ice-rafted diamicton. Domack, E.W., et al, (1985, p 577-591) MP 1959
Bank conditions and erosion along selected reservoirs. Gatto, L.W., et al, (1987, p 143-154) MP 2196

Ice refrigeration
Isua, Greenland glacier freezing study. Ashton, G D, (1978, p 256-264) MP 1174

Ice relaxation
Charged dislocation in ice. 2 Contribution of dielectric relaxation. Itagaki, K, (1982, 15p) CR 82-07
Possibility of anomalous relaxation due to the charged dislocation process Itagaki, K, (1983, p 4261-4264) MP 1669
Effect of X-ray irradiation on internal friction and dielectric relaxation of ice Itagaki, K, et al, (1983, p 4314-4317) MP 1670
Discussion Electromagnetic properties of sea ice by R M Morey, A Kovacs and G F.N Cox Arcone, S A, (1984, p.93-94) MP 1821
Authors' response to discussion on Electromagnetic properties of sea ice Morey, R M, et al, (1984, p 95-97) MP 1822
Dielectric properties of strained ice 1: Effect of plastic straining Itagaki, K, (1987, p 143-147) MP 2356
Strain energy failure criterion for S2 freshwater ice in flexure Cole, D.M, (1988, p 206-215) MP 2494

Ice removal
Use of explosives in removing ice jams Frankenstein, G E, et al, (1970, 10p) MP 1021
Winter maintenance research needs Minsk, L D, (1975, p 36-38) MP 950
De-icing using lasers. Lane, J W, et al, (1976, 25p) CR 76-10
Investigation of water jets for lock wall deicing. Calkins, D.J., et al, (1976, p G2/13-22) MP 865
Ice removal from the walls of navigation locks Frankenstein, G.E, et al, (1976, p 1487-1496) MP 888
De-icing of radomes and lock walls using pneumatic devices Ackley, S F, et al, (1977, p 467-478) MP 1064
Ice accumulation on ocean structures Minsk, L.D, (1977, 42p) CR 77-17
Lock wall deicing studies Hanamoto, B, ed, (1977, 68p) SR 77-22
Lock wall deicing. Hanamoto, B., (1977, p 7-14) MP 972
Lock wall deicing with high velocity water jet at Soo Locks, Mi Calkins, D J, et al, (1977, p 23-35) MP 973
Laboratory experiments on lock wall deicing using pneumatic devices Itagaki, K, et al, (1977, p 53-68) MP 974
Interaction of a surface wave with a dielectric slab discontinuity Arcone, S A., et al, (1978, 10p) CR 78-08
Ice releasing block-copolymer coatings Jellinek, H H G, et al, (1978, p 544-551) MP 1141
Current research on snow and ice removal in the United States Minsk, L.D, (1978, p 21-22) MP 1199
Seeking low ice adhesion. Sayward, J.M., (1979, 83p) SR 79-11
Point source bubbler systems to suppress ice Ashton, G.D., (1979, 12p) CR 79-12
Freezing and thawing tests of liquid deicing chemicals on selected pavement materials Minsk, L.D., (1979, p 51-58) MP 1220
Point source bubbler systems to suppress ice Ashton, G.D., (1979, p.93-100) MP 1326
Clearing ice-clogged shipping channels. Vance, G.P., (1980, 13p) CR 80-28
Self-shedding of accreted ice from high-speed rotors Itagaki, K, (1983, p 1-6) MP 1719
Mechanical ice release from high-speed rotors. Itagaki, K, (1983, 8p.) CR 83-26
Strategies for winter maintenance of pavements and roadways. Minsk, L.D., et al, (1984, p.155-167) MP 1964
Snow and ice prevention in the United States Minsk, L D., (1986, p 37-42) MP 1874
Conductor twisting resistance effects on ice build-up and ice shedding. Govoni, J.W., et al, (1986, 8p + figs.) MP 2108
Pneumatically de-iced ice detector—final report, phase 2, part 1 Franklin, C H, et al, (1986, 9p + appends) MP 2249
Harbor design for ice conditions Wortley, C A., (1987, p 14-15) MP 2588
Self-shedding of accreted ice from high-speed rotors. Itagaki, K, (1987, p.95-100) MP 2278
Development of a river ice prow Tatinclaux, J C, et al, (1988, 26p) CR 88-09
Ice removal from broadcast towers by low-frequency vibrations Mulherin, N.D., et al, (1988, 6p) MP 2538
Deployment of floating bridges in ice-covered rivers Mellor, M., et al, (1988, 38p) SR 88-20
Evaluation of shear strength of freshwater ice adhered to icephobic coatings Mulherin, N.D., (1990, p 149-154) MP 2578

Ice reporting
Meso-scale strain measurements on the Beaufourt sea pack ice (AIDJEX 1971). Hibler, W.D., III, et al, (1974, p.119-138) MP 1035
Measurement of mesoscale deformation of Beaufort sea ice (AIDJEX-1971). Hibler, W D, III, et al, (1978, p 148-172) MP 1179
Data reduction of GOES information from DCP networks DeCoff, G.W., et al, (1989, 15p) SR 89-29

Ice resistivity
Conductivity and surface impedance of sea ice McNeill, D, et al, (1971, 19p plus diagrams) MP 1071

Ice roads
Mechanical properties of snow used as construction material Wuori, A.F., (1975, p 157-164) MP 1057
Cantilever beam tests on reinforced ice Ohstrom, E.G., et al, (1976, 12p) CR 76-07
Surface protection measures for the Arctic Slope, Alaska Johnson, P.R., (1978, p 202-205) MP 1519
Snow and ice roads in the Arctic Johnson, P R, (1979, p 1063-1071) MP 1223
Ice thickness-tensile stress relationship for load-bearing ice Johnson, P R., (1980, 11p) SR 80-09

Ice runways
Mechanical properties of snow used as construction material. Wuori, A F, (1975, p 157-164) MP 1057
The strength of natural and processed snow Abele, G, (1975, p 176-186) MP 1058
Runway site survey, Pensacola Mountains, Antarctica Kovacs, A, et al, (1977, 45p) SR 77-14
Hard-surface runways in Antarctica Mellor, M, (1988, 87p) SR 88-13
Improved techniques for construction of snow roads and airstrips Lee, S M, et al, (1988, 99p) SR 88-18
Planing machines for building runways on ice Mellor, M, (1989, 8p + attachments) MP 2505
Ice runways near the South Pole Swithinbank, C, (1989, 42p) SR 89-19
Airfields on antarctic glacier ice. Mellor, M, et al, (1989, 97p) CR 89-21

Ice salinity
Sea ice studies in the Weddell Sea region aboard USCGC *Burton Island* Ackley, S F, (1977, p 172-173) MP 1014
Modeling of anisotropic electromagnetic reflections from sea ice Golden, K M, et al, (1981, p 8107-8116) MP 1469
Growth, structure, and properties of sea ice Weeks, W F, et al, (1982, 130p) M 82-01
Using sea ice to measure vertical heat flux in the ocean McPhee, M G, et al, (1982, p 2071-2074) MP 1521
Equations for determining the gas and brine volumes in sea ice samples Cox, G F N, et al, (1982, 11p) CR 82-30
McMurdo Ice Shelf brine zone Kovacs, A, et al, (1982, 28p) CR 82-39
Chemical fractionation of brine in the McMurdo Ice Shelf Cragin, J.H., et al, (1983, 16p) CR 83-06
Ice properties in the Greenland and Barents Seas during summer Overgaard, S, et al, (1983, p 142-164) MP 2062
Thermal expansion of saline ice Cox, G.F.N, (1983, p.425-432) MP 1768
Horizontal salinity variations in sea ice. Tucker, W.B., et al, (1984, p 6505-6514) MP 1761
Structure, salinity and density of multi-year sea ice pressure ridges Richter-Menge, J.A., et al, (1985, p.194-198) MP 1857
Ice electrical properties Gow, A.J., (1985, p 76-82) MP 1910
Dielectric properties at 4.75 GHz of saline ice slabs. Arcone, S.A., et al, (1985, p.83-86) MP 1911
Structure, salinity and density of multi-year sea ice pressure ridges Richter-Menge, J.A., et al, (1985, p 493-497) MP 1965
Ice properties in a grounded man-made ice island Cox, G F N, et al, (1986, p.135-142) MP 2032
Chemical fractionation of brine in McMurdo Ice Shelf. Cragin, J H., et al, (1986, p.307-313) MP 2239
Sea ice salinity and porosity changes during storage. Cox, G.F.N, et al, (1986, p 371-375) MP 2244
Compressive behavior of saline ice Richter-Menge, J A., (1986, p.331-350) MP 2200
Small-scale projectile penetration in saline ice Cole, D M, et al, (1986, p 415-438) MP 2201
Microwave dielectric, structural and salinity properties of sea ice. Arcone, S A., et al (1986, p 832-839) MP 2188
Sea-ice crystal structure and salinity, Hebron Fiord, Labrador. Gow, A.J., (1987, 18p) CR 87-04
Microwave and structural properties of saline ice. Gow, A.J, et al, (1987, 36p) CR 87-20
Multifrequency passive microwave observation of saline ice grown in a tank Grenfell, T C., et al, (1988, p 1687-1690) MP 2459
Profile properties of undeformed first-year sea ice Cox, G.F N., et al, (1988, 57p) CR 88-13
Numerical simulation of first-year sea ice. Cox, G.F.N., et al, (1988, p.12,449-12,460) MP 2404
Field studies of brackish ice to compare with satellite data. Weeks, W.F, et al, (1989, p 1318-1333) MP 2763
Cyclic loading of saline ice: initial experimental results. Cole, D.M, (1990, p 265-271) MP 2581

Ice sampling
Preparation of polycrystalline ice specimens for laboratory experiments Cole, D M., (1979, p 153-159) MP 1327
System for mounting end caps on ice specimens Cole, D.M, et al, (1985, p 362-365) MP 2016
Development of a frazil ice sampler. Brockett, B.E, et al, (1986, 12p) SR 86-37
Dielectric properties of strained ice 2 Effect of sample preparation method Itagaki, K, et al, (1987, p 149-153) MP 2357
Update on portable hot-water sea ice drilling Govoni, J.W., et al, (1989, p 175-178) MP 2479
Cryogenic sampling of frazil ice deposits Chacho, E.F., Jr., et al, (1989, 6p) SR 89-28
First impressions of the comet drilling problem Mellor, M, (1989, p 229-232) MP 2592

Ice scoring
Study of a grounded floeberg near Reindeer Island, Alaska. Kovacs, A, (1977, 9p) MP 1751
Distribution and features of bottom sediments in Alaskan coastal waters Sellmann, P V, (1980, 50p) SR 80-15
Sediment displacement in the Ottauquechee River—1975-1978 Martinson, C.R., (1980, 14p) SR 80-20
Dynamics of near-shore ice. Kovacs, A., et al, (1981, p 125-135) MP 1599
Subsea trenching in the Arctic Mellor, M, (1981, 31p) CR 81-17
Ice scoring on the Alaskan shelf of the Beaufort Sea. Weeks, W F, et al, (1983, 34p + map) CR 83-21
Offshore oil in the Alaskan Arctic. Weeks, W.F., et al, (1984, p 371-378) MP 1743
Some probabilistic aspects of ice gouging on the Alaskan Shelf of the Beaufort Sea Weeks, W F, et al, (1984, p 213-236) MP 1838
Study of sea ice induced gouges in the sea floor. Weeks, W F, et al, (1985, p 126-135) MP 1917
Ice gouge formation and infilling, Beaufort Sea Weeks, W F, et al, (1985, p 393-407) MP 1904
Numerical simulation of sea ice induced gouges on the shelves of the polar oceans Weeks, W F., et al, (1985, p.259-265) MP 1938
Ice gouge hazard analysis. Lanan, G A., et al, (1986, p 57-66) MP 2106
Preliminary simulation of the formation and infilling of sea ice gouges Weeks, W F, et al, (1986, p.259-268) MP 2218
Bank conditions and erosion along selected reservoirs Gatto, L W, et al, (1987, p 143-154) MP 2196
Preliminary study of scour under an ice jam Wuebben, J L, (1988, p 177-192) MP 2475
Dynamic simulations of iceberg-seabed interactions Bass, D W, et al, (1989, p 137-151) MP 2684

Ice sheets
Oxygen isotope profiles through ice sheets Johnsen, S J, et al, (1972, p 429-434) MP 997
Surface-wave dispersion in Byrd Land Acharya, H K, (1972, p.955-959) MP 992

Stability of Antarctic ice. Weertman, J., (1975, p 159) MP 1042

Snow and ice. Colbeck, S.C., et al, (1975, p 435-441, 475-487) MP 844

Gas inclusions in the Antarctic ice sheet. Gow, A.J., et a (1975, p 5101-5108) MP 84.

Glaciology's grand unsolved problem. Weertman, J., (1976, p 284-286) MP 1056

Resurvey of the "Byrd" Station, Antarctica, drill hole. Garfield, D.E., et al, (1976, p.29-34) MP 846

Internal structure and crystal fabrics of the West Antarctic ice sheet. Gow, A.J, et al, (1976, 25p.) CR 76-35

Geodetic positions of borehole sites in Greenland. Mock, S.J., (1976, 7p) CR 76-41

Crystal fabrics of West Antarctic ice sheet. Gow, A.J., et al, (1976, p.1665-1677) MP 1382

Atmospheric trace metals and sulfate in the Greenland Ice Sheet. Herron, M M., et al, (1977, p.915-920) MP 949

Changes in the composition of atmospheric precipitation. Cragin, J.H., et al, (1977, p 617-631) MP 1079

Internal properties of the ice sheet at Cape Folger by radio echo sounding Keliher, T.E., et al, (1978, 12p) CR 78-04

Creep rupture at depth in a cold ice sheet Colbeck, S C, et al, (1978, p.733) MP 1168

Ultrasonic investigation on ice cores from Antarctica. Kohnen, H, et al, (1979, 16p) CR 79-10

Extending the useful life of DYE-2 to 1986, Part 1 Tobiasson, W., et al, (1979, 15p.) SR 79-27

Ultrasonic investigation on ice cores from Antarctica Kohnen, H., et al, (1979, p 4865-4874) MP 1239

Ice sheet internal reflections Ackley, S F, et al, (1979, p 5675-5680) MP 1319

Ultrasonic tests of Byrd Station ice cores. Gow, A J, et al, (1979, p.147-153) MP 1282

Margin of the Greenland ice sheet at Isua. Colbeck, S C., et al, (1979, p.155-165) MP 1281

Some promising trends in ice mechanics Assur, A., (1980, p.1-15) MP 1300

Review of buckling analyses of ice sheets Sodhi, D S., et al, (1980, p.131-146) MP 1322

Dynamics of snow and ice masses Colbeck, S.C, ed, (1980, 468p.) MP 1297

Planetary and extraplanetary event records in polar ice caps. Zeller, E J, et al, (1980, p 18-27) MP 1461

Alaska Good Friday earthquake of 1964 Swinzow, G K, (1982, 26p.) CR 82-01

Determining the characteristic length of model ice sheets. Sodhi, D.S., et al, (1982, p.99-104) MP 1570

Ice sheet retention structures. Perham, R E., (1983, 33p) CR 83-30

Experimental determination of buckling loads of cracked ice sheets Sodhi, D S, et al, (1984, p.183-186) MP 1687

Ice sheet retention structures Perham, R E., (1984, p 339-348) MP 1832

Borehole geometry on the Greenland and Antarctic ice sheets Jezek, K C, (1985, p 242-251) MP 1817

Determining the characteristic length of floating ice sheets by moving loads Sodhi, D.S, et al, (1985, p 155-159) MP 1855

Kadluk ice stress measurement program. Johnson, J B, et al, (1985, p 88-100) MP 1899

Sheet ice forces on a conical structure: an experimental study Sodhi, D.S., et al, (1985, p.643-655) MP 1906

Convective heat transfer in water over melting ice sheet Lunardini, V.J., (1986, p 42-51) MP 2600

Folding in the Greenland ice sheet Whillans, I M, et al, (1987, p 485-493) MP 2185

Glaciological investigations using the synthetic aperture radar imaging system Bindschadler, R A, et al, (1987, p 11-19) MP 2342

Effect of stratigraphy on radar-altimetry data collected over ice sheets Jezek, K C, et al, (1988, p 60-63) MP 2458

Ice-induced vibrations of structures Sodhi, D.S., (1989, p.189-221) MP 2492

Ice reinforced with Geogrid Haynes, F D, et al, (1989, p.179-185) MP 2484

Penetration of floating ice sheets with cylindrical indentors Sodhi, D.S, et al, (1989, p 104) MP 2688

Antarctic ice sheet brightness temperature variations Jezek, K C., et al, (1990, p 217-223) MP 2736

Ice shelves

Stability of Antarctic ice. Weertman, J, (1975, p.159) MP 1042

Snow and ice Colbeck, S C, et al, (1975, p 435-441, 475-487) MP 844

Melting and freezing of a drill hole through the Antarctic shelf ice. Tien, C, et al, (1975, p 421-432) MP 861

Glaciology's grand unsolved problem Weertman, J, (1976, p 284-286) MP 1056

Heat transfer in drill holes in Antarctic ice Yen, Y-C, et al, (1976, 15p.) CR 76-12

Engineering properties of sea ice Schwarz, J, et al, (1977, p 499-531) MP 1065

Stable isotope profile through the Ross Ice Shelf at Little America V, Antarctica. Dansgaard, W, et al, (1977, p.322-325) MP 1095

Dielectric constant and reflection coefficient of snow surface layers in the McMurdo Ice Shelf. Kovacs, A, et al, (1977, p.137-138) MP 1011

Subsurface measurements of the Ross Ice Shelf, McMurdo Sound, Antarctica. Kovacs, A, et al, (1977, p 146-148) MP 1013

Ross Ice Shelf Project drilling, October-December 1976. Rand, J.H., (1977, p.150-152) MP 1061

Some elements of iceberg technology Weeks, W F, et al, (1978, p 45-98) MP 1616

Ross Ice Shelf Project environmental impact statement July, 1974. Parker, B.C., et al, (1978, p.7-36) MP 1075

Core drilling through Ross Ice Shelf Zotikov, I A, et al, (1979, p 63-64) MP 1337

Antifreeze-thermodrilling, central Ross Ice Shelf Zotikov, I A., (1979, 12p.) CR 79-24

Dynamics of snow and ice masses. Colbeck, S.C, ed, (1980, 468p) MP 1297

Radar detection of sea ice and current alinement under the Ross Ice Shelf. Morey, R.M., et al, (1981, p 96-97) MP 1543

Brine zone in the McMurdo Ice Shelf, Antarctica Kovacs, A., et al, (1982, p 166-171) MP 1550

McMurdo Ice Shelf brine zone. Kovacs, A, et al, (1982, 28p) CR 82-39

Chemical fractionation of brine in the McMurdo Ice Shelf Cragin, J H, et al, (1983, 16p) CR 83-06

Changes in the Ross Ice Shelf dynamic condition Jezek, K.C., (1984, p 409-416) MP 2058

Modified theory of bottom crevasses. Jezek, K.C, (1984, p 1925-1931) MP 2059

Mass balance of a portion of the Ross Ice Shelf Jezek, K.C., et al, (1984, p.381-384) MP 1919

Rheology of glacier ice. Jezek, K C., et al, (1985, p.1335-1337) MP 1844

Numerical simulation of sea ice induced gouges on the shelves of the polar oceans. Weeks, W.F, et al, (1985, p 259-265) MP 1938

Structure of ice in the central part of the Ross Ice Shelf, Antarctica. Zotikov, I A., et al, (1985, p.39-44) MP 2110

Chemical fractionation of brine in McMurdo Ice Shelf Cragin, J.H., et al, (1986, p 307-313) MP 2239

Can relict crevasse plumes on antarctic ice shelves reveal a history of ice-stream fluctuation MacAyeal, D.R, et al, (1988, p 77-82) MP 2460

Ice solid interface

Radar imagery of ice covered North Slope lakes Weeks, W.F., et al, (1977, p 129-136) MP 923

Seeking low ice adhesion Sayward, J.M., (1979, 83p) SR 79-11

Working group on ice forces on structures Carstens, T, ed, (1980, 146p) SR 80-26

Dynamic ice-structure interaction analysis for narrow vertical structures Eranti, E., et al, (1981, p.472-479) MP 1456

Frost susceptibility of soil, review of index tests Chamberlain, E J., (1981, 110p) M 81-02

Frost susceptibility of soil, review of index tests. Chamberlain, E J., (1982, 110p) MP 1557

Dynamic ice-structure interaction during continuous crushing. Määttänen, M, (1983, 48p) CR 83-05

Adhesion of ice to polymers and other surfaces Itagaki, K, (1983, p 241-252) MP 1580

On forecasting mesoscale ice dynamics and build-up Hibler, W.D., III, et al, (1983, p.110-115) MP 1625

Method for determining ice loads on offshore structures. Johnson, J.B., (1983, p.124-128) MP 2056

Buckling loads of floating ice on structures Sodhi, D S, et al, (1983, p 260-265) MP 1626

Experiments on ice ride-up and pile-up. Sodhi, D S, et al, (1983, p 266-270) MP 1627

Ice forces on model marine structures Haynes, F.D, et al, (1983, p 778-787) MP 1606

Ice forces on model bridge piers Haynes, F D, et al, (1983, 11p) CR 83-19

Ice action on two cylindrical structures Kato, K, et al, (1983, p 159-166) MP 1643

Implications of surface energy in ice adhesion Itagaki, K., (1983, p 41-48) MP 1672

Offshore mechanics and Arctic engineering symposium, 1984 (1984, 3 vols) MP 1675

Experimental determination of buckling loads of cracked ice sheets. Sodhi, D S, et al, (1984, p 183-186) MP 1687

Ice action on two cylindrical structures. Kato, K, et al, (1984, p 107-112) MP 1741

Modeling the resilient behavior of frozen soils using unfrozen water content. Cole, D M, (1984, p 823-834) MP 1715

Laboratory investigation of the kinetic friction coefficient of ice Forland, K.A, et al, (1984, p 19-28) MP 1825

Crushing ice forces on cylindrical structures Morris, C E, et al, (1984, p 1-9) MP 1834

Computational mechanics in arctic engineering Sodhi, D S, (1984, p 351-374) MP 2072

Kinetic friction coefficient of ice Forland, K A., et al, (1985, 40p) CR 85-06

Real-time measurements of uplifting ice forces Zabilansky, L J, (1985, p 253-259) MP 2092

In-ice calibration tests for an elongate, uniaxial brass ice stress sensor Johnson, J B, (1985, p 506-510) MP 1966

Crushing of ice sheet against rigid cylindrical structures Sodhi, D.S., et al, (1986, p 1-12) MP 2018

Ice interaction with the U S. Army ribbon bridge. Coutermarsh, B A, (1986, 18p) CR 86-01

Flexural and buckling failure of floating ice sheets against structures. Sodhi, D.S, (1986, p.339-359) MP 2134

Friction of solids on ice. Huber, N P., et al, (1986, 4p) MP 2179

Ice beam moving against a sloping structure Sodhi, D.S., (1987, p 281-284) MP 2194

Parameters affecting the kinetic friction of ice Akkok, M, et al, (1987, p.552-561) MP 2258

Modelling trash rack freezeup by frazil ice. Daly, S F, (1987, p 101-106) MP 2305

Fracture toughness of urea model ice. Bentley, D.L, et al, (1988, p 289-297) MP 2348

Working group on ice forces. 4th state-of-the-art report Timco, G.W., ed, (1989, 385p) SR 89-05

Ice-induced vibrations of structures Sodhi, D.S., (1989, p 189-221) MP 2492

Penetration of floating ice sheets with cylindrical indentors. Sodhi, D.S., (1989, p 377-382) MP 2485

Model tests on an icebreaker at two friction factors Tatinclaux, J.C, (1989, p.774-784) MP 2622

Evaluation of shear strength of freshwater ice adhered to icephobic coatings Mulherin, N D., (1990, p.149-154) MP 2578

Ice spectroscopy

Colloquium on Water in Planetary Regoliths, Hanover, N H, Oct. 5-7, 1976. (1977, 161p.) MP 911

Thermal patterns in ice under dynamic loading Fish, A M, et al, (1983, p.240-243) MP 1742

Electromagnetic properties of sea ice Morey, R M., et al, (1984, p 53-75) MP 1776

Theoretical estimates of light reflection and transmission by spatially inhomogeneous and temporally varying ice covers. Perovich, D K, (1990, p 45-49) MP 2729

Ice strength

Interpretation of the tensile strength of ice under triaxial stress. Nevel, D.E., et al, (1976, p 375-387) MP 996

Interpretation of the tensile strength of ice under triaxial stresses. Nevel, D.E, et al, (1976, 9p) CR 76-05

Cantilever beam tests on reinforced ice Ohstrom, E G, et al, (1976, 12p) CR 76-07

Sea ice properties and geometry Weeks, W F., (1976, p 137-171) MP 918

Force estimate and field measurements of the St Marys River ice booms Perham, R E, (1977, 26p) CR 77-04

Measuring the uniaxial compressive strength of ice. Haynes, F D., et al, (1977, p.213-223) MP 1027

Effect of temperature and strain rate on the strength of polycrystalline ice Haynes, F D, (1977, p 107-111) MP 1127

Bearing capacity of river ice for vehicles Nevel, D.E, (1978, 22p) CR 78-03

Buckling pressure of an elastic floating plate Takagi, S., (1978, 49p) CR 78-14

Rheology of ice. Fish, A.M, (1978, 196p) MP 1988

Horizontal forces exerted by floating ice on structures Kerr, A.D, (1978, 9p) CR 78-15

Effect of temperature on the strength of snow-ice. Haynes, F.D, (1978, 25p) CR 78-27

Polycrystalline ice mechanics. Hooke, R.L., et al, (1979, 16p) MP 1207

Ice forces on the Yukon River bridge—1978 breakup Johnson, P.R, et al, (1979, 40p) MP 1304

Safe ice loads computed with a pocket calculator Nevel, D E, (1979, p 205-223) MP 1249

Application of the Andrade equation to creep data for ice and frozen soil Ting, J M, et al, (1979, p.29-36) MP 1802

Temperature effect on the uniaxial strength of ice. Haynes, F D., (1979, p 667-681) MP 1231

Physical properties of sea ice and under-ice current orientation Kovacs, A., et al, (1980, p 109-153) MP 1323

Mechanical properties of polycrystalline ice Mellor, M, (1980, p.217-245) MP 1302

Review of buckling analyses of ice sheets. Sodhi, D S., et al, (1980, p 131-146) MP 1322

Sea ice growth, drift, and decay Hibler, W D, III, (1980, p 141-209) MP 1298

Sea ice anisotropy, electromagnetic properties and strength. Kovacs, A, et al, (1980, 18p) CR 80-20

Cyclic loading and fatigue in ice. Mellor, M, et al, (1981, p 41-53) MP 1371

Modeling pressure ridge buildup on the geophysical scale. Hibler, W D., III, (1982, p.141-155) MP 1590

Deformation and failure of frozen soils and ice due to stresses Fish, A M, (1982, p 419-428) MP 1553

Determining the characteristic length of model ice sheets Sodhi, D S, et al, (1982, p.99-104) MP 1570

Adhesion of ice to polymers and other surfaces Itagaki, K, (1983, p 241-252) MP 1580

Properties of urea-doped ice in the CRREL test basin Hirayama, K, (1983, 44p) CR 83-08

Properties of sea ice in the coastal zones of the polar oceans Weeks, W F, et al, (1983, p 25-41) MP 1604

Study on the tensile strength of ice as a function of grain size Currier, J H., et al, (1983, 38p) CR 83-14

Ice strength *(cont.)*
How effective are icephobic coatings. Minsk, L.D., (1983, p.93-95) MP 1634
Mechanical behavior of sea ice Mellor, M., (1983, 105p) M 83-1
Measurement of ice forces on structures. Sodhi, D.S., et al, (1983, p 139-155) MP 1641
Implications of surface energy in ice adhesion. Itagaki, K., (1983, p.41-48) MP 1672
Characteristics of multi-year pressure ridges Kovacs, A., (1983, p.173-182) MP 1698
Relationship between creep and strength behavior of ice at failure Cole, D M, (1983, p 189-197) MP 1681
Mechanical properties of ice in the Arctic seas. Weeks, W.F., et al, (1984, p.235-259) MP 1674
Summary of the strength and modulus of ice samples from multi-year pressure ridges Cox, G.F N, et al, (1984, p.126-133) MP 1679
Variation of ice strength within and between multiyear pressure ridges in the Beaufort Sea. Weeks, W.F., (1984, p.134-139) MP 1680
Preliminary examination of the effect of structure on the compressive strength of ice samples from multi-year pressure ridges. Richter, J A., et al, (1984, p.140-144) MP 1685
Influence of grain size on the ductility of ice Cole, D.M, (1984, p 150-157) MP 1686
Ice resistance tests on two models of the WTGB icebreaker Tatinclaux, J C., et al, (1984, p 627-638) MP 1716
Army research could reduce dangers posed by sea ice Tucker, W.B., (1984, p 20-24) MP 2168
Dependence of crushing specific energy on the aspect ratio and the structure velocity Sodhi, D S, et al, (1984, p.363-374) MP 1708
Mechanical properties of multi-year sea ice Phase 1 Test results. Cox, G F.N., et al, (1984, 105p) CR 84-09
Mechanical properties of sea ice a status report Weeks, W.F., et al, (1984, p.135-198) MP 1808
Flexural strengths of freshwater model ice Gow, A J, (1984, p.73-82) MP 1826
4th report of working group on testing methods in ice Earle, E N., et al, (1984, p 1-41) MP 1886
Ice forces on inclined model bridge piers Haynes, F.D., et al, (1984, p 1167-1173) MP 2407
Ice penetration tests Garcia, N B, et al, (1984, p.209-240) MP 1996
Tensile strength of multi-year pressure ridge sea ice samples Cox, G F N, et al, (1985, p 186-193) MP 1856
Grain size and the compressive strength of ice. Cole, D M., (1985, p 220-226) MP 1858
Strength and modulus of ice from pressure ridges Cox, G.F.N., et al, (1985, p 93-98) MP 1848
Structure and the compressive strength of ice from pressure ridges. Richter, J A., et al, (1985, p.99-102) MP 1849
Compressive strength of pressure ridge ice samples Richter-Menge, J A, et al, (1985, p 465-475) MP 1877
Triaxial compression testing of ice. Cox, G F N., et al, (1985, p 476-488) MP 1878
Propulsion tests in level ice on a model of a 140-ft WTGB icebreaker. Tatinclaux, J C, (1985, 13p) CR 85-04
Pressure ridge strength in the Beaufort Sea Weeks, W F, (1985, p.167-172) MP 2121
Ice island fragment in Stefansson Sound, Alaska. Kovacs, A, (1985, p 101-115) MP 1900
Compressive strength of multi-year sea ice Kovacs, A., (1985, p 116-127) MP 1901
Experience with a biaxial ice stress sensor Cox, G F N., (1985, p 252-258) MP 1937
Grain size and the compressive strength of ice Cole, D.M, (1985, p 369-374) MP 1907
Tensile strength of multi-year pressure ridge sea ice samples Cox, G F N, et al, (1985, p 375-380) MP 1908
Mechanical properties of multi-year sea ice. Phase 2. Test results Cox, G F.N., et al, (1985, 81p) CR 85-16
Confined compressive strength of multi-year pressure ridge sea ice samples Cox, G F N, et al, (1986, p 365-373) MP 2035
Fracture toughness of model ice Dempsey, J.P., et al, (1986, p 365-376) MP 2125
Flexural and buckling failure of floating ice sheets against structures. Sodhi, D S., (1986, p 339-359) MP 2134
Evaluation of the rheological properties of columnar ridge sea ice Brown, R L., et al, (1986, p 55-66) MP 2177
Mechanical behavior of sea ice Mellor, M, (1986, p 165-281) MP 2210
Some developments in shaped charge technology Mellor, M, (1986, 29p) SR 86-18
Controlled river ice cover breakup, part 2 Theory and numerical model studies Ferrick, M.G, et al, (1986, p 293-305) MP 2392
Compressive behavior of saline ice Richter-Menge, J.A, (1986, p 331-350) MP 2200
Triaxial testing of first-year sea ice Richter-Menge, J.A., et al, (1986, 41p) CR 86-16
Confined compressive strength of horizontal first-year sea ice samples Richter-Menge, J A., (1987, p 197-207) MP 2193
Advances in ice mechanics—1987 (1987, 49p) MP 2207
Advances in sea ice mechanics in the USA Sodhi, D S, et al, (1987, p.37-49) MP 2208
Mechanical properties of multi-year sea ice. Richter-Menge, J.A, et al, (1987, p.121-153) MP 2428
Saline ice penetration a joint CRREL-NSWC test program Cole, D M, et al, (1987, 34p) SR 87-14
CRREL Hopkinson bar apparatus Dutta, P.K., et al, (1987, 29p) SR 87-24
Flexure and fracture of macrocrystalline S1 type freshwater ice Dempsey, J.P, et al, (1988, p.39-46) MP 2318
Growth of EG/AD/S model ice in a small tank Borland, S.L., (1988, p 47-53) MP 2319
Effects of temperature and structure of ice on its flexural strength. Gow, A.J., et al, (1988, 43p) CR 88-06
Fracture of S2 columnar freshwater ice floating double cantilever beam tests. Bentley, D.L., et al, (1988, p 152-161) MP 2493
Confined compressive strength of multi-year pressure ridge sea ice samples Cox, G F N, et al, (1988, p 295-301) MP 2403
Fracture experiments on freshwater and urea model ice. Bentley, D L, et al, (1988, 152p) MP 2502
Profile properties of undeformed first-year sea ice. Cox, G.F.N., et al, (1988, 57p) CR 88-13
Imjin River ice boom Perham, R.E., (1988, 10p) SR 88-22
Ship model testing in level ice: an overview. Tatinclaux, J C., (1988, 30p) Cr 88-15
Working group on ice forces 4th state-of-the-art report Timco, G W, ed, (1989, 385p) SR 89-05
Uniaxial tension/compression tests on ice—preliminary results. Cole, D.M, et al, (1989, p 37-41) MP 2482
Ice reinforced with Geogrid. Haynes, F D., et al, (1989, p.179-185) MP 2484
Compressive strength of antarctic frazil ice Richter-Menge, J.A., et al, (1989, p 269-278) MP 2621
Model tests on an icebreaker at two friction factors Tatinclaux, J.C., (1989, p 774-784) MP 2622
Effect of ice pressure on marginal ice zone dynamics Flato, G.M, et al, (1989, p.514-521) MP 2522
Fracture toughness of columnar freshwater ice. Bentley, D L, et al, (1989, p 7-20) MP 2545
Sea ice thickness measurement Kovacs, A., et al, (1989, p 394-424) MP 2693
Ice strength estimates from submarine topsounder data. DiMarco R, et al, (1989, p 425-426) MP 2691
Wave-induced bergy bit motion near a floating platform Mak, L.M, et al, (1990, p 205-215) MP 2580
Comparison of the compressive strength of antarctic frazil ice and laboratory-grown columnar ice Richter-Menge, J A, et al, (1990, p 79-84) MP 2731

Ice structure
Report on ice fall from clear sky in Georgia October 26, 1959 Harrison, L P, et al, (1960, 31p. plus photographs) MP 1017
Investigation of ice islands in Babbage Bight. Kovacs, A, et al, (1971, 46 leaves) MP 1381
Classification and variation of sea ice ridging in the Arctic basin Hibler, W D, III, et al, (1974, p 127-146) MP 1022
Results of the US contribution to the Joint US/USSR Bering Sea Experiment Campbell, W J., et al, (1974, 197p) MP 1032
Some characteristics of grounded floebergs near Prudhoe Bay, Alaska Kovacs, A., et al, (1976, p.169-172) MP 1118
Grounded floebergs near Prudhoe Bay, Alaska Kovacs, A, et al, (1976, 10p) CR 76-34
Internal structure and crystal fabrics of the West Antarctic ice sheet Gow, A J, et al, (1976, 25p) CR 76-35
Structural growth of lake ice Gow, A.J., et al, (1977, 24p) CR 77-01
Engineering properties of sea ice. Schwarz, J., et al, (1977, p.499-531) MP 1065
Compressive and shear strengths of fragmented ice covers Cheng, S T, et al, (1977, 82p) MP 951
Internal structure of fast ice near Narwahl Island Gow, A J, (1977, 8p) CR 77-29
Dynamics of near-shore ice Kovacs, A, et al, (1977, p 411-424) MP 1076
Oxygen isotopes in the basal zone of Matanuska Glacier Lawson, D E, et al, (1978, p 673-685) MP 1177
Dynamics of near-shore ice Kovacs, A, et al, (1978, p 11-22) MP 1205
Problems of offshore oil drilling in the Beaufort Sea Weller, G., et al, (1978, p 4-11) MP 1250
Multi year pressure ridges in the Canadian Beaufort Sea Wright, B, et al, (1979, p 107-126) MP 1229
Dynamics of near-shore ice Kovacs, A, et al, (1979, p 181-207) MP 1291
Ross Ice Shelf bottom ice structure. Zotikov, I A., et al, (1979, p 65 66) MP 1336
Pebble orientation ice and glacial deposits. Lawson, D E, (1979, p 629 645) MP 1276
Preparation of polycrystalline ice specimens for laboratory experiments Cole, D M, (1979, p 153-159) MP 1327
Margin of the Greenland ice sheet at Isua Colbeck, S C, et al, (1979, p 155-165) MP 1281
Dynamic ice-structure interaction analysis for narrow vertical structures Eranti, E, et al, (1981, p 472-479) MP 1456
Morphology of sea ice pressure ridge sails Tucker, W B, et al, (1981, p 1-12) MP 1465
Multi-year pressure ridges in the Canadian Beaufort Sea Wright, B, et al, (1981, p 125-145) MP 1514
Physical and structural characteristics of sea ice in McMurdo Sound. Gow, A.J., et al, (1981, p 94-95) MP 1542
Physical properties of the ice cover of the Greenland Sea. Weeks, W F., (1982, 27p) SR 82-28
Physical, chemical and biological properties of winter sea ice in the Weddell Sea. Clarke, D.B, et al, (1982, p.107-109) MP 1609
Frazil ice Daly, S.F., (1983, p 218-223) MP 2078
First-generation model of ice deterioration. Ashton, G D., (1983, p 273-278) MP 2080
Variation of ice strength within and between multiyear pressure ridges in the Beaufort Sea. Weeks, W.F., (1984, p 134-139) MP 1680
Preliminary examination of the effect of structure on the compressive strength of ice samples from multi-year pressure ridges. Richter, J A, et al, (1984, p.140-144) MP 1685
Structure of first-year pressure ridge sails in the Prudhoe Bay region Tucker, W.B, et al, (1984, p.115-135) MP 1837
Structure, salinity and density of multi-year sea ice pressure ridges. Richter-Menge, J A., et al, (1985, p 194-198) MP 1857
Measuring multi-year sea ice thickness using impulse radar. Kovacs, A, et al, (1985, p 55-67) MP 1916
Pressure ridge and sea ice properties Greenland Sea Tucker, W B., et al, (1985, p 214-223) MP 1935
Structure, salinity and density of multi-year sea ice pressure ridges Richter-Menge, J.A., et al, (1985, p.493-497) MP 1965
Electromagnetic measurements of sea ice Kovacs, A, et al, (1986, p 67-93) MP 2020
Physical properties of the sea ice cover Weeks, W F, (1986, p 87-102) MP 2047
Optical properties of sea ice structure Gow, A J, (1986, p 264-271) MP 2257
On the profile properties of undeformed first-year sea ice. Cox, G.F N, et al, (1986, p 257-330) MP 2199
Structure and dielectric properties at 4 8 and 9 5 GHz of saline ice Arcone, S.A, et al, (1986, p.14,281-14,303) MP 2182
Folding in the Greenland ice sheet. Whillans, I.M., et al, (1987, p 485-493) MP 2185
Sea ice structure and mechanical properties Richter-Menge, J A, et al, (1987, 30p) CR 87-03
Physical properties of sea ice discharged from Fram Strait. Gow, A J., et al, (1987, p 436-439) MP 2204
Physical properties of estuarine ice in Great Bay, New Hampshire. Meese, D.A, et al, (1987, p 833-840) MP 2251
Physical and structural characteristics of Weddell Sea pack ice Gow, A J, et al, (1987, 70p) CR 87-14
Microwave and structural properties of saline ice Gow, A.J, et al, (1987, 36p) CR 87-20
Mechanical properties of multi-year sea ice Richter-Menge, J A., et al, (1988, 27p) CR 88-05
Microcomputer-based image-processing system. Perovich, D K, et al, (1988, p 249-252) MP 2385
Effects of temperature and structure of ice on its flexural strength Gow, A J, et al, (1988, 43p) CR 88-06
High frequency acoustical properties of saline ice. Jezek, K C., et al, (1989, p 9-23) MP 2686
Physical properties of brackish ice, Bay of Bothnia. Weeks, W F., et al, (1990, p 5-15) MP 2725
Chemical and structural properties of sea ice in the southern Beaufort Sea. Meese, D A, (1990, p 32-35) MP 2728
Acoustics and morphology of undeformed sea ice. Jezek, K.C, et al, (1990, p 67-75) MP 2730
Lidar detection of leads in arctic sea ice. Schnell, R C., et al, (1990, p 119-123) MP 2733
Sea ice in the polar regions Gow, A.J., et al, (1990, p.47-122) MP 2750

Ice surface
Physics of ice Glen, J.W, (1974, 81p) M II-C2a
Sea ice growth, drift, and decay Hibler, W D, III, (1980, p.141-209) MP 1298
Sea ice rubble formations off the NE Bering Sea and Norton Sound Kovacs, A., (1981, p 1348-1363) MP 1527
Surface roughness of Ross Sea pack ice Govoni, J W, et al, (1983, p 123-124) MP 1764
Drag coefficient across the Antarctic marginal ice zone Andreas, E L, et al, (1984, p 63-71) MP 1784
Dynamic friction of bobsled runners on ice Huber, N P, et al, (1985, 26p) MP 2082
Theory for scalar roughness and transfer coefficients over snow and ice Andreas E L., (1987, p 159-184) MP 2195
Scientific challenges at the poles. Welch, J P., et al, (1987, p 23-26) MP 2228
Ice surface hydrolysis of diisopropylfluorophosphate (DFP) Leggett D C, (1987, p 809-815) MP 2457
Refractive index structure parameter for a year over the frozen Beaufort Sea. Andreas, E L., (1989, p 667-679) MP 2575
Concurrent remote sensing of arctic sea ice from submarine and aircraft Wadhams, P, et al, (1989, 20p) MP 2697
River-ice mounds on Alaska's North Slope Arcone, S A, et al, (1989, p 288-290) MP 2563

Recent measurements of sea ice topography in the eastern Arctic Krabill, W.B., et al, (1990, p 132-136) MP 2735

Antarctic ice sheet brightness temperature variations. Jezek, K.C., et al, (1990, p 217-223) MP 2736

Radar backscatter measurements over saline ice. Gogineni, S., et al, (1990, p 603-615) MP 2741

ICE SURVEYS

Surveys of river and lake ice. Michel, B., (1971, 131p.) M III-B1a

Ice surveys

Notes and quotes from snow and ice observers in Alaska. Bilello, M.A., (1979, p 116-118) MP 1631

Bibliography on glaciers and permafrost, China, 1938-1979. Shen, J., ed, (1982, 44p) SR 82-20

Proceedings of the Symposium on Applied Glaciology, 2nd, 1982. (1983, 314p) MP 2054

Ice engineering facility. Zabilansky, L.J., et al, (1983, 12p + fig) MP 2088

Field investigation of St. Lawrence River hanging ice dams. Shen, H.T., et al, (1984, p 241-249) MP 1830

Snow, ice and frozen ground research at the Sleepers River, VT. Pangburn, T, et al, (1984, p 229-240) MP 2071

Topical databases. Cold Regions Technology on-line. Liston, N., et al, (1985, p 12-15) MP 2027

Techniques for measurement of snow and ice on freshwater Adams, W.P., et al, (1986, p.174-222) MP 2000

Remote sensing of ice and snow (review) Jezek, K.C., (1987, p 51) MP 2429

Corps of Engineers research in the Arctic Smallidge, P.D., et al, (1987, p 81-87) MP 2411

Snow/ice/frozen ground properties, working group report Sterrett, K.F., et al, (1987, p 163-166) MP 2416

Satellite remote sensing in Arctic for 1990's Weeks, W.F., et al, (1989, p 510-530) MP 2699

Development of an airborne sea ice thickness measurement system and field test results Kovacs, A., et al, (1989, 47p.) CR 89-19

Field studies of brackish ice to compare with satellite data Weeks, W.F., et al, (1989, p.1318-1333) MP 2763

ICE TEMPERATURE

Antarctic ice sheet. Mellor, M, (1961, 50p) M I-B1

Greenland ice sheet Bader, H., (1961, 18p) M I-B2

Ice temperature

Nearshore ice motion near Prudhoe Bay, Alaska Tucker, W.B., et al, (1977, p 23-31) MP 1162

Equations for determining the gas and brine volumes in sea ice samples Cox, G.F.N, et al, (1982, 11p.) CR 82-30

Surface meteorology US/USSR Weddell Polynya Expedition, 1981. Andreas, E.L., et al, (1983, 32p) SR 83-14

Preliminary investigation of thermal ice pressures. Cox, G.F.N., (1984, p 221-229) MP 1788

Ice properties in a grounded man-made ice island Cox, G.F.N., et al, (1986, p.135-142) MP 2032

Effects of temperature and structure of ice on its flexural strength Gow, A.J., et al, (1988, 43p) CR 88-06

Profile properties of undeformed first-year sea ice Cox, G.F.N., et al, (1988, 57p) CR 88-13

Antarctic ice sheet brightness temperature variations Jezek, K.C., et al, (1990, p 217-223) MP 2736

Oceanic heat flux in the Fram Strait measured by a drifting buoy. Perovich, D.K., et al, (1990, p 291-296) MP 2740

Ice thermal properties

Influence of irregularities of the bed of an ice sheet on deposition rate of till. Nobles, L.H, et al, (1971, p.117-126) MP 1009

River ice problems Burgi, P.H, et al, (1974, p 1-15) MP 1002

Engineering properties of sea ice. Schwarz, J, et al, (1977, p.499-531) MP 1065

Winter thermal structure, ice conditions and climate of Lake Champlain. Bates, R.E, (1980, 26p) CR 80-02

Documentation for a two-level dynamic thermodynamic sea ice model. Hibler, W.D, III, (1980, 35p) SR 80-08

Review of thermal properties of snow, ice and sea ice Yen, Y.-C, (1981, 27p) CR 81-10

Growth, structure, and properties of sea ice Weeks, W.F., et al, (1982, 130p) M 82-01

Thermal patterns in ice under dynamic loading. Fish, A.M., et al, (1983, p 240-243) MP 1742

Preliminary investigation of thermal ice pressures Cox, G.F.N, (1984, p 221-229) MP 1788

Growth, structure, and properties of sea ice. Weeks, W.F., et al, (1986, p.9-164) MP 2209

Theoretical estimates of light reflection and transmission by spatially inhomogeneous and temporally varying ice covers Perovich, D.K., (1990, p 45-49) MP 2729

Ice thickness

Airborne sea ice thickness sounding Kovacs, A., et al, (1989, p.1042-1052) MP 2623

Ice volume

Ground ice in perennially frozen sediments, northern Alaska. Lawson, D.E, (1983, p.695-700) MP 1661

Ice water interface

Formation of ice ripples on the underside of river ice covers. Ashton, G.D., (1971, 157p) MP 1243

Radar imagery of ice covered North Slope lakes Weeks, W.F, et al, (1977, p 129-136) MP 923

Experimental scaling study of an annular flow ice-water heat sink. Stubstad, J.M., et al, (1977, 54p) CR 77-15

Effect of the oceanic boundary layer on the mean drift of pack ice, application of a simple model. McPhee, M.G, (1979, p 388-400) MP 1198

Turbulent heat transfer from a river to its ice cover. Haynes, F.D, et al, (1979, 5p.) CR 79-13

Problems of the seasonal sea ice zone. Weeks, W.F, (1980, p 1-35) MP 1293

Physical oceanography of the seasonal sea ice zone. McPhee, M.G., (1980, p.93-132) MP 1294

Modeling of anisotropic electromagnetic reflection from sea ice. Golden, K.M., et al, (1980, p.247-294) MP 1325

Nonsteady ice drift in the Strait of Belle Isle. Sodhi, D.S., et al, (1980, p.177-186) MP 1364

Free convection heat transfer characteristics in a melt water layer. Yen, Y.-C., (1980, p.550-556) MP 1311

Air-ice-ocean interaction in Arctic marginal ice zones Wadhams, P., ed, (1981, 20p) SR 81-19

Ice-covered North Slope lakes observed by radar. Weeks, W.F., et al, (1981, 17p) CR 81-19

Frost susceptibility of soil, review of index tests. Chamberlain, E.J., (1981, 110p.) CR 81-02

Frost susceptibility of soil, review of index tests. Chamberlain, E.J., (1982, 110p.) MP 1557

Soft drink bubbles Cragin, J.H, (1983, p 71) MP 1736

Relationship between ice and unfrozen water in frozen soils Tice, A.R., et al, (1983, p.37-46) MP 1632

Properties of sea ice in the coastal zones of the polar oceans. Weeks, W.F., et al, (1983, p 25-41) MP 1604

Marginal Ice Zone Experiment, Fram Strait/Greenland Sea, 1984. Johannessen, O.M., ed, (1983, 47p) SR 83-12

Marginal ice zones: a description of air-ice-ocean interactive processes, models and planned experiments Johannessen, O.M., et al, (1984, p.133-146) MP 1673

Modeling the marginal ice zone Hibler, W.D, III, ed, (1984, 99p) SR 84-07

Large-scale ice/ocean model for the marginal ice zone. Hibler, W.D., III, et al, (1984, p.1-7) MP 1778

On the decay and retreat of the ice cover in the summer MIZ. Maykut, G.A., (1984, p.15-22) MP 1780

On the role of ice interaction in marginal ice zone dynamics. Leppäranta, M., et al, (1984, p 23-29) MP 1781

Ocean circulation: its effect on seasonal sea-ice simulations Hibler, W.D., III, et al, (1984, p 489-492) MP 1700

Temperature and interface morphology in a melting ice-water system. Yen, Y.-C., (1984, p 305-325) MP 1727

Technique for observing freezing fronts Colbeck, S.C., (1985, p.13-20) MP 1861

Air-ice ocean interaction in Arctic marginal ice zones MIZEX-West. Wadhams, P., ed, (1985, 119p) SR 85-06

Acoustic waves incident on a seawater/sea ice interface. Jezek, K.C., (1985, 10p.) SR 85-10

Large-scale ice-ocean modeling Hibler, W.D., III, (1986, p.165-184) MP 2142

Coupled ice-mixed layer model for the Greenland Sea. Houssais, M.N, (1986, p 225-260) MP 2143

Convective heat transfer in water over melting ice sheet. Lunardini, V.J., (1986, p.42-51) MP 2600

Diagnostic ice-ocean model Hibler, W.D, III, et al, (1987, p.987-1015) MP 2238

Thermal instability and heat transfer characteristics in water-/ice systems. Yen, Y.-C, (1987, 33p) CR 87-22

Coupled air-ice-ocean models Hibler, W.D, III, (1987, p.131-137) MP 2412

Alaska SAR facility Weeks, W.F, et al, (1988, p.103-110) MP 2344

On the effect of the 4 C density maximum on melting heat transfer. Yen, Y.-C, (1988, p 362-367) MP 2382

International Symposium on Cold Regions Heat Transfer, 1989 (1989, 314p) MP 2636

Heat transfer from water flowing through a chilled-bed open channel. Richmond, P.W, et al, (1989, p 51-58) MP 2649

Shortwave radiation and open water in models of sea ice decay Perovich, D.K., et al, (1990, p 242-246) MP 2759

Ice (water storage)

Some elements of iceberg technology Weeks, W.F, et al, (1978, 31p) CR 78-02

ICE WEDGES

Patterned ground in Alaska Péwé, T.L., et al, (1969, 87p) MP 1180

Ice wedges

Electromagnetic survey in permafrost. Sellmann, P.V, et al, (1979, 7p) SR 79-14

Bending and buckling of a wedge on an elastic foundation Nevel, D.E, (1980, p 278-288) MP 1303

Ice floe distribution in the wake of a simple wedge Tatinclaux, J.C., (1986, p 622-629) MP 2038

Iceberg towing

Some elements of iceberg technology. Weeks, W.F, et al, (1978, p 45-98) MP 1616

Some elements of iceberg technology. Weeks, W.F, et al, (1978, 31p) CR 78-02

Prospects for towing icebergs from the Southern Ocean Weeks, W.F, et al, (1979, p 66-75) MP 1305

Power requirements and methods for long distance large iceberg towing Mellor, M., (1980, p 231-240) MP 1275

Iceberg water: an assessment Weeks, W.F., (1980, p.5-10) MP 1365

Icebergs

Towing icebergs Lonsdale, H.K., et al, (1974, p.2) MP 1020

Obtaining fresh water from icebergs Mellor, M., (1977, p.193) MP 1117

Iceberg thickness profiling using an impulse radar. Kovacs, A., (1977, p.140-142) MP 1012

Some elements of iceberg technology. Weeks, W.F., et al, (1978, p.45-98) MP 1616

Iceberg thickness and crack detection. Kovacs, A., (1978, p.131-145) MP 1128

Destruction of ice islands with explosives. Mellor, M., et al, (1978, p.753-765) MP 1018

Iceberg thickness profiling. Kovacs, A., (1978, p.766-774) MP 1019

Icebergs, an overview. Kovacs, A., (1979, 7p) SR 79-21

Overview of the seasonal sea ice zone Weeks, W.F., et al, (1979, p.320-337) MP 1320

Iceberg water: an assessment Weeks, W.F., (1980, p.5-10) MP 1365

Dynamics of snow and ice masses Colbeck, S.C., ed, (1980, 468p) MP 1297

Mechanical properties of ice in the Arctic seas. Weeks, W.F., et al, (1984, p 235-259) MP 1674

Conference on offshore mechanics and Arctic engineering, 8th, 1989. (1989, 476p) MP 2481

Dynamic simulations of iceberg-seabed interactions Bass, D.W., et al, (1989, p 137-151) MP 2684

Wave-induced bergy bit motion near a floating platform Mak, L.M., et al, (1990, p 205-215) MP 2580

Icebound lakes

Ice-covered North Slope lakes observed by radar. Weeks, W.F., et al, (1981, 17p) CR 81-19

Icebound rivers

St. Lawrence River freeze-up forecast Foltyn, E.P., et al, (1986, p 467-481) MP 2120

Morphology, hydraulics and sediment transport of an ice-covered river. Lawson, D.E., et al, (1986, 37p) CR 86-11

Calibrating HEC-2 in a shallow, ice-covered river Calkins, D.J., et al, (1986, 25 refs) SR 86-34

Ice cover distribution in Vermont and New Hampshire Atlantic salmon rearing streams Calkins, D.J., et al, (1988, p 85-96) MP 2473

ICEBREAKERS

Ice pressure on engineering structures. Michel, B., (1970, 71p.) M III-B1b

Icebreakers

Icebreaker simulation Nevel, D.E., (1977, 9p) CR 77-16

Icebreaking concepts Mellor, M., (1980, 18p.) SR 80-02

Evaluation of ice deflectors on the USCG icebreaker *Polar Star*. Vance, G.P., (1980, 37p) SR 80-04

Performance of the USCGC *Katmai Bay* icebreaker Vance, G.P., (1980, 28p) CR 80-08

Methods of ice control Frankenstein, G.E, et al, (1983, p 204-215) MP 1642

Model tests on two models of WTGB 140-foot icebreaker. Tatinclaux, J.C., (1984, 17p) CR 84-03

Ice resistance tests on two models of the WTGB icebreaker Tatinclaux, J.C, et al, (1984, p 627-638) MP 1716

Model tests in ice of a Canadian Coast Guard R-class icebreaker. Tatinclaux, J.C., (1984, 24p) SR 84-06

Propulsion tests in level ice on a model of a 140-ft WTGB icebreaker. Tatinclaux, J.C., (1985, 13p) CR 85-04

Level ice breaking by a simple wedge Tatinclaux, J.C, (1985, 46p) CR 85-22

Development of a river ice-prow Part 2 Tatinclaux, J.C, (1988, p 44-52) MP 2497

Comparative model tests in ice of a Canadian Coast Guard R-class icebreaker Tatinclaux, J.C, et al, (1989, p 1/1-1/18) MP 2751

Model tests in ice of a Canadian Coast Guard icebreaker. Tatinclaux, J.C., et al, (1989, 41p.) SR 89-25

Comparative model tests in ice of a Canadian Coast Guard R-class icebreaker. Tatinclaux, J.C., et al, (1990, p 31-52) MP 2762

Iceland

Utility distribution systems in Iceland Aamot, H.W.C, (1976, 63p) SR 76-05

Icing

Roof response to icing conditions Lane, J.W., et al, (1979, 40p) CR 79-17

Icing on structures Minsk, L.D., (1980, 18p) CR 80-31

Window performance in extreme cold. Flanders, S.N., et al, (1982, 21p) CR 82-38

Atmospheric icing of structures Minsk, L.D., ed, (1983, 366p) SR 83-17

How effective are icephobic coatings Minsk, L.D, (1983, p 93-95) MP 1634

Application of a block copolymer solution to ice-prone structures Hanamoto, B., (1983, p.155-158) MP 1636

Icing *(cont.)*
Aerostat icing problems. Hanamoto, B., (1983, 29p) SR 83-23
Mechanical ice release from high-speed rotors Itagaki, K., (1983, 8p) CR 83-26
Atmospheric icing on sea structures. Makkonen, L., (1984, 92p) M 84-02
Icing rate on stationary structures under marine conditions. Itagaki, K., (1984, 9p.) CR 84-12
Survey of ice problem areas in navigable waterways Zufelt, J., et al, (1985, 32p) SR 85-02
Measurement of icing on offshore structures. Minsk, L.D., (1985, p 287-292) MP 2010
Comparison of winter climatic data for three New Hampshire sites. Govoni, J.W., et al, (1986, 78p) SR 86-05
Transfer of meteorological data from mountain-top sites. Govoni, J.W., et al, (1986, 6p.) MP 2107
Communication tower icing in the New England region Mulhern, N., et al, (1986, 7p.) MP 2109
Atmospheric icing on communication masts in New England Mulhern, N., (1986, 46p) CR 86-17
Rime meteorology in the Green Mountains Ryerson, C.C., (1987, 46p) CR 87-01
Effect of oscillatory loads on the bearing capacity of floating ice covers. Kerr, A.D., et al, (1987, p 219-224) MP 2216
Meteorological instrumentation for characterizing atmospheric icing. Bates, R.E., et al, (1987, p 23-30) MP 2276
Ice detector measurements compared to meteorological data Tucker, W.B., et al, (1987, p 31-37) MP 2277
Self-shedding of accreted ice from high-speed rotors. Itagaki, K., (1987, p.95-100) MP 2278
Climatology of rime accretion in the Green and White Mountains. Ryerson, C.C., (1987, p.267-272) MP 2284
Meteorological system performance in icing conditions Bates, R.E., (1987, p 73-86) MP 2285
Cold regions roof design. Tobiasson, W., (1987, p 457-458) MP 2243
Mobility: working group report. Blaisdell, G.L., et al, (1987, p 273-274) MP 2423
New England mountain icing climatology Ryerson, C.C., (1988, 35p) CR 88-12
Atmospheric icing and broadcast antenna reflections Ryerson, C.C., (1988, 13p) CR 88-11
Ice removal from broadcast towers by low-frequency vibrations. Mulherin, N.D., et al, (1988, 6p) MP 2538
Atmospheric icing climatologies of two New England mountains. Ryerson, C.C., (1988, p.1261-1281) MP 2669
Roof design in cold regions Tobiasson, W., (1989, p 462-472) MP 2613

Icing rate
Atmospheric icing rates with elevation on northern New England mountains, U.S.A Ryerson, C.C., (1990, p 90-97) MP 2589

IMPACT STRENGTH
Impact of spheres on ice. Closure. Yen, Y.-C., et al, (1972, p 473) MP 988

Impact strength
Remote sensing of accumulated frazil and brash ice Dean, A.M., Jr., (1977, p 693-704) MP 934
Brazil tensile strength tests on sea ice a data report. Kovacs, A., et al, (1977, 39p) SR 77-24
Ice and ship effects on the St. Marys River ice booms Perham, R.E., (1978, p 222-230) MP 1617
Ice forces on the Yukon River bridge—1978 breakup Johnson, P.R., et al, (1979, 40p) MP 1304
Cost of ice damage to shoreline structures during navigation. Carey, K.L., (1980, 33p) SR 80-22
Impact fuse performance in snow (Initial evaluation of a new test technique). Aitken, G.W., et al, (1980, p 31-45) MP 1347
Small caliber projectile penetration in frozen soil Richmond, P.W., (1980, p 801-823) MP 1490
Ship resistance in thick brash ice. Mellor, M., (1980, p 305-321) MP 1329
Ice force measurement on the Yukon River bridge. McFadden, T., et al, (1981, p 749-777) MP 1396
Measurement of ice forces on structures. Sodhi, D.S., et al, (1983, p 139-155) MP 1641
Mechanics of ice cover breakthrough. Kerr, A.D., (1984, p 245-262) MP 1997
Ice penetration tests Garcia, N.B., et al, (1985, p 223-236) MP 2014
Impact ice force and pressure: An experimental study with urea ice Sodhi, D.S., et al, (1986, p 569-576) MP 2037
Wave-induced bergy bit motion near a floating platform Mak, L.M., et al, (1990, p 205-215) MP 2580

Impact tests
Report of the ITTC panel on testing in ice 1978 Frankenstein, G.E., et al, (1978, p 157-179) MP 1140
Fracture behavior of ice in Charpy impact testing Itagaki, K., et al, (1980, 13p) CR 80-13
Dynamic testing of free field stress gages in frozen soil. Aitken, G.W., et al, (1980, 26p) SR 80-30
Results from indentation tests on freshwater ice Sodhi, D.S., et al, (1988, p.341-350) MP 2495

Impurities
Apparent anomaly in freezing of ordinary water Swinzow, G.K., (1976, 23p) CR 76-20
Vanadium and other elements in Greenland ice cores. Herron, M.M., et al, (1976, 4p) CR 76-24
Photomacrography of artifacts in transparent materials Marshall, S.J., (1976, 31p) CR 76-40
Composition of vapors evolved from military TNT. Leggett, D.C., et al, (1977, 25p) SR 77-16
Tracer movement through snow. Colbeck, S.C., (1977, p.255-262) MP 1093
Verification tests for a stiff inclusion stress sensor. Cox, G.F.N., et al, (1987, p 81-88) MP 2223

Indexes (ratios)
Axial double point-load tests on snow and ice. Kovacs, A., (1978, 11p) CR 78-01
Environmental atlas of Alaska. Hartman, C.W., et al, (1978, 95p.) MP 1204
Plant recovery from Arctic oil spills Walker, D.A., et al, (1978, p.242-259) MP 1184

India
—Yamuna River
Snow hydrology in the upper Yamuna basin, India Malhotra, R.V., et al, (1988, p 84-93) MP 2633

Indicating instruments
Photoelastic instrumentation—principles and techniques. Roberts, A., et al, (1979, 153p) SR 79-13

Indoor climates
Reference guide for building diagnostics equipment and techniques. McKenna, C., et al, (1986, 148p) MP 2226
Vents and vapor retarders for roofs. Tobiasson, W., (1986, 11p) MP 2246
Reference guide for building diagnostics equipment and techniques McKenna, C.M., et al, (1989, 64p.) SR 89-27

Inflatable structures
Lock wall deicing. Hanamoto, B., (1977, p.7-14) MP 972
Laboratory experiments on lock wall deicing using pneumatic devices Itagaki, K., et al, (1977, p 53-68) MP 974

Infrared equipment
Detecting structural heat losses with mobile infrared thermography, Part IV. Munis, R.H., et al, (1976, 9p.) CR 76-33
CRREL roof moisture survey, Pease AFB. Korhonen, C., et al, (1977, 10p) SR 77-02
Infrared detective: thermograms and roof moisture Korhonen, C., et al, (1977, p 41-44) MP 961
Roof moisture survey—U.S Military Academy. Korhonen, C., et al, (1979, 8 refs.) SR 79-16
Transient heat flow and surface temperatures of a built-up roof Korhonen, C., (1983, 20p) SR 83-22

Infrared photography
Land use and water quality relationships, eastern Wisconsin. Haugen, R.K., et al, (1976, 47p) CR 76-30
Infrared thermography of buildings Munis, R.H., et al, (1977, 17p) SR 77-29
Infrared thermography of buildings Munis, R.H., et al, (1977, 21p.) SR 77-26
Roof moisture survey, ten State of New Hampshire buildings. Tobiasson, W., et al, (1977, 29p) CR 77-31
Inundation of vegetation in New England. McKim, H.L., et al, (1978, 13p) MP 1169
Detecting wet roof insulation with a hand-held infrared camera Korhonen, C., et al, (1978, p A9-A15) MP 1213
Infrared thermography of buildings 1977 Coast Guard survey. Marshall, S.J., (1979, 40p) SR 79-20
Roof moisture surveys Tobiasson, W., (1982, p 163-166) MP 1505
Infrared inspection of new roofs Korhonen, C., (1982, 14p) SR 82-33
Comparison of aerial to on-the-roof infrared moisture surveys Korhonen, C., et al, (1983, p.95-105) MP 1709
Thermal emittance of diathermanous materials Munis, R.H., et al, (1984, p 209-220) MP 1863
Time-lapse thermography, a unique electronic imaging application Marshall, S.J., et al, (1984, p 84-88) MP 2103
Aerial roof moisture surveys Tobiasson, W., (1985, p 424-425) MP 2022
Thermal emissivity of diathermanous materials Munis, R.H., et al, (1985, p 872-878) MP 1963
Method for conducting airborne infrared roof moisture surveys Tobiasson, W., (1988, p 50-61) MP 2436
Test of a prototype advanced thermal imaging system Munis, R.H., (1989, p 81-82) MP 2645
Impact of the winter environment on infrared target signatures Lacombe, J., (1989, n p) MP 2587
Thermal infrared survey of winter trails at Fort Wainwright, Collins, C.M., et al, (1990, 16p) SR 90-17

Infrared radiation
Infrared thermography of buildings an annotated bibliography. Marshall, S.J., (1977, 21p) SR 77-09
CRREL roof moisture survey, Building 208 Rock Island Arsenal Korhonen, C., et al, (1977, 6p) SR 77-43
Infrared thermography of buildings—a bibliography with abstracts Marshall, S.J., (1979, 67p) SR 79-01
Snow chemistry of obscurants released during SNOW-TWO/Smoke Week VI Cragin, J.H., (1984, p 409-416) MP 1873
Ice fog as an electro-optical obscurant Koh, G., (1985, 11p) CR 85-08
Wavelength-dependent extinction by falling snow. Koh, G., (1986, p.51-55) MP 2019
Scattering at mm wavelengths from *in situ* snow. Walsh, J., et al, (1986, p 1.6.1-1.6.2) MP 2141
Extinction coefficient measurement in falling snow. Koh, G., (1987, 9p) SR 87-04
Extinction coefficient for a distribution of ice fog particles. Jordan, R., (1987, p 527-539) MP 2286
Scavenging of infrared screener EA 5763 by falling snow. Cragin, J.H., et al, (1987, p 13-20) MP 2292
Slant path extinction and visibility measurements from an unmanned aerial vehicle. Cogan, J., et al, (1987, p.115-126) MP 2296

Infrared reconnaissance
Hand-held infrared systems for detecting roof moisture. Tobiasson, W., et al, (1977, p 261-271) MP 1390
Recommendations for implementing roof moisture surveys in the U.S. Army. (1978, 8p) SR 78-01
Thermal observations of Mt. St Helens before and during eruption. St. Lawrence, W.F., et al, (1980, p 1526-1527) MP 1482
Roof moisture surveys: current state of the technology. Tobiasson, W., (1983, p.24-31) MP 1628
Chemical obscurant tests during winter: Environmental fate. Cragin, J.H., (1983, p.267-272) MP 1760
Infrared testing for leaks in new roofs. Korhonen, C., (1987, p 49-54) MP 2282
Impact of the winter environment on infrared target signatures. Lacombe, J., (1989, n p) MP 2587

Infrared spectroscopy
Red and near-infrared spectral reflectance of snow O'Brien, H.W., et al, (1975, p 345-360) MP 872
Research on roof moisture detection Tobiasson, W., et al, (1978, 6p) SR 78-29
Roof moisture survey. Korhonen, C., et al, (1980, 31p.) SR 80-14
Problems in snow cover characterization. O'Brien, H.W., (1982, p 139-147) MP 1987

Instruments
Instruments in the Arctic. Atkins, R.T., (1972, p 183-188) MP 990

Insulation
Protected membrane roofs in cold regions Aamot, H.W.C., et al, (1976, 27p) CR 76-02
Water absorption of insulation in protected membrane roofing systems. Schaefer, D., (1976, 15p) CR 76-38
CRREL roof moisture survey, Pease AFB. Korhonen, C., et al, (1977, 10p) SR 77-02
Installation of loose-laid inverted roof system at Fort Wainwright, Alaska. Schaefer, D., (1977, 27p) SR 77-18
Infrared detective, thermograms and roof moisture Korhonen, C., et al, (1977, p 41-44) MP 961
Construction of temporary airfields in NPRA Crory, F.E., (1978, p.13-15) MP 1253
Roof construction under wintertime conditions a case study. Bennett, F.L., (1978, 34p.) SR 78-24
Roof moisture survey—U.S Military Academy Korhonen, C., et al, (1979, 8 refs.) SR 79-16
Roofs in cold regions Tobiasson, W., (1980, 21p) MP 1408
Locating wet cellular plastic insulation in recently constructed roofs Korhonen, C., et al, (1983, p 168-173) MP 1729
Protected membrane roofing systems Tobiasson, W., (1986, p.49-50) MP 2140
Wetting of polystyrene and urethane roof insulations. Tobiasson, W., et al, (1987, p 108-119) MP 2337
Radar profiling of Newton Airfield in Jackman, Maine. Martinson, C.R., (1989, 9p.) SR 89-04

Interfaces
CRREL instrumented vehicle for cold regions mobility measurements Blaisdell, G.L., (1982, 11p) MP 1515
On the rheology of a broken ice field due to floe collision Shen, H., et al, (1984, p 29-34) MP 1812

Internal friction
Effect of X-ray irradiation on internal friction and dielectric relaxation of ice Itagaki, K., et al, (1983, p 4314-4317) MP 1670
Friction loss through a uniform snow layer Yen, Y.C., (1990, p 83-90) MP 2703

International cooperation
High-latitude basins as settings for circumpolar environmental studies Slaughter, C.W., et al, (1975, p.IV/57-IV/68) MP 917
Scientists visit Kolyma Water Balance Station in the USSR. Slaughter, C.W., et al, (1977, 66p) SR 77-15
Subarctic watershed research in the Soviet Union Slaughter, C.W., et al, (1978, p.305-313) MP 1273
International and national developments in land treatment of wastewater McKim, H.L., et al, (1979, 28p) MP 1420
Arctic research in the United States, Vol 3. (1989, 72p) MP 2653

Interstitial water
Chemistry of interstitial water from subsea permafrost, Prudhoe Bay, Alaska Iskandar, I.K., et al, (1978, p 92-98) MP 1385

Ion density (concentration)
Chemical composition of haul road dust and vegetation Iskandar, I.K., et al, (1978, p 110-111) MP 1116

Ion diffusion
Ionic migration and weathering in frozen Antarctic soils. Ugolini, F C , et al, (1973, p.461-470) MP 941
Does snow have ion chromatographic properties. Hewitt, A D., et al, (1989, p.165-171) MP 2755
Ion exchange
Prototype wastewater land treatment system. Jenkins, T F., et al, (1979, 91p) SR 79-35
Ions
Ion and moisture migration and frost heave in freezing Morin clay. Qiu, G., et al, (1986, p.1014) MP 1970
Irrigation
Land treatment of wastewaters for rural communities. Reed, S.C., et al, (1975, p 23-39) MP 1399
Land treatment of wastewater. Murrmann, R.P., et al, (1976, 36p) MP 920
Land application of wastewater in permafrost areas Sletten, R S , (1978, p 911-917) MP 1110
Uptake of nutrients by plants irrigated with wastewater. Clapp, C.E , et al, (1978, p.395-404) MP 1151
Microbiological aerosols during wastewater irrigation. Bausum, H.T , et al, (1978, p 273-280) MP 1154
Mass water balance during spray irrigation with wastewater at Deer Creek Lake land treatment site. Abele, G., et al, (1978, 43p) SR 79-29
Experimental system for land renovation of effluent. Nylund, J.R , et al, (1978, 26p) SR 78-23
Freezing problems with wintertime wastewater spray irrigation. Bouzoun, J.R., (1979, 12p) SR 79-12
International and national developments in land treatment of wastewater. McKim, H.L., et al, (1979, 28p) MP 1420
Bacterial aerosols resulting from wastewater irrigation in Ohio. Bausum, H.T , et al, (1979, 64p.) SR 79-32
Nitrogen transformations in land treatment. Jenkins, T.F , et al, (1979, 32p) SR 79-31
Land treatment of waste water in cold climates. Jenkins, T.F., et al, (1979, p 207-214) MP 1279
Prototype wastewater land treatment system. Jenkins, T.F., et al, (1979, 91p) SR 79-35
Wastewater treatment in cold regions by overland flow. Martel, C.J., et al, (1980, 14p) CR 80-07
Dynamics of NH4 and NO3 in cropped soils irrigated with wastewater. Iskandar, I.K., et al, (1980, 20p) SR 80-27
Forage grass growth on overland flow systems. Palazzo, A.J., et al, (1980, p 347-354) MP 1402
Effectiveness of land application for P removal from waste water. Iskandar, I.K , et al, (1980, p 616-621) MP 1444
Seasonal growth and accumulation of N, P, and K by grass irrigated with wastes Palazzo, A.J., (1981, p 64-68) MP 1425
Hydraulic characteristics of the Deer Creek Lake land treatment site during wastewater application. Abele, G , et al, (1981, 37p) CR 81-07
Seasonal growth and uptake of nutrients by orchardgrass irrigated with wastewater. Palazzo, A J , et al, (1981, 19p) CR 81-08
Isostasy
Misgivings on isostatic imbalance as a mechanism for sea ice cracking Ackley, S F , et al, (1976, p 85-94) MP 1379
Isotope analysis
Greenland climate changes shown by ice core. Dansgaard, W , et al, (1971, p.17-22) MP 998
Oxygen isotope profiles through ice sheets Johnsen, S.J , et al, (1972, p 429-434) MP 997
C-14 and other isotope studies on natural ice. Oeschger, H , et al, (1972, p.D70-D92) MP 1052
Stable isotope profile through the Ross Ice Shelf at Little America V, Antarctica Dansgaard, W., et al, (1977, p.322-325) MP 1095
Methodology for nitrogen isotope analysis at CRREL Jenkins, T.F , et al, (1978, 57p) SR 78-08
20-yr cycle in Greenland ice core records. Hibler, W D., III, et al, (1979, p 481-483) MP 1245
Isotopes
Method for measuring enriched levels of deuterium in soil water Oliphant, J.L., et al, (1982, 12p) SR 82-25
Deuterium diffusion in a soil-water-ice mixture Oliphant, J L., et al, (1984, 11p) SR 84-27
Isotopic labeling
Guide to the use of 14N and 15N in environmental research Edwards, A P , (1978, 77p) SR 78-18
Korea
Deployment of floating bridges in ice-covered rivers Mellor, M., et al, (1988, 38p) SR 88-20
—Imjin River
Imjin River ice boom Perham, R.E , (1988, 10p) SR 88-22
Laboratories
Research activities of U S Army Cold Regions Research and Engineering Laboratory. Buzzell, T D , (1975, p 9-12) MP 1244
Cold Regions Research and Engineering Laboratory Freitag, D.R., (1978, p 4-6) MP 1251
Mercury contamination of water samples Cragin, J H , (1979, p.313-319) MP 1270
Ice engineering facility Zabilansky, L J , et al, (1983, 12p + figs) MP 2088
Data acquisition in USACRREL's flume facility. Daly, S.F., et al, (1985, p.1053-1058) MP 2089
Corps of engineers seek ice solutions Frankenstein, G.E., (1987, p.5-7) MP 2219
Information systems planning study. Atkins, R T , et al, (1987, 48p) SR 87-23
Unique new cold weather testing facility. Eaton, R.A., (1988, p.745-750) MP 2542
Unique new cold weather testing facility. Eaton, R.A , (1989, p 335-342) MP 2468
Data acquisition. first the FERF then the world Knuth, K.V , (1989, p 136-138) MP 2567
Laboratory techniques
Ice forces on model structures. Zabilansky, L.J., et al, (1975, p.400-407) MP 863
Apparent anomaly in freezing of ordinary water. Swinzow, G.K , (1976, 23p.) CR 76-20
Laboratory studies of compressed air seeding of supercooled fog. Hicks, J R., et al, (1977, 19p) SR 77-12
Laboratory experiments on lock wall deicing using pneumatic devices. Itagaki, K , et al, (1977, p.53-68) MP 974
Resiliency in cyclically frozen and thawed subgrade soils. Chamberlain, E J., et al, (1977, p 229-281) MP 1724
Laboratory experiments on icing of rotating blades Ackley, S F , et al, (1979, p 85-92) MP 1236
Kinetics of denitrification in land treatment of wastewater Jacobson, S , et al, (1979, 59p) SR 79-04
Preparation of polycrystalline ice specimens for laboratory experiments Cole, D M., (1979, p.153-159) MP 1327
Frazil ice in rivers and streams Daly, S F , (1987, p 19-26) MP 2381
Solvent extraction for solute preconcentration from water. Leggett, D.C , et al, (1990, p.1355-1336) MP 2743
Lacustrine deposits
Phosphorus chemistry of sediments of Lake Koocanusa, Montana Iskandar, I K., et al, (1981, 9p) SR 81-15
Lake ice
Ice-cratering experiments Blair Lake, Alaska Kurtz, M.K., et al, (1966, Various pagings) MP 1034
LAKE ICE
Surveys of river and lake ice Michel, B , (1971, 131p) M III-B1a
Lake ice
Growth and mechanical properties of river and lake ice. Ramseier, R.O , (1972, 243p) MP 1883
Winter thermal structure and ice conditions on Lake Champlain, Vermont Bates, R E , (1976, 22p) CR 76-13
Structural growth of lake ice. Gow, A J , et al, (1977, 24p.) CR 77-01
Radar imagery of ice covered North Slope lakes Weeks, W F , et al, (1977, p 129-136) MP 923
Flexural strength of ice on temperate lakes Gow, A J , (1977, p.247-256) MP 1063
Visual observations of floating ice from Skylab Campbell, W.J , et al, (1977, p 353-379) MP 1263
Flexural strength of ice on temperate lakes Gow, A J., et al, (1978, 14p) CR 78-09
Remote detection of water under ice-covered lakes on the North Slope of Alaska. Kovacs, A , (1978, p 448-458) MP 1214
Forecasting ice formation and breakup on Lake Champlain Bates, R.E , et al, (1979, 21p) CR 79-26
Winter thermal structure, ice conditions and climate of Lake Champlain Bates, R.E , (1980, 26p) CR 80-02
Maximum thickness and subsequent decay of lake, river and fast sea ice in Canada and Alaska. Bilello, M.A , (1980, 160p) CR 80-06
Freshwater ice growth, motion, and decay Ashton, G D , (1986, p 261-304) MP 1299
Ice formation and breakup on Lake Champlain Bates, R.E., (1980, p 125-143) MP 1429
Method for measuring brash ice thickness with impulse radar Martinson, C.R , et al, (1981, 10p) SR 81-11
Sea ice the potential of remote sensing Weeks, W F , (1981, p 19-48) MP 1468
Ice-covered North Slope lakes observed by radar. Weeks, W F , et al, (1981, 17p) CR 81-19
Port Huron ice control model studies Calkins, D J., et al, (1982, p 361-373) MP 1530
Model study of Port Huron ice control structure; wind stress simulation Sodhi, D S , et al, (1982, 27p) CR 82-09
Theory of thermal control and prevention of ice in rivers and lakes Ashton, G.D., (1982, p 131-165) MP 1554
Predicting lake ice decay. Ashton, G D , (1983, 4p) SR 83-19
Measurement of ice forces on structures Sodhi, D S , et al, (1983, p 139-155) MP 1641
Lake ice decay Ashton, G D , (1983, p 83-86) MP 1684
Flexural strengths of freshwater model ice Gow, A J , (1984, p.73-82) MP 1826
Quiet freezing of lakes and the concept of orientation textures in lake ice sheets Gow, A J , (1984, p 137-149) MP 1828
Techniques for measurement of snow and ice on freshwater Adams, W P , et al, (1986, p 174-222) MP 2000
Orientation textures in ice sheets of quietly frozen lakes Gow, A J., (1986, p 247-258) MP 2118
Ice problems associated with rivers and reservoirs. Benson, C., et al, (1986, p.70-98) MP 2155
River and lake ice engineering Ashton, G.D , ed, (1986, 485p) MP 2144
Short-pulse radar investigations of freshwater ice sheets and brash ice. Arcone, S A., et al, (1986, 10p) CR 86-06
Experiments on the cutting process in ice Ueda, H.T., et al, (1989, 36p.) CR 89-05
Flexural properties of freshwater ice sheets Gow, A.J., et al, (1989, p.249-270) MP 2652
Investigation of the LIZ-3 Dew Line Station water supply lake. Kovacs, A , (1990, 10p) SR 90-11
Lake water
Correlation and quantification of airborne spectrometer data to turbidity measurements at Lake Powell, Utah Merry, C.J., (1970, p 1309-1316) MP 1271
Remote detection of water under ice-covered lakes on the North Slope of Alaska. Kovacs, A , (1978, p 448-458) MP 1214
Case study fresh water supply for Point Hope, Alaska McFadden, T , et al, (1979, p.1029-1040) MP 1222
Dissolved nitrogen and oxygen in lake water Leggett, D.C., (1979, 5p.) SR 79-24
Tundra lakes as a source of fresh water: Kipnuk, Alaska. Bredthauer, S.R., et al, (1979, 16p) SR 79-30
Limnology of Lake Koocanusa, MT, the 1967-1972 study. Bonde, T J.H., et al, (1982, 184p) SR 82-21
Limnology of Lake Koocanusa, Montana. Storm, P.C , et al, (1982, 597p.) SR 82-23
Lake water intakes under icing conditions Dean, A.M , Jr., (1983, 7p) CR 83-15
Shoreline erosion processes Orwell Lake, Minnesota. Reid, J.R , (1984, 101p) CR 84-32
Use of SPOT HRV data in a Corps dredging operation in Lake Erie. Merry, C.J , et al, (1987, p 49-58) MP 2548
Winter water quality in lakes and streams. Calkins, D J., et al, (1988, 8p) MP 2507
Use of SPOT HRV data in the Corps of Engineers dredging program. Merry, C.J , et al, (1988, p.1295-1299) MP 2528
Investigation of the LIZ-3 Dew Line Station water supply lake. Kovacs, A , (1990, 10p) SR 90-11
Lakes
Remote sensing for earth dam site selection and construction materials Merry, C.J , et al, (1980, p.158-170) MP 1316
Land development
Urban waste as a source of heavy metals in land treatment. Iskandar, I K , (1976, p 417-432) MP 977
Land use and water quality relationships, eastern Wisconsin. Haugen, R K., et al, (1976, 47p) CR 76-30
Symposium: geography of polar countries, selected papers and summaries. Brown, J , ed, (1977, 61p) SR 77-06
Effects of wastewater on the growth and chemical composition of forages Palazzo, A J , (1977, p 171-180) MP 975
Wastewater treatment at Calumet, Michigan Baillod, C.R., et al, (1977, p 489-510) MP 976
Land treatment of wastewater at Manteca, Calif , and Quincy, Washington. Iskandar, I.K , et al, (1977, 34p) CR 77-24
Symposium on land treatment of wastewater, CRREL, Aug. 1978 (1978, 2 vols) MP 1145
LAND ICE
Antarctic ice sheet Mellor, M , (1961, 50p) M I-B1
Greenland ice sheet. Bader, H , (1961, 18p) M I-B2
Land ice
Planetary and extraplanetary event records in polar ice caps. Zeller, E J , et al, (1980, p.18-27) MP 1461
Land reclamation
Bibliography of soil conservation activities in USSR permafrost areas Andrews, M , (1977, 116p.) SR 77-07
Land treatment of wastewater in subarctic Alaska Sletten, R.S , et al, (1977, p 533-547) MP 1268
Municipal sludge management environmental factors. Reed, S C , ed, (1977, Var. p) MP 1406
Land treatment, present status, future prospects Pound, C E , et al, (1978, p 98-102) MP 1417
Experimental system for land renovation of effluent. Nylund, J R , et al, (1978, 26p) SR 78-23
Five-year performance of CRREL land treatment test cells. Jenkins, T.F , et al, (1978, 24p) SR 78-26
Nitrification inhibitor in land treatment of wastewater in cold regions Elgawhary, S M , et al, (1979, 25p) SR 79-18
Land treatment systems and the environment McKim, H L., et al, (1979, p 201-225) MP 1414
Design of liquid-waste land application Iskandar, I K , (1979, p 65-88) MP 1415
International and national developments in land treatment of wastewater McKim, H L., et al, (1979, 28p) MP 1420
Revegetation at two construction sites in New Hampshire and Alaska Palazzo, A J , et al, (1980, 21p.) CR 80-03
EPA policy on land treatment and the Clean Water Act of 1977 Thomas, R E , et al, (1980, p 452-460) MP 1418
Energy and costs for agricultural reuse of wastewater. Sletten, R S , et al, (1980, p.339-346) MP 1401

Land reclamation *(cont.)*
Forage grass growth on overland flow systems Palazzo, A.J., et al, (1980, p.347-354) MP 1402
Spray application of waste-water effluent in a cold climate. Cassell, E.A., et al, (1980, p 620-626) MP 1403
Overland flow: removal of toxic volatile organics. Jenkins, T.F., et al, (1981, 16p) SR 81-01
Seasonal growth and accumulation of N, P, and K by grass irrigated with wastes Palazzo, A J., (1981, p 64-68) MP 1425
Seasonal growth and uptake of nutrients by orchardgrass irrigated with wastewater. Palazzo, A J., et al, (1981, 19p.) CR 81-08
Seven-year performance of CRREL slow-rate land treatment prototypes. Jenkins, T.F., et al, (1981, 25p.) SR 81-12
Site selection methodology for the land treatment of wastewater. Ryan, J.R., et al, (1981, 74p) SR 81-28
Model for prediction of nitrate leaching losses in soils Mehran, M., et al, (1981, 24p) CR 81-23
Vegetation selection and management for overland flow systems. Palazzo, A J., et al, (1982, p 135-154) MP 1511
Overview of models used in land treatment of wastewater Iskandar, I.K., (1982, 27p) SR 82-01
Wastewater treatment and plant growth. Palazzo, A.J., (1982, 21p.) SR 82-05
Land treatment of wastewater. Reed, S C., (1982, p 91-123) MP 1947
User's index to CRREL land treatment computer programs and data files. Berggren, P.A., et al, (1982, 65p) SR 82-26
Case study of land treatment in a cold climate—West Dover, Vermont. Bouzoun, J.R., et al, (1982, 96p.) CR 82-44
Assessment of the treatability of toxic organics by overland flow. Jenkins, T F., et al, (1983, 47p) CR 83-03
Model for land treatment, Pt.1. Baron, J.A., et al, (1983, 35p.) SR 83-06
Model for land treatment planning, design and operation, Pt.2 Baron, J.A., et al, (1983, 30p) SR 83-07
Model for land treatment planning, design and operation, Pt.3. Baron, J.A., et al, (1983, 38p) SR 83-08
Corps of Engineers land treatment of wastewater research program an annotated bibliography Parker, L.V., et al, (1983, 82p) SR 83-09
Engineering systems for wastewater treatment. Loehr, R., et al, (1983, p 409-417) MP 1948
Land treatment research and development program Iskandar, I K., et al, (1983, 144p) CR 83-20
Land treatment processes. Merry, C.J., et al, (1983, 79p) SR 83-26
Nitrogen behavior in soils irrigated with liquid waste. Selim, H.M., et al, (1984, p.96-108) MP 1762
Impact of slow-rate land treatment on groundwater quality. toxic organics. Parker, L.V., et al, (1984, 36p) CR 84-30
Overland flow wastewater treatment at Easley, S.C. Abernathy, A R., et al, (1985, p 291-299) MP 2183
Toxic organics removal kinetics in overland flow land treatment. Jenkins, T.F., et al, (1985, p.707-718) MP 2111
Corps of Engineers Land Treatment Research and Development program. Iskandar, I K., (1986, p 17-18) MP 2149
Forest land treatment with municipal wastewater in New England. Reed, S C., et al, (1986, p 420-430) MP 2280
Removal of trace-level organics by slow-rate land treatment. Parker, L.V., et al, (1986, p.1417-1426) MP 2170
Of. Overland flow wastewater treatment at Easley, S C Martel, C.J., et al, (1986, p 1078-1079) MP 2300
Disturbance and recovery of arctic Alaskan tundra terrain Walker, D.A., et al, (1987, 63p) CR 87-11

Landforms
Geobotanical atlas of the Prudhoe Bay region, Alaska. Walker, D A., et al, (1980, 69p) CR 80-14
Spatial analysis in recreation resource management. Edwardo, H.A., et al, (1984, p 209-219) MP 2084
Periglacial landforms and processes, Kenai Mts., Alaska Bailey, P K., (1985, 60p) SR 85-03

LANDSAT
Near real time hydrologic data acquisition utilizing the LANDSAT system McKim, H L., et al, (1975, p 200-211) MP 1055
Remote measurement of sea ice drift Hibler, W D., III, et al, (1975, p 541-554) MP 849
Sea ice drift and deformation from LANDSAT imagery Hibler, W D., III, et al, (1976, p 115-135) MP 1059
Landsat data analysis for New England reservoir management. Merry, C.J., et al, (1978, 61p) SR 78-06
Landsat data collection platform, south central Alaska Haugen, R.K., et al, (1979, 17 refs) SR 79-02
Mapping of the LANDSAT imagery of the Upper Susitna River Gatto, L.W., et al, (1980, 41p) CR 80-04
Remote sensing of revegetation of burned tundra, Kokolik River, Alaska Hall, D K., et al, (1980, p 263-272) MP 1391
Sea ice piling at Fairway Rock, Bering Strait, Alaska. Kovacs, A., et al, (1981, p 985-1000) MP 1460
Hydrologic modeling from Landsat land cover data McKim H.L., et al, (1984, 19p) SR 84-01

Landscape types
Filtering and classification routines in land use imagery. Merry, C.J., et al, (1988, p.57-58) MP 2534

Lasers
De-icing using lasers Lane, J.W., et al, (1976, 25p) CR 76-10
Dynamics of near-shore ice. Kovacs, A., et al, (1977, p.151-163) MP 1073
Use and application of PRESTO in Snow-III West. Stallings, E S., et al, (1986, p.11-24) MP 2658
Effects of water and ice on the scattering of diffuse reflectors Jezek, K.C., et al, (1986, p 259-269) MP 2664

Latent heat
Deforming finite elements with and without phase change Lynch, D.R., et al, (1981, p 81-96) MP 1493
Heat fluxes, humidity profiles, and surface humidity. Andreas, E.L., (1982, 18p) CR 82-12
Year of Bowen ratios over the frozen Beaufort Sea. Andreas, E.L., (1989, p 12,721-12,724) MP 2508
Wind-generated polynyas off the coasts of the Bering Sea islands. Kozo, T.L., et al, (1990, p 126-132) MP 2734

Layers
Enclosing fine-grained soils in plastic moisture barriers Smith, N., (1978, p.560-570) MP 1089

Leaching
Model for prediction of nitrate leaching losses in soils Mehran, M., et al, (1981, 24p) CR 81-23
Leaching of metal pollutants from well casings Hewitt, A D., (1989, 11p) SR 89-32

Leakage
Roof moisture survey—U.S. Military Academy. Korhonen, C., et al, (1979, 8 refs) SR 79-16
Roof leaks in cold regions: school at Chevak, Alaska Tobiasson, W., et al, (1980, 12p) CR 80-11
Roof blister valve. Korhonen, C., (1986, p.29-31) MP 2138
Infrared testing for leaks in new roofs. Korhonen, C., (1987, p 49-54) MP 2282
Reduced winter leakage in gates with J-seals Rand, J.H., et al, (1989, 3p) MP 2724

Legislation
Land treatment: present status, future prospects Pound, C.E., et al, (1978, p 98-102) MP 1417
EPA policy on land treatment and the Clean Water Act of 1977. Thomas, R E., et al, (1980, p.452-460) MP 1418
Arctic research of the United States, Vol.3. (1989, 71p) MP 2530
United States arctic research plan biennial revision: 1990-1991. Brown, J., ed, (1989, 72p.) MP 2544

Lichens
Tundra environment at Barrow, Alaska. Bunnell, F L., et al, (1975, p.73-124) MP 1050

Lidar
Lidar detection of leads in arctic sea ice. Schnell, R.C., et al, (1990, p.119-123) MP 2733
Recent measurements of sea ice topography in the eastern Arctic. Krabill, W.B., et al, (1990, p.132-136) MP 2735
Lidar-derived particle concentrations in plumes from arctic leads Andreas, E.L., et al, (1990, p 9-12) MP 2758

Light scattering
Optical properties of salt ice Lane, J.W., (1975, p 363-372) MP 854
Snowpack optical properties in the infrared Berger, R.H., (1979, 16p) CR 79-11
Polarization of skylight Bohren, C., (1984, p 261-265) MP 1794
Forward-scattering corrected extinction by nonspherical particles Bohren, C.F., et al, (1984, p 261-271) MP 1870
Forward-scattering corrected extinction by nonspherical particles Bohren, C F., et al, (1985, p 1023-1029) MP 1958
Wavelength-dependent extinction by falling snow. Koh, G., (1986, p 51-55) MP 2019
Snow mass extinction coefficient Koh, G., (1986, p 35-38) MP 2659
Comments on the characteristics of *in situ* snow at millimeter wavelengths Walsh, J., et al, (1986, p 317-320) MP 2666
Extinction coefficient measurement in falling snow Koh, G., (1987, 9p) SR 87-04
Scavenging of infrared screener EA 5763 by falling snow Cragin, J.H., et al, (1987, p 13-20) MP 2292
Forward scatter meter for measuring extinction in adverse weather Koh, G., (1987, p 81-84) MP 2295

Light transmission
Correlation and quantification of airborne spectrometer data to turbidity measurements at Lake Powell, Utah. Merry, C J., (1970, p 1309-1316) MP 1271
Water quality measurements at Lake Powell, Utah Merry, C J., (1977, 38p) SR 77-28
Problems in snow cover characterization O'Brien, H W., (1982, p.139-147) MP 1987
Falling snow characteristics and extinction Berger, R H., (1983, p 61-69) MP 1756
Visible propagation in falling snow as a function of mass concentration and crystal type Lacombe, J., et al, (1983, p 103-111) MP 1757
Performance and optical signature of an AN/VVS-1 laser rangefinder in falling snow: Preliminary test results Lacombe, J., (1983, p.253-266) MP 1759
Wavelength-dependent extinction by falling snow. Koh, G., (1986, p 51-55) MP 2019
Snow mass extinction coefficient. Koh, G., (1986, p 35-38) MP 2659
Preview of the SNOW-III West data base. Lacombe, J., (1987, p 3-11) MP 2291
Slant path extinction and visibility measurements from an unmanned aerial vehicle Cogan, J., et al, (1987, p 115-126) MP 2296
Two-stream approximation to radiative transfer in falling snow. Koh, G., (1988, p 463-470) MP 2604
Increased transmission through brass obscurant clouds during snowfall. Hewitt, A D., et al, (1988, p 489-496) MP 2605
Snow-smoke interaction. Hogan, A.W., et al, (1988, p.497-506) MP 2607
Optical technique for characterizing precipitation. Koh, G., (1989, p 71-76) MP 2627
Radiative transfer in falling snow: a two-stream approximation. Koh, G., (1989, 10p.) CR 89-06
Two-stream multilayer, spectral radiative transfer model for sea ice. Perovich, D K., (1989, 17p) CR 89-15
Refractive index structure parameter for a year over the frozen Beaufort Sea. Andreas, E.L., (1989, p 667-679) MP 2575
Theoretical estimates of light reflection and transmission by spatially inhomogeneous and temporally varying ice covers Perovich, D K., (1990, p 45-49) MP 2729
Light reflection and transmission by sea ice covers. Perovich, D K., (1990, p.9557-9567) MP 2761

Light (visible radiation)
Polarization of skylight. Bohren, C., (1984, p 261-265) MP 1794
Ice fog as an electro-optical obscurant Koh, G., (1985, 11p) CR 85-08
Spectra and cospectra of atmospheric turbulence over snow. Andreas, E L., (1986, p 219-233) MP 2661

Lightning
What makes thunderbolts zig and zag. Itagaki, K., (1988, p 22-27) MP 2524

Liming
Wastewater treatment in Alaska Schneiter, R.W., et al, (1982, p 207-213) MP 1696
Restoration of acidic dredge soils with sewage sludge and lime. Palazzo, A.J., (1983, 11p) CR 83-28

Limnology
Arctic limnology: a review. Hobbie, J E., (1973, p 127-168) MP 1007
Environmental analyses in the Kootenai River region, Montana McKim, H.L., et al, (1976, 53p) SR 76-13
Phosphorus chemistry of sediments of Lake Koocanusa, Montana Iskandar, I K., et al, (1981, 9p) SR 81-15
Bottom heat transfer to water bodies in winter. O'Neill, K., et al, (1981, 8p) SR 81-18
Limnology and primary productivity, Lake Koocanusa, Montana. Woods, P F., et al, (1982, 106p) SR 82-15
Limnology of Lake Koocanusa, MT, the 1967-1972 study. Bonde, T J H., et al, (1982, 184p) SR 82-21
Limnology of Lake Koocanusa, Montana Storm, P C., et al, (1982, 597p) SR 82-23

Linings
Wastewater stabilization pond linings. Middlebrooks, E J., et al, (1978, 116p) SR 78-28
1979 Greenland Ice Sheet Program. Phase 1: casing operation Rand, J.H., (1980, 18p) SR 80-24

Lipids
Trends in carbohydrate and lipid levels in Arctic plants. McCown, B H., et al, (1972, p 40-45) MP 1376

Liquid solid interfaces
Liquid distribution and the dielectric constant of wet snow. Colbeck, S C., (1980, p 21-39) MP 1349
Deforming finite elements with and without phase change. Lynch, D R., et al, (1981, p 81-96) MP 1493
Simulation of planar instabilities during solidification. Sullivan, J M., Jr., et al, (1987, p 81-111) MP 2585

LOADS (FORCES)
Properties of snow. Mellor, M., (1964, 105p) M III-A1

Loads (forces)
Ice forces on simulated structures Zabilansky, L J., et al, (1975, p 387-396) MP 864
Forces on an ice boom in the Beauharnois Canal Perham, R E., et al, (1975, p 397-407) MP 858
Creep theory for a floating ice sheet Nevel, D E., (1976, 98p) SR 76-04
Shallow snow performance of wheeled vehicles Harrison, W L., (1976, p 589-614) MP 1130
Some economic benefits of ice booms Perham, R E., (1977, p 570-581) MP 959
Roof loads resulting from rain-on-snow Colbeck, S C., (1977, 19p) CR 77-12
Concentrated loads on a floating ice sheet Nevel, D E., (1977, p 237-245) MP 1062
Intermittent ice forces acting on inclined wedges Tryde, P., (1977, 26p) CR 77-26
Viscoelasticity of floating ice plates subjected to a circular load Takagi, S., (1978, 32p) CR 78-05

Load tests on membrane-enveloped road sections Smith, N., et al, (1978, 16p) CR 78-12

Ice cover forces on structures. Kerr, A.D., (1978, p 123-134) MP 879

Horizontal forces exerted by floating ice on structures Kerr, A.D., (1978, 9p) CR 78-15

Loading on the Hartford Civic Center roof before collapse Redfield, R., et al, (1979, 32p) SR 79-09

Safe ice loads computed with a pocket calculator. Nevel, D.E., (1979, p 205-223) MP 1249

Analysis of plastic shock waves in snow Brown, R.L., (1979, 14p) CR 79-29

Power requirements and methods for long distance large iceberg towing. Mellor, M., (1980, p.231-240) MP 1275

Pressure waves in snow. Brown, R.L., (1980, p 99-107) MP 1306

Extending the useful life of DYE-2 to 1986. Tobiasson, W., et al, (1980, 37p) SR 80-13

Some promising trends in ice mechanics. Assur, A., (1980, p.1-15) MP 1300

Bending and buckling of a wedge on an elastic foundation Nevel, D.E., (1980, p 278-288) MP 1303

Working group on ice forces on structures. Carstens, T., ed, (1980, 146p) SR 80-26

Mechanics of cutting and boring in permafrost. Mellor, M., (1980, 82p) CR 80-21

Investigation of the snow adjacent to Dye-2, Greenland. Ueda, H.T., et al, (1981, 23p) SR 81-03

Pavement deflection after freezing and thawing. Chamberlain, E.J., (1981, 10p) CR 81-15

Macroscopic view of snow deformation under a vehicle Richmond, P.W., et al, (1981, 20p) SR 81-17

Vehicle tests and performance in snow. Berger, R.H., et al, (1981, p 51-67) MP 1477

Acoustic emission and deformation of ice plates Xiroucha-kis, P.C., et al, (1982, p 129-139) MP 1589

Force distribution in a fragmented ice cover. Daly, S.F., et al, (1982, p.374-387) MP 1531

Piling in frozen ground. Crory, F.E., (1982, p.112-124) MP 1722

Determining the characteristic length of model ice sheets Sodhi, D.S., et al, (1982, p.99-104) MP 1570

CRREL instrumented vehicle hardware and software Blaisdell, G.L., (1983, 75p) SR 83-03

Stress/strain/time relations for ice under uniaxial compression. Mellor, M., et al, (1983, p 207-230) MP 1587

Frozen soil characteristics that affect land mine functioning. Richmond, P.W., (1983, 18p) SR 83-05

Effect of loading on the unfrozen water content of silt. Oliphant, J.L., et al, (1983, 17p) SR 83-18

Stress measurements in ice. Cox, G.F.N., et al, (1983, 31p) CR 83-23

Effect of stress application rate on the creep behavior of polycrystalline ice. Cole, D.M., (1983, p 454-459) MP 1671

Experimental determination of buckling loads of cracked ice sheets Sodhi, D.S., et al, (1984, p.183-186) MP 1687

Force distribution in a fragmented ice cover Stewart, D.M., et al, (1984, 16p) CR 84-07

Static determination of Young's modulus in sea ice. Richter-Menge, J.A., (1984, p 283-286) MP 1789

Mechanics of ice cover breakthrough Kerr, A.D., (1984, p 245-262) MP 1997

Creep of a strip footing on ice-rich permafrost. Sayles, F.H., (1985, p 29-51) MP 1731

Experience with a biaxial ice stress sensor Cox, G.F.N., (1985, p 252-258) MP 1937

Brittleness of reinforced concrete structures under arctic conditions. Kivekäs, L., et al, (1985, 28 + 14p) MP 1969

Simple design procedure for heat transmission system piping Phetteplace, G., (1985, p 1748-1752) MP 1942

Confined compressive strength of multi-year pressure ridge sea ice samples Cox, G.F.N., et al, (1986, p 365-373) MP 2035

On the determination of the average Young's modulus for a floating ice cover Kerr, A.D., et al, (1988, p 39-43) MP 2324

Uniaxial tension/compression tests on ice – preliminary results. Cole, D.M., et al, (1989, p 37-41) MP 2482

State of the art of pavement response monitoring systems for roads and airfields (1989, 401p) SR 89-23

Resilient modulus determination for frost conditions Chamberlain, E.J., et al, (1989, p 320-333) MP 2569

Dynamic analysis of a floating ice sheet undergoing vertical indentation McGilvary, W.R., et al, (1990, p 195-203) MP 2579

Cyclic loading of saline ice: initial experimental results Cole, D.M., (1990, p 265-271) MP 2581

Snow cover effects on antarctic sea ice thickness Ackley, S.F., et al, (1990, p 16-21) MP 2726

Looms

Relationship between freezing and water content in sandy loam Black, P.B., et al, (1988, 37p) CR 88-26

Soil freezing and soil water in sandy loam Black, P.B., et al, (1989, p 2205-2210) MP 2577

Locks (waterways)

Lock wall deicing studies Hanamoto, B., ed, (1977, 68p) SR 77-22

Lock wall deicing. Hanamoto, B., (1977, p [illegible]) MP 972

Lock wall deicing with high velocity water jet at Soo Locks, Mi. Calkins, D.J., et al, (1977, p.23-35) MP 973

Laboratory experiments on lock wall deicing using pneumatic devices. Itagaki, K., et al, (1977, p 53-68) MP 974

Effects of ice on coal movement via the inland waterways Lunardini, V.J., et al, (1981, 72p) CR 81-13

Ice control at navigation locks. Hanamoto, [illegible] (1981, p.1088-1095) MP 1448

Application of a block copolymer solution to ice-prone structures. Hanamoto, B., (1983, p 155-158) MP 1636

Methods of ice control. Frankenstein, G.E., et al, (1983, p 204-215) MP 1642

Survey of ice problem areas in navigable waterways. Zufelt, J., et al, (1985, 32p) SR 85-02

Data acquisition for refrigerated physical model Zufelt, J.E., (1987, p.338-341) MP 2351

High-flow air-screen bubbler systems to control ice in locks. Rand, J.H., (1988, p 34-43) MP 2496

Methods to reduce ice accumulation on miter gate recess walls Rand, J.H., et al, (1989, 5p) MP 2722

Unconventional power sources for ice control at locks and dams Nakato, T., et al, (1989, p.107-126) MP 2572

Loess

Effects of salt on unfrozen water content in silt, Lanzhou, China. Tice, A.R., et al, (1984, 18p) CR 84-16

Logistics

Towing icebergs Lonsdale, H.K., et al, (1974, p 2) MP 1020

Operational report 1976 USACRREL-USGS subsea permafrost program Beaufort Sea, Alaska. Sellmann, P.V., et al, (1976, 20p) SR 76-12

Megastructures for mobilization. Flanders, S.N., (1986, p 10-11) MP 2153

Field water supply on the winter battlefield. Bouzoun, J.R., (1988, 7p) SR 88-02

Logjams

Debris of the Chena River McFadden, T., et al, (1976, 14p) CR 76-26

Long range forecasting

Study of climatic elements occurring concurrently. Bilello, M.A., (1976, p.23-30) MP 1613

Low temperature research

Proceedings of the Second International Symposium on Cold Regions Engineering Burdick, J., ed, (1977, 597p) MP 952

Optical engineering for cold environments Aitken, G.W., ed, (1983, 225p) MP 1646

Unique new cold weather testing facility. Eaton, R.A., (1988, p.745-750) MP 2542

Unique new cold weather testing facility. Eaton, R.A., (1989, p 335-342) MP 2468

Low-temperature effects on systems for composting explosives-contaminated soils. Ayorinde, O.A., et al, (1989, 18p) SR 89-38

Low temperature tests

Load tests on membrane-enveloped road sections Smith, N., et al, (1978, 16p) CR 78-12

Water vapor adsorption by sodium montmorillonite at -5C. Anderson, D.M., et al, (1978, p 638-644) MP 981

Waterproofing strain gages for low ambient temperatures. Garfield, D.E., et al, (1978, 20p) SR 78-15

Thermal and load-associated distress in pavements Johnson, T.C., et al, (1978, p 403-437) MP 1209

Resilient response of two frozen and thawed soils Chamberlain, E.J., et al, (1979, p 257-271) MP 1176

Grouting silt and sand at low temperatures—a laboratory investigation. Johnson, R., (1979, 33p) CR 79-05

Heat and mass transfer from freely falling drops at low temperatures Zarling, J.P., (1980, 14p) CR 80-18

Field cooling rates of asphalt concrete overlays at low temperatures Eaton, R.A., et al, (1980, 11p) CR 80-30

Brittleness of reinforced concrete structures under arctic conditions Kivekäs, L., et al, (1985, p.111-121) MP 2272

Low temperature cracking susceptibility of asphalt concrete. Janoo, V.C., et al, (1987, p 397-415) MP 2233

Theory of particle coarsening with a log-normal distribution Colbeck, S.C., (1987, p 1583-1588) MP 2250

On the application of thermosyphons in cold regions Zarling, J.P., et al, (1988, p 281-286) MP 2321

Performance of laminated composites in cold Dutta, P.K., et al, (1988, p 269-281) MP 2433

Behavior of materials at low temperatures Dutta, P.K., (1988, 68p) SR 88-09

Structural fiber composite materials for cold regions Dutta, P.K., (1988, p 124-134) MP 2405

Fiber composite materials in an arctic environment Dutta, P.K., (1989, p 216-225) MP 2559

Graphite-epoxy composites subjected to low temperatures Dutta, P.K., et al, (1989, p 429-435) MP 2554

Macquarie Island

Soil properties of the International Tundra Biome sites Brown, J., et al, (1974, p 27-48) MP 1043

Tundra and analogous soils Everett, K.R., et al, (1981, p 139-179) MP 1405

Magnetic measurement

Bedrock geology survey in northern Maine Sellmann, P.V., et al, (1976, 19p) CR 76-37

Magnetic properties

Detection of Arctic water supplies with geophysical techniques Arcone, S.A., et al, (1979, 30p) CR 79-15

Magnetic surveys

Measurements of ground resistivity. Arcone, S.A., (1982, p 92-110) MP 1513

Comparative field testing of buried utility locators Bigl, S.R., et al, (1984, 25p) MP 1977

Locating buried utilities. Bigl, S.R., (1985, 48p) SR 85-14

Maintenance

Approach roads, Greenland 1955 program (1959, 100p) MP 1522

Haines-Fairbanks pipeline: design, construction and operation. Garfield, D.E., et al, (1977, 20p) SR 77-04

Maintaining buildings in the Arctic Tobiasson, W., et al, (1977, p 244-251) MP 1508

Excavation of frozen materials Moore, H.E., et al, (1980, p 323-345) MP 1360

Construction engineering community materials and diagnostics. (1986, 54p) SR 86-01

Rebuilding infrastructure for pleasure boating Wortley, C.A., et al, (1989, p.188-201) MP 2466

Roofer, a management tool for maintaining built-up roofs. Bailey, D.M., et al, (1989, p 6-10) MP 2488

Vapor retarders for membrane roofing systems Tobiasson, W., (1989, p 31-37) MP 2489

Manuals

Cold climate utilities delivery design manual. Smith, D.W., et al, (1979, c300 leaves) MP 1373

Guidebook to permafrost and its features, northern Alaska. Brown, J., ed, (1983, 230p) MP 1640

User's guide for the BIBSORT program for the IBM-PC personal computer. Kyriakakis, T., et al, (1985, 61p) SR 85-04

Mapping

Permafrost and vegetation maps from ERTS imagery. Anderson, D.M., et al, (1973, 75p) MP 1003

ERTS mapping of Arctic and subarctic environments Anderson, D.M., et al, (1974, 128p) MP 1047

Land use/vegetation mapping in reservoir management. Cooper, S., et al, (1974, 30p) MP 1039

Regionalized feasibility study of cold weather earthwork. Roberts, W.S., (1976, 190p) SR 76-02

Skylab imagery Application to reservoir management in New England McKim, H.L., et al, (1976, 51p) SR 76-07

Ecology on the Yukon-Prudhoe haul road. Brown, J., ed, (1978, 131p) MP 1115

Water resources by satellite. McKim, H.L., (1978, p.164-169) MP 1090

Geoecological mapping scheme for Alaskan coastal tundra. Everett, K.R., et al, (1978, p 359-365) MP 1098

Estuarine processes and intertidal habitats in Grays Harbor, Washington a demonstration of remote sensing techniques. Gatto, L.W., (1978, 79p) CR 78-18

Electrical ground impedance. Arcone, S.A., et al, (1978, 92p) MP 1221

Snow cover mapping in northern Maine using LANDSAT. Merry, C.J., et al, (1979, p 197-198) MP 1510

Mapping of the LANDSAT imagery of the Upper Susitna River Gatto, L.W., et al, (1980, 41p) CR 80-04

Characteristics of permafrost beneath the Beaufort Sea Sellmann, P.V., et al, (1981, p 125-157) MP 1428

Environmental mapping of the Arctic National Wildlife Refuge, Alaska Walker, D.A., et al, (1982, 59p. + 2 maps) CR 82-37

Perspective ground loads and mapping Tobiasson, W. (1989, p 512-513) MP 2614

Coastal subsea permafrost and bedrock observations using dc resistivity Sellmann, P.V., et al, (1989, 13p) CR 89-13

Maps

Plant recovery from Arctic oil spills Walker, D.A., et al, (1978, p 242-259) MP 1184

Geobotanical atlas of the Prudhoe Bay region, Alaska Walker, D.A., et al, (1980, 69p) CR 80-14

Ice atlas, 1984-1985, Ohio River, Allegheny River, Monongahela River Gatto, L.W., et al, (1986, 185p) SR 86-23

Ice atlas 1985-86 of five rivers of the USA Gatto, L.W., et al, (1987, 367p) SR 87-20

Marine biology

Choanoflagellata from the Weddell Sea, summer 1977 Buck, K.R., (1980, 26p) CR 80-16

Choanoflagellates from the Weddell Sea Buck, K.R., (1981, p 47-54) MP 1453

Physical mechanism for establishing algal populations in frazil ice Garrison, D.L., et al, (1983, p 363-365) MP 1717

Sea ice microbial communities in Antarctica Garrison, D.L., et al, (1986, p 243-250) MP 2026

Sea ice: a habitat for the foraminifer *Neogloboquadrina pachyderma*? Dieckmann, G., et al (1990, p 86-92) MP 2732

Marine deposits

Preliminary simulation of the formation and infilling of sea ice gouges Weeks, W.F., et al, (1986, p 259-268) MP 2218

Marine geology
Coastal marine geology of the Beaufort, Chukchi and Bering Seas Gatto, L.W., (1980, 357p.) SR 80-05
Distribution and features of bottom sediments in Alaskan coastal waters. Sellmann, P.V., (1980, 50p.) SR 80-15

Marine meteorology
Using a MicroCORA sounding system in the southern ocean Andreas, E.L., et al, (1982, 17p.) CR 82-28
US/USSR Weddell Polynya expedition, Upper air data, 1981 Andreas, E.L., (1983, 288p.) SR 83-13
Simple boom for use in measuring meteorological data from a ship. Andreas, E.L., et al, (1984, p 227-237) MP 1752
Lidar detection of leads in arctic sea ice Schnell, R.C., et al, (1990, p 119-123) MP 2733

Marine transportation
Effects of ice on coal movement via the inland waterways Lunardini, V.J., et al, (1981, 72p.) SR 81-13

Mars (planet)
Mars soil-water analyzer instrument description and status Anderson, D.M., et al, (1977, p 149-158) MP 912
UV radiational effects on Martian regolith water. Nadeau, P.H., (1977, 89p.) MP 1072
Water vapor adsorption by sodium montmorillonite at -5C. Anderson, D.M., et al, (1978, p 638-644) MP 981
Proceedings of the second planetary water and polar processes colloquium, 1978 (1978, 209p.) MP 1193
Viking GCMS analysis of water in the Martian regolith. Anderson, D.M., et al, (1978, p 55-61) MP 1195
Analysis of water in the Martian regolith. Anderson, D.M., et al, (1979, p.33-38) MP 1409

Mass balance
Mass-balance aspects of Weddell Sea pack-ice. Ackley, S.F., (1979, p 391-405) MP 1286
Mass balance of a portion of the Ross Ice Shelf Jezek, K.C., et al, (1984, p 381-384) MP 1919

Mass flow
Friction loss through a uniform snow layer Yen, Y.C., (1990, p 83-90) MP 2703

Mass movements (geology)
Glacigenic resedimentation related to mass-movement processes. Lawson, D.E., (1989, p 147-169) MP 2472

Mass transfer
Mass transfer along ice surfaces. Tobin, T.M., et al, (1977, p.34-37) MP 1091
Heat and mass transfer from freely falling drops at low temperatures. Zarling, J.P., (1980, 14p.) CR 80-18
Estimation of heat and mass fluxes over Arctic leads Andreas, E.L., (1980, p 2057-2063) MP 1410
Heat transfer in cold climates Lunardini, V.J., (1981, 731p.) MP 1435
One-dimensional transport from a highly concentrated, transfer type source. O'Neill, K., (1982, p 27-36) MP 1489
On the temperature distribution in an air-ventilated snow layer Yen, Y.-C., (1982, 10p.) CR 82-05
Calculation of advective mass transport in heterogeneous media. Daly, C.J., (1983, p.73-89) MP 1697
Aerosol growth in a cold environment Yen, Y.-C., (1984, 21p.) CR 84-06
Status of numerical models for heat and mass transfer in frost-susceptible soils. Berg, R.L., (1984, p 67-71) MP 1851
Modeling the transport of chromium (VI) in soil columns Selim, H.M., et al, (1989, p.996-1004) MP 2670

Materials
Thermal emittance of diathermanous materials Munis, R.H., et al, (1984, p 209-220) MP 1863
Emittance and interpretation of thermal images Munis, R.H., et al, (1985, p.72-78) MP 1962
Influence of thermal cycling on fiber composites Dutta, P.K., et al, (1988, p 141-147) MP 2435
Performance of laminated composites in cold Dutta, P.K., et al, (1988, p 269-281) MP 2433
Behavior of materials at low temperatures Dutta, P.K., (1988, 68p.) SR 88-09
Influence of well casing materials on chemical species in ground water Parker, L.V., et al, (1988, p 450-461) MP 2456
Use of geotextiles to mitigate frost heave in soils Henry, K., (1988, p 1096-1101) MP 2369
Response of advanced composite space materials to thermal cycling. Dutta, P.K., et al, (1988, p 506-517) MP 2478
Graphite-epoxy composites subjected to low temperatures Dutta, P.K., et al, (1989, p 429-435) MP 2554

Mathematical models
Prediction and validation of temperature in tundra soils Brown, J., et al, (1971, p 193-197) MP 907
Heat and moisture flow in freezing and thawing soils a field study Berg, R.L., (1975, p 148-160) MP 1612
Thermoinsulating media within embankments on perennially frozen soil. Berg, R.L., (1976, 161p.) SR 76-03
Creep theory for a floating ice sheet Nevel, D.E., (1976, 98p.) SR 76-04
Galerkin finite element analog of frost heave Guymon, G.L., et al, (1976, p 111-113) MP 898
Excavating rock, ice, and frozen ground by electromagnetic radiation Heeksta, P., (1976, 17p.) CR 76-36
Mathematical model to predict frost heave. Berg, R.L., et al, (1977, p.92-109) MP 1131
Viscous wind-driven circulation of Arctic sea ice. Hibler, W.D., III, et al, (1977, p.95-133) MP 983
Modeling pack ice as a viscous-plastic continuum. Hibler, W.D., III, (1977, p 46-55) MP 1164
Finite element formulation of a sea ice drift model. Sodhi, D.S., et al, (1977, p 67-76) MP 1165
Finite element model of transient heat conduction. Guymon, G.L., et al, (1977, 167p.) SR 77-38
Roof loads resulting from rain on snow Colbeck, S.C., (1977, p 482-490) MP 982
Model simulation of near shore ice drift, deformation and thickness Hibler, W.D., III, (1978, p 33-44) MP 1010
Symposium on land treatment of wastewater, CRREL, Aug. 1978. (1978, 2 vols.) MP 1145
NO3-N in percolate water in land treatment. Iskandar, I.K., et al, (1978, p 163-169) MP 1148
Nitrogen behavior in land treatment of wastewater: a simplified model Selim, H.M., et al, (1978, p 171-179) MP 1149
Simulation of the movement of conservative chemicals in soil solution. Nakano, Y., et al, (1978, p 371-380) MP 1156
Numerical simulation of atmospheric ice accretion. Ackley, S.F., et al, (1979, p 44-52) MP 1235
Effect of the oceanic boundary layer on the mean drift of pack ice application of a simple model McPhee, M.G., (1979, p 388-400) MP 1198
Dynamic thermodynamic sea ice model Hibler, W.D., III, (1979, p 815-846) MP 1247
Mathematical model to correlate frost heave of pavements Berg, R.L., et al, (1980, 49p.) CR 80-10
Shore ice pile-up and ride-up field observations, models, theoretical analyses Kovacs, A., et al, (1980, p 269-298) MP 1295
Numerical modeling of sea ice in the seasonal sea ice zone. Hibler, W.D., III, (1980, p 299-356) MP 1296
Nonsteady ice drift in the Strait of Belle Isle. Sodhi, D.S., et al, (1980, p 177-186) MP 1364
Continuum sea ice model for a global climate model Ling, C.H., et al, (1980, p 187-196, MP 1622
Linearized Boussinesq groundwater flow equation. Daly, C.J., et al, (1981, p 875-884) MP 1470
Frost heave model Hromadka, T.V., II, et al, (1982, p.1-10) MP 1567
Field tests of a frost-heave model. Guymon, G.L., et al, (1983, p 409-414) MP 1657
Equations for determining gas and brine volumes in sea ice Cox, G.F.N., et al, (1983, p 306-316) MP 2055
Increased heat flow due to snow compaction: the simplistic approach Colbeck, S.C., (1983, p 227-229) MP 1693
Numerical simulation of sea ice induced gouges on the shelves of the polar oceans Weeks, W.F., et al, (1985, p 259-265) MP 1938
Bulk transfer coefficients for heat and momentum over leads and polynyas. Andreas, E.L., et al, (1986, p 1875-1883) MP 2187
Comment on "Atmospheric boundary layer modification in the marginal ice zone" by T.J. Bennett, Jr. and K. Hunkins Andreas, E.L., (1987, p 3965-3969) MP 2394
Diagnostic ice-ocean model Hibler, W.D., III, et al, (1987, p.987-1015) MP 2238
Algorithm for extraction of ice-thickness data from short pulse radar signals Rieck, L., et al, (1990, p 137-145) MP 2698
Unfrozen water content and hydraulic conductivity of frozen soil. Black, P.B., (1990, 7p.) CR 90-05
Shortwave radiation and open water in models of sea ice decay. Perovich, D.K., et al, (1990, p 242-246) MP 2759

Measurement
Measuring unmetered steam use with a condensate pump cycle counter Johnson, P.R., (1977, p 434-442) MP 957
Physical measurement of ice jams 1976-77 field season Wuebben, J.L., et al, (1978, 19p.) SR 78-03
Physical measurements of river ice jams Calkins, D.J., (1978, p 693-695) MP 1159
Ice stress measurements around offshore structures Johnson, J.B., (1988, p 55-59) MP 2611
Measurement of the path-averaged turbulent surface heat flux Andreas, E.L., (1988, p 219-220) MP 2526
Measurement of frost heave forces on H-piles and pipe piles Johnson, J.B., et al, (1988, 49p.) CR 88-21
Perspective ground leads and mapping Tobiasson, W., (1989, p 512-513) MP 2614
Two-wavelength method of measuring path-averaged turbulent surface heat fluxes Andreas, E.L., (1989, p 280-292) MP 2648
SNOW IV field experiment data report Wright, E.A., ed, (1989, 250p.) SR 89-14
Airborne particle measurements Berger, R.H., (1989, p 31) MP 2644
Radar backscattering from artificially grown sea ice Bredow, J., et al, (1989, p 259-264) MP 2667
Algorithm for extraction of ice-thickness data from short pulse radar signals Rieck, L., et al, (1990, p 137-145) MP 2698
Sea ice thickness versus impulse radar time-of-flight data Kovacs, A., et al, (1990, p 91-98) MP 2704
Radar backscatter measurements over saline ice Gogineni, S., et al, (1990, p 603-615) MP 2741

MEASURING INSTRUMENTS
Heat exchange at the ground surface. Scott, R.F., (1964, 49p. plus append.) M II-A1
Investigation and exploitation of snowfield sites Mellor, M., (1969, 57p.) M III-A2b

Measuring instruments
Instrument for determining snow properties related to trafficability Parrott, W.H., et al, (1972, p 193-204) MP 886
Case for comparison and standardization of carbon dioxide reference gases Kelley, J.J., et al, (1973, p.163-181) MP 964
Remote sensing program required for the AIDJEX model. Weeks, W.F., et al, (1974, p 22-44) MP 1040
Heat and moisture flow in freezing and thawing soils—a field study Berg, R.L., (1975, p 148-160) MP 1612
Near real time hydrologic data acquisition utilizing the LANDSAT system. McKim, H.L., et al, (1975, p 200-211) MP 1055
On the use of tensiometers in snow hydrology. Colbeck, S.C., (1976, p.135-140) MP 843
Winter thermal structure and ice conditions on Lake Champlain, Vermont. Bates, R.E., (1976, 22p.) CR 76-13
Remote-reading tensiometer for use in subfreezing temperatures McKim, H.L., et al, (1976, p 31-45) MP 897
Mars soil-water analyzer: instrument description and status Anderson, D.M., et al, (1977, p.149-158) MP 912
Sea ice thickness profiling and under-ice oil entrapment. Kovacs, A., (1977, p 547-550) MP 940
Evaluation of electrical equipment for measuring permafrost distribution. Sellmann, P.V., et al, (1977, p 39-42) MP 925
Iceberg thickness profiling using an impulse radar. Kovacs, A., (1977, p 140-142) MP 1012
Difficulties of measuring the water saturation and porosity of snow Colbeck, S.C., (1978, p.189-201) MP 1124
Simplified method for monitoring soil moisture. Walsh, J.E., et al, (1978, p 40-44) MP 1194
Construction and performance of platinum probes for measurement of redox potential. Blake, B.J., et al, (1978, 8p.) SR 78-27
Photoelastic instrumentation—principles and techniques Roberts, A., et al, (1979, 153p.) SR 79-13
Determination of frost penetration by soil resistivity measurements Atkins, R.T., (1979, 24p.) SR 79-22
CRREL frost heave test, USA Chamberlain, E.J., et al, (1981, p 55-62) MP 1499
Airborne-Snow Concentration Measuring Equipment Lacombe, J., (1982, p 17-46) MP 1981
Collapsible restraint for measuring tapes Ueda, H.T., (1983, 12 col.) MP 2335
Technique for measuring the mass concentration of falling snow Lacombe, J., (1983, p 17-28) MP 1647
Progress in methods of measuring the free water content of snow Fisk, D.J., (1983, p 48-51) MP 1649
Boom for shipboard deployment of meteorological instruments Andreas, E.L., et al, (1983, 14p.) SR 83-28
Surface roughness of Ross Sea pack ice Govoni, J.W., et al, (1983, p 123-124) MP 1764
Atmosphere subgroup discussions Andreas, E.L., (1984, p 97-98) MP 2603
Simple boom for use in measuring meteorological data from a ship Andreas, E.L., et al, (1984, p 227-237) MP 1752
Evaluation of a biaxial ice stress sensor Cox, G.F.N., (1984, p 349-361) MP 1836
In-ice calibration tests for an elongated, uniaxial brass ice stress sensor. Johnson, J.B., (1985, p 244-249) MP 1859
Vertically stable benchmarks a synthesis of existing information Gatto, L.W., (1985, p 179-188) MP 2069
Rock stress measurements by wire stressmeter at high temperatures Dutta, P.K., et al, (1987, p 43-58) MP 2447
CRREL Hopkinson bar apparatus Dutta, P.K., et al, (1987, 29p.) SR 87-24
Uniaxial tension compression tests on ice preliminary results Cole, D.M., et al, (1989, p 37-41) MP 2482
Snow-surface temperature analysis Bates, R.E., et al, (1989, p 109-116) MP 2753
Site-specific meteorology Bates, R.E., et al, (1989, p 13-15) MP 2641
Snow concentration and precipitation rate measurements during SNOW IV Lacombe, J., (1989, p 25-29) MP 2643
Remote water-temperature measurement Daly, S., (1989, 6p.) MP 2722
Cold regions weather data systems Bates, R.E., et al, (1989, p 139-145) MP 2568
Sea ice thickness measurement Kovacs, A., et al, (1989, p 394-424) MP 2693
Development of an underwater fresh ice detector Daly, S.F., et al, (1990, p 77-82) MP 2702

Mechanical properties
Resurvey of the "Byrd" Station (Antarctica) drill hole Garfield, D.E., et al, (1976, p 29-34) MP 846
Kinematics of axial rotation machines Melnor, M., (1976, 45p.) CR 76-16

Movement study of the trans-Alaska pipeline at selected sites Ueda, H.T., et al, (1981, 32p) CR 81-04
Investigation into the post-stable behavior of a tube array in cross-flow. Lever, J.H., et al, (1989, p.457-465) MP 2561
Fate and transport of contaminants in frozen soils Ayorinde, O.A., et al, (1990, p.202-211) MP 2679

Mechanical tests

Report of the ITTC panel on testing in ice, 1978. Frankenstein, G.E., et al, (1978, p.157-179) MP 1140
Mechanical properties of multi-year pressure ridge samples. Richter-Menge, J.A., (1985, p.244-251) MP 1936
Evaluation of the Caterpillar Challenger tractor for use in Antarctica. Blaisdell, G.L., et al, (1989, 12p + figs) MP 2718
Comparative model tests in ice of a Canadian Coast Guard R-class icebreaker. Tatinclaux, J.C., et al, (1989, p.1-1-1/18) MP 2751

Meetings

Workshop on permafrost-related research and TAPS (1975, 37p.) MP 1122
Third International Symposium on Ice Problems, 1975. Frankenstein, G.E., ed, (1975, 627p) MP 845
Symposium: geography of polar countries, selected papers and summaries Brown, J., ed, (1977, 61p) SR 77-06
Proceedings of the Second International Symposium on Cold Regions Engineering Burdick, J., ed, (1977, 597p) MP 952
Symposium on land treatment of wastewater, CRREL, Aug 1978. (1978, 2 vols) MP 1145
Report of the ITTC panel on testing in ice, 1978 Frankenstein, G.E., et al, (1978, p.157-179) MP 1140
Workshop on Ecological Effects of Hydrocarbon Spills in Alaska Atlas, R.M., et al, (1978, p.155-157) MP 1183
Proceedings of the second planetary water and polar processes colloquium, 1978. (1978, 209p) MP 1193
Modeling snow cover runoff meeting, Sep 1978 Colbeck, S.C., ed, (1979, 432p) SR 79-36
International Workshop on the Seasonal Sea Ice Zone, Monterey, California, Feb 26-Mar 1, 1979. Andersen, B.G., ed, (1980, 357p) MP 1292
Problems of the seasonal sea ice zone Weeks, W.F., (1980, p.1-35) MP 1293
Workshop on Environmental Protection of Permafrost Terrain. Brown, J., et al, (1980, p.30-36) MP 1314
U.S.-Soviet seminar on building under cold climates and on permafrost. (1980, 365p) SR 80-40
Arctic research of the United States, Vol 2 (1988, 76p) MP 2379
Arctic research in the United States, Vol 3. (1989, 72p) MP 2653
Arctic research of the United States, Vol 3. (1989, 71p) MP 2530

Melting

Roof response to icing conditions Lane, J.W., et al, (1979, 40p) CR 79-17

Melting points

Unfrozen water contents of submarine permafrost determined by nuclear magnetic resonance. Tice, A.R., et al, (1980, p.400-412) MP 1412
Temperature and interface morphology in a melting ice-water system Yen, Y.-C., (1984, p.305-325) MP 1727

Meltwater

Snow accumulation for arctic freshwater supplies Slaughter, C.W., et al, (1975, p.218-224) MP 869
Short-term forecasting of water run-off from snow and ice Colbeck, S.C., (1977, p.571-588) MP 1067
Sintering and compaction of snow containing liquid water Colbeck, S.C., et al, (1979, p.13-32) MP 1190
Water flow through heterogeneous snow Colbeck, S.C., (1979, p.37-45) MP 1219
Roof leaks in cold regions school at Chevak, Alaska Tobiasson, W., et al, (1980, 12p) CR 80-11
Free convection heat transfer characteristics in a melt water layer. Yen, Y.-C., (1980, p.550-556) MP 1311
Atmospheric pollutants in snow cover runoff Colbeck, S.C., (1981, p.1383-1388) MP 1487
Permeability of a melting snow cover Colbeck, S.C., et al, (1982, p.904-908) MP 1565
Thermal instability and heat transfer characteristics in water-ice systems. Yen, Y.-C., (1987, 33p) CR 87-22
Ski friction and thermal response Warren, G.C., et al, (1989, p.223-225) MP 2745
Does snow have ion chromatographic properties Hewitt, A.D., et al, (1989, p.165-171) MP 2755

Metal ice friction

Ice characteristics in Whitefish Bay and St. Marys River in winter. Vance, G.P., (1980, 27p) SR 80-32
Ship resistance in thick brash ice Meller, M., (1980, p.305-321) MP 1329
Dynamic friction of bobsled runners on ice Huber, N.P., et al, (1985, 26p) MP 2082
Comparative model tests in ice of a Canadian Coast Guard R-class icebreaker Tatinclaux, J.C., et al, (1989, p.1-1-1/18) MP 2751
Model tests on an icebreaker at two friction factors Tatinclaux, J.C., (1989, p.774-784) MP 2622
Dynamic friction of a metal runner on ice I. Model sled test Itagaki, K., et al, (1989, 17p) CR 89-14
Comparative model tests in ice of a Canadian Coast Guard R-class icebreaker. Tatinclaux, J.C., et al, (1990, p.31-52) MP 2762

Metal snow friction

Ice characteristics in Whitefish Bay and St. Marys River in winter. Vance, G.P., (1980, 27p) SR 80-32
Kinetic friction of snow. Colbeck, S.C., (1988, p.78-86) MP 2339
Thermal response of downhill skis Warren, G.C., et al, (1989, 40p) CR 89-23

Metals

Atmospheric trace metals and sulfate in the Greenland Ice Sheet. Herron, M.M., et al, (1977, p.915-920) MP 949
Blank corrections for ultratrace atomic absorption analysis Cragin, J.H., et al, (1979, 5p) CR 79-03
Techniques for measuring Hg in soils and sediments Cragin, J.H., et al, (1985, 16p) SR 85-16
Retention and release of metals by soils—evaluation of several models. Amacher, M.C., et al, (1986, p.131-154) MP 2186
Theory of particle coarsening with a log-normal distribution Colbeck, S.C., (1987, p.1583-1588) MP 2250

METAMORPHISM (SNOW)

Snow as a material. Bader, H., et al, (1962, 79p) M II-B

Metamorphism (snow)

Thermodynamics of snow metamorphism due to variations in curvature. Colbeck, S.C., (1980, p.291-301) MP 1368
Overview of seasonal snow metamorphism Colbeck, S.C., (1982, p.45-61) MP 1500
Workshop on the Properties of Snow, 1981. Brown, R.L., ed, (1982, 135p) SR 82-18
Theory of metamorphism of dry snow Colbeck, S.C., (1983, p.5475-5482) MP 1603
Comments on the metamorphism of snow Colbeck, S.C., (1983, p.149-151) MP 1650
Comments on "Theory of metamorphism of dry snow" by S.C. Colbeck. Sommerfeld, R.A., (1984, p.4963-4965) MP 1800
New classification system for the seasonal snow cover Colbeck, S.C., (1984, p.179-181) MP 1921
Classification of seasonal snow cover crystals Colbeck, S.C., (1986, p.59S-70S) MP 2164
Snow metamorphism and classification. Colbeck, S.C., (1987, p.1-35) MP 2205
Metamorphism and classification of seasonal snow crystals. Colbeck, S.C., (1987, p.3-34) MP 2438
Snow properties and processes Colbeck, S.C., (1987, p.145-150) MP 2413

Meteorological charts

SNOW IV field experiment data report. Wright, E.A., ed, (1989, 250p) SR 89-14
Synoptic meteorology during the SNOW IV Field Experiment Bilello, M.A., et al, (1989, p.5-12) MP 2640

METEOROLOGICAL DATA

Heat exchange at the ground surface Scott, R.F., (1964, 49p, plus append) M II-A1
Climatology of Antarctic regions Wilson, C., (1968, 77p) M I-A3c

Meteorological data

Automatic data collection equipment for oceanographic application Dean, A.M., Jr., (1978, p.1111-1121) MP 1028
Midwinter temperature regime and snow occurrence in Germany Bilello, M.A., et al, (1978, 56p) CR 78-21
Land treatment climatic survey at CRREL Bilello, M.A., et al, (1978, 37p) SR 78-21
Soil characteristics and climatology during wastewater application at CRREL Iskandar, I.K., et al, (1979, 82p) SR 79-23
Prototype wastewater land treatment system Jenkins, T.F., et al, (1979, 71p) SR 79-35
Forecasting ice formation and breakup on Lake Champlain Bates, R.E., et al, (1979, 21p) CR 79-26
Winter thermal structure, ice conditions and climate of Lake Champlain Bates, R.E., (1980, 26p) CR 80-02
Winter surveys of the upper Susitna River, Alaska Bilello, M.A., (1980, 30p) SR 80-19
Ice jams and meteorological data for three winters, Ottauquechee River, Vt Bates, R.E., et al, (1981, 27p) CR 81-01
Point Barrow, Alaska, USA Brown, J., (1981, p.775-776) MP 1434
Synoptic meteorology during the CRREL-ONE field experiment Bilello, M.A., (1981, 55p) SR 81-27
SNOW-ONE-A, Data report Aitken, G.W., ed, (1982, 641p) SR 82-08
Meteorology Bates, R.E., (1982, p.43-180) MP 1560
Surface meteorology U.S.-USSR Weddell Polynya Expedition, 1981 Andreas, E.L., et al, (1983, 32p) SR 83-14
Site-specific and synoptic meteorology Bates, R.E., (1983, p.13-50) MP 1845
Climate at CRREL, Hanover, New Hampshire Bates, R.E., (1984, 58p) SR 84-24
Frozen precipitation and weather. Munchen Riem, West Germany Bilello, M.A., (1984, 47p) SR 84-32
Overview of meteorological and snow cover characterization at SNOW-TWO Bates, R.E., et al, (1984, p.171-191) MP 1868
Comparison of winter climatic data for three New Hampshire sites Govoni, J.W., et al, (1986, 78p) SR 86-05
Evaluating trafficability. McKim, H.L., (1986, p.237-239) MP 2662
Snow hydrology in the upper Yamuna basin, India Malhotra, R.V., et al, (1988, p.84-93) MP 2633
Regional climatic trends in northern New England Haugen, R.K., et al, (1988, p.64-71) MP 2748
SNOW IV field experiment data report Wright, E.A., ed, (1989, 250p) SR 89-14
Site-specific meteorology Bates, R.E., et al, (1989, p.13-15) MP 2641
Hourly meteorological data for SNOW IV Bates, R.E., et al, (1989, p.159-250) MP 2647
Cold regions weather data systems. Bates, R.E., et al, (1989, p.139-145) MP 2568

Meteorological factors

Report on ice fall from clear sky in Georgia October 26, 1959. Harrison, L.P., et al, (1960, 31p. plus photographs) MP 1017
Seasonal regime and hydrological significance of stream icings in central Alaska. Kane, D.L., et al, (1973, p.528-540) MP 1026
Mesoscale measurement of snow-cover properties Bilello, M.A., et al, (1973, p.624-643) MP 1029
Decay patterns of land-fast sea ice in Canada and Alaska. Bilello, M.A., (1977, p.1-10) MP 1161
Computer modeling of atmospheric ice accretion Ackley, S.F., et al, (1979, 36p) CR 79-04
Ablation seasons of arctic and antarctic sea ice. Andreas, E.L., et al, (1982, p.440-447) MP 1517
Ice jams and flooding on Ottauquechee River, VT. Bates, R., et al, (1982, 25p) SR 82-06
Meteorology and observed snow crystal types during the SNOW-ONE experiment Bilello, M.A., (1982, p.59-75) MP 1983
Snow-cover characterization SADARM support O'Brien, H., et al, (1984, p.409-411) MP 2095
Numerical simulation of freeze-up on the Ottauquechee River Calkins, D.J., (1984, p.247-277) MP 1815
Constraints and approaches in high latitude natural resource sampling and research. Slaughter, C.W., et al, (1984, p.41-46) MP 2013
New method of measuring the snow-surface temperature Andreas, E.L., (1986, p.139-156) MP 2166
Meteorological instrumentation for characterizing atmospheric icing. Bates, R.E., et al, (1987, p.23-30) MP 2276

Meteorological instruments

Meteorological measurements at Camp Ethan Allen Training Center, Vermont. Bates, R., (1982, p.77-112) MP 1984
Using a MicroCORA sounding system in the southern ocean. Andreas, E.L., et al, (1982, 17p) CR 82-28
US/USSR Weddell Polynya expedition, Upper air data, 1981 Andreas, E.L., (1983, 288p) SR 83-13
Boom for shipboard deployment of meteorological instruments. Andreas, E.L., et al, (1983, 14p) SR 83-28
Atmospheric dynamics in the antarctic marginal ice zone. Andreas, E.L., et al, (1984, p.649-661) MP 1667
Simple boom for use in measuring meteorological data from a ship Andreas, E.L., et al, (1984, p.227-237) MP 1752
Computer interfacing of meteorological sensors in severe weather. Rancourt, K., et al, (1985, p.205-211) MP 2175
Meteorological system performance in icing conditions Bates, R.E., (1987, p.73-86) MP 2285
Humidity and temperature measurements obtained from an unmanned aerial vehicle Ballard, H., et al, (1987, p.35-45) MP 2293
SNOW IV field experiment data report Wright, E.A., ed, (1989, 250p) SR 89-14
Site-specific meteorology Bates, R.E., et al, (1989, p.13-15) MP 2641
Optical measurement of precipitation Koh, G., (1989, 13p) SR 89-30

Meteorology

Problems of the seasonal sea ice zone Weeks, W.F., (1980, p.1-35) MP 1293
Cold Regions Science and Technology Bibliography Cummings, N.H., (1981, p.1-255) MP 1372

Microbiology

Fate of crude and refined oils in North Slope soils Seastone, A., et al, (1978, p.139-147) MP 1186
Bacterial aerosols resulting from wastewater irrigation in Ohio Bausum, H.T., et al, (1979, 64p) SR 79-32
Choanoflagellates from the Weddell Sea Buck, K.R., (1981, p.47-54) MP 1453
Sea ice microbial communities in Antarctica Garrison, D.L., et al, (1986, p.243-250) MP 2126
Sea-ice pressure ridge microbial communities Ackley, S.F., (1988, p.172-174) MP 2450
Sea ice--a habitat for the foraminifer Neogloboquadrina pachyderma Dieckmann, G., et al, (1990, p.86-92) MP 2732

Microclimatology

Abiotic overview of the Tundra Biome Program, 1971 Weller, G., et al, (1971, p.133-151) MP 906
Micrometeorological investigations near the tundra surface Kelley, J.J., (1971, p.109-126) MP 1006

Microclimatology *(cont.)*
Land treatment climatic survey at CRREL. Bilello, M.A., et al, (1978, 37p.) SR 78-21
Microelement content
Urban waste as a source of heavy metals in land treatment. Iskandar, I.K., (1976, p.417-432) MP 977
Elemental compositions and concentrations of microspherules in snow and pack ice from the Weddell Sea. Kumai, M., et al, (1983, p.128-131) MP 1777
Microscopy
Producing strain-free flat surfaces on single crystals of ice: comments. Tobin, T.M., (1973, p.519-520) MP 1000
Microstructure
Acoustic emission and deformation response of finite ice plates. Xirouchakis, P.C., et al, (1981, p.385-394) MP 1455
Ice crystal formation and supercooled fog dissipation. Kumai, M., (1982, p.579-587) MP 1539
Polycrystalline ice creep in relation to applied stresses. Cole, D.M., (1983, p 614-621) MP 1582
Crystalline structure of urea ice sheets used in modeling in the CRREL test basin. Gow, A.J., (1984, p 241-253) MP 1835
Effect of size on stresses in shear flow of granular materials, Pt.1. Shen, H.H., (1985, 18p.) CR 85-02
Effect of size on stresses in shear flow of granular materials, Pt.2. Shen, H.H., (1985, 20p.) CR 85-03
Microstructure and the resistance of rock to tensile fracture. Peck, L., et al, (1985, p.11,533-11,546) MP 2157
Evaluation of the rheological properties of columnar ridge sea ice. Brown, R.L., et al, (1986, p.55-66) MP 2177
Microstructure of frozen soils examined by SEM. Kumai, M., (1988, p.390-395) MP 2361
Microwaves
Antarctic sea ice dynamics and its possible climatic effects. Ackley, S.F., et al, (1976, p.53-76) MP 1378
Interaction of a surface wave with a dielectric slab discontinuity. Arcone, S.A., et al, (1978, 10p.) CR 78-08
Disinfection of wastewater by microwaves. Iskandar, I.K., et al, (1980, 15p.) SR 80-01
Inlet current measured with Seasat-1 synthetic aperture radar. Shemdin, O.H., et al, (1980, p.35-37) MP 1443
Antarctic sea ice microwave signatures. Comiso, J.C., et al, (1984, p.662-672) MP 1668
Dielectric properties at 4.75 GHz of saline ice slabs. Arcone, S.A., et al, (1985, p.83-86) MP 1911
Dielectric measurements of snow cover. Burns, B.A., et al, (1985, p.829-834) MP 1913
Remote sensing of the Arctic seas. Weeks, W.F., et al, (1986, p.59-64) MP 2117
Microwave dielectric, structural and salinity properties of sea ice. Arcone, S.A., et al, (1986, p.832-839) MP 2188
Scientific challenges at the poles. Welch, J.P., et al, (1987, p.23-26) MP 2228
Microwave and structural properties of saline ice. Gow, A.J., et al, (1987, 36p.) CR 87-20
Multifrequency passive microwave observation of saline ice grown in a tank. Grenfell, T.C., et al, (1988, p.1687-1690) MP 2459
Millimeter-wave performance during mixed precipitation. Bates, R.E., et al, (1989, p.113-120) MP 2630
Radar backscatter in snow at millimeter wave frequencies. Berger, R.H., et al, (1989, p.133-136) MP 2631
Passive microwave *in situ* observations of winter Weddell Sea ice. Comiso, J.C., et al, (1989, p.10,891-10,905) MP 2655
Antarctic ice sheet brightness temperature variations. Jezek, K.C., et al, (1990, p.217-223) MP 2736
Migration
Brine zone in the McMurdo Ice Shelf, Antarctica Kovacs, A., et al, (1982, p.166-171) MP 1550
Chemical migration in snowpack. Murphy, B.B., et al, (1989, p.282-286) MP 2757
Military engineering
Test of snow fortifications. Farrell, D.R., (1979, 15p.) SR 79-33
Seasonal soil conditions and the reliability of the M15 land mine. Richmond, P.W., et al, (1984, 35p.) SR 84-18
Conventional land mines in winter. Richmond, P.W., (1984, 23p.) SR 84-30
Cold factor. Abele, G., (1985, p.480-481) MP 2024
Corps of Engineers research in the Arctic. Smallidge, P.D., et al, (1987, p.81-87) MP 2411
Arctic construction working group report. Marvin, E.L., et al, (1987, p.311-314) MP 2426
Field water supply on the winter battlefield Bouteoun, J.R., (1988, 7p.) SR 88-02
Imjin River ice boom Perham, R.E., (1988, 10p.) SR 88-22
Smart weapons operability enhancement Link, L.E., Jr., (1989, p.165-173) MP 2539
Military equipment
Baseplate design and performance mortar stability report Aitken, G.W., (1977, 28p.) CR 77-22
Snow and snow cover in military science Swinzow, G.K., (1978, p.1-239-1-262) MP 926
Radial tire demonstration Liston, R.A., (1985, p.281-285) MP 2102
Performance based tire specification system for military wheeled vehicles. Blaisdell, G.L., (1985, p.277-280) MP 2101
Military facilities
Wastewater treatment in cold regions. Sletten, R.S., et al, (1976, 15p.) MP 965
Notes on conducting the behavior setting survey by interview method. Ledbetter, C.B., (1976, 33p.) SR 76-14
Window performance in extreme cold. Flanders, S.N., et al, (1982, 21p.) CR 82-38
Utility services for remote military facilities. Reed, S.C., et al, (1984, 66p.) SR 84-14
Secondary stress within the structural frame of DYE-3: 1978-1983. Ueda, H.T., et al, (1984, 44p.) SR 84-26
Megastructures for mobilization. Flanders, S.N., (1986, p.10-11) MP 2153
Assessment of a field water purification unit. Bouzoun, J.R., et al, (1986, 6p.) SR 86-20
Military wastewater treatment systems in cold regions Reed, S.C., (1986, 23p.) CR 86-07
Measured insulation improvement potential for ten U.S. Army buildings. Flanders, S.N., (1987, p.202-220) MP 2327
Shasta waterless system as a remote site sanitation facility. Martel, C.J., (1987, 24p.) SR 87-16
Buildings and utilities in very cold regions, overview and research needs. Tobiasson, W., (1987, p 299-303) MP 2424
Winter field testing of U.S Navy fleet hospital Sletten, R.S., et al, (1988, 10p.) MP 2512
Composite buildings for military bases. Flanders, S.N., (1988, 25p.) CR 88-04
Buildings and utilities in very cold regions: overview and research needs. Tobiasson, W., (1988, p.4-11) MP 2552
Development of a membrane for *in-situ* optical detection of TNT. Zhang, Y., et al, (1988, 6p.) SR 88-24
Roofer: a management tool for maintaining built-up roofs. Bailey, D.M., et al, (1989, p.6-10) MP 2488
Military operation
Arctic environmental factors affecting army operations. Sater, J.E., ed, (1962, 11p.) MP 984
Defensive works of subarctic snow. Johnson, P.R., (1977, 23p.) CR 77-06
Projectile and fragment penetration into ordinary snow. Swinzow, G.K., (1977, 30p.) MP 1750
Snow and snow cover in military science. Swinzow, G.K., (1978, p 1-239-1-262) MP 926
Effects of winter military operations on cold regions terrain. Abele, G., et al, (1978, 34p.) SR 78-17
Snow Symposium, 1st, Hanover, NH, Aug. 1981. (1982, 324p.) SR 82-17
Frozen soil characteristics that affect land mine functioning. Richmond, P.W., (1983, 18p.) SR 83-05
SNOW-ONE-B data report. Bates, R.E., ed, (1983, 284p.) SR 83-16
Operation of the U.S. Combat Support Boat (USCSBMK I) on an ice-covered waterway. Stubstad, J., et al, (1984, 28p.) SR 84-05
Observations during BRIMFROST '83. Bouzoun, J.R., et al, (1984, 36p.) SR 84-10
SNOW-TWO data report Volume 2 System performance Jordan, R., ed, (1984, 417p.) SR 84-20
Field sampling of snow for chemical obscurants at SNOW-TWO/Smoke Week VI Cragin, J.H., (1984, p 265-270) MP 2096
Helicopter snow obscuration sub-test. Eberside, J.F., (1984, p.359-376) MP 2094
Snow-cover characterization. SADARM support O'Brien, H., et al, (1984, p 409-411) MP 2095
Effects of snow on vehicle-generated seismic signatures Albert, D.G., (1984, p 83-109) MP 2074
Change in orientation of artillery-delivered anti-tank mines in snow. Bigl, S.R., (1984, 20p.) CR 84-20
Effect of snow on vehicle-generated seismic signatures. Albert, D.G., (1984, 24P.) CR 84-23
Review of antitank obstacles for winter use Richmond, P.W., (1984, 12p.) CR 84-25
Frozen precipitation and weather, Munchen Riem, West Germany. Bilello, M.A., (1984, 47p.) SR 84-32
Snow Symposium, 4th, Hanover, NH, Vol 1. (1984, 433p.) SR 84-35
Overview of meteorological and snow cover characterization at SNOW-TWO Bates, R.E., et al, (1984, p.171-191) MP 1868
Workshop on Ice Penetration Technology, Hanover, NH, June 12-13, 1984 (1984, 345p.) SR 84-33
Penetration of shaped charges into ice Mellor, M., (1984, p.137-148) MP 1995
Tank E-O sensor system performance in winter an overview Lacombe, J., et al, (1985, 26p.) MP 2073
Clear improvement in obscuration Palmer, R.A., (1985, p.476-477) MP 2067
Snow in the construction of ice bridges Coutermarsh, B.A., et al, (1985, 12p.) SR 85-18
Sorption of military explosive contaminants on bentonite drilling muds Leggett, D.C., (1985, 33p.) CR 85-18
Intensity of snowfall at the SNOW experiments Bates, R.E., et al, (1986, p 205-217) MP 2287
Ice interaction with the U.S Army ribbon bridge Coutermarsh, B.A., (1986, 18p.) CR 86-01
Ice heat sinks. Part 1: Vertical systems. Lunardini, V.J., (1986, 107p.) SR 86-14
Ice heat sinks Part 2 Horizontal systems. Lunardini, V.J., (1986, 104p.) SR 86-26
Proceedings, Vol.1. (1986, 369p.) SR 86-15
Use and application of PRESTO in Snow-III West. Stallings, E.S., et al, (1986, p 11-24) MP 2658
Utilization of Unmanned Aerial Vehicles in the ALBE Thrust. Greeley, H.P., et al, (1986, p 249-257) MP 2663
Effects of water and ice on the scattering of diffuse reflectors. Jezek, K.C., et al, (1986, p 259-269) MP 2664
Some developments in shaped charge technology. Mellor, M., (1986, 29p.) SR 86-18
After-action report—Reforger '85. Liston, R.A., (1986, 20p.) SR 86-22
Winter field fortifications. Farrell, D., (1986, 50p.) SR 86-25
Second Workshop on Ice Penetration Technology, 1986. (1986, 659p.) SR 86-30
Effect of snow on vehicle-generated seismic signatures. Albert, D.G., (1987, p 881-887) MP 2229
Comparison of extraction techniques for munitions residues in soil. Jenkins, T.F., et al, (1987, p.1326-1331) MP 2350
Development of an analytical method for explosive residues in soil Jenkins, T.F., et al, (1987, 51p.) CR 87-07
Tactical bridging during winter: 1986 Korean bridging exercise. Coutermarsh, B.A., (1987, 23p.) SR 87-13
Preview of the SNOW-III West data base. Lacombe, J., (1987, p 3-11) MP 2291
Saline ice penetration a joint CRREL-NSWC test program. Cole, D.M., et al, (1987, 34p.) SR 87-14
Military snow removal problems. Minsk, L.D., (1987, p.452-453) MP 2268
Persistence of chemical agents on the winter battlefield. Leggett, D.C., (1987, 20p.) CR 87-12
Sorption of chemical agents and simulants. Leggett, D.C., (1987, 15p.) SR 87-18
Field observations of mine detection in snow using UHF short-pulse radar. Arcone, S.A., et al, (1987, 24p.) SR 87-19
Environments and standards for military operation. Opitz, B.K., et al, (1987, 137p.) MP 2309
Corps of Engineers research in the Arctic. Smallidge, P.D., et al, (1987, p.81-87) MP 2411
DOD floating ice problems. Cox, G.F.N., (1987, p.151-154) MP 2414
Mechanical and physical properties of soils in cold regions. Chamberlain, E.J., (1987, p.155-161) MP 2415
Obscuration and background dynamics in and over snow. Hogan, A.W., (1987, p.181-185) MP 2417
Recent research on acoustic to seismic coupling. Albert, D.G., (1987, p.223-225) MP 2418
Analytical method for determining tetrazane in water. Walsh, M.E., et al, (1987, 34p.) SR 87-25
Evaporation of chemical agents from ice and snow. Leggett, D.C., (1988, 10p.) CR 88-03
Snowfall amounts and snow depths in Germany and NE USA. Bates, R.E., et al, (1988, p.107-117) MP 2401
Prediction of winter battlefield weather effects. Ryerson, C.C., et al, (1988, p.357-362) MP 2402
Decontamination of chemical agents on the winter battlefield. Parker, L.V., (1988, 48p.) CR 88-07
Experimental and theoretical studies of acoustic-to-seismic coupling Albert, D.G., (1988, p.19-31) MP 2432
Development of analytical methods for military-unique compounds. Walsh, M.E., et al, (1988, p.370-380) MP 2454
Deployment of floating bridges in ice-covered rivers. Mellor, M., et al, (1988, 38p.) SR 88-20
Antitank obstacles for winter use Richmond, P.W., (1988, 11p.) SR 88-19
Using the Ground Emplaced Mine Scattering System in winter Richmond, P.W., et al, (1988, 13p.) SR 88-27
SNOW III WEST field experiment report Volume 1 Lacombe, J., et al, (1988, 170p.) SR 88-28
Land mines in winter Richmond, P.W., (1989, 10p.) SR 89-11
Factors affecting rates of ice cutting with a chain saw Coutermarsh, B.A., (1989, 14p.) SR 89-24
Impact of the winter environment on infrared target signatures Lacombe, J., (1989, n.p.) MP 2587
CRR operations in cold weather a bibliography, Vol 1 Carlon, H.R., et al, (1989, 88p.) MP 2574
Proceedings (1989, 475p.) SR 89-39
Models of the mechanical properties of ice Richter-Menge, J.A., et al, (1989, p 87-94) MP 2687
Winter bridging exercise on thick ice Fort McCoy, Wisconsin, 1988 Coutermarsh, B.A., (1990, 24p.) SR 90-10
Thermal infrared survey of winter trails at Fort Wainwright Collins, C.M., et al, (1990, 16p.) SR 90-17
Military research
Mine detection using non-ammonidal radar laboratory tests Dean, A.M., Jr., et al, (1984, 29p.) SR 84-22
Ice penetration tests Garcia, N.B., et al, (1985, p.225-236) MP 2014
Use and application of PRESTO in Snow-III West Stallings, E.S., et al, (1986, p 11-24) MP 2658
Field water supply on the winter battlefield Bouteoun, J.R., (1988, 7p.) SR 88-02

Performance of laminated composites in cold. Dutta, P.K., et al, (1988, p.269-281) MP 2433
Behavior of materials at low temperatures. Dutta, P.K., (1988, 68p.) SR 88-09
Octanol-water partition coefficients for organophosphonates. Britton, K.B., et al, (1988, 24p.) SR 88-11
Analytical method for determining tetrazene in soil. Walsh, M.E., et al, (1988, 22p.) SR 88-15
Smart weapons operability enhancement. Link, L.E., Jr., (1989, p.165-173) MP 2539

Military transportation
Air-transportable Arctic wooden shelters. Flanders, S.N., et al, (1982, p.385-397) MP 1558

Mineralogy
Examining antarctic soils with a scanning electron microscope. Kumai, M., et al, (1976, p.249-252) MP 931

Mines (ordnance)
Frozen soil characteristics that affect land mine functioning. Richmond, P.W., (1983, 18p.) SR 83-05
Mine detection using non-sinusoidal radar: laboratory tests. Dean, A.M., Jr., et al, (1984, 99p.) SR 84-22
Conventional land mines in winter. Richmond, P.W., (1984, 23p.) SR 84-30
Mine detection in cold regions using short-pulse radar. Arcone, S.A., (1985, 16p.) SR 85-23
Land mines in winter. Richmond, P.W., (1989, 10p.) SR 89-11

Mining
Isua, Greenland: glacier freezing study. Ashton, G.D., (1978, p.256-264) MP 1174

Mobility
Vehicle mobility over snow. Blaisdell, G.L., (1987, p.265-266) MP 2420
Arctic mobility problems. Abele, G., (1987, p.267-269) MP 2421
Mobility: working group report. Blaisdell, G.L., et al, (1987, p.273-274) MP 2423

Models
Synthesis and modeling of the Barrow, Alaska, ecosystem. Coulombe, H.N., et al, (1970, p.44-49) MP 944
Abiotic overview of the Tundra Biome Program, 1971. Weller, G., et al, (1971, p.173-181) MP 906
Ice forces on model structures. Zabilansky, L.J., et al, (1975, p.400-407) MP 863
Ice forces on simulated structures. Zabilansky, L.J., et al, (1975, p.387-396) MP 864
Thickness and roughness variations of arctic multiyear sea ice. Ackley, S.F., et al, (1976, 25p.) CR 76-18
Generation of runoff from subarctic snowpacks. Dunne, T., et al, (1976, P.677-685) MP 883
Computer program for determining electrical resistance in nonhomogeneous ground. Arcone, S.A., (1977, 16p.) CR 77-02
Computer modeling of terrain modifications in the arctic and subarctic. Outcalt, S.I., et al, (1977, p.24-32) MP 971
Resiliency of silt under asphalt during freezing and thawing. Johnson, T.C., et al, (1978, p.662-668) MP 1106
Lysimeters validate wastewater renovation models. Iskandar, I.K., et al, (1978, 11p.) SR 78-12
Hydraulic model investigation of drifting snow Wuebben, J.L., (1978, 29p.) CR 78-16
Regelation and the deformation of wet snow Colbeck, S.C., et al, (1978, p.639-650) MP 1172
Modeling snow cover runoff meeting, Sep. 1978. Colbeck, S.C., ed, (1979, 432p.) SR 79-36
Acoustic emission response in polycrystalline materials St Lawrence, W.F., (1979, p.223-228) MP 1246
Modeling of ice in rivers. Ashton, G.D., (1979, p.14/1-14/26) MP 1335
Multi year pressure ridges in the Canadian Beaufort Sea Wright, B., et al, (1979, p.107-126) MP 1229
Volumetric constitutive law for snow Brown, R.L., (1980, p.161-165) MP 1803
Problems of the seasonal sea ice zone Weeks, W.F., (1980, p.1-35) MP 1293
Sea ice growth, drift, and decay. Hibler, W.D., III, (1980, p.141-209) MP 1298
Hydrologic modeling from Landsat land cover data McKim, H.L., et al, (1984, 19p.) SR 84-01
Ocean circulation: its effect on seasonal sea-ice simulations Hibler, W.D., III, et al, (1984, p.489-492) MP 1700
Heat and moisture transfer in frost-heaving soils Guymon, G.L., et al, (1984, p.336-343) MP 1765
Caribou Creek Model data acquisition system Bennett, B.M., et al, (1985, p.1424-1429) MP 2090
Instrumentation for an uplifting ice force model Zabilansky, L.J., (1985, p.1430-1435) MP 2091
Corps of engineers seek ice solutions Frankenstein, G.E., (1987, p.5-7) MP 2219
Numerical simulation of first-year sea ice Cox, G.F.N., et al, (1988, p.12,449-12,460) MP 2464
Comparative model tests in ice of a Canadian Coast Guard R-class icebreaker Tatinclaux, J.C., et al, (1989, p.1-1/18) MP 2751
Model tests on an icebreaker at two friction factors Tatinclaux, J.C., (1989, p.774-784) MP 2622

Moisture
CRREL roof moisture survey, Pease AFB Korhonen, C., et al, (1977, 10p.) SR 77-02
Infrared detective: thermograms and roof moisture. Korhonen, C., et al, (1977, p.41-44) MP 961
Detection of moisture in construction materials. Morey, R.M., et al, (1977, 9p.) CR 77-25
CRREL roof moisture survey, Building 208 Rock Island Arsenal. Korhonen, C., et al, (1977, 6p.) SR 77-43
Effects of moisture and freeze-thaw on rigid thermal insulations. Kaplar, C.W., (1978, p.403-417) MP 1085
Detecting wet roof insulation with a hand-held infrared camera. Korhonen, C., et al, (1978, p.A9-A15) MP 1213
Infrared thermography of buildings—a bibliography with abstracts. Marshall, S.J., (1979, 67p.) SR 79-01
Drainage and frost action criteria for a pavement design. Berg, R.L., (1979, 51p.) SR 79-15
Roof moisture survey—U.S. Military Academy. Korhonen, C., et al, (1979, 8 refs.) SR 79-16
Roofs in cold regions. Tobiasson, W., (1980, 21p.) MP 1408
Window performance in extreme cold. Flanders, S.N., et al, (1981, p.396-408) MP 1593
Roof moisture surveys. Tobiasson, W., et al, (1981, 18p.) SR 81-31
Can wet roof insulation be dried out. Tobiasson, W., et al, (1983, p.626-639) MP 1509
Condensation control in low-slope roofs. Tobiasson, W., (1985, p.47-59) MP 2039
Vapor drive maps of the U.S.A. Tobiasson, W., et al, (1986, 7p. + graphs) MP 2041
Vents and vapor retarders for roofs. Tobiasson, W., (1986, 11p.) MP 2245
Vents and vapor retarders for roofs. Tobiasson, W., (1987, p.80-90) MP 2352
Wood-frame roofs and moisture. Tobiasson, W., (1988, p.33-37) MP 2340

Moisture detection
Hand-held infrared systems for detecting roof moisture. Tobiasson, W., et al, (1977, p.261-271) MP 1390
Roof moisture surveys. Tobiasson, W., (1982, p.163-166) MP 1505
Moisture detection in roofs with cellular plastic insulation. Korhonen, C., et al, (1982, 22p.) SR 82-07
Infrared inspection of new roofs. Korhonen, C., (1982, 14p.) SR 82-33
Roof moisture surveys: current state of the technology. Tobiasson, W., (1983, p.24-31) MP 1628
Locating wet cellular plastic insulation in recently constructed roofs Korhonen, C., et al, (1983, p.168-173) MP 1729
Comparison of aerial to on-the-roof infrared moisture surveys. Korhonen, C., et al, (1983, p.95-105) MP 1709
U.S. Air Force roof condition index survey: Ft. Greely, Alaska. Coutermarsh, B.A., (1984, 67p.) SR 84-03
Roof moisture surveys: yesterday, today and tomorrow. Tobiasson, W., et al, (1985, p.438-443 + figs.) MP 2040
Aerial roof moisture surveys. Tobiasson, W., (1985, p.424-425) MP 2022
Lessons learned from examination of membrane roofs in Alaska. Tobiasson, W., et al, (1986, p.277-290) MP 2003
Airborne roof moisture surveys. Tobiasson, W., (1986, p.45-47) MP 2139
Infrared testing for leaks in new roofs. Korhonen, C., (1987, p.49-54) MP 2282
Method for conducting airborne infrared roof moisture surveys. Tobiasson, W., (1988, p.50-61) MP 2436
Nondestructive evaluation of moisture migration in insulation material Ayyounde, O.A., (1989, p.111-121) MP 2716

Moisture meters
Hand-held infrared systems for detecting roof moisture. Tobiasson, W., et al, (1977, p.261-271) MP 1390
Lysimeters validate wastewater renovation models. Iskandar, I.K., et al, (1978, 11p.) SR 78-12
Recommendations for implementing roof moisture surveys in the U.S. Army (1978, 8p.) SR 78-01

Moisture transfer
Energy balance and runoff from a subarctic snowpack Price, A.G., et al, (1976, 29p.) CR 76-27
Tracer movement through snow Colbeck, S.C., (1977, p.255-262) MP 1093
Maintaining buildings in the Arctic Tobiasson, W., et al, (1977, p.244-251) MP 1508
Research on roof moisture detection Tobiasson, W., et al, (1978, 6p.) SR 78-29
Roof moisture survey Korhonen, C., et al, (1980, 31p.) SR 80-14
Moisture gain and its thermal consequence for common roof insulations Tobiasson, W., et al, (1980, p.4-16) MP 1361
Two-dimensional model of coupled heat and moisture transport in frost heaving soils Guymon, G.L., et al, (1984, p.91-98) MP 1678
Simple model of ice segregation using an analytic function to model heat and soil-water flow Hromadka, T.V., II, et al, (1984, p.99-104) MP 2104
Heat and moisture transfer in frost-heaving soils Guymon, G.L., et al, (1984, p.336-343) MP 1765
Partial verification of a thaw settlement model Guymon, G.L., et al, (1985, p.18-25) MP 1924
Roughness and transfer coefficients over snow and sea ice. Andreas, E.L., (1986, 19p.) CR 86-09
Thermal and size evolution of sea spray droplets. Andreas, E.L., (1989, 37p.) CR 89-11
Environment of wintertime leads and polynyas. Andreas, E.L., (1989, p.273-288) MP 2609
Sludge dewatering by natural freeze-thaw Martel, C.J., (1990, p.116-122) MP 2714

Molecular structure
Octanol-water partition coefficients for organophosphonates. Britton, K.B., et al, (1988, 24p.) SR 88-11

Monitors
Automatic data collection equipment for oceanographic application. Dean, A.M., Jr., (1978, p.1111-1121) MP 1028
Dynamic ice breakup control for the Connecticut River near Wilmot, Vermont. Ferrick, M.G., et al, (1988, p.245-258) MP 2449
Monitoring pavement performance in seasonal frost areas. Berg, R.L., (1989, p.10-19) MP 2564

Moraines
Antarctic soil studies using a scanning electron microscope. Kurtzi, M., et al, (1978, p.106-112) MP 1306
Diamictons at the margin of the Matanuska Glacier, Alaska. Lawson, D.E., (1981, p.78-84) MP 1462

Mosses
Tundra environment at Barrow, Alaska. Bunnell, F.L., et al, (1975, p.73-124) MP 1050

Motor vehicles
Winter air pollution at Fairbanks, Alaska. Coutts, H.J., et al, (1981, p.512-528) MP 1395
Shallow snow model for predicting vehicle performance. Harrison, W.L., (1981, 21p.) CR 81-20
ISTVS workshop on tire performance under winter conditions, 1983. (1985, 177p.) SR 85-15
Vehicle for cold regions mobility measurements. Blaisdell, G.L., (1985, p.9-20) MP 2044
Winter tire tests: 1980-81. Blaisdell, G.L., et al, (1985, p.135-151) MP 2045
Field demonstration of traction testing procedures. Blaisdell, G.L., (1985, p.176) MP 2046
Instrumented vehicle for the measurement of mobility parameters. Blaisdell, G.L., (1988, p.377-388) MP 2486

MOUNTAINS
Geology and physiography of cold regions. Stearns, S.R., (1965, 40p.) M I-A1

Mountains
Atmospheric icing rates with elevation on northern New England mountains, U.S.A. Ryerson, C.C., (1990, p.90-97) MP 2509

Municipal engineering
Pothole primer; a public administrator's guide to understanding and managing the pothole problem. Eaton, R.A., coord, (1981, 24p.) MP 1416

Nuleds
Thermal infrared survey of winter trails at Fort Wainwright. Collins, C.M., et al, (1990, 16p.) SR 90-17

Natural resources
Cold climate utilities delivery design manual. Smith, D.W., et al, (1979, c300 leaves) MP 1373
Offshore oil in the Alaskan Arctic. Weeks, W.F., et al, (1984, p.371-378) MP 1743
Constraints and approaches in high latitude natural resource sampling and research. Slaughter, C.W., et al, (1984, p.41-46) MP 2013

Navigation
Helicopter snow obscuration sub-test. Ebersole, J.F., (1984, p.359-376) MP 2094
Data acquisition for refrigerated physical model Zufelt, J.E., (1987, p.335-341) MP 2351

Nitrate deposits
Nitrate fluctuations in antarctic snow and firn. Parker, B.C., et al, (1982, p.243-248) MP 1551

Nitrogen isotopes
Methodology for nitrogen isotope analyses at CRREL. Jenkins, T.F., et al, (1978, 57p.) SR 78-08

Noise (sound)
Audibility within and outside deposited snow Johnson, J.B., (1985, p.136-142) MP 1960
Model studies of surface noise interference in ground-probing radar Arcone, S.A., et al, (1985, 23p.) CR 85-19

Norway
Low pressure weather systems in and around Norwegian waters Bakelie, M.A., (1986, p.53-64) MP 2181

Nozzles
Heat transfer between water jets and ice blocks Yen, Y.-C., (1976, p.299-307) MP 882

Nuclear explosions
Analysis of explosively generated ground motions using Fourier techniques Blouin, S.E., et al, (1976, 56p.) CR 76-28
Prediction of explosively driven relative displacements in rocks Blouin, S.E., (1981, 33p.) CR 81-11

Nuclear magnetic resonance
NMR phase composition measurements on moist soils Tice, A.R., et al, (1978, p.11-14) MP 1210
Unfrozen water contents of submarine permafrost determined by nuclear magnetic resonance Tice, A.R., et al, (1980, p.400-415) MP 1412

Nuclear magnetic resonance *(cont.)*
Relationship between the ice and unfrozen water phases in frozen soil. Tice, A.R., et al. (1982, 8p.) CR 82-15
Effects of magnetic particles on the unfrozen water content in soils. Tice, A.R., et al. (1984, p.63-73) MP 1790
Soil-water potential and unfrozen water content and temperature. Xu, X., et al. (1985, p.1-14) MP 1932
Relationship between freezing and water content in sandy loam. Black, P.B., et al. (1988, 37p.) CR 88-26
Unfrozen water content of soils. Smith, M.W., et al. (1988, 11p.) CR 88-18
Unfrozen water content of undisturbed frozen silt. Tice, A.R., et al. (1988, 17p.) CR 88-19
Predicting unfrozen water content behavior of a soil. Black, P.B., et al. (1990, p.54-60) MP 2677
Nucleating agents
Ice nucleation activity of antarctic marine microorganisms. Parker, L.V., et al. (1985, p.126-128) MP 2217
Nucleation
Strain energy failure criterion for S2 freshwater ice in flexure. Cole, D.M., (1988, p.206-215) MP 2494
Nutrient cycle
Impact of urban wastewater reuse in cold regions on land treatment systems. Iskander, I.K., (1976, 32p.) MP 2452
Uptake of nutrients by plants irrigated with wastewater. Clapp, C.E., et al. (1978, p.395-404) MP 1151
Adaptability of forage grasses to wastewater irrigation. Palazzo, A.J., et al. (1978, p.157-163) MP 1153
Model for nitrogen behavior in land treatment of wastewater. Selim, H.M., et al. (1980, 49p.) CR 80-12
Nitrogen in an overland flow wastewater treatment system. Chen, R.L., et al. (1980, 33p.) SR 80-16
Dynamics of NH4 and NO3 in cropped soils irrigated with wastewater. Iskander, I.K., et al. (1980, 20p.) SR 80-27
Arctic ecosystem: the coastal tundra at Barrow, Alaska. Brown, J., ed. (1980, 571p.) MP 1355
Analysis of processes of primary production in tundra growth forms. Tieszen, L.L., et al. (1981, p.285-356) MP 1433
Plant growth on a gravel soil: greenhouse studies. Palazzo, A.J., et al. (1981, 8p.) SR 81-04
Modeling N transport and transformations in soils. Selim, H.M., et al. (1981, p.233-241) MP 1440
Modeling nitrogen transport and transformations in soils: 2. Validation. Iskander, I.K., et al. (1981, p.233-312) MP 1441
Seasonal growth and uptake of nutrients by orchardgrass irrigated with wastewater. Palazzo, A.J., et al. (1981, 19p.) CR 81-08
Seven-year performance of CRREL slow-rate land treatment prototypes. Jenkins, T.F., et al. (1981, 25p.) SR 81-12
Soil microbiology. Bonetta, E., et al. (1981, p.38-44) MP 1753
Wastewater treatment by a prototype slow rate land treatment system. Jenkins, T.F., et al. (1981, 44p.) CR 81-14
Effect of soil temperature on nitrification kinetics. Parker, L.V., et al. (1981, 27p.) SR 81-33
Overview of models used in land treatment of wastewater. Iskander, I.K., (1982, 27p.) SR 82-01
Mathematical simulation of nitrogen interactions in soils. Selim, H.M., et al. (1983, p.241-248) MP 2051
U.S. tundra biome publication list. Brown, J., et al. (1983, 29p.) SR 83-29
Ocean bottom
Hyperbolic reflections on Beaufort Sea seismic records. Neave, K.G., et al. (1981, 16p.) CR 81-02
Subsea trenching in the Arctic. McGee, M., (1981, p.843-882) MP 1466
Subsea trenching in the Arctic. McGee, M., (1981, 31p.) CR 81-17
Site investigations and submarine soil mechanics in polar regions. Chamberlain, E.J., (1981, 18p.) SR 81-24
Understanding the Arctic sea floor for engineering purposes. (1982, 141p.) SR 82-25
Ice scoring on the Alaskan shelf of the Beaufort Sea. Weeks, W.F., et al. (1983, 34p. + map) CR 83-21
Some probabilistic aspects of ice gouging on the Alaskan Shelf of the Beaufort Sea. Weeks, W.F., et al. (1984, p.213-236) MP 1838
Subsea permafrost distribution on the Alaskan shelf. Sellmann, P.V., et al. (1984, p.75-82) MP 1852
Study of sea ice induced gouges on the sea floor. Weeks, W.F., et al. (1985, p.126-135) MP 1917
Mapping seismic seabed features using INC methods. Sellmann, P.V., et al. (1985, p.136-147) MP 1918
Numerical simulation of sea ice induced gouges on the shelves of the polar oceans. Weeks, W.F., et al. (1985, p.254-265) MP 1930
Ice gouge hazard analysis. Lavan, G.A., et al. (1986, p.57-66) MP 2106
Preliminary simulations of the formation and infilling of sea ice gouges. Weeks, W.F., et al. (1986, p.259-268) MP 2218
Seafloor temperature and thermal conductivity. Sellmann, P.V., et al. (1989, 19p.) CR 89-01
Dynamic simulations of iceberg-seabed interactions. Rass, D.W., et al. (1989, p.137-151) MP 2604
Ocean currents
Baseline data on tidal flushing in Cook Inlet, Alaska. Gatto, L.W., (1973, 11p.) MP 1523
Circulation and sediment: distribution in Cook Inlet, Alaska. Gatto, L.W., (1976, p.205-227) MP 895
Baseline data on the oceanography of Cook Inlet, Alaska. Gatto, L.W., (1976, 84p.) CR 76-25
Radar anisotropy of sea ice. Kovacs, A., et al. (1978, p.171-201) MP 1111
Preferred crystal orientations in Arctic Ocean fast ice. Weeks, W.F., et al. (1978, 24p.) CR 78-13
Radar anisotropy of sea ice. Kovacs, A., et al. (1978, p.6037-6046) MP 1139
Some results from a linear-viscous model of the Arctic ice cover. Hibler, W.D., III, et al. (1979, p.293-304) MP 1241
Anisotropic properties of sea ice. Kovacs, A., et al. (1979, p.5749-5759) MP 1258
Crystal alignments in the fast ice of Arctic Alaska. Weeks, W.F., et al. (1979, 21p.) CR 79-22
Crystal alignments in the fast ice of Arctic Alaska. Weeks, W.F., et al. (1980, p.1137-1146) MP 1277
Physical properties of sea ice and under-ice current orientation. Kovacs, A., et al. (1980, p.169-153) MP 1323
Oceanic boundary-layer features and oscillation at drift stations. McPhee, M.G., (1980, p.870-884) MP 1369
Sea ice anisotropy, electromagnetic properties and strength. Kovacs, A., et al. (1980, 18p.) CR 80-20
Inlet current: measured with Seasat-1 synthetic aperture radar. Sheridan, O.H., et al. (1980, p.35-37) MP 1401
Review of sea-ice weather relationships in the Southern Hemisphere. Ackley, S.F., (1981, p.127-159) MP 1426
Ice distribution and winter surface circulation, Kachemak Bay, Alaska. Gatto, L.W., (1981, p.995-1001) MP 1442
Ice distribution and winter ocean circulation, Kachemak Bay, Alaska. Gatto, L.W., (1981, 43p.) CR 81-22
Ice growth and circulation in Kachemak Bay, Alaska. Daly, S.F., (1982, p.(C)1-(C)9) MP 1501
Ice distribution and water circulation, Kachemak Bay, Alaska. Gatto, L.W., (1982, p.421-435) MP 1569
Effects of conductivity on high-resolution impulse radar sounding. Morey, R.M., et al. (1982, 12p.) CR 82-42
Ocean circulation: its effect on seasonal sea-ice simulations. Hibler, W.D., III, et al. (1984, p.489-492) MP 1700
Diagnostic ice-ocean model. Hibler, W.D., III, et al. (1987, p.987-1015) MP 2238
Coupled air-ice-ocean models. Hibler, W.D., III, (1987, p.131-137) MP 2412
On modeling the baroclinic adjustment of the Arctic Ocean. Hibler, W.D., III, (1990, p.247-250) MP 2739
Ocean environments
Oceanographic data from the Weddell Sea, summer 1977. Buck, K.R., (1980, 26p.) CR 80-16
Oceanography
Automatic data collection equipment for oceanographic application. Dean, A.M., Jr., (1978, p.1111-1121) MP 1028
Coastal marine geology of the Beaufort, Chukchi and Bering Seas. Gatto, L.W., (1980, 357p.) SR 80-05
International Workshop on the Seasonal Sea Ice Zone, Monterey, California, Feb. 26-Mar.1, 1979. Anderson, B.G., ed. (1980, 357p.) MP 1292
Problems of the seasonal sea ice zone. Weeks, W.F., (1980, p.1-35) MP 1293
Physical oceanography of the seasonal sea ice zone. McPhee, M.G., (1980, p.93-132) MP 1294
Arctic Ocean temperature, salinity and density, March-May 1979. McPhee, M.G., (1981, 20p.) SR 81-05
Mesoscale air-ice-ocean interaction experiments. Johannessen, O.M., ed. (1984, 176p.) SR 84-29
Arctic research of the United States, Vol.4. (1990, 120p.) MP 2745
Oceans
Circulating fluid sea ice model. Place, G.M., et al. (1990, p.239-262) MP 2738
Arctic research of the United States, Vol.4. (1990, 120p.) MP 2745
Offshore drilling
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea. Sellmann, P.V., et al. (1976, p.391-408) MP 1377
Operational report 1976 USACRREL-USGS subsea permafrost program Beaufort Sea, Alaska. Sellmann, P.V., et al. (1976, 20p.) SR 76-12
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea. Sellmann, P.V., et al. (1976, p.53-60) MP 919
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea. Sellmann, P.V., et al. (1977, p.432-440) MP 1077
1977 CRREL-USGS permafrost program Beaufort Sea, Alaska, operational report. Sellmann, P.V., et al. (1977, 19p.) SR 77-41
Problems of offshore oil drilling in the Beaufort Sea. Weeks, G., et al. (1978, p.4-11) MP 1250
Penetration tests in subsea permafrost, Prudhoe Bay, Alaska. Bowers, S.E., et al. (1979, 44p.) CR 79-07
Distribution and properties of subsea permafrost of the Beaufort Sea. Sellmann, P.V., et al. (1979, p.93-115) MP 1287
Permafrost beneath the Beaufort Sea: near Prudhoe Bay, Alaska. Sellmann, P.V., et al. (1980, p.35-48) MP 1346
Problems of the seasonal sea ice zone. Weeks, W.F., (1980, p.1-35) MP 1293
Foundations of structures in polar waters. Chamberlain, E.J., (1981, 16p.) SR 81-25
Site investigations and submarine soil mechanics in polar regions. Chamberlain, E.J., (1981, 18p.) SR 81-24
Offshore mechanics and Arctic engineering, symposium, 1983. (1983, 813p.) MP 1561
Ice scoring on the Alaskan shelf of the Beaufort Sea. Weeks, W.F., et al. (1983, 34p. + map) CR 83-21
Offshore oil in the Alaskan Arctic. Weeks, W.F., et al. (1984, p.371-378) MP 1743
Offshore Mechanics and Arctic Engineering Symposium, 4th, 1985. (1985, 2 vols.) MP 2105
Topical databases: Cold Regions Technology on-line. Linton, N., et al. (1985, p.12-15) MP 2027
Offshore Mechanics and Arctic Engineering Symposium, 5th, 1986. (1986, 4 vols.) MP 2031
Portable hot water ice drill. Tucker, W.B., et al. (1986, p.549-564) MP 2202
International Offshore Mechanics and Arctic Engineering Symposium, 1987. (1987, 4 vols.) MP 2189
Conference on offshore mechanics and Arctic engineering, 8th, 1989. (1989, 476p.) MP 2681
Conference on offshore mechanics and arctic engineering, 9th, 1990. (1990, 339p.) MP 2984
Offshore structures
Structures in ice infested water. Assur, A., (1972, p.93-97) MP 1046
Investigation of ice forces on vertical structures. Hirayama, K., et al. (1974, 153p.) MP 1041
Statistical variations in Arctic sea ice ridging and deformation rates. Hibler, W.D., III, (1975, p.31-316) MP 850
Ice forces on simulated structures. Zabilansky, L.J., et al. (1975, p.387-396) MP 864
Yukon River breakup 1976. Johnson, P., et al. (1977, p.592-596) MP 900
Horizontal forces exerted by floating ice on structures. Kerr, A.D., (1978, 9p.) CR 78-15
Ice laboratory facilities for solving ice problems. Frankenstein, G.E., (1980, p.93-102) MP 1301
Foundations of structures in polar waters. Chamberlain, E.J., (1981, 16p.) SR 81-25
Site investigations and submarine soil mechanics in polar regions. Chamberlain, E.J., (1981, 18p.) SR 81-24
Sea ice rubble formations in the Bering Sea and Norton Sound, Alaska. Kovacs, A., (1981, 23p.) SR 81-34
Offshore mechanics and Arctic engineering, symposium, 1983. (1983, 813p.) MP 1981
Dynamic ice-structure interaction during continuous crushing. Matlock, M., (1983, 45p.) CR 83-05
Method for determining ice loads on offshore structures. Johnson, J.B., (1983, p.124-128) MP 2056
Protection of offshore arctic structures by explosives. Mellor, M., (1983, p.310-322) MP 1605
Ice forces on model marine structures. Haynes, F.D., et al. (1983, p.778-787) MP 1606
Measurement of ice forces on structures. Sodhi, D.S., et al. (1983, p.139-155) MP 1641
Characteristics of multi-year pressure ridges. Kovacs, A., (1983, p.173-182) MP 1698
Offshore petroleum production in ice-covered waters. Tucker, W.B., (1983, p.207-215) MP 2086
Ice scoring on the Alaskan shelf of the Beaufort Sea. Weeks, W.F., et al. (1983, 34p. + map) CR 83-21
Ice action on piers of cylindrical and conical structures. Kato, K., et al. (1983, 33p.) CR 83-25
Offshore mechanics and Arctic engineering symposium, 1984. (1984, 3 vols.) MP 1675
Ice action on two cylindrical structures. Kato, K., et al. (1984, p.107-112) MP 1741
Dependence of crushing specific energy on the aspect ratio and the structure velocity. Sodhi, D.S., et al. (1984, p.363-374) MP 1788
Assessment of ice accretion on offshore structures. Masuda, L.D., (1985, 12p.) SR 84-04
Atmospheric icing on sea structures. Makkonen, L., (1984, 92p.) M 84-02
Icing rate on stationary structures under marine conditions. Ingalls, K., (1984, 9p.) CR 84-12
Computational mechanics in arctic engineering. Sodhi, D.S., (1984, p.351-376) MP 2072
Buckling analysis of cracked, floating ice sheets. Adley, M.D., et al. (1984, 29p.) SR 84-23
Ice forces on rigid, vertical, cylindrical structures. Sodhi, D.S., et al. (1984, 36p.) CR 84-33
Offshore Mechanics and Arctic Engineering Symposium, 5th, 1986. (1986, 2 vols.) MP 2105
Short ice forces on a conical structure: an experimental study. Sodhi, D.S., et al. (1985, p.49-54) MP 1915
Arctic ice and drilling structures. Sodhi, D.S., (1985, p.61-69) MP 2119
Kulluk ice stress measurement program. Johnson, J.B., et al. (1985, p.85-100) MP 1990

Sheet ice forces on a conical structure: an experimental study. Sodhi, D.S., et al. (1985, p.643-655); MP 1906

Experience with a buried ice stress sensor. Cox, G.F.N., (1985, p.252-258); MP 1937

Measurement of icing on offshore structures. Mauk, L.D., (1985, p.287-292); MP 2010

Topical databases: Cold Regions Technology on-line. Liston, N., et al. (1985, p.12-15); MP 2027

Real-time measurements of uplifting ice forces. Zabilansky, L.J., (1985, p.253-259); MP 2092

Instrumentation for an uplifting ice force model. Zabilansky, L.J., (1985, p.1430-1435); MP 2091

Sea ice and the Fairway Rock iceline. Kovacs, A., et al. (1985, p.25-32); MP 2145

Ice cover research—present state and future needs. Kerr, A.D., et al. (1986, p.384-399); MP 2004

Crushing of ice sheet against rigid cylindrical structures. Sodhi, D.S., et al. (1986, p.1-12); MP 2018

Offshore Mechanics and Arctic Engineering Symposium, 5th, 1986. (1986, 4 vols); MP 2031

Some effects of friction on ice forces against vertical structures. Kato, K., et al. (1986, p.528-533); MP 2036

Impact ice force and pressure: An experimental study with urea ice. Sodhi, D.S., et al. (1986, p.569-576); MP 2037

Flexural and buckling failure of floating ice sheets against structures. Sodhi, D.S., (1986, p.339-355); MP 2134

Model study of ice forces on a single pile. Zabilansky, L.J., (1986, p.77-87); MP 2308

International Offshore Mechanics and Arctic Engineering Symposium, 1987 (1987, 4 vols); MP 2189

Ice beam moving against a sloping structure. Sodhi, D.S., (1987, p.281-286); MP 2194

Advances in ice mechanics—1987. (1987, 49p.); MP 2207

Advances in sea ice mechanics in the USA. Sodhi, D.S., et al. (1987, p.37-49); MP 2208

Mechanical properties of multi-year sea ice. Richter-Menge, J.A., et al. (1987, p.121-153); MP 2438

Kulluk ice stress measurement program. Cox, G.F.N., (1987, p.190-187); MP 2298

Mechanical properties of multi-year pressure ridge ice. Richter-Menge, J.A., (1987, p.108-119); MP 2299

Working group on ice forces. 3rd state-of-the-art report. Sanderson, T.J.O., ed. (1987, 221p.); SR 87-17

Flexural and buckling failure of floating ice sheets against structures. Sodhi, D.S., (1987, p.33-73); MP 2315

Arctic construction: working group report. Marvin, E.L., et al. (1987, p.311-316); MP 2436

Conference on Offshore Mechanics and Arctic Engineering, 7th, 1988. Vol.4 (1988, 343p.); MP 2317

Verification tests of the surface integral method for calculating structural ice loads. Johnson, J.B., et al. (1988, p.449-456); MP 2353

Ice stress measurements around offshore structures. Johnson, J.B., (1988, p.55-56); MP 2611

Elements of floating-debris control systems. Perham, R.E., (1988, 58p. + appends.); MP 2653

Mukluk ice stress measurement program. Cox, G.F.N., (1988, p.11-15); MP 2618

Rebuilding infrastructure for pressure heaving. Woolley, C.A., et al. (1989, p.188-201); MP 2646

Conference on offshore mechanics and Arctic engineering, 8th, 1989 (1989, 474p.); MP 2681

Conference on offshore mechanics and arctic engineering, 9th, 1990. (1990, 339p.); MP 2984

Dynamic analysis of a floating ice sheet undergoing vertical indentation. McGilvary, W.R., et al. (1990, p.165-201); MP 2979

Wave-induced bergy bit motion near a floating platform. Mak, L.M., et al. (1990, p.205-215); MP 2980

Measurement of sea ice thickness using electromagnetic induction. Holladay, J.S., et al. (1990, p.309-315); MP 2990

Oil recovery

Offshore oil in the Alaskan Arctic. Weeks, W.F., et al. (1988, p.321-375); MP 1743

Oil spills

Ecological effects of oil spills and seepages in cold-dominated environments. McCown, B.H., et al. (1971, p.61-64); MP 905

Oil spills on permafrost. Collins, C.M., et al. (1976, 18p.); SR 76-15

Second progress report on oil spilled on permafrost. McFadden, T., et al. (1977, 24p.); SR 77-44

Workshop on Biological Effects of Hydrocarbon Spills in Alaska. Atlas, R.M., et al. (1978, p.195-197); MP 1183

Plant recovery from Arctic oil spills. Walker, D.A., et al. (1978, p.282-299); MP 1184

Crude oil spills on black spruce forest. Jenkins, T.F., et al. (1978, p.305-323); MP 1185

Fate of crude and refined oils in North Slope soils. Sexstone, A., et al. (1979, p.336-347); MP 1186

Tundra recovery since 1969 near Fish Creek, Alaska. Lawson, D.E., et al. (1978, 81p.); CR 78-28

Oil pooling under sea ice. Kovacs, A. (1979, p.136-137); MP 1209

Crude oil spills on subarctic permafrost in interior Alaska. Johnson, L.A., et al. (1980, 126p.); MP 1310

Crude oil spills on subarctic permafrost in interior Alaska. Johnson, L.A., et al. (1980, 67p.); CR 80-29

Pooling of oil under sea ice. Kovacs, A., et al. (1981, p.912-922); MP 1499

Surface disturbance and protection during economic development of the North. Brown, J., et al. (1981, 88p.); MP 1467

Long-term active layer effects of crude oil spilled in interior Alaska. Collins, C.M., (1981, p.175-179); MP 1656

Simulation of oil slicks in rivers and lakes. Shen, H.T., et al. (1990, 29p.); CR 90-01

Optical phenomena

Measurements of refractive index spectra over snow. Andreas, E.L., (1986, p.248-260); MP 2212

Atmospheric stability from scintillation measurements. Andreas, E.L., (1988, p.2241-2246); MP 2306

Optical properties

Photoelastic instrumentation—principles and techniques. Roberts, A., et al. (1979, 153p.); SR 79-13

Catalog of smoke/obscurant characterization instruments. O'Brien, H.W., et al. (1984, p.77-82); MP 1865

Thermal emissivity of diathermanous materials. Morris, R.H., et al. (1985, p.872-878); MP 1963

Preliminary development of a fiber optic sensor for TNT. Zhang, Y., et al. (1988, 16p.); SR 88-04

Organic soils

Arctic ecosystem: the coastal tundra at Barrow, Alaska. Brown, J., ed. (1980, 571p.); MP 1356

Coastal tundra at Barrow. Brown, J., et al. (1980, p.1-29); MP 1354

Organizations

Information systems planning study. Atkins, R.T., et al. (1987, 48p.); SR 87-23

Comparison of EPA and USATHAMA detection capability estimators. Grant, C.L., et al. (1988, p.865-819); MP 2455

Arctic research in the United States, Vol.3. (1989, 72p.); MP 2653

Arctic research of the United States, Vol.3. (1989, 71p.); MP 2530

United States arctic research plan biennial revision, 1990-1991. Brown, J., ed. (1989, 72p.); MP 2546

Orientation

Vector analysis of ice petrographic data. Ferrick, M.G., et al. (1989, p.129-141); MP 2754

Oscillations

Oceanic boundary-layer structures and oscillation at drift stations. McPhee, M.G., (1990, p.870-884); MP 1309

Oxygen isotopes

Oxygen isotope profiles through ice sheets. Johnsen, S.J., et al. (1972, p.629-634); MP 997

Oxygen isotopes in the basal zone of Matanuska Glacier. Lawson, D.E., et al. (1978, p.673-685); MP 1177

Pack ice

Mesoscale strain measurements on the Beaufort sea pack ice (AIDJEX 1971). Hibler, W.D., III, et al. (1974, p.119-138); MP 1035

Statistical variations in Arctic sea ice ridging and deformation rates. Hibler, W.D., III, (1979, p.31-326); MP 850

Movement of coastal sea ice near Prudhoe Bay. Weeks, W.F., et al. (1977, p.533-546); MP 1046

Ice melting and the drift of pack ice through restricted channels. Smith, D.S., (1977, 11p.); CR 77-18

Modeling pack ice as a viscous-plastic continuum. Hibler, W.D., III, (1977, p.66-55); MP 1164

Sea ice studies in the Weddell Sea region aboard USCGC *Burton Island*. Ackley, S.F., (1977, p.172-173); MP 1014

Dynamics of near-shore ice. Kovacs, A., et al. (1977, p.503-520); MP 1200

Sea ice and ice algae relationships in the Weddell Sea. Ackley, S.F., et al. (1978, p.70-71); MP 1203

Measurement of mesoscale deformation of Beaufort sea ice (AIDJEX-1971). Hibler, W.D., III, et al. (1978, p.168-172); MP 1179

Effect of the oceanic boundary layer on the mean drift of pack ice: application of a simple model. McPhee, M.G., (1979, p.388-400); MP 1198

Overview on the seasonal sea ice zone. Weeks, W.F., et al. (1979, p.320-337); MP 1320

International Workshop on the Seasonal Sea Ice Zone, Monterey, California, Feb 26-Mar 2, 1979. Anderson, R.G., ed. (1980, 357p.); MP 1292

Oceanic boundary-layer structures and oscillation at drift stations. McPhee, M.G., (1980, p.870-884); MP 1300

Sea-ice atmosphere interactions in the Weddell Sea using drifting buoys. Ackley, S.F., (1981, p.177-191); MP 1427

Condensate profiles over Arctic leads. Andreas, E.L., et al. (1981, p.437-446); MP 1479

Physical and structural characteristics of antarctic sea ice. Gow, A.J., et al. (1982, p.113-117); MP 1548

On modeling the Weddell Sea pack ice. Hibler, W.D., III, et al. (1982, p.125-130); MP 1549

Observations of pack ice properties in the Weddell Sea. Ackley, S.F., et al. (1982, p.169-180); MP 1608

Surface roughness of Ross Sea pack ice. Cavanaugh, J.R., et al. (1983, p.123-124); MP 1768

Elemental compositions and concentrations of ice microparticles in snow and pack ice from the Weddell sea. Kumai, M., et al. (1983, p.128-131); MP 1777

Relative abundance of diatoms in Weddell Sea pack ice. Clarke, D.B., et al. (1983, p.181-182); MP 1786

Morphology and ecology of diatoms in sea ice from the Weddell Sea. Clarke, D.B., et al. (1984, 41p.); CR 84-05

Sea ice data buoys in the Weddell Sea. Ackley, S.F., et al. (1984, 18p.); CR 84-11

Sea ice penetration in the Arctic Ocean. Weeks, W.F., (1984, p.37-65); MP 1993

Heat and moisture advection over antarctic sea ice. Andreas, E.L., (1985, p.736-746); MP 1888

Physical and structural characteristics of Weddell Sea pack ice. Gow, A.J., et al. (1987, 70p.); CR 87-14

Sea-ice pressure ridge microbial communities. Ackley, S.F., (1988, p.172-176); MP 2490

Snow cover effects on antarctic sea ice thickness. Ackley, S.F., et al. (1990, p.16-21); MP 2726

Pad foundations

Construction on permafrost at Longyearbyen on Spitsbergen. Tobiasson, W., (1978, p.884-890); MP 1108

Paleoclimatology

Oxygen isotope profiles through ice sheets. Johnsen, S.J., et al. (1972, p.629-634); MP 997

US global ice core research program West Antarctica and beyond. Grootes, P.M., et al. (1989, 32p.); MP 2709

Particle size distribution

Measurement and identification of aerosols collected near Barrow, Alaska. Kumai, M., (1978, 6p.); CR 78-20

Numerical simulation of atmospheric ice accretion. Ackley, S.F., et al. (1979, p.44-52); MP 1235

Snow and fog particle size measurements. P[illegible]er, R.H., (1982, p.47-58); MP 1982

Falling snow characteristics and extinction. Berger, R.H., (1983, p.61-64); MP 1756

Snow characterization at SNOW-ONE-R. Berger, R.H., et al. (1983, p.155-195); MP 1847

Characterization of snow for evaluation of its effect on electromagnetic wave propagation. Berger, R.H., (1983, p.53-62); MP 1688

Frazil ice formation. Ettema, R., et al. (1984, 44p.); CR 84-18

Effect of size on stresses in shear flow of granular materials, Pt.1. Shen, H.H., (1985, 18p.); CR 85-02

Effect of size on stresses in shear flow of granular materials, Pt.2. Shen, H.H., (1985, 26p.); CR 85-03

Statistics of coarsening in water-saturated snow. Colbeck, S.C., (1986, p.347-355); MP 2015

Frazil ice measurements in CRREL's flume facility. Daly, S.F., et al. (1986, p.427-436); MP 2127

Airborne particle measurements. Berger, R.H., (1989, p.31); MP 2644

Particles

Elemental compositions and concentrations of microparticles in snow and pack ice from the Weddell Sea. Kumai, M., et al. (1983, p.128-131); MP 1777

Forward-scattering corrected extinction by nonspherical particles. Bohren, C.F., et al. (1985, p.1923-1929); MP 1958

Airborne particle measurements. Berger, R.H., (1989, p.31); MP 2644

PATTERNED GROUND

Patterned ground in Alaska. Péwé, T.L., et al. (1969, 87p.); MP 1180

Patterned ground

Morphology of the North Slope. Walker, H.J., (1973, p.49-55); MP 1004

Pavement base

Pavement recycling using a heavy bulldozer mounted pulverizer. Eaton, R.A., et al. (1977, 12p. + appends.); SR 77-30

Effect of freeze-thaw cycles on resilient properties of fine-grained soils. Johnson, T.C., et al. (1978, 19p.); MP 1082

Freeze thaw effects on resilient properties of fine soils. Johnson, T.C., et al. (1979, p.267-276); MP 1226

Pavements

Flexible pavement resilient surface deflections. Smith, N., et al. (1975, 13 leaves); MP 1264

Influence of insulation upon frost penetration beneath pavements. Eaton, R.A., et al. (1976, 41p.); SR 76-06

Frost action in New Jersey highways. Berg, R.L., et al. (1978, 8p.); SR 78-09

Resilience of silt under asphalt during freezing and thawing. Johnson, T.C., et al. (1978, p.642-648); MP 1106

Nondestructive testing of moisture highway pavements in Maine. Smith, N., et al. (1979, 32p.); CR 79-06

Drainage and frost action criteria for a pavement design. Berg, R.L., (1979, 51p.); SR 79-15

Asphalt concrete for cold regions. Dempsey, B.J., et al. (1980, 59p.); CR 80-05

Mathematical models to estimate frost heave of pavements. Berg, R.L., et al. (1980, 69p.); CR 80-10

Field studies of pavement encapsulated subgrades with additives. Eaton, R.A., et al. (1980, 64p.); SR 80-33

Structural evaluation of porous pavements in cold climates. Eaton, R.A., et al. (1980, 45p.); SR 80-39

Pothole primer: a public administrator's guide to understanding and managing the pothole problem. Eaton, R., (1981, 24p.); MP 28.4

Pavement deflections after freezing and thawing. Chamberlain, E.J., (1981, 16p.); CR 81-25

Pavements *(cont.)*
Guide to managing the pothole problem on roads. Eaton, R.A., et al, (1981, 24p) SR 81-21
Potholes. the problem and solutions Eaton, R.A , (1982, p.160-162) MP 1504
Full-depth and granular base course design for frost areas. Eaton, R.A , et al, (1983, p 27-39) MP 1492
Effect of color and texture on the surface temperature of asphalt concrete pavements. Berg, R L., et al, (1983, p 57-61) MP 1652
Comparison of two-dimensional domain and boundary integral geothermal models with embankment freeze-thaw field data. Hromadka, T.V , II, et al, (1983, p.509-513) MP 1659
Revised procedure for pavement design under seasonal frost conditions. Berg, R., et al, (1983, 129p) SR 83-27
Hydraulic properties of selected soils Ingersoll, J., et al, (1985, p.26-35) MP 1925
Frost heave of full-depth asphalt concrete pavements. Zomerman, I., et al, (1985, p 66-76) MP 1927
Seasonal variations in pavement performance. Johnson, T.C., (1985, c21p) MP 2076
Chemical solutions to the chemical problem Minsk, L D., (1985, p 238-244) MP 2224
Survey of airport pavement distress in cold regions. Vinson, T.S., et al, (1986, p 41-50) MP 2002
Construction engineering community: materials and diagnostics (1986, 54p) SR 86-01
Effects of freeze thaw cycles on granular soils for pavements. Cole, D.M., et al, (1986, 70p) CR 86-04
Deformation of pavements during freeze thaw cycles. Johnson, T.C , et al, (1986, 138p) CR 86-13
Resilient moduli of soil specimens in the frozen and thawed states. Johnson, T.C., et al, (1986, 62p) CR 86-12
Freeze-thaw test to determine the frost susceptibility of soils. Chamberlain, E.J., (1987, 90p) SR 87-1
Pavement icing detector—final report. Goldstein, N., et al, (1987, 26p + append.) MP 2263
Freeze thaw tests of road and airfield subgrade soils Cole, D.M., et al, (1987, 36p) CR 87-02
Airport pavement distress in cold regions Vinson, T.S., et al, (1987, p.981-1012) MP 2234
Summary of proper cold weather pavement repair methods. Eaton, R A , (1987, p.1013-1027) MP 2235
Rating system for unsurfaced roads to be used in maintenance management. Eaton, R.A., et al, (1987, p (2)51-(2)62) MP 2313
New freezing test for determining frost susceptibility. Chamberlain, E.J., (1988, p.1045-1050) MP 2368
Hard-surface runways in Antarctica. Mellor, M , (1988, 97p) SR 88-13
Pavement design for seasonal frost conditions Berg, R.L., (1988, 12p.) MP 2547
Response of runway pavement to freeze thaw cycles Allen, W.L., et al, (1989, 31p) SR 89-02
Performance of pavement at Central Wisconsin Airport. Stark, J., et al, (1989, p 92-103) MP 2463
Deep frost effects on a longitudinal edge drain Allen, W L , (1989, p.343-352) MP 2469
Comparison of insulated and noninsulated pavements Kestler, M., et al, (1989, p 367-378) MP 2471
Radar profiling of Newton Airfield in Jackman, Maine Martinson, C.R , (1989, 9p) SR 89-04
Airport pavement distress in cold regions Vinson, T.S., et al, (1989, 142p) CR 89-10
State of the art of pavement response monitoring systems for roads and airfields (1989, 401p) SR 89-23
Monitoring pavement performance in seasonal frost areas. Berg, R L , (1989, p.10-19) MP 2564
Determination of frost penetration by soil resistivity measurements Atkins, R T., (1989, p 87-100) MP 2565
Data acquisition: first the FERF then the world Knuth, K.V., (1989, p 136-138) MP 2567
Resilient modulus determination for frost conditions. Chamberlain, E.J., et al, (1989, p 320-333) MP 2569
Case study of potential causes of frost heave. Henry, K.S , (1990, 35p) SR 90-09
Use of soft grade asphalts in airfields and highway pavements in cold regions. Janoo, V C , (1990, 47p) SR 90-12

Penetration
Depth of water-filled crevasses of glaciers Weertman, J , (1973, p 139-145) MP 1044
Icebreaking concepts Mellor, M., (1980, 18p) SR 80-02
Shopper's guide to ice penetration Mellor, M , (1984, p 1-35) MP 1992
Sea ice penetration in the Arctic Ocean Weeks, W F , (1984, p 37-65) MP 1993
Surfacing submarines through ice Assur, A., (1984, p 309-318) MP 1998
Variability of Arctic sea ice drafts Tucker, W.B , et al, (1986, p 237-256) MP 2178
Penetration of floating ice sheets with cylindrical indentors Sodhi, D S , et al, (1989, p 104) MP 2688

Penetration tests
Brazil tensile strength tests on sea ice a data report Kovacs, A., et al, (1977, 39p) SR 77-24
Terminal ballistics in cold regions materials Aitken, G W , (1978, 6p) MP 1162
Permafrost beneath the Beaufort Sea, near Prudhoe Bay, Alaska. Sellmann, P.V., et al, (1979, p 1481-1493) MP 1211
Penetration tests in subsea permafrost, Prudhoe Bay, Alaska Blouin, S.E , et al, (1979, 45p.) CR 79-07
Determining subsea permafrost characteristics with a cone penetrometer—Prudhoe Bay, Alaska. Blouin, S E , et al, (1979, p 3-16) MP 1217
Subsea permafrost study in the Beaufort Sea, Alaska Sellmann, P.V., et al, (1979, p 207-213) MP 1591
Bullet penetration in snow Cole, D.M , et al, (1979, 23p) SR 79-25
Test of snow fortifications Farrell, D.R., (1979, 15p) SR 79-33
Permafrost beneath the Beaufort Sea. near Prudhoe Bay, Alaska. Sellmann, P.V., et al, (1980, p 35-48) MP 1346
Dynamic ice-structure interaction analysis for narrow vertical structures. Eranti, E., et al, (1981, p 472-479) MP 1456
Deceleration of projectiles in snow. Albert, D.G., et al, (1982, 29p) CR 82-20
Workshop on Ice Penetration Technology, Hanover, NH, June 12-13, 1984. (1984, 345p) SR 84-33
Penetration of shaped charges into ice. Mellor, M , (1984, p.137-148) MP 1995
Ice penetration tests Garcia, N B., et al, (1984, p.209-240) MP 1996
Mechanics of ice cover breakthrough. Kerr, A D , (1984, p 245-262) MP 1997
Revised guidelines for blasting floating ice Mellor, M., (1986, 37p) SR 86-10
Second Workshop on Ice Penetration Technology, 1986. (1986, 659p) SR 86-30
Portable hot water ice drill Tucker, W B., et al, (1986, p 549-564) MP 2202
Portable hot-water ice drill. Tucker, W.B , et al, (1987, p.57-64) MP 2236
Saline ice penetration: a joint CRREL-NSWC test program Cole, D.M., et al, (1987, 34p) SR 87-14
Penetration of floating ice sheets with cylindrical indentors Sodhi, D.S., (1989, p.377-382) MP 2485

Penetrometers
Penetration tests in subsea permafrost, Prudhoe Bay, Alaska. Blouin, S E , et al, (1979, 45p) CR 79-07
Determining subsea permafrost characteristics with a cone penetrometer—Prudhoe Bay, Alaska. Blouin, S.E , et al, (1979, p.3-16) MP 1217
Compacted-snow runways design and construction guidelines for Antarctica. Russell-Head, D.S , et al, (1989, 68p) SR 89-10

Performance
Radial tire and traction aid performance on ice and in snow. Rogers, T., et al, (1986, 20p) SR 86-07
Thawing soil strength measurements for predicting vehicle performance Shoop, S A , (1989, 18p) MP 2749
Comparative model tests in ice of a Canadian Coast Guard R-class icebreaker. Tatinclaux, J C., et al, (1989, p 1/1-1/18) MP 2751

PERIGLACIAL PROCESSES
Patterned ground in Alaska. Péwé, T L , et al, (1969, 87p) MP 1180

Periglacial processes
Deposits in the glacial environment Lawson, D E., (1981, 16p) CR 81-27
Periglacial landforms and processes, Kenai Mts , Alaska Bailey, P.K , (1985, 60p) SR 85-03

Periodic variations
20-yr oscillation in eastern North American temperature records Mock, S J., et al, (1976, p 484-486) MP 889
20-yr cycle in Greenland ice core records. Hibler, W.D , III, et al, (1979, p 481-483) MP 1245
Forecasting ice formation and breakup on Lake Champlain Bates, R.E , et al, (1979, 21p) CR 79-26
Nitrate fluctuations in antarctic snow and firn Parker, B.C , et al, (1982, p 243-248) MP 1551
Modeling fluctuations of arctic sea ice Hibler, W D., III, et al, (1982, p 1514-1523) MP 1579

Permafrost
Workshop on permafrost-related research and TAPS. (1975, 37p) MP 1122
Numerical studies for an airborne VLF resistivity survey Arcone, S A., (1977, 10p) CR 77-05
Dynamics and energetics of parallel motion tools for cutting and boring Mellor, M , (1977, 85p) CR 77-07
Transverse rotation machines for cutting and boring in permafrost Mellor, M., (1977, 36p) CR 77-19
Geobotanical atlas of the Prudhoe Bay region, Alaska Walker, D.A , et al, (1980, 69p) CR 80-14
Environmental engineering, Yukon River-Prudhoe Bay Haul Road. Brown, J , ed, (1980, 187p) CR 80-19
Environment of the Alaskan Haul Road Brown, J , (1980, p 3-52) MP 1350
Mechanics of cutting and boring in permafrost Mellor, M , (1980, 82p) CR 80-21
Crude oil spills on subarctic permafrost in interior Alaska Johnson, L A , et al, (1980, 67p) CR 80-29
Embankment dams on permafrost in the USSR Johnson, F.C , et al, (1980, 59p) SR 80-41
Cold Regions Science and Technology Bibliography Cummings, N.H., (1981, p.73-75) MP 1372
Tundra and analogous soils. Everett, K.R., et al, (1981, p 139-179) MP 1405
Mechanics of cutting and boring in permafrost. Mellor, M., (1981, 38p.) CR 81-26
National Chinese Conference on Permafrost, 2nd, 1981. Brown, J., et al, (1982, 58p) SR 82-03
Bibliography on glaciers and permafrost, China, 1938-1979. Shen, J , ed, (1982, 44p) SR 82-20
Offshore mechanics and Arctic engineering, symposium, 1983. (1983, 813p) MP 1581
Proceedings of the Symposium on Applied Glaciology, 2nd, 1982. (1983, 314p.) MP 2054
Recovery and active layer changes following a tundra fire in northwestern Alaska. Johnson, L., et al, (1983, p 543-547) MP 1660
Constraints and approaches in high latitude natural resource sampling and research. Slaughter, C.W., et al, (1984, p 41-46) MP 2013
Vegetation recovery in the Cape Thompson region, Alaska. Everett, K.R., et al, (1985, 75p) CR 85-11
Vertically stable benchmarks: a synthesis of existing information Gatto, L.W., (1985, p.179-188) MP 2069
Ice-coring augers for shallow depth sampling. Rand, J.H., et al, (1985, 22p) CR 85-21
Remote sensing of ice and snow (review). Jezek, K.C., (1987, p.51) MP 2429
Corps of Engineers research in the Arctic. Smallidge, P.D., et al, (1987, p.81-87) MP 2411
Seismic and acoustic wave propagation. working group report. Albert, D G., et al, (1987, p.253-255) MP 2419
Fox permafrost tunnel: a late Quaternary geologic record in central Alaska. Hamilton, T.D., et al, (1988, p.948-969) MP 2355
Pressure buildup in permafrost pile supports induced by freezeback. Ayorinde, O A., (1989, p 236-251) MP 2467
Use of off-road vehicles and mitigation of effects in Alaska permafrost environments· a review. Slaughter, C.W., et al, (1990, p 63-72) MP 2682
Undersaturation in thawed permafrost at the beginning of freezeback. Ayorinde, O.A., (1990, p.317-321) MP 2582

Permafrost bases
Dielectric properties of thawed active layers. Arcone, S.A., et al, (1982, p 618-626) MP 1547

Permafrost beneath rivers
Piles in permafrost for bridge foundations Crory, F E , et al, (1967, 41p) MP 1411
Runoff from a small subarctic watershed, Alaska. Chacho, E.F , et al, (1983, p.115-120) MP 1654
Bank recession of the Tanana River, Alaska Gatto, L.W., (1984, 59p) MP 1746

Permafrost beneath roads
Approach roads, Greenland 1955 program. (1959, 100p) MP 1522
Permafrost and active layer on a northern Alaskan road. Berg, R.L., et al, (1978, p 615-621) MP 1102
Construction on permafrost at Longyearbyen on Spitsbergen. Tobiasson, W., (1978, p.884-890) MP 1108
Haul Road performance and associated investigations in Alaska. Berg, R.L., (1980, p.53-100) MP 1351
Effect of color and texture on the surface temperature of asphalt concrete pavements. Berg, R L , et al, (1983, p 57-61) MP 1652
Interaction of gravel, surface drainage and culverts with permafrost. Brown, J , et al, (1984, 35p) MP 2215

Permafrost beneath structures
Construction and performance of the Hess creek earth fill dam, Livengood, Alaska Simoni, O.W., (1973, p 23-34) MP 859
Kotzebue hospital—a case study Crory, F E., (1978, p.342-359) MP 1084
Details behind a typical Alaskan pile foundation Tobiasson, W , et al, (1978, p 891-897) MP 1109
Soviet construction under difficult climatic conditions Assur, A., (1980, p 47-53) MP 1345
U.S -Soviet seminar on building under cold climates and on permafrost (1980, 365p) SR 80-40
Design of foundations in areas of significant frost penetration. Linell, K A., et al, (1980, p.118-184) MP 1358
Comparative analysis of the USSR construction codes and the US Army technical manual for design of foundations on permafrost. Fish, A M., (1982, 20p) CR 82-14
Conduction phase change beneath insulated heated or cooled structures Lunardini, V J , (1982, 40p) CR 82-22
Thawing beneath insulated structures on permafrost. Lunardini, V J , (1983, p 750-755) MP 1662
Foundations on permafrost, US and USSR design and practice. Fish, A.M., (1983, p 3-24) MP 1682
Design implications of subsoil thawing Johnson, T C , et al, (1984, p 45-103) MP 1706
Design and performance of water-retaining embankments in permafrost Sayles, F.H , (1984, p 31-42) MP 1850
Foundations in permafrost and seasonal frost Proceedings. (1985, 62p) MP 1730
Creep of a strip footing on ice-rich permafrost. Sayles, F.H., (1985, p 29-51) MP 1731
U S permafrost delegation visit to China, July 1984. Brown, J.. (1985, 137p.) SP 85-09

Heat transfer characteristics of thermosyphons with inclined evaporator sections. Haynes, F D., et al, (1986, p 285-292) MP 2034
Engineering surveys along the Trans-Alaska Pipeline. Godfrey, R.N., et al, (1986, 85p.) SR 86-28
Embankment dams on permafrost Sayles, F H., (1987, 109p.) SR 87-11
Heat transfer performance of commercial thermosyphons with inclined evaporator sections Haynes, F.D., et al, (1988, p.275-280) MP 2320
Airfields in Arctic Alaska. Crory, F.E., (1988, p.49-55) MP 2451

Permafrost control

Light-colored surfaces reduce thaw penetration in permafrost Berg, R.L., et al, (1977, p 86-99) MP 954
Some experiences with tunnel entrances in permafrost Linell, K.A., et al, (1978, p.813-819) MP 1107

Permafrost degradation

Construction on permafrost at Longyearbyen on Spitsbergen Tobiasson, W., (1978, p 884-890) MP 1108

Permafrost depth

Electrical ground impedance measurements in Alaskan permafrost regions Hoekstra, P., (1975, 60p.) MP 1047
Permafroct beneath the Beaufort Sea, near Prudhoe Bay, Alaska Sellmann, P V., et al, (1979, p 1481-1493) MP 1211
Distribution and features of bottom sediments in Alaskan coastal waters. Sellmann, P.V., (1980, 50p.) SR 80-15
Use of piling in frozen ground Crory, F.E., (1980, 21 p.) MP 1407
CO2 effect on permafrost terrain Brown, J., et al, (1982, 30p.) MP 1546
Seismic velocities and subsea permafrost in the Beaufort Sea, Alaska. Neave, K.G., et al, (1983, p.894-898) MP 1665
Subsea permafrost distribution on the Alaskan shelf Sellmann, P V., et al, (1984, p 75-82) MP 1852

PERMAFROST DISTRIBUTION

Effects of permafrost on engineering. Stearns, S.R., (1966, 77p.) M I-A2

Permafrost distribution

Permafrost and vegetation maps from ERTS imagery Anderson, D M., et al, (1973, 75p.) MP 1003
ERTS mapping of Arctic and subarctic environments. Anderson, D M., et al, (1974, 128p.) MP 1047
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea Sellmann, P V., et al, (1977, p 385-395) MP 1074
Evaluation of electrical equipment for measuring permafrost distribution. Sellmann, P.V., et al, (1977, p 39-42) MP 925
Climatic and dendroclimatic indices in the discontinuous permafrost zone of the Central Alaskan Uplands Haugen, R.K., et al, (1978, p 392-398) MP 1099
Shallow electromagnetic geophysical investigations of permafrost. Arcone, S.A., et al, (1978, p 501-507) MP 1101
Physical and thermal disturbance and protection of permafrost. Brown, J., et al, (1979, 42p.) SR 79-05
Determining subsea permafrost characteristics with a cone penetrometer—Prudhoe Bay, Alaska Blouin, S E., et al, (1979, p.3-16) MP 1217
Electromagnetic surveys of permafrost Arcone, S A., et al, (1979, 24p.) CR 79-23
Distribution and properties of subsea permafrost of the Beaufort Sea Sellmann, P V., et al, (1979, p.93-115) MP 1287
Permafrost distribution on the continental shelf of the Beaufort Sea. Hopkins, D M., et al, (1979, p.135-141) MP 1288
Features of permafrost beneath the Beaufort Sea Sellmann, P.V., et al, (1980, p.103-110) MP 1344
Distribution and features of bottom sediments in Alaskan coastal waters *Sellmann, P V., (1980, 50p.)* SR 80-15
Design of foundations in areas of significant frost penetration Linell, K A., et al, (1980, p.118-184) MP 1358
Characteristics of permafrost beneath the Beaufort Sea Sellmann, P V., et al, (1981, p 125-157) MP 1428
Delineation and engineering of subsea permafrost, Beaufort Sea. Sellmann, P.V., et al, (1981, p 137-156) MP 1600
Drainage facilities of airfields and heliports in cold regions Lobacz, E.F., et al, (1981, 56p.) SR 81-22
Surface disturbance and protection during economic development of the North Brown, J., et al, (1981, 88p.) MP 1467
Ice-cored mounds at Sukakpak Mountain, Brooks Range Brown, J., et al, (1983, p 91-96) MP 1653
Relationships between estimated mean annual air and permafrost temperatures in North-Central Alaska Haugen, R K., et al, (1983, p 462-467) MP 1658
Seismic velocities and subsea permafrost in the Beaufort Sea, Alaska Neave, K.G., et al, (1983, p 894-898) MP 1665
Potential responses of permafrost to climatic warming Goodwin, C W., et al, (1984, p 92-105) MP 1710
Frost jacking forces on H and pipe piles embedded in Fairbanks silt Johnson, J B., (1984, 42p + append.) MP 2271
Determining distribution patterns of ice-bonded permafrost in the U.S. Beaufort Sea from seismic data. Neave, K.G., et al, (1984, p.237-258) MP 1839
Subsea permafrost distribution on the Alaskan shelf Sellmann, P.V., et al, (1984, p 75-82) MP 1852
Bank erosion, vegetation and permafrost, Tanana River near Fairbanks Gatto, L.W., (1984, 53p.) SR 84-21
Permafrost, snow cover and vegetation in the USSR Bigl, S R., (1984, 128p.) SR 84-36
Periglacial landforms and processes, Kenai Mts., Alaska Bailey, P.K., (1985, 60p.) SR 85-03
Seismic surveys of shallow subsea permafrost. Neave, K G., et al, (1985, p 61-65) MP 1954
U.S permafrost delegation visit to China, July 1984 Brown, J., (1985, 137p.) SR 85-09
Frost jacking forces on H and pipe piles embedded in Fairbanks silt. Johnson, J.B., et al, (1985, p 125-133) MP 1930
Terrain analysis from space shuttle photographs of Tibet Kreig, R.A., et al, (1986, p 400-409) MP 2097
Arctic and subarctic construction: general provisions. Lobacz, E F., (1986, 75p.) SR 86-17
D.C resistivity along the coast at Prudhoe Bay, Alaska. Sellmann, P.V., et al, (1988, p.988-993) MP 2366

PERMAFROST HEAT BALANCE

Effects of permafrost on engineering. Stearns, S R., (1966, 77p.) M I-A2

Permafrost heat balance

Cylindrical phase change approximation with effective thermal diffusivity. Lunardini, V.J., (1981, p.147-154) MP 1438

Permafrost heat transfer

Evaluation of methods for calculating soil thermal conductivity. Farouki, O., (1972, 90p.) CR 82-08
Thermal properties of soils. Farouki, O.T., (1981, 136p.) M 81-01
Conduction phase change beneath insulated heated or cooled structures Lunardini, V.J., (1982, 40p.) CR 82-22
Computer models for two-dimensional steady-state heat conduction. Albert, M.R., et al, (1983, 90p.) CR 83-10

Permafrost hydrology

Morphology of the North Slope Walker, H.J., (1973, p 49-52) MP 1004
Geophysical methods for hydrological investigations in permafrost regions. Hoekstra, P., (1976, p 75-90) MP 932
Colloquium on Water in Planetary Regoliths, Hanover, N.H., Oct 5-7, 1976. (1977, 161p.) MP 911
Mars soil-water analyzer: instrument description and status Anderson, D M., et al, (1977, p.149-158) MP 912
Fresh water supply for an Alaskan village McFadden, T., et al, (1978, 18p.) SR 78-07
Proceedings of the second planetary water and polar processes colloquium, 1978. (1978, 209p.) MP 1193
Case study: fresh water supply for Point Hope, Alaska McFadden, T., et al, (1979, p 1029-1040) MP 1222
Design of foundations in areas of significant frost penetration Linell, K.A., et al, (1980, p 118-184) MP 1358
Hydrology and climatology of a drainage basin near Fairbanks, Alaska Haugen, R K., et al, (1982, 34p.) CR 82-26
Ice-cored mounds at Sukakpak Mountain, Brooks Range Brown, J., et al, (1983, p 91-96) MP 1653
Ground ice in perennially frozen sediments, northern Alaska Lawson, D.E., (1983, p 695-700) MP 1661
Water migration due to a temperature gradient in frozen soil Oliphant, J L., et al, (1983, p.951-956) MP 1666
Permafrost Benson, C., et al, (1986, p 99-106) MP 2156

Permafrost indicators

Airborne E-phase resistivity surveys of permafrost Sellmann, P.V., et al, (1974, p 67-71) MP 1046
Geophysical methods for hydrological investigations in permafrost regions Hoekstra, P., (1976, p 75-90) MP 932
Selected examples of radiohm resistivity surveys for geotechnical exploration Hoekstra, P., et al, (1977, 16p.) SR 77-01

Permafrost physics

Delineation and engineering characteristics of permafrost beneath the Beaufort Sea. Sellmann, P.V., et al, (1977, p 385-395) MP 1074
Dynamic in-situ properties test in fine-grained permafrost Blouin, S.E., (1977, p.282-313) MP 963
Shallow electromagnetic geophysical investigations of permafrost. Arcone, S.A., et al, (1978, p 501-507) MP 1101
Remote sensing of massive ice in permafrost along pipelines in Alaska Kovacs, A., et al, (1979, p 268-279) MP 1175
Geophysics in the study of permafrost Scott, W.J., et al, (1979, p 93-115) MP 1266
Electromagnetic survey in permafrost Sellmann, P V., et al, (1979, 7p.) SR 79-14
Heat transfer in cold climates. Lunardini, V J., (1981, 731p.) MP 1435
VHF electrical properties of frozen ground near Point Barrow, Alaska Arcone, S A., et al, (1981, 18p.) CR 81-13
Measurements of ground resistivity Arcone, S A., (1982, p 92-110) MP 1513
Laboratory measurements of soil electric properties between 0.1 and 5 GHz. Delaney, A J., et al, (1982, 12p.) CR 82-10
Tundra soils on the Arctic Slope of Alaska. Everett, K.R., et al, (1982, p 264-280) MP 1552
Improving electric grounding in frozen materials. Delaney, A.J., et al, (1982, 12p.) SR 82-13
Deformation and failure of frozen soils and ice due to stresses. Fish, A M., (1982, p 419-428) MP 1553
Freezing of soil with surface convection Lunardini, V.J., (1982, p.205-212) MP 1595
Understanding the Arctic sea floor for engineering purposes. (1982, 141p.) SR 83-25
Computer models for two-dimensional steady-state heat conduction. Albert, M.R., et al, (1983, 90p.) CR 83-10
Guidebook to permafrost and its features, northern Alaska Brown, J., ed, (1983, 230p.) MP 1640
Offshore mechanics and Arctic engineering symposium, 1984. (1984, 3 vols.) MP 1675
Field dielectric measurements of frozen silt using VHF pulses. Arcone, S.A., et al, (1984, p.29-37) MP 1774
Conductive backfill for improving electrical grounding in frozen soils. Sellmann, P V., et al, (1984, 19p.) SR 84-17
Workshop on Permafrost Geophysics, Golden, Colorado, 23-24 October 1984. Brown, J., ed, (1985, 113p.) SR 85-05
Dielectric studies of permafrost Arcone, S A., et al, (1985, p 3-5) MP 1951
Galvanic methods for mapping resistive seabed features Sellmann, P.V., et al, (1985, p.91-92) MP 1955
Strain rate effect on the tensile strength of frozen silt. Zhu, Y., et al, (1985, p.153-157) MP 1898
International Offshore Mechanics and Arctic Engineering Symposium, 1987. (1987, 4 vols.) MP 2189
Preparation of geophysical borehole site with ground ice, Fairbanks, AK Delaney, A J., (1987, 15p.) SR 87-07
Mechanical and physical properties of soils in cold regions Chamberlain, E.J., (1987, p 155-161) MP 2415

Permafrost preservation

Piles in permafrost for bridge foundations Crory, F.E., et al, (1967, 41p.) MP 1411

PERMAFROST PRESERVATION

Foundations of structures in cold regions Sanger, F.J., (1969, 91p.) M III-C4

Permafrost preservation

Construction and performance of the Hess creek earth fill dam, Livengood, Alaska Simoni, O W., (1973, p 23-34) MP 859
Thermoinsulating media within embankments on perennially frozen soil. Berg, R.L., (1976, 161p.) SR 76-03
Ecological and environmental consequences of off-road traffic in northern regions Brown, J., (1976, p.40-53) MP 1383
Road construction and maintenance problems in central Alaska Clark, E F., et al, (1976, 36p.) SR 76-08
Physical and thermal disturbance and protection of permafrost. Brown, J., et al, (1979, 42p.) SR 79-05
Workshop on Environmental Protection of Permafrost Terrain. Brown, J., et al, (1980, p.30-36) MP 1314
Snow pads for pipeline construction in Alaska Johnson, P R., et al, (1980, 28p.) CR 80-17
Construction of foundations in permafrost Linell, K.A., et al, (1980, 310p.) SR 80-34
Sublimation and its control in the CRREL permafrost tunnel. Johansen, N I., (1981, 12p.) SR 81-08
Surface disturbance and protection during economic development of the North. Brown, J., et al, (1981, 88p.) MP 1467
Response of permafrost to disturbance Lawson, D E., (1986, p 1-7) MP 2165

Permafrost samplers

Subsurface explorations in permafrost areas Cass, J.R., Jr., (1959, p 31-41) MP 885
Drilling and coring of frozen ground in northern Alaska, Spring 1979 Lawson, D.E., et al, (1980, 14p.) SR 80-12

PERMAFROST STRUCTURE

Effects of permafrost on engineering Stearns, S R., (1966, 77p.) M I-A2
Characteristics of the cold regions Gerdel, R W., (1969, 51p.) M I-A

Permafrost structure

Morphology of the North Slope. Walker, H J., (1973, p 49-52) MP 1004
Electrical resistivity profile of permafrost Hoekstra, P., (1974, p.28-34) MP 1045
Computer modeling of terrain modifications in the arctic and subarctic Outcalt, S.I., et al, (1977, p 24-32) MP 971
Remote sensing of massive ice in permafrost along pipelines in Alaska Kovacs, A., et al, (1979, p 268-279) MP 1175
Electromagnetic survey in permafrost Sellmann, P V., et al, (1979, 7p.) SR 79-14
Drilling and coring of frozen ground in northern Alaska, Spring 1979 Lawson, D.E., et al, (1980, 14p.) SR 80-12

Permafrost temperature
Unfrozen water contents of six antarctic soil materials Anderson, D M., et al, (1989, p 353-366) MP 2470
Permafrost thermal properties
Approach roads, Greenland 1955 program. (1959, 100p) MP 1522
Subsea permafrost study in the Beaufort Sea, Alaska. Sellmann, P.V., et al, (1979, p.207-213) MP 1591
Crude oil spills on subarctic permafrost in interior Alaska. Johnson, L A., et al, (1980, 128p) MP 1310
Phase change around a circular pipe. Lunardini, V.J., (1980, 18p.) CR 80-27
Piling in frozen ground Crory, F E., (1982, p 112-124) MP 1722
Modifications of permafrost, East Oumalik, Alaska. Lawson, D.E., (1982, 33p) CR 82-36
Freezing and thawing: heat balance integral approximations. Lunardini, V.J., (1983, p.30-37) MP 1597
Approximate solution to conduction freezing with density variation. Lunardini, V.J., (1983, p 43-45) MP 1598
Relationships between estimated mean annual air and permafrost temperatures in North-Central Alaska. Haugen, R.K., et al, (1983, p 462-467) MP 1658
Ground ice in perennially frozen sediments, northern Alaska Lawson, D.E., (1983, p 695-700) MP 1661
Erosion of perennially frozen streambanks Lawson, D.E., (1983, 22p.) CR 83-29
Potential responses of permafrost to climatic warming Goodwin, C.W., et al, (1984, p 92-105) MP 1710
Status of numerical models for heat and mass transfer in frost-susceptible soils. Berg, R L., (1984, p 67-71) MP 1851
Subsea permafrost distribution on the Alaskan shelf. Sellmann, P.V., et al, (1984, p.75-82) MP 1852
Prototype drill for core sampling fine-grained perennially frozen ground. Brockett, B.E., et al, (1985, 29p) CR 85-01
Arctic thermal design. Lunardini, V.J., (1985, p 70-75) MP 2167
U S. permafrost delegation visit to China, July 1984 Brown, J., (1985, 137p.) SR 85-09
Review of analytical methods for ground thermal regime calculations Lunardini, V.J., (1985, p.204-257) MP 1922
Heat transfer characteristics of thermosyphons with inclined evaporator sections Haynes, F D., et al, (1986, p 285-292) MP 2034
Monitoring seasonal changes in seafloor temperature and salinity Sellmann, P.V., et al, (1986, p 110-114) MP 2147
Natural ground temperatures in upland bedrock terrain, interior Alaska. Collins, C M., et al, (1988, p 56-60) MP 2360
Seasonal variations in resistivity and temperature in discontinuous permafrost Delaney, A J., et al, (1988, p 927-932) MP 2365
Thermal stabilization of permafrost with thermosyphons Zarling, J.P., et al, (1990, p.323-328) MP 2583
Permafrost thickness
Electrical ground impedance measurements in Alaskan permafrost regions Hoekstra, P., (1975, 60p) MP 1049
Permeability
Consolidating dredged material by freezing and thawing Chamberlain, E.J., (1977, 94p) MP 978
Freeze thaw effect on the permeability and structure of soils Chamberlain, E J., et al, (1978, p 31-44) MP 1080
Freeze thaw effect on the permeability and structure of soils Chamberlain, E.J., et al, (1979, p.73-92) MP 1225
Soil infiltration on land treatment sites. Abele, G., et al, (1980, 41p) SR 80-36
Liquid distribution and the dielectric constant of wet snow Colbeck, S C., (1980, p.21-39) MP 1349
Soil hydraulic conductivity and moisture retention features Ingersoll, J., (1981, 11p) SR 81-02
Evaluation of procedures for determining selected aquifer parameters Daly, C.J., (1982, 104p) CR 82-41
Effect of freeze-thaw cycles on soils Chamberlain, E., et al, (1990, p 145-155) MP 2678
Petroleum industry
Design considerations for airfields in NPRA Crory, F E., et al, (1978, p 441-458) MP 1086
Phase transformations
Compressibility characteristics of compacted snow. Abele, G., et al, (1976, 47p) CR 76-21
Low temperature phase changes in moist, briny clays. Anderson, D.M., et al, (1980, p 139-144) MP 1330
Phase change around a circular pipe Lunardini, V J., (1980, 18p) CR 80-27
Heat transfer in cold climates Lunardini, V J., (1981, 731p) MP 1435
Some approaches to modeling phase change in freezing soils Hromadka, T V., II, et al, (1981, p 137-145) MP 1437
Cylindrical phase change approximation with effective thermal diffusivity Lunardini, V J., (1981, p 147-154) MP 1438
Deforming finite elements with and without phase change Lynch, D R., et al, (1981, p 81-96) MP 1493
Phase change around a circular cylinder Lunardini, V J., (1981, p 598-600) MP 1507
Phase change around insulated buried pipes: quasi-steady method. Lunardini, V.J., (1981, p.201-207) MP 1496
Heat conduction with phase changes. Lunardini, V.J., (1981, 14p) CR 81-25
Freezing of soil with surface convection Lunardini, V.J., (1982, p 205-212) MP 1595
Solution of two-dimensional freezing and thawing problems O'Neill, K., (1983, p.653-658) MP 1584
Approximate phase change solutions for insulated buried cylinders Lunardini, V J., (1983, p.25-32) MP 1593
Boundary integral equation solution for phase change problems O'Neill, K., (1983, p.1825-1850) MP 2093
Two-dimensional heat conduction phase change. Albert, M.R., et al, (1983, p 85-110) MP 2161
Fixed mesh finite element solution for cartesian two-dimensional phase change. O'Neill, K., (1983, p 436-441) MP 1702
Modeling two-dimensional freezing Albert, M.R., (1984, 45p) CR 84-10
Computation of porous media natural convection flow and phase change. O'Neill, K., et al, (1984, p 213-229) MP 1895
Freezing of soil with phase change occurring over a finite temperature zone Lunardini, V.J., (1985, p 38-46) MP 1854
Transient two-dimensional phase change. Albert, M R., et al, (1985, p.229-243) MP 2162
Heat conduction phase change problems Albert, M.R., et al, (1986, p.591-607) MP 2159
Tracking freezing front movement using boundary element method Hromadka, T.V., II, (1987, 58p) SR 87-08
XYFREZ.4 user's manual. O'Neill, K., (1987, 55p.) SR 87-28
Heat conduction with freezing or thawing. Lunardini, V.J., (1988, 329p.) M 88-01
Phase change heat transfer program for microcomputers Buzzell, G.M., et al, (1988, p.645-650) MP 2383
Photoelasticity
Photoelastic instrumentation—principles and techniques. Roberts, A., et al, (1979, 153p) SR 79-13
Photogrammetry
Remote measurement of sea ice drift. Hibler, W.D., III, et al, (1975, p 541-554) MP 849
Photography
Ice thickness distribution across the Atlantic sector of the Antarctic Ocean in midwinter. Wadhams, P., et al, (1987, p.14,535-14,552) MP 2314
Photointerpretation
Antarctic sea ice dynamics and its possible climatic effects Ackley, S.F., et al, (1976, p 53-76) MP 1378
Air photo interpretation of a small ice jam DenHartog, S L., (1977, p 705-719) MP 935
Aerial photointerpretation of a small ice jam DenHartog, S L., (1977, 17p) SR 77-32
Aerial photography of Cape Cod shoreline changes Gatto, L.W., (1978, 49p) CR 78-17
River channel characteristics at selected ice jam sites in Vermont Gatto, L W., (1978, 52p) CR 78-25
Historical shoreline changes along the outer coast of Cape Cod. Gatto, L.W., (1979, p 69-90) MP 1502
Aerial photointerpretation for shoreline changes Gatto, L.W., (1980, p 167-170) MP 1503
Wildlife habitat mapping in Lac qui Parle, Minnesota. Merry, C.J., et al, (1984, p 205-208) MP 2085
Evaluation of SPOT HRV simulation data for Corps of Engineers applications McKim, H.L., et al, (1985, p 61-71) MP 2184
Photomacrographs
Photomacrography of artifacts in transparent materials Marshall, S J., (1976, 31p) CR 76-40
Photosynthesis
Case for comparison and standardization of carbon dioxide reference gases Kelley, J J., et al, (1973, p 163-181) MP 964
Physical properties
Physical and structural characteristics of sea ice in McMurdo Sound Gow, A J., et al, (1981, p 94-95) MP 1542
Simulation of planar instabilities during solidification. Sullivan, J M., Jr., et al, (1987, p 81-111) MP 2585
Physiological effects
Winter habitats of salmon and trout Calkins, D J., (1989, 9p) SR 89-34
Piers
Arching of model ice floes at bridge piers. Calkins, D.J., (1978, p 495-507) MP 1134
Ice forces on the Yukon River bridge 1978 breakup Johnson, P R., et al, (1979, 40p) MP 1304
Ice action on pairs of cylindrical and conical structures Kato, K., et al, (1983, 35p.) CR 83-25
Ice forces on a bridge pier, Ottauquechee River, Vermont Sodhi, D S., et al, (1983, 6p) CR 83-32
Ice forces on inclined model bridge piers Haynes, F.D., et al, (1984, p.1167-1173) MP 2407
Vibration analysis of the Yamachiche lightpier Haynes, F.D., (1986, p.238-241) MP 1989
Vibration analysis of the Yamachiche Lightpier Haynes, F.D., (1986, p 9 18) MP 2253
Ice forces on bridge piers Haynes, F D., (1986, p 83-101) MP 2160
Static and dynamic ice loads on the Yamachiche Bend lightpier, 1984-86. Frederking, R., et al, (1986, p 115-126) MP 2389
Ice force measurements on a bridge pier in a small river. Sodhi, D.S., et al, (1989, p 1419-1427) MP 2764
Pile driving
Piles in permafrost for bridge foundations Crory, F.E., et al, (1967, 41p) MP 1411
Study of piles installed in polar snow Kovacs, A., (1976, 132p) CR 76-23
Stake driving tools a preliminary survey. Kovacs, A., et al, (1977, 43p) SR 77-13
Use of piling in frozen ground. Crory, F.E., (1980, 21 p) MP 1407
Pile extraction
Ice engineering. O'Steen, D.A., (1980, p 41-47) MP 1602
Frost jacking forces on H and pipe piles embedded in Fairbanks silt Johnson, J B., (1984, 42p. + append.) MP 2271
Frost heave forces on piling Esch, D C., et al, (1985, 2p) MP 1732
Uplifting forces exerted by adfrozen ice on marine piles Christensen, F T., et al, (1985, p.529-542) MP 1905
Frost jacking forces on H and pipe piles embedded in Fairbanks silt. Johnson, J.B., et al, (1985, p.125-133) MP 1930
Real-time measurements of uplifting ice forces Zabilansky, L.J., (1985, p.253-259) MP 2092
Frost heave forces on H and pipe foundation piles Buska, J S., et al, (1988, p 1039-1044) MP 2367
Model study of uplifting ice forces· the instrumentation. Zabilansky, L.J., (1988, p 745-748) MP 2487
Pile load tests
Use of piling in frozen ground Crory, F.E., (1980, 21 p) MP 1407
Real-time measurements of uplifting ice forces Zabilansky, L.J., (1985, p 253-259) MP 2092
Model study of uplifting ice forces: the instrumentation. Zabilansky, L.J., (1988, p 745-748) MP 2487
Pile structures
Ice forces on vertical piles Nevel, D E., et al, (1972, p.104-114) MP 1024
Investigation of ice forces on vertical structures. Hirayama, K., et al, (1974, 153p) MP 1041
Ice forces on model structures Zabilansky, L.J., et al, (1975, p 400-407) MP 863
Ice forces on simulated structures Zabilansky, L J., et al, (1975, p.387-396) MP 864
Ice forces on vertical piles Nevel, D E., et al, (1977, 9p) CR 77-10
Ice engineering. O'Steen, D.A., (1980, p 41-47) MP 1602
Construction of foundations in permafrost Linell, K.A., et al, (1980, 310p) SR 80-34
Piling in frozen ground Crory, F E., (1982, p 112-124) MP 1722
Dynamic ice-structure interaction during continuous crushing Määttänen, M., (1983, 48p) CR 83-05
Foundations in permafrost and seasonal frost, Proceedings (1985, 62p) MP 1730
Frost heave forces on piling Esch, D.C., et al, (1985, 2p) MP 1732
Model study of ice forces on a single pile. Zabilansky, L.J., (1986, p.77-87) MP 2388
Pressure buildup in permafrost pile supports induced by freezeback Ayorinde, O A., (1989, p 236-251) MP 2467
Piles
Application of ice engineering and research to Great Lakes problems Freitag, D.R., (1972, p 131-138) MP 1615
Foundation technology in cold regions Quinn, W F., (1987, p 305-310) MP 2425
Measurement of frost heave forces on H-piles and pipe piles Johnson, J B., et al, (1988, 49p) CR 88-21
Pingos
On the origin of pingos—a comment Mackay, J R., (1976, p.295-298) MP 916
Pipe flow
Ice bands in turbul· · pipe flow Ashton, G.D., (1984, 7p) MP 2087
Pipe laying
Subsea trenching in the Arctic Mellor, M., (1981, 31p) CR 81-17
Pipeline freezing
Freeze damage prevention in utility distribution lines McFadden, T., (1977, p 221-231) MP 929
Freeze damage protection for utility lines McFadden, T., (1977, p 12-16) MP 953
Cold climate utilities delivery design manual Smith, D W., et al, (1979, c300 leaves) MP 1373
Freezing in a pipe with turbulent flow. Albert, M R., et al, (1983, p 102-112) MP 1893
Ice bands in turbulent pipe flow Ashton, G D., (1984, 7p.) MP 2087
Pipeline insulation
Freeze damage protection for utility lines. McFadden, T., (1977, p 12-16) MP 953
Specialized pipeline equipment Hanamoto, B., (1978, 30p) SR 78-05

Phase change around insulated buried pipes. quasi-steady method. Lunardini, V.J., (1981, p.201-207) MP 1496

Pipeline supports

Movement study of the trans-Alaska pipeline at selected sites. Ueda, H.T, et al, (1981, 32p) CR 81-04

Performance of a thermosyphon with an inclined evaporator and vertical condenser Zarling, J.P, et al, (1984, p 64-68) MP 1677

Frost jacking forces on H and pipe piles embedded in Fairbanks silt. Johnson, J.B., et al, (1985, p 125-133) MP 1930

Frost heave forces on H and pipe foundation piles Buska, J.S, et al, (1988, p 1039-1044) MP 2367

Pipelines

Workshop on permafrost-related research and TAPS. (1975, 37p) MP 1122

Utility distribution practices in northern Europe McFadden, T., et al, (1977, p 70-95) MP 928

Haines-Fairbanks pipeline. design, construction and operation. Garfield, D.E, et al, (1977, 20p) SR 77-04

Revegetation and erosion control of the Trans-Alaska Pipeline Johnson, L.A., et al, (1977, 36p) SR 77-08

Canol Pipeline Project. a historical review. Ueda, H.T., et al, (1977, 32p) SR 77-34

Large mobile drilling rigs used along the Alaska pipeline. Sellmann, P.V, et al, (1978, 23p) SR 78-04

Specialized pipeline equipment Hanamoto, B., (1978, 30p) SR 78-05

Construction equipment problems and procedures. Alaska pipeline project. Hanamoto, B, (1978, 14p) SR 78-11

Undersea pipelines and cables in polar waters Mellor, M., (1978, 34p) CR 78-22

Application of heat pipes on the Trans-Alaska Pipeline. Heuer, C.E., (1979, 27p) SR 79-26

Snow pads for pipeline construction in Alaska. Johnson, P.R., et al, (1980, 28p) CR 80-17

Environmental engineering, Yukon River-Prudhoe Bay Haul Road. Brown, J., ed, (1980, 187p) CR 80-19

Environment of the Alaskan Haul Road Brown, J, (1980, p 3-52) MP 1350

Revegetation along roads and pipelines in Alaska Johnson, L.A., (1980, p 129-150) MP 1353

Movement study of the trans-Alaska pipeline at selected sites Ueda, H.T., et al, (1981, 32p) CR 81-04

Losses from the Fort Wainwright heat distribution system Phetteplace, G, et al, (1981, 29p) SR 81-14

Revegetation along the trans-Alaska pipeline, 1975-1978 Johnson, A.J, (1981, 115p) CR 81-12

Subsea trenching in the Arctic Mellor, M, (1981, p 843-882) MP 1464

Revegetation along pipeline rights-of-way in Alaska. Johnson, L, (1984, p 254-264) MP 2113

Simple design procedure for heat transmission system piping. Phetteplace, G, (1985, p 1748-1752) MP 1942

Engineering surveys along the Trans-Alaska Pipeline Godfrey, R.N., et al, (1986, 85p) SR 86-28

Pipes (tubes)

Phase change around a circular pipe Lunardini, V.J, (1980, 18p) CR 80-27

Phase change around a circular cylinder Lunardini, V.J., (1981, p 598-600) MP 1507

Approximate phase change solutions for insulated buried cylinders Lunardini, V.J, (1983, p 25-32) MP 1593

Transient two-dimensional phase change Albert, M.R, et al, (1985, p 279-243) MP 2162

Polyvinyl chloride pipes and ground water chemistry. Parker, L.V, et al, (1985, 27p) SR 85-12

Heat transfer of a thermosyphon Zarling, J.P, et al, (1987, p.79-84) MP 2190

Thermosyphon for horizontal applications DenHartog, S.L., (1988, p 319-321) MP 2444

Freezing and thawing of soils in cylindrical coordinates Lunardini, V.J., (1989, p 185-208) MP 2594

Investigation into the post-stable behavior of a tube array in cross-flow Lever, J.H., et al, (1989, p 457-465) MP 2561

PLAINS

Geology and physiography of cold regions Stearns, S.R., (1965, 40p) M I-A1

Planetary environments

Proceedings of the second planetary water and polar processes colloquium, 1978 (1978, 209p) MP 1193

First impressions of the comet drilling problem Mellor, M, (1989, p 229-232) MP 2592

Plankton

Choanoflagellata from the Weddell Sea, summer 1977 Buck, K.R, (1980, 26p) CR 80-16

Morphology and ecology of diatoms in sea ice from the Weddell Sea Clarke, D.B, et al, (1984, 41p) CR 84-05

Sea-ice pressure ridge microbial communities. Ackley, S.F, (1988, p 172-174) MP 2450

Plant ecology

Climatic and dendroclimatic indices in the discontinuous permafrost zone of the Central Alaskan Uplands Haugen, R.K, et al, (1978, p 392-398) MP 1099

Vegetation recovery after tundra fires in northwestern Alaska Racine, C., et al, (1987, p 461-469) MP 2374

Plant physiology

Seasonal variations in plant nutrition in tundra soils. McCown, B.H., et al, (1971, p.55-57) MP 904

Effects of inundation on six varieties of turfgrass. Erbisch, F.H, et al, (1982, 25p) SR 82-12

U.S. tundra biome publication list Brown, J, et al, (1983, 29p.) SR 83-29

Growth and flowering of tussocks in northcentral Alaska Haugen, R.K., et al, (1984, p 10-11) MP 1950

Effect and disposition of TNT in a terrestrial plant Palazzo, A.J., et al, (1986, p 49-52) MP 2098

TNT in a terrestrial plant Palazzo, A.J., et al, (1986, 17p) CR 86-15

Effects of temperature and species on TNT injury to plants. Palazzo, A.J, et al, (1988, 7p) SR 88-16

Plant tissues

Aquatic plant growth in relation to temperature and unfrozen water content Palazzo, A.J, et al, (1984, 8p) CR 84-14

Plants (botany)

Revegetation in arctic and subarctic North America—a literature review Johnson, L.A., et al, (1976, 32p) CR 76-15

Urban waste as a source of heavy metals in land treatment Iskandar, I.K, (1976, p 417-432) MP 977

Effects of wastewater application on forage grasses Palazzo, A.J., (1976, 8p) CR 76-39

Reclamation of acidic dredge soils with sewage sludge and lime Palazzo, A.J, (1977, 24p) SR 77-19

Effects of wastewater on the growth and chemical composition of forages. Palazzo, A.J, (1977, p 171-180) MP 975

Ecology on the Yukon-Prudhoe haul road. Brown, J, ed, (1978, 131p) MP 1115

Effects of a tundra fire on soil and vegetation Racine, C, (1980, 21p) SR 80-37

Aquaculture for wastewater treatment in cold climates Reed, S.C, et al, (1981, p.482-492) MP 1394

Wastewater treatment and plant growth Palazzo, A.J, (1982, 21p) SR 82-05

Vegetation and environmental gradients of the Prudhoe Bay region, Alaska Walker, D.A., (1985, 239p) CR 85-14

TNT in a terrestrial plant Palazzo, A.J., et al, (1986, 17p) CR 86-15

Effects of temperature and species on TNT injury to plants Palazzo, A.J, et al, (1988, 7p) SR 88-16

Plastic deformation

Mechanics of ice. Glen, J.W., (1975, 43p) M II-C2b

In-plane deformation of non-coaxial plastic soil Takagi, S, (1978, 28p) CR 78-07

Plastic flow

Modeling pack ice as a viscous-plastic continuum Hibler, W.D., III, (1977, p 46-55) MP 1164

Role of plastic ice interaction in marginal ice zone dynamics Leppäranta, M, et al, (1985, p 11,899-11,909) MP 1544

Plastic properties

Steady in-plane deformation of noncoaxial plastic soil Takagi, S, (1979, p.1049-1072) MP 1248

Analysis of non-steady plastic shock waves in snow Brown, R.L, (1980, p 279-287) MP 1354

Plasticity tests

Report of the ITTC panel on testing in ice, 1978 Frankenstein, G.E, et al, (1978, p.157-179) MP 1140

Plastics

Utility distribution practices in northern Europe McFadden, T, et al, (1977, p 70-95) MP 928

Plates

Viscoelasticity of floating ice plates subjected to a circular load. Takagi, S, (1978, 32p) CR 78-05

Investigation of the acoustic emission and deformation response of finite ice plates Xirouchakis, P.C, et al, (1981, 19p) CR 81-06

Acoustic emission and deformation response of finite ice plates Xirouchakis, P.C., et al, (1981, p 123-133) MP 1436

On the buckling force of floating ice plates Kerr, A.D, (1981, 7p) CR 81-09

Acoustic emission and deformation of ice plates Xirouchakis, P.C, et al, (1982, p.129-139) MP 1589

Pneumatic equipment

De-icing of radomes and lock walls using pneumatic devices Ackley, S.F, et al, (1977, p 467-478) MP 1064

Polar regions

Arctic research of the United States, Vol 1 (1987, 121p) MP 2306

Arctic research of the United States, Vol.2 (1988, 76p) MP 2379

United States arctic research plan biennial revision 1990-1991 Brown, J, ed, (1989, 72p) MP 2544

Polarization (waves)

Polarization studies in sea ice Arcone, S.A, et al, (1980, p 225-245) MP 1324

Polarization of skylight Bohren, C, (1984, p 261-265) MP 1794

Model studies of surface noise interference in ground-probing radar Arcone, S.A, et al, (1985, 23p) CR 85-19

Optical properties of sea ice structure Gow, A.J., (1986, p 264-271) MP 2257

Pollution

Mercury contamination of water samples Cragin, J.H, (1979, p 313-319) MP 1270

Health aspects of land treatment Reed, S.C, (1979, 43p) MP 1389

Sensitivity of vegetation and soil flora to seawater spills, Alaska. Simmons, C.L, et al, (1983, 35p) CR 83-24

Freezing effect on waste contaminants Iskandar, I.K, (1986, 33p) SR 86-19

Low temperature effects on organophosphonates Britton, K.B., (1986, 47 refs) SR 86-38

Losses of explosives residues on disposable membrane filters. Jenkins, T.F., et al, (1987, 25p.) SR 87-02

Decontamination of chemical agents on the winter battlefield. Parker, L.V., (1988, 48p) CR 88-07

Comparison of EPA and USATHAMA detection capability estimators Grant, C.L., et al, (1988, p 405-418) MP 2455

Using bleach mixture for decontamination at low temperatures Walsh, M.E, et al, (1989, 13p.) SR 89-33

CBR operations in cold weather a bibliography, Vol 1 Carlon, H.R, et al, (1989, 88p.) MP 2574

Polymers

Ice releasing block-copolymer coatings Jellinek, H.H.G, et al, (1978, p 544-551) MP 1141

Seeking low ice adhesion Sayward, J.M, (1979, 83p) SR 79-11

Adhesion of ice to polymers and other surfaces Itagaki, K., (1983, p 241-252) MP 1580

Cold-temperature characterization of polymer concrete. Bigl, S.R, (1986, 46p) MP 2521

Wetting of polystyrene and urethane roof insulations. Tobiasson, W, et al, (1988, p.421-430) MP 2011

On the design of polymeric composite structures for cold regions applications Lord, H.W, et al, (1988, p.435-458) MP 2395

Polynyas

Turbulent heat flux from Arctic leads Andreas, E.L, et al, (1979, p 57-91) MP 1340

Physical oceanography of the seasonal sea ice zone. McPhee, M.G, (1980, p 93-132) MP 1294

Estimation of heat and mass fluxes over Arctic leads. Andreas, E.L, (1980, p 2057-2063) MP 1410

Condensate profiles over Arctic leads Andreas, E.L, et al, (1981, p 437-460) MP 1479

Sea ice state during the Weddell Sea Expedition Ackley, S.F, et al, (1983, 6p. + 59p) SR 83-2

Bulk transfer coefficients for heat and momentum over leads and polynyas Andreas, E.L, et al, (1986, p 1875-1883) MP 2187

Estimating turbulent surface heat fluxes over polar, marine surfaces Andreas, E.L, (1988, p 65-68) MP 2448

Environment of wintertime leads and polynyas Andreas, E.L., (1989, p 273-288) MP 2689

Wind-generated polynyas off the coasts of the Bering Sea islands. Kozo, T.L, et al, (1990, p.126-132) MP 2734

Ponds

Suppression of ice fog from cooling ponds McFadden, T, (1976, 78p) CR 76-43

Wastewater stabilization pond linings Middlebrooks, E.J., et al, (1978, 116p) SR 78-28

Energy requirements for small flow wastewater treatment systems Middlebrooks, E.J., et al, (1979, 82p) SR 79-07

Cost-effective use of municipal wastewater treatment ponds Reed, S.C, et al, (1979, p 177-200) MP 1413

International and national developments in land treatment of wastewater McKim, H.L., et al, (1979, 28p) MP 1420

Aquaculture systems for wastewater treatment an engineering assessment Reed, S.C., et al, (1980, 127p) MP 1422

Aquaculture systems for wastewater treatment Reed, S.C, et al, (1980, p 1-12) MP 1423

Ice growth on Post Pond, 1973-1982 Gow, A.J, et al, (1983, 25p) CR 83-04

Nitrogen removal in wastewater stabilization ponds Reed, S.C., (1983, 13p + figs) MP 1943

Nitrogen removal in wastewater ponds. Reed, S.C., (1984, 26p) CR 84-13

Pontoon bridges

Ice interaction with the U.S. Army ribbon bridge. Coutermarsh, B.A., (1986, 18p) CR 86-01

Porosity

Difficulties of measuring the water saturation and porosity of snow Colbeck, S.C, (1978, p 189-20[illegible]) MP 1124

Configuration of ice in frozen media Colbeck, S.C., (1982, p 116-123) MP 1512

Geometry and permittivity of snow at high frequencies. Colbeck, S.C, (1982, p 4495-4500) MP 1545

Variation of ice strength within and between multiyear pressure ridges in the Beaufort Sea Weeks, W.F., (1984, p 134-139) MP 1680

Influence of grain size on the ductility of ice Cole, D.M, (1984, p 150-157) MP 1686

Sea ice salinity and porosity changes dur[illegible] storage. Cox, G.F.N, et al, (1986, p 371-375) MP 2244

Undersaturation in thawed permafrost at the beginning of freezeback Ayorinde, O.A, (1990, p 317-321) MP 2582

Porous materials
Water flow through veins in ice Colbeck, S C., (1976, 5p) CR 76-06
Moving boundary problems in the hydrodynamics of porous media Nakano, Y., (1978, p 125-134) MP 1343
Evaluation of the moving boundary theory. Nakano, Y., (1978, p.142-151) MP 1147
Functional analysis of the problem of wetting fronts Nakano, Y., (1980, p 314-318) MP 1307
Water and air horizontal flow in porous media Nakano, Y., (1980, p.81-85) MP 1341
Water and air vertical flow through porous media. Nakano, Y., (1980, p.124-133) MP 1342
Structural evaluation of porous pavement in cold climate Eaton, R A., et al, (1980, 43p) SR 80-39
Traveling wave solution to the problem of simultaneous flow of water and air through homogeneous porous media Nakano, Y., (1981, p.57-64) MP 1419
Horizontal infiltration of water in porous materials Nakano, Y., (1982, p 156-166) MP 1840
Wetting fronts in porous media Nakano, Y., (1983, p 71-78) MP 1720
Calculation of advective mass transport in heterogeneous media Daly, C J., (1983, p 73-89) MP 1697
Boundary value problem of flow in porous media Nakano, Y., (1983, p 205-213) MP 1721
Role of heat and water transport in frost heaving of porous soils. Nakano, Y., et al, (1984, p 93-102) MP 1842
Computation of porous media natural convection flow and phase change O'Neill, K., et al, (1984, p 213-229) MP 1895
Diffusivity of horizontal water flow through porous media. Nakano, Y., (1985, p 26-31) MP 1881
Experimental measurement of channeling of flow in porous media. Oliphant, J.L., et al, (1985, p 394-399) MP 1967
Natural convection in sloping porous layers Powers, D J., et al, (1986, p 697-710) MP 2158
On the pressure drop through a uniform snow layer. Yen, Y.C., (1988, 10p) CR 88-14

Portable shelters
Operation of the CRREL prototype air transportable shelter. Flanders, S N., (1980, 73p) SR 80-10
Cold regions testing of an air-transportable shelter Flanders, S.N., (1981, 20p) CR 81-16
Air-transportable Arctic wooden shelters Flanders, S N., et al, (1982, p 385-397) MP 1558
Winter field testing of U S Navy fleet hospital Sletten, R S., et al, (1988, 10p) MP 2512

Ports
Bibliography on harbor and channel design in cold regions Haynes, F.D., (1976, 32p) CR 76-03
Methods of ice control for winter navigation in inland waters. Frankenstein, G E., et al, (1984, p 329-337) MP 1831
Harbor design for ice conditions Wortley, C A., (1987, p.14-15) MP 2588
Ice control in river harbors and fleeting areas Perham, R.E., (1988, 7p) SR 88-12
Rebuilding infrastructure for pleasure boating Wortley, C.A., et al, (1989, p 188-201) MP 2466

Position (location)
Sea ice drift and deformation from LANDSAT imagery Hibler, W D., III, et al, (1976, p 115-135) MP 1059

Power line icing
Utility distribution practices in northern Europe. McFadden, T., et al, (1977, p 70-95) MP 928
Mechanisms for ice bonding in wet snow accretions on power lines Colbeck, S.C., et al, (1983, p 25-30) MP 1633
Field measurements of combined icing and wind loads on wires Govoni, J.W., et al, (1983, p 205-215) MP 1637
Combined icing and wind loads on a simulated power line test span Govoni, J W., et al, (1984, p 173-182) MP 2114
Ice accretion measurement on a wire at Mt Washington McComber, P., et al, (1985, p 34-43) MP 2173
Computer interfacing of meteorological sensors in severe weather Rancourt, K., et al, (1985, p 205-211) MP 2175
Transfer of meteorological data from mountain-top sites Govoni, J.W., et al, (1986, 6p.) MP 2107
Conductor twisting resistance effects on ice build-up and ice shedding Govoni, J W., et al, (1986, 8p + figs.) MP 2108
Icing and wind loading on a simulated power line Govoni, J W., et al, (1986, p 23-27) MP 2206
Ice accretion and aerodynamic loading of transmission lines Egelhofer, K Z., et al, (1987, p 103-109) MP 2279

Power line supports
Icing and wind loading on a simulated power line Govoni, J W., et al, (1986, p 23-27) MP 2206

Precipitation gages
Meteorological measurements at Camp Ethan Allen Training Center, Vermont Bates R., (1982, p 77-112) MP 1984
Optical snow precipitation gauge Koh, G., et al, (1987, p 26-31) MP 2259
Solid precipitation measurement at Sleepers River, VT Bates, R.E., et al, (1987, p 1-7) MP 2396
Snow mass concentration and precipitation rate Koh, G., et al, (1988, p 89-92) MP 2326
Optical technique for characterizing precipitation. Koh, G., (1989, p.71-76) MP 2627
Snow concentration and precipitation rate measurements during SNOW IV Lacombe, J., (1989, p 25-29) MP 2643

PRECIPITATION (METEOROLOGY)
Climatology of the cold regions of the northern hemisphere, II Wilson, C., (1969, 158p) M I-A3b

Precipitation (meteorology)
Changes in the composition of atmospheric precipitation Cragin, J H., et al, (1977, p.617-631) MP 1079
Summer air temperature and precipitation in northern Alaska. Haugen, R.K., et al, (1980, p 403-412) MP 1439
Climate of remote areas in north-central Alaska 1975-1979 summary Haugen, R.K., (1982, 110p) CR 82-35
Building materials and acid precipitation Merry, C.J., et al, (1985, 40p) SR 85-01
Structure data bases for predicting building material distribution Merry, C J., et al, (1985, 35p) SR 85-07
Frozen precipitation and concurrently observed meteorological conditions Bilello, M A., (1985, 11p) MP 2075
Construction materials data base for Pittsburgh, PA. Merry, C.J., et al, (1986, 87p) SR 86-08
Description of the building materials data base for Portland, Maine Merry, C J., et al, (1986, 83p) SR 86-13
Description of the building materials data base for Cincinnati, Ohio Merry, C J., et al, (1986, 85p) SR 86-31
Inventorying building materials Merry, C.J., (1986, 25p) SR 86-33
Impact of wet snow on visible, infrared and millimeter wave attenuation Bates, R.E., et al, (1988, p 523-535) MP 2608
Optical measurement of precipitation Koh, G., (1989, 13p) SR 89-30

Pressure
Review of the propagation of inelastic pressure waves in snow. Albert, D.G., (1983, 26p) CR 83-13
On the pressure drop through a uniform snow layer. Yen, Y C., (1988, 10p) CR 88-14
Pressure buildup in permafrost pile supports induced by freezeback Ayorinde, O A., (1989, p 236-251) MP 2467

Pressure control
Freeze damage prevention in utility distribution lines McFadden, T., (1977, p 221-231) MP 929

Pressure ridges
Classification and variation of sea ice ridging in the Arctic basin. Hibler, W D., III, et al, (1974, p 127-146) MP 1022
Height variation along sea ice pressure ridges Hibler, W.D., III, et al, (1975, p 191-199) MP 848
Grounded ice along the Alaskan Beaufort Sea coast Kovacs, A., (1976, 21p.) CR 76-32
Some characteristics of grounded floebergs near Prudhoe Bay, Alaska Kovacs, A., et al, (1976, p 169-172) MP 1118
Grounded floebergs near Prudhoe Bay, Alaska Kovacs, A., et al, (1976, 10p.) CR 76-34
Sea ice properties and geometry Weeks, W.F., (1976, p.137-171) MP 918
Sea ice roughness and floe geometry over continental shelves. Weeks, W F., et al, (1977, p 32-41) MP 1163
Radar profile of a multi-year pressure ridge fragment. Kovacs, A., (1978, p 59-62) MP 1126
Profiles of pressure ridges and ice islands in the Beaufort Sea. Hnatiuk, J., et al, (1978, p 519-532) MP 1187
Sea ice pressure ridges in the Beaufort Sea Wright, B D., et al, (1978, p 249-271) MP 1132
Dynamics of near-shore ice. Kovacs, A., et al, (1978, p 11-22) MP 1205
Sea ice north of Alaska Kovacs, A., (1978, p.7-12) MP 1252
Sea ice ridging over the Alaskan continental shelf Tucker, W B., et al, (1979, 24p) CR 79-08
Multi year pressure ridges in the Canadian Beaufort Sea Wright, B., et al, (1979, p 107-126) MP 1229
Ice pile-up and ride-up on Arctic and subarctic beaches Kovacs, A., et al, (1979, p 127-146) MP 1230
Sea ice ridging over the Alaskan continental shelf. Tucker, W B., et al, (1979, p 4885-4897) MP 1240
Dynamics of near-shore ice Kovacs, A., et al, (1979, p.181-207) MP 1291
Shore ice pile-up and ride-up: field observations, models, theoretical analyses. Kovacs, A., et al, (1980, p 209-298) MP 1295
Sea ice piling at Fairway Rock, Bering Strait, Alaska Kovacs, A., et al, (1981, p 985-1000) MP 1460
Morphology of sea ice pressure ridge sails Tucker, W.B., et al, (1981, p 1-12) MP 1465
Sea ice rubble formations off the NL Bering Sea and Norton Sound Kovacs, A., (1981, p 1348-1363) MP 1527
Dynamics of near-shore ice Kovacs, A., et al, (1981, p 125-135) MP 1599
Multi-year pressure ridges in the Canadian Beaufort Sea Wright, B., et al, (1981, p 125-145) MP 1514
Ice pile-up and ride up on arctic and subarctic beaches Kovacs, A., et al, (1981, p 247-273) MP 1538
Sea ice rubble formations in the Bering Sea and Norton Sound, Alaska Kovacs, A., (1981, 23p) SR 81-34
Modeling pressure ridge buildup on the geophysical scale Hibler, W.D., III, (1982, p.141-155) MP 1590
Bering Strait sea ice and the Fairway Rock icefoot. Kovacs, A., et al, (1982, 40p) CR 82-31
Properties of sea ice in the coastal zones of the polar oceans. Weeks, W.F., et al, (1983, p.25-41) MP 1604
Characteristics of multi-year pressure ridges. Kovacs, A., (1983, p.173-182) MP 1698
Summary of the strength and modulus of ice samples from multi-year pressure ridges Cox, G.F.N., et al, (1984, p 126-133) MP 1679
Variation of ice strength within and between multiyear pressure ridges in the Beaufort Sea. Weeks, W.F., (1984, p.134-139) MP 1680
Preliminary examination of the effect of structure on the compressive strength of ice samples from multi-year pressure ridges Richter, J A., et al, (1984, p.140-144) MP 1685
Mechanical properties of multi-year sea ice. Phase 1: Test results Cox, G F.N., et al, (1984, 105p) CR 84-09
Method of detecting voids in rubbled ice Tucker, W.B., et al, (1984, p 183-188) MP 1772
Structure of first-year pressure ridge sails in the Prudhoe Bay region. Tucker, W B., et al, (1984, p 115-135) MP 1837
Some probabilistic aspects of ice gouging on the Alaskan Shelf of the Beaufort Sea Weeks, W.F., et al, (1984, p 213-236) MP 1838
Tensile strength of multi-year pressure ridge sea ice samples Cox, G.F.N., et al, (1985, p 186-193) MP 1856
Structure, salinity and density of multi-year sea ice pressure ridges. Richter-Menge, J A., et al, (1985, p.194-198) MP 1857
Strength and modulus of ice from pressure ridges Cox, G F N., et al, (1985, p 93-98) MP 1848
Structure and the compressive strength of ice from pressure ridges Richter, J.A., et al, (1985, p 99-102) MP 1849
Compressive strength of pressure ridge ice samples. Richter-Menge, J.A., et al, (1985, p 465-475) MP 1877
Pressure ridge strength in the Beaufort Sea Weeks, W.F., (1985, p 167-172) MP 2121
Pressure ridge and sea ice properties Greenland Sea. Tucker, W.B., et al, (1985, p 214-223) MP 1935
Mechanical properties of multi-year pressure ridge samples. Richter-Menge, J A., (1985, p 244-251) MP 1936
Tensile strength of multi-year pressure ridge sea ice samples Cox, G.F.N., et al, (1985, p.375-380) MP 1908
Structure, salinity and density of multi-year sea ice pressure ridges Richter-Menge, J A., et al, (1985, p.493-497) MP 1965
Confined compressive strength of multi-year pressure ridge sea ice samples Cox, G.F.N., et al, (1986, p 365-373) MP 2035
Mechanical properties of multi-year pressure ridge ice. Richter-Menge, J.A., (1987, p 108-119) MP 2299
Confined compressive strength of multi-year pressure ridge sea ice samples. Cox, G.F.N., et al, (1988, p 295-301) MP 2403
Mechanical properties of multi-year sea ice. Richter-Menge, J A., (1988, p 54-61) MP 2619
On modeling the energetics of the ridging process Hopkins, M.A., et al, (1989, p.175-178) MP 2483
Sea ice ridging in the Ross Sea, Antarctica, as compared with sites in the Arctic Weeks, W.F., et al, (1989, p 4984-4988) MP 2490

Probes
Construction and performance of platinum probes for measurement of redox potential Blake, B J., et al, (1978, 8p) SR 78-27
Permafrost beneath the Beaufort Sea near Prudhoe Bay, Alaska. Sellmann, P.V., et al, (1980, p 35-48) MP 1346

Professional personnel
Architects and scientists in research for design of buildings in Alaska Ledbetter, C B., (1977, 8p) CR 77-23

Profiles
Iceberg thickness profiling Kovacs, A., (1978, p.766-774) MP 1019
Profiles of pressure ridges and ice islands in the Beaufort Sea Hnatiuk, J., et al, (1978, p 519-532) MP 1187
Sea ice ridging over the Alaskan continental shelf. Tucker, W B., et al, (1979, 24p) CR 79-08
Sea ice ridging over the Alaskan continental shelf Tucker, W B., et al, (1979, p 4885-4897) MP 1240
Pooling of oil under sea ice. Kovacs, A., et al, (1981, p 912-922) MP 1459
Condensate profiles over Arctic leads Andreas, E L., et al, (1981, p 437-460) MP 1479
Electromagnetic subsurface measurements Dean, A M., Jr., (1981, 19p) SR 81-23
Snowpack profile analysis using extracted thin sections Harrison, W L., (1982, 15p) SR 82-11
Airborne measurement of sea ice thickness and subice bathymetry Kovacs, A., et al, (1988 p 111-120) MP 2345

Projectile penetration
Projectile and fragment penetration into ordinary snow. Swinzow, G K., (1977, 30p) MP 1750
Terminal ballistics in cold regions materials Aitken, G W., (1978, 6p) MP 1182
Bullet penetration in snow Cole, D M., et al, (1979, 23p) SR 79-25

Nose shape and L/D ration, and projectile penetration in frozen soil Richmond, P.W., (1980, 21p) SR 80-17
Impact fuse performance in snow (Initial evaluation of a new test technique). Aitken, G.W., et al, (1980, p 31-45) MP 1347
Small caliber projectile penetration in frozen soil. Richmond, P.W., (1980, p.801-823) MP 1490
Deceleration of projectiles in snow. Albert, D.G., et al, (1982, 29p) CR 82-20
Ice penetration tests Garcia, N.B., et al, (1985, p 223-236) MP 2014
Some developments in shaped charge technology Mellor, M., (1986, 29p) SR 86-18
Small-scale projectile penetration in saline ice. Cole, D.M., et al, (1986, p 415-438) MP 2201
Equipment for making access holes through arctic sea ice Mellor, M., (1986, 34p) SR 86-32
Deviation of guidelines for blasting floating ice. Mellor, M., (1987, p.193-206) MP 2247

Propellers

Evaluation of ice deflectors on the USCG icebreaker *Polar Star*. Vance, G.P., (1980, 37p) SR 80-04
Self-shedding of accreted ice from high-speed rotors Itagaki, K., (1983, p 1-6) MP 1719
Mechanical ice release from high-speed rotors Itagaki, K., (1983, 8p.) CR 83-26
Natural rotor icing on Mount Washington, New Hampshire. Itagaki, K., et al, (1986, 62p.) CR 86-10
Self-shedding of accreted ice from high-speed rotors. Itagaki, K., (1987, p 95-100) MP 2278
Effect of ice-floe size on propeller torque in ship-model tests. Tatinclaux, J.C., (1987, p 291-298) MP 2289
Model tests on an icebreaker at two friction factors. Tatinclaux, J.C., (1989, p.774-784) MP 2622

Protection

Ecological and environmental consequences of off-road traffic in northern regions Brown, J., (1976, p.40-53) MP 1383
Hydraulic model study of a water intake under frazil ice conditions. Tantillo, T.J., (1981, 11p.) CR 81-03

Protective coatings

Thermoinsulating media within embankments on perennially frozen soil. Berg, R.L., (1976, 161p) SR 76-03
Evaluation of MESL membrane—puncture, stiffness, temperature, solvents. Sayward, J.M., (1976, 60p) CR 76-22
Water absorption of insulation in protected membrane roofing systems Schaefer, D., (1976, 15p) CR 76-38
Suppression of ice fog from cooling ponds. McFadden, T., (1976, 78p) CR 76-43
Ice removal from the walls of navigation locks Frankenstein, G.E., et al, (1976, p 1487-1496) MP 888
Lock wall deicing. Hanamoto, B., (1977, p.7-14) MP 972
Repetitive loading tests on membrane enveloped road sections during freeze thaw. Smith, N., et al, (1977, p.171-197) MP 962
Ice releasing block-copolymer coatings. Jellinek, H.H.G., et al, (1978, p.544-551) MP 1141
Freeze thaw loading tests on membrane enveloped road sections. Smith, N., et al, (1978, p 1277-1288) MP 1158
Performance of the USCGC *Katmai Bay* icebreaker. Vance, G.P., (1980, 28p) CR 80-08
Deicing a satellite communication antenna Hanamoto, B., et al, (1980, 14p) SR 80-18
Ice adhesion tests on coatings subjected to rain erosion Minsk, L.D., (1980, 14p) SR 80-28
Potential icing of the space shuttle external tank. Ferrick, M.G., et al, (1982, 305p) CR 82-25
How effective are icephobic coatings Minsk, L.D., (1983, p.93-95) MP 1634
Application of a block copolymer solution to ice-prone structures Hanamoto, B., (1983, p 155-158) MP 1636
Aerostat icing problems. Hanamoto, B., (1983, 29p) SR 83-23
Ice observation program on the semisubmersible drilling vessel SEDCO 708. Minsk, L.D., (1984, 14p) SR 84-02
Polyethylene glycol as an ice control coating Itagaki, K., (1984, 11p) CR 84-28
Blistering of built-up roof membranes pressure measurements Korhonen, C., (1987, 22p) SR 86-29
Wall coatings for concrete and masonry buildings Korhonen, C.J., et al, (1989, 27 refs) SR 89-36

Protective vegetation

Revegetation and erosion control of the Trans-Alaska Pipeline Johnson, L.A., et al, (1977, 36p) SR 77-08

Pumps

Measuring unmetered steam use with a condensate pump cycle counter Johnson, P.R., (1977, p 434-442) MP 957
Waste heat recovery for heating purposes Phetteplace, G., (1978, p 30-33) MP 1256
Bubblers and pumps for melting ice Ashton, G.D., (1986, p 223-234) MP 2133
Water-source heat pumps Phetteplace, G., (1986, p 14-15) MP 2151

Quartz

Mechanisms of crack growth in quartz Martin, R.J., III, et al, (1975, p.4837-4844) MP 855

Quaternary deposits

Fox permafrost tunnel, a late Quaternary geologic record in central Alaska. Hamilton, T.D., et al, (1988, p 948-969) MP 2355

Radar

Extending the useful life of DYE-2 to 1986. Tobiasson, W., et al, (1980, 37p) SR 80-13

Radar echoes

Imaging radar observations of frozen Arctic lakes. Elachi, C., et al, (1976, p 169-175) MP 1284
Dynamics of near-shore ice Kovacs, A., et al, (1977, p 106-112) MP 924
Sea ice thickness profiling and under-ice oil entrapment. Kovacs, A., (1977, p.547-550) MP 940
Dielectric constant and reflection coefficient of snow surface layers in the McMurdo Ice Shelf. Kovacs, A., et al, (1977, p.137-138) MP 1011
Iceberg thickness profiling using an impulse radar. Kovacs, A., (1977, p 140-142) MP 1012
Dynamics of near-shore ice Kovacs, A., et al, (1977, p 503-510) MP 1200
Iceberg thickness and crack detection Kovacs, A., (1978, p.131-145) MP 1128
Iceberg thickness profiling Kovacs, A., (1978, p.766-774) MP 1019
Radar anisotropy of sea ice Kovacs, A., et al, (1978, p 171-201) MP 1111
Radar profile of a multi-year pressure ridge fragment. Kovacs, A., (1978, p 59-62) MP 1126
Dynamics of near-shore ice. Kovacs, A., et al, (1978, p.11-22) MP 1205
Sea ice north of Alaska. Kovacs, A., (1978, p 7-12) MP 1252
Radar anisotropy of sea ice. Kovacs, A., et al, (1978, p 6037-6046) MP 1139
Remote detection of water under ice-covered lakes on the North Slope of Alaska Kovacs, A., (1978, p.448-458) MP 1214
Remote sensing of massive ice in permafrost along pipelines in Alaska Kovacs, A., et al, (1979, p 268-279) MP 1175
Freshwater pool radar-detected near an Alaskan river delta Kovacs, A., et al, (1979, p 161-164) MP 1224
Surface-based scatterometer results of Arctic sea ice Onstott, R.G., et al, (1979, p.78-85) MP 1260
Anisotropic properties of sea ice. Kovacs, A., et al, (1979, p 5749-5759) MP 1258
Inlet current measured with Seasat-1 synthetic aperture radar Shemdin, O.H., et al, (1980, p 35-37) MP 1443
Method for measuring brash ice thickness with impulse radar. Martinson, C.R., et al, (1981, 10p) SR 81-11
Distortion of model subsurface radar pulses in complex dielectrics Arcone, S.A., (1981, p 855-864) MP 1472
Ice-covered North Slope lakes observed by radar Weeks, W.F., et al, (1981, 17p) CR 81-19
Radar detection of sea ice and current alinement under the Ross Ice Shelf. Morey, R.M., et al, (1981, p.96-97) MP 1543
Dielectric properties of thawed active layers. Arcone, S.A., et al, (1982, p 618-626) MP 1547
Effects of conductivity on high-resolution impulse radar sounding Morey, R.M., et al, (1982, 12p) CR 82-42
Radar profiling of buried reflectors and the groundwater table Sellmann, P.V., et al, (1983, 16p) CR 83-11
Detection of cavities under concrete pavement Kovacs, A., et al, (1983, 41p) CR 83-18
Radar wave speeds in polar glaciers Jezek, K.C., et al, (1983, p 199-208) MP 2057
Changes in the Ross Ice Shelf dynamic condition. Jezek, K.C., (1984, p 409-416) MP 2058
Radar investigations above the trans-Alaska pipeline near Fairbanks. Arcone, S.A., et al, (1984, 15p) CR 84-27
Discrete reflections from thin layers of snow and ice Jezek, K.C., et al, (1984, p 323-331) MP 1871
Borehole geometry on the Greenland and Antarctic ice sheets. Jezek, K.C., (1985, p.242-251) MP 1817
Impulse radar sounding of frozen ground. Kovacs, A., et al, (1985, p 28-40) MP 1952
Analysis of wide-angle reflection and refraction measurements Morey, R.M., et al, (1985, p 53-60) MP 1953
Mine detection in cold regions using short-pulse radar Arcone, S.A., (1985, 16p) SR 85-23
Model studies of surface noise interference in ground-probing radar Arcone, S.A., et al, (1985, 23p) CR 85-19
Impulse radar sounding of level first-year sea ice from an icebreaker Martinson, C.R., (1985, 9p) SR 85-21
Observations of the backscatter from snow at millimeter wavelengths Berger, R.H., et al, (1986, p 311-316) MP 2665
Comments on the characteristics of *in situ* snow at millimeter wavelengths Walsh, J., et al, (1986, p 317-320) MP 2666
Short-pulse radar investigations of freshwater ice sheets and brash ice Arcone, S.A., et al, (1986, 10p) CR 86-06
Detecting underground objects, utilities Hironaka, M.C., et al, (1987, p.36-43) MP 2281
Wet precipitation in subfreezing air below a cloud influences radar backscattering Colbeck, S.C., (1987, p.135-144) MP 2297
Field observations of mine detection in snow using UHF short-pulse radar. Arcone, S.A., et al, (1987, 24p.) SR 87-19
Radioglaciology by V.V. Bogorodskiĭ, et al. Jezek, K.C., (1988, p 55-56) MP 2338
Alaska SAR facility, an update. Weller, G., et al, (1988, p 27-31) MP 2380
Radar backscattering from artificially grown sea ice. Bredow, J., et al, (1989, p 259-264) MP 2667
Analysis of a short pulse radar survey of revetments along the Mississippi River. Arcone, S.A., (1989, 20p.) MP 2692
Estimating sea ice thickness using data from impulse radar soundings Kovacs, A., et al, (1989, 10p) CR 89-22
Algorithm for extraction of ice-thickness data from short pulse radar signals. Riek, L., et al, (1990, p.137-145) MP 2698
Physical properties of brackish ice, Bay of Bothnia. Weeks, W.F., et al, (1990, p 5-15) MP 2725
Airborne sea ice thickness sounding. Kovacs, A., et al, (1990, p 225-229) MP 2737
Sea ice thickness versus impulse radar time-of-flight data. Kovacs, A., et al, (1990, p.91-98) MP 2704
Radar backscatter measurements over saline ice. Gogineni, S., et al, (1990, p 603-615) MP 2741
Radar surveying of the bottom surface of ice covers. Arcone, S.A., et al, (1990, p 30-39) MP 2766

Radar photography

AIDJEX radar observations. Thompson, T.W., et al, (1972, p.1-16) MP 909
Radar imagery of ice covered North Slope lakes Weeks, W.F., et al, (1977, p.129-136) MP 923

Radiation

Radiation and evaporation heat loss during ice fog conditions. McFadden, T., (1975, p.18-27) MP 1051
Forward scatter meter for measuring extinction in adverse weather Koh, G., (1987, p 81-84) MP 2295
Two-stream multilayer, spectral radiative transfer model for sea ice Perovich, D.K., (1989, 17p) CR 89-15

Radiation absorption

Effects of radiation penetration on snowmelt runoff hydrographs. Colbeck, S.C., (1976, 9p) CR 76-11
Ice fog as an electro-optical obscurant. Koh, G., (1985, 11p) CR 85-08
Comments on the characteristics of *in situ* snow at millimeter wavelengths Walsh, J., et al, (1986, p.317-320) MP 2666

RADIATION BALANCE

Climatology of the cold regions of the northern hemisphere, I. Wilson, C., (1967, 141p.) M I-A3a

Radiation balance

Micrometeorological investigations near the tundra surface. Kelley, J.J., (1973, p 109-126) MP 1006
Energy exchange over antarctic sea ice in the spring. Andreas, E.L., et al, (1985, p 7199-7212) MP 1889
Lidar detection of leads in arctic sea ice. Schnell, R.C., et al, (1990, p 119-123) MP 2733

Radio communication

Low frequency surface impedance measurements Arcone, S.A., et al, (1980, p 1-9) MP 1280
Transfer of meteorological data from mountain-top sites. Govoni, J.W., et al, (1986, 6p) MP 2107

Radio echo soundings

Internal properties of the ice sheet at Cape Folger by radio echo sounding Kelliher, T.E., et al, (1978, 12p) CR 78-04
Ice sheet internal reflections Ackley, S.F., et al, (1979, p 5675-5680) MP 1319
Radio echo sounding in the Allan Hills, Antarctica. Kovacs, A., (1980, 9p) SR 80-23
Ice flow leading to the deep core hole at Dye 3, Greenland. Whillans, I.M., et al, (1984, p 185-190) MP 1824
Folding in the Greenland ice sheet Whillans, I.M., et al, (1987, p 485-493) MP 2185
Airborne electromagnetic sensing of sea ice thickness. Becker, A., et al, (1987, 77p) MP 2673
Radar backscatter in snow at millimeter wave frequencies Berger, R.H., et al, (1989, p 133-136) MP 2631
Estimating sea ice thickness using data from impulse radar soundings Kovacs, A., et al, (1989, 10p) CR 89-22

Radio waves

Electrical ground impedance measurements in Alaskan permafrost regions Hoekstra, P., (1975, 60p) MP 1049
Electrical ground impedance Arcone, S.A., et al, (1978, 92p) MP 1221
Electrical resistivity of frozen ground Arcone, S.A., (1979, p 32-37) MP 1623
Detection of Arctic water supplies with geophysical techniques Arcone, S.A., et al, (1979, 30p) CR 79-15
Low frequency surface impedance measurements Arcone, S.A., et al, (1980, p 1-9) MP 1280
VHF electrical properties of frozen ground near Point Barrow, Alaska Arcone, S.A., et al, (1981, 18p) CR 81-13
Electrical properties of frozen ground, Point Barrow, Alaska Arcone, S.A., et al, (1982, p 485-492) MP 1572
Field dielectric measurements of frozen silt using VHF pulses Arcone, S.A., et al, (1983, p.29-37) MP 1774

Radio waves *(cont.)*
Pulse transmission through frozen silt. Arcone, S A., (1984, 9p) CR 84-17
Investigations of dielectric properties of some frozen materials. Arcone, S A., et al, (1989, 18p) CR 89-04
RADIOACTIVE ISOTOPES
Radioactive fallout in northern regions Wilson, C., (1967, 35p) M I-A3d
Radiometry
Remote sensing of water quality using an airborne spectroradiometer. McKim, H.L., et al, (1980, p.1353-1362) MP 1491
Summer conditions in the Prudhoe Bay area, 1953-75 Cox, G.F.N., et al, (1981, p.799-808) MP 1457
Water quality monitoring using an airborne spectroradiometer. McKim, H.L., et al, (1984, p.353-360) MP 1718
Remote sensing data for water masses in Delaware Bay and adjacent wetlands. Ackleson, S G., et al, (1985, p 1123-1129) MP 1909
Thermal emissivity of diathermanous materials Munis, R.H., et al, (1985, p 872-878) MP 1963
Passive microwave *in situ* observations of winter Weddell Sea ice. Comiso, J.C., et al, (1989, p 10,891-10,905) MP 2655
Antarctic ice sheet brightness temperature variations. Jezek, K.C., et al, (1990, p 217-223) MP 2736
Railroads
Snow and ice control on railroads, highways and airports Minsk, L.D., et al, (1981, p 671-706) MP 1447
Rain
Roof loads resulting from rain on snow Colbeck, S.C., (1977, p 482-490) MP 982
Loading on the Hartford Civic Center roof before collapse Redfield, R., et al, (1979, 32p.) SR 79-09
Recrystallization
Compressibility characteristics of compacted snow. Abele, G., et al, (1976, 47p) CR 76-21
Growth of faceted crystals in a snow cover Colbeck, S C., (1982, 19p.) CR 82-29
Optical properties of sea ice structure Gow, A J., (1986, p 264-271) MP 2257
Annealing recrystallization in laboratory and naturally deformed ice. Gow, A.J., et al, (1987, p (C1)271-(C1)276) MP 2230
Reflection
Near-infrared reflectance of snow-covered substrates O'Brien, H.W., et al, (1981, 17p) CR 81-21
Discrete reflections from thin layers of snow and ice. Jezek, K.C., et al, (1984, p 323-331) MP 1871
Effects of water and ice on the scattering of diffuse reflectors. Jezek, K C., et al, (1936, p 259-269) MP 2664
Theoretical estimates of light reflection and transmission by spatially inhomogeneous and temporally varying ice covers. Perovich, D K., (1990, p 45-49) MP 2729
Acoustics and morphology of undeformed sea ice. Jezek, K C., et al, (1990, p 67-75) MP 2730
Reflectivity
Red and near-infrared spectral reflectance of snow. O'Brien, H.W., et al, (1975, p 345-360) MP 872
Radar imagery of ice covered North Slope lakes Weeks, W.F., et al, (1977, p.129-136) MP 923
Observations of the ultraviolet spectral reflectance of snow O'Brien, H.W., (1977, 19p) CR 77-27
Snowpack optical properties in the infrared Berger, R H., (1979, 16p) CR 79-11
Effects of water and ice layers on the scattering properties of diffuse reflectors. Jezek, K C., et al, (1987, p 5143-5147) MP 2301
Single-horn reflectometry for *in situ* dielectric measurements at microwave frequencies Arcone, S A., et al, (1988, p 89-92) MP 2333
Refraction
Atmospheric turbulence measurements at SNOW-ONE-B Andreas, E.L., (1983, p 81-87) MP 1846
Measurements of refractive index spectra over snow Andreas, E L., (1986, p 248-260) MP 2212
Estimating Cn square over snow and sea ice from meteorological quantities Andreas, E.L., (1988, p 258-267) MP 2440
Estimating Cn square over snow and sea ice from meteorological data. Andreas, E.L., (1988, p 481-495) MP 2393
Refractivity
Kolmogorov Constants for temperature, humidity, and refractive index spectra Andreas, E L., (1988, p 2399-2406) MP 2437
Refractive index structure parameter for a clear over the frozen Beaufort Sea Andreas, E L., (1982, p 667-679) MP 2575
Refrigeration
Ice engineering facility heated with a central heat pump system Aamot, H W C., et al, (1977, 4p) MP 939
Data acquisition in USACRREL's flume facility Daly, S F., et al, (1985, p 1053-1058) MP 2089
Regelation
Heat transfer in drill holes in Antarctic ice. Yen, Y C., et al, (1976, 15p) CR 76-12
Regelation and the deformation of wet snow Colbeck, S C., et al, (1978, p 639-650) MP 1172
Numerical solutions for a rigid-ice model of secondary frost heave. O'Neill, K., et al, (1982, 11p) CR 82-13
Theory of microfracture healing in ice. Colbeck, S C., (1986, p 89-95) MP 2146
Reinforced concretes
Deteriorated concrete panels on buildings at Sondrestrom, Greenland. Korhonen, C., (1984, 11p) SR 84-12
Deteriorated building panels at Sondrestrom, Greenland. Korhonen, C., (1985, p.7-10) MP 2017
Brittleness of reinforced concrete structures under arctic conditions. Kivekäs, L., et al, (1985, 28 + 14p) MP 1969
Brittleness of reinforced concrete structures under arctic conditions. Kivekäs, L., et al, (1985, p 111-121) MP 2272
Brittleness of reinforced concrete structures under arctic conditions. Kivekäs, L., et al, (1986, 20p) CR 86-02
Reinforcement (structures)
Cantilever beam tests on reinforced ice. Ohstrom, E G., et al, (1976, 12p) CR 76-07
Relaxation (mechanics)
Mass transfer along ice surfaces. Tobin, T.M., et al, (1977, p 34-37) MP 1091
Ultrasonic tests of Byrd Station ice cores. Gow, A J., et al, (1979, p 147-153) MP 1282
Remote sensing
Progress report on ERTS data on Arctic environment. Anderson, D.M., et al, (1972, 3p) MP 991
Arctic and subarctic environmental analysis through ERTS-1 imagery. Anderson, D.M., et al, (1972, p 28-30) MP 1119
Permafrost and vegetation maps from ERTS imagery. Anderson, D M., et al, (1973, 75p) MP 1003
Arctic and subarctic environmental analyses utilizing ERTS-1 imagery. Anderson, D.M., et al, (1973, 5p) MP 1611
Mesoscale deformation of sea ice from satellite imagery. Anderson, D.M., et al, (1973, 2p) MP 1120
Arctic and subarctic environmental analyses. Anderson, D M., et al, (1973, 3p) MP 1030
Arctic and subarctic environmental analyses from ERTS imagery. Anderson, D.M., et al, (1973, 6p) MP 1031
ERTS mapping of Arctic and subarctic environments Anderson, D.M., et al, (1974, 128p) MP 1047
Land use/vegetation mapping in reservoir management. Cooper, S., et al, (1974, 30p) MP 1039
Remote sensing program required for the AIDJEX model Weeks, W.F., et al, (1974, p 22-44) MP 1040
Near real time hydrologic data acquisition utilizing the LANDSAT system. McKim, H L., et al, (1975, p 200-211) MP 1055
Ice dynamics, Canadian Archipelago and adjacent Arctic basin Ramseier, R O., et al, (1975, p 853-877) MP 1585
Remote sensing plan for the AIDJEX main experiment. Weeks, W.F., et al, (1975, p.21-48) MP 862
Applications of remote sensing in New England. McKim, H.L., et al, (1975, 8p. + 14 figs and tables) MP 913
Site access for a subarctic research effort Slaughter, C.W., (1976, 13p) CR 76-09
Islands of grounded sea ice. Kovacs, A., et al, (1976, p 35-50) MP 987
Techniques for studying sea ice drift and deformation at sites far from land using LANDSAT imagery Hibler, W D., III, et al, (1976, p.595-609) MP 866
Land use and water quality relationships, eastern Wisconsin Haugen, R K., et al, (1976, 47p) CR 76-30
Remote-reading tensiometer for use in subfreezing temperatures. McKim, H.L., et al, (1976, p 31-45) MP 897
Imaging radar observations of frozen Arctic lakes Elachi, C., et al, (1976, p 169-175) MP 1284
Dynamics of near-shore ice. Weeks, W F., et al, (1976, p 267-275) MP 922
Analysis of snow water equivalent using LANDSAT data Merry, C J., et al, (1977, 16 leaves) MP 1113
Remote sensing of frazil and brash ice in the St Lawrence River Dean, A M., Jr., (1977, 19p) CR 77-08
Remote sensing of accumulated frazil and brash ice. Dean, A.M., Jr., (1977, p 693-704) MP 934
Applications of remote sensing in the Boston Urban Studies Program, Parts I and II Merry, C J., et al, (1977, 36p) CR 77-13
Integrated approach to the remote sensing of floating ice Campbell, W J., et al, (1977, p 445-487) MP 1069
Investigation of an airborne resistivity survey conducted at very low frequency Arcone, S A., (1977, 48p) CR 77-20
Detection of moisture in construction materials Morey, R M., et al, (1977, 9p) CR 77-25
Landsat data for watershed management Cooper, S., et al (1977, c150p) MP 1114
Automatic data collection equipment for oceanographic application Dean, A M., Jr., (1978, p 1111-1121) MP 1028
Inundation of vegetation in New England McKim, H L., et al, (1978, 13p) MP 1169
1977 tundra fire in the Kokolik River area of Alaska. Hall, D K., et al, (1978, p 54-58) MP 1125
Landsat data analysis for New England reservoir management. Merry, C J., et al, (1978, 61p) SR 78-06
Remote sensing for reconnaissance of proposed construction site. McKim, H.L., et al, (1978, 9 leaves) MP 1167
Water resources by satellite. McKim, H.L., (1978, p.164-169) MP 1090
Estuarine processes and intertidal habitats in Grays Harbor, Washington: a demonstration of remote sensing techniques. Gatto, L.W., (1978, 79p.) CR 78-18
Remote sensing for land treatment site selection Merry, C J., (1978, p.107-119) MP 1146
1977 tundra fire at Kokolik River, Alaska Hall, D K., et al, (1978, 11p) SR 78-10
River channel characteristics at selected ice jam sites in Vermont. Gatto, L.W., (1978, 52p) CR 78-25
Remote detection of water under ice-covered lakes on the North Slope of Alaska. Kovacs, A., (1978, p 448-458) MP 1214
Remote sensing of massive ice in permafrost along pipelines in Alaska Kovacs, A., et al, (1979, p 268-279) MP 1175
Landsat data collection platform, south central Alaska. Haugen, R K., et al, (1979, 17 refs.) SR 79-02
Overview on the seasonal sea ice zone. Weeks, W.F., et al, (1979, p 320-337) MP 1320
Dynamics of near-shore ice. Kovacs, A., et al, (1979, p 181-207) MP 1291
Survey of methods for soil moisture determination Schmugge, T.J., et al, (1979, 74p) MP 1639
Recovery of the Kokolik River tundra area, Alaska. Hall, D K., et al, (1979, 15p) MP 1638
Remote sensing of water circulation in Grays Harbor, Washington. Gatto, L.W., (1980, p 289-323) MP 1283
Mapping of the LANDSAT imagery of the Upper Susitna River. Gatto, L.W., et al, (1980, 41p) CR 80-04
Physical properties of sea ice and under-ice current orientation. Kovacs, A., et al, (1980, p.109-153) MP 1323
Remote sensing for earth dam site selection and construction materials. Merry, C.J., et al, (1980, p.158-170) MP 1316
Continuum sea ice model for a global climate model. Ling, C H., et al, (1980, p.187-196) MP 1622
Remote sensing of revegetation of burned tundra, Kokolik River, Alaska. Hall, D.K., et al, (1980, p 263-272) MP 1391
Remote sensing of water quality using an airborne spectroradiometer. McKim, H L., et al, (1980, p.1353-1362) MP 1491
Snowpack estimation in the St. John River basin. Power, J.M., et al, (1980, p 467-486) MP 1799
Inlet current measured with Seasat-1 synthetic aperture radar. Shemdin, O.H., et al, (1980, p 35-37) MP 1481
Ice distribution and winter surface circulation, Kachemak Bay, Alaska. Gatto, L.W., (1981, p 995-1001) MP 1442
Sea ice piling at Fairway Rock, Bering Strait, Alaska. Kovacs, A., et al, (1981, p 985-1000) MP 1460
Electromagnetic subsurface measurements. Dean, A M., Jr., (1981, 19p) SR 81-23
Sea ice: the potential of remote sensing Weeks, W.F., (1981, p 39-48) MP 1468
Environmental mapping of the Arctic National Wildlife Refuge, Alaska. Walker, D.A., et al, (1982, 59p + 2 maps) CR 82-37
Optical engineering for cold environments. Aitken, G.W., ed, (1983, 225p) MP 1646
Landsat-4 thematic mapper (TM) for cold environments Gervin, J C., et al, (1983, p 179-186) MP 1651
Use of Landsat data for predicting snowmelt runoff in the upper Saint John River basin. Merry, C J., et al, (1983, p 519-533) MP 1694
Extraction of topography from side-looking satellite systems a case study with SPOT simulation data Ungar, S.G., et al, (1983, p 535-550) MP 1695
Size and shape of ice floes in the Baltic Sea in spring Leppäranta, M., (1983, p 127-136) MP 2061
Offshore petroleum production in ice-covered waters Tucker, W B., (1983, p 207-215) MP 2086
Spaceborne SAR and sea ice: a status report Weeks, W F., (1983, p 113-115) MP 2225
Hydrologic forecasting using Landsat data Merry, C J., et al, (1983, p 159-168) MP 1691
Science program for an imaging radar receiving station in Alaska Weller, G., et al, (1983, 45p) MP 1884
Antarctic sea ice microwave signatures Comiso, J C., et al, (1984, p 662-672) MP 1668
Hydrologic modeling from Landsat land cover data McKim, H L., et al, (1984, 19p) SR 84-01
Using Landsat data for snow cover/vegetation mapping. Merry, C.J., et al, (1984, p II(140)-II(144)) MP 1975
Potential use of SPOT HRV imagery for analysis of coastal sediment plumes Band, L.E., et al, (1984, p 199-204) MP 1744
Wildlife habitat mapping in Lac qui Parle, Minnesota Merry, C J., et al, (1984, p 205-208) MP 2085
Spatial analysis in recreation resource management Edwardo, H A., et al, (1984, p 209-219) MP 2084
Geographic features and floods of the Ohio River Edwardo, H A., et al, (1984, p 265-281) MP 2083
Radar investigations above the trans-Alaska pipeline near Fairbanks Arcone, S A., et al, (1984, 15p) CR 84-27
Mesoscale air-ice-ocean interaction experiments Johannessen, O M., ed, (1984, 176p) SR 84-29

Discrete reflections from thin layers of snow and ice Jezek, K C., et al. (1984, p 323-331) MP 1871
Use of remote sensing for the U.S. Army Corps of Engineers dredging program. McKim, H L., et al. (1985, p.1141-1150) MP 1890
Measuring multi-year sea ice thickness using impulse radar. Kovacs, A., et al. (1985, p.55-67) MP 1916
Air-ice ocean interaction in Arctic marginal ice zones: MIZEX-West. Wadhams, P., ed. (1985, 119p.) SR 85-06
Electromagnetic properties of multi-year sea ice. Morey, R.M., et al. (1985, p.151-167) MP 1902
Ice electrical properties. Gow, A.J., (1985, p.76-82) MP 1910
Dielectric measurements of snow cover. Burns, B.A., et al. (1985, p 829-834) MP 1913
Ice conditions on the Ohio and Illinois rivers, 1972-1985. Gatto, L.W., (1985, p 856-861) MP 1914
Evaluation of SPOT HRV simulation data for Corps of Engineers applications McKim, H L., et al. (1985, p 61-71) MP 2184
Remote sensing data for water masses in Delaware Bay and adjacent wetlands. Ackleson, S G., et al. (1985, p 1123-1129) MP 1909
Potential of remote sensing in the Corps of Engineers dredging program. McKim, H.L., et al. (1985, 42p.) SR 85-20
Terrain analysis from space shuttle photographs of Tibet. Kreig, R.A., et al. (1986, p 400-409) MP 2097
Remote sensing of the Arctic seas. Weeks, W.F., et al. (1986, p.59-64) MP 2117
Weddell-Scotia Sea MIZ, October 1984. Crasey, F.D., et al. (1986, p.3920-3924) MP 1536
Meteorological variation of atmospheric optical properties in an antarctic storm Egan, W G., et al. (1986, p.1155-1165) MP 2099
Winter marginal ice zone experiment, Fram Strait/Greenland Sea, 1987/89. Davidson, K., ed. (1986, 53p.) SR 86-09
Electromagnetic properties of sea ice Kovacs, A., et al. (1986, p 57-133) MP 2197
Remote sensing of ice and snow (review) Jezek, K C., (1987, p.51) MP 2429
River ice mapping w th Landsat and video imagery. Gatto, L.W., et al. (1987, p 352-363) MP 2273
Electromagnetic property trends in sea ice, Part 1. Kovacs, A., et al. (1987, 45p.) CR 87-06
Scientific challenges at the poles. Welch, J P., et al. (1987, p 23-26) MP 2228
Glaciological investigations using the synthetic aperture radar imaging system Bindschadler, R.A., et al. (1987, p 11-19) MP 2342
Use of Landsat for snow cover mapping, Saint John River basin, Maine. Merry, C J., et al. (1987, 68p.) CR 87-08
Alaska synthetic aperture radar (SAR) facility project Carsey, F., et al. (1987, p 593-596) MP 2408
Camp Century survey 1986 Gundestrup, N.S., et al. (1987, p 281-288) MP 2331
Remote sensing and water resources. McKim, H.L., et al. (1987, p 186-190) MP 2535
Use of SPOT HRV data in a Corps dredging operation in Lake Erie. Merry, C.J., et al. (1987, p 49-58) MP 2548
Geographic information system for river basin Merry, C J., et al. (1987, p 265-269) MP 2549
CRREL's experiences of remote sensing technology transfer to the Corps user. Merry, C.J., (1987, p 271-273) MP 2550
Sea ice thickness and sub-ice bathymetry. Kovacs, A., et al. (1987, 40p.) CR 87-23
Single-horn reflectometry for *in situ* dielectric measurements at microwave frequencies. Arcone, S A., et al. (1988, p 89-92) MP 2333
Ice conditions along the Ohio River, 1972-1985. Gatto, L.W., (1988, 162p.) SR 88-01
Alaska SAR facility Weeks, W F., et al. (1988, p 103-110) MP 2344
Ice conditions along the Allegheny and Monongahela Rivers Gatto, L.W., (1988, 106p.) SR 88-06
Filtering and classification routines in land use imagery. Merry, C.J., et al. (1988, p 57-58) MP 2534
Airborne sea ice thickness sounding Kovacs, A., et al. (1989, p.1042-1052) MP 2623
Oceanic heat flux in the Fram Strait measured by a drifting buoy. Perovich, D K., et al. (1989, p 995-998) MP 2531
Data reduction of GOES information from DCP networks DeCoff, G.W., et al. (1989, 15p.) SR 89-29
Satellite remote sensing in Arctic for 1990's Weeks, W F., et al. (1989, p 510-530) MP 2699
Satellite data collection platforms for temperature measurements Daly, S F., et al. (1989, 14p.) SR 89-37
Estimating sea ice thickness using data from impulse radar soundings Kovacs, A., et al. (1989, 10p.) CR 89-22
Measurement of sea ice thickness using electromagnetic induction Holladay, J S., et al. (1990, p 309-315) MP 2590
Physical properties of brackish ice, Bay of Bothnia Weeks, W.F., et al. (1990, p 5-15) MP 2725
Lidar detection of leads in arctic sea ice Schnell, R C., et al. (1990, p.119-123) MP 2733
Recent measurements of sea ice topography in the eastern Arctic. Krabill, W.B., et al. (1990, p 132-136) MP 2735
Antarctic ice sheet brightness temperature variations Jezek, K C., et al. (1990, p.217-223) MP 2736
Airborne sea ice thickness sounding. Kovacs, A., et al. (1990, p 225-229) MP 2737
Multiband imaging systems. McKim, H.L., et al. (1990, 10p.) SR 90-15

Rescue operations

Detection of sound by persons buried under snow avalanche Johnson, J.B., (1984, p.42-47) MP 1920

Research projects

Abiotic overview of the Tundra Biome Program, 1971. Weller, G., et al. (1971, p 173-181) MP 906
U.S Tundra Biome central program 1971 progress report. Brown, J., (1971, p.244-270) MP 909
Summary of the 1971 US Tundra Biome Program Brown, J., (1972, p.306-313) MP 995
Pedologic investigations in northern Alaska Tedrow, J.C F., (1973, p 93-108) MP 1005
Micrometeorological investigations near the tundra surface. Kelley, J J., (1973, p.109-126) MP 1006
Arctic limnology a review Hobbie, J E., (1973, p 127-168) MP 1007
Vegetative research in arctic Alaska. Johnson, P.L., et al. (1973, p 169-198) MP 1008
Remote sensing program required for the AIDJEX model. Weeks, W.F., et al. (1974, p 22-44) MP 1040
Workshop on permafrost-related research and TAPS. (1975, 37p.) MP 1122
Research activities of U.S Army Cold Regions Research and Engineering Laboratory. Buzzell, T.D., (1975, p 9-12) MP 1244
Snow and ice Colbeck, S C., et al. (1975, p 435-441, 475-487) MP 844
High-latitude basins as settings for circumpolar environmental studies. Slaughter, C.W., et al. (1975, p IV/57-IV/68) MP 917
Catalog of Snow Research Projects. (1975, 103p.) MP 1129
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea Sellmann, P V., et al. (1976, p 391-408) MP 1377
Site access for a subarctic research effort. Slaughter, C.W., (1976, 13p.) CR 76-09
Influence of grazing on Arctic tundra ecosystems. Batzli, G O., et al. (1976, p.153-160) MP 970
Dynamics of near-shore ice Weeks, W F., et al. (1976, p 267-275) MP 922
Update on snow load research at CRREL. Tobiasson, W., et al. (1977, p.9-13) MP 1142
Scientists visit Kolyma Water Balance Station in the USSR. Slaughter, C.W., et al. (1977, 66p.) SR 77-15
Ross Ice Shelf Project environmental impact statement July, 1974. Parker, B C., et al. (1978, p 7-36) MP 1075
Subarctic watershed research in the Soviet Union Slaughter, C.W., et al. (1978, p 305-313) MP 1273
Ecological baseline on the Alaskan haul road Brown, J., ed. (1978, 131p.) SR 78-13
Workshop on Ecological Effects of Hydrocarbon Spills in Alaska. Atlas, R M., et al. (1978, p 155-157) MP 1183
Overview on the seasonal sea ice zone Weeks, W F., et al. (1979, p 320-337) MP 1320
Focus on U S snow research Colbeck, S C., (1979, p.41-52) MP 1261
Snow and the organization of snow research in the United States Colbeck, S C., (1979, p 55-58) MP 1262
Air-ice-ocean interaction in Arctic marginal ice zones Wadhams, P., ed. (1981, 20p.) SR 81-19
National Chinese Conference on Permafrost, 2nd, 1981 Brown, J., et al. (1982, 58p.) SR 82-03
Science program for an imaging radar receiving station in Alaska Weller, G., et al. (1983, 45p.) MP 1884
Perspectives in ice technology Ashton, G D., (1986, 4p.) MP 2288
Scientific challenges at the poles Welch, J P., et al. (1987, p 23-26) MP 2228
Arctic research of the United States, Vol 1 (1987, 121p.) MP 2306
Arctic research of the United States, Vol 1. (1987, 121p.) MP 2306
Arctic research of the United States, Vol 2 (1988, 76p.) MP 2379
Engineering geology studies on the National Petroleum Reserve in Alaska Kachadoorian, R., et al. (1988, p 899-922) MP 2519
Arctic research in the United States, Vol 3 (1989, 72p.) MP 2653
SNOW IV field experiment data report overview Redfield, R K., (1989, p 1-3) MP 2639
Cold regions heat transfer Cheng, K C., et al. (1989, p 1-25) MP 2637
International arctic research programs Chung, J S., comp. (1989, 74p.) SR 89-21
U.S Federal arctic research Devine, J S., et al. (1989, p 65-74) MP 2671
Arctic research of the United States, Vol 3 (1989, 71p.) MP 2530
United States arctic research plan biennial revision 1990-1991. Brown, J., ed. (1989, 72p.) MP 2544
Cold regions engineering research—strategic plan. Carlson, R.F., et al. (1989, p 172-190) MP 2571
US global ice core research program West Antarctica and beyond Grootes, P.M., et al. (1989, 32p.) MP 2709
Arctic research of the United States, Vol.4. (1990, 120p.) MP 2765

Reservoirs

Skylab imagery Application to reservoir management in New England McKim, H L., et al. (1976, 51p.) SR 76-07
Environmental analyses in the Kootenai River region, Montana. McKim, H.L., et al. (1976, 53p.) SR 76-13
Slumping failure of an Alaskan earth dam. Collins, C.M., et al. (1977, 21p.) SR 77-21
Landsat data analysis for New England reservoir management. Merry, C.J., et al. (1978, 61p.) SR 78-06
Limnology and primary productivity, Lake Koocanusa, Montana. Woods, P.F., et al. (1982, 106p.) SR 82-15
Water quality measurements at six reservoirs Parker, L.V., et al. (1982, 55p.) SR 82-30
Reservoir bank erosion caused and influenced by ice cover Gatto, L.W., (1982, 26p.) SR 82-31
Bank recession of Corps of Engineers reservoirs. Gatto, L.W., et al. (1983, 103p.) SR 83-30
Spatial analysis in recreation resource management. Edwardo, H A., et al. (1984, p 209-219) MP 2084
Reservoir bank erosion caused by ice. Gatto, L.W., (1984, p 203-214) MP 1787
Erosion of northern reservoir shores Lawson, D.E., (1985, 198p.) M 85-01
Ice problems associated with rivers and reservoirs. Benson, C., et al. (1986, p.70-98) MP 2155
Techniques for measuring reservoir bank erosion. Gatto, L.W., (1988, 27p.) SR 88-03
Ice cover formation downstream of a reservoir Ashton, G.D., (1988, p 189-198) MP 2498

Residential buildings

Life-cycle cost effectiveness of modular megastructures in cold regions. Wang, L.R.-L., et al. (1976, p.760-776) MP 892
Tracer gas measurement of air exchange in buildings. Flanders, S N., et al. (1989, p 433-444) MP 2557

Resins

Resins and non-portland cements for construction in the cold. Johnson, R., (1980, 19p.) SR 80-35
Polyethylene glycol as an ice control coating Itagaki, K., (1984, 11p.) CR 84-28

Revegetation

Revegetation in arctic and subarctic North America—a literature review. Johnson, L.A., et al. (1976, 32p.) CR 76-15
Evaluation of an air cushion vehicle in Northern Alaska. Abele, G., et al. (1976, 7p.) MP 894
Ecological and environmental consequences of off-road traffic in northern regions. Brown, J., (1976, p 40-53) MP 1383
Bibliography of soil conservation activities in USSR permafrost areas Andrews, M., (1977, 116p.) SR 77-07
Biological restoration strategies in relation to nutrients at a subarctic site in Fairbanks, Alaska Johnson, L.A., (1978, p 460-466) MP 1100
Bibliography of permafrost soils and vegetation in the USSR Andrews, M., (1978, 175p.) SR 78-19
Tundra recovery since 1949 near Fish Creek, Alaska. Lawson, D E., et al. (1978, 81p.) CR 78-28
Recovery of the Kokolik River tundra area, Alaska Hall, D K., et al. (1979, 15p.) MP 1638
Revegetation at two construction sites in New Hampshire and Alaska Palazzo, A J., et al. (1980, 21p.) CR 80-03
Remote sensing of revegetation of burned tundra, Kokolik River, Alaska Hall, D K., et al. (1980, p 263-272) MP 1391
Environmental engineering, Yukon River-Prudhoe Bay Haul Road Brown, J., ed. (1980, 187p.) CR 80-19
Revegetation along roads and pipelines in Alaska Johnson, L.A., (1980, p 129-150) MP 1353
Stabilizing fire breaks in tundra vegetation Patterson, W.A., III, et al. (1981, p 188-189) MP 1804
Revegetation along the trans-Alaska pipeline, 1975-1978 Johnson, A J., (1981, 115p.) CR 81-12
Chena River Lakes Project revegetation study -three-year summary Johnson, L.A., et al. (1981, 59p.) CR 81-18
Sewage sludge aids revegetation Palazzo, A J., et al. (1982, p 198-301) MP 1735
Recovery and active layer changes following a tundra fire in northwestern Alaska Johnson, L., et al. (1983, p 543-547) MP 1660
Restoration of acidic dredge soils with sewage sludge and lime Palazzo, A J., (1983, 11p.) CR 83-28
Revegetation along pipeline rights-of-way in Alaska Johnson, L., (1984, p 254-264) MP 2113
Vegetation recovery in the Cape Thompson region, Alaska Everett, K R., et al. (1985, 75p.) CR 85-11
Disturbance and recovery of arctic Alaskan tundra terrain Walker, D A., et al. (1987, 63p.) CR 87-11
Vegetation recovery after tundra fires in northwestern Alaska Racine, C., et al. (1987, p 461-469) MP 2374

Revegetation *(cont.)*
Management of northern gravel sites for successful reclamation: a review. Johnson, L.A., (1987, p.530-536) MP 2375

Rheology
Crystal fabrics of West Antarctic ice sheet. Gow, A.J., et al, (1976, p.1665-1677) MP 1382
Thermal and creep properties for frozen ground construction. Sanger, F.J., et al, (1978, p.95-117) MP 1624
Rheology of ice. Fish, A.M., (1978, 196p.) MP 1988
Thermal and creep properties for frozen ground construction. Sanger, F.J., et al, (1979, p 311-337) MP 1227
Acoustic emission response of snow. St. Lawrence, W.F., (1980, p.209-216) MP 1366
Modeling mesoscale ice dynamics. Hibler, W.D., III, et al, (1981, p.1317-1329) MP 1526
Acoustic emissions during creep of frozen soils. Fish, A.M., et al, (1982, p.194-206) MP 1495
Creep behavior of frozen silt under constant uniaxial stress. Zhu, Y., et al, (1984, p 33-48) MP 1807
Analysis of linear sea ice models with an ice margin. Leppäranta, M., (1984, p 31-36) MP 1782
Modeling the resilient behavior of frozen soils using unfrozen water content. Cole, D M., (1984, p.823-834) MP 1715
Creep model for constant stress and constant strain rate. Fish, A.M., (1984, p.1009-1012) MP 1766
Ice flow leading to the deep core hole at Dye 3, Greenland. Whillans, I.M., et al, (1984, p.185-190) MP 1824
Thermodynamic model of creep at constant stress and constant strain rate. Fish, A.M., (1984, p.143-161) MP 1771
Ice dynamics. Hibler, W D., III, (1984, 52p.) M 84-03
Preliminary investigation of thermal ice pressures. Cox, G.F.N., (1984, p.221-229) MP 1788
On the rheology of a broken ice field due to floe collision. Shen, H., et al, (1984, p.29-34) MP 1812
Rheology of glacier ice. Jezek, K.C., et al, (1985, p.1335-1337) MP 1844
Foundations in permafrost and seasonal frost; Proceedings. (1985, 62p.) MP 1730
Evaluation of the rheological properties of columnar ridge sea ice. Brown, R.L., et al, (1986, p 55-66) MP 2177
Ice dynamics. Hibler, W D., III, (1986, p.577-640) MP 2211
Some peculiarities of creep behavior of frozen silt. Fish, A.M., (1989, p.721-724) MP 2601
On modeling the energetics of the ridging process. Hopkins, M.A., et al, (1989, p.175-178) MP 2483
Cavitating fluid sea ice model. Flato, G M., et al, (1990, p.239-242) MP 2738

River basins
Permafrost distribution on the continental shelf of the Beaufort Sea. Hopkins, D.M., et al, (1979, p.135-141) MP 1288
Snowpack estimation in the St. John River basin. Power, J M., et al, (1980, p.467-486) MP 1799
Hydrologic modeling from Landsat land cover data. McKim, H L., et al, (1984, 19p.) SR 84-01
Geographic information system for river basin. Merry, C.J., et al, (1987, p.265-269) MP 2549
Snow hydrology in the upper Yamuna basin, India. Malhotra, R.V., et al, (1988, p 84-93) MP 2633

River crossings
Operation of the U.S. Combat Support Boat (USCSBMK 1) on an ice-covered waterway. Stubstad, J., et al, (1984, 28p.) SR 84-05
Tactical bridging during winter: 1986 Korean bridging exercise. Coutermarsh, B A., (1987, 23p.) SR 87-13
Deployment of floating bridges in ice-covered rivers. Mellor, M., et al, (1988, 38p.) SR 88-20
Winter bridging exercise on thick ice, Fort McCoy, Wisconsin, 1988 Coutermarsh, B A., (1990, 24p.) SR 90-10

River flow
ERTS mapping of Arctic and subarctic environments. Anderson, D.M., et al, (1974, 128p.) MP 1047
Turbulent heat transfer from a river to its ice cover. Haynes, F.D., et al, (1979, 5p.) CR 79-13
Harnessing frazil ice. Perham, R E., (1981, p 227-237) MP 1398
River ice suppression by side channel discharge of warm water. Ashton, G D., (1982, p 65-80) MP 1528
On zero-inertia and kinematic waves. Katopodes, N.D., (1982, p.1381-1387) MP 2053
Using the DWOPER routing model to simulate river flows with ice. Daly, S.F., et al, (1983, 19p.) SR 83-01
Unsteady river flow beneath an ice cover. Ferrick, M G., et al, (1983, p 254-260) MP 2079
Modeling of ice discharge in river models. Calkins, D J., (1983, p 285-290) MP 2081
Ice jams in shallow rivers with floodplain flow. Calkins, D J., (1983, p.538-548) MP 1644
Tanana River monitoring and research studies near Fairbanks, Alaska. Neill, C R., et al, (1984, 98p. + 5 appends.) SR 84-37
Chena Flood Control Project and the Tanana River near Fairbanks, Alaska. Buska, J S., et al, (1984, 11p. + figs.) MP 1745
Modeling rapidly varied flow in tailwaters. Ferrick, M.G., et al, (1984, p.271-289) MP 1711
Computer simulation of ice cover formation in the Upper St. Lawrence River. Shen, H.T., et al, (1984, p.227-245) MP 1814
Numerical simulation of freeze-up on the Ottauquechee River. Calkins, D.J., (1984, p.247-277) MP 1815
Analysis of rapidly varying flow in ice-covered rivers. Ferrick, M G., (1984, p.359-368) MP 1833
Geographic features and floods of the Ohio River. Edwards, H A., et al, (1984, p 265-281) MP 2003
Effect of ice cover on hydropower production. Yapa, P.D., et al, (1984, p.231-234) MP 1876
Analysis of river wave types. Ferrick, M.G., (1985, p.209-220) MP 1875
Analysis of river wave types. Ferrick, M.G., (1985, 17p.) CR 85-12
Hydrologic aspects of ice jams. Calkins, D.J., (1986, p.603-609) MP 2116
Sub-ice channels and frazil bars, Tanana River, Alaska. Lawson, D.E., et al, (1986, p.465-474) MP 2129
Morphology, hydraulics and sediment transport of an ice-covered river. Lawson, D.E., et al, (1986, 37p.) CR 86-11
River wave response to the friction-inertia balance. Ferrick, M.G., et al, (1987, p.764-769) MP 2237
Study of dynamic ice breakup on the Connecticut River near Windsor, Vermont. Ferrick, M.G., et al, (1987, p.163-177) MP 2400
Preliminary results of an experiment using a 16 ft x 50 ft long frazil collector line array. Perham, R.E., (1988, p.139-156) MP 2474
Transverse velocities and ice jamming potential in a river bend. Zufelt, J.E., (1988, p.193-207) MP 2476
Laboratory study of transverse velocities and ice jamming in a river bend. Zufelt, J.E., et al, (1988, p.189-197) MP 2501
Perturbation solution of the flood problem. Discussion and author's reply. Ferrick, M.G., (1988, p.346-349) MP 2536
Detection of coarse sediment movement using radio transmitters. Chacho, E.F., Jr., et al, (1989, p.367-373(B)) MP 2752
Simulation of oil slicks in rivers and lakes. Shen, H.T., et al, (1990, 29p.) CR 90-01
Ice cover effect on river flow. Ashton, G.D., (1990, 24p.) SR 90-08

River ice
Temperature and flow conditions during the formation of river ice. Ashton, G D., et al, (1970, 12p.) MP 1723

RIVER ICE
Surveys of river and lake ice. Michel, B., (1971, 131p.) M III-B1a

River ice
Formation of ice ripples on the underside of river ice covers. Ashton, G.D., (1971, 157p.) MP 1243
Growth and mechanical properties of river and lake ice. Ramseier, R.O., (1972, 243p.) MP 1883
Seasonal regime and hydrological significance of stream icings in central Alaska. Kane, D.L., et al, (1973, p.528-540) MP 1026
River ice problems. Burgi, P H., et al, (1974, p.1-15) MP 1002
ERTS mapping of Arctic and subarctic environments. Anderson, D M., et al, (1974, 128p.) MP 1047
Third International Symposium on Ice Problems, 1975 Frankenstein, G E., ed, (1975, 627p.) MP 845
Mechanics and hydraulics of river ice jams. Tatinclaux, J C., et al, (1976, 97p.) MP 1060
Potential river ice jams at Windsor, Vermont. Calkins, D.J., et al, (1976, 31p.) CR 76-31
Force estimate and field measurements of the St. Marys River ice booms. Perham, R E., (1977, 26p.) CR 77-04
Remote sensing of frazil and brash ice in the St. Lawrence River. Dean, A.M., Jr., (1977, 19p.) CR 77-08
Some economic benefits of ice booms. Perham, R.E., (1977, p 570-591) MP 959
Yukon River breakup 1976. Johnson, P., et al, (1977, p.592-596) MP 960
Ice breakup on the Chena River 1975 and 1976. McFadden, T., et al, (1977, 44p.) CR 77-14
Visual observations of floating ice from Skylab. Campbell, W J., et al, (1977, p 353-379) MP 1263
Physical measurement of ice jams 1976-77 field season. Wuebben, J L., et al, (1978, 19p.) SR 78-03
Bearing capacity of river ice for vehicles. Nevel, D E., (1978, 22p.) CR 78-03
Arching of model ice floes at bridge piers. Calkins, D J., (1978, p 495-507) MP 1134
Physical measurements of river ice jams. Calkins, D J., (1978, p 693-695) MP 1159
River ice. Ashton, G D., (1978, p 369-392) MP 1216
Characteristics of ice on two Vermont rivers. Deck, D S., (1978, 30p.) SR 78-30
River ice. Ashton, G D., (1979, p 38-45) MP 1178
Accelerated ice growth in rivers. Calkins, D J., (1979, 5p.) CR 79-14
Break-up dates for the Yukon River, Pt 2: Alaskanuk to Tanana, 1883-1978. Stephens, C A., et al, (1979, c50 leaves) MP 1518
Modeling of ice in rivers. Ashton, G.D., (1979, p.14/1-14/26) MP 1335
Break-up of the Yukon River at the Haul Road Bridge: 1979. Stephens, C.A., et al, (1979, 22p. + Figs.) MP 1315
Suppression of river ice by thermal effluents. Ashton, G.D., (1979, 23p.) CR 79-30
Maximum thickness and subsequent decay of lake, river and fast sea ice in Canada and Alaska. Bilello, M.A., (1980, 160p.) CR 80-06
Sediment displacement in the Ottauquechee River—1975-1978. Martinson, C.R., (1980, 14p.) SR 80-20
Freshwater ice growth, motion, and decay. Ashton, G D., (1980, p.261-304) MP 1299
Single and double reaction beam load cells for measuring ice forces. Johnson, P.R., et al, (1980, 17p.) CR 80-25
Clearing ice-clogged shipping channels. Vance, G P., (1980, 13p.) CR 80-28
Harnessing frazil ice. Perham, R.E., (1981, p.227-237) MP 1398
Ice jams and meteorological data for three winters, Ottauquechee River, Vt. Bates, R.E., et al, (1981, 27p.) CR 81-01
Ice control arrangement for winter navigation. Perham, R.E., (1981, p.1096-1103) MP 1449
Breakup of solid ice covers due to rapid water level variations. Billfalk, L., (1982, 17p.) CR 82-03
River ice suppression by side channel discharge of warm water. Ashton, G.D., (1982, p.65-80) MP 1528
Port Huron ice control model studies. Calkins, D.J., et al, (1982, p.361-373) MP 1530
Field investigations of a hanging ice dam. Beltaos, S., et al, (1982, p.475-488) MP 1533
Theory of thermal control and prevention of ice in rivers and lakes. Ashton, G.D., (1982, p.131-185) MP 1554
Ottauquechee River—analysis of freeze-up processes. Calkins, D.J., et al, (1982, p.2-37) MP 1738
Force measurements and analysis of river ice break up. Deck, D.S., (1982, p.303-336) MP 1739
Using the DWOPER routing model to simulate river flows with ice. Daly, S.F., et al, (1983, 19p.) SR 83-01
Measurement of ice forces on structures. Sodhi, D.S., et al, (1983, p.139-155) MP 1641
Unsteady river flow beneath an ice cover. Ferrick, M.G., et al, (1983, p.254-260) MP 2079
Modeling of ice discharge in river models. Calkins, D.J., (1983, p.285-290) MP 2081
Ice jams in shallow rivers with floodplain flow. Calkins, D.J., (1983, p.538-548) MP 1644
Mechanics of ice jam formation in rivers. Ackermann, N.L., et al, (1983, 14p.) CR 83-31
Navigation ice booms on the St. Marys River. Perham, R.E., (1984, 12p.) CR 84-04
Ice-related flood frequency analysis: application of analytical estimates. Gerard, R., et al, (1984, p 85-101) MP 1712
St. Lawrence River freeze-up forecast. Shen, H.T., et al, (1984, p 177-190) MP 1713
Performance of the Allegheny River ice control structure, 1983. Deck, D.S., et al, (1984, 15p.) SR 84-13
Ice cover melting in a shallow river. Calkins, D.J., (1984, p.255-265) MP 1763
Ice jams in shallow rivers with floodplain flow: Discussion. Beltaos, S., (1984, p 370-371) MP 1798
Controlling river ice to alleviate ice jam flooding. Deck, D.S., (1984, p.524-528) MP 1795
Salmon River ice jams. Cunningham, L.L., et al, (1984, p.529-533) MP 1796
Forecasting water temperature decline and freeze-up in rivers. Shen, H T., et al, (1984, 17p.) CR 84-19
Ice jam research needs. Gerard, R., (1984, p 181-193) MP 1813
Computer simulation of ice cover formation in the Upper St Lawrence River. Shen, H T., et al, (1984, p.227-245) MP 1814
Numerical simulation of freeze-up on the Ottauquechee River. Calkins, D J., (1984, p 247-277) MP 1815
Rise pattern and velocity of frazil ice. Wuebben, J L., (1984, p 297-316) MP 1816
Field investigation of St Lawrence River hanging ice dams. Shen, H T., et al, (1984, p 241-249) MP 1830
Methods of ice control for winter navigation in inland waters. Frankenstein, G E., et al, (1984, p.329-337) MP 1831
Analysis of rapidly varying flow in ice-covered rivers. Ferrick, M G., (1984, p 359-368) MP 1833
Controlling river ice to alleviate ice jam flooding. Deck, D S., (1984, p 69-76) MP 1885
Ice regime reconnaissance, Yukon River, Yukon. Gerard, R., et al, (1984, p 1059-1073) MP 2406
St Lawrence River hanging ice dams, winter 1983-1984. Shen, H T., et al, (1984, 85p.) MP 2178
Effect of ice cover on hydropower production. Yapa, P D., et al, (1984, p 231-234) MP 1876
Ice block stability. Daly, S F., (1984, p 544-548) MP 1972
Mathematical modeling of river ice processes. Shen, H T., (1984, p 554-558) MP 1973
Unified degree-day method for river ice cover thickness simulation. Shen, H T., et al, (1985, p 54-62) MP 2065
Analysis of river wave types. Ferrick, M G., (1985, 17p.) CR 85-12

Ice conditions on the Ohio and Illinois rivers. 1972-1985. Gatto, L.W., (1985, p 856-861) MP 1914

Ice jam flood prevention measures, Lamoille River, Hardwick VT. Calkins, D.J., (1985, p.149-168) MP 1940

Hudson River ice management. Ferrick, M.G., et al, (1985, p.96-110) MP 2174

Construction and calibration of the Ottauquechee River model. Gooch, G., (1985, 10p) SR 85-13

Cazenovia Creek Model data acquisition system. Bennett, B.M., et al, (1985, p.1424-1429) MP 2090

Determining the effectiveness of a navigable ice boom. Perham, R.E., (1985, 28p) SR 85-17

Techniques for measurement of snow and ice on freshwater. Adams, W.P., et al, (1986, p.174-222) MP 2000

Upper Delaware River ice control—a case study. Zufelt, J.E., et al, (1986, p.760-770) MP 2005

Hydrologic aspects of ice jams. Calkins, D.J., (1986, p.603-609) MP 2116

Ice problems associated with rivers and reservoirs. Benson, C., et al, (1986, p.70-98) MP 2155

St. Lawrence River freeze-up forecast. Foltyn, E.P., et al, (1986, p.467-481) MP 2120

Design and model testing of a river ice prow. Tatinclaux, J.C., (1986, p.137-150) MP 2132

River and lake ice engineering. Ashton, G.D., ed, (1986, 485p) MP 2144

Controlled river ice cover breakup; part 1. Hudson River field experiments. Ferrick, M.G., et al, (1986, p.281-291) MP 2391

Controlled river ice cover breakup; part 2. Theory and numerical model studies. Ferrick, M.G., et al, (1986, p.293-305) MP 2392

Ice atlas, 1984-1985 Ohio River, Allegheny River, Monongahela River. Gatto, L.W., et al, (1986, 185p) SR 86-23

River ice and salmonids. Walsh, M., et al, (1986, p.D-4.1-D-4.26) MP 2477

River ice mapping with Landsat and video imagery. Gatto, L.W., et al, (1987, p 352-363) MP 2273

Corps of engineers seek ice solutions. Frankenstein, G.E., (1987, p.5-7) MP 2219

Analysis of 112 years of ice conditions observed on the Ohio River at Cincinnati. Daly, S.F., et al, (1987, p 70-79) MP 2260

Airborne river-ice thickness profiles. Arcone, S.A., et al, (1987, p.330-340) MP 2312

Ice jams and the winter climate near White River, SD. Bilello, M.A., (1987, p 154-162) MP 2399

Study of dynamic ice breakup on the Connecticut River near Windsor, Vermont. Ferrick, M.G., et al, (1987, p.163-177) MP 2400

Ice atlas 1985-86 of five rivers of the USA. Gatto, L.W., et al, (1987, 367p) SR 87-20

Ice conditions along the Ohio River, 1972-1985. Gatto, L.W., (1988, 162p) SR 88-01

Dynamic ice breakup on the Connecticut River, VT. Ferrick, M.G., et al, (1988, 16p) CR 88-01

Ice conditions along the Allegheny and Monongahela Rivers. Gatto, L.W., (1988, 106p) SR 88-06

Inventory of ice problem sites and remedial ice control structures. Perham, R.E., (1988, 9p) SR 88-07

Development of a river ice prow. Tatinclaux, J.C., et al, (1988, 26p) CR 88-09

Ice cover distribution in Vermont and New Hampshire Atlantic salmon rearing streams. Calkins, D.J., et al, (1988, p.85-96) MP 2473

Preliminary results of an experiment using a 16 ft x 50 ft long frazil collector line array. Perham, R.E., (1988, p 139-156) MP 2474

Preliminary study of scour under an ice jam. Wuebben, J.L., (1988, p 177-192) MP 2475

Transverse velocities and ice jamming potential in a river bend. Zufelt, J.E., (1988, p.193-207) MP 2476

Development of a river ice prow. Part 2. Tatinclaux, J.C., (1988, p.44-52) MP 2497

Laboratory study of transverse velocities and ice jamming in a river bend. Zufelt, J.E., et al, (1988, p 189-197) MP 2501

Computer-generated graphics of river ice conditions. Bilello, M.A., et al, (1988, p 211-219) MP 2509

Development of a dynamic ice breakup control method for the Connecticut River near Windsor, Vermont. Ferrick, M.G., et al, (1988, p 221-233) MP 2510

Ice control in river harbors and fleeting areas. Perham, R.E., (1988, 7p) SR 88-12

Deployment of floating bridges in ice-covered rivers. Mellor, M., et al, (1988, 38p) SR 88-20

Ice observations on the Allegheny and Monongahela rivers. Bilello, M.A., et al, (1988, 43p) SR 88-25

Airborne radar survey of a breakup ice jam in the St. Clair River. Daly, S.F., et al, (1989, 17p) CR 89-02

Water detection in coastal plains using helicopter-borne short pulse radar. Arcone, S.A., et al, (1989, 24p) CR 89-07

Effect of Treston dam on upstream ice conditions. Ashton, G.D., (1989, 9p) SR 89-16

Framework for control of dynamic ice breakup by river regulation. Ferrick, M.G., et al, (1989, 14p) CR 89-12

Framework for control of dynamic ice breakup by river regulation. Ferrick, M.G., et al, (1989, p 79-92) MP 2537

Time estimation for maximum supercooling in dynamic frazil ice formation. Daly, S.F., et al, (1989, 13p) SR 89-26

Cryogenic sampling of frazil ice deposits. Chacho, E.F., Jr., et al, (1989, 6p) SR 89-28

Winter habitats of salmon and trout. Calkins, D.J., (1989, 9p) SR 89-34

River-ice mounds on Alaska's North Slope. Arcone, S.A., et al, (1989, p 288-290) MP 2563

Ice conditions along Illinois Waterway, 1972-1985. Gatto, L.W., (1989, 112p) CR 89-20

Ice force measurements on a bridge pier in a small river. Sodhi, D.S., et al, (1989, p.1419-1427) MP 2764

Freeze-up dynamics of a frazil ice screen. Axelson, K.D., (1990, 8p) SR 90-04

In-situ sampling and characterization of frazil ice deposits. Lawson, D.E., et al, (1990, p.193-205) MP 2694

Ice cover effect on river flow. Ashton, G.D., (1990, 24p) SR 90-08

Salmon River ice jam control studies, interim report. Axelson, K.D., et al, (1990, 8p) SR 90-06

Radar surveying of the bottom surface of ice covers. Arcone, S.A., et al, (1990, p 30-39) MP 2766

Rivers

Debris of the Chena River. McFadden, T., et al, (1976, 14p) CR 76-26

Environmental atlas of Alaska. Hartman, C.W., et al, (1978, 95p) MP 1204

Freshwater ice growth, motion, and decay. Ashton, G.D., (1980, p 261-304) MP 1299

Bank erosion of U.S. northern rivers. Gatto, L.W., (1982, 75p) CR 82-11

Data acquisition for refrigerated physical model. Zufelt, J.E., (1987, p.338-341) MP 2351

Analysis of a short pulse radar survey of revetments along the Mississippi River. Arcone, S.A., (1989, 20p) MP 2692

Road icing

Road construction and maintenance problems in central Alaska. Clark, E.F., et al, (1976, 36p) SR 76-08

Drainage facilities of airfields and heliports in cold regions. Lobacz, E.F., et al, (1981, 56p) SR 81-22

Optimizing deicing chemical application rates. Minsk, L.D., (1982, 55p) CR 82-18

ISTVS workshop on tire performance under winter conditions, 1983 (1985, 177p) SR 85-15

Pavement icing detector—final report. Goldstein, N., et al, (1987, 26p. + append.) MP 2263

Thermal infrared survey of winter trails at Fort Wainwright. Collins, C.M., et al, (1990, 16p) SR 90-17

Road maintenance

Winter maintenance research needs. Minsk, L.D., (1975, p.36-38) MP 950

Haul Road performance and associated investigations in Alaska. Berg, R.L., (1980, p 53-100) MP 1251

Pothole primer; a public administrator's guide to understanding and managing the pothole problem. Eaton, R.A., coord, (1981, 24p) MP 1416

Snow removal equipment. Minsk, L.D., (1981, p 648-670) MP 1446

Snow and ice control on railroads, highways and airports. Minsk, L.D., et al, (1981, p 671-706) MP 1447

Guide to managing the pothole problem on roads. Eaton, R.A., et al, (1981, 24p) SR 81-21

Potholes the problem and solutions. Eaton, R.A., (1982, p 160-162) MP 1504

Strategies for winter maintenance of pavements and roadways. Minsk, L.D., et al, (1984, p 155-167) MP 1964

Comparison of three compactors used in pothole repair. Snelling, M.A., et al, (1984, 14p) SR 84-31

Seasonal variations in pavement performance. Johnson, T.C., (1985, c21p) MP 2076

Snow and ice prevention in the United States. Minsk, L.D., (1986, p 37-42) MP 1876

Effects of cold environment on rapid runway repairs. Abele, G., (1986, p 1-9) MP 2169

Rating system for unsurfaced roads to be used in maintenance management. Eaton, R.A., et al, (1987, p (2)51-(2)62) MP 2313

Rating unsurfaced roads. Eaton, R.A., et al, (1987, 14p) SR 87-15

Rating unsurfaced roads. Eaton, R.A., et al, (1988, p 66-69) MP 2541

Development of the unsurfaced roads rating methodology. Eaton, R.A., (1988, 13p) SR 88-05

Cost effectiveness of proper pothole patching. Eaton, R.A., (1988, p 170-173) MP 2553

Use of low viscosity asphalts in cold regions. Janoo, V.C., (1989, p 70-80) MP 2662

Method for rating unsurfaced roads. Eaton, R.A., et al, (1989, p 101-106) MP 2610

Method for rating unsurfaced roads. Eaton, R.A., et al, (1989, p 30-40) MP 2533

Technology transfer. Eaton, R., (1990, p 25) MP 2721

Roadbeds

Haul Road performance and associated investigations in Alaska. Berg, P.L., (1980, p 84-109) MP 1351

Roads

Approach roads, Greenland 1955 program. (1959, 100p) MP 1522

Heat and moisture flow in freezing and thawing soils—a field study. Berg, R.L., (1975, p.148-160) MP 1612

Road construction and maintenance problems in central Alaska. Clark, E.F., et al, (1976, 36p) SR 76-08

Pipeline haul road between Livengood and the Yukon River. Berg, R.L., et al, (1976, 73p) SR 76-11

Repetitive loading tests on membrane enveloped road sections during freeze thaw. Smith, N., et al, (1977, p.171-197) MP 962

Resiliency in cyclically frozen and thawed subgrade soils. Chamberlain, E.J., et al, (1977, p.229-281) MP 1724

Ecology on the Yukon-Prudhoe haul road. Brown, J., ed, (1978, 131p) MP 1115

Chemical composition of haul road dust and vegetation. Iskandar, I.K., et al, (1978, p.110-111) MP 1116

Load tests on membrane-enveloped road sections. Smith, N., et al, (1978, 16p) CR 78-12

Permafrost and active layer on a northern Alaskan road. Berg, R.L., et al, (1978, p.615-621) MP 1102

Resiliency of silt under asphalt during freezing and thawing. Johnson, T.C., et al, (1978, p.662-668) MP 1106

Construction on permafrost at Longyearbyen on Spitsbergen. Tobiasson, W., (1978, p 884-890) MP 1108

Ecological baseline on the Alaskan haul road. Brown, J., ed, (1978, 131p) SR 78-13

Freeze thaw loading tests on membrane enveloped road sections. Smith, N., et al, (1978, p.1277-1288) MP 1158

Nondestructive testing of in-service highway pavements in Maine. Smith, N., et al, (1979, 22p) CR 79-06

Sulfur foam as insulation for expedient roads. Smith, N., et al, (1979, 21p) CR 79-18

Noncorrosive methods of ice control. Minsk, L.D., (1979, p.133-162) MP 1265

Environmental engineering, Yukon River-Prudhoe Bay Haul Road. Brown, J., ed, (1980, 187p) CR 80-19

Environment of the Alaskan Haul Road. Brown, J., (1980, p.3-52) MP 1350

Road dust along the Haul Road, Alaska. Everett, K.R., (1980, p.101-128) MP 1352

Revegetation along roads and pipelines in Alaska. Johnson, L.A., (1980, p 129-150) MP 1353

Field cooling rates of asphalt concrete overlays at low temperatures. Eaton, R.A., et al, (1980, 11p) CR 80-30

Guidebook to permafrost and its features, northern Alaska. Brown, J., ed, (1983, 230p) MP 1640

Measurement and evaluation of tire performance under winter conditions. Blaisdell, G.L., (1985, p.198-228) MP 2387

Stabilization of fine-grained soil for road and airfield construction. Danyluk, L.S., (1986, 37p) SR 86-21

Effects of freeze thaw cycles on granular soils for pavements. Cole, D.M., et al, (1986, 70p) CR 86-04

Frost action on roads and airfields. Johnson, T.C., et al, (1986, 45p) CR 86-18

Foundation technology in cold regions. Quinn, W.F., (1987, p 305-310) MP 2425

Freezing a temporary roadway for transport of a 3000 ton dragline. Maishman, D., et al, (1988, p 357-365) MP 2378

Engineering geology studies on the National Petroleum Reserve in Alaska. Kachadoorian, R., et al, (1988, p 899-922) MP 2519

Method for rating unsurfaced roads. Eaton, R.A., et al, (1989, p.103-106) MP 2610

State of the art of pavement response monitoring systems for roads and airfields (1989, 401p) SR 89-23

Rock drilling

Kinematics of axial rotation machines. Mellor, M., (1976, 45p) CR 76-16

Kinematics of continuous belt machines. Mellor, M., (1976, 24p) CR 76-17

Transverse rotation machines for cutting and boring in permafrost. Mellor, M., (1977, 36p) CR 77-19

Design for cutting machines in permafrost. Mellor, M., (1978, 24p) CR 78-11

Mechanics of cutting and boring in permafrost. Mellor, M., (1980, 82p) CR 80-21

Mechanics of cutting and boring in permafrost. Mellor, M., (1981, 38p) CR 81-26

Rock excavation

Excavating rock, ice, and frozen ground by electromagnetic radiation. Hoekstra, P., (1976, 17p) CR 76-36

Dynamics and energetics of parallel motion tools for cutting and boring. Mellor, M., (1977, 85p) CR 77-07

Design for cutting machines in permafrost. Mellor, M., (1978, 24p) CR 78-11

Rock mechanics

Block motion from detonations of buried near-surface explosive arrays. Bloom, S.I., (1980, 62p) CR 80-26

Prediction of explosively driven relative displacements in rocks. Bloom, S.E., (1981, 23p) CR 81-11

Alaska Good Friday earthquake of 1964. Swanson, G.K., (1982, 26p) CR 82-01

Some recent developments in vibrating wire rock mechanics instrumentation. Dutta, P.K., (1985, 12p) MP 1968

Verification tests for a stiff inclusion stress sensor. Cox, G.E.N., et al, (1985, p 41-68) MP 2223

Rock mechanics *(cont.)*
Rock stress measurements by wire stressmeter at high temperatures. Dutta, P.K., et al. (1987, p.43-58) MP 2447
Rocks
Mechanisms of crack growth in quartz. Martin, R.J., III, et al. (1975, p.4837-4844) MP 855
Resistance of elastic rock to the propagation of tensile cracks. Peck, L., et al. (1985, p.7827-7836) MP 2052
Microstructure and the resistance of rock to tensile fracture. Peck, L., et al. (1985, p 11,533-11,546) MP 2157
Condensing steam tunnel heat sinks. Lunardini, V.J., (1986, 29p.) SR 86-24
Detection of coarse sediment movement using radio transmitters. Chacho, E.F., Jr., et al. (1989, p.367-373(B)) MP 2752
Roofs
Snow load design criteria for the United States. Tobiasson, W., et al. (1976, p.70-72) MP 947
Protected membrane roofs in cold regions. Aamot, H.W.C., et al. (1976, 27p.) CR 76-02
Water absorption of insulation in protected membrane roofing systems. Schaefer, D., (1976, 15p.) CR 76-38
CRREL roof moisture survey, Pease AFB. Korhonen, C., et al. (1977, 10p.) SR 77-02
Methodology used in generation of snow load case histories. McLaughlin, D., et al. (1977, p.163-174) MP 1143
Observation and analysis of protected membrane roofing systems. Schaefer, D., et al. (1977, 40p.) CR 77-11
Roof loads resulting from rain-on-snow. Colbeck, S.C., (1977, 19p.) CR 77-12
Installation of loose-laid inverted roof system at Fort Wainwright, Alaska. Schaefer, D., (1977, 27p.) SR 77-18
Snow load data analysis, winter 1976-77. O'Rourke, M., (1977, 9p. + appends.) MP 2427
Hand-held infrared systems for detecting roof moisture. Tobiasson, W., et al. (1977, p.261-271) MP 1390
Mid-winter installation of protected membrane roofs in Alaska. Aamot, H.W.C., (1977, 5p.) CR 77-21
Infrared detective: thermograms and roof moisture. Korhonen, C., et al. (1977, p.41-44) MP 961
Detection of moisture in construction materials. Mocey, R.M., et al. (1977, 9p.) CR 77-25
Roof loads resulting from rain on snow. Colbeck, S.C., (1977, p.482-490) MP 982
Roof moisture survey: ten State of New Hampshire buildings. Tobiasson, W., et al. (1977, 29p.) CR 77-31
CRREL roof moisture survey, Building 208 Rock Island Arsenal. Korhonen, C., et al. (1977, 6p.) SR 77-43
Snow loads on structures. O'Rourke, M.J., (1978, p.418-428) MP 1001
Recommendations for implementing roof moisture surveys in the U.S. Army. (1978, 8p.) SR 78-01
Detecting wet roof insulation with a hand-held infrared camera. Korhonen, C., et al. (1978, p.A9-A15) MP 1213
Roof construction under wintertime conditions, a case study. Bennett, F.L., (1978, 34p.) SR 78-24
Research on roof moisture detection. Tobiasson, W., et al. (1978, 6p.) SR 78-29
Loading on the Hartford Civic Center roof before collapse. Redfield, R., et al. (1979, 32p.) SR 79-09
Roof moisture survey--U.S. Military Academy. Korhonen, C., et al. (1979, 8 refs.) SR 79-16
Roof response to icing conditions. Lane, J.W., et al. (1979, 40p.) CR 79-17
Roof moisture survey. Korhonen, C., et al. (1980, 31p.) SR 80-14
Roof leaks in cold regions, school at Chevak, Alaska. Tobiasson, W., et al. (1980, 12p.) CR 80-11
Roofs in cold regions, Marson's Store, Claremont, New Hampshire. Tobiasson, W., et al. (1980, 13p.) SR 80-25
Moisture gain and its thermal consequence for common roof insulations. Tobiasson, W., et al. (1980, p.4-16) MP 1361
Roofs in cold regions. Tobiasson, W., (1980, 21p.) MP 1400
New 2 and 3 inch diameter CRREL snow samplers. Bates, R.E., et al. (1980, p.199-200) MP 1430
Venting of built-up roofing systems. Tobiasson, W., (1981, p.16-21) MP 1498
Roof moisture surveys. Tobiasson, W., et al. (1981, 18p.) SR 81-31
Roof moisture surveys. Tobiasson, W., (1982, p.163-166) MP 1505
Moisture detection in roofs with cellular plastic insulation. Korhonen, C., et al. (1982, 22p.) SR 82-07
Uniform snow loads on structures. O'Rourke, M.J., et al. (1982, p.2781-2798) MP 1574
Infrared inspection of new roofs. Korhonen, C., (1982, 14p.) SR 82-33
Analysis of roof snow load case studies, uniform loads. O'Rourke, M., et al. (1983, 29p.) CR 83-01
Roof moisture surveys, current state of the technology. Tobiasson, W., (1983, p.24-31) MP 1628
Ground snow loads for structural design. Ellingwood, B., et al. (1983, p.950-964) MP 1734
Blisters in built-up roofs due to cold weather. Korhonen, C., et al. (1983, 12p.) SR 83-21
Locating wet cellular plastic insulation in recently constructed roofs. Korhonen, C., et al. (1983, p.168-173) MP 1729
Transient heat flow and surface temperatures of a built-up roof. Korhonen, C., (1983, 20p.) SR 83-22
Can wet roof insulation be dried out. Tobiasson, W., et al. (1983, p.626-639) MP 1509
Comparison of aerial to on-the-roof infrared moisture surveys. Korhonen, C., et al. (1983, p.95-105) MP 1709
U.S. Air Force roof condition index survey: Ft. Greely, Alaska. Coutermarsh, B.A., (1984, 67p.) SR 84-03
Probability models for annual extreme water-equivalent ground snow. Ellingwood, B., et al. (1984, p.1153-1159) MP 1823
Roof moisture surveys: yesterday, today and tomorrow. Tobiasson, W., et al. (1985, p.438-443 + figs.) MP 2040
Condensation control in low-slope roofs. Tobiasson, W., (1985, p.47-59) MP 2039
Aerial roof moisture surveys. Tobiasson, W., (1985, p.424-425) MP 2022
Lessons learned from examination of membrane roofs in Alaska. Tobiasson, W., et al. (1986, p.277-290) MP 2003
Construction engineering community: materials and diagnostics. (1986, 54p.) SR 86-01
Roof blister valve. Korhonen, C., (1986, p.29-31) MP 2138
Airborne roof moisture surveys. Tobiasson, W., (1986, p.45-47) MP 2139
Protected membrane roofing systems. Tobiasson, W., (1986, p.49-50) MP 2140
Vents and vapor retarders for roofs. Tobiasson, W., (1986, 11p.) MP 2246
Proposed code provisions for drifted snow loads. O'Rourke, M., et al. (1986, p.2080-2092) MP 2149
Roof blisters. Physical fitness building, Fort Lee, Virginia. Korhonen, C., et al. (1986, 15p.) Se 86-35
Infrared testing for leaks in new roofs. Korhonen, C., (1987, p.49-54) MP 2282
Cold regions roof design. Tobiasson, W., (1987, p.457-458) MP 2243
Blistering of built-up roof membranes: pressure measurements. Korhonen, C., (1987, 22p.) SR 86-29
Wetting of polystyrene and urethane roof insulations. Tobiasson, W., et al. (1987, p.108-119) MP 2337
Vents and vapor retarders for roofs. Tobiasson, W., (1987, p.80-90) MP 2352
Wetting of polystyrene and urethane roof insulations. Tobiasson, W., et al. (1988, p.421-430) MP 2011
Wood-frame roofs and moisture. Tobiasson, W., (1988, p.33-37) MP 2340
Method for conducting airborne infrared roof moisture surveys. Tobiasson, W., (1988, p.50-61) MP 2436
International Conference on Snow Engineering, 1st, July 1988. (1989, 573p.) SR 89-06
Changes coming in snow load design criteria. Tobiasson, W., (1989, p.413-418) MP 2612
Roof design in cold regions. Tobiasson, W., (1989, p.462-472) MP 2613
Roof design in cold regions. Tobiasson, W., (1989, p.1029-1037) MP 2651
Roofer a management tool for maintaining built-up roofs. Bailey, D.M., et al. (1989, p.6-10) MP 2488
Vapor retarders for membrane roofing systems. Tobiasson, W., (1989, p.31-37) MP 2489
ROOFER a management tool for maintaining built-up roofs. Bailey, D.M., et al. (1989, 9p.) MP 2576
Rotary drilling
General considerations for drill system design. Mellor, M., et al. (1976, p.77-111) MP 856
Kinematics of axial rotation machines. Mellor, M., (1976, 45p.) CR 76-16
Roughness coefficient
Theory for scalar roughness and transfer coefficients over snow and ice. Andreas, E.L., (1987, p.159-184) MP 2195
Rubber ice friction
Driving traction on ice with all-season and mud-and-snow radial tires. Blaisdell, G.L., (1983, 22p.) CR 83-27
Ice traction of tires. Blaisdell, G.L., et al. (1986, 11p.) SR 86-39
Rubber snow friction
Shallow snow performance of wheeled vehicles. Harrison, W.L., (1976, p.589-615) MP 1130
Predicting wheeled vehicle motion resistance in shallow snow. Blaisdell, G.L., (1981, 18p.) SR 81-30
CRREL instrumented vehicle for cold regions mobility measurements. Blaisdell, G.L., (1982, 11p.) MP 1515
Measurement of snow surfaces and tire performance evaluation. Blaisdell, G.L., et al. (1982, 7p.) MP 1516
Driving traction on ice with all-season and mud-and-snow radial tires. Blaisdell, G.L., (1983, 22p.) CR 83-27
Runoff
Snow accumulation for arctic freshwater supplies. Slaughter, C.W., et al. (1975, p.218-224) MP 860
Effects of radiation penetration on snowmelt runoff hydrographs. Colbeck, S.C., (1976, p.73-82) MP 948
Effects of radiation penetration on snowmelt runoff hydrographs. Colbeck, S.C., (1976, 9p.) CR 76-11
Generation of runoff from subarctic snowpacks. Dunne, T., et al. (1976, P.677-685) MP 883
Energy balance and runoff from a subarctic snowpack. Price, A.G., et al. (1976, 29p.) CR 76-27
Modeling snow cover runoff meeting, Sep. 1978. Colbeck, S.C., ed. (1979, 432p.) SR 79-36
Snow accumulation, distribution, melt, and runoff. Colbeck, S.C., et al. (1979, p.465-468) MP 1233
Watershed modeling in cold regions. Stokely, J.L., (1980, 241p.) MP 1471
Atmospheric pollutants in snow cover runoff. Colbeck, S.C., (1981, p.1-10) MP 1586
Atmospheric pollutants in snow cover runoff. Colbeck, S.C., (1981, p.1383-1388) MP 1487
Overland flow: an alternative for wastewater treatment. Martel, C.J., et al. (1982, p.181-184) MP 1506
Hydrology and climatology of a drainage basin near Fairbanks, Alaska. Haugen, R.K., et al. (1982, 34p.) CR 82-26
Runoff from a small subarctic watershed, Alaska. Chacho, E.F., et al. (1983, p.115-120) MP 1654
Permafrost. Benson, C., et al. (1986, p.99-106) MP 2156
Snow hydrology in the upper Yamuna basin, India. Malhotra, R.V., et al. (1988, p.84-93) MP 2633
Runoff forecasting
Short-term forecasting of water run-off from snow and ice. Colbeck, S.C., (1977, p.571-588) MP 1067
Use of Landsat data for predicting snowmelt runoff in the upper Saint John River basin. Merry, C.J., et al. (1983, p.519-533) MP 1694
Forecasting of snowmelt runoff using water temperature data. Pangburn, T., (1987, p.108-113) MP 2398
Snow cover and glacier variations. Colbeck, S.C., ed. (1989, 111p.) MP 2672
Runways
Fabric installation to reduce cracking on runways. Eaton, R.A., et al. (1981, 26p.) SR 81-10
Effects of cold environment on rapid runway repairs. Abele, G., (1986, p.1-9) MP 2169
Engineering geology studies on the National Petroleum Reserve in Alaska. Kachadoorian, R., et al. (1988, p.899-922) MP 2519
Hard-surface runways in Antarctica. Mellor, M., (1988, 87p.) SR 88-13
Airfields in Arctic Alaska. Croey, F.E., (1988, p.49-55) MP 2451
Response of runway pavement to freeze thaw cycles. Allen, W.L., et al. (1989, 31p.) SR 89-02
Performance of pavement at Central Wisconsin Airport. Stark, J., et al. (1989, p.92-103) MP 2463
Deep frost effects on a longitudinal edge drain. Allen, W.L., (1989, p.343-352) MP 2469
Compacted-snow runway, design and construction guidelines for Antarctica. Russell-Head, D.S., et al. (1989, 68p.) SR 89-10
Porous portland cement concrete as an airport runway overlay. Korhonen, C., et al. (1989, 20p.) SR 89-12
Airport pavement distress in cold regions. Vinson, T.S., et al. (1989, 142p.) CR 89-10
Improving snow roads and airstrips in Antarctica. Lee, S.M., et al. (1989, 18p.) SR 89-22
Safety
Foundations on permafrost, US and USSR design and practice. Fish, A.M., (1983, p.3-24) MP 1682
Saint Clair River
Water quality during winter river navigation seasons. Sletten, R.S., (1988, 56p.) SR 88-10
Airborne radar survey of a brash ice jam in the St. Clair River. Daly, S.F., et al. (1989, 17p.) SR 89-02
Saint Lawrence River
St. Lawrence River freeze-up forecast. Foltyn, E.P., et al. (1986, p.467-481) MP 2120
Saline soils
NMR phase composition measurements on moist soils. Tice, A.R., et al. (1978, p.11-14) MP 1210
Improving electric grounding in frozen materials. Delaney, A.J., et al. (1982, 12p.) SR 82-13
Frost heave of saline soils. Chamberlain, E.J., (1983, p.121-126) MP 1655
Effects of salt on unfrozen water content in silt, Lanzhou, China. Tice, A.R., et al. (1984, 18p.) CR 84-16
Shear strength in the zone of freezing in saline soils. Chamberlain, E.J., (1985, p.566-572) MP 1879
Effects of soluble salts on the unfrozen water content in silt. Tice, A.R., et al. (1985, p.99-109) MP 1933
Unfrozen water contents of six antarctic soil materials. Anderson, D.M., et al. (1989, p.363-366) MP 2470
Salinity
Salinity variations in sea ice. Cox, G.F.N., et al. (1974, p.109-122) MP 1023
Geochemistry of subsea permafrost at Prudhoe Bay, Alaska. Page, F.W., et al. (1978, 70p.) SR 78-14
Sintering and compaction of snow containing liquid water. Colbeck, S.C., et al. (1979, p.11-15) MP 1190
Compaction of wet snow on highways. Colbeck, S.C., (1979, p.14-17) MP 1234
Mass-balance aspects of Weddell Sea pack-ice. Ackley, S.F., (1979, p.191-205) MP 1286
Physical oceanography of the seasonal sea ice zone. McPhee, M.G., (1980, p.91-112) MP 1294

Low temperature phase changes in moist, frozen clays. Anderson, D.M., et al. (1980, p.139-144) MP 1330
Arctic Ocean temperature, salinity and density, March-May 1979. McPhee, M.G., (1981, 20p.) SR 81-05
Mechanical properties of multi-year pressure ridge samples. Richter-Menge, J.A., (1985, p.244-251) MP 1936

Salt ice

Optical properties of salt ice. Lane, J.W., (1975, p.363-372) MP 854
Structure and dielectric properties at 4.8 and 9.5 GHz of saline ice. Arcone, S.A., et al. (1986, p.14,281-14,303) MP 2182
DC resistivity measurements of model saline ice sheets. Arcone, S.A., (1987, p.845-849) MP 2308
Field studies of brackish ice to compare with satellite data. Weeks, W.F., et al. (1989, p.1318-1333) MP 2763

Salting

Use of de-icing salt—possible environmental impact. Minsk, L.D., (1973, p.1-2) MP 1037
Noncorrosive methods of ice control. Minsk, L.D., (1979, p.133-162) MP 1265
Optimizing deicing chemical application rates. Minsk, L.D., (1982, 55p.) CR 82-18
Salt action on concrete. Sayward, J.M., (1984, 69p.) SR 84-25
Chemical solutions to the chemical problem Minsk, L.D., (1985, p.238-244) MP 2224

Samplers

CRREL 2-inch frazil ice sampler. Rand, J.H., (1982, 8p.) SR 82-09
Liquid sampler. Rand, J.H., (1982, 4 col.) MP 2336
Cryogenic sampling of frazil ice deposits. Chacho, E.F., Jr., et al. (1989, 6p.) SR 89-28

Sampling

Evaluation of disposable membrane filter units for sorptive losses and sample contamination. Walsh, M.E., et al. (1988, p.45-52) MP 2328

Sands

Grouting silt and sand at low temperatures. Johnson, R., (1979, p.937-950) MP 1078
Configuration of ice in frozen media. Colbeck, S.C., (1982, p.116-123) MP 1512
Tertiary creep model for frozen sands (discussion). Fish, A.M., et al. (1984, p.1373-1378) MP 1810
Acoustically induced ground motion in sand under winter conditions. Peck, L., (1989, p.37-54) MP 2626

Sanitary engineering

Waste management in the north. Rice, E., et al. (1974, p.14-21) MP 1048
Aquaculture systems for wastewater treatment, an engineering assessment. Reed, S.C., et al. (1980, 127p.) MP 1422
Aquaculture systems for wastewater treatment. Reed, S.C., et al. (1980, p.1-12) MP 1423
Nutrient film technique for wastewater treatment. Bourgeois, J.R., et al. (1982, 15p.) SR 82-04
Corps of Engineers land treatment of wastewater research program: an annotated bibliography Parker, L.V., et al. (1983, 82p.) SR 83-09
Land treatment research and development program. Iskandar, I.K., et al. (1983, 144p.) CR 83-20
Accumulation, characterization, and stabilization of sludges for cold regions lagoons. Schneiter, R.W., et al. (1984, 40p.) SR 84-08
Nitrogen removal in wastewater ponds. Reed, S.C., (1984, 26p.) CR 84-13
Shasta waterless system as a remote site sanitation facility Martel, C.J., (1987, 24p.) SR 87-16

Saturation

Difficulties of measuring the water saturation and porosity of snow Colbeck, S.C., (1978, p.189-201) MP 1124
Water movement in a land treatment system of wastewater by overland flow. Nakano, Y., et al. (1979, p.185-206) MP 1285
Undersaturation in thawed permafrost at the beginning of freezeback Ayorinde, O.A., (1990, p.317-321) MP 2582

Saws

Development of large ice saws Garfield, D.E., et al. (1976, 14p.) CR 76-47
Factors affecting rates of ice cutting with a chain saw Cox-termarsh, B.A., (1989, 14p.) SR 89-24

Scandinavia

Utility distribution systems in Sweden, Finland, Norway and England Aamot, H.W.C., et al. (1976, 121p.) SR 76-16

Scanning electron microscopy

Microstructure of frozen soils examined by SEM Kumai, M., (1988, p.390-395) MP 2361

Scattering

Snow-Tun/Smoke Week VI field experiment plan Redfield, R.K., et al. (1984, 85p.) SR 84-19
Analysis of acoustical features of labwaters grown sea ice Stanton, T.K., et al. (1986, p.1486-1494) MP 2222
Effects of water and ice layers on the scattering properties of diffuse reflectors Jezek, K.C., et al. (1987, p.5141-5147) MP 2301

Scintillation

Two-wavelength method of measuring path-averaged turbulent surface heat fluxes Andreas, E.L., (1989, p.280-292) MP 2648
Three-wavelength scintillation measurement of turbulent heat fluxes. Andreas, E.L., (1990, p.74-77) MP 2696

Scotia Sea

Weddell-Scotia Sea MIZ, October 1984. Crasey, F.D., et al. (1986, p.3920-3924) MP 1536

SEA ICE

Snow and ice on the earth's surface Mellor, M., (1964, 163p.) M II-C1
Mechanical properties of sea ice. Weeks, W.F., et al. (1967, 80p.) M II-C3

Sea ice

Investigation of ice islands in Babbage Bight. Kovacs, A., et al. (1971, 46 leaves) MP 1381
Conductivity and surface impedance of sea ice. McNeill, D., et al. (1971, 19p. plus diagrams) MP 1071
Ice forces on vertical piles. Nevel, D.E., et al. (1972, p.104-114) MP 1026
Mesoscale deformation of sea ice from satellite imagery Anderson, D.M., et al. (1973, 2p.) MP 1120
Classification and variation of sea ice ridging in the Arctic basin Hibler, W.D., III, et al. (1974, p.127-146) MP 1022
Salinity variations in sea ice. Cox, G.F.N., et al. (1974, p.109-122) MP 1023
ERTS mapping of Arctic and subarctic environments. Anderson, D.M., et al. (1974, 128p.) MP 1047
Results of the US contribution to the Joint US/USSR Bering Sea Experiment. Campbell, W.J., et al. (1974, 197p.) MP 1032
Remote sensing program required for the AIDJEX model. Weeks, W.F., et al. (1974, p.22-44) MP 1040
Statistical variations in Arctic sea ice ridging and deformation rates. Hibler, W.D., III, (1975, p.J1-J16) MP 850
Snow and ice. Colbeck, S.C., et al. (1975, p.435-441, 475-487) MP 844
Remote sensing plan for the AIDJEX main experiment. Weeks, W.F., et al. (1975, p.21-48) MP 862
Islands of grounded ice. Kovacs, A., et al. (1975, p.213-216) MP 852
Third International Symposium on Ice Problems, 1975, Frankenstein, G.E., ed. (1975, 627p.) MP 845
Remote measurement of sea ice drift. Hibler, W.D., III, et al. (1975, p.541-554) MP 849
Height variation along sea ice pressure ridges. Hibler, W.D., III, et al. (1975, p.191-199) MP 848
Arctic environment and the Arctic surface effect vehicle. Sterrett, K.F., (1976, 28p.) CR 76-01
Sea ice engineering. Asser, A., (1976, p.231-234) MP 986
Sea ice drift and deformation from LANDSAT imagery Hibler, W.D., III, et al. (1976, p.115-135) MP 1059
Islands of grounded sea ice. Kovacs, A., et al. (1976, 26p.) CR 76-04
Thickness and roughness variations of arctic multi-year sea ice. Ackley, S.F., et al. (1976, 25p.) CR 76-18
Techniques for studying sea ice drift and deformation at sites far from land using LANDSAT imagery Hibler, W.D., III, et al. (1976, p.595-609) MP 866
Antarctic sea ice dynamics and its possible climatic effects. Ackley, S.F., et al. (1976, p.53-76) MP 1378
Misgivings on isostatic imbalance as a mechanism for sea ice cracking. Ackley, S.F., et al. (1976, p.85-94) MP 1379
Grounded ice along the Alaskan Beaufort Sea coast Kovacs, A., (1976, 21p.) CR 76-32
Some characteristics of grounded floebergs near Prudhoe Bay, Alaska Kovacs, A., et al. (1976, p.169-172) MP 1118
Grounded floebergs near Prudhoe Bay, Alaska Kovacs, A., et al. (1976, 10p.) CR 76-34
Operational report 1976 USACRREL-USGS subsea permafrost program Beaufort Sea, Alaska Sellmann, P.V., et al. (1976, 20p.) SR 76-12
Dynamics of near-shore ice Weeks, W.F., et al. (1976, p.267-275) MP 922
Sea ice properties and geometry Weeks, W.F., (1976, p.137-171) MP 918
Dynamics of near-shore ice Kovacs, A., et al. (1977, p.106-112) MP 924
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea Sellmann, P.V., et al. (1977, p.234-237) MP 927
Seasonal variations in apparent sea ice viscosity on the geophysical scale Hibler, W.D., III, et al. (1977, p.87-90) MP 900
Dynamics of near-shore ice Kovacs, A., et al. (1977, p.151-163) MP 1073
Sea ice thickness profiling and under-ice oil entrapment Kovacs, A., (1977, p.547-550) MP 940
Visual observations of floating ice from Skylab Campbell, W.J., et al. (1977, p.343-379) MP 1263
Ice arching and the drift of pack ice through restricted channels Sodhi, D.S., (1977, 11p.) CR 77-18
Brazil tensile strength tests on sea ice: a data report Kovacs, A., et al. (1977, 39p.) SR 77-24
Viscous wind-driven circulation of Arctic sea ice Hibler, W.D., III, et al. (1977, p.95-113) MP 983
Decay patterns of land-fast sea ice in Canada and Alaska Bilello, M.A., (1977, p.1-10) MP 1161
Nearshore ice motion near Prudhoe Bay, Alaska Tucker, W.B., et al. (1977, p.23-31) MP 1162
Finite element formulation of a sea ice drift model Sodhi, D.S., et al. (1977, p.67-76) MP 1165
Dynamics of near-shore ice Kovacs, A., et al. (1977, p.411-424) MP 1076
Model simulation of near shore ice drift, deformation and thickness. Hibler, W.D., III, (1978, p.33-44) MP 1010
Radar anisotropy of sea ice. Kovacs, A., et al. (1978, p.171-201) MP 1111
Radar profile of a multi-year pressure ridge fragment. Kovacs, A., (1978, p.59-62) MP 1126
Preferred crystal orientations in Arctic Ocean fast ice. Weeks, W.F., et al. (1978, 24p.) CR 78-13
Primary productivity in sea ice of the Weddell region. Ackley, S.F., et al. (1978, 17p.) CR 78-19
Sea ice pressure ridges in the Beaufort Sea Wright, B.D., et al. (1978, p.249-271) MP 1132
Ice arching and the drift of pack ice through channels Sodhi, D.S., et al. (1978, p.415-432) MP 1138
Sea ice and ice algae relationships in the Weddell Sea. Ackley, S.F., et al. (1978, p.70-71) MP 1203
Dynamics of near-shore ice Kovacs, A., et al. (1978, p.11-22) MP 1205
Sea ice north of Alaska. Kovacs, A., (1978, p.7-12) MP 1252
Radar anisotropy of sea ice. Kovacs, A., et al. (1978, p.6037-6046) MP 1139
Dynamics of near-shore ice. Kovacs, A., et al. (1978, p.230-233) MP 1619
Standing crop of algae in the sea ice of the Weddell Sea region. Ackley, S.F., et al. (1979, p.269-281) MP 1262
Some results from a linear-viscous model of the Arctic ice cover. Hibler, W.D., III, et al. (1979, p.293-304) MP 1241
Dynamic thermodynamic sea ice model. Hibler, W.D., III, (1979, p.815-846) MP 1247
Surface-based scatterometer results of Arctic sea ice. Onstott, R.G., et al. (1979, p.78-85) MP 1260
Multi year pressure ridges in the Canadian Beaufort Sea. Wright, B., et al. (1979, p.107-126) MP 1229
Ice pile-up and ride-up on Arctic and subarctic beaches. Kovacs, A., et al. (1979, p.127-146) SIP 1230
Buckling analysis of wedge-shaped floating ice sheets. Sodhi, D.S., (1979, p.797-810) MP 1232
Turbulent heat flux from Arctic leads. Andreas, E.L., et al. (1979, p.57-91) MP 1340
Anisotropic properties of sea ice. Kovacs, A., et al. (1979, p.5749-5756) MP 1258
Crystal alignments in the fast ice of Arctic Alaska Weeks, W.F., et al. (1979, 21p.) CR 79-22
Dynamics of near-shore ice Kovacs, A., et al. (1979, p.181-207) MP 1291
Oil pooling under sea ice. Kovacs, A., (1979, p.310-323) MP 1289
Anisotropic properties of sea ice in the 50-150 MHz range. Kovacs, A., et al. (1979, p.324-353) MP 1620
Ross Ice Shelf bottom ice structure Zotikov, I.A., et al. (1979, p.65-66) MP 1336
Drifting buoy measurements on Weddell Sea pack ice. Ackley, S.F., (1979, p.106-108) MP 1339
Crystal alignments in the fast ice of Arctic Alaska Weeks, W.F., et al. (1980, p.1137-1146) MP 1277
Documentation for a two-level dynamic thermodynamic sea ice model. Hibler, W.D., III, (1980, 35p.) SR 80-08
Maximum thickness and subsequent decay of lake, river and fast sea ice in Canada and Alaska Bilello, M.A., (1980, 160p.) CR 80-06
International Workshop on the Seasonal Sea Ice Zone, Monterey, California, Feb 26-Mar 1, 1979 Andersen, R.G., ed. (1980, 357p.) MP 1292
Physical oceanography of the seasonal sea ice zone. McPhee, M.G., (1980, p.93-132) MP 1294
Shore ice pile-up and ride-up: field observations, models, theoretical analyses Kovacs, A., et al. (1980, p.209-295) MP 1295
Numerical modeling of sea ice in the seasonal sea ice zone. Hibler, W.D., III, (1980, p.299-356) MP 1296
Physical properties of sea ice and under-ice current orientation Kovacs, A., et al. (1980, p.109-145) MP 1323
Polarization studies in sea ice Arcone, S.A., et al. (1980, p.225-245) MP 1324
Modeling of anisotropic electromagnetic reflection from sea ice Golden, K.M., et al. (1980, p.267-294) MP 1325
Dynamics of snow and ice masses Colbeck, S.C., ed. (1980, 468p.) MP 1297
Sea ice growth, drift, and decay Hibler, W.D., III, (1980, p.141-209) MP 1298
Nonsteady ice drift in the Strait of Belle Isle Sodhi, D.S., et al. (1980, p.177-186) MP 1364
Continuum sea ice model for a global climate model Ling, C.H., et al. (1980, p.187-196) MP 1622
Sea ice anisotropy, electromagnetic properties and strength Kovacs, A., et al. (1980, 18p.) CR 80-20
Modeling of anisotropic electromagnetic reflection from sea ice Golden, K.M., et al. (1980, 19p.) CR 80-23
Estimation of heat and mass fluxes over Arctic leads Andreas, E.L., (1980, p.2047-2066) MP 1410
Sea ice studies on the Weddell Sea aboard I St Gil' Polar Sea Ackley, S.F., et al. (1980, p.82-96) MP 1431

Sea ice *(cont.)*

Modeling a variable thickness sea ice cover. Hibler, W.D., III, c1979, p.1943-1973; MP 1424

Choanoflagellates from the Weddell Sea. Buck, K.R., c1981, p.47-54; MP 1453

Sea-ice atmosphere interactions in the Weddell Sea using drifting buoys. Ackley, S.F., c1981, p.177-191; MP 1627

Hyperbolic reflections on Beaufort Sea seismic records. Neave, K.G., et al, c1981, 16p.; CR 81-02

Review of thermal properties of snow, ice and sea ice. Yen, Y.-C., c1981, 27p.; CR 81-10

Preliminary results of ice modeling in the East Greenland area. Tucker, W.B., et al, c1981, p.867-878; MP 1456

Pooling of oil under sea ice. Kovacs, A., et al, c1981, p.912-922; MP 1459

Sea ice piling at Fairway Rock, Bering Strait, Alaska. Kovacs, A., et al, c1981, p.985-1000; MP 1460

Morphology of sea ice pressure ridge sails. Tucker, W.B., et al, c1981, p.1-12; MP 1465

Sea ice rubble formations off the NE Bering Sea and Norton Sound. Kovacs, A., c1981, p.1348-1363; MP 1527

Modeling of anisotropic electromagnetic reflections from sea ice. Golden, K.M., et al, c1981, p.8107-8116; MP 1469

Sea ice: the potential of remote sensing. Weeks, W.F., c1981, p.39-48; MP 1468

Distortion of model subsurface radar pulses in complex dielectrics. Arcone, S.A., c1981, p.855-864; MP 1472

Multi-year pressure ridges in the Canadian Beaufort Sea. Wright, B., et al, c1981, p.125-145; MP 1514

Ice pile-up and ride-up on arctic and subarctic beaches. Kovacs, A., et al, c1981, p.247-273; MP 1530

Sea ice rubble formations in the Bering Sea and Norton Sound, Alaska. Kovacs, A., c1981, 23p.; SR 81-34

Physical and structural characteristics of sea ice in McMurdo Sound. Gow, A.J., et al, c1981, p.94-95; MP 1542

Radar detection of sea ice and current alinement under the Ross Ice Shelf. Morey, R.M., et al, c1981, p.96-97; MP 1543

Growth, structure, and properties of sea ice. Weeks, W.F., et al, c1982, 130p.; M 82-01

Ablation seasons of arctic and antarctic sea ice. Andreas, E.L., et al, c1982, p.440-447; MP 1517

Sea ice drag laws and boundary layer during rapid melting. McPhee, M.G., c1982, 17p.; CR 82-06

Using sea ice to measure vertical heat flux in the ocean. McPhee, M.G., et al, c1982, p.2071-2074; MP 1521

On modeling the Weddell Sea pack ice. Hibler, W.D., III, et al, c1982, p.125-130; MP 1509

Application of a numerical sea ice model to the East Greenland area. Tucker, W.B., c1982, 40p.; CR 82-16

Equations for determining the gas and brine volumes in sea ice samples. Cox, G.F.N., et al, c1982, 11p.; CR 82-30

Bering Strait sea ice and the Fairway Rock icefoot. Kovacs, A., et al, c1982, 40p.; CR 82-31

On the differences in ablation seasons of Arctic and Antarctic sea ice. Andreas, E.L., et al, c1982, 9p.; CR 82-33

Physical properties of the ice cover of the Greenland Sea. Weeks, W.F., c1982, 27p.; SR 82-28

Physical, chemical and biological properties of winter sea ice in the Weddell Sea. Clarke, D.B., et al, c1982, p.107-109; MP 1609

Atmospheric boundary layer measurements in the Weddell Sea. Andreas, E.L., c1982, p.113-115; MP 1610

Comment on "Water drag coefficient of first-year sea ice" by M.P. Langleben. Andreas, E.L., et al, c1983, p.779-782; MP 1577

Numerical simulation of the Weddell Sea pack ice. Hibler, W.D., III, et al, c1983, p.2873-2887; MP 1592

Alaska's Beaufort Sea coast ice ride-up and pile-up features. Kovacs, A., c1983, 51p.; CR 83-09

Properties of sea ice in the coastal zones of the polar oceans. Weeks, W.F., et al, c1983, p.25-41; MP 1604

Surface meteorology US/USSR Weddell Polynya Expedition, 1981. Andreas, E.L., et al, c1983, 32p.; SR 83-14

Mechanical behavior of sea ice. Mellor, M., c1983, 105p.; M 83-1

Sea ice model in wind forcing fields. Tucker, W.B., c1983, 11p.; CR 83-17

Comparison of different sea level pressure analyses fields in the East Greenland Sea. Tucker, W.B., c1983, p.1054-1068; MP 1737

Equations for determining gas and brine volumes in sea ice. Cox, G.F.N., et al, c1983, p.306-316; MP 2055

Thermal expansion of saline ice. Cox, G.F.N., c1983, p.425-432; MP 1768

Surface roughness of Ross Sea pack ice. Govoni, J.W., et al, c1983, p.123-124; MP 1764

Mechanical properties of ice in the Arctic seas. Weeks, W.F., et al, c1984, p.235-259; MP 1674

Electromagnetic properties of sea ice. Morey, R.M., et al, c1984, 32p.; CR 84-02

West antarctic sea ice. Ackley, S.F., c1984, p.88-95; MP 1818

Offshore mechanics and Arctic engineering symposium, 1984 (3 vols.); MP 1675

Variation of ice strength within and between multiyear pressure ridges in the Beaufort Sea. Weeks, W.F., c1984, p.134-139; MP 1680

Morphology and ecology of diatoms in sea ice from the Weddell Sea. Clarke, D.B., et al, c1984, 41p.; CR 84-05

Sea ice and biological activity in the Antarctic. Clarke, D.B., et al, c1984, p.2087-2095; MP 1701

Army research could reduce dangers posed by sea ice. Tucker, W.B., c1984, p.20-24; MP 2168

Mechanical properties of multi-year sea ice. Phase 1: Test results. Cox, G.F.N., et al, c1984, 105p.; CR 84-09

East Greenland Sea ice variability in large-scale model simulations. Walsh, J.E., et al, c1984, p.9-14; MP 1779

Analysis of linear sea ice models with an ice margin. Leppäranta, M., c1984, p.31-36; MP 1782

Mechanical properties of multi-year sea ice: Testing techniques. Mellor, M., et al, c1984, 39p.; CR 84-08

Ocean circulation: its effect on seasonal sea-ice simulations. Hibler, W.D., III, et al, c1984, p.489-492; MP 1780

Electromagnetic properties of sea ice. Morey, R.M., et al, c1984, p.53-75; MP 1776

Offshore oil in the Alaskan Arctic. Weeks, W.F., et al, c1984, p.371-378; MP 1743

Horizontal salinity variations in sea ice. Tucker, W.B., et al, c1984, p.6505-6514; MP 1761

Mechanical properties of sea ice: a status report. Weeks, W.F., et al, c1984, p.135-198; MP 1808

Structure of first-year pressure ridge sails in the Prudhoe Bay region. Tucker, W.B., et al, c1984, p.115-135; MP 1837

Static determination of Young's modulus in sea ice. Richter-Menge, J.A., c1984, p.283-286; MP 1789

MIZEX 83 mesoscale sea ice dynamics: initial analysis. Hibler, W.D., III, et al, c1984, p.19-28; MP 1811

Crystalline structure of urea ice sheets. Gow, A.J., c1984, 48p.; CR 84-24

Mesoscale air-ice-ocean interaction experiments. Johannessen, O.M., ed, c1984, 176p.; SR 84-29

MIZEX 84 mesoscale sea ice dynamics: post operations report. Hibler, W.D., III, et al, c1984, p.64-69; MP 1257

Sea ice properties. Tucker, W.B., et al, c1984, p.82-83; MP 2136

Discussion: Electromagnetic properties of sea ice by R.M. Morey, A. Kovacs and G.F.N. Cox. Arcone, S.A., c1984, p.93-94; MP 1821

Authors' response to discussion on: Electromagnetic properties of sea ice. Morey, R.M., et al, c1984, p.95-97; MP 1822

Tensile strength of multi-year pressure ridge sea ice samples. Cox, G.F.N., et al, c1985, p.186-193; MP 1856

Structure, salinity and density of multi-year sea ice pressure ridges. Richter-Menge, J.A., et al, c1985, p.194-198; MP 1857

Numerical modeling of sea ice dynamics and ice thickness. Hibler, W.D., III, c1985, 50p.; CR 85-05

Numerical simulation of Northern Hemisphere sea ice variability, 1951-1980. Walsh, J.E., et al, c1985, p.4547-4565; MP 1882

Energy exchange over antarctic sea ice in the spring. Andreas, E.L., et al, c1985, p.7199-7212; MP 1889

Compressive strength of multi-year sea ice. Kovacs, A., c1985, p.116-127; MP 1901

Electromagnetic properties of multi-year sea ice. Morey, R.M., et al, c1985, p.151-167; MP 1902

Physical properties of sea ice in the Greenland Sea. Tucker, W.B., et al, c1985, p.177-188; MP 1903

Ice electrical properties. Gow, A.J., c1985, p.76-82; MP 1910

Dielectric properties at 4.75 GHz of saline ice slabs. Arcone, S.A., et al, c1985, p.83-86; MP 1911

Laboratory studies of acoustic scattering from the underside of sea ice. Jezek, K.C., et al, c1985, p.87-91; MP 1912

Pressure ridge and sea ice properties Greenland Sea. Tucker, W.B., et al, c1985, p.214-223; MP 1935

Numerical simulation of sea ice induced gouges on the shelves of the polar oceans. Weeks, W.F., et al, c1985, p.259-265; MP 1938

Ice nucleation activity of antarctic marine macroorganisms. Parker, L.V., et al, c1985, p.126-128; MP 2217

Electromagnetic measurements of multi-year sea ice using impulse radar. Kovacs, A., et al, c1985, 26p.; CR 85-13

Mechanical properties of multi-year sea ice. Phase 2: Test results. Cox, G.F.N., et al, c1985, 81p.; CR 85-16

Field tests of the kinetic friction coefficient of sea ice. Tatinclaux, J.C., et al, c1985, 20p.; CR 85-17

Role of plastic ice interaction in marginal ice zone dynamics. Leppäranta, M., et al, c1985, p.11,899-11,909; MP 1544

Impulse radar sounding of level first-year sea ice from an icebreaker. Martinson, C.R., c1985, 9p.; SR 85-21

Electromagnetic measurements of sea ice. Kovacs, A., et al, c1986, p.67-93; MP 2020

Physical properties of the sea ice cover. Weeks, W.F., c1986, p.87-102; MP 2047

Weddell-Scotia Sea MIZ, October 1984. Crane, F.D., et al, c1986, p.3920-3924; MP 1536

Crystal structure of Fram Strait sea ice. Gow, A.J., et al, c1986, p.20-29; MP 2221

Sea ice microbial communities in Antarctica. Garrison, D.L., et al, c1986, p.241-250; MP 2026

Coupled ice-mixed layer model for the Greenland Sea. Hermann, M.N., c1986, p.2551-2560; MP 2141

Evaluation of the rheological properties of columnar ridge sea ice. Brown, R.L., et al, c1986, p.55-66; MP 2177

Growth, structure, and properties of sea ice. Weeks, W.F., et al, c1986, p.9-164; MP 2209

Mechanical behavior of sea ice. Mellor, M., c1986, p.165-281; MP 2210

Sea ice salinity and porosity changes during storage. Cox, G.F.N., et al, c1986, p.371-375; MP 2246

Ice and snow optics in the polar oceans, Pt.1. Perovich, D.K., et al, c1986, p.232-241; MP 2255

Ice and snow optics in the polar oceans, Pt.2. Grenfell, T.C., et al, c1986, p.242-251; MP 2256

Optical properties of sea ice structure. Gow, A.J., c1986, p.264-271; MP 2257

Roughness and transfer coefficients over snow and sea ice. Andreas, E.L., c1986, 19p.; CR 86-09

Electromagnetic properties of sea ice. Kovacs, A., et al, c1986, p.57-133; MP 2197

Bulk transfer coefficients for heat and momentum over leads and polynyas. Andreas, E.L., et al, c1986, p.1875-1883; MP 2187

Microwave dielectric, structural and salinity properties of sea ice. Arcone, S.A., et al, c1986, p.832-839; MP 2188

Analysis of acoustical features of laboratory grown sea ice. Stanton, T.K., et al, c1986, p.1486-1494; MP 2222

Structure and dielectric properties at 4.8 and 9.5 GHz of saline ice. Arcone, S.A., et al, c1986, p.14,281-14,303; MP 2182

Triaxial testing of first-year sea ice. Richter-Menge, J.A., et al, c1986, 41p.; CR 86-16

Preliminary simulation of the formation and infilling of sea ice gouges. Weeks, W.F., et al, c1986, p.259-268; MP 2218

Confined compressive strength of horizontal first-year sea ice samples. Richter-Menge, J.A., c1987, p.197-207; MP 2193

Advances in sea ice mechanics in the USA. Sodhi, D.S., et al, c1987, p.37-49; MP 2208

Sea ice structure and mechanical properties. Richter-Menge, J.A., et al, c1987, 30p.; CR 87-03

Sea-ice crystal structure and salinity, Hebron Fiord, Labrador. Gow, A.J., c1987, 18p.; CR 87-04

Sea-ice investigations during the Winter Weddell Sea Project. Ackley, S.F., et al, c1987, p.83-89; MP 2091

Physical properties of sea ice discharged from Fram Strait. Gow, A.J., et al, c1987, p.436-439; MP 2204

Comment on "Atmospheric boundary layer modification in the marginal ice zone" by T.J. Bennett, Jr. and K. Hunkins. Andreas, E.L., c1987, p.5965-5969; MP 2196

Electromagnetic property trends in sea ice, Part I. Kovacs, A., et al, c1987, 45p.; CR 87-06

Physical properties of summer sea ice in the Fram Strait. Tucker, W.B., et al, c1987, p.6787-6800; MP 2240

Physical properties of estuarine ice in Great Bay, New Hampshire. Meese, D.A., et al, c1987, p.833-840; MP 2251

Mechanical properties of multi-year sea ice. Richter-Menge, J.A., et al, c1987, p.121-151; MP 2428

Measurement of characteristic length of floating ice sheets. Sodhi, D.S., c1987, n.p. (Ch.7); MP 2080

Diagnostic sea-ocean model. Hibler, W.D., III, et al, c1987, p.987-1015; MP 2238

Modeling the electromagnetic property trends in sea ice, Part I. Kovacs, A., et al, c1987, p.207-235; MP 2330

Ice thickness distribution across the Atlantic sector of the Antarctic Ocean in midwinter. Wadhams, P., et al, c1987, p.14,535-14,552; MP 2316

Sea ice thickness and sub-ice bathymetry. Kovacs, A., et al, c1987, 60p.; CR 87-23

Mechanical properties of multi-year sea ice. Richter-Menge, J.A., et al, c1988, 27p.; CR 88-05

Alaska SAR facility: an update. Weller, G., et al, c1988, p.27-31; MP 2300

Airborne measurement of sea ice thickness and subice bathymetry. Kovacs, A., et al, c1988, p.111-120; MP 2345

Electromagnetic measurements of a second-year sea ice floe. Kovacs, A., et al, c1988, p.121-136; MP 2346

Microcomputer-based image-processing system. Perovich, D.K., et al, c1988, p.249-252; MP 2305

Ice stress measurements around offshore structures. Johnson, J.B., c1989, p.55-69; MP 2611

Overview of the physical properties of sea ice. Tucker, W.B., c1988, p.1-34; MP 2635

Multifrequency passive microwave observation of saline ice grown in a tank. Grenfell, T.C., et al, c1988, p.1687-1699; MP 2459

Confined compressive strength of multi-year pressure ridge sea ice samples. Cox, G.F.N., et al, c1988, p.295-301; MP 2003

Profile properties of undeformed first-year sea ice. Cox, G.F.N., et al, c1988, 57p.; CR 88-13

Numerical simulation of first-year sea ice. Cox, G.F.N., et al, c1988, p.12,649-12,660; MP 2004

Correlation function study for sea ice. Lau, F.C., et al, c1988, p.14,955-14,968; MP 2511

Mechanical properties of multi-year sea ice. Richter-Menge, J.A., c1988, p.53-61; MP 2619

Update on portable hot water sea ice drilling. Govoni, J.W., et al, c1989, p.175-178; MP 2479

Development of sea ice in the Weddell Sea. Lange, M.A., et al, c1989, p.92-96; MP 2615

Sea ice ridging in the Ross Sea, Antarctica, as compared with sites in the Arctic. Weeks, W.F., et al. (1989, p.4984-4988) MP 2690

Chemical and structural properties of sea ice in the southern Beaufort Sea. Meese, D.A., (1989, 294p.) MP 2656

Lidar detection of leads in Arctic sea ice. Schnell, R.C., et al. (1989, p.530-532) MP 2602

Elastic properties of frazil ice from the Weddell Sea, Antarctica. Lange, M.A., et al. (1989, p.208-217) MP 2630

Compressive strength of antarctic frazil ice. Richter-Menge, J.A., et al. (1989, p.269-278) MP 2621

Airborne sea ice thickness sounding. Kovacs, A., et al. (1989, p.1042-1052) MP 2623

Radar backscattering from artificially grown sea ice. Eicken, J., et al. (1989, p.259-264) MP 2667

Two-stream multilayer, spectral radiative transfer model for sea ice. Perovich, D.K., (1989, 17p.) CR 89-15

Passive microwave *in situ* observations of winter Weddell Sea ice. Comiso, J.C., et al. (1989, p.10,891-10,905) MP 2615

Year of Bowers ridge over the frozen Beaufort Sea. Anderson, E.L., (1989, p.12,721-12,724) MP 2598

Effect of ice pressure on marginal ice zone dynamics. Fiske, G.M., et al. (1989, p.514-521) MP 2522

Oceanic heat flux in the Fram Strait measured by a drifting buoy. Perovich, D.K., et al. (1989, p.995-998) MP 2531

Concurrent remote sensing of arctic sea ice from submarine and aircraft. Wadhams, P., et al. (1989, 29p.) MP 2697

Chemical and structural properties of sea ice in the southern Beaufort Sea. Meese, D.A., (1989, 134p.) CR 89-22

Estimating sea ice thickness using data from impulse radar soundings. Kovacs, A., et al. (1989, 16p.) CR 89-22

High frequency acoustical properties of saline ice. Jezek, K.C., et al. (1989, p.9-23) MP 2686

Sea ice thickness measurement. Kovacs, A., et al. (1989, p.394-424) MP 2693

Development of an airborne sea ice thickness measurement system and field test results. Kovacs, A., et al. (1989, 47p.) CR 89-19

Field studies of brackish ice to compare with satellite data. Weeks, W.F., et al. (1989, p.1318-1333) MP 2763

Measurement of sea ice thickness using electromagnetic induction. Holladay, J.S., et al. (1990, p.309-315) MP 2590

Physical properties of brackish ice, Bay of Barbara. Weeks, W.F., et al. (1990, p.5-15) MP 2725

Physical properties of sea ice from the Weddell Sea. Eicken, H., et al. (1990, p.28-32) MP 2727

Chemical and structural properties of sea ice in the southern Beaufort Sea. Meese, D.A., (1990, p.32-35) MP 2728

Acoustics and morphology of undeformed sea ice. Jezek, K.C., et al. (1990, p.67-75) MP 2730

Comparison of the compressive strength of antarctic frazil ice and laboratory-grown columnar ice. Richter-Menge, J.A., et al. (1990, p.79-84) MP 2731

Sea ice: a habitat for the foraminifer *Neogloboquadrina pachyderma*?. Dieckmann, G., et al. (1990, p.86-92) MP 2732

Lidar detection of leads in arctic sea ice. Schnell, R.C., et al. (1990, p.119-123) MP 2733

Wind-generated polynyas off the coasts of the Bering Sea islands. Kozo, T.L., et al. (1990, p.126-133) MP 2734

Recent measurements of sea ice topography in the eastern Arctic. Krabill, W.B., et al. (1990, p.133-134) MP 2735

Airborne sea ice thickness sounding. Kovacs, A., et al. (1990, p.225-229) MP 2737

Coalescing fixed sea ice model. Fiske, G.M., et al. (1990, p.230-242) MP 2738

Sea ice thickness versus response radar *[illegible]* data. Kovacs, A., et al. (1990, p.91-99) MP 2704

Radar backscatter measurements over saline ice. Gogineni, S., et al. (1990, p.603-617) MP 2741

Light reflection and transmission by sea ice covers. Perovich, D.K., (1990, p.9557-9567) MP 2771

Sea ice distribution

Ice dynamics, Canadian Archipelago as Indigenous Arctic basin. Kinnard, R.O., et al. (1975, p.455-477) MP [illegible]-85

Circulation and sediment distribution in Cook Inlet, Alaska. Gatto, L.W., (1976, p.205-222) MP 895

Sea ice roughness and floe geometry over continental shelves. Weeks, W.F., et al. (1977, p.32-41) MP 1163

Sea ice studies in the Weddell Sea region aboard *USCGC Burton Island*. Ackley, S.F., (1977, p.172 - [illegible]) MP 1414

Problems of offshore oil drilling in the Beaufort Sea. Weeks, G., et al. (1978, p.4-11) MP 1250

Sea ice ridging over the Alaskan continental shelf. Tucker, W.B., et al. (1979, 26p.) CR 79-04

Overview on the seasonal sea ice zone. Weeks, W.F., et al. (1979, p.320-337) MP 1329

Sea ice ridging over the Alaskan continental shelf. Tucker, W.B., et al. (1979, p.1695-1708) MP 1266

Mass-balance aspects of the Weddell Sea pack ice. Ackley, S.F. (1979, p.391-405) MP 1286

Problems of the seasonal sea ice zone. Weeks, W.F., (1980, p.1-35) MP 1393

Chemoclinoptilus from the Weddell Sea, summer 1977. Buck, K.R., (1980, 26p.) CR 80-16

Review of sea-ice weather relationships in the Southern Hemisphere. Ackley, S.F., (1981, p.127-154) MP 1436

Ice distribution and water surface circulation, Kachemak Bay, Alaska. Gatto, L.W., (1981, p.993-1001) MP 1442

Air-ice-ocean interaction in Arctic marginal ice zones. Wadhams, P., et al. (1981, 20p.) SR 81-03

Summer conditions in the Fram Strait area, 1952-75. Coachman, G.F.N., et al. (1981, p.799-808) MP 1457

Application of a numerical sea ice model to the East Greenland area. Tucker, W.B., (1981, 109p.) MP 1535

Dynamics of near-shore ice. Kovacs, A., et al. (1981, p.125-135) MP 1599

Ice distribution and winter circulation, Kachemak Bay, Alaska. Gatto, L.W., (1981, 45p.) CR 82-22

Modeling pressure ridge loading on the geophysical scale. Hibler, W.D., III, (1982, p.141-153) WP 1590

Ice growth and circulation in Kachemak Bay, Alaska. Daly, S.F., (1982, 91(C)1-(C)9) MP 1501

Ice distribution and water circulation, Kachemak Bay, Alaska. Gatto, L.W., (1982, p.421-435) MP 1549

Modeling fluctuations of arctic sea ice. Hibler, W.D., III, et al. (1982, p.1514-1522) MP 1579

Observations of pack ice properties in the Weddell Sea. Ackley, S.F., et al. (1982, p.165-106) MP 1407

Sea ice scour during the Weddell Sea Expedition. Ackley, S.F., et al. (1983, 6p. + 59p.) SR 83-2

Ice properties in the Greenland and Barents Seas during early summer. Overgaard, S., et al. (1983, p.142-156) MP 2061

Sea ice on the Norton Sound and adjacent Bering Sea coast. Kovacs, A., (1983, p.654-664) MP 1699

Size and shape of ice floes in the Baltic Sea in spring. [illegible]a, M., (1983, p.12[illegible]136) MP 2061

Offshore petroleum production in ice-covered waters. Wadhams, W.B., (1983, p.207-215) MP 2046

Spaceborne SAR and sea ice: a status report. Weeks, W.F., (1983, p.113-115) MP 2225

Antarctic sea ice microwave signatures. Comiso, J.C., et al. (1984, p.642-672) MP 1668

Modeling the marginal ice zone. Hibler, W.D., III, et al. (1984, 99p.) SR 84-07

Large-scale ice-ocean models for the marginal ice zone. Hibler, W.D., III, et al. (1984, p.1-7) MP 1775

On the decay and retreat of the ice cover in the eastern Weddell Sea. Martinec, G.A., (1984, p.15-22) MP 1786

Drag coefficient across the Antarctic marginal ice zone. Andreas, E.L., et al. (1984, p.63-71) MP 1781

Mechanisms for floe clustering in the marginal ice zone. Lavergnat, M., et al. (1984, p.[illegible]) MP 1785

Sea ice data buoys in the Weddell Sea. Ackley, S.F., et al. (1984, 12p.) CR 84-11

Role of sea ice dynamics in modeling CO2 increases. Hibler, W.D., III, (1984, p.238-253) MP 1749

Model simulation of 30 years of northern hemisphere sea-ice fluctuations. Walsh, J.E., et al. (1985, p.1[illegible]) MP 1787

Air-ice-ocean interaction: experiments in Arctic marginal ice zones. (1985, 56p.) SR 85-08

Short ice records and piling features, Beaufort Sea. Kovacs, A., (1984, 24p. + map) CR 84-24

Sea ice penetrators in the Arctic Ocean. Weeks, W.F., et al. (1984, p.37-45) MP 1963

Arctic sea ice and naval operations. Hibler, W.D., III, et al. (1984, p.91-91) MP 1994

Wind and convective advection over antarctic sea ice. Andreas, E.L., (1985, p.334-346) MP 1862

Airborne ocean measurements in Arctic marginal ice zones: MIZEX West. Wadhams, P., et al. (1985, 110p.) SR 85-06

Modeling sea ice dynamics. Hibler, W.D., III, (1985, p.569-579) MP 2061

Ice floe distributions in the wake of a simple wedge. Tuovinen, J.C., (1985, p.822-829) MP 2038

Ice cover seaward of the Arctic seas. Weeks, W.F., et al. (1986, p.59-64) MP 2117

MIZEX - a program for remote ice sensor-ocean interaction experiments in Arctic marginal ice zones. MIZEX bulletin 5, (1986, 84p.) SR 86-03

Large-scale sea ice modeling. Hibler, W.D. III, (1986, p.[illegible]-[illegible]) MP 2181

Variations of Arctic sea ice drafts. Tucker, W.B., et al. (1986, p.[illegible]-[illegible]) MP 2199

Alaska weather reporting radio (WAR) facility project. Carsey, F., et al. (1987, p.[illegible]-[illegible]) MP 2468

On modeling the convergence of the ridging process. Hibler, W.D., et al. (1988, p.[illegible]-[illegible]) MP 2403

Satellite remote sensing in Alaska. Weeks, W.F., et al. (1988, p.[illegible]-[illegible]) MP 2699

A.F. Weeks: Sea Ice Symposium, San Francisco, CA, Dec. 1988. Ackley, S.F., et al. (1988, 24p.) W 89-01

Snow cover effects on arctic sea ice thickness. Ackley, S.F., et al. (1989, p.16-21) MP 2726

Oceanic heat flux in the Fram Strait measured by a drifting buoy. Perovich, D.K., et al. (1989, p.[illegible]-[illegible]) MP 2749

Shear and tensile and open water in models of sea ice decay. Perovich, D.K., et al. (1989, p.242-256) MP 2789

Sea ice in the polar regions. Gow, A.J., et al. (1990, p.47-122) MP 2750

Sea level

Glaciology's grand unsolved problem. Weertman, J., (1974, p.224-226) MP 1056

Comparison of different sea level pressure analyses fields in the East Greenland Sea. Tucker, W.B., (1981, p.1064-1081) MP 1737

Sea spray

Ice accretion on ships. Itagaki, K., (1977, 22p.) SR 77-27

Assessment of ice accretion on offshore structures. Mank, L.D., (1984, 12p.) SR 84-06

Measurement of icing on offshore structures. Mank, L.D., (1985, p.267-292) MP 2016

Sea spray icing: a review of current models. Ackley, S.F., (1986, p.2[illegible]-[illegible]) MP 2163

Thermal and ice evolution of sea spray droplets. Andreas, E.L., (1989, 31p.) CR 89-11

Time constants for the evolution of sea spray droplets. Andreas, E.L., (1989, p.[illegible]-[illegible]) MP 2595

Sea water

Economic coal atlas of Alaska. Kirkham, C.W., et al. (1978, 95p.) MP 1206

Geochemistry of subsea permafrost at Prudhoe Bay, Alaska. Page, F.W., et al. (1978, 20p.) SR 78-14

Using sea ice to measure vertical heat flux in the ocean. McPhee, M.G., et al. (1982, p.2271-2074) MP 1521

Seasonality of vegetation, and soil loss to seawater spills, Alaska. Freeman, C.L., et al. (1981, 35p.) CR 83-24

Monitoring seasonal changes in surface temperature and salinity. Schlosser, P.W., et al. (1984, p.110-114) MP 2167

Oceanic heat flux in the Fram Strait measured by a drifting buoy. Perovich, D.K., et al. (1989, p.675-998) MP 2531

Oceanic heat flux in the Fram Strait measured by a drifting buoy. Perovich, D.K., et al. (1990, p.991-999) MP 2700

Sea water freezing

Sea ice in the polar regions. Gow, A.J., et al. (1980, p.47-122) MP 2707

Sealing

Wastewater rehabilitation pond linings. Middlebrooks, E.J., et al. (1978, 114p.) SR 78-20

SEASONAL FREEZE THAW

Foundations of structures in cold regions. Linell, K.A., (1969, 77p.) M 113-C6

Seasonal freeze thaw

Roads ice problems. Berg, R.L., et al. (1984, p.1-15) MP 1602

Preliminary investigation of cyclically frozen and thawed subgrade soils. Chamberlain, E.J., et al. (1977, p.225-251) MP 1174

Design of unbound pavement for seasonal frost and permanent frost areas. Berg, R.L., et al. (1979, 135p.) MP 1129

Resilient response of two frozen and thawed soils. Chamberlain, E.J., et al. (1979, p.257-271) MP 1176

Full-depth pavement considerations in seasonal frost areas. Eaton, R.A., et al. (1979, 24p.) MP 1108

Relationships between January temperatures and the winter regime in Germany. Rohlfs, M.A., et al. (1979, p.17-27) MP 1218

Hydrocarbon ice entrapment in frozen and subfreezing soils in Alaska. Secor, N., (1980, 31p.) CR 23-05

Instrumentation engineering, Yukon River-Prudhoe Bay Haul Road. Perron, J., et al. (1980, 127p.) CR 80-19

Haul road performance and associated investigations in Alaska. Berg, R.L., (1984, p.53-106) MP 1351

Tundra and workpad soils. Berg, R.L., et al. (1981, p.139-179) MP 1435

Pavement deflections and freezing and thawing. Chamberlain, E.J., (1981, 16p.) CR 81-15

Frost heaving of heated pavements and the permafrost table. Williams, P.J., et al. (1981, 16p.) CR 83-11

Revised procedure for pavement design under seasonal frost conditions. Berg, R.L., et al. (1986, 136p.) SR 86-17

Development and design of stable freezing beds. Martel, C.J., (1986, p.[illegible]-[illegible]) MP 1556

Seasonal variations

Seasonal variations in plant nutrients in Beaufort Sea. McCoy, R.D., et al. (1974, p.[illegible]-[illegible]) MP 904

Sea ice conditions in the Arctic. Weeks, W.F., (1974, p.[illegible]-[illegible]) MP 910

Drifting seasonal ice of Greenland sea. Langway, C.C., Jr., et al. (1977, p.[illegible]-[illegible]) MP 1004

Electromagnetic surveys of permafrost. Arcone, S.A., et al. (1984, 26p.) CR 84-23

Dynamics of the Weddell sea ice zone. Weeks, W.F., (1983, p.[illegible]-[illegible]) MP 1203

Passive microwaves of the seasonal sea ice zone. Parkinson, C.L., (1984, p.[illegible]-[illegible]) MP 1294

Numerical modeling of sea ice in the seasonal ice zone. Hibler, W.D., III, (1984, p.[illegible]-[illegible]) MP 1296

Road dust along the Haul Road, Alaska. Everett, K.R., (1984, p.[illegible]-[illegible]) MP 1352

Modeling a variable thickness sea ice cover. Hibler, W.D., III, (1984, p.[illegible]-[illegible]) MP 1436

Seasonal variations *(cont.)*
Seasonal growth and accumulation of N, P, and K by grass irrigated with wastes. Palazzo, A.J., (1981, p.64-68) MP 1425
Ocean circulation: its effect on seasonal sea-ice simulations. Hibler, W.D., III, et al, (1984, p 489-492) MP 1700
Numerical simulation of Northern Hemisphere sea ice variability, 1951-1980. Walsh, J.E., et al, (1985, p.4847-4865) MP 1882
Ground motion induced by an acoustic pulse, and its wintertime variations. Peck, L., (1988, p.361-385) MP 2597
Year of Bowen ratios over the frozen Beaufort Sea Andreas, E.L., (1989, p.12,721-12,724) MP 2508
Seasonal distribution of low flow events in New Hampshire streams with emphasis on the winter period. Melloh, R.A., (1990, p.47-53) MP 2681

Sediment transport
Influence of irregularities of the bed of an ice sheet on deposition rate of till. Nobles, L.H., et al, (1971, p 117-126) MP 1009
Permafrost and vegetation maps from ERTS imagery Anderson, D.M., et al, (1973, 75p) MP 1003
Baseline data on tidal flushing in Cook Inlet, Alaska. Gatto, L.W., (1973, 11p) MP 1523
Circulation and sediment distribution in Cook Inlet, Alaska Gatto, L.W., (1976, p 205-227) MP 895
Effect of open water disposal of dredged sediments. Blom, B.E., et al, (1976, 183p) MP 967
Baseline data on the oceanography of Cook Inlet, Alaska. Gatto, L.W., (1976, 84p) CR 76-25
Ice and navigation related sedimentation. Wuebben, J.L., et al, (1978, p 393-403) MP 1133
Sediments of the western Matanuska Glacier. Lawson, D.E., (1979, 112p.) CR 79-09
Pebble orientation ice and glacial deposits. Lawson, D.E., (1979, p.629-645) MP 1276
Distribution and features of bottom sediments in Alaskan coastal waters. Sellmann, P.V., (1980, 50p) SR 80-15
Sediment displacement in the Ottauquechee River—1975-1978. Martinson, C.R., (1980, 14p) SR 80-20
Diamictons at the margin of the Matanuska Glacier, Alaska. Lawson, D.E., (1981, p.78-84) MP 1462
Sediment load and channel characteristics in subarctic upland catchments Slaughter, C.W., et al, (1981, p 39-48) MP 1518
Subaerial sediment flow of the Matanuska Glacier, Alaska. Lawson, D.E., (1982, p 279-300) MP 1806
Shoreline erosion and shore structure damage on the St. Marys River. Wuebben, J.L., (1983, 36p.) SR 83-15
Tanana River monitoring and research studies near Fairbanks, Alaska. Neill, C.R., et al, (1984, 98p. + 5 appends) SR 84-37
Potential use of SPOT HRV imagery for analysis of coastal sediment plumes. Band, L.E., et al, (1984, p 199-204) MP 1744
Shoreline erosion processes: Orwell Lake, Minnesota Reid, J.R., (1984, 101p) CR 84-32
Use of remote sensing for the U.S Army Corps of Engineers dredging program. McKim, H.L., et al, (1985, p 1141-1150) MP 1890
Study of sea ice induced gouges in the sea floor Weeks, W.F., et al, (1985, p 126-135) MP 1917
Numerical simulation of sea ice induced gouges on the shelves of the polar oceans Weeks, W.F., et al, (1985, p.259-265) MP 1938
Data acquisition in USACRREL's flume facility. Daly, S.F., et al, (1985, p.1053-1058) MP 2089
Glaciers and sediment Bezinge, A., et al, (1986, p 53-69) MP 2154
Morphology, hydraulics and sediment transport of an ice-covered river. Lawson, D.E., et al, (1986, 37p) CR 86-11
Preliminary simulation of the formation and infilling of sea ice leads Weeks, W.F., et al, (1986, p.259-268) MP 2218
Effects of an ice cover on flow in a movable bed channel Wuebben, J.L., (1988, p.137-146) MP 2499
Detection of coarse sediment movement using radio transmitters. Chacho, E.F., Jr., et al, (1989, p 367-373(B)) MP 2752

Sedimentation
Baseline data on tidal flushing in Cook Inlet, Alaska Gatto, L.W., (1973, 11p) MP 1523
Estuarine processes and intertidal habitats in Grays Harbor, Washington, a demonstration of remote sensing techniques. Gatto, L.W., (1978, 79p) CR 78-18
Stratified debris in Antarctic ice cores Gow, A.J., et al, (1979, p 185-192) MP 1272
Removal of organics by overland flow Martel, C.J., et al, (1980, 9p) MP 1362
Deposits in the glacial environment Lawson, D.E., (1981, 16p.) CR 81-27
Pebble fabric in an ice-rafted diamicton Domack, E.W., et al, (1985, p 577-591) MP 1959
Glacigenic resedimentation related to mass-movement processes Lawson, D.E., (1989, p.147-169) MP 2472

SEDIMENTS
Patterned ground in Alaska Péwé, T.L., et al, (1969, 87p) MP 1180

Sediments
ERTS mapping of Arctic and subarctic environments Anderson, D.M., et al, (1974, 128p.) MP 1047
Environmental consequences of 1964 Alaska earthquake in Portage, Alaska. Ovenshine, A.T., et al, (1974, p.3-9) MP 2409
Placer River Silt—an intertidal deposit caused by the 1964 Alaska earthquake. Ovenshine, A.T., et al, (1976, p.151-162) MP 2410
Effect of temperature on the strength of frozen silt. Haynes, F.D., et al, (1977, 27p.) CR 77-03
Geochemistry of subsea permafrost at Prudhoe Bay, Alaska. Page, F.W., et al, (1978, 70p) SR 78-14
Direct filtration of streamborne glacial silt. Ross, M.D., et al, (1982, 17p) CR 82-23
Modifications of permafrost, East Oumalik, Alaska. Lawson, D.E., (1982, 33p.) CR 82-36
Ground ice in perennially frozen sediments, northern Alaska. Lawson, D.E., (1983, p 695-700) MP 1661
Bank recession of the Tanana River, Alaska. Gatto, L.W., (1984, 59p) MP 1746
Impact of dredging on water quality at Kewaunee Harbor, Wisconsin Iskandar, I.K., et al, (1984, 16p) CR 84-21
Techniques for measuring Hg in soils and sediments. Cragin, J.H., et al, (1985, 16p) SR 85-16
Explosives in soils and sediments Cragin, J.H., et al, (1985, 11p) CR 85-15
Tensile strength of frozen silt. Zhu, Y., et al, (1986, p.15-28) MP 1971

Seepage
Land treatment of wastewaters. Reed, S.C., et al, (1974, p 12-13) MP 1036
Land treatment of wastewaters for rural communities. Reed, S.C., et al, (1975, p.23-39) MP 1399
Reclamation of wastewater by application on land. Iskandar, I.K., et al, (1976, 15p.) MP 896
Wastewater renovation by a prototype slow infiltration land treatment system Iskandar, I.K., et al, (1976, 44p) CR 76-19
Treatment of primary sewage effluent by rapid infiltration. Satterwhite, M.B., et al, (1976, 15p) CR 76-49
Wastewater treatment at Calumet, Michigan Baillod, C.R., et al, (1977, p.489-510) MP 976
Wastewater treatment alternative needed. Iskandar, I.K., et al, (1977, p.82-87) MP 968
NO3-N in percolate water in land treatment Iskandar, I.K., et al, (1978, p 163-169) MP 1148
Nitrogen behavior in land treatment of wastewater: a simplified model Selim, H.M., et al, (1978, p 171-179) MP 1149
Wastewater stabilization pond linings. Middlebrooks, E.J., et al, (1978, 116p) SR 78-28
Energy requirements for small flow wastewater treatment systems. Middlebrooks, E.J., et al, (1979, 82p) SR 79-07
Energy requirements for small flow wastewater treatment systems. Middlebrooks, E.J., et al, (1979, 82p) SR 79-07
Water movement in a land treatment system of wastewater by overland flow Nakano, Y., et al, (1979, p.185-206) MP 1285
Land treatment systems and the environment McKim, H.L., et al, (1979, p.201-225) MP 1414
Cost of land treatment systems Reed, S.C., et al, (1979, 135p) MP 1387
Functional analysis of the problem of wetting fronts. Nakano, Y., (1980, p 314-318) MP 1307
Removal of organics by overland flow. Martel, C.J., et al, (1980, 9p) MP 1362
Energy and costs for agricultural reuse of wastewater Sletten, R.S., et al, (1980, p 339-346) MP 1401
Soil infiltration on land treatment sites Abele, G., et al, (1980, 41p) SR 80-36
Hydraulic characteristics of the Deer Creek Lake land treatment site during wastewater application Abele, G., et al, (1981, 37p) CR 81-07
Land treatment of wastewater Reed, S.C., (1982, p 91-123) MP 1947
Horizontal infiltration of water in porous materials Nakano, Y., (1982, p 156-166) MP 1840
Land application systems for wastewater treatment. Reed, S.C., (1983, 26p + figs) MP 1946
Analysis of infiltration results at a proposed North Carolina wastewater treatment site Abele, G., et al, (1984, 24p) SR 84-11
Problems with rapid infiltration—a post mortem analysis Reed, S.C., et al, (1984, 17p + figs) MP 1944
Nitrogen removal in cold regions trickling filter systems Reed, S.C., et al, (1986, 39p) SR 86-02
New approach for sizing rapid infiltration systems. Martel, C.J., (1988, p 211-215) MP 2323
New approach for sizing rapid infiltration systems (discussion and closure) Reed, S.C., et al, (1989, p 879-882) MP 2712

Seismic prospecting
Recent research on acoustic to seismic coupling Albert, D.G., (1987, p 223-225) MP 2416
Seismic and acoustic wave propagation working group report Albert, D.G., et al, (1987, p 253-255) MP 2419
Seismic/acoustic experiments at SNOW IV Peck, L., (1989, p.155-157) MP 2646

Seismic reflection
Hyperbolic reflections on Beaufort Sea seismic records. Neave, K.G., et al, (1981, 16p) CR 81-02

Seismic refraction
Seismic site characterization techniques, Münster Nord, FRG. Albert, D.G., (1982, 33p) CR 82-17
Subsea permafrost in Harrison Bay, Alaska. Neave, K.G., et al, (1982, 62p) CR 82-24
Seismic velocities and subsea permafrost in the Beaufort Sea, Alaska Neave, K.G., et al, (1983, p.894-898) MP 1665

Seismic surveys
Analysis of explosively generated ground motions using Fourier techniques. Blouin, S.E., et al, (1976, 86p.) CR 76-28
Creep rupture at depth in a cold ice sheet. Colbeck, S.C., et al, (1978, p.733) MP 1168
Sea ice north of Alaska. Kovacs, A., (1978, p.7-12) MP 1252
Geophysics in the study of permafrost. Scott, W.J., et al, (1979, p 93-115) MP 1266
Distribution and properties of subsea permafrost of the Beaufort Sea. Sellmann, P.V., et al, (1979, p.93-115) MP 1287
Features of permafrost beneath the Beaufort Sea. Sellmann, P.V., et al, (1980, p.103-110) MP 1344
Subsea permafrost in Harrison Bay, Alaska. Neave, K.G., et al, (1982, 62p) CR 82-24
Effects of snow on vehicle-generated seismic signatures Albert, D.G., (1984, p.83-109) MP 2074
Seismic surveys of shallow subsea permafrost Neave, K.G., et al, (1985, p 61-65) MP 1954

Seismic velocity
Surface-wave dispersion in Byrd Land Acharya, H.K., (1972, p 955-959) MP 992
Seismic exploration in cold regions. Roethlisberger, H., (1972, 138p.) M II-A2a
Delineation and engineering of subsea permafrost, Beaufort Sea. Sellmann, P.V., et al, (1981, p 137-156) MP 1600
Determining distribution patterns of ice-bonded permafrost in the U.S Beaufort Sea from seismic data. Neave, K.G., et al, (1984, p 237-258) MP 1839
Experimental and theoretical studies of acoustic-to-seismic coupling Albert, D.G., (1988, p 19-31) MP 2432
Observations of low-frequency acoustic-to-seismic coupling in the summer and winter Albert, D.G., et al, (1989, p 352-359) MP 2654

Seismology
Fluid dynamic analysis of volcanic tremor. Ferrick, M.G., et al, (1982, 12p) CR 82-32
Observations of volcanic tremor at Mount St. Helens volcano. Fehler, M., (1984, p.3476-3484) MP 1770
Effect of snow on vehicle-generated seismic signatures Albert, D.G., (1984, 24P.) CR 84-23
Review of methods for generating synthetic seismograms Peck, L., (1985, 39p.) CR 85-10
Effect of snow on vehicle-generated seismic signatures Albert, D.G., (1987, p 881-887) MP 2229
Acoustic-to-seismic coupling through a snow layer. Peck, L., (1987, p.47-55) MP 2294
Acoustically induced ground motion in sand under winter conditions. Peck, L., (1989, p 37-54) MP 2626

Sensor mapping
Use of SPOT HRV data in the Corps of Engineers dredging program. Merry, C.J., et al, (1988, p 1295-1299) MP 2528

Settlement (structural)
Piles in permafrost for bridge foundations. Crory, F.E., et al, (1967, 41p) MP 1411
Slumping failure of an Alaskan earth dam Collins, C.M., et al, (1977, 21p) SR 77-21
Kotzebue hospital—a case study Crory, F.E., (1978, p 342-359) MP 1084
Construction of an embankment with frozen soil Botz, J.J., et al, (1980, 105p) SR 80-21
Foundations on permafrost, US and USSR design and practice Fish, A.M., (1983, p.3-24) MP 1682
Creep of a strip footing on ice-rich permafrost Sayles, F.H., (1985, p 29-51) MP 1731
Partial verification of a thaw settlement model. Guymon, G.L., et al, (1985, p 18-25) MP 1924
Hydraulic properties of selected soils Ingersoll, J., et al, (1985, p.26-35) MP 1925
Physical changes in clays due to frost action Chamberlain, E.J., (1989, p 863-893) MP 2595

Sewage
Utilization of sewage sludge for terrain stabilization in cold regions Gaskin, D.A., et al, (1977, 45p) SR 77-37
Heat recovery from primary effluent using heat pumps Phetteplace, G., et al, (1985, p 199-203) MP 1978

SEWAGE DISPOSAL
Sewerage and sewage disposal in cold regions Alter, A.J., (1969, 106p) M III-C5b

Sewage disposal
Utility distribution systems in Iceland Aamot, H.W.C., (1976, 63p) SR 76-05
Utility distribution systems in Sweden, Finland, Norway and England Aamot, H.W.C., et al, (1976, 121p) SR 76-16

Wastewater treatment at Calumet, Michigan Baillod, C.R., et al, (1977, p 489-510) MP 976
Effects of wastewater and sludge on turfgrasses Palazzo, A J., (1978, 11p) SR 78-20
Sewage sludge for terrain stabilization, Part 2 Gaskin, D A., et al, (1979, 36p) SR 79-28
Utilization of sewage sludge for terrain stabilization in cold regions. Pt. 3. Rindge, S.D., et al, (1979, 33p.) SR 79-34
Revegetation at two construction sites in New Hampshire and Alaska. Palazzo, A.J., et al, (1980, 21p) CR 80-03
Sewage sludge aids revegetation. Palazzo, A J., et al, (1982, p.198-301) MP 1735

SEWAGE TREATMENT
Sewerage and sewage disposal in cold regions Alter, A J., (1969, 106p.) M III-C5b

Sewage treatment
Waste management in the north Rice, E., et al, (1974, p.14-21) MP 1048
Land treatment in relation to waste water disposal Howells, D.H., et al, (1976, p 60-62) MP 869
Rapid infiltration of primary sewage effluent at Fort Devens, Massachusetts Satterwhite, M B., et al, (1976, 34p) CR 76-48
Treatment of primary sewage effluent by rapid infiltration. Satterwhite, M.B., et al, (1976, 15p) CR 76-49
Land treatment of wastewater at West Dover, Vermont Bouzoun, J.R., (1977, 24p) SR 77-33
Wastewater treatment alternative needed Iskandar, I K., et al, (1977, p.82-87) MP 968
Land treatment present status, future prospects Pound, C.E., et al, (1978, p 98-102) MP 1417
Mass water balance during spray irrigation with wastewater at Deer Creek Lake land treatment site Abele, G., et al, (1978, 43p) SR 79-29
Cost of land treatment systems Reed, S C., et al, (1979, 135p) MP 1387
Development of a rational design procedure for overland flow systems Martel, C J., et al, (1982, 29p) CR 82-02
Energy conservation and water pollution control facilities Martel, C J., et al, (1982, 18p) SR 82-24
Restoration of acidic dredge soils with sewage sludge and lime. Palazzo, A.J., (1983, 11p) CR 83-28
Accumulation, characterization, and stabilization of sludges for cold regions lagoons. Schneiter, R.W., et al, (1984, 40p) SR 84-08
Primary effluent as a heat source for heat pumps. Phetteplace, G E., et al, (1988, p.141-146) MP 2445
Development and design of sludge freezing beds Martel, C.J., (1988, 49p) CR 88-20
Dewaterability of freeze-thaw conditional sludges Martel, C.J., (1989, p 237-241) MP 2616
Primary effluent as a heat source for heat pumps Phetteplace, G.E., et al, (1989, p 12-17) MP 2760

Shafts (excavations)
Heat transfer in a freezing shaft wall Liandi, F., (1986, 24p) CR 86-08

Shear flow
Effect of size on stresses in shear flow of granular materials, Pt.1. Shen, H.H., (1985, 18p) CR 85-02
Effect of size on stresses in shear flow of granular materials, Pt.2. Shen, H.H., (1985, 20p) CR 85-03
Constitutive relations for a planar, simple shear flow of rough disks. Shen, H.H., et al, (1985, 17p) CR 85-20

Shear properties
Mitigative and remedial measures for chilled pipelines in discontinuous permafrost Sayles, F H., (1984, p 61-62) MP 1974
Uplifting forces exerted by adfrozen ice on marine piles. Christensen, F T., et al, (1985, p 529-542) MP 1905

Shear strain
Dynamics of snow avalanches Mellor, M., (1978, p 753-792) MP 1070

SHEAR STRENGTH
Properties of snow Mellor, M., (1964, 105p) M III-A1
Mechanical properties of sea ice Weeks, W F., et al, (1967, 80p) M II-C3

Shear strength
Compressive and shear strengths of fragmented ice covers Cheng, S T., et al, (1977, 82p) MP 951
Field investigations of a hanging ice dam Beltaos, S., et al, (1982, p 475-488) MP 1533
How effective are icephobic coatings Minsk, L.D., (1983, p.93-95) MP 1634
Shear strength in the zone of freezing in saline soils Chamberlain, E J., (1985, p 566-574) MP 1879
Shear strength anisotropy in frozen saline and freshwater soils Chamberlain, E J., (1985, p 189-194) MP 1931
Vibration analysis of the Yamachiche lightpier Haynes, F.D., (1986, p 238-241) MP 1989
Ice properties in a grounded man-made ice island Cox, G F N., et al, (1986, p 135-142) MP 2032
Vibration analysis of the Yamachiche Lightpier Haynes, F.D., (1986, p 9-18) MP 2253
Ship model testing in level ice an overview Tatinclaux, J C., (1988, 30p.) Cr 88-15
Evaluation of shear strength of freshwater ice adhered to icephobic coatings Mulhern, N.D., (1990, p 149-154) MP 2578

Shear stress
Forces on an ice boom in the Beauharnois Canal Perham, R.E., et al, (1975, p.397-407) MP 858
Measuring the uniaxial compressive strength of ice. Haynes, F.D., et al, (1977, p 213-223) MP 1027
Effect of freeze-thaw cycles on resilient properties of fine-grained soils. Johnson, T.C., et al, (1978, 19p) MP 1082
Freeze thaw effect on resilient properties of fine soils Johnson, T.C., et al, (1979, p 247-276) MP 1226
Pressure waves in snow Brown, R.L., (1980, p 99-107) MP 1306
Measurement of the shear stress on the underside of simulated ice covers. Calkins, D J., et al, (1980, 11p) CR 80-24
Analysis of velocity profiles under ice in shallow streams. Calkins, D J., et al, (1981, p 94-111) MP 1397
Vehicle tests and performance in snow Berger, R H., et al, (1981, p.51-67) MP 1477
Shallow snow test results. Harrison, W L., (1981, p 69-71) MP 1478
Asymmetric flows application to flow below ice jams Göğüs, M., et al, (1981, p.342-350) MP 1733
Force distribution in a fragmented ice cover. Daly, S F., et al, (1982, p 374-387) MP 1531
Model study of Port Huron ice control structure, wind stress simulation Sodhi, D S., et al, (1982, 27p) CR 82-09
Flow velocity profiles in ice-covered shallow streams Calkins, D J., et al, (1982, p.236-247) MP 1540
Asymmetric plane flow with application to ice jams Tatinclaux, J C., et al, (1983, p 1540-1556) MP 1645
Force distribution in a fragmented ice cover. Stewart, D M., et al, (1984, 16p.) CR 84-07
Frost jacking forces on H and pipe piles embedded in Fairbanks silt Johnson, J.B., et al, (1985, p 125-133) MP 1930
Measurement of frost heave forces on H-piles and pipe piles Johnson, J B., et al, (1988, 49p.) CR 88-21

Shelters
Observations during BRIMFROST '83. Bouzoun, J R., et al, (1984, 36p.) SR 84-10

Ship icing
Ice accumulation on ocean structures Minsk, L.D., (1977, 42p.) CR 77-17
Ice accretion on ships Itagaki, K., (1977, 22p.) SR 77-27
Ice observation program on the semisubmersible drilling vessel SEDCO 708. Minsk, L D., (1984, 14p.) SR 84-02
Assessment of ice accretion on offshore structures Minsk, L.D., (1984, 12p.) SR 84-04
Sea spray icing: a review of current models Ackley, S.F., (1986, p 239-262) MP 2163
Evaluation of shear strength of freshwater ice adhered to icephobic coatings Mulhern, N.D., (1990, p.149-154) MP 2578

Ships
Arctic marine navigation and ice dynamics—summary findings Weeks, W.F., (1973, p 86-99) MP 2274
Towing ships through ice-clogged channels by warping and kedging Mellor, M., (1979, 21p.) CR 79-21
Ship resistance in thick brash ice Mellor, M., (1980, p.305-321) MP 1329
Vibrations caused by ship traffic on an ice-covered waterway Haynes, F D., et al, (1981, 27p.) CR 81-05
State of the art of ship model testing in ice Vance, G P., (1981, p 693-706) MP 1573
Effect of vessel size on shorelines along the Great Lakes channels Wuebben, J L., (1983, 62p.) SR 83-11
Boom for shipboard deployment of meteorological instruments Andreas, E.L., et al, (1983, 14p.) SR 83-28
Development of a river ice-prow Part 2 Tatinclaux, J C., (1988, p 44-52) MP 2497
Ship model testing in level ice an overview Tatinclaux, J C., (1988, 30p.) Cr 88-15

SHOCK WAVES
Explosions and snow Mellor, M., (1965, 34p.) M III-A3a

Shock waves
Ground pressures exerted by underground explosions Johnson, P R., (1978, p 284-290) MP 1520
Analysis of plastic shock waves in snow Brown, R.L., (1979, 14p.) CR 79-29
Pressure waves in snow Brown, R L., (1980, p 99-107) MP 1306
Analysis of non-steady plastic shock waves in snow Brown, R.L., (1980, p 279-287) MP 1354
Propagation of stress waves in alpine snow Brown, R L., (1980, p 235-243) MP 1367
Dynamic testing of free field stress gages in frozen soil Aitken, G W., et al, (1980, 26p.) SR 80-30
Blasting and blast effects in cold regions Part 1. Air blast Mellor, M., (1985, 62p.) SR 85-25
Blasting and blast effects in cold regions Part 2: underwater explosions Mellor, M., (1986, 56p.) SR 86-16
Techniques for gas gun studies of shock wave attenuation in snow Brown, J A., et al, (1988, p 657-660) MP 2543

Shore erosion
Historical shoreline changes along the outer coast of Cape Cod. Gatto, L.W., (1979, p 69-90) MP 1502
Aerial photointerpretation for shoreline changes. Gatto, L W., (1980, p.167-170) MP 1503
Shoreline erosion and shore structure damage on the St. Marys River. Wuebben, J.L., (1983, 36p.) SR 83-15
Erosion of perennially frozen streambanks. Lawson, D E., (1983, 22p.) CR 83-29
Shoreline erosion processes On... Lake, Minnesota. Reid, J.R., (1984, 101p.) CR 84-32
Erosion of northern reservoir shores. Lawson, D.E., (1985, 198p.) M 85-01
Bank conditions and erosion along selected reservoirs Gatto, L.W., et al, (1987, p.143-154) MP 2196
Techniques for measuring reservoir bank erosion. Gatto, L.W., (1988, 27p.) SR 88-03

Shoreline modification
Aerial photography of Cape Cod shoreline changes. Gatto, L.W., (1978, 49p.) CR 78-17
Estuarine processes and intertidal habitats in Grays Harbor, Washington a demonstration of remote sensing techniques Gatto, L W., (1978, 79p.) CR 78-18
Historical shoreline changes along the outer coast of Cape Cod Gatto, L.W., (1979, p 69-90) MP 1502
Coastal marine geology of the Beaufort, Chukchi and Bering Seas. Gatto, L W., (1980, 357p.) SR 80-05
Aerial photointerpretation for shoreline changes. Gatto, L.W., (1980, p 167-170) MP 1503
Bank erosion of U.S. northern rivers Gatto, L.W., (1982, 75p.) CR 82-11
Shoreline erosion and shore structure damage on the St Marys River. Wuebben, J.L., (1983, 36p.) SR 83-15

Shores
Ice pile-up and ride-up on Arctic and subarctic beaches. Kovacs, A., et al, (1979, p.127-146) MP 1230
Shore ice pile-up and ride-up field observations, models, theoretical analyses Kovacs, A., et al, (1980, p 209-298) MP 1295
Summer air temperature and precipitation in northern Alaska. Haugen, R.K., et al, (1980, p 403-412) MP 1439
Effect of vessel size on shorelines along the Great Lakes channels Wuebben, J.L., (1983, 62p.) SR 83-11
Sea ice on the Norton Sound and adjacent Bering Sea coast. Kovacs, A., (1983, p 654-666) MP 1699

Side looking radar
Sea ice roughness and floe geometry over continental shelves. Weeks, W.F., et al, (1977, p 32-41) MP 1163
Extraction of topography from side-looking satellite systems —a case study with SPOT simulation data Ungar, S G., et al, (1983, p.535-550) MP 1695

Signy Island
Soil properties of the International Tundra Biome sites Brown, J., et al, (1974, p 27-48) MP 1043

Simulation
Sea ice growth, drift, and decay Hibler, W D., III, (1980, p.141-209) MP 1298
Structure and dielectric properties at 4.8 and 9.5 GHz of saline ice Arcone, S.A., et al, (1986, p 14,281-14,303) MP 2182
Simulation of planar instabilities during solidification Sullivan, J M., Jr., et al, (1987, p 81-111) MP 2585
Simulation of district heating systems for piping design. Phetteplace, G., (1989, 27p.) MP 2746

Site accessibility
Site access for a subarctic research effort Slaughter, C.W., (1976, 13p.) CR 76-09
Site selection methodology for the land treatment of wastewater. Ryan, J R., et al, (1981, 74p.) SR 81-28

Site surveys
Numerical studies for an airborne VLF resistivity survey. Arcone, S A., (1977, 10p.) CR 77-05
Runway site survey, Pensacola Mountains, Antarctica Kovacs, A., et al, (1977, 45p.) SR 77-14
Remote sensing for land treatment site selection Merry, C J., (1978, p.107-119) MP 1146
Recommendations for implementing roof moisture surveys in the U S Army. (1978, 8p.) SR 78-01
Post occupancy evaluation of a planned community in Arctic Canada Bechtel, R B., et al, (1980, 27p.) SR 80-06
Remote sensing for earth dam site selection and construction materials Merry, C.J., et al, (1980, p 158-170) MP 1316
Post occupancy evaluation for communities in hot or cold regions Bechtel, R.B., et al, (1980, 57p.) SR 80-29
Introduction to abiotic components in tundra. Brown, J., (1981, p 79) MP 1432
Harbor design for ice conditions Wortley, C A., (1987, p 14-15) MP 2588
Investigations of dielectric properties of some frozen materials Arcone, S A., et al, (1989, 18p.) CR 89-04
Site-specific meteorology Bates, R E., et al, (1989, p 13-15) MP 2641

Skis
Ski friction and thermal response Warren, G C., et al, (1989, p 223-225) MP 2745
Thermal response of downhill skis Warren, G.C., et al, (1989, 40p.) CR 89-23

Sleds
Dynamic friction of bobsled runners on ice Huber, N P., et al, (1985, 26p.) MP 2082

Sleds *(cont.)*
Preliminary study of friction between ice and sled runners Itagaki, K., et al, (1987, p 297-301) MP 2358
Dynamic friction of a metal runner on ice I Model sled test Itagaki, K., et al, (1989, 17p) CR 89-14

Slope orientation
Snow load data analysis, winter 1976-77. O'Rourke, M., (1977, 9p + appends) MP 2427
Roof response to icing conditions Lane, J.W., et al, (1979, 40p) CR 79-17
Tundra soils on the Arctic Slope of Alaska. Everett, K.R., et al, (1982, p.264-280) MP 1552
Uniform snow loads on structures. O'Rourke, M J., et al, (1982, p 2781-2798) MP 1574
Analysis of roof snow load case studies, uniform loads O'Rourke, M., et al, (1983, 29p) CR 83-01

Slope processes
Drainage network of a subarctic watershed Bredthauer, S.R., et al, (1979, 9p.) SR 79-19
Shoreline erosion processes Orwell Lake, Minnesota Reid, J.R., (1984, 101p) CR 84-32
Erosion of northern reservoir shores Lawson, D.E., (1985, 198p) M 85-01

SLOPE STABILITY
Avalanches Mellor, M., (1968, 215p) M III-A3d

Slope stability
Pipeline haul road between Livengood and the Yukon River. Berg, R L., et al, (1976, 73p) SR 76-11

Slopes
Crude oil spills on subarctic permafrost in interior Alaska. Johnson, L.A., et al, (1980, 67p) CR 80-29
Antitank obstacles for winter use. Richmond, P W., (1988, 11p) SR 88-19
Hydraulic model of overland flow on grass covered slopes Adrian, D.D., et al, (1989, p 569-578) MP 2710

Sludges
Reclamation of acidic dredge soils with sewage sludge and lime. Palazzo, A J., (1977, 24p) SR 77-19
Municipal sludge management environmental factors Reed, S C., ed, (1977, Var p) MP 1406
Utilization of sewage sludge for terrain stabilization in cold regions. Gaskin, D.A., et al, (1977, 45p) SR 77-37
Sewage sludge for terrain stabilization, Part 2 Gaskin, D.A., et al, (1979, 36p) SR 79-28
Sewage sludge aids revegetation. Palazzo, A.J., et al, (1982, p.198-301) MP 1735
Engineering systems for wastewater treatment Lochr, R., et al, (1983, p 409-417) MP 1948
Wastewater treatment and reuse process for cold regions. Bouzoun, J.R., (1983, p 547-557) MP 2112
Restoration of acidic dredge soils with sewage sludge and lime Palazzo, A.J., (1983, 11p) CR 83-28
Accumulation, characterization, and stabilization of sludges for cold regions lagoons Schneiter, R W., et al, (1984, 40p) SR 84-08
Problems and opportunities with winter wastewater treatment. Reed, S.C., (1986, p 16-20) MP 2205
Treatment and disposal of alum and other metallic hydroxide sludges Reed, S C., et al, (1987, 40p + plates) SR 87-05
Rational design of sludge freezing beds Martel, C J., (1988, p.575-581) MP 2343
Developing a thawing model for sludge freezing beds Martel, C.J., (1988, p 1426-1430) MP 2372
Predicting freezing design depth of sludge-freezing beds Martel, C J., (1988, p 145-156) MP 2461
Development and design of sludge freezing beds Martel, C.J., (1988, 49p) CR 88-20
Dewaterability of freeze-thaw conditional sludges Martel, C.J., (1989, p 237-241) MP 2616
Thermal conductivity of sludges Vesilind, P A., et al, (1989, p 241-245) MP 2632
Development and design of sludge freezing beds Martel, C.J., (1989, p 799-808) MP 2556
Simple and economical thermal conductivity measurement system. Atkins, R.T., (1989, p 108-116) MP 2566
Sludge dewatering by natural freeze-thaw. Martel, C.J., (1990, p 116-122) MP 2714

Slush
Statistics of coarsening in water-saturated snow. Colbeck, S C., (1986, p.347-352) MP 2015

Small arms ammunition
Test of snow fortifications Farrell, D R., (1979, 15p) SR 79-33

Smoke generators
Propane dispenser for cold fog dissipation system. Hicks, J.R., et al, (1973, 38p) MP 1033
Field sampling of snow for chemical obscurants at SNOW-TWO/Smoke Week VI Cragin, J H., (1984, p 265-270) MP 2096
Snow chemistry of obscurants released during SNOW-TWO/Smoke Week VI Cragin, J.H., (1984, p 409-416) MP 1873

Snow
Study of water drainage from columns of snow. Denoth, A., et al, (1979, 19p.) CR 79-01
Dynamics of snow and ice masses Colbeck, S.C., ed, (1980, 468p) MP 1297
Instrumented vehicle for the measurement of mobility parameters. Blaisdell, G L., (1988, p 377-388) MP 2486

Snow accumulation
Snow accumulation for arctic freshwater supplies Slaughter, C W., et al, (1975, p.218-224) MP 860
Snow load data analysis, winter 1976-77 O'Rourke, M., (1977, 9p. + appends.) MP 2427
Role of research in developing surface protection measures for the Arctic Slope of Alaska. Johnson, P R., (1978, p 202-205) MP 1068
Surface protection measures for the Arctic Slope, Alaska. Johnson, P.R., (1978, p.202-205) MP 1519
Snow accumulation, distribution, melt, and runoff Colbeck, S.C., et al, (1979, p 465-468) MP 1233
Relationships between January temperatures and the winter regime in Germany Bilello, M A., et al, (1979, p.17-27) MP 1218
Extending the useful life of DYE-2 to 1986. Tobiasson, W., et al, (1980, 37p) SR 80-13
Shallow snow model for predicting vehicle performance. Harrison, W.L., (1981, 21p) CR 81-20
Climate of remote areas in north-central Alaska 1975-1979 summary. Haugen, R.K., (1982, 110p.) CR 82-35
Case study of land treatment in a cold climate—West Dover, Vermont. Bouzoun, J.R., et al, (1982, 96p) CR 82-44
Snow concentration and effective air density during snowfalls Mellor, M., (1983, p.505-507) MP 1769
Intensity of snowfall at the SNOW experiments Bates, R.E., et al, (1986, p 205-217) MP 2287
Snow mass concentration and precipitation rate Koh, G., et al, (1988, p 89-92) MP 2326
Snowfall amounts and snow depths in Germany and NE USA. Bates, R.E., et al, (1988, p.107-117) MP 2401
Snow concentration and precipitation rate measurements during SNOW IV Lacombe, J., (1989, p 25-29) MP 2643

Snow acoustics
Surface-wave dispersion in Byrd Land. Acharya, H.K., (1972, p 955-959) MP 992
Acoustic emissions in the investigation of avalanches St. Lawrence, W.F., (1977, p.VII/24-VII/33) MP 1630
Acoustic emission response in polycrystalline materials. St. Lawrence, W F., (1979, p 223-228) MP 1246
Acoustic emission response of snow. St. Lawrence, W.F., (1980, p.209-216) MP 1366
Snow Symposium, 1st, Hanover, NH, Aug. 1981. (1982, 324p) SR 82-17
Comparative near-millimeter wave propagation properties of snow or rain. Nemarich, J., et al, (1983, p 115-129) MP 1690
Detection of sound by persons buried under snow avalanche. Johnson, J.B., (1984, p.42-47) MP 1920
Audibility within and outside deposited snow. Johnson, J.B., (1985, p.136-142) MP 1960
Ground motion induced by an acoustic pulse, and its wintertime variations Peck, L., (1988, p 361-385) MP 2597
Proceedings (1989, 136p) SR 89-07
Observations of low-frequency acoustic-to-seismic coupling in the summer and winter. Albert, D G., et al, (1989, p 352-359) MP 2654
Acoustic pulse propagation above grassland and snow Albert, D G., et al, (1990, p 93-100) MP 2573

Snow air interface
Measurements of refractive index spectra over snow. Andreas, E.L., (1986, p 248-260) MP 2212
Theory for scalar roughness and transfer coefficients over snow and ice Andreas, E L., (1987, p.159-184) MP 2195
Spectral measurements in a disturbed boundary layer over snow. Andreas, E.L., (1987, p 1912-1939) MP 2254
On the micrometeorology of surface hoar growth on snow in mountainous area. Colbeck, S C., (1988, p.1-12) MP 2359
Thermal model for snow-covered terrain Petzko, D R., et al, (1989, p 25-36) MP 2625
Snow-surface temperature analysis Bates, R E., et al, (1989, p.109-116) MP 2753
Air movement in snow due to windpumping Colbeck, S C., (1989, p.209-213) MP 2562

Snow bearing strength
Mechanical properties of snow used as construction material Wuori, A.F., (1975, p 157-164) MP 1057
The strength of natural and processed snow. Abele, G., (1975, p 176-186) MP 1058
Study of piles installed in polar snow Kovacs, A., (1976, 132p) CR 76-23

Snow compaction
Mechanical properties of snow used as construction material Wuori, A.F., (1975, p 157-164) MP 1057
The strength of natural and processed snow Abele, G., (1975, p 176-186) MP 1058
Sintering and compaction of snow containing liquid water Colbeck, S C., et al, (1979, p.13-32) MP 1190
Compaction of wet snow on highways Colbeck, S C., (1979, p 14-17) MP 1234
Vehicle tests and performance in snow. Berger, R.H., et al, (1981, p 51-67) MP 1477
Predicting wheeled vehicle motion resistance in shallow snow Blaisdell G L., (1981, 18p) SR 81-30
Increased heat flow due to snow compaction: the simplistic approach Colbeck, S.C., (1983, p 227-229) MP 1693
Thermal measurements in snow. Jordan, R., et al, (1986, p.183-193) MP 2660
Improved techniques for construction of snow roads and airstrips. Lee, S.M., et al, (1988, 99p) SR 88-18
Compacted-snow runways: design and construction guidelines for Antarctica. Russell-Head, D.S., et al, (1989, 68p) SR 89-10

Snow composition
Composition and structure of South Pole snow crystals. Kumai, M., (1976, p 833-841) MP 853
Vanadium and other elements in Greenland ice cores. Herron, M.M., et al, (1976, 4p.) CR 76-24
Tracer movement through snow Colbeck, S.C., (1977, p 255-262) MP 1093
Atmospheric pollutants in snow cover runoff. Colbeck, S.C., (1981, p 1-10) MP 1586
Nitrogenous chemical composition of antarctic ice and snow Parker, B C., et al, (1981, p 79-81) MP 1541
Nitrate fluctuations in antarctic snow and firn Parker, B.C., et al, (1982, p 243-248) MP 1551
Chemical obscurant tests during winter, environmental fate. Cragin, J.H., (1982, 9p) SR 82-19
Field sampling of snow for chemical obscurants at SNOW-TWO/Smoke Week VI Cragin, J H., (1984, p 265-270) MP 2096
Snow chemistry of obscurants released during SNOW-TWO/Smoke Week VI. Cragin, J.H., (1984, p 409-416) MP 1873
Acidity of snow and its reduction by alkaline aerosols. Kumai, M., (1985, p.92-94) MP 2008
Low temperature effects on organophosphonates. Britton, K.B., (1986, 47 refs.) SR 86-38
Chemical properties of snow in the northeastern United States. Kumai, M., (1987, p (C1)625-(C1)630) MP 2232
Octanol-water partition coefficients for organophosphonates. Britton, K B., et al, (1988, 24p) SR 88-11
Does snow have ion chromatographic properties. Hewitt, A D., et al, (1989, p.165-171) MP 2755
Chemical migration in snowpack. Murphey, B.B., et al, (1989, p 282-286) MP 2757
Effect of aerosols on pH of snow. Kumai, M., (1990, p 17-30) MP 2675

Snow compression
Shallow snow performance of wheeled vehicles Harrison, W.L., (1976, p 589-614) MP 1130
Unconfined compression tests on snow: a comparative study. Kovacs, A., et al, (1977, 27p) SR 77-20
Compression of wet snow Colbeck, S C., et al, (1978, 17p.) CR 78-10
Effect of water content on the compressibility of snow-water mixtures Abele, G., et al, (1979, 26p) CR 79-02
Volumetric constitutive law for snow under strain. Brown, R.L., (1979, 13p) CR 79-20
Constitutive relation for the deformation of snow. St. Lawrence, W F., et al, (1981, p 3-14) MP 1370
Macroscopic view of snow deformation under a vehicle. Richmond, P.W., et al, (1981, 20p.) SR 81-17
Workshop on snow traction mechanics, 1979. Harrison, W.L., ed, (1981, 71p.) SR 81-16
Snow measurements in relation to vehicle performance. Harrison, W L., (1981, p 13-24) MP 1473
Techniques for gas gun studies of shock wave attenuation in snow Brown, J A., et al, (1988, p 657-660) MP 2543

SNOW (CONSTRUCTION MATERIAL)
Methods of building on permanent snowfields Mellor, M., (1968, 43p) M III-A2a
Investigation and exploitation of snowfield sites Mellor, M., (1969, 57p) M III-A2b
Foundations and subsurface structures in snow. Mellor, M., (1969, 54p) M III-A2c

Snow (construction material)
Mechanical properties of snow used as construction material. Wuori, A.F., (1975, p.157-164) MP 1057
The strength of natural and processed snow. Abele, G., (1975, p.176-186) MP 1058
Defensive works of subarctic snow. Johnson, P.R., (1977, 23p) CR 77-06
Role of research in developing surface protection measures for the Arctic Slope of Alaska. Johnson, P.R., (1978, p 202-205) MP 1068
Bullet penetration in snow Cole, D.M., et al, (1979, 23p) SR 79-25
Test of snow fortifications Farrell, D.R., (1979, 15p) SR 79-33
Snow fortifications as protection against shaped charge antitank projectiles Farrell, D R., (1980, 19p.) SR 80-11
Snow in the construction of ice bridges Coutermarsh, B A., et al, (1985, 12p) SR 85-18
Winter field fortification. Farrell, D., (1986, 50p) SR 86-25
Contribution of snow to ice bridges Coutermarsh, B.A., et al, (1987, p 133-137) MP 2192
Compacted-snow runways design and construction guidelines for Antarctica Russell-Head, D S., et al, (1989, 68p.) SR 89-10

SNOW COVER
Antarctic ice sheet. Mellor, M., (1961, 50p) M I-B1
Snow cover
ERTS mapping of Arctic and subarctic environments Anderson, D M., et al, (1974, 128p) MP 1047
Ecological investigations of the tundra biome in the Prudhoe Bay Region, Alaska Brown, J., ed, (1975, 215p.) MP 1053
Generation of runoff from subarctic snowpacks Dunne, T., et al, (1976, P.677-685) MP 883
Computer routing of unsaturated flow through snow. Tucker, W.B., et al, (1977, 44p) SR 77-10
Aerosols in Greenland snow and ice Kumai, M., (1977, p.341-350) MP 1725
Water resources by satellite. McKim, H L., (1978, p 164-169) MP 1090
Terminal ballistics in cold regions materials. Aitken, G W., (1978, 6p) MP 1182
Modeling snow cover runoff meeting, Sep 1978. Colbeck, S C., ed, (1979, 432p) SR 79-36
Winter surveys of the upper Susitna River, Alaska Bilello, M.A., (1980, 30p) SR 80-19
Impact fuse performance in snow (Initial evaluation of a new test technique). Aitken, G.W., et al, (1980, p 31-45) MP 1347
Snow cover characterization O'Brien, H W., et al, (1982, p 559-577) MP 1564
Landsat-4 thematic mapper (TM) for cold environments Gervin, J C., et al, (1983, p 179-186) MP 1651
Water supply and waste disposal on permanent snow fields Reed, S C., et al, (1984, p.401-413) MP 1714
Conventional land mines in winter Richmond, P W., (1984, 23p) SR 84-30
Explosive obscuration sub-test results at the SNOW-TWO field experiment. Ebersole, J F., et al, (1984, p 347-354) MP 1872
Permafrost, snow cover and vegetation in the USSR Bigl, S R., (1984, 128p.) SR 84-36
New method of measuring the snow-surface temperature Andreas, E.L., (1986, p.139-156) MP 2166
Intercomparison of snow cover liquid water measurement techniques Boyne, H.S., et al, (1987, p 167-172) MP 2262
History of snow-cover research. Colbeck, S C., (1987, p 60-65) MP 2316
Kinetic friction of snow Colbeck, S C., (1988, p 78-86) MP 2339
On the pressure drop through a uniform snow layer Yen, Y.C., (1988, 10p) CR 88-14
Chemical migration in snowpack. Murphey, B.B., et al, (1989, p 282-286) MP 2757
Snow cover and glacier variations Colbeck, S C., ed, (1989, 111p) MP 2672
Sea ice thickness versus impulse radar time-of-flight data Kovacs, A., et al, (1990, p 91-98) MP 2704
SNOW COVER DISTRIBUTION
Characteristics of the cold regions Gerdel, R W., (1969, 51p.) M I-A
Snow cover distribution
Red and near-infrared spectral reflectance of snow O'Brien, H.W., et al, (1975, p 345-360) MP 872
Snow accumulation, distribution, melt, and runoff Colbeck, S C., et al, (1979, p 465-468) MP 1233
Snow cover mapping in northern Maine using LANDSAT Merry, C.J., et al, (1979, p 197-198) MP 1510
Snowpack estimation in the St John River basin Power, J.M., et al, (1980, p 467-486) MP 1799
Snow cover and meteorology at Allagash, Maine, 1977-1980 Bates, R., (1983, 49p) SR 83-20
Snow characterization at SNOW-ONE-B Berger, R H., et al, (1983, p 155-195) MP 1847
Using Landsat data for snow cover vegetation mapping Merry, C J., et al, (1984, p II(140)-II(144)) MP 1975
Regional and seasonal variations in snow-cover density in the U.S.S.R. Bilello, M.A., (1984, 70p) CR 84-22
Overview of meteorological and snow cover characterization at SNOW-TWO Bates, R.E., et al, (1984, p 171-191) MP 1868
Dielectric measurements of snow cover Burns, B A., et al, (1985, p 829-834) MP 1913
Use of Landsat for snow cover mapping, Saint John River basin, Maine Merry, C J et al, (1987 68p) CR 87-08
Snow properties and processes Colbeck, S C., (1987, p 145-150) MP 2413
Snow cover effect
Carbon dioxide dynamics on the Arctic tundra Coyne, P.I., et al, (1971, p 48-52) MP 903
Abiotic overview of the Tundra Biome Program, 1971 Weller, G., et al, (1971, p 173-181) MP 906
Effect of snow cover on obstacle performance of vehicles Hanamoto, B., (1976, p 121-140) MP 933
Projectile and fragment penetration into ordinary snow Swinzow, G.K., (1977, 30p) MP 1750
Snow and snow cover in military science Swinzow, G K., (1978, p I-239-I-262) MP 926
Application of energetics to vehicle trafficability problems Brown, R L., (1981, p 25-38) MP 1474
Prediction methods for vehicle traction on snow Harrison, W.L., (1981, p 39-46) MP 1475
Field investigations of vehicle traction in snow. Harrison, W L., (1981, p 47-48) MP 1476
Shallow snow test results Harrison, W.L., (1981, p 69-71) MP 1478
Near-infrared reflectance of snow-covered substrates O'Brien, H.W., et al, (1981, 17p) CR 81-21
Vechicle mobility and snowpack parameters Berger, R.H., (1983, 26p) CR 83-16
Progress in methods of measuring the free water content of snow Fisk, D J., (1983, p 48-51) MP 1649
Helicopter snow obscuration sub-test. Ebersole, J F., (1984, p.359-376) MP 2094
Detection of sound by persons buried under snow avalanche. Johnson, J.B., (1984, p 42-47) MP 1920
Constraints and approaches in high latitude natural resource sampling and research. Slaughter, C.W., et al, (1984, p 41-46) MP 2013
Effects of snow on vehicle-generated seismic signatures Albert, D G., (1984, p 83-109) MP 2074
Change in orientation of artillery-delivered anti-tank mines in snow Bigl, S R., (1984, 20p) CR 84-20
Effect of snow on vehicle-generated seismic signatures Albert, D.G., (1984, 24P) CR 84-23
Review of antitank obstacles for winter use Richmond, P W., (1984, 12p) CR 84-25
Water supply and waste disposal in Greenland and Antarctica Reed, S.C., et al, (1985, p 344-350) MP 1792
Audibility within and outside deposited snow. Johnson, J B., (1985, p 136-142) MP 1960
Meteorological and snow cover measurements at Grayling, Michigan. Bates, R.E., et al, (1985, p.212-229) MP 2176
Measurement and evaluation of tire performance under winter conditions Blaisdell, G L., (1985, p 198-228) MP 2387
Winter tire tests 1980-81 Blaisdell, G.L., et al, (1985, p 135-151) MP 2045
Field demonstration of traction testing procedures. Blaisdell, G L., (1985, p.176) MP 2046
Mine detection in cold regions using short-pulse radar. Arcone, S A., (1985, 16p) SR 85-23
Spectra and cospectra of atmospheric turbulence over snow Andreas, E L., (1986, p.219-233) MP 2661
Utilization of Unmanned Aerial Vehicles in the ALBE Thrust Greeley, H P., et al, (1986, p 249-257) MP 2663
Effect of snow on vehicle-generated seismic signatures. Albert, D.G., (1987, p 881-887) MP 2229
Proceedings of the 6th Snow Symposium, Hanover, NH, 1986. (1987, 207p) SR 87-12
Acoustic-to-seismic coupling through a snow layer Peck, L., (1987, p 47-55) MP 2294
Spectral measurements in a disturbed boundary layer over snow. Andreas, E L., (1987, 41p) CR 87-21
Obscuration and background dynamics in and over snow Hogan, A W., (1987, p 181-185) MP 2417
Recent research on acoustic to seismic coupling. Albert, D G., (1987, p 223-225) MP 2418
Seismic and acoustic wave propagation working group report. Albert, D G., et al, (1987, p.253-255) MP 2419
Vehicle mobility over snow. Blaisdell, G L., (1987, p 265-266) MP 2420
Arctic mobility problems Abele, G., (1987, p 267-269) MP 2421
Estimating Cn square over snow and sea ice from meteorological quantities. Andreas, E L., (1988, p 258-267) MP 2440
Estimating Cn square over snow and sea ice from meteorological data Andreas, E L., (1988, p 481-495) MP 2393
Experimental and theoretical studies of acoustic-to-seismic coupling Albert, D G., (1988, p 19-31) MP 2432
Overview of obscuration in the cold environment Berger, R.H., et al, (1988, p 537-555) MP 2609
Antitank obstacles for winter use Richmond, P W., (1988, 11p) SR 88-19
Using the Ground Emplaced Mine Scattering System in winter Richmond, P.W., et al, (1988, 13p) SR 88-27
SNOW III WEST field experiment report Volume I. Lacombe, J., et al, (1988, 170p) SR 88-28
Radar backscatter in snow at millimeter wave frequencies Berger, R.H., et al, (1989, p 133-136) MP 2631
Wheeled versus tracked vehicle snow mobility test program Green, C E., et al, (1989, 19p) MP 2715
Snow cover effects on antarctic sea ice thickness Ackley, S F., et al, (1990, p 16-21) MP 2726
Snow cover stability
Instrument for determining snow properties related to trafficability Parrott, W H., et al, (1972, p.193-204) MP 886
Acoustic emissions in the investigation of avalanches St Lawrence, W.F., (1977, p VII'24-VII'33) MP 1630
Dynamics of snow avalanches Mellor, M., (1978, p 753-792) MP 1070
Snow studies associated with the sideways move of DYE-3. Tobiasson, W., (1979, p 117-124) MP 1312
Snow cover structure
Water percolation through homogeneous snow Colbeck, S C., et al, (1973, p 242-257) MP 1025
Physical aspects of water flow through snow Colbeck S C., (1978, p 165-206) MP 1566
Water flow through heterogeneous snow. Colbeck, S C., (1979, p.37-45) MP 1219
Acoustic emission response in polycrystalline materials. St. Lawrence, W F., (1979, p 223-228) MP 1246
Constitutive relation for the deformation of snow St Lawrence, W.F., et al, (1981, p.3-14) MP 1370
Overview of seasonal snow metamorphism. Colbeck, S C., (1982, p 45-61) MP 1500
Increased heat flow due to snow compaction: the simplistic approach. Colbeck, S C., (1983, p 227-229) MP 1693
Observations of the backscatter from snow at millimeter wavelengths. Berger, R H., et al, (1986, p 311-316) MP 2665
SNOW CREEP
Properties of snow. Mellor, M., (1964, 105p) M III-A1
Snow crust
Growth of faceted crystals in a snow cover. Colbeck, S.C., (1982, 19p) CR 82-29
Snow crystal growth
Growth of faceted crystals in a snow cover Colbeck, S C., (1982, 19p) CR 82-29
Theory of metamorphism of dry snow Colbeck, S C., (1983, p.5475-5482) MP 1603
Snow characterization at SNOW-ONE-B. Berger, R.H., et al, (1983, p.155-195) MP 1847
Comments on the metamorphism of snow. Colbeck, S.C., (1983, p.149-151) MP 1650
Comments on "Theory of metamorphism of dry snow" by S C. Colbeck. Sommerfeld, R A., (1984, p.4963-4965) MP 1800
What becomes of a winter snowflake Colbeck, S C., (1985, p 312-215) MP 2060
Some observations on the character of snow. Townsend, R A., et al, (1987, p 48-53) MP 2397
Metamorphism and classification of seasonal snow crystals Colbeck, S C., (1987, p 3-34) MP 2438
Snow crystal growth at varying surface temperatures. Colbeck, S C., (1989, p 23-29) MP 2634
Snow crystal nuclei
Composition and structure of South Pole snow crystals Kumai, M., (1976, p 833-841) MP 853
Snow crystal structure
Grain clusters in wet snow. Colbeck, S C., (1979, p.371-384) MP 1267
Volumetric constitutive law for snow. Brown, R L., (1980, p.161-165) MP 1803
Snow crystal habit. Koh, G., et al, (1982, p 181-216) MP 1561
Airborne snow and fog distributions Berger, R.H., (1982, p 217-223) MP 1562
Geometry and permittivity of snow at high frequencies Colbeck, S.C., (1982, p 4495-4500) MP 1545
Meteorology and observed snow crystal types during the SNOW-ONE experiment. Bilello, M.A., (1982, p.59-75) MP 1983
Snow Symposium, 2nd, 1982. (1983, 295p) SR 83-04
Atmospheric conditions and snow crystal observations during SNOW-ONE-A. Bilello, M A., et al, (1983, p 3-18) MP 1754
Visible propagation in falling snow as a function of mass concentration and crystal type Lacombe, J., et al, (1983, p 103-111) MP 1757
Snow particle morphology in the seasonal snow cover Colbeck, S C., (1983, p 602-609) MP 1688
Snow characterization at SNOW-ONE-B. Berger, R H., et al, (1983, p 155-195) MP 1847
Snow Symposium, 3rd, Hanover, NH, Aug 1983, Vol 1 (1983, 241p) SR 83-31
New classification system for the seasonal snow cover Colbeck, S.C., (1984, p 179-181) MP 1921
Performance of microprocessor-controlled snow crystal replicator. Koh, G., (1984, p 107-111) MP 1866
Approach to snow propagation modeling Koh, G., (1984, p 247-259) MP 1869
Forward-scattering corrected extinction by nonspherical particles Bohren, C F., et al, (1984, p 261-271) MP 1870
Forward-scattering corrected extinction by nonspherical particles. Bohren, C F., et al, (1985, p 1023-1029) MP 1958
Temperature dependence of the equilibrium form of ice Colbeck, S C., (1985, p 726-732) MP 1939
What becomes of a winter snowflake Colbeck, S C (1985, p 312-215) MP 2060
Classification of seasonal snow cover crystals Colbeck, S C., (1986, p 59S-70S) MP 2164
Impact of wet snow on visible, infrared and millimeter wave attenuation Bates, R E., et al, (1988, p 523-535) MP 2608
Application of aerosol physics to snow research Hogan, A W., (1989, p 201-207) MP 2756
Snow crystal characterization. Koh, G., (1989, p 17-23) MP 2642
Snow crystals
Elemental compositions and concentrations of microspherules in snow and pack ice from the Weddell Sea Kumai, M., et al, (1983, p 128-131) MP 1777
Scavenging of infrared screener EA 5763 by falling snow Cragin J H., et al, (1987, p 13-20) MP 2292

Snow crystals *(cont.)*
Does snow have ion chromatographic properties Hewitt, A D , et al, (1989, p 165-171) MP 2755
Snow crystal characterization. Koh, G , (1989, p.17-23) MP 2642

Snow deformation
Compressibility characteristics of compacted snow. Abele, G , et al, (1976, 47p) CR 76-21
Thermodynamic deformation of wet snow Colbeck, S C , (1976, 9p.) CR 76-44
Acoustic emissions in the investigation of avalanches. St Lawrence, W.F., (1977, p VII/24-VII/33) MP 1630
Regelation and the deformation of wet snow. Colbeck, S C , et al, (1978, p 639-650) MP 1172
Effect of water content on the compressibility of snow-water mixtures Abele, G , et al, (1979, 26p) CR 79-02
Acoustic emission response in polycrystalline materials. St Lawrence, W.F., (1979, p 223-228) MP 1246
Volumetric constitutive law for snow under strain Brown, R L., (1979, 13p) CR 79-20
Analysis of plastic shock waves in snow Brown, R L , (1979, 14p.) CR 79-29
Volumetric constitutive law for snow Brown, R.L , (1980, p 161-165) MP 1803
Constitutive relation for the deformation of snow St Lawrence, W F., et al, (1981, p.3-14) MP 1370
Macroscopic view of snow deformation under a vehicle. Richmond, P.W , et al, (1981, 20p) SR 81-17
Firn quake (a rare and poorly explained phenomenon) Den-Hartog, S.L., (1982, p 173-174) MP 1571

SNOW DENSITY
Greenland ice sheet Bader, H., (1961, 18p) M I-B2

Snow density
Mesoscale measurement of snow-cover properties Bilello, M.A., et al, (1973, p 624-643) MP 1029
Compressibility characteristics of compacted snow. Abele, G , et al, (1976, 47p) CR 76-21
Update on snow load research at CRREL. Tobiasson, W., et al, (1977, p.9-13) MP 1142
Defensive works of subarctic snow Johnson, P.R., (1977, 23p) CR 77-06
Projectile and fragment penetration into ordinary snow Swinzow, G.K , (1977, 30p) MP 1750
Effect of water content on the compressibility of snow-water mixtures Abele, G , et al, (1979, 26p) CR 79-02
Snowpack optical properties in the infrared Berger, R H , (1979, 16p) CR 79-11
Pressure waves in snow Brown, R.L , (1980, p 99-107) MP 1306
Analysis of non-steady plastic shock waves in snow. Brown, R L , (1980, p 279-287) MP 1354
Propagation of stress waves in alpine snow. Brown, R L , (1980, p 235-243) MP 1367
Ice characteristics in Whitefish Bay and St Marys River in winter. Vance, G P., (1980, 27p) SR 80-32
Investigation of the snow adjacent to Dye-2, Greenland Ueda, H.T., et al, (1981, 23p) SR 81-03
Review of thermal properties of snow, ice and sea ice Yen, Y.-C., (1981, 27p) CR 81-10
Macroscopic view of snow deformation under a vehicle Richmond, P.W., et al, (1981, 20p) SR 81-17
Snow cover characterization O'Brien, H W , et al, (1982, p 559-577) MP 1564
Geometry and permittivity of snow at high frequencies. Colbeck, S C , (1982, p 4495-4500) MP 1545
Permeability of a melting snow cover Colbeck, S C , et al, (1982, p 904-908) MP 1565
Deceleration of projectiles in snow Albert, D G , et al, (1982, 29p) CR 82-20
Utilization of the snow field test series results for development of a snow obscuration primer. Ebersole, J F , et al, (1983, p 209-217) MP 1692
Regional and seasonal variations in snow-cover density in the U.S S R Bilello, M A , (1984, 70p) CR 84-22
International Conference on Snow Engineering, 1st, July 1988 (1989, 573p) SR 89-06
Comparative studies of the winter climate at selected locations in Europe and the United States Bates, R.E , et al, (1989, p 283-293) MP 2598
Friction loss through a uniform snow layer. Yen, Y C , (1990, p 83-90) MP 2703

Snow depth
Some effects of air cushion vehicle operations on deep snow. Abele, G., et al, (1972, p 214-241) MP 887
Mesoscale measurement of snow-cover properties Bilello, M A , et al, (1973, p 624-643) MP 1029
Analysis of snow water equivalent using LANDSAT data Merry, C J , et al, (1977, 16 leaves) MP 1113
Snow cover mapping in northern Maine using LANDSAT Merry, C.J , et al, (1979, p 197-198) MP 1510
Ice characteristics in Whitefish Bay and St Marys River in winter. Vance, G P , (1980, 27p) SR 80-32
Shallow snow test results Harrison, W L., (1981, p 69-71) MP 1478
Predicting wheeled vehicle motion resistance in shallow snow Blaisdell, G L , (1981, 18p) SR 81-30
Snow cover characterization O'Brien, H W , et al, (1982, p 559-577) MP 1564
Northwest snowstorm of 15 16 December 1981 Bates, R E , (1983, p 19 34) MP 1755
Growth of black ice, snow ice and snow thickness, subarctic basins Leppäranta, M , (1983, p 59-70) MP 2063
Regional and seasonal variations in snow-cover density in the U S.S R Bilello, M A , (1984, 70p) CR 84-22
Use of Landsat for snow cover mapping, Saint John River basin, Maine. Merry, C.J., et al, (1987, 68p) CR 87-08
Field observations of mine detection in snow using UHF short-pulse radar Arcone, S A , et al, (1987, 24p) SR 87-19
Vehicle mobility over snow Blaisdell, G.L., (1987, p 265-266) MP 2420
Snowfall amounts and snow depths in Germany and NE USA. Bates, R E , et al, (1988, p 107-117) MP 2401
Roof design in cold regions Tobiasson, W , (1989, p 462-472) MP 2613
Perspective ground loads and mapping Tobiasson, W , (1989, p.512-513) MP 2614
Comparative studies of the winter climate at selected locations in Europe and the United States. Bates, R.E , et al, (1989, p 283-293) MP 2598
Sea ice thickness versus impulse radar time-of-flight data Kovacs, A , et al, (1990, p.91-98) MP 2704

Snow elasticity
Review of the propagation of inelastic pressure waves in snow Albert, D.G , (1983, 26p.) CR 83-13

Snow electrical properties
Engineering properties of snow. Mellor, M., (1977, p 15-66) MP 1015
Dielectric constant and reflection coefficient of snow surface layers in the McMurdo Ice Shelf Kovacs, A., et al, (1977, p.137-138) MP 1011
Liquid distribution and the dielectric constant of wet snow. Colbeck, S C , (1980, p 21-39) MP 1349
Geometry and permittivity of snow at high frequencies Colbeck, S C , (1982, p 4495-4500) MP 1545
Geometry and permittivity of snow. Colbeck, S C , (1982, p.113-131) MP 1985
Progress in methods of measuring the free water content of snow Fisk, D J , (1983, p.48-51) MP 1649
Use of radio frequency sensor for snow/soil moisture water content measurement McKim, H L., et al, (1983, p 33-42) MP 1689
Snow-cover characterization: SADARM support O'Brien, H , et al, (1984, p 409-411) MP 2095
Dielectric measurements of snow cover Burns, B A , et al, (1985, p 829-834) MP 1913

SNOW FENCES
Blowing snow Mellor, M., (1965, 79p) M III-A3c

Snow fences
Computer simulation of the snowmelt and soil thermal regime at Barrow, Alaska Outcalt, S I , et al, (1975, p 709-715) MP 857
Snowdrift control at ILS facilities in Alaska. Calkins, D.J , (1976, 41p) MP 914
Hydraulic model investigation of drifting snow Wuebben, J L., (1978, 29p) CR 78-16

Snow hardness
Snow cover characterization O'Brien, H W , et al, (1982, p 559-577) MP 1564

Snow heat flux
Increased heat flow due to snow compaction, the simplistic approach. Colbeck, S C., (1983, p 227-229) MP 1693
Thermal convection in snow. Powers, D J , et al, (1985, 61p) CR 85-09
Field observations of thermal convection in a subarctic snow cover. Johnson, J.B , et al, (1987, p 105-118) MP 2439
Snow as a thermal background Jordan, R , et al, (1989 p 5-24) MP 2624
Thermal model for snow-covered terrain Petzko, D R , et al, (1989, p 25-36) MP 2625

Snow hydrology
Effects of radiation penetration on snowmelt runoff hydrographs Colbeck, S C , (1976, 9p) CR 76-11
On the use of tensiometers in snow hydrology. Colbeck, S.C , (1976, p 135-140) MP 843
Energy balance and runoff from a subarctic snowpack. Price, A G , et al, (1976, 29p) CR 76-27
Short-term forecasting of water run-off from snow and ice Colbeck, S C , (1977, p 571-588) MP 1067
Physical aspects of water flow through snow Colbeck, S C., (1978, p 165-206) MP 1566
Snow, ice and frozen ground research at the Sleepers River, VT Pangburn, T., et al, (1984, p 229-240) MP 2071
History of snow-cover research Colbeck, S C , (1987, p 60-65) MP 2316
Snow properties and processes Colbeck, S C , (1987, p 145-150) MP 2413
Snow hydrology in the upper Yamuna basin, India Malhotra, R V , et al, (1988, p 84-93) MP 2633

Snow ice
Growth of black ice, snow ice and snow thickness subarctic basins Leppäranta, M , (1983, p 59-70) MP 2063

Snow ice interface
Alcohol calorimetry for measuring the liquid water fraction of snow Fisk, D J , (1987, p 164-166) MP 2261

Snow impurities
Engineering properties of snow. Mellor, M., (1977, p.15-66) MP 1015
Atmospheric pollutants in snow cover runoff. Colbeck, S C , (1981, p.1-10) MP 1586
Atmospheric pollutants in snow cover runoff. Colbeck, S.C , (1981, p.1383-1388) MP 1487
Nitrate fluctuations in antarctic snow and firn Parker, B C., et al, (1982, p 243-248) MP 1551
Evaporation of chemical agents from ice and snow. Leggett, D C , (1988, 10p) CR 88-03
Chemical migration in snowpack. Murphey, B B., et al, (1989, p 282-286) MP 2757

Snow loads
Snow load design criteria for the United States Tobiasson, W., et al, (1976, p 70-72) MP 947
Update on snow load research at CRREL. Tobiasson, W., et al, (1977, p 9-13) MP 1142
Methodology used in generation of snow load case histories. McLaughlin, D., et al, (1977, p.163-174) MP 1143
Roof loads resulting from rain-on-snow. Colbeck, S C., (1977, 19p.) CR 77-12
Snow load data analysis, winter 1976-77. O'Rourke, M., (1977, 9p. + appends) MP 2427
Roof loads resulting from rain on snow. Colbeck, S C., (1977, p 482-490) MP 982
Snow loads on structures O'Rourke, M.J., (1978, p 418-428) MP 1801
Loading on the Hartford Civic Center roof before collapse. Redfield, R , et al, (1979, 32p) SR 79-09
Impact fuse performance in snow (Initial evaluation of a new test technique). Aitken, G W , et al, (1980, p 31-45) MP 1347
New 2 and 3 inch diameter CRREL snow samplers Bates, R.E , et al, (1980, p 199-200) MP 1430
Uniform snow loads on structures. O'Rourke, M.J., et al, (1982, p 2781-2798) MP 1574
Ground snow loads for structural design Ellingwood, B., et al, (1983, p.950-964) MP 1734
Atmospheric icing of structures Minsk, L.D., ed, (1983, 366p) SR 83-17
Probability models for annual extreme water-equivalent ground snow. Ellingwood, B., et al, (1984, p.1153-1159) MP 1823
Secondary stress within the structural frame of DYE-3 1978-1983 Ueda, H T , et al, (1984, 44p) SR 84-26
Proposed code provisions for drifted snow loads O'Rourke, M., et al, (1986, p 2080-2092) MP 2148
Environments and standards for military operation. Opitz, B K , et al, (1987, 137p) MP 2309
International Conference on Snow Engineering, 1st, July 1988 (1989, 573p) SR 89-06
Changes coming in snow load design criteria Tobiasson, W , (1989, p 413-418) MP 2612
Perspective ground loads and mapping Tobiasson, W., (1989, p 512-513) MP 2614
Changes coming in snow load design criteria Tobiasson, W., (1989, p 918-920) MP 2650

SNOW MECHANICS
Explosions and snow. Mellor, M , (1965, 34p) M III-A3a

Snow mechanics
Mechanical properties of snow used as construction material. Wuori, A.F , (1975, p.157-164) MP 1057
Study of piles installed in polar snow. Kovacs, A , (1976, 132p) CR 76-23
Shallow snow performance of wheeled vehicles Harrison, W.L , (1976, p 589-614) MP 1130
Ice and snow at high altitudes. Mellor, M , (1977, 10p) MP 1121
Engineering properties of snow. Mellor, M , (1977, p 15-66) MP 1015
Axial double point-load tests on snow and ice Kovacs, A., (1978, 11p) CR 78-01
Sintering and compaction of snow containing liquid water Colbeck, S C., et al, (1979, p.13-32) MP 1190
Volumetric constitutive law for snow Brown, R L , (1980, p 161-165) MP 1803
Analysis of non-steady plastic shock waves in snow Brown, R L , (1980, p 279-287) MP 1354
Workshop on snow traction mechanics, 1979 Harrison, W.L., ed, (1981, 71p) SR 81-16
Modelling a snowdrift by means of activated clay particles Anno, Y., (1985, p 48-52) MP 2007
Comparison of snow cover liquid water measurement techniques Boyne, H S , et al, (1987, p 1833-1836) MP 2283
Vibration analysis of a DEW Line station. Haynes, F.D., et al, (1988, p 1513-1518) MP 2341
Overview of obscuration in the cold environment Berger, R H et al, (1988, p 537-555) MP 2609
International Conference on Snow Engineering, 1st, July 1988 (1989, 573p) SR 89-06

Snow melting
Spread of cetyl-1-C14 alcohol on a melting snow surface. Meiman, J R , et al, (1966 p 5-8) MP 876
Short-term forecasting of water run-off from snow and ice. Colbeck, S C , (1977, p 571-588) MP 1067
Permeability of a melting snow cover Colbeck, S C., et al, (1982, p.904-908) MP 1565

Free water measurements of a snowpack Fisk, D J., (1983, p.173-176) MP 1758

Snow morphology

Snow particle morphology in the seasonal snow cover Colbeck, S.C., (1983, p 602-609) MP 1688

Snow optics

Red and near-infrared spectral reflectance of snow O'Brien, H.W., et al, (1975, p.345-360) MP 872

Engineering properties of snow. Mellor, M., (1977, p 15-66) MP 1015

Observations of the ultraviolet spectral reflectance of snow. O'Brien, H.W., (1977, 19p) CR 77-27

Snowpack optical properties in the infrared. Berger, R.H., (1979, 16p) CR 79-11

Snow crystal habit Koh, G., et al, (1982, p.181-216) MP 1561

Snow Symposium, 1st, Hanover, NH, Aug. 1981. (1982, 324p) SR 82-17

Problems in snow cover characterization O'Brien, H.W., (1982, p.139-147) MP 1987

Snow Symposium, 2nd, 1982 (1983, 295p) SR 83-04

Atmospheric conditions and snow crystal observations during SNOW-ONE-A. Bilello, M.A., et al, (1983, p 3-18) MP 1754

Visible propagation in falling snow as a function of mass concentration and crystal type Lacombe, J., et al, (1983, p.103-111) MP 1757

Performance and optical signature of an AN/VVS-1 laser rangefinder in falling snow. Preliminary test results Lacombe, J., (1983, p.253-266) MP 1759

Chemical obscurant tests during winter: Environmental fate. Cragin, J.H., (1983, p 267-272) MP 1760

Utilization of the snow field test series results for development of a snow obscuration primer Ebersole, J.F., et al, (1983, p 209-217) MP 1692

Snow-cover characterization SADARM support. O'Brien, H., et al, (1984, p 409-411) MP 2095

Measurements of refractive index spectra over snow Andreas, E.L., (1986, p 248-260) MP 2212

Scattering at mm wavelengths from *in situ* snow. Walsh, J., et al, (1986, p 1.6.1-1 6 2) MP 2141

Ice and snow optics in the polar oceans, Pt 1. Perovich, D.K., et al, (1986, p.232-241) MP 2255

Ice and snow optics in the polar oceans, Pt 2 Grenfell, T.C., et al, (1986, p 242-251) MP 2256

Optical snow precipitation gauge Koh, G., et al, (1987, p 26-31) MP 2259

Two-stream approximation to radiative transfer in falling snow. Koh, G., (1988, p 463-470) MP 2604

Increased transmission through brass obscurant clouds during snowfall. Hewitt, A.D., et al, (1988, p 489-496) MP 2605

Snow-smoke interaction. Hogan, A.W., et al, (1988, p 497-506) MP 2607

Proceedings (1989, 136p) SR 89-07

Optical technique for characterizing precipitation Koh, G., (1989, p 71-76) MP 2627

Model of smoke concentration reduction due to scavenging by snow. Hutt, D.L., et al, (1989, p 87-98) MP 2628

Light transmission through smoke screens in falling snow Farmer, W.M., et al, (1989, p 99-111) MP 2629

Radiative transfer in falling snow a two-stream approximation Koh, G., (1989, 10p) CR 89-06

Application of aerosol physics to snow research. Hogan, A.W., (1989, p 201-207) MP 2756

Physical and optical properties of falling snow Koh, G., (1989, 22p) CR 89-16

Motion detection systems under winter conditions Peck, L., (1989, 8p) CR 89-17

Snow permeability

Spread of cetyl-1-C14 alcohol on a melting snow surface. Meiman, J.R., et al, (1966, p 5-8) MP 876

Water percolation through homogeneous snow Colbeck, S.C., et al, (1973, p 242-257) MP 1025

Analysis of water flow in dry snow. Colbeck, S.C., (1976, p 523-527) MP 871

Physical aspects of water flow through snow Colbeck, S.C., (1978, p 165-206) MP 1566

Permeability of a melting snow cover Colbeck, S.C., et al, (1982, p 904-908) MP 1565

Friction loss through a uniform snow layer Yen, Y.C., (1990, p 83-90) MP 2703

SNOW PHYSICS

Snow as a material Bader, H., et al, (1962, 79p) M II-B

Snow and ice on the earth's surface. Mellor, M., (1964, 163p) M II-C1

Properties of snow Mellor, M., (1964, 105p) M III-A1

Foundations and subsurface structures in snow Mellor, M., (1969, 54p) M III-A2c

Snow physics

Ice and snow at high altitudes Mellor, M., (1977, 10p) MP 1121

Grain clusters in wet snow Colbeck, S.C., (1979, p 371-384) MP 1267

Propagation of stress waves in alpine snow. Brown, R.L., (1980, p 235-243) MP 1367

Overview of seasonal snow metamorphism Colbeck, S.C., (1982, p 45-61) MP 1500

Geometry and permittivity of snow. Colbeck, S.C., (1982, p.113-131) MP 1985

Problems in snow cover characterization O'Brien, H.W., (1982, p 139-147) MP 1987

Workshop on the Properties of Snow, 1981 Brown, R.L., ed, (1982, 135p) SR 82-18

Snow Symposium, 2nd, 1982 (1983, 295p) SR 83-04

Snow Symposium, 3rd, Hanover, NH, Aug 1983, Vol.1. (1983, 241p) SR 83-31

Comparative near-millimeter wave propagation properties of snow or rain Nemarich, J., et al, (1983, p 115-129) MP 1690

SNOW-TWO data report Volume 2. System performance. Jordan, R., ed, (1984, 417p.) SR 84-20

Snow Symposium, 4th, Hanover, NH, Vol.1 (1984, 433p) SR 84-35

Overview of meteorological and snow cover characterization at SNOW-TWO Bates, R.E., et al, (1984, p 171-191) MP 1868

Discrete reflections from thin layers of snow and ice Jezek, K.C., et al, (1984, p.323-331) MP 1871

Climatic factors in cold regions surface conditions Bilello, M.A., (1985, p 508-517) MP 1961

Experiments on thermal convection in snow. Powers, D., et al, (1985, p.43-47) MP 2006

Meteorological and snow cover measurements at Grayling, Michigan. Bates, R.E., et al, (1985, p 212-229) MP 2176

Theory of natural convection in snow. Powers, D., et al, (1985, p 10,641-10,649) MP 1957

Proceedings, Vol.1 (1986, 369p) SR 86-15

Observations of the backscatter from snow at millimeter wavelengths Berger, R.H., et al, (1986, p 311-316) MP 2665

Comments on the characteristics of *in situ* snow at millimeter wavelengths Walsh, J., et al, (1986, p 317-320) MP 2666

Proceedings of the 6th Snow Symposium, Hanover, NH, 1986 (1987, 207p) SR 87-12

Preview of the SNOW-III West data base Lacombe, J., (1987, p 3-11) MP 2291

Heat conduction in a medium with variable properties Yen, Y.-C., (1987, 18p) CR 87-19

Snow properties and processes. Colbeck, S.C., (1987, p 145-150) MP 2413

Compacted-snow runways design and construction guidelines for Antarctica. Russell-Head, D.S., et al, (1989, 68p.) SR 89-10

Physical and optical properties of falling snow Koh, G., (1989, 22p) CR 89-16

Snow plasticity

Seismic exploration in cold regions Roethlisberger, H., (1972, 138p) M II-A2a

SNOW REMOVAL

Snow removal and ice control Mellor, M., (1965, 37p) M III-A3b

Snow removal

Computer model of municipal snow removal Tucker, W.B., (1977, 7p) CR 77-30

Current research on snow and ice removal in the United States Minsk, L.D., (1978, p 21-22) MP 1199

Compaction of wet snow on highways Colbeck, S.C., (1979, p 14-17) MP 1234

Systems study of snow removal Minsk, L.D., (1979, p 220-225) MP 1237

Computer simulation of urban snow removal Tucker, W.B., et al, (1979, p 293-302) MP 1238

Snow removal equipment Minsk, L.D., (1981, p 648-670) MP 1446

Snow and ice control on railroads, highways and airports Minsk, L.D., et al, (1981, p 671-706) MP 1447

Strategies for winter maintenance of pavements and roadways Minsk, L.D., et al, (1984, p.155-167) MP 1964

Snow and ice prevention in the United States Minsk, L.D., (1986, p 37-42) MP 1874

Concentration and flux of wind-blown snow. Mellor, M., et al, (1986, 16p) SR 86-11

Military snow removal problems Minsk, L.D., (1987, p 452-453) MP 2268

Snow roads

Mechanical properties of snow used as construction material Wuori, A.F., (1975, p 157-164) MP 1057

The strength of natural and processed snow Abele, G., (1975, p 176-186) MP 1058

Surface protection measures for the Arctic Slope, Alaska Johnson, P.R., (1978, p 202-205) MP 1519

Snow and ice roads in the Arctic Johnson, P.R., (1979, p 1063-1071) MP 1223

Snow pads for pipeline construction in Alaska Johnson, P.R., et al, (1980, 28p) CR 80-17

Hard surface runways in Antarctica Mellor, M., (1988, 87p) SR 88-13

Improved techniques for construction of snow roads and airstrips Lee, S.M., et al, (1988, 99p) SR 88-18

Improving snow roads and airstrips in Antarctica Lee, S.M., et al, (1989, 18p.) SR 89-22

Snow samplers

New 2 and 3 inch diameter CRREL snow samplers Bates, R.E., et al, (1980, p.199-200) MP 1430

Snow slides

Cold regions roof design. Tobiasson, W., (1987, p 457-458) MP 2243

Roof design in cold regions Tobiasson, W., (1989, p.462-472) MP 2613

Changes coming in snow load design criteria Tobiasson, W., (1989, p 918-920) MP 2650

Roof design in cold regions Tobiasson, W., (1989, p 1029-1037) MP 2651

Snow stratigraphy

Water flow through heterogeneous snow Colbeck, S.C., (1979, p.37-45) MP 1219

SNOW STRENGTH

Properties of snow. Mellor, M., (1964, 105p) M III-A1

Investigation and exploitation of snowfield sites Mellor, M., (1969, 57p) M III-A2b

Snow strength

Instrument for determining snow properties related to trafficability. Parrott, W.H., et al, (1972, p 193-204) MP 886

Effect of temperature on the strength of snow-ice Haynes, F.D., (1978, 25p) CR 78-27

Snow studies associated with the sideways move of DYE-3. Tobiasson, W., (1979, p 117-124) MP 1312

Snow fortifications as protection against shaped charge antitank projectiles Farrell, D.R., (1980, 19p.) SR 80-11

Pressure waves in snow Brown, R.L., (1980, p 99-107) MP 1306

Extending the useful life of DYE-2 to 1986 Tobiasson, W., et al, (1980, 37p) SR 80-13

Snow pads for pipeline construction in Alaska Johnson, P.R., et al, (1980, 28p) CR 80-17

Investigation of the snow adjacent to Dye-2, Greenland. Ueda, H.T., et al, (1981, 23p) SR 81-03

Prediction methods for vehicle traction on snow. Harrison, W.L., (1981, p.39-46) MP 1475

Vehicle tests and performance in snow Berger, R.H., et al, (1981, p 51-67) MP 1477

Trailing-tire motion resistance in shallow snow. Blaisdell, G.L., (1987, p 296-304) MP 2248

Snow surface

Spread of cetyl-1-C14 alcohol on a melting snow surface Meiman, J.R., et al, (1966, p.5-8) MP 876

Dielectric constant and reflection coefficient of snow surface layers in the McMurdo Ice Shelf Kovacs, A., et al, (1977, p 137-138) MP 1011

Measurement of snow surfaces and tire performance evaluation. Blaisdell, G.L., et al, (1982, 7p) MP 1516

Chemical obscurant tests during winter, environmental fate. Cragin, J.H., (1982, 9p) SR 82-19

Firn quake (a rare and poorly explained phenomenon) Den-Hartog, S.L., (1982, p 173-174) MP 1571

Roughness and transfer coefficients over snow and sea ice. Andreas, E.L., (1986, 19p) CR 86-09

Theory for scalar roughness and transfer coefficients over snow and ice Andreas, E.L., (1987, p.159-184) MP 2195

Scientific challenges at the poles Welch, J.P., et al, (1987, p 23-26) MP 2228

Spectral measurements in a disturbed boundary layer over snow Andreas, E.L., (1987, p 1912-1939) MP 2254

On the micrometeorology of surface hoar growth on snow in mountainous area Colbeck, S.C., (1988, p.1-12) MP 2359

Snow surface temperature

New method for measuring the snow-surface temperature. Andreas, E.L., (1984, p 161-169) MP 1867

Snow as a thermal background Jordan, R., et al, (1989, p.5-24) MP 2624

Thermal model for snow-covered terrain. Petzko, D.R., et al, (1989, p 25-36) MP 2625

Snow crystal growth at varying surface temperatures Colbeck, S.C., (1989, p 23-29) MP 2634

Snow-surface temperature analysis Bates, R.E., et al, (1989, p 109-116) MP 2753

Snow survey tools

Snowpack profile analysis using extracted thin sections. Harrison, W.L., (1982, 15p) SR 82-11

Snow surveys

Snow and ice Colbeck, S.C., et al, (1975, p 435-441, 475-487) MP 844

Catalog of Snow Research Projects (1975, 103p) MP 1129

Notes and quotes from snow and ice observers in Alaska. Bilello, M.A., (1979, p 116-118) MP 1631

Focus on U.S. snow research Colbeck, S.C., (1979, p 41-52) MP 1261

Snow and the organization of snow research in the United States Colbeck, S.C., (1979, p 55-58) MP 1262

Snow Symposium, 1st, Hanover, NH, Aug 1981. (1982, 324p) SR 82-17

Workshop on the Properties of Snow, 1981 Brown, R.L., ed, (1982, 135p) SR 82-18

Bibliography on glaciers and permafrost, China, 1938-1979. Shen, J., ed, (1982, 44p) SR 82-20

Proceedings of the Symposium on Applied Glaciology, 2nd, 1982 (1983, 314p) MP 2054

Snow cover and meteorology at Allagash, Maine, 1977-1980. Bates, R., (1983, 49p.) SR 83-20

Snow surveys *(cont.)*
Regional and seasonal variations in snow-cover density in the U.S.S.R. Bilello, M A., (1984, 70p) CR 84-22
Topical databases Cold Regions Technology on-line Liston, N., et al, (1985, p.12-15) MP 2027
Techniques for measurement of snow and ice on freshwater. Adams, W P, et al, (1986, p 174-222) MP 2000
Remote sensing of ice and snow (review) Jezek, K C., (1987, p 51) MP 2429
Corps of Engineers research in the Arctic. Smallidge, P.D., et al, (1987, p.81-87) MP 2411
Snow properties and processes Colbeck, S C, (1987, p 145-150) MP 2413
Snow/ice/frozen ground properties, working group report. Sterrett, K.F, et al, (1987, p 163-166) MP 2416
Snow cover and glacier variations Colbeck, S C., ed, (1989, 111p) MP 2672
Cold regions weather data systems Bates, R E, et al, (1989, p.139-145) MP 2568

Snow temperature
Mesoscale measurement of snow-cover properties Bilello, M A, et al, (1973, p 624-643) MP 1029
Computer simulation of the snowmelt and soil thermal regime at Barrow, Alaska Outcalt, S I, et al, (1975, p.709-715) MP 857
Compressibility characteristics of compacted snow. Abele, G., et al, (1976, 47p) CR 76-21
On the temperature distribution in an air-ventilated snow layer. Yen, Y.-C, (1982, 10p) CR 82-05
New method of measuring the snow-surface temperature Andreas, E.L., (1986, p 139-156) MP 2166
Thermal measurements in snow. Jordan, R, et al, (1986, p 183-193) MP 2660

Snow thermal properties
Analysis of water flow in dry snow Colbeck, S C., (1976, p 523-527) MP 871
Engineering properties of snow Mellor, M, (1977, p 15-66) MP 1015
Thermodynamics of snow metamorphism due to variations in curvature Colbeck, S C, (1980, p 291-301) MP 1368
Review of thermal properties of snow, ice and sea ice Yen, Y.-C., (1981, 27p) CR 81-10
Snow calorimetric measurement at SNOW-ONE Fisk, D, (1982, p 133-138) MP 1986
Thermal convection in snow. Powers, D J, et al, (1985, 61p) CR 85-09
Field observations of thermal convection in a subarctic snow cover. Johnson, J B, et al, (1987, p 105-118) MP 2439
Proceedings, (1989, 136p) SR 89-07
Snow as a thermal background. Jordan, R, et al, (1989, p 5-24) MP 2624
Thermal model for snow-covered terrain. Petzko, D.R, et al, (1989, p 25-36) MP 2625
Heat conduction in snow. Yen, Y C, (1989, p 21-32) MP 2546
Air movement in snow due to windpumping Colbeck, S.C., (1989, p 209-213) MP 2562

SNOW VEHICLES
Oversnow transport Mellor, M, (1963, 58p, plus appends) M III-A4

Snow vehicles
Effect of snow cover on obstacle performance of vehicles Hanamoto, B., (1976, p 121-140) MP 933

Snow water content
Water percolation through homogeneous snow Colbeck, S C, et al, (1973, p 242-257) MP 1025
Analysis of water flow in dry snow. Colbeck, S C, (1976, p 523-527) MP 871
Compression of wet snow Colbeck, S C, et al, (1978, 17p) CR 78-10
Difficulties of measuring the water saturation and porosity of snow Colbeck, S C, (1978, p 189-201) MP 1124
Effect of water content on the compressibility of snow-water mixtures Abele, G, et al, (1979, 26p) CR 79-02
Liquid distribution and the dielectric constant of wet snow Colbeck, S C, (1980, p 21-39) MP 1349
Overview of seasonal snow metamorphism Colbeck, S C, (1982, p 45-61) MP 1500
Snow calorimetric measurement at SNOW-ONE Fisk, D, (1982, p 133-138) MP 1986
Free water measurements of a snowpack Fisk D J, (1983, p 173-176) MP 1758
Snow particle morphology in the seasonal snow cover. Colbeck, S C, (1983, p 602-609) MP 1688
Progress in methods of measuring the free water content of snow Fisk, D J, (1983, p 48-51) MP 1649
Landsat-4 thematic mapper (TM) for cold environments. Gervin, J.C., et al, (1983, p 179-186) MP 1651
Use of radio frequency sensor for snow soil moisture water content measurement McKim, H L, et al, (1983, p 33-42) MP 1689
New classification system for the seasonal snow cover Colbeck, S C, (1984, p 179-181) MP 1921
Statistics of coarsening in water-saturated snow Colbeck, S C., (1986, p.347-352) MP 2015
Liquid water mass fraction of snow measured by alcohol solution Fisk, D J, (1986, p 538-541) MP 2245
Alcohol calorimetry for measuring the liquid water fraction of snow Fisk, D.J., (1987, p 163-166) MP 2261
Intercomparison of snow cover liquid water measurement techniques Boyne, H S, et al, (1987, p 167-172) MP 2262
Metamorphism and classification of seasonal snow crystals Colbeck, S C, (1987, p 3-34) MP 2438
Field observations of thermal convection in a subarctic snow cover Johnson, J B, et al, (1987, p.105-118) MP 2439
Comparison of snow cover liquid water measurement techniques Boyne, H.S, et al, (1987, p 1833-1836) MP 2283

Snow water equivalent
Analysis of snow water equivalent using LANDSAT data. Merry, C J., et al, (1977, 16 leaves) MP 1113
Landsat data for watershed management. Cooper, S, et al, (1977, c150p) MP 1114
Landsat data analysis for New England reservoir management. Merry, C.J, et al, (1978, 61p) SR 78-06
Snow cover mapping in northern Maine using LANDSAT. Merry, C.J, et al, (1979, p.197-198) MP 1510
New 2 and 3 inch diameter CRREL snow samplers Bates, R E., et al, (1980, p.199-200) MP 1430
Snowpack estimation in the St John River basin Power, J M., et al, (1980, p 467-486) MP 1799
Ground snow loads for structural design Ellingwood, B, et al, (1983, p 950-964) MP 1734
Snow cover and meteorology at Allagash, Maine, 1977-1980 Bates, R., (1983, 49p) SR 83-20
Use of Landsat data for predicting snowmelt runoff in the upper Saint John River basin. Merry, C J, et al, (1983, p 519-533) MP 1694
Snow Symposium, 3rd, Hanover, NH, Aug 1983. Vol 1 (1983, 241p) SR 83-31
Hydrologic forecasting using Landsat data Merry, C.J, et al, (1983, p 159-168) MP 1691
Probability models for annual extreme water-equivalent ground snow. Ellingwood, B, et al, (1984, p 1153-1159) MP 1823
Snow, ice and frozen ground research at the Sleepers River, VT. Pangburn, T, et al, (1984, p.229-240) MP 2071
Intensity of snowfall at the SNOW experiments Bates, R E, et al, (1986, p 205-217) MP 2287
Use of Landsat for snow cover mapping, Saint John River basin, Maine Merry, C J, et al, (1987, 68p) CR 87-08

SNOWDRIFTS
Blowing snow Mellor, M, (1965, 79p) M III-A3c

Snowdrifts
Snowdrift control at ILS facilities in Alaska Calkins, D J., (1976, 41p) MP 914
Snow load data analysis, winter 1976-77 O'Rourke, M., (1977, 9p + appends) MP 2427
Surface protection measures for the Arctic Slope, Alaska Johnson, P.R., (1978, p 202-205) MP 1519
Hydraulic model investigation of drifting snow. Wuebben, J L, (1978, 29p) CR 78-16
Modelling a snowdrift by means of activated clay particles. Anno, Y., (1985, p 48-52) MP 2007
Concentration and flux of wind-blown snow Mellor, M, et al, (1986, 16p) SR 86-11
Proposed code provisions for drifted snow loads O'Rourke, M, et al, (1986, p.2080-2092) MP 2148
Changes coming in snow load design criteria Tobiasson, W., (1989, p 413-418) MP 2612

Snowfall
Midwinter temperature regime and snow occurrence in Germany Bilello, M A, et al, (1978, 56p) CR 78-21
Synoptic meteorology during the SNOW-ONE field experiment Bilello, M.A, (1981, 55p) SR 81-27
SNOW-ONE-A, Data report Aitken, G W, ed, (1982, 641p) SR 82-08
Synoptic weather conditions during snowfall, Dec 1981-Feb 1982. Bilello, M A, (1982, p 9-42) MP 1559
Meteorology Bates, R E., (1982, p.43-180) MP 1560
Snow crystal habit Koh, G, et al, (1982, p 181-216) MP 1561
Measurements of airborne-snow concentration Lacombe, J, (1982, p 225-281) MP 1563
Snow cover characterization O'Brien, H W, et al, (1982, p 559-577) MP 1564
Snow Symposium, 1st, Hanover, NH, Aug 1981, (1982, 324p) SR 82-17
Airborne-Snow Concentration Measuring Equipment. Lacombe, J, (1982, p 17-46) MP 1981
Meteorology and observed snow crystal types during the SNOW-ONE experiment Bilello, M A, (1982, p 59-75) MP 1983
Meteorological measurements at Camp Ethan Allen Training Center, Vermont Bates, R, (1982, p 77-112) MP 1984
Snow Symposium, 2nd, 1982 (1983, 295p) SR 83-04
Atmospheric conditions and snow crystal observations during SNOW ONE-A Bilello, M A, et al, (1983, p 3-18) MP 1754
Northwest snowstorm of 15-16 December 1981 Bates, R E, (1983, p 19-34) MP 1755
Falling snow characteristics and extinction Berger, R H, (1983, p.61-69) MP 1756
Visible propagation in falling snow as a function of mass concentration and crystal type Lacombe, J, et al, (1983, p.103-111) MP 1757
Performance and optical signature of an AN/VVS-1 laser rangefinder in falling snow. Preliminary test results Lacombe, J, (1983, p 253-266) MP 1759
Synoptic meteorology during the SNOW-ONE-A Field Experiment. Bilello, M.A, (1983, 80p) SR 83-10
SNOW-ONE-B data report. Bates, R.E., ed, (1983, 284p) SR 83-16
Site-specific and synoptic meteorology Bates, R.E, (1983, p 13-80) MP 1845
Atmospheric turbulence measurements at SNOW-ONE-B. Andreas, E L, (1983, p 81-87) MP 1846
Snow characterization at SNOW-ONE-B Berger, R H, et al, (1983, p.155-195) MP 1847
Technique for measuring the mass concentration of falling snow Lacombe, J, (1983, p 17-28) MP 1647
Characterization of snow for evaluation of its effect on electromagnetic wave propagation Berger, R.H, (1983, p 35-42) MP 1648
Comments on the metamorphism of snow Colbeck, S C., (1983, p.149-151) MP 1650
Snow concentration and effective air density during snowfalls. Mellor, M, (1983, p.505-507) MP 1769
Snow Symposium, 3rd, Hanover, NH, Aug 1983, Vol.1. (1983, 241p) SR 83-31
Comparative near-millimeter wave propagation properties of snow or rain Nemarich, J, et al, (1983, p 115-129) MP 1690
Utilization of the snow field test series results for development of a snow obscuration primer Ebersole, J F, et al, (1983, p 209-217) MP 1692
Snow-Two/Smoke Week VI field experiment plan Redfield, R.K., et al, (1984, 85p) SR 84-19
Field sampling of snow for chemical obscurants at SNOW-TWO/Smoke Week VI Cragin, J.H, (1984, p 265-270) MP 2096
Climate at CRREL, Hanover, New Hampshire Bates, R E, (1984, 78p) SR 84-24
Frozen precipitation and weather, Munchen/Riem, West Germany Bilello, M.A, (1984, 47p) SR 84-32
Snow Symposium, 4th, Hanover, NH, Vol I. (1984, 433p) SR 84-35
Performance of microprocessor-controlled snow crystal replicator. Koh, G., (1984, p 107-111) MP 1866
Approach to snow propagation modeling Koh, G., (1984, p 247-259) MP 1869
Snow chemistry of obscurants released during SNOW-TWO/Smoke Week VI Cragin, J.H., (1984, p 409-416) MP 1873
Frozen precipitation and concurrently observed meteorological conditions Bilello, M A., (1985, 11p) MP 2075
Meteorological and snow cover measurements at Grayling, Michigan. Bates, R E, et al, (1985, p 212-229) MP 2176
Wavelength-dependent extinction by falling snow. Koh, G, (1986, p 51-55) MP 2019
Intensity of snowfall at the SNOW experiments. Bates, R E, et al, (1986, p 205-217) MP 2287
Proceedings, Vol 1 (1986, 369p) SR 86-15
Use and application of PRESTO in Snow-III West. Stallings, E S, et al, (1986, p 11-24) MP 2658
Snow mass extinction coefficient Koh, G, (1986, p 35-38) MP 2659
Extinction coefficient measurement in falling snow. Koh, G, (1987, 9p) SR 87-04
Optical snow precipitation gauge Koh, G., et al, (1987, p.26-31) MP 2259
Proceedings of the 6th Snow Symposium, Hanover, NH, 1986 (1987, 207p) SR 87-12
Scavenging of infrared screener EA 5763 by falling snow. Cragin, J H, et al (1987, p 13-20) MP 2292
Forward scatter meter for measuring extinction in adverse weather. Koh, G, (1987, p 81-84) MP 2295
Solid precipitation measurement at Sleepers River, VT. Bates, R E, et al, (1987 p 1-7) MP 2396
Some observations on the character of snow. Townsend, R.A., et al, (1987, p 48-53) MP 2397
Snowfall amounts and snow depths in Germany and NE USA Bates, R E, et al, (1988, p 107-117) MP 2401
Two-stream approximation to radiative transfer in falling snow Koh, G, (1988, p 463-470) MP 2604
Increased transmission through brass obscurant clouds during snowfall Hewitt, A D, et al, (1988, p 489-496) MP 2605
Snow-smoke interaction Hogan, A W, et al, (1988, p 497-506) MP 2607
Impact of wet snow on visible, infrared and millimeter wave attenuation Bates, R.E, et al, (1988, p 523-535) MP 2608
Overview of obscuration in the cold environment Berger, R H, et al, (1988 p 537-555) MP 2609
Dynamic aerosol flow chamber Hewitt, A D, (1988, 13p) SR 88-21
Comparative studies of the winter climate at selected locations in Europe and the United States Bates, R E, et al, (1989, p 283-293) MP 2598
Synoptic meteorology, crystal habit, and snowfall rates in Northeastern snowstorms Ryerson, C C, et al, (1989, p 315-345) MP 2599
Proceedings (1989, 136p) SR 89-07

Model of smoke concentration reduction due to scavenging by snow. Hutt, D L., et al, (1989, p 87-98) MP 2628

Light transmission through smoke screens in falling snow. Farmer, W.M., et al. (1989, p 99-111) MP 2629

Millimeter-wave performance during mixed precipitation. Bates, R.E., et al, (1989, p 113-120) MP 2630

Application of aerosol physics to snow research. Hogan, A.W., (1989, p 201-207) MP 2756

SNOW IV field experiment data report. Wright, E A., ed, (1989, 250p.) SR 89-14

Snow concentration and precipitation rate measurements during SNOW IV Lacombe, J., (1989, p 25-29) MP 2643

Physical and optical properties of falling snow. Koh, G., (1989, 22p) CR 89-16

Snowflakes

SNOW-ONE-A, Data report Aitken, G W., ed, (1982, 641p) SR 82-08

Snow crystal habit Koh, G., et al, (1982, p 181-216) MP 1561

Airborne snow and fog distributions Berger, R H., (1982, p 217-223) MP 1562

Measurements of airborne-snow concentration Lacombe, J., (1982, p 225-281) MP 1563

Airborne-Snow Concentration Measuring Equipment. Lacombe, J., (1982, p 17-46) MP 1981

Snow and fog particle size measurements Berger, R H., (1982, p 47-58) MP 1982

Snow particle morphology in the seasonal snow cover. Colbeck, S.C., (1983, p.602-609) MP 1688

SNOW-ONE-B data report. Bates, R E., ed, (1983, 284p) SR 83-16

Characterization of snow for evaluation of its effect on electromagnetic wave propagation. Berger, R.H., (1983, p 35-42) MP 1648

Attenuation and backscatter for snow and sleet at 96, 140, and 225 GHz. Nemarich, J., et al, (1984, p 41-52) MP 1864

Catalog of smoke/obscurant characterization instruments. O'Brien, H.W., et al, (1984, p 77-82) MP 1865

Performance of microprocessor-controlled snow crystal replicator. Koh, G., (1984, p 107-111) MP 1866

Forward-scattering corrected extinction by nonspherical particles. Bohren, C.F., et al, (1984, p 261-271) MP 1870

Forward-scattering corrected extinction by nonspherical particles Bohren, C.F., et al, (1985, p.1023-1029) MP 1958

What becomes of a winter snowflake. Colbeck, S C., (1985, p 312-215) MP 2060

Proceedings, Vol I. (1986, 369p) SR 86-15

Snow-smoke interaction Hogan, A.W., et al, (1988, p 497-506) MP 2607

Application of aerosol physics to snow research Hogan, A.W., (1989, p 201-207) MP 2756

Snowmelt

Water percolation through homogeneous snow. Colbeck, S C., et al, (1973, p 242-257) MP 1025

Tundra environment at Barrow, Alaska. Bunnell, F.L., et al, (1975, p.73-124) MP 1050

Effects of radiation penetration on snowmelt runoff hydrographs Colbeck, S C., (1976, p.73-82) MP 948

Energy balance and runoff from a subarctic snowpack. Price, A.G., et al, (1976, 29p) CR 76-27

Computer routing of unsaturated flow through snow Tucker, W.B., et al, (1977, 44p) SR 77-10

Snow accumulation, distribution, melt, and runoff. Colbeck, S C., et al, (1979, p 465-468) MP 1233

Case study: fresh water supply for Point Hope, Alaska. McFadden, T., et al, (1979, p 1029-1040) MP 1222

Tundra lakes as a source of fresh water Kipnuk, Alaska. Bredthauer, S R., et al, (1979, 16p) SR 79-30

Watershed modeling in cold regions. Stokely, J.L., (1980, 241p) MP 1471

Use of Landsat data for predicting snowmelt runoff in the upper Saint John River basin Merry, C J., et al, (1983, p 519-533) MP 1694

Hydrologic aspects of ice jams Calkins, D J., (1986, p 603-609) MP 2116

Forecasting of snowmelt runoff using water temperature data Pangburn, T., (1987, p 108-113) MP 2398

Snow hydrology in the upper Yamuna basin, India Malhotra, R.V., et al, (1988, p 84-93) MP 2633

Snowmelt increase through albedo reduction Colbeck, S C., (1988, 11p) SR 88-26

Thermal response of downhill skis Warren, G C., et al, (1989, 40p) CR 89-23

Water and suspended solids discharge during snowmelt Chacho, E.F., Jr., (1990, p 167-173) MP 2706

Snowstorms

SNOW-ONE-A, Data report Aitken, G W., ed, (1982, 641p) SR 82-08

Synoptic weather conditions during snowfall, Dec. 1981-Feb. 1982. Bilello, M.A., (1982, p 9-42) MP 1559

Meteorology Bates, R.E., (1982, p 43-180) MP 1560

Airborne snow and fog distributions Berger, R H., (1982, p 217-223) MP 1562

Northwest snowstorm of 15-16 December 1981. Bates, R.E., (1983, p 19-34) MP 1755

Proceedings, Vol I. (1986, 369p) SR 86-15

Prediction of winter battlefield weather effects. Ryerson, C.C., et al, (1988, p.357-362) MP 2402

Soil aggregates

Repetitive loading tests on membrane enveloped road sections during freeze thaw. Smith, N., et al, (1977, p 171-197) MP 962

Effect of freeze-thaw cycles on soils. Chamberlain, E., et al, (1990, p 145-155) MP 2678

Soil analysis

Reclamation of acidic dredge soils with sewage sludge and lime. Palazzo, A.J., (1977, 24p) SR 77-19

Determining explosive residues in soil Jenkins, T.F., et al, (1988, 46p) CR 88-08

Soil chemistry

Proceedings 1972 Tundra Biome symposium. (1972, 211p) MP 1374

Ionic migration and weathering in frozen Antarctic soils Ugolini, F.C., et al, (1973, p 461-470) MP 941

Micrometeorological investigations near the tundra surface. Kelley, J J., (1973, p.109-126) MP 1006

Soil properties of the International Tundra Biome sites. Brown, J., et al, (1974, p.27-48) MP 1043

Upland forest and its soils and litters in interior Alaska. Troth, J.L., et al, (1976, p 33-44) MP 867

Wastewater reuse at Livermore, California. Uiga, A., et al, (1976, p 511-531) MP 870

Land treatment of wastewater. Murrmann, R.P., et al, (1976, 36p.) MP 920

Reclamation of wastewater by application on land Iskandar, I K., et al, (1976, 15p) MP 896

Wastewater renovation by a prototype slow infiltration land treatment system Iskandar, I.K., et al, (1976, 44p.) CR 76-19

Urban waste as a source of heavy metals in land treatment Iskandar, I.K., (1976, p 417-432) MP 977

Effects of wastewater application on forage grasses Palazzo, A J., (1976, 8p) CR 76-39

Examining antarctic soils with a scanning electron microscope. Kumai, M., et al, (1976, p 249-252) MP 931

Reclamation of acidic dredge soils with sewage sludge and lime Palazzo, A.J., (1977, 24p) SR 77-19

Effects of wastewater on the growth and chemical composition of forages Palazzo, A J., (1977, p 171-180) MP 975

UV radiational effects on: Martian regolith water. Nadeau, P.H., (1977, 89p) MP 1072

Land treatment of wastewater at Manteca, Calif., and Quincy, Washington. Iskandar, I K., et al, (1977, 34p.) CR 77-24

Methodology for nitrogen isotope analysis at CRREL. Jenkins, T.F., et al, (1978, 57p) SR 78-08

NMR phase composition measurements on moist soils. Tice, A R., et al, (1978, p 11-14) MP 1210

NO3-N in percolate water in land treatment Iskandar, I K et al, (1978, p.163-169) MP 1148

Nitrogen behavior in land treatment of wastewater, a simplified model. Selim, H.M., et al, (1978, p 171-179) MP 1149

Overview of existing land treatment systems Iskandar, I.K., (1978, p.193-200) MP 1150

Uptake of nutrients by plants irrigated with wastewater Clapp, C.E., et al, (1978, p 395-404) MP 1151

Performance of overland flow land treatment in cold climates Jenkins, T.F., et al, (1978, p 61-70) MP 1152

Adaptability of forage grasses to wastewater irrigation Palazzo, A J., et al, (1978, p 157-163) MP 1153

Simulation of the movement of conservative chemicals in soil solution. Nakano, Y., et al, (1978, p 371-380) MP 1156

Waste water reuse in cold regions. Iskandar, I.K., (1978, p 361-368) MP 1144

Kinetics of denitrification in land treatment of wastewater. Jacobson, S., et al, (1979, 59p) SR 79-04

Spray application of wastewater effluent in Vermont Cassell, E.A., et al, (1979, 38p) SR 79-06

Soil characteristics and climatology during wastewater application at CRREL. Iskandar, I K., et al, (1979, 82p) SR 79-23

Land application of wastewater effect on soil and plant potassium Palazzo, A J., et al, (1979, p 309-312) MP 1228

Nitrogen transformations in land treatment Jenkins, T F., et al, (1979, 32p) SR 79-31

Prototype wastewater land treatment system Jenkins, T F., et al, (1979, 91p) SR 79-35

Enzyme kinetic model for nitrification in soil amended with ammonium. Leggett, D C., et al, (1980, 20p) CR 80-01

Model for nitrogen behavior in land treatment of wastewater. Selim, H M., et al, (1980, 49p) CR 80-12

Dynamics of NH4 and NO3 in cropped soils irrigated with wastewater. Iskandar, I K., et al, (1980, 20p) SR 80-27

Removal of organics by overland flow. Martel, C J., et al, (1980, 9p) MP 1362

Effectiveness of land application for P removal from waste water Iskandar, I K., et al, (1980, p 616-621) MP 1444

Modeling N transport and transformations in soils Selim, H M., et al, (1981, p.233-241) MP 1440

Modeling nitrogen transport and transformations in soils 2. Validation. Iskandar, I.K., et al, (1981, p 303-312) MP 1441

Model for prediction of nitrate leaching losses in soils. Mehran, M., et al, (1981, 24p.) CR 81-23

Effect of soil temperature on nitrification kinetics. Parker, L.V., et al, (1981, 27p) SR 81-33

P removal during land treatment of wastewater. Ryden, J.C., et al, (1982, 12p.) SR 82-14

Mathematical simulation of nitrogen interactions in soils. Selim, H.M., et al, (1983, p 241-248) MP 2051

Frost heave of saline soils Chamberlain, E J., (1983, p 121-126) MP 1655

Restoration of acidic dredge soils with sewage sludge and lime Palazzo, A J., (1983, 11p) CR 83-28

Techniques for measuring Hg in soils and sediments Cragin, J.H., et al, (1985, 16p) SR 85-16

Explosive residues in soil Jenkins, T F., et al, (1985, 33p) SR 85-22

Retention and release of metals by soils—evaluation of several models. Amacher, M.C., et al, (1986, p.131-154) MP 2186

Extraction solvents for determination of volatile organics in soil Jenkins, T F., et al, (1987, 26p) SR 87-22

Determining explosive residues in soil. Jenkins, T.F., et al, (1988, 46p) CR 88-06

Modeling the transport of chromium (VI) in soil columns. Selim, H.M., et al, (1989, p 996-1004) MP 2670

Ion-pairing RP-HPLC method for determining tetrazene in water and soil Walsh, M E., et al, (1989, p 159-179) MP 2593

Retention of elements by soils Buchter, B., et al, (1989, p.370-379) MP 2570

Analytical methods for determining nitroguanidine in soil and water. Walsh, M E., (1989, 27p) SR 89-35

Soil classification

Foundations on permafrost, US and USSR design and practice. Fish, A.M., (1983, p 3-24) MP 1682

Soil compaction

Consolidating dredged material by freezing and thawing. Chamberlain, E J., (1977, 94p) MP 978

Enclosing fine-grained soils in plastic moisture barriers. Smith, N., (1978, p 560-570) MP 1089

Densification by freezing and thawing of fine material dredged from waterways. Chamberlain, E.J., et al, (1978, p 622-628) MP 1103

Increasing the effectiveness of soil compaction at below-freezing temperatures Haas, W M., et al, (1978, 58p) SR 78-25

Construction of an embankment with frozen soil. Botz, J.J., et al, (1980, 105p) SR 80-21

Soil freezing response influence of test conditions. McCabe, E.Y., et al, (1985, p 49-58) MP 1990

Freeze thaw consolidation of sediments, Beaufort Sea, Alaska Lee, H.J., et al, (1985, 83p) MP 2025

Soil composition

Soil properties of the International Tundra Biome sites. Brown, J., et al, (1974, p 27-48) MP 1043

Tundra environment at Barrow, Alaska. Bunnell, F.L., et al, (1975, p.73-124) MP 1050

Antarctic soil studies using a scanning electron microscope Kumai, M., et al, (1978, p 106-112) MP 1386

Tundra and analogous soils Everett, K R., et al, (1981, p 139-179) MP 1405

VHF electrical properties of frozen ground near Point Barrow, Alaska Arcone, S A., et al, (1981, 18p) CR 81-13

Model for dielectric constants of frozen soils Oliphant, J L., (1985, p 46-57) MP 1926

Retention and release of metals by soils—evaluation of several models Amacher, M.C., et al, (1986, p 131-154) MP 2186

Comparison of extraction techniques for munitions residues in soil Jenkins, T F., et al, (1987, p 1326-1331) MP 2350

Determining nitroaromatics and nitramines in water. Jenkins, T F., et al, (1988, 36p) SR 88-23

Chromatographic determination of nitroaromatic residues in soil Jenkins, T F., et al, (1989, p 890-899) MP 2586

Unfrozen water contents of undisturbed and remolded Alaskan silt. Tice, A R., et al (1989, p 103-111) MP 2683

Soil creep

In-plane deformation of non-coaxial plastic soil Takagi, S., (1978, 28p) CR 78-07

Steady in-plane deformation of noncoaxial plastic soil Takagi, S., (1979, p 1049-1072) MP 1248

Kinetic nature of the long term strength of frozen soils. Fish, A M., (1980, p 95-108) MP 1450

Acoustic emissions during creep of frozen soils Fish, A M., et al (1982, p 194-206) MP 1495

Deformation and failure of frozen soils and ice due to stresses. Fish, A M., (1982, p 419-428) MP 1553

Field tests of a frost-heave model Guymon, G.L., et al, (1983, p 409-414) MP 1657

Creep behavior of frozen silt under constant uniaxial stress. Zhu, Y., et al, (1983, p 1507-1512) MP 1805

Foundations on permafrost, US and USSR design and practice Fish, A M., (1983, p 3-24) MP 1682

Thermodynamic model of soil creep at constant stresses and strains. Fish, A.M., (1983, 18p.) CR 83-33

Soil creep *(cont.)*

Creep behavior of frozen silt under constant uniaxial stress Zhu, Y., et al, (1984, p.33-48) MP 1807

Thermodynamic model of creep at constant stress and constant strain rate. Fish, A.M., (1984, p 143-161) MP 1771

Tertiary creep model for frozen sands (discussion). Fish, A.M., et al, (1984, p.1373-1378) MP 1810

Frozen ground physics Fish, A M., (1985, p.29-36) MP 1928

Creep and strength behavior of frozen silt in uniaxial compression. Zhu, Y., et al, (1987, 67p) CR 87-10

Shape of creep curves in frozen soils and polycrystalline ice. Fish, A.M., (1987, p 623-629) MP 2329

State of the art, mechanical properties of frozen soil Sayles, F.H., (1988, p.143-165) MP 2377

Some peculiarities of creep behavior of frozen silt Fish, A.M., (1989, p 721-724) MP 2601

Soil erosion

Placer River Silt—an intertidal deposit caused by the 1964 Alaska earthquake Ovenshine, A T., et al, (1976, p 151-162) MP 2410

Revegetation and erosion control of the Trans-Alaska Pipeline. Johnson, L A., et al, (1977, 36p) SR 77-08

Human-induced thermokarst at old drill sites in northern Alaska Lawson, D E, et al, (1978, p 16-23) MP 1254

Revegetation along roads and pipelines in Alaska Johnson, L A., (1980, p 129-150) MP 1353

Revegetation along the trans-Alaska pipeline, 1975-1978. Johnson, A.J., (1981, 115p) CR 81-12

Modifications of permafrost, East Oumalik, Alaska. Lawson, D.E., (1982, 33p) CR 82-36

Reservoir bank erosion caused and influenced by ice cover Gatto, L.W., (1982, 26p) SR 82-31

Bank recession of Corps of Engineers reservoirs. Gatto, L.W., et al, (1983, 103p) SR 83-30

Erosion of perennially frozen streambanks. Lawson, D E, (1983, 22p) CR 83-29

Tanana River monitoring and research studies near Fairbanks, Alaska Neill, C R, et al, (1984, 98p + 5 appends.) SR 84-37

Chena Flood Control Project and the Tanana River near Fairbanks, Alaska Buska, J S, et al, (1984, 11p + figs.) MP 1745

Bank recession of the Tanana River, Alaska. Gatto, L W., (1984, 59p) MP 1746

Bank recession and channel changes of the Tanana River, Alaska Gatto, L.W., et al, (1984, 98p) MP 1747

Erosion analysis of the Tanana River, Alaska Collins, C M., (1984, 8p. + figs.) MP 1748

Bank erosion, vegetation and permafrost, Tanana River near Fairbanks Gatto, L.W., (1984, 53p) SR 84-21

Vegetation recovery in the Cape Thompson region, Alaska Everett, K R., et al, (1985, 75p) CR 85-11

Soil formation

Tundra and analogous soils Everett, K R et al, (1981, p 139-179) MP 1405

SOIL FREEZING

Cold room studies on frost susceptible soils (1950 25p) ACFEL MP BL 1

Soil freezing

Remote-reading tensiometer for use in subfreezing temperatures McKim, H L., et al, (1976, p 31-45) MP 897

Calculating unfrozen water content of frozen soils McGaw, R., et al, (1976, p 114-122) MP 899

Periodic structure of New Hampshire silt in open-system freezing McGaw, R., (1977, p 129-136) MP 902

Consolidating dredged material by freezing and thawing Chamberlain, E J., (1977, 94p) MP 978

Segregation freezing as the cause of suction force for ice lens formation Takagi, S., (1978, p 45-51) MP 1081

Segregation freezing as the cause of suction force for ice lens formation. Takagi, S., (1978, 13p) CR 78-06

Fundamentals of ice lens formation Takagi, S., (1978, p 235-242) MP 1173

Thermal and creep properties for frozen ground construction Sanger, F J., et al, (1978, p 95-117) MP 1624

Resiliency of subgrade soils during freezing and thawing Johnson, T C., et al, (1978, 59p.) CR 78-23

Thermal and creep properties for frozen ground construction Sanger, F J., et al, (1979, p 311-337) MP 1227

Construction and performance of membrane encapsulated soil layers in Alaska Smith, N., (1979, 27p) CR 79-16

Low temperature phase changes in moist, briny clays Anderson, D.M., et al, (1980, p 139-144) MP 1330

Frost heave in an instrumented soil column Berg R L., et al, (1980, p 211-221) MP 1331

Frost heave model based upon heat and water flux Guymon, G L., et al, (1980, p 253 262) MP 1333

Adsorption force theory of frost heaving Takagi, S., (1980, p 57-81) MP 1334

Overconsolidation effects of ground freezing Chamberlain, E.J., (1980, p 325-337) MP 1452

Numerical solutions for rigid ice model of secondary frost heave O'Neill, K., et al, (1980, p 656-669) MP 1454

Field studies of membrane encapsulated soil layers with additives Eaton, R A., et al, (1980, 46p) SR 80-33

Neumann solution applied to soil systems Lunardini, V.J., (1980, 7p) CR 80-22

Some approaches to modeling phase change in freezing soils Hromadka, T V., II, et al, (1981, p.137-145) MP 1437

Effect of freezing and thawing on resilient modulus of granular soils Cole, D M., et al, (1981, p 19-26) MP 1484

Comparative evaluation of frost-susceptibility tests Chamberlain, E.J., (1981, p 42-52) MP 1486

CRREL frost heave test, USA Chamberlain, E J., et al, (1981, p.55-62) MP 1499

Ice segregation in a frozen soil column Guymon, G L., et al, (1981, p.127-140) MP 1534

Frost susceptibility of soil, review of index tests. Chamberlain, E J., (1981, 110p) M 81-02

Numerical solutions for a rigid-ice model of secondary frost heave O'Neill, K., et al, (1982, 11p) CR 82-13

Comparison of unfrozen water contents measured by DSC and NMR. Oliphant, J L., et al, (1982, p.115-121) MP 1594

Freezing of soil with surface convection. Lunardini, V.J., (1982, p 205-212) MP 1595

Initial stage of the formation of soil-laden ice lenses Takagi, S., (1982, p 223-232) MP 1596

Frost susceptibility of soil, review of index tests Chamberlain, E J., (1982, 110p) MP 1557

Frost heave model Hromadka, T V., II, et al, (1982, p 1-10) MP 1567

Transport of water in frozen soil, Part 1 Nakano, Y., et al, (1982, p 221-226) MP 1629

Freezing of semi-infinite medium with initial temperature gradient. Lunardini, V.J., (1983, p 649-652) MP 1583

Freezing and thawing: heat balance integral approximations. Lunardini, V J., (1983, p 30-37) MP 1597

Effects of ice on the water transport in frozen soil. Nakano, Y., et al, (1983, p 15-26) MP 1601

Frost heave of saline soils. Chamberlain, E J., (1983, p 121-126) MP 1655

Investigation of transient processes in an advancing zone of freezing McGaw, R., et al, (1983, p 821-825) MP 1663

Boundary integral equation solution for phase change problems O'Neill, K., (1983, p.1825-1850) MP 2093

Simple model of ice segregation using an analytic function to model heat and soil-water flow. Hromadka, T V., II, et al, (1984, p 99-104) MP 2104

Frost action and its control Berg, R.L., ed, (1984, 145p) MP 1704

Designing for frost heave conditions Crory, F E., et al, (1984, p 22-44) MP 1705

Survey of methods for classifying frost susceptibility Chamberlain, E J., et al, (1984, p 104-141) MP 1707

Freezing of a semi-infinite medium with initial temperature gradient. Lunardini, V.J., (1984, p 103-106) MP 1740

Heat and moisture transfer in frost-heaving soils Guymon, G.L., et al, (1984, p 336-343) MP 1765

Freezing of soil with phase change occurring over a finite temperature zone Lunardini, V J., (1985, p 38-46) MP 1854

Automated soils freezing test Chamberlain, E J., (1985, 5p) MP 1892

Soil freezing response influence of test conditions McCabe, E Y., et al, (1985, p 49-58) MP 1990

Ground freezing for management of hazardous waste sites Sullivan, J M., Jr., et al, (1985, 15p) MP 2030

Potential use of artificial ground freezing for contaminant immobilization Iskandar, I.K., et al, (1985, 10p) MP 2029

Literature review effect of freezing on hazardous waste sites Iskandar, I K., et al, (1985, p.122-129) MP 2028

Model of freezing front movement Hromadka, T.V., II, et al, (1985, 9p) MP 2077

Natural electrical potentials that arise when soils freeze. Yarkin, I.G., (1986, 24p) SR 86-12

Corps of Engineers Land Treatment Research and Development program Iskandar, I.K., (1986, p 17-18) MP 2149

Freezing effect on waste contaminants Iskandar, I K., (1986, 33p) SR 86-19

Heat transfer in a freezing shaft wall Liandi, F., (1986, 24p) CR 86-08

Resilient moduli of soil specimens in the frozen and thawed states Johnson, T C., et al, (1986, 62p) CR 86-12

Evaluation of selected frost-susceptibility test methods Chamberlain, E J., (1986, 51p) CR-86-14

Classification and laboratory testing of artificially frozen ground Sayles, F H., et al, (1987, p 22-48) MP 2227

Tracking freezing front movement using boundary element method Hromadka, T V., II, (198?, 58p) SR 87-08

Ground freezing controls hazardous waste Iskandar, I K., (1987, p 455-456) MP 2270

Recent research on acoustic to seismic coupling Albert, D G., (198?, p 223-225) MP 2418

Experimental methods for decontaminating soils by freezing Ayorinde, O A., et al, (1988, 12p) MP 2513

Soil freezing and unfrozen water content Lunardini, V J., (1988, 21p) CR 88-02

Evaluation of the X-ray radiography efficiency for heaving and consolidation observation. Akagawa, S., (1988, p.23-28) MP 2376

Freezing a temporary roadway for transport of a 3000 ton dragline. Maishman, D., et al, (1988, p.357-365) MP 2378

Contaminant transport in freezing soils. Ayorinde, O A., et al, (1988, 29p) MP 2514

New freezing test for determining frost susceptibility. Chamberlain, E J., (1988, p.1045-1050) MP 2368

Electrical freezing potential of soils Kelsh, D.J., et al, (1988, 9p) CR 88-10

Relationship between freezing and water content in sandy loam. Black, P.B., et al, (1988, 37p) CR 88-26

Chemical aspects of soil freezing Henry, K., (1988, 8p) CR 88-17

State of water in freezing soil Black, P.B., (1989, 7p) CR 89-03

Freezing and thawing of soils in cylindrical coordinates. Lunardini, V.J., (1989, p 185-208) MP 2594

Physical changes in clays due to frost action Chamberlain, E J., (1989, p 863-893) MP 2595

Ice-water partition coefficients for RDX and TNT Taylor, S., (1989, 10p) CR 89-06

Freezing technique for *in-situ* treatment of contaminated soils Ayorinde, O A., et al, (1989, p 489-498) MP 2515

Soil freezing and soil water in sandy loam. Black, P.B., et al, (1989, p 2205-2210) MP 2577

Steady growth of ice layer in freezing soils. Nakano, Y., (1990, p 207-226) MP 2695

X-ray photography of the frozen fringe of freezing soil. Akagawa, S., (1990, 69p) SR 90-05

Proceedings (1990, 318p) SR 90-01

Predicting unfrozen water content behavior of a soil Black, P B., et al, (1990, p 54-60) MP 2677

Transport of water due to a temperature gradient in unsaturated frozen clay Nakano, Y., et al, (1990, p.57-75) MP 2701

Comparison of four volatile organic compounds in frozen and unfrozen silt. Taylor, S., et al, (1990, 9p) SR 90-13

Case study of potential causes of frost heave. Henry, K S., (1990, 35p) SR 90-09

Unfrozen water content and hydraulic conductivity of frozen soil Black, P.B., (1990, 7p) CR 90-05

Soil mechanics

Segregation freezing as the cause of suction force for ice lens formation. Takagi, S., (1978, 13p) CR 78-06

Resilient response of two frozen and thawed soils Chamberlain, E J., et al, (1979, p 257-271) MP 1176

Dynamic testing of free field stress gages in frozen soil Aitken, G W., et al, (1980, 26p) SR 80-30

Soil infiltration on land treatment sites Abele, G., et al, (1980, 41p) SR 80-36

Laboratory and field use of soil tensiometers above and below 0 deg C Ingersoll, J., (1981, 17p) SR 81-07

Prediction of explosively driven relative displacements in rocks Blouin, S E., (1981, 23p) CR 81-11

Site investigations and submarine soil mechanics in polar regions Chamberlain, E J., (1981, 18p) SR 81-24

Frost susceptibility of soil, review of index tests. Chamberlain, E.J., (1981, 110p) M 81-02

Frost susceptibility of soil, review of index tests. Chamberlain, E J., (1982, 110p) MP 1557

Review of methods for generating synthetic seismograms Peck, L., (1985, 39p) CR 85-10

Evaluation of selected frost-susceptibility test methods Chamberlain, E J., (1986, 51p) CR-86-14

Acoustic-to-seismic coupling through a snow layer. Peck, L., (1987, p 47-55) MP 2294

Recent research on acoustic to seismic coupling Albert, D G., (1987, p 223-225) MP 2418

Soil microbiology

Nitrification inhibitor in land treatment of wastewater in cold regions Elgawhary, S M., et al, (1979, 25p) SR 79-18

Analysis of water in the Martian regolith Anderson, D M., et al, (1979, p 33-38) MP 1409

Arctic ecosystem the coastal tundra at Barrow, Alaska. Brown, J., ed, (1980, 571p) MP 1355

Crude oil spills on subarctic permafrost in interior Alaska Johnson, L A., et al, (1980, 67p) CR 80-29

Soil microbiology Bosatta, E., et al, (1981, p 38-44) MP 1753

Effect of soil temperature on nitrification kinetics Parker, L V., et al, (1981, 27p) SR 81-33

Soil physics

Freeze thaw effect on the permeability and structure of soils Chamberlain, E J., et al, (1978, p 31-44) MP 1080

Freeze thaw effect on the permeability and structure of soils Chamberlain, E J., et al, (1979, p 73-92) MP 1225

Functional analysis of the problem of wetting fronts Nakano, Y., (1980, p 314-318) MP 1307

Measurements of ground resistivity Arcone, S A., (1982, p 92-110) MP 1513

Ground dielectric properties Arcone, S A., et al, (1982, 11p) CR 82-06

Laboratory measurements of soil electric properties between 0.1 and 5 GHz Delaney, A J., et al, (1982, 12p) CR 82-10

Horizontal infiltration of water in porous materials. Nakano, Y., (1982, p.156-166) MP 1840

In-situ thermal conductivity measurements. Atkins, R.T., (1983, 38p) MP 2214

Use of radio frequency sensor for snow/soil moisture water content measurement. McKim, H.L., et al, (1983, p.33-42) MP 1689

In-situ thermoconductivity measurements. Faucher, M., (1986, p.13-14) MP 2137

Tensile strength of frozen silt Zhu, Y., et al, (1987, 23p) CR 87-15

Modeling the transport of chromium (VI) in soil columns Selim, H.M., et al, (1989, p 996-1004) MP 2670

Simple and economical thermal conductivity measurement system. Atkins, R.T., (1989, p 108-116) MP 2566

Low-temperature effects on systems for composting explosives-contaminated soils. Ayorinde, O.A., et al, (1989, 18p) SR 89-38

Soil pollution

Urban waste as a source of heavy metals in land treatment. Iskandar, I.K., (1976, p 417-432) MP 977

Explosives in soils and sediments Cragin, J.H., et al, (1985, 11p) CR 85-15

Explosive residues in soil. Jenkins, T.F., et al, (1985, 33p) SR 85-22

Effect and disposition of TNT in a terrestrial plant. Palazzo, A.J., et al, (1986, p.49-52) MP 2098

TNT in a terrestrial plant. Palazzo, A.J., et al, (1986, 17p) CR 86-15

Comparison of extraction techniques for munitions residues in soil Jenkins, T.F., et al, (1987, p.1326-1331) MP 2350

Development of an analytical method for explosive residues in soil. Jenkins, T.F., et al, (1987, 51p) CR 87-07

Sorption of chemical agents and simulants. Leggett, D.C., (1987, 15p) SR 87-18

Preliminary development of a fiber optic sensor for TNT. Zhang, Y., et al, (1988, 16p) SR 88-04

Development of analytical methods for military-unique compounds. Walsh, M.E., et al, (1988, p.370-380) MP 2454

Determining explosive residues in soil. Jenkins, T.F., et al, (1988, 46p) CR 88-08

Effects of temperature and species on TNT injury to plants. Palazzo, A.J., et al, (1988, 7p) SR 88-16

Analytical method for determining tetrazene in soil. Walsh, M.E., et al, (1988, 22p) SR 88-15

Determining nitroaromatics and nitramines in water Jenkins, T.F., et al, (1988, 36p) SR 88-23

Ice-water partition coefficients for RDX and TNT. Taylor, S., (1989, 10p) CR 89-08

Determination of explosive residues in soil. Part 3 Bauer, C.F., et al, (1989, 89p) CR 89-09

Low concentration measurement capability in trace analysis Grant, C.L., et al, (1989, 21p) SR 89-20

Comments on "Modeling adsorption/desorption kinetics of pesticides in a soil suspension" Leggett, D.C., (1989, p 231) MP 2532

Analytical methods for detecting military-unique compounds Jenkins, T.F., et al, (1989, p 13-14) MP 2713

Well casings for monitoring trace organics in ground water. Parker, L.V., et al, (1989, 29p) SR 89-18

Retention of elements by soils Buchter, B., et al, (1989, p 370-379) MP 2570

Analytical methods for determining nitroguanidine in soil and water. Walsh, M.E., (1989, 27p) SR 89-35

Chromatographic determination of nitroaromatic residues in soil Jenkins, T.F., et al, (1989, p 890-899) MP 2586

Environmental transformation of nitroaromatics and nitramines Walsh, M.E., (1990, 21p) SR 90-02

Fate and transport of contaminants in frozen soils Ayorinde, O.A., et al, (1990, p 202-211) MP 2679

Surface changes in well casings exposed to organic pollutants Taylor, S., et al, (1990, 14p) SR 90-07

Comparison of four volatile organic compounds in frozen and unfrozen silt. Taylor, S., et al, (1990, 9p) SR 90-13

Soil pressure

Segregation-freezing temperature as the cause of suction force Takagi, S., (1977, p.59-66) MP 901

Ground pressures exerted by underground explosions Johnson, P.R., (1978, p 284-290) MP 1520

Summary of the adsorption force theory of frost heaving Takagi, S., (1980, p 233-236) MP 1332

Soil stabilization

Thermoinsulating media within embankments on perennially frozen soil Berg, R.L., (1976, 161p) SR 76-03

Utilization of sewage sludge for terrain stabilization in cold regions Gaskin, D.A., et al, (1977, 45p) SR 77-37

Grouting silt and sand at low temperatures Johnson, R., (1979, p 937-950) MP 1078

Sewage sludge for terrain stabilization. Part 2 Gaskin, D.A., et al, (1979, 36p) SR 79-28

Utilization of sewage sludge for terrain stabilization in cold regions Pt 3 Rindge, S.D., et al, (1979, 33p) SR 79-34

Field studies of membrane encapsulated soil layers with additives Eaton, R.A., et al, (1980, 46p) SR 80-33

Plant growth on a gravel soil, greenhouse studies Palazzo, A.J., et al, (1981, 8p) SR 81-04

Chena River Lakes Project revegetation study—three-year summary. Johnson, L.A., et al, (1981, 59p) CR 81-18

Revised procedure for pavement design under seasonal frost conditions Berg, R., et al, (1983, 129p) SR 83-27

Performance of a thermosyphon with an inclined evaporator and vertical condenser. Zarling, J.P., et al, (1984, p 64-68) MP 1677

Stabilization of fine-grained soil for road and airfield construction. Danyluk, L.S., (1986, 37p) SR 86-21

SOIL STRENGTH

Freezing process and mechanics of frozen ground Scott, R.F., (1969, 65p) M II-D1

Soil strength

Evaluation of MESL membrane—puncture, stiffness, temperature, solvents Sayward, J.M., (1976, 60p) CR 76-22

Baseplate design and performance mortar stability report. Aitken, G.W., (1977, 28p) CR 77-22

Repetitive loading tests on membrane enveloped road sections during freeze thaw. Smith, N., et al, (1977, p.171-197) MP 962

Resiliency in cyclically frozen and thawed subgrade soils. Chamberlain, E.J., et al, (1977, p 229-281) MP 1724

Grouting of soils in cold environments: a literature search Johnson, R., (1977, 49p) SR 77-42

Electromagnetic survey in permafrost Sellmann, P.V., et al, (1979, 7p) SR 79-14

Effect of freezing and thawing on resilient modulus of granular soils. Cole, D.M., et al, (1981, p 19-26) MP 1484

Testing shaped charges in unfrozen and frozen silt in Alaska. Smith, N., (1982, 10p) SR 82-02

Seasonal soil conditions and the reliability of the M15 land mine Richmond, P.W., et al, (1984, 35p) SR 84-18

Mapping resistive seabed features using DC methods. Sellmann, P.V., et al, (1985, p 136-147) MP 1918

Arctic mobility problems Abele, G., (1987, p 267-269) MP 2421

Thawing soil strength measurements for predicting vehicle performance Shoop, S.A., (1989, 18p) MP 2749

Soil structure

Proposed size classification for the texture of frozen earth materials McGaw, R., (1975, 10p) MP 921

Evaluation of MESL membrane—puncture, stiffness, temperature, solvents. Sayward, J.M., (1976, 60p) CR 76-22

Regionalized feasibility study of cold weather earthwork Roberts, W.S., (1976, 190p) SR 76-02

Periodic structure of New Hampshire silt in open-system freezing McGaw, R., (1977, p 129-136) MP 902

Freeze thaw effect on the permeability and structure of soils. Chamberlain, E.J., et al, (1978, p 31-44) MP 1080

Freeze thaw effect on the permeability and structure of soils Chamberlain, E.J., et al, (1979, p 73-92) MP 1225

Electron microscope investigations of frozen and unfrozen bentonite. Kumai, M., (1979, 14p) CR 79-28

Soil-water potential and unfrozen water content and temperature Xu, X., et al, (1985, p 1-14) MP 1932

Ground motion induced by an acoustic pulse, and its wintertime variations Peck, L., (1988, p 361-385) MP 2597

Microstructure of frozen soils examined by SEM. Kumai, M., (1988, p 390-395) MP 2361

Effect of freeze-thaw cycles on soils Chamberlain, E., et al, (1990, p 145-155) MP 2678

Soil surveys

Tundra soils on the Arctic Slope of Alaska Everett, K.R., et al, (1982, p 264-280) MP 1552

Frozen strength characterization of NH&S test sites in Montana Chamberlain, E.J., et al, (1988, var p) MP 2617

SOIL TEMPERATURE

Heat exchange at the ground surface Scott, R.F., (1964, 49p plus append) M II-A1

Soil temperature

Piles in permafrost for bridge foundations Crory, F.E., et al, (1967, 41p) MP 1411

Abiotic overview of the Tundra Biome Program, 1971 Weller, G., et al, (1971, p 173-181) MP 906

Prediction and validation of temperature in tundra soils Brown, J., et al, (1971, p 193-197) MP 907

Computer simulation of the snowmelt and soil thermal regime at Barrow, Alaska Outcalt, S.I., et al, (1975, p 709-715) MP 857

Selected climatic and soil thermal characteristics of the Prudhoe Bay region Brown, J., et al, (1975, p 3-12) MP 1054

Surface temperature data for Atkasook, Alaska summer 1975 Haugen, R.K., et al, (1976, 25p) SR 76-01

Oil spills on permafrost Collins, C.M., et al, (1976, 18p) SR 76-15

Kotzebue hospital a case study Crory, F.E., (1978, p 342-359) MP 1084

Thermal properties and regime of wet tundra soils at Barrow, Alaska McGaw, R., et al, (1978, p 47-53) MP 1096

Geophysics in the study of permafrost Scott, W.J., et al, (1979, p 93-115) MP 1266

Removal of organics by overland flow Martel, C.J., et al, (1980, 9p) MP 1362

Waste heat utilization through soil heating McFadden, T., et al, (1980, p 105-120) MP 1363

Approximate solution to Neumann problem for soil systems. Lunardini, V.J., et al, (1981, p 76-81) MP 1494

Effect of soil temperature on nitrification kinetics Parker, L.V., et al, (1981, 27p) SR 81-33

CO2 effect on permafrost terrain. Brown, J., et al, (1982, 30p) MP 1546

Field tests of a frost-heave model Guymon, G.L., et al, (1983, p 409-414) MP 1657

Relationships between estimated mean annual air and permafrost temperatures in North-Central Alaska Haugen, R.K., et al, (1983, p 462-467) MP 1658

Natural ground temperatures in upland bedrock terrain, interior Alaska. Collins, C.M., et al, (1988, p 56-60) MP 2360

Soil tests

Viking GCMS analysis of water in the Martian regolith. Anderson, D.M., et al, (1978, p 55-61) MP 1195

Small-scale testing of soils for frost action. Sayward, J.M., (1979, p 223-231) MP 1309

Soil tests for frost action and water migration. Sayward, J.M., (1979, 17 p) CR 79-17

Determining explosive residues in soil Jenkins, T.F., et al, (1988, 46p) CR 88-08

Thawing soil strength measurements for predicting vehicle performance. Shoop, S.A., (1989, 18p) MP 2749

Soil texture

Enclosing fine-grained soils in plastic moisture barriers. Smith, N., (1978, p.560-570) MP 1089

Kinetic nature of the long term strength of frozen soils Fish, A.M., (1980, p.95-108) MP 1450

Soil trafficability

Effects of low ground pressure vehicle traffic on tundra. Abele, G., et al, (1978, 63p) SR 78-16

Snow pads for pipeline construction in Alaska Johnson, P.R., et al, (1980, 28p) CR 80-17

Evaluating trafficability. McKim, H.L., (1986, p 237-239) MP 2662

Vehicle mobility on thawing soils Shoop, S.A., (1989, 16p) SR 89-31

Soil water

Ionic migration and weathering in frozen Antarctic soils. Ugolini, F.C., et al, (1973, p 461-470) MP 941

Prediction of unfrozen water contents in frozen soils from liquid determinations. Tice, A.R., et al, (1976, 9p) CR 76-06

Impact of urban wastewater reuse in cold regions on land treatment systems Iskandar, I.K., (1976, 32p) MP 2452

On the origin of pingos—a comment Mackay, J.R., (1976, p 295-298) MP 916

Remote-reading tensiometer for use in subfreezing temperatures McKim, H.L., et al, (1976, p 31-45) MP 897

Colloquium on Water in Planetary Regoliths, Hanover, N.H., Oct 5-7, 1976. (1977, 161p) MP 911

Mars soil-water analyzer instrument description and status. Anderson, D.M., et al, (1977, p 149-158) MP 912

Enclosing fine-grained soils in plastic moisture barriers. Smith, N., (1978, p 560-570) MP 1089

Fundamentals of ice lens formation. Takagi, S., (1978, p 235-242) MP 1173

Simplified method for monitoring soil moisture Walsh, J.E., et al, (1978, p 40-44) MP 1194

Construction and performance of platinum probes for measurement of redox potential Blake, B.J., et al, (1978, 8p) SR 78-27

Increasing the effectiveness of soil compaction at below-freezing temperatures Haas, W.M., et al, (1978, 58p) SR 78-25

Construction and performance of membrane encapsulated soil layers in Alaska Smith, N., (1979, 27p) CR 79-16

Water movement in a land treatment system of wastewater by overland flow Nakano, Y., et al, (1979, p 185-206) MP 1285

Analysis of water in the Martian regolith Anderson, D.M., et al, (1979, p 33-38) MP 1409

Survey of methods for soil moisture determination Schmugge, T.J., et al, (1979, 74p) MP 1639

Frost heave in an instrumented soil column Berg, R.L., et al, (1980, p 211-221) MP 1331

Watershed modeling in cold regions Stokely, J.L., (1980, 241p) MP 1471

Review of techniques for measuring soil moisture *in situ* McKim, H.L., et al, (1980, 17p) SR 80-31

Field studies of membrane encapsulated soil layers with additives Eaton, R.A., et al, (1980, 46p) SR 80-33

Soil hydraulic conductivity and moisture retention features Ingersoll, J., (1981, 11p) SR 81-02

Some approaches to modeling phase change in freezing soils Hromadka, T.V., II et al, (1981, p 137-145) MP 1437

Laboratory and field use of soil tensiometers above and below 0 deg C Ingersoll, J., (1981, 17p) SR 81-07

Modeling N transport and transformations in soils Selim, H.M., et al, (1981, p 233-241) MP 1440

Hydraulic characteristics of the Deer Creek Lake land treatment site during wastewater application Abele, G. et al, (1981, 82p) CR 81-07

Soil water *(cont.)*
Simulating frost action by using an instrumented soil column. Ingersoll, J., et al. (1981, p 34-42) MP 1485
Comparative evaluation of frost-susceptibility tests. Chamberlain, E.J., (1981, p 42-52) MP 1486
Method for measuring enriched levels of deuterium in soil water. Oliphant, J.L., et al. (1982, 12p) SR 82-25
Relationship between ice and unfrozen water in frozen soils. Tice, A.R., et al. (1983, p 37-46) MP 1632
Wetting fronts in porous media. Nakano, Y., (1983, p.71-78) MP 1720
Effect of loading on the unfrozen water content of silt Oliphant, J.L., et al. (1983, 17p) SR 83-18
Soil-water diffusivity of unsaturated frozen soils at subzero temperatures. Nakano, Y., et al. (1983, p 889-893) MP 1664
Use of radio frequency sensor for snow/soil moisture water content measurement. McKim, H.L., et al. (1983, p 33-42) MP 1689
Boundary value problem of flow in porous media. Nakano, Y., (1983, p 205-213) MP 1721
Experimental measurement of channeling of flow in porous media Oliphant, J.L., et al. (1985, p 394-399) MP 1967
Phase equilibrium in frost heave of fine-grained soil. Nakano, Y., et al. (1985, p 50-68) MP 1896
Hydraulic properties of selected soils. Ingersoll, J., et al. (1985, p 26-35) MP 1925
Frost heave of full-depth asphalt concrete pavements. Zomerman, I., et al. (1985, p 66-76) MP 1927
Soil-water potential and unfrozen water content and temperature. Xu, X., et al. (1985, p 1-14) MP 1932
Evaluating trafficability. McKim, H.L., (1985, p.474-475) MP 2023
Evaluating trafficability. McKim, H.L., (1986, p.237-239) MP 2662
Measurement of the unfrozen water content of soils: a comparison of NMR and TDR methods Smith, M.W., et al. (1988, p 473-477) MP 2363
Relationship between freezing and water content in sandy loam. Black, P.B., et al. (1988, 37p) CR 88-26
Unfrozen water content of soils. Smith, M.W., et al. (1988, 11p) CR 88-18
Chemical aspects of soil freezing. Henry, K., (1988, 8p) CR 88-17
Determining nitroaromatics and nitramines in water. Jenkins, T.F., et al. (1988, 36p) SR 88-23
Unfrozen water contents of six antarctic soil materials Anderson, D.M., et al. (1989, p 353-366) MP 2470
Monitoring pavement performance in seasonal frost areas Berg, R.L., (1989, p.10-19) MP 2564
Data acquisition, first the FERF then the world. Knuth, K.V., (1989, p.136-138) MP 2567
New approach for sizing rapid infiltration systems (discussion and closure) Reed, S.C., et al. (1989, p 879-882) MP 2712
Soil freezing and soil water in sandy loam Black, P.B., et al. (1989, p 2205-2210) MP 2577
Hydraulic conductivity and unfrozen water content of frozen silt. Black, P.B., et al. (1990, p 323-329) MP 2551
Proceedings (1990, 318p) SR 90-01
Predicting unfrozen water content behavior of a soil Black, P.B., et al. (1990, p 54-60) MP 2677

Soil water migration
Segregation-freezing temperature as the cause of suction force. Takagi, S., (1977, p 59-66) MP 901
Mathematical model to predict frost heave Berg, R.L., et al. (1977, p 92-109) MP 1131
Moving boundary problems in the hydrodynamics of porous media Nakano, Y., (1978, p 125-134) MP 1343
Freeze thaw effect on the permeability and structure of soils Chamberlain, E.J., et al. (1978, p 31-44) MP 1080
Segregation freezing as the cause of suction force for ice lens formation. Takagi, S., (1978, p 45-51) MP 1081
Load tests on membrane-enveloped road sections Smith, N., et al. (1978, 16p) CR 78-12
Evaluation of the moving boundary theory Nakano, Y., (1978, p.142-151) MP 1147
Simulation of the movement of conservative chemicals in soil solution Nakano, Y., et al. (1978, p 371-380) MP 1156
Heat and moisture flow in unsaturated soils O'Neill, K., (1979, p 304-309) MP 1259
Small-scale testing of soils for frost action Sayward, J.M., (1979, p 223-231) MP 1309
Soil tests for frost action and water migration Sayward, J.M., (1979, 17 p) SR 79-17
Freeze thaw effect on the permeability and structure of soils Chamberlain, E.J., et al. (1979, p.73-92) MP 1225
Mathematical model to correlate frost heave of pavements Berg, R.L., et al. (1980, 49p) CR 80-10
Functional analysis of the problem of wetting fronts Nakano, Y., (1980, p 314-318) MP 1307
Summary of the adsorption force theory of frost heaving Takagi, S., (1980, p 233-236) MP 1332
Frost heave model based upon heat and water flux Guymon, G.L., et al. (1980, p 253-262) MP 1333
Adsorption force theory of frost heaving Takagi, S., (1980, p 57-81) MP 1334
Overconsolidation effects of ground freezing Chamberlain, E.J., (1980, p 325-337) MP 1452
Soil infiltration on land treatment sites. Abele, G., et al. (1980, 41p) SR 80-36
Results from a mathematical model of frost heave. Guymon, G.L., et al. (1981, p.2-6) MP 1483
Ice segregation in a frozen soil column. Guymon, G.L., et al. (1981, p 127-140) MP 1534
Mobility of water in frozen soils. Lunardini, V.J., et al. (1982, c15p.) MP 2012
Horizontal infiltration of water in porous materials. Nakano, Y., (1982, p.156-166) MP 1840
Transport of water in frozen soil, Part 1. Nakano, Y., et al. (1982, p 221-226) MP 1629
Effects of ice on the water transport in frozen soil. Nakano, Y., et al. (1983, p.15-26) MP 1601
Water migration due to a temperature gradient in frozen soil Oliphant, J.L., et al. (1983, p.951-956) MP 1666
Frozen soil-water diffusivity under isothermal conditions. Nakano, Y., et al. (1983, 8p) CR 83-22
Two-dimensional model of coupled heat and moisture transport in frost heaving soils Guymon, G.L., et al. (1984, p.91-98) MP 1678
Simple model of ice segregation using an analytic function to model heat and soil-water flow. Hromadka, T.V., II, et al. (1984, p.99-104) MP 2104
Effects of ice content on the transport of water in frozen soils. Nakano, Y., et al. (1984, p 28-34) MP 1841
Role of heat and water transport in frost heaving of porous soils Nakano, Y., et al. (1984, p 93-102) MP 1842
Deuterium diffusion in a soil-water-ice mixture. Oliphant, J.L., et al. (1984, 11p) SR 84-27
Transport of water in frozen soil. Nakano, Y., et al. (1984, p.172-179) MP 1819
Water migration in frozen clay under linear temperature gradients. Xu, X., et al. (1985, p 111-122) MP 1934
Experimental study on factors affecting water migration in frozen morin clay. Xu, X., et al. (1985, p 123-128) MP 1897
Thawing of frozen clays Anderson, D.M., et al. (1985, p.1-9) MP 1923
Ion and moisture migration and frost heave in freezing Morin clay. Qiu, G., et al. (1986, p.1014) MP 1970
Transport of water in frozen soil 6. Effects of temperature. Nakano, Y., et al. (1987, p.44-50) MP 2213
Model of heat and soil-water flow coupled by soil-water phase change. Hromadka, T.V., II, (1987, 124p) SR 87-09
Tracking freezing front movement using boundary element method. Hromadka, T.V., II, (1987, 58p) SR 87-08
Factors affecting water migration in frozen soils Xu, X., et al. (1987, 16p) CR 87-09
Geotextiles and a new way to use them. Henry, K., (1988, p 214-222) MP 2525
Observations of moisture migration in frozen soils during thawing Cheng, G., et al. (1988, p 308-312) MP 2373
Rate of water transport due to temperature gradients in frozen soils. Nakano, Y., et al. (1988, p 412-417) MP 2362
State of water in freezing soil. Black, P.B., (1989, 7p) CR 89-03
Fate and transport of contaminants in frozen soils Ayorinde, O.A., et al. (1990, p 202-211) MP 2679
Unfrozen water content and hydraulic conductivity of frozen soil Black, P.B., (1990, 7p) CR 90-05

Soils
Geobotanical atlas of the Prudhoe Bay region, Alaska Walker, D.A., et al. (1980, 69p) CR 80-14
Effects of a tundra fire on soil and vegetation Racine, C., (1980, 21p) SR 80-37
Introduction to abiotic components in tundra Brown, J., (1981, p 79) MP 1432

Solar radiation
Tundra environment at Barrow, Alaska Bunnell, F.L., et al. (1975, p.73-124) MP 1050
Effects of radiation penetration on snowmelt runoff hydrographs Colbeck, S.C., (1976, p 73-82) MP 948
Light-colored surfaces reduce thaw penetration in permafrost Berg, R.L., et al. (1977, p 86-99) MP 954
Near-infrared reflectance of snow-covered substrates O'Brien, H.W., et al. (1981, 17p) CR 81-21
Surface meteorology US/USSR Weddell Polynya Expedition, 1981. Andreas, E.L., et al. (1983, 32p) SR 83-14
On the decay and retreat of the ice cover in the summer MIZ. Maykut, G.A., (1984, p 15-22) MP 1780
Approach to snow propagation modeling Koh, G., (1984, p 247-259) MP 1869
Shortwave radiation and open water in models of sea ice decay Perovich, D.K., et al. (1990, p 242-246) MP 2759

Solid phases
Simulation of planar instabilities during solidification Sullivan, J.M., Jr., et al. (1987, p 81-111) MP 2585

Solutions
Nose shape and L/D ration, and projectile penetration in frozen soil Richmond, P.W., (1980, 21p) SR 80-17
Transport equation over long times and large spaces O'Neill, K., (1981, p 1665-1675) MP 1497
Ice crystal growth in subcooled NaCl solutions Sullivan, J.M., Jr., et al. (1985, p 527-532) MP 2100
Polyvinyl chloride well casings for ground water monitoring Parker, L.V., et al. (1986, p.92-98) MP 2171
Geochemistry of freezing brines Thurmond, V.L., et al. (1987, 11p) CR 87-13
Ice surface hydrolysis of diisopropylfluorophosphate (DFP) Leggett, D.C., (1987, p 809-815) MP 2457

Sound transmission
Audibility within and outside deposited snow. Johnson, J.E., (1985, p 136-142) MP 1960
Analysis of acoustical features of laboratory grown sea ice. Stanton, T.K., et al. (1986, p.1486-1494) MP 2222
Observations of low-frequency acoustic-to-seismic coupling in the summer and winter. Albert, D.G., et al. (1989, p 352-359) MP 2654
Acoustic pulse propagation above grassland and snow Albert, D.G., et al. (1990, p 93-100) MP 2573

Sound waves
Acoustic-to-seismic coupling through a snow layer. Peck, L., (1987, p.47-55) MP 2294

Sounding
Some characteristics of grounded floebergs near Prudhoe Bay, Alaska. Kovacs, A., et al. (1976, p 169-172) MP 1118
Grounded floebergs near Prudhoe Bay, Alaska Kovacs, A., et al. (1976, 10p) CR 76-34
US/USSR Weddell Polynya expedition, Upper air data, 1981. Andreas, E.L., (1983, 288p) SR 83-13
Impulse radar sounding of level first-year sea ice from an icebreaker Martinson, C.R., (1985, 9p) SR 85-21
Airborne measurement of sea ice thickness and subice bathymetry. Kovacs, A., et al. (1988, p 111-120) MP 2345
Coastal subsea permafrost and bedrock observations using dc resistivity. Sellmann, P.V., et al. (1989, 13p) CR 89-13
Sea ice thickness measurement. Kovacs, A., et al. (1989, p.394-424) MP 2693
Ice strength estimates from submarine topsounder data. DiMarco, R., et al. (1989, p 425-426) MP 2691
Airborne sea ice thickness sounding Kovacs, A., et al. (1990, p 225-229) MP 2737

South Georgia
Soil properties of the International Tundra Biome sites. Brown, J., et al. (1974, p 27-48) MP 1043
Tundra and analogous soils Everett, K.R., et al. (1981, p 139-179) MP 1405

South Shetland Islands
Tundra and analogous soils Everett, K.R., et al. (1981, p 139-179) MP 1405

Spaceborne photography
Applications of remote sensing in New England McKim, H.L., et al. (1975, 8p. + 14 figs and tables) MP 913
Circulation and sediment distribution in Cook Inlet, Alaska. Gatto, L.W., (1976, p 205-227) MP 895
Islands of grounded sea ice Kovacs, A., et al. (1976, 24p) CR 76-04
Land use and water quality relationships, eastern Wisconsin. Haugen, R.K., et al. (1976, 47p) CR 76-30
Antarctic sea ice dynamics and its possible climatic effects. Ackley, S.F., et al. (1976, p 53-76) MP 1378
Skylab imagery: Application to reservoir management in New England McKim, H.L., et al. (1976, 51p) SR 76-07
Environmental analyses in the Kootenai River region, Montana McKim, H.L., et al. (1976, 53p) SR 76-13
Visual observations of floating ice from Skylab Campbell, W.J., et al. (1977, p 353-379) MP 1263
Landsat data for watershed management Cooper, S., et al. (1977, c150p) MP 1114
1977 tundra fire in the Kokolik River area of Alaska Hall, D.K., et al. (1978, p 54-58) MP 1125
Water resources by satellite McKim, H.L., (1978, p 164-169) MP 1090
Estuarine processes and intertidal habitats in Grays Harbor, Washington: a demonstration of remote sensing techniques. Gatto, L.W., (1978, 79p) CR 78-18
Remote sensing for land treatment site selection Merry, C.J., (1978, p 107-119) MP 1146
1977 tundra fire at Kokolik River, Alaska Hall, D.K., et al. (1978, 11p) SR 78-10
Mapping of the LANDSAT imagery of the Upper Susitna River Gatto, L.W., et al. (1980, 41p) CR 80-04
Sea ice: the potential of remote sensing Weeks, W.F., (1981, p 39-48) MP 1468
Antarctic sea ice microwave signatures Comiso, J.C., et al. (1984, p 662-672) MP 1668
Use of SPOT HRV data in the Corps of Engineers dredging program Merry, C.J., et al. (1988, p 1295-1299) MP 2528
Satellite remote sensing in Arctic for 1990's Weeks, W.F., et al. (1989, p 510-530) MP 2699

Spacecraft
Progress report on ERTS data on Arctic environment Anderson, D.M., et al. (1972, 3p) MP 991
Near real time hydrologic data acquisition utilizing the LANDSAT system Mckim, H.L., et al. (1975, p 200-211) MP 1055
Remote sensing plan for the AIDJEX main experiment. Weeks, W.F., et al. (1975, p 21-48) MP 862
Deicing a satellite communication antenna Hanamoto, B., et al. (1980, 14p) SR 80-18
Potential icing of the space shuttle external tank Ferrick, M.G., et al. (1982, 305p.) CR 82-25

Arctic and Antarctic communications. Rosenberg, T.J., ed, (1987, 29p) MP 2322
Multiband imaging systems. McKim, H.L., et al, (1990, 10p) SR 90-15

Specific heat
Thermal diffusivity of frozen soil. Haynes, F.D., et al, (1980, 30p) SR 80-38
Comparison of unfrozen water contents measured by DSC and NMR. Oliphant, J.L., et al, (1982, p 115-121) MP 1594

Spectra
Atmospheric turbulence measurements at SNOW-ONE-B Andreas, E.L., (1983, p 81-87) MP 1846
Water quality monitoring using an airborne spectroradiometer. McKim, H.L., et al, (1984, p 353-360) MP 1718
Observations of volcanic tremor at Mount St. Helens volcano Fehler, M., (1984, p 3476-3484) MP 1770
Spectra and cospectra of atmospheric turbulence over snow Andreas, E.L., (1986, p 219-233) MP 2661
Spectral measurements in a disturbed boundary layer over snow. Andreas, E.L., (1987, 41p) CR 87-21
Kolmogorov Constants for temperature, humidity, and refractive index spectra. Andreas, E L., (1988, p 2399-2406) MP 2437

Spectrophotometers
Observations of the ultraviolet spectral reflectance of snow O'Brien, H.W., (1977, 19p) CR 77-27

Spectroradiometers
Water quality measurements at Lake Powell, Utah. Merry, C.J., (1977, 38p) SR 77-28

Spectroscopy
Correlation and quantification of airborne spectrometer data to turbidity measurements at Lake Powell, Utah. Merry, C.J., (1970, p 1309-1316) MP 1271
Remote sensing of water quality using an airborne spectroradiometer. McKim, H L., et al, (1980, p.1353-1362) MP 1491
Effects of volume averaging on spectra measured with a hygrometer. Andreas, E.L., (1981, p 467-475) MP 1728
Optical engineering for cold environments Aitken, G.W., ed, (1983, 225p) MP 1646
Characterization of snow for evaluation of its effect on electromagnetic wave propagation Berger, R H., (1983, p 35-42) MP 1648
Landsat-4 thematic mapper (TM) for cold environments. Gervin, J C., et al, (1983, p.179-186) MP 1651
Wildlife habitat mapping in Lac qui Parle, Minnesota. Merry, C.J., et al, (1984, p 205-208) MP 2085
Evaluation of SPOT HRV simulation data for Corps of Engineers applications McKim, H L., et al, (1985, p 61-71) MP 2184
Single fiber measurements for remote optical detection of TNT. Zhang, Y., et al, (1989, 7p) SR 89-18

Spillways
Reduced winter leakage in gates with J-seals Rand, J.H., et al, (1989, 3p) MP 2724

Stability
Movement study of the trans-Alaska pipeline at selected sites Ueda, H.T., et al, (1981, 32p) CR 81-04
Assessment of hydraulic structures in a stream after seasonal ice run. Calkins, D J., et al, (1989, 12p) MP 2744
Investigation into the post-stable behavior of a tube array in cross-flow Lever, J H., et al, (1989, p 457-465) MP 2561

Stabilization
Wastewater stabilization pond linings Middlebrooks, E J., et al, (1978, 116p) SR 78-28
Ice sheet retention structures Perham, R E., (1983, 33p) CR 83-30

Standards
Measuring mechanical properties of ice Schwarz, J., et al, (1981, p 245-254) MP 1556
Ground snow loads for structural design Ellingwood, B., et al, (1983, p.950-964) MP 1734
Changes coming in snow load design criteria Tobiasson, W., (1989, p 413-418) MP 2612

STATIC LOADS
Ice pressure on engineering structures Michel, B., (1970, 71p) M III-B1b

Static loads
Bearing capacity of floating ice plates Kerr, A.D., (1976, p 229-268) MP 884
Acoustic emissions from polycrystalline ice St Lawrence, W F., et al, (1982, 15p) CR 82-21
Mechanical properties of multi-year sea ice Testing techniques Mellor, M., et al, (1984, 39p) CR 84-08
Effect of oscillatory loads on the bearing capacity of floating ice covers Kerr, A D., et al, (1987, p 219-224) MP 2216

Static stability
Baseplate design and performance mortar stability report Aitken, G W., (1977, 28p) CR 77-22

Stations
Scientists visit Kolyma Water Balance Station in the USSR Slaughter, C.W., et al, (1977, 66p) SR 77-15
Subarctic watershed research in the Soviet Union Slaughter, C W., et al, (1978, p 305-313) MP 1273
Extending the useful life of DYE-2 to 1986 Tobiasson, W., et al, (1980, 37p) SR 80-13
Science program for an imaging radar receiving station in Alaska. Weller, G., et al, (1983, 45p) MP 1884

Statistical analysis
Midwinter temperature regime and snow occurrence in Germany. Bilello, M.A., et al, (1978, 56p) CR 78-21
Break-up dates for the Yukon River; Pt.1 Rampart to Whitehorse, 1896-1978. Stephens, C.A., et al, (1979, c50 leaves) MP 1317
Break-up dates for the Yukon River, Pt.2 Alakanuk to Tanana, 1883-1978 Stephens, C A., et al, (1979, c50 leaves) MP 1318
Cost-effective use of municipal wastewater treatment ponds Reed, S.C., et al, (1979, p 177-200) MP 1413
Regional climatic trends in northern New England Haugen, R.K., et al, (1988, p 64-71) MP 2748
Application of aerosol physics to snow research. Hogan, A.W., (1989, p 201-207) MP 2756

Steam
Long distance heat transmission with steam and hot water Aamot, H.W C., et al, (1976, 39p) MP 938
Measuring unmetered steam use with a condensate pump cycle counter. Johnson, P.R., (1977, p.434-442) MP 957
Losses from the Fort Wainwright heat distribution system Phetteplace, G., et al, (1981, 29p) SR 81-14

Steel structures
Extending the useful life of DYE-2 to 1986, Part 1 Tobiasson, W., et al, (1979, 15p) SR 79-27
Extending the useful life of DYE-2 to 1986 Tobiasson, W., et al, (1980, 37p) SR 80-13
Field tests of the kinetic friction coefficient of sea ice. Tatinclaux, J.C., et al, (1985, 20p) CR 85-17
Laboratory and field studies of ice friction coefficient Tatinclaux, J.C., et al, (1986, p 389-400) MP 2126

Stefan problem
Phase change around a circular pipe Lunardini, V J., (1980, 18p) CR 80-27
Deforming finite elements with and without phase change Lynch, D R., et al, (1981, p 81-96) MP 1493
Phase change around insulated buried pipes: quasi-steady method. Lunardini, V.J., (1981, p 201-207) MP 1496
Heat conduction with phase changes Lunardini, V.J., (1981, 14p) CR 81-25
Freezing of semi-infinite medium with initial temperature gradient. Lunardini, V.J., (1983, p 649-652) MP 1583
Freezing and thawing heat balance integral approximations. Lunardini, V.J., (1983, p.30-37) MP 1597
Two-dimensional heat conduction phase change Albert, M.R., et al, (1983, p 85-110) MP 2161
Freezing of a semi-infinite medium with initial temperature gradient. Lunardini, V.J., (1984, p 103-106) MP 1740
Stefan problem in a finite domain Takagi, S., (1985, 28p) SR 85-08
Approximate analytical solution of a Stefan's problem in a finite domain Takagi, S., (1988, p 245-266) MP 2384
Thin ice growth. Ashton, G D., (1989, p 564-566) MP 2657

Storms
Synoptic meteorology during the SNOW-ONE-A Field Experiment Bilello, M.A., (1983, 80p.) SR 83-10
Synoptic meteorology, crystal habit, and snowfall rates in Northeastern snowstorms Ryerson, C.C., et al, (1989, p 335-345) MP 2599

Strain measurement
Small-scale strain measurements on a glacier surface. Colbeck, S C., et al, (1971, p 237-243) MP 993

Strain measuring instruments
Waterproofing strain gages for low ambient temperatures Garfield, D E., et al, (1978, 20p) SR 78-15
Verification tests for a stiff inclusion stress sensor Cox, G F N., et al, (1987, p 81-88) MP 2223
Hopkinson pressure bar to measure strain rates of materials Dutta, P K., et al, (1988, p 885-903) MP 2517

Strain tests
Investigation of ice forces on vertical structures. Hirayama, K., et al, (1974, 153p) MP 1041
Effect of temperature and strain rate on the strength of polycrystalline ice Haynes, F D., (1977, p 107-111) MP 1127
Axial double point-load tests on snow and ice Kovacs, A., (1978, 11p) CR 78-01
Polycrystalline ice mechanics Hooke, R L., et al, (1979, 16p) MP 1207
Volumetric constitutive law for snow under strain Brown, R.L., (1979, 13p) CR 79-20
Asphalt concrete for cold regions Dempsey, B J., et al, (1980, 55p) CR 80-05
Mechanical properties of polycrystalline ice Hooke, R L., et al, (1980, p 263-275) MP 1328
Strain measurements on dumbbell specimens Mellor, M., (1983, p 75-77) MP 1683
Preliminary examination of the effect of structure on the compressive strength of ice samples from multi-year pressure ridges Richter, J A., et al, (1984, p 140-144) MP 1685
Tensile strength of frozen silt Zhu, Y., et al, (1986, p 15-28) MP 1971
Classification and laboratory testing of artificially frozen ground. Sayles, F.H., et al, (1987, p 22-48) MP 2227
Hopkinson pressure bar to measure strain rates of materials. Dutta, P.K., et al, (1988, p 885-903) MP 2517
Effects of temperature and structure of ice on its flexural strength. Gow, A J., et al, (1988, 43p) CR 88-06
Triaxial compressive strength of frozen soils under constant strain rates Zhu, Y., et al, (1988, p 1200-1205) MP 2371
Comparison of the compressive strength of antarctic frazil ice and laboratory-grown columnar ice Richter-Menge, J.A., et al, (1990, p 79-84) MP 2731

Strains
Remote sensing program required for the AIDJEX model Weeks, W.F., et al, (1974, p 22-44) MP 1040
Effect of temperature on the strength of frozen silt Haynes, F.D., et al, (1977, 27p) CR 77-03
Application of the Andrade equation to creep data for ice and frozen soil Ting, J M., et al, (1979, p 29-36) MP 1802
Volumetric constitutive law for snow under strain Brown, R L., (1979, 13p) CR 79-20
Acoustic emissions from polycrystalline ice St Lawrence, W F., et al, (1982, p 183-199) MP 1524
Relationship between creep and strength behavior of ice at failure. Cole, D.M., (1983, p 189-197) MP 1681
Effect of stress application rate on the creep behavior of polycrystalline ice. Cole, D.M., (1983, p 454-459) MP 1671
Variation of ice strength within and between multiyear pressure ridges in the Beaufort Sea. Weeks, W.F., (1984, p.134-139) MP 1680
Static determination of Young's modulus in sea ice Richter-Menge, J.A., (1984, p 283-286) MP 1789
MIZEX 83 mesoscale sea ice dynamics: initial analysis. Hibler, W.D., III, et al, (1984, p 19-28) MP 1811
Rheology of glacier ice Jezek, K C., et al, (1985, p.1335-1337) MP 1844
Deteriorated building panels at Sondrestrom, Greenland Korhonen, C., (1985, p.7-10) MP 2017
Strain rate effect on the tensile strength of frozen silt. Zhu, Y., et al, (1985, p 153-157) MP 1898
Frozen ground physics Fish, A M., (1985, p 29-36) MP 1928
Exact solution for melting of frozen soil with thaw consolidation. Lunardini, V.J., (1987, p.97-102) MP 2191
Strain-rate and grain-size effects in ice Cole, D.M., (1987, p 274-280) MP 2311

Stratification
Stratified debris in Antarctic ice cores. Gow, A J., et al, (1979, p 185-192) MP 1272

Stratigraphy
Drilling and coring of frozen ground in northern Alaska, Spring 1979. Lawson, D E., et al, (1980, 14p) SR 80-12

Stream flow
Drainage network analysis of a subarctic watershed Bredthauer, S R., et al, (1979, p 349-359) MP 1274
Watershed modeling in cold regions Stokely, J L., (1980, 241p) MP 1471
Clearing ice-clogged shipping channels Vance, G.P., (1980, 13p) CR 80-28
Analysis of velocity profiles under ice in shallow streams Calkins, D J., et al, (1981, p 93-111) MP 1397
Flow velocity profiles in ice-covered shallow streams Calkins, D J., et al, (1982, p 236-247) MP 1540
Runoff from a small subarctic watershed, Alaska Chacho, E F., et al, (1983, p 115-120) MP 1654
Snow hydrology in the upper Yamuna basin, India Malhotra, R V., et al, (1988, p 84-93) MP 2633
Assessment of hydraulic structures in a stream after seasonal ice run Calkins, D J., et al, (1989, 12p) MP 2744
Seasonal distribution of low flow events in New Hampshire streams with emphasis on the winter period Melloh, R.A., (1990, p 47-53) MP 2681

Streams
Lidar detection of leads in arctic sea ice Schnell, R C., et al, (1990, p 119-123) MP 2733

Strength
State of the art of ship model testing in ice Vance, G P., (1981, p 693-706) MP 1573
Model tests in ice of a Canadian Coast Guard R-class icebreaker Tatinclaux, J C., (1984, 24p) SR 84-06

Stress concentration
Flexural strength of ice on temperate lakes Gow, A J., et al, (1978, 14p) CR 78-09

Stress strain diagrams
Resiliency of silt under asphalt during freezing and thawing Johnson, T C., et al, (1978, p 662-668) MP 1106
Polycrystalline ice mechanics Hooke, R L. et al, (1979, 16p) MP 1207
Grouting silt and sand at low temperatures Johnson, R., (1979, p 937-950) MP 1078
Acoustic emission response of snow St Lawrence, W F., (1980, p 209-216) MP 1366
Strength of frozen silt as a function of ice content and dry unit weight Sayles, F H., et al, (1980, p 109-119) MP 1451
Mechanical properties of polycrystalline ice Hooke, R L., et al, (1980, p 263-275) MP 1328

Stress strain diagrams *(cont.)*
Constitutive relation for the deformation of snow. St. Lawrence, W.F., et al. (1981, p 3-14) MP 1370
Cyclic loading and fatigue in ice. Mellor, M., et al. (1981, p.41-53) MP 1371
Ice behavior under constant stress and strain. Mellor, M., et al. (1982, p.201-219) MP 1525
Glacier mechanics. Mellor, M., (1982, p 455-474) MP 1532
Polycrystalline ice creep in relation to applied stresses. Cole, D.M., (1983, p 614-621) MP 1582
Stress/strain/time relations for ice under uniaxial compression. Mellor, M., et al, (1983, p.207-230) MP 1587
Creep behavior of frozen silt under constant uniaxial stress. Zhu, Y., et al, (1983, p 1507-1512) MP 1805
Compressive strength of frozen silt Zhu, Y., et al, (1984, p 3-15) MP 1773
Creep model for constant stress and constant strain rate. Fish, A.M., (1984, p.1009-1012) MP 1766
Thermodynamic model of creep at constant stress and constant strain rate. Fish, A.M., (1984, p 143-161) MP 1771
Grain size and the compressive strength of ice. Cole, D.M., (1985, p 220-226) MP 1858
Creep and strength behavior of frozen silt in uniaxial compression. Zhu, Y., et al, (1987, 67p) CR 87-10
State of the art: mechanical properties of frozen soil. Sayles, F.H., (1988, p 143-165) MP 2377
Performance of laminated composites in cold Dutta, P.K., et al, (1988, p 269-281) MP 2433
Frozen strength characterization of NH&S test sites in Montana. Chamberlain, E.J., et al, (1988, var. p) MP 2617
Uniaxial tension/compression tests on ice—preliminary results. Cole, D.M., et al, (1989, p.37-41) MP 2482
Cyclic loading of saline ice: initial experimental results. Cole, D.M., (1990, p 265-271) MP 2581

Stresses
Statistical variations in Arctic sea ice ridging and deformation rates. Hibler, W.D., III, (1975, p.J1-J16) MP 850
Interpretation of the tensile strength of ice under triaxial stress. Nevel, D.E., et al, (1976, p.375-387) MP 996
Interpretation of the tensile strength of ice under triaxial stresses. Nevel, D.E., et al, (1976, 9p) CR 76-05
Compressibility characteristics of compacted snow Abele, G., et al, (1976, 47p) CR 76-21
Creep theory for a floating ice sheet Nevel, D.E., (1976, 98p) SR 76-04
Resilient response of two frozen and thawed soils. Chamberlain, E.J., et al, (1979, p 257-271) MP 1176
Photoelastic instrumentation—principles and techniques. Roberts, A., et al, (1979, 153p) SR 79-13
Some results from a linear viscous model of the Arctic ice cover. Hibler, W.D., III, et al, (1979, p 293-304) MP 1241
Extending the useful life of DYE-2 to 1986. Part I. Tobiasson, W., et al, (1979, 15p) SR 79-27
Snow studies associated with the sideways move of DYE-3 Tobiasson, W., (1979, p.117-124) MP 1312
Ice thickness-tensile stress relationship for load-bearing ice. Johnson, P.R., (1980, 11p) SR 80-09
Extending the useful life of DYE-2 to 1986 Tobiasson, W., et al, (1980, 37p) SR 80-13
Adsorption force theory of frost heaving. Takagi, S., (1980, p.57-81) MP 1334
Some promising trends in ice mechanics Assur, A., (1980, p 1-15) MP 1300
Propagation of stress waves in alpine snow Brown, R.L., (1980, p.235-243) MP 1367
Dynamic testing of free field stress gages in frozen soil Aitken, G.W., et al, (1980, 26p) SR 80-30
Kinetic nature of the long term strength of frozen soils Fish, A.M., (1980, p.95-108) MP 1450
Preliminary results of ice modeling in the East Greenland area Tucker, W.B., et al, (1981, p 867-878) MP 1458
Macroscopic view of snow deformation under a vehicle Richmond, P.W., et al, (1981, 20p) SR 81-17
Sea ice drag laws and boundary layer during rapid melting McPhee, M.G., (1982, 17p) CR 82-04
Acoustic emissions from polycrystalline ice St Lawrence, W.F., et al, (1982, p.183-199) MP 1524
Deformation and failure of frozen soils and ice due to stresses Fish, A.M., (1982, p 419-428) MP 1553
Stress measurements in ice Cox, G.F.N., et al, (1983, 31p) CR 83-23
Relationship between creep and strength behavior of ice at failure Cole, D.M., (1983, p 189-197) MP 1681
Effect of stress application rate on the creep behavior of polycrystalline ice Cole, D.M., (1983, p 454-459) MP 1671
Evaluation of a biaxial ice stress sensor Cox, G.F.N., (1984, p 349-361) MP 1836
Preliminary investigation of thermal ice pressures Cox, G.F.N., (1984, p 221-229) MP 1788
On the rheology of a broken ice field due to floe collision Shen, H., et al, (1984, p 29-34) MP 1812
Secondary stress within the structural frame of DYE-3 1978-1983. Ueda, H.T., et al, (1984, 44p) SR 84-26
in-ice calibration tests for an elongated, uniaxial brass ice stress sensor. Johnson, J.B., (1985, p 244-249) MP 1859
Effect of size on stresses in shear flow of granular materials, Pt 2. Shen, H.H., (1985, 20p) CR 85-03
Creep of a strip footing on ice-rich permafrost. Sayles, F.H., (1985, p 29-51) MP 1731
Kadluk ice stress measurement program Johnson, J.B., et al, (1985, p 88-100) MP 1899
Experience with a biaxial ice stress sensor Cox, G.F.N., (1985, p 252-258) MP 1937
Constitutive relations for a planar, simple shear flow of rough disks. Shen, H.H., et al, (1985, 17p) CR 85-20
Repeated load triaxial testing of frozen and thawed soils. Cole, D.M., et al, (1985, p.166-170) MP 2068
Static and dynamic ice loads on the Yamachiche Bend lightpier, 1984-86 Frederking, R., et al, (1986, p.115-126) MP 2389
Verification tests for a stiff inclusion stress sensor Cox, G.F.N., et al, (1987, p 81-88) MP 2223
Rock stress measurements by wire stressmeter at high temperatures. Dutta, P.K., et al, (1987, p.43-58) MP 2447
Verification tests of the surface integral method for calculating structural ice loads. Johnson, J.B., et al, (1988, p.449-456) MP 2353
Mukluk ice stress measurement program Cox, G.F.N., et al, (1988, p 457-463) MP 2354
Ice stress measurements around offshore structures. Johnson, J.B., (1988, p 55-59) MP 2611

Structural analysis
Structural evaluation of porous pavement in cold climate. Eaton, R.A., et al, (1980, 43p) SR 80-39

STRUCTURES
Ice pressure on engineering structures. Michel, B., (1970, 71p) M III-B1b

Structures
De-icing using lasers. Lane, J.W., et al, (1976, 25p) CR 76-10
Ice cover forces on structures. Kerr, A.D., (1978, p.123-134) MP 879
Cost of ice damage to shoreline structures during navigation. Carey, K.L., (1980, 33p) SR 80-22
Icing on structures. Minsk, L.D., (1980, 18p) CR 80-31
Force measurements and analysis of river ice break up Deck, D.S., (1982, p 303-336) MP 1739
Uniform snow loads on structures. O'Rourke, M.J., et al, (1982, p 2781-2798) MP 1574
Buckling loads of floating ice on structures. Sodhi, D.S., et al, (1983, p 260-265) MP 1626
Experiments on ice ride-up and pile-up Sodhi, D.S., et al, (1983, p 266-270) MP 1627
Atmospheric icing of structures. Minsk, L.D., ed, (1983, 366p) SR 83-17
Ice action on two cylindrical structures Kato, K., et al, (1983, p.159-166) MP 1643
Ice sheet retention structures. Perham, R.E., (1984, p.339-348) MP 1832
Crushing ice forces on cylindrical structures. Morris, C.E., et al, (1984, p.1-9) MP 1834
Secondary stress within the structural frame of DYE-3 1978-1983 Ueda, H.T., et al, (1984, 44p) SR 84-26
Transfer of meteorological data from mountain-top sites. Govoni, J.W., et al, (1986, 6p) MP 2107
Meteorological instrumentation for characterizing atmospheric icing Bates, R.E., et al, (1987, p.23-36) MP 2276
Ice detector measurements compared to meteorological data Tucker, W.B., et al, (1987, p.31-37) MP 2277
Working group on ice forces. 4th state-of-the-art report Timco, G.W., ed, (1989, 385p) SR 89-05
Ice-induced vibrations of structures Sodhi, D.S., (1989, p 189-221) MP 2492
Development and design of sludge freezing beds Martel, C.J., (1989, p 799-808) MP 2556

Subarctic landscapes
Utility distribution systems in Iceland Aamot, H.W.C., (1976, 63p) SR 76-05
Revegetation in arctic and subarctic North America a literature review Johnson, L.A., et al, (1976, 32p) CR 76-15
Land treatment of wastewater at a subarctic Alaskan location Sletten, R.S., et al, (1976, 21p) MP 868
Biological restoration strategies in relation to nutrients at a subarctic site in Fairbanks, Alaska Johnson, L.A., (1978, p.460-466) MP 1100

Subglacial drainage
Depth of water-filled crevasses of glaciers Weertman, J., (1973, p 139-145) MP 1044
Dimensions at the margin of the Matanuska Glacier, Alaska Lawson, D.E., (1981, p 78-84) MP 1462
Subice channels and frazil bars, Tanana River, Alaska Lawson, D.E., et al, (1986, p 465-472) MP 2129
Jokulhlaups from Strandline Lake, Alaska (especially the 1982 event) Sturm, M., et al, (1989, 19p) MP 2520
Jokulhlaup involving a pothole glacier in Alaska Sturm, M., et al, (1990, p 125-126) MP 2708

Subglacial observations
Investigation of ice islands in Babbage Bight Kovacs, A., et al, (1971, 46 leaves) MP 1381
Oil pooling under sea ice. Kovacs, A., (1979, p.310-323) MP 1289
Physical properties of sea ice and under-ice current orientation. Kovacs, A., et al, (1980, p.109-153) MP 1323
Measurement of the shear stress on the underside of simulated ice covers. Calkins, D.J., et al, (1980, 11p) CR 80-24
Electromagnetic subsurface measurements. Dean, A.M., Jr., (1981, 19p) SR 81-23
Geophysics of subglacial geology at Dye 3, Greenland. Jezek, K.C., et al, (1985, p.105-110) MP 1941
Airborne electromagnetic sounding of sea ice thickness and sub-ice bathymetry. Kovacs, A., et al, (1987, p.289-311) MP 2332

Subgrade preparation
Influence of insulation upon frost penetration beneath pavements. Eaton, R.A., et al, (1976, 41p) SR 76-06
Repetitive loading tests on membrane enveloped road sections during freeze thaw Smith, N., et al, (1977, p 171-197) MP 962
Winter earthwork construction in Upper Michigan. Haas, W.M., et al, (1977, 59p) SR 77-40
Effects of subgrade preparation upon full depth pavement performance in cold regions. Eaton, R.A., (1978, p 459-473) MP 1087
Load tests on membrane-enveloped road sections. Smith, N., et al, (1978, 16p) CR 78-12
Freeze thaw loading tests on membrane enveloped road sections. Smith, N., et al, (1978, p 1277-1288) MP 1150
Design of airfield pavements for seasonal frost and permafrost conditions. Berg, R.L., et al, (1978, 18p) MP 1189
Construction of temporary airfields in NPRA. Crory, F.E., (1978, p.13-15) MP 1253
Full-depth pavement considerations in seasonal frost areas. Eaton, R.A., et al, (1979, 24p) MP 1188

Subgrade soils
Resiliency in cyclically frozen and thawed subgrade soils. Chamberlain, E.J., et al, (1977, p.229-281) MP 1724
Effect of freeze-thaw cycles on resilient properties of fine-grained soils. Johnson, T.C., et al, (1978, 19p) MP 1082
Resiliency of subgrade soils during freezing and thawing. Johnson, T.C., et al, (1978, 59p) CR 78-23
Resilient response of two frozen and thawed soils. Chamberlain, E.J., et al, (1979, p.257-271) MP 1176
Freeze thaw effect on resilient properties of fine soils. Johnson, T.C., et al, (1979, p 247-276) MP 1226
Pavement deflection after freezing and thawing. Chamberlain, E.J., (1981, 10p) CR 81-15
Effect of freezing and thawing on resilient modulus of granular soils. Cole, D.M., et al, (1981, p 19-26) MP 1404
Full-depth and granular base course design for frost areas. Eaton, R.A., et al, (1983, p 27-39) MP 1692
Laboratory tests and analysis of thermosyphons with inclined evaporator sections. Zarling, J.P., et al, (1985, p.31-37) MP 1853
Freeze thaw tests of road and airfield subgrade soils Cole, D.M., et al, (1987, 36p) CR 87-02
Determination of frost penetration by soil resistivity measurements. Atkins, R.T., (1989, p 87-100) MP 2565

Subgrades
Pavement recycling using a heavy bulldozer mounted pulverizer Eaton, R.A., et al, (1977, 12p + appends) SR 77-30
Heat transfer of a thermosyphon Zarling, J.P., et al, (1987, p 79-84) MP 2190
Heat transfer performance of commercial thermosyphons with inclined evaporator sections Haynes, F.D., et al, (1988, p.275-280) MP 2320
Thermal stabilization of permafrost with thermosyphons Zarling, J.P., et al, (1990, p 323-329) MP 2583

Sublimation
Sublimation and its control in the CRREL permafrost tunnel Johansen, N.I., (1981, 12p) SR 81-08

Submarines
Surfacing submarines through ice Assur, A., (1966, p 309-318) MP 1098
DOD floating ice problems Cox, G.F.N., (1987, p 151-154) MP 2414
Proceedings (1989, 45p) SR 89-39
Ice strength estimates from submarine topsounder data DiMarco, R., et al, (1989, p 425-436) MP 2691

Subsea permafrost
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea Sellmann, P.V., et al, (1976, p 391-408) MP 1377
Operational report 1976 ICSAC RREL ice stress subsea permafrost program Beaufort Sea, Alaska Sellmann, P.V., et al, (1976, 20p) SR 76-12
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea Sellmann, P.V., et al, (1976, p 53-80) MP 919
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea Sellmann, P.V., et al, (1977, p 214-219) MP 927
Delineation and engineering characteristics of permafrost beneath the Beaufort Sea Sellmann, P.V., et al, (1977, p.383-395) MP 1074

Delineation and engineering characteristics of permafrost beneath the Beaufort Sea. Sellmann, P.V., et al, [1977, p.432-440] MP 1077

1977 CRREL-USGS permafrost program Beaufort Sea, Alaska, operational report. Sellmann, P.V., et al, [1977, 19p.] SR 77-41

Delineation and engineering characteristics of permafrost beneath the Beaufort Sea. Sellmann, P.V., et al, [1977, p.518-521] MP 1201

Chemistry of interstitial water from subsea permafrost, Prudhoe Bay, Alaska. Iskandar, I.K., et al, [1978, p.92-98] MP 1385

Engineering properties of submarine permafrost near Prudhoe Bay. Chamberlain, E.J., et al, [1978, p.629-635] MP 1104

Geochemistry of subsea permafrost at Prudhoe Bay, Alaska. Page, F.W., et al, [1978, 70p.] SR 78-14

Permafrost beneath the Beaufort Sea. Sellmann, P.V., et al, [1978, p.50-74] MP 1206

Permafrost beneath the Beaufort Sea, near Prudhoe Bay, Alaska. Sellmann, P.V., et al, [1979, p.1481-1493] MP 1211

Penetration tests in subsea permafrost, Prudhoe Bay, Alaska. Blouin, S.E., et al, [1979, 45p.] CR 79-07

Determining subsea permafrost characteristics with a cone penetrometer—Prudhoe Bay, Alaska. Blouin, S.E., et al, [1979, p.3-16] MP 1217

Subsea permafrost study in the Beaufort Sea, Alaska. Sellmann, P.V., et al, [1979, p.207-213] MP 1591

Distribution and properties of subsea permafrost of the Beaufort Sea. Sellmann, P.V., et al, [1979, p.93-115] MP 1287

Permafrost distribution on the continental shelf of the Beaufort Sea. Hopkins, D.M., et al, [1979, p.135-141] MP 1288

Permafrost beneath the Beaufort Sea: near Prudhoe Bay, Alaska. Sellmann, P.V., et al, [1980, p.35-48] MP 1346

Features of permafrost beneath the Beaufort Sea. Sellmann, P.V., et al, [1980, p.103-110] MP 1344

Distribution and features of bottom sediments in Alaskan coastal waters. Sellmann, P.V., [1980, 50p.] SR 80-15

Unfrozen water contents of submarine permafrost determined by nuclear magnetic resonance. Tice, A.R., et al, [1980, p.400-412] MP 1412

Characteristics of permafrost beneath the Beaufort Sea. Sellmann, P.V., et al, [1981, p.125-157] MP 1428

Delineation and engineering of subsea permafrost, Beaufort Sea. Sellmann, P.V., et al, [1981, p.137-156] MP 1600

Foundations of structures in polar waters. Chamberlain, E.J., [1981, 16p.] SR 81-25

Site investigations and submarine soil mechanics in polar regions. Chamberlain, E.J., [1981, 18p.] SR 81-24

Understanding the Arctic sea floor for engineering purposes. [1982, 141p.] SR 83-25

Subsea permafrost in Harrison Bay, Alaska. Neave, K.G., et al, [1982, 62p.] CR 82-24

Seismic velocities and subsea permafrost in the Beaufort Sea, Alaska. Neave, K.G., et al, [1983, p.894-898] MP 1665

Determining distribution patterns of ice-bonded permafrost in the U.S. Beaufort Sea from seismic data. Neave, K.G., et al, [1984, p.237-258] MP 1839

Subsea permafrost distribution on the Alaskan shelf. Sellmann, P.V., et al, [1984, p.75-82] MP 1852

Mapping resistive seabed features using DC methods. Sellmann, P.V., et al, [1985, p.136-147] MP 1918

Seismic surveys of shallow subsea permafrost. Neave, K.G., et al, [1985, p.61-65] MP 1954

Galvanic methods for mapping resistive seabed features. Sellmann, P.V., et al, [1985, p.91-92] MP 1955

Freeze thaw consolidation of sediments, Beaufort Sea, Alaska. Lee, H.J., et al, [1985, 83p.] MP 2025

Monitoring seasonal changes in seafloor temperature and salinity. Sellmann, P.V., et al, [1986, p.110-114] MP 2147

D.C. resistivity along the coast at Prudhoe Bay, Alaska. Sellmann, P.V., et al, [1988, p.988-993] MP 2366

Coastal subsea permafrost and bedrock observations using dc resistivity. Sellmann, P.V., et al, [1989, 13p.] CR 89-13

Subsidence

Environmental consequences of 1964 Alaska earthquake in Portage, Alaska. Ovenshine, A.T., et al, [1974, p.3-9] MP 2409

Slumping failure of an Alaskan earth dam. Collins, C.M., et al, [1977, 21p.] SR 77-21

Human-induced thermokarst at old drill sites in northern Alaska. Lawson, D.E., et al, [1978, p.16-23] MP 1254

Substrates

Near-infrared reflectance of snow-covered substrates. O'Brien, H.W., et al, [1981, 17p.] CR 81-21

Subsurface drainage

Solving problems of ice-blocked drainage facilities. Carey, K.L., [1977, 17p.] SR 77-25

Drainage and frost action criteria for a pavement design. Berg, R.L., [1979, 51p.] SR 79-15

Subsurface investigations

Subsurface exploration in cold regions. Cass, J.R., Jr [1959, p.31-41] MP 885

Seismic exploration in cold regions. Rothblaberger, H., [1972, 138p.] M II-A2a

Remote sensing of ice gouge depths along pipelines in Alaska. Kovacs, A., et al [1982, p.268-279] MP 1175

Asymmetric flows: application to flow below ice jams. Gögüs, M., et al, [1981, p.342-350] MP 1733

Distortion of model subsurface radar pulses in complex dielectrics. Arcone, S.A., [1981, p.855-864] MP 1472

Radar profiling of buried reflectors and the groundwater table. Sellmann, P.V., et al, [1983, 10p.] CR 83-11

Analysis of wide-angle reflection and refraction measurements. Morey, R.W., et al, [1985, p.53-60] MP 1983

SUBSURFACE STRUCTURES

Foundations and subsurface structures in snow. Mellor, M., [1969, 54p.] M III-A2c

Subsurface structures

On the origin of pingos in a continent. Mackay, J.R., [1976, p.295-298] MP 916

Block motion from determinations of buried near-surface explosive arrays. Blouin, S.E., [1980, 62p.] CR 80-26

Supercooled clouds

Wet precipitation in subfreezing air below a cloud influences radar backscattering. Colbeck, S.C., [1987, p.135-144] MP 2297

Supercooled fog

Compressed air seeding of supercooled fog. Hicks, J.R., [1976, 9p.] SR 76-09

Use of compressed air for supercooled fog dispersal. Weinstein, A.I., et al, [1976, p.1226-1231] MP 1614

Laboratory studies of compressed air seeding of supercooled fog. Hicks, J.R., et al, [1977, 19p.] SR 77-12

Ice crystal formation and supercooled fog dissipation. Kumai, M., [1982, p.579-587] MP 1539

Mechanical ice release from high-speed rotors. Itagaki, K., [1983, 8p.] CR 83-26

Self-shedding of accreted ice from high-speed rotors. Itagaki, K., [1987, p.95-100] MP 2278

Supercooled water

Apparent anomaly in freezing of ordinary water. Swinzow, G.K., [1976, 23p.] CR 76-20

Frazil ice formation in turbulent flow. Müller, A., et al, [1978, p.219-234] MP 1135

Supercooling

Heat and mass transfer from freely falling drops at low temperatures. Zurling, J.P., [1980, 14p.] CR 80-18

Phase equilibrium in frost heave of fine-grained soil. Nakano, Y., et al, [1985, p.50-68] MP 1896

Frazil ice in rivers and streams. Daly, S.F., [1987, p.19-26] MP 2381

International Symposium on Cold Regions Heat Transfer, 1989. [1989, 314p.] MP 2636

Time estimation for maximum supercooling in dynamic frazil ice formation. Daly, S.F., et al, [1989, 13p.] SR 89-26

Supersaturation

Ice crystal morphology and growth rates at low supersaturations and high temperatures. Colbeck, S.C., [1983, p.2677-2682] MP 1537

Supports

Flexural strength of ice on temperate lakes. Gow, A.J., et al, [1978, 14p.] CR 78-09

Pressure buildup on permafrost pile supports induced by freezeback. Ayorinde, O.A., [1989, p.236-251] MP 2467

Surface drainage

Land treatment of wastewaters. Reed, S.C., et al, [1974, p.12-13] MP 1036

Land treatment of wastewaters for rural communities. Reed, S.C., et al, [1975, p.23-39] MP 1399

Solving problems of ice-blocked drainage facilities. Carey, K.L., [1977, 17p.] SR 77-25

Drainage facilities of airfields and heliports in cold regions. Lobacz, E.F., et al, [1981, 56p.] SR 81-22

Development of the unsurfaced roads rating methodology. Eaton, R.A., [1988, 13p.] SR 88-05

Hydraulic model of overland flow on grass covered slopes. Adrian, D.D., et al, [1989, p.569-578] MP 2710

Jökulhlaup involving a potholed glacier in AK. Sturm, M., et al, [1990, p.125-126] MP 2708

SURFACE FEATURES

Effects of permafrost on engineering. Stearns, S.R., [1966, 77p.] M I-A2

Surface migration

Camp Century survey 1986. Gundestrup, N.S., et al, [1987, p.281-288] MP 2331

Surface properties

CRREL instrumented vehicle for cold regions mobility measurements. Blaisdell, G.L., [1982, 11p.] MP 1515

Heat fluxes, humidity profiles, and surface humidity. Andreas, E.L., [1982, 18p.] CR 82-12

Freezing of soil with surface convection. Lunardini, V.J., [1982, p.205-212] MP 1598

CRREL instrumented vehicle hardware and software. Blaisdell, G.L., [1984, 75p.] CR 83-03

Implications of surface energy in ice adhesion. Itagaki, K., [1983, p.41-48] MP 1672

Climatic factors in cold regions surface conditions. Bilello, M.A., [1985, p.508-517] MP 1961

Field tests of the kinetic friction coefficient of sea ice. Tatinclaux, J.C., et al, [1985, 20p.] CR 85-17

Development of the unsurfaced roads rating methodology. Eaton, R.A., [1988, 13p.] SR 88-05

Surface roughness

Remote sensing program required for the AIDJEX model. Weeks, W.F., et al, [1974, p.22-44] MP 1040

Thickness and roughness variations of arctic multiyear sea ice. Ackley, S.F., et al, [1976, 25p.] CR 76-10

Sea ice roughness and flow geometry over continental shelves. Weeks, W.F., et al, [1977, p.32-41] MP 1163

Sea ice ridging over the Alaskan continental shelf. Tucker, W.B., et al, [1979, 24p.] CR 79-08

Sea ice ridging over the Alaskan continental shelf. Tucker, W.B., et al, [1979, p.4885-4897] MP 1240

Measurement of the shear stress on the underside of simulated ice covers. Calkins, D.J., et al, [1980, 11p.] CR 80-24

Analysis of velocity profiles under ice in shallow streams. Calkins, D.J., et al, [1981, p.94-111] MP 1397

Asymmetric flows: application to flow below ice jams. Gögüs, M., et al, [1981, p.342-350] MP 1733

Modeling pressure ridge buildup on the geophysical scale. Hibler, W.D., III, [1982, p.141-155] MP 1590

Comment on 'Water drag coefficient of first-year sea ice' by M.P. Langleben. Andreas, E.L., et al, [1983, p.779-782] MP 1577

Constitutive relations for a planar, simple shear flow of rough disks. Shen, H.H., et al, [1985, 17p.] CR 85-20

Laboratory and field studies of ice friction coefficient. Tatinclaux, J.C., et al, [1986, p.389-400] MP 2126

Roughness and transfer coefficients over snow and sea ice. Andreas, E.L., [1986, 19p.] CR 86-09

Rating unsurfaced roads. Eaton, R.A., et al, [1987, 34p.] SR 87-15

Measurement of the path-averaged turbulent surface heat flux. Andreas, E.L., [1988, p.219-220] MP 2526

Two-wavelength method of measuring path-averaged turbulent surface heat fluxes. Andreas, E.L., [1989, p.280-292] MP 2648

Radar backscattering from artificially grown sea ice. Bredow, J., et al, [1989, p.259-264] MP 2667

Surface structure

Airborne E-phase resistivity surveys of permafrost. Sellmann, P.V., et al, [1974, p.67-71] MP 1046

Light-colored surfaces reduce thaw penetration in permafrost. Berg, R.L., et al, [1977, p.86-99] MP 954

Surface temperature

Measuring building R-values for large areas. Flanders, S.N., et al, [1981, p.137-138] MP 1388

Transient heat flow and surface temperatures of a built-up roof. Korhonen, C., [1983, 20p.] SR 83-22

Effect of color and texture on the surface temperature of asphalt concrete pavements. Berg, R.L., et al, [1983, p.57-61] MP 1652

Increased heat flow due to snow compaction: the simplistic approach. Colbeck, S.C., [1983, p.227-229] MP 1693

Time-lapse thermography: a unique electronic imaging application. Marshall, S.J., et al, [1984, p.84-88] MP 2103

New method of measuring the snow-surface temperature. Andreas, E.L., [1986, p.139-156] MP 2166

Thermal measurements in snow. Jordan, R., et al, [1986, p.183-193] MP 2660

Low pressure weather systems in and around Norwegian waters. Bilello, M.A., [1986, p.53-66] MP 2181

Blistering of built-up roof membranes: pressure measurements. Korhonen, C., [1987, 22p.] SR 86-29

Surfactants

Using bleach mixture for decontamination at low temperatures. Walsh, M.E., et al, [1989, 13p.] SR 89-33

Surveys

Water detection in coastal plains using helicopter-borne short pulse radar. Arcone, S.A., et al, [1989, 25p.] CR 89-07

Suspended sediments

Correlation and quantification of airborne spectrometer data to turbidity measurements at Lake Powell, Utah. Merry, C.J., [1970, p.1309-1316] MP 1271

Baseline data on tidal flushing in Cook Inlet, Alaska. Gatto, L.W., [1973, 11p.] MP 1523

Remote sensing of water quality using an airborne spectroradiometer. McKim, H.L., et al, [1980, p.1353-1362] MP 1491

Ice distribution and water circulation, Kachemak Bay, Alaska. Gatto, L.W., [1982, p.421-435] MP 1569

Water quality monitoring using an airborne spectroradiometer. McKim, H.L., et al, [1984, p.353-360] MP 1718

Use of SPOT HRV data in the Corps of Engineers dredging program. Merry, C.J., et al, [1988, p.1295-1299] MP 2528

Water and suspended solids discharge during snowmelt. Chacho, E.F., Jr., [1990, p.167-173] MP 2706

Synoptic meteorology
Synoptic meteorology during the SNOW-ONE field experiment. Bilello, M.A., (1981, 55p) SR 81-27
Synoptic weather conditions during snowfall Dec. 1981-Feb 1982. Bilello, M.A., (1982, p.9-42) MP 1559
Synoptic meteorology during the SNOW-ONE-A Field Experiment. Bilello, M.A., (1983, 80p.) SR 83-10
Site-specific and synoptic meteorology. Bates, R.E., (1983, p.13-80) MP 1845
New England mountain icing climatology. Ryerson, C.C., (1988, 35p) CR 88-12
Synoptic meteorology, crystal habit, ... snowfall ... Northeastern snowstorms Ryerson, C.C., et al, (1989, p.335-345) MP 2599
Synoptic meteorology during the SNOW IV Field Experiment. Bilello, M.A., et al, (1989, p.5-12) MP 2640
Systems analysis
Systems study of snow removal ... sk, L.D., (1979, p 220-225) MP 1237
Taiga
Natural ground temperatures in upland bedrock terrain, interior Alaska Collins, C.M., et al, (1988, p 56-60) MP 2360
Tanks (combat vehicles)
Change in orientation of artillery-delivered anti-tank mines in snow. Bigl, S.R., (1984, 20p) CR 84-20
Review of antitank obstacles for winter use Richmond, P.W., (1984, 12p.) CR 84-25
Tank E/O sensor ... tem performance in winter an overview Lacombe, J., et ... (1985, 26p) MP 2073
Use and application of PRESTO in Snow-III West. Stallings, E.S., et al, (1986, p.11-24) MP 2658
After-action report—Reforger '85 Liston, R.A., (1986, 20p.) SR 86-22
Antitank obstacles for winter use. Richmond, P.W., (1988, 11p.) SR 88-19
Tanks (containers)
Potential icing of the space shuttle external tank Ferrick, M.G., et al, (1982, 305p) CR 82-25
Multifrequency passive microwave observation of saline ice grown in a tank. Grenfell, T.C., et al, (1988, p 1687-1690) MP 2459
Telecommunication
Transfer of meteorological data from mountain-top sites. Govoni, J.W., et al, (1986, 6p) MP 2107
Arctic and Antarctic communications. Rosenberg, T.J., ed, (1987, 29p) MP 2322
Telemetering equipment
Vibration analysis of a DEW Line station. Haynes, F.D., et al, (1988, p.1513-1518) MP 2341
Detection of coarse sediment movement using radio transmitters. Chacho, E.F., Jr., et al, (1989, p 367-373(B)) MP 2752
Temperature
Kolmogorov Constants for temperature, humidity and refractive index spectra. Andreas, E.L., (1988, p 2399-2406) MP 2437
International Symposium on Cold Regions Heat Transfer, (1989, 314p.) MP 2536
TEMPERATURE DISTRIBUTION
Geology and physiography of cold regions Stearns, S.R., (1965, 40p) M I-A1
Characteristics of the cold regions Gerdel, R.W., (1959, 51p) M I-A
Temperature distribution
Freezing of soil with phase change occurring over a finite temperature zone. Lunardini, V.J., (1985, p 38-46) MP 1854
Temperature effects
Heat exchange at the ground surface. Scott, R.F., (1964, 49p, illus append.) M II-A1
Climatology of the cold regions of the northern hemisphere. II. Wilson, C., (1969, 158p.) M I-A3b
Effect of temperature on the strength of frozen silt. Haynes, F.D., et al, (1977, 27p) CR 77-03
Abnormal internal friction peaks in single-crystal ice. Stallman, P.E., et al, (1977, 15p) SR 77-23
Ice accretion on ships Itagaki, K., (1977, 22p) SR 77-27
Effect of temperature and strain rate on the strength of polycrystalline ice Haynes, F.D., (1977, p 107-111) MP 1127
Temperature effects in compacting an asphalt concrete overlay. Eaton, R.A., et al, (1978, p 146-158) MP 1083
Thermal and load associated distress in pavements Johnson, T.C., et al, (1978, p.403-437) MP 1209
Effect of temperature on the strength of snow-ice Haynes, F.D., (1978, 25p) CR 78-27
Laboratory experiments on icing of rotating blades Ackley, S.F., et al, (1979, p 85-92) MP 1216
River ice. Ashton G.D., (1979, p 38-45) MP 1178
Low temperature phase changes in montmorillonite clay clays Anderson, D.M., et al, (1980, p.139-144) MP 1330
Fracture behavior of ice in Charpy impact testing Itagaki, K., et al, (1980, 13p) CR 80-13
Unfrozen water contents of submarine permafrost determined by nuclear magnetic resonance Tice, A.R., et al, (1980, p 400-412) MP 1412
Field cooling rates of asphalt concrete overlays at low temperatures Eaton, R.A., et al, (1980, 11p.) CR 80-30
Heat transfer in cold climates Lunardini, V.J., (1981, 731p) MP 1435
Variation of ice strength within and between multiyear pressure ridges in the Beaufort Sea Weeks, W.F., (1984, p 134-139) MP 1680
Aquatic plant growth in relation to temperature and unfrozen water content Palazzo, A.J., et al, (1984, 8p) CR 84-14
Cold-temperature characterization of polymer concrete. Bigl, S.R., (1986, 46p) MP 2521
Parameters affecting the kinetic friction of ice Akkok, M., ... (1987, p 552-561) MP 2258
Influence of thermal cycling on fiber composites Dutta, P.K., et al, (1988, p.141-147) MP 2435
Resilient modulus determination for frost conditions Chamberlain, E.J., et al, (1989, p 320-333) MP 2569
Low-temperature effects on systems for composting explosives-contaminated soils Ayorinde, O.A., et al, (1989, 18p) SR 89-38
Strength of soils and rocks at low temperatures. Sellmann, P.V., (1989, p 189-190) MP 2685
Temperature gradients
Subsea permafrost study in the Beaufort Sea, Alaska. Sellmann, P.V., et al, (1979, p 207-213) MP 1591
Arctic Ocean temperature, salinity and density, March-May 1979 McPhee, M.G., (1981, 20p) SR 81-05
Using sea ice to measure vertical heat flux in the ocean McPhee, M.G., et al, (1982, p 2071-2074) MP 1521
Freezing of semi-infinite medium with initial temperature gradient. Lunardini, V.J., (1983, p 649-652) MP 1583
Theory of metamorphism of dry snow. Colbeck, S.C., (1983, p 5475-5482) MP 1603
Freezing of a semi-infinite medium with initial temperature gradient. Lunardini, V.J., (1984, p 103-106) MP 1740
Vegetation and environmental gradients of the Prudhoe Bay region, Alaska Walker, D.A., (1985, 239p) CR 85-14
Rate of water transport due to temperature gradients in frozen soils Nakano, Y., et al, (1988, p 412-417) MP 2362
Temperature measurement
Improved millivolt-temperature conversion tables for copper constantan thermocouples 32F reference temperature Stallman, P.E., et al, (1976, 66p) SR 76-18
1977 CRREL-USGS permafrost program Beaufort Sea, Alaska, operational report. Sellmann, P.V., et al, (1977, 19p) SR 77-41
Thermal properties and regime of wet tundra soils at Barrow, Alaska. McGaw, R., et al, (1978, p 47-53) MP 1096
Thermal scanning systems for detecting building heat loss Grot, R.A., et al, (1978, p.B71-B90) MP 1212
Permafrost beneath the Beaufort Sea Sellmann, P.V., et al, (1978, p 50-71) MP 1206
Distribution and properties of subsea permafrost of the Beaufort Sea Sellmann, P.V., et al, (1979, p.93-115) MP 1287
Drifting buoy measurements on Weddell Sea pack ice Ackley, S.F., (1979, p.106-108) MP 1339
Thermal observations of Mt St Helens before and during eruption St Lawrence, W.F., et al, (1980, p 1526-1527) MP 1482
Free water measurements of a snowpack. Fisk, D.J., (1983, p 173-176) MP 1758
Thermal emittance of diathermanous materials Munis, R.H., et al, (1984, p 209-220) MP 1863
Liquid water mass fraction of snow measured by alcohol solution Fisk, D.J., (1965, p 538-541) MP 2245
Alcohol calorimetry for measuring the liquid water fraction of snow Fisk, D.J., (1987, p 163-166) MP 2261
Seafloor temperature and thermal conductivity Sellmann, P.V., et al, (1989, 19p) CR 89-01
Ski friction and thermal response Warren, G.C., et al, (1989, p 223-232) MP 2745
Snow-surface temperature analysis Bates, R.E., et al, (1989, p 103-116) MP 2753
Remote water-temperature measurement Daly, S., (1989, 6p) MP 2722
Data acquisition first the FERF then the world Knuth, K.V., (1989, p 136-138) MP 2567
Satellite data collection platforms for temperature measurements Daly, S.F., et al, (1989, 14p) SR 89-37
Temperature variations
Apparent anomaly in freezing of ordinary water Samzow, G.K., (1976, 23p) CR 76-20
Tensile properties
Effect of temperature on the strength of snow-ice. Haynes, F.D., (1978, 25p) CR 78-27
Temperature effect on the uniaxial strength of ice Haynes, F.D., (1979, p 667-681) MP 1231
Asphalt concrete for cold regions Dempsey, B.J., et al, (1980, 55p) CR 80-05
Ice thickness-tensile strength relationship for load-bearing ice Johnson, P.R., (1980, 11p) SR 80-09
Review of techniques for measuring soil moisture *in situ* McKim, H.L., et al, (1980, 17p) SR 80-31
Laboratory and field use of soil tensiometers above and below 0 deg C Ingersoll, J., (1981, 17p) SR 81-07
Measuring mechanical properties of ice Schwarz, J., et al, (1981, p.245-254) MP 1556
Study on the tensile strength of ice as a function Currier, J.H., et al, (1983, 38p) ...
Strain measurements on dumbbell specimens (1983, p 75-77) ...
Mechanical properties of multi-year sea ice ... niques Mellor, M., et al, (1984, 39p) ...
Tensile strength of multi-year pressure ridge sea ... Cox, G.F.N., et al, (1985, p 186-193) ...
Strain rate effect on the tensile strength of froze ... Y., et al, (1985, p.153-157) ...
Mechanical properties of multi-year pressure r... Richter-Menge, J.A., (1985, p 244-251) ...
Resistance of elastic rock to the propagation of t... Peck, L., et al, (1985, p 7827-7836) ...
Tensile strength of multi-year pressure ridge sea ... Cox, G.F.N., et al, (1985, p 375-380) ...
Microstructure and the resistance of rock to ten... Peck, L., et al, (1985, p 11,533-11,546) ...
Tensile strength of frozen silt Zhu, Y., et al, ... 28) ...
Tensile strength of frozen silt Zhu, Y., et al, ...
Strain energy failure criterion for S2 freshwater ... Cole, D.M., (1988, p 206-215) ...
Results from indentation tests on freshwater ... D.S., et al, (1988, p 341-350) ...
Uniaxial tension/compression tests on ice—pr... sults Cole, D.M., et al, (1989, p 37-41) ...
Fiber composite materials in an arctic environm... P.K., (1989, p 216-225) ...
TENSILE STRENGTH
Mechanical properties of sea ice Weeks, W.F., ... 80p.) ...
Tensile strength
Investigation of ice forces on vertical structures ... K., et al, (1974, 153p.) ...
Interpretation o... the tensile strength of ice ... stress Nevel, D.E., et al, (1976, p 375-387) ...
Interpretation of the tensile strength of ice ... stresses. Nevel, D.E., et al, (1976, 9p) ...
Effect of temperature on the strength of frozen s... F.D., et al, (1977, 27p) ...
Tensile stress
Depth of water-filled crevasses of glaciers ... (1973, p 139-145) ...
Concentrated loads on a floating ice sheet. (1977, p 237-245) ...
Flexural strength of ice on temperate lakes (1977, p 247-256) ...
Terminology
Sea ice conditions in the Arctic Weeks, W... p 173-205) ...
Terrain identification
Arctic and subarctic environmental analysis thr... Imagery Anderson, D.M., et al, (1972, p ...
Computer modeling of terrain modifications in t... subarctic Outcalt, S.I., et al, (1977, p 24-32) ...
Hydrologic modeling from Landsat land ... McKim, H.L., et al, (1984, 19p) ...
Filtering and classification routines in land ... Merry, C.J., et al, (1988, p 57-58) ...
Multiband imaging systems McKim, H.L., ... 10p) ...
TEST EQUIPMENT
Cold room studies on frost susceptible soils. (1... ACFI ...
Tests
Thermal scanning systems for detecting buildi... Grot, R.A., et al, (1978, p B71-B90) ...
Frost susceptibility of soil, review of index tests ... lain, E.J., (1982, 110p) ...
Observations of moisture migration in frozen ... thawing Cheng, G., et al, (1988, p 308-312) ...
Wheeled versus tracked vehicle snow mobility ... Green, C.E., et al, (1989, 19p) ...
Fracture toughness of columnar freshwater ic... D.L. et al, (1989, p 7-20) ...
Nondestructive evaluation of moisture migration ... material Ayorinde, O.A. (1989, p 111-121) ...
Thaw consolidation
Overconsolidated sediments in the Beaufort Sea ... lain, E.J., (1978, p 24-29) ...
Exact solution for melting of frozen soil with the ... tion Lunardini, V.J. (1987, p 97-102) ...
Thaw depth
Approach roads Greenland 1955 program (19... ...
Prediction and validation of temperature in ... Brown, J., et al, (1971, p 193-197) ...
Light colored surfaces reduce thaw penetration ... Berg, R.L. et al, (1977, p 86-90) ...
1977 tundra fire in the Kokolik River area of A... D.K., et al, (1978, p 54-58) ...
1977 tundra fire at Kokolik River Alaska Hal... (1978, 11p) ...

Haul Road performance and associated investigations in Alaska. Berg, R.L., [1980, p.53-100] MP 1351
Crude oil spills on subarctic permafrost in interior Alaska. Johnson, L.A., et al, [1980, 67p] CR 80-29
Long-term active layer effects of crude oil spilled in interior Alaska. Collins, C.M., [1983, p 175-179] MP 1656
Comparison of two-dimensional domain and boundary integral geothermal models with embankment freeze-thaw field data. Hromadka, T V., II, et al, [1983, p 509-513] MP 1659
Recovery and active layer changes following a tundra fire in northwestern Alaska. Johnson, L., et al, [1983, p 543-547] MP 1660
Developing a thawing model for sludge freezing beds. Martel, C.J., [1988, p 1426-1430] MP 2372

Thaw weakening

Mobility of water in frozen soils. Lunardini, V.J, et al, [1982, c15p] MP 2012
Frost heave of full-depth asphalt concrete pavements. Zomerman, I., et al, [1985, p 66-76] MP 1927
Frost action predictive techniques: an overview of research results. Johnson, T C., et al, [1986, p 147-161] MP 2267
Deformation of pavements during freeze thaw cycles Johnson, T.C, et al, [1986, 138p] CR 86-13

Thawing

Conduction heat transfer with freezing/thawing Lunardini, V.J., [1987, p.55-64] MP 2304

Thawing rate

Exact solution for melting of frozen soil with thaw consolidation. Lunardini, V.J., [1987, p 97-102] MP 2191

Theories

Interpretation of the tensile strength of ice under triaxial stresses Nevel, D.E., et al, [1976, 9p] CR 76-05
Small communities result in greater satisfaction. Ledbetter, C.B., [1977, 15p.] SR 77-36
In-plane deformation of non-coaxial plastic soil. Takagi, S., [1978, 28p.] CR 78-07
Evaluation of the moving boundary theory Nakano, Y., [1978, p 142-151] MP 1147
Steady in-plane deformation of noncoaxial plastic soil Takagi, S, [1979, p.1049-1072] MP 1248
Snow-smoke interaction. Hogan, A W., et al, [1988, p 497-506] MP 2607
Review of pure conduction with freezing Lunardini, V J, [1989, p 27-32] MP 2638

Thermal analysis

Applications of thermal analysis to cold regions Sterrett, K.F., [1976, p.167-181] MP 890
Infrared thermography of buildings an annotated bibliography. Marshall, S J, [1977, 21p] SR 77-09
Infrared thermography of buildings Munis, R.H, et al, [1977, 21p.] SR 77-26
Hydrologic aspects of ice jams Calkins, D J, [1986, p 603-609] MP 2116

Thermal conductivity

Formation of ice ripples on the underside of river ice covers Ashton, G.D., [1971, 157p] MP 1243
Evaluation of methods for calculating soil thermal conductivity. Farouki, O., [1972, 90p] CR 82-08
Finite element model of transient heat conduction. Guymon, G L., et al, [1977, 167p] SR 77-38
Frost action in New Jersey highways Berg, R.L, et al, [1978, 80p.] SR 78-09
Thermal properties and regime of wet tundra soils at Barrow, Alaska McGaw, R., et al, [1978, p 47-53] MP 1096
Roof response to icing conditions Lane, J.W., et al, [1979, 40p] CR 79-17
Time constraints on measuring building R-values Flanders, S.N., [1980, 30p] CR 80-15
Moisture gain and its thermal consequence for common roof insulations Tobiasson, W, et al, [1980, p 4-16] MP 1361
Neumann solution applied to soil systems. Lunardini, V.J., [1980, 7p] CR 80-22
Thermal diffusivity of frozen soil. Haynes, F D, et al, [1980, 30p] SR 80-38
Heat conduction with phase changes Lunardini, V J, [1981, 14p] CR 81-25
Initial stage of the formation of soil-laden ice lenses. Takagi, S, [1982, p 223-232] MP 1596
Computer models for two-dimensional steady-state heat conduction Albert, M.R., et al, [1983, 90p] CR 83-10
In-situ thermal conductivity measurements Atkins, R T., [1983, 38p] MP 2214
Solution of phase change problems. O'Neill, K, [1983, p 134-146] MP 1894
Toward in-situ building R-value measurement. Flanders, S.N., et al, [1984, 13p] CR 84-01
Status of numerical models for heat and mass transfer in frost-susceptible soils Berg, R.L, [1984, p 67-71] MP 1851
Heating and cooling method for measuring thermal conductivity McGaw, R, [1984, 8p] MP 1891
Theory of natural convection in snow Powers, D, et al, [1985, p.10,641-10,649] MP 1957
In-situ thermoconductivity measurements Faucher, M., [1986, p.13-14] MP 2137
Heat transfer characteristics of thermosyphons with inclined evaporator sections Haynes, F.D., et al, [1986, p 285-292] MP 2034
Soil freezing and unfrozen water content Lunardini, V.J., [1988, 27p] CR 88-02
Effect of variable thermal properties on freezing with an unfrozen water content. Lunardini, V.J, [1988, p 1127-1132] MP 2370
Seafloor temperature and thermal conductivity. Sellmann, P.V, et al, [1989, 19p] CR 89-01
Review of pure conduction with freezing Lunardini, V J, [1989, p 27-32] MP 2638
Heat conduction in snow. Yen, Y.C., [1989, p 21-32] MP 2546
Simple and economical thermal conductivity measurement system. Atkins, R T., [1989, p.108-116] MP 2566
Thermal response of downhill skis Warren, G.C, et al, [1989, 40p] CR 89-23

Thermal diffusion

Computer simulation of the snowmelt and soil thermal regime at Barrow, Alaska Outcalt, S I, et al, [1975, p 709-715] MP 857
Infrared thermography of buildings Munis, R.H, et al, [1977, 17p] SR 77-29
Suppression of river ice by thermal effluents. Ashton, G D, [1979, 23p] CR 79-30
Neumann solution applied to soil systems Lunardini, V.J., [1980, 7p] CR 80-22
Thermal diffusivity of frozen soil. Haynes, F D, et al, [1980, 30p] SR 80-38
Cylindrical phase change approximation with effective thermal diffusivity Lunardini, V J, [1981, p.147-154] MP 1438

Thermal drills

General considerations for drill system design Mellor, M, et al, [1976, p 77-111] MP 856
1979 Greenland Ice Sheet Program. Phase 1: casing operation Rand, J H, [1980, 18p] SR 80-24
Portable hot water ice drill. Tucker, W.B, et al, [1986, p 549-564] MP 2202
Portable hot-water ice drill Tucker, W.B, et al, [1987, p 57-64] MP 2236

Thermal effects

Thermal energy and the environment Crosby, R L, et al, [1975, 3p + 2p figs] MP 1480
Mechanics of cutting and boring in permafrost Mellor, M, [1981, 38p] CR 81-26

Thermal expansion

Movement of coastal sea ice near Prudhoe Bay Weeks, W.F, et al, [1977, p 533-546] MP 1066
Nearshore ice motion near Prudhoe Bay, Alaska Tucker, W.B, et al, [1977, p 23-31] MP 1162
Thermal expansion of saline ice. Cox, G.F N, [1983, p 425-432] MP 1768

Thermal insulation

Thermoinsulating media within embankments on perennially frozen soil. Berg, R.L., [1976, 161p] SR 76-03
Influence of insulation upon frost penetration beneath pavements Eaton, R A., et al, [1976, 41p] SR 76-06
Road construction and maintenance problems in central Alaska Clark, E.F, et al, [1976, 36p] SR 76-08
Observation and analysis of protected membrane roofing systems Schaefer, D., et al, [1977, 40p] CR 77-11
Reinsulating old wood frame buildings with urea-formaldehyde foam Tobiasson, W, et al, [1977, p.478-487] MP 958
Mid-winter installation of protected membrane roofs in Alaska Aamot, H W.C, [1977, 5p] CR 77-21
Maintaining buildings in the Arctic Tobiasson, W., et al, [1977, p 244-251] MP 1508
Effects of moisture and freeze-thaw on rigid thermal insulations Kaplar, C.W, [1978, p 403-417] MP 1085
Cold climate utilities delivery design manual Smith, D.W, et al, [1979, c300 leaves] MP 1373
Sulfur foam as insulation for expedient roads Smith, N., et al, [1979, 21p] CR 79-18
Moisture gain and its thermal consequence for common roof insulations Tobiasson, W, et al, [1980, p 4-16] MP 1361
Losses from the Fort Wainwright heat distribution system Phetteplace, G, et al, [1981, 29p] SR 81-14
Venting of built-up roofing systems Tobiasson, W, [1981, p 16-21] MP 1498
Roof moisture surveys Tobiasson, W et al, [1981, 18p] SR 81-31
Moisture detection in roofs with cellular plastic insulation Korhonen, C, et al, [1982, 22p] SR 82-07
Potential icing of the space shuttle external tank Ferrick, M G, et al, [1982, 305p] CR 82-25
Least life-cycle costs for insulation in Alaska Flanders, S N, et al, [1982, 47p] CR 82-27
Infrared inspection of new roofs Korhonen, C, [1982, 14p] SR 82-33
Window performance in extreme cold Flanders, S N, et al, [1982, 21p] CR 82-38
Thawing beneath insulated structures on permafrost Lunardini, V J, [1983, p 750-755] MP 1662
Can wet roof insulation be dried out Tobiasson, W., et al, [1983, p 626-639] MP 1509
Toward in-situ building R-value measurement Flanders, S N, et al, [1984, 13p] CR 84-01
Measuring thermal performance of building envelopes: nine case studies Flanders, S.N, [1985, 36p] CR 85-07
Deteriorated building panels at Sondrestrom, Greenland. Korhonen, C., [1985, p 7-10] MP 2017
Roof moisture surveys, yesterday, today and tomorrow. Tobiasson, W., et al, [1985, p 438-443 + figs] MP 2040
Heat flow sensors on walls—what can we learn Flanders, S N, [1985, p.140-149] MP 2042
Measured and expected R-values of 19 building envelopes. Flanders, S N, [1985, p 49-57] MP 2115
Vapor drive maps of the U.S.A. Tobiasson, W., et al, [1986, 7p + graphs] MP 2041
In-situ assessment of two retrofit insulations Flanders, S.N., [1986, p.32-44] MP 2172
Measuring building R-values with thermography and heat flux sensors Flanders, S N, [1987, 29p.] SR 87-06
Measured insulation improvement potential for ten U.S. Army buildings Flanders, S N, [1987, p 202-220] MP 2327
Wetting of polystyrene and urethane roof insulations Tobiasson, W., et al, [1988, p 421-430] MP 2011
Comparison of insulated and noninsulated pavements Kestler, M, et al, [1989, p 367-378] MP 2471
Nondestructive evaluation of moisture migration in insulation material Ayorinde, O.A, [1989, p 111-121] MP 2716

Thermal pollution

Thermal energy and the environment Crosby, R L, et al, [1975, 3p. + 2p figs] MP 1480
Thermal pollution studies of French Creek, Eielson AFB, Alaska McFadden, T, [1976, 5p] CR 76-14
River ice Ashton, G D, [1979, p.38-45] MP 1178
Suppression of river ice by thermal effluents. Ashton, G.D., [1979, 23p] CR 79-30

THERMAL PROPERTIES

Snow as a material. Bader, H, et al, [1962, 79p] M II-B

Thermal properties

Observation and analysis of protected membrane roofing systems. Schaefer, D, et al, [1977, 40p] CR 77-11
Thermal and creep properties for frozen ground construction. Sanger, F.J., et al, [1978, p 95-117] MP 1624
Thermal and creep properties for frozen ground construction Sanger, F.J., et al, [1979, p 311-337] MP 1227
Time constraints on measuring building R-values Flanders, S.N., [1980, 30p] CR 80-15
Comparison of two-dimensional domain and boundary integral geothermal models with embankment freeze-thaw field data Hromadka, T.V., II, et al, [1983, p 509-513] MP 1659
Emittance and interpretation of thermal images Munis, R H, et al, [1985, p.72-78] MP 1962
Thermal analysis of a shallow utilidor Phetteplace, G., et al, [1986, 10p] MP 2021
Roof blisters Physical fitness building, Fort Lee, Virginia. Korhonen, C., et al, [1986, 15p] Sr 86-35

Thermal radiation

Thermal emittance of diathermanous materials Munis, R H, et al, [1984, p 209-220] MP 1863
Emittance and interpretation of thermal images Munis, R.H., et al, [1985 p 72-78] MP 1962

Thermal regime

Environmental setting, Barrow, Alaska Brown, J, [1970, p 50-64] MP 945
Temperature and flow conditions during the formation of river ice Ashton, G D, et al, [1970, 12p] MP 1723
Winter thermal structure and ice conditions on Lake Champlain Vermont Bates, R E, [1976, 22p.] CR 76-13
Winter thermal structure, ice conditions and climate of Lake Champlain Bates, R E, [1980, 26p] CR 80-02
Crude oil spills on subarctic permafrost in interior Alaska Johnson, L A, et al, [1980, 128p] MP 1310
Thermal observations of Mt St Helens before and during eruption St. Lawrence, W F, et al, [1980, p.1526-1527] MP 1482
Embankment dams on permafrost in the USSR Johnson, T C, et al, [1980, 59p] SR 80-41
Measuring building R-values for large areas Flanders, S N, et al, [1981, p 137-138] MP 1388
Some approaches to modeling phase change in freezing soils Hromadka, T V, II, et al, [1981, p 137-145] MP 1437
Theory of thermal control and prevention of ice in rivers and lakes Ashton, G D, [1982, p 131-185] MP 1554
Arctic thermal design Lunardini, V J, [1985, p 70-75] MP 2167
Review of analytical methods for ground thermal regime calculations Lunardini, V J, [1985, p 204-257] MP 1922

Thermal stresses

Thermal and load-associated distress in pavements Johnson, T C, et al, [1978, p 403-437] MP 1209
Physical and thermal disturbance and protection of permafrost Brown, J, et al, [1979, 42p] SR 79-05
Low temperature cracking susceptibility of asphalt concrete Janoo, V C, et al, [1987, p 397-415] MP 2233
Acoustic emissions from composites at decreasing temperatures Dutta, P K, et al, [1988, p 1090-1095] MP 2430

Thermistors
USACRREL precise thermistor meter. Trachier, G.M., et al, (1985, 34p.) SR 85-26
In-situ thermoconductivity measurements Faucher, M., (1986, p 13-14) MP 2137
Determination of frost penetration by soil resistivity measurements Atkins, R T, (1989, p.87-100) MP 2565
Simple and economical thermal conductivity measurement system. Atkins, R.T, (1989, p.108-116) MP 2566

Thermocouples
Determination of frost penetration by soil resistivity measurements. Atkins, R.T, (1989, p 87-100) MP 2565
Data acquisition: first the FERF then the world. Knuth, K.V, (1989, p.136-138) MP 2567

Thermodynamic properties
Thermodynamic deformation of wet snow Colbeck, S.C., (1976, 9p.) CR 76-44
Oxygen isotopes in the basal zone of Matanuska Glacier Lawson, D E, et al, (1979, p 673-685) MP 1177
Documentation for a two-level dynamic thermodynamic sea ice model. Hibler, W D., III, (1980, 35p.) SR 80-08
On modeling the Weddell Sea pack ice Hibler, W D., III, et al, (1982, p 125-130) MP 1549

Thermodynamics
Dynamic thermodynamic sea ice model. Hibler, W.D, III, (1979, p 815-846) MP 1247
Analysis of water in the Martian regolith Anderson, D.M, et al, (1979, p 33-[illegible] MP 1409
Thermodynamics of snow metamorphism due to variations in curvature Colbeck, S C., (1980, p 291-301) MP 1368
Modeling a variable thickness sea ice cover. Hibler, W D, III, (1980, p.1943-1973) MP 1424
Introduction to the basic thermodynamics of cold capillary systems Colbeck, S.C., (1981, 9p.) SR 81-06
Preliminary results of ice modeling in the East Greenland area. Tucker, W B, et al, (1981, p.867-878) MP 1458
Application of a numerical sea ice model to the East Greenland area Tucker, W.B, (1981, 109p.) MP 1535
Application of a numerical sea ice model to the East Greenland area Tucker, W.B, (1982, 40p.) CR 82-16
Physics of mathematical frost heave models a review. O'Neill, K, (1983, p 275-291) MP 1588
East Greenland Sea ice variability in large-scale model simulations. Walsh, J E, et al, (1984, p 9-14) MP 1779
On the decay and retreat of the ice cover in the summer MIZ Maykut, G.A., (1984, p 15-22) MP 1780
Thermodynamic model of creep at constant stress and constant strain rate. Fish, A M., (1984, p 143-161) MP 1771
Ice dynamics. Hibler, W.D., III, (1984, 52p.) M 84-03
Ice dynamics. Hibler, W D., III, (1986, p 577-640) MP 2211
Thermal and size evolution of sea spray droplets Andreas, E L., (1989, 37p.) CR 89-11
Low-temperature effects on systems for composting explosives-contaminated soils Ayorinde, O A, et al, (1989, 18p.) SR 89-38

Thermokarst
Human-induced thermokarst at old drill sites in northern Alaska. Lawson, D E, et al, (1978, p 16-23) MP 1254

Thickness
Sea ice growth, drift, and decay Hibler, W.D, III, (1980, p 141-209) MP 1298

Thickness gages
Update on portable hot-water sea ice drilling Govoni, J W, et al, (1989, p.175-178) MP 2479

Tibet
Terrain analysis from space shuttle photographs of Tibet Kreig, R.A., et al, (1986, p 400-409) MP 2097

Tidal currents
Baseline data on tidal flushing in Cook Inlet, Alaska Gatto, L.W., (1973, 11p.) MP 1523
Baseline data on the oceanography of Cook Inlet, Alaska Gatto, L W, (1976, 84p.) CR 76-25
Estuarine processes and intertidal habitats in Grays Harbor, Washington. a demonstration of remote sensing techniques Gatto, L.W, (1978, 79p.) CR 78-18
Remote sensing of water circulation in Grays Harbor, Washington Gatto, L W, (1980, p 289-323) MP 1283

Time factor
Numerical simulation of atmospheric ice accretion Ackley, S F, et al, (1979, p 44-52) MP 1235

Tires
Vehicle damage to tundra soil and vegetation Walker, D A., et al, (1977, 49p.) SR 77-17
Effects of low ground pressure vehicle traffic on tundra Abele, G, et al, (1978, 63p.) SR 78-16
CRREL instrumented vehicle for cold regions mobility measurements Blaisdell, G.L., (1982, 11p.) MP 1515
CRREL instrumented vehicle hardware and software. Blaisdell, G.L., (1983, 75p.) SR 83-03
Driving traction on ice with all-season and mud-and-snow radial tires Blaisdell, G.L, (1983, 22p.) CR 83-27
Radial tire demonstration Liston, R A, (1985, p 281-285) MP 2102
Performance based tire specification system for military wheeled vehicles Blaisdell, G L, (1985, p 277-280) MP 2101
Measurement and evaluation of tire performance under winter conditions Blaisdell, G L, (1985, p.198-228) MP 2387
ISTVS workshop on tire performance under winter conditions, 1983. (1985, 177p.) SR 85-15
Need for snow tire characterization and evaluation. Yong, R.N., et al, (1985, p 1-2) MP 2043
Winter tire tests 1980-81 Blaisdell, G L, et al, (1985, p 135-151) MP 2045
Field demonstration of traction testing procedures. Blaisdell, G.L., (1985, p 176) MP 2046
Radial tire and traction aid performance on ice and in snow. Rogers, T, et al, (1986, 20p.) SR 86-07
After-action report—Reforger '85 Liston, R A., (1986, 20p.) SR 86-22
Ice traction of tires Blaisdell, G L, et al, (1986, 11p.) SR 86-39
Instrumented vehicle for the measurement of mobility parameters Blaisdell, G L, (1988, p 377-388) MP 2486

Topographic effects
VLF airborne resistivity survey in Maine Arcone, S A., (1978, p 1399-1417) MP 1166
Transverse velocities and ice jamming potential in a river bend Zufelt, J.E, (1988, p 193-207) MP 2476

TOPOGRAPHIC FEATURES
Geology and physiography of cold regions Stearns, S R., (1965, 40p.) M I-A1
Climatology of the cold regions of the northern hemisphere, I Wilson, C., (1967, 141p.) M I-A3a

Topographic features
Arctic environment and the Arctic surface effect vehicle. Sterrett, K F, (1976, 28p.) CR 76-01
Effect of snow cover on obstacle performance of vehicles Hanamoto, B, (1976, p 121-140) MP 933
Topological properties of some trellis pattern channel networks Mock, S J, (1976, 54p.) CR 76-46
River channel characteristics at selected ice jam sites in Vermont Gatto, L W., (1978, 52p.) CR 78-25
Ice-cored mounds at Sukakpak Mountain, Brooks Range Brown, J, et al, (1983, p.91-96) MP 1653
Extraction of topography from side-looking satellite systems—a case study with SPOT simulation data. Ungar, S.G, et al, (1983, p 535-550) MP 1695
Spatial analysis in recreation resource management Edwardo, H A, et al, (1984, p.209-219) MP 2084
Geographic features and floods of the Ohio River Edwardo, H.A., et al, (1984, p 265-281) MP 2083
Terrain analysis from space shuttle photographs of Tibet Kreig, R A, et al, (1986, p.400-409) MP 2097

Topography
Recent measurements of sea ice topography in the eastern Arctic Krabill, W.B., et al, (1990, p 132-136) MP 2735

Towers
Communication tower icing in the New England region. Mulherin, N., et al, (1986, 7p.) MP 2109
Atmospheric icing on communication masts in New England Mulherin, N, (1986, 46p.) CR 86-17
Ice removal from broadcast towers by low-frequency vibrations Mulherin, N D, et al, (1988, 6p.) MP 2538

Tracked vehicles
Effects of hovercraft, wheeled and tracked vehicle traffic on tundra Abele, G., (1976, p 186-215) MP 1123
Effect of snow cover on obstacle performance of vehicles Hanamoto, B., (1976, p 121-140) MP 933
Effects of low ground pressure vehicle traffic on tundra at Lonely, Alaska Abele, G, et al, (1977, 32p.) SR 77-31
Volumetric constitutive law for snow under strain Brown, R.L., (1979, 13p.) CR 79-20
Ecological impact of vehicle traffic on tundra. Abele, G, (1981, p 11-37) MP 1463
Long-term effects of off-road vehicle traffic on tundra terrain Abele, G, et al, (1984, p 283-294) MP 1820
Mobility working group report Blaisdell, G L, et al, (1987, p 273-274) MP 2423
Vehicles for freight-hauling and for science traverses in Antarctica Mellor, M, (1988, Var p.) MP 2504

Traction
Shallow snow performance of wheeled vehicles Harrison, W.L, (1976, p 589 614) MP 1130
Workshop on snow traction mechanics, 1979 Harrison, W L, ed, (1981, 71p.) SR 81-16
Snow measurements in relation to vehicle performance. Harrison, W.L, (1981, p 13-24) MP 1473
Application of energetics to vehicle trafficability problems Brown, R.L, (1981, p 25-38) MP 1474
Prediction methods for vehicle traction on snow Harrison, W L, (1981, p.39-46) MP 1475
Field investigations of vehicle traction in snow Harrison, W L., (1981, p 47-48) MP 1476
Vehicle tests and performance in snow Berger, R H, et al, (1981, p 51-67) MP 1477
Shallow snow test results Harrison, W L, (1981, p 69-71) MP 1478
Shallow snow model for predicting vehicle performance Harrison, W L, (1981, 21p.) CR 81-20
CRREL instrumented vehicle for cold regions mobility measurements Blaisdell, G.L., (1982, 11p.) MP 1515
Measurement of snow surfaces and tire performance evaluation. Blaisdell, G L, et al, (1982, 7p.) MP 1516
Driving traction on ice with all-season and mud-and-snow radial tires Blaisdell, G.L, (1983, 22p.) CR 83-27
Vehicle for cold regions mobility measurements Blaisdell, G.L., (1985, p 9-20) MP 2044
Field demonstration of traction testing procedures. Blaisdell, G L, (1985, p 176) MP 2046
Radial tire and traction aid performance on ice and in snow. Rogers, T., et al, (1986, 20p.) SR 86-07
Ice traction of tires Blaisdell, G.L, et al, (1986, 11p.) SR 86-39
Vehicle mobility over snow Blaisdell, G.L, (1987, p 265-266) MP 2420
Instrumented vehicle for the measurement of mobility parameters Blaisdell, G L, (1988, p 377-388) MP 2486
Performance of an omni-directional wheel on snow and ice. Blaisdell, G S, (1989, 21p + append.) MP 2711
Thawing soil strength measurements for predicting vehicle performance. Shoop, S.A., (1989, 18p.) MP 2749

Tractors
Vehicles for freight-hauling and for science traverses in Antarctica Mellor, M, (1988, Var. p.) MP 2504
Evaluation of the Caterpillar Challenger tractor for use in Antarctica Blaisdell, G.L., et al, (1989, 12p + figs.) MP 2718

Trafficability
Instrument for determining snow properties related to trafficability. Parrott, W H., et al, (1972, p 193-204) MP 886
Evaluation of an air cushion vehicle in Northern Alaska. Abele, G, et al, (1976, 7p.) MP 894
Effect of snow cover on obstacle performance of vehicles Hanamoto, B, (1976, p 121-140) MP 933
Arctic transportation: operational and environmental evaluation of an air cushion vehicle in northern Alaska Abele, G., et al, (1977, p 176-182) MP 985
Workshop on snow traction mechanics, 1979. Harrison, W.L., ed, (1981, 71p.) SR 81-16
Application of energetics to vehicle trafficability problems. Brown, R.L, (1981, p 25-38) MP 1474
Prediction methods for vehicle traction on snow Harrison, W.L., (1981, p 39-46) MP 1475
Field investigations of vehicle traction in snow. Harrison, W L, (1981, p.47-48) MP 1476
Shallow snow test results Harrison, W.L, (1981, p 69-71) MP 1478
Mobility bibliography Liston, N., comp, (1981, 313p.) SR 81-29
Vechicle mobility and snowpack parameters Berger, R.H, (1983, 26p.) CR 83-16
Evaluating trafficability McKim, H L, (1985, p 474-475) MP 2023
Trailing-tire motion resistance in shallow snow Blaisdell, G L, (1987, p.296-304) MP 2248

Transformations
Modeling N transport and transformations in soils. Selim, H M, et al, (1981, p 233-241) MP 1440
Modeling nitrogen transport and transformations in soils: 2. Validation Iskandar, I K, et al, (1981, p 303-312) MP 1441

Transmission
Catalog of smoke/obscurant characterization instruments O'Brien, H W., et al, (1984, p 77-82) MP 1865
Performance of microprocessor-controlled snow crystal replicator. Koh, G, (1984, p 107-111) MP 1866
Impact of wet snow on visible, infrared and millimeter wave attenuation Bates, R.E, et al, (1988, p 523-535) MP 2608

Transmission lines
Undersea pipelines and cables in polar waters Mellor, M, (1978, 34p.) CR 78-22
Ice accretion and aerodynamic loading of transmission lines Egelhofer, K.Z, et al, (1987, p 103-109) MP 2279

Transmissivity
Snow-Two/Smoke Week VI field experiment plan Redfield, R K, et al, (1984, 85p.) SR 84-19
Snow Symposium, 4th, Hanover, NH, Vol 1 (1984, 433p.) SR 84-35
Approach to snow propagation modeling Koh, G., (1984, p 247-259) MP 1869
Explosive obscuration sub-test results at the SNOW-TWO field experiment Ebersole, J F, et al, (1984, p 347-354) MP 1872
SNOW III WEST field experiment report Volume I Lacombe, J, et al, (1988, 170p.) SR 88-28

Transportation
Arctic transportation: operational and environmental evaluation of an air cushion vehicle in northern Alaska Abele, G, et al (1977, p 176-182) MP 985
Operation of the CRREL prototype air transportable shelter. Flanders, S N., (1980, 73p.) SR 80-10
Cold regions testing of an air-transportable shelter Flanders, S N, (1981, 20p.) CR 81-16
Mobility bibliography Liston, N, comp, (1981, 313p.) SR 81-29
Brittleness of reinforced concrete structures under arctic conditions Kivekäs, L, et al, (1986, 20p.) CR 86-02

Vehicle mobility over snow. Blaisdell, G.L., (1987, p.265-266) MP 2420
Arctic mobility problems. Abele, G, (1987, p.267-269) MP 2421

Trees (plants)
Upland forest and its soils and litters in interior Alaska Troth, J.L., et al, (1976, p.33-44) MP 867
Wastewater applications in forest ecosystems McKim, H.L, et al, (1982, 22p.) CR 82-19

Trenching
Some aspects of Soviet trenching machines. Mellor, M, (1980, 13p.) SR 80-07
Subsea trenching in the Arctic Mellor, M, (1981, p 843-882) MP 1464
Ice gouge hazard analysis Lanan, G.A., et al, (1986, p.57-66) MP 2106

Triaxial tests
Kinetic nature of the long term strength of frozen soils Fish, A.M., (1980, p.95-108) MP 1450

Trialtrotoluene
Vapor pressure of TNT by gas chromatography Leggett, D.C., (1977, p 83-90) MP 915

Tundra
Abiotic overview of the Tundra Biome Program, 1971. Weller, G., et al, (1971, p 173-181) MP 906
Ecological and environmental consequences of off-road traffic in northern regions Brown, J, (1976, p 40-53) MP 1383
Geoecological mapping scheme for Alaskan coastal tundra. Everett, K.R., et al, (1978, p 359-365) MP 1098
1977 tundra fire at Kokolik River, Alaska Hall, D.K., et al, (1978, 11p) SR 78-10
Human-induced thermokarst at old drill sites in northern Alaska Lawson, D.E, et al, (1978, p 16-23) MP 1254
Tundra lakes as a source of fresh water. Kipnuk, Alaska Bredthauer, S.R, et al, (1979, 16p) SR 79-30
Recovery of the Kokolik River tundra area, Alaska. Hall, D.K, et al, (1979, 15p.) MP 1638
Geobotanical atlas of the Prudhoe Bay region, Alaska. Walker, D.A, et al, (1980, 69p) CR 80-14
Arctic ecosystem the coastal tundra at Barrow, Alaska Brown, J., ed, (1980, 571p) MP 1355
Coastal tundra at Barrow. Brown, J., et al, (1980, p.1-29) MP 1356
Remote sensing of revegetation of burned tundra, Kokolik River, Alaska Hall, D.K, et al, (1980, p 263-272) MP 1391
Road dust along the Haul Road, Alaska. Everett, K R, (1980, p 101-128) MP 1352
Effects of a tundra fire on soil and vegetation. Racine, C, (1980, 21p.) SR 80-37
Summer air temperature and precipitation in northern Alaska Haugen, R.K, et al, (1980, p.403-412) MP 1439
Tundra and analogous soils Everett, K R, et al, (1981, p 139-179) MP 1405
Analysis of processes of primary production in tundra growth forms Tieszen, L L, et al, (1981, p 285-356) MP 1433
Point Barrow, Alaska, USA Brown, J, (1981, p 775-776) MP 1434
Stabilizing fire breaks in tundra vegetation. Patterson, W A, III, et al, (1981, p 188-189) MP 1804
Ecological impact of vehicle traffic on tundra Abele, G, (1981, p 11-37) MP 1463
Tundra soils on the Arctic Slope of Alaska Everett, K R, et al, (1982, p 264-280) MP 1552
Modifications of permafrost, East Oumalik, Alaska Lawson, D E, (1982, 33p) CR 82-36
Environmental mapping of the Arctic National Wildlife Refuge, Alaska Walker, D A, et al, (1982, 59p + 2 maps) CR 82-37
Recovery and active layer changes following a tundra fire in northwestern Alaska Johnson, L, et al, (1983, p 543-547) MP 1660
Vegetation in two adjacent tundra habitats, northern Alaska. Roach, D.A., (1983, p 359-364) MP 2064
U.S. tundra biome publication list. Brown, J, et al, (1983, 29p) SR 83-29
Sensitivity of vegetation and soil flora to seawater spills, Alaska Simmons, C.L, et al, (1983, 35p) CR 83-24
Potential responses of permafrost to climatic warming Goodwin, C.W, et al, (1984, p 92-105) MP 1710
Long-term effects of off-road vehicle traffic on tundra terrain Abele, G, et al, (1984, p 283-294) MP 1820
Vegetation recovery in the Cape Thompson region, Alaska Everett, K.R, et al, (1985, 75p) CR 85-11
Vegetation and environmental gradients of the Prudhoe Bay region, Alaska Walker, D A, (1985, 239p) CR 85-14
Vegetation of Beechey Point, Alaska Walker, D A., et al, (1987, 63p) CR 87-05
Disturbance and recovery of arctic Alaskan tundra terrain Walker, D.A., et al, (1987, 63p) CR 87-11
Vegetation recovery after tundra fires in northwestern Alaska Racine, C., et al, (1987, p.461-469) MP 2374
D.C. resistivity along the coast at Prudhoe Bay, Alaska Sellmann, P V., et al, (1988, p 988-993) MP 2366
Effects of all terrain vehicles on tundra Racine, C, et al, (1988, 12p) SR 88-17

Tundra biome
Tundra biome program. Brown, J, (1970, p.1278) MP 881
Tundra biome applies new look to ecological problems in Alaska. Brown, J., (1970, p 9) MP 880
Summary of the 1971 US Tundra Biome Program. Brown, J., (1972, p 306-313) MP 995
Case for comparison and standardization of carbon dioxide reference gases. Kelley, J.J., et al, (1973, p 163-181) MP 964
Soil properties of the International Tundra Biome sites. Brown, J., et al, (1974, p 27-48) MP 1043
Ecological investigations of the tundra biome in the Prudhoe Bay Region, Alaska. Brown, J, ed, (1975, 215p) MP 1053

Tundra climate
Tundra environment at Barrow, Alaska. Bunnell, F.L., et al, (1975, p 73-124) MP 1050

Tundra soils
Word model of the Barrow ecosystem. Brown, J., et al, (1970, p 41-43) MP 943
Synthesis and modeling of the Barrow, Alaska, ecosystem. Coulombe, H.N., et al, (1970, p 44-49) MP 944
Environmental setting, Barrow, Alaska. Brown, J, (1970, p.50-64) MP 945
Ecological effects of oil spills and seepages in cold-dominated environments. McCown, B H, et al, (1971, p.61-65) MP 905
Prediction and validation of temperature in tundra soils Brown, J, et al, (1971, p.193-197) MP 907
Proceedings 1972 Tundra Biome symposium (1972, 211p) MP 1374
Pedologic investigations in northern Alaska. Tedrow, J.C.F., (1973, p.93-108) MP 1005
Micrometeorological investigations near the tundra surface. Kelley, J J., (1973, p.109-126) MP 1006
Soil properties of the International Tundra Biome sites. Brown, J., et al, (1974, p 27-48) MP 1043
Ecological investigations of the tundra biome in the Prudhoe Bay Region, Alaska. Brown, J, ed, (1975, 215p) MP 1053
Selected climatic and soil thermal characteristics of the Prudhoe Bay region. Brown, J, et al, (1975, p.3-12) MP 1054
Thermal properties and regime of wet tundra soils at Barrow, Alaska. McGaw, R., et al, (1978, p.47-53) MP 1096
Geoecological mapping scheme for Alaskan coastal tundra. Everett, K R., et al, (1978, p 359-365) MP 1098
Fate of crude and refined oils in North Slope soils Sexstone, A, et al, (1978, p 339-347) MP 1186

Tundra terrain
Morphology of the North Slope Walker, H J, (1973, p 49-52) MP 1004
Vehicle damage to tundra soil and vegetation Walker, D A, et al, (1977, 49p.) SR 77-17

Tundra vegetation
Word model of the Barrow ecosystem. Brown, J., et al, (1970, p 41-43) MP 943
Synthesis and modeling of the Barrow, Alaska, ecosystem Coulombe, H.N., et al, (1970, p 44-49) MP 944
Environmental setting, Barrow, Alaska Brown, J, (1970, p 50-64) MP 945
Carbon dioxide dynamics on the Arctic tundra Coyne, P I, et al, (1971, p.48-52) MP 903
Seasonal variations in plant nutrition in tundra soils McCown, B H, et al, (1971, p 55-57) MP 904
Ecological effects of oil spills and seepages in cold-dominated environments McCown, B H, et al, (1971, p.61-65) MP 905
Proceedings 1972 Tundra Biome symposium (1972, 211p) MP 1374
Carbon dioxide exchange in tundra vegetation Coyne, P I, et al, (1972, p.36-39) MP 1375
Vegetative research in arctic Alaska. Johnson, P L, et al, (1973, p.169-198) MP 1008
Tundra environment at Barrow, Alaska. Bunnell, F L, et al, (1975, p 73-124) MP 1050
Ecological investigations of the tundra biome in the Prudhoe Bay Region, Alaska Brown, J, ed, (1975, 215p) MP 1053
Effects of hovercraft, wheeled and tracked vehicle traffic on tundra Abele, G, (1976, p 186-215) MP 1123
Influence of grazing on Arctic tundra ecosystems Batzli, G O., et al, (1976, p 153-160) MP 970
Energy balance and runoff fr[om] subarctic snowpack Price, A G, et al, (1976, 29p) CR 76-27
Vehicle damage to tundra soil an[d] vegetation Walker, D.A., et al, (1977, 49p) SR 77-17
Effects of low ground - vehicle traffic on tundra at Lonely, Alaska [Arctic] et al, (1977, 32p) SR 77-31
1977 tundra fire in the Kokolik River area of Alaska Hall, D K., et al, (1978, p 54-58) MP 1125
Chemical composition of haul road dust and vegetation Iskandar, I K., et al, (1978, p.110-111) MP 1116
Thermal properties and regime of wet tundra soils at Barrow, Alaska McGaw, R, et al, (1978, p 47-53) MP 1096
Climatic and dendroclimatic indices in the discontinuous permafrost zone of the Central Alaskan Uplands Haugen, R.K., et al, (1978, p.392-398) MP 1099
Ecological baseline on the Alaskan haul road. Brown, J., ed, (1978, 131p.) SR 78-13
Effects of low ground pressure vehicle traffic on tundra. Abele, G., et al, (1978, 63p) SR 78-16
Plant recovery from Arctic oil spills. Walker, D.A., et al, (1978, p 242-259) MP 1184
Tundra recovery since 1949 near Fish Creek, Alaska. Lawson, D.E., et al, (1978, 81p) CR 78-28

Tunneling (excavation)
Kinematics of axial rotation machines. Mellor, M, (1976, 45p) CR 76-16

Tunnels
Some experiences with tunnel entrances in permafrost. Linell, K A., et al, (1978, p.813-819) MP 1107
Field dielectric measurements of frozen silt using VHF pulses. Arcone, S.A., et al, (1984, p 29-37) MP 1774
Condensing steam tunnel heat sinks. Lunardini, V.J, (1986, 29p) SR 86-24
Fox permafrost tunnel, a late Quaternary geologic record in central Alaska. Hamilton, T D, et al, (1988, p.948-969) MP 2355

Turbidity
Correlation and quantification of airborne spectrometer data to turbidity measurements at Lake Powell, Utah Merry, C J., (1970, p 1309-1316) MP 1271
Water quality measurements at Lake Powell, Utah. Merry, C J., (1977, 38p) SR 77-28
Use of SPOT HRV data in the Corps of Engineers dredging program. Merry, C J, et al, (1988, p 1295-1299) MP 2528

Turbulence
Measurements of refractive index spectra over snow Andreas, E L., (1986, p.248-260) MP 2212
Atmospheric stability from scintillation measurements. Andreas, E L., (1988, p.2241-2246) MP 2386
On the micrometeorology of surface hoar growth on snow in mountainous area Colbeck, S C., (1988, p.1-12) MP 2359
Three-wavelength scintillation measurement of turbulent heat fluxes Andreas, E.L, (1990, p.74-77) MP 2696

Turbulent boundary layer
Bulk transfer coefficients for heat and momentum over leads and polynyas. Andreas, E.L, et al, (1986, p.1875-1883) MP 2187
Spectral measurements in a disturbed boundary layer over snow Andreas, E.L., (1987, p 1912-1939) MP 2254
Estimating averaging times for measurements of turbulence spectra Andreas, E.L, (1988, p 295-304) MP 2434

Turbulent exchange
Carbon dioxide exchange in tundra vegetation Coyne, P.I., et al, (1972, p.36-39) MP 1375
Turbulent heat flux from Arctic leads Andreas, E.L., et al, (1979, p 57-91) MP 1340
Estimation of heat and mass fluxes over Arctic leads. Andreas, E.L., (1980, p 2057-2063) MP 1410
Condensate profiles over Arctic leads Andreas, E.L., et al, (1981, p 437-460) MP 1479

Turbulent flow
Formation of ice ripples on the underside of river ice covers Ashton, G D., (1971, 157p) MP 1243
Baseline data on the oceanography of Cook Inlet, Alaska Gatto, L W., (1976, 84p.) CR 76-25
Frazil ice formation in turbulent flow Müller, A, et al, (1978, p 219-234) MP 1135
Turbulent heat transfer from a river to its ice cover Haynes, F.D, et al, (1979, 5p) CR 79-13
Freezing in a pipe with turbulent flow Albert, M R, et al, (1983, p 102-112) MP 1893
Spectra and cospectra of atmospheric turbulence over snow Andreas, E L, (1986, p 219-233) MP 2661
Evolution of frazil ice in rivers and streams, research and control Daly, S F, (1987, p.11-16) MP 2303
Estimating turbulent surface heat fluxes over polar, marine surfaces Andreas, E L, (1988, p 65-68) MP 2448

U S. Army CRREL
Role of research in developing surface protection measures for the Arctic Slope of Alaska Johnson, P.R., (1978, p 202-205) MP 1068
Cold Regions Research and Engineering Laboratory Freitag, D R, (1978, p 4-6) MP 1251
Corps of engineers seek ice solutions Frankenstein, G E, (1987, p 5-7) MP 2219

Ultrasonic tests
Acoustic emissions in the investigation of avalanches St Lawrence, W.F, (1977, p VII/24-VII/33) MP 1630
Ultrasonic measurements on deep ice cores from Antarctica Gow, A J, et al, (1978, p 48-50) MP 1202
Ultrasonic investigation on ice cores from Antarctica Kohnen, H., et al, (1979, 16p) CR 79-10
Ultrasonic investigation on ice cores from Antarctica. Kohnen, H., et al, (1979, p 4865-4874) MP 1239
Ultrasonic tests of Byrd Station ice cores Gow, A J, et al, (1979, p 147-153) MP 1282
Acoustic emission response of snow St Lawrence, W F, (1980, p 209-216) MP 1366

Ultraviolet radiation
Observations of the ultraviolet spectral reflectance of snow O'Brien, H.W, (1977, 19p) CR 77-27

Underground facilities
Experimental scaling study of an annular flow ice-water heat sink. Stubstad, J.M., et al, (1977, 54p.) CR 77-15
Design procedures for underground heat sink systems Stubstad, J.M., et al, (1979, 186p in var. pagns) SR 79-08
Comparative field testing of buried utility locators Bigl, S.R., et al, (1984, 25p.) MP 1977
Detection of buried utilities Bigl, S.R., et al, (1984, 36p) CR 84-31
Prevention of freezing of wastewater treatment facilities. Reed, S.C, et al, (1985, 49p) SR 85-11
Locating buried utilities Bigl, S.R., (1985, 48p.) SR 85-14
Detecting underground objects/utilities Hironaka, M.C., et al, (1987, p 36-43) MP 2281
Underground pipelines
Phase change around insulated buried pipes quasi-steady method. Lunardini, V.J., (1981, p 201-207) MP 1496
Transient analysis of heat transmission systems. Phetteplace, G., (1981, 53p) CR 81-24
Heat losses from the central heat distribution system at Fort Wainwright. Phetteplace, G., (1982, p.308-328) MP 2310
Approximate phase change solutions for insulated buried cylinders. Lunardini, V.J., (1983, p.25-32) MP 1593
Computer models for two-dimensional steady-state heat conduction. Albert, M.R., et al, (1983, 90p) CR 83-10
Mitigative and remedial measures for chilled pipelines in discontinuous permafrost. Sayles, F.H., (1984, p 61-62) MP 1974
Radar investigations above the trans-Alaska pipeline near Fairbanks Arcone, S.A., et al, (1984, 15p) CR 84-27
Simplified design procedures for heat transmission system piping Phetteplace, G., (1985, p.451-456) MP 1979
UNDERSNOW FACILITIES
Methods of build g on permanent snowfields Mellor, M., (1968, 43p) M III-A2a
Investigation and exploitation of snowfield sites Mellor, M., (1969, 57p) M III-A2b
Underwater acoustics
Acoustic waves incident on a seawater/sea ice interface. Jezek, K.C., (1985, 10p) SR 85-10
Ice strength estimates from submarine topsounder data DiMarco R., et al, (1989, p 425-426) MP 2691
Underwater ice
Field investigations of a hanging ice dam. Beltaos, S., et al, (1982, p.475-488) MP 1533
Eruptions from under-ice explosions Mellor, M., et al, (1988, 26p) SR 88-14
Development of an underwater frazil-ice detector Daly, S.F., et al, (1990, p 77-82) MP 2702
Unfrozen water content
Ionic migration and weathering in frozen Antarctic soils Ugolini, F.C., et al, (1973, p 461-470) MP 941
Depth of water-filled crevasses that are closely spaced. Robin, G. de Q., et al, (1974, p 543-544) MP 1038
Electrical resistivity profile of permafrost Hoekstra, P., (1974, p 28-34) MP 1045
Prediction of unfrozen water contents in frozen soils from liquid determinations Tice, A.R., et al, (1976, 9p) CR 76-08
Applications of thermal analysis to cold regions Sterrett, K.F., (1976, p 167-181) MP 890
Calculating unfrozen water content of frozen soils McGaw, R., et al, (1976, p 114-122) MP 899
Determination of unfrozen water in frozen soil by pulsed nuclear magnetic resonance Tice, A.R., et al, (1978, p.149-155) MP 1097
NMR phase composition measurements on moist soils Tice, A.R., et al, (1978, p.11-14) MP 1210
Low temperature phase changes in moist, briny clays. Anderson, D.M., et al, (1980, p 139-144) MP 1330
Frost heave in an instrumented soil column. Berg, R.L., et al, (1980, p 211-221) MP 1331
Unfrozen water contents of submarine permafrost determined by nuclear magnetic resonance Tice, A.R., et al, (1980, p 400-412) MP 1412
Some approaches to modeling phase change in freezing soils Hromadka, T.V., II, et al, (1981, p 137-145) MP 1437
Relationship between the ice and unfrozen water phases in frozen soil. Tice, A.R., et al, (1982, 8p) CR 82-15
Snow calorimetric measurement at SNOW-ONE Fisk, D., (1982, p 133-138) MP 1986
Comparison of unfrozen water contents measured by DSC and NMR Oliphant, J.L., et al, (1982, p 115-121) MP 1594
Liquid sampler Rand, J.H., (1982, 4 col) MP 2334
Relationship between ice and unfrozen water in frozen soils Tice, A.R., et al, (1983, p.37-46) MP 1632
Free water measurements of a snowpack. Fisk, D.J., (1983, p 173-176) MP 1758
Effect of loading on the unfrozen water content of silt. Oliphant, J.L., et al, (1983, 17p) SR 83-18
Ice-cored mounds at Sukakpak Mountain, Brooks Range Brown, J., et al, (1983, p 91-96) MP 1653
Investigation of transient processes in an advancing zone of freezing. McGaw, R., et al, (1983, p.821-825) MP 1663
Soil-water diffusivity of unsaturated frozen soils at subzero temperatures Nakano, Y., et al, (1983, p 889-893) MP 1664
Water migration due to a temperature gradient in frozen soil Oliphant, J.L., et al, (1983, p 951-956) MP 1666
Frozen soil-water diffusivity under isothermal conditions. Nakano, Y., et al, (1983, 8p) CR 83-22
Modeling the resilient behavior of frozen soils using unfrozen water content. Cole, D.M., (1984, p.823-834) MP 1715
Aquatic plant growth in relation to temperature and unfrozen water content. Palazzo, A.J., et al, (1984, 8p.) CR 84-14
Effects of salt on unfrozen water content in silt, Lanzhou, China Tice, A.R., et al, (1984, 18p.) CR 84-16
Effects of magnetic particles on the unfrozen water content in soils Tice, A.R., et al, (1984, p 63-73) MP 1790
Phase equilibrium in frost heave of fine-grained soil Nakano, Y., et al, (1985, p.50-68) MP 1896
Effects of soluble salts on the unfrozen water content in silt Tice, A.R., et al, (1985, p 99-109) MP 1933
Model for dielectric constants of frozen soils Oliphant, J.L., (1985, p.46-57) MP 1926
Frozen ground physics Fish, A.M., (1985, p 29-36) MP 1928
Unfrozen water content in frozen ground Xu, X., et al, (1985, p 83-87) MP 1929
Soil-water potential and unfrozen water content and temperature Xu, X., et al, (1985, p 1-14) MP 1932
Liquid water mass fraction of snow measured by alcohol solution Fisk, D.J., (1986, p 538-541) MP 2245
Transport of water in frozen soil 6 Effects of temperature Nakano, Y., et al, (1987, p 44-50) MP 2213
Alcohol calorimetry for measuring the liquid water fraction of snow Fisk, D.J., (1987, p.163-166) MP 2261
Intercomparison of snow cover liquid water measurement techniques Boyne, H.S., et al, (1987, p 167-172) MP 2262
Factors affecting water migration in frozen soils Xu, X., et al, (1987, 16p) CR 87-09
Comparison of snow cover liquid water measurement techniques. Boyne, H.S., et al, (1987, p.1833-1836) MP 2283
Soil freezing and unfrozen water content Lunardini, V.J., (1988, 23p) CR 88-02
Measurement of the unfrozen water content of soils: a comparison of NMR and TDR methods Smith, M.W., et al, (1988, p 473-477) MP 2363
Effect of variable thermal properties on freezing with an unfrozen water content. Lunardini, V.J., (1988, p.1127-1132) MP 2370
Unfrozen water content of soils Smith, M.W., et al, (1988, 11p) CR 88-18
Unfrozen water content of undisturbed frozen silt Tice, A.R., et al, (1988, 17p) CR 88-19
Unfrozen water contents of six antarctic soil materials Anderson, D.M., et al, (1989, p 353-366) MP 2470
Soil freezing and soil water in sandy loam Black, P.B., et al, (1989, p 2205-2210) MP 2577
Unfrozen water contents of undisturbed and remolded Alaskan silt. Tice, A.R., et al, (1989, p 103-111) MP 2683
Hydraulic conductivity and unfrozen water content of frozen silt. Black, P.B., et al, (1990, p.323-329) MP 2551
Predicting unfrozen water content behavior of a soil Black, P.B., et al, (1990, p 54-60) MP 2677
Transport of water due to a temperature gradient in unsaturated frozen clay Nakano, Y., et al, (1990, p 57-75) MP 2701
Unfrozen water content and hydraulic conductivity of frozen soil Black, P.B., (1990, 7p) CR 90-05
United Kingdom
Utility distribution systems in Sweden, Finland, Norway and England. Aamot, H.W.C., et al, (1976, 121p) SR 76-16
United States
Snow and ice prevention in the United States Minsk, L.D., (1986, p 37-42) MP 1874
Snowfall amounts and snow depths in Germany and NE USA. Bates, R.E., et al, (1988, p 107-117) MP 2401
U.S. Federal arctic research. Devine, J.S., et al, (1989, p 65-74) MP 2671
—Alaska
Tundra biome applies new look to ecological problems in Alaska Brown, J., (1970, p 9) MP 880
Summary of the 1971 US Tundra Biome Program Brown, J., (1972, p.306-313) MP 995
Radiation and evaporation heat loss during ice fog conditions McFadden, T., (1975, p 18-27) MP 1051
Land treatment of wastewater at a subarctic Alaskan location Sletten, R.S., et al, (1976, 21p) MP 868
Haines-Fairbanks pipeline: design, construction and operation. Garfield, D.E., et al, (1977, 20p) SR 77-04
Land treatment of wastewater in subarctic Alaska Sletten, R.S., et al, (1977, p 533-547) MP 1268
Mid-winter installation of protected membrane roofs in Alaska Aamot, H.W.C., (1977, 5p) CR 77-21
Maintaining buildings in the Arctic Tobiasson, W., et al, (1977, p 244-251) MP 1508
Large mobile drilling rigs used along the Alaska pipeline Seilmann, P.V., et al, (1978, 23p) SR 78-04
Specialized pipeline equipment. Hanamoto, B., (1978, 30p) SR 78-05
Environmental atlas of Alaska. Hartman, C.W., et al, (1978, 95p.) MP 1204
Geoecological mapping scheme for Alaskan coastal tundra. Everett, K.R., et al, (1978, p 359-365) MP 1098
Notes and quotes from snow and ice observers in Alaska. Bilello, M.A., (1979, p.116-118) MP 1631
Environment of the Alaskan Haul Road. Brown, J., (1980, p 3-52) MP 1350
Movement study of the trans-Alaska pipeline at selected sites. Ueda, H.T., et al, (1981, 32p) CR 81-04
Climate of remote areas in north-central Alaska. 1975-1979 summary. Haugen, R.K., (1982, 110p) CR 82-35
Guidebook to permafrost and its features, northern Alaska. Brown, J., ed, (1983, 230p) MP 1640
Long-term active layer effects of crude oil spilled in interior Alaska Collins, C.M., (1983, p.175-179) MP 1656
Relationships between estimated mean annual air and permafrost temperatures in North-Central Alaska. Haugen, R.K., et al, (1983, p 462-467) MP 1658
Science program for an imaging radar receiving station in Alaska. Weller, G., et al, (1983, 45p) MP 1884
Growth and flowering of tussocks in northcentral Alaska. Haugen, R.K., et al, (1984, p.10-11) MP 1950
Revegetation along pipeline rights-of-way in Alaska Johnson, L., (1984, p.254-264) MP 2113
Vegetation and environmental gradients of the Prudhoe Bay region, Alaska Walker, D.A., (1985, 239p) CR 85-14
Glaciers and sediment. Bezinge, A., et al, (1986, p 53-69) MP 2154
Ice problems associated with rivers and reservoirs. Benson, C., et al, (1986, p.70-98) MP 2155
Permafrost. Benson, C., et al, (1986, p.99-106) MP 2156
Engineering surveys along the Trans-Alaska Pipeline. Godfrey, R.N., et al, (1986, 85p) SR 86-28
Alaska synthetic aperture radar (SAR) facility project. Carsey, F., et al, (1987, p.593-596) MP 2408
Disturbance and recovery of arctic Alaskan tundra terrain. Walker, D.A., et al, (1987, 63p) CR 87-11
Natural ground temperatures in upland bedrock terrain, interior Alaska. Collins, C.M., et al, (1988, p 56-60) MP 2360
Investigations of dielectric properties of some frozen materials Arcone, S.A., et al, (1989, 18p) CR 89-04
Use of off-road vehicles and mitigation of effects in Alaska permafrost environments a review. Slaughter, C.W., et al, (1990, p 63-72) MP 2682
Jökulhlaup involving a potholed glacier in AK Sturm, M., et al, (1990, p 125-126) MP 2708
—Alaska—Anchorage
Alaska Good Friday earthquake of 1964. Swinzow, G.K., (1982, 26p) CR 82-01
—Alaska—Arctic National Wildlife Refuge
Environmental mapping of the Arctic National Wildlife Refuge, Alaska Walker, D.A., et al, (1982, 59p. + 2 maps) CR 82-37
—Alaska—Atkasook
Surface temperature data for Atkasook, Alaska summer 1975 Haugen, R.K., et al, (1976, 25p) SR 76-01
—Alaska—Barrow
Word model of the Barrow ecosystem. Brown, J., et al, (1970, p 41-43) MP 943
Synthesis and modeling of the Barrow, Alaska, ecosystem. Coulombe, H.N., et al, (1970, p 44-49) MP 944
Environmental setting, Barrow, Alaska Brown, J., (1970, p 50-64) MP 945
Bibliography of the Barrow, Alaska, IBP ecosystem model. Brown, J., (1970, p 65-71) MP 946
Tundra environment at Barrow, Alaska Bunnell, F.L., et al, (1975, p 73-124) MP 1050
Snowdrift control at ILS facilities in Alaska Calkins, D.J., (1976, 41p) MP 914
Arctic ecosystem: the coastal tundra at Barrow, Alaska. Brown, J., ed, (1980, 571p) MP 1355
Point Barrow, Alaska, USA Brown, J., (1981, p 775-776) MP 1434
—Alaska—Beechey Point
Vegetation of Beechey Point, Alaska Walker, D.A., et al, (1987, 63p) CR 87-05
—Alaska—Caribou Creek
Hydrology and climatology of a drainage basin near Fairbanks, Alaska Haugen, R.K., et al, (1982, 34p) CR 82-26
—Alaska—Central Alaskan Uplands
Climatic and dendroclimatic indices in the discontinuous permafrost zone of the Central Alaskan Uplands Haugen, R.K., et al, (1978, p 392-398) MP 1099
—Alaska—Chena River
Debris of the Chena River McFadden, T., et al, (1976, 14p) CR 76-26
Ice breakup on the Chena River 1975 and 1976 McFadden, T., et al, (1977, 44p) CR 77-14
—Alaska—Cook Inlet
Baseline data on tidal flushing in Cook Inlet, Alaska. Gatto, L.W., (1973, 11p) MP 1523

Circulation and sediment distribution in Cook Inlet, Alaska. Gatto, L.W., (1976, p.205-227) MP 895

—Alaska—Deadhorse

Snowdrift control at ILS facilities in Alaska. Calkins, D.J., (1976, 41p.) MP 914

UNITED STATES

—ALASKA—DONNELLY DOME

Patterned ground in Alaska. Péwé, T.L., et al, (1969, 87p.) MP 1180

United States

—Alaska—Eielson AFB

Thermal pollution studies of French Creek, Eielson AFB, Alaska. McFadden, T., (1976, 5p.) CR 76-14

—Alaska—Fairbanks

Biological restoration strategies in relation to nutrients at a subarctic site in Fairbanks, Alaska Johnson, L.A., (1978, p.460-466) MP 1100

Chena River Lakes Project revegetation study—three-year summary. Johnson, L.A., et al, (1981, 59p.) CR 81-18

Heat loss from the central heat distribution system, Fort Wainwright. Phetteplace, G., (1982, 20p.) MP 1980

Radar investigations above the trans-Alaska pipeline near Fairbanks. Arcone, S.A., et al. (1984, 15p.) CR 84-27

Preparation of geophysical borehole site with ground ice, Fairbanks, AK. Delaney, A.J., (1987, 15p.) SR 87-07

Frost heave forces on H and pipe foundation piles Buska, J.S., et al, (1988, p.1039-1044) MP 2367

Water and suspended solids discharge during snowmelt Chacho, E.F., Jr., (1990, p.167-173) MP 2706

—Alaska—Fort Wainwright

Thermal infrared survey of winter trails at Fort Wainwright Collins, C.M., et al, (1990, 16p.) SR 90-17

—Alaska—Harrison Bay

Subsea permafrost in Harrison Bay, Alaska Neave, K.G., et al, (1982, 62p.) CR 82-24

—Alaska—Kachemak Bay

Ice distribution and winter surface circulation, Kachemak Bay, Alaska. Gatto, L.W., (1981, p.995-1001) MP 1442

Ice distribution and winter ocean circulation, Kachemak Bay, Alaska. Gatto, L.W., (1981, 43p.) CR 81-22

Ice growth and circulation in Kachemak Bay, Alaska Daly, S.F., (1982, p.(C)1-(C)9) MP 1501

Ice distribution and water circulation, Kachemak Bay, Alaska Gatto, L.W., (1982, p.421-435) MP 1569

—Alaska—Kenai Mountains

Periglacial landforms and processes, Kenai Mts., Alaska Bailey, P.K., (1985, 60p.) SR 85-03

—Alaska—Kokolik River

Recovery of the Kokolik River tundra area, Alaska Hall, D.K., et al, (1979, 15p.) MP 1638

—Alaska—Livengood

Construction and performance of the Hess creek earth fill dam, Livengood, Alaska Simoni, O.W., (1973, p.23-34) MP 859

—Alaska—Matanuska Glacier

Subaerial sediment flow of the Matanuska Glacier, Alaska Lawson, D.E., (1982, p.279-300) MP 1806

—Alaska—Mukluk Island

Mukluk ice stress measurement program Cox, G.F.N., (1988, p.11-15) MP 2618

—Alaska—North Slope

Radar imagery of ice covered North Slope lakes Weeks, W.F., et al, (1977, p.129-136) MP 923

Role of research in developing surface protection measures for the Arctic Slope of Alaska Johnson, P.R., (1978, p.202-205) MP 1068

Surface protection measures for the Arctic Slope, Alaska Johnson, P.R., (1978, p.202-205) MP 1519

Ground pressures exerted by underground explosions Johnson, P.R., (1978, p.284-290) MP 1520

Summer air temperature and precipitation in northern Alaska Haugen, R.K., et al, (1980, p.403-412) MP 1439

Ice-covered North Slope lakes observed by radar Weeks, W.F., et al, (1981, 17p.) CR 81-19

Tundra soils on the Arctic Slope of Alaska Everett, K.R., et al, (1982, p.264-280) MP 1552

River-ice mounds on Alaska's North Slope Arcone, S.A., et al, (1989, p.288-290) MP 2563

Investigation of the LIZ-3 Dew Line Station water supply lake Kovacs, A., (1990, 10p.) SR 90-11

—Alaska—Norton Sound

Sea ice rubble formations off the NE Bering Sea and Norton Sound. Kovacs, A., (1981, p.1348-1363) MP 1527

—Alaska—Oumalik

Modifications of permafrost, East Oumalik, Alaska Lawson, D.E., (1982, 33p.) CR 82-36

—Alaska—Point Hope

Case study fresh water supply for Point Hope Alaska McFadden, T., et al, (1979, p.1029-1040) MP 1222

—Alaska—Prudhoe Bay

Ecological investigations of the tundra biome in the Prudhoe Bay Region, Alaska. Brown, J., ed. (1975, 215p.) MP 1053

Selected climatic and soil thermal characteristics of the Prudhoe Bay region Brown, J., et al, (1975, p.3-12) MP 1054

Dynamics of near-shore ice. Weeks, W.F., et al, (1976, p.9-34) MP 1380

Vehicle damage to tundra soil and vegetation. Walker, D.A., et al, (1977, 49p.) SR 77-17

Movement of coastal sea ice near Prudhoe Bay. Weeks, W.F., et al, (1977, p.533-546) MP 1066

Study of a grounded floeberg near Reindeer Island, Alaska. Kovacs, A., (1977, 9p.) MP 1751

Permafrost and active layer on a northern Alaskan road. Berg, R.L., et al, (1978, p.615-621) MP 1102

Determining subsea permafrost characteristics with a cone penetrometer—Prudhoe Bay, Alaska. Blouin, S.E., et al, (1979, p.3-16) MP 1217

Geobotanical atlas of the Prudhoe Bay region, Alaska. Walker, D.A., et al, (1980, 69p.) CR 80-14

Structure of first-year pressure ridge sails in the Prudhoe Bay region. Tucker, W.B., et al, (1984, p.115-135) MP 1837

Airborne electromagnetic sounding of sea ice thickness and sub-ice bathymetry Kovacs, A., et al, (1987, p.289-311) MP 2332

D.C. resistivity along the coast at Prudhoe Bay, Alaska Sellmann, P.V., et al, (1988, p.988-993) MP 2366

—Alaska—Redoubt Mountain

Recent glacier-volcano interactions on Mt. Redoubt, Alaska Sturm, M., et al, (1988, 18p.) MP 2431

—Alaska—Strandline Lake

Jökulhlaups from ice-dammed Strandline Lake, Alaska. Sturm, M., et al, (1987, p.79-94) MP 2307

Jökulhlaups from Strandline Lake, Alaska (especially the 1982 event) Sturm, M., et al, (1989, 19p.) MP 2520

—Alaska—Sukakpak Mountain

Ice-cored mounds at Sukakpak Mountain, Brooks Range Brown, J., et al, (1983, p.91-96) MP 1653

—Alaska—Susitna River

Mapping of the LANDSAT imagery of the Upper Susitna River Gatto, L.W., et al, (1980, 41p.) CR 80-04

Winter surveys of the upper Susitna River, Alaska Bilello, M.A., (1980, 30p.) SR 80-19

—Alaska—Taku Glacier

Geobotanical studies on the Taku Glacier anomaly. Heusser, C.J., et al, (1954, p.224-239) MP 1215

—Alaska—Tanana River

Tanana River monitoring and research studies near Fairbanks, Alaska. Neill, C.R., et al, (1984, 98p. + 5 appends.) SR 84-37

Chena Flood Control Project and the Tanana River near Fairbanks, Alaska. Buska, J.S., et al, (1984, 11p. + figs.) MP 1745

Bank recession of the Tanana River, Alaska. Gatto, L.W., (1984, 59p.) MP 1746

Bank recession and channel changes of the Tanana River, Alaska Gatto, L.W., et al, (1984, 98p.) MP 1747

Erosion analysis of the Tanana River, Alaska. Collins, C.M., (1984, 8p + figs.) MP 1748

Bank erosion, vegetation and permafrost, Tanana River near Fairbanks Gatto, L.W., (1984, 53p.) SR 84-21

Sub-ice channels and frazil bars, Tanana River, Alaska. Lawson, D.E., et al, (1986, p.465-474) MP 2129

Frazil ice pebbles, Tanana River, Alaska Chacho, E.F., et al, (1986, p.475-483) MP 2130

Morphology, hydraulics and sediment transport of an ice-covered river. Lawson, D.E., et al, (1986, 37p.) CR 86-11

—Alaska—Yukon River

Break-up dates for the Yukon River, Pt.1. Rampart to Whitehorse, 1896-1978 Stephens, C.A., et al, (1979, c50 leaves) MP 1317

Break-up dates for the Yukon River, Pt.2. Alakanuk to Tanana, 1883-1978 Stephens, C.A., et al, (1979, c50 leaves) MP 1318

Break-up of the Yukon River at the Haul Road Bridge 1979. Stephens, C.A., et al, (1979, 22p + Figs.) MP 1315

—Allegheny River

Ice conditions along the Allegheny and Monongahela Rivers Gatto, L.W., (1988, 106p.) SR 88-06

Ice observations on the Allegheny and Monongahela rivers Bilello, M.A., et al, (1988, 43p.) SR 88-25

—California—Manteca

Land treatment of wastewater Murrmann, R.P., et al, (1976, 36p.) MP 920

—Great Lakes

Application of ice engineering and research to Great Lakes problems Freitag, D.R., (1972, p.131-138) MP 1615

—Idaho—Salmon River

Salmon River ice jams Cunningham, L.L., et al, (1984, p.529-533) MP 1796

Potential solution to ice jam flooding: Salmon River, Idaho Earickson, J., et al, (1986, p.15-25) MP 2131

Salmon River ice jam control studies interim report Axelson, K.D., et al, (1990, 8p.) SR 90-06

—Illinois River

Ice conditions on the Ohio and Illinois rivers, 1972-1985 Gatto, L.W., (1985, p.856-861) MP 1914

—Illinois Waterway

Ice conditions along Illinois Waterway, 1972-1985 Gatto, L.W., (1989, 112p.) CR 89-20

—Iowa—Saylorville River

Geographic information system for river basin. Merry, C.J., et al, (1987, p.265-269) MP 2549

—Maine

Bedrock geology survey in northern Maine. Sellmann, P.V., et al, (1976, 19p.) CR 76-37

—Maine—Allagash

Investigation of an airborne resistivity survey conducted at very low frequency. Arcone, S.A., (1977, 48p.) CR 77-20

Snow cover and meteorology at Allagash, Maine, 1977-1980. Bates, R., (1983, 49p.) SR 83-20

—Maine—Portland

Description of the building materials data base for Portland, Maine. Merry, C.J., et al, (1986, 83p.) SR 86-13

—Maine—St. John River

Use of Landsat data for predicting snowmelt runoff in the upper Saint John River basin. Merry, C.J., et al, (1983, p.519-533) MP 1694

—Massachusetts—Boston

Applications of remote sensing in the Boston Urban Studies Program, Parts I and II Merry, C.J., et al, (1977, 36p.) CR 77-13

—Michigan—Saginaw River

Hydrologic modeling from Landsat land cover data. McKim, H.L., et al, (1984, 19p.) SR 84-01

—Minnesota—Lac qui Parle

Wildlife habitat mapping in Lac qui Parle, Minnesota. Merry, C.J., et al, (1984, p.205-208) MP 2085

—Monongahela River

Ice atlas, 1984-1985: Ohio River, Allegheny River, Monongahela River. Gatto, L.W., et al, (1986, 185p.) SR 86-23

Ice conditions along the Allegheny and Monongahela Rivers. Gatto, L.W., (1988, 106p.) SR 88-06

Ice observations on the Allegheny and Monongahela rivers. Bilello, M.A., et al, (1988, 43p.) SR 88-25

—Montana—Koocanusa, Lake

Limnology of Lake Koocanusa, MT, the 1967-1972 study. Bonde, T.J.H., et al, (1982, 184p.) SR 82-21

Limnology of Lake Koocanusa, Montana. Storm, P.C., et al, (1982, 597p.) SR 82-23

—Montana—Kootenai River

Environmental analyses in the Kootenai River region, Montana McKim, H.L., et al, (1976, 53p.) SR 76-13

—Montana—Missouri River

Effect of Toston dam on upstream ice conditions. Ashton, G.D., (1989, 9p.) SR 89-16

—Nebraska—Platte River

Ice cover effect on river flow. Ashton, G.D., (1990, 24p.) SR 90-08

—New England

Applications of remote sensing in New England McKim, H.L., et al, (1975, 8p + 14 figs. and tables) MP 913

—New Hampshire

Comparison of winter climatic data for three New Hampshire sites. Govoni, J.W., et al, (1986, 78p.) SR 86-05

Seasonal distribution of low flow events in New Hampshire streams with emphasis on the winter period Melloh, R.A., (1990, p.47-53) MP 2681

—New Hampshire—Hanover

Climate at CRREL, Hanover, New Hampshire. Bates, R.E., (1984, 78p.) SR 84-24

Chemical properties of snow in the northeastern United States Kumai, M., (1987, p.(C1)625-(C1)630) MP 2232

—New Hampshire—Lebanon

Response of runway pavement to freeze thaw cycles Allen, W.L., et al, (1989, 31p.) SR 89-02

—New Hampshire—Mount Washington

Atmospheric icing rates with elevation on northern New England mountains, U.S.A. Ryerson, C.C., (1990, p.90-97) MP 2589

—New Hampshire—Post Pond

Ice growth on Post Pond, 1973-1982 Gow, A.J., et al, (1983, 25p.) CR 83-04

—New York—Hudson River

Controlled river ice cover breakup; part 1 Hudson River field experiments Ferrick, M.G., et al, (1986, p.281-291) MP 2391

—Ohio—Erie, Lake

Use of SPOT HRV data in a Corps dredging operation in Lake Erie. Merry, C.J., et al, (1987, p.49-58) MP 2548

—Ohio River

Geographic features and floods of the Ohio River Edwardo, H.A., et al, (1984, p.265-281) MP 2083

Ice conditions on the Ohio and Illinois rivers, 1972-1985. Gatto, L.W., (1985, p.856-861) MP 1914

Ice atlas, 1984-1985 Ohio River, Allegheny River, Monongahela River. Gatto, L.W., et al, (1986, 185p.) SR 86-23

Analysis of 112 years of ice conditions observed on the Ohio River at Cincinnati Daly, S.F., et al, (1987, p.70-79) MP 2260

Ice conditions along the Ohio River, 1972-1985 Gatto, L.W., (1988, 162p.) SR 88-01

—Oregon—Hood, Mount

Source mechanism of volcanic tremor Ferrick, M.G., et al, (1982, p.8675-8683) MP 1576

United States *(cont.)*

—Pennsylvania—Allegheny River

Performance of the Allegheny River ice control structure, 1983. Deck, D.S., et al, (1984, 15p) SR 84-13

Ice atlas, 1984-1985. Ohio River, Allegheny River, Monongahela River. Gatto, L.W., et al, (1986, 185p) SR 86-23

—Pennsylvania—Pittsburgh

Construction materials data base for Pittsburgh, PA Merry, C.J., et al, (1986, 87p) SR 86-08

—Saint Clair River

Port Huron ice control model studies Calkins, D.J., et al, (1982, p.361-373) MP 1530

—South Dakota—Oahe Dam

Ice formation downstream of Oahe Dam—1987-1988 winter Ashton, G.D., (1988, 37p) MP 2506

—South Dakota—White River

Ice jams and the winter climate near White River, SD Bilello, M.A., (1987, p 154-162) MP 2399

—St. Marys River

Force estimate and field measurements of the St. Marys River ice booms Perham, R.E., (1977, 26p) CR 77-04

—Utah—Lake Powell

Water quality measurements at Lake Powell, Utah Merry, C.J., (1977, 38p) SR 77-28

—Vermont—Connecticut River

Study of dynamic ice breakup on the Connecticut River near Windsor, Vermont Ferrick, M.G., et al, (1987, p 163-177) MP 2400

—Vermont—Lake Champlain

Winter thermal structure and ice conditions on Lake Champlain, Vermont Bates, R.E., (1976, 22p) CR 76-13

—Vermont—Ottauquechee River

Ice jams and flooding on Ottauquechee River, VT Bates, R., et al, (1982, 25p) SR 82-06

Ottauquechee River—analysis of freeze-up processes Calkins, D.J., et al, (1982, p.2-37) MP 1738

Numerical simulation of freeze-up on the Ottauquechee River. Calkins, D.J., (1984, p 247-277) MP 1815

—Washington—Mount Saint Helens

Thermal observations of Mt St. Helens before and during eruption St. Lawrence, W.F., et al, (1980, p 1526-1527) MP 1482

—Washington—Quincy

Land treatment of wastewater Murrmann, R.P., et al, (1976, 36p) MP 920

—Washington—Saint Helens, Mount

Observations of volcanic tremor at Mount St. Helens volcano Fehler, M., (1984, p 3476-3484) MP 1770

—Wisconsin

Land use and water quality relationships, eastern Wisconsin Haugen, R.K., et al, (1976, 47p) CR 76-30

—Wisconsin—Kewaunee

Impact of dredging on water quality at Kewaunee Harbor, Wisconsin. Iskandar, I.K., et al, (1984, 16p) CR 84-21

Unsteady flow

Framework for control of dynamic ice breakup by river regulation. Ferrick, M.G., et al, (1989, 14p) CR 89-12

Urban planning

Applications of remote sensing in the Boston Urban Studies Program, Parts I and II. Merry, C.J., et al, (1977, 36p) CR 77-13

Computer model of municipal snow removal Tucker, W.B., (1977, 7p) CR 77-30

Post occupancy evaluation of a planned community in Arctic Canada. Bechtel, R.B., et al, (1980, 27p) SR 80-06

Post occupancy evaluation for communities in hot or cold regions Bechtel, R.B., et al, (1980, 57p) SR 80-29

Urea

Soil microbiology. Bosatta, E., et al, (1981, p 38-44) MP 1753

Properties of urea-doped ice in the CRREL test basin Hirayama, K., (1983, 44p) CR 83-08

Crystalline structure of urea ice sheets used in modeling in the CRREL test basin Gow, A.J., (1984, p 241-253) MP 1835

Crystalline structure of urea ice sheets Gow, A.J., (1984, 48p) CR 84-24

Fracture toughness of urea model ice Bentley, D.L., et al, (1988, p 289-297) MP 2348

Fracture experiments on freshwater and urea model ice Bentley, D.L., et al, (1988, 152p) MP 2502

USSR

Comparative analysis of the USSR construction codes and the US Army technical manual for design of foundations on permafrost. Fish, A.M., (1982, 20p) CR 82-14

Regional and seasonal variations in snow-cover density in the USSR Bilello, M.A., (1984, 70p) CR 84-22

Permafrost, snow cover and vegetation in the USSR Bigl, S.R., (1984, 128p) SR 84-36

—Magadan

Scientists visit Kolyma Water Balance Station in the USSR Slaughter, C.W., et al, (1977, 66p) SR 77-15

Subarctic watershed research in the Soviet Union Slaughter, C.W., et al, (1978, p 305-313) MP 1273

—Siberia

Embankment dams on permafrost in the USSR Johnson, T.C., et al, (1980, 59p) SR 80-41

UTILITIES

Sewerage and sewage disposal in cold regions Alter, A.J., (1969, 106p) M III-C5b

Utilities on permanent snowfields Mellor, M., (1969, 42p) M III-A2d

Utilities

Utility distribution systems in Iceland Aamot, H.W.C., (1976, 63p) SR 76-05

Utility distribution systems in Sweden, Finland, Norway and England Aamot, H.W.C., et al, (1976, 121p) SR 76-16

Utility distribution practices in northern Europe. McFadden, T., et al, (1977, p.70-95) MP 928

Field performance of a subarctic utilidor. Reed, S.C., (1977, p 448-468) MP 930

Cold climate utilities delivery design manual Smith, D.W., et al, (1979, c300 leaves) MP 1373

Heat losses from the central heat distribution system at Fort Wainwright Phetteplace, G., (1982, p 308-328) MP 2310

Water supply and waste disposal on permanent snow fields Reed, S.C., et al, (1984, p 401-413) MP 1714

Utility services for remote military facilities Reed, S.C., et al, (1984, 66p) SR 84-14

Comparative field testing of buried utility locators Bigl, S.R., et al, (1984, 25p) MP 1977

Detection of buried utilities Bigl, S.R., et al, (1984, 36p) CR 84-31

Locating buried utilities Bigl, S.R., (1985, 48p) SR 85-14

Thermal analysis of a shallow utilidor Phetteplace, G., et al, (1986, 10p) MP 2021

Cold climate utilities manual Smith, D.W., ed, (1986, var p) MP 2135

Buildings and utilities in very cold regions overview and research needs Tobiasson, W., (1987, p 299-303) MP 2424

Arctic construction working group report Marvin, E.L., et al, (1987, p 311-314) MP 2426

Valleys

Permafrost distribution on the continental shelf of the Beaufort Sea Hopkins, D.M., et al, (1979, p 135-141) MP 1288

Vapor barriers

Vapor retarders for membrane roofing systems Tobiasson, W., (1989, p 31-37) MP 2489

Vapor retarders to control summer condensation Tobiasson, W., (1989, p 566-572) MP 2558

Vapor diffusion

Thermodynamics of snow metamorphism due to variations in curvature Colbeck, S.C., (1980, p 291-301) MP 1368

Theory of metamorphism of dry snow Colbeck, S.C., (1983, p 5475-5482) MP 1603

Aerosol growth in a cold environment. Yen, Y.-C., (1984, 21p) CR 84-06

Transport of water in frozen soil 6 Effects of temperature Nakano, Y., et al, (1987, p 44-50) MP 2213

Field observations of thermal convection in a subarctic snow cover Johnson, J.B., et al, (1987, p 105-118) MP 2439

Vapor pressure

Remote reading tensiometer for use in subfreezing tempera tures McKim, H.L., et al, (1976, p 31-45) MP 897

Vapor pressure of TNT by gas chromatography Leggett D.C., (1977, p 83-90) MP 915

Composition of vapors evolved from military TNT Leggett D.C., et al, (1977, 25p) SR 77-16

Vapor transfer

Mercury contamination of water samples Cragin, J.H., (1979, p 313-319) MP 1270

Growth of faceted crystals in a snow cover Colbeck, S.C., (1982, 19p) CR 82-29

Condensation control in low-slope roofs Tobiasson, W., (1985, p 47-59) MP 2039

Vegetation

Pipeline haul road between Livengood and the Yukon River Berg, R.T., et al, (1976, 73p) SR 76-11

Oil spills on permafrost Collins, C.M., et al, (1976, 18p) SR 76-15

Computer modeling of terrain modifications in the arctic and subarctic Outcalt, S.I., et al, (1977, p 24-32) MP 971

Reclamation of acidic dredge soils with sewage sludge and lime Palazzo, A.J., (1977, 24p) SR 77-19

Utilization of sewage sludge for terrain stabilization in cold regions Gaskin, D.A., et al, (1977, 45p) SR 77-27

Second progress report on oil spilled on permafrost McFadden, T., et al, (1977, 46p) SR 77-44

Ecology on the Yukon-Prudhoe haul road Brown, J., ed, (1978, 141p) MP 1115

1977 tundra fire at Kokolik River Alaska Hall, D.K., et al, (1978, 11p) SR 78-10

Effects of winter military operations on cold regions terrain Abele, G., et al, (1978, 32p) SR 78-17

Crude oil spills on black spruce forest Jenkins, T.F., et al, (1978, p 305-323) MP 1185

Snow cover mapping in northern Maine using LANDSAT Merry, C.J., et al, (1979, p 197-198) MP 1516

Sewage sludge for terrain stabilization, Part 2 Gaskin, D.A., et al, (1979, 36p) SR 79-28

Geobotanical atlas of the Prudhoe Bay region, Alaska Walker, D.A., et al, (1980, 69p) CR 80-14

Coastal tundra at Barrow Brown, J., et al, (1980, p 1-29) MP 1356

Environment of the Alaskan Haul Road. Brown, J., (1980, p 3-52) MP 1350

Road dust along the Haul Road, Alaska. Everett, K.R., (1980, p 101-128) MP 1352

Crude oil spills on subarctic permafrost in interior Alaska. Johnson, L.A., et al, (1980, 67p) CR 80-29

Tundra and analogous soils Everett, K.R., et al, (1981, p 139-179) MP 1405

Point Barrow, Alaska, USA. Brown, J., (1981, p 775-776) MP 1434

Seasonal growth and accumulation of N, P, and K by grass irrigated with wastes Palazzo, A.J., (1981, p 64-68) MP 1425

Vegetation selection and management for overland flow systems. Palazzo, A.J., et al, (1982, p 135-154) MP 1511

CO2 effect on permafrost terrain Brown, J., et al, (1982, 30p) MP 1546

Vegetation in two adjacent tundra habitats, northern Alaska. Roach, D.A., (1983, p.359-364) MP 2064

U.S. tundra biome publication list Brown, J., et al, (1983, 29p) SR 83-29

Sensitivity of vegetation and soil flora to seawater spills, Alaska. Simmons, C.L., et al, (1983, 35p) CR 83-24

Bank recession of the Tanana River, Alaska. Gatto, L.W., (1984, 59p) MP 1746

Bank erosion, vegetation and permafrost, Tanana River near Fairbanks. Gatto, L.W., (1984, 53p) SR 84-21

Using Landsat data for snow cover/vegetation mapping Merry, C.J., et al, (1984, p.II(140)-II(144)) MP 1975

Wildlife habitat mapping in Lac qui Parle, Minnesota. Merry, C.J., et al, (1984, p 205-208) MP 2085

Revegetation along pipeline rights-of-way in Alaska. Johnson, L., (1984, p 254-264) MP 2113

Permafrost, snow cover and vegetation in the USSR. Bigl, S.R., (1984, 128p) SR 84-36

Vegetation and environmental gradients of the Prudhoe Bay region, Alaska Walker, D.A., (1985, 239p) CR 85-14

Response of permafrost to disturbance. Lawson, D.E., (1986, p.1-7) MP 2165

Effect and disposition of TNT in a terrestrial plant Palazzo, A.J., et al, (1986, p 49-52) MP 2098

Vegetation of Beechey Point, Alaska Walker, D.A., et al, (1987, 63p) CR 87-05

Effects of all terrain vehicles on tundra Racine, C., et al, (1988, 12p) SR 88-17

Vegetation patterns

Geobotanical studies on the Taku Glacier anomaly. Heusser, C.J., et al, (1954, p.224-239) MP 1215

VEGETATION PATTERNS

Effects of permafrost on engineering Stearns, S.R., (1966, 77p) M I-A2

Vegetation patterns

Abiotic overview of the Tundra Biome Program, 1971. Weller, G., et al, (1971, p 173-181) MP 906

Permafrost and vegetation maps from ERTS imagery. Anderson, D.M., et al, (1973, 75p) MP 1003

Vegetative research in arctic Alaska Johnson, P.L., et al, (1973, p 169-198) MP 1008

Land use/vegetation mapping in reservoir management. Cooper, S., et al, (1974, 30p) MP 1039

Inundation of vegetation in New England McKim, H.L., et al, (1978, 13p) MP 1169

Geocological mapping scheme for Alaskan coastal tundra. Everett, K.R., et al, (1978, p 359-365) MP 1098

Vehicle wheels

Effects of hovercraft, wheeled and tracked vehicle traffic on tundra Abele, G., (1976, p 186-215) MP 1123

Hovercraft ground contact directional control devices. Abele, G., (1976, p 51-59) MP 875

Effects of low ground pressure vehicle traffic on tundra at Teshekpuk, Alaska Abele, G., et al, (1977, 52p) SR 77-31

Workshop on snow traction mechanics, 1979 Harrison, W.L., ed, (1981, 71p) SR 81-16

Predicting wheeled vehicle motion resistance in shallow snow Blaisdell, G.L., (1981, 18p) SR 81-30

Vehicle for cold regions mobility measurements Blaisdell, G.L., (1985, p 9-20) MP 2044

Instrumented vehicle for the measurement of mobility parameters Blaisdell, G.L., (1988, p 377-388) MP 2486

Performance of an omni-directional wheel on snow and ice. Blaisdell, G.S., (1989, 21p + appends) MP 2711

Wheeled versus tracked vehicle snow mobility test program Green, C.E., et al, (1989, 19p) MP 2715

Vehicles

Bearing capacity of river ice for vehicles Nevel, D.E., (1978, 22p) CR 78-03

Macroscopic view of snow deformation under a vehicle Richmond, P.W., et al, (1981, 20p) SR 81-17

Snow measurements in relation to vehicle performance. Harrison, W.L., (1981, p 13-24) MP 1473

Application of energetics to vehicle trafficability problems Brown, R.L., (1981, p 25-38) MP 1474

Prediction methods for vehicle traction on snow Harrison, W.L., (1981, p 39-45) MP 1475

Field investigations of vehicle traction in snow. Harrison, W.L., (1981, p 47-48) MP 1476
Vehicle tests and performance in snow. Berger, R.H., et al, (1981, p 51-67) MP 1477
Shallow snow test results. Harrison, W.L., (1981, p.69-71) MP 1478
Mobility bibliography. Liston, N., comp, (1981, 313p) SR 81-29
Engine starters in winter. Coutts, H.J., (1981, 37p) SR 81-32
CRREL instrumented vehicle for cold regions mobility measurements Blaisdell, G.L., (1982, 11p.) MP 1515
Measurement of snow surfaces and tire performance evaluation Blaisdell, G.L., et al, (1982, 7p) MP 1516
CRREL instrumented vehicle: hardware and software. Blaisdell, G.L., (1983, 75p.) SR 83-03
Vechicle mobility and snowpack parameters. Berger, R.H., (1983, 26p.) CR 83-16
Utilization of Unmanned Aerial Vehicles in the ALBE Thrust. Greeley, H.P., et al, (1986, p 249-257) MP 2663
Effect of oscillatory loads on the bearing capacity of floating ice covers. Kerr, A.D., et al, (1987, p.219-224) MP 2216
Effect of snow on vehicle-generated seismic signatures. Albert, D G., (1987, p 881-887) MP 2229
Trailing-tire motion resistance in shallow snow. Blaisdell, G.L., (1987, p 296-304) MP 2248
Vehicle mobility over snow. Blaisdell, G L., (1987, p.265-266) MP 2420
Arctic mobility problems. Abele, G., (1987, p 267-269) MP 2421
Wheeled versus tracked vehicle snow mobility test program. Green, C.E., et al, (1989, 19p.) MP 2715
Thawing soil strength measurements for predicting vehicle performance. Shoop, S A., (1989, 18p.) MP 2749

Velocity

Critical velocities of a floating ice plate subjected to in-plane forces and a moving load. Kerr, A.D., (1979, 12p.) CR 79-19
Measurement of the shear stress on the underside of simulated ice covers. Calkins, D.J., et al, (1980, 11p) CR 80-24
Flow velocity profiles in ice-covered shallow streams. Calkins, D.J., et al, (1982, p.236-247) MP 1540
Laboratory study of transverse velocities and ice jamming in a river bend Zufelt, J.E., et al, (1988, p.189-197) MP 2501

Velocity measurement

Eruptions from under-ice explosions. Mellor, M., et al, (1988, 26p) SR 88-14

VENTILATION

Utilities on permanent snowfields Mellor, M., (1969, 42p) M III-A2d

Ventilation

Venting of built-up roofing systems Tobiasson, W., (1981, p 16-21) MP 1498
Can wet roof insulation be dried out Tobiasson, W., et al, (1983, p 626-639) MP 1509
Vents and vapor retarders for roofs Tobiasson, W., (1986, 11p) MP 2246
Vents and vapor retarders for roofs Tobiasson, W., (1987, p 80-90) MP 2352
Roof design in cold regions Tobiasson, W., (1989, p 462-472) MP 2613
Reference guide for building diagnostics equipment and techniques McKenna, C.M., et al, (1989, 64p) SR 89-27
Air change measurements of five Army buildings in Alaska Flanders, S.N., (1990, p 53-63) MP 2676

Very low frequencies

Numerical studies for an airborne VLF resistivity survey Arcone, S A., (1977, 10p) CR 77-05
VLF airborne resistivity survey in Maine. Arcone, S A., (1978, p 1399-1417) MP 1166

Vibration

Analysis of explosively generated ground motions using Fourier techniques Blouin, S E., et al, (1976, 86p) CR 76-28
Vibrations caused by ship traffic on an ice-covered waterway. Haynes, F.D., et al, (1981, 27p) CR 81-05
Vibration analysis of the Yamachiche lightpier Haynes, F.D., (1986, p 238-241) MP 1989
Vibration analysis of the Yamachiche Lightpier. Haynes, F.D., (1986, p 9-18) MP 2253
Vibration analysis of a DEW Line station Haynes, F.D., et al, (1988, p.1513-1518) MP 2341
Ice-induced vibrations of structures. Sodhi, D S., (1989, p 189-221) MP 2492
Investigation into the post-stable behavior of a tube array in cross-flow. Lever, J H., et al, (1989, p 457-465) MP 2561

VISCOELASTICITY

Freezing process and mechanics of frozen ground. Scott, R.F., (1969, 65p) M II-D1

Viscoelasticity

Viscoelasticity of floating ice plates subjected to a circular load Takagi, S., (1978, 32p) CR 78-05
Acoustic emission and deformation response of finite ice plates Xirouchakis, P.C., et al, (1981, p 123-133) MP 1436

Viscosity

Seasonal variations in apparent sea ice viscosity on the geophysical scale. Hibler, W.D., III, et al, (1977, p 87-90) MP 900
Compression of wet snow. Colbeck, S C., et al, (1978, 17p) CR 78-10
Grouting silt and sand at low temperatures Johnson, R., (1979, p 937-950) MP 1078
Some results from a linear-viscous model of the Arctic ice cover. Hibler, W.D., III, et al, (1979, p 293-304) MP 1241
Modeling mesoscale ice dynamics. Hibler, W.D., III, et al, (1981, p.1317-1329) MP 1526
Analysis of linear sea ice models with an ice margin. Leppäranta, M., (1984, p 31-36) MP 1782
Use of low viscosity asphalts in cold regions. Janoo, V C., (1989, p.70-80) MP 2462

Viscous flow

Viscous wind-driven circulation of Arctic sea ice. Hibler, W.D., III, et al, (1977, p.95-133) MP 983
Modeling pack ice as a viscous-plastic continuum. Hibler, W.D., III, (1977, p.46-55) MP 1164
Thermodynamic model of creep at constant stress and constant strain rate. Fish, A.M., (1984, p 143-161) MP 1771

Visibility

Ice fog suppression in Arctic communities. McFadden, T., (1980, p 54-65) MP 1357
Suppression of ice fog from the Fort Wainwright, Alaska, cooling pond. Walker, K.E., et al, (1982, 34p) SR 82-22
Explosive obscuration sub-test results at the SNOW-TWO field experiment. Ebersole, J.F., et al, (1984, p 347-354) MP 1872
Clear improvement in obscuration Palmer, R.A., (1985, p 476-477) MP 2067
Meteorological variation of atmospheric optical properties in an antarctic storm Egan, W.G., et al, (1986, p.1155-1165) MP 2099
Utilization of Unmanned Aerial Vehicles in the ALBE Thrust. Greeley, H.P., et al, (1986, p 249-257) MP 2663
Slant path extinction and visibility measurements from an unmanned aerial vehicle. Cogan, J., et al, (1987, p 115-126) MP 2296
Comparative studies of the winter climate at selected locations in Europe and the United States Bates, R.E., et al, (1989, p 283-293) MP 2598
Synoptic meteorology, crystal habit, and snowfall rates in Northeastern snowstorms Ryerson, C.C., et al, (1989, p 335-345) MP 2599
Model of smoke concentration reduction due to scavenging by snow. Hutt, D L., et al, (1989, p 87-98) MP 2628
Light transmission through smoke screens in falling snow Farmer, W.M., et al, (1989, p.99-111) MP 2629
Motion detection systems under winter conditions Peck, L., (1989, 8p) CR 89-17

Volcanic ash

Byrd Land quaternary volcanism LeMasurier, W E., (1972, p.139-141) MP 994

Volcanoes

Hydraulic transients: a seismic source in volcanoes and glaciers St. Lawrence, W F., et al, (1979, p 654-656) MP 1181
Thermal observations of Mt St Helens before and during eruption St. Lawrence, W.F., et al, (1980, p 1526-1527) MP 1482
Fluid dynamic analysis of volcanic tremor Ferrick, M G., et al, (1982, 12p) CR 82-32
Source mechanism of volcanic tremor. Ferrick, M G., et al, (1982, p 8675-8683) MP 1576
Observations of volcanic tremor at Mount St. Helens volcano Fehler, M., (1984, p 3476-3484) MP 1770
Recent glacier-volcano interactions on Mt Redoubt, Alaska Sturm, M., et al, (1988, 18p) MP 2431

Volume

Volumetric constitutive law for snow under strain Brown, R.L., (1979, 13p) CR 79-20

Walls

Investigation of water jets for lock wall deicing Calkins, D J., et al, (1976, p G2/13-22) MP 865
Ice removal from the walls of navigation locks Frankenstein, G E., et al, (1976, p 1487-1496) MP 888
Reinsulating old wood frame buildings with urea-formaldehyde foam Tobiasson, W., et al, (1977, p 478-487) MP 958
Roof moisture survey—U S. Military Academy Korhonen, C., et al, (1979, 8 refs) SR 79-16
Measuring building R-values for large areas Flanders, S N., et al, (1981, p 137-138) MP 1388
Toward in-situ building R-value measurement Flanders, S N., et al, (1984, 13p) CR 84-01
Heat flow sensors on walls what can we learn Flanders, S N., (1985, p 140-149) MP 2042
Measured and expected R-values of 19 building envelopes Flanders, S N., (1985, p 49-57) MP 2115
In-situ assessment of two retrofit insulations Flanders, S N., (1986, p 32-44) MP 2172
Methods to reduce ice accumulation on miter gate recess walls. Rand, J H., et al, (1989, 5p) MP 2723
Wall coatings for concrete and masonry buildings. Korhonen, C.J., et al, (1989, 27 refs.) SR 89-36

Warning systems

Motion detection systems under winter conditions. Peck, L., (1989, 8p) CR 89-17

WASTE DISPOSAL

Sewerage and sewage disposal in cold regions Alter, A.J., (1969, 106p) M III-C5b
Utilities on permanent snowfields. Mellor, M., (1969, 42p.) M III-A2d

Waste disposal

Land disposal: state of the art. Reed, S C., (1973, p.229-261) MP 1392
Land treatment in relation to waste water disposal. Howells, D.H., et al, (1976, p 60-62) MP 869
Wastewater reuse at Livermore, California. Uiga, A., et al, (1976, p 511-531) MP 870
Effect of open water disposal of dredged sediments Blom, B E., et al, (1976, 183p) MP 967
Utility distribution systems in Iceland. Aamot, H.W.C., (1976, 63p) SR 76-05
Reclamation of wastewater by application on land. Iskandar, I.K., et al, (1976, 15p) MP 896
Impact of urban wastewater reuse in cold regions on land treatment systems. Iskandar, I.K., (1976, 32p) MP 2452
Urban waste as a source of heavy metals in land treatment. Iskandar, I K., (1976, p 417-432) MP 977
Field performance of a subarctic utilidor. Reed, S.C., (1977, p 448-468) MP 930
Effects of wastewater on the growth and chemical composition of forages. Palazzo, A J., (1977, p.171-180) MP 975
Wastewater treatment at Calumet, Michigan. Baillod, C.R., et al, (1977, p 489-510) MP 976
Land treatment of wastewater at Manteca, Calif., and Quincy, Washington. Iskandar, I K., et al, (1977, 34p) CR 77-24
Land treatment of wastewater at West Dover, Vermont. Bouzoun, J.R., (1977, 24p.) SR 77-33
Consolidating dredged material by freezing and thawing. Chamberlain, E.J., (1977, 94p) MP 978
Municipal sludge management: environmental factors. Reed, S.C., ed, (1977, Var. p.) MP 1406
Methodology for nitrogen isotope analysis at CRREL. Jenkins, T.F., et al, (1978, 57p) SR 78-08
Lysimeters validate wastewater renovation models. Iskandar, I.K., et al, (1978, 11p) SR 78-12
Waste water reuse in cold regions. Iskandar, I.K., (1978, p 361-368) MP 1144
Effects of wastewater and sludge on turfgrasses. Palazzo, A J., (1978, 11p) SR 78-20
Land treatment climatic survey at CRREL. Bilello, M A., et al, (1978, 37p) SR 78-21
Computer file for existing land application of wastewater systems Iskandar, I.K., et al, (1978, 24p) SR 78-22
Experimental system for land renovation of effluent. Nylund, J.R., et al, (1978, 26p.) SR 78-23
Wastewater stabilization pond linings. Middlebrooks, E.J., et al, (1978, 115p) SR 78-28
Cold climate utilities delivery design manual Smith, D W., et al, (1979, c300 leaves) MP 1373
Kinetics of denitrification in land treatment of wastewater. Jacobson, S., et al, (1979, 59p) SR 79-04
Design procedures for underground heat sink systems Stubstad, J.M., et al, (1979, 186p. in var pagns) SR 79-06
Spray application of wastewater effluent in Vermont. Cassell, E A., et al, (1979, 38p) SR 79-06
Energy requirements for small flow wastewater treatment systems Middlebrooks, E J., et al, (1979, 82p) SR 79-07
Freezing problems with wintertime wastewater spray irrigation. Bouzoun, J.R., (1979, 12p) SR 79-12
Soil characteristics and climatology during wastewater application at CRREL. Iskandar, I K., et al, (1979, 82p) SR 79-23
Land treatment systems and the environment. McKim, H.L., et al, (1979, p 201-225) MP 1414
Land application of wastewater: effect on soil and plant potassium Palazzo, A.J., et al, (1979, p 309-312) MP 1228
Bacterial aerosols resulting from wastewater irrigation in Ohio Bausum, H T., et al, (1979, 64p) SR 79-32
Nitrogen transformations in land treatment. Jenkins, T F., et al, (1979, 32p) SR 79-31
Utilization of sewage sludge for terrain stabilization in cold regions Pt 3 Rindge, S D., et al, (1979, 33p) SR 79-34
Dynamics of NH_4 and NO_3 in cropped soils irrigated with wastewater. Iskandar I.K., et al, (1980, 20p) SR 80-27
Waste heat utilization through soil heating McFadden, T., et al, (1980, p.105-120) MP 1363
Effectiveness of land application for P removal from waste water Iskandar, I K., et al, (1980, p 616-621) MP 1444
Hydraulic characteristics of the Deer Creek Lake land treatment site during wastewater application. Abele, G., et al, (1981, 37p) CR 81-07

Waste disposal *(cont.)*
Seasonal growth and uptake of nutrients by orchardgrass irrigated with wastewater. Palazzo, A.J., et al, (1981, 19p.) CR 81-08
Site selection methodology for the land treatment of wastewater Ryan, J.R., et al, (1981, 74p) SR 81-28
Wastewater applications in forest ecosystems. McKim, H.L., et al, (1982, 22p) CR 82-19
Mathematical simulation of nitrogen interactions in soils. Selim, H.M., et al, (1983, p 241-248) MP 2051
Water supply and waste disposal on permanent snow fields Reed, S.C., et al, (1984, p 401-413) MP 1714
Observations during BRIMFROST '83. Bouzoun, J.R., et al, (1984, 36p.) SR 84-10
Utility services for remote military facilities Reed, S.C., et al, (1984, 66p.) SR 84-14
Impact of dredging on water quality at Kewaunee Harbor, Wisconsin. Iskandar, I.K., et al, (1984, 16p) CR 84-21
Chemical analysis of munitions wastewater Jenkins, T.F., et al, (1984, 95p.) CR 84-29
Water supply and waste disposal in Greenland and Antarctica Reed, S.C., et al, (1985, p 344-350) MP 1792
Literature review: effect of freezing on hazardous waste sites Iskandar, I.K., et al, (1985, p 122-129) MP 2028
Thermal analysis of a shallow utilidor. Phetteplace, G., et al, (1986, 10p.) MP 2021
Treatment and disposal of alum and other metallic hydroxide sludges Reed, S.C., et al, (1987, 40p + plates) SR 87-05
Ground freezing controls hazardous waste. Iskandar, I.K., (1987, p 455-456) MP 2270
Shasta waterless system as a remote site sanitation facility. Martel, C.J., (1987, 24p) SR 87-16
Chemical analysis of hazardous wastes McGee, I.E., et al, (1987, 57p) SR 87-21
Extraction solvents for determination of volatile organics in soil Jenkins, T.F., et al, (1987, 26p) SR 87-22
Waste management practices in Antarctica. Sletten, R.S., et al, (1989, p.122-130) MP 2464
Waste management practices of the United States Antarctic Program. Reed, S.C., et al, (1989, 28p) SR 89-3
Ice-water partition coefficients for RDX and TNT. Taylor, S., (1989, 10p) CR 89-08
Fate and transport of contaminants in frozen soils Ayorinde, O.A., et al, (1990, p 202-211) MP 2679

Waste treatment
Waste management in the north. Rice, E., et al, (1974, p.14-21) MP 1048
Land treatment of wastewaters Reed, S.C., et al, (1974, p.12-13) MP 1036
Land treatment of wastewaters for rural communities Reed, S.C., et al, (1975, p 23-39) MP 1399
Land treatment in relation to waste water disposal. Howells, D.H., et al, (1976, p 60-62) MP 869
Land treatment of wastewater. Murrmann, R.P., et al, (1976, 36p) MP 920
Reclamation of wastewater by application on land Iskandar, I.K., et al, (1976, 15p) MP 896
Wastewater renovation by a prototype slow infiltration land treatment system. Iskandar, I.K., et al, (1976, 44p) CR 76-19
Overview of land treatment from case studies of existing systems. Uiga, A., et al, (1976, 26p) MP 891
Land treatment of wastewater at a subarctic Alaskan location. Sletten, R.S., et al, (1976, 21p) MP 868
Wastewater treatment in cold regions Sletten, R.S., et al, (1976, 15p) MP 965
Wastewater reuse at Livermore, California Uiga, A., et al, (1977, p 511-531) MP 979
Land treatment of wastewater in subarctic Alaska Sletten, R.S., et al, (1977, p 533-547) MP 1268
Municipal sludge management: environmental factors Reed, S.C., ed, (1977, Var. p) MP 1406
Wastewater treatment alternative needed Iskandar, I.K., et al, (1977, p 82-87) MP 968
Land treatment module of the CAPDET program Merry, C.J., et al, (1977, 4p) MP 1112
Land application of wastewater in permafrost areas Sletten, R.S., (1978, p.911-917) MP 1110
Land treatment, present status, future prospects Pound, C.E., et al, (1978, p 98-102) MP 1417
Symposium on land treatment of wastewater, CRREL, Aug 1978 (1978, 2 vols) MP 1145
Remote sensing for land treatment site selection Merry, C.J., (1978, p 107-119) MP 1146
Nitrogen behavior in land treatment of wastewater a simplified model. Selim, H.M., et al, (1978, p 171-179) MP 1149
Overview of existing land treatment systems Iskandar, I.K., (1978, p 193-200) MP 1150
Performance of overland flow land treatment in cold climates Jenkins, T.F., et al, (1978, p 61-70) MP 1152
Adaptability of forage grasses to wastewater irrigation. Palazzo, A.J., et al, (1978, p 157-163) MP 1153
Microbiological aerosols during wastewater irrigation Bausum, H.T., et al, (1978, p 273-280) MP 1154
Computer procedure for comparing wastewater treatment systems. Spaine, P.A., et al, (1978, p 335-340) MP 1155
Mass water balance during spray irrigation with wastewater at Deer Creek Lake land treatment site Abele, G., et al, (1978, 43p) SR 79-29
Land treatment climatic survey at CRREL. Bilello, M.A., et al, (1978, 37p.) SR 78-21
Experimental system for land renovation of effluent. Nylund, J.R., et al, (1978, 26p) SR 78-23
Five-year performance of CRREL land treatment test cells Jenkins, T.F., et al, (1978, 24p.) SR 78-26
Energy requirements for small flow wastewater treatment systems. Middlebrooks, E.J., et al, (1979, 82p) SR 79-07
Health aspects of water reuse in California. Reed, S.C., (1979, p.434-435) MP 1404
Nitrification inhibitor in land treatment of wastewater in cold regions Elgawhary, S.M., et al, (1979, 25p) SR 79-18
Freezing problems with wintertime wastewater spray irrigation. Bouzoun, J.R., (1979, 12p) SR 79-12
Water movement in a land treatment system of wastewater by overland flow. Nakano, Y., et al, (1979, p 185-206) MP 1285
Health aspects of land treatment. Reed, S.C., (1979, 43p) MP 1389
Cost-effective use of municipal wastewater treatment ponds Reed, S.C., et al, (1979, p 177-200) MP 1413
Design of liquid-waste land application Iskandar, I.K., (1979, p 65-88) MP 1415
International and national developments in land treatment of wastewater. McKim, H.L., et al, (1979, 28p) MP 1420
Land application of wastewater: effect on soil and plant potassium Palazzo, A.J., et al, (1979, p.309-312) MP 1228
Cost of land treatment systems. Reed, S.C., et al, (1979, 135p) MP 1387
Land treatment of waste water in cold climates Jenkins, T.F., et al, (1979, p 207-214) MP 1279
Prototype wastewater land treatment system. Jenkins, T.F., et al, (1979, 91p.) SR 79-35
Enzyme kinetic model for nitrification in soil amended with ammonium. Leggett, D.C., et al, (1980, 20p) CR 80-01
Disinfection of wastewater by microwaves Iskandar, I.K., et al, (1980, 15p) SR 80-01
Wastewater treatment in cold regions by overland flow. Martel, C.J., et al, (1980, 14p) CR 80-07
Removal of volatile trace organics from wastewater by overland flow land treatment. Jenkins, T.F., et al, (1980, p.211-224) MP 1313
EPA policy on land treatment and the Clean Water Act of 1977 Thomas, R.E., et al, (1980, p 452-460) MP 1418
Model for nitrogen behavior in land treatment of wastewater Selim, H.M., et al, (1980, 49p) CR 80-12
Nitrogen in an overland flow wastewater treatment system Chen, R.L., et al, (1980, 33p) SR 80-16
Aquaculture systems for wastewater treatment: an engineering assessment. Reed, S.C., et al, (1980, 127p) MP 1422
Aquaculture systems for wastewater treatment Reed, S.C., et al, (1980, p 1-12) MP 1423
Removal of organics by overland flow Martel, C.J., et al, (1980, 9p.) MP 1362
Rational design of overland flow systems Martel, C.J., et al, (1980, p.114-121) MP 1400
Energy and costs for agricultural reuse of wastewater Sletten, R.S., et al, (1980, p 339-346) MP 1401
Forage grass growth on overland flow systems Palazzo, A.J., et al, (1980, p 347-354) MP 1402
Spray application of waste-water effluent in a cold climate. Cassell, E.A., et al, (1980, p 620-626) MP 1403
Soil infiltration on land treatment sites. Abele, G., et al, (1980, 41p) SR 80-36
Overland flow: removal of toxic volatile organics Jenkins, T.F., et al, (1981, 16p) SR 81-01
Toxic volatile organics removal by overland flow land treatment Jenkins, T.F., et al, (1981, 14p) MP 1421
Aquaculture for wastewater treatment in cold climates Reed, S.C., et al, (1981, p 482-492) MP 1394
Seasonal growth and accumulation of N, P, and K by grass irrigated with wastes Palazzo, A.J., (1981, p 64-68) MP 1425
Seven-year performance of CRREL slow-rate land treatment prototypes Jenkins, T.F., et al, (1981, 25p) SR 81-12
Wastewater treatment by a prototype slow rate land treatment system Jenkins, T.F., et al, (1981, 44p) CR 81-14
Model for prediction of nitrate leaching losses in soils Mehran, M., et al, (1981, 24p) CR 81-23
Effect of soil temperature on nitrification kinetics Parker, L.V., et al, (1981, 27p) SR 81-33
Vegetation selection and management for overland flow systems Palazzo, A.J., et al, (1982, p 135-154) MP 1511
Overview of models used in land treatment of wastewater Iskandar, I.K., (1982, 27p) SR 82-01
Nutrient film technique for wastewater treatment Bouzoun, J.R., et al, (1982, 15p) SR 82-04
Wastewater treatment and plant growth Palazzo, A.J., (1982, 21p) SR 82-05
Overland flow: an alternative for wastewater treatment. Martel, C.J., et al, (1982, p 181-184) MP 1506
Heat pumps to recover heat from waste treatment plants. Martel, C.J., et al, (1982, 23p) SR 82-10
P removal during land treatment of wastewater. Ryden, J.C., et al, (1982, 12p) SR 82-14
Wastewater treatment in Alaska Schneiter, R.W., et al, (1982, p.207-213) MP 1696
Land treatment of wastewater Reed, S.C., (1982, p 91-123) MP 1947
Removal of trace organics by overland flow. Leggett, D.C., et al, (1982, p 176-184) MP 2442
Wastewater applications in forest ecosystems McKim, H.L., et al, (1982, 22p) CR 82-19
Energy conservation and water pollution control facilities Martel, C.J., et al, (1982, 18p) SR 82-24
User's index to CRREL land treatment computer programs and data files Berggren, P.A., et al, (1982, 65p.) SR 82-26
Wastewater treatment by nutrient film technique. Bouzoun, J.R., et al, (1982, 34p) SR 82-27
Case study of land treatment in a cold climate—West Dover, Vermont. Bouzoun, J.R., et al, (1982, 96p) CR 82-44
Heating enclosed wastewater treatment facilities with heat pumps. Martel, C.J., et al, (1982, p 262-280) MP 1976
Microbiological aerosols from waste water Bausum, H.T., et al, (1983, p 65-75) MP 1578
Assessment of the treatability of toxic organics by overland flow Jenkins, T.F., et al, (1983, 47p) CR 83-03
Model for land treatment, Pt 1 Baron, J.A., et al, (1983, 35p) SR 83-06
Model for land treatment planning, design and operation, Pt 2. Baron, J.A., et al, (1983, 30p.) SR 83-07
Model for land treatment planning, design and operation, Pt 3. Baron, J.A., et al, (1983, 38p) SR 83-08
Corps of Engineers land treatment of wastewater research program: an annotated bibliography. Parker, L.V., et al, (1983, 82p) SR 83-09
Land application systems for wastewater treatment. Reed, S.C., (1983, 26p. + figs) MP 1946
Nitrogen removal in wastewater stabilization ponds Reed, S.C., (1983, 13p + figs) MP 1943
Engineering systems for wastewater treatment Loehr, R., et al, (1983, p 409-417) MP 1948
Wastewater treatment and reuse process for cold regions Bouzoun, J.R., (1983, p 547-557) MP 2112
Land treatment research and development program Iskandar, I.K., et al, (1983, 144p) CR 83-20
Land treatment processes. Merry, C.J., et al, (1983, 79p) SR 83-26
Analysis of infiltration results at a proposed North Carolina wastewater treatment site Abele, G., et al, (1984, 24p) SR 84-11
Utility services for remote military facilities Reed, S.C., et al, (1984, 66p) SR 84-14
Nitrogen removal in wastewater ponds Reed, S.C., (1984, 26p) CR 84-13
Nitrogen behavior in soils irrigated with liquid waste. Selim, H.M., et al, (1984, p 96-108) MP 1762
Problems with rapid infiltration—a post mortem analysis. Reed, S.C., et al, (1984, 17p. + figs) MP 1944
Wetlands for wastewater treatment in cold climates Reed, S.C., et al, (1984, 9p + figs) MP 1945
Impact of slow-rate land treatment on groundwater quality: toxic organics Parker, L.V., et al, (1984, 36p) CR 84-30
Maintaining frosty facilities Reed, S.C., et al, (1985, p 9-15) MP 1949
Overland flow wastewater treatment at Easley, S.C. Abernathy, A.R., et al, (1985, p 291-299) MP 2183
Prevention of freezing of wastewater treatment facilities Reed, S.C., et al, (1985, 49p) SR 85-11
Heat recovery from primary effluent using heat pumps Phetteplace, G., et al, (1985, p 199-203) MP 1978
Ground freezing for management of hazardous waste sites Sullivan, J.M., Jr., et al, (1985, 15p) MP 2030
Potential use of artificial ground freezing for contaminant immobilization Iskandar, I.K., et al, (1985, 10p) MP 2029
Literature review effect of freezing on hazardous waste sites Iskandar, I.K., et al, (1985, p 122-129) MP 2028
Cold weather O&M Reed, S.C., et al, (1985, p 10-15) MP 2070
Toxic organics removal kinetics in overland flow land treatment. Jenkins, T.F., et al, (1985, p 707-718) MP 2111
Reversed-phase high-performance liquid chromatographic determination of nitroorganics in munitions wastewater. Jenkins, T.F., et al, (1986, p 170-175) MP 2049
Chromatographic determination of nitroorganics in plant wastewater Hauer, C.F., et al, (1986, p 176-182) MP 2050
Nitrogen removal in cold regions trickling filter systems Reed, S.C., et al, (1986, 39p) SR 86-02
Freezing effect on waste contaminants Iskandar, I.K., (1986, 33p) SR 86-19
Problems and opportunities with winter wastewater treatment Reed, S.C., (1986, p 16-20) MP 2202

Technology and costs of wastewater application to forest systems Crites, R.W., et al, (1986, p 349-355) MP 2266

Forest land treatment with municipal wastewater in New England Reed, S.C, et al, (1986, p.420-430) MP 2280

Military wastewater treatment systems in cold regions. Reed, S.C., (1986, 23p.) CR 86-07

Removal of trace-level organics by slow-rate land treatment. Parker, L.V, et al, (1986, p.1417-1426) MP 2170

Of: Overland flow wastewater treatment at Easley, S C. Martel, C.J., et al, (1986, p 1078-1079) MP 2300

Treatment and disposal of alum and other metallic hydroxide sludges. Reed, S.C., et al, (1987, 40p. + plates) SR 87-05

Experimental methods for decontaminating soils by freezing Ayorinde, O A, et al, (1988, 12p) MP 2513

New approach for sizing rapid infiltration systems Martel, C.J., (1988, p.211-215) MP 2323

Rational design of sludge freezing beds Martel, C J, (1988, p.575-581) MP 2343

Contaminant transport in freezing soils. Ayorinde, O.A., et al, (1988, 29p.) MP 2514

Primary effluent as a heat source for heat pumps Phetteplace, G.E, et al, (1988, p 141-146) MP 2445

Waste management practices in Antarctica Sletten, R S., et al, (1989, p.122-130) MP 2464

Thermal conductivity of sludges. Vesilind, P.A., et al, (1989, p 241-245) MP 2632

Waste management practices of the United States Antarctic Program. Reed, S C, et al, (1989, 28p) SR 89-3

Development and design of sludge freezing beds. Martel, C.J., (1989, p 799-808) MP 2556

Freezing technique for *in-situ* treatment of contaminated soils Ayorinde, O.A, et al, (1989, p 489-498) MP 2515

Low-temperature effects on systems for composting explosives-contaminated soils Ayorinde, O A, et al, (1989, 18p) SR 89-38

Sludge dewatering by natural freeze-thaw Martel, C.J., (1990, p 116-122) MP 2714

Effect of freeze-thaw cycles on soils Chamberlain, E., et al, (1990, p.145-155) MP 2678

Wastes

Effects of wastewater application on forage grasses. Palazzo, A.J., (1976, 8p) CR 76-39

Land application of wastewater in permafrost areas Sletten, R.S, (1978, p 911-917) MP 1110

Uptake of nutrients by plants irrigated with wastewater. Clapp, C E., et al, (1978, p 395-404) MP 1151

Guide to the use of 14N and 15N in environmental research. Edwards, A.P., (1978, 77p) SR 78-18

Halocarbons in water using headspace gas chromatography Leggett, D C, (1981, 13p) SR 81-26

Water

Continuous monitoring of total dissolved gases, a feasibility study. Jenkins, T.F., (1975, p 101-105) MP 851

Effects of wastewater application on forage grasses Palazzo, A J., (1976, 8p) CR 76-39

Proceedings of the second planetary water and polar processes colloquium, 1978. (1978, 209p) MP 1193

Measurement of the shear stress on the underside of simulated ice covers. Calkins, D J., et al, (1980, 11p) CR 80-24

Horizontal infiltration of water in porous materials Nakano, Y., (1982, p 156-166) MP 1840

Effects of water and ice on the scattering of diffuse reflectors Jezek, K C, et al, (1986, p 259-269) MP 2664

Water balance

Scientists visit Kolyma Water Balance Station in the USSR. Slaughter, C.W., et al, (1977, 66p) SR 77-15

Subarctic watershed research in the Soviet Union Slaughter, C W, et al, (1978, p 305-313) MP 1273

Mass water balance during spray irrigation with wastewater at Deer Creek Lake land treatment site Abele, G, et al, (1978, 43p) SR 79-29

Water chemistry

Land treatment of wastewater Murrmann, R P., et al, (1976, 36p) MP 920

Effect of open water disposal of dredged sediments. Blom, B.E., et al, (1976, 183p) MP 967

Reclamation of wastewater by application on land Iskandar, I.K., et al, (1976, 15p.) MP 896

Baseline data on the oceanography of Cook Inlet, Alaska Gatto, L.W., (1976, 84p) CR 76-25

Effects of wastewater application on forage grasses Palazzo, A J., (1976, 8p) CR 76-39

Rapid infiltration of primary sewage effluent at Fort Devens, Massachusetts Satterwhite, M.B., et al (1976, 34p) CR 76-48

Effects of wastewater on the growth and chemical composition of forages Palazzo, A J., (1977, p 171-180) MP 975

Wastewater treatment at Calumet, Michigan Baillod, C.R., et al, (1977, p 489-510) MP 976

Determination of TNT in water by conversion to nitrate Leggett, D C, (1977, p 880) MP 980

Water quality measurements at Lake Powell, Utah Merry, C.J., (1977, 38p) SR 77-28

Chemistry of interstitial water from subsea permafrost, Prudhoe Bay, Alaska Iskandar, I.K., et al, (1978, p 92-98) MP 1385

Guide to the use of 14N and 15N in environmental research. Edwards, A.P., (1978, 77p) SR 78-18

Blank corrections for ultratrace atomic absorption analysis Cragin, J.H, et al, (1979, 5p) CR 79-03

Spray application of wastewater effluent in Vermont. Cassell, E.A, et al, (1979, 38p) SR 79-06

Dissolved nitrogen and oxygen in lake water Leggett, D.C., (1979, 5p.) SR 79-24

Mercury contamination of water samples Cragin, J H., (1979, p.313-319) MP 1270

Land treatment of waste water in cold climates Jenkins, T.F., et al, (1979, p 207-214) MP 1279

Remote sensing of water quality using an airborne spectroradiometer. McKim, H L., et al, (1980, p.1353-1362) MP 1491

Overland flow removal of toxic volatile organics Jenkins, T.F, et al, (1981, 16p.) SR 81-01

Seven-year performance of CRREL slow-rate land treatment prototypes Jenkins, T.F., et al, (1981, 25p.) SR 81-12

Halocarbons in water using headspace gas chromatography. Leggett, D C, (1981, 13p) SR 81-26

Limnology of Lake Koocanusa, Montana. Storm, P.C., et al, (1982, 597p) SR 82-23

Water quality measurements at six reservoirs. Parker, L.V., et al, (1982, 55p) SR 82-30

Isothermal compressibility of water mixed with montmorillonite. Oliphant, J.L., et al, (1983, p 45-50) MP 2066

Polyvinyl chloride pipes and ground water chemistry. Parker, L.V., et al, (1985, 27p.) SR 85-12

Reversed-phase high-performance liquid chromatographic determination of nitroorganics in munitions wastewater. Jenkins, T F, et al, (1986, p 170-175) MP 2049

Monitoring seasonal changes in seafloor temperature and salinity Sellmann, P V, et al, (1986, p 110-114) MP 2147

Winter water quality in lakes and streams. Calkins, D J, et al, (1988, 8p) MP 2507

Ion-pairing RP-HPLC method for determining tetrazene in water and soil Walsh, M E, et al, (1989, p 159-179) MP 2593

Solvent extraction for solute preconcentration from water. Leggett, D C., et al, (1990, p 1355-1356) MP 2743

Water content

Roof moisture survey ten State of New Hampshire buildings Tobiasson, W, et al, (1977, 29p) CR 77-31

Strength of frozen silt as a function of ice content and dry unit weight. Sayles, F H., et al, (1980, p.109-119) MP 1451

Observations of moisture migration in frozen soils during thawing. Cheng, G., et al, (1988, p 308-312) MP 2373

Nonlinear problems in the study of water movement in frozen soils Nakano, Y., (1989, p 383-393) MP 2719

Data acquisition, first the FERF then the world Knuth, K.V., (1989, p.136-138) MP 2567

Resilient modulus determination for frost conditions. Chamberlain, E J., et al, (1989, p 320-333) MP 2569

Water erosion

Lock wall deicing with high velocity water jet at Soo Locks, Mi. Calkins, D J, et al, (1977, p 23-35) MP 973

Water films

Adsorption force theory of frost heaving. Takagi, S, (1980, p.57-81) MP 1334

Preliminary study of friction between ice and sled runners Itagaki, K, et al, (1987, p.297-301) MP 2358

Kinetic friction of snow. Colbeck, S C, (1988, p 78-86) MP 2339

Water flow

Circulation and sediment distribution in Cook Inlet, Alaska Gatto, L.W., (1976, p 205-227) MP 895

Effects of radiation penetration on snowmelt runoff hydrographs Colbeck, S C, (1976, p 73-82) MP 948

Water flow through veins in ice Colbeck, S C, (1976, 5p) CR 76-06

Analysis of water flow in dry snow Colbeck, S C, (1976, p 523-527) MP 871

Potential river ice jams at Windsor, Vermont Calkins, D J., et al, (1976, 31p) CR 76-31

Computer routing of unsaturated flow through snow Tucker, W.B, et al, (1977, 44p) SR 77-10

Heat transfer over a vertical melting plate Yen, Y -C, et al, (1977, 12p) CR 77-32

Physical aspects of water flow through snow. Colbeck, S C., (1978, p 165-206) MP 1566

Entrainment of ice floes into a submerged outlet Stewart, D M, et al, (1978, p 291-299) MP 1137

Study of water drainage from columns of snow Denoth, A, et al, (1979, 19p) CR 79-01

Point source bubbler systems to suppress ice Ashton, G D, (1979, 12p) CR 79-12

Water flow through heterogeneous snow Colbeck, S C., (1979, p 37-45) MP 1219

Water movement in a land treatment system of wastewater by overland flow Nakano, Y, et al, (1979, p 185-206) MP 1285

Remote sensing of water circulation in Grays Harbor, Washington. Gatto, L.W., (1980, p.289-322) MP 1283

Traveling wave solutions of saturated-unsaturated flow through porous media Nakano, Y., (1980, p.117-122) MP 1278

Water and air horizontal flow in porous media. Nakano, Y, (1980, p.81-85) MP 1341

Water and air vertical flow through porous media. Nakano, Y, (1980, p 124-133) MP 1342

Inlet current measured with Seasat-1 synthetic aperture radar Shemdin, O H., et al, (1980, p 35-37) MP 1443

Traveling wave solution to the problem of simultaneous flow of water and air through homogeneous porous media. Nakano, Y., (1981, p 57-64) MP 1419

Linearized Boussinesq groundwater flow equation Daly, C J., et al, (1981, p 875-884) MP 1470

Asymmetric flows application to flow below ice jams. Gögüs, M., et al, (1981, p 342-350) MP 1733

Tests of frazil collector lines to assist ice cover formation. Perham, R.E, (1981, p 442-448) MP 1488

Model for prediction of nitrate leaching losses in soils Mehran, M., et al, (1981, 24p) CR 81-23

Model study of Port Huron ice control structure, wind stress simulation. Sodhi, D S., et al, (1982, 27p) CR 82-09

Theory of thermal control and prevention of ice in rivers and lakes Ashton, G D, (1982, p.131-185) MP 1554

Application of HEC-2 for ice-covered waterways. Calkins, D J., et al, (1982, p 241-248) MP 1575

Evaluation of procedures for determining selected aquifer parameters Daly, C J, (1982, 104p) CR 82-41

Tailwater flow conditions. Ferrick, M G., et al, (1983, 31p) CR 83-07

Asymmetric plane flow with application to ice jams Tatinclaux, J.C., et al, (1983, p 1540-1556) MP 1645

Boundary value problem of flow in porous media Nakano, Y, (1983, p.205-213) MP 1721

Procedure for calculating groundwater flow lines Daly, C.J, (1984, 42p) SR 84-09

Diffusivity of horizontal water flow through porous media. Nakano, Y., (1985, p 26-31) MP 1881

Experimental measurement of channeling of flow in porous media Oliphant, J.L, et al, (1985, p 394-399) MP 1967

Heat transfer in water over a melting ice sheet Lunardini, V J, (1986, p 227-236) MP 2033

Heat transfer in water flowing over a horizontal ice sheet. Lunardini, V.J., et al, (1986, 81p) CR 86-03

Laboratory study of flow in an ice-covered sand bed channel. Wuebben, J.L, (1986, p.3-14) MP 2123

Sorption of chemical agents and simulants Leggett, D C., (1987, 15p) SR 87-18

Effects of an ice cover on flow in a movable bed channel. Wuebben, J L., (1988, p 137-146) MP 2499

Flow developers for melting ice—experimental results Ashton, G D., (1989, p 151-160) MP 2465

Hydraulic model of overland flow on grass covered slopes. Adrian, D.D, et al, (1989, p 569-578) MP 2710

Heat transfer from water flowing through a chilled-bed open channel. Richmond, P.W, et al, (1989, p 51-58) MP 2649

Jökulhlaup involving a potholed glacier in AK. Sturm, M, et al, (1990, p 125-126) MP 2708

Water intakes

Entrainment of ice floes into a submerged outlet. Stewart, D.M, et al, (1978, p 291-299) MP 1137

Ice blockage of water intakes Carey, K.L., (1979, 27p) MP 1197

Inlet current measured with Seasat-1 synthetic aperture radar Shemdin, O H., et al, (1980, p 35-37) MP 1443

Inlet current measured with Seasat-1 synthetic aperture radar. Shemdin, O.H, et al, (1980, p 35-37) MP 1481

Hydraulic model study of a water intake under frazil ice conditions Tantillo, T J, (1981, 11p) CR 81-03

Lake water intakes under icing conditions Dean, A M, Jr, (1983, 7p) CR 83-15

Modeling intake peformance under frazil ice conditions. Dean, A M, Jr, (1984, p 559-563) MP 1797

Intake design for ice conditions. Ashton, G D., (1988, p 107-138) MP 2518

Development of an underwater frazil-ice detector. Daly, S F, et al, (1990, p 77-82) MP 2702

Water level

Clearing ice-clogged shipping channels Vance, G.P., (1980, 13p) CR 80-28

Breakup of solid ice covers due to rapid water level variations. Billfalk, L., (1982, 17p) CR 82-03

Field tests of a frost-heave model Guymon, G L., et al, (1983, p 409-414) MP 1657

Wetlands for wastewater treatment in cold climates Reed, S C, et al, (1984, 9p + figs) MP 1945

Effect of ice cover on hydropower production Yapa, P D, et al, (1984, p 231-234) MP 1876

Uplifting forces exerted by adfrozen ice on marine piles. Christensen, F T, et al, (1985, p 529-542) MP 1905

Potential solution to ice jam flooding Salmon River, Idaho Earickson, J, et al, (1986, p 15-25) MP 2131

Preliminary study of scour under an ice jam Wuebben, J L., (1988, p 177-192) MP 2475

Seasonal distribution of low flow events in New Hampshire streams with emphasis on the winter period Melloh, R A, (1990, p 47-53) MP 2681

Water pipelines
Long distance heat transmission with steam and hot water. Aamot, H.W C., et al, (1976, 39p) MP 938
Cold climate utilities delivery design manual. Smith, D.W., et al, (1979, c300 leaves) MP 1373
Simplified design procedures for heat transmission system piping Phetteplace, G., (1985, p 451-456) MP 1979

Water pipes
Freeze damage prevention in utility distribution lines McFadden, T., (1977, p 221-231) MP 929
Freeze damage protection for utility lines. McFadden, T., (1977, p.12-16) MP 953
Heat transmission with steam and hot water. Aamot, H W.C., et al, (1978, p.17-23) MP 1956
Modeling intake peformance under frazil ice conditions Dean, A.M., Jr., (1984, p 559-563) MP 1797
Heat distribution research. Phetteplace, G , (1986, p.2-3) MP 2150
Water-source heat pumps Phetteplace, G., (1986, p.14-15) MP 2151

Water pollution
Baseline data on tidal flushing in Cook Inlet, Alaska Gatto, L.W., (1973, 11p.) MP 1523
Land treatment of wastewaters for rural communities Reed, S.C., et al, (1975, p 23-39) MP 1399
Land treatment in relation to waste water disposal. Howells, D.H., et al, (1976, p 60-62) MP 869
Effect of open water disposal of dredged sediments Blom, B E , et al, (1976, 183p) MP 967
Thermal pollution studies of French Creek, Eielson AFB, Alaska. McFadden, T., (1976, 5p) CR 76-14
Land treatment of wastewater at a subarctic Alaskan location. Sletten, R S , et al, (1976, 21p) MP 868
Land treatment of wastewater in subarctic Alaska Sletten, R.S., et al, (1977, p 533-547) MP 1268
Health aspects of water reuse in California. Reed, S C., (1979, p.434-435) MP 1404
Atmospheric pollutants in snow cover runoff. Colbeck, S C., (1981, p.1383-1388) MP 1487
Limnology of Lake Koocanusa, MT, the 1967-1972 study. Bonde, T.J.H , et al, (1982, 184p) SR 82-21
Energy conservation and water pollution control facilities Martel, C.J., et al, (1982, 18p) SR 82-24
Limnology of Lake Koocanusa, Montana. Storm, P.C., et al, (1982, 597p) SR 82-23
Water quality measurements at six reservoirs Parker, L V., et al, (1982, 55p) SR 82-30
Nitrogen removal in wastewater stabilization ponds Reed, S C , (1983, 13p + figs) MP 1943
Impact of dredging on water quality at Kewaunee Harbor, Wisconsin Iskandar, I.K., et al, (1984, 16p) CR 84-21
Chemical analysis of munitions wastewater. Jenkins, T.F , et al, (1984, 95p) CR 84-29
Toxic organics removal kinetics in overland flow land treatment. Jenkins, T F., et al, (1985, p 707-718) MP 2111
Polyvinyl chloride pipes and ground water chemistry. Parker, L.V , et al, (1985, 27p) SR 85-12
Chromatographic determination of nitroorganics in plant wastewater Bauer, C F , et al, (1986, p 176-182) MP 2050
Floating debris control, a literature review Perham, R E , (1987, 22p + 41p of append) MP 2252
Extraction solvents for determination of volatile organics in soil. Jenkins, T.F., et al, (1987, 26p) SR 87-22
Water quality during winter river navigation seasons Sletten, R.S , (1988, 56p.) SR 88-10
Development of analytical methods for military-unique compounds Walsh, M.E., et al, (1988, p 370-380) MP 2454
Influence of well casing materials on chemical species in ground water Parker, L.V., et al, (1988, p 450-461) MP 2456
Development of a membrane for *in-situ* optical detection of TNT. Zhang, Y., et al, (1988, 6p) SR 88-24
Influence of well casing composition on trace metals in ground water. Hewitt, A.D , (1989, 18p) SR 89-09
Single fiber measurements for remote optical detection of TNT. Zhang, Y , et al, (1989, 7p) SR 89-18
Leaching of metal pollutants from well casings Hewitt, A D , (1989, 11p) SR 89-32
Influence of well casings on well water. Hewitt, A D , et al, (1989, 9p) MP 2717
Well casings for monitoring trace organics in ground water Parker, L.V., et al, (1989, 29p) CR 89-18
Analytical methods for determining nitroguanidine in soil and water. Walsh, M E , (1989, 27p) SR 89-35
Environmental transformation of nitroaromatics and nitramines Walsh, M E., (1990, 21p) SR 90-02
Surface changes in well casings exposed to organic pollutants Taylor, S , et al, (1990, 14p) SR 90-07
Influence of casing materials on trace-level chemicals in well water Parker, L.V , et al, (1990, 11p) MP 2720

Water pressure
Water flow through veins in ice Colbeck, S C , (1976, 5p) CR 76-06
On the use of tensiometers in snow hydrology Colbeck, S C., (1976, p 135-140) MP 843
Model study of Port Huron ice control structure, wind stress simulation Sodhi, D S , et al, (1982, 27p) CR 82-09
Field tests of a frost-heave model Guymon, G L , et al, (1983, p 409-414) MP 1657
Investigation of transient processes in an advancing zone of freezing McGaw, R , et al, (1983, p.821-825) MP 1663

Water reserves
Remote sensing data for water masses in Delaware Bay and adjacent wetlands Ackleson, S G , et al, (1985, p 1123-1129) MP 1909

Water retention
Analysis of water flow in dry snow. Colbeck, S.C., (1976, p 523-527) MP 871
Soil hydraulic conductivity and moisture retention features Ingersoll, J., (1981, 11p) SR 81-02
Laboratory and field use of soil tensiometers above and below 0 deg C. Ingersoll, J., (1981, 17p) SR 81-07
Design and performance of water-retaining embankments in permafrost. Sayles, F.H , (1984, p 31-42) MP 1850

WATER SUPPLY
Water supply in cold regions. Alter, A.J , (1969, 85p) M III-C5a
Utilities on permanent snowfields Mellor, M , (1969, 42p) M III-A2d

Water supply
Towing icebergs Lonsdale, H K , et al, (1974, p 2) MP 1020
Snow accumulation for arctic freshwater supplies Slaughter, C.W., et al, (1975, p 218-224) MP 860
Computer simulation of the snowmelt and soil thermal regime at Barrow, Alaska. Outcalt, S I., et al, (1975, p.709-715) MP 857
Utility distribution systems in Sweden, Finland, Norway and England Aamot, H.W.C., et al, (1976, 121p) SR 76-16
Field performance of a subarctic utilidor. Reed, S C , (1977, p 448-468) MP 930
Obtaining fresh water from icebergs Mellor, M , (1977, p.193) MP 1117
Some elements of iceberg technology Weeks, W.F , et al, (1978, p 45-98) MP 1616
Fresh water supply for an Alaskan village. McFadden, T , et al, (1978, 18p) SR 78-07
Water resources by satellite. McKim, H.L., (1978, p 164-169) MP 1090
Cold climate utilities delivery design manual Smith, D.W., et al, (1979, c300 leaves) MP 1373
Bibliography on techniques of water detection in cold regions. Smith, D.W., comp, (1979, 75p) SR 79-10
Detection of Arctic water supplies with geophysical techniques. Arcone, S.A., et al, (1979, 30p.) CR 79-15
Case study fresh water supply for Point Hope, Alaska McFadden, T , et al, (1979, p.1029-1040) MP 1222
Tundra lakes as a source of fresh water Kipnuk, Alaska Bredthauer, S R., et al, (1979, 16p) SR 79-30
Iceberg water: an assessment. Weeks, W F , (1980, p 5-10) MP 1365
Developing a water well for the ice backfilling of DYE-2 Rand, J H., (1982, 19p) SR 82-32
Water supply and waste disposal on permanent snow fields Reed, S C., et al, (1984, p 401-413) MP 1714
Utility services for remote military facilities Reed, S C., et al, (1984, 66p) SR 84-14
Water supply and waste disposal in Greenland and Antarctica Reed, S C , et al, (1985, p 344-350) MP 1792
Assessment of a field water purification unit. Bouzoun, J R , et al, (1986, 6p) SR 86-20
Remote sensing and water resources McKim, H L , et al, (1987, p 186-190) MP 2535
Field water supply on the winter battlefield Bouzoun, J R , (1988, 7p) SR 88-02
Waste management practices of the United States Antarctic Program Reed, S C., et al, (1989, 28p) SR 89-3
Investigation of the LIZ-3 Dew Line Station water supply lake Kovacs, A , (1990, 10p) SR 90-11

Water table
Periodic structure of New Hampshire silt in open system freezing McGaw, R., (1977, p 129-136) MP 902
Application of recent results in functional analysis to the problem of water tables Nakano Y , (1979, p.185-190) MP 1269
Water and air vertical flow through porous media Nakano, Y , (1980, p 124-133) MP 1342
Radar profiling of buried reflectors and the groundwater table Sellmann, P.V., et al, (1983, 16p) CR 83-11

Water temperature
Temperature and flow conditions during the formation of river ice Ashton, G D , et al, (1970, 12p) MP 1723
Radiation and evaporation heat loss during ice fog conditions McFadden, T , (1975, p 18-27) MP 1051
Compressive and shear strengths of fragmented ice covers Cheng, S T , et al (1977, 82p) MP 951
Heat transmission with steam and hot water Aamot, H W C , et al, (1978, p 17-23) MP 1956
Break-up of the Yukon River at the Haul Road Bridge 1979 Stephens, C A , et al, (1979, 22p + Figs) MP 1315
Winter thermal structure, ice conditions and climate of Lake Champlain. Bates, R.E., (1980, 26p.) CR 80-02
Free convection heat transfer characteristics in a melt water layer. Yen, Y.-C , (1980, p.550-556) MP 1311
Bottom heat transfer to water bodies in winter. O'Neill, K , et al, (1981, 8p) SR 81-18
River ice suppression by side channel discharge of warm water. Ashton, G.D , (1982, p 65-80) MP 1528
Forecasting water temperature decline and freeze-up in rivers. Shen, H.T., et al, (1984, 17p) CR 84-19
USACRREL precise thermistor meter Trachier, G M , et al, (1985, 34p) SR 85-26
Heat transfer in water flowing over a horizontal ice sheet Lunardini, V.J., et al, (1986, 81p) CR 86-03
Bubblers and pumps for melting ice. Ashton, G.D., (1986, p 223-234) MP 2133
Monitoring seasonal changes in seafloor temperature and salinity. Sellmann, P.V , et al, (1986, p.110-114) MP 2147
Forecasting of snowmelt runoff using water temperature data. Pangburn, T., (1987, p.108-113) MP 2398
Forecasting river water temperatures Daly, S F., (1988, p 180-188) MP 2500
Seafloor temperature and thermal conductivity Sellmann, P V , et al, (1989, 19p) SR 89-01
Seafloor temperature and thermal conductivity. Sellmann, P.V., et al, (1989, 19p) CR 89-01
Remote water-temperature measurement. Daly, S , (1989, 6p) MP 2722

Water transport
Mechanisms of crack growth in quartz. Martin, R.J., III, et al, (1975, p 4837-4844) MP 855
Effects of ice on the water transport in frozen soil. Nakano, Y , et al, (1983, p.15-26) MP 1601
Soil-water diffusivity of unsaturated frozen soils at subzero temperatures Nakano, Y , et al, (1983, p 889-893) MP 1664
Effects of ice content on the transport of water in frozen soils. Nakano, Y., et al, (1984, p 28-34) MP 1841
Role of heat and water transport in frost heaving of porous soils. Nakano, Y., et al, (1984, p 93-102) MP 1842
Effects of ice content on the transport of water in frozen soil. Nakano, Y , et al, (1984, p.58-66) MP 1843
Transport of water in frozen soil Nakano, Y., et al, (1984, p.172-179) MP 1819
Nonlinear problems in the study of water movement in frozen soils. Nakano, Y , (1989, p 383-393) MP 2719
Transport of water due to a temperature gradient in unsaturated frozen clay. Nakano, Y , et al, (1990, p.57-75) MP 2701

WATER TREATMENT
Water supply in cold regions Alter, A J , (1969, 85p) M III-C5a

Water treatment
Land disposal, state of the art Reed, S C., (1973, p.229-261) MP 1392
Wastewater reuse at Livermore, California Uiga, A , et al, (1976, p 511-531) MP 870
Land treatment of wastewater. Murrmann, R P., et al, (1976, 36p) MP 920
Reclamation of wastewater by application on land Iskandar, I.K , et al, (1976, 15p) MP 896
Wastewater renovation by a prototype slow infiltration land treatment system Iskandar, I.K , et al, (1976, 44p) CR 76-19
Impact of urban wastewater reuse in cold regions on land treatment systems Iskandar, I K , (1976, 32p) MP 2452
Overview of land treatment from case studies of existing systems Uiga, A , et al, (1976, 26p.) MP 891
Wastewater treatment in cold regions. Sletten, R S , et al, (1976, 15p) MP 965
Rapid infiltration of primary sewage effluent at Fort Devens, Massachusetts Satterwhite, M.B., et al, (1976, 34p) CR 76-48
Treatment of primary sewage effluent by rapid infiltration Satterwhite, M B , et al, (1976, 15p) CR 76-49
Wastewater treatment at Calumet, Michigan. Baillod, C R , et al, (1977, p 489-510) MP 976
Wastewater reuse at Livermore, California Uiga, A , et al, (1977, p 511-531) MP 979
Determination of TNT in water by conversion to nitrate. Leggett, D C , (1977, p 880) MP 980
Land treatment of wastewater at Manteca, Calif., and Quincy, Washington Iskandar, I K , et al, (1977, 34p) CR 77-24
Land treatment of wastewater at West Dover, Vermont. Bouzoun, J.R , (1977, 24p) SR 77-33
Municipal sludge management environmental factors. Reed, S C , ed, (1977, Var p) MP 1406
Wastewater treatment alternative needed Iskandar, I K , et al (1977, p 82-87) MP 968
Land treatment module of the CAPDET program Merry, C J , et al, (1977, 4p) MP 1112
Land application of wastewater in permafrost areas Sletten, R S , (1978, p 911-917) MP 1110
Lysimeters validate wastewater renovation models Iskandar, I K , et al, (1978, 11p) SR 78-12
Land treatment present status, future prospects Pound, C E , et al, (1978, p 98-102) MP 1417
Symposium on land treatment of wastewater, CRREL, Aug 1978, (1978, 2 vols.) MP 1145

Remote sensing for land treatment site selection. Merry, C.J., (1978, p.107-119) MP 1146

NO3-N in percolate water in land treatment Iskandar, I K., et al, (1978, p 163-169) MP 1148

Nitrogen behavior in land treatment of wastewater, a simplified model. Selim, H.M., et al, (1978, p.171-179) MP 1149

Overview of existing land treatment systems Iskandar, I.K., (1978, p.193-200) MP 1150

Uptake of nutrients by plants irrigated with wastewater. Clapp, C.E., et al, (1978, p.395-404) MP 1151

Performance of overland flow land treatment in cold climates Jenkins, T.F., et al, (1978, p 61-70) MP 1152

Microbiological aerosols during wastewater irrigation Bausum, H.T., et al, (1978, p 273-280) MP 1154

Computer procedure for comparing wastewater treatment systems. Spaine, P.A., et al, (1978, p 335-340) MP 1155

Waste water reuse in cold regions. Iskandar, I.K., (1978, p 361-368) MP 1144

Mass water balance during spray irrigation with wastewater at Deer Creek Lake land treatment site. Abele, G., et al, (1978, 43p) SR 79-29

Land treatment climatic survey at CRREL. Bilello, M A., et al, (1978, 37p) SR 78-21

Computer file for existing land application of wastewater systems. Iskandar, I.K., et al, (1978, 24p) SR 78-22

Experimental system for land renovation of effluent Nylund, J.R., et al, (1978, 26p) SR 78-23

Wastewater stabilization pond linings Middlebrooks, E J., et al, (1978, 116p) SR 78-28

Five-year performance of CRREL land treatment test cells Jenkins, T.F., et al, (1978, 24p) SR 78-26

Cold climate utilities delivery design manual Smith, D.W., et al, (1979, c300 leaves) MP 1373

Kinetics of denitrification in land treatment of wastewater. Jacobson, S., et al, (1979, 59p) SR 79-04

Spray application of wastewater effluent in Vermont Cassell, E.A., et al, (1979, 38p) SR 79-06

Health aspects of water reuse in California. Reed, S C., (1979, p 434-435) MP 1404

Nitrification inhibitor in land treatment of wastewater in cold regions. Elgawhary, S M., et al, (1979, 25p) SR 79-18

Freezing problems with wintertime wastewater spray irrigation Bouzoun, J.R., (1979, 12p) SR 79-12

Soil characteristics and climatology during wastewater application at CRREL Iskandar, I.K., et al, (1979, 82p) SR 79-23

Water movement in a land treatment system of wastewater by overland flow Nakano, Y., et al, (1979, p.185-206) MP 1285

Health aspects of land treatment Reed, S C., (1979, 43p) MP 1389

Cost-effective use of municipal wastewater treatment ponds. Reed, S C., et al, (1979, p.177-200) MP 1413

Land treatment systems and the environment. McKim, H L., et al, (1979, p 201-225) MP 1414

Design of liquid-waste land application Iskandar, I K., (1979, p 65-88) MP 1415

International and national developments in land treatment of wastewater. McKim, H L., et al, (1979, 28p) MP 1420

Bacterial aerosols resulting from wastewater irrigation in Ohio Bausum, H.T., et al, (1979, 64p) SR 79-32

Nitrogen transformations in land treatment Jenkins, T F., et al, (1979, 32p) SR 79-31

Cost of land treatment systems Reed, S C., et al, (1979, 135p) MP 1387

Prototype wastewater land treatment system. Jenkins, T.F., et al, (1979, 91p) SR 79-35

Enzyme kinetic model for nitrification in soil amended with ammonium. Leggett, D C., et al, (1980, 20p) CR 80-01

Disinfection of wastewater by microwaves Iskandar, I K., et al, (1980, 15p) SR 80-01

Wastewater treatment in cold regions by overland flow Martel, C.J., et al, (1980, 14p) CR 80-07

Removal of volatile trace organics from wastewater by overland flow land treatment. Jenkins, T F., et al, (1980, p 211-224) MP 1313

EPA policy on land treatment and the Clean Water Act of 1977 Thomas, R.E., et al, (1980, p 452-460) MP 1418

Model for nitrogen behavior in land treatment of wastewater Selim, H M., et al, (1980, 49p) CR 80-12

Nitrogen in an overland flow wastewater treatment system Chen, R.L., et al, (1980, 33p) SR 80-16

Dynamics of NH4 and NO3 in cropped soils irrigated with wastewater Iskandar, I K., et al, (1980, 20p) SR 80-27

Aquaculture systems for wastewater treatment an engineering assessment Reed, S C., et al, (1980, 127p) MP 1422

Aquaculture systems for wastewater treatment Reed, S C., et al, (1980, p.1-12) MP 1423

Removal of organics by overland flow Martel, C J., et al, (1980, 9p) MP 1362

Rational design of overland flow systems Martel, C J., et al, (1980, p 114-121) MP 1400

Energy and costs for agricultural reuse of wastewater Sletten, R.S., et al, (1980, p.339-346) MP 1401

Forage grass growth on overland flow systems Palazzo, A.J., et al, (1980, p.347-354) MP 1402

Spray application of waste-water effluent in a cold climate Cassell, E A., et al, (1980, p 620-626) MP 1403

Effectiveness of land application for P removal from waste water. Iskandar, I.K., et al, (1980, p 616-621) MP 1444

Overland flow, removal of toxic volatile organics. Jenkins, T.F., et al, (1981, 16p) SR 81-01

Toxic volatile organics removal by overland flow land treatment. Jenkins, T.F., et al, (1981, 14p) MP 1421

Aquaculture for wastewater treatment in cold climates Reed, S C., et al, (1981, p 482-492) MP 1394

Seasonal growth and accumulation of N, P, and K by grass irrigated with wastes. Palazzo, A.J., (1981, p 64-68) MP 1425

Hydraulic characteristics of the Deer Creek Lake land treatment site during wastewater application Abele, G., et al, (1981, 37p) CR 81-07

Seasonal growth and uptake of nutrients by orchardgrass irrigated with wastewater Palazzo, A J., et al, (1981, 19p) CR 81-08

Seven-year performance of CRREL slow-rate land treatment prototypes Jenkins, T F., et al, (1981, 25p) SR 81-12

Wastewater treatment by a prototype slow rate land treatment system. Jenkins, T F., et al, (1981, 44p) CR 81-14

Site selection methodology for the land treatment of wastewater. Ryan, J.R., et al, (1981, 74p) SR 81-28

Vegetation selection and management for overland flow systems Palazzo, A.J., et al, (1982, p 135-154) MP 1511

Overview of models used in land treatment of wastewater Iskandar, I.K., (1982, 27p) SR 82-01

Nutrient film technique for wastewater treatment Bouzoun, J.R., et al, (1982, 15p) SR 82-04

Wastewater treatment and plant growth. Palazzo, A.J., (1982, 21p) SR 82-05

Overland flow, an alternative for wastewater treatment. Martel, C J., et al, (1982, p 181-184) MP 1506

Heat pumps to recover heat from waste treatment plants Martel, C.J., et al, (1982, 23p) SR 82-10

P removal during land treatment of wastewater Ryden, J C., et al, (1982, 12p) SR 82-14

Wastewater treatment in Alaska Schneiter, R W., et al, (1982, p 207-213) MP 1696

Land treatment of wastewater Reed, S C., (1982, p 91-123) MP 1947

Removal of trace organics by overland flow Leggett, D.C., et al, (1982, p 176-184) MP 2442

Wastewater applications in forest ecosystems McKim, H.L., et al, (1982, 22p) CR 82-19

Direct filtration of streamborne glacial silt Ross, M D., et al, (1982, 17p) CR 82-23

Energy conservation and water pollution control facilities. Martel, C.J., et al, (1982, 18p) SR 82-24

User's index to CRREL land treatment computer programs and data files. Berggren, P A., et al, (1982, 65p) SR 82-26

Wastewater treatment by nutrient film technique. Bouzoun, J R., et al, (1982, 34p) SR 82-27

Case study of land treatment in a cold climate—West Dover, Vermont. Bouzoun, J R., et al, (1982, 96p) CR 82-44

Heating enclosed wastewater treatment facilities with heat pumps Martel, C J., et al, (1982, p 262-280) MP 1976

Microbiological aerosols from waste water Bausum, H T., et al, (1983, p 65-75) MP 1578

Assessment of the treatability of toxic organics by overland flow. Jenkins, T.F., et al, (1983, 47p) CR 83-03

Model for land treatment. Pt 1 Baron, J A., et al, (1983, 35p) SR 83-06

Model for land treatment planning, design and operation, Pt 2 Baron, J A., et al, (1983, 30p) SR 83-07

Model for land treatment planning, design and operation, Pt 3 Baron, J.A., et al, (1983, 38p) SR 83-08

Corps of Engineers land treatment of wastewater research program: an annotated bibliography Parker, L.V., et al, (1983, 82p) SR 83-09

Land application systems for wastewater treatment Reed, S C., (1983, 26p + figs) MP 1946

Nitrogen removal in wastewater stabilization ponds Reed, S C., (1983, 13p + figs) MP 1943

Engineering systems for wastewater treatment Loehr, R., et al, (1983, p 409-417) MP 1948

Wastewater treatment and reuse process for cold regions Bouzoun, J R., (1983, p 547-557) MP 2112

Land treatment research and development program Iskandar, I K., et al, (1983, 144p) CR 83-20

Land treatment processes Merry, C J., et al, (1983, 79p) SR 83-26

Water supply and waste disposal on permanent snow fields Reed, S C., et al, (1984, p 401-413) MP 1714

Analysis of infiltration results at a proposed North Carolina wastewater treatment site Abele, G., et al, (1984, 24p) SR 84-11

Utility services for remote military facilities Reed, S C., et al, (1984, 66p) SR 84-14

Nitrogen removal in wastewater ponds Reed, S C., (1984, 26p) CR 84-13

Nitrogen behavior in soils irrigated with liquid waste Selim, H.M., et al, (1984, p.96-108) MP 1762

Problems with rapid infiltration—a post mortem analysis. Reed, S.C., et al, (1984, 17p + figs) MP 1944

Wetlands for wastewater treatment in cold climates. Reed, S C., et al, (1984, 9p. + figs) MP 1945

Impact of slow-rate land treatment on groundwater quality: toxic organics. Parker, L.V., et al, (1984, 36p) CR 84-30

Maintaining frosty facilities Reed, S C., et al, (1935, p 9-15) MP 1949

Overland flow wastewater treatment at Easley, S C Abernathy, A.R., et al, (1985, p 291-299) MP 2183

Prevention of freezing of wastewater treatment facilities. Reed, S.C., et al, (1985, 49p) SR 85-11

Heat recovery from primary effluent using heat pumps. Phetteplace, G., et al, (1985, p.199-203) MP 1978

Cold weather O&M. Reed, S C., et al, (1985, p 10-15) MP 2070

Toxic organics removal kinetics in overland flow land treatment. Jenkins, T F., et al, (1985, p 707-718) MP 2111

Reversed-phase high-performance liquid chromatographic determination of nitroorganics in munitions wastewater. Jenkins, T F., et al, (1986, p.170-175) MP 2049

Chromatographic determination of nitroorganics in plant wastewater. Bauer, C.F., et al, (1986, p.176-182) MP 2050

Nitrogen removal in cold regions trickling filter systems. Reed, S C., et al, (1986, 39p) SR 86-02

Corps of Engineers Land Treatment Research and Development program Iskandar, I K., (1986, p.17-18) MP 2149

Assessment of a field water purification unit. Bouzoun, J R., et al, (1986, 6p) SR 86-20

Problems and opportunities with winter wastewater treatment. Reed, S C., (1986, p.16-20) MP 2205

Technology and costs of wastewater application to forest systems. Crites, R.W., et al, (1986, p 349-355) MP 2266

Forest land treatment with municipal wastewater in New England Reed, S.C., et al, (1986, p 420-430) MP 2280

Military wastewater treatment systems in cold regions. Reed, S C., (1986, 23p) CR 86-07

Removal of trace-level organics by slow-rate land treatment. Parker, L.V., et al, (1986, p.1417-1426) MP 2170

Of: Overland flow wastewater treatment at Easley, S.C. Martel, C.J., et al, (1986, p 1078-1079) MP 2300

Treatment and disposal of alum and other metallic hydroxide sludges Reed, S C., et al, (1987, 40p + plates) SR 87-05

New approach for sizing rapid infiltration systems Martel, C.J., (1988, p 211-215) MP 2323

Field water supply on the winter battlefield Bouzoun, J.R., (1988, 7p) SR 88-02

Rational design of sludge freezing beds. Martel, C.J., (1988, p 575-581) MP 2343

Development of analytical methods for military-unique compounds. Walsh, M E., et al, (1988, p 370-380) MP 2454

Predicting freezing design depth of sludge-freezing beds. Martel, C J., (1988, p.145-156) MP 2461

Waste management practices in Antarctica. Sletten, R.S., et al, (1989, p 122-130) MP 2464

Hydraulic model of overland flow on grass covered slopes. Adrian, D D., et al, (1989, p 569-578) MP 2710

New approach for sizing rapid infiltration systems (discussion and closure) Reed, S C., et al, (1989, p 879-882) MP 2712

Water vapor

Water vapor adsorption by sodium montmorillonite at -5C Anderson, D M., et al, (1978, p 638-644) MP 981

Analysis of water in the Martian regolith Anderson, D.M., et al, (1979, p 33-38) MP 1409

Thermal convection in snow. Powers, D J., et al, (1985, 61p) CR 85-09

Vapor drive maps of the U S A Tebiasson, W., et al, (1986, 7p + graphs) MP 2041

Water waves

Breakup of solid ice covers due to rapid water level variations. Billfalk, L., (1982, 17p) CR 82-03

On zero-inertia and kinematic waves Katopodes, N D., (1982, p 1381-1387) MP 2053

Tailwater flow conditions Ferrick, M G., et al, (1983, 31p) CR 83-07

Analysis of rapidly varying flow in ice-covered rivers Ferrick, M G., (1984, p 359-368) MP 1833

Shoreline erosion processes Orwell Lake, Minnesota Reid, J R., (1984, 101p) CR 84-32

Analysis of river wave types Ferrick, M G., (1985, 17p) CR 85-12

River wave response to the friction-inertia balance Ferrick, M G., et al, (1987, p 764-769) MP 2237

Wave-induced bergy bit motion near a floating platform. Mak, L M., et al, (1990, p 205-215) MP 2580

Waterproofing

Protected membrane roofs in cold regions Aamot, H W C., et al, (1976, 27p) CR 76-02

Water absorption of insulation in protected membrane roofing systems Schaefer, D., (1976, 15p) CR 76-38

Waterproofing *(cont.)*

Enclosing fine-grained soils in plastic moisture barriers. Smith, N., (1978, p 560-570) MP 1089

Load tests on membrane-enveloped road sections. Smith, N., et al, (1978, 16p) CR 78-12

Waterproofing strain gages for low ambient temperatures Garfield, D.E., et al, (1978, 20p) SR 78-15

Construction and performance of membrane encapsulated soil layers in Alaska Smith, N., (1979, 27p) CR 79-16

Roofs in cold regions Tobiasson, W., (1980, 21p) MP 1408

Roof moisture surveys. Tobiasson, W., et al, (1981, 18p) SR 81-31

Roof moisture surveys Tobiasson, W., (1982, p 163-166) MP 1505

Roof blisters Physical fitness building, Fort Lee, Virginia Korhonen, C., et al, (1986, 15p) Sr 86-35

Cold regions roof design. Tobiasson, W., (1987, p 457-458) MP 2243

Vapor retarders for membrane roofing systems Tobiasson, W., (1989, p 31-37) MP 2489

Watersheds

High-latitude basins as settings for circumpolar environmental studies. Slaughter, C.W., et al, (1975, p IV/57-IV/68) MP 917

Landsat data for watershed management Cooper, S., et al, (1977, c150p) MP 1114

Drainage network of a subarctic watershed. Bredthauer, S.R., et al, (1979, 9p) SR 79-19

Drainage network analysis of a subarctic watershed. Bredthauer, S.R., et al, (1979, p 349-359) MP 1274

Watershed modeling in cold regions Stokely, J.L., (1980, 241p) MP 1471

Hydrology and climatology of a drainage basin near Fairbanks, Alaska Haugen, R.K., et al, (1982, 34p) CR 82-26

Runoff from a small subarctic watershed, Alaska Chacho, E.F., et al, (1983, p.115-120) MP 1654

Forecasting river water temperatures Daly, S.F., (1988, p.180-188) MP 2500

Wave propagation

Surface-wave dispersion in Byrd Land Acharya, H.K., (1972, p 955-959) MP 992

Electrical ground impedance measurements in Alaskan permafrost regions Hockstra, P., (1975, 60p) MP 10[illegible]

Analysis of explosively generated ground motions using Fourier techniques Blouin, S.E., et al, (1976, 86p) CR 76-28

Ground pressures exerted by underground explosions. Johnson, P.R., (1978, p 284-290) MP 1520

Interaction of a surface wave with a dielectric slab discontinuity. Arcone, S.A., et al, (1978, 10p) CR 78-08

Hydraulic transients a seismic source in volcanoes and glaciers St. Lawrence, W.F., et al, (1979, p 654-656) MP 1181

Ultrasonic investigation on ice cores from Antarctica Kohnen, H., et al, (1979, 16p) CR 79-10

Ultrasonic investigation on ice cores from Antarctica. Kohnen, H., et al, (1979, p 4863-4874) MP 1239

Analysis of plastic shock waves in snow Brown, R.L., (1979, 14p) CR 79-29

Traveling wave solutions of saturated-unsaturated flow through porous media Nakano, Y., (1980, p 117-122) MP 1278

Low frequency surface impedance measurements. Arcone, S.A., et al, (1980, p.1-9) MP 1280

Analysis of non-steady plastic shock waves in snow Brown, R.L., (1980, p 279-287) MP 1354

Propagation of stress waves in alpine snow. Brown, R.L., (1980, p 235-243) MP 1367

Dynamic testing of free field stress gages in frozen soil. Aitken, G.W., et al, (1980, 26p) SR 80-30

Traveling wave solution to the problem of simultaneous flow of water and air through homogeneous porous media Nakano, Y., (1981, p 57-64) MP 1419

Distortion of model subsurface radar pulses in complex dielectrics. Arcone, S.A., (1981, p 855-864) MP 1472

On zero-inertia and kinematic waves Katopodes, N.D., (1982, p 1381-1387) MP 2053

Review of the propagation of inelastic pressure waves in snow Albert, D.G., (1983, 26p) CR 83-13

SNOW-ONE-B data report Bates, R.E., ed, (1983, 284p) SR 83-16

Optical engineering for cold environments Aitken, G.W., ed, (1983, 225p) MP 1646

Radar wave speeds in polar glaciers Jezek, K.C., et al, (1983, p.199-208) MP 2057

Comparative near-millimeter wave propagation properties of snow or rain Nemarich, J., et al, (1983, p 115-129) MP 1690

Modeling rapidly varied flow in tailwaters Ferrick, M.G., et al, (1984, p 271-289) MP 1711

Snow-Two/Smoke Week VI field experiment plan Redfield, R.K., et al, (1984, 85p) SR 84-19

SNOW-TWO data report Volume 2 System performance Jordan, R., ed, (1984, 417p) SR 84-20

Pulse transmission through frozen silt Arcone, S.A., (1984, 9p) CR 84-17

Electromagnetic pulse propagation in dielectric slabs. Arcone, S.A., (1984, p 1763-1773) MP 1991

Attenuation and backscatter for snow and sleet at 96, 140, and 225 GHz. Nemarich, J., et al, (1984, p.41-52) MP 1864

Catalog of smoke/obscurant characterization instruments. O'Brien, H.W., et al, (1984, p 77-82) MP 1865

Forward-scattering corrected extinction by nonspherical particles. Bohren, C.F., et al, (1984, p 261-271) MP 1870

Discrete reflections from thin layers of snow and ice. Jezek, K.C., et al, (1984, p.323-331) MP 1871

Analysis of river wave types. Ferrick, M.G., (1985, p.209-220) MP 1875

Observations of the backscatter from snow at millimeter wavelengths. Berger, R.H., et al, (1986, p 311-316) MP 2665

Comments on the characteristics of *in situ* snow at millimeter wavelengths. Walsh, J., et al, (1986, p 317-320) MP 2666

River wave response to the friction-inertia balance Ferrick, M.G., et al, (1987, p.764-769) MP 2237

Obscuration and background dynamics in and over snow. Hogan, A.W., (1987, p.181-185) MP 2417

Seismic and acoustic wave propagation: working group report. Albert, D.G., et al, (1987, p 253-255) MP 2419

Impact of wet snow on visible, infrared and millimeter wave attenuation. Bates, R.E., et al, (1988, p 523-535) MP 2608

Overview of obscuration in the cold environment Berger, R.H., et al, (1988, p.537-555) MP 2609

SNOW IV field experiment data report. Wright, E.A., ed, (1989, 250p) SR 89-14

Seismic/acoustic experiments at SNOW IV. Peck, L., (1989, p 155-157) MP 2646

Theoretical estimates of light reflection and transmission by spatially inhomogeneous and temporally varying ice covers. Perovich, D.K., (1990, p.45-49) MP 2729

Weather

Review of sea-ice weather relationships in the Southern Hemisphere. Ackley, S.F., (1981, p.127-159) MP 1426

Weather forecasting

Midwinter temperature regime and snow occurrence in Germany. Bilello, M.A., et al, (1978, 56p) CR 78-21

Relationships between January temperatures and the winter regime in Germany. Bilello, M.A., et al, (1979, p 17-27) MP 1218

Ice formation and breakup on Lake Champlain. Bates, R.E., (1980, p 125-143) MP 1429

Current procedures for forecasting aviation icing. Tucker, W.B., (1983, 31p) SR 83-24

Frozen precipitation and weather, Munchen/Riem, West Germany. Bilello, M.A., (1984, 47p) SR 84-32

Prediction of winter battlefield weather effects. Ryerson, C.C., et al, (1988, p 357-362) MP 2402

Weather modification

Use of compressed air for supercooled fog dispersal. Weinstein, A.I., et al, (1976, p 1226-1231) MP 1614

Weather observations

Low pressure weather systems in and around Norwegian waters. Bilello, M.A., (1986, p.53-66) MP 2181

Weathering

Examining antarctic soils with a scanning electron microscope. Kumai, M., et al, (1976, p 249-252) MP 931

Antarctic soil studies using a scanning electron microscope Kumai, M., et al, (1978, p.106-112) MP 1386

Weatherproofing

Window performance in extreme cold Flanders, S.N., et al, (1981, p 396-408) MP 1395

Window performance in extreme cold Flanders, S.N., et al, (1982, 21p) CR 82-38

Roofer: a management tool for maintaining built-up roofs. Bailey, D.M., et al, (1989, p 6-10) MP 2488

Weddell Sea

Sea ice studies in the Weddell Sea region aboard USCGC *Burton Island* Ackley, S.F., (1977, p.172-173) MP 1014

Primary productivity in sea ice of the Weddell region. Ackley, S.F., et al, (1978, 17p) CR 78-19

Sea ice and ice algae relationships in the Weddell Sea. Ackley, S.F., et al, (1978, p.70-71) MP 1203

Standing crop of algae in the sea ice of the Weddell Sea region Ackley, S.F., et al, (1979, p.269-281) MP 1242

Mass-balance aspects of Weddell Sea pack-ice Ackley, S.F., (1979, p 391-405) MP 1286

Continuum sea ice model for a global climate model Ling, C.H., et al, (1980, p 187-196) MP 1622

Sea ice studies in the Weddell Sea aboard USCGC Polar Sea Ackley, S.F., et al, (1980, p.84-96) MP 1431

Sea-ice atmosphere interactions in the Weddell Sea using drifting buoys Ackley, S.F., (1981, p 177-191) MP 1427

Observations of pack ice properties in the Weddell Sea Ackley, S.F., et al, (1982, p 105-106) MP 1608

Physical, chemical and biological properties of winter sea ice in the Weddell Sea Clarke, D.B., et al, (1982, p 107-109) MP 1609

Atmospheric boundary layer measurements in the Weddell Sea Andreas, E.L., (1982, p 113-115) MP 1610

Properties of sea ice in the coastal zones of the polar oceans Weeks, W.F., et al, (1983, p 25-41) MP 1604

Wedges

Intermittent ice forces acting on inclined wedges. Tryde, P., (1977, 26p) CR 77-26

Well casings

Polyvinyl chloride well casings for ground water monitoring. Parker, L.V., et al, (1986, p.92-98) MP 2171

Influence of well casing materials on chemical species in ground water Parker, L.V., et al, (1988, p 450-461) MP 2456

Pressure buildup in permafrost pile supports induced by freezeback. Ayorinde, O.A., (1989, p.236-251) MP 2467

Influence of well casing composition on trace metals in ground water Hewitt, A.D., (1989, 18p) SR 89-09

Leaching of metal pollutants from well casings. Hewitt, A.D., (1989, 11p) SR 89-32

Influence of well casings on well water. Hewitt, A.D., et al, (1989, 9p) MP 2717

Well casings for monitoring trace organics in ground water. Parker, L.V., et al, (1989, 29p) CR 89-18

Surface changes in well casings exposed to organic pollutants. Taylor, S., et al, (1990, 14p) SR 90-07

Influence of casing materials on trace-level chemicals in well water. Parker, L.V., et al, (1990, 11p) MP 2720

Wells

Developing a water well for the ice backfilling of DYE-2. Rand, J.H., (1982, 19p) SR 82-32

Engineering geology studies on the National Petroleum Reserve in Alaska. Kachadoorian, R., et al, (1988, p.899-922) MP 2519

Wet snow

Thermodynamic deformation of wet snow. Colbeck, S.C., (1976, 9p) CR 76-44

Compression of wet snow. Colbeck, S.C., et al, (1978, 17p.) CR 78-10

Difficulties of measuring the water saturation and porosity of snow. Colbeck, S.C., (1978, p.189-201) MP 1124

Regelation and the deformation of wet snow. Colbeck, S.C., et al, (1978, p 639-650) MP 1172

Physical aspects of water flow through snow. Colbeck, S.C., (1978, p.165-206) MP 1566

Sintering and compaction of snow containing liquid water. Colbeck, S.C., et al, (1979, p.13-32) MP 1190

Compaction of wet snow on highways. Colbeck, S.C., (1979, p.14-17) MP 1234

Grain clusters in wet snow. Colbeck, S.C., (1979, p.371-384) MP 1267

Liquid distribution and the dielectric constant of wet snow. Colbeck, S.C., (1980, p.21-39) MP 1349

Introduction to the basic thermodynamics of cold capillary systems. Colbeck, S.C., (1981, 9p) SR 81-06

Mechanisms for ice bonding in wet snow accretions on power lines. Colbeck, S.C., et al, (1983, p.25-30) MP 1633

Impact of wet snow on visible, infrared and millimeter wave attenuation. Bates, R.E., et al, (1988, p.523-535) MP 2608

Wettability

Seeking low ice adhesion. Sayward, J.M., (1979, 83p) SR 79-11

Water and air horizontal flow in porous media. Nakano, Y., (1980, p.81-85) MP 1341

Moisture gain and its thermal consequence for common roof insulations. Tobiasson, W., et al, (1980, p 6-16) MP 1361

Roof moisture surveys Tobiasson, W., et al, (1981, 18p) SR 81-31

Wetting fronts in porous media Nakano, Y., (1983, p.71-78) MP 1720

Wind direction

Role of plastic ice interaction in marginal ice zone dynamics. Leppäranta, M., et al, (1985, p.11,899-11,909) MP 1544

WIND FACTORS

Heat exchange at the ground surface. Scott, R.F., (1964, 49p, plus append) M III-A1

Blowing snow Mellor, M., (1965, 79p) M III-A3c

Climatology of the cold regions of the northern hemisphere. II Wilson, C., (1969, 155p) M I-A3b

Wind factors

Viscous wind-driven circulation of Arctic sea ice Hibler, W.D., III, et al, (1977, p 95-133) MP 983

Icing and wind loading on a simulated power line Govoni, J.W., et al, (1986, p 23-27) MP 2206

Predicting freezing design depth of sludge-freezing beds. Martel, C.J., (1988, p.145-156) MP 2661

Effect of ice pressure on marginal ice zone dynamics Flato, G.M., et al, (1989, p 514-521) MP 2522

Wind-generated polynyas off the coasts of the Bering Sea islands Kozo, T.L., et al, (1990, p 126-132) MP 2734

Wind (meteorology)

Review of sea-ice weather relationships in the Southern Hemisphere Ackley, S.F., (1981, p 127-159) MP 1426

Wind pressure

Model study of Port Huron ice control structure, wind stress simulation Sodhi, D.S., et al, (1982, 27p) CR 82-09

Sea ice model in wind forcing fields Tucker, W.B., (1983, 11p) CR 83-17

Some simple concepts on wind forcing over the marginal ice zone Tucker, W.B., (1984, p 43-48) MP 1783

Ice accretion and aerodynamic loading of transmission lines. Egelhofer, K.Z., et al. (1987, p.103-109) MP 2279
Wind tunnels
Ice accretion under natural and laboratory conditions. Itagaki, K., et al. (1985, p.225-228) MP 2009
Concentration and flux of wind-blown snow. Mellor, M., et al. (1986, 164p.) SR 86-11
Natural rotor icing on Mount Washington, New Hampshire. Itagaki, K., et al. (1986, 62p.) CR 86-10
Heat transfer performance of commercial thermosyphons with inclined evaporator sections. Haynes, F.D., et al. (1988, p.275-280) MP 2320
Wind velocity
Snow loads on structures. O'Rourke, M.J., (1978, p.412-428) MP 1091
Ice arching and the drift of pack ice through channels. Sodhi, D.S., et al. (1978, p.415-432) MP 1130
Surface meteorology US/USSR Weddell Polynya Expedition, 1981. Andreas, E.L., et al. (1983, 32p.) SR 83-14
Role of plastic ice interaction in marginal ice zone dynamics. Leppäranta, M., et al. (1985, p.11,899-11,909) MP 1544
Spectra and cospectra of atmospheric turbulence over snow. Andreas, E.L., (1986, p.219-233) MP 2041
Theory for scalar roughness and transfer coefficients over snow and ice. Andreas, E.L., (1987, p.159-184) MP 2155
Spectral measurements in a disturbed boundary layer over snow. Andreas, E.L., (1987, p.1912-1936) MP 2254
Windows
Infrared thermography of buildings. Munis, R.H., et al. (1977, 17p.) SR 77-29
Infrared thermography of buildings: 1977 Coast Guard survey. Marshall, S.J., (1979, 40p.) SR 79-20
Window performance in extreme cold. Flanders, S.N., et al. (1981, p.396-406) MP 1393
Window performance in extreme cold. Flanders, S.N., et al. (1982, 21p.) CR 82-38
Winter
Comparative studies of the winter climate at selected locations in Europe and the United States. Sater, R.E., et al. (1989, p.283-293) MP 2596
Seasonal distribution of low flow events in New Hampshire streams with emphasis on the winter period. Melcher, R.A., (1990, p.47-53) MP 2681
Winter concreting
Cements for structural concrete in cold regions. Jebsen, R., (1977, 13p.) SR 77-35
Regulated set concrete for cold weather construction. Sayles, F.H., et al. (1980, p.291-314) MP 1359
Cold weather construction materials; Part 2—Regulated-set cement for cold weather concreting, field validation of laboratory tests. Henson, B.L., et al. (1981, 33p.) MP 1466
Brittlement of reinforced concrete structures under arctic conditions. Krivelis, L., et al. (1982, 28 + 16p.) MP 1969
Antifreeze admixtures for cold weather concreting. Preliminary test results. Korhonen, C.J., et al. (1990, 8p.) MP 2702
Winter maintenance
Winter maintenance research needs. Minsk, L.D., (1975, p.36-58) MP 950
Road construction and maintenance problems in central Alaska. Clark, E.F., et al. (1976, 36p.) SR 76-08
Snow removal equipment. Minsk, L.D., (1981, p.643-670) MP 1446
Snow and ice control on railroads, highways and airports. Minsk, L.D., et al. (1981, p.671-706) MP 1447
Strategies for winter maintenance of pavements and roadways. Minsk, L.D., et al. (1984, p.155-162) MP 1964
Winter operation
Data acquisition for refrigerated physical models. Zufelt, J.E., (1987, p.338-341) MP 2351
Wood ice friction
Ski friction and thermal response. Warren, G.C., et al. (1989, p.223-225) MP 2745
Wooden structures
Air-transportable Arctic wooden shelters. Flanders, S.N., et al. (1982, p.385-397) MP 1558
Wood-frame roofs and moisture. Tobiasson, W., (1985, p.33-37) MP 2340
X ray analysis
Elemental analysis of ice crystal nuclei and aerosols. Kumai, M., (1987, 5p.) MP 1179
X-ray measurement of charge density in ice. Itagaki, K., (1978, 12p.) CR 79-25
X-ray photography of the fracture image of freezing soil. Akagawa, S., (1990, 6p.) SR 90-05
X ray diffraction
Effect of X-ray irradiation on internal friction and dielectric relaxation of ice. Itagaki, K., et al. (1983, p.4314-4317) MP 1679
Yew
Air cushion vehicle ground contact operational control devices. Abele, G., et al. (1976, 15p.) CR 76-45

* U.S. GOVERNMENT PRINTING OFFICE 1991-300-083/42013