

AD-A243 643




2

Office of Naval Research

Grant: N00014-91-J-1625

R&T Code: 4132051--01



Technical Report No. 4

Aryl Bis(triflates) in Palladium (0) Cross-Coupling Reactions. Synthesis of Polyphenyl-Alkynyl, Alkenyl, and Aryl Ethers

by

Michael E. Wright

*Department of Chemistry & Biochemistry, Utah State University,
Logan, Utah 84322-0300*



Accepted for Publication in

Polym. Preprints 1992, 33(1), pp 0000

December 13, 1991

Requestion For	
DTIC GRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By _____	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	

Reproduction in whole, or in part, is permitted for any purpose of the United States Government.

This document has been approved for public release and sale; its distribution is unlimited.

91-18857



91 1226 073

REPORT DOCUMENTATION PAGE				Form Approved OMB No. 0704-0188	
1a. REPORT SECURITY CLASSIFICATION Unclassified			1b. RESTRICTIVE MARKINGS		
2a. SECURITY CLASSIFICATION AUTHORITY			3. DISTRIBUTION / AVAILABILITY OF REPORT Approved for public release: distribution unlimited		
2b. DECLASSIFICATION / DOWNGRADING SCHEDULE					
4. PERFORMING ORGANIZATION REPORT NUMBER(S)			5. MONITORING ORGANIZATION REPORT NUMBER(S)		
6a. NAME OF PERFORMING ORGANIZATION Utah State University		6b. OFFICE SYMBOL (If applicable)	7a. NAME OF MONITORING ORGANIZATION		
6c. ADDRESS (City, State, and ZIP Code) Chemistry and Biochemistry Dept. Logan, UT 84322-0300			7b. ADDRESS (City, State, and ZIP Code)		
8a. NAME OF FUNDING / SPONSORING ORGANIZATION Office of Naval Research		8b. OFFICE SYMBOL (If applicable)	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER		
8c. ADDRESS (City, State, and ZIP Code) 800 N Quincy St. Arlington, VA 22217-5000			10. SOURCE OF FUNDING NUMBERS		
			PROGRAM ELEMENT NO N00014-91	PROJECT NO J-1625	TASK NO 4132051
			WORK UNIT ACCESSION NO		
11. TITLE (Include Security Classification) Technical Report #4: "Aryl bis(triflates) in Palladium(0) Cross-Coupling Reactions. Synthesis of Polyphenyl-Alkynyl, Alkenyl, and Aryl Ethers"					
12. PERSONAL AUTHOR(S) Michael E. Wright					
13a. TYPE OF REPORT Preprint		13b. TIME COVERED FROM 4/15/91 TO 4/15/92		14. DATE OF REPORT (Year, Month, Day) Dec. 13, 1991	
15. PAGE COUNT					
16. SUPPLEMENTARY NOTATION Polym. Preprints 1992, 33(1), pp 0000					
17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)		
FIELD	GROUP	SUB-GROUP	Polymers, Catalysis, Condensation polymers, Catalyzed cross-coupling, Palladium catalysis, Triflate formation and reactivity, Poly(aryl ether) synthesis, organostannane reagents.		
19. ABSTRACT (Continue on reverse if necessary and identify by block number)					
A new bis(triflate) monomer was prepared. The bis(triflate) was copolymerized with new organostannane comonomers under palladium (0) catalysis. The triflate monomer was also reacted with bis(phenol) compounds under basic conditions to afford poly(aryl ethers).					
20. DISTRIBUTION / AVAILABILITY OF ABSTRACT ☒ UNCLASSIFIED/UNLIMITED ☐ SAME AS RPT ☐ DTIC USERS			21. ABSTRACT SECURITY CLASSIFICATION Unclassified		
22a. NAME OF RESPONSIBLE INDIVIDUAL Dr. Kenneth J. Wynne			22b. TELEPHONE (Include Area Code) (703) 696-4409		22c. OFFICE SYMBOL


ARYL BIS(TRIFLATES) IN PALLADIUM (0) CROSS-COUPLING REACTIONS. SYNTHESIS OF POLYPHENYL-ALKYNYL, ALKENYL, AND ARYL ETHERS

Michael E. Wright

Department of Chemistry & Biochemistry,
Utah State University, Logan, Utah 84322-0300

Introduction

The synthesis of polymers using a transition metal catalyzed cross-coupling reaction has become a growing and very productive area of polymer chemistry.¹ The use of cross-coupling reactions enables the polymer chemist to prepare sp^2 - sp^2 , sp - sp^2 , and sp^2 - sp^3 carbon-carbon under very mild reaction conditions and with excellent functional group tolerance.² Polycondensations using a transition metal catalyzed cross-coupling reaction follow polymerization rules governing step-growth processes, and thus, reaction efficiency and monomer purity are critical issues.




X = Halide or Triflate

M = Sn, Mg, Zn, B

As part of our polymer synthesis program we have been exploring the use of palladium (0) catalyzed polycondensation of organostannane and aryl halide partners. Of the cross-coupling reactions developed to date, the organostannane reagents offer the advantages of stability, isolation in analytical pure, and a variety of methods for preparation. Herein we describe the synthesis of new *bis*(trimethylstannyl)-alkynyl and alkenyl monomers, aryl *bis*(triflates), and the use of these new monomers in palladium catalyzed polycondensation reactions.


Results & Discussion

We have prepared three new monomers for use in palladium catalyzed cross-coupling reactions. Monomer 2 is prepared by hydrostannylation of 1,7-octadiyne. Monomer 3 is easily prepared from hydroquinone, triflic anhydride, and polymer-bound 2,6-di-*tert*-butylpyridine.



Polymerization of 3 with comonomer 1 using 1 mol-% Pd(PPh₃)₄ (hereafter PdL₄) afforded polymer 4 in 90% yield (Scheme 1). Spectroscopic data is consistent with the proposed structure. GPC data for polymer 4 indicated the average molecular weight to be 8,000. Similar results were obtained by polymerizing 1,7-octadiyne with 3 using PdL₄, CuI, and triethylamine. Polymerization of 3 with comonomer 2 afforded polymer 5 in 95% yield and with an average molecular weight of 7,500. Polymerization of 3 with *bis*(phenol) compounds is found to yield poly(arylethers) of modest molecular weight (M_n ~5000).³

Scheme 1



Concluding Remarks

The *bis*(triflate) proves to be an effective monomer in several palladium catalyzed polycondensation reactions. In addition to the direct cross-coupling reactions, carbonylative cross-coupling reactions appear promising with monomer 3.

Acknowledgment. We wish to thank the Office of Naval Research for their generous support of this work.

References and notes

1. The volume of transition metal catalyzed polymerization reactions exploded in the late 80's and continues to grow in the 90's. The reaction type is best cataloged according to metal involved in the transmetalation to palladium or nickel. For the primary development of each cross-coupling reaction see: (organostannanes) Stille, J. K. *Pure Appl. Chem.* 1985, 57, 1771; (organoborate) Suzuki, A. *Acc. Chem. Res.* 1982, 15, 178; (organozinc) Jabri, N.; Alexakis, A.; Normant, J. F. *Tetrahedron Lett.* 1981, 959; (organomagnesium) Hayashi, T.; Kumada, M. *Acc. Chem. Res.* 1982, 15, 395.
2. For some recent examples see: Perry, R. J.; Turner, S. R. *Polym. Preprints* 1991, 32(1), 335. Percec, V.; Pugh, C.; Cramer, E.; Weiss, R. *Polym. Preprints* 1991, 32(1), 329 and references cited therein. Imai, Y. *Polym. Preprints* 1991, 32(1), 331 and references cited therein. Giesa, R.; Schulz, R. C. *Makromol. Chem.* 1990, 191, 857 and references cited therein. Wallow, T. I.; Novak, B. M. *J. Am. Chem. Soc.* 1991, 113, 7411.
3. Experimental details to be published elsewhere.