



1

Contract No. MDA972-90-C-0074

**Monthly R&D Status Reports
and Quarterly Technical Reports**

**3rd Quarter
Calendar Year 1991**

**DTIC
ELECTE
MAR 18 1992**

Submitted by:

Dr. Richard Estrada
BBN Systems and Technologies
10 Moulton St.
Cambridge, MA 02138
(617) 873-3659

Submitted to:

DARPA/ISTO
Attn: LtCol Stephen E. Cross
Contracts Management Office.
Virginia Square Plaza
3701 No. Fairfax Drive - 7th Fl.
Arlington, VA 22203-1714

Defense Technical Informatio Center
Cameron Station
Attn: DTIC-FDAC
Alexandria, VA 22304-6145

DARPA/ISTO
Attn: Lou Kallis

This document has been approved
for public release and sale; its
distribution is unlimited.



92 3 11 025

92-06474





Monthly R&D Status Reports and Quarterly Technical Reports

3rd Quarter Calendar Year 1991

Statement A per telecon Ltc Stephen Cross
DARPA/SISTO
Arlington, VA 22203-1714

NWW 3/16/92

Accession For	
NTIS CRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By	
Distribution /	
Availability Codes	
Dist	Avail and/or Special
A-1	

Submitted by:

Dr. Richard Estrada
BBN Systems and Technologies
10 Moulton St.
Cambridge, MA 02138
(617) 873-3659

Submitted to:

DARPA/ISTO
Attn: LtCol Stephen E. Cross
Contracts Management Office
Virginia Square Plaza
3701 No. Fairfax Drive - 7th Fl.
Arlington, VA 22203-1714

Defense Technical Informatio Center
Cameron Station
Attn: DTIC-FDAC
Alexandria, VA 22304-6145

DARPA/ISTO
Attn: Lou Kallis

The views and conclusions contained in this document are those of the authors and should not be interpreted as representing the official policies, either expressed or implied, of the Defense Advanced Research Projects Agency or the U.S. Government.



11 July IPR Agenda

- TRANSCOM Update (Ragler, McCormack)
- PACOM Refinement Conference Report (Snow, Wilson) (10)
- Build 2 Status (Estrada) (5)
- Build 2 Testing, and Documentation Status (Mosley) (30)
- Build 3 Approach and Overview (Estrada) (5)
- Build 3 Design (Ton, Tiffany, Berliner) (50)
- A Brief Overview of the DART Fielding Effort (estrada) (10)
- Management, Financial Status, Schedule (Estrada) (10)




PACOM REFINEMENT CONFERENCE


- ESTIMATE 40 ATTENDEES RECEIVED DART TRAINING OR DEMONSTRATIONS
- TRAINING/DEMOS FOCUSED ON TPFDD EDITOR
- CONFEREES USED DART TO:
 - RETRIEVE SPECIFIC REQUIREMENTS
 - BUILD TAILORED FORCE MODULES
 - ADJUST MVT RQMTS TO MEET OBJECTIVES
 - COMPARE MVT RQMTS AGAINST CAPABILITIES
- CONFERENCE SHOWED DART CAPABLE OF MULTIPLE USE ENVIRONMENT
- DART WELL RECEIVED BY PARTICIPANTS
 - APPROX 20 ATTENDEES SURVEYED ON DART USE AND FUTURE POTENTIAL
 - 100% RESPONDED FAVORABLY

SRA
CORPORATION

PACOM REFINEMENT CONFERENCE




DART FUNCTIONS USED BY ATTENDEES



DART'S MOST USEFUL FUNCTIONS


IDENTIFIED BY ATTENDEES



Legend

- NAME/STORE SQL QUERY
- FASTER GRAPHIC PRINT
- IMPROVE MENU DISPLAY
- INCREASE "WHAT IF"
- ADD ACCESS TO SORTS
- ADD MED PLANNING MOD
- ENHANCE FM OPERATION
- MOVE/MANIPULATE REC
- IMPROVE SORTING
- TABULAR DATA/HRDCOPY
- IMPROVE MAP DISPLAYS

Enhancement	Number of Respondents	Percentage
NAME/STORE SQL QUERY	1	
FASTER GRAPHIC PRINT	1	
IMPROVE MENU DISPLAY	1	
INCREASE "WHAT IF"	1	
ADD ACCESS TO SORTS	1	
ADD MED PLANNING MOD	1	
ENHANCE FM OPERATION	1	
MOVE/MANIPULATE REC	1	
IMPROVE SORTING	1	
TABULAR DATA/HRDCOPY	1	
IMPROVE MAP DISPLAYS	4	44%





TPFDD Editor Conference User Feedback

Excerpts from TPFDD Refinement Conference User Comments:

- CONUS on Geoloc query menus
- New data fields (e.g., CRD)
- Show delta between FM capability and loads
- Detect Invalidated collections and FMs
- Input help
- Animate movements on map





Build 2 Status

- Build 2 is completed and has been tested
- Numerous IR's remain to be resolved
- A release 2.1 is planned to be completed and tested by 26 July to go to Beta sites (MTMC and LANTCOM)
- Non-critical IRs will be fixed in Build 3
- SCP's will be considered for Build 3.1





Build 2 Lessons Learned

- Build 2 DART analysis enhancements required tearing entire software module apart and putting it back together
 - new user interface
 - new data representation
 - integration of latest version of its graphics package
- Hard Requirement to maintain all Build 1 functionality
- Time to complete Build 2 dictated by need to field DART by July
- **RESULT:** Not all DART software completed by the beginning of testing and shortfalls were distributed throughout the module, consequently only limited testing could be completed until all software was integrated
- **CHANGES IN THE APPROACH FOR BUILD 3**
 - More conservative goals
 - Prioritization of enhancements
 - Enhancements are largely independent of one another



DART

IN PROGRESS REVIEW

11 JULY 1991

**SYSTEMS RESEARCH AND APPLICATIONS
CORPORATION**

SRA
CORPORATION



DART

INTRODUCTION

- **USERS MANUAL**
- **TRAINING - PACOM REFINEMENT CONFERENCE**
- **TESTING**

TESTING

- SCHEDULE
- MULTI-USER
- IRs/CPs
- IR REGRESSION
- DART AND IN-HOUSE RAPIDSIM COMPARE
- CONCLUSIONS/RECOMMENDATIONS

TESTING SCHEDULE

- WEEK 1 (3 - 7 JUNE)
 - TPFDD EDITOR FUNCTIONS
- WEEK 2 (10 - 15 JUNE)
 - REGRESSION TEST TE AND FM GRAPH
 - DOWNLOAD/UPLOAD
 - FAST
 - REPORTS
- WEEK 3 (17 - 21 JUNE)
 - INFORMAL TESTING/PROGRAMMER ASSISTANCE
 - SUPPORTING REFINEMENT CONFERENCE

TESTING SCHEDULE

- **WEEK 4** (24 - 27 JUNE)
 - RAPIDSIM FUNCTIONS
 - RAPIDSIM FUNCTIONS
 - MULTI-USER TEST
 - COMPARE WITH IN-HOUSE RAPIDSIM

- **WEEK 5** (1 - 3 JULY)
 - FINISH IN-HOUSE COMPARE
 - WRAP UP

MULTI-USER TEST

USER 1 (SUSAN)	TE FUNCTIONS
USER 2 (W.T.)	REGRESSION TEST IRs
USER 3 (TAMMY)	ANALYSIS AND UTILITIES FUNCTIONS
USER 4 (JIM)	RAPIDSIM AND DART MAP FUNCTIONS
USER 5 (JOHN)	CREATE/LOAD/DELETE TPFDDs

MULTI-USER IRS

<u>SUBJECT</u>	<u>IR NUMBER</u>
• UTILITIES - RETRIEVE SCREEN	42
• NO ESCAPE OPTION	41
• EDIT SITUATION	39
• FM MODEL RUNS	40
• GRAPHS	23,24,35,36,37,38
• EDIT SHIP ALLOCATIONS	21
• TE	19,22,25,26,27,28
• F11 REPORTS	29
• EDIT CHARACTERISTICS	20
• ANALYSIS	32,34
• DART MAP	30,31

File

Window

Model

Utilities

Help



**DART
BUILD II**

SUMMARY

TPFDD

MAP

REPORTS

CAPACITY

RESULTS

RESULTS OF TESTING (IRs)

11 July 1991

SRA
CORPORATION

File

Window

Model

Utilities

Help

SUMMARY

TPFDD

MAP

REPORTS

CAPACITY

RESULTS



DART BUILD II

- TPFDD SUMMARY
 - .. UPDATE SUMMARY W/ "NIL" (# 3)
 - .. SELECT TPFDD TIMEOUT (# 4)
 - .. GET REQUIREMENTS DELAY (# 9)
 - .. ERRONEOUS POL RQMTS (# 63)
- SITUATION
 - .. SHIP ALLOCATION INPUT (# 1)
 - .. "MEN AT WORK" ON ROUTES (# 13)
 - .. SCENARIO DATA FILE (# 43)
 - .. SHIP CARGO TYPE DISTRIBUTION (# 53)
 - .. SLOW SHIP EDITS (# 57)
- MODEL
 - .. EDIT MODEL SETTINGS W/O TPFDD (# 7)
 - .. RAPIDSIM ABORT ON CARGO CAPABILITY (# 11)
 - .. SQ FT CAPABILITY NOT AVAIL (# 64)
 - .. REQS AND CHANNEL RPTS NOT AVAIL (# 51)
 - .. EDIT MODEL SETTINGS AFTER IMPORT RAPIDSIM RESULTS (# 61)

SRA
CORPORATION

File

Window

Model

Utilities

Help



DART BUILD II

SUMMARY

TPFDD

MAP

REPORTS

CAPACITY

RESULTS

- ADD GEOLOC TO MAP (# 2)
- EXPRESS RETRIEVAL FOR POE MISSING (# 8)
- MAP ZOOM ERROR (# 12)
- PAS ERRORS W/ ORACLE (# 17)
- SQ FT VALUES FOR SPLIT SHIP PERSONNEL (# 18)
- POD PRIORITY & PRIORITY ADD-ON MISSING (# 52)
- DELETE TARGET TPFDD (# 59)
- TUCHA OUTSIZED AND NAT VALUES (# 60)
- ERRONEOUS POL RQMTS (# 62)

SRA

CORPORATION

File

Window

Model

Utilities

Help

SUMMARY

TPFDD

MAP

REPORTS

CAPACITY

RESULTS



DART BUILD II

- WHITE SPACE ERROR (# 14)
- CHANNELS NOT AVAIL (# 16)
- "ZOOM" ON MENU BAR (# 45)

File

Window

Model

Utilities

Help

SUMMARY

TPFDD

MAP

REPORTS

CAPACITY

RESULTS



DART BUILD II

- UNABLE TO SCROLL BACK (# 5)
- MR SUMMARY PROBLEMS (# 10)
- F11 REPORT FORMAT ERRORS (# 15)
- NO CINS/PINS ON F11S (# 16)

SRA

CORPORATION

File

Window

Model

Utilities

Help



DART BUILD II

SUMMARY

TPFDD

MAP

REPORTS

CAPACITY

RESULTS

- ADD TEXT TO SCATTER GRAPH (# 6)
- NO RESULTS CAUSES CRASH (# 44)

File

Window

Model

Utilities

Help



**DART
BUILD II**

SUMMARY

TPFDD

MAP

REPORTS

CAPACITY

RESULTS

• CLOSE ANALYSIS W/O ANALYSIS (#47)

SRA
CORPORATION

File

Window

Model

Utilities

Help



**DART
BUILD II**

SUMMARY

TPFDD

MAP

REPORTS

CAPACITY

RESULTS

RESULTS OF TESTING (MISCELLANEOUS)

- UNIT ID FIELD IN SCENARIO FILE (# 54)
- REQUIRE.DAT FILE FORMAT (# 56)
- CAPS LOCK HANGUP (# 58)

SRA
CORPORATION

INCIDENT REPORTS

• INCOMPLETE FUNCTIONALITY (14 TOTAL) IR NUMBER

• • RAPIDSIM REPORTS	51
• • ANALYSIS	37
• • DART MAP	31,45
• • F11 REPORTS	5
• • T IMING	9,26,57
• • TE	52,25,27,22,28
• • CAPACITY vs REQ GRAPH	23

• ERROR/ABORT CONDITION (19 TOTAL)

• • EDIT MODEL SETTINGS	7,61
• • CAPS LOCK ERROR	58
• • ANALYSIS	44,47
• • UTILITIES RETRIEVE SCREEN	42
• • NO ESCAPE OPTION	41
• • CAPABILITY vs REQUIREMENT	24
• • TE	17,59
• • EDIT SITUATION	39
• • RUN RAPIDSIM	11
• • GRAPHS	6,32,37
• • DART MAP	2,12,14
• • SELECT TPFDD	4
• • SQ FEET CAPABILITY IN RAPIDSIM	64

SRA
CORPORATION

INCIDENT REPORTS (Cont)

• ERRONEOUS RESULTS (20 TOTAL)	IR NUMBERS
•• .DAT AND .LST FIELDS	56,55,54
•• EDIT CHARACTERISTICS	20,43,53
•• FM MODEL RUNS	40
•• GRAPHS	35,36,38
•• EDIT SHIP ALLOCATIONS	1,21
•• UPDATE SUMMARY	3
•• VIEW TUCHA	60
•• TE	8,18,19
•• MR SUMMARY	10
•• DART MAP	13,30
•• F11 REPORTS	15,29
•• ERRONEOUS POL	62,63
• BUILD II FUNCTIONS MISSING IR #16	
•• DISPLAY DESIGNATED CHANNELS	
•• NON UNIT RECORDS ON F11 REPORTS	

File

Window

Model

Utilities

Help



**DART
BUILD II**

SUMMARY

TPFDD

MAP

REPORTS

CAPACITY

RESULTS

INHOUSE vs DART RAPIDSIM COMPARISON TESTING

- RESULTS ARE CLOSE
- HAMPERED BY
 - .. INTERMEDIATE FILE FORMAT & AVAILABILITY
 - .. SLOW, USER UNFRIENDLY DATA INPUT
- ERRORS NOTED
 - .. POL RQMTS CONTAIN WATER
 - .. VARIATIONS AMONG COMMODITIES
 - .. SHIP TYPE CAPACITIES NOT EDITABLE

SRA

CORPORATION

DART vs Inhouse RAPIDSIM

Requirements Analysis	Inhouse	DART	Difference	Difference
	Rqmts	Rqmts	Absolute	Per Cent
	STONS	STONS	STONS	
Airborne	0	0	0	0.00%
Armor	24,601	24,601	0	0.00%
Infantry	42,457	42,457	0	0.00%
Mechanized	174,682	174,682	0	0.00%
Air Mobile	0	0	0	0.00%
Combat Support	111,036	111,036	0	0.00%
CS Support	222,937	223,006	69	0.03%
CBAC	10,555	11,039	484	4.59%
Air Force UE	27,881	28,179	298	1.07%
Marines	300,266	300,266	0	0.00%
Ammunition	464,345	464,345	0	0.00%
Resupply	336,926	336,926	0	0.00%
Navy UE	29,106	28,644	462	1.59%
POL	0	0	0	0.00%
PAX	410,950	412,168	1,218	0.30%
Delivery Analysis	Inhouse	Inhouse	Difference	Difference
	Rqmts	Delivered	Absolute	Per Cent
	STONS	STONS		
Airborne	0	0	0	0.00%
Armor	24,601	24,601	0	0.00%
Infantry	42,457	42,457	0	0.00%
Mechanized	174,682	174,682	0	0.00%
Air Mobile	0	0	0	0.00%
Combat Support	111,036	111,036	0	0.00%
CS Support	222,937	222,937	0	0.00%
CBAC	10,555	10,555	0	0.00%
Air Force UE	27,881	27,879	2	0.01%
Marines	300,266	300,266	0	0.00%
Ammunition	464,345	464,345	0	0.00%
Resupply	336,926	336,926	0	0.00%
Navy UE	29,106	29,106	0	0.00%
POL	0	0	0	0.00%
PAX	410,950	412,168	1,218	0.30%

DART vs Inhouse RAPIDSIM

Results	General			Container			Ro/Ro			Total		
	Inhouse Delivered	DART Delivered	Diff Actual	Inhouse Delivered	DART Delivered	Diff Actual	Inhouse Delivered	DART Delivered	Diff Actual	Inhouse Delivered	DART Delivered	Diff Actual
	STONS	STONS		STONS	STONS		STONS	STONS				
Airborne	0	0	0	0	0	0	0	0	0	0	0	0
Armor	834	2,894	-2,060	1,230	1,797	-567	22,537	19,910	2,627	24601	24601	0
Infantry	1,910	4,864	-2,954	6,731	5,416	1,315	33,777	32,138	1,639	42418	42418	0
Mechanized	4,927	11,287	-6,360	10,655	15,069	-4,414	159,101	148,326	10,775	174683	174682	1
Air Mobile	0	0	0	0	0	0	0	0	0	0	0	0
Cmbt Spt	2,081	1,291	790	6,186	7,041	-855	71,991	71,926	65	80258	80258	0
CS Support	14,641	18,559	-3,918	18,778	17,156	1,622	130,388	128,093	2,295	163807	163808	-1
CBAC	2,509	6,532	-4,023	711	320	391	7,335	4,187	3,148	10555	11039	-484
Air Force UE	1,140	1,175	-35	73	38	35	0	0	0	1213	1213	0
Marines	14,103	8,800	5,303	133,462	104,046	29,416	137,308	172,027	-34,719	284873	284873	0
Ammunition	0	0	0	457,564	457,564	0	0	0	0	457564	457564	0
Resupply	31,844	53,539	-21,695	294,694	272,999	21,695	0	0	0	326538	326538	0
Navy UE	20,827	20,467	360	6,887	6,785	102	0	0	0	27,14	27252	462
Total UE	94,816	129,408	-34592	936,971	888,231	48,740	562,437	576,607	-14,170	1594224	1594246	-22
POL	0	0	0	0	0	0	0	0	0	0	0	0
PAX	0	0	0	0	0	0	0	0	0	0	0	0

File

Window

Model

Utilities

Help

SUMMARY

TPFDD

MAP

REPORTS

CAPACITY

RESULTS



DART BUILD II

CONCLUSIONS

- INFORMAL TESTING DURING INTEGRATION
- OPERATIONAL TESTING DURING 5027 REFINEMENT
- BUILD II FUNCTIONS MISSING
- DART ANALYSIS USER INTERFACE NEEDS IMPROVEMENTS
- SYSTEM IS USEABLE

SRA

CORPORATION

File

Window

Model

Utilities

Help



**DART
BUILD II**

SUMMARY

TPFDD

MAP

REPORTS

CAPACITY

RESULTS

RECOMMENDATIONS

- MAKE NECESSARY REPAIRS
- DELAY NEW FUNCTIONALITY
- REGRESSION TEST REPAIRS
- IMPROVE COMMUNICATIONS FOR PERIODIC
INFORMAL TESTING DURING DEVELOPMENT

SRA
CORPORATION

DART

PLANNED ACTIVITY JULY

- **PUBLISH USERS MANUAL**
- **PUBLISH TRAINING MANUAL**
- **PUBLISH TEST PLAN AND REPORT**
- **REGRESSION TEST BUILD 2 REPAIRS**
- **RE BETA MTMC AND LANTCOM**
- **DRAFT SYSTEM ADMINISTRATION MANUAL**
- **PREPARE FOR PHASE THREE ACTIVITY**

SRA

CORPORATION

USERS MANUAL

- PRODUCED 2 INTERIM MANUALS
 - LANTCOM (BASED ON BUILD 1.H)
 - REFINEMENT CONFERENCE (DRAFT, BASED ON BUILD 2)
- BUILD 2 USERS MANUAL
 - 90% COMPLETE BASED ON CURRENT SYSTEM
 - NEED ABILITY TO MACIFY ANY DART SCREEN
 - NEED COMPLETE INFORMATION ON PENDING SYSTEMS CHANGES 2 WEEKS PRIOR TO DELIVERY OF MANUAL



Build 3 Approach and Overview

- Build 3 as it was visualized on 23 May
- Build 3 as it visualized now
- Build 3 Prioritization and Approach
- Build 3 Milestones





Build 3

Approach and Overview

- Build 3 as it was visualized on 23 May
- Build 3 as it visualized now
- Build 3 Prioritization and Approach
- Build 3 Milestones





Build 3 requirements (from 23 May IPR)

- Create/Edit Level 4 Cargo Detail
- Completion of Expanded Query Capability
- Fixing IRs
- Integration of SITAP into DART
- Integration of PFE into current build DART
- Small Enhancements to Force Module Management
- Incorporation of lessons learned (SCP) from Refinement conference
- Incorporate SCPs relating DART/FAST integration





Build 3 requirements As Visualized Now

- Create/Edit Level 4 Cargo Detail (3.1)
- Completion of Expanded Query Capability (3.2) (expanded scope)
- Fixing IRs (3.3)
- Update RapidSim Capability (3.4) (new requirement)
- Integration of SITAP into DART (3.5) (expanded scope)
- Integration of PFE into current build DART (3.6)
- Small Enhancements to Force Module Management (3.7)
- TPFDD editor enhancements from Conf. (3.8) (expanded scope)
- Integration into GTN LDBD (3.9) (new requirement)
- Transaction Capability for DART (3.10) (new requirement)
- DART Multi-user capability specification (3.11) (new requirement)
- Configuration Management (3.12) (new funded requirement)
- System Documentation (3.13) (new funded requirement)





Build 3 Approach and Prioritization


- Give highest priority to fixing bugs and other problems that interact with fielding DART
- Take conservative approach to all new enhancements
- Maintain fallback positions on high risk enhancements
- Prioritize all enhancements and focus initially on highest priority items
- Put all individuals on time budgets to insure funds are left for final integration and testing





Build 3 Milestones

- 15 June - Development begins
- 13 September - complete integration
- 16 September - Begin Acceptance Testing
- 28 September - Complete Acceptance Testing
- 28 September - Build 3 Turned Over to TRANSCOM





Build 2.1: IR Resolution from Build 2

- Incomplete Functionality (14 Total)
 - 9 to be fixed or resolved in Build 2.1
 - 4 under investigation
 - 1 deferred to Build 3
- Error/Abort Condition (20 Total)
 - 11 to be fixed or resolved in Build 2.1
 - 7 under investigation
 - 2 deferred to Build 3
- Erroneous results (24 Total)
 - 12 to be fixed or resolved in Build 2.1
 - 11 under investigation
 - 1 deferred to Build 3
- Build 2 Functions Missing (2 Total)
 - 1 under investigation
 - 1 deferred to Build 3





Build 3 Design (I)

Title: Create/Edit Level 4 Cargo (3.1)

Approach:

- User Interface
- Editing Functions
- Creation Functions
- Automatic Roll-up

Status: significant effort, medium priority





Build 3 Design (II)

Title : Expand Query Capability (3.2)

Approach:

- Collection Sorting
- Stored Queries
- Query Editing
- Routine Retrievals
- F11 Reports ?????

Status:significant effort, high priority (stored queries 85% complete)





Build 3 Design (III)

Title: Fixing Bugs (3.3)

Approach: Currently have defined bugs to be fixed from existing IR list

Status: Critical IRs will be fixed in build 2.1 by end of July





Build 3 Design (IV)

Title: Update RapidSim Level Capability (3.4)

- Additional reports/graphs showing asset usage

Approach:

- Straightforward implementation

Status:

- Modest Effort, Low Priority
- Design 15-July to 1-Aug.
- Begin implementation 15 Aug if resources are available.





Build 3 Design (V)

Title: Generic Pre & Post Processing for Transportation Models (3.5)

Approach:

- Concentrate on SITAP integration.
- Use generic capabilities built into the current DART interface where applicable.
- Use current DART analysis display capabilities where possible.
- Add generic capabilities to support SITAP where possible.
- Add SITAP specific functions as required.

Status:

- Significant effort, High priority, High Risk
- Initial interface should be viewed as a prototype version





Build 3 Design (VI)

Title: Transportation Analysis Through PFE (3.6)

Approach:

- Augment DART movement requirements to support PFE.
- Modify PFE graphs to current DART version.
- Modify PFE situation to current DART version. (Most of the work)
- Modify PFE graphical Force Module / Movement Requirement display to current DART version.
- Modify PFE scheduler to use more than two priority levels, e.g., 10 or 100. (Optional, if resources are available)


Status:

- Moderate Effort, High priority





SITAP/PFE Integration





Tenative Fielding Schedule

- 5 July CINC Initiative Funds for DART fielding approved
- 5 August CIF MIPR reach DARPA
- 15 August DART Fielding effort begins
- 15 August Hardware Ordered
- 20 August -5 September Site Surveys
- 15 August -30 September preparation for centralized training
- 30 September Build 3 complete
- 30 September - 15 October Centralized Training
- 15 October Hardware arrives and Build 3 is installed
- 20 October Fielding at first site
- two teams field DART at 6 to 8 sites, two to three weeks per site
- 15 January DART fielded at all sites



Incident Report Regression Testing

IR #	Title	Status	Remarks
10	RAPIDSIM Air PAX Error		
12	Scenario File Save Error		
25	Save SETUP Abort		
33	Movement Rqmts Output		
34	RAPIDSIM Invalid FMID		
35	Changes to Display Map	Partial	
39	Menu Selection Convention	Still Exists	
41	Erratic RAPIDSIM Output Report		
42	RAPIDSIM Data Conflict		
43	ORACLE Hang on Power Loss		
44	Zero Ship by Port Error	Fixed	
45	Mixed Report Formats	Fixed	
46	Open TPFDD Editor Effects	Fixed	
53	TPFDD Name Table Update	Fixed	
54	Missing Concept of Ops Data	Fixed	
55	Errors following TPFDD Upload	Partial	
56	Renumber CIN/PIN Error	Fixed	
57	Yellow ULN Color Change	Fixed	
58	Offset Setup Menu	Fixed	
59	Utilities Menu Error	Fixed	O.B.E.
60	RAPIDSIM Access Error		
61	Combination Parameters Failure	Fixed	
62	Force Module Display Error	Still Exists	POL & Sq Feet Errors
63	SRF Sort Sequence Error	Fixed	
64	F11D Reports Errors	Still Exists	No Non-unit records
66	Zoom-Out Error		
67	Unnecessary RAPIDSIM Error Msgs		
68	Force Module Description Records	Still Exists	
73	RAPIDSIM Floating Point Exception		
74	DART/Inhouse RAPIDSIM Compare		
75	RAPIDSIM POL Comparison Error	Still Exists	Problem with Water
76	RAPIDSIM Parent Records Errors		
77	RAPIDSIM Prov Org Code Error		
79	In-Place Force Retrieval	Fixed	
80	On-Call Force Visibility	Fixed	
81	TPSN Field	Fixed	
82	MTon Values	Fixed	
90	Inaccurate Total Load Figures	Still Exists	POL & Sq Feet Errors
92	CIN/PIN Retrievals	Still Exists	
93	Classification Error	Fixed	
97	PIN Service Code Menu	Fixed	
98	ULN Retrieval Errors		
99	C-Day Offset Errors		
100	Write Error Continuation		
102	Multiple "And" Retrievals		
103	Username Abort Error		
104	Transport Color Code Error	Fixed	

Incident Report Regression Testing

105	CIN Copy Error		
107	Security Class Entry	Fixed	
108	TPFDD Editor Exit Option	Fixed	
109	TPFDD Stop Option	Fixed	
110	DART Version Entry		
111	RAPIDSIM Results Legend		
112	In-List Wild Card Retrievals		Should be SCP
113	F11D/E Report Errors	Still Exists	
114	FM Compare Numbers Overlap	Fixed	User Education
115	Security Class "NIL" Error	Fixed	
119	TPFDD Data Not Shown	Partial	
120	RAPIDSIM Error Number Tracking		
121	RAPIDSIM Error Listing Display	Fixed	Function no longer Avail
122	Floating Point Lat/Long		
123	Sq Ft Calculation Error	Still Exists	
124	FRN Changes		
125	Graphics Printing Problems		
126	Summary Line Colors	Fixed	
127	FM Display Scrolling Error	Fixed	



Build 3 Design (VII)

Title: Force Module Management (3.7)

Approach:

- Expanded and compressed display (more specification required)
- FM Description/Title Editing
- FM Relationship Display (more specification required)
- Change Cargo Options

Status: Moderate effort, mixed priorities





Build 3 Design (VIII)

Title: TPFDD Editor Enhancements (3.8)

Approach:

- User Data Administration (SQL Forms)
- Retrieve on Geoloc Combinations (more spec needed)
- Complete ULN information (more spec needed)
- Intelligent Editing

Status: moderate effort, medium priority





Build 3 Design (IX)

Title: Workplan for DART integration into GTN LDBD

Approach: Consult and write up results

Status: moderate effort, low priority, begin work 15 Aug if resources available





Build 3 Design (X)



Title: Transaction Interaction with JOPES (3.10)

Approach:

- Concentrate on providing upload of TPFDD changes made by DART
- Obtain JOPES transaction format specification
- Modify/reimplement existing tpdump functionality
- Understand ramifications for Update Control
- Develop support code and scripts

Status: significant effort, high priority



Build 3 Design (XI)

Title: Workplan for DART Multi-User Support

Approach: Continue recurring discussion and analysis of the DART Multi-user problem, write up approach

Status: moderate effort, low priority, work to begin August 15 if possible





Overview of the DART Fielding Effort

- Top Level Schedule
- Critical Components of the Fielding Effort





Critical Components of the DART Fielding Effort

- Rapid acquisition of hardware for each selected site and rapid deployment based on MTMC and LANTCOM experience. One to two weeks of on site training included
- Centralized Training at SRA, multiple courses provided depending on size of DART community
- Installation of DART at additional sites and upgrade assistance and training for DART at existing sites provided at site's initiative and cost
- User Support Hotline at TRANSCOM based on MTMC/LANTCOM experience and remote secure call up of sites for monitoring and assistance
- A DART user group and system engineering to address user problems
- Software maintenance to fix bugs and architectural maintenance to keep DART from stagnating
- Configuration Management centered at USTRANSCOM

• System Documentation in addition to user documentation






Management Report


- Financial Status
- Project Schedule between now and 31 August



DART LEVEL OF EFFORT



DART Phase II
Contract No. MDA972-90-C-0074
Actual v Forecast of Expenditures





DART Program Schedule

25 May to 31 August

- 17 July to 26 July Global War Game Support
- 24 July Build 2.1 begin testing
- 26 July Build 2.1 complete testing
- 29 July to 2 August Distribute DART to Beta sites
- 1 August PMR
- 15 July to 15 August - continued DART fielding planning
- 15 August DART fielding effort begins





28 August IPR Agenda

- Action Items (Ragler)
- TRANSCOM Update
 - Future Roadmap (Rawcliffe)
 - Distribution Plan (Ragler)
 - Configuration Management (Ragler)
- Build 2.1 Status (Estrada)
- Build 2.1 Test Results (Sporl)
- Build 3 Status (Ton, Berliner, Tiffany)
- Build 3 Training, Testing, and Documentation (Mosley)
- DART - Fast integration (CSC)
- Floor Business (Rawcliffe)
- Recap Open Issues (Rawcliffe)





Build 2.1 Overview

- Although Build 2 as completed and tested is usable and has no "show stoppers" , it contained a large number of unresolved Incident Reports
- Build 2.1 was defined to fix the major IRs
- Software for Build 2.1 was completed and internally tested by 2 August
- SRA acceptance testing performed on August 6,7
- Development and testing successfully completed



BUILD 2.1 TESTING

6-7 AUGUST '91

- **SRA WITH BBN COORDINATION**
- **REGRESSION TESTED BUILD II IRS**
- **NO ABORTS**
- **TWO MINOR ERRORS -- IMMEDIATELY ADDRESSED**
- **MINI ANALYSIS REPORT SUBMITTED TO BBN**

BUILD 2.1 TESTING

6-7 AUGUST '91

- **REGRESSION TEST RESULTS**
 - **64 IRs (SOME WITH MULTIPLE PARTS)**
 - **41 CORRECTED/RESOLVED**
 - **24 UNCHANGED**
 - **2 IMPROVEMENTS**
 - **4 COULD NOT DUPLICATE**



Build 3 Requirements

REQUIREMENT	PRIORITY	STATUS
• Create/Edit Level 4 Cargo Detail	Medium	not started
• Expanded Query Capability	High	partially completed
• Fixing IRs	High	in progress
• Integration of SITAP into DART	High	demo today
• Integration of PFE into current build DART	High	will be completed
• Small Enhancements to Force Module Management	Mixed	not started
• TPFDD editor enhancements from Conf.	Medium	selected items done
• Integration into GTN LDBD	Low	not started
• Transaction Capability for DART	High	in progress
• DART Multi-user capability specification	Low	not started
• Configuration Management	High	will be completed
• System Documentation	High	intense effort





SITAP

*Demo - after
PMR*

Approach:

- Use generic capabilities built into the current DART interface where applicable.
- Use current DART analysis display capabilities where possible.
- Add generic capabilities to support SITAP where possible.
- Add SITAP specific functions as required.

Status:

- Demonstration of preliminary version given this afternoon
- Initial interface should be viewed as a prototype version





PFE Integration

- Augment DART movement requirements to support PFE. (Complete)
- Modify PFE graphs to current DART version. (Possibly deferred)
- Modify PFE situation to current DART version. (Will be completed)
- Modify PFE graphical Force Module / Movement Requirement display to current DART version. (Will be completed)
- Modify PFE scheduler to use more than two priority levels, e.g., 10 or 100. (Deferred)





Transaction Processing with JOPES - Status

- Concentrating on providing upload of TPFDD changes made by DART
- Writing transactions for FMs, partial Unit records
- Need more:
 - transaction format specification
 - test data
 - confirmation of JOPES transaction dumping capability.

Status: significant effort, high priority



DART

IN PROGRESS REVIEW

28 AUGUST 1991

**SYSTEMS RESEARCH AND APPLICATIONS
CORPORATION**

SRA
CORPORATION

TRAINING

- **SENIOR-OFFICER ORIENTATION**
 - **JCS-J6**
 - **JCS-J7 (PSD & CPD)**
 - **USTC J5**
- **USTC-J3/4 ORIENTATION**
- **RE-BETA MTMC**
- **DEVELOPED AUTOMATED SYSTEM BRIEFING**
- **PROTOTYPE SYSTEM VIDEO**

SRA
CORPORATION

TRAINING

- **SENIOR-OFFICER ORIENTATION
 - JCS-J6
 - JCS-J7 (PSD & CPD)
 - USTC J5**
- **USTC-J3/4 ORIENTATION**
- **DEVELOPED AUTOMATED SYSTEM BRIEFING**
- **PROTOTYPE SYSTEM VIDEO**

DOCUMENTATION

- USERS MANUAL
 - BUILD II VERSION DELIVERED 1 AUGUST
- SYSTEM ADMIN MANUAL
 - DRAFT TO MTMC (*LANTCOM*)
- TEST ANALYSIS REPORT
 - AWAITING DISTRIBUTION
- TRAINING MANUAL
 - OUT ON 29 AUGUST

IRs/SCPs

- **IR/SCP DATA PROVIDED TO TCJ6**
- **NO NEW IRS**

PROPOSED ACTIVITIES

- **TESTING**
 - **PREPARE AND EXECUTE BUILD III TEST**
- **TRAINING**
 - **DELIVER TRAINING MANUAL BY 8/29**
- **USERS MANUAL**
- **RE-BETA LANTCOM**
- **PREPARE FOR PHASE III (\$ AND TASKING)**