

AD-A257 353



2



TMR-0013

AD

Reports Control Symbol
OSD - 1366

VERTICAL MOLECULAR ABSORPTION COEFFICIENT PROFILES
AND ASSOCIATED METEOROLOGICAL DATA AT THE HIGH ENERGY
LASER SYSTEMS TEST FACILITY FOR 20 AUGUST 1991

September 1992



Frank T. Kantrowitz

DTIC
ELECTE
NOV19 1992
S E D

92-29799



g. g.



Approved for public release;
distribution is unlimited.

US ARMY
LABORATORY COMMAND

ATMOSPHERIC SCIENCES LABORATORY
White Sands Missile Range, NM 88002-5501

NOTICES

Disclaimers

The findings in this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

The citation of trade names and names of manufacturers in this report is not to be construed as official Government indorsement or approval of commercial products or services referenced herein.

Destruction Notice

When this document is no longer needed, destroy it by any method that will prevent disclosure of its contents or reconstruction of the document.

REPORT DOCUMENTATION PAGE			Form Approved OMB No 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.				
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE September 1992	3. REPORT TYPE AND DATES COVERED Final		
4. TITLE AND SUBTITLE Vertical Molecular Absorption Coefficient Profiles and Associated Meteorological Data at the High Energy Laser Systems Test Facility for 20 August 1991		5. FUNDING NUMBERS		
6. AUTHOR(S) Frank T. Kantrowitz		TA: 65702/D127 (6.5)		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) U.S. Army Atmospheric Sciences Laboratory White Sands Missile Range, NM 88002-5501		8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Laboratory Command Adelphi, MD 20783-1145		10. SPONSORING / MONITORING AGENCY REPORT NUMBER ASL-TMR-0013		
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release; distribution is unlimited.		12b. DISTRIBUTION CODE		
13. ABSTRACT (Maximum 200 words) In support of White Sands Missile Range high energy laser operations for 20 August 1991, the U.S. Army Atmospheric Sciences Laboratory was tasked to calculate simulated molecular absorption coefficient vertical profiles by using the U.S. Air Force Phillips Laboratory Geophysics Directorate (formerly the U.S. Air Force Geophysics Laboratory) transmittance and radiance program FASCOD2.				
14. SUBJECT TERMS absorption coefficient, optical depth, ground-to-space transmittance, molecular spectroscopy			15. NUMBER OF PAGES 21	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT SAR	

CONTENTS

LIST OF ILLUSTRATIONS.....	4
1. INTRODUCTION.....	5
2. METEOROLOGICAL DATA.....	5
3. VERTICAL PROFILES OF MOLECULAR ABSORPTION.....	5
4. CONCLUDING REMARKS.....	6
LITERATURE CITED.....	21

Accession For	
NTIS CRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By	
Distribution /	
Availability Codes	
Dist	Avail and/or Special
A-1	

DTIC QUALITY

LIST OF ILLUSTRATIONS

Tables

1. DF Line Positions and Percentage of Total Power per Line.....	6
2. Radiosonde Data used in FASCOD2 Calculations.....	7
3. Mid-Latitude Summer Model Data used in FASCOD2 Calculations.....	8
4. Molecular Coefficients for 3.645, 3.679, and 3.715 μm	9
5. Molecular Coefficients for 3.731, 3.752, and 3.764 μm	10
6. Molecular Coefficients for 3.801, 3.837, and 3.854 μm	11
7. Molecular Coefficients for 3.890, 3.927, and 3.966 μm	12
8. Molecular Coefficients for 3.984 and 4.022 μm	13
9. Average and MIRACL Weighted Absorption Coefficients for 41% Power.....	14

Figures

1. MIRACL output spectrum for 41 percent power.....	15
2. Atmospheric temperature profile for 1.25 to 100 km.....	15
3. Atmospheric pressure profile for 1.25 to 100 km.....	16
4. Atmospheric relative humidity profile for 1.25 to 100 km.....	16
5. Molecular coefficients for 3.645, 3.679, and 3.715 μm	17
6. Molecular coefficients for 3.731, 3.752, and 3.764 μm	17
7. Molecular coefficients for 3.801, 3.837, and 3.854 μm	18
8. Molecular coefficients for 3.890, 3.927, and 3.966 μm	18
9. Molecular coefficients for 3.984 and 4.022 μm	19
10. Averaged and weighted molecular absorption coefficient for MIRACL power of 41 percent.....	19

1. INTRODUCTION

Performance of the mid-infrared chemical laser (MIRACL) at the High Energy Laser Systems Test Facility degrades somewhat because of thermal blooming that results from molecular and aerosol absorption of beam energy. At the mid-infrared directed frequency (DF) wavelengths studied in this report, molecular continuum and line absorption are usually the most important absorption mechanisms. The simulated molecular absorption coefficient vertical profiles presented here are a follow up to earlier reports (Kantrowitz, 1991; O'Brien et al., 1989). Profiles are calculated by using the U.S. Air Force Phillips Laboratory Geophysics Directorate (formerly the U.S. Air Force Geophysics Laboratory) transmittance and radiance program FASCOD2 and the high resolution molecular database HITRAN (Kantrowitz, 1990; Clough et al., 1986; Smith et al., 1981). Radiosonde data for the morning of 20 Aug 91 were input for a user-supplied atmospheric profile in the lower atmosphere and the Phillips Laboratory mid-latitude summer model was used in the upper atmosphere. Both average and laser power-weighted profile plots were generated.

Output from FASCOD2 is given as the optical depth, which is a unitless quantity that describes the degree of attenuation. The optical depth for a homogeneous path or slant segment is given by

$$D(\nu) = k(\nu) \times x$$

where $k(\nu)$ is the absorption coefficient, ν is the frequency, and x is the path length. It is convenient to be able to define a single power-weighted absorption coefficient to represent the fraction of the total laser power in a line. The percentage of total power in each spectral line is displayed in table 1 and figure 1.* A more detailed description of the calculations used in the data analysis is given in the 27 Feb 91 report.

2. METEOROLOGICAL DATA

A radiosonde was launched from the Small Missile Range at White Sands Missile Range (WSMR), New Mexico, on the morning of 20 Aug 91. The instrument package reached an altitude of 17.2 km. The temperature, pressure, and water-related data (relative humidity and dew point) were measured to an altitude of approximately 10.3 km. Surface data and radiosonde data from 1.25 to 10.3 km were input into FASCOD2. For altitudes greater than this, Phillips Laboratory mid-latitude summer data were used (Anderson et al., 1986). Tables 2 and 3 and figures 2, 3, and 4 show the sonde and model data. In these figures, the circles denote sonde data and the triangles denote model data.

3. VERTICAL PROFILES OF MOLECULAR ABSORPTION

The molecular species considered are oxygen, water vapor, carbon dioxide, methane, nitrous oxide, carbon monoxide, and ozone (Park et al., 1987). The High Energy Laser (HEL) Propagation Handbook (1984) contains the vertical profile information for the lowest 10 km for each of these atmospheric constituents. The Phillips Laboratory mid-latitude summer model is in good

*Tables and figures are presented at the end of the text.

agreement with the HEL handbook except for temperature, pressure and water vapor content, all of which are quite variable. For these inputs to FASCOD2, sonde data were applied. The major exception is the methane profile since WSMR is located in a desert climate that produces lower than average methane concentrations. The user-supplied atmospheric profile adopted for the lower regions of the atmosphere does mimic the HEL handbook profile, but uses the Phillips Laboratory profile for the upper reaches of the atmosphere.

Tables 4 through 8 and figures 5 through 9 show molecular absorption coefficient profiles. Table 9 and figure 10 show averaged and laser power-weighted absorption coefficient profiles.

5. CONCLUDING REMARKS

The simulated molecular absorption coefficient vertical profiles presented here were calculated by using the Phillips Laboratory Geophysics Directorate transmittance and radiance program FASCOD2. Radiosonde data for the morning of 20 Aug 91 were input for a user-supplied atmospheric profile in the lower atmosphere, and the Phillips Laboratory mid-latitude summer model was used in the upper atmosphere. Both average and laser power-weighted profile plots were generated.

MIRACL performance does appear to degrade somewhat because of molecular absorption of beam energy. At the mid-infrared DF wavelengths studied in this report, molecular continuum and line absorption were found to be important absorption mechanisms. Water vapor appears to be the strongest attenuator in this spectral region.

TABLE 1. DF LINE POSITIONS AND PERCENTAGE OF TOTAL POWER PER LINE

Spectral Line	Wavelength (microns)	Percent Total Power in Spectral Line
MIRACL Power at:		41%
P1(7)	3.645	10.8
P1(8)	3.679	19.2
P1(9)	3.715	9.5
P2(6)	3.731	3.5
P1(10)	3.752	1.5
P2(7)	3.764	11.8
P2(8)	3.801	12.9
P2(9)	3.837	3.2
P3(6)	3.854	12.2
P3(7)	3.890	8.8
P3(8)	3.927	4.5
P3(9)	3.966	0.3
P4(6)	3.984	1.0
P4(7)	4.022	0.7

TABLE 2. RADIOSONDE DATA USED IN FASCOD2 CALCULATIONS

Altitude (km)	Pressure (mbar)	Temperature (K)	Relative Humidity (%)
1.250	880.000	291.15	85.86
1.500	857.000	293.85	63.35
1.750	833.000	293.15	62.78
2.000	810.000	292.05	64.21
2.250	786.000	290.65	64.76
2.750	741.000	287.25	64.31
3.250	699.000	283.45	71.31
3.750	658.000	280.50	73.24
4.250	619.000	277.75	60.64
4.750	582.000	274.64	50.29
5.250	547.000	270.99	57.59
5.750	513.000	267.63	78.51
6.250	482.000	264.94	67.27
6.750	452.000	262.15	56.28
7.250	423.000	258.75	60.85
7.750	396.000	255.05	79.33
8.250	370.000	252.35	74.10
8.750	346.000	248.25	69.93
9.250	323.000	244.75	71.14
9.750	301.000	241.25	70.33
10.300	280.000	237.55	68.02

TABLE 3. MID-LATITUDE SUMMER MODEL DATA USED IN FASCOD2 CALCULATIONS

Altitude (km)	Pressure (mbar)	Temperature (K)	Relative Humidity (%)
10.800	250.253	230.10	22.14
11.300	232.377	226.85	16.56
13.800	157.934	215.51	3.06
16.300	105.927	215.65	1.34
18.800	71.693	217.67	0.69
21.300	48.682	220.76	0.35
23.800	33.212	223.68	0.20
26.300	22.799	226.71	0.10
28.800	15.727	231.06	0.05
31.300	10.994	236.40	0.02
35.000	6.520	245.20	0.01
37.500	4.640	251.30	0.00
40.000	3.330	257.50	0.00
42.500	2.410	263.70	0.00
45.000	1.760	269.9	0.00
47.500	1.290	275.20	0.00
50.000	0.951	275.70	0.00
52.500	0.701	273.53	0.00
55.000	0.515	269.30	0.00
57.500	0.376	263.86	0.00
60.000	0.272	257.10	0.00
65.000	0.139	240.10	0.00
70.000	0.067	218.10	0.00
75.000	0.030	196.10	0.01
80.000	0.012	174.10	0.07
85.000	0.004	165.10	0.12
90.000	0.002	165.00	0.03
95.000	0.001	170.30	0.00
100.000	0.000	190.50	0.00

TABLE 4. MOLECULAR COEFFICIENTS FOR 3.645, 3.679, AND 3.715 μm

MINALT (km)	MAXALT (km)	Molecular Absorption Coefficients		
		3.645 μm (km^{-1})	3.679 μm (km^{-1})	3.715 μm (km^{-1})
0.000	0.250	0.3487000E-01	0.1037000E+00	0.3361000E-01
0.250	0.500	0.3099000E-01	0.9358000E-01	0.2949000E-01
0.500	0.750	0.2922000E-01	0.8876000E-01	0.2787000E-01
0.750	1.000	0.2726000E-01	0.8311000E-01	0.2607000E-01
1.000	1.500	0.2333000E-01	0.7513000E-01	0.2249000E-01
1.500	2.000	0.1847000E-01	0.5289000E-01	0.1721000E-01
2.000	2.500	0.1563000E-01	0.4337000E-01	0.1470000E-01
2.500	3.000	0.1183000E-01	0.3232000E-01	0.1134000E-01
3.000	3.500	0.7539000E-02	0.1817000E-01	0.7215000E-02
3.500	4.000	0.5762000E-02	0.1382000E-01	0.5558000E-02
4.000	4.500	0.5503000E-02	0.1319000E-01	0.5309000E-02
4.500	5.000	0.4737000E-02	0.1132000E-01	0.4639000E-02
5.000	5.500	0.3055000E-02	0.6532000E-02	0.3047000E-02
5.500	6.000	0.2314000E-02	0.4902000E-02	0.2401000E-02
6.000	6.500	0.2056000E-02	0.4320000E-02	0.2169000E-02
6.500	7.000	0.1758000E-02	0.3658000E-02	0.1904000E-02
7.000	7.500	0.1199000E-02	0.2272000E-02	0.1313000E-02
7.500	8.000	0.9092000E-03	0.1680000E-02	0.1073000E-02
8.000	8.500	0.7216000E-03	0.1302000E-02	0.9092000E-03
8.500	9.000	0.5404000E-03	0.9080000E-03	0.6636000E-03
9.000	9.500	0.3708000E-03	0.5860000E-03	0.5192000E-03
9.500	10.000	0.2666000E-03	0.3880000E-03	0.4256000E-03
10.000	12.500	0.2371000E-03	0.2800000E-03	0.2380000E-03
12.500	15.000	0.2180000E-03	0.1740000E-03	0.1009000E-03
15.000	17.500	0.2101000E-03	0.1068000E-03	0.3968000E-04
17.500	20.000	0.1701000E-03	0.6480000E-04	0.1784000E-04
20.000	22.500	0.1623000E-03	0.2960000E-04	0.5999000E-05
22.500	25.000	0.1189000E-03	0.1640000E-04	0.2763000E-05
25.000	27.500	0.1031000E-03	0.7600000E-05	0.1040000E-05
27.500	30.000	0.7508000E-04	0.4399000E-05	0.5186000E-06
30.000	33.750	0.5093000E-04	0.2400000E-05	0.2404000E-06
33.750	36.250	0.3304000E-04	0.1198000E-05	0.1192000E-06
36.250	38.750	0.2336000E-04	0.1204000E-05	0.8047000E-07
38.750	41.250	0.1636000E-04	0.3994000E-06	0.0000000E+00
41.250	43.750	0.1144000E-04	0.3994000E-06	0.0000000E+00
43.750	46.250	0.8041000E-05	0.3994000E-06	0.0000000E+00
46.250	48.750	0.5761000E-05	0.0000000E+00	0.0000000E+00
48.750	51.250	0.4241000E-05	0.0000000E+00	0.0000000E+00
51.250	53.750	0.3159000E-05	0.0000000E+00	0.0000000E+00
53.750	56.250	0.2238000E-05	0.0000000E+00	0.0000000E+00
56.250	58.750	0.1723000E-05	0.0000000E+00	0.0000000E+00
58.750	63.750	0.1140000E-05	0.0000000E+00	0.0000000E+00
63.750	68.750	0.6199000E-06	0.0000000E+00	0.0000000E+00
68.750	73.750	0.2995000E-06	0.0000000E+00	0.0000000E+00
73.750	78.750	0.1401000E-06	0.0000000E+00	0.0000000E+00
78.750	83.750	0.0000000E+00	0.0000000E+00	0.0000000E+00
83.750	88.750	0.0000000E+00	0.0000000E+00	0.0000000E+00
88.750	93.750	0.0000000E+00	0.0000000E+00	0.0000000E+00
93.750	98.750	0.0000000E+00	0.0000000E+00	0.0000000E+00

TABLE 5. MOLECULAR COEFFICIENTS FOR 3.731, 3.752, AND 3.764 μm

MINALT (km)	MAXALT (km)	Molecular Absorption Coefficients		
		3.731 μm (km^{-1})	3.752 μm (km^{-1})	3.764 μm (km^{-1})
0.000	0.250	0.6464000E-01	0.3682000E-01	0.4643000E-01
0.250	0.500	0.5796000E-01	0.3280000E-01	0.4149000E-01
0.500	0.750	0.5511000E-01	0.3103000E-01	0.3929000E-01
0.750	1.000	0.5183000E-01	0.2905000E-01	0.3679000E-01
1.000	1.500	0.4498000E-01	0.2526000E-01	0.3168000E-01
1.500	2.000	0.3300000E-01	0.1944000E-01	0.2346000E-01
2.000	2.500	0.2847000E-01	0.1669000E-01	0.2002000E-01
2.500	3.000	0.2205000E-01	0.1304000E-01	0.1532000E-01
3.000	3.500	0.1300000E-01	0.8376000E-02	0.9238000E-02
3.500	4.000	0.1017000E-01	0.6720000E-02	0.7165000E-02
4.000	4.500	0.9822000E-02	0.6361000E-02	0.6842000E-02
4.500	5.000	0.8592000E-02	0.5578000E-02	0.5898000E-02
5.000	5.500	0.5262000E-02	0.3810000E-02	0.3640000E-02
5.500	6.000	0.4082000E-02	0.3104000E-02	0.2804000E-02
6.000	6.500	0.3670000E-02	0.2790000E-02	0.2488000E-02
6.500	7.000	0.3182000E-02	0.2456000E-02	0.2136000E-02
7.000	7.500	0.2022000E-02	0.1756000E-02	0.1388000E-02
7.500	8.000	0.1556000E-02	0.1463000E-02	0.1066000E-02
8.000	8.500	0.1242000E-02	0.1250000E-02	0.8480000E-03
8.500	9.000	0.8300000E-03	0.9300000E-03	0.5860000E-03
9.000	9.500	0.5500000E-03	0.7488000E-03	0.4000000E-03
9.500	10.000	0.3700000E-03	0.6118000E-03	0.2760000E-03
10.000	12.500	0.1812000E-03	0.3348000E-03	0.1492000E-03
12.500	15.000	0.7200000E-04	0.1384000E-03	0.6280000E-04
15.000	17.500	0.2680000E-04	0.5356000E-04	0.2520000E-04
17.500	20.000	0.1080000E-04	0.2232000E-04	0.1120000E-04
20.000	22.500	0.3600000E-05	0.7439000E-05	0.4399000E-05
22.500	25.000	0.1597000E-05	0.3162000E-05	0.2000000E-05
25.000	27.500	0.8047000E-06	0.1198000E-05	0.8017000E-06
27.500	30.000	0.0000000E+00	0.5603000E-06	0.3994000E-06
30.000	33.750	0.2662000E-06	0.2146000E-06	0.2662000E-06
33.750	36.250	0.0000000E+00	0.7749000E-07	0.0000000E+00
36.250	38.750	0.0000000E+00	0.4172000E-07	0.0000000E+00
38.750	41.250	0.0000000E+00	0.0000000E+00	0.0000000E+00
41.250	43.750	0.0000000E+00	0.3874000E-07	0.0000000E+00
43.750	46.250	0.0000000E+00	0.0000000E+00	0.0000000E+00
46.250	48.750	0.0000000E+00	0.0000000E+00	0.0000000E+00
48.750	51.250	0.0000000E+00	0.0000000E+00	0.0000000E+00
51.250	53.750	0.0000000E+00	0.0000000E+00	0.0000000E+00
53.750	56.250	0.0000000E+00	0.0000000E+00	0.0000000E+00
56.250	58.750	0.0000000E+00	0.0000000E+00	0.0000000E+00
58.750	63.750	0.0000000E+00	0.0000000E+00	0.0000000E+00
63.750	68.750	0.0000000E+00	0.0000000E+00	0.0000000E+00
68.750	73.750	0.0000000E+00	0.0000000E+00	0.0000000E+00
63.750	78.750	0.0000000E+00	0.0000000E+00	0.0000000E+00
78.750	83.750	0.0000000E+00	0.0000000E+00	0.0000000E+00
83.750	88.750	0.0000000E+00	0.0000000E+00	0.0000000E+00
88.750	93.750	0.0000000E+00	0.0000000E+00	0.0000000E+00
93.750	98.750	0.0000000E+00	0.0000000E+00	0.0000000E+00

TABLE 6. MOLECULAR COEFFICIENTS FOR 3.801, 3.837, AND 3.854 μm

MINALT (km)	MAXALT (km)	Molecular Absorption Coefficients		
		3.801 μm (km^{-1})	3.837 μm (km^{-1})	3.854 μm (km^{-1})
0.000	0.250	0.2549000E-01	0.2655000E+00	0.3020000E-01
0.250	0.500	0.2257000E-01	0.2408000E+00	0.2715000E-01
0.500	0.750	0.2115000E-01	0.2291000E+00	0.2561000E-01
0.750	1.000	0.1959000E-01	0.2151000E+00	0.2393000E-01
1.000	1.500	0.1657000E-01	0.1850000E+00	0.2088000E-01
1.500	2.000	0.1334000E-01	0.1478000E+00	0.1722000E-01
2.000	2.500	0.1115000E-01	0.1259000E+00	0.1482000E-01
2.500	3.000	0.8411000E-02	0.9604000E-01	0.1187000E-01
3.000	3.500	0.5701000E-02	0.5944000E-01	0.9066000E-02
3.500	4.000	0.4421000E-02	0.4527000E-01	0.7548000E-02
4.000	4.500	0.4128000E-02	0.4348000E-01	0.6979000E-02
4.500	5.000	0.3544000E-02	0.3749000E-01	0.6159000E-02
5.000	5.500	0.2539000E-02	0.2293000E-01	0.5187000E-02
5.500	6.000	0.2016000E-02	0.1705000E-01	0.4431000E-02
6.000	6.500	0.1793000E-02	0.1507000E-01	0.3971000E-02
6.500	7.000	0.1557000E-02	0.1272000E-01	0.3493000E-02
7.000	7.500	0.1207000E-02	0.7796000E-02	0.3175000E-02
7.500	8.000	0.9948000E-03	0.5524000E-02	0.2753000E-02
8.000	8.500	0.8502000E-03	0.4086000E-02	0.2407000E-02
8.500	9.000	0.6926000E-03	0.2548000E-02	0.2290000E-02
9.000	9.500	0.5636000E-03	0.1292000E-02	0.1921000E-02
9.500	10.000	0.4714000E-03	0.5620000E-03	0.1591000E-02
10.000	12.500	0.2982000E-03	0.2704000E-03	0.1302000E-02
12.500	15.000	0.1421000E-03	0.1168000E-03	0.8167000E-03
15.000	17.500	0.6168000E-04	0.5162000E-04	0.4519000E-03
17.500	20.000	0.2976000E-04	0.2320000E-04	0.2107000E-03
20.000	22.500	0.1212000E-04	0.9990000E-05	0.8264000E-04
22.500	25.000	0.6518000E-05	0.5198000E-05	0.4388000E-04
25.000	27.500	0.2360000E-05	0.1597000E-05	0.2024000E-04
27.500	30.000	0.1201000E-05	0.1216000E-05	0.1124000E-04
30.000	33.750	0.5066000E-06	0.2543000E-06	0.5148000E-05
33.750	36.250	0.1997000E-06	0.4053000E-06	0.2319000E-05
36.250	38.750	0.8047000E-07	0.0000000E+00	0.1240000E-05
38.750	41.250	0.3874000E-07	0.0000000E+00	0.6407000E-06
41.250	43.750	0.4172000E-07	0.0000000E+00	0.3874000E-07
43.750	46.250	0.0000000E+00	0.0000000E+00	0.4172000E-07
46.250	48.750	0.0000000E+00	0.0000000E+00	0.0000000E+00
48.750	51.250	0.0000000E+00	0.0000000E+00	0.0000000E+00
51.250	53.750	0.0000000E+00	0.0000000E+00	0.0000000E+00
53.750	56.250	0.0000000E+00	0.0000000E+00	0.0000000E+00
56.250	58.750	0.0000000E+00	0.0000000E+00	0.0000000E+00
58.750	63.750	0.0000000E+00	0.0000000E+00	0.0000000E+00
63.750	68.750	0.0000000E+00	0.0000000E+00	0.0000000E+00
68.750	73.750	0.0000000E+00	0.0000000E+00	0.0000000E+00
73.750	78.750	0.0000000E+00	0.0000000E+00	0.0000000E+00
78.750	83.750	0.0000000E+00	0.0000000E+00	0.0000000E+00
83.750	88.750	0.0000000E+00	0.0000000E+00	0.0000000E+00
88.750	93.750	0.0000000E+00	0.0000000E+00	0.0000000E+00
93.750	98.750	0.0000000E+00	0.0000000E+00	0.0000000E+00

TABLE 7. MOLECULAR COEFFICIENTS FOR 3.890, 3.927, AND 3.966 μm

MINALT (km)	MAXALT (km)	Molecular Absorption Coefficients		
		3.890 μm (km^{-1})	3.927 μm (km^{-1})	3.966 μm (km^{-1})
0.000	0.250	0.4984000E-01	0.3903000E-01	0.3078000E-01
0.250	0.500	0.4589000E-01	0.3566000E-01	0.2766000E-01
0.500	0.750	0.4380000E-01	0.3392000E-01	0.2604000E-01
0.750	1.000	0.4159000E-01	0.3203000E-01	0.2436000E-01
1.000	1.500	0.3766000E-01	0.2881000E-01	0.2139000E-01
1.500	2.000	0.3145000E-01	0.2405000E-01	0.1810000E-01
2.000	2.500	0.2842000E-01	0.2149000E-01	0.1571000E-01
2.500	3.000	0.2475000E-01	0.1840000E-01	0.1289000E-01
3.000	3.500	0.1926000E-01	0.1433000E-01	0.1018000E-01
3.500	4.000	0.1738000E-01	0.1270000E-01	0.8648000E-02
4.000	4.500	0.1655000E-01	0.1194000E-01	0.7887000E-02
4.500	5.000	0.1540000E-01	0.1093000E-01	0.6962000E-02
5.000	5.500	0.1222000E-01	0.8724000E-02	0.5764000E-02
5.500	6.000	0.1124000E-01	0.7862000E-02	0.4961000E-02
6.000	6.500	0.1062000E-01	0.7294000E-02	0.4438000E-02
6.500	7.000	0.9964000E-02	0.6720000E-02	0.3930000E-02
7.000	7.500	0.7880000E-02	0.5402000E-02	0.3362000E-02
7.500	8.000	0.7348000E-02	0.4942000E-02	0.2942000E-02
8.000	8.500	0.6864000E-02	0.4524000E-02	0.2588000E-02
8.500	9.000	0.5398000E-02	0.3670000E-02	0.2266000E-02
9.000	9.500	0.4976000E-02	0.3300000E-02	0.1946000E-02
9.500	10.000	0.4578000E-02	0.2964000E-02	0.1657000E-02
10.000	12.500	0.2622000E-02	0.1721000E-02	0.1132000E-02
12.500	15.000	0.1124000E-02	0.7584000E-03	0.5493000E-03
15.000	17.500	0.4016000E-03	0.2896000E-03	0.2458000E-03
17.500	20.000	0.1436000E-03	0.1156000E-03	0.1102000E-03
20.000	22.500	0.4200000E-04	0.3920000E-04	0.4800000E-04
22.500	25.000	0.1960000E-04	0.1680000E-04	0.2160000E-04
25.000	27.500	0.5603000E-05	0.6801000E-05	0.1000000E-04
27.500	30.000	0.2396000E-05	0.3201000E-05	0.4399000E-05
30.000	33.750	0.1069000E-05	0.1069000E-05	0.1866000E-05
33.750	36.250	0.0000000E+00	0.3994000E-06	0.8017000E-06
36.250	38.750	0.3994000E-06	0.3994000E-06	0.0000000E+00
38.750	41.250	0.0000000E+00	0.0000000E+00	0.3994000E-06
41.250	43.750	0.0000000E+00	0.0000000E+00	0.0000000E+00
43.750	46.250	0.0000000E+00	0.0000000E+00	0.0000000E+00
46.250	48.750	0.0000000E+00	0.0000000E+00	0.0000000E+00
48.750	51.250	0.0000000E+00	0.0000000E+00	0.0000000E+00
51.250	53.750	0.0000000E+00	0.0000000E+00	0.0000000E+00
53.750	56.250	0.0000000E+00	0.0000000E+00	0.0000000E+00
56.250	58.750	0.0000000E+00	0.0000000E+00	0.0000000E+00
58.750	63.750	0.0000000E+00	0.0000000E+00	0.0000000E+00
63.750	68.750	0.0000000E+00	0.0000000E+00	0.0000000E+00
68.750	73.750	0.0000000E+00	0.0000000E+00	0.0000000E+00
73.750	78.750	0.0000000E+00	0.0000000E+00	0.0000000E+00
78.750	83.750	0.0000000E+00	0.0000000E+00	0.0000000E+00
83.750	88.750	0.0000000E+00	0.0000000E+00	0.0000000E+00
88.750	93.750	0.0000000E+00	0.0000000E+00	0.0000000E+00
93.750	98.750	0.0000000E+00	0.0000000E+00	0.0000000E+00

TABLE 8. MOLECULAR COEFFICIENTS FOR 3.984 AND 4.022 μm

MINALT (km)	MAXALT (km)	<u>Molecular Absorption Coefficients</u>	
		3.984 μm (km^{-1})	4.022 μm (km^{-1})
0.000	0.250	0.3341000E-01	0.5097000E-01
0.250	0.500	0.3008000E-01	0.4668000E-01
0.500	0.750	0.2832000E-01	0.4416000E-01
0.750	1.000	0.2651000E-01	0.4154000E-01
1.000	1.500	0.2340000E-01	0.3725000E-01
1.500	2.000	0.2004000E-01	0.3243000E-01
2.000	2.500	0.1746000E-01	0.2871000E-01
2.500	3.000	0.1444000E-01	0.2454000E-01
3.000	3.500	0.1160000E-01	0.2054000E-01
3.500	4.000	0.9914000E-02	0.1805000E-01
4.000	4.500	0.9060000E-02	0.1654000E-01
4.500	5.000	0.8011000E-02	0.1485000E-01
5.000	5.500	0.6747000E-02	0.1281000E-01
5.500	6.000	0.5818000E-02	0.1138000E-01
6.000	6.500	0.5178000E-02	0.1030000E-01
6.500	7.000	0.4587000E-02	0.9274000E-02
7.000	7.500	0.4046000E-02	0.8082000E-02
7.500	8.000	0.3539000E-02	0.7240000E-02
8.000	8.500	0.3078000E-02	0.6486000E-02
8.500	9.000	0.2782000E-02	0.5622000E-02
9.000	9.500	0.2402000E-02	0.4932000E-02
9.500	10.000	0.2036000E-02	0.4276000E-02
10.000	12.500	0.1416000E-02	0.2795000E-02
12.500	15.000	0.6920000E-03	0.1319000E-02
15.000	17.500	0.3136000E-03	0.5696000E-03
17.500	20.000	0.1416000E-03	0.2464000E-03
20.000	22.500	0.6280000E-04	0.1044000E-03
22.500	25.000	0.2920000E-04	0.4760000E-04
25.000	27.500	0.1280000E-04	0.2080000E-04
27.500	30.000	0.6399000E-05	0.1000000E-04
30.000	33.750	0.2400000E-05	0.3731000E-05
33.750	36.250	0.8017000E-06	0.1597000E-05
36.250	38.750	0.3994000E-06	0.4053000E-06
38.750	41.250	0.3994000E-06	0.3994000E-06
41.250	43.750	0.0000000E+00	0.0000000E+00
43.750	46.250	0.0000000E+00	0.3994000E-06
46.250	48.750	0.0000000E+00	0.0000000E+00
48.750	51.250	0.0000000E+00	0.0000000E+00
51.250	53.750	0.0000000E+00	0.0000000E+00
53.750	56.250	0.0000000E+00	0.0000000E+00
56.250	58.750	0.0000000E+00	0.0000000E+00
58.750	63.750	0.0000000E+00	0.0000000E+00
63.750	68.750	0.0000000E+00	0.0000000E+00
68.750	73.750	0.0000000E+00	0.0000000E+00
73.750	78.750	0.0000000E+00	0.0000000E+00
78.750	83.750	0.0000000E+00	0.0000000E+00
83.750	88.750	0.0000000E+00	0.0000000E+00
88.750	93.750	0.0000000E+00	0.0000000E+00
93.750	98.750	0.0000000E+00	0.0000000E+00

TABLE 9. AVERAGE AND MIRACL WEIGHTED ABSORPTION COEFFICIENTS FOR 41% POWER

MINALT (km)	MAXALT (km)	Average (km ⁻¹)	MIRACL (km ⁻¹)
0.000	0.250	0.6037786E-01	0.5756655E-01
0.250	0.500	0.5448572E-01	0.5181757E-01
0.500	0.750	0.5167001E-01	0.4910882E-01
0.750	1.000	0.4848286E-01	0.4603067E-01
1.000	1.500	0.4241643E-01	0.4054188E-01
1.500	2.000	0.3349286E-01	0.3088529E-01
2.000	2.500	0.2875286E-01	0.2618944E-01
2.500	3.000	0.2266007E-01	0.2030326E-01
3.000	3.500	0.1526107E-01	0.1303305E-01
3.500	4.000	0.1236614E-01	0.1039788E-01
4.000	4.500	0.1168507E-01	0.9876581E-02
4.500	5.000	0.1029357E-01	0.8666070E-02
5.000	5.500	0.7304786E-02	0.5880610E-02
5.500	6.000	0.6026072E-02	0.4781570E-02
6.000	6.500	0.5439786E-02	0.4318981E-02
6.500	7.000	0.4809928E-02	0.3809410E-02
7.000	7.500	0.3635714E-02	0.2787620E-02
7.500	8.000	0.3073571E-02	0.2329787E-02
8.000	8.500	0.2654000E-02	0.2002165E-02
8.500	9.000	0.2123329E-02	0.1572307E-02
9.000	9.500	0.1750529E-02	0.1278767E-02
9.500	10.000	0.1462386E-02	0.1062968E-02
10.000	12.500	0.9269215E-03	0.6821430E-03
12.500	15.000	0.4488858E-03	0.3510610E-03
15.000	17.500	0.2033957E-03	0.1726536E-03
17.500	20.000	0.9415143E-04	0.8613460E-04
20.000	22.500	0.4389193E-04	0.4346610E-04
22.500	25.000	0.2394414E-04	0.2612174E-04
25.000	27.500	0.1391039E-04	0.1675576E-04
27.500	30.000	0.8643522E-05	0.1112530E-04
30.000	33.750	0.5025808E-05	0.6927972E-05
33.750	36.250	0.2925606E-05	0.4172684E-05
36.250	38.750	0.1972154E-05	0.2984091E-05
38.750	41.250	0.1331217E-05	0.1934835E-05
41.250	43.750	0.8541857E-06	0.1322370E-05
43.750	46.250	0.6343943E-06	0.9529650E-06
46.250	48.750	0.4115000E-06	0.6222000E-06
48.750	51.250	0.3029286E-06	0.4580000E-06
51.250	53.750	0.2256429E-06	0.3412000E-06
53.750	56.250	0.1598571E-06	0.2417000E-06
56.250	58.750	0.1230714E-06	0.1860000E-06
58.750	63.750	0.8142857E-07	0.1231000E-06
63.750	68.750	0.4427857E-07	0.6695000E-07
68.750	73.750	0.2139286E-07	0.3235000E-07
73.750	78.750	0.1000714E-07	0.1513000E-07
78.750	83.750	0.0000000E+00	0.0000000E+00
83.750	88.750	0.0000000E+00	0.0000000E+00
88.750	93.750	0.0000000E+00	0.0000000E+00
93.750	98.750	0.0000000E+00	0.0000000E+00




Figure 1. MIRACL output spectrum for 41 percent power.




Figure 2. Atmospheric temperature profile for 1.25 to 100 km.




Figure 3. Atmospheric pressure profile for 1.25 to 100 km.




Figure 4. Atmospheric relative humidity profile for 1.25 to 100 km.




Figure 5. Molecular coefficients for 3.645, 3.679, and 3.715 μm .




Figure 6. Molecular coefficients for 3.731, 3.752, and 3.764 μm .




Figure 7. Molecular coefficients for 3.801, 3.837, and 3.854 μm .




Figure 8. Molecular coefficients for 3.890, 3.927, and 3.966 μm .




Figure 9. Molecular coefficients for 3.984 and 4.022 μm .




Figure 10. Averaged and weighted molecular absorption coefficient for MIRACL power of 41 percent.

LITERATURE CITED

- Anderson, G. P., S. A. Clough, F. X. Kneizys, C. H. Chetwynd, and E. P. Shettle, 1986, AFGL Atmospheric Constituent Profiles (0-120 km), AFGL-TR-86-0110, U.S. Air Force Geophysics Laboratory, Hanscom, MA.
- Clough, S. A., F. X. Kneizys, E. P. Shettle, and G. P. Anderson, 1986, Atmospheric Radiance and Transmittance: FASCOD2, Sixth Conference on Atmospheric Radiation, Williamsburg, VA.
- High Energy Laser Propagation Handbook, 1984, ASL TR-0148, U.S. Army Atmospheric Sciences Laboratory, White Sands Missile Range, NM.
- Kantrowitz, F., 1990, A VAX/VMS/GKS Format Version of the Fast Atmospheric Signature Code (FASCOD 2) with Comparisons to ASL Field Spectroscopic Data, ASL TR-0269, U.S. Army Atmospheric Sciences Laboratory, White Sands Missile Range, NM.
- Kantrowitz, F., 1991, Vertical Absorption Coefficient Profiles and Associated Transmission Spectra at the High Energy Laser Systems Test Facility, 27 February 1991, ASL Technical Memorandum, U.S. Army Atmospheric Sciences Laboratory, White Sands Missile Range, NM.
- O'Brien, S., W. Hayden, B. Schulze, 1989, Vertical Profiles of DF Laser Line Attenuation at the High Energy Laser Facility, ASL Internal Report, U.S. Army Atmospheric Sciences Laboratory, White Sands Missile Range, NM.
- Park, J. H., L. S. Rothman, C. P. Rinsland, H. M. Pickett, D. J. Richardson, and J. S. Namkung, 1987, Atlas of Absorption Lines From 0 to 17,900 cm⁻¹, NASA Reference Publication 1188, NASA Langley Research Center, Hampton, VA.
- Smith, H. J. P., D. J. Dube, M. E. Gardner, S. A. Clough, F. X. Kneizys, and L. S. Rothman, 1981, FASCOD - Fast Atmospheric Signature Code (Spectral Transmittance and Radiance), AFGL-TR-78-0081, U.S. Air Force Geophysics Laboratory, Hanscom, MA.

DISTRIBUTION LIST FOR PUBLIC RELEASE

Commandant

U.S. Army Chemical School
ATTN: ATZN-CM-CC (S. Barnes)
Fort McClellan, AL 36205-5020

Commander

U.S. Army Aviation Center
ATTN: ATZQ-D-MA
Mr. Oliver N. Heath
Fort Rucker, AL 36362

NASA/Marshall Space Flight Center
Deputy Director
Space Science Laboratory
Atmospheric Sciences Division
ATTN: E501 (Dr. George H. Fichtl)
Huntsville, AL 35802

NASA/Marshall Space Flight Center
Atmospheric Sciences Division
ATTN: Code ED-41
Huntsville, AL 35812

Deputy Commander

U.S. Army Strategic Defense Command
ATTN: CSSD-SL-L
Dr. Julius Q. Lilly
P.O. Box 1500
Huntsville, AL 35807-3801

Commander

U.S. Army Missile Command
ATTN: AMSMI-RD-AC-AD
Donald R. Peterson
Redstone Arsenal, AL 35898-5242

Commander

U.S. Army Missile Command
ATTN: AMSMI-RD-AS-SS
Huey F. Anderson
Redstone Arsenal, AL 35898-5253

Commander

U.S. Army Missile Command
ATTN: AMSMI-RD-AS-SS
B. Williams
Redstone Arsenal, AL 35898-5253

Commander

U.S. Army Missile Command
ATTN: AMSMI-RD-DE-SE
Gordon Lill, Jr.
Redstone Arsenal, AL 35898-5245

Commander

U.S. Army Missile Command
Redstone Scientific Information
Center
ATTN: AMSMI-RD-CS-R/Documents
Redstone, Arsenal, AL 35898-5241

Commander

U.S. Army Intelligence Center
and Fort Huachuca
ATTN: ATSI-CDC-C (Mr. Colanto)
Fort Huachuca, AZ 85613-7000

Northrup Corporation

Electronics Systems Division
ATTN: Dr. Richard D. Tooley
2301 West 120th Street, Box 5032
Hawthorne, CA 90251-5032

Commander - Code 3331

Naval Weapons Center
ATTN: Dr. Alexis Shlanta
China Lake, CA 93555

Commander

Pacific Missile Test Center
Geophysics Division
ATTN: Code 3250 (Terry E. Battalino)
Point Mugu, CA 93042-5000

Lockheed Missiles & Space Co., Inc.

Kenneth R. Hardy
Org/91-01 B/255
3251 Hanover Street
Palo Alto, CA 94304-1191

Commander

Naval Ocean Systems Center
ATTN: Code 54 (Dr. Juergen Richter)
San Diego, CA 92152-5000

Meteorologist in Charge
Kwajalein Missile Range
P.O. Box 67
APO San Francisco, CA 96555

U.S. Department of Commerce
Mountain Administration Support
Center
Library, R-51 Technical Reports
325 S. Broadway
Boulder, CO 80303

Dr. Hans J. Liebe
NTIA/ITS S 3
325 S. Broadway
Boulder, CO 80303

NCAR Library Serials
National Center for Atmos Rsch
P.O. Box 3000
Boulder, CO 80307-3000

HQDA
ATTN: DAMI-POI
Washington, DC 20310-1067

Mil Asst for Env Sci Ofc of
The Undersecretary of Defense
for Rsch & Engr/R&AT/E&LS
Pentagon - Room 3D129
Washington, DC 20301-3080

Director
Naval Research Laboratory
ATTN: Code 4110
Dr. Lothar H. Ruhnke
Washington, DC 20375-5000

HQDA
DEAN-RMD/Dr. Gomez
Washington, DC 20314

Director
Division of Atmospheric Science
National Science Foundation
ATTN: Dr. Eugene W. Bierly
1800 G. Street, N.W.
Washington, DC 20550

Commander
Space & Naval Warfare System Command
ATTN: PMW-145-1G (LT Painter)
Washington, DC 20362-5100

Commandant
U.S. Army Infantry
ATTN: ATSH-CD-CS-OR
Dr. E. Dutoit
Fort Benning, GA 30905-5090

USAFETAC/DNE
Scott AFB, IL 62225

Air Weather Service
Technical Library - FL4414
Scott AFB, IL 62225-5458

HQ AWS/DOO
Scott AFB, IL 62225-5008

USAFETAC/DNE
ATTN: Mr. Charles Glauber
Scott AFB, IL 62225-5008

Commander
U.S. Army Combined Arms Combat
ATTN: ATZL-CAW (LTC A. Kyle)
Fort Leavenworth, KS 66027-5300

Commander
U.S. Army Space Institute
ATTN: ATZI-SI (Maj Koepsell)
Fort Leavenworth, KS 66027-5300

Commander
U.S. Army Space Institute
ATTN: ATZL-SI-D
Fort Leavenworth, KS 66027-7300

Commander
Phillips Lab
ATTN: PL/LYP (Mr. Chisholm)
Hanscom AFB, MA 01731-5000

Director
Atmospheric Sciences Division
Geophysics Directorate
Phillips Lab
ATTN: Dr. Robert A. McClatchey
Hanscom AFB, MA 01731-5000

Raytheon Company
Dr. Charles M. Sonnenschein
Equipment Division
528 Boston Post Road
Sudbury, MA 01776
Mail Stop 1K9

Director
U.S. Army Materiel Systems
Analysis Activity
ATTN: AMXSY-MP (H. Cohen)
APG, MD 21005-5071

Commander
U.S. Army Chemical Rsch,
Dev & Engr Center
ATTN: SMCCR-OPA (Ronald Pennsyle)
APG, MD 21010-5423

Commander
U.S. Army Chemical Rsch,
Dev & Engr Center
ATTN: SMCCR-RS (Mr. Joseph Vervier)
APG, MD 21010-5423

Commander
U.S. Army Chemical Rsch,
Dev & Engr Center
ATTN: SMCCR-MUC (Mr. A. Van De Wal)
APG, MD 21010-5423

Director
U.S. Army Materiel Systems
Analysis Activity
ATTN: AMXSY-AT (Mr. Fred Campbell)
APG, MD 21005-5071

Director
U.S. Army Materiel Systems
Analysis Activity
ATTN: AMXSY-CR (Robert N. Marchetti)
APG, MD 21005-5071

Director
U.S. Army Materiel Systems
Analysis Activity
ATTN: AMXSY-CS (Mr. Brad W. Bradley)
APG, MD 21005-5071

Commander
U.S. Army Laboratory Command
ATTN: AMSLC-CG
2800 Powder Mill Road
Adelphi, MD 20783-1145

Commander
Headquarters
U.S. Army Laboratory Command
ATTN: AMSLC-CT
2800 Powder Mill Road
Adelphi, MD 20783-1145

Commander
Harry Diamond Laboratories
ATTN: SLCIS-CO
2800 Powder Mill Road
Adelphi, MD 20783-1197

Director
Harry Diamond Laboratories
ATTN: SLCHD-ST-SP
Dr. Z.G. Sztankay
Adelphi, MD 20783-1197

National Security Agency
ATTN: W21 (Dr. Longbothum)
9800 Savage Road
Ft George G. Meade, MD 20755-6000

U. S. Army Space Technology
and Research Office
ATTN: Brenda Brathwaite
5321 Riggs Road
Gaithersburg, MD 20882

OIC-NAVSWC
Technical Library (Code E-232)
Silver Springs, MD 20903-5000

The Environmental Research
Institute of MI
ATTN: IRIA Library
P.O. Box 134001
Ann Arbor, MI 48113-4001

Commander
U.S. Army Research Office
ATTN: DRXRO-GS (Dr. W.A. Flood)
P.O. Box 12211
Research Trianagle Park, NC 27709

Dr. Jerry Davis
North Carolina State University
Department of Marine, Earth, &
Atmospheric Sciences
P.O. Box 8208
Raleigh, NC 27650-8208

Commander
U. S. Army CECRL
ATTN: CECRL-RG (Dr. H. S. Boyne)
Hanover, NH 03755-1290

Commanding Officer
U.S. Army ARDEC
ATTN: SMCAR-IMI-I, Bldg 59
Dover, NJ 07806-5000

U.S. Army Communications-Electronics
Command EW/RSTA Directorate
ATTN: AMSEL-RD-EW-OP
Fort Monmouth, NJ 07703-5206

Commander
U.S. Army Satellite Comm Agency
ATTN: DRCPM-SC-3
Fort Monmouth, NJ 07703-5303

6585th TG (AFSC)
ATTN: RX (CPT Stein)
Holloman AFB, NM 88330

Department of the Air Force
OL/A 2nd Weather Squadron (MAC)
Holloman AFB, NM 88330-5000

PL/WE
Kirtland AFB, NM 87118-6008

Director
U.S. Army TRADOC Analysis Command
ATTN: ATRC-WSS-R
White Sands Missile Range, NM 88002

Rome Laboratory
ATTN: Technical Library RL/DOVL
Griffiss AFB, NY 13441-5700

Department of the Air Force
7th Squadron
APO, NY 09403

AWS
USAREUR/AEAWX
APO, NY 09403-5000

AFMC/DOW
Wright-Patterson AFB, OH 0334-5000

Commander
U.S. Army Field Artillery School
ATTN: ATSF-F-FD (Mr. Gullion)
Fort Sill, OK 73503-5600

Commandant
U.S. Army Field Artillery School
ATTN: ATSF-TSM-TA
Mr. Charles Taylor
Fort Sill, OK 73503-5600

Commander
Naval Air Development Center
ATTN: Al Salik (Code 5012)
Warminster, PA 18974

Commander
U.S. Army Dugway Proving Ground
ATTN: STEDP-MT-DA-M
Mr. Paul Carlson
Dugway, UT 84022

Commander
U.S. Army Dugway Proving Ground
ATTN: STEDP-MT-DA-L
Dugway, UT 84022

Commander
U.S. Army Dugway Proving Ground
ATTN: STEDP-MT-M (Mr. Bowers)
Dugway, UT 84022-5000

Defense Technical Information Center
ATTN: DTIC-FDAC
Cameron Station
Alexandria, VA 22314

Commanding Officer
U.S. Army Foreign Science &
Technology Center
ATTN: CM
220 7th Street, NE
Charlottesville, VA 22901-5396

Naval Surface Weapons Center
Code G63
Dahlgren, VA 22448-5000

Commander
U.S. Army OEC
ATTN: CSTE-EFS
Park Center IV
4501 Ford Ave
Alexandria, VA 22302-1458

Commander and Director
U.S. Army Corps of Engineers
Engineer Topographics Laboratory
ATTN: ETL-GS-LB
Fort Belvoir, VA 22060

TAC/DOWP
Langley AFB, VA 23665-5524

U.S. Army Topo Engineering Center
ATTN: CETEC-ZC
Fort Belvoir, VA 22060-5546

Commander
Logistics Center
ATTN: ATCL-CE
Fort Lee, VA 23801-6000

Commander
USATRADO
ATTN: ATCD-FA
Fort Monroe, VA 23651-5170

Science and Technology
101 Research Drive
Hampton, VA 23666-1340

Commander
U.S. Army Nuclear & Cml Agency
ATTN: MONA-ZB Bldg 2073
Springfield, VA 22150-3198