

AD-A260 231



(2)

PL-TR-92-2138

**A Systematic Study of the Effects of Crust and Upper
Mantle Structure on Regional Seismograms**

DTIC
S ELECTE D
FEB 10 1993
C

Danny J. Harvey

University of Colorado
Department of Physics
TAGG/JSPC
Campus Box 583
Boulder, CO 80309

1 June 1992

Scientific Report No. 1

93-02434



3304


Approved for public release; distribution unlimited




PHILLIPS LABORATORY
Directorate of Geophysics
AIR FORCE SYSTEMS COMMAND
HANSCOM AIR FORCE BASE, MA 01731-5000

The views and conclusions contained in this document are those of the authors and should not be interpreted as representing the official policies, either expressed or implied, of the Air Force or the U.S. Government.

This technical report has been reviewed and is approved for publication.



JAMES F. LEWKOWICZ
Contract Manager
Solid Earth Geophysics Branch
Earth Sciences Division



JAMES F. LEWKOWICZ
Branch Chief
Solid Earth Geophysics Branch
Earth Sciences Division



DONALD H. ECKHARDT, Director
Earth Sciences Division

This document has been reviewed by the ESD Public Affairs Office (PA) and is releasable to the National Technical Information Service (NTIS).

Qualified requestors may obtain additional copies from the Defense Technical Information Center. All others should apply to the National Technical Information Service.

If your address has changed, or if you wish to be removed from the mailing list, or if the addressee is no longer employed by your organization, please notify PL/IMA, Hanscom AFB MA 01731-5000. This will assist us in maintaining a current mailing list.

Do not return copies of this report unless contractual obligations or notices on a specific document requires that it be returned.

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per report, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302 and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188) Washington, DC 20503.				
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE 1 June 1992	3. REPORT TYPE AND DATES COVERED Scientific No. 1		
4. TITLE AND SUBTITLE A Systematic Study of the Effect of Crust and Upper Mantle Structure on Regional Seismograms		5. FUNDING NUMBERS F19628-90-K-0050 PE62101F PR 7600 TA09 WV BH		
6. AUTHOR(S) Danny J. Harvey				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) The University of Colorado Department of Physics TAGG/JSPC Boulder, CO 80309-0583		8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Phillips Laboratory Hanscom AFB, MA 01731-5000 Contract Manager: James Lewkowiz/GPEH		10. SPONSORING/MONITORING AGENCY REPORT NUMBER PL-TR-92-2138		
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION/AVAILABILITY STATEMENT approved for public release; distribution unlimited		12b. DISTRIBUTION CODE		
13. ABSTRACT (Maximum 200 words) As part of a broader effort to invert for Eurasian crust and upper mantle structure, a study has been undertaken to investigate the effects of structural model variations on regional synthetic seismograms. The intent of this study is to produce regional synthetic seismograms that approximately match the observed data so that the inferred structural models can be used as starting points in a formal inversion procedure. Using laterally homogeneous structural models we have systematically varied velocity-depth functions down to about 500 km depth and compared synthetic seismograms to data out to about 2000 km distance. Differential seismograms were used to infer relationships between structural parameters and the resulting seismograms. By using standard Eurasian crust and upper mantle structural models and introducing velocity randomization, it is possible to produce synthetic seismograms that show all of the regional phases complete with attendant coda. However, the synthetic seismograms show energetic P_g and S_h phases at distances above 1000 km that are often not present in the data. The S_h phase can be reduced by suitable upper mantle velocity profiles. The reduction of P_g in the synthetics is more difficult which indicates that lateral scattering may be reducing P_g amplitudes without adversely affecting L_g .				
14. SUBJECT TERMS Regional Wave Propagation, Seismic Scattering		15. NUMBER OF PAGES 34		
		16. PRICE CODE		
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT UL	

A Systematic Study of the Effects of Crust and Upper Mantle Structure on Regional Seismograms

by

Danny J. Harvey

1. Introduction

As part of a broader effort to invert for Eurasian crust and upper mantle structure, a study has been undertaken to investigate the effects of structural model variations on regional synthetic seismograms. The intent of this study is to produce regional synthetic seismograms that approximately match the observed data so that the inferred structural models can be used as starting points in a formal inversion procedure. Another purpose for this study is to identify to what extent different modeling techniques can be used to adequately represent the observations.

We are particularly interested in using laterally homogeneous modeling procedures since they are computationally efficient and accurate, given the assumption of 1D structure. This issue of computational efficiency is not a minor point. The process of inferring source and structural parameters, whether using formal inversion procedures or systematic studies, requires a large number of forward evaluations. On the other hand, we know that the earth is not laterally homogeneous and it is important to identify the inadequacies of full waveform modeling using 1D structures. In this study we hope to gain understanding about the basic physical processes that are important for regional seismic wave propagation and we want to determine the fundamental limitations of 1D modeling techniques.

DTIC QUALITY INSPECTED 3

Accession For	
NTIS	UNCLASSIFIED
DTIC	TABLE
Unannounced	
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	

2. Research Accomplished

The data we used in this study comes from three sources and we have concentrated on the USSR Joint Verification Experiment (JVE) nuclear shot that took place on September 14, 1988 at the Semipalatinsk test site in Kazakhstan. The first set of data sources are the IRIS high frequency surface instruments at Chusal (CHS), Arti (ARU) and Obninsk (OBN). The second set of sources were portable high frequency instruments that were placed at Karasu (KSU), Karkaralinsk (KKL) and Bayanaul (BAY) and the third data source consists of hand digitized analog records recorded by Soviet observatories at

ARU, OBN, Talaya (TLY) and Norilsk (NRI).¹ Figure 1 shows a record section plot of the vertical component IRIS and portable digital instrument recordings after application of a low pass filter and decimation to 1 Hz nyquist frequency. The useful frequency range is 0.1 to 1.0 Hz. The digitized Soviet data after similar filtering and decimation is shown in figure 2.

Although the instrument responses for the analog records are somewhat different from those of the digital instruments, we can still see certain basic characteristics of the waveforms.

1. Other than the first P arrival, the only consistent arrival is L_g which is characterized as an emergent arrival with a long coda. We should point out that L_g is not always apparent from other test sites or at stations from the Kazakh test site that are further away.
2. The S_n arrival, which becomes the direct upper mantle S arrival at the longer distances, can be seen on some of the records (CHS and ARU), but it is small.
3. There is no obvious P_g arrival. It could be hidden in, or contributing to, the coda

¹ The digitized analog Soviet data was obtained through a joint US-Soviet seismic data exchange agreement. These data were originally heliocorder records that were hand digitized by a US contractor.

associated with the first P arrival.

4. There is no appreciable Rayleigh wave in this frequency band for the stations at distances greater than 250 km.

We used three methods for computing synthetic seismograms for comparison with the data: the locked mode method of Harvey,² the reflectivity method³ and the WKBJ ray theoretical method of Chapman and Dey-Sarkar.⁴ Most of the complete seismograms were computed with the locked mode method with the reflectivity method used for periodic checks. The WKBJ ray theory was meant to be used as a very rapid initial check of candidate structural models. The synthetic seismograms were all computed to 1 Hz nyquist frequency and were filtered with the instrument responses and the same anti-aliasing filter used in the decimation of the data.

The structural models used in this study are shown in figure 3. We started with a "crude" model, shown in figure 3a, which consists of six homogeneous layers with discontinuities at 10, 50, 220, 410 and 700 km depth. The Q model for the "crude" structure was $Q_\alpha = 2000$ and $Q_\beta = 950$ in every layer except the topmost layer where $Q_\alpha = 200$ and $Q_\beta = 95$. A synthetic record section using the crude model is shown in figure 4. If we compare this with the data we can see that the crude model produces no appreciable L_g and it produces a direct S arrival that is much larger than in the data. If we try to increase the Q values in the topmost layer, a large Rayleigh wave appears and L_g is still much smaller than in the data.

Figures 5 through 10 show the synthetic record sections corresponding to the structural models shown in figures 3b through 3g. The base1 model is a layerized version of a model with smooth gradients within the crust, at the Moho and in the upper

² Harvey, D. (1981). Seismogram synthesis using normal mode superposition: the locked mode approximation. *Geophys. J. R. Astr. Soc.* **66**, 37-61.

³ Lucio, J. and Apsel, R. (1983). On the Green's functions for a layered half-space: Part I. *Bull. Seismol. Soc. Am.* **73**, 909-929.

⁴ Dey-Sarkar, S. K. and Chapman, C. H. (1978). A simple method for the computation of body-wave seismograms. *Bull. Seismol. Soc. Am.* **68**, 1577-1593.

mantle. The base2 model is similar to base1 except that a weak low velocity zone has been introduced at about 100 km depth, the upper mantle gradients have been decreased and gradients at the upper mantle discontinuities have been added. The base3 model, although unrealistic, was an attempt to minimize the direct S phase by using a completely smooth V_s distribution throughout the upper mantle.

In a previous study we determined that using a vertically randomized velocity distribution in the crust produced synthetic seismograms that show many of the features that we see in the data especially in the early parts of the wavetrain. The ran1-base1, ran1-base2 and ran1-base3 (figures 3e, 3f and 3g) structural models are combinations of the upper mantle structures of base1, base2 and base3 with a vertically randomized version of the crust.

If we look at the synthetic record sections of figures 4, 5, 6 and 7, which all correspond to smooth or large-scale blocky structural models, we see many large amplitude impulsive arrivals. The direct upper mantle S arrival is particularly large. We took some time to understand the nature of this arrival in the synthetic seismograms. We were using pure explosion sources at 630 m depth for all of the synthetic seismograms so the S arrival is generated entirely by P to S conversions predominately at the free surface. By comparing ray theoretical arrivals with those from the complete seismogram synthesis codes we were able to determine that the direct S arrival is a combination of a normal P to S conversion at the free surface along with a strong diffraction arrival that is generated by the small radius of curvature of the P wave front as it is reflected at the free surface. In order to represent this diffraction arrival in the ray theoretical code we added a vertical vector point force at the free surface that was time delayed by the P travel time from the explosion source at 630 m depth to the surface.

The data shows weak or nonexistent direct S arrivals which represents a major discrepancy between the data and the synthetics. From previous studies we know that

there is evidence that underground nuclear explosion arrivals generated by free surface conversions are weaker in the near source region than theory predicts.⁵ However, this effect is not normally strong enough to explain the difference we see here between the synthetic seismograms and the data. If we look to upper mantle intrinsic attenuation, a simple calculation yields a Q_p value of about 100 that would be necessary to bring down the direct S arrival amplitudes to be consistent with the data and this value of upper mantle Q is probably unreasonable and at odds with the Q estimates from whole earth inversion studies for the central Asian shield region.

As an alternative mechanism for the reduction of the direct S arrival amplitude we have investigated near surface linear elastic scattering by introducing a large number of thin crustal layers with a random component to the velocity distribution which presents a broad-scale vertical scattering environment to the upper mantle arrivals as they pass through the crust. Figures 8, 9 and 10 show synthetic record sections with crustal randomized versions of the structures represented in figures 5, 6 and 7 respectively. The crustal scattering in the randomized models has caused a number of effects.

1. The direct S arrival is consistently reduced in amplitude. In some cases, such as at CHS, this reduction is substantial and the seismograms for the randomized models conform to what we see in the data.
2. The direct P arrival is able to pass through the randomized crustal layers with only a small reduction in amplitude which is consistent with the data.
3. There is a tendency for all impulsive arrivals to be "blurred" out to produce wavelet groupings followed by coda. This is a characteristic that we see in the data.
4. Although it is not readily apparent in the figures, the total L_g energy level increases with the randomized models.

⁵ This is normally attributed to non-linear effects in the region above the explosion which effectively create an extremely low Q zone between the explosion and the surface.

A closer comparison of the data with all of the synthetic seismograms at four stations can be seen in figures 11 through 14. The crustal randomization mitigates, at least to some extent, the problem with the direct S arrival, however there remain substantial differences between the data and the synthetics especially regarding L_g and the Rayleigh surface wave. By using differential seismograms we have determined that L_g for these crustal models propagates in the upper 10 km of the crust, in the same general region where the 0.5 Hz Rayleigh wave is appreciably energetic. Attempts to attenuate the Rayleigh wave with suitable Q models also causes L_g to be attenuated. This can be clearly seen when we compare the crude model, where the Q values were low all the way down to 10 km depth, to the base1 model, where the Q values were low only to several km depth. If we compare L_g to P amplitude ratios of the data to those of the synthetics we find that except for station KKL, the data has consistently higher values than the synthetics suggesting that, if anything, the upper crust Q values for the synthetics are too low. At the same time the data shows no sign of 0.5 Hz Rayleigh waves for the stations at distances more than 1000 km, suggesting that the upper crust Q values for the synthetics are too high.

If we look at the comparison for station KKL (figure 11), which is at a distance of about 250 km, the data shows a large and dispersed Rayleigh wave and a small L_g arrival. This is a station where the L_g to P amplitude ratio is higher for the synthetics than for the data and where the data shows a Rayleigh wave that has approximately the same amplitude as that of the synthetics. The big difference between the data and the synthetics is the dispersed nature of the Rayleigh wave in the data compared to the relatively impulsive nature of the Rayleigh wave in the synthetics. The group velocity range corresponding to the observed Rayleigh wave dispersion is about 3.0 to 2.4 km/sec. This sort of dispersion at such a small distance is difficult, if not impossible, to produce with laterally homogeneous modeling techniques using reasonable structural models. We think that the observed dispersion in the Rayleigh wave at KKL is likely

due to lateral scattering mechanisms that fall into two basic categories: 1) large scale multi-pathing of the fundamental Rayleigh wave from different azimuths at the receiver and 2) small to medium scale scattering of the fundamental Rayleigh wave into higher modes along the entire propagation path.

If small scale scattering of the Rayleigh wave is not important, then we would expect to see the Rayleigh wave at the larger distances except with "scrambled" dispersion characteristics, like we do at KKL. If small scale scattering is important, then the Rayleigh wave would be continuously scattered into other modes along its propagation path which would effectively attenuate it as it propagates. When the Rayleigh wave impinges upon a small subsurface scattering region, body wave energy would be radiated which would likely be at the S wave velocity of the upper crust, i.e. the L_u velocity. We think that there is a strong tendency for the high frequency Rayleigh wave to be scattered into L_u which attenuates the Rayleigh wave and boosts the L_u arrival and this hypothesis is consistent with the differences we see between the data and the laterally homogeneous modeling results.

The lateral scattering of a well organized surface wave into a highly focused waveguide arrival points out the inadequacies of representing random scattering with an effective "scattering" Q value. The scattering Q value necessary to reduce the Rayleigh wave amplitude consistent with the data also clobbers L_u . In this case the effective scattering Q value is different for the Rayleigh wave and L_u even though they occupy the same depth and frequency range. In fact it may be that the scattering Q for L_u is negative, since L_u is the beneficiary of Rayleigh wave energy along with other forms of scattered energy. If this representation of L_u is accurate then we could consider L_u to be a sort of "garbage can" arrival that picks up energy scattered from other arrivals and focuses it along the upper crust waveguide.

3. Conclusions

We have compared regional data recorded during the Soviet JVE with synthetic seismograms for a number of hypothetical structural models using laterally homogeneous modeling techniques. Our intent was to determine which parts of the waveforms could be adequately represented by these techniques, to identify where lateral scattering plays a critical role in the wave propagation and to infer structural models that can be used as starting values in a formal inversion procedure. Our conclusions from this study are as follows.

1. The only clear and consistent arrivals in the data are the first P arrival and L_g . A weak direct S arrival can be seen occasionally. There is no evidence of a Rayleigh wave at distances above 1000 km.
2. Laterally homogeneous modeling does a fairly good job of representing the first P arrival and, to a lesser extent, the first S arrival.
3. Vertical randomization of the crust is necessary to smooth out impulsive arrivals that we do not see in the data and to help capture S energy within the crust before it has a chance to propagate into the mantle.
4. Although most reasonable laterally homogeneous structural models will produce an L_g arrival, it is difficult to match the observed amplitude. Attempts to adjust upper crust Q values to boost L_g has the undesirable side effect of boosting the Rayleigh wave amplitude.
5. A plausible hypothesis to explain the differences in L_g and Rayleigh wave amplitudes between the synthetics and data is that small to medium scale lateral scattering of the Rayleigh wave into L_g is occurring along the entire Rayleigh wave propagation path.
6. The L_g arrival may be a seismic "garbage can" that naturally picks up and focuses energy that has been scattered, either vertically or laterally, from all other waves

that pass through the upper crust.

Our recommendations for future work are as follows.

1. In order to explain Rayleigh wave and L_g amplitudes at regional distances, Rayleigh wave to L_g lateral scattering needs to be investigated. It is likely that either a mode coupling method must be used to model this or numerical modeling methods, such as 2D or 3D finite difference, must be used.
2. The role of vertical randomization in the upper mantle needs to be studied. Although we would not expect the random characteristics of upper mantle velocity distributions to be the same as those in the crust, it would be reasonable to expect some effectively random component to the velocity distributions. Upper mantle randomization would help to further smooth out impulsive arrivals and to effectively defocus strong triplications.
3. It will be highly desirable to develop methods for mapping structural and source statistical parameters into observed statistics, such as RMS L_g measurements.

4. Contributing Researchers

The following individuals contributed to the research described in this report.

Dr. Roger Hansen, Air Force Technical Applications Center, Patrick AFB, FL

5. Related Contracts and Publications

A companion contract, "Studies of High Frequency Regional Discriminants", F19628-90-K-0023, provided partial support for some results presented in this report.

The following publications were produced in part with support from this contract.

Harvey, D., and Hansen, R., 1991, A Systematic Study of the Effects of Crust and Upper Mantle Structure on Regional Seismograms, Proceedings of the Thirteenth Annual PL/DARPA Seismic Research Symposium, J. Lewkowicz, and J. McPhetres, ed.




Figure 1. Digital vertical component records from the IRIS and portable instruments for the Soviet JVE after decimation to 1 Hz.




Figure 2. Analog vertical component records from the Soviet instruments for the Soviet JVE after decimation to 1 Hz.




Figure 3. P and S wave velocities for the structural models used in this study.




Figure 4. Synthetic seismograms for the structural model shown in figure 3a.




Figure 5. Synthetic seismograms for the structural model shown in figure 3b.




Figure 6. Synthetic seismograms for the structural model shown in figure 3c.




Figure 7. Synthetic seismograms for the structural model shown in figure 3d.




Figure 8. Synthetic seismograms for the structural model shown in figure 3c.




Figure 9. Synthetic seismograms for the structural model shown in figure 3f.




Figure 10. Synthetic seismograms for the structural model shown in fig. 3g.




Figure 11. Comparisons of data with synthetic seismograms at KKL. The data station names end in "d" to signify the digital data or "a" to signify the analog data.




Figure 12. Comparisons of data with synthetic seismograms at CHS. The data station names end in "d" to signify the digital data or "a" to signify the analog data.




Figure 13. Comparisons of data with synthetic seismograms at ARU. The data station names end in "d" to signify the digital data or "a" to signify the analog data.




Figure 14. Comparisons of data with synthetic seismograms at OBN. The data station names end in "d" to signify the digital data or "a" to signify the analog data.

DISTRIBUTION LIST

Prof. Thomas Ahrens
Seismological Lab, 252-21
Division of Geological & Planetary Sciences
California Institute of Technology
Pasadena, CA 91125

Prof. Keiiti Aki
Center for Earth Sciences
University of Southern California
University Park
Los Angeles, CA 90089-0741

Prof. Shelton Alexander
Geosciences Department
403 Deike Building
The Pennsylvania State University
University Park, PA 16802

Dr. Ralph Alewine, III
DARPA/NMRO
3701 North Fairfax Drive
Arlington, VA 22203-1714

Prof. Charles B. Archambeau
CIRES
University of Colorado
Boulder, CO 80309

Dr. Thomas C. Bache, Jr.
Science Applications Int'l Corp.
10260 Campus Point Drive
San Diego, CA 92121 (2 copies)

Prof. Muawia Barazangi
Institute for the Study of the Continent
Cornell University
Ithaca, NY 14853

Dr. Jeff Barker
Department of Geological Sciences
State University of New York
at Binghamton
Vestal, NY 13901

Dr. Douglas R. Baumgardt
ENSCO, Inc
5400 Port Royal Road
Springfield, VA 22151-2388

Dr. Susan Beck
Department of Geosciences
Building #77
University of Arizona
Tucson, AZ 85721

Dr. T.J. Bennett
S-CUBED
A Division of Maxwell Laboratories
11800 Sunrise Valley Drive, Suite 1212
Reston, VA 22091

Dr. Robert Blandford
AFTAC/TT, Center for Seismic Studies
1300 North 17th Street
Suite 1450
Arlington, VA 22209-2308

Dr. G.A. Bollinger
Department of Geological Sciences
Virginia Polytechnical Institute
21044 Derring Hall
Blacksburg, VA 24061

Dr. Stephen Bratt
Center for Seismic Studies
1300 North 17th Street
Suite 1450
Arlington, VA 22209-2308

Dr. Lawrence Burdick
Woodward-Clyde Consultants
566 El Dorado Street
Pasadena, CA 91109-3245

Dr. Robert Burrige
Schlumberger-Doll Research Center
Old Quarry Road
Ridgefield, CT 06877

Dr. Jerry Carter
Center for Seismic Studies
1300 North 17th Street
Suite 1450
Arlington, VA 22209-2308

Dr. Eric Chael
Division 9241
Sandia Laboratory
Albuquerque, NM 87185

Prof. Vernon F. Cormier
Department of Geology & Geophysics
U-45, Room 207
University of Connecticut
Storrs, CT 06268

Prof. Steven Day
Department of Geological Sciences
San Diego State University
San Diego, CA 92182

Marvin Denny
U.S. Department of Energy
Office of Arms Control
Washington, DC 20585

Dr. Cliff Frolich
Institute of Geophysics
8701 North Mopac
Austin, TX 78759

Dr. Zoltan Der
ENSCO, Inc.
5400 Port Royal Road
Springfield, VA 22151-2388

Dr. Holly Given
IGPP, A-025
Scripps Institute of Oceanography
University of California, San Diego
La Jolla, CA 92093

Prof. Adam Dziewonski
Hoffman Laboratory, Harvard University
Dept. of Earth Atmos. & Planetary Sciences
20 Oxford Street
Cambridge, MA 02138

Dr. Jeffrey W. Given
SAIC
10260 Campus Point Drive
San Diego, CA 92121

Prof. John Ebel
Department of Geology & Geophysics
Boston College
Chestnut Hill, MA 02167

Dr. Dale Glover
Defense Intelligence Agency
ATTN: ODT-1B
Washington, DC 20301

Eric Fielding
SNEE Hall
INSTOC
Cornell University
Ithaca, NY 14853

Dr. Indra Gupta
Teledyne Geotech
314 Montgomery Street
Alexandria, VA 22314

Dr. Mark D. Fisk
Mission Research Corporation
735 State Street
P.O. Drawer 719
Santa Barbara, CA 93102

Dan N. Hagedorn
Pacific Northwest Laboratories
Battelle Boulevard
Richland, WA 99352

Prof Stanley Flate
Applied Sciences Building
University of California, Santa Cruz
Santa Cruz, CA 95064

Dr. James Hannon
Lawrence Livermore National Laboratory
P.O. Box 808
L-205
Livermore, CA 94550

Dr. John Foley
NER-Geo Sciences
1100 Crown Colony Drive
Quincy, MA 02169

Dr. Roger Hansen
HQ AFTAC/TTR
Patrick AFB, FL 32925-6001

Prof. Donald Forsyth
Department of Geological Sciences
Brown University
Providence, RI 02912

Prof. David G. Harkrider
Seismological Laboratory
Division of Geological & Planetary Sciences
California Institute of Technology
Pasadena, CA 91125

Dr. Art Frankel
U.S. Geological Survey
922 National Center
Reston, VA 22092

Prof. Danny Harvey
CIRES
University of Colorado
Boulder, CO 80309

Prof. Donald V. Helmberger
Seismological Laboratory
Division of Geological & Planetary Sciences
California Institute of Technology
Pasadena, CA 91125

Prof. Eugene Herrin
Institute for the Study of Earth and Man
Geophysical Laboratory
Southern Methodist University
Dallas, TX 75275

Prof. Robert B. Herrmann
Department of Earth & Atmospheric Sciences
St. Louis University
St. Louis, MO 63156

Prof. Lane R. Johnson
Seismographic Station
University of California
Berkeley, CA 94720

Prof. Thomas H. Jordan
Department of Earth, Atmospheric &
Planetary Sciences
Massachusetts Institute of Technology
Cambridge, MA 02139

Prof. Alan Kafka
Department of Geology & Geophysics
Boston College
Chestnut Hill, MA 02167

Robert C. Kemerait
ENSCO, Inc.
445 Pineda Court
Melbourne, FL 32940

Dr. Max Koontz
U.S. Dept. of Energy/DP 5
Forrestal Building
1000 Independence Avenue
Washington, DC 20585

Dr. Richard LaCoss
MIT Lincoln Laboratory, M-200B
P.O. Box 73
Lexington, MA 02173-0073

Dr. Fred K. Lamb
University of Illinois at Urbana-Champaign
Department of Physics
1110 West Green Street
Urbana, IL 61801

Prof. Charles A. Langston
Geosciences Department
403 Deike Building
The Pennsylvania State University
University Park, PA 16802

Jim Lawson, Chief Geophysicist
Oklahoma Geological Survey
Oklahoma Geophysical Observatory
P.O. Box 8
Leonard, OK 74043-0008

Prof. Thorne Lay
Institute of Tectonics
Earth Science Board
University of California, Santa Cruz
Santa Cruz, CA 95064

Dr. William Leith
U.S. Geological Survey
Mail Stop 928
Reston, VA 22092

Mr. James F. Lewkowicz
Phillips Laboratory/GPEH
Hanscom AFB, MA 01731-5000(2 copies)

Mr. Alfred Lieberman
ACDA/VI-OA State Department Building
Room 5726
320-21st Street, NW
Washington, DC 20451

Prof. L. Timothy Long
School of Geophysical Sciences
Georgia Institute of Technology
Atlanta, GA 30332

Dr. Randolph Martin, III
New England Research, Inc.
76 Olcott Drive
White River Junction, VT 05001

Dr. Robert Masse
Denver Federal Building
Box 25046, Mail Stop 967
Denver, CO 80225

Dr. Gary McCartor
Department of Physics
Southern Methodist University
Dallas, TX 75275

Prof. Thomas V. McEvilly
Seismographic Station
University of California
Berkeley, CA 94720

Dr. Art McGarr
U.S. Geological Survey
Mail Stop 977
U.S. Geological Survey
Menlo Park, CA 94025

Dr. Keith L. McLaughlin
S-CUBED
A Division of Maxwell Laboratory
P.O. Box 1620
La Jolla, CA 92038-1620

Stephen Miller & Dr. Alexander Florence
SRI International
333 Ravenswood Avenue
Box AF 116
Menlo Park, CA 94025-3493

Prof. Bernard Minster
IGPP, A-025
Scripps Institute of Oceanography
University of California, San Diego
La Jolla, CA 92093

Prof. Brian J. Mitchell
Department of Earth & Atmospheric Sciences
St. Louis University
St. Louis, MO 63156

Mr. Jack Murphy
S-CUBED
A Division of Maxwell Laboratory
11800 Sunrise Valley Drive, Suite 1212
Reston, VA 22091 (2 Copies)

Dr. Keith K. Nakanishi
Lawrence Livermore National Laboratory
L-025
P.O. Box 808
Livermore, CA 94550

Dr. Carl Newton
Los Alamos National Laboratory
P.O. Box 1663
Mail Stop C335, Group ESS-3
Los Alamos, NM 87545

Dr. Bao Nguyen
HQ AFTAC/TTR
Patrick AFB, FL 32925-6001

Prof. John A. Orcutt
IGPP, A-025
Scripps Institute of Oceanography
University of California, San Diego
La Jolla, CA 92093

Prof. Jeffrey Park
Kline Geology Laboratory
P.O. Box 6666
New Haven, CT 06511-8130

Dr. Howard Patton
Lawrence Livermore National Laboratory
L-025
P.O. Box 808
Livermore, CA 94550

Dr. Frank Pilotte
HQ AFTAC/TT
Patrick AFB, FL 32925-6001

Dr. Jay J. Pulli
Radix Systems, Inc.
2 Taft Court, Suite 203
Rockville, MD 20850

Dr. Robert Reinke
ATTN: FCTVTD
Field Command
Defense Nuclear Agency
Kirtland AFB, NM 87115

Prof. Paul G. Richards
Lamont-Doherty Geological Observatory
of Columbia University
Palisades, NY 10964

Mr. Wilmer Rivers
Teledyne Geotech
314 Montgomery Street
Alexandria, VA 22314

Dr. George Rothe
HQ AFTAC/TTR
Patrick AFB, FL 32925-6001

Dr. Alan S. Ryall, Jr.
DARPA/NMRO
3701 North Fairfax Drive
Arlington, VA 22209-1714

Dr. Richard Sailor
TASC, Inc.
55 Walkers Brook Drive
Reading, MA 01867

Prof. Charles G. Sammis
Center for Earth Sciences
University of Southern California
University Park
Los Angeles, CA 90089-0741

Prof. Christopher H. Scholz
Lamont-Doherty Geological Observatory
of Columbia University
Palisades, CA 10964

Dr. Susan Schwartz
Institute of Tectonics
1156 High Street
Santa Cruz, CA 95064

Secretary of the Air Force
(SAFRD)
Washington, DC 20330

Office of the Secretary of Defense
DDR&E
Washington, DC 20330

Thomas J. Sereno, Jr.
Science Application Int'l Corp.
10260 Campus Point Drive
San Diego, CA 92121

Dr. Michael Shore
Defense Nuclear Agency/SPSS
6801 Telegraph Road
Alexandria, VA 22310

Dr. Matthew Sibol
Virginia Tech
Seismological Observatory
4044 Derring Hall
Blacksburg, VA 24061-0420

Prof. David G. Simpson
IRIS, Inc.
1616 North Fort Myer Drive
Suite 1440
Arlington, VA 22209

Donald L. Springer
Lawrence Livermore National Laboratory
L-025
P.O. Box 808
Livermore, CA 94550

Dr. Jeffrey Stevens
S-CUBED
A Division of Maxwell Laboratory
P.O. Box 1620
La Jolla, CA 92038-1620

Lt. Col. Jim Stobie
ATTN: AFOSR/NL
Bolling AFB
Washington, DC 20332-6448

Prof. Brian Stump
Institute for the Study of Earth & Man
Geophysical Laboratory
Southern Methodist University
Dallas, TX 75275

Prof. Jeremiah Sullivan
University of Illinois at Urbana-Champaign
Department of Physics
1110 West Green Street
Urbana, IL 61801

Prof. L. Sykes
Lamont-Doherty Geological Observatory
of Columbia University
Palisades, NY 10964

Dr. David Taylor
ENSCO, Inc.
445 Pineda Court
Melbourne, FL 32940

Dr. Steven R. Taylor
Los Alamos National Laboratory
P.O. Box 1663
Mail Stop C335
Los Alamos, NM 87545

Prof. Clifford Thurber
University of Wisconsin-Madison
Department of Geology & Geophysics
1215 West Dayton Street
Madison, WS 53706

Prof. M. Nafi Toksoz
Earth Resources Lab
Massachusetts Institute of Technology
42 Carleton Street
Cambridge, MA 02142

Dr. Larry Turnbull
CIA-OSWR/NED
Washington, DC 20505

DARPA/RMO/SECURITY OFFICE
3701 North Fairfax Drive
Arlington, VA 22203-1714

Dr. Gregory van der Vink
IRIS, Inc.
1616 North Fort Myer Drive
Suite 1440
Arlington, VA 22209

HQ DNA
ATTN: Technical Library
Washington, DC 20305

Dr. Karl Veith
EG&G
5211 Auth Road
Suite 240
Suitland, MD 20746

Defense Intelligence Agency
Directorate for Scientific & Technical Intelligence
ATTN: DTIB
Washington, DC 20340-6158

Prof. Terry C. Wallace
Department of Geosciences
Building #77
University of Arizona
Tucson, AZ 85721

Defense Technical Information Center
Cameron Station
Alexandria, VA 22314 (2 Copies)

Dr. Thomas Weaver
Los Alamos National Laboratory
P.O. Box 1663
Mail Stop C335
Los Alamos, NM 87545

TACTEC
Battelle Memorial Institute
505 King Avenue
Columbus, OH 43201 (Final Report)

Dr. William Wortman
Mission Research Corporation
8560 Cinderbed Road
Suite 700
Newington, VA 22122

Phillips Laboratory
ATTN: XPG
Hanscom AFB, MA 01731-5000

Prof. Francis T. Wu
Department of Geological Sciences
State University of New York
at Binghamton
Vestal, NY 13901

Phillips Laboratory
ATTN: GPE
Hanscom AFB, MA 01731-5000

AFTAC/CA
(STINFO)
Patrick AFB, FL 32925-6001

Phillips Laboratory
ATTN: TSML
Hanscom AFB, MA 01731-5000

DARPA/PM
3701 North Fairfax Drive
Arlington, VA 22203-1714

Phillips Laboratory
ATTN: SUL
Kirtland, NM 87117 (2 copies)

DARPA/RMO/RETRIEVAL
3701 North Fairfax Drive
Arlington, VA 22203-1714

Dr. Michel Bouchon
I.R.I.G.M.-B.P. 68
38402 St. Martin D'Heres
Cedex, FRANCE

Dr. Michel Campillo
Observatoire de Grenoble
I.R.I.G.M. -B.P. 53
38041 Grenoble, FRANCE

Dr. Jorg Schlittenhardt
Federal Institute for Geosciences & Nat'l Res.
Postfach 510153
D-3000 Hannover 51, GERMANY

Dr. Kin Yip Chun
Geophysics Division
Physics Department
University of Toronto
Ontario, CANADA

Dr. Johannes Schweitzer
Institute of Geophysics
Ruhr University/Bochum
P.O. Box 1102148
4360 Bochum 1, GERMANY

Prof. Hans-Peter Harjes
Institute for Geophysics
Ruhr University/Bochum
P.O. Box 102148
4630 Bochum 1, GERMANY

Prof. Eystein Husebye
NTNF/NORSAR
P.O. Box 51
N-2007 Kjeller, NORWAY

David Jepsen
Acting Head, Nuclear Monitoring Section
Bureau of Mineral Resources
Geology and Geophysics
G.P.O. Box 378, Canberra, AUSTRALIA

Ms. Eva Johannisson
Senior Research Officer
National Defense Research Inst.
P.O. Box 27322
S-102 54 Stockholm, SWEDEN

Dr. Peter Marshall
Procurement Executive
Ministry of Defense
Blacknest, Brimpton
Reading FG7-FRS, UNITED KINGDOM

Dr. Bernard Massinon, Dr. Pierre Mechler
Societe Radiomana
27 rue Claude Bernard
75005 Paris, FRANCE (2 Copies)

Dr. Svein Mykkeltveit
NTNF/NORSAR
P.O. Box 51
N-2007 Kjeller, NORWAY (3 Copies)

Prof. Keith Priestley
University of Cambridge
Bullard Labs, Dept. of Earth Sciences
Madingley Rise, Madingley Road
Cambridge CB3 0EZ, ENGLAND