

AD-A260 409



DTIC
ELECTE
FEB 18 1993
S C D

(2)

Princeton University

MAE-1963


**KNOWLEDGE-BASED SYSTEMS
FOR
COMPUTATIONAL CONTROL**

FINAL REPORT
for
ARMY RESEARCH OFFICE CONTRACT
No. DAAL03-89-K-0092
(Proposal Number 25264-MA)
Princeton Account No. 150-6586

November 1992

Prepared for:

U.S. ARMY RESEARCH OFFICE
Research Triangle Park, NC 27709



Department of
Mechanical and
Aerospace Engineering

93-03106



12/92

APPROVED FOR PUBLIC RELEASE;
DISTRIBUTION UNLIMITED

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503

1. AGENCY USE ONLY (Leave blank)

2. REPORT DATE

3. REPORT TYPE AND DATES COVERED

Final Report - 7/1/89 - 6/30/92

4. TITLE AND SUBTITLE

Knowledge-Based Systems for Computational Control

5. FUNDING NUMBERS

DAAL03-89-K-0092

6. AUTHOR(S)

Robert F. Stengel

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)

Princeton University
Mechanical and Aerospace Engineering
D202 Engineering Quadrangle
Princeton, NJ 08544-5263

8. PERFORMING ORGANIZATION
REPORT NUMBER

MAE - 1963

9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)

U. S. Army Research Office
P. O. Box 12211
Research Triangle Park, NC 27709-2211

10. SPONSORING/MONITORING
AGENCY REPORT NUMBER

ARO 25264.23-MA

11. SUPPLEMENTARY NOTES

The view, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy, or decision, unless so designated by other documentation.

12a. DISTRIBUTION/AVAILABILITY STATEMENT

Approved for public release; distribution unlimited.

12b. DISTRIBUTION CODE

13. ABSTRACT (Maximum 200 words)

The goal of the project has been to create new tools for control system design and to establish "pathfinders" for implementing new design principles in operational control systems. Four topics were addressed in the subject project:

- Neural Networks for System Modeling and Nonlinear Control
- Stochastic Robustness of Control Systems
- Computer-Aided Control System Design
- Optimal Rule-Based Guidance for Autonomous Vehicles

The principal result of the first task is the development of a new method for training neural networks using extended Kalman filtering to match not only multivariate functions but the gradients of their surfaces. The principal result of the second task is the development of a powerful new method for characterizing the robustness of control systems and for designing controllers with satisfactory stability and performance robustness. The principal result of the third task is the identification of a new computational structure for multidisciplinary control system design. The principal result of the fourth task is a new approach for designing real-time rule-based controllers that can operate in uncertain environments, with particular application to the guidance of vehicles on a roadway with traffic.

14. SUBJECT TERMS

Neural networks; robust control; computer-aided control system design; autonomous vehicles; intelligent control

15. NUMBER OF PAGES

9

16. PRICE CODE

17. SECURITY CLASSIFICATION
OF REPORT

UNCLASSIFIED

18. SECURITY CLASSIFICATION
OF THIS PAGE

UNCLASSIFIED

19. SECURITY CLASSIFICATION
OF ABSTRACT

UNCLASSIFIED

20. LIMITATION OF ABSTRACT

UL

Accession For	
NTIS	CRA&I ☒
DTIC	TAB ☐
Unannounced ☐	
Justification	
By	
Distribution /	
Availability Codes	
Dist	Avail and/or Special
A-1	

MAE-1963

**KNOWLEDGE-BASED SYSTEMS
FOR
COMPUTATIONAL CONTROL**


FINAL REPORT
for
ARMY RESEARCH OFFICE CONTRACT
No. DAAL03-89-K-0092
(Proposal Number 25264-MA)
Princeton Account No. 150-6586

DTIC QUALITY INSPECTED 3

November 1992

Prepared for:

U.S. ARMY RESEARCH OFFICE
Research Triangle Park, NC 27709



Robert F. Stengel
Professor
Principal Investigator

APPROVED FOR PUBLIC RELEASE;
DISTRIBUTION UNLIMITED

THE VIEW, OPINIONS, AND/OR FINDINGS CONTAINED IN THIS REPORT ARE THOSE OF THE AUTHOR(S) AND SHOULD NOT BE CONSTRUED AS AN OFFICIAL DEPARTMENT OF THE ARMY POSITION, POLICY, OR DECISION, UNLESS SO DESIGNATED BY OTHER DOCUMENTATION.

ABSTRACT

The overall goal of the project has been to create new tools for control system design and to establish "pathfinders" for implementing new design principles in operational control systems. Four topics were addressed in the subject project:

- Neural Networks for System Modeling and Nonlinear Control
- Stochastic Robustness of Control Systems
- Computer-Aided Control System Design
- Optimal Rule-Based Guidance for Autonomous Vehicles

The first three tasks were initiated at the start of the project. The fourth task was added with the support of the U.S. Army Tank and Automotive Command. In addition, several papers related to the general area of intelligent control were partially supported by this contract. The project has produced 23 technical papers and one Ph. D. thesis to date. Additional theses will be completed in the coming months.

The principal result of the first task is the development of a new method for training neural networks using extended Kalman filtering to match not only multivariate functions but the gradients of their surfaces. This task also sheds light on the accuracy with which functions can be approximated by neural networks. The principal result of the second task is the development of a powerful new method for characterizing the robustness of control systems and for designing controllers with satisfactory stability and performance robustness. This research revealed wide disparity in the robustness of controllers designed using other methods, and it called into question the use of both classical and modern stability margins (i.e., gain/phase margins and singular-value margins) to characterize robustness. The principal result of the third task is the identification of a new computational structure for multidisciplinary control system design. The structure is based on a graphics user interface that facilitates model building, control design, and system evaluation, and it is based upon object-oriented programming. The principal result of the fourth task is a new approach for designing real-time rule-based controllers that can operate in uncertain environments, with particular application to the guidance of vehicles on a roadway with traffic.

The period of performance for this contract was July 1, 1989 to June 30, 1992.

TABLE OF CONTENTS

ABSTRACT	i
1. STATEMENT OF THE PROBLEM	1
1.1 Neural Networks for System Modeling and Nonlinear Control	1
1.2 Stochastic Robustness of Control Systems	1
1.3 Multidisciplinary Computer-Aided Control System Design	1
1.4 Optimal Rule-Based Guidance for Autonomous Vehicles	1
2. SUMMARY OF IMPORTANT RESULTS	2
2.1 Neural Networks for System Modeling and Nonlinear Control	2
2.2 Stochastic Robustness of Control Systems	2
2.3 Multidisciplinary Computer-Aided Control System Design	2
2.4 Optimal Rule-Based Guidance for Autonomous Vehicles	3
2.5 Intelligent Control	4
3. LIST OF PUBLICATIONS	4
4. LIST OF PARTICIPATING SCIENTIFIC PERSONNEL	6

1. STATEMENT OF THE PROBLEM

1.1 Neural Networks for System Modeling and Nonlinear Control

The principal objective is to develop computational neural networks that identify and characterize dynamic system structures and parameters. A particular goal is to approximate multivariate functions smoothly and precisely. Neural network training may occur off-line, as in post-processing of test data, or on-line, as in adaptive nonlinear control. In the present application, the trained networks represent force and moment coefficients of an aircraft as nonlinear functions of the state and control.

1.2 Stochastic Robustness of Control Systems

The principal objective is to develop methods for robust-control-system *analysis* and *synthesis* based on Monte Carlo evaluation. The goals of this research are to develop improved methods for assessing uncertainty effects on the stability and performance of actively controlled systems and to establish a comprehensive basis for designing reliable computational control systems. Monte Carlo evaluations of the stability and performance metrics determine the likelihood that control design goals will be achieved. A comprehensive parameter search is used to define a controller that maximizes closed-loop stochastic robustness. Unlike frequency-domain methods, this method treats multivariate objectives directly rather than inferring robustness from indirect, scalar measures.

1.3 Multidisciplinary Computer-Aided Control System Design

The principal objective is to incorporate "machine intelligence" in computer-aided control system design (CACSD). Initial development focuses on *FlightCAD*, a domain-specific program for flight-control design that contains several modeling, synthesis, simulation, and evaluation alternatives. It is built around a desktop metaphor that features pull-down menus and dialog boxes containing design alternatives and documents with multiple layers of information.

1.4 Optimal Rule-Based Guidance for Autonomous Vehicles

The principle objective is to develop improved methods for real-time command and control using artificial intelligence and stochastic control theory. This requires the definition of global goals and decision-making processes. The methodology combines an expert system with stochastic optimal control; heuristic knowledge specifies guidance objectives and reduces the search space for optimization, as well as improving the robustness of solution. Optimal estimation minimizes the effects of uncertainty in situation assessment and goal definition. A particular objective is to simulate autonomous optimal control of an automobile on a highway.

2. SUMMARY OF IMPORTANT RESULTS

2.1 Neural Networks for System Modeling and Nonlinear Control

The principal publications related to this task are [1] to [4]. We have developed an approach that allows learning to be conducted on-line, as needed for adaptive control, or off-line, as required for post-processing of empirical data. An extended Kalman filter (EKF) estimates histories of both the state vector and a vector of forces and moments. Together with control settings, the state estimate forms the input (feature) vector of the neural network, while the vector of forces and moments is the desired output required for training. Matching a function's partial derivatives as well as its value produces a marked reduction in fit error by comparison to earlier methods. A separate EKF estimates the network weights; its training ability is impressive, yielding force coefficient histories that are virtually identical to the true values. Correlation among input variables in the training set tends to mask true functional relationships in the network. Recent training results show that a randomized input produces excellent learning, while simulated flight inputs are constrained by the correlation in flight motions.

2.2 Stochastic Robustness of Control Systems

The principal publications related to this task are [5] to [17]. Stochastic robustness analysis offers a rigorous yet straightforward alternative to other robustness metrics that is simple to compute and is unfettered by normally difficult problem statements, such as non-Gaussian statistics, products of parameter variations, and structured uncertainty. The analysis embraces both stability and performance metrics, handling qualities requirements, and more general responses. Binomial confidence intervals provide statistical bounds on the probability of instability and on performance metrics. Statistical comparisons of control system robustness also are rendered through confidence intervals. Both stability and performance metrics resulting from stochastic robustness analysis provide details relating system specifications intrinsic to a given application and control system design parameters.

A general sequence for synthesis based on implicit-model-following control is as follows: choose a suitable model, choose a linear-quadratic-regulator (LQR) structure, design the LQR to minimize a stochastic-robustness metric, choose an estimator structure, design a linear-quadratic-Gaussian regulator (LQGR) to minimize a stochastic-robustness metric, accept the result or iterate. The 1991 American Control Conference Benchmark Problem was chosen as an initial test case. This problem is similar to the 1990 version of the problem; hence, it is possible to compare our design with ten controllers designed for the earlier challenge. Our controllers compare favorably with the designs produced by other researchers. Furthermore, the stochastic synthesis technique provides direct control over important design criteria, such as stability, settling time, and control usage. Stochastic robustness analysis and synthesis has a significant role to play in computer-aided control system design.

2.3 Multidisciplinary Computer-Aided Control System Design

The principal publication related to this task is [18]. The computer program *FlightCAD* has a modular structure that will be expanded over an extended period of time. *FlightCAD* is intended to address needs within the flight-control domain. It has broad capabilities for modeling aircraft systems and subsystems, for integrating their coupled effects in simulation, and for designing flight control systems over the entire

flight envelope. The program uses a desktop metaphor to organize the design process, with a menu bar, pull-down lists of design functions and alternatives, dialog boxes, and multiple display windows. *FlightCAD* is implemented using features of the NeXT Computer for designing screens, integrating code produced in several programming languages, and multitasking within a UNIX environment.

The top-level menu items describe *FlightCAD*'s functions and features. Several of the items are common to most window-based applications (such as *Info* and *Edit*); those that are specific to *FlightCAD* include *Block Diagram*, *Model*, *Design*, *Analyze*, and *Activate*. Selecting a menu item brings up the next level of the menu hierarchy. This "point-and-click" process defines the equations of motion to be used for control design and simulation. Most remaining choices can be selected in the same way, and the NeXT-Step environment makes adding menu items an easy process. *FlightCAD*'s focal point is the block diagram. The *FlightCAD* document contains diagrams drawn by the user to represent the system. Each block has several labels that describe its properties. A block can contain a function, or another block diagram. Double-clicking on the block either brings up a text editing window with the function or a *CADdoc* containing the block diagram, as appropriate. In this way, the user can navigate through the existing hierarchy of inner and outer loops.

Block diagram templates facilitate system development. This format allows quick development in as much detail as desired. If a given block is not required, its function is set to unity; hence, a control designer could simulate just the plant dynamics at first, then check the effect of pressure or temperature variations, add actuator and sensor dynamics, and finish with a controller that takes all of this into account. *FlightCAD* compiles the functions represented by block diagrams into GNU C source code. At each step, *FlightCAD* compiles only those portions of the code that have changed since the last compilation, allowing development to occur in stages. This feature supports rapid prototyping and comparison of competing designs.

FlightCAD contains advanced iteration and search capabilities that enhance modeling, design, and analysis. In any phase, the controller can be evaluated at selected, tabulated, or random points of the operating range space, supporting point designs, designs along (or in the vicinity of) nominal path histories, or designs that span the entire flight envelope. This feature is useful not only during design but in the evaluation phase, when the likelihood of satisfactory stability and performance must be determined. Control and estimation design algorithms ultimately will include a wide range of alternatives, from classical methods for single-input/single-output systems to modern methods of multi-input/multi-output design; from linear, time-invariant models to nonlinear, time-varying models; and for continuous and sampled-data controllers.

2.4 Optimal Rule-Based Guidance for Autonomous Vehicles

The principal publications related to this task are [19] to [22]. (Reference 22 was produced under earlier contract.) This research addresses the feasibility of a real-time, rule-based guidance system for an autonomous vehicle on a roadway. The inputs to the system are parameters describing the traffic situation, road geometry, vehicle state, and an operator-selected goal. The output of the system consists of guidance parameters that command control logic governing the throttle, steering angle, and brakes. In early research, a dynamic expert system accomplished this guidance task under the assumption that all inputs were available deterministically, i.e., without error. Later research investigates the types and effects of uncertainties encountered in a more realistic environment,

and it proposes a stochastic methodology to extend the expert system to handle information that is known only in a probabilistic way.

2.5 Intelligent Control

The principal publications are [23] to [26]. In the course of conducting the project, insights on the general topics of failure-tolerant and intelligent control were collected. An overview of failure-tolerant control was presented, beginning with robust control, progressing through parallel and analytical redundancy, and ending with rule-based systems and artificial neural networks. By design or implementation, failure-tolerant control systems are "intelligent" systems. All failure-tolerant systems require some degree of robustness to protect against catastrophic failure; failure tolerance often can be improved by adaptivity in decision-making and control, as well as by redundancy in measurement and actuation. Reliability, maintainability, and survivability can be enhanced by failure tolerance, although each objective poses different goals for control system design. Artificial intelligence is helpful for integrating and codifying failure-tolerant control systems, not as an alternative but as an adjunct to conventional design methods.

The capabilities of control systems can be enhanced by designing them to emulate functions of natural intelligence. Intelligent control functions fall in three categories. *Declarative* actions involve decision-making, providing models for system monitoring, goal planning, and system/scenario identification. *Procedural* actions concern skilled behavior and have parallels in guidance, navigation, and adaptation. *Reflexive* actions are spontaneous, inner-loop responses for control and estimation. Intelligent control systems learn knowledge of the plant and its mission and adapt to changes in the environment. Cognitive models form an efficient basis for integrating "outer-loop/inner-loop" control functions and for developing robust parallel-processing algorithms.

3. LIST OF PUBLICATIONS

1. Stengel, R. F., and Linse, D. J., "System Identification for Nonlinear Control Using Neural Networks," *Proceedings of the 1990 Conference on Information Sciences and Systems*, Princeton University, Mar 1990.
2. Linse, D. J., and Stengel, R. F., "Neural Networks for Function Approximation in Nonlinear Control," *Proceedings of the 1990 American Control Conference*, San Diego, May 1990, pp. 675-679.
3. Linse, D. J., and Stengel, R. F., "A System Identification Model for Adaptive Nonlinear Control," *Proceedings of the 1991 American Control Conference*, Boston, June 1991, pp. 1752-1757.
4. Linse, D. J., and Stengel, R. F., "Identification of Aerodynamic Coefficients Using Computational Neural Networks," *AIAA 30th Aerospace Sciences Meeting*, AIAA Paper No. 92-0172, Reno, Jan 1992 (to appear in *J. Guidance, Control, and Dynamics*).
5. Ray, L. R., and Stengel, R. F., "Stochastic Robustness of Linear-Time-Invariant Control Systems," *IEEE Trans. Automatic Control*, Vol. 36, No. 1, Jan 1991, pp. 82-87.

6. Ray, L. R., and Stengel, R. F., "Application of Stochastic Robustness to Aircraft Control," *J. Guidance, Control, and Dynamics*, Vol. 14, No. 6, Nov-Dec 1991, pp. 1251-1259.
7. Ray, L. R., and Stengel, R. F., "Stochastic Stability and Performance Robustness of Linear Multivariable Systems," *Proceedings of the 1990 American Control Conference*, San Diego, May 1990, pp. 462-467.
8. Ray, L. R., and Stengel, R. F., "Stochastic Performance Robustness of Aircraft Control Systems," *Proceedings of the 1990 AIAA Guidance, Navigation & Control Conference*, Portland, OR, Aug 1990, pp. 863-873 (to appear in *J. Guidance, Control, and Dynamics*).
9. Ray, L. R., and Stengel, R. F., "Computer-Aided Analysis of Linear Control System Robustness," *Proceedings of the 29th IEEE Conference on Decision and Control*, Honolulu, Dec 1990, pp. 3468-3469 (to appear in *Mechatronics*).
10. Ray, L. R., and Stengel, R. F., "A Monte Carlo Approach to the Analysis of Control System Robustness," to appear in *Automatica*.
11. Ray, L. R., "Stochastic Robustness of Linear Multivariable Control Systems: Towards Comprehensive Robustness Analysis," Princeton Ph. D. thesis, Princeton University, June 1991.
12. Stengel, R. F., and Marrison, C. I., "Robustness of Solutions to a Benchmark Control Problem," *J. Guidance, Control, and Dynamics*, Vol. 15, No. 5, Sept-Oct 1992, pp. 1060-1067. (abridged version in *Proceedings of the 1991 American Control Conference*, Boston, June 1991, pp. 1915-1916.)
13. Stengel, R. F., and Marrison, C. I., "Stochastic Robustness Synthesis for a Benchmark Problem," *Proceedings of the 1992 American Control Conference*, Chicago, June 1992, pp. 2421-2422 (submitted to *International Journal of Robust and Nonlinear Control*).
14. Marrison, C. I., and Stengel, R. F., "Gain and Phase Margins as Indicators of Robustness," *Proceedings of the 1992 IEEE Regional Control Conference*, New York, July 1992, pp. 5-8.
15. Stengel, R. F., "Stochastic and Deterministic Analysis of Nonlinear Flight Control Systems," presented at the *NASA Ames-UC Berkeley Nonlinear Flight Control Workshop*, Berkeley, Aug 1989.
16. Stengel, R. F., "Analysis of Stochastic Robustness in Linear Systems," presented at the *Eighth Army Conference on Applied Mathematics and Computing*, Cornell University, June 1990.
17. Stengel, R. F., "Probabilistic Evaluation of Control System Robustness," presented at the *IMA Workshop on Control Theory and Its Applications*, Minneapolis, Oct 1992 (to appear in research monograph).
18. Stengel, R. F., and Sircar, S., "Computer-Aided Design of Flight Control Systems," *Proceedings of the 1991 AIAA Guidance, Navigation, and Control Conference*, New Orleans, Aug 1991, pp. 677-683.

19. Stengel, R. F., and Niehaus, A., "An Expert System for Automated Highway Driving," *IEEE Control Systems Magazine*, Vol. 11, No. 3, Apr 1991, pp. 53-61. (also in *Proceedings of the 1990 American Control Conference*, San Diego, May 1990, pp. 274-280.)
20. Niehaus, A., and Stengel, R. F., "Rule-Based Guidance for Vehicle Highway Driving in the Presence of Uncertainty," *Proceedings of the 1991 American Control Conference*, Boston, June 1991, pp. 3119-3124 (to appear in *J. Dynamic Systems, Measurement, and Control*).
21. Niehaus, A., and Stengel, R. F., "Probability-Based Decision Making for Automated Highway Driving," *Proceedings of the Vehicle Navigation and Information Systems '91 Conference*, SAE 912869, Dearborn, MI, Oct 1991, pp. 1125-1136 (to appear in *IEEE Trans. Vehicular Technology*).
22. Niehaus, A., and Stengel, R. F., "Intelligent Guidance for Headway and Lane Control," *Engineering Applications of Artificial Intelligence*, Vol. 2, No. 4, Dec 1989, pp. 307-314
23. Stengel, R. F., "Intelligent Failure-Tolerant Control," *IEEE Control Systems Magazine*, Vol. 11, No. 4, June 1991, pp. 14-23. (also in *Proceedings of the 5th IEEE International Symposium on Intelligent Control*, Philadelphia, Sept 1990, pp. 548-557; presented at the *ARO Workshop on the Mathematical and Engineering Aspects of Control Systems*, Dover, NJ, Nov 1990.)
24. Stengel, R. F., "Toward Intelligent Flight Control," presented at the AGARD Guidance and Control Panel Workshop, *Stability in Aerospace Systems*, Toulouse, France, June 1992 (to appear in *IEEE Trans. Systems, Man, and Cybernetics*).
25. Stengel, R. F., "Intelligent Flight Control Systems," presented at the *IMA/RAS Conference on Aerospace Vehicle Dynamics and Control*, Cranfield, UK, Sept 1992.
26. Belkin, B., and Stengel, R. F., "AUTOCREW: A Paradigm for Intelligent Flight Control," *An Introduction to Intelligent and Autonomous Control*, P. Antsaklis and K. Passino, ed., Kluwer Academic Publishers, Norwell, MA, 1993, pp. 371-400.

4. LIST OF PARTICIPATING SCIENTIFIC PERSONNEL

Robert F. Stengel	Principal Investigator
Laura Ryan Ray	Ph. D. student. Degree completed: June 1991.
Dennis J. Linse	Ph. D. student. Expected date of completion: Dec. 1992.
Axel Niehaus	Ph. D. student. Expected date of completion: Dec. 1992.
Subrata Sircar	M. S. E. student. Expected date of completion: Dec. 1992.
Christopher I. Marrison	Ph. D. student. Expected date of completion: Aug. 1993.
Sandeep S. Mulgund	Ph. D. student. Expected date of completion: Aug. 1993.