

AD-A263 405



2


Draft



Department
of
Defense

DoD Electronic Data Interchange (EDI) Convention

ASC X12 Transaction Set 860
Purchase Order Change
(Version 003010)



DL203LN21



January 1993

BASELINE AS OF: JANUARY 29, 1993

069

93-08764



12608

Draft



Department
of
Defense

DoD
Electronic Data
Interchange (EDI)
Convention

ASC X12 Transaction Set 860
Purchase Order Change
(Version 003010)

This document was prepared by the Logistics Management Institute for the Defense Logistics Agency under Task DL203. The task was performed under Contract MDA903-90-C-0006 with the Department of Defense. Permission to quote or reproduce any part of this document except for Government purposes must be obtained from the Department of Defense Executive Agent for Electronic Commerce/Electronic Data Interchange/Protection of Logistics Unclassified/Sensitive Systems.

Executive Agent for EC/EDI/PLUS
Defense Logistics Agency
Cameron Station
Alexandria, VA 22304-6100

REPORT DOCUMENTATION PAGE

Form Approved
OPM No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources gathering, and maintaining the data needed, and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Information and Regulatory Affairs, Office of Management and Budget, Washington, DC 20503.

1. AGENCY USE ONLY (Leave Blank)		2. REPORT DATE Jan 93	3. REPORT TYPE AND DATES COVERED Draft	
4. TITLE AND SUBTITLE DoD Electronic Data Interchange (EDI) Convention: ASC X12 Transaction Set 860 Purchase Order Change (Version 003010)			5. FUNDING NUMBERS C MDA903-90-C-0006 PE 0902198D	
6. AUTHOR(S) Stephen Luster Richard Modrowski				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Logistics Management Institute 6400 Goldsboro Road Bethesda, MD 20817-5886			8. PERFORMING ORGANIZATION REPORT NUMBER LMI-DL203LN21	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) DoD Executive Agent for EC/EDI/PLUS Defense Logistics Agency DLA-ZIE, Cameron Station Alexandria, VA 22304			10. SPONSORING/MONITORING AGENCY REPORT NUMBER	
11. SUPPLEMENTARY NOTES Prepared in cooperation with Data Interchange Standards Association, the Secretariat and administrative arm of the Accredited Standards Committee X12				
12a. DISTRIBUTION/AVAILABILITY STATEMENT A: Approved for public release; distribution unlimited			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) This is an Electronic Data Interchange (EDI) systems design document that describes the standards or "convention" the Department of Defense (DoD) will use to transmit a Purchase Order Change using the ASC X12 Transaction Set 860 Purchase Order Change (003010).				
14. SUBJECT TERMS Electronic Data Interchange; EDI; DoD EDI Convention: Electronic Commerce; ANSI X12; X12; electronic standards; electronic business standards; computer-to-computer exchange of data; electronic documents; electronic records; paperless environment; conventions			15. NUMBER OF PAGES 128	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT UL	

TABLE OF CONTENTS

1.0	INTRODUCTION	1.01
1.1	PURPOSE OF THE CONVENTION	1.0.1
1.2	SCOPE	1.0.1
1.3	RESPONSIBLE ENTITY	1.0.1
1.4	HOW TO USE THE IMPLEMENTATION CONVENTION	1.0.2
1.4.1	Conventions, Standards, and Guidelines	1.0.2
1.4.2	Documentation of Conventions	1.0.3
2.0	MAINTENANCE	2.01
2.1	MAINTAINING CONVENTIONS	2.0.1
2.2	VERSION/RELEASE TIMING	2.0.1
3.0	DoD CONVENTIONS FOR USING ASC X12 TRANSACTION SETS	3.01
3.1	INTRODUCTION	3.0.1
3.2	CONTROL SEGMENTS	3.0.1
3.2.1	Description of Use	3.0.2
3.2.2	Control Segment Specifications	3.0.5
3.3	EXAMPLE OF CONVENTION USE	3.0.15
3.4	DoD CONVENTION	3.0.19
4.0	ASC X 12 FORMS	4.01
5.0	GLOSSARY	5.01
5.1	X12 GLOSSARY	5.0.1
5.2	DoD GLOSSARY	5.0.6

DTIC QUALITY ASSURED

Accession For	
NTIS GRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	

1.0 INTRODUCTION

This chapter explains the purpose of the convention, the scope of the guidance, and provides an explanation of how to use the convention.

1.1 PURPOSE OF THE CONVENTION

The convention provides general guidance on the implementation of American National Standards Institute (ANSI) Accredited Standards Committee (ASC) X12 electronic data interchange (EDI) standards within automated information systems (AIS) and information interchange procedures that require the collection, reporting, and/or exchange of data needed to perform defense missions.

1.2 SCOPE

The guidance is provided for two components. First, it may be used by organizational elements of the DoD community. It may also be useful to organizations external to DoD that exchange data with the DoD community in the course of their business relationships.

The DoD community encompasses the Military Services, Organizations of the Joint Chiefs of Staff, Unified and Specified Commands, Office of the Secretary of Defense, and the Defense agencies. (That community is collectively referred to as the DoD Components.)

Organizational entities external to DoD include (a) non-Government organizations, both commercial and nonprofit; (b) Federal agencies of the United States Government other than DoD; (c) local and state governments; (d) foreign national governments; and (e) international government organizations.

The draft convention published in this document is for trial use and comment. DoD Components must submit to the DoD EDI Executive Agent (EA) their data requirements that are not covered in the conventions as soon as possible, as indicated in Chapter 2.0, Section 2.1.

1.3 RESPONSIBLE ENTITY

The Defense Logistics Agency (DLA) is DoD's Executive Agent for implementing and maintaining Defense-wide programs for (a) EDI in accordance with DepSecDef memorandum of May 24, 1988, Subject: *Electronic Data Interchange of Business-Related Transactions*; and (b) Protection of Logistics Unclassified/Sensitive Systems (PLUS) in accordance with Assistant Secretary of Defense (Production and Logistics) [ASD(P&L)] memorandum of November 21, 1989, Subject: *Production and Logistics Task Group for Data Protection*. Publication of these conventions is based upon this authority. See Chapter 2.0 *Maintenance*, Section 2.1 for office point of contact.

1.4 HOW TO USE THE IMPLEMENTATION CONVENTION

The main topics and structures of this document conform to the *EDI Implementation Reference Manual Guidelines* document that was developed by a task group of the subcommittee on education and implementation of the ASC X12. The purpose of having agreed-upon topics and structure is to facilitate reference by the many industry and DoD personnel who are involved in implementing the uniform standards for electronic interchange of business transactions.

1.4.1 Conventions, Standards, and Guidelines

The terms conventions, standards, and guidelines are used throughout the document and are defined as follows:

- *Conventions* are the common practices and/or interpretations of the use of ASC X12 standards. Conventions define what is included in a specific implementation of an ASC X12 standard.
- *Standards* are the technical documentation approved by ASC X12; specifically, transaction sets, segments, data elements, code sets, and interchange control structure. Standards provide the structure for each ASC X12 document.
- *Guidelines* are instructions on the use of EDI. They provide additional information to assist in conducting EDI. Guidelines are intended to provide assistance and should not be your sole source of information.

1.4.1.1 Who Develops the Conventions?

Conventions result from a joint effort between business, technical, and EDI ASC X12 standards experts. The business data requirement is defined, a transaction set is selected, and the data requirement is then identified with data elements in the transaction set. A convention is usually developed before any computer EDI systems development work and serves as a design document when the development process begins.

1.4.1.2 Why Use a Convention?

To create an ASC X12 transaction, a user must know the data requirements, understand the ASC X12 standard, and be able to use that information to develop an interface program between the computer application and the ASC X12 translator. The necessary information to perform this task is contained in the convention document. Users who follow the convention will create a transaction set that all DoD users understand.

1.4.1.3 Who Needs a Convention?

System analysts and application programmers who plan to create or read ASC X12 transactions use a convention to aid in interface software design. The convention will help the programmer and analyst identify where their application data requirement should be carried in an ASC X12 transaction set.

1.4.4.4 Can I Develop a Convention?

Conventions already exist for some of the most common business practices. Copies of existing conventions can be acquired through your organization's EDI coordinator at the start of an EDI project. If you find no conventions for the business practice you are about to implement, your EDI coordinator should contact the DoD Executive Agent for EDI. See Chapter 2.0, *Maintenance*, Section 2.1 for the point of contact.

1.4.2 Documentation of Conventions

Conventions are adopted from, and are intended to be in conformance with, ANSI ASC X12 standards or ASC X12 Draft Standards for Trial Use (DSTU).

1.4.2.1 Transaction Set

Figure 1.4-1 provides an example of a transaction set table. The transaction set defines information of business or strategic significance and consists of a transaction set header segment, one or more data segments in a specified order, and a transaction set trailer segment. The actual ASC X12 standard as it appears in the official ASC X12 standards manual is presented on the right side of the page. This standard also includes both syntax notes and comments. The specific DoD usage designator is presented on the left side of the page.

The designation "N/U" appears in the left column if DoD does not use the specific segment. A page number will appear if the segment is used.

1.4.2.2 Transaction Set Segment

Figure 1.4-2 is an example of a transaction set segment.

DoD usage is specified on the left side of the page. For identifier (ID) — type data elements, acceptable code values are listed on the right side of the page under the definitions of the element.

DoD notes, reflecting how the convention is to be used appear on the right side of the page at the segment level or the data element level.

The following definitions are for use in interpreting the data element requirement designators in the DoD-specific segment directory section of the convention. For ASC X12 usage, see the definitions in *X12.6 Application Control Structure*.

- *Mandatory*
Mandatory data elements are defined by ASC X12.
- *Optional*
Optional data elements are used at the discretion of the sending party or are based upon mutual agreement between trading partners.

824 Application Advice

This standard provides the format and establishes the data contents of the Application Advice Transaction Set (824) within the context of an Electronic Data Interchange (EDI) environment. This transaction set provides the ability to report the results of an application system's data content edits of transaction sets. The results of editing transaction sets can be reported at the functional group and transaction set level, in either coded or free-form format. It is designed to accommodate the business need of reporting the acceptance, rejection or acceptance with change of any transaction set. The Application Advice should not be used in place of a transaction set designed as a specific response to another transaction set (e.g., purchase order acknowledgement sent in response to a purchase order).

Table 1

PAGE #	POS. #	SEQ. ID	NAME	REQ. DES.	MAX USE	LOOP REPEAT
2	010	ST	Transaction Set Header	M	1	
3	020	BGN	Beginning Segment	M	1	
LOOP ID - N1						2
4	030	N1	Name	O	1	
5	040	N2	Additional Name Information	O	2	
6	050	N3	Address Information	O	2	
7	060	N4	Geographic Location	O	1	
8	070	REF	Reference Numbers	O	12	
9	080	PER	Administrative Communications Contact	O	3	

Table 2

PAGE #	POS. #	SEQ. ID	NAME	REQ. DES.	MAX USE	LOOP REPEAT
LOOP ID - OTI						10000
10	010	OTI	Original Transaction Identification	M	1	
12	020	REF	Reference Numbers	O	12	
13	030	DTM	Date/Time Reference	O	2	
N/U	040	PER	Administrative Communications Contact	O	3	
N/U	050	AMT	Monetary Amount	O	10	
N/U	060	QTY	Quantity	O	10	
LOOP ID - TED						10000
14	070	TED	Technical Error Description	O	1	
15	080	NTE	Note/Special Instruction	O	100	
16	090	SE	Transaction Set Trailer	M	1	

Figure 1.4-1 Example of a Transaction Set Table

824 - APPLICATION ADVICE
BGN - BEGINNING SEGMENT

ANSI ASC X12 VERSION/RELEASE 003010D0D

	Segment: BGN Beginning Segment																																																																																																						
	Level: Header																																																																																																						
	Loop: _____																																																																																																						
Mandatory	Usage: Mandatory																																																																																																						
	Max Use: 1																																																																																																						
	Purpose: To indicate the beginning of a transaction set.																																																																																																						
	Syntax: If BGN05 is used, BGN04 is required.																																																																																																						
	Comments: 1. BGN02 is the Transaction Set Reference Number.																																																																																																						
	2. BGN03 is the Transaction Set Date.																																																																																																						
	3. BGN04 is the Transaction Set Time.																																																																																																						
	4. BGN05 is the transaction set time qualifier.																																																																																																						
Data Element Summary																																																																																																							
	<table><tr><th>REF DEC</th><th>DATA ELEMENT</th><th>NAME</th><th colspan="3">ATTRIBUTES</th></tr><tr><td colspan="6"> </td></tr><tr><td>Mandatory</td><td>BGN01</td><td>353</td><td>Transaction Set Purpose Code</td><td>M</td><td>ID 2/2</td></tr><tr><td></td><td></td><td></td><td>Code identifying purpose of transaction set.</td><td></td><td></td></tr><tr><td></td><td></td><td></td><td>00 Original</td><td></td><td></td></tr><tr><td></td><td></td><td></td><td>01 Cancellation</td><td></td><td></td></tr><tr><td></td><td></td><td></td><td>04 Change</td><td></td><td></td></tr><tr><td></td><td></td><td></td><td>12 Not Processed</td><td></td><td></td></tr><tr><td>Mandatory</td><td>BGN02</td><td>127</td><td>Reference Number</td><td>M</td><td>AN 1/30</td></tr><tr><td></td><td></td><td></td><td>Reference number or identification number as defined for a particular Transaction Set, or as specified by the Reference Number Qualifier.</td><td></td><td></td></tr><tr><td>Mandatory</td><td>BGN03</td><td>373</td><td>Date</td><td>M</td><td>DT 6/6</td></tr><tr><td></td><td></td><td></td><td>Date (YYMMDD).</td><td></td><td></td></tr><tr><td>Conditional</td><td>BGN04</td><td>337</td><td>Time</td><td>C</td><td>TM 4/4</td></tr><tr><td></td><td></td><td></td><td>Time expressed in 24-hour clock time (HHMM, time range: 0000 though 2359).</td><td></td><td></td></tr><tr><td></td><td></td><td></td><td>Implementation Note:</td><td></td><td></td></tr><tr><td></td><td></td><td></td><td>Use HHMM.</td><td></td><td></td></tr><tr><td>Not Used</td><td>BGN05</td><td>623</td><td>Time Code</td><td>O</td><td>ID 2/2</td></tr></table>	REF DEC	DATA ELEMENT	NAME	ATTRIBUTES									Mandatory	BGN01	353	Transaction Set Purpose Code	M	ID 2/2				Code identifying purpose of transaction set.						00 Original						01 Cancellation						04 Change						12 Not Processed			Mandatory	BGN02	127	Reference Number	M	AN 1/30				Reference number or identification number as defined for a particular Transaction Set, or as specified by the Reference Number Qualifier.			Mandatory	BGN03	373	Date	M	DT 6/6				Date (YYMMDD).			Conditional	BGN04	337	Time	C	TM 4/4				Time expressed in 24-hour clock time (HHMM, time range: 0000 though 2359).						Implementation Note:						Use HHMM.			Not Used	BGN05	623	Time Code	O	ID 2/2
REF DEC	DATA ELEMENT	NAME	ATTRIBUTES																																																																																																				
Mandatory	BGN01	353	Transaction Set Purpose Code	M	ID 2/2																																																																																																		
			Code identifying purpose of transaction set.																																																																																																				
			00 Original																																																																																																				
			01 Cancellation																																																																																																				
			04 Change																																																																																																				
			12 Not Processed																																																																																																				
Mandatory	BGN02	127	Reference Number	M	AN 1/30																																																																																																		
			Reference number or identification number as defined for a particular Transaction Set, or as specified by the Reference Number Qualifier.																																																																																																				
Mandatory	BGN03	373	Date	M	DT 6/6																																																																																																		
			Date (YYMMDD).																																																																																																				
Conditional	BGN04	337	Time	C	TM 4/4																																																																																																		
			Time expressed in 24-hour clock time (HHMM, time range: 0000 though 2359).																																																																																																				
			Implementation Note:																																																																																																				
			Use HHMM.																																																																																																				
Not Used	BGN05	623	Time Code	O	ID 2/2																																																																																																		

Figure 1.4-2 Example of a Transaction Set Segment

- *Required*
Required data elements are considered optional under ASC X12 rules, but are required by DoD decision.
- *Recommended*
Recommended data elements are considered optional under ASC X12 rules and by the DoD, but the industry recommends their use to facilitate EDI. Most companies in the industry are expected to use this data element.
- *Not Used*
"Not Used" data elements are those that the DoD does not use.
- *Conditional*
Conditional data elements depend on the presence of other data elements in the transaction set.

2.0 MAINTENANCE

This chapter describes the procedures for maintaining the DoD conventions. It also presents a section on version/release timing.

2.1 MAINTAINING CONVENTIONS

The DLA, as DoD's Executive Agent for EDI and PLUS, has established a joint program office to oversee implementation of EDI. Some of the functions of this program office are to maintain configuration control of related standards and common support packages (e.g., versions of ASC X12 standards and PLUS algorithms employed), participate in the standards-setting process, and ensure compliance with approved EDI standards.

To accomplish these functions, the joint program office has established a conventions and standards development and maintenance process whose objectives are: (1) to obtain ASC X12 data requirements from the DoD Components and present the requirements to the ASC X12 for consideration as ANSI standards, and (2) to develop and maintain conventions for use by DoD Components and their potential trading partners.

To take advantage of, and not duplicate, existing data standardization processes, the EA has established focal points within the ASD Offices, the Military Services, and the Defense Agencies from which EDI information is obtained and disseminated.

The EA's primary source of information about DoD's data requirements is the EDI User.

Changes to this publication and recommended changes to ANSI ASC X12 should be forwarded through your organizational point of contact for data standardization to:

EDI Standards Coordinator
ATTN: DLA-ZC
Cameron Station
Alexandria, VA 22304-6100

See Chapter 4 for reproducible ASC X12 Work Request forms.

2.2 VERSION/RELEASE TIMING

Identification of the official "version" of a standard is critical to the successful interchange of information. Each participant must be able to send and receive the same version to ensure the accuracy of the information exchanged.

The version is transmitted as a 12-character code in the Functional Group Header segment (GS) in Data Element #480, Version/Release/Industry ID. This 12-character code is used by ASC X12 as follows:

<u>Position</u>	<u>Content</u>
1-3	Version number
4-5	Release level of version
6	Subrelease
7-12	DoD/Industry or Trade Association ID

ASC X12 assigns the codes in positions 1 through 6.

A major version (1-3) will change only after an official public review cycle, leading to republication of a new American National Standard.

Release level of each new major version (4-6) will begin at "000" and incremented by 1 for each new ASC X12 approved publication cycle, usually once a year. The fifth character designates the release and the sixth character designates the subrelease.

DoD/Industry/Trade Association ID (7-12) is used to identify conventions. For this suffix, DoD will use "DoD_" with the 10th character identifying successive publications. The 11th and 12th characters may be used by the Military Departments or Defense Agencies.

DoD conventions for using ASC X12 standards are published annually. Conventions developed for each release will be maintained for 4 years. Military Services and DoD Agencies will determine which release to use on the basis of business need but will not use any release more than 4 years old without approval of the DoD EA.

3.0 DoD CONVENTIONS FOR USING ASC X12 TRANSACTION SETS

This chapter defines the DoD transaction set conventions. It includes the instructions for implementing the control structure and definitions of the usage indicators and applicable codes.

3.1 INTRODUCTION

The power of the ASC X12 standard is in its building block concept, which standardizes the essential elements of business transactions. It is analogous to a "standard bill of materials and the construction specifications," which gives the architect flexibility in what can be designed with standardized materials and procedures. The EDI system designer, like the architect, uses the ASC X12 standards to build business transactions that are often different because of their function and yet utilize the ASC X12 standards. The "bill of materials and the construction specification" of ASC X12 are the standards found in the published technical documentation.

ASC X12.3 – The *Data Element Dictionary* specifies the data elements used in the construction of the segments that comprise the transaction sets developed by ASC X12.

ASC X12.5 – The *Interchange Control Structure* provides the interchange control segment (also called an envelope) of a header and trailer for the electronic interchange through a data transmission; it also provide a structure to acknowledge the receipt and processing of the envelope.

ASC X12.6 – The *Application Control Structure* defines the basic control structures, syntax rules, and semantics of EDI.

ASC X12.22 – The *Data Segment Directory* provides the definitions and specifications of the segments used in the construction of transaction sets developed by ASC X12.

The DoD convention in Section 3.4 conform to the above standards and each transaction set is a complete document to the extent possible. For further clarification of acronyms, abbreviations, and codes, refer to ASC X12 published technical documentation. Contact the DoD EDI Executive Agent for copies or the Data Interchange Standards Association, Inc., Suite 355, 1800 Diagonal Road, Alexandria, VA 22314.

3.2 CONTROL SEGMENTS

In addition to the communication control structure, the EDI structure provides the standards user with multiple levels of control to ensure data integrity. It does so by using header and trailer control segments

designed to identify uniquely the start and end of the interchange functional groups and transaction sets. The relationship of these control segments is shown in Figure 3.2-1. Control Segment specifications are defined in Section 3.2.2.

3.2.1 Description of Use

The interchange header and trailer segments surround one or more functional groups or interchange-related control segments and perform the following functions:

- Define the data element separators and data segment terminators
- Identify the sender and receiver
- Provide control information
- Allow for authorization and security information.

The Interchange Acknowledgment Segment is used to acknowledge one interchange header and trailer envelope where the envelope surrounds one or more functional groups. (No acknowledgment is made for the interchange acknowledgment.)

The interchange control number value in the acknowledgment (TA1 segment) is the same as that for the ISA segment that is being acknowledged. The control number serves as a link between the interchange header and trailer and the acknowledgment of that header and trailer.

The interchange acknowledgment does not report any status on the functional groups contained in the interchange and is separate from the communication system's error procedures.

The preparer of the interchange header and trailer indicates the level of acknowledgment in Data Element 113, Acknowledgment Requested. If an acknowledgment is requested, then the recipient must return an acknowledgment. If not requested, none should be given.

The interchange acknowledgment control segments are placed after the interchange header and before the first functional group or before the interchange trailer if there are no functional groups.

Control segments are standard for all implementation conventions produced for the Department of Defense. Some codes associated with individual data elements within the control segments are unique to the individual transaction set. Others, identify the ANSI version and release in which the convention is written.




Figure 3.2-1. Hierarchical Structure

3.2.2 Control Segment Specifications

Segment: ISA Interchange Control Header

Purpose: To start and identify an interchange of one or more functional groups and interchange-related control segments.

Data Element Summary

	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
Mandatory	ISA01	I01	Authorization Information Qualifier Code to identify the type of information in the Authorization Information. 00 No Authorization Information Present (No Meaningful Information in I02)	M ID 2/2
Mandatory	ISA02	I02	Authorization Information Information used for additional identification or authorization of the sender or the data in the interchange. The type of information is set by the Authorization Information Qualifier.	M AN 10/10
			Implementation Note: <i>If no authorization information is agreed to by trading partners, fill field with blanks.</i>	
Mandatory	ISA03	I03	Security Information Qualifier Code to identify the type of information in the Security Information. 01 Password	M ID 2/2
Mandatory	ISA04	I04	Security Information This is used for identifying the security information about the sender or the data in the interchange. The type of information is set by the Security Information Qualifier.	M AN 10/10
			Implementation Note: <i>An agreed upon password. If no security information is agreed to by trading partners, fill field with blanks.</i>	
Mandatory	ISA05	I05	Interchange ID Qualifier Qualifier to designate the system/method of code structure used to designate the sender or receiver ID element being qualified. ZZ Mutually Defined	M ID 2/2
			Code Value Implementation Note: <i>An agreed upon designation of DoD Activity Address Code (DoDAAC) or other code coordinated with the value-added network (VAN).</i>	
Mandatory	ISA06	I06	Interchange Sender ID Identification code published by the sender for other parties to use as the receiver ID to route data to them. The sender always codes this number in the sender ID element.	M ID 15/15
			Implementation Note: <i>DoD activities use Department of Defense Activity Address Code (DoDAAC) or other code coordinated with the value-added network (VAN). Non-DoD activities use identification code qualified by ISA05 and coordinated with the VAN.</i>	
Mandatory	ISA07	I05	Interchange ID Qualifier Qualifier to designate the system/method of code structure used to designate the sender or receiver ID element being qualified. ZZ Mutually Defined	M ID 2/2

DEPARTMENT OF DEFENSE
DRAFT IMPLEMENTATION CONVENTION

860 PURCHASE ORDER CHANGE
ANSI ASC X12 VERSION/RELEASE 003010DOD

001 • CONTROL SEGMENTS
ISA • INTERCHANGE CONTROL HEADER

			Code Value Implementation Note: <i>An agreed upon designation of DoD Activity Address Code (DoDAAC) or other code coordinated with the value-added network (VAN).</i>			
Mandatory	ISA08	I07	Interchange Receiver ID Identification code published by the receiver of the data. When sending, it is used by the sender as their sending ID, thus other parties sending to them will use this as a receiving ID to route data to them.	M	ID	15/15
			Implementation Note: <i>DoD activities use Department of Defense Activity Address Code (DoDAAC) or other code coordinated with the value-added network (VAN). Non-DoD activities use identification code qualified by ISA05 and coordinated with the VAN.</i>			
Mandatory	ISA09	I08	Interchange Date Date of the interchange.	M	DT	6/6
			Implementation Note: <i>Assigned by translation software. YYMMDD</i>			
Mandatory	ISA10	I09	Interchange Time Time of the interchange.	M	TM	4/4
			Implementation Note: <i>Assigned by translation software. HHMM</i>			
Mandatory	ISA11	I10	Interchange Control Standards Identifier Code to identify the agency responsible for the control standard used by the message that is enclosed by the interchange header and trailer. U U.S. EDI Community of ASC X12, TDCC, and UCS	M	ID	1/1
Mandatory	ISA12	I11	Interchange Control Version Number This version number covers the interchange control segments and the functional group control segments. 00301 Draft Standard for Trial Use Approved for Publication by ASC X12 Procedures Review Board Through October 1990	M	ID	5/5
			Code Value Implementation Note: <i>Version ID as defined or agreed upon by the trading partners.</i>			
Mandatory	ISA13	I12	Interchange Control Number This number uniquely identifies the interchange data to the sender. It is assigned by the sender. Together with the sender ID it uniquely identifies the interchange data to the receiver. It is suggested that the sender, receiver, and all third parties be able to maintain an audit trail of interchanges using this number.	M	NO	9/9
Mandatory	ISA14	I13	Acknowledgment Requested Code sent by the sender to request an interchange acknowledgment. 0 No Acknowledgment Requested 1 Interchange Acknowledgment Requested	M	ID	1/1
Mandatory	ISA15	I14	Test Indicator Code to indicate whether data enclosed by this interchange envelope is test or production. P Production Data T Test Data	M	ID	1/1

		Code Value Implementation Note: <i>Assigned by translation software.</i>		
Mandatory	ISA16	I15	Subelement Separator	M AN 1/1
	This is a field reserved for future expansion in separating data element subgroups. (In the interest of a migration to international standards, this should be different from the data element separator).			
		Implementation Note: <i>Use character "<".</i>		

Segment: GS Functional Group Header

Purpose: To indicate the beginning of a functional group and to provide control information

Syntax: The data interchange control number (GS06) in this header must be identical to the same data element in the associated Functional Group Trailer (GE02).

Comment: A functional group of related transaction sets, within the scope of X12 standards, consists of a collection of similar transaction sets enclosed by a functional group header and a functional group trailer.

Data Element Summary

	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES		
Mandatory	GS01	479	Functional Identifier Code Code identifying a group of application related Transaction Sets.	M	ID	2/2
Implementation Note: Choose the code value appropriate to the information content of the functional group. See X12 Dictionary for source code list. PC Purchase Order Change (860)						
Mandatory	GS02	142	Application Sender's Code Code identifying party sending transmission. Codes agreed to by trading partners.	M	AN	2/15
Implementation Note: DoD activities use Department of Defense Activity Address Code (DoDAAC). Non-DoD activities use identification code assigned by DoD activity. Recommend for increased security that non-DoD code differ from that used in ISA06.						
Mandatory	GS03	124	Application Receiver's Code Code identifying party receiving transmission. Codes agreed to by trading partners.	M	AN	2/15
Implementation Note: DoD activities use Department of Defense Activity Address Code (DoDAAC). Non-DoD activities use identification code assigned by DoD activity. Recommend for increased security that non-DoD code differ from that used in ISA08.						
Mandatory	GS04	29	Group Date Date sender generated a functional group of transaction sets.	M	DT	6/6
Implementation Note: Assigned by translation software.						
Mandatory	GS05	30	Group Time Time (HHMM) when the sender generated a functional group of transaction sets (local time at sender's location).	M	TM	4/4
Implementation Note: Assigned by translation software.						
Mandatory	GS06	28	Group Control Number Assigned number originated and maintained by the sender.	M	N0	1/9

Implementation Note:

Assigned by translation software.

Mandatory

GS07 455 Responsible Agency Code M ID 1/2

Code used in conjunction with Data Element 480 to identify the issuer of the standard.

X Accredited Standards Committee X12

Code Value Implementation Note:

Indicates that an ANSI X12 standard is being transmitted.

Mandatory

GS08 480 Version/Release/Industry ID Code M ID 1/12

Code indicating the version, release, subrelease and industry identifier of the EDI standard being used. Positions 1-3, version number; positions 4-6, release and subrelease level of version; positions 7-12, industry or trade association identifier (optionally assigned by user).

003010 Draft Standards Approved By ASC X12 Through June 1990.

Code Value Implementation Note:

Code value agreed to by trading partners. See X12 Dictionary for source code list.

Segment: GE Functional Group Trailer

Purpose: To indicate the end of a functional group and to provide control information

Syntax: The data interchange control number (GE02) in this trailer must be identical to the same data element in the associated Functional Group Header (GS06).

Comment: The use of identical data interchange control numbers in the associated functional group header and trailer is designed to maximize functional group integrity. The control number is the same as that used in the corresponding header.

Data Element Summary

	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES		
Mandatory	GE01	97	Number of Transaction Sets Included Total number of transaction sets included in the functional group or interchange (transmission) group terminated by the trailer containing this data element.	M	N0	1/6
	Implementation Note: <i>Assigned by translation software.</i>					
Mandatory	GE02	28	Group Control Number Assigned number originated and maintained by the sender.	M	N0	1/9
	Implementation Note: <i>Assigned by the translation software. This control number must match the control number of the preceding GS06 control number.</i>					

Segment: IEA Interchange Control Trailer

Purpose: To define the end of an interchange of one or more functional groups and interchange-related control segments.

Data Element Summary

	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
Mandatory	IEA01	I16	Number of Included Functional Groups A count of the number of functional groups included in a transmission.	M NO 1/5

Implementation Note:

Assigned by translation software.

Mandatory	IEA02	I12	Interchange Control Number This number uniquely identifies the interchange data to the sender. It is assigned by the sender. Together with the sender ID it uniquely identifies the interchange data to the receiver. It is suggested that the sender, receiver, and all third parties be able to maintain an audit trail of interchanges using this number.	M NO 9/9
-----------	-------	-----	---	----------

Implementation Note:

Assigned by the translation software. This number must match the number that occurs in ISA13.

3.3 EXAMPLE OF CONVENTION USE

EXAMPLE - PURCHASE ORDER CHANGE TRANSACTION SET (860)

ASC X12 EDI FORMAT

ST*860*PC0001 N/L

BCH*00*CP*N0001993P3010**P00001*
930120*****930205*930206 N/L

REF*65*PA0001 N/L

REF*RQ*N000192252055 N/L

POC*1*CA*****IN*0001 N/L

FOB*DF*****ZZ*INSPECTION AT ORIGIN
ACCEPTANCE AT DESTINATION N/L

DTM*002*930615 N/L

CTT*1 N/L

SE*9*PC0001 N/L

DEFINITION

THIS IS AN 860 PURCHASE ORDER CHANGE
WITH A CONTROL NUMBER OF PC0001.

THIS IS AN ORIGINAL CHANGE TO
PURCHASE ORDER N0001993P3010 DATED
JANUARY 20, 1993. THE CHANGE ORDER
NUMBER IS P00001. THE EFFECTIVE DATE
OF THE CHANGE IS FEBRUARY 6, 1993. THE
CHANGE MUST BE ACKNOWLEDGED BY
FEBRUARY 5, 1993.

THE UNIQUE TRACKING NUMBER FROM THE
850 PURCHASE ORDER IS PA0001.

THE REQUISITION NUMBER FROM THE 850
PURCHASE ORDER IS N000192252055.

THIS IS A CHANGE TO LINE ITEM 0001 OF
THE PURCHASE ORDER.

CHANGE THE ACCEPTANCE POINT OF LINE
ITEM 0001 TO DESTINATION.

THE DELIVERY DATE FOR LINE ITEM 0001 IS
CHANGED TO JUNE 15, 1993.

THERE IS 1 POC SEGMENT IN THIS
TRANSACTION SET.

THE TRANSACTION SET HAS 8 SEGMENTS
AND THE CONTROL NUMBER IS PC0001.

NOTE: ALL NUMBERS ARE NOTIONAL AND USED FOR ILLUSTRATION PURPOSES ONLY.

3.4 DoD CONVENTION

860 Purchase Order Change

This standard provides for the format and establishes the data contents of a purchase order change transaction set. The purchase order change transaction set provides the information required for the customary and established business and industry practice relative to a purchase order change. This transaction can be used: (1) by a buyer to request a change to a previously submitted purchase order or (2) by a buyer to confirm acceptance of a purchase order change initiated by the seller or by mutual agreement of the two parties. (DM Number 672)

Table 1

PAGE #	POS. #	SEG. ID	NAME	REQ. DES.	MAX USE	LOOP REPEAT
4	010	ST	Transaction Set Header	M	1	
5	020	BCH	Beginning Segment for Purchase Order Change	M	1	
7	030	NTE	Note/Special Instruction	F	100	
8	040	CUR	Currency	O	1	
11	050	REF	Reference Numbers	O	12	
N/U	060	PER	Administrative Communications Contact	O	3	
N/U	070	TAX	Sales Tax Reference	O	3	
13	080	FOB	F.O.B. Related Instructions	O	1	
15	090	CTP	Pricing Information	O	25	
N/U	100	SSS	Special Services	O	25	
N/U	110	CSH	Header Sale Condition	O	1	
N/U	120	ITA	Allowance, Charge or Service	O	10	
17	130	ITD	Terms of Sale/Deferred Terms of Sale	O	5	
N/U	140	DIS	Discount Detail	O	20	
19	150	DTM	Date/Time Reference	O	10	
20	160	LDT	Lead Time	O	12	
N/U	180	LIN	Item Identification	O	5	
N/U	190	PID	Product/Item Description	O	200	
21	200	MEA	Measurements	O	40	
23	210	PWK	Paperwork	O	25	
25	220	PKG	Marking, Packaging, Loading	O	200	
N/U	230	TD1	Carrier Details (Quantity and Weight)	O	2	
N/U	240	TD5	Carrier Details (Routing Sequence/Transit Time)	O	12	
N/U	250	TD3	Carrier Details (Equipment)	O	12	
N/U	260	TD4	Carrier Details (Special Handling/Hazardous Materials)	O	5	

DEPARTMENT OF DEFENSE
DRAFT IMPLEMENTATION CONVENTION

860 - PURCHASE ORDER CHANGE

ANSI ASC X12 VERSION/RELEASE 003010DOD_

27	270	MAN	Marks and Numbers	O	10
LOOP ID - N9 1000					
28	280	N9	Reference Number	O	1
29	290	MSG	Message Text	O	1000
LOOP ID - N1 200					
30	300	N1	Name	O	1
32	310	N2	Additional Name Information	O	2
33	320	N3	Address Information	O	2
34	330	N4	Geographic Location	O	1
35	340	REF	Reference Numbers	O	12
36	350	PER	Administrative Communications Contact	O	3
N/U	360	FOB	F.O.B. Related Instructions	O	1
N/U	370	TD1	Carrier Details (Quantity and Weight)	O	2
N/U	380	TD5	Carrier Details (Routing Sequence/Transit Time)	O	12
N/U	390	TD3	Carrier Details (Equipment)	O	12
N/U	400	TD4	Carrier Details (Special Handling/Hazardous Materials)	O	5
N/U	410	PKG	Marking, Packaging, Loading	O	200

Table 2

PAGE #	POS. #	SEG. ID	NAME	REQ. DES.	MAX USE	LOOP REPEAT
LOOP ID - POC 10000						
37	010	POC	Line Item Change	O	1	
N/U	020	CUR	Currency	O	1	
N/U	030	PO3	Additional Item Detail	O	25	
41	040	CTP	Pricing Information	O	25	
43	049	MEA	Measurements	O	40	
LOOP ID - PID 1000						
45	050	PID	Product/Item Description	O	1	
46	060	MEA	Measurements	O	10	
47	070	PWK	Paperwork	O	25	
49	080	PKG	Marking, Packaging, Loading	O	200	
51	090	PO4	Item Physical Details	O	1	
53	100	REF	Reference Numbers	O	12	
N/U	110	PER	Administrative Communications Contact	O	3	
N/U	120	SSS	Special Services	O	25	
N/U	130	ITA	Allowance, Charge or Service	O	10	
N/U	140	IT8	Conditions of Sale	O	1	
N/U	150	ITD	Terms of Sale/Deferred Terms of Sale	O	2	
N/U	160	DIS	Discount Detail	O	20	
N/U	170	TAX	Sales Tax Reference	O	3	

DEPARTMENT OF DEFENSE
DRAFT IMPLEMENTATION CONVENTION

860 • PURCHASE ORDER CHANGE

ANSI ASC X12 VERSION/RELEASE 003010DOD

54	180	FOB	F.O.B. Related Instructions	O	1
N/U	190	SDQ	Destination Quantity	O	500
56	200	DTM	Date/Time Reference	O	10
57	210	LDT	Lead Time	O	12
58	220	SCH	Line Item Schedule	O	200
N/U	230	TD1	Carrier Details (Quantity and Weight)	O	1
N/U	240	TD5	Carrier Details (Routing Sequence/Transit Time)	O	12
N/U	250	TD3	Carrier Details (Equipment)	O	12
N/U	260	TD4	Carrier Details (Special Handling/Hazardous Materials)	O	5
59	270	MAN	Marks and Numbers	O	10
60	280	AMT	Monetary Amount	O	1
LOOP ID - SLN 1000					
N/U	290	SLN	Subline Item Detail	O	1
N/U	300	PID	Product/Item Description	O	1000
N/U	310	PO3	Additional Item Detail	O	104
LOOP ID - N9 1000					
61	320	N9	Reference Number	O	1
62	330	MSG	Message Text	O	1000
LOOP ID - N1 200					
63	340	N1	Name	O	1
64	350	N2	Additional Name Information	O	2
65	360	N3	Address Information	O	2
66	370	N4	Geographic Location	O	1
N/U	380	REF	Reference Numbers	O	12
N/U	390	PER	Administrative Communications Contact	O	3
N/U	400	FOB	F.O.B. Related Instructions	O	1
N/U	410	TD1	Carrier Details (Quantity and Weight)	O	2
N/U	420	TD5	Carrier Details (Routing Sequence/Transit Time)	O	12
N/U	430	TD3	Carrier Details (Equipment)	O	12
N/U	440	TD4	Carrier Details (Special Handling/Hazardous Materials)	O	5
N/U	450	PKG	Marking, Packaging, Loading	O	200

Table 3

PAGE #	POS. #	SEQ. ID	NAME	REQ. DES.	MAX USE	LOOP REPEAT
67	010	CTT	Transaction Totals	M	1	
68	020	AMT	Monetary Amount	O	1	
69	030	SE	Transaction Set Trailer	M	1	

Segment: ST Transaction Set Header
Level: Header
Loop: ____
Mandatory
Usage: Mandatory
Max Use: 1
Purpose: To indicate the start of a transaction set and to assign a control number
Comment: The transaction set identifier (ST01) is intended for use by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the invoice transaction set).

Implementation Notes:

1. Use of the term purchase order in this transaction set implies other types of orders as well (e.g., delivery orders)
2. This transaction set is used to transmit changes to purchase orders or contract orders. Use only the data segments or data elements that apply to modify an original 850, Purchase Order, transaction set. The information transmitted in this transaction set reflects the add or change details contained in the SF 30 and any related attachments.

Data Element Summary

	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES		
Mandatory	ST01	143	Transaction Set Identifier Code Code uniquely identifying a Transaction Set. 860 X12.15 Purchase Order Change	M	ID	3/3
Mandatory	ST02	329	Transaction Set Control Number Identifying control number assigned by the originator for a transaction set.	M	AN	4/9

860 • PURCHASE ORDER CHANGE
BCH • BEGINNING SEGMENT FOR PURCHASE ORDER CHANGE

ANSI ASC X12 VERSION/RELEASE 003010DOD

Mandatory	Segment: BCH Beginning Segment for Purchase Order Change				
	Level: Header				
	Loop: ____				
	Usage: Mandatory				
	Max Use: 1				
Mandatory	Purpose: To indicate the beginning of the purchase order change transaction set and transmit identifying numbers and dates.				
	Comment: BCH09 is the seller's order number.				
	Data Element Summary				
	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES	
	BCH01	353	Transaction Set Purpose Code Code identifying purpose of transaction set.	M	ID 2/2
Mandatory	Implementation Note: Use code 00 for the original change order; code 01 to cancel the original change order; code 04 for changes to an original change order; code 05 to replace an original change order; code 07 to transmit a duplicate of the original change order; code 18 to reissue an original change order; and code 22 to transmit information copies of the original change order to addresses other than the selling party.				
	00 Original				
	01 Cancellation				
	04 Change				
	05 Replace				
Mandatory	07 Duplicate				
	18 Reissue				
	22 Information Copy				
	BCH02	92	Purchase Order Type Code Code specifying the type of Purchase Order.	M	ID 2/2
	Implementation Note: Use code CP for changes to purchase orders including supplemental agreements. Use code CR for all other types of change orders against existing contracts including supplemental agreements.				
Mandatory	CP Change to Purchase Order				
	CR Change to Release				
	BCH03	324	Purchase Order Number Identifying number for Purchase Order assigned by the orderer/purchaser.	M	AN 1/22
	Implementation Notes: 1. When BCH02 is code CP, enter the purchase order number. See Block 4, SF 30. 2. When BCH02 is code CR, insert a zero (0) in BCH03; transmit the original call or delivery order number in BCH04 if applicable, and the original contract number of the contract being modified in BCH08.				
Optional	BCH04	328	Release Number Number identifying a release against a Purchase Order previously placed by the parties involved in the transaction.	O	AN 1/30
	Implementation Notes: 1. Call or delivery order number.				

DEPARTMENT OF DEFENSE
DRAFT IMPLEMENTATION CONVENTION

ANSI ASC X12 VERSION/RELEASE 003010DOD_ 860 • PURCHASE ORDER CHANGE
BCH • BEGINNING SEGMENT FOR PURCHASE ORDER CHANGE

		2. Number written as prescribed in DFARS 204.70.		
Optional	BCH05	327	Change Order Sequence Number Number assigned by the orderer identifying a specific change or revision to a previously transmitted transaction set.	O AN 1/8
		Implementation Note: Use for the modification number. See Block 2, SF 30.		
Mandatory	BCH06	323	Purchase Order Date Date assigned by the purchaser to Purchase Order.	M DT 6/6
		Implementation Notes: 1. Date will be written as YYMMDD. See Block 10B, SF 30. 2. Date of the original purchase or delivery order. 3. Conversion to the 2-position numeric year, 3-position alpha month and 2-position numeric day, e.g., 92 DEC 16, may be required.		
Not Used	BCH07	326	Request Reference Number	O AN 1/45
Optional	BCH08	367	Contract Number Contract number.	O AN 1/30
		Implementation Note: Use for the original contract number. See Block 10A, SF 30.		
Not Used	BCH09	127	Reference Number	O AN 1/30
Optional	BCH10	588	Acknowledgment Date Date assigned by the sender to the acknowledgment.	O DT 6/6
		Implementation Note: Date when recipient must acknowledge receipt of this change.		
Optional	BCH11	279	Purchase Order Change Request Date Date of the purchase order change request.	O DT 6/6
		Implementation Notes: 1. Use for the change order effective date. See Block 3, SF 30. 2. For a change order or administrative change, this is the issue date of the change order or administrative change. 3. For a supplemental agreement, this is the date agreed to by the contracting parties. 4. For a modification to an initial or confirming notice of termination for the convenience of the Government, this is the same as the effective date of the initial notice. 5. For a modification converting a termination for default to a termination for the convenience of the Government, this is the effective date of the termination for default. 6. For a modification confirming the contracting officer's determination of the amount due in settlement of a contract termination, this is the effective date of the initial decision.		

860 • PURCHASE ORDER CHANGE
NTE • NOTE/SPECIAL INSTRUCTION

ANSI ASC X12 VERSION/RELEASE 003010DOD

Segment: NTE Note/Special Instruction
Level: Header
Loop: ____
Usage: Floating
Max Use: 100
Purpose: To transmit information in a free-form format, if necessary, for comment or special instruction
Comment: The NTE segment permits free-form information/data which, under ANSI X12 standard implementations, is not machine processable. The use of the "NTE" segment should therefore be avoided, if at all possible, in an automated environment.

Implementation Note:

*Use this data segment to transmit order instructions or other instructions for the change order.
May be part of detail normally supplied in Block 14, SF 30 or related attachments.*

Data Element Summary

	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES		
Optional	NTE01	363	Note Reference Code Code identifying the functional area or purpose for which the note applies.	O	ID	3/3
			ORI Order Instructions			
			OTH Other Instructions			
Mandatory	NTE02	3	Free Form Message Free-form text.	M	AN	1/60

Optional

Segment: CUR Currency

Level: Header

Loop: _____

Usage: Optional

Max Use: 1

Purpose: To specify the currency (dollars, pounds, francs, etc.) used in a transaction

- Syntax:**
1. If CUR08 is present, then CUR07 is required.
 2. If CUR09 is present, then CUR07 is required.
 3. If CUR11 is present, then CUR10 is required.
 4. If CUR12 is present, then CUR10 is required.
 5. If CUR14 is present, then CUR13 is required.
 6. If CUR15 is present, then CUR13 is required.
 7. If CUR17 is present, then CUR16 is required.
 8. If CUR18 is present, then CUR16 is required.
 9. If CUR20 is present, then CUR19 is required.
 10. If CUR21 is present, then CUR19 is required.

Comments: 1. Monetary values are assumed to be expressed in the currency of the country of the transaction originator unless the optional CUR segment is used to specify a different currency. The CUR segment also permits the transaction originator to indicate a specific exchange rate, foreign exchange location and date/time as the basis for a currency conversion. Example 1. Assuming the currency of the transaction originator is U.S. dollars, the following CUR segment, when used in the heading area of a transaction, would indicate that all monetary values appearing in the transaction are expressed in Canadian Dollars (CAD). (In this example the exchange rate is at the discretion of the receiver).

CUR*BY*CAD* N/L

Example 2. Assuming the currency of the transaction originator is U.S. dollars, the following CUR segment, when used in the detail area of a transaction, describes a currency conversion for that particular item from U.S. dollars to Canadian dollars. It also indicates that a specific exchange rate, at a specified foreign exchange location on a given date/time be used as the basis for the currency conversion. Notes below the diagram describe the meaning of the element values.

860 - PURCHASE ORDER CHANGE
CUR - CURRENCY

ANSI ASC X12 VERSION/RELEASE 003010DOD

2. CUR*BY*USD*1.20*SE*CAD*NY*007*840821*1400 N/L

1 2 3 4

1. Identifies the buyer's (BY) currency as U.S. dollars (USD).
2. The multiplier (1.20) is the exchange rate factor for the conversion.
3. Identifies the seller's (SE) currency as Canadian dollars (CAD).
4. Indicates the basis for the exchange rate as the New York Foreign Exchange (NY) and the effective date/time (007) as August 21, 1984 (840821) at 2:00 P.M. (1400).

The value for this item is to be converted to Canadian dollars (CAD) at the exchange rate of 1.20, based on the New York Foreign Exchange (NY) at 2:00 P.M. (1400) on August 21, 1984. The actual unit price conversion for the item would be:

The unit price value 7.50 (U.S. dollars) multiplied by the exchange rate (1.20) equals 9.00 Canadian dollars (7.50 X 1.20 = 9.00) CUR07 through CUR21 provide for five (5) dates/times relating to the currency conversion, i.e., effective date, expiration date, etc.

Data Element Summary

	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
Mandatory	CUR01	98	Entity Identifier Code Code identifying an organizational entity or a physical location.	M ID 2/2
Implementation Note: Use code BY for the government and code SE for the contractor.				
			BY Buying Party (Purchaser)	
			SE Selling Party	
Mandatory	CUR02	100	Currency Code Code (Standard ISO) for country in whose currency the charges are specified.	M ID 3/3
Optional	CUR03	280	Exchange Rate Value to be used as a multiplier conversion factor to convert monetary value from one currency to another.	O R 4/6
Optional	CUR04	98	Entity Identifier Code Code identifying an organizational entity or a physical location.	O ID 2/2
Implementation Note: Use code BY for the government and code SE for the contractor.				
			BY Buying Party (Purchaser)	
			SE Selling Party	
Optional	CUR05	100	Currency Code Code (Standard ISO) for country in whose currency the charges are specified.	O ID 3/3
Optional	CUR06	669	Currency Market/Exchange Code Code identifying the market upon which the currency exchange rate is based.	O ID 3/3
Implementation Note: Use any code.				
Conditional	CUR07	374	Date/Time Qualifier Code specifying type of date or time, or both date and time.	C ID 3/3

DEPARTMENT OF DEFENSE
DRAFT IMPLEMENTATION CONVENTION

ANSI ASC X12 VERSION/RELEASE 003010DOD_

860 • PURCHASE ORDER CHANGE
CUR • CURRENCY

Implementation Note:

Use code 007 for the date/time the cited rate will be effective (start), and code 036 for the date/time the cited rate will cease to be effective (stop).

007 Effective

036 Expiration

Optional	CUR08	373	Date Date (YYMMDD).	O DT	6/6
Optional	CUR09	337	Time Time expressed in 24-hour clock time (HHMM, time range: 0000 though 2359).	O TM	4/4
Not Used	CUR10	374	Date/Time Qualifier	C ID	3/3
Not Used	CUR11	373	Date	O DT	6/6
Not Used	CUR12	337	Time	O TM	4/4
Not Used	CUR13	374	Date/Time Qualifier	C ID	3/3
Not Used	CUR14	373	Date	O DT	6/6
Not Used	CUR15	337	Time	O TM	4/4
Not Used	CUR16	374	Date/Time Qualifier	C ID	3/3
Not Used	CUR17	373	Date	O DT	6/6
Not Used	CUR18	337	Time	O TM	4/4
Not Used	CUR19	374	Date/Time Qualifier	C ID	3/3
Not Used	CUR20	373	Date	O DT	6/6
Not Used	CUR21	337	Time	O TM	4/4

860 • PURCHASE ORDER CHANGE
REF • REFERENCE NUMBERS

ANSI ASC X12 VERSION/RELEASE 003010DOD

Optional	Segment: REF Reference Numbers				
	Level: Header				
	Loop: _____				
	Usage: Optional				
	Max Use: 12				
	Purpose: To specify identifying numbers.				
	Syntax: Either REF02 or REF03 is required.				
	Implementation Note: At least 2 iterations of REF01/02 are required in order to carry the Unique Tracking Number (UTN) (Code 65) for the transaction set and the relevant Purchase Request number (Code IL) or requisition number (code RQ). The latter is required because vendors must provide it on their shipment.				
	Data Element Summary				
	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES	
Mandatory	REF01	128	Reference Number Qualifier Code qualifying the Reference Number.	M	ID 2/2
	Implementation Notes: 1. Use code CJ to cite clauses applicable for this change order; DF for DFARS cite; FA for FAR cite (for Blocks 13A, B, C, and D, SF 30); IT for local use number; ZZ for letter determination reference for a contract terminated for the convenience of the Government, AT for accounting and appropriation; see Block 12 SF 30; use code RQ for the requisition (MILSTRIP document) number, see Block 4; use code IL for the purchase request number, see Block 4; use TC to describe other site specific procedures, terms and conditions that are applicable to this order; use code AX for the ACRN; use code 65 for the unique tracking number; use code LI for the purchase order line item number. 2. Reference numbers may also be part of detail normally supplied in Block 14, SF 30 or related attachments.				
			65 Total Order Cycle Number AT Appropriation Number AX Government Accounting Class Reference Number (ACRN) CJ Clause Number DF Defense Federal Acquisition Regulations (DFAR) FA Federal Acquisition Regulations (FAR) IL Internal Order Number IT Internal Customer Number LI Line Item Identifier (Seller's) RQ Purchase Requisition No. TC Vendor Terms ZZ Mutually Defined		
Conditional	REF02	127	Reference Number Reference number or identification number as defined for a particular Transaction Set, or as specified by the Reference Number Qualifier.	C	AN 1/30
Conditional	REF03	352	Description A free-form description to clarify the related data elements and their content.	C	AN 1/80

Implementation Notes:

1. When REF01 is code CJ or IT, use REF03 for the explanation, source, etc.
2. When BCH12 (code OT) indicates the change order is for other types of modifications (Block 13D, SF 30), use REF03 to indicate the type of modification.

860 • PURCHASE ORDER CHANGE
FOB • F.O.B. RELATED INSTRUCTIONS

ANSI ASC X12 VERSION/RELEASE 003010DOD

Optional

Segment: **FOB** F.O.B. Related Instructions

Level: Header

Loop: _____

Usage: Optional

Max Use: 1

Purpose: To specify transportation instructions relating to shipment

Syntax: 1. If FOB03 is present, then FOB02 is required.
2. If FOB04 is present, then FOB05 is required.
3. If FOB07 is present, then FOB06 is required.
4. If FOB08 is present, then FOB09 is required.

Comments: 1. FOB01 indicates which party will pay the carrier.
2. FOB02 is the code specifying transportation responsibility location.
3. FOB06 is the code specifying title passage location.
4. FOB08 is the code specifying the point at which the risk of loss transfers. This may be different than the location specified in FOB02/FOB03 and FOB06/FOB07.

Implementation Note:

Use FOB segment here when FOB applies to the entire order. Use the FOB segment in the detail level when more than one FOB condition applies to a specific address at either the order or line item level. The same holds true for acceptance.

Data Element Summary

	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
Mandatory	FOB01	146	Shipment Method of Payment Code identifying payment terms for transportation charges.	M ID 2/2
	Implementation Note: SF 18 Block 7.			
			DF Defined by Buyer and Seller	
Conditional	FOB02	309	Location Qualifier Code identifying type of location.	C ID 1/2
	Implementation Note: Use code ZZ to qualify an other FOB point.			
			DE Destination (Shipping)	
			OR Origin (Shipping Point)	
			ZZ Mutually Defined	
Optional	FOB03	352	Description A free-form description to clarify the related data elements and their content.	O AN 1/80
	Implementation Note: When FOB02 is code ZZ, use FOB03 to describe the other location.			
Not Used	FOB04	334	Transportation Terms Qualifier Code	O ID 2/2

DEPARTMENT OF DEFENSE
DRAFT IMPLEMENTATION CONVENTION

ANSI ASC X12 VERSION/RELEASE 003010DOD_ 860 • PURCHASE ORDER CHANGE
FOB • F.O.B. RELATED INSTRUCTIONS

Not Used	FOB05	335	Transportation Terms Code	C	ID	3/3
Conditional	FOB06	309	Location Qualifier Code identifying type of location.	C	ID	1/2
Implementation Notes: 1. Inspection/acceptance point will be the same unless otherwise specified. 2. Use code ZZ when the inspection and acceptance points will not be the same. DE Destination (Shipping) OR Origin (Shipping Point) ZZ Mutually Defined						
Optional	FOB07	352	Description A free-form description to clarify the related data elements and their content.	O	AN	1/80
Implementation Note: If FOB06 is code ZZ, identify the locations of the inspection and acceptance points.						
Not Used	FOB08	54	Risk of Loss Qualifier	O	ID	2/2
Not Used	FOB09	352	Description	C	AN	1/80

860 • PURCHASE ORDER CHANGE
CTP • PRICING INFORMATION

ANSI ASC X12 VERSION/RELEASE 003010DOD

Optional

Segment: CTP Pricing Information

Level: Header

Loop: _____

Usage: Optional

Max Use: 25

Purpose: To specify pricing information

Syntax: 1. If CTP02 is present, then CTP03 is required.

2. If CTP04 is present, then CTP05 is required.

3. If CTP06 is present, then CTP07 is required.

Comments: 1. Example of use of CTP03 and CTP04.

PRICE QUANTITY RANGE

1.00 0 to 999

0.75 1000 to 4999

0.50 5000 to 9999

0.25 10000 and above

CTP03 CTP04

1.00 0

0.75 1000

0.50 5000

0.25 10000

2. Example of use of CTP03, CTP04 and CTP07.

CTP03 CTP04 CTP07

1.00 0 0.90

0.75 1000 0.90

0.50 5000 0.90

0.25 10000 0.90

3. CTP07 is a multiplier factor to arrive at a final discounted price. A multiplier of 90 would be the factor if a 10% discount is given.

Implementation Note:

Use this segment to transmit total contract price increases or decreases, or to transmit net amount due for contract terminated for the convenience of the government. See Block 14, SF 30 notes and instructions.

Data Element Summary

Not Used

Optional

REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
CTP01	687	Class of Trade Code	O ID 2/2
CTP02	236	Price Qualifier Code identifying pricing specification.	O ID 3/3

Implementation Notes:

1. Use code CON to indicate contract price changed from; use code ALT to indicate contract price change to; use code CHG to indicate a total contract price increase; code DAP to indicate a total contract price decrease. No entry is required if the contract price is the same.

2. Use code SPC to indicate a net amount due for the settlement of a contract terminated for the convenience of the government.

ALT Alternate Price
CHG Changed Price
CON Contract Price
DAP Dealer Adjusted Price
SPC Special Price

Conditional	CTP03	212	Unit Price Price per unit of product, service, commodity, etc.	C	R	1/14
-------------	-------	-----	---	---	---	------

Implementation Note:

This data element is being used to carry aggregate contract prices, as qualified by the codes in CTP02, instead of unit prices.

Optional	CTP04	380	Quantity Numeric value of quantity.	O	R	1/10
----------	-------	-----	--	---	---	------

Conditional	CTP05	355	Unit of Measurement Code Code identifying the basic unit of measurement.	C	ID	2/2
-------------	-------	-----	---	---	----	-----

Optional	CTP06	648	Price Multiplier Qualifier Code indicating the type of price multiplier.	O	ID	3/3
----------	-------	-----	---	---	----	-----

Conditional	CTP07	649	Multiplier Value, identified by price multiplier qualifier, to be used to multiply price to obtain a new value.	C	R	1/10
-------------	-------	-----	--	---	---	------

860 - PURCHASE ORDER CHANGE
ITD - TERMS OF SALE/DEFERRED TERMS OF SALE

ANSI ASC X12 VERSION/RELEASE 003010DOD

Segment: ITD Terms of Sale/Deferred Terms of Sale
Level: Header
Loop: _____
Usage: Optional
Max Use: 5
Purpose: To specify terms of sale.
Syntax: 1. If ITD03 is present, then at least one of ITD04, ITD05, ITD13 is required.
2. If ITD08 is present, then at least one of ITD04, ITD05 or ITD13 is required.
3. If ITD09 is present, then ITD10 or ITD11 is required.
Comment: If the code in ITD01 is 04, then ITD09 is required and either ITD11 or ITD12 is required. If the code in ITD01 equals 05, then ITD06 or ITD07 is required.
Implementation Notes:
1. Transmit this segment only if there are changes to any discounts or if discounts apply to the change order.
2. Generally, discounts will be specified by using a combination of the ITD01, ITD03, ITD05, and/or ITD07.

Data Element Summary

	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES		
Optional	ITD01	336	Terms Type Code Code identifying type of payment terms. 08 Basic Discount Offered	O	ID	2/2
Optional	ITD02	333	Terms Basis Date Code Code identifying the beginning of the terms period.	O	ID	1/2
Implementation Note: Use the same code as the one specified in the ITD02 of the purchase order (850 transaction set) that relates to this change order, if applicable. Otherwise, use any code.						
Optional	ITD03	338	Terms Discount Percent Terms discount percentage, expressed as a percent, available to the purchaser if an invoice is paid on or before the Terms Discount Due Date.	O	R	1/6
Conditional	ITD04	370	Terms Discount Due Date Date payment is due if discount is to be earned.	C	DT	6/6
Conditional	ITD05	351	Terms Discount Days Due Number of days in the terms discount period by which payment is due if terms discount is earned.	C	NO	1/3
Optional	ITD06	446	Terms Net Due Date Date when total invoice amount becomes due.	O	DT	6/6
Optional	ITD07	386	Terms Net Days	O	NO	1/3

DEPARTMENT OF DEFENSE
DRAFT IMPLEMENTATION CONVENTION

ANSI ASC X12 VERSION/RELEASE 003010DOD_

860 - PURCHASE ORDER CHANGE
ITD - TERMS OF SALE/DEFERRED TERMS OF SALE

			Number of days until total invoice amount is due (discount not applicable).			
Optional	ITD08	362	Terms Discount Amount Total amount of terms discount.	O	N2	1/10
			Implementation Note: Use this data element so that rounding off methodology will not be factor.			
Not Used	ITD09	388	Terms Deferred Due Date	O	DT	6/6
Not Used	ITD10	389	Deferred Amount Due	C	N2	1/10
Not Used	ITD11	342	Percent of Invoice Payable	C	R	1/5
Not Used	ITD12	352	Description	O	AN	1/80
Conditional	ITD13	765	Day of Month The numeric value of the day of the month between 1 and the maximum day of the month being referenced.	C	N0	1/2
Optional	ITD14	107	Payment Method Code Code identifying type of payment procedures.	O	ID	1/1

Implementation Notes:

1. This data element normally will not be used in DoD applications.
2. Any code may be used.

860 • PURCHASE ORDER CHANGE
DTM • DATE/TIME REFERENCE

ANSI ASC X12 VERSION/RELEASE 003010DOD_

Optional	Segment: DTM Date/Time Reference			
	Level: Header			
	Loop: _____			
	Usage: Optional			
	Max Use: 10			
Mandatory	Purpose: To specify pertinent dates and times			
	Syntax: At least one of DTM02 or DTM03 must be present.			
	Implementation Note: Required delivery date will be provided in this segment as an actual date or in the LDT segment as a set number of calendar days after receipt of order. If the latter is used, omit the segment.			
	Data Element Summary			
	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
Conditional	DTM01	374	Date/Time Qualifier Code specifying type of date or time, or both date and time.	M ID 3/3
	Implementation Notes:			
	1. Use code 002 for the required delivery date (unless delivery date is defined in segment LDT); code 036 for the expiration date of a Federal Supply Schedule.			
	2. When used here, the delivery date applies to the whole order. If not used here, the delivery date will be specified in the DTM, LDT, or SCH segment in the Detail section.			
	002 Delivery Requested 036 Expiration			
Not Used	DTM02	373	Date Date (YYMMDD).	C DT 6/6
Not Used	DTM03	337	Time	C TM 4/4
Not Used	DTM04	623	Time Code	O ID 2/2

Optional	Segment: LDT Lead Time																																																																					
	Level: Header																																																																					
	Loop: _____																																																																					
	Usage: Optional																																																																					
	Max Use: 12																																																																					
	Purpose: To specify lead time for availability of products and services.																																																																					
	Comment: LDT04 is the effective date of lead time information.																																																																					
	Implementation Note: <i>Required delivery date will be provided in this segment as a set number of calendar days after receipt of order or in the DTM segment as an actual date. If the latter is used, omit this segment.</i>																																																																					
	Data Element Summary																																																																					
	<table><thead><tr><th>REF. DES.</th><th>DATA ELEMENT</th><th>NAME</th><th colspan="3">ATTRIBUTES</th></tr></thead><tbody><tr><td>Mandatory</td><td>LDT01</td><td>345</td><td>Lead Time Code</td><td>M</td><td>ID</td><td>2/2</td></tr><tr><td></td><td></td><td></td><td>Code indicating the time range.</td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td>AF From date of PO receipt to delivery.</td><td></td><td></td><td></td></tr><tr><td>Mandatory</td><td>LDT02</td><td>380</td><td>Quantity</td><td>M</td><td>R</td><td>1/10</td></tr><tr><td></td><td></td><td></td><td>Numeric value of quantity.</td><td></td><td></td><td></td></tr><tr><td>Mandatory</td><td>LDT03</td><td>344</td><td>Unit of Time Period Code</td><td>M</td><td>ID</td><td>2/2</td></tr><tr><td></td><td></td><td></td><td>Code indicating the time period.</td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td>DA Calendar Days</td><td></td><td></td><td></td></tr><tr><td>Not Used</td><td>LDT04</td><td>373</td><td>Date</td><td>O</td><td>DT</td><td>6/6</td></tr></tbody></table>	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES			Mandatory	LDT01	345	Lead Time Code	M	ID	2/2				Code indicating the time range.							AF From date of PO receipt to delivery.				Mandatory	LDT02	380	Quantity	M	R	1/10				Numeric value of quantity.				Mandatory	LDT03	344	Unit of Time Period Code	M	ID	2/2				Code indicating the time period.							DA Calendar Days				Not Used	LDT04	373	Date	O	DT	6/6
REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES																																																																			
Mandatory	LDT01	345	Lead Time Code	M	ID	2/2																																																																
			Code indicating the time range.																																																																			
			AF From date of PO receipt to delivery.																																																																			
Mandatory	LDT02	380	Quantity	M	R	1/10																																																																
			Numeric value of quantity.																																																																			
Mandatory	LDT03	344	Unit of Time Period Code	M	ID	2/2																																																																
			Code indicating the time period.																																																																			
			DA Calendar Days																																																																			
Not Used	LDT04	373	Date	O	DT	6/6																																																																

860 • PURCHASE ORDER CHANGE
MEA • MEASUREMENTS

ANSI ASC X12 VERSION/RELEASE 003010DOD

Optional

Segment: **MEA Measurements**
Level: Header
Loop: _____
Usage: Optional
Max Use: 40
Purpose: To specify physical measurements, including dimensions, tolerances, weights and counts.
Syntax: 1. Either MEA03 or MEA05 or MEA06 or MEA08 is required.
2. If either MEA03, MEA05 or MEA06 is used, MEA04 is required.
3. If MEA07 is used MEA03 is required.
4. Either MEA08 or MEA03 may be used, but not both.
Comment: When citing dimensional tolerances, any measurement requiring a sign (+ or -), or any measurement where a positive (+) value cannot be assumed use MEA05 as the negative (-) value and MEA06 as the positive (+) value.

Implementation Notes:

1. This segment is used any time a measurement needs to be described for the entire order.
2. It is also used to describe any variation in quantity applicable at the order level.
3. Max use is 10.

Data Element Summary

REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES		
Optional	MEA01 737	Measurement Reference ID Code Code specifying the application of physical measurement cited.	O	ID	2/2
Implementation Note: Use code CT for variation in quantity; use any code as may be applicable, for describing other measurements.					
CT Counts					
Optional	MEA02 738	Measurement Qualifier Code identifying the type of measurement.	O	ID	1/3
Implementation Note: Use code PO for variation in quantity; other codes as applicable.					
PO Percent of Order					
Conditional	MEA03 739	Measurement Value The value of the measurement.	C	R	1/10
Conditional	MEA04 355	Unit of Measurement Code Code identifying the basic unit of measurement.	C	ID	2/2
Implementation Note: Use code P1 for variation in quantity; other codes as applicable.					
P1 Percent					
Conditional	MEA05 740	Range Minimum	C	R	1/10

DEPARTMENT OF DEFENSE
DRAFT IMPLEMENTATION CONVENTION

ANSI ASC X12 VERSION/RELEASE 003010DOD_

860 • PURCHASE ORDER CHANGE
MEA • MEASUREMENTS

	The value specifying the minimum of the measurement range.				
	<i>Implementation Note:</i> <i>Variation in quantity under.</i>				
Conditional	MEA06	741	Range Maximum	C R	1/10
	The value specifying the maximum of the measurement range.				
	<i>Implementation Note:</i> <i>Variation in quantity over.</i>				
Not Used	MEA07	935	Measurement Significance Code	O ID	2/2
Not Used	MEA08	936	Measurement Attribute Code	C ID	2/2
Not Used	MEA09	752	Surface/Layer/Position Code	O ID	2/2

860 • PURCHASE ORDER CHANGE
PWK • PAPERWORK

ANSI ASC X12 VERSION/RELEASE 003010DOD

Optional	Segment: PWK Paperwork																																																																																																																																															
	Level: Header																																																																																																																																															
	Loop: _____																																																																																																																																															
	Usage: Optional																																																																																																																																															
	Max Use: 25																																																																																																																																															
	Purpose: To specify the type and transmission of paperwork relating to a product, order or report.																																																																																																																																															
	Syntax: If either PWK05 or PWK06 is present, then the other is required.																																																																																																																																															
	Comments: 1. PWK05 and PWK06 may be used to identify the addressee by a code number.																																																																																																																																															
	2. PWK07 may be used to indicate special information to be shown on the specified report.																																																																																																																																															
	3. PWK08 may be used to indicate action pertaining to a report.																																																																																																																																															
Implementation Note:																																																																																																																																																
Use this segment to indicate what paperwork must be provided with the change order, as specified in other details relating to the change order, or with the delivery. See Block 13E and Block 14 and related attachments, SF 30.																																																																																																																																																
Data Element Summary																																																																																																																																																
<table><tr><th>REF. DES.</th><th>DATA ELEMENT</th><th>NAME</th><th colspan="4">ATTRIBUTES</th></tr><tr><td rowspan="2">Mandatory</td><td>PWK01</td><td>755</td><td>Report Type Code</td><td>M</td><td>ID</td><td>2/2</td></tr><tr><td colspan="6">Code indicating the title and/or contents of a document or report.</td></tr><tr><td colspan="7">Implementation Notes:</td></tr><tr><td colspan="7">1. Use code RA for change order forms that need to be returned to the issuing office. See Block 13E, SF 30.</td></tr><tr><td colspan="7">2. Use when additional information will have to accompany the shipment, will have to follow under separate cover, be provided electronically, or provided in some other specified manner.</td></tr><tr><td colspan="7">CP Certificate of Compliance (Material Certification)</td></tr><tr><td colspan="7">MR Material Inspection and Receiving Report</td></tr><tr><td colspan="7">MS Material Safety Data Sheet</td></tr><tr><td colspan="7">PD Proof of Delivery</td></tr><tr><td colspan="7">RA Revision Announcement</td></tr><tr><td colspan="7">SN Shipping Notice</td></tr><tr><td rowspan="2">Mandatory</td><td>PWK02</td><td>756</td><td>Report Transmission Code</td><td>M</td><td>ID</td><td>2/2</td></tr><tr><td colspan="6">Code defining timing and transmission method by which reports are to be sent.</td></tr><tr><td colspan="7">Implementation Note:</td></tr><tr><td colspan="7">While any code can be used, code EL is preferred when response can be made electronically, using one of the transaction sets specifically designed for the purpose, and made a part of the RFQ system. When code BM is used, all paperwork can be satisfied by forwarding the data by mail.</td></tr><tr><td colspan="7">BM By Mail</td></tr><tr><td colspan="7">EL Electronically Only</td></tr><tr><td colspan="7">WS With Shipment (With Package)</td></tr><tr><td>Optional</td><td>PWK03</td><td>757</td><td>Report Copies Needed</td><td>O</td><td>N0</td><td>1/2</td></tr></table>							REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES				Mandatory	PWK01	755	Report Type Code	M	ID	2/2	Code indicating the title and/or contents of a document or report.						Implementation Notes:							1. Use code RA for change order forms that need to be returned to the issuing office. See Block 13E, SF 30.							2. Use when additional information will have to accompany the shipment, will have to follow under separate cover, be provided electronically, or provided in some other specified manner.							CP Certificate of Compliance (Material Certification)							MR Material Inspection and Receiving Report							MS Material Safety Data Sheet							PD Proof of Delivery							RA Revision Announcement							SN Shipping Notice							Mandatory	PWK02	756	Report Transmission Code	M	ID	2/2	Code defining timing and transmission method by which reports are to be sent.						Implementation Note:							While any code can be used, code EL is preferred when response can be made electronically, using one of the transaction sets specifically designed for the purpose, and made a part of the RFQ system. When code BM is used, all paperwork can be satisfied by forwarding the data by mail.							BM By Mail							EL Electronically Only							WS With Shipment (With Package)							Optional	PWK03	757	Report Copies Needed	O	N0	1/2
REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES																																																																																																																																													
Mandatory	PWK01	755	Report Type Code	M	ID	2/2																																																																																																																																										
	Code indicating the title and/or contents of a document or report.																																																																																																																																															
Implementation Notes:																																																																																																																																																
1. Use code RA for change order forms that need to be returned to the issuing office. See Block 13E, SF 30.																																																																																																																																																
2. Use when additional information will have to accompany the shipment, will have to follow under separate cover, be provided electronically, or provided in some other specified manner.																																																																																																																																																
CP Certificate of Compliance (Material Certification)																																																																																																																																																
MR Material Inspection and Receiving Report																																																																																																																																																
MS Material Safety Data Sheet																																																																																																																																																
PD Proof of Delivery																																																																																																																																																
RA Revision Announcement																																																																																																																																																
SN Shipping Notice																																																																																																																																																
Mandatory	PWK02	756	Report Transmission Code	M	ID	2/2																																																																																																																																										
	Code defining timing and transmission method by which reports are to be sent.																																																																																																																																															
Implementation Note:																																																																																																																																																
While any code can be used, code EL is preferred when response can be made electronically, using one of the transaction sets specifically designed for the purpose, and made a part of the RFQ system. When code BM is used, all paperwork can be satisfied by forwarding the data by mail.																																																																																																																																																
BM By Mail																																																																																																																																																
EL Electronically Only																																																																																																																																																
WS With Shipment (With Package)																																																																																																																																																
Optional	PWK03	757	Report Copies Needed	O	N0	1/2																																																																																																																																										

DEPARTMENT OF DEFENSE
DRAFT IMPLEMENTATION CONVENTION

ANSI ASC X12 VERSION/RELEASE 003010DOD

860 • PURCHASE ORDER CHANGE
PWK • PAPERWORK

			The number of copies of a report that should be sent to the addressee.		
Not Used	PWK04	98	Entity Identifier Code	O ID	2/2
Not Used	PWK05	66	Identification Code Qualifier	C ID	1/2
Not Used	PWK06	67	Identification Code	C ID	2/17
Optional	PWK07	352	Description A free-form description to clarify the related data elements and their content.	O AN	1/80
Not Used	PWK08	704	Paperwork/Report Action Code	O ID	1/2

860 • PURCHASE ORDER CHANGE
PKG • MARKING, PACKAGING, LOADING

ANSI ASC X12 VERSION/RELEASE 003010DOD_

Optional

Segment: PKG Marking, Packaging, Loading

Level: Header

Loop: _____

Usage: Optional

Max Use: 200

Purpose: To describe marking, packaging, loading and unloading requirements.

Syntax: 1. If PKG04 is present, then PKG03 is required.

2. At least one of PKG04 or PKG05 must be present.

Comments: 1. Use MEA (Measurements) segment to define dimensions, tolerances weights, counts, physical restrictions, etc.

2. When PKG01 is "F", PKG04 is not used.

3. PKG01 relates only to PKG04 and PKG05.

4. Use PKG03 to indicate the organization that publishes the code list being referred to.

5. PKG04 should be used for industry-specific packaging description codes.

6. Special marking or tagging data can be given in PKG05 (Description).

Implementation Notes:

1. A table might be required to convert DoD to ASC X12 packaging codes.

2. See Block 19.

Data Element Summary

	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES		
Mandatory	PKG01	349	Item Description Type Code indicating the format of a description. F Free-form S Structured (From Industry Code List)	M	ID	1/1
Optional	PKG02	753	Packaging Characteristic Code Code specifying the marking, packaging, loading and related characteristics being described.	O	ID	1/5
Implementation Notes:						
1. Use any code.						
2. Use code 35 for Unitizing; code 36 for Pack/Preservation; code 37 for Packing.						
Conditional	PKG03	559	Association Qualifier Code Code identifying the association assigning the code values. DD Department of Defense	C	ID	2/2
Conditional	PKG04	754	Packaging Description Code A code from an industry code list which provides specific data about the marking, packaging or loading and unloading of a product.	C	ID	1/7

**DEPARTMENT OF DEFENSE
DRAFT IMPLEMENTATION CONVENTION**

ANSI ASC X12 VERSION/RELEASE 003010DOD_

**860 • PURCHASE ORDER CHANGE
PKG • MARKING, PACKAGING, LOADING**

Conditional

Implementation Note:

Use any code.

PKG05	352	Description
-------	-----	-------------

Description
A free-form description to clarify the related data elements and their content.

C AN 1/80

Implementation Note:

Use if any code, or string of codes is longer than can be carried in PKG04.

860 • PURCHASE ORDER CHANGE
MAN • MARKS AND NUMBERS

ANSI ASC X12 VERSION/RELEASE 003010DOD

Optional

Segment: **MAN** Marks and Numbers

Level: Header

Loop: _____

Usage: Optional

Max Use: 10

Purpose: To indicate identifying marks and numbers for shipping containers

Implementation Note:

Use this segment when the marks and numbers cannot be described as an address in the following N1 loop.

Data Element Summary

	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
Mandatory	MAN01	88	Marks and Numbers Qualifier Code specifying the application or source of Marks and Numbers (87). S Entire Shipment	M ID 1/2
Mandatory	MAN02	87	Marks and Numbers Marks and numbers used to identify a shipment or parts of a shipment.	M AN 1/45

Implementation Notes:

1. Use to carry additional Mark For data that cannot be carried in the N1-N4 segments.
2. See Block 19.

Optional

Segment: N9 Reference Number
Level: Header
Loop: N9 **Repeat:** 1000
Usage: Optional
Max Use: 1
Purpose: To transmit identifying numbers and descriptive information as specified by the reference number qualifier
Syntax: At least one of N902 or N903 must be present.

Data Element Summary

	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES		
Mandatory	N901	128	Reference Number Qualifier Code qualifying the Reference Number.	M	ID	2/2
Implementation Note: Use any code that helps clarify the order. May be part of Block 14 or related attachments for SF 30.						
Conditional	N902	127	Reference Number Reference number or identification number as defined for a particular Transaction Set, or as specified by the Reference Number Qualifier.	C	AN	1/30
Conditional	N903	369	Free-form Description Free-form descriptive text.	C	AN	1/45
Not Used	N904	373	Date	O	DT	6/6
Not Used	N905	337	Time	O	TM	4/4

860 • PURCHASE ORDER CHANGE
MSG • MESSAGE TEXT

ANSI ASC X12 VERSION/RELEASE 003010DOD

Optional

Segment: **MSG** Message Text

Level: Header

Loop: N9

Usage: Optional

Max Use: 1000

Purpose: To provide a free form format that would allow the transmission of text information.

Comment: MSG02 is not related to the specific characteristics of a printer, but identifies top of page, advance a line, etc.

Implementation Note:

Used for information that may be part of Block 14, or related attachments for SF 30.

Data Element Summary

Mandatory

REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES		
MSG01	933	Free-Form Message Text Free-form message text.	M	AN	1/264

Optional

MSG02	934	Printer Carriage Control Code A field to be used for the control of the line feed of the receiving printer.	O	ID	2/2
-------	-----	--	---	----	-----

Optional

Segment: N1 Name

Level: Header

Loop: N1 **Repeat:** 200

Usage: Optional

Max Use: 1

Purpose: To identify a party by type of organization, name and code

Syntax: 1. At least one of N102 or N103 must be present.

2. If either N103 or N104 is present, then the other is required.

Comment: This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.

Implementation Note:

Whenever possible, addresses should be described using N101, N103, and N104. Use the long-line address (N102) only when necessary.

Data Element Summary

Mandatory

REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
N101	98	Entity Identifier Code	M ID 2/2
		Code identifying an organizational entity or a physical location.	

Implementation Notes:

1. Use code BY for Issued By, Block 6, SF 30; use code OI for Administered by, Block 7; use codes SE, SU, VN, or ZZ for contractor, Block 8; use code PR for paying office; use code BT for mail invoice to; use code ST for ship to; use code SW if there is a separate location for packaging; use code UC to represent a Mark For, if an address (otherwise, use the MAN segment). Use code MP when facility (Block 8) is different from the address given for the contractor. Do not send a facility code if it is the same code as that sent for the contractor. In a second iteration of the N1 loop, use code PL if the party to receive the order is other than the listed contractor (e.g., an agent).

2. Use code SE when selling party is a large business, code ZZ when a small business; code SU when small disadvantaged; code VN when woman-owned; and code DA when services are ordered, to indicate the site where they are performed at.

BT Party to be Billed For Other Than Freight(Bill To)

BY Buying Party (Purchaser)

DA Delivery Address

MP Manufacturing Plant

OI Outside Inspection Agency

PL Party to Receive Purchase Order

PR Payer

SE Selling Party

ST Ship To

SU Supplier/Manufacturer

SW Sealing Company

UC Ultimate Consignee

VN Vendor

860 • PURCHASE ORDER CHANGE
N1 • NAME

ANSI ASC X12 VERSION/RELEASE 003010DOD

		ZZ Mutually Defined			
Conditional	N102	93	Name Free-form name.	C AN	1/35
Conditional	N103	66	Identification Code Qualifier Code designating the system/method of code structure used for Identification Code (67).	C ID	1/2
Implementation Notes: 1. When N101 is code BT, BY, OI, or PR, use code 10. When N101 is code MP, SE, SU, VN, PL, or ZZ, use code 33 if a valid CAGE codes has been assigned, or code ZZ if a temporary CAGE code has been assigned. When N101 is code DA, ST or UC, code 10, code 33, or code ZZ can be used. Code 10 would be used if the Mark For is a DoD address with a DoDAAC. If the Mark For is a contractor, codes 33 or ZZ are used when a CAGE or temporary CAGE code has been assigned. In all other cases, the long-line address must be given (e.g., using N102, etc.). When code BY is used, it will be understood that code 10 is this application refers to the DFASRS Appendix G (formerly Appendix N) code. When N101 is code SW, use code 33, ZZ, or the long line address. 2. Use code ZZ for a temporary CAGE code when the permanent one is not yet assigned. 10 Department of Defense Activity Address Code (DODAAC) 33 Commercial and Government Entity (CAGE) ZZ Mutually Defined					
Conditional	N104	67	Identification Code Code identifying a party.	C ID	2/17

Optional

Segment: N2 Additional Name Information

Level: Header

Loop: N1

Usage: Optional

Max Use: 2

Purpose: To specify additional names or those longer than 35 characters in length

Data Element Summary

Mandatory

REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES		
N201	93	Name Free-form name.	M	AN	1/35

Optional

N202	93	Name Free-form name.	O	AN	1/35
------	----	-------------------------	---	----	------

860 - PURCHASE ORDER CHANGE
N3 - ADDRESS INFORMATION

ANSI ASC X12 VERSION/RELEASE 003010DOD

Optional

Segment: N3 Address Information
Level: Header
Loop: N1
Usage: Optional
Max Use: 2
Purpose: To specify the location of the named party

Data Element Summary

	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES		
Mandatory	N301	166	Address Information Address information	M	AN	1/35
Optional	N302	166	Address Information Address information	O	AN	1/35

Optional	Segment: N4 Geographic Location	
	Level: Header Loop: N1 Usage: Optional Max Use: 1 Purpose: To specify the geographic place of the named party Syntax: 1. At least one of N401 or N405 must be present. 2. If N401 is present, then N402 is required. 3. If either N405 or N406 is present, then the other is required. Comments: 1. A combination of either N401 through N404 (or N405 and N406) may be adequate to specify a location. 2. N402 is required only if city name (N401) is in the USA or Canada.	

Data Element Summary

	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES		
Conditional	N401	19	City Name Free-form text for city name.	C	AN	2/19
Conditional	N402	156	State or Province Code Code (Standard State/Province) defined by appropriate governmental agencies.	C	ID	2/2
Implementation Note: Use any code.						
Optional	N403	116	Postal Code Code defining international postal zone code excluding punctuation and blanks (zip code for United States).	O	ID	4/9
Implementation Note: Use only when the party's address has no zip code but may have another type of postal code (e.g., in a foreign country).						
Optional	N404	26	Country Code Code identifying the country.	O	ID	2/2
Implementation Note: A translation table will be required to convert those standard codes used by ANSI ASC X12 to those used by the DoD, as contained in DoD 5000.12-M.						
Not Used	N405	309	Location Qualifier	O	ID	1/2
Not Used	N406	310	Location Identifier	C	AN	1/25

860 • PURCHASE ORDER CHANGE
REF • REFERENCE NUMBERS

ANSI ASC X12 VERSION/RELEASE 003010DOD

Optional	Segment: REF Reference Numbers			
	Level: Header			
	Loop: N1			
	Usage: Optional			
	Max Use: 12			
Mandatory	Purpose: To specify identifying numbers.			
	Syntax: Either REF02 or REF03 is required.			
	Data Element Summary			
	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
	REF01	128	Reference Number Qualifier Code qualifying the Reference Number.	M ID 2/2
Conditional	Implementation Note:			
	<i>Use code IT for the buyer's office symbol; code DS for the criticality designator.</i>			
	DS Defense Priorities Allocation System (DPAS) Priority Rating			
	IT Internal Customer Number			
	REF02	127	Reference Number Reference number or identification number as defined for a particular Transaction Set, or as specified by the Reference Number Qualifier.	C AN 1/30
Conditional	REF03	352	Description A free-form description to clarify the related data elements and their content.	C AN 1/80

Segment: PER Administrative Communications Contact

Level: Header

Loop: N1

Optional **Usage:** Optional

Max Use: 3

Purpose: To identify a person or office to whom administrative communications should be directed

Syntax: If PER03 is present, then PER04 is required.

Data Element Summary

	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
Mandatory	PER01	366	Contact Function Code Code identifying the major duty or responsibility of the person or group named.	M ID 2/2
Implementation Notes:				
1. Use code AC for the administered by reference. See Block 7, SF 30.				
2. Use code BD for the name of the Contracting Officer. See Block 16A, Form 30.				
3. Use code IO for the issued by office. See Block 6, SF 30.				
4. Use codes HM or TA where applicable. Use code OC for the buyer.				
5. Use code IC to identify the point of contact in Block 14, SF 30.				
AC Administrative Contracting Officer				
BD Buyer Name or Department				
HM Hazardous Material Contact				
IC Information Contact				
IO Issuing Officer				
OC Order Contact				
TA Traffic Administrator				
Optional	PER02	93	Name Free-form name.	O AN 1/35
Optional	PER03	365	Communication Number Qualifier Code identifying the type of communication number.	O ID 2/2
Implementation Note:				
Use any code, although code EM is preferred.				
EM Electronic Mail				
FX Facsimile				
TE Telephone				
Conditional	PER04	364	Communication Number Complete communications number including country or area code when applicable.	C AN 7/21

860 • PURCHASE ORDER CHANGE
POC • LINE ITEM CHANGE

ANSI ASC X12 VERSION/RELEASE 003010DOD

Optional

Segment: POC Line Item Change

Level: Detail

Loop: POC **Repeat:** 10000

Usage: Optional

Max Use: 1

Purpose: To specify changes to a line item

Syntax: 1. If POC03 is present, then POC04, and POC05 must be present.

2. If POC07 is present, then POC06 is required.

3. If POC08 is present, then POC09 is required.

4. If POC10 is present, then POC11 is required.

5. If POC12 is present, then POC13 is required.

6. If POC14 is present, then POC15 is required.

7. If POC16 is present, then POC17 is required.

8. If POC18 is present, then POC19 is required.

9. If POC20 is present, then POC21 is required.

10. If POC22 is present, then POC23 is required.

11. If POC24 is present, then POC25 is required.

12. If POC26 is present, then POC27 is required.

Comment: POC01 is the purchase order line item identification.

Implementation Note:

Use this segment and other applicable segments in the detail section to indicate only the items that have changed. This is normally part of Block 14 and related attachments for the SF 30.

Data Element Summary

Optional

REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
POC01	350	Assigned Identification Alphanumeric characters assigned for differentiation within a transaction set.	O AN 1/6

Implementation Note:

The line item number (or counter) assigned by the buying activity.

Mandatory

POC02	670	Change or Response Type Code Code specifying the type of change to the line item.	M ID 2/2
-------	-----	---	----------

Implementation Note:

Any applicable code may be used. Some of the more common ones are AI for add additional items; CA for changes to line items; CD for change of dates; DI for deleting items; PC for price change; QD for quantity decrease; QI for quantity increase; RE for replacement item; or RS for reschedule.

- AI Add Additional Item(s)
- CA Changes To Line Items
- DI Delete Item(s)
- PC Price Change
- QD Quantity Decrease

DEPARTMENT OF DEFENSE
DRAFT IMPLEMENTATION CONVENTION

ANSI ASC X12 VERSION/RELEASE 003010DOD_

860 - PURCHASE ORDER CHANGE
POC - LINE ITEM CHANGE

			QI Quantity Increase RE Replacement Item RS Reschedule			
Optional	POC03	330	Quantity Ordered Quantity ordered.	O	R	1/9
Conditional	POC04	671	Quantity Left to Receive Quantity left to receive as qualified by the unit of measure.	C	R	1/9
Conditional	POC05	355	Unit of Measurement Code Code identifying the basic unit of measurement.	C	ID	2/2
Implementation Note: <i>DoD uses DoD Manual 5000.12M for unit of measurement code. Translation of some codes may be required.</i>						
Conditional	POC06	212	Unit Price Price per unit of product, service, commodity, etc.	C	R	1/14
Optional	POC07	639	Basis of Unit Price Code Code identifying the type of unit price for an item.	O	ID	2/2
Implementation Note: <i>Any applicable code may be used. Some of the more common codes are CT for an order placed against a priced contract, ES when the price is estimated, and QT when the price is based on a quote.</i>						
			CT Contract ES Estimated QT Quoted			
Optional	POC08	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234).	O	ID	2/2
Implementation Notes: 1. Use any code. Selected codes should be the same as those used in the original purchase order. The original purchase order may use information from the original RFQ or provided in the quote. 2. Code IN is the line item number from the RFQ; when used, code VN is the seller's line item number for the quote. 3. When code PD or SV is used, insert the noun or verb description in a Product/Service ID data element (for example, POC09).						
			FS National Stock Number FT Federal Stock Classification IN Buyer's Item Number MG Manufacturer's Part Number PD Part Number Description PG Packaging Specification Number SI Standard Industrial Classification Code SV Service Rendered SW Stock Number VN Vendor's (Seller's) Item Number VP Vendor's (Seller's) Part Number			
Conditional	POC09	234	Product/Service ID Identifying number for a product or service.	C	AN	1/30

860 - PURCHASE ORDER CHANGE
POC - LINE ITEM CHANGE

ANSI ASC X12 VERSION/RELEASE 003010DOD

Optional	POC10	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234).	O	ID	2/2
Implementation Note: Use POC10 through POC27 in pairs (e.g. POC10 and POC11) as required, to carry additional information regarding the product or service.						
Conditional	POC11	234	Product/Service ID Identifying number for a product or service.	C	AN	1/30
Optional	POC12	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234).	O	ID	2/2
Conditional	POC13	234	Product/Service ID Identifying number for a product or service.	C	AN	1/30
Optional	POC14	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234).	O	ID	2/2
Conditional	POC15	234	Product/Service ID Identifying number for a product or service.	C	AN	1/30
Optional	POC16	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234).	O	ID	2/2
Conditional	POC17	234	Product/Service ID Identifying number for a product or service.	C	AN	1/30
Optional	POC18	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234).	O	ID	2/2
Conditional	POC19	234	Product/Service ID Identifying number for a product or service.	C	AN	1/30
Optional	POC20	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234).	O	ID	2/2
Conditional	POC21	234	Product/Service ID Identifying number for a product or service.	C	AN	1/30
Optional	POC22	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234).	O	ID	2/2
Conditional	POC23	234	Product/Service ID Identifying number for a product or service.	C	AN	1/30
Optional	POC24	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234).	O	ID	2/2
Conditional	POC25	234	Product/Service ID	C	AN	1/30

DEPARTMENT OF DEFENSE
DRAFT IMPLEMENTATION CONVENTION

ANSI ASC X12 VERSION/RELEASE 003010DOD_

860 • PURCHASE ORDER CHANGE
POC • LINE ITEM CHANGE

			Identifying number for a product or service.			
Optional	POC26	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234).	O	ID	2/2
Conditional	POC27	234	Product/Service ID Identifying number for a product or service.	C	AN	1/30

860 • PURCHASE ORDER CHANGE
CTP • PRICING INFORMATION

ANSI ASC X12 VERSION/RELEASE 003010DOD

Optional

Segment: CTP Pricing Information

Level: Detail

Loop: POC

Usage: Optional

Max Use: 25

Purpose: To specify pricing information

Syntax: 1. If CTP02 is present, then CTP03 is required.

2. If CTP04 is present, then CTP05 is required.

3. If CTP06 is present, then CTP07 is required.

Comments: 1. Example of use of CTP03 and CTP04.

PRICE QUANTITY RANGE

1.00 0 to 999

0.75 1000 to 4999

0.50 5000 to 9999

0.25 10000 and above

CTP03 CTP04

1.00 0

0.75 1000

0.50 5000

0.25 10000

2. Example of use of CTP03, CTP04 and CTP07.

CTP03 CTP04 CTP07

1.00 0 0.90

0.75 1000 0.90

0.50 5000 0.90

0.25 10000 0.90

3. CTP07 is a multiplier factor to arrive at a final discounted price. A multiplier of 90 would be the factor if a 10% discount is given.

Implementation Note:

Use this segment to transmit original and revised unit prices for the applicable line items.

Data Element Summary

Not Used

Optional

REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
CTP01	687	Class of Trade Code	O ID 2/2
CTP02	236	Price Qualifier Code identifying pricing specification.	O ID 3/3

Implementation Note:

Use code UCP to indicate the original unit price and use code EUP to indicate the revised unit price. No entry is required if the unit price remains.

EUP Expected Unit Price

DEPARTMENT OF DEFENSE
DRAFT IMPLEMENTATION CONVENTION

ANSI ASC X12 VERSION/RELEASE 003010DOD

860 • PURCHASE ORDER CHANGE
CTP • PRICING INFORMATION

			UCP Unit cost price			
Conditional	CTP03	212	Unit Price Price per unit of product, service, commodity, etc.	C	R	1/14
Optional	CTP04	380	Quantity Numeric value of quantity.	O	R	1/10
Conditional	CTP05	355	Unit of Measurement Code Code identifying the basic unit of measurement.	C	ID	2/2
Optional	CTP06	648	Price Multiplier Qualifier Code indicating the type of price multiplier.	O	ID	3/3
Conditional	CTP07	649	Multiplier Value, identified by price multiplier qualifier, to be used to multiply price to obtain a new value.	C	R	1/10

860 • PURCHASE ORDER CHANGE
MEA • MEASUREMENTS

ANSI ASC X12 VERSION/RELEASE 003010DOD

Optional

Segment: MEA Measurements

Level: Detail

Loop: POC

Usage: Optional

Max Use: 40

Purpose: To specify physical measurements, including dimensions, tolerances, weights and counts.

- Syntax:**
1. Either MEA03 or MEA05 or MEA06 or MEA08 is required.
 2. If either MEA03, MEA05 or MEA06 is used, MEA04 is required.
 3. If MEA07 is used MEA03 is required.
 4. Either MEA08 or MEA03 may be used, but not both.

Comment: When citing dimensional tolerances, any measurement requiring a sign (+ or -), or any measurement where a positive (+) value cannot be assumed use MEA05 as the negative (-) value and MEA06 as the positive (+) value.

Implementation Notes:

1. This segment can be used any time a measurement needs to be described for an item in the change order.
2. It is also used to describe any variation in quantity applicable at the line item level.
3. Max use is 10.

Data Element Summary

REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES		
Optional	MEA01	737 Measurement Reference ID Code Code specifying the application of physical measurement cited.	O	ID	2/2
Implementation Note: Use code CT for variation in quantity; use any code that may applicable for describing other measurements.					
CT Counts					
Optional	MEA02	738 Measurement Qualifier Code identifying the type of measurement.	O	ID	1/3
Implementation Note: Use code PO for variation in quantity; other codes may be used as applicable.					
PO Percent of Order					
Conditional	MEA03	739 Measurement Value The value of the measurement.	C	R	1/10
Conditional	MEA04	355 Unit of Measurement Code Code identifying the basic unit of measurement.	C	ID	2/2
Implementation Note: Use code P1 for variation in quantity; other codes may be used as applicable.					
P1 Percent					
Conditional	MEA05	740 Range Minimum	C	R	1/10

ANSI ASC X12 VERSION/RELEASE 003010DOD_

The value specifying the minimum of the measurement range.

Implementation Note:

Variation in quantity under.

Conditional	MEA06 741 Range Maximum	C R 1/10
	The value specifying the maximum of the measurement range.	

Implementation Note:

Variation in quantity over.

Not Used	MEA07 935 Measurement Significance Code	O ID 2/2
Not Used	MEA08 936 Measurement Attribute Code	C ID 2/2
Not Used	MEA09 752 Surface/Layer/Position Code	O ID 2/2

860 • PURCHASE ORDER CHANGE
PID • PRODUCT/ITEM DESCRIPTION

ANSI ASC X12 VERSION/RELEASE 003010DOD

Optional	Segment: PID Product/Item Description				
	Level: Detail				
	Loop: PID Repeat: 1000				
	Usage: Optional				
	Max Use: 1				
	Purpose: To describe a product or process in coded or free-form format				
	Syntax: 1. If PID04 is present, then PID03 is required.				
	2. At least one of PID04 or PID05 must be present.				
	Comments: 1. When PID01 is "F", PID04 is not used.				
	2. Use PID03 to indicate the organization that publishes the code list being referred to.				
	3. PID04 should be used for industry-specific product description codes.				
	4. Use PID06 when necessary to refer to the product surface or layer being described in the segment.				

Data Element Summary

	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES		
Mandatory	PID01	349	Item Description Type	M	ID	1/1
			Code indicating the format of a description.			
			F Free-form			
Not Used	PID02	750	Product/Process Characteristic Code	O	ID	2/3
Not Used	PID03	559	Association Qualifier Code	C	ID	2/2
Not Used	PID04	751	Product Description Code	C	ID	1/12
Conditional	PID05	352	Description	C	AN	1/80
			A free-form description to clarify the related data elements and their content.			
Implementation Note:						
<i>When a POC08 qualifier uses code SV or PD, PID05 can carry an additional free-form description of the contracted services, if necessary. It may also be used for an explanation of a contract condition instead of an NTE segment.</i>						
Not Used	PID06	752	Surface/Layer/Position Code	O	ID	2/2

ANSI ASC X12 VERSION/RELEASE 003010DOD

Optional

Segment: MEA Measurements

Level: Detail

Loop: PID

Usage: Optional

Max Use: 10

Purpose: To specify physical measurements, including dimensions, tolerances, weights and counts.

Syntax:

1. Either MEA03 or MEA05 or MEA06 or MEA08 is required.
2. If either MEA03, MEA05 or MEA06 is used, MEA04 is required.
3. If MEA07 is used MEA03 is required.
4. Either MEA08 or MEA03 may be used, but not both.

Comment: When citing dimensional tolerances, any measurement requiring a sign (+ or -), or any measurement where a positive (+) value cannot be assumed use MEA05 as the negative (-) value and MEA06 as the positive (+) value.

Implementation Note:

This segment can be used any time a measurement needs to be described in the preceding PID segment.

Data Element Summary

	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES		
Optional	MEA01	737	Measurement Reference ID Code Code specifying the application of physical measurement cited.	O	ID	2/2
	Implementation Note: <i>Use any code.</i>					
Optional	MEA02	738	Measurement Qualifier Code identifying the type of measurement.	O	ID	1/3
	Implementation Note: <i>Use any code.</i>					
Conditional	MEA03	739	Measurement Value The value of the measurement.	C	R	1/10
Conditional	MEA04	355	Unit of Measurement Code Code identifying the basic unit of measurement.	C	ID	2/2
	Implementation Note: <i>Use any code.</i>					
Not Used	MEA05	740	Range Minimum	C	R	1/10
Not Used	MEA06	741	Range Maximum	C	R	1/10
Not Used	MEA07	935	Measurement Significance Code	O	ID	2/2
Not Used	MEA08	936	Measurement Attribute Code	C	ID	2/2
Not Used	MEA09	752	Surface/Layer/Position Code	O	ID	2/2

860 • PURCHASE ORDER CHANGE
PWK • PAPERWORK

ANSI ASC X12 VERSION/RELEASE 003010DOD

Optional	Segment: PWK Paperwork																																																																																																																																						
	Level: Detail																																																																																																																																						
	Loop: POC																																																																																																																																						
	Usage: Optional																																																																																																																																						
	Max Use: 25																																																																																																																																						
	Purpose: To specify the type and transmission of paperwork relating to a product, order or report.																																																																																																																																						
	Syntax: If either PWK05 or PWK06 is present, then the other is required.																																																																																																																																						
	Comments: 1. PWK05 and PWK06 may be used to identify the addressee by a code number.																																																																																																																																						
	2. PWK07 may be used to indicate special information to be shown on the specified report.																																																																																																																																						
	3. PWK08 may be used to indicate action pertaining to a report.																																																																																																																																						
Implementation Note:																																																																																																																																							
<i>Use this segment to indicate what paperwork must be provided with the delivery if it has changed from the original order or as specified in the change order.</i>																																																																																																																																							
Data Element Summary																																																																																																																																							
<table><tr><th>REF. DES.</th><th>DATA ELEMENT</th><th>NAME</th><th colspan="3">ATTRIBUTES</th></tr><tr><td rowspan="2">Mandatory</td><td>PWK01</td><td>755</td><td>Report Type Code</td><td>M</td><td>ID</td><td>2/2</td></tr><tr><td colspan="5">Code indicating the title and/or contents of a document or report.</td></tr><tr><td colspan="6">Implementation Note:</td></tr><tr><td colspan="6"><i>Use when additional information will have to accompany the shipment, will have to follow under separate cover, be provided electronically, or provided in some other specified manner.</i></td></tr><tr><td colspan="6">CP Certificate of Compliance (Material Certification)</td></tr><tr><td colspan="6">MR Material Inspection and Receiving Report</td></tr><tr><td colspan="6">MS Material Safety Data Sheet</td></tr><tr><td colspan="6">PD Proof of Delivery</td></tr><tr><td colspan="6">SN Shipping Notice</td></tr><tr><td rowspan="2">Mandatory</td><td>PWK02</td><td>756</td><td>Report Transmission Code</td><td>M</td><td>ID</td><td>2/2</td></tr><tr><td colspan="5">Code defining timing and transmission method by which reports are to be sent.</td></tr><tr><td colspan="6">Implementation Note:</td></tr><tr><td colspan="6"><i>While any code can be used, code EL is preferred when the response can be made electronically, using one of the transaction sets specifically designed for the purpose, and made a part of the system. When code BM is used, all paperwork can be satisfied by forwarding the data by mail.</i></td></tr><tr><td colspan="6">BM By Mail</td></tr><tr><td colspan="6">EL Electronically Only</td></tr><tr><td colspan="6">WS With Shipment (With Package)</td></tr><tr><td>Optional</td><td>PWK03</td><td>757</td><td>Report Copies Needed</td><td>O</td><td>NO</td><td>1/2</td></tr><tr><td colspan="3"></td><td colspan="4">The number of copies of a report that should be sent to the addressee.</td></tr><tr><td>Not Used</td><td>PWK04</td><td>98</td><td>Entity Identifier Code</td><td>O</td><td>ID</td><td>2/2</td></tr><tr><td>Not Used</td><td>PWK05</td><td>66</td><td>Identification Code Qualifier</td><td>C</td><td>ID</td><td>1/2</td></tr></table>						REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES			Mandatory	PWK01	755	Report Type Code	M	ID	2/2	Code indicating the title and/or contents of a document or report.					Implementation Note:						<i>Use when additional information will have to accompany the shipment, will have to follow under separate cover, be provided electronically, or provided in some other specified manner.</i>						CP Certificate of Compliance (Material Certification)						MR Material Inspection and Receiving Report						MS Material Safety Data Sheet						PD Proof of Delivery						SN Shipping Notice						Mandatory	PWK02	756	Report Transmission Code	M	ID	2/2	Code defining timing and transmission method by which reports are to be sent.					Implementation Note:						<i>While any code can be used, code EL is preferred when the response can be made electronically, using one of the transaction sets specifically designed for the purpose, and made a part of the system. When code BM is used, all paperwork can be satisfied by forwarding the data by mail.</i>						BM By Mail						EL Electronically Only						WS With Shipment (With Package)						Optional	PWK03	757	Report Copies Needed	O	NO	1/2				The number of copies of a report that should be sent to the addressee.				Not Used	PWK04	98	Entity Identifier Code	O	ID	2/2	Not Used	PWK05	66	Identification Code Qualifier	C	ID	1/2
REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES																																																																																																																																				
Mandatory	PWK01	755	Report Type Code	M	ID	2/2																																																																																																																																	
	Code indicating the title and/or contents of a document or report.																																																																																																																																						
Implementation Note:																																																																																																																																							
<i>Use when additional information will have to accompany the shipment, will have to follow under separate cover, be provided electronically, or provided in some other specified manner.</i>																																																																																																																																							
CP Certificate of Compliance (Material Certification)																																																																																																																																							
MR Material Inspection and Receiving Report																																																																																																																																							
MS Material Safety Data Sheet																																																																																																																																							
PD Proof of Delivery																																																																																																																																							
SN Shipping Notice																																																																																																																																							
Mandatory	PWK02	756	Report Transmission Code	M	ID	2/2																																																																																																																																	
	Code defining timing and transmission method by which reports are to be sent.																																																																																																																																						
Implementation Note:																																																																																																																																							
<i>While any code can be used, code EL is preferred when the response can be made electronically, using one of the transaction sets specifically designed for the purpose, and made a part of the system. When code BM is used, all paperwork can be satisfied by forwarding the data by mail.</i>																																																																																																																																							
BM By Mail																																																																																																																																							
EL Electronically Only																																																																																																																																							
WS With Shipment (With Package)																																																																																																																																							
Optional	PWK03	757	Report Copies Needed	O	NO	1/2																																																																																																																																	
			The number of copies of a report that should be sent to the addressee.																																																																																																																																				
Not Used	PWK04	98	Entity Identifier Code	O	ID	2/2																																																																																																																																	
Not Used	PWK05	66	Identification Code Qualifier	C	ID	1/2																																																																																																																																	

DEPARTMENT OF DEFENSE
DRAFT IMPLEMENTATION CONVENTION

ANSI ASC X12 VERSION/RELEASE 003010DOD_

860 - PURCHASE ORDER CHANGE
PWK - PAPERWORK

Not Used	PWK06	67	Identification Code	C	ID	2/17
Optional	PWK07	352	Description A free-form description to clarify the related data elements and their content.	O	AN	1/80
Not Used	PWK08	704	Paperwork/Report Action Code	O	ID	1/2

860 - PURCHASE ORDER CHANGE
PKG - MARKING, PACKAGING, LOADING

ANSI ASC X12 VERSION/RELEASE 003010DOD

Optional

Segment: PKG Marking, Packaging, Loading

Level: Detail

Loop: POC

Usage: Optional

Max Use: 200

Purpose: To describe marking, packaging, loading and unloading requirements.

Syntax: 1. If PKG04 is present, then PKG03 is required.

2. At least one of PKG04 or PKG05 must be present.

Comments: 1. Use MEA (Measurements) segment to define dimensions, tolerances weights, counts, physical restrictions, etc.

2. When PKG01 is "F", PKG04 is not used.

3. PKG01 relates only to PKG04 and PKG05.

4. Use PKG03 to indicate the organization that publishes the code list being referred to.

5. PKG04 should be used for industry-specific packaging description codes.

6. Special marking or tagging data can be given in PKG05 (Description).

Implementation Note:

A table might be required to convert DoD packing codes to ANSI ASC X12 packaging codes.

Data Element Summary

Mandatory

REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
PKG01	349	Item Description Type Code indicating the format of a description. F Free-form S Structured (From Industry Code List)	M ID 1/1

Optional

PKG02	753	Packaging Characteristic Code Code specifying the marking, packaging, loading and related characteristics being described.	O ID 1/5
-------	-----	--	----------

Implementation Note:

Use any code. Use code 35 for unitizing; code 36 for pack/pres; and code 37 for packing.

35 Type of Package

36 Package Specifications

37 Package Protection

Conditional

PKG03	559	Association Qualifier Code Code identifying the association assigning the code values. DD Department of Defense	C ID 2/2
-------	-----	--	----------

Conditional

PKG04	754	Packaging Description Code A code from an industry code list which provides specific data about the marking, packaging or loading and unloading of a product.	C ID 1/7
-------	-----	---	----------

Conditional

Implementation Note:

Use any code.

PKG05 352 Description

C AN 1/80

A free-form description to clarify the related data elements and their content.

Implementation Note:

Use if any code, or string of codes, is longer than can be carried in PKG04.

860 • PURCHASE ORDER CHANGE
PO4 • ITEM PHYSICAL DETAILS

ANSI ASC X12 VERSION/RELEASE 003010DOD

Optional	Segment: PO4 Item Physical Details	
	Level: Detail	
	Loop: POC	
	Usage: Optional	
	Max Use: 1	
	Purpose: To specify the physical qualities, packaging, weights and dimensions relating to the item.	
	Syntax: 1. If PO402 is present, then PO403 is required.	
	2. If PO405 is present, then at least one of PO406 or PO407 is required.	
	3. If PO408 is present, then PO409 is required.	
	4. If PO413 is present, then at least one of PO410, PO411 or PO412 is required.	
	Comments: 1. PO403 - The "Unit of Measure Code" (Element #355) in this segment position is for purposes of defining the pack (PO401) /size (PO402) measure which indicates the quantity in the inner pack unit. Example: If the carton contains 24 12-Ounce packages, it would be described as follows: Element 356 = 24; Element 357 = 12; Element 355 = OZ.	
	2. PO410 defines the unit of measure for PO408, PO409, and PO410.	

Data Element Summary

	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES		
Optional	PO401	356	Pack Number of inner pack units per outer pack unit.	O	N0	1/6
Optional	PO402	357	Size Size of supplier units in pack.	O	R	1/8
Conditional	PO403	355	Unit of Measurement Code Code identifying the basic unit of measurement.	C	ID	2/2
Implementation Notes:						
1. Use any code.						
2. Translation may be required.						
Optional	PO404	103	Packaging Code Code identifying the type of packaging. Part 1. Packaging form. Part 2. Packaging Material.	O	ID	5/5
Implementation Note: These are ANSI ASC X12 codes. A translation table will be required to convert them to DoD codes where the DoD codes are different from the ANSI ASC X12 codes.						
Optional	PO405	187	Weight Qualifier Code defining the type of weight.	O	ID	1/2
Implementation Note: Use any code.						
Conditional	PO406	384	Gross Weight per Pack	C	R	1/9

			Numeric value of gross weight per pack.			
Conditional	PO407	355	Unit of Measurement Code Code identifying the basic unit of measurement.	C	ID	2/2
			Implementation Notes: 1. Use any code. 2. See note with PO403.			
Optional	PO408	385	Gross Volume per Pack Numeric value of gross volume per pack.	O	R	1/9
Conditional	PO409	355	Unit of Measurement Code Code identifying the basic unit of measurement.	C	ID	2/2
			Implementation Notes: 1. Use any code. 2. See note with PO403.			
Optional	PO410	82	Length Largest horizontal dimension of an object measured when the object is in the upright position.	O	R	1/8
Optional	PO411	189	Width Shorter measurement of the two horizontal dimensions measured with the object in the upright position.	O	R	1/8
Optional	PO412	65	Height Vertical dimension of an object measured when the object is in the upright position.	O	R	1/8
Conditional	PO413	355	Unit of Measurement Code Code identifying the basic unit of measurement.	C	ID	2/2
			Implementation Notes: 1. Use any code. 2. See note with PO403.			

860 • PURCHASE ORDER CHANGE
REF • REFERENCE NUMBERS

ANSI ASC X12 VERSION/RELEASE 003010DOD

Optional	Segment: REF Reference Numbers			
	Level: Detail			
	Loop: POC			
	Usage: Optional			
	Max Use: 12			
	Purpose: To specify identifying numbers.			
Mandatory	Syntax: Either REF02 or REF03 is required.			
	Data Element Summary			
	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
	REF01	128	Reference Number Qualifier	M ID 2/2
	Code qualifying the Reference Number.			
	Implementation Note: Use any applicable code for the line item level, e.g., qualifier codes RQ or IL when the requisition or purchase request are different at the line item level. Use code AX for the ACRN; use code DX for the RFQ number; use code IX for the RFQ line item number; and use code PR for the price quote number.			
Conditional	REF02	127	Reference Number	C AN 1/30
	Reference number or identification number as defined for a particular Transaction Set, or as specified by the Reference Number Qualifier.			
Conditional	REF03	352	Description	C AN 1/80
	A free-form description to clarify the related data elements and their content.			

Optional	Segment: FOB F.O.B. Related Instructions				
	Level: Detail				
	Loop: POC				
	Usage: Optional				
	Max Use: 1				
	Purpose: To specify transportation instructions relating to shipment				
	Syntax: 1. If FOB03 is present, then FOB02 is required.				
	2. If FOB04 is present, then FOB05 is required.				
	3. If FOB07 is present, then FOB06 is required.				
	4. If FOB08 is present, then FOB09 is required.				
Mandatory	Comments: 1. FOB01 indicates which party will pay the carrier.				
	2. FOB02 is the code specifying transportation responsibility location.				
	3. FOB06 is the code specifying title passage location.				
	4. FOB08 is the code specifying the point at which the risk of loss transfers. This may be different than the location specified in FOB02/FOB03 and FOB06/FOB07.				
	Implementation Note:				
	<i>Use this FOB segment when FOB applies to the line item level or acceptance applies at the line item level.</i>				
	Data Element Summary				
	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES	
	FOB01	146	Shipment Method of Payment	M	ID 2/2
Conditional	Code identifying payment terms for transportation charges.				
	DF Defined by Buyer and Seller				
	FOB02	309	Location Qualifier	C	ID 1/2
	Code identifying type of location.				
	Implementation Note:				
	<i>Use code ZZ when the FOB point is other than destination or origin.</i>				
	DE Destination (Shipping)				
	OR Origin (Shipping Point)				
	ZZ Mutually Defined				
	FOB03	352	Description	O	AN 1/80
Optional	A free-form description to clarify the related data elements and their content.				
	Implementation Note:				
	<i>Use FOB03 to carry the location of the other site when the FOB02 code is ZZ.</i>				
	FOB04	334	Transportation Terms Qualifier Code	O	ID 2/2
	FOB05	335	Transportation Terms Code	C	ID 3/3
	FOB06	309	Location Qualifier	C	ID 1/2
	Code identifying type of location.				

860 • PURCHASE ORDER CHANGE
FOB • F.O.B. RELATED INSTRUCTIONS

ANSI ASC X12 VERSION/RELEASE 003010DOD

Implementation Notes:

1. Use FOB06 for the inspection/acceptance point. These are assumed to be the same unless specified otherwise.

2. Use code ZZ when the inspection and acceptance points will not be the same.

DE Destination (Shipping)

OR Origin (Shipping Point)

ZZ Mutually Defined

Optional

FOB07 352 Description O AN 1/80
A free-form description to clarify the related data elements and their content.

Implementation Note:

If FOB06 is code ZZ, identify the locations of the inspection and acceptance points.

Not Used

FOB08 54 Risk of Loss Qualifier O ID 2/2

Not Used

FOB09 352 Description C AN 1/80

Optional	Segment: DTM Date/Time Reference			
	Level: Detail			
	Loop: POC			
	Usage: Optional			
	Max Use: 10			
Mandatory	Purpose: To specify pertinent dates and times			
	Syntax: At least one of DTM02 or DTM03 must be present.			
	Implementation Note:			
	<i>Required delivery date will be provided in this segment as an actual date or in the LDT segment as a set number of calendar days after receipt of order. If the latter is used, omit the segment.</i>			
	Data Element Summary			
Mandatory	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
	DTM01	374	Date/Time Qualifier	M ID 3/3
			Code specifying type of date or time, or both date and time.	
	Implementation Note:			
	<i>Use code 002 for the required delivery date (unless delivery date is defined in segment LDT) and when the delivery applies to the entire line item. Use the SCH segment when deliveries will differ by quantity or date.</i>			
Conditional			002 Delivery Requested	
	DTM02	373	Date	C DT 6/6
			Date (YYMMDD).	
	DTM03	337	Time	C TM 4/4
	DTM04	623	Time Code	O ID 2/2
Not Used				
Not Used				

860 • PURCHASE ORDER CHANGE
LDT • LEAD TIME

ANSI ASC X12 VERSION/RELEASE 003010DOD

Optional

Segment: LDT Lead Time

Level: Detail

Loop: POC

Usage: Optional

Max Use: 12

Purpose: To specify lead time for availability of products and services.

Comment: LDT04 is the effective date of lead time information.

Implementation Note:

Required delivery date will be provided in this segment as a set number of calendar days after receipt of order or in the DTM segment as an actual date. If the latter is used, omit this segment.

Data Element Summary

	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES		
Mandatory	LDT01	345	Lead Time Code Code indicating the time range. AF From date of PO receipt to delivery.	M	ID	2/2
Mandatory	LDT02	380	Quantity Numeric value of quantity.	M	R	1/10
Mandatory	LDT03	344	Unit of Time Period Code Code indicating the time period. DA Calendar Days	M	ID	2/2
Not Used	LDT04	373	Date	O	DT	6/6

Optional	Segment:	SCH Line Item Schedule				
	Level:	Detail				
	Loop:	POC				
	Usage:	Optional				
	Max Use:	200				
	Purpose:	To specify the data for scheduling a specific line item.				
	Syntax:	1. If SCH03 is present, then SCH04 is required. 2. If SCH09 is used, then SCH08 is required.				
	Comment:	SCH05 specifies the interpretation to be used for SCH06 and SCH07.				
	Implementation Note: Use this segment to describe a partial delivery at the line item level.					
	Data Element Summary					
	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES		
Mandatory	SCH01	380	Quantity Numeric value of quantity.	M	R	1/10
Mandatory	SCH02	355	Unit of Measurement Code Code identifying the basic unit of measurement.	M	ID	2/2
Implementation Note: Use DoD 5000.12-M for unit of measurement codes.						
Not Used	SCH03	98	Entity Identifier Code	O	ID	2/2
Not Used	SCH04	93	Name	C	AN	1/35
Mandatory	SCH05	374	Date/Time Qualifier Code specifying type of date or time, or both date and time.	M	ID	3/3
Implementation Note: Use code 002 for the required delivery date.						
			002 Delivery Requested			
Mandatory	SCH06	373	Date Date (YYMMDD).	M	DT	6/6
Not Used	SCH07	337	Time	O	TM	4/4
Not Used	SCH08	374	Date/Time Qualifier	O	ID	3/3
Not Used	SCH09	373	Date	C	DT	6/6
Not Used	SCH10	337	Time	O	TM	4/4

860 • PURCHASE ORDER CHANGE
MAN • MARKS AND NUMBERS

ANSI ASC X12 VERSION/RELEASE 003010DOD

Optional

Segment: MAN Marks and Numbers

Level: Detail

Loop: POC

Usage: Optional

Max Use: 10

Purpose: To indicate identifying marks and numbers for shipping containers

Implementation Note:

Use this segment when any changed marks and numbers cannot be described as an address in the following N1 loop.

Data Element Summary

Mandatory

REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
MAN01	86	Marks and Numbers Qualifier	M ID 1/2
Code specifying the application or source of Marks and Numbers (87).			

Implementation Note:

Use code L to indicate that the change order has mark for instructions in addition to ship to information at the line item level.

L Line Item Only

Mandatory

MAN02	87	Marks and Numbers	M AN 1/45
Marks and numbers used to identify a shipment or parts of a shipment.			

Implementation Note:

Use to enter the mark for information, other than a geographic address or name.

Optional

Segment: AMT Monetary Amount

Level: Detail

Loop: POC

Usage: Optional

Max Use: 1

Purpose: To indicate the total monetary amount.

Comments: 1. If AMT is used in the detail area of transaction set 850, 855, 860 or 865, AMT02 will indicate total line amount as calculated by the sender. If AMT is used in the summary area of transaction set 850, 855, 860 or 865, AMT02 will indicate total transaction amount as calculated by the sender.

2. If segment AMT is used in Table 2 of the 850, 855, 860 or 865 transaction sets, then AMT01 = 01. If it is used in Table 3 of those transaction sets, then AMT01 = TT.

Data Element Summary

Mandatory

REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
AMT01	522	Amount Qualifier Code Code to qualify amount	M ID 1/2

Implementation Note:

Use code 1 for the line item total.

1 Line Item Total

Mandatory

AMT02	782	Monetary Amount Monetary amount.	M R 1/15
-------	-----	-------------------------------------	----------

Implementation Note:

Use to enter the total amount of the line item.

860 - PURCHASE ORDER CHANGE
N9 - REFERENCE NUMBER

ANSI ASC X12 VERSION/RELEASE 003010DOD

Optional

Segment: **N9** Reference Number

Level: Detail

Loop: N9 Repeat: 1000

Usage: Optional

Max Use: 1

Purpose: To transmit identifying numbers and descriptive information as specified by the reference number qualifier

Syntax: At least one of N902 or N903 must be present.

Data Element Summary

	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES		
Mandatory	N901	128	Reference Number Qualifier Code qualifying the Reference Number.	M	ID	2/2
<i>Implementation Note:</i> Use any code that helps clarify the line item.						
Conditional	N902	127	Reference Number Reference number or identification number as defined for a particular Transaction Set, or as specified by the Reference Number Qualifier.	C	AN	1/30
Conditional	N903	369	Free-form Description Free-form descriptive text.	C	AN	1/45
Not Used	N904	373	Date	O	DT	6/6
Not Used	N905	337	Time	O	TM	4/4

Optional	Segment:	MSG Message Text				
	Level:	Detail				
	Loop:	N9				
	Usage:	Optional				
	Max Use:	1000				
	Purpose:	To provide a free form format that would allow the transmission of text information.				
	Comment:	MSG02 is not related to the specific characteristics of a printer, but identifies top of page, advance a line, etc.				
Data Element Summary						
	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES		
Mandatory	MSG01	933	Free-Form Message Text Free-form message text.	M	AN	1/264
Optional	MSG02	934	Printer Carriage Control Code A field to be used for the control of the line feed of the receiving printer.	O	ID	2/2

860 - PURCHASE ORDER CHANGE
N1 - NAME

ANSI ASC X12 VERSION/RELEASE 003010DOD

Optional

Segment: N1 Name

Level: Detail

Loop: N1 **Repeat:** 200

Usage: Optional

Max Use: 1

Purpose: To identify a party by type of organization, name and code

Syntax: 1. At least one of N102 or N103 must be present.

2. If either N103 or N104 is present, then the other is required.

Comment: This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.

Data Element Summary

Mandatory

REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
N101	98	Entity Identifier Code Code identifying an organizational entity or a physical location.	M ID 2/2

Implementation Notes:

1. Use code ST for ship to information.
2. Use code UC for Mark For information, when the Mark For information is an address.

ST Ship To

UC Ultimate Consignee

Conditional

N102	93	Name Free-form name.	C AN 1/25
------	----	--------------------------------	-----------

Conditional

N103	66	Identification Code Qualifier Code designating the system/method of code structure used for Identification Code (67).	C ID 1/2
------	----	---	----------

Implementation Notes:

1. When N101 is code ST or UC, and the address is a DoD address, use code 10.
2. When a contractor with a CAGE or temporary CAGE code, use code 33 or ZZ.
3. Use a long line address (N102) when no code number applies.

10 Department of Defense Activity Address Code (DODAAC)

33 Commercial and Government Entity (CAGE)

ZZ Mutually Defined

Conditional

N104	67	Identification Code Code identifying a party.	C ID 2/17
------	----	---	-----------

Optional

Segment: N2 Additional Name Information

Level: Detail

Loop: N1

Usage: Optional

Max Use: 2

Purpose: To specify additional names or those longer than 35 characters in length

Data Element Summary

	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES		
Mandatory	N201	93	Name Free-form name.	M	AN	1/35
Optional	N202	93	Name Free-form name.	O	AN	1/35

860 • PURCHASE ORDER CHANGE
N3 • ADDRESS INFORMATION

ANSI ASC X12 VERSION/RELEASE 003010DOD_

Optional

Segment: **N3** Address Information

Level: Detail

Loop: N1

Usage: Optional

Max Use: 2

Purpose: To specify the location of the named party

Data Element Summary

Mandatory

REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES		
N301	166	Address Information Address information	M	AN	1/35

Optional

N302	166	Address Information Address information	O	AN	1/35
------	-----	--	---	----	------

ANSI ASC X12 VERSION/RELEASE 003010DOD_

Optional

Segment: N4 Geographic Location
Level: Detail
Loop: N1
Usage: Optional
Max Use: 1
Purpose: To specify the geographic place of the named party
Syntax: 1. At least one of N401 or N405 must be present.
2. If N401 is present, then N402 is required.
3. If either N405 or N406 is present, then the other is required.
Comments: 1. A combination of either N401 through N404 (or N405 and N406) may be adequate to specify a location.
2. N402 is required only if city name (N401) is in the USA or Canada.

Data Element Summary

	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
Conditional	N401	19	City Name Free-form text for city name.	C AN 2/19
Conditional	N402	156	State or Province Code Code (Standard State/Province) defined by appropriate governmental agencies.	C ID 2/2
Implementation Note: Use any code.				
Optional	N403	116	Postal Code Code defining international postal zone code excluding punctuation and blanks (zip code for United States).	O ID 4/9
Implementation Note: Use only when the party's address has no zip code but may have another type of postal code (e.g., in a foreign country).				
Optional	N404	26	Country Code Code identifying the country.	O ID 2/2
Implementation Notes: 1. A translation table may be required. 2. Use any code.				
Not Used	N405	309	Location Qualifier	O ID 1/2
Not Used	N406	310	Location Identifier	C AN 1/25

860 • PURCHASE ORDER CHANGE
CTT • TRANSACTION TOTALS

ANSI ASC X12 VERSION/RELEASE 003010DOD

Segment: CTT Transaction Totals
Level: Summary
Loop: ____
Mandatory **Usage:** Mandatory
Max Use: 1
Purpose: To transmit a hash total for a specific element in the transaction set
Syntax: 1. If CTT03 is present, then CTT04 is required.
2. If CTT05 is present, then CTT06 is required.
Comment: This segment is intended to provide hash totals to validate transaction completeness and correctness.

Data Element Summary

	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
Mandatory	CTT01	354	Number of Line Items Total number of line items in the transaction set.	M NO 1/6
	Implementation Note: Accumulation of number of POC segments.			
Optional	CTT02	347	Hash Total Sum of values of the specified data element. All values in the data element will be summed without regard to decimal points (explicit or implicit) or signs. Truncation will occur on the leftmost digits if the sum is greater than the maximum size of the hash total of the data element. Example: -.0018 First occurrence of value being hashed. .18 Second occurrence of value being hashed. 1.8 Third occurrence of value being hashed. 18.01 Fourth occurrence of value being hashed. 1855 Hash total prior to truncation. 855 Hash total after truncation to three-digit field.	O R 1/10
	Implementation Note: CTT02 is the sum of the value of quantities ordered (POC03) for each POC segment.			
Not Used	CTT03	81	Weight	O R 1/8
Not Used	CTT04	355	Unit of Measurement Code	C ID 2/2
Not Used	CTT05	183	Volume	O R 1/8
Not Used	CTT06	355	Unit of Measurement Code	C ID 2/2
Not Used	CTT07	352	Description	O AN 1/80

ANSI ASC X12 VERSION/RELEASE 003010DOD_

Optional

Segment: **AMT** Monetary Amount
Level: Summary
Loop: _____
Usage: Optional
Max Use: 1
Purpose: To indicate the total monetary amount.
Comments: 1. If AMT is used in the detail area of transaction set 850, 855, 860 or 865, AMT02 will indicate total line amount as calculated by the sender. If AMT is used in the summary area of transaction set 850, 855, 860 or 865, AMT02 will indicate total transaction amount as calculated by the sender.
 2. If segment AMT is used in Table 2 of the 850, 855, 860 or 865 transaction sets, then AMT01 = 01. If it is used in Table 3 of those transaction sets, then AMT01 = TT.

Data Element Summary

	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES		
Mandatory	AMT01	522	Amount Qualifier Code Code to qualify amount TT Total Transaction Amount	M	ID	1/2
Mandatory	AMT02	782	Monetary Amount Monetary amount.	M	R	1/15

Implementation Notes:

1. Net total amount of the order.
2. Not used for single line awards.

860 • PURCHASE ORDER CHANGE
SE • TRANSACTION SET TRAILER

ANSI ASC X12 VERSION/RELEASE 003010DOD

Mandatory	Segment: SE Transaction Set Traller
	Level: Summary
	Loop: _____
	Usage: Mandatory
	Max Use: 1
	Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments).
Comment: SE is the last segment of each transaction set.	

Data Element Summary


REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
Mandatory	SE01	96 Number of Included Segments Total number of segments included in a transaction set including ST and SE segments.	M NO 1/6
Mandatory	SE02	329 Transaction Set Control Number Identifying control number assigned by the originator for a transaction set.	M AN 4/9

Implementation Note:

This is the same number as ST02.

4.0 ASC X 12 FORMS

In this chapter, applicable ASC X12 forms are presented.



VIII - FORMS, FORMS, FORMS

ASC X12 Work Request Form

ASC X12 New Project Proposal Form

ASC X12 New Transaction Set Development Form

Form for New or Revised Appendix A Code Source Reference

Document Preparation for Interpretations, Guidelines and Control Standards

Sample Transmittal Form

ASC X12 Ballot Comment Response Letter Format

ASC X12 Standards Order Form

Rev. 5/10/80

DATE SUBMITTED _____

DM NUMBER _____

(Secretariat Only)

ASC X12

WORK REQUEST FORM

ALL REQUESTS MUST BE TYPED or printed legibly in black ink. Complete both sides.

1. TO USE THIS FORM FOR SUPPORTING DATA MAINTENANCE FOR A NEW DRAFT STANDARD OR X12 INTERPRETATION, list all requirement on ONE form. Use attachments as necessary. List first all new segments, then all new data elements/codes/code sources. Then list revisions to existing segments and data elements/codes/code sources. Then list any others (e.g., X12.5, X12.6).
2. TO USE THIS FORM TO REQUEST A CHANGE TO AN EXISTING STANDARD, use a separate Work Request Form to list all changes for one transaction set, one segment, one control structure, or one data element. All sections must be completed. Attachments may be used for continuation and should be numbered.
3. TO USE THIS FORM TO REQUEST A PROPOSED NEW X12 PROJECT, complete Section A. Provide a purpose/scope and describe any new features involved in Section B. Provide a description of the business need and justification for the new project in Section C/Part II. The Work Request will be forwarded to an appropriate X12 subcommittee for analysis and preparation of a project proposal.

Circle One: (1) New Standard Supporting Data Maintenance (use attachments)
(2) Existing Standard Maintenance Request (see Section D)
(3) Request for New X12 Project

Acronyms/abbreviations cannot be added to the standards. Industry-specific terms must be clearly explained. Provide Appendix A code source references for all externally published code lists cited. Incomplete forms or those with inadequate support for the change requested will be returned to the submitter.

A. SUBMITTER INFORMATION

Submitter: Name _____
Company _____
Address _____
Address/ZIP _____
Phone _____

Indicate the X12 subcommittee or task group whose position is represented here.

I declare that this represents the official position of X12 WORK GROUP: _____
established at the meeting dated _____.

B. PROPOSED WORK: List the specific changes to the standards being requested. Give the names and associated identifiers of the standards, segments, data elements and codes affected.

Page Two

C. REASON FOR CHANGE:

Part I: List the version/release of the standard you are using or using as a reference. Name the transaction set that is being/will be used that dictates the requested change. List affected segments and data elements, or other standards. Provide only reference numbers/IDs.

Reference Source Version 2/Release _____
Transaction Set Used _____
Segment Affected _____
Data Element Affected _____
Other Standard _____

Part II: Explain why you need the proposed change. Provide a complete scenario that tells what the business function, operation, or problem is that will be satisfied by a change to the standard. The X12J Technical Assessment Subcommittee requires enough information in this Part II to be able to propose an alternate solution if necessary.

D. RAMIFICATIONS: If you circled (2) on Page 1, complete this section. To ensure that all ramifications of your proposed change are recorded and that your request is complete, circle below all sections of the standards affected by the proposed change.

TRANSACTION SET	Name	Purpose/Scope	Table Note/Comment
	Segment Position	Require. Des.	Max. Use
	Loop Repeat	Loop Structure	Add Segment
	Delete Segment		

SEGMENT	Identifier	Name	Definition
	Add DE	Delete DE	Position in Segment
	Require. Des.	Syntax Note	Semantic Note
	Comment		

DATA ELEMENT	Name	Description	Type
	Min/Max		

CODE	Add code	Delete Code	Revise Code
-------------	----------	-------------	-------------

OTHER (e.g., X12.5, X12.6):

ERRORS NOTED IN THE STANDARD (Give page no. and other identification):

PP No. _____
(Secretariat Only)

ASC X12
NEW PROJECT PROPOSAL FORM

PROCEDURE: Only X12 subcommittees may use this form to register new development activities as X12 project proposals (PPs). Complete all pages. PPs approved by the X12 Procedures Review Board will be registered and assigned a PP number by DISA, and a Transmittal Form will be issued.

Date and complete the form below. Type or print legibly in black ink and number all attachment pages consecutively. Submit to DISA prior to an ASC X12 meeting, or to X12J Technical Assessment Subcommittee during the subcommittee's agenda period at an ASC X12 meeting.

Date Submitted: _____
Date Approved by Subcommittee: _____

Subcommittee Name: _____
Task Group Name/No.: _____

Joint Development Subcommittee (if any): _____

Circle one: (a) Transaction Set (b) Guideline (c) Other

Project Working Title: _____

Official Delegate(s) for This Project To Be Named on Transmittal Form:

Name _____ Name _____

Company _____ Company _____

Address _____ Address _____

Address/ZIP _____ Address/ZIP _____

Telephone _____ Telephone _____

A. PURPOSE AND SCOPE FOR THE PROPOSED WORK: Provide a well-defined purpose/scope for the proposed work. See X12 Design Rules and Guidelines for requirements.

B. BACKGROUND: Provide details that will be helpful in reviewing the proposal. Who are the expected users? How will the standard be used? What business function(s) does it serve? If the proposed standard overlaps the functionality of an existing standard or one in development, provide justification. If the proposal is not for a new standard or guideline, describe the project in detail. (Use attachments if necessary.)

C. OTHER STANDARDS INVOLVED: If applicable, identify any other business information standards that are similar/related to the proposal, and name standards developers (e.g., ANSI Accredited Standards Committees) whose activities may be involved or affected.

D. EXPECTED CONTENT/GENERAL DESCRIPTION: (OPTIONAL) Submitter may attach a preliminary draft of the proposed standard or other supporting documentation. Discuss new segments, data elements, control structures, and changes to X12.5 or X12.6 that are required or anticipated. (Use attachments.)

4/1/80

FORM FOR NEW OR REVISED APPENDIX A CODE SOURCE REFERENCE

INSTRUCTIONS: Complete this form whenever a new data element or data element code is requested to be added which references a code list published by an external (non-X12) organization. Use one form for each new reference. This form may be used to revise current references; fill out the appropriate areas below.

CIRCLE ONE, COMPLETE AS APPROPRIATE:

(1) NEW REFERENCE

(2) REVISED REFERENCE, Current reference number/name _____

REFERENCE TITLE: If there is only one source for codes for the data element, the title should be the same as the data element name. If there are multiple codes referencing external code sources for the same data element, title should approximate the code definition.

REFERENCE TITLE:

DATA ELEMENTS USED IN: Give the data element reference number and name which directs the user to this Appendix A code source reference. Give the code ID (if assigned) if this is for a specific code of the data element.

USED IN: DE No. _____, Code ID _____

SOURCE: Provide the name of the publication which contains the codes referenced.

PUBLISHED IN:

AVAILABLE FROM: Give the publisher, or other contact, from whom the user can obtain the document.

Name/Attn of _____

Company _____

Address _____

Address _____

Address/ZIP _____

ABSTRACT: Briefly describe the publication, its purpose, and indicate what codes it contains.

ABSTRACT:

Rev. 4/1/80

DOCUMENT PREPARATION FOR INTERPRETATIONS, GUIDELINES AND CONTROL STANDARDS

These instructions are provided to assist developers of interpretations, guidelines and control structure which are not transaction sets (for transaction sets use the New Transaction Set Development Form).

GENERAL: DISA provides title page and front matter for publications and copyedits the document according to DISA house style.

REVISIONS: If the document is a revision of a previously published interpretation, guideline or standard, provide a summary of the changes to the original that are contained in the document.

I INTERPRETATIONS

A formal interpretation of an X12TM Standard is considered part of the body of standards when it is approved for publication. The interpretation draft should state the issue presented by the requestor, state the proposed interpretation, and show as attachments any Work Requests that may be necessary to effect the interpretation within the subject standard. The draft interpretation is processed like any other subcommittee document.

II GUIDELINES

For publication purposes, guidelines are treated like a journal article. Basic requirements are given below.

ABSTRACT: This is a precise summary of the Purpose/Scope (see below), and may be identical to it if that is brief (two paragraphs); otherwise summarize the purpose/scope. It should contain enough information about the document to enable a reader determine what the guideline is intended to accomplish within an EDI environment.

PURPOSE AND SCOPE: This statement must indicate purpose of the guideline, e.g., the business function or operation addressed. Scope and any specific limitations of scope should be defined.

BODY OF TEXT: This may be a number of subsections logically organized. Provide sections for foreword, introduction, definition of terms and concepts, references and related standards, methodology, specifications, requirements, discussion, and conclusions, as appropriate to the subject.

ART AND GRAPHICS: Graphics or artwork necessary to illustrate the document are encouraged. Provide camera-ready copy if these are not already prepared and delivered on a WP diskette to DISA.

FOREWORD, FOOTNOTES, APPENDICES: These may be used for purposes of clarity, illustration, or general information, not as "part of the guideline." A statement indicating the material is for information purposes only and not part of the guideline shall appear at the beginning of a foreword or appendix.

III CONTROL STRUCTURES AND OTHER STANDARDS

For publication purposes, these documents are treated like guidelines (see Section II above). The requirements are the same, with the addition of the following:

NEW SEGMENTS AND DATA ELEMENTS: These may be defined within the text; however, since they represent changes to X12.22 and X12.3, they should be specified on a Work Request Form attached to the draft.

RELATED X12TM STANDARDS AND OTHER REFERENCES: These shall be identified in a section within the text.

Page Two

FORMAT: "This Draft Standard for Trial Use contains the format and establishes the data contents of the _____ Transaction Set (____) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set (can be used to...)"

C. PURPOSE AND SCOPE This statement must indicate the full range of capabilities of the transaction set, and who the senders/receivers are. Explain the business function or operation that is addressed. Follow ASC X12 Design Rules and Guidelines and use this format:

FORMAT: "This standard provides the format and establishes the data contents of the _____ Transaction Set within the context of an Electronic Data Interchange (EDI) environment. This transaction set (can be used to...)"

D. TRANSACTION SET TABLE(S) For each table provide the following information. FORMAT:

TABLE X

POSITION NO.	SEGMENT ID	TITLE	REQ. DES.	MAX. USE.	LOOP COUNT	REPEAT	NOTE REF.
010	ST	Transaction Set Header	M	1			Note 1
020	BB	Beginning Segment For	M	1			Comment 1
etc.							

Note 1: This is a note. NOTES are part of the standard (numbered).

Comment A: This is a comment. COMMENTS are not part of the standard (lettered).

E. APPENDIX EXAMPLES Examples are used to test the merit of the proposed transaction and to explain it to users. At least one example is mandatory. No recognizable proper names may be used in any example.

FIGURE 1: (Optional) Use a sample paper document using mock data. If used, data must be accurately mapped to Figure 2. Original graphics must be attached (8-1/2x11") so they can be copied.

FIGURE 2 (or EXAMPLE): Title the figure and provide a Business Scenario to explain to the reader what is going on in the example. Add the note: "In this example the asterisk (*) represents the data element separator and the N/L characters represent the segment terminator." Present EDI transmission data and its meaning in two columns, side-by-side. ZZ or ZZZ codes are discouraged, since their usefulness in an explanatory example is nil. FORMAT:

BUSINESS SCENARIO: In this transaction set the sender is XYZ Retail Center and the receiver is their supplier, Fantastic Products Manufacturing, Inc....etc.

EDI TRANSMISSION DATA

(TRANSACTION SET PURPOSE) DATA

ST*8XX*0005 N/L
No. 0005
BB*01*79800* N/L
79800
etc.

Begin Transaction Set 8XX; Control
Original Transmission; Ref. No.

Rev. 5/10/90

DM Number _____
(Secretariat Only)

Document No. _____
(Developer Obtains from DISA)

ASC X12 NEW TRANSACTION SET DEVELOPMENT FORM

INSTRUCTIONS: Use this form to submit a draft transaction set for review by X12J Technical Assessment until it is text processed by DISA. Use a new Transaction Set Development Form whenever revisions are proposed and a text file has not yet been prepared by DISA.

ATTACHMENTS: Attach all pages; use this form as the first. Follow these instructions for preparing materials.

The submitter must obtain a document number assignment from DISA. Post it to this form (above).

Attach a List of Revisions if the draft was previously reviewed by X12J or if this is a revised/redesigned transaction set standard requiring X12 ballot.

Use ONE Work Request Form to list all supporting data maintenance for the transaction set and attach it to this form. Propose new or revised codes for DE 143 and DE 479 at a minimum, if required.

A Transmittal Form must accompany this document when it is submitted to DISA for distribution.

Use the most recent X12™ Standards Development Workbook to check your document for accuracy.

A. SUBMITTER INFORMATION

Submitter: Name _____
Company _____
Address _____
Address/ZIP _____
Phone _____

Indicate the X12 subcommittee or task group whose position is represented here.

I declare that this represents the official position of X12 WORK GROUP: _____
established at the meeting dated _____.

B. ABSTRACT The Abstract is registered with the American National Standards Institute. It is a precise summary of the Purpose/Scope (see Section C below). It may be identical to the Purpose/Scope if that is brief (two paragraphs), otherwise summarize the purpose/scope. It should contain enough information about the standard to enable a potential user determine what equivalent paper transaction it represents or what the standard is intended to do. Follow the format on page two.

SAMPLE TRANSMITTAL FORM

Initialized

KEY DATE: February 15, 1990

DELEGATE'S NAME
RESPONSIBLE SUBCOMMITTEE/TG#

John Doe
ASC X12Q XX Subcommittee/TG4

TRANSACTION SET/GUIDELINE TITLE

X12XX ABC/XYZ TRANSACTION SET (8XX)

BALLOT Document No.
Current Document No.
Previous Document No.
Project Proposal No.
Associated WR/DM No.

ASC X12Q/90-051
ASC X12Q/90-004
PP-999
DM 012-190

PROJECT PROPOSAL

PP Review by X12J

(DATE) 2/7/90

PRB Approves PP

(DATE) 2/9/90

DEVELOPMENT PHASE: Project proposal approval through approval for X12 vote.

Document Submitted for DISA Text Processing
Subcommittee Approves Draft for Review by X12J, Tech Assessment
X12J Tech Assessment Review
PRB Approves Document for X12 Vote

(DATE) _____
(DATE) _____
(DATE) _____
(DATE) _____

ORIGINAL BALLOT DATA (DISA):

Ballot Closed Date
Tally/Comments Sent to Chair/Delegates
Tally Stats (Number and Percent)
_____ Ballots Mailed (100%)
_____ Ballots Returned (____%)
_____ Approved (____%)
_____ App w/Comment (____%)
_____ Disapproved (____%)
_____ Abstained (____%)

(DATE) _____
(DATE) _____

Page Two

COMMENT RESOLUTION PHASE: See Sections A, B and C. If the subcommittee at any time decides to reballot the document, PRB approval is required and response letters are not necessary.

A. COMMENT RESPONSE LETTERS: An Open Forum must be scheduled at the next X12 meeting following the ballot closing date. All those who commented receive a comment response letter from the developing subcommittee. DISA records this process and handles the mailing.

Open Forum Date (DATE) _____
Response Letters Mailed Out by DISA (DATE) _____
Rebuttal Period (30 days) Closes (DATE) _____

ADJUSTED BALLOT DATA (DISA):

30-Day Response Review Closed Date (DATE) _____
Tally/Comments Sent to Chair/Delegates (DATE) _____
Tally Stats (Number and Percent)
_____ Ballots Mailed (100%)
_____ Ballots Returned (____%)
_____ Approved (____%)
_____ App w/Comment (____%)
_____ Disapproved (____%)
_____ Abstained (____%)

B. SUBSTANTIVE REVISION: If ballot comments result in substantive revisions to the document, these are reviewed by X12J and processed by DISA. The revised document is submitted to X12 voters for a 30-day review period. DISA records this process/handles mailing. Subcommittees should conduct 30-day reviews for response letters/revised documents concurrently.

Subcommittee Approval of Revisions (DATE) _____
X12J Review of Revisions (DATE) _____
DISA Mails Revised Document (DATE) _____
Substantive Revision 30-Day Review Closes (DATE) _____

ADJUSTED BALLOT DATA (DISA):

30-Day Substantive Change Review Closed Date (DATE) _____
Tally/Comments Sent to Chair/Delegates (DATE) _____
Tally Stats (Number and Percent)
_____ Ballots Mailed (100%)
_____ Ballots Returned (____%)
_____ Approved (____%)
_____ App w/Comment (____%)
_____ Disapproved (____%)
_____ Abstained (____%)

DEPARTMENT OF DEFENSE
DRAFT IMPLEMENTATION CONVENTION

Page Three

C. CONTINUING OBJECTIONS. If there are continuing disapprovals after the 30-day review period, the document/disapprovals/responses/continuing objections are mailed to X12 members who originally cast a ballot, for another 30-day review, to give them an opportunity to change their vote.

Continuing Objections Mailed to Chair/Delegate by DISA
DISA Mails Documents
30-Day Review Closes

(DATE) _____
(DATE) _____
(DATE) _____

FINAL ADJUSTED TALLY (DISA): Whenever any disapprovals are withdrawn, a letter to this effect must be received in writing by DISA.

Final Tally Results Sent to Chair/Delegate
30-Day Review Stats (Adjusted Tally)

(DATE) _____

_____ Ballots Mailed (100%)
_____ Ballots Returned (___%)
_____ Approved (___%)
_____ App w/Comment (___%)
_____ Disapproved (___%)
_____ Abstained (___%)

PRB APPROVAL PHASE: After the comment resolution period, the subcommittee votes to submit the document to the PRB for approval to publish.

Subcommittee Votes to Release to PRB
PRB Approves Publication

(DATE) _____
(DATE) _____

FOR DRAFT STANDARDS FOR TRIAL USE:
VERSION/RELEASE/SUBRELEASE ID CODE ASSIGNED: _____

Page Four

TRANSMITTAL FORM INSTRUCTIONS:

GENERAL: This Transmittal Form is a TURNAROUND DOCUMENT which records the history/current status of a project document. It is used to exchange information between the Secretariat and the committees of X12. Information is cumulative (add on). This form is attached to the document whenever it is issued for distribution (it is mandatory for submitting documents to DISA, X12J Technical Assessment, and the PRB). Document control numbers are still required on each document, and new numbers are required whenever it is revised.

KEY DATE: This is used to identify the latest version of the document (date associated with the current transmittal form update).

DELEGATE: Each subcommittee designates an individual (delegate) from the group responsible for the project. The Secretariat must be informed if the delegate changes.

INITIATION: Primary data is recorded by DISA on the initialized form after the project proposal is approved by the PRB. The subcommittee chair and delegate(s) receive the initialized Transmittal Form from DISA; thereafter, they are responsible for recording the appropriate subcommittee approval dates. The chair/delegate will receive a copy of the updated transmittal form whenever it is revised by DISA.

UPDATING: At each appropriate step, DISA will POST fresh data to the form, ADD the next appropriate blanks to the form, and SEND it to the subcommittee chair/delegate at each status change. The delegate must POST the form with fresh data at each status change for which the subcommittee is responsible and SEND it with the appropriate document to the Secretariat.

01648

ASC X12 BALLOT COMMENT RESPONSE LETTER FORMAT

GENERAL INFORMATION

AFTER AN X12 BALLOT, THE RESPONSIBLE SUBCOMMITTEE (OR ITS DESIGNATED TASK GROUP) MUST respond in writing to all disapproval votes. The Organization & Procedures manual (OPM) states that you are not required to respond to those members who approved with comment, but typically all commenters are responded to. The OPM states that all comment responses must be coordinated with the Subcommittee Chair.

There are two response letter formats from which to choose: a generic letter which will be sent to all commenters, and a individualized response to each commenter. See instructions below and the attachments.

OPTION 1: GENERIC LETTER (MASTER LETTER) TO ALL COMMENTORS

You may prepare one letter to be sent to all commenters. Every comment received must be reproduced in your letter. For each comment listed, name the commenter (X12 member company name) and the vote recorded for them. Link your response to the comment. If you choose this option, you may group the comments which are similar and respond to them as a group. Every member that disapproved must be responded to.

OPTION 2: INDIVIDUAL LETTER TO EACH COMMENTOR

You may prepare one letter for each commenter. If you choose this option, you need not repeat the original comment provided on the ballot. Follow the usual business letter style and the general instructions below. Every member that disapproved must be responded to.

INSTRUCTIONS

STEP 1: Plan to print the first page of your letter(s) on ASC X12 letterhead. If you don't have letterhead, you can obtain some from the Secretariat or reproduce the sample attached. You may not use personal, corporate, or blank letterhead for your comment response letter(s).

STEP 2: Call the Secretariat for a document control number. This number must appear in the upper right corner of the first page of the letter. If you send an individualized letter to each commenter, the document control number assigned for the first letter will be followed by an "A" (e.g., ASC X12F/TGB/SO-120A), the second by a "B" (e.g., ASC X12F/TGB/SO-120B), etc.

STEP 3: Choose your letter format option (see General Information above).

STEP 4: Prepare the letter following the outline, below using a typical business letter format.

- a. Provide a contact name (sender's) in the upper right corner box of the letterhead; include phone number.
- b. Print the document control number under the letterhead box.
- c. Print the date under the document control number.
- d. Address the letter to the individual, or for a generic letter include an addressee line and subject line.
- e. Include an introductory paragraph so the issue is properly identified to the addressee.
- f. You may wish to recap the ballot tally (from your Transmittal Form) for the information of the reader.

STEP 4: Forward the letters to the Secretariat, Attention Secretariat Services, with a cover letter requesting distribution of the response letter(s) you have prepared. When the letters have been distributed, the project delegate and subcommittee chair will receive an updated Transmittal Form which has the mailing date and 30-day review period closing date posted.

Attachments: X12 Letterhead Sample
 Sample Master Response Letter
 Sample Individual Letter

ASC X12-ELECTRONIC DATA INTERCHANGE (EDI)

Accredited Standards Committee
operating under the procedures of the
American National Standards Institute

Tim Jonesey
(999) 999-9999

Dan Smithey
(999) 999-9999

Document No

ASC X12C/TG20/90-999
June 25, 1990

TO: X12 Members Who Commented on Modifications to
X12.xx Control Structures

RE: Response to Comments on December Ballot
DMs 205289, 215289, 317289

Thank you for your comments. This ballot involved modifications to X12.xx. Of the 327 ballots mailed, 153 ballots were returned. Of these, 81 approved, 15 approved with comment, 20 disapproved with comment and 37 abstained.

In general, the vote responses were in favor of the modifications. The majority of the comments focused on the impact of these modifications on the presentation of information in the X12.22 Segment Directory. The proposed modifications and the resulting presentation in the segment directory have been reworked in response to these comments. A revised modification to X12.xx was reviewed by Technical Assessment at the June ASC X12 meeting. Modifications to the document have been made which reflect responses to the comments from this ballot, and a revised copy of X12.xx is being distributed to all who voted on this issue, for 30-day review of revisions.


Specific responses to comments follow.

COMMENT: Automobile Corporation

"Add the following note to Paragraph 3.3: NOTE: Communication protocol characters should be excluded from the character set."

RESPONSE:

The cover letter sent out with the voting package explained that the intent was to obtain consensus on the proposed modifications to X12.xx. X12.xx is a difficult standard to amend. We request that ballot responses be considered on the merits of the recommended modifications and not on the standard as a whole. Your comment was outside the scope of the requested modifications.



Page Two

COMMENT: Aircraft Engine Corporation

"Some consideration for Abstract Syntax Notation One (ASN.1) should be allowed.

1. ASN.1 is capable of defining all of the necessary inter-relations needed by X12 transactions.
2. ASN.1 requires less characters to define the same information.
3. ASN.1 is the encoding scheme used by most OSI work."

RESPONSE:

The recommendation to consider usage of ASN.1 encoding reaches far beyond the scope of the modifications requested in this ballot. Activities such as this are best submitted as separate work requests.

COMMENT: Some Software Inc.

"Conditionality of data elements should be left to the discretion of implementation guidelines and agreements. There is much discussion at times as far as whether certain data elements should be mandatory or not; many application systems are incapable of providing certain 'mandatory' information and, as such, filler-type data must be inserted."

RESPONSE:

The issue of data element conditionality as a whole is a much broader subject than was intended to be addressed within the scope of this ballot. This ballot was intended to provide a means for consistent documentation and application of already existing conditional structures. If the commentator believes that the conditional structure should be removed from the standard, the task group recommends that this be submitted as a separate work request.

Etc.

ASC X12-ELECTRONIC DATA INTERCHANGE (EDI)

Accredited Standards Committee
operating under the procedures of the
American National Standards Institute

Joe Somebody
Chair TG19, X12C
(999) 999-9999

Document No

ASC X12C/TG8/90-998A
August 10, 1990

Ms. Jane Doe
American Bank
One Central Plaza
Middle America, MO 99999

RE: Response to Ballot Comments on
ASC X12 Model Guideline


Dear Ms. Doe:

Subcommittee X12C has empowered its Task Group 19 to provide responses to the comments on this ballot. The members of TG19 wish to thank all X12 members who took the time and effort to vote on this guideline. We especially thank each individual who provided comments, whether in approval or disapproval of the guideline. We recognize and appreciate your careful review of this document.

Our response is keyed to the numbered items in the comments attached to your ballot.

RESPONSE

1. We agree with your comment. In Section 4.2.2, we have replaced "we utilize rules ..." with "rules ... are utilized".
2. The confusion between Section 4.2.3 and Section 6.2 only exists because of the example we chose in the first section. This is a hypothetical example, of a simplified model. Headers and trailers can be placed on the content at ALL levels, and do not necessarily correspond to ASC X12 headers and trailers.
3. We agree with your comment. Section 6.2 has been changed so that "the establishment of ..." was added to items 1 and 4.



5.0 GLOSSARY

This chapter contains ASC X12 and DoD specific glossaries.

5.1 X12 GLOSSARY

ANSI

American National Standards Institute

ANSI Standard

A document published by ANSI that has been approved through the consensus process of public announcement and review. Each of these standards must have been developed by an ANSI committee and must be revisited by that committee within 5 years for update. See Draft Standard for Trial Use (DSTU).

Area Transaction Set

Identifies a predefined area within a transaction set (header, detail, summary) containing segments and their various attributes.

ASC X12

Accredited Standards Committee, X12 comprises industry members who create EDI standards for submission to ANSI for subsequent approval and dissemination; or for submission to the UN/ECE for approval and submission of UN/EDIFACT standards.

Authentication

A mechanism which allows the receiver of an electronic transmission to verify the sender and the integrity of the content of the transmission through the use of an electronic "key" or algorithm which is shared by the trading partners. This is sometimes referred to as an electronic signature.

Compliance Checking

A checking process that is used to ensure that a transmission complies with ANSI X12 syntax rules.

Conditional (C)

A data element requirement designator which indicates that the presence of a specified data element is dependent on the value or presence of other data elements in the segment. The condition must be stated and must be computer processable.

Control Segment

A Control Segment has the same structure as a Data Segment but is used for transferring control information for grouping data segments. Control Segments are Loop Control Segments (LS/LE), Transaction Set Control Segments (ST/SE), and Functional Group Control Segments (GS/GE), defined in X12.6, and Interchange Control Segments (ISA/IEA/TA1) defined in X12.5.

Data Element

The basic units of information in the EDI standards containing a set of values that represent a singular fact. They may be single-character codes, literal descriptions, or numeric values.

Data Element Length

This is the range, minimum to maximum, of the number of character positions available to represent the value of a data element. A data element may be of variable length with range from minimum to maximum, or it may be of fixed length in which the minimum is equal to the maximum.

Data Element Reference Number

Reference number assigned to each data element as a unique identifier.

Data Element Requirement Designator

A code defining the need for a data element value to appear in the segment if the segment is transmitted. The X12 codes are mandatory (M), optional (O), or conditional (C). DoD may "require" a segment which is optional by X12 standards.

Data Element Separator

A unique character preceding each data element that is used to delimit data elements within a segment. Dod uses "*" as the delimiter.

Data Element Type

A data element may be one of six types: numeric, decimal, identifier, string, date, or time.

Delimiters

The delimiters consist of two levels of separators and a terminator. The delimiters are an integral part of the transferred data stream. Delimiters are specified in the interchange header and may not be used in a data element value elsewhere in the interchange. From highest to lowest level, the separators and terminator are segment terminator and data element separator.

DISA

Data Interchange Standards Association. A nonprofit organization funded by ASC X12 members which serves as the Secretariat for X12.

DSTU

Draft Standard for Trial Use. Represents a document approved for publication by the full X12 committee following membership consensus and subsequent resolution of negative votes. (Final Report of X12 Publications Task Group). The Draft EDI Standard for Trial Use document represents an ASC X12 approved standard for use prior to approval by ANSI. See ANSI Standard.

EDI

Electronic Data Interchange. The computer application to computer application exchange of business information in a standard format.

Electronic Envelope

Electronic information which binds together a set of transmitted documents being sent from one sender to one receiver.

Element Delimiter

A single-character which follows the segment identifier and separates each data element in a segment except the last.

Functional Group

A group of one or more transaction sets bounded by a functional group header segment and a functional group trailer segment.

Functional Group Segments

GS/GE segments identify a specific functional group of documents such as purchase orders.

Industry Conventions

Defines how the ASC X12 standards are used by the specific industry

Industry Guidelines

Defines the EDI environment for using conventions within an industry. It provides assistance on how to implement X12 standards.

Interchange Control Segments

ISA/IEA segments identify a unique interchange being sent from one sender to one receiver (see electronic envelope).

Interchange Control Structure

The interchange header and trailer segments envelop one or more functional groups or interchange-related control segments and perform the following functions: (1) defines the data element separators and the data segment terminators, (2) identifies the sender and receiver, (3) provides control information for the interchange, and (4) allows for authorization and security information. (X12.5)

Loop

A group of semantically related segments; these segments may be either bounded or unbounded (X12.6). The N1 loop is an example of a loop, which includes segments N1 to PER for name and address information.

Mandatory (M)

A data element/segment requirement designator which indicates the presence of a specified data element is required.

Mapping

The process of identifying the standard data element's relationship to application data elements.

Max Use

Specifies the maximum number of times a segment can be used at the location in a transaction set

Message

Entire data stream including the outer envelope

Optional (O)

A data element/segment requirement designator which indicates the presence of a specified data element/segment is at the option of the sending party which can be based on the mutual agreement of the interchange parties.

Qualifier

A data element which identifies or defines a related element, set of elements, or a segment. The qualifier contains a code taken from a list of approved codes.

Repeating Segment

A segment that may be used more than once at a given location in a transaction set. See Max Use.

Security

System screening which denies access to unauthorized users and protects data from unauthorized uses

Segment

Segments consist of logically related data elements in a defined sequence. A data segment consists of a segment identifier, one or more data elements each preceded by an element separator, and ends with a segment terminator.

Segment Directory

Provides the purpose and format of the segments used in the construction of transaction sets. The directory lists each segment by name, purpose, identifier, the contained data elements in the specified order, and the requirement designator for each data element.

Segment Identifier

A unique identifier for a segment composed of a combination of two or three upper-case letters and digits. The segment identifier occupies the first-character positions of the segment. The segment identifier is not a data element. The segment identifier in EDIFACT is a component data element — part of a composite data element consisting of a segment identifier and an explicit looping designator.

Segment Terminator

A unique character appearing at the end of a segment to indicate the termination of the segment, e.g., N/L.

Syntax

The grammar or rules which define the structure of the EDI standards (i.e., the use of loops, qualifiers, etc.). Syntax rules are published in ANSI X12.6.

Transaction Set

The transaction set unambiguously defines, in the standard syntax, information of business or strategic significance and consists of a transaction set header segment, one or more data segments in a specified order, and a transaction set trailer segment.

Transaction Set ID

An identifier that uniquely identifies the transaction set. This identifier is the first data element of the transaction set header segment.

Translation

The act of accepting documents in other than standard format and translating them to the standard.

Version/Release

Identifies the publication of the standard being used for the generation or the interpretation of data in the X12 standard format. May be found in the Functional Group Header Segment (GS) and in the Interchange Control Header Segment (ISA). See Control Segment.

VICS Committee

Voluntary Interindustry Communications Standards for Electronic Data Interchange

X12

The ANSI committee responsible for the development and maintenance of standards for electronic data interchange (EDI).

X12.5

Interchange Control Structure. This standard provides the interchange envelope of a header and trailer for the electronic interchange through a data transmission, and it provides a structure to acknowledge the receipt and processing of this envelope.

X12.6

Application Control Structure. This standard describes the control segments used to envelop loops of data segments, to envelop transaction sets, and to envelop groups of related transaction sets.

5.2 DoD GLOSSARY

AIS

Automated Information Systems

ASD(P&L)

Assistant Secretary of Defense (Production and Logistics)

DES

Data Encryption Standard

DISA

Defense Information Systems Agency

DLA

Defense Logistics Agency

ISA

Interchange Control Header Identifier

NIST

National Institute of Standards and Technology

NTE

Note Identifier

PLUS

Protection of Logistics Unclassified/Sensitive Systems

UN/EDIFACT

EDIFACT; Electronic Data Interchange for Administration, Commerce, and Transport