

AD-A264 113



2

ARMY RESEARCH LABORATORY




A Summary of the JANNAF Workshop on Methods for Exchange of Gun Propellant Burning Rate Information

Frederick W. Robbins
John A. Vanderhoff

ARL-TR-127

May 1993



APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.

93-10491



93 5 11 15 8

NOTICES

Destroy this report when it is no longer needed. DO NOT return it to the originator.

Additional copies of this report may be obtained from the National Technical Information Service, U.S. Department of Commerce, 5285 Port Royal Road, Springfield, VA 22161.

The findings of this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

The use of trade names or manufacturers' names in this report does not constitute indorsement of any commercial product.

REPORT DOCUMENTATION PAGE			Form Approved OMB No 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.				
1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE May 1993	3. REPORT TYPE AND DATES COVERED Final, 21-22 July 1992	
4. TITLE AND SUBTITLE A Summary of the JANNAF Workshop on Methods for Exchange of Gun Propellant Burning Rate Information			5. FUNDING NUMBERS PR: 1L162618AH80	
6. AUTHOR(S) Frederick W. Robbins and John A. Vanderhoff				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) U.S. Army Research Laboratory ATTN: AMSRL-WT-PE Aberdeen Proving Ground, MD 21005-5066			8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Research Laboratory ATTN: AMSRL-OP-CI-B (Tech Lib) Aberdeen Proving Ground, MD 21005-5066			10. SPONSORING / MONITORING AGENCY REPORT NUMBER ARL-TR-127	
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release; distribution is unlimited.			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) A workshop sponsored by the JANNAF Propellant Development and Characterization Subcommittee was held at the U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD on 21-22 July 1992. The purpose of the workshop was to define methods for exchanging propellant burning rate (BR) information. A recently developed BR reduction code (BRLCB) has been subject to testing, and a major item of progress for the workshop was to accept BRLCB as an interim preferred closed bomb code for data exchange purposes. Additionally, workshop attendees agreed that the input thermochemistry for BRLCB should be calculated for a 0.2 loading density.				
14. SUBJECT TERMS closed bomb, burning rate, solid propellants, workshop, data reduction			15. NUMBER OF PAGES 27	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT SAR	

INTENTIONALLY LEFT BLANK.

TABLE OF CONTENTS

	<u>Page</u>
LIST OF FIGURES	v
LIST OF TABLES	vii
PREFACE	ix
1. INTRODUCTION	1
2. PRESENTATIONS	2
3. WORKSHOP PROGRESS	16
DISTRIBUTION LIST	17

Accession For	
NTIS GRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	

INTENTIONALLY LEFT BLANK.

LIST OF FIGURES

<u>Figure</u>	<u>Page</u>
1. Synthetic test case: Percent error in BR using BRLCB with six-place accuracy	4
2. Synthetic test case: Percent error in BR using BRLCB with four-place accuracy	5
3. Test case conditions for five-layer sphere with constant properties	7
4. Deduced BR for five-layer, constant properties sphere using BRLCB	8
5. BR uncertainty for the five-layer constant properties sphere test case	9
6. Comparison of BRs for layered ball propellants using BRLCB and an Olin-developed BR reduction code	10
7. Comparison of BRs for a highly smoothed pressure-time curve	10
8. BR vs. pressure for M30 propellant: BRLCB reduction	12
9. BR vs. pressure for M30 propellant: YBOMB reduction	13
10. BR vs. pressure for LOVA propellant: BRLCB reduction	14
11. BR vs. pressure for LOVA propellant: YBOMB reduction	15

INTENTIONALLY LEFT BLANK.

LIST OF TABLES

<u>Table</u>	<u>Page</u>
1. Workshop Attendees	1
2. Usual Assumptions for Closed Bomb Burning Rate Reduction Models	2
3. Not So Universal Characteristics	3
4. Potential Data Acquisition Differences	3

INTENTIONALLY LEFT BLANK.

PREFACE

On 30 September 1992, the U.S. Army Ballistic Research Laboratory (BRL) was deactivated and subsequently became part of the U.S. Army Research Laboratory (ARL) on 1 October 1992.

INTENTIONALLY LEFT BLANK.

1. INTRODUCTION

A workshop sponsored by the JANNAF Propellant Development and Characterization Subcommittee was held at the U.S. Army Ballistic Research Laboratory (BRL), Aberdeen Proving Ground, MD, on 21-22 July 1992. The purpose of the workshop was to: 1) define a model for determining gun propellant closed bomb burning rates (BR); 2) choose a "standard" BR reduction computer code(s); and 3) make it easy for propellant manufacturers to aid the research and development community by suggesting desired BR information and how it may be economically obtained and disseminated (e.g., on propellant description sheets). A list of attendees is given in Table 1.

Table 1. Workshop Attendees

Name	Organization
Frederick Robbins	BRL
John Vanderhoff	BRL
Anthony Kotlar	BRL
Douglas Kooker	BRL
Pamela Kaste	BRL
Robert Lieb	BRL
William Oberle	BRL
Caledonia Henry	BRL
Claire Selawski	BRL
Shirley Newton	BRL
Didier Devynck	BRL
Harry Bates	BRL
Andrew Brant	BRL
Theresa Keys	BRL
John Domen	ARDEC
Kenneth Klingaman	ARDEC
Jerome Rubin	ARDEC
Robert Rast	NSWC-IH
Sharon Boyle	NSWC-IH
Susan Peters	NSWC-IH
Edward Chan	NSWC-IH
Alice Atwood	NAWC
J. Jeff Brown	Penn. State Univ.
James Kennedy	Alliant Techsystems
D. A. Worrell II	Hercules Radford
Edward Sanford	Hercules Radford
Richard Cartwright	Hercules Kenvil
Dennis Worthington	Olin Ordnance

Table 1. Workshop Attendees (continued)

Name	Organization
Neale Messina	PCRL
Otto Heiney	Rocketdyne
David Dillehay	Thiokol-Longhorn
Rodney Willer	Thiokol-Elkton
James Barnes	Veritay
Eli Freedman	Eli Freedman & Associates

2. PRESENTATIONS

Fred Robbins (BRL) presented a summary of the usual assumptions incorporated into closed bomb BR reduction models. Discussions resulted in the addition of several more assumptions (Table 2). Some not so universal characteristics (Table 3) and potential data acquisition differences were also presented (Table 4).

Table 2. Usual Assumptions for Closed Bomb Burning Rate Reduction Models

- Well-stirred reactor
- No gradients in temperature, concentration, velocity, or pressure
- No grain motion (solid kinetic energy is negligible)
- Stored thermal energy is negligible
- Igniter all burnt at time zero
- Covolume equation of state
- Dalton's law of partial pressures
- No work done on the bomb
- Single propellant
- $dm/dt = \rho \cdot s \cdot (dx/dt)$
- Constant heat capacity (constant volume) over range of interest
- Constant solid propellant density
- Propellant burns normal to its grain surface
- All grains are uniform
- Thermodynamic equilibrium exists among the reaction products (no kinetics)
- Instantaneous flame spreading
- All gas phase combustion products (no solids)
- Homogeneous solid propellant with no large voids

These assumptions are incorporated into an analytic set of equations which can be solved for BR in a number of different ways.

Table 3. Not So Universal Characteristics

- Heat loss
- Smoothing
- Numerical techniques
- Thermochemistry
- Units
- Layered/deterred capabilities
- Variable propellant density
- Surface area calculations given BR
- Variable thermochemistry
- Variable time step
- Blowout bomb analysis

Table 4. Potential Data Acquisition Differences

- Electronic filters
- Gauges and calibration procedures
- Bomb sizes
- Bomb geometries
- Maximum operating pressures
- Ignition trains
- Squibs
- Propellant loading configurations
- Sampling interval
- Number of bits stored per sample

Doug Kooker and Bili Oberle (BRL) discussed the structure, governing equations, and solution technique used in version 3 of BRLCB, a recently developed BR reduction code. BRLCB will perform BR reductions for uniform, layered, and/or deterred propellants. It can also be used to obtain surface areas as well as the pressure-time curve given a BR description. The code does not use dP/dt for the calculation of the BR but deduces it directly from the pressure-time curve. The code was verified with analytic solutions and with its own generated (synthetic) pressure time curves. Comparisons with other BR reduction codes were also presented. All comparisons were excellent. Effects of data word length were found to be noticeable. This word length effect suggests that a 16-bit word length would be much better than a 10-bit word length; a 10-bit word length introduces approximately a 2% error whereas 16-bit words have errors about 2 orders of magnitude less. This study of maximum error is based on a comparison against an analytic solution for the pressure-time curve (see Figures 1 and 2).




Figure 1. Synthetic test case: Percent error in BR using BRLCB with six-place accuracy.




Figure 2. Synthetic test case: Percent error in BR using BRLCB with four-place accuracy.

Synthetic test cases of layered spheres with variable properties were also tested with errors on the order of hundredths of a percent (see Figures 3-5).

Comparative analysis with existing codes was on the order of 1%.

Typical run times, on a 12-MHz 286 PC-compatible computer, were on the order of 1-2 minutes for simple geometries (slab) and 6-7 minutes for more complicated geometries (19-perforated right circular cylinder). Graphics and smoothing processes exist, but it was suggested to use the Fast Fourier Transform only in the postprocessing of the BR data.

Dennis Worthington (Olin Corporation) discussed comparisons of layered ball propellant between BRLCB and an Olin-developed BR reduction code. There was good qualitative agreement (see Figure 6) with divergence noted at higher pressures (depth burned) by as much as 20% for more highly smoothed pressure-time curves (see Figure 7). Dennis concluded that further study is required for determining deterred propellant BRs and that input to BRLCB for deterred/layered calculations needs to be improved. It was agreed that a squashed ball form function should be included in BRLCB. Better mixing rules for different propellant gases may need to be considered for deterred/layered calculations.

Pam Kaste (BRL) discussed information she used in a D-BASE III database, which allows for the capability to see at a glance BR information on any sample and to sort on different fields. The contents of the database included identification, propellant characteristics, and BR in an aP^n format and at specified pressures.

Arpad Juhasz (BRL) could not attend, but left a viewgraph which brought up the nonsmooth nature of the BR analysis. Especially at low pressures, large oscillations in the BR are noted using pressure-time curves which are not smoothed to a large degree. Arpad suggested that codes which use dP/dt to get dx/dt sometimes give smoother BR vs. pressure curves and may be a preferable solution technique. However, other attendees felt that it was better to limit the smoothing to the derived result (BR), not the starting data (pressure-time curve). A possible solution if a smooth BR curve is desired would be to remove some of the data points or possibly have an electronic low-pass filter in the pressure-time acquisition system.

Closed - chamber volume: 300 cm ³						
Grain geometry: sphere (five layers) (.5 cm diameter)						
Starting depth: (cm)	Layer 1	Layer 2	Layer 3	Layer 4	Layer 5	
	0.0	.0263	.06688	.1316	.23434	
Propellant properties:						
Impetus (J/g):	382.5	540.4	803.7	1,064.2	1,398.3	
Flame temperature (K):	2,300	2,600	2,900	3,200	3,700	
Gamma (-):	1.27	1.26	1.25	1.24	1.22	
Molecular weight (-):	50	40	30	25	22	
Covolume (cm ³ /g):	.95	.92	.89	.85	.80	
Density (g/cm ³):	1.4	1.45	1.5	1.55	1.65	
Total mass: 110 g + 2 g igniter						
Burn rate law (cm/s):	r=1.0P ^{.5}	r=.02P ^{1.3}	r=.2P ^{.9}	r=.01P ^{1.1}	r=.05P ^{1.3}	

Five Layer Sphere




Figure 3. Test case conditions for five-layer sphere with constant properties.




Figure 4. Deduced BR for five-layer, constant properties sphere using BRLCB.




Figure 5. BR uncertainty for the five-layer constant properties sphere test case.




Figure 6. Comparison of BRs for layered ball propellants using BRLCB and an Olin-developed BR reduction code.




Figure 7. Comparison of BRs for a highly smoothed pressure-time curve.

John Domen (ARDEC) gave a history of attempts to standardize BR reduction as well as relative quickness and relative force for propellant manufacturers via military standard documentation. He had nearly completed getting the military standard accepted when the program was dropped due to lack of funds. Mil-Std 286b, method 801, describes closed bomb procedures for calculation of relative quickness and relative force.

The BR reduction code CCBA was described. CCBA calculates vivacity as well as linear BRs. The wild point and smoothing procedures in BRLCB were derived from the data preparation portions of CCBA. It was suggested that a quadratic fit for smoothing of the pressure-time curve was best.

Sharon Boyle (NSWC-IH) presented comparisons of BRLCB and YBOMB (BR reduction code used at Indian Head). The BR vs. pressure curves obtained from these two codes were virtually identical (see Figures 8-11). An error in the calculation of dP/dt (not used to deduce BR in BRLCB) was noted between version 2 and version 3 of BRLCB; this error was confirmed and has been fixed.

Dave Dillehay (Thiokol-Longhorn) went over procedures used to characterize rocket propellants at the Longhorn division of Thiokol. The procedures, empirical in nature, allow for the design and modifications of rocket motors.

D. A. Worrell (Hercules Radford) went over the capabilities at the Radford Army Ammunition Plant (RAAP) and procedures being followed now. RAAP has low-pressure bombs (up to 30 ksi) for doing relative quickness and relative force measurements. The gauges used in these bombs, though usable for relative measurements, may not be sufficient for getting linear BRs. The high-pressure bombs (up to 100 ksi) in conjunction with BRLCB data analysis are used to get linear BRs. Propellant description sheets can be modified to incorporate BR information. RAAP is in favor of establishing a plan to test protocol and the implementation of procedures. It would like to see a database developed and possibly a round robin verification of BRLCB.

Jerry Rubin (ARDEC) gave a status report of what STANAG 4115 on propellant properties is attempting to accomplish and the state of its development. The aim is to standardize the use of the closed bomb procedure for the determination of propellant burning properties for use in interior ballistic calculations (absolute measurements) and for quality control (relative measurements).




Figure 8. BR vs. pressure for M30 propellant: BRLCB reduction.




Figure 9. BR vs. pressure for M30 propellant: YBOMB reduction.




Figure 10. BR vs. pressure for LOVA propellant: BR/CR reduction.




Figure 11. BR vs. pressure for LOVA propellant: YBONi₃ reduction.

Otto Heiney (from Rocketdyne) described a closed bomb reduction code being developed at Rocketdyne which uses similar procedures as YBOMB at Indian Head and CCBA at ARDEC (they require only covolume as a thermodynamic input but assume knowledge of heat loss and the igniter). There were some unexplained differences between BRLCB and his code.

Discussions were held on what assumptions are nearly universal in closed bomb BR reduction procedures. The set of assumptions defining a model is given in Table 1.

Not so universal characteristics in analyses used to get BRs are given in Table 2, and in Table 3, potential data acquisition differences are listed.

Much discussion centered around BRLCB as a possible "standard" closed bomb reduction code. It was finally agreed that "BRLCB is the interim preferred closed bomb code for all data exchange purposes; where an alternate code is used, then parallel reporting shall occur if possible."

Discussions as to what would be desirable information on propellant manufacturers' description sheets produced the following suggestions.

The linear BRs should be tabulated at 5-ksi intervals up to 30 ksi and every 10 ksi after that. The preferred code would be BRLCB. The thermochemistry should be calculated at 0.2 loading density and should include impetus, gamma, flame temperature, and covolume. Information should be included on the size of the bomb, amount and type of igniter, and loading density of the bomb. The absolute density and propellant grain dimensions should also be given. Units (metric/English) should follow military standards.

The problem of how to conduct and report BRs for dettered and layered propellants was suggested as a possible future workshop subject.

3. WORKSHOP PROGRESS

- A set of assumptions which embodies a BR reduction model was accepted.
- BRLCB was accepted as an interim preferred closed bomb code for all data exchange purposes.
- Suggested information to be incorporated into propellant description sheets was agreed upon.

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
2	Administrator Defense Technical Info Center ATTN: DTIC-DDA Cameron Station Alexandria, VA 22304-6145	1	Commander U.S. Army Missile Command ATTN: AMSMI-RD-CS-R (DOC) Redstone Arsenal, AL 35898-5010
1	Commander U.S. Army Materiel Command ATTN: AMCAM 5001 Eisenhower Ave. Alexandria, VA 22333-0001	1	Commander U.S. Army Tank-Automotive Command ATTN: ASQNC-TAC-DIT (Technical Information Center) Warren, MI 48397-5000
1	Director U.S. Army Research Laboratory ATTN: AMSRL-OP-CI-AD, Tech Publishing 2800 Powder Mill Rd. Adelphi, MD 20783-1145	1	Director U.S. Army TRADOC Analysis Command ATTN: ATRC-WSR White Sands Missile Range, NM 88002-5502
1	Director U.S. Army Research Laboratory ATTN: AMSRL-OP-CI-AD, Records Management 2800 Powder Mill Rd. Adelphi, MD 20783-1145	1	Commandant U.S. Army Field Artillery School ATTN: ATSF-CSI Ft. Sill, OK 735 3-5000
2	Commander U.S. Army Armament Research, Development, and Engineering Center ATTN: SMCAR-IMI-I Picatinny Arsenal, NJ 07806-5000	(Class. only) 1	Commandant U.S. Army Infantry School ATTN: ATSH-CD (Security Mgr.) Fort Benning, GA 31905-5660
2	Commander U.S. Army Armament Research, Development, and Engineering Center ATTN: SMCAR-TDC Picatinny Arsenal, NJ 07806-5000	(Unclass. only) 1	Commandant U.S. Army Infantry School ATTN: ATSH-CD-CSO-OR Fort Benning, GA 31905-5660
1	Director Benet Weapons Laboratory U.S. Army Armament Research, Development, and Engineering Center ATTN: SMCAR-CCB-TL Watervliet, NY 12189-4050	1	WL/MNOI Eglin AFB, FL 32542-5000
(Unclass. only) 1	Commander U.S. Army Rock Island Arsenal ATTN: SMCRI-IMC-RT/Technical Library Rock Island, IL 61299-5000		<u>Aberdeen Proving Ground</u>
1	Director U.S. Army Aviation Research and Technology Activity ATTN: SAVRT-R (Library) M/S 219-3 Ames Research Center Moffett Field, CA 94035-1000	2	Dir, USAMSAA ATTN: AMXSY-D AMXSY-MP, H. Cohen
		1	Cdr, USATECOM ATTN: AMSTE-TC
		1	Dir, ERDEC ATTN: SCBRD-RT
		1	Cdr, CBDA ATTN: AMSCB-CI
		1	Dir, USARL ATTN: AMSRL-SL-I
		10	Dir, USARL ATTN: AMSRL-OP-CI-B (Tech Lib)

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
1	HQDA, OASA (RDA) ATTN: Dr. C.H. Church Pentagon, Room 3E486 WASH DC 20310-0103	5	Commander Naval Research Laboratory ATTN: M.C. Lin J. McDonald E. Oran J. Shnur R.J. Doyle, Code 6110 Washington, DC 20375
4	Commander US Army Research Office ATTN: R. Ghirardelli D. Mann R. Singleton R. Shaw P.O. Box 12211 Research Triangle Park, NC 27709-2211	2	Commander Naval Weapons Center ATTN: T. Boggs, Code 388 T. Parr, Code 3895 China Lake, CA 93555-6001
2	Commander US Army Armament Research, Development, and Engineering Center ATTN: SMCAR-AEE-B, D.S. Downs SMCAR-AEE, J.A. Lannon Picatinny Arsenal, NJ 07806-5000	1	Superintendent Naval Postgraduate School Dept. of Aeronautics ATTN: D.W. Netzer Monterey, CA 93940
1	Commander US Army Armament Research, Development, and Engineering Center ATTN: SMCAR-AEE-BR, L. Harris Picatinny Arsenal, NJ 07806-5000	3	AL/LSCF ATTN: R. Corley R. Geisler J. Levine Edwards AFB, CA 93523-5000
2	Commander US Army Missile Command ATTN: AMSMI-RD-PR-E, A.R. Maykut AMSMI-RD-PR-P, R. Betts Redstone Arsenal, AL 35898-5249	1	AFOSR ATTN: J.M. Tishkoff Bolling Air Force Base Washington, DC 20332
1	Office of Naval Research Department of the Navy ATTN: R.S. Miller, Code 432 800 N. Quincy Street Arlington, VA 22217	1	OSD/SDIO/IST ATTN: L. Caveny Pentagon Washington, DC 20301-7100
1	Commander Naval Air Systems Command ATTN: J. Ramnarace, AIR-54111C Washington, DC 20360	1	Commandant USAFAS ATTN: ATSF-TSM-CN Fort Sill, OK 73503-5600
2	Commander Naval Surface Warfare Center ATTN: R. Bernecker, R-13 G.B. Wilmot, R-16 Silver Spring, MD 20903-5000	1	F.J. Seiler USAF Academy, CO 80840-6528
		1	University of Dayton Research Institute ATTN: D. Campbell AL/PAP Edwards AFB, CA 93523

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
1	NASA Langley Research Center Langley Station ATTN: G.B. Northam/MS 168 Hampton, VA 23365	1	General Applied Science Laboratories, Inc. 77 Raynor Avenue Ronkonkama, NY 11779-6649
4	National Bureau of Standards ATTN: J. Hastic M. Jacox T. Kashiwagi H. Semerjian US Department of Commerce Washington, DC 20234	1	General Electric Ordnance Systems ATTN: J. Mandzy 100 Plastics Avenue Pittsfield, MA 01203
1	Applied Combustion Technology, Inc. ATTN: A.M. Varney P.O. Box 607885 Orlando, FL 32860	1	General Motors Rsch Labs Physical Chemistry Department ATTN: T. Sloane Warren, MI 48090-9055
2	Applied Mechanics Reviews The American Society of Mechanical Engineers ATTN: R.E. White A.B. Wenzel 345 E. 47th Street New York, NY 10017	2	Hercules, Inc. Allegheny Ballistics Lab. ATTN: W.B. Walkup E.A. Yount P.O. Box 210 Rocket Center, WV 26726
1	Atlantic Research Corp. ATTN: R.H.W. Waesche 7511 Wellington Road Gainesville, VA 22065	1	Alliant Techsystems, Inc. Marine Systems Group ATTN: D.E. Broden/MS MN50-2000 600 2nd Street NE Hopkins, MN 55343
1	AVCO Everett Research Laboratory Division ATTN: D. Stickler 2385 Revere Beach Parkway Everett, MA 02149	1	Alliant Techsystems, Inc. ATTN: R.E. Tompkins 7225 Northland Drive Brooklyn Park, MN 55428
1	Battelle ATTN: TACTEC Library, J. Huggins 505 King Avenue Columbus, OH 43201-2693	1	IBM Corporation ATTN: A.C. Tam Research Division 5600 Cottle Road San Jose, CA 95193
1	Cohen Professional Services ATTN: N.S. Cohen 141 Channing Street Redlands, CA 92373	1	IIT Research Institute ATTN: R.F. Remaly 10 West 35th Street Chicago, IL 60616
1	Exxon Research & Eng. Co. ATTN: A. Dean Route 22E Annandale, NJ 08801	2	Director Lawrence Livermore National Laboratory ATTN: C. Westbrook M. Costantino P.O. Box 808 Livermore, CA 94550

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
1	Lockheed Missiles & Space Co. ATTN: George Lo 3251 Hanover Street Dept. 52-35/B204/2 Palo Alto, CA 94304	4	Director Sandia National Laboratories Division 8354 ATTN: R. Cattolica S. Johnston P. Mattern D. Stephenson Livermore, CA 94550
1	Director Los Alamos National Lab ATTN: B. Nichols, T7, MS-B284 P.O. Box 1663 Los Alamos, NM 87545	1	Science Applications, Inc. ATTN: R.B. Edelman 23146 Cumorah Crest Woodland Hills, CA 91364
1	National Science Foundation ATTN: A.B. Harvey Washington, DC 20550	3	SRI International ATTN: G. Smith D. Crosley D. Golden 333 Ravenswood Avenue Menlo Park, CA 94025
1	Olin Ordnance ATTN: V. McDonald, Library P.O. Box 222 St. Marks, FL 32355-0222	1	Stevens Institute of Tech. Davidson Laboratory ATTN: R. McAlevy, III Hoboken, NJ 07030
1	Paul Gough Associates, Inc. ATTN: P.S. Gough 1048 South Street Portsmouth, NH 03801-5423	1	Sverdrup Technology, Inc. LERC Group ATTN: R.J. Locke, MS SVR-2 2001 Aerospace Parkway Brook Park, OH 44142
2	Princeton Combustion Research Laboratories, Inc. ATTN: N.A. Messina M. Summerfield Princeton Corporate Plaza Bldg. IV, Suite 119 11 Deerpark Drive Monmouth Junction, NJ 08852	1	Sverdrup Technology, Inc. ATTN: J. Deur 2001 Aerospace Parkway Brook Park, OH 44142
1	Hughes Aircraft Company ATTN: T.E. Ward 8433 Fallbrook Avenue Canoga Park, CA 91303	1	Thiokol Corporation Elkton Division ATTN: S.F. Palopoli P.O. Box 241 Elkton, MD 21921
1	Rockwell International Corp. Rocketdyne Division ATTN: J.E. Flanagan/HB02 6633 Canoga Avenue Canoga Park, CA 91304	3	Thiokol Corporation Wasatch Division ATTN: S.J. Bennett P.O. Box 524 Brigham City, UT 84302
		1	United Technologies Research Center ATTN: A.C. Eckbreth East Hartford, CT 06108

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
1	United Technologies Corp. Chemical Systems Division ATTN: R.R. Miller P.O. Box 49028 San Jose, CA 95161-9028	2	University of California, Santa Barbara Quantum Institute ATTN: K. Schofield M. Steinberg Santa Barbara, CA 93106
1	Universal Propulsion Company ATTN: H.J. McSpadden 25401 North Central Avenue Phoenix, AZ 85027-7837	1	University of Colorado at Boulder Engineering Center ATTN: J. Daily Campus Box 427 Boulder, CO 80309-0427
1	Veritay Technology, Inc. ATTN: E.B. Fisher 4845 Millersport Highway P.O. Box 305 East Amherst, NY 14051-0305	2	University of Southern California Dept. of Chemistry ATTN: S. Benson C. Wittig Los Angeles, CA 90007
1	Brigham Young University Dept. of Chemical Engineering ATTN: M.W. Beckstead Provo, UT 84058	1	Cornell University Department of Chemistry ATTN: T.A. Cool Baker Laboratory Ithaca, NY 14853
1	California Institute of Tech. Jet Propulsion Laboratory ATTN: L. Strand/MS 125-224 4800 Oak Grove Drive Pasadena, CA 91109	1	University of Delaware ATTN: T. Brill Chemistry Department Newark, DE 19711
1	California Institute of Technology ATTN: F.E.C. Culick/MC 301-46 204 Karman Lab. Pasadena, CA 91125	1	University of Florida Dept. of Chemistry ATTN: J. Winefordner Gainesville, FL 32611
1	University of California Los Alamos Scientific Lab. P.O. Box 1663, Mail Stop B216 Los Alamos, NM 87545	3	Georgia Institute of Technology School of Aerospace Engineering ATTN: E. Price W.C. Strahle B.T. Zinn Atlanta, GA 30332
1	University of California, Berkeley Chemistry Department ATTN: C. Bradley Moore 211 Lewis Hall Berkeley, CA 94720	1	University of Illinois Dept. of Mech. Eng. ATTN: H. Krier 144MEB, 1206 W. Green St. Urbana, IL 61801
1	University of California, San Diego ATTN: F.A. Williams AMES, B010 La Jolla, CA 92093	1	The Johns Hopkins University Chemical Propulsion Information Agency ATTN: T.W. Christian 10630 Little Patuxent Parkway, Suite 202 Columbia, MD 21044-3200

<u>No. of Copies</u>	<u>Organization</u>
1	University of Michigan Gas Dynamics Lab Aerospace Engineering Bldg. ATTN: G.M. Faeth Ann Arbor, MI 48109-2140
1	University of Minnesota Dept. of Mechanical Engineering ATTN: E. Fletcher Minneapolis, MN 55455
3	Pennsylvania State University Applied Research Laboratory ATTN: K.K. Kuo H. Palmer M. Micci University Park, PA 16802
1	Pennsylvania State University Dept. of Mechanical Engineering ATTN: V. Yang University Park, PA 16802
1	Polytechnic Institute of NY Graduate Center ATTN: S. Lederman Route 110 Farmingdale, NY 11735
2	Princeton University Forrestal Campus Library ATTN: K. Brezinsky I. Glassman P.O. Box 710 Princeton, NJ 08540
1	Purdue University School of Aeronautics and Astronautics ATTN: J.R. Osborn Grissom Hall West Lafayette, IN 47906
1	Purdue University Department of Chemistry ATTN: E. Grant West Lafayette, IN 47906

<u>No. of Copies</u>	<u>Organization</u>
2	Purdue University School of Mechanical Engineering ATTN: N.M. Laurendeau S.N.B. Murthy TSPC Chaffee Hall West Lafayette, IN 47906
1	Rensselaer Polytechnic Inst. Dept. of Chemical Engineering ATTN: A. Fontijn Troy, NY 12181
1	Stanford University Dept. of Mechanical Engineering ATTN: R. Hanson Stanford, CA 94305
1	University of Texas Dept. of Chemistry ATTN: W. Gardiner Austin, TX 78712
1	Virginia Polytechnic Institute and State University ATTN: J.A. Schetz Blacksburg, VA 24061
1	Freedman Associates ATTN: E. Freedman 2411 Diana Road Baltimore, MD 21209-1525

USER EVALUATION SHEET/CHANGE OF ADDRESS

This Laboratory undertakes a continuing effort to improve the quality of the reports it publishes. Your comments/answers to the items/questions below will aid us in our efforts.

1. ARL Report Number ARL-TR-127 Date of Report May 1993

2. Date Report Received _____

3. Does this report satisfy a need? (Comment on purpose, related project, or other area of interest for which the report will be used.) _____

4. Specifically, how is the report being used? (Information source, design data, procedure, source of ideas, etc.) _____

5. Has the information in this report led to any quantitative savings as far as man-hours or dollars saved, operating costs avoided, or efficiencies achieved, etc? If so, please elaborate. _____

6. General Comments. What do you think should be changed to improve future reports? (Indicate changes to organization, technical content, format, etc.) _____

CURRENT
ADDRESS

Organization

Name

Street or P.O. Box No.

City, State, Zip Code

7. If indicating a Change of Address or Address Correction, please provide the Current or Correct address above and the Old or Incorrect address below.

OLD
ADDRESS

Organization

Name

Street or P.O. Box No.

City, State, Zip Code

(Remove this sheet, fold as indicated, tape closed, and mail.)
(DO NOT STAPLE)

DEPARTMENT OF THE ARMY

OFFICIAL BUSINESS

BUSINESS REPLY MAIL

FIRST CLASS PERMIT No 0001, APG, MD

Postage will be paid by addressee

Director
U.S. Army Research Laboratory
ATTN: AMSRL-OP-CI-B (Tech Lib)
Aberdeen Proving Ground, MD 21005-5066

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES